

Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-27.17	-13	Pass	401
0.15	30	0.01	Peak	0.15	-21.96	-13	Pass	2986
30	500	0.1	Peak	378.9	-43.25	-13	Pass	4701
500	1000	0.1	Peak	824.3	32.81	-13	N/A	5001
1000	10000	1	Peak	8171	-39.8	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-27.55	-13	Pass	401
0.15	30	0.01	Peak	0.15	-23.09	-13	Pass	2986
30	500	0.1	Peak	441.1	-42.78	-13	Pass	4701
500	1000	0.1	Peak	836.5	32.21	-13	N/A	5001
1000	10000	1	Peak	7034	-39.79	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-28.54	-13	Pass	401
0.15	30	0.01	Peak	0.15	-22.31	-13	Pass	2986
30	500	0.1	Peak	476.4	-43	-13	Pass	4701
500	1000	0.1	Peak	848.8	32.57	-13	N/A	5001
1000	10000	1	Peak	7700	-39.5	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-34.83	-13	Pass	401
0.15	30	0.01	Peak	0.15	-29.3	-13	Pass	2986
30	1000	0.1	Peak	938.8	-46.43	-13	Pass	9701
1000	3000	1	Peak	1850	29.96	-13	N/A	2001
3000	20000	1	Peak	19342	-38.83	-13	Pass	17001




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.07	-13	Pass	401
0.15	30	0.01	Peak	0.15	-29.01	-13	Pass	2986
30	1000	0.1	Peak	873.9	-46.86	-13	Pass	9701
1000	3000	1	Peak	1880	29.91	-13	N/A	2001
3000	20000	1	Peak	19791	-38.34	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-35.46	-13	Pass	401
0.15	30	0.01	Peak	0.15	-29.06	-13	Pass	2986
30	1000	0.1	Peak	844.5	-46.43	-13	Pass	9701
1000	3000	1	Peak	1911	25.1	-13	N/A	2001
3000	20000	1	Peak	19344	-38.53	-13	Pass	17001



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-28.87	-13	Pass	401
0.15	30	0.01	Peak	0.15	-23.16	-13	Pass	2986
30	500	0.1	Peak	419.6	-42.89	-13	Pass	4701
500	1000	0.1	Peak	824.1	25.98	-13	N/A	5001
1000	10000	1	Peak	1000	-37.72	-13	Pass	9001




3.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-27.71	-13	Pass	401
0.15	30	0.01	Peak	0.15	-22.75	-13	Pass	2986
30	500	0.1	Peak	480.6	-42.44	-13	Pass	4701
500	1000	0.1	Peak	836.6	27.61	-13	N/A	5001
1000	10000	1	Peak	1007	-37.75	-13	Pass	9001



3.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-28.96	-13	Pass	401
0.15	30	0.01	Peak	0.15	-23.73	-13	Pass	2986
30	500	0.1	Peak	488.3	-42.96	-13	Pass	4701
500	1000	0.1	Peak	848.8	27.09	-13	N/A	5001
1000	10000	1	Peak	1019	-38.07	-13	Pass	9001



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-33.6	-13	Pass	401
0.15	30	0.01	Peak	0.15	-28.71	-13	Pass	2986
30	1000	0.1	Peak	885.9	-47.01	-13	Pass	9701
1000	3000	1	Peak	1850	28.44	-13	N/A	2001
3000	20000	1	Peak	19993	-37.69	-13	Pass	17001




4.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-33.61	-13	Pass	401
0.15	30	0.01	Peak	0.15	-29.1	-13	Pass	2986
30	1000	0.1	Peak	901.6	-47.12	-13	Pass	9701
1000	3000	1	Peak	1880	28.34	-13	N/A	2001
3000	20000	1	Peak	18988	-39.21	-13	Pass	17001



4.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-33.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-28.35	-13	Pass	2986
30	1000	0.1	Peak	866	-47.45	-13	Pass	9701
1000	3000	1	Peak	1909	22.58	-13	N/A	2001
3000	20000	1	Peak	19341	-39.37	-13	Pass	17001



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-39.45	-13	Pass	401
0.15	30	0.01	Peak	0.16	-33.45	-13	Pass	2986
30	1000	0.1	Peak	867	-50.67	-13	Pass	9701
1000	3000	1	Peak	1854	23.24	-13	N/A	2001
3000	20000	1	Peak	19972	-25.16	-13	Pass	17001




5.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.58	-13	Pass	401
0.15	30	0.01	Peak	0.15	-32.03	-13	Pass	2986
30	1000	0.1	Peak	954.3	-51.31	-13	Pass	9701
1000	3000	1	Peak	1879	23.33	-13	N/A	2001
3000	20000	1	Peak	19705	-25.35	-13	Pass	17001



5.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-38.76	-13	Pass	401
0.15	30	0.01	Peak	0.15	-33.17	-13	Pass	2986
30	1000	0.1	Peak	851.2	-51.31	-13	Pass	9701
1000	3000	1	Peak	1906	23.48	-13	N/A	2001
3000	20000	1	Peak	19992	-25.37	-13	Pass	17001



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-39.18	-13	Pass	401
0.15	30	0.01	Peak	0.15	-32.18	-13	Pass	2986
30	1000	0.1	Peak	675.5	-51.33	-13	Pass	9701
1000	3000	1	Peak	1714	24.85	-13	N/A	2001
3000	20000	1	Peak	19994	-24.97	-13	Pass	17001




6.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.48	-13	Pass	401
0.15	30	0.01	Peak	0.16	-32.24	-13	Pass	2986
30	1000	0.1	Peak	963.7	-51.13	-13	Pass	9701
1000	3000	1	Peak	1731	22.94	-13	N/A	2001
3000	20000	1	Peak	19731	-25.15	-13	Pass	17001



6.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-39.24	-13	Pass	401
0.15	30	0.01	Peak	0.15	-30.67	-13	Pass	2986
30	1000	0.1	Peak	954.3	-51.28	-13	Pass	9701
1000	3000	1	Peak	1751	22.94	-13	N/A	2001
3000	20000	1	Peak	19722	-25	-13	Pass	17001



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-38.86	-13	Pass	401
0.15	30	0.01	Peak	0.16	-33.38	-13	Pass	2986
30	500	0.1	Peak	472.8	-52.94	-13	Pass	4701
500	1000	0.1	Peak	825.6	18.01	-13	N/A	5001
1000	10000	1	Peak	8228	-30.32	-13	Pass	9001




7.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.45	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.46	-13	Pass	2986
30	500	0.1	Peak	428.9	-53.28	-13	Pass	4701
500	1000	0.1	Peak	836	16.22	-13	N/A	5001
1000	10000	1	Peak	9535	-30.05	-13	Pass	9001



7.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.79	-13	Pass	401
0.15	30	0.01	Peak	0.16	-33.11	-13	Pass	2986
30	500	0.1	Peak	410	-53.2	-13	Pass	4701
500	1000	0.1	Peak	848.1	16.29	-13	N/A	5001
1000	10000	1	Peak	7810	-30.67	-13	Pass	9001



8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.06	-71.86	-13	Pass	401
0.15	30	0.01	RMS	17.13	-68.58	-13	Pass	2986
30	1000	0.1	RMS	880.621	-59.68	-13	Pass	9701
1000	1840	1	RMS	1816	-48.83	-13	Pass	841
1840	1920	1	RMS	1850.2	23.36	60	Pass	401
1920	3000	1	RMS	2962	-45.67	-13	Pass	1081
3000	12000	1	RMS	7188	-30.8	-13	Pass	9002
12000	20000	1	RMS	19697	-22.89	-13	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-72.73	-13	Pass	401
0.15	30	0.01	RMS	25.48	-69.09	-13	Pass	2986
30	1000	0.1	RMS	912.342	-59.66	-13	Pass	9701
1000	1840	1	RMS	1798	-48.78	-13	Pass	841
1840	1920	1	RMS	1850.2	22.36	60	Pass	401
1920	3000	1	RMS	2931	-45.9	-13	Pass	1081
3000	12000	1	RMS	11484	-36.53	-13	Pass	9002
12000	20000	1	RMS	19810	-28.96	-13	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.13	-13	Pass	401
0.15	30	0.01	RMS	10.82	-69.22	-13	Pass	2986
30	1000	0.1	RMS	870.614	-59.47	-13	Pass	9701
1000	1840	1	RMS	1814	-48.82	-13	Pass	841
1840	1920	1	RMS	1879.4	23.31	60	Pass	401
1920	3000	1	RMS	2950	-45.75	-13	Pass	1081
3000	12000	1	RMS	11858	-36.62	-13	Pass	9002
12000	20000	1	RMS	19774	-29	-13	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.07	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.34	-13	Pass	2986
30	1000	0.1	RMS	902.135	-59.26	-13	Pass	9701
1000	1840	1	RMS	1817	-48.87	-13	Pass	841
1840	1920	1	RMS	1879.4	22.32	60	Pass	401
1920	3000	1	RMS	2929	-45.84	-13	Pass	1081
3000	12000	1	RMS	11852	-36.42	-13	Pass	9002
12000	20000	1	RMS	19794	-28.91	-13	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.04	-13	Pass	401
0.15	30	0.01	RMS	0.36	-68.72	-13	Pass	2986
30	1000	0.1	RMS	928.953	-59.69	-13	Pass	9701
1000	1840	1	RMS	1820	-48.86	-13	Pass	841
1840	1920	1	RMS	1908.8	22.89	60	Pass	401
1920	3000	1	RMS	2958	-45.81	-13	Pass	1081
3000	12000	1	RMS	11479	-36.53	-13	Pass	9002
12000	20000	1	RMS	19789	-29	-13	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.1	-72.56	-13	Pass	401
0.15	30	0.01	RMS	26.99	-68.37	-13	Pass	2986
30	1000	0.1	RMS	877.519	-59.45	-13	Pass	9701
1000	1840	1	RMS	1810	-48.87	-13	Pass	841
1840	1920	1	RMS	1908.8	22.1	60	Pass	401
1920	3000	1	RMS	2989	-45.88	-13	Pass	1081
3000	12000	1	RMS	11494	-36.56	-13	Pass	9002
12000	20000	1	RMS	19800	-28.9	-13	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.59	-13	Pass	401
0.15	30	0.01	RMS	0.32	-67.92	-13	Pass	2986
30	1000	0.1	RMS	913.243	-59.35	-13	Pass	9701
1000	1840	1	RMS	1840	-48.76	-13	Pass	841
1840	1920	1	RMS	1850.2	23.44	60	Pass	401
1920	3000	1	RMS	2935	-45.8	-13	Pass	1081
3000	12000	1	RMS	7174	-30.65	-13	Pass	9002
12000	20000	1	RMS	19689	-22.63	-13	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.92	-13	Pass	401
0.15	30	0.01	RMS	3.78	-68.8	-13	Pass	2986
30	1000	0.1	RMS	897.532	-59.57	-13	Pass	9701
1000	1840	1	RMS	1840	-48.62	-13	Pass	841
1840	1920	1	RMS	1850.2	22.59	60	Pass	401
1920	3000	1	RMS	2973	-45.73	-13	Pass	1081
3000	12000	1	RMS	11494	-36.54	-13	Pass	9002
12000	20000	1	RMS	19811	-28.84	-13	Pass	8001



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.94	-13	Pass	2986
30	1000	0.1	RMS	928.553	-59.45	-13	Pass	9701
1000	1840	1	RMS	1839	-48.65	-13	Pass	841
1840	1920	1	RMS	1878.6	23.42	60	Pass	401
1920	3000	1	RMS	2964	-45.73	-13	Pass	1081
3000	12000	1	RMS	11495	-36.68	-13	Pass	9002
12000	20000	1	RMS	19805	-28.94	-13	Pass	8001



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.15	-73.85	-13	Pass	401
0.15	30	0.01	RMS	24.34	-68.74	-13	Pass	2986
30	1000	0.1	RMS	895.931	-59.37	-13	Pass	9701
1000	1840	1	RMS	1820	-48.76	-13	Pass	841
1840	1920	1	RMS	1878.6	22.44	60	Pass	401
1920	3000	1	RMS	2958	-45.72	-13	Pass	1081
3000	12000	1	RMS	11852	-36.54	-13	Pass	9002
12000	20000	1	RMS	19785	-28.89	-13	Pass	8001



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.43	-13	Pass	401
0.15	30	0.01	RMS	7.94	-68.71	-13	Pass	2986
30	1000	0.1	RMS	897.632	-59.5	-13	Pass	9701
1000	1840	1	RMS	1840	-48.8	-13	Pass	841
1840	1920	1	RMS	1907.2	23.11	60	Pass	401
1920	3000	1	RMS	2960	-45.67	-13	Pass	1081
3000	12000	1	RMS	11486	-36.38	-13	Pass	9002
12000	20000	1	RMS	19800	-28.8	-13	Pass	8001



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.32	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.58	-13	Pass	2986
30	1000	0.1	RMS	864.61	-59.16	-13	Pass	9701
1000	1840	1	RMS	1814	-48.7	-13	Pass	841
1840	1920	1	RMS	1907.2	22.35	60	Pass	401
1920	3000	1	RMS	2959	-45.78	-13	Pass	1081
3000	12000	1	RMS	11482	-36.59	-13	Pass	9002
12000	20000	1	RMS	19800	-28.82	-13	Pass	8001



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.15	-13	Pass	401
0.15	30	0.01	RMS	8.5	-68.76	-13	Pass	2986
30	1000	0.1	RMS	923.95	-59.21	-13	Pass	9701
1000	1840	1	RMS	1840	-48.62	-13	Pass	841
1840	1920	1	RMS	1850.2	23.36	60	Pass	401
1920	3000	1	RMS	2988	-45.87	-13	Pass	1081
3000	12000	1	RMS	7188	-30.95	-13	Pass	9002
12000	20000	1	RMS	19707	-21.94	-13	Pass	8001



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.77	-13	Pass	401
0.15	30	0.01	RMS	9.48	-69.34	-13	Pass	2986
30	1000	0.1	RMS	722.7	-59.69	-13	Pass	9701
1000	1840	1	RMS	1840	-48.69	-13	Pass	841
1840	1920	1	RMS	1850.2	22.46	60	Pass	401
1920	3000	1	RMS	2965	-45.86	-13	Pass	1081
3000	12000	1	RMS	11505	-36.57	-13	Pass	9002
12000	20000	1	RMS	19794	-28.88	-13	Pass	8001



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.14	-13	Pass	401
0.15	30	0.01	RMS	17.79	-68.56	-13	Pass	2986
30	1000	0.1	RMS	856.605	-59.74	-13	Pass	9701
1000	1840	1	RMS	1809	-48.81	-13	Pass	841
1840	1920	1	RMS	1877.8	23.36	60	Pass	401
1920	3000	1	RMS	2961	-45.77	-13	Pass	1081
3000	12000	1	RMS	11459	-36.48	-13	Pass	9002
12000	20000	1	RMS	19800	-28.99	-13	Pass	8001



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.057	-72.41	-13	Pass	401
0.15	30	0.01	RMS	21.91	-68.59	-13	Pass	2986
30	1000	0.1	RMS	999.6	-59.73	-13	Pass	9701
1000	1840	1	RMS	1812	-48.82	-13	Pass	841
1840	1920	1	RMS	1877.8	22.54	60	Pass	401
1920	3000	1	RMS	2994	-45.85	-13	Pass	1081
3000	12000	1	RMS	11458	-36.54	-13	Pass	9002
12000	20000	1	RMS	19794	-29.02	-13	Pass	8001



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-72.42	-13	Pass	401
0.15	30	0.01	RMS	0.53	-68.34	-13	Pass	2986
30	1000	0.1	RMS	893.129	-59.56	-13	Pass	9701
1000	1840	1	RMS	1812	-48.81	-13	Pass	841
1840	1920	1	RMS	1905.2	23.27	60	Pass	401
1920	3000	1	RMS	2955	-45.7	-13	Pass	1081
3000	12000	1	RMS	11472	-36.54	-13	Pass	9002
12000	20000	1	RMS	19793	-28.84	-13	Pass	8001



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.07	-13	Pass	401
0.15	30	0.01	RMS	28.74	-68.65	-13	Pass	2986
30	1000	0.1	RMS	876.718	-59.88	-13	Pass	9701
1000	1840	1	RMS	1792	-48.97	-13	Pass	841
1840	1920	1	RMS	1905.2	22.46	60	Pass	401
1920	3000	1	RMS	2975	-45.91	-13	Pass	1081
3000	12000	1	RMS	11483	-36.59	-13	Pass	9002
12000	20000	1	RMS	19806	-29.1	-13	Pass	8001



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.53	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.18	-13	Pass	2986
30	1000	0.1	RMS	908.439	-59.7	-13	Pass	9701
1000	1840	1	RMS	1833	-47.75	-13	Pass	841
1840	1920	1	RMS	1850.4	23.41	60	Pass	401
1920	3000	1	RMS	2959	-45.76	-13	Pass	1081
3000	12000	1	RMS	7208	-30.09	-13	Pass	9002
12000	20000	1	RMS	19722	-21.88	-13	Pass	8001



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.27	-68.72	-13	Pass	2986
30	1000	0.1	RMS	969.38	-59.78	-13	Pass	9701
1000	1840	1	RMS	1840	-47.76	-13	Pass	841
1840	1920	1	RMS	1850.4	22.59	60	Pass	401
1920	3000	1	RMS	2932	-45.84	-13	Pass	1081
3000	12000	1	RMS	11858	-36.51	-13	Pass	9002
12000	20000	1	RMS	19800	-28.92	-13	Pass	8001



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.02	-13	Pass	401
0.15	30	0.01	RMS	0.25	-68.63	-13	Pass	2986
30	1000	0.1	RMS	932.155	-59.63	-13	Pass	9701
1000	1840	1	RMS	1802	-48.97	-13	Pass	841
1840	1920	1	RMS	1875.6	23.28	60	Pass	401
1920	3000	1	RMS	2994	-45.93	-13	Pass	1081
3000	12000	1	RMS	11476	-36.46	-13	Pass	9002
12000	20000	1	RMS	19797	-28.97	-13	Pass	8001



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.111	-72.92	-13	Pass	401
0.15	30	0.01	RMS	2.72	-68.61	-13	Pass	2986
30	1000	0.1	RMS	840.5	-59.45	-13	Pass	9701
1000	1840	1	RMS	1811	-48.78	-13	Pass	841
1840	1920	1	RMS	1875.4	22.41	60	Pass	401
1920	3000	1	RMS	2988	-45.84	-13	Pass	1081
3000	12000	1	RMS	11469	-36.55	-13	Pass	9002
12000	20000	1	RMS	19777	-28.92	-13	Pass	8001



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.82	-13	Pass	401
0.15	30	0.01	RMS	14.37	-68.7	-13	Pass	2986
30	1000	0.1	RMS	864.91	-59.54	-13	Pass	9701
1000	1840	1	RMS	1838	-48.9	-13	Pass	841
1840	1920	1	RMS	1900.4	22.79	60	Pass	401
1920	3000	1	RMS	2953	-45.84	-13	Pass	1081
3000	12000	1	RMS	11463	-36.44	-13	Pass	9002
12000	20000	1	RMS	19801	-28.9	-13	Pass	8001



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.68	-13	Pass	401
0.15	30	0.01	RMS	3.14	-68.94	-13	Pass	2986
30	1000	0.1	RMS	994.096	-59.44	-13	Pass	9701
1000	1840	1	RMS	1816	-48.93	-13	Pass	841
1840	1920	1	RMS	1900.6	22.14	60	Pass	401
1920	3000	1	RMS	2953	-45.84	-13	Pass	1081
3000	12000	1	RMS	11496	-36.56	-13	Pass	9002
12000	20000	1	RMS	19794	-29.02	-13	Pass	8001



8.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.34	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.91	-13	Pass	2986
30	1000	0.1	RMS	891.828	-59.47	-13	Pass	9701
1000	1840	1	RMS	1838	-43.88	-13	Pass	841
1840	1920	1	RMS	1850.8	23.35	60	Pass	401
1920	3000	1	RMS	2927	-45.88	-13	Pass	1081
3000	12000	1	RMS	7191	-31.24	-13	Pass	9002
12000	20000	1	RMS	19703	-22.55	-13	Pass	8001



8.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.77	-13	Pass	401
0.15	30	0.01	RMS	18.5	-68.41	-13	Pass	2986
30	1000	0.1	RMS	877.819	-59.62	-13	Pass	9701
1000	1840	1	RMS	1838	-44.67	-13	Pass	841
1840	1920	1	RMS	1850.8	22.5	60	Pass	401
1920	3000	1	RMS	2947	-45.88	-13	Pass	1081
3000	12000	1	RMS	11493	-36.44	-13	Pass	9002
12000	20000	1	RMS	19808	-28.95	-13	Pass	8001



8.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.21	-13	Pass	401
0.15	30	0.01	RMS	23.07	-69.01	-13	Pass	2986
30	1000	0.1	RMS	991.394	-59.52	-13	Pass	9701
1000	1840	1	RMS	1809	-48.87	-13	Pass	841
1840	1920	1	RMS	1873.2	23.17	60	Pass	401
1920	3000	1	RMS	2976	-45.81	-13	Pass	1081
3000	12000	1	RMS	11472	-36.5	-13	Pass	9002
12000	20000	1	RMS	19794	-28.9	-13	Pass	8001



8.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.64	-13	Pass	401
0.15	30	0.01	RMS	1.76	-69.09	-13	Pass	2986
30	1000	0.1	RMS	862.609	-59.67	-13	Pass	9701
1000	1840	1	RMS	1796	-48.87	-13	Pass	841
1840	1920	1	RMS	1873.2	22.47	60	Pass	401
1920	3000	1	RMS	2958	-45.85	-13	Pass	1081
3000	12000	1	RMS	11495	-36.53	-13	Pass	9002
12000	20000	1	RMS	19781	-28.94	-13	Pass	8001



8.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.43	-13	Pass	401
0.15	30	0.01	RMS	0.63	-68.93	-13	Pass	2986
30	1000	0.1	RMS	870.014	-59.63	-13	Pass	9701
1000	1840	1	RMS	1818	-48.74	-13	Pass	841
1840	1920	1	RMS	1895.8	22.91	60	Pass	401
1920	3000	1	RMS	1922	-41.22	-13	Pass	1081
3000	12000	1	RMS	11465	-36.58	-13	Pass	9002
12000	20000	1	RMS	19801	-28.96	-13	Pass	8001



8.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.77	-13	Pass	401
0.15	30	0.01	RMS	27.53	-68.91	-13	Pass	2986
30	1000	0.1	RMS	885.024	-59.47	-13	Pass	9701
1000	1840	1	RMS	1812	-48.84	-13	Pass	841
1840	1920	1	RMS	1895.8	22.27	60	Pass	401
1920	3000	1	RMS	1922	-41.67	-13	Pass	1081
3000	12000	1	RMS	11845	-36.59	-13	Pass	9002
12000	20000	1	RMS	19801	-29.06	-13	Pass	8001



8.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.72	-13	Pass	2986
30	1000	0.1	RMS	911.641	-59.71	-13	Pass	9701
1000	1840	1	RMS	1840	-46.29	-13	Pass	841
1840	1920	1	RMS	1851	23.14	60	Pass	401
1920	3000	1	RMS	2955	-45.88	-13	Pass	1081
3000	12000	1	RMS	7175	-30.6	-13	Pass	9002
12000	20000	1	RMS	19688	-22.62	-13	Pass	8001



8.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.128	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.38	-68.93	-13	Pass	2986
30	1000	0.1	RMS	956.671	-59.66	-13	Pass	9701
1000	1840	1	RMS	1840	-46.58	-13	Pass	841
1840	1920	1	RMS	1851	22.36	60	Pass	401
1920	3000	1	RMS	2932	-45.89	-13	Pass	1081
3000	12000	1	RMS	11500	-36.58	-13	Pass	9002
12000	20000	1	RMS	19800	-28.96	-13	Pass	8001



8.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.88	-13	Pass	401
0.15	30	0.01	RMS	27.12	-68.49	-13	Pass	2986
30	1000	0.1	RMS	998.999	-59.44	-13	Pass	9701
1000	1840	1	RMS	1835	-48.45	-13	Pass	841
1840	1920	1	RMS	1871	22.95	60	Pass	401
1920	3000	1	RMS	2954	-45.71	-13	Pass	1081
3000	12000	1	RMS	11448	-36.59	-13	Pass	9002
12000	20000	1	RMS	19797	-29.03	-13	Pass	8001



8.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.97	-13	Pass	401
0.15	30	0.01	RMS	17.82	-68.8	-13	Pass	2986
30	1000	0.1	RMS	894.43	-59.57	-13	Pass	9701
1000	1840	1	RMS	1835	-48.43	-13	Pass	841
1840	1920	1	RMS	1871	22.29	60	Pass	401
1920	3000	1	RMS	2966	-45.79	-13	Pass	1081
3000	12000	1	RMS	11512	-36.43	-13	Pass	9002
12000	20000	1	RMS	19797	-28.76	-13	Pass	8001



8.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.36	-13	Pass	2986
30	1000	0.1	RMS	874.717	-59.29	-13	Pass	9701
1000	1840	1	RMS	1840	-48.82	-13	Pass	841
1840	1920	1	RMS	1891	22.89	60	Pass	401
1920	3000	1	RMS	2955	-45.8	-13	Pass	1081
3000	12000	1	RMS	11494	-36.35	-13	Pass	9002
12000	20000	1	RMS	19799	-28.73	-13	Pass	8001



8.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.46	-13	Pass	401
0.15	30	0.01	RMS	24.86	-68.44	-13	Pass	2986
30	1000	0.1	RMS	886.925	-59.55	-13	Pass	9701
1000	1840	1	RMS	1817	-48.82	-13	Pass	841
1840	1920	1	RMS	1891	22.09	60	Pass	401
1920	3000	1	RMS	2956	-45.68	-13	Pass	1081
3000	12000	1	RMS	11450	-36.45	-13	Pass	9002
12000	20000	1	RMS	19793	-28.84	-13	Pass	8001



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.76	-13	Pass	401
0.15	30	0.01	RMS	21.02	-69.19	-13	Pass	2986
30	1000	0.1	RMS	919.747	-59.78	-13	Pass	9701
1000	1700	1	RMS	1700	-49.12	-13	Pass	701
1700	1765	1	RMS	1710.238	22.88	60	Pass	401
1765	3000	1	RMS	2970	-45.83	-13	Pass	1236
3000	12000	1	RMS	7188	-30.97	-13	Pass	9002
12000	20000	1	RMS	19687	-22.66	-13	Pass	8001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.94	-13	Pass	401
0.15	30	0.01	RMS	0.87	-68.92	-13	Pass	2986
30	1000	0.1	RMS	908.139	-59.36	-13	Pass	9701
1000	1700	1	RMS	1700	-48.02	-13	Pass	701
1700	1765	1	RMS	1710.238	21.91	60	Pass	401
1765	3000	1	RMS	2958	-45.75	-13	Pass	1236
3000	12000	1	RMS	3421	-34.64	-13	Pass	9002
12000	20000	1	RMS	19779	-28.99	-13	Pass	8001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-72.83	-13	Pass	401
0.15	30	0.01	RMS	29.95	-69.21	-13	Pass	2986
30	1000	0.1	RMS	879.22	-59.57	-13	Pass	9701
1000	1700	1	RMS	1677	-49.31	-13	Pass	701
1700	1765	1	RMS	1732.013	23.15	60	Pass	401
1765	3000	1	RMS	2964	-45.84	-13	Pass	1236
3000	12000	1	RMS	3464	-30.82	-13	Pass	9002
12000	20000	1	RMS	19809	-29.05	-13	Pass	8001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.9	-13	Pass	401
0.15	30	0.01	RMS	21	-69.06	-13	Pass	2986
30	1000	0.1	RMS	900.634	-59.63	-13	Pass	9701
1000	1700	1	RMS	1683	-49.23	-13	Pass	701
1700	1765	1	RMS	1732.013	22.17	60	Pass	401
1765	3000	1	RMS	2965	-45.84	-13	Pass	1236
3000	12000	1	RMS	3464	-31.79	-13	Pass	9002
12000	20000	1	RMS	19801	-28.96	-13	Pass	8001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.089	-72.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.25	-13	Pass	2986
30	1000	0.1	RMS	875.317	-59.69	-13	Pass	9701
1000	1700	1	RMS	1691	-49.18	-13	Pass	701
1700	1765	1	RMS	1753.788	23.31	60	Pass	401
1765	3000	1	RMS	2980	-45.75	-13	Pass	1236
3000	12000	1	RMS	3508	-32.07	-13	Pass	9002
12000	20000	1	RMS	19794	-28.93	-13	Pass	8001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.21	-13	Pass	401
0.15	30	0.01	RMS	6.46	-68.99	-13	Pass	2986
30	1000	0.1	RMS	901.435	-59.58	-13	Pass	9701
1000	1700	1	RMS	1699	-49.21	-13	Pass	701
1700	1765	1	RMS	1753.788	22.36	60	Pass	401
1765	3000	1	RMS	2946	-45.8	-13	Pass	1236
3000	12000	1	RMS	3508	-32.94	-13	Pass	9002
12000	20000	1	RMS	19799	-28.92	-13	Pass	8001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-72.14	-13	Pass	401
0.15	30	0.01	RMS	28.52	-68.78	-13	Pass	2986
30	1000	0.1	RMS	873.816	-59.69	-13	Pass	9701
1000	1700	1	RMS	1700	-49.1	-13	Pass	701
1700	1765	1	RMS	1710.075	22.88	60	Pass	401
1765	3000	1	RMS	2971	-45.81	-13	Pass	1236
3000	12000	1	RMS	7172	-29.92	-13	Pass	9002
12000	20000	1	RMS	19685	-22.02	-13	Pass	8001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.85	-13	Pass	401
0.15	30	0.01	RMS	21.63	-69.27	-13	Pass	2986
30	1000	0.1	RMS	884.323	-59.45	-13	Pass	9701
1000	1700	1	RMS	1700	-48.94	-13	Pass	701
1700	1765	1	RMS	1710.075	22.06	60	Pass	401
1765	3000	1	RMS	2971	-45.86	-13	Pass	1236
3000	12000	1	RMS	3421	-34.27	-13	Pass	9002
12000	20000	1	RMS	19794	-28.92	-13	Pass	8001



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.93	-13	Pass	401
0.15	30	0.01	RMS	12.98	-69.09	-13	Pass	2986
30	1000	0.1	RMS	888.626	-59.55	-13	Pass	9701
1000	1700	1	RMS	1692	-49.19	-13	Pass	701
1700	1765	1	RMS	1731.2	23.19	60	Pass	401
1765	3000	1	RMS	2961	-45.64	-13	Pass	1236
3000	12000	1	RMS	3462	-32.41	-13	Pass	9002
12000	20000	1	RMS	19795	-28.84	-13	Pass	8001



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.12	-13	Pass	401
0.15	30	0.01	RMS	22.79	-68.69	-13	Pass	2986
30	1000	0.1	RMS	923.049	-59.63	-13	Pass	9701
1000	1700	1	RMS	1695	-49.07	-13	Pass	701
1700	1765	1	RMS	1731.2	22.16	60	Pass	401
1765	3000	1	RMS	2928	-45.61	-13	Pass	1236
3000	12000	1	RMS	3462	-33.28	-13	Pass	9002
12000	20000	1	RMS	19785	-28.79	-13	Pass	8001



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.23	-13	Pass	401
0.15	30	0.01	RMS	21.17	-68.55	-13	Pass	2986
30	1000	0.1	RMS	874.617	-59.62	-13	Pass	9701
1000	1700	1	RMS	1699	-48.99	-13	Pass	701
1700	1765	1	RMS	1752.163	23.32	60	Pass	401
1765	3000	1	RMS	2968	-45.67	-13	Pass	1236
3000	12000	1	RMS	3504	-32.91	-13	Pass	9002
12000	20000	1	RMS	19807	-28.84	-13	Pass	8001



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.075	-71.93	-13	Pass	401
0.15	30	0.01	RMS	6.22	-69.11	-13	Pass	2986
30	1000	0.1	RMS	869.213	-59.7	-13	Pass	9701
1000	1700	1	RMS	1696	-49.1	-13	Pass	701
1700	1765	1	RMS	1752.163	22.41	60	Pass	401
1765	3000	1	RMS	2934	-45.6	-13	Pass	1236
3000	12000	1	RMS	3505	-33.76	-13	Pass	9002
12000	20000	1	RMS	19796	-28.9	-13	Pass	8001



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.22	-13	Pass	401
0.15	30	0.01	RMS	22.36	-68.91	-13	Pass	2986
30	1000	0.1	RMS	878.219	-59.69	-13	Pass	9701
1000	1700	1	RMS	1700	-48.94	-13	Pass	701
1700	1765	1	RMS	1710.238	22.85	60	Pass	401
1765	3000	1	RMS	2968	-45.75	-13	Pass	1236
3000	12000	1	RMS	7180	-30.43	-13	Pass	9002
12000	20000	1	RMS	19695	-22.11	-13	Pass	8001



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.81	-13	Pass	401
0.15	30	0.01	RMS	0.3	-68.28	-13	Pass	2986
30	1000	0.1	RMS	910.841	-59.65	-13	Pass	9701
1000	1700	1	RMS	1698	-49.1	-13	Pass	701
1700	1765	1	RMS	1710.238	21.9	60	Pass	401
1765	3000	1	RMS	2960	-45.81	-13	Pass	1236
3000	12000	1	RMS	3421	-33.34	-13	Pass	9002
12000	20000	1	RMS	19799	-28.99	-13	Pass	8001



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.02	-13	Pass	401
0.15	30	0.01	RMS	4.67	-68.57	-13	Pass	2986
30	1000	0.1	RMS	839.8	-59.55	-13	Pass	9701
1000	1700	1	RMS	1699	-49.24	-13	Pass	701
1700	1765	1	RMS	1730.225	23.06	60	Pass	401
1765	3000	1	RMS	2965	-45.8	-13	Pass	1236
3000	12000	1	RMS	3461	-31.54	-13	Pass	9002
12000	20000	1	RMS	19777	-29.01	-13	Pass	8001



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.105	-72.34	-13	Pass	401
0.15	30	0.01	RMS	0.76	-68.44	-13	Pass	2986
30	1000	0.1	RMS	998.299	-59.58	-13	Pass	9701
1000	1700	1	RMS	1679	-49.2	-13	Pass	701
1700	1765	1	RMS	1730.225	22.23	60	Pass	401
1765	3000	1	RMS	2964	-45.63	-13	Pass	1236
3000	12000	1	RMS	3461	-32.31	-13	Pass	9002
12000	20000	1	RMS	19813	-28.96	-13	Pass	8001



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.57	-13	Pass	401
0.15	30	0.01	RMS	21.08	-68.58	-13	Pass	2986
30	1000	0.1	RMS	909.54	-59.46	-13	Pass	9701
1000	1700	1	RMS	1688	-49.29	-13	Pass	701
1700	1765	1	RMS	1750.213	23.2	60	Pass	401
1765	3000	1	RMS	2956	-45.7	-13	Pass	1236
3000	12000	1	RMS	3501	-31.92	-13	Pass	9002
12000	20000	1	RMS	19805	-28.95	-13	Pass	8001



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.9	-13	Pass	401
0.15	30	0.01	RMS	6.97	-68.37	-13	Pass	2986
30	1000	0.1	RMS	902.635	-59.57	-13	Pass	9701
1000	1700	1	RMS	1682	-49.31	-13	Pass	701
1700	1765	1	RMS	1750.213	22.42	60	Pass	401
1765	3000	1	RMS	2973	-45.76	-13	Pass	1236
3000	12000	1	RMS	3501	-32.43	-13	Pass	9002
12000	20000	1	RMS	19804	-28.81	-13	Pass	8001



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.06	-13	Pass	401
0.15	30	0.01	RMS	0.3	-68.5	-13	Pass	2986
30	1000	0.1	RMS	882.722	-59.5	-13	Pass	9701
1000	1700	1	RMS	1700	-48.13	-13	Pass	701
1700	1765	1	RMS	1710.563	22.93	60	Pass	401
1765	3000	1	RMS	2960	-45.87	-13	Pass	1236
3000	12000	1	RMS	7194	-30.97	-13	Pass	9002
12000	20000	1	RMS	19710	-22.47	-13	Pass	8001



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72	-13	Pass	401
0.15	30	0.01	RMS	0.47	-68.54	-13	Pass	2986
30	1000	0.1	RMS	879.62	-59.68	-13	Pass	9701
1000	1700	1	RMS	1700	-48.1	-13	Pass	701
1700	1765	1	RMS	1710.563	22.1	60	Pass	401
1765	3000	1	RMS	2960	-45.83	-13	Pass	1236
3000	12000	1	RMS	3421	-32.81	-13	Pass	9002
12000	20000	1	RMS	19783	-29.06	-13	Pass	8001



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.16	-13	Pass	401
0.15	30	0.01	RMS	28.28	-68.81	-13	Pass	2986
30	1000	0.1	RMS	964.577	-59.74	-13	Pass	9701
1000	1700	1	RMS	1700	-49.26	-13	Pass	701
1700	1765	1	RMS	1727.95	23.14	60	Pass	401
1765	3000	1	RMS	2974	-45.79	-13	Pass	1236
3000	12000	1	RMS	3456	-31.19	-13	Pass	9002
12000	20000	1	RMS	19794	-29.1	-13	Pass	8001



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.03	-13	Pass	401
0.15	30	0.01	RMS	0.83	-68.77	-13	Pass	2986
30	1000	0.1	RMS	993.095	-59.73	-13	Pass	9701
1000	1700	1	RMS	1682	-49.21	-13	Pass	701
1700	1765	1	RMS	1727.95	22.18	60	Pass	401
1765	3000	1	RMS	2954	-45.83	-13	Pass	1236
3000	12000	1	RMS	3456	-32.17	-13	Pass	9002
12000	20000	1	RMS	19802	-28.99	-13	Pass	8001



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.09	-13	Pass	401
0.15	30	0.01	RMS	3.27	-69.2	-13	Pass	2986
30	1000	0.1	RMS	921.848	-59.75	-13	Pass	9701
1000	1700	1	RMS	1678	-49.34	-13	Pass	701
1700	1765	1	RMS	1745.5	23.39	60	Pass	401
1765	3000	1	RMS	2972	-45.85	-13	Pass	1236
3000	12000	1	RMS	3491	-30.64	-13	Pass	9002
12000	20000	1	RMS	19796	-28.9	-13	Pass	8001



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.091	-72.71	-13	Pass	401
0.15	30	0.01	RMS	0.59	-69.18	-13	Pass	2986
30	1000	0.1	RMS	911.541	-59.46	-13	Pass	9701
1000	1700	1	RMS	1685	-49.22	-13	Pass	701
1700	1765	1	RMS	1745.5	22.48	60	Pass	401
1765	3000	1	RMS	2943	-45.84	-13	Pass	1236
3000	12000	1	RMS	3491	-31.3	-13	Pass	9002
12000	20000	1	RMS	19801	-28.87	-13	Pass	8001



9.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.86	-13	Pass	401
0.15	30	0.01	RMS	0.21	-69.12	-13	Pass	2986
30	1000	0.1	RMS	897.732	-59.53	-13	Pass	9701
1000	1700	1	RMS	1698	-44.4	-13	Pass	701
1700	1765	1	RMS	1710.725	22.88	60	Pass	401
1765	3000	1	RMS	2981	-45.77	-13	Pass	1236
3000	12000	1	RMS	7176	-30.78	-13	Pass	9002
12000	20000	1	RMS	19687	-22.48	-13	Pass	8001



9.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72	-13	Pass	401
0.15	30	0.01	RMS	19.06	-68.32	-13	Pass	2986
30	1000	0.1	RMS	888.426	-59.75	-13	Pass	9701
1000	1700	1	RMS	1698	-44.79	-13	Pass	701
1700	1765	1	RMS	1710.725	21.99	60	Pass	401
1765	3000	1	RMS	2969	-45.76	-13	Pass	1236
3000	12000	1	RMS	3422	-33.33	-13	Pass	9002
12000	20000	1	RMS	19799	-28.86	-13	Pass	8001



9.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-72.48	-13	Pass	401
0.15	30	0.01	RMS	25.64	-68.2	-13	Pass	2986
30	1000	0.1	RMS	935.857	-59.65	-13	Pass	9701
1000	1700	1	RMS	1699	-45.82	-13	Pass	701
1700	1765	1	RMS	1725.675	23	60	Pass	401
1765	3000	1	RMS	2955	-45.81	-13	Pass	1236
3000	12000	1	RMS	3452	-31.86	-13	Pass	9002
12000	20000	1	RMS	19793	-28.91	-13	Pass	8001



9.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.14	-13	Pass	401
0.15	30	0.01	RMS	10.93	-68.46	-13	Pass	2986
30	1000	0.1	RMS	854.804	-59.48	-13	Pass	9701
1000	1700	1	RMS	1699	-46.69	-13	Pass	701
1700	1765	1	RMS	1725.838	22.03	60	Pass	401
1765	3000	1	RMS	2979	-45.69	-13	Pass	1236
3000	12000	1	RMS	3452	-32.59	-13	Pass	9002
12000	20000	1	RMS	19802	-28.83	-13	Pass	8001



9.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.65	-13	Pass	401
0.15	30	0.01	RMS	14.2	-68.61	-13	Pass	2986
30	1000	0.1	RMS	878.119	-59.69	-13	Pass	9701
1000	1700	1	RMS	1676	-49.22	-13	Pass	701
1700	1765	1	RMS	1740.788	23.19	60	Pass	401
1765	3000	1	RMS	1767	-30.29	-13	Pass	1236
3000	12000	1	RMS	3482	-31.05	-13	Pass	9002
12000	20000	1	RMS	19814	-29	-13	Pass	8001



9.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.48	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.11	-13	Pass	2986
30	1000	0.1	RMS	887.826	-59.65	-13	Pass	9701
1000	1700	1	RMS	1698	-49.15	-13	Pass	701
1700	1765	1	RMS	1740.788	22.34	60	Pass	401
1765	3000	1	RMS	1767	-31.02	-13	Pass	1236
3000	12000	1	RMS	3482	-31.76	-13	Pass	9002
12000	20000	1	RMS	19798	-28.76	-13	Pass	8001



9.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.69	-13	Pass	401
0.15	30	0.01	RMS	20.28	-68.9	-13	Pass	2986
30	1000	0.1	RMS	907.439	-59.5	-13	Pass	9701
1000	1700	1	RMS	1700	-47.08	-13	Pass	701
1700	1765	1	RMS	1711.05	22.68	60	Pass	401
1765	3000	1	RMS	2951	-45.68	-13	Pass	1236
3000	12000	1	RMS	7162	-29.87	-13	Pass	9002
12000	20000	1	RMS	19682	-22.62	-13	Pass	8001



9.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.34	-13	Pass	2986
30	1000	0.1	RMS	891.328	-59.66	-13	Pass	9701
1000	1700	1	RMS	1700	-47.03	-13	Pass	701
1700	1765	1	RMS	1711.05	21.87	60	Pass	401
1765	3000	1	RMS	2964	-45.54	-13	Pass	1236
3000	12000	1	RMS	3422	-33.01	-13	Pass	9002
12000	20000	1	RMS	19807	-28.8	-13	Pass	8001



9.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.6	-13	Pass	2986
30	1000	0.1	RMS	884.523	-59.33	-13	Pass	9701
1000	1700	1	RMS	1688	-48.69	-13	Pass	701
1700	1765	1	RMS	1723.563	22.85	60	Pass	401
1765	3000	1	RMS	2977	-45.83	-13	Pass	1236
3000	12000	1	RMS	3447	-31.75	-13	Pass	9002
12000	20000	1	RMS	19767	-28.91	-13	Pass	8001



9.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.35	-13	Pass	401
0.15	30	0.01	RMS	26.94	-68.15	-13	Pass	2986
30	1000	0.1	RMS	904.637	-59.57	-13	Pass	9701
1000	1700	1	RMS	1688	-49.01	-13	Pass	701
1700	1765	1	RMS	1723.563	21.92	60	Pass	401
1765	3000	1	RMS	2963	-45.69	-13	Pass	1236
3000	12000	1	RMS	3447	-32.6	-13	Pass	9002
12000	20000	1	RMS	19803	-28.93	-13	Pass	8001



9.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.67	-13	Pass	401
0.15	30	0.01	RMS	23.28	-68.61	-13	Pass	2986
30	1000	0.1	RMS	904.136	-59.48	-13	Pass	9701
1000	1700	1	RMS	1700	-46.86	-13	Pass	701
1700	1765	1	RMS	1736.075	22.82	60	Pass	401
1765	3000	1	RMS	1772	-33.6	-13	Pass	1236
3000	12000	1	RMS	3472	-30.59	-13	Pass	9002
12000	20000	1	RMS	19801	-28.72	-13	Pass	8001



9.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-71.91	-13	Pass	401
0.15	30	0.01	RMS	14.14	-68.11	-13	Pass	2986
30	1000	0.1	RMS	996.898	-59.48	-13	Pass	9701
1000	1700	1	RMS	1700	-47.56	-13	Pass	701
1700	1765	1	RMS	1735.913	21.83	60	Pass	401
1765	3000	1	RMS	1772	-35.32	-13	Pass	1236
3000	12000	1	RMS	3472	-31.24	-13	Pass	9002
12000	20000	1	RMS	19805	-28.9	-13	Pass	8001



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.058	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.59	-13	Pass	2986
30	814	0.1	RMS	487.1	-60.1	-13	Pass	7841
814	860	0.1	RMS	824.3	19.81	60	Pass	461
860	1000	0.1	RMS	920.2	-59.88	-13	Pass	1401
1000	3000	1	RMS	2952	-45.9	-13	Pass	2001
3000	10000	1	RMS	7060	-29.48	-13	Pass	7001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.32	-13	Pass	401
0.15	30	0.01	RMS	8.18	-68.61	-13	Pass	2986
30	814	0.1	RMS	478.2	-59.9	-13	Pass	7841
814	860	0.1	RMS	824.3	18.87	60	Pass	461
860	1000	0.1	RMS	881.3	-59.59	-13	Pass	1401
1000	3000	1	RMS	2960	-45.74	-13	Pass	2001
3000	10000	1	RMS	7101	-36.72	-13	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.145	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.45	-68.1	-13	Pass	2986
30	814	0.1	RMS	638.1	-60.12	-13	Pass	7841
814	860	0.1	RMS	836.1	19.86	60	Pass	461
860	1000	0.1	RMS	899.6	-59.58	-13	Pass	1401
1000	3000	1	RMS	2935	-45.92	-13	Pass	2001
3000	10000	1	RMS	7089	-37.11	-13	Pass	7001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.3	-13	Pass	2986
30	814	0.1	RMS	487.9	-60.18	-13	Pass	7841
814	860	0.1	RMS	836.1	18.85	60	Pass	461
860	1000	0.1	RMS	894	-59.57	-13	Pass	1401
1000	3000	1	RMS	2963	-45.88	-13	Pass	2001
3000	10000	1	RMS	7101	-37	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.05	-13	Pass	401
0.15	30	0.01	RMS	17.29	-68.94	-13	Pass	2986
30	814	0.1	RMS	502.1	-60.1	-13	Pass	7841
814	860	0.1	RMS	847.9	19.89	60	Pass	461
860	1000	0.1	RMS	905.9	-59.68	-13	Pass	1401
1000	3000	1	RMS	1695	-45.12	-13	Pass	2001
3000	10000	1	RMS	7085	-37.05	-13	Pass	7001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.86	-13	Pass	2986
30	814	0.1	RMS	643.3	-60.13	-13	Pass	7841
814	860	0.1	RMS	847.9	18.99	60	Pass	461
860	1000	0.1	RMS	882.8	-59.7	-13	Pass	1401
1000	3000	1	RMS	2961	-45.83	-13	Pass	2001
3000	10000	1	RMS	7101	-37.01	-13	Pass	7001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.09	-72.4	-13	Pass	401
0.15	30	0.01	RMS	28.69	-68.82	-13	Pass	2986
30	814	0.1	RMS	808.9	-60.05	-13	Pass	7841
814	860	0.1	RMS	824.2	20.01	60	Pass	461
860	1000	0.1	RMS	879.5	-59.87	-13	Pass	1401
1000	3000	1	RMS	2954	-45.9	-13	Pass	2001
3000	10000	1	RMS	7059	-29.8	-13	Pass	7001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-72.46	-13	Pass	401
0.15	30	0.01	RMS	16.96	-68.83	-13	Pass	2986
30	814	0.1	RMS	468.4	-60.17	-13	Pass	7841
814	860	0.1	RMS	824.2	19.14	60	Pass	461
860	1000	0.1	RMS	925.4	-59.68	-13	Pass	1401
1000	3000	1	RMS	2982	-45.77	-13	Pass	2001
3000	10000	1	RMS	7103	-36.85	-13	Pass	7001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.2	-13	Pass	401
0.15	30	0.01	RMS	17.13	-68.48	-13	Pass	2986
30	814	0.1	RMS	486.3	-60.16	-13	Pass	7841
814	860	0.1	RMS	835.2	20.11	60	Pass	461
860	1000	0.1	RMS	992.2	-59.76	-13	Pass	1401
1000	3000	1	RMS	1670	-45.36	-13	Pass	2001
3000	10000	1	RMS	7101	-37.08	-13	Pass	7001



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-71.54	-13	Pass	401
0.15	30	0.01	RMS	0.4	-69.19	-13	Pass	2986
30	814	0.1	RMS	474.6	-60.18	-13	Pass	7841
814	860	0.1	RMS	835.2	19.12	60	Pass	461
860	1000	0.1	RMS	902.8	-59.78	-13	Pass	1401
1000	3000	1	RMS	2956	-45.87	-13	Pass	2001
3000	10000	1	RMS	7103	-36.98	-13	Pass	7001



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.76	-13	Pass	401
0.15	30	0.01	RMS	0.61	-68.75	-13	Pass	2986
30	814	0.1	RMS	490.3	-60.12	-13	Pass	7841
814	860	0.1	RMS	846.2	20.24	60	Pass	461
860	1000	0.1	RMS	908.8	-59.77	-13	Pass	1401
1000	3000	1	RMS	2960	-45.84	-13	Pass	2001
3000	10000	1	RMS	7103	-36.78	-13	Pass	7001



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.69	-13	Pass	401
0.15	30	0.01	RMS	23.68	-68.98	-13	Pass	2986
30	814	0.1	RMS	734	-59.9	-13	Pass	7841
814	860	0.1	RMS	846.2	19.19	60	Pass	461
860	1000	0.1	RMS	902.6	-59.82	-13	Pass	1401
1000	3000	1	RMS	2956	-45.84	-13	Pass	2001
3000	10000	1	RMS	7087	-36.89	-13	Pass	7001



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.87	-13	Pass	401
0.15	30	0.01	RMS	12.19	-68.52	-13	Pass	2986
30	814	0.1	RMS	725.1	-60.03	-13	Pass	7841
814	860	0.1	RMS	824.3	19.89	60	Pass	461
860	1000	0.1	RMS	893.5	-59.71	-13	Pass	1401
1000	3000	1	RMS	2955	-45.89	-13	Pass	2001
3000	10000	1	RMS	7071	-29.96	-13	Pass	7001



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-72.54	-13	Pass	401
0.15	30	0.01	RMS	28.18	-68.94	-13	Pass	2986
30	814	0.1	RMS	474.1	-60.02	-13	Pass	7841
814	860	0.1	RMS	824.3	18.89	60	Pass	461
860	1000	0.1	RMS	989	-59.77	-13	Pass	1401
1000	3000	1	RMS	2960	-45.89	-13	Pass	2001
3000	10000	1	RMS	7099	-37.08	-13	Pass	7001



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.92	-13	Pass	401
0.15	30	0.01	RMS	3.76	-68.77	-13	Pass	2986
30	814	0.1	RMS	498.1	-60.2	-13	Pass	7841
814	860	0.1	RMS	834.3	19.99	60	Pass	461
860	1000	0.1	RMS	878.4	-59.75	-13	Pass	1401
1000	3000	1	RMS	1668	-45.45	-13	Pass	2001
3000	10000	1	RMS	7111	-37.03	-13	Pass	7001



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.81	-13	Pass	401
0.15	30	0.01	RMS	17.19	-68.67	-13	Pass	2986
30	814	0.1	RMS	636.9	-60.17	-13	Pass	7841
814	860	0.1	RMS	834.3	19.19	60	Pass	461
860	1000	0.1	RMS	900.7	-59.9	-13	Pass	1401
1000	3000	1	RMS	2968	-45.86	-13	Pass	2001
3000	10000	1	RMS	7098	-36.7	-13	Pass	7001



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.112	-71.83	-13	Pass	401
0.15	30	0.01	RMS	3.66	-69.05	-13	Pass	2986
30	814	0.1	RMS	669.5	-60.38	-13	Pass	7841
814	860	0.1	RMS	844.3	19.97	60	Pass	461
860	1000	0.1	RMS	905.6	-59.87	-13	Pass	1401
1000	3000	1	RMS	2956	-45.88	-13	Pass	2001
3000	10000	1	RMS	7097	-36.78	-13	Pass	7001



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.25	-13	Pass	401
0.15	30	0.01	RMS	18.55	-69.01	-13	Pass	2986
30	814	0.1	RMS	486.3	-60.26	-13	Pass	7841
814	860	0.1	RMS	844.3	19.11	60	Pass	461
860	1000	0.1	RMS	905.3	-59.67	-13	Pass	1401
1000	3000	1	RMS	2964	-45.91	-13	Pass	2001
3000	10000	1	RMS	7099	-36.89	-13	Pass	7001



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.06	-13	Pass	401
0.15	30	0.01	RMS	0.26	-68.41	-13	Pass	2986
30	814	0.1	RMS	726.6	-60.05	-13	Pass	7841
814	860	0.1	RMS	824.6	20.37	60	Pass	461
860	1000	0.1	RMS	933.5	-59.95	-13	Pass	1401
1000	3000	1	RMS	2960	-45.88	-13	Pass	2001
3000	10000	1	RMS	7057	-29.69	-13	Pass	7001



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.38	-68.37	-13	Pass	2986
30	814	0.1	RMS	481.8	-59.99	-13	Pass	7841
814	860	0.1	RMS	824.6	19.66	60	Pass	461
860	1000	0.1	RMS	886.7	-59.7	-13	Pass	1401
1000	3000	1	RMS	2978	-45.95	-13	Pass	2001
3000	10000	1	RMS	7107	-37.06	-13	Pass	7001



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-72.02	-13	Pass	401
0.15	30	0.01	RMS	6.35	-69.15	-13	Pass	2986
30	814	0.1	RMS	478.8	-60.08	-13	Pass	7841
814	860	0.1	RMS	832.1	20.52	60	Pass	461
860	1000	0.1	RMS	869	-59.62	-13	Pass	1401
1000	3000	1	RMS	2958	-45.85	-13	Pass	2001
3000	10000	1	RMS	7105	-36.9	-13	Pass	7001



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.67	-13	Pass	401
0.15	30	0.01	RMS	23.74	-68.85	-13	Pass	2986
30	814	0.1	RMS	480.2	-59.98	-13	Pass	7841
814	860	0.1	RMS	832.1	19.55	60	Pass	461
860	1000	0.1	RMS	869	-59.64	-13	Pass	1401
1000	3000	1	RMS	2973	-45.94	-13	Pass	2001
3000	10000	1	RMS	7094	-37.02	-13	Pass	7001



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-70.66	-13	Pass	401
0.15	30	0.01	RMS	0.71	-68.68	-13	Pass	2986
30	814	0.1	RMS	793.1	-60.24	-13	Pass	7841
814	860	0.1	RMS	839.6	20.49	60	Pass	461
860	1000	0.1	RMS	931	-59.75	-13	Pass	1401
1000	3000	1	RMS	2980	-45.84	-13	Pass	2001
3000	10000	1	RMS	7108	-36.98	-13	Pass	7001



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.054	-71.55	-13	Pass	401
0.15	30	0.01	RMS	0.27	-68.82	-13	Pass	2986
30	814	0.1	RMS	492.8	-60.13	-13	Pass	7841
814	860	0.1	RMS	839.6	19.58	60	Pass	461
860	1000	0.1	RMS	885.9	-59.85	-13	Pass	1401
1000	3000	1	RMS	2961	-45.74	-13	Pass	2001
3000	10000	1	RMS	7105	-36.83	-13	Pass	7001



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.056	-71.96	-25	Pass	401
0.15	30	0.01	RMS	13.45	-68.94	-25	Pass	2986
30	1000	0.1	RMS	977.585	-59.68	-25	Pass	9701
1000	2490	1	RMS	2489	-46.95	-25	Pass	1491
2490	2580	1	RMS	2500.125	22.86	60	Pass	401
2580	3000	1	RMS	2974	-45.9	-25	Pass	421
3000	12000	1	RMS	7181	-50.51	-25	Pass	9002
12000	26000	1	RMS	20044	-42.59	-25	Pass	14002




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.1	-25	Pass	401
0.15	30	0.01	RMS	9.66	-68.84	-25	Pass	2986
30	1000	0.1	RMS	892.929	-59.63	-25	Pass	9701
1000	2490	1	RMS	2490	-46.87	-25	Pass	1491
2490	2580	1	RMS	2500.125	21.94	60	Pass	401
2580	3000	1	RMS	2979	-45.86	-25	Pass	421
3000	12000	1	RMS	11854	-56.35	-25	Pass	9002
12000	26000	1	RMS	25097	-44.44	-25	Pass	14002




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.45	-25	Pass	401
0.15	30	0.01	RMS	28.65	-68.29	-25	Pass	2986
30	1000	0.1	RMS	861.408	-59.73	-25	Pass	9701
1000	2490	1	RMS	2479	-47.25	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.09	60	Pass	401
2580	3000	1	RMS	2978	-45.97	-25	Pass	421
3000	12000	1	RMS	11857	-56.44	-25	Pass	9002
12000	26000	1	RMS	25840	-44.65	-25	Pass	14002




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.28	-25	Pass	401
0.15	30	0.01	RMS	0.67	-68.52	-25	Pass	2986
30	1000	0.1	RMS	859.307	-59.78	-25	Pass	9701
1000	2490	1	RMS	2489	-47.13	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.29	60	Pass	401
2580	3000	1	RMS	2979	-45.97	-25	Pass	421
3000	12000	1	RMS	11855	-56.34	-25	Pass	9002
12000	26000	1	RMS	25101	-44.72	-25	Pass	14002




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.42	-25	Pass	401
0.15	30	0.01	RMS	0.36	-68.69	-25	Pass	2986
30	1000	0.1	RMS	831.1	-59.67	-25	Pass	9701
1000	2490	1	RMS	2490	-47.01	-25	Pass	1491
2490	2580	1	RMS	2565.15	23.27	60	Pass	401
2580	3000	1	RMS	2957	-45.8	-25	Pass	421
3000	12000	1	RMS	11855	-56.47	-25	Pass	9002
12000	26000	1	RMS	25094	-44.58	-25	Pass	14002




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.053	-72.48	-25	Pass	401
0.15	30	0.01	RMS	14.44	-68.63	-25	Pass	2986
30	1000	0.1	RMS	999.7	-59.68	-25	Pass	9701
1000	2490	1	RMS	2487	-47.16	-25	Pass	1491
2490	2580	1	RMS	2565.15	22.41	60	Pass	401
2580	3000	1	RMS	2968	-45.89	-25	Pass	421
3000	12000	1	RMS	11750	-49.97	-25	Pass	9002
12000	26000	1	RMS	25864	-44.58	-25	Pass	14002




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-72.45	-25	Pass	401
0.15	30	0.01	RMS	15.06	-69.06	-25	Pass	2986
30	1000	0.1	RMS	867.212	-59.67	-25	Pass	9701
1000	2490	1	RMS	2483	-41.55	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.96	60	Pass	401
2580	3000	1	RMS	2960	-45.84	-25	Pass	421
3000	12000	1	RMS	3568	-53.59	-25	Pass	9002
12000	26000	1	RMS	20050	-40.41	-25	Pass	14002




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.38	-25	Pass	401
0.15	30	0.01	RMS	0.36	-68.43	-25	Pass	2986
30	1000	0.1	RMS	897.332	-59.61	-25	Pass	9701
1000	2490	1	RMS	2483	-43.58	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.09	60	Pass	401
2580	3000	1	RMS	2980	-45.69	-25	Pass	421
3000	12000	1	RMS	11855	-56.13	-25	Pass	9002
12000	26000	1	RMS	25097	-44.64	-25	Pass	14002



11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.59	-25	Pass	401
0.15	30	0.01	RMS	0.37	-68.31	-25	Pass	2986
30	1000	0.1	RMS	875.818	-59.56	-25	Pass	9701
1000	2490	1	RMS	2489	-47.14	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.2	60	Pass	401
2580	3000	1	RMS	2953	-45.92	-25	Pass	421
3000	12000	1	RMS	11860	-56.28	-25	Pass	9002
12000	26000	1	RMS	25109	-44.55	-25	Pass	14002



11.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.07	-25	Pass	401
0.15	30	0.01	RMS	8.92	-69.23	-25	Pass	2986
30	1000	0.1	RMS	897.532	-59.5	-25	Pass	9701
1000	2490	1	RMS	2489	-47.21	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.24	60	Pass	401
2580	3000	1	RMS	2975	-45.86	-25	Pass	421
3000	12000	1	RMS	11459	-56.41	-25	Pass	9002
12000	26000	1	RMS	25819	-44.56	-25	Pass	14002



11.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.5	-25	Pass	2986
30	1000	0.1	RMS	912.742	-59.79	-25	Pass	9701
1000	2490	1	RMS	2489	-47.35	-25	Pass	1491
2490	2580	1	RMS	2560.425	23.44	60	Pass	401
2580	3000	1	RMS	2980	-45.85	-25	Pass	421
3000	12000	1	RMS	11851	-56.4	-25	Pass	9002
12000	26000	1	RMS	25408	-44.56	-25	Pass	14002



11.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.7	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.61	-25	Pass	2986
30	1000	0.1	RMS	969.18	-59.62	-25	Pass	9701
1000	2490	1	RMS	2483	-47.26	-25	Pass	1491
2490	2580	1	RMS	2560.425	22.54	60	Pass	401
2580	3000	1	RMS	2965	-45.89	-25	Pass	421
3000	12000	1	RMS	11847	-56.42	-25	Pass	9002
12000	26000	1	RMS	25811	-44.67	-25	Pass	14002



11.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.22	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.42	-25	Pass	2986
30	1000	0.1	RMS	875.918	-59.81	-25	Pass	9701
1000	2490	1	RMS	2488	-43.22	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.99	60	Pass	401
2580	3000	1	RMS	2958	-45.79	-25	Pass	421
3000	12000	1	RMS	3605	-55.39	-25	Pass	9002
12000	26000	1	RMS	20105	-41.06	-25	Pass	14002



11.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.43	-25	Pass	401
0.15	30	0.01	RMS	0.87	-69	-25	Pass	2986
30	1000	0.1	RMS	899.133	-59.88	-25	Pass	9701
1000	2490	1	RMS	2488	-43.98	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.1	60	Pass	401
2580	3000	1	RMS	2959	-45.79	-25	Pass	421
3000	12000	1	RMS	11851	-56.25	-25	Pass	9002
12000	26000	1	RMS	25096	-44.54	-25	Pass	14002



11.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.63	-25	Pass	401
0.15	30	0.01	RMS	2.47	-68.32	-25	Pass	2986
30	1000	0.1	RMS	893.93	-59.66	-25	Pass	9701
1000	2490	1	RMS	2480	-47.24	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.13	60	Pass	401
2580	3000	1	RMS	2960	-45.96	-25	Pass	421
3000	12000	1	RMS	11867	-56.34	-25	Pass	9002
12000	26000	1	RMS	25083	-44.78	-25	Pass	14002



11.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.22	-25	Pass	401
0.15	30	0.01	RMS	28.15	-68.71	-25	Pass	2986
30	1000	0.1	RMS	895.131	-59.67	-25	Pass	9701
1000	2490	1	RMS	2489	-47.24	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.18	60	Pass	401
2580	3000	1	RMS	2960	-45.81	-25	Pass	421
3000	12000	1	RMS	11850	-56.24	-25	Pass	9002
12000	26000	1	RMS	25111	-44.76	-25	Pass	14002



11.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-71.68	-25	Pass	401
0.15	30	0.01	RMS	29.37	-68.81	-25	Pass	2986
30	1000	0.1	RMS	863.109	-59.5	-25	Pass	9701
1000	2490	1	RMS	2489	-47.23	-25	Pass	1491
2490	2595	1	RMS	2555.625	23.68	60	Pass	401
2595	3000	1	RMS	2962	-45.89	-25	Pass	406
3000	12000	1	RMS	7238	-50.6	-25	Pass	9002
12000	26000	1	RMS	20169	-41.75	-25	Pass	14002



11.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.11	-25	Pass	401
0.15	30	0.01	RMS	29.71	-68.32	-25	Pass	2986
30	1000	0.1	RMS	734.7	-59.99	-25	Pass	9701
1000	2490	1	RMS	2490	-47.12	-25	Pass	1491
2490	2595	1	RMS	2555.625	22.89	60	Pass	401
2595	3000	1	RMS	2958	-45.83	-25	Pass	406
3000	12000	1	RMS	11850	-56.45	-25	Pass	9002
12000	26000	1	RMS	25098	-44.45	-25	Pass	14002



11.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.91	-25	Pass	401
0.15	30	0.01	RMS	23.71	-68.38	-25	Pass	2986
30	1000	0.1	RMS	862.609	-59.64	-25	Pass	9701
1000	2490	1	RMS	2483	-44.26	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.84	60	Pass	401
2580	3000	1	RMS	2972	-45.86	-25	Pass	421
3000	12000	1	RMS	3589	-54.73	-25	Pass	9002
12000	26000	1	RMS	20084	-40.73	-25	Pass	14002



11.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.94	-25	Pass	401
0.15	30	0.01	RMS	20.91	-68.66	-25	Pass	2986
30	1000	0.1	RMS	900.234	-59.51	-25	Pass	9701
1000	2490	1	RMS	2483	-45.22	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.05	60	Pass	401
2580	3000	1	RMS	2980	-45.89	-25	Pass	421
3000	12000	1	RMS	11855	-56.42	-25	Pass	9002
12000	26000	1	RMS	25097	-44.56	-25	Pass	14002



11.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.23	-25	Pass	401
0.15	30	0.01	RMS	0.29	-68.38	-25	Pass	2986
30	1000	0.1	RMS	933.656	-59.56	-25	Pass	9701
1000	2490	1	RMS	2490	-42.26	-25	Pass	1491
2490	2580	1	RMS	2526	22.95	60	Pass	401
2580	3000	1	RMS	2957	-45.83	-25	Pass	421
3000	12000	1	RMS	11841	-56.17	-25	Pass	9002
12000	26000	1	RMS	25099	-44.54	-25	Pass	14002



11.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-71.72	-25	Pass	401
0.15	30	0.01	RMS	29.86	-69.05	-25	Pass	2986
30	1000	0.1	RMS	920.347	-59.57	-25	Pass	9701
1000	2490	1	RMS	2490	-45.69	-25	Pass	1491
2490	2580	1	RMS	2526	22.02	60	Pass	401
2580	3000	1	RMS	2964	-45.9	-25	Pass	421
3000	12000	1	RMS	11758	-49.17	-25	Pass	9002
12000	26000	1	RMS	25898	-44.73	-25	Pass	14002



11.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-71.76	-25	Pass	401
0.15	30	0.01	RMS	0.62	-67.71	-25	Pass	2986
30	1000	0.1	RMS	859.207	-59.48	-25	Pass	9701
1000	2490	1	RMS	2489	-47.17	-25	Pass	1491
2490	2580	1	RMS	2550.975	23.14	60	Pass	401
2580	3000	1	RMS	2586	-30.84	-25	Pass	421
3000	12000	1	RMS	11855	-56.29	-25	Pass	9002
12000	26000	1	RMS	25092	-44.55	-25	Pass	14002



11.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.37	-25	Pass	401
0.15	30	0.01	RMS	4.03	-69.09	-25	Pass	2986
30	1000	0.1	RMS	874.317	-59.45	-25	Pass	9701
1000	2490	1	RMS	2488	-47.05	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.07	60	Pass	401
2580	3000	1	RMS	2586	-31.69	-25	Pass	421
3000	12000	1	RMS	11856	-56.34	-25	Pass	9002
12000	26000	1	RMS	25103	-44.54	-25	Pass	14002



12. LTE_Band38


12.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.95	-25	Pass	401
0.15	30	0.01	RMS	12.23	-64.53	-25	Pass	2986
30	1000	0.1	RMS	898.533	-54.16	-25	Pass	9701
1000	2560	1	RMS	2560	-42.62	-25	Pass	1561
2560	2630	1	RMS	2570.15	24.9	60	Pass	401
2630	3000	1	RMS	2964.85	-41.59	-25	Pass	401
3000	12000	1	RMS	7153	-45.84	-25	Pass	9002
12000	26500	1	RMS	20064	-37.86	-25	Pass	14502




12.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.39	-25	Pass	401
0.15	30	0.01	RMS	2.89	-63.47	-25	Pass	2986
30	1000	0.1	RMS	492.2	-54.32	-25	Pass	9701
1000	2560	1	RMS	2505	-42.61	-25	Pass	1561
2560	2630	1	RMS	2570.15	24.09	60	Pass	401
2630	3000	1	RMS	2963.925	-41.75	-25	Pass	401
3000	12000	1	RMS	11464	-52.31	-25	Pass	9002
12000	26500	1	RMS	25097	-41.32	-25	Pass	14502




12.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-68.67	-25	Pass	401
0.15	30	0.01	RMS	28.51	-64.26	-25	Pass	2986
30	1000	0.1	RMS	895.231	-55.49	-25	Pass	9701
1000	2560	1	RMS	2520	-42.83	-25	Pass	1561
2560	2630	1	RMS	2592.725	24.65	60	Pass	401
2630	3000	1	RMS	2959.3	-41.74	-25	Pass	401
3000	12000	1	RMS	11867	-52.23	-25	Pass	9002
12000	26500	1	RMS	25421	-41.46	-25	Pass	14502




12.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.31	-25	Pass	401
0.15	30	0.01	RMS	23.44	-64.39	-25	Pass	2986
30	1000	0.1	RMS	933.656	-54.43	-25	Pass	9701
1000	2560	1	RMS	2499	-42.51	-25	Pass	1561
2560	2630	1	RMS	2592.9	23.93	60	Pass	401
2630	3000	1	RMS	2972.25	-41.59	-25	Pass	401
3000	12000	1	RMS	11453	-52.22	-25	Pass	9002
12000	26500	1	RMS	25750	-41.33	-25	Pass	14502




12.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.102	-67.98	-25	Pass	401
0.15	30	0.01	RMS	23.82	-64.49	-25	Pass	2986
30	1000	0.1	RMS	973.883	-55.49	-25	Pass	9701
1000	2560	1	RMS	2510	-42.95	-25	Pass	1561
2560	2630	1	RMS	2615.3	25.18	60	Pass	401
2630	3000	1	RMS	2960.225	-41.75	-25	Pass	401
3000	12000	1	RMS	11850	-52.39	-25	Pass	9002
12000	26500	1	RMS	25786	-41.4	-25	Pass	14502




12.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.47	-25	Pass	401
0.15	30	0.01	RMS	14.96	-64.81	-25	Pass	2986
30	1000	0.1	RMS	899.033	-55.56	-25	Pass	9701
1000	2560	1	RMS	2502	-42.77	-25	Pass	1561
2560	2630	1	RMS	2615.125	24.24	60	Pass	401
2630	3000	1	RMS	2961.15	-41.89	-25	Pass	401
3000	12000	1	RMS	11763	-45.51	-25	Pass	9002
12000	26500	1	RMS	25112	-41.45	-25	Pass	14502




12.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.087	-68.16	-25	Pass	401
0.15	30	0.01	RMS	20.3	-64.99	-25	Pass	2986
30	1000	0.1	RMS	996.598	-55.29	-25	Pass	9701
1000	2560	1	RMS	2552	-41.24	-25	Pass	1561
2560	2630	1	RMS	2570.5	25.17	60	Pass	401
2630	3000	1	RMS	2960.225	-41.81	-25	Pass	401
3000	12000	1	RMS	3588	-49.84	-25	Pass	9002
12000	26500	1	RMS	20115	-37.65	-25	Pass	14502




12.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.053	-68.45	-25	Pass	401
0.15	30	0.01	RMS	19.94	-64.75	-25	Pass	2986
30	1000	0.1	RMS	905.637	-55.54	-25	Pass	9701
1000	2560	1	RMS	2553	-40.23	-25	Pass	1561
2560	2630	1	RMS	2570.5	23.88	60	Pass	401
2630	3000	1	RMS	2961.15	-41.86	-25	Pass	401
3000	12000	1	RMS	11847	-52.38	-25	Pass	9002
12000	26500	1	RMS	25099	-41.39	-25	Pass	14502



12.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.053	-68.11	-25	Pass	401
0.15	30	0.01	RMS	0.16	-65.66	-25	Pass	2986
30	1000	0.1	RMS	870.214	-55.7	-25	Pass	9701
1000	2560	1	RMS	2492	-42.94	-25	Pass	1561
2560	2630	1	RMS	2590.45	24.78	60	Pass	401
2630	3000	1	RMS	2963	-41.85	-25	Pass	401
3000	12000	1	RMS	11859	-52.54	-25	Pass	9002
12000	26500	1	RMS	25104	-41.35	-25	Pass	14502



12.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.65	-25	Pass	401
0.15	30	0.01	RMS	0.53	-64.73	-25	Pass	2986
30	1000	0.1	RMS	904.937	-55.58	-25	Pass	9701
1000	2560	1	RMS	2511	-42.88	-25	Pass	1561
2560	2630	1	RMS	2590.625	24.1	60	Pass	401
2630	3000	1	RMS	2961.15	-41.81	-25	Pass	401
3000	12000	1	RMS	11846	-52.21	-25	Pass	9002
12000	26500	1	RMS	25098	-41.19	-25	Pass	14502



12.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.33	-25	Pass	401
0.15	30	0.01	RMS	27.22	-65.07	-25	Pass	2986
30	1000	0.1	RMS	894.73	-55.66	-25	Pass	9701
1000	2560	1	RMS	2509	-42.71	-25	Pass	1561
2560	2630	1	RMS	2610.4	24.86	60	Pass	401
2630	3000	1	RMS	2952.825	-41.87	-25	Pass	401
3000	12000	1	RMS	7832	-51.87	-25	Pass	9002
12000	26500	1	RMS	25096	-41.34	-25	Pass	14502



12.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.39	-25	Pass	401
0.15	30	0.01	RMS	23.45	-64.79	-25	Pass	2986
30	1000	0.1	RMS	896.131	-55.36	-25	Pass	9701
1000	2560	1	RMS	2496	-42.8	-25	Pass	1561
2560	2630	1	RMS	2610.575	24.35	60	Pass	401
2630	3000	1	RMS	2952.825	-41.83	-25	Pass	401
3000	12000	1	RMS	11856	-52.25	-25	Pass	9002
12000	26500	1	RMS	25410	-41.33	-25	Pass	14502



12.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.03	-25	Pass	401
0.15	30	0.01	RMS	14.12	-64.89	-25	Pass	2986
30	1000	0.1	RMS	997.398	-55.7	-25	Pass	9701
1000	2560	1	RMS	2545	-38.62	-25	Pass	1561
2560	2630	1	RMS	2570.85	24.26	60	Pass	401
2630	3000	1	RMS	2963	-41.87	-25	Pass	401
3000	12000	1	RMS	3581	-49.3	-25	Pass	9002
12000	26500	1	RMS	20103	-38.56	-25	Pass	14502



12.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.53	-25	Pass	401
0.15	30	0.01	RMS	27.05	-64.55	-25	Pass	2986
30	1000	0.1	RMS	884.023	-55.68	-25	Pass	9701
1000	2560	1	RMS	2544	-39.15	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.98	60	Pass	401
2630	3000	1	RMS	2953.75	-41.87	-25	Pass	401
3000	12000	1	RMS	11848	-52.43	-25	Pass	9002
12000	26500	1	RMS	25085	-41.51	-25	Pass	14502



12.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.7	-25	Pass	401
0.15	30	0.01	RMS	18.36	-64.89	-25	Pass	2986
30	1000	0.1	RMS	997.298	-55.67	-25	Pass	9701
1000	2560	1	RMS	2514	-42.79	-25	Pass	1561
2560	2630	1	RMS	2588.35	25.08	60	Pass	401
2630	3000	1	RMS	2977.8	-41.91	-25	Pass	401
3000	12000	1	RMS	11506	-52.54	-25	Pass	9002
12000	26500	1	RMS	25107	-41.51	-25	Pass	14502



12.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-67.59	-25	Pass	401
0.15	30	0.01	RMS	22.74	-64.73	-25	Pass	2986
30	1000	0.1	RMS	878.219	-55.56	-25	Pass	9701
1000	2560	1	RMS	2492	-42.78	-25	Pass	1561
2560	2630	1	RMS	2588.35	23.44	60	Pass	401
2630	3000	1	RMS	2956.525	-41.8	-25	Pass	401
3000	12000	1	RMS	11495	-52.31	-25	Pass	9002
12000	26500	1	RMS	25421	-41.41	-25	Pass	14502



12.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.52	-25	Pass	401
0.15	30	0.01	RMS	0.29	-64.54	-25	Pass	2986
30	1000	0.1	RMS	495.3	-55.61	-25	Pass	9701
1000	2560	1	RMS	2504	-42.8	-25	Pass	1561
2560	2645	1	RMS	2605.688	25.25	60	Pass	401
2645	3000	1	RMS	2951.188	-41.91	-25	Pass	401
3000	12000	1	RMS	7168	-46.41	-25	Pass	9002
12000	26500	1	RMS	25405	-41.46	-25	Pass	14502



12.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.92	-25	Pass	401
0.15	30	0.01	RMS	0.26	-64.82	-25	Pass	2986
30	1000	0.1	RMS	918.846	-55.72	-25	Pass	9701
1000	2560	1	RMS	2508	-42.91	-25	Pass	1561
2560	2645	1	RMS	2605.9	23.56	60	Pass	401
2645	3000	1	RMS	2974.263	-41.84	-25	Pass	401
3000	12000	1	RMS	11872	-52.37	-25	Pass	9002
12000	26500	1	RMS	25097	-41.51	-25	Pass	14502



12.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.84	-25	Pass	401
0.15	30	0.01	RMS	0.47	-64.97	-25	Pass	2986
30	1000	0.1	RMS	866.311	-55.62	-25	Pass	9701
1000	2560	1	RMS	2560	-38.99	-25	Pass	1561
2560	2630	1	RMS	2571.025	24.64	60	Pass	401
2630	3000	1	RMS	2963.925	-41.81	-25	Pass	401
3000	12000	1	RMS	3566	-49.65	-25	Pass	9002
12000	26500	1	RMS	20074	-37.29	-25	Pass	14502



12.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.5	-25	Pass	401
0.15	30	0.01	RMS	1.17	-64.35	-25	Pass	2986
30	1000	0.1	RMS	996.197	-55.68	-25	Pass	9701
1000	2560	1	RMS	2560	-38.45	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.51	60	Pass	401
2630	3000	1	RMS	2960.225	-41.83	-25	Pass	401
3000	12000	1	RMS	11856	-52.38	-25	Pass	9002
12000	26500	1	RMS	25081	-41.25	-25	Pass	14502



12.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-67.61	-25	Pass	401
0.15	30	0.01	RMS	0.4	-64.97	-25	Pass	2986
30	1000	0.1	RMS	809.7	-54.96	-25	Pass	9701
1000	2560	1	RMS	2551	-37.9	-25	Pass	1561
2560	2630	1	RMS	2586.075	24.88	60	Pass	401
2630	3000	1	RMS	2959.3	-41.8	-25	Pass	401
3000	12000	1	RMS	11864	-52.31	-25	Pass	9002
12000	26500	1	RMS	25096	-41.22	-25	Pass	14502



12.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.53	-25	Pass	401
0.15	30	0.01	RMS	25.78	-64.11	-25	Pass	2986
30	1000	0.1	RMS	899.233	-54.59	-25	Pass	9701
1000	2560	1	RMS	2550	-41.06	-25	Pass	1561
2560	2630	1	RMS	2585.9	23.58	60	Pass	401
2630	3000	1	RMS	2957.45	-41.76	-25	Pass	401
3000	12000	1	RMS	11738	-45.54	-25	Pass	9002
12000	26500	1	RMS	25098	-41.03	-25	Pass	14502



12.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.18	-25	Pass	401
0.15	30	0.01	RMS	21.81	-64.93	-25	Pass	2986
30	1000	0.1	RMS	990.894	-54.4	-25	Pass	9701
1000	2560	1	RMS	2500	-42.71	-25	Pass	1561
2560	2645	1	RMS	2600.8	24.65	60	Pass	401
2645	3000	1	RMS	2958.288	-41.62	-25	Pass	401
3000	12000	1	RMS	11467	-52.15	-25	Pass	9002
12000	26500	1	RMS	25107	-41.28	-25	Pass	14502



12.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.4	-25	Pass	401
0.15	30	0.01	RMS	2.07	-63.17	-25	Pass	2986
30	1000	0.1	RMS	888.626	-54.28	-25	Pass	9701
1000	2560	1	RMS	2498	-42.76	-25	Pass	1561
2560	2645	1	RMS	2601.013	24.14	60	Pass	401
2645	3000	1	RMS	2956.513	-41.68	-25	Pass	401
3000	12000	1	RMS	11863	-52.24	-25	Pass	9002
12000	26500	1	RMS	25100	-41.25	-25	Pass	14502



13. LTE_Band41 120M


13.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.31	-25	Pass	401
0.15	30	0.01	RMS	2.13	-63.92	-25	Pass	2986
30	1000	0.1	RMS	952.969	-55.88	-25	Pass	9701
1000	2525	1	RMS	2518	-42.87	-25	Pass	1526
2525	2665	1	RMS	2535.15	23.61	60	Pass	401
2665	3000	1	RMS	2972.363	-41.89	-25	Pass	401
3000	12000	1	RMS	7263	-46.34	-25	Pass	9002
12000	27000	1	RMS	25819	-40.56	-25	Pass	15002




13.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.13	-25	Pass	401
0.15	30	0.01	RMS	0.16	-64.51	-25	Pass	2986
30	1000	0.1	RMS	916.345	-55.82	-25	Pass	9701
1000	2525	1	RMS	2501	-42.81	-25	Pass	1526
2525	2665	1	RMS	2535.5	22.62	60	Pass	401
2665	3000	1	RMS	2958.125	-41.85	-25	Pass	401
3000	12000	1	RMS	11851	-52.28	-25	Pass	9002
12000	27000	1	RMS	25116	-40.42	-25	Pass	15002




13.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-64.06	-25	Pass	2986
30	1000	0.1	RMS	893.529	-55.71	-25	Pass	9701
1000	2525	1	RMS	2496	-42.89	-25	Pass	1526
2525	2665	1	RMS	2592.55	24.5	60	Pass	401
2665	3000	1	RMS	2958.125	-41.84	-25	Pass	401
3000	12000	1	RMS	7225	-45.76	-25	Pass	9002
12000	27000	1	RMS	25842	-40.59	-25	Pass	15002




13.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.21	-25	Pass	401
0.15	30	0.01	RMS	1.69	-64.82	-25	Pass	2986
30	1000	0.1	RMS	817.8	-55.85	-25	Pass	9701
1000	2525	1	RMS	2506	-43.01	-25	Pass	1526
2525	2665	1	RMS	2592.9	23.3	60	Pass	401
2665	3000	1	RMS	2977.388	-41.89	-25	Pass	401
3000	12000	1	RMS	11862	-52.48	-25	Pass	9002
12000	27000	1	RMS	25107	-40.51	-25	Pass	15002




13.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-68.22	-25	Pass	401
0.15	30	0.01	RMS	0.8	-64.95	-25	Pass	2986
30	1000	0.1	RMS	909.74	-55.82	-25	Pass	9701
1000	2525	1	RMS	2492	-43.05	-25	Pass	1526
2525	2665	1	RMS	2649.95	24.51	60	Pass	401
2665	3000	1	RMS	2960.638	-41.84	-25	Pass	401
3000	12000	1	RMS	11864	-52.46	-25	Pass	9002
12000	27000	1	RMS	25092	-40.64	-25	Pass	15002




13.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.89	-25	Pass	401
0.15	30	0.01	RMS	5.81	-65.02	-25	Pass	2986
30	1000	0.1	RMS	887.726	-55.69	-25	Pass	9701
1000	2525	1	RMS	2508	-42.89	-25	Pass	1526
2525	2665	1	RMS	2650.3	23.17	60	Pass	401
2665	3000	1	RMS	2956.45	-41.88	-25	Pass	401
3000	12000	1	RMS	11839	-52.46	-25	Pass	9002
12000	27000	1	RMS	25079	-40.54	-25	Pass	15002




13.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.053	-68.54	-25	Pass	401
0.15	30	0.01	RMS	3.46	-65.31	-25	Pass	2986
30	1000	0.1	RMS	856.005	-55.46	-25	Pass	9701
1000	2525	1	RMS	2517	-40.17	-25	Pass	1526
2525	2665	1	RMS	2535.15	23.97	60	Pass	401
2665	3000	1	RMS	2961.475	-41.84	-25	Pass	401
3000	12000	1	RMS	7238	-46.06	-25	Pass	9002
12000	27000	1	RMS	25809	-40.55	-25	Pass	15002




13.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.78	-25	Pass	401
0.15	30	0.01	RMS	23.64	-64.72	-25	Pass	2986
30	1000	0.1	RMS	913.443	-55.88	-25	Pass	9701
1000	2525	1	RMS	2518	-40.88	-25	Pass	1526
2525	2665	1	RMS	2535.5	23.48	60	Pass	401
2665	3000	1	RMS	2961.475	-41.85	-25	Pass	401
3000	12000	1	RMS	11487	-52.36	-25	Pass	9002
12000	27000	1	RMS	25875	-40.59	-25	Pass	15002



13.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.17	-25	Pass	401
0.15	30	0.01	RMS	0.2	-64.8	-25	Pass	2986
30	1000	0.1	RMS	913.843	-55.74	-25	Pass	9701
1000	2525	1	RMS	2513	-42.94	-25	Pass	1526
2525	2665	1	RMS	2590.45	24.38	60	Pass	401
2665	3000	1	RMS	2961.475	-41.78	-25	Pass	401
3000	12000	1	RMS	7772	-51.64	-25	Pass	9002
12000	27000	1	RMS	25828	-40.44	-25	Pass	15002



13.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.85	-25	Pass	401
0.15	30	0.01	RMS	11.07	-65.08	-25	Pass	2986
30	1000	0.1	RMS	906.038	-55.78	-25	Pass	9701
1000	2525	1	RMS	2510	-42.86	-25	Pass	1526
2525	2665	1	RMS	2590.45	22.76	60	Pass	401
2665	3000	1	RMS	2963.988	-41.86	-25	Pass	401
3000	12000	1	RMS	11851	-52.21	-25	Pass	9002
12000	27000	1	RMS	25101	-40.47	-25	Pass	15002



13.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.25	-25	Pass	401
0.15	30	0.01	RMS	29.21	-65.18	-25	Pass	2986
30	1000	0.1	RMS	895.131	-55.77	-25	Pass	9701
1000	2525	1	RMS	2505	-42.89	-25	Pass	1526
2525	2665	1	RMS	2645.75	23.93	60	Pass	401
2665	3000	1	RMS	2972.363	-41.86	-25	Pass	401
3000	12000	1	RMS	7214	-47.2	-25	Pass	9002
12000	27000	1	RMS	25104	-40.65	-25	Pass	15002



13.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.16	-25	Pass	401
0.15	30	0.01	RMS	0.16	-64.67	-25	Pass	2986
30	1000	0.1	RMS	920.647	-55.58	-25	Pass	9701
1000	2525	1	RMS	2511	-42.95	-25	Pass	1526
2525	2665	1	RMS	2645.4	23.54	60	Pass	401
2665	3000	1	RMS	2963.988	-41.88	-25	Pass	401
3000	12000	1	RMS	11848	-52.38	-25	Pass	9002
12000	27000	1	RMS	25801	-40.73	-25	Pass	15002



13.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.2	-25	Pass	401
0.15	30	0.01	RMS	29.3	-64.63	-25	Pass	2986
30	1000	0.1	RMS	904.637	-55.7	-25	Pass	9701
1000	2525	1	RMS	2523	-40.33	-25	Pass	1526
2525	2665	1	RMS	2535.5	24.11	60	Pass	401
2665	3000	1	RMS	2963.988	-41.92	-25	Pass	401
3000	12000	1	RMS	11850	-52.44	-25	Pass	9002
12000	27000	1	RMS	25105	-40.6	-25	Pass	15002



13.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.76	-25	Pass	401
0.15	30	0.01	RMS	28.87	-65.05	-25	Pass	2986
30	1000	0.1	RMS	927.352	-55.91	-25	Pass	9701
1000	2525	1	RMS	2523	-41.03	-25	Pass	1526
2525	2665	1	RMS	2535.85	23.29	60	Pass	401
2665	3000	1	RMS	2953.938	-41.84	-25	Pass	401
3000	12000	1	RMS	11850	-52.21	-25	Pass	9002
12000	27000	1	RMS	25933	-40.58	-25	Pass	15002



13.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-67.91	-25	Pass	401
0.15	30	0.01	RMS	25.87	-64.87	-25	Pass	2986
30	1000	0.1	RMS	927.552	-55.7	-25	Pass	9701
1000	2525	1	RMS	2503	-42.95	-25	Pass	1526
2525	2665	1	RMS	2588.35	24.07	60	Pass	401
2665	3000	1	RMS	2962.313	-41.77	-25	Pass	401
3000	12000	1	RMS	7203	-46.92	-25	Pass	9002
12000	27000	1	RMS	20178	-38.27	-25	Pass	15002



13.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.65	-25	Pass	401
0.15	30	0.01	RMS	0.84	-65.03	-25	Pass	2986
30	1000	0.1	RMS	998.199	-55.82	-25	Pass	9701
1000	2525	1	RMS	2525	-42.91	-25	Pass	1526
2525	2665	1	RMS	2588.35	23.41	60	Pass	401
2665	3000	1	RMS	2978.225	-41.83	-25	Pass	401
3000	12000	1	RMS	11483	-52.4	-25	Pass	9002
12000	27000	1	RMS	25102	-40.43	-25	Pass	15002



13.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-68.06	-25	Pass	401
0.15	30	0.01	RMS	0.17	-64.77	-25	Pass	2986
30	1000	0.1	RMS	903.636	-55.69	-25	Pass	9701
1000	2525	1	RMS	2513	-42.76	-25	Pass	1526
2525	2680	1	RMS	2640.475	24.75	60	Pass	401
2680	3000	1	RMS	2947.2	-41.82	-25	Pass	401
3000	12000	1	RMS	7216	-46.87	-25	Pass	9002
12000	27000	1	RMS	20190	-38.94	-25	Pass	15002



13.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.09	-25	Pass	401
0.15	30	0.01	RMS	18.5	-64.6	-25	Pass	2986
30	1000	0.1	RMS	913.743	-55.49	-25	Pass	9701
1000	2525	1	RMS	2494	-43.04	-25	Pass	1526
2525	2680	1	RMS	2640.863	23.38	60	Pass	401
2680	3000	1	RMS	2975.2	-41.9	-25	Pass	401
3000	12000	1	RMS	11457	-52.41	-25	Pass	9002
12000	27000	1	RMS	25109	-40.71	-25	Pass	15002



13.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.82	-25	Pass	401
0.15	30	0.01	RMS	0.38	-64.55	-25	Pass	2986
30	1000	0.1	RMS	913.543	-55.59	-25	Pass	9701
1000	2525	1	RMS	2525	-39.47	-25	Pass	1526
2525	2665	1	RMS	2535.85	24.1	60	Pass	401
2665	3000	1	RMS	2980.738	-41.9	-25	Pass	401
3000	12000	1	RMS	11845	-52.36	-25	Pass	9002
12000	27000	1	RMS	25123	-40.55	-25	Pass	15002



13.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.47	-25	Pass	401
0.15	30	0.01	RMS	5.67	-65.39	-25	Pass	2986
30	1000	0.1	RMS	880.421	-55.34	-25	Pass	9701
1000	2525	1	RMS	2525	-38.96	-25	Pass	1526
2525	2665	1	RMS	2535.85	23.64	60	Pass	401
2665	3000	1	RMS	2960.638	-41.79	-25	Pass	401
3000	12000	1	RMS	11857	-52.38	-25	Pass	9002
12000	27000	1	RMS	25754	-40.51	-25	Pass	15002



13.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.53	-25	Pass	401
0.15	30	0.01	RMS	7.07	-64.53	-25	Pass	2986
30	1000	0.1	RMS	913.243	-55.85	-25	Pass	9701
1000	2525	1	RMS	2505	-42.83	-25	Pass	1526
2525	2665	1	RMS	2586.25	23.56	60	Pass	401
2665	3000	1	RMS	2957.288	-41.73	-25	Pass	401
3000	12000	1	RMS	7190	-47.23	-25	Pass	9002
12000	27000	1	RMS	20155	-37.14	-25	Pass	15002



13.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-68.78	-25	Pass	401
0.15	30	0.01	RMS	0.58	-64.33	-25	Pass	2986
30	1000	0.1	RMS	916.645	-55.56	-25	Pass	9701
1000	2525	1	RMS	2490	-42.85	-25	Pass	1526
2525	2665	1	RMS	2585.9	23.32	60	Pass	401
2665	3000	1	RMS	2958.963	-41.73	-25	Pass	401
3000	12000	1	RMS	11849	-52.18	-25	Pass	9002
12000	27000	1	RMS	25110	-40.39	-25	Pass	15002



13.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.19	-25	Pass	401
0.15	30	0.01	RMS	22.9	-64.86	-25	Pass	2986
30	1000	0.1	RMS	910.641	-55.45	-25	Pass	9701
1000	2525	1	RMS	2502	-42.87	-25	Pass	1526
2525	2680	1	RMS	2635.825	24.05	60	Pass	401
2680	3000	1	RMS	2952	-41.85	-25	Pass	401
3000	12000	1	RMS	7171	-45.68	-25	Pass	9002
12000	27000	1	RMS	20120	-37.06	-25	Pass	15002



13.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.66	-25	Pass	401
0.15	30	0.01	RMS	0.21	-63.74	-25	Pass	2986
30	1000	0.1	RMS	904.337	-55.57	-25	Pass	9701
1000	2525	1	RMS	2511	-42.64	-25	Pass	1526
2525	2680	1	RMS	2636.213	22.8	60	Pass	401
2680	3000	1	RMS	2959.2	-41.73	-25	Pass	401
3000	12000	1	RMS	11855	-52.24	-25	Pass	9002
12000	27000	1	RMS	25102	-40.51	-25	Pass	15002



--BLANK BELOW--