

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	EIRP (dBm)	high Limit (dBm)	Verdict
n77(3700-3980)	30	20	647334	25@12	DFT_BPSK	25.03	24.73	33	PASS
n77(3700-3980)	30	20	647334	1@1	DFT_BPSK	24.95	24.65	33	PASS
n77(3700-3980)	30	20	647334	1@49	DFT_BPSK	25.05	24.75	33	PASS
n77(3700-3980)	30	20	647334	25@12	DFT_QPSK	24.88	24.58	33	PASS
n77(3700-3980)	30	20	647334	1@1	DFT_QPSK	24.70	24.4	33	PASS
n77(3700-3980)	30	20	647334	1@49	DFT_QPSK	24.85	24.55	33	PASS
n77(3700-3980)	30	20	647334	25@12	DFT_QAM16	24.01	23.71	33	PASS
n77(3700-3980)	30	20	647334	1@1	DFT_QAM16	23.99	23.69	33	PASS
n77(3700-3980)	30	20	647334	1@49	DFT_QAM16	23.99	23.69	33	PASS
n77(3700-3980)	30	20	647334	25@12	DFT_QAM64	22.64	22.34	33	PASS
n77(3700-3980)	30	20	647334	1@1	DFT_QAM64	22.40	22.1	33	PASS
n77(3700-3980)	30	20	647334	1@49	DFT_QAM64	22.64	22.34	33	PASS
n77(3700-3980)	30	20	647334	25@12	DFT_QAM256	20.37	20.07	33	PASS
n77(3700-3980)	30	20	647334	1@1	DFT_QAM256	20.50	20.2	33	PASS
n77(3700-3980)	30	20	647334	1@49	DFT_QAM256	20.69	20.39	33	PASS
n77(3700-3980)	30	20	647334	25@12	CP_QPSK	23.19	22.89	33	PASS
n77(3700-3980)	30	20	647334	1@1	CP_QPSK	23.21	22.91	33	PASS
n77(3700-3980)	30	20	647334	1@49	CP_QPSK	23.30	23	33	PASS
n77(3700-3980)	30	20	647334	25@12	CP_QAM16	22.99	22.69	33	PASS
n77(3700-3980)	30	20	647334	1@1	CP_QAM16	23.29	22.99	33	PASS
n77(3700-3980)	30	20	647334	1@49	CP_QAM16	23.27	22.97	33	PASS
n77(3700-3980)	30	20	647334	25@12	CP_QAM64	21.56	21.26	33	PASS
n77(3700-3980)	30	20	647334	1@1	CP_QAM64	21.33	21.03	33	PASS
n77(3700-3980)	30	20	647334	1@49	CP_QAM64	21.52	21.22	33	PASS
n77(3700-3980)	30	20	647334	25@12	CP_QAM256	18.44	18.14	33	PASS
n77(3700-3980)	30	20	647334	1@1	CP_QAM256	18.32	18.02	33	PASS
n77(3700-3980)	30	20	647334	1@49	CP_QAM256	18.45	18.15	33	PASS
n77(3700-3980)	30	20	656000	25@12	DFT_BPSK	24.90	24.6	33	PASS
n77(3700-3980)	30	20	656000	1@1	DFT_BPSK	24.88	24.58	33	PASS
n77(3700-3980)	30	20	656000	1@49	DFT_BPSK	25.16	24.86	33	PASS
n77(3700-3980)	30	20	656000	25@12	DFT_QPSK	24.82	24.52	33	PASS
n77(3700-3980)	30	20	656000	1@1	DFT_QPSK	24.69	24.39	33	PASS
n77(3700-3980)	30	20	656000	1@49	DFT_QPSK	25.02	24.72	33	PASS
n77(3700-3980)	30	20	656000	25@12	DFT_QAM16	23.91	23.61	33	PASS
n77(3700-3980)	30	20	656000	1@1	DFT_QAM16	23.87	23.57	33	PASS
n77(3700-3980)	30	20	656000	1@49	DFT_QAM16	24.18	23.88	33	PASS
n77(3700-3980)	30	20	656000	25@12	DFT_QAM64	22.51	22.21	33	PASS
n77(3700-3980)	30	20	656000	1@1	DFT_QAM64	22.53	22.23	33	PASS

n77(3700-3980)	30	20	656000	1@49	DFT_QAM64	22.86	22.56	33	PASS
n77(3700-3980)	30	20	656000	25@12	DFT_QAM256	20.43	20.13	33	PASS
n77(3700-3980)	30	20	656000	1@1	DFT_QAM256	20.49	20.19	33	PASS
n77(3700-3980)	30	20	656000	1@49	DFT_QAM256	20.79	20.49	33	PASS
n77(3700-3980)	30	20	656000	25@12	CP_QPSK	23.37	23.07	33	PASS
n77(3700-3980)	30	20	656000	1@1	CP_QPSK	23.26	22.96	33	PASS
n77(3700-3980)	30	20	656000	1@49	CP_QPSK	23.52	23.22	33	PASS
n77(3700-3980)	30	20	656000	25@12	CP_QAM16	22.95	22.65	33	PASS
n77(3700-3980)	30	20	656000	1@1	CP_QAM16	23.10	22.8	33	PASS
n77(3700-3980)	30	20	656000	1@49	CP_QAM16	23.35	23.05	33	PASS
n77(3700-3980)	30	20	656000	25@12	CP_QAM64	21.41	21.11	33	PASS
n77(3700-3980)	30	20	656000	1@1	CP_QAM64	21.49	21.19	33	PASS
n77(3700-3980)	30	20	656000	1@49	CP_QAM64	21.82	21.52	33	PASS
n77(3700-3980)	30	20	656000	25@12	CP_QAM256	18.33	18.03	33	PASS
n77(3700-3980)	30	20	656000	1@1	CP_QAM256	18.29	17.99	33	PASS
n77(3700-3980)	30	20	656000	1@49	CP_QAM256	18.71	18.41	33	PASS
n77(3700-3980)	30	20	664666	25@12	DFT_BPSK	24.72	24.42	33	PASS
n77(3700-3980)	30	20	664666	1@1	DFT_BPSK	24.96	24.66	33	PASS
n77(3700-3980)	30	20	664666	1@49	DFT_BPSK	24.68	24.38	33	PASS
n77(3700-3980)	30	20	664666	25@12	DFT_QPSK	24.68	24.38	33	PASS
n77(3700-3980)	30	20	664666	1@1	DFT_QPSK	24.73	24.43	33	PASS
n77(3700-3980)	30	20	664666	1@49	DFT_QPSK	24.50	24.2	33	PASS
n77(3700-3980)	30	20	664666	25@12	DFT_QAM16	23.72	23.42	33	PASS
n77(3700-3980)	30	20	664666	1@1	DFT_QAM16	24.04	23.74	33	PASS
n77(3700-3980)	30	20	664666	1@49	DFT_QAM16	23.84	23.54	33	PASS
n77(3700-3980)	30	20	664666	25@12	DFT_QAM64	22.18	21.88	33	PASS
n77(3700-3980)	30	20	664666	1@1	DFT_QAM64	22.41	22.11	33	PASS
n77(3700-3980)	30	20	664666	1@49	DFT_QAM64	22.16	21.86	33	PASS
n77(3700-3980)	30	20	664666	25@12	DFT_QAM256	20.06	19.76	33	PASS
n77(3700-3980)	30	20	664666	1@1	DFT_QAM256	20.55	20.25	33	PASS
n77(3700-3980)	30	20	664666	1@49	DFT_QAM256	20.26	19.96	33	PASS
n77(3700-3980)	30	20	664666	25@12	CP_QPSK	23.16	22.86	33	PASS
n77(3700-3980)	30	20	664666	1@1	CP_QPSK	23.31	23.01	33	PASS
n77(3700-3980)	30	20	664666	1@49	CP_QPSK	23.04	22.74	33	PASS
n77(3700-3980)	30	20	664666	25@12	CP_QAM16	22.70	22.4	33	PASS
n77(3700-3980)	30	20	664666	1@1	CP_QAM16	23.31	23.01	33	PASS
n77(3700-3980)	30	20	664666	1@49	CP_QAM16	23.03	22.73	33	PASS
n77(3700-3980)	30	20	664666	25@12	CP_QAM64	21.19	20.89	33	PASS
n77(3700-3980)	30	20	664666	1@1	CP_QAM64	21.48	21.18	33	PASS
n77(3700-3980)	30	20	664666	1@49	CP_QAM64	21.32	21.02	33	PASS
n77(3700-3980)	30	20	664666	25@12	CP_QAM256	18.17	17.87	33	PASS
n77(3700-3980)	30	20	664666	1@1	CP_QAM256	18.38	18.08	33	PASS

n77(3700-3980)	30	20	664666	1@49	CP_QAM256	18.21	17.91	33	PASS
n77(3700-3980)	30	30	647668	36@18	DFT_BPSK	25.00	24.7	33	PASS
n77(3700-3980)	30	30	647668	1@1	DFT_BPSK	24.91	24.61	33	PASS
n77(3700-3980)	30	30	647668	1@76	DFT_BPSK	24.97	24.67	33	PASS
n77(3700-3980)	30	30	647668	36@18	DFT_QPSK	24.91	24.61	33	PASS
n77(3700-3980)	30	30	647668	1@1	DFT_QPSK	24.60	24.3	33	PASS
n77(3700-3980)	30	30	647668	1@76	DFT_QPSK	24.55	24.25	33	PASS
n77(3700-3980)	30	30	647668	36@18	DFT_QAM16	23.99	23.69	33	PASS
n77(3700-3980)	30	30	647668	1@1	DFT_QAM16	24.06	23.76	33	PASS
n77(3700-3980)	30	30	647668	1@76	DFT_QAM16	23.96	23.66	33	PASS
n77(3700-3980)	30	30	647668	36@18	DFT_QAM64	22.45	22.15	33	PASS
n77(3700-3980)	30	30	647668	1@1	DFT_QAM64	22.36	22.06	33	PASS
n77(3700-3980)	30	30	647668	1@76	DFT_QAM64	22.41	22.11	33	PASS
n77(3700-3980)	30	30	647668	36@18	DFT_QAM256	20.64	20.34	33	PASS
n77(3700-3980)	30	30	647668	1@1	DFT_QAM256	20.40	20.1	33	PASS
n77(3700-3980)	30	30	647668	1@76	DFT_QAM256	20.57	20.27	33	PASS
n77(3700-3980)	30	30	647668	39@19	CP_QPSK	23.19	22.89	33	PASS
n77(3700-3980)	30	30	647668	1@1	CP_QPSK	23.27	22.97	33	PASS
n77(3700-3980)	30	30	647668	1@76	CP_QPSK	23.31	23.01	33	PASS
n77(3700-3980)	30	30	647668	39@19	CP_QAM16	23.01	22.71	33	PASS
n77(3700-3980)	30	30	647668	1@1	CP_QAM16	23.01	22.71	33	PASS
n77(3700-3980)	30	30	647668	1@76	CP_QAM16	22.92	22.62	33	PASS
n77(3700-3980)	30	30	647668	39@19	CP_QAM64	21.58	21.28	33	PASS
n77(3700-3980)	30	30	647668	1@1	CP_QAM64	21.41	21.11	33	PASS
n77(3700-3980)	30	30	647668	1@76	CP_QAM64	21.53	21.23	33	PASS
n77(3700-3980)	30	30	647668	39@19	CP_QAM256	18.48	18.18	33	PASS
n77(3700-3980)	30	30	647668	1@1	CP_QAM256	18.46	18.16	33	PASS
n77(3700-3980)	30	30	647668	1@76	CP_QAM256	18.49	18.19	33	PASS
n77(3700-3980)	30	30	656000	36@18	DFT_BPSK	24.87	24.57	33	PASS
n77(3700-3980)	30	30	656000	1@1	DFT_BPSK	24.88	24.58	33	PASS
n77(3700-3980)	30	30	656000	1@76	DFT_BPSK	25.22	24.92	33	PASS
n77(3700-3980)	30	30	656000	36@18	DFT_QPSK	24.89	24.59	33	PASS
n77(3700-3980)	30	30	656000	1@1	DFT_QPSK	24.62	24.32	33	PASS
n77(3700-3980)	30	30	656000	1@76	DFT_QPSK	25.11	24.81	33	PASS
n77(3700-3980)	30	30	656000	36@18	DFT_QAM16	23.87	23.57	33	PASS
n77(3700-3980)	30	30	656000	1@1	DFT_QAM16	23.98	23.68	33	PASS
n77(3700-3980)	30	30	656000	1@76	DFT_QAM16	24.35	24.05	33	PASS
n77(3700-3980)	30	30	656000	36@18	DFT_QAM64	22.35	22.05	33	PASS
n77(3700-3980)	30	30	656000	1@1	DFT_QAM64	22.33	22.03	33	PASS
n77(3700-3980)	30	30	656000	1@76	DFT_QAM64	22.74	22.44	33	PASS
n77(3700-3980)	30	30	656000	36@18	DFT_QAM256	20.43	20.13	33	PASS
n77(3700-3980)	30	30	656000	1@1	DFT_QAM256	20.47	20.17	33	PASS

n77(3700-3980)	30	30	656000	1@76	DFT_QAM256	20.66	20.36	33	PASS
n77(3700-3980)	30	30	656000	39@19	CP_QPSK	23.12	22.82	33	PASS
n77(3700-3980)	30	30	656000	1@1	CP_QPSK	23.17	22.87	33	PASS
n77(3700-3980)	30	30	656000	1@76	CP_QPSK	23.63	23.33	33	PASS
n77(3700-3980)	30	30	656000	39@19	CP_QAM16	22.84	22.54	33	PASS
n77(3700-3980)	30	30	656000	1@1	CP_QAM16	22.90	22.6	33	PASS
n77(3700-3980)	30	30	656000	1@76	CP_QAM16	23.39	23.09	33	PASS
n77(3700-3980)	30	30	656000	39@19	CP_QAM64	21.42	21.12	33	PASS
n77(3700-3980)	30	30	656000	1@1	CP_QAM64	21.49	21.19	33	PASS
n77(3700-3980)	30	30	656000	1@76	CP_QAM64	21.78	21.48	33	PASS
n77(3700-3980)	30	30	656000	39@19	CP_QAM256	18.24	17.94	33	PASS
n77(3700-3980)	30	30	656000	1@1	CP_QAM256	18.46	18.16	33	PASS
n77(3700-3980)	30	30	656000	1@76	CP_QAM256	18.75	18.45	33	PASS
n77(3700-3980)	30	30	664332	36@18	DFT_BPSK	24.67	24.37	33	PASS
n77(3700-3980)	30	30	664332	1@1	DFT_BPSK	24.87	24.57	33	PASS
n77(3700-3980)	30	30	664332	1@76	DFT_BPSK	24.65	24.35	33	PASS
n77(3700-3980)	30	30	664332	36@18	DFT_QPSK	24.72	24.42	33	PASS
n77(3700-3980)	30	30	664332	1@1	DFT_QPSK	24.66	24.36	33	PASS
n77(3700-3980)	30	30	664332	1@76	DFT_QPSK	24.51	24.21	33	PASS
n77(3700-3980)	30	30	664332	36@18	DFT_QAM16	23.70	23.4	33	PASS
n77(3700-3980)	30	30	664332	1@1	DFT_QAM16	24.05	23.75	33	PASS
n77(3700-3980)	30	30	664332	1@76	DFT_QAM16	23.81	23.51	33	PASS
n77(3700-3980)	30	30	664332	36@18	DFT_QAM64	22.21	21.91	33	PASS
n77(3700-3980)	30	30	664332	1@1	DFT_QAM64	22.40	22.1	33	PASS
n77(3700-3980)	30	30	664332	1@76	DFT_QAM64	22.15	21.85	33	PASS
n77(3700-3980)	30	30	664332	36@18	DFT_QAM256	20.24	19.94	33	PASS
n77(3700-3980)	30	30	664332	1@1	DFT_QAM256	20.28	19.98	33	PASS
n77(3700-3980)	30	30	664332	1@76	DFT_QAM256	20.09	19.79	33	PASS
n77(3700-3980)	30	30	664332	39@19	CP_QPSK	22.99	22.69	33	PASS
n77(3700-3980)	30	30	664332	1@1	CP_QPSK	23.30	23	33	PASS
n77(3700-3980)	30	30	664332	1@76	CP_QPSK	22.98	22.68	33	PASS
n77(3700-3980)	30	30	664332	39@19	CP_QAM16	22.66	22.36	33	PASS
n77(3700-3980)	30	30	664332	1@1	CP_QAM16	23.02	22.72	33	PASS
n77(3700-3980)	30	30	664332	1@76	CP_QAM16	22.71	22.41	33	PASS
n77(3700-3980)	30	30	664332	39@19	CP_QAM64	21.25	20.95	33	PASS
n77(3700-3980)	30	30	664332	1@1	CP_QAM64	21.26	20.96	33	PASS
n77(3700-3980)	30	30	664332	1@76	CP_QAM64	21.21	20.91	33	PASS
n77(3700-3980)	30	30	664332	39@19	CP_QAM256	18.07	17.77	33	PASS
n77(3700-3980)	30	30	664332	1@1	CP_QAM256	18.52	18.22	33	PASS
n77(3700-3980)	30	30	664332	1@76	CP_QAM256	18.19	17.89	33	PASS
n77(3700-3980)	30	40	648000	50@25	DFT_BPSK	24.99	24.69	33	PASS
n77(3700-3980)	30	40	648000	1@1	DFT_BPSK	25.05	24.75	33	PASS

n77(3700-3980)	30	40	648000	1@104	DFT_BPSK	25.10	24.8	33	PASS
n77(3700-3980)	30	40	648000	50@25	DFT_QPSK	24.59	24.29	33	PASS
n77(3700-3980)	30	40	648000	1@1	DFT_QPSK	24.74	24.44	33	PASS
n77(3700-3980)	30	40	648000	1@104	DFT_QPSK	24.90	24.6	33	PASS
n77(3700-3980)	30	40	648000	50@25	DFT_QAM16	23.99	23.69	33	PASS
n77(3700-3980)	30	40	648000	1@1	DFT_QAM16	24.14	23.84	33	PASS
n77(3700-3980)	30	40	648000	1@104	DFT_QAM16	24.12	23.82	33	PASS
n77(3700-3980)	30	40	648000	50@25	DFT_QAM64	22.48	22.18	33	PASS
n77(3700-3980)	30	40	648000	1@1	DFT_QAM64	22.60	22.3	33	PASS
n77(3700-3980)	30	40	648000	1@104	DFT_QAM64	22.65	22.35	33	PASS
n77(3700-3980)	30	40	648000	50@25	DFT_QAM256	20.55	20.25	33	PASS
n77(3700-3980)	30	40	648000	1@1	DFT_QAM256	20.65	20.35	33	PASS
n77(3700-3980)	30	40	648000	1@104	DFT_QAM256	20.71	20.41	33	PASS
n77(3700-3980)	30	40	648000	53@26	CP_QPSK	23.20	22.9	33	PASS
n77(3700-3980)	30	40	648000	1@1	CP_QPSK	23.34	23.04	33	PASS
n77(3700-3980)	30	40	648000	1@104	CP_QPSK	23.31	23.01	33	PASS
n77(3700-3980)	30	40	648000	53@26	CP_QAM16	22.81	22.51	33	PASS
n77(3700-3980)	30	40	648000	1@1	CP_QAM16	23.25	22.95	33	PASS
n77(3700-3980)	30	40	648000	1@104	CP_QAM16	23.27	22.97	33	PASS
n77(3700-3980)	30	40	648000	53@26	CP_QAM64	21.56	21.26	33	PASS
n77(3700-3980)	30	40	648000	1@1	CP_QAM64	21.68	21.38	33	PASS
n77(3700-3980)	30	40	648000	1@104	CP_QAM64	21.71	21.41	33	PASS
n77(3700-3980)	30	40	648000	53@26	CP_QAM256	18.44	18.14	33	PASS
n77(3700-3980)	30	40	648000	1@1	CP_QAM256	18.64	18.34	33	PASS
n77(3700-3980)	30	40	648000	1@104	CP_QAM256	18.59	18.29	33	PASS
n77(3700-3980)	30	40	656000	50@25	DFT_BPSK	24.87	24.57	33	PASS
n77(3700-3980)	30	40	656000	1@1	DFT_BPSK	25.03	24.73	33	PASS
n77(3700-3980)	30	40	656000	1@104	DFT_BPSK	25.25	24.95	33	PASS
n77(3700-3980)	30	40	656000	50@25	DFT_QPSK	24.84	24.54	33	PASS
n77(3700-3980)	30	40	656000	1@1	DFT_QPSK	24.67	24.37	33	PASS
n77(3700-3980)	30	40	656000	1@104	DFT_QPSK	25.17	24.87	33	PASS
n77(3700-3980)	30	40	656000	50@25	DFT_QAM16	23.86	23.56	33	PASS
n77(3700-3980)	30	40	656000	1@1	DFT_QAM16	23.90	23.6	33	PASS
n77(3700-3980)	30	40	656000	1@104	DFT_QAM16	24.50	24.2	33	PASS
n77(3700-3980)	30	40	656000	50@25	DFT_QAM64	22.41	22.11	33	PASS
n77(3700-3980)	30	40	656000	1@1	DFT_QAM64	22.64	22.34	33	PASS
n77(3700-3980)	30	40	656000	1@104	DFT_QAM64	22.83	22.53	33	PASS
n77(3700-3980)	30	40	656000	50@25	DFT_QAM256	20.39	20.09	33	PASS
n77(3700-3980)	30	40	656000	1@1	DFT_QAM256	20.61	20.31	33	PASS
n77(3700-3980)	30	40	656000	1@104	DFT_QAM256	20.91	20.61	33	PASS
n77(3700-3980)	30	40	656000	53@26	CP_QPSK	23.09	22.79	33	PASS
n77(3700-3980)	30	40	656000	1@1	CP_QPSK	23.09	22.79	33	PASS

n77(3700-3980)	30	40	656000	1@104	CP_QPSK	23.70	23.4	33	PASS
n77(3700-3980)	30	40	656000	53@26	CP_QAM16	22.91	22.61	33	PASS
n77(3700-3980)	30	40	656000	1@1	CP_QAM16	22.99	22.69	33	PASS
n77(3700-3980)	30	40	656000	1@104	CP_QAM16	23.81	23.51	33	PASS
n77(3700-3980)	30	40	656000	53@26	CP_QAM64	21.60	21.3	33	PASS
n77(3700-3980)	30	40	656000	1@1	CP_QAM64	21.56	21.26	33	PASS
n77(3700-3980)	30	40	656000	1@104	CP_QAM64	21.74	21.44	33	PASS
n77(3700-3980)	30	40	656000	53@26	CP_QAM256	18.44	18.14	33	PASS
n77(3700-3980)	30	40	656000	1@1	CP_QAM256	18.63	18.33	33	PASS
n77(3700-3980)	30	40	656000	1@104	CP_QAM256	18.78	18.48	33	PASS
n77(3700-3980)	30	40	664000	50@25	DFT_BPSK	24.77	24.47	33	PASS
n77(3700-3980)	30	40	664000	1@1	DFT_BPSK	24.74	24.44	33	PASS
n77(3700-3980)	30	40	664000	1@104	DFT_BPSK	24.66	24.36	33	PASS
n77(3700-3980)	30	40	664000	50@25	DFT_QPSK	24.59	24.29	33	PASS
n77(3700-3980)	30	40	664000	1@1	DFT_QPSK	24.29	23.99	33	PASS
n77(3700-3980)	30	40	664000	1@104	DFT_QPSK	24.43	24.13	33	PASS
n77(3700-3980)	30	40	664000	50@25	DFT_QAM16	23.73	23.43	33	PASS
n77(3700-3980)	30	40	664000	1@1	DFT_QAM16	23.64	23.34	33	PASS
n77(3700-3980)	30	40	664000	1@104	DFT_QAM16	23.78	23.48	33	PASS
n77(3700-3980)	30	40	664000	50@25	DFT_QAM64	22.27	21.97	33	PASS
n77(3700-3980)	30	40	664000	1@1	DFT_QAM64	22.35	22.05	33	PASS
n77(3700-3980)	30	40	664000	1@104	DFT_QAM64	22.25	21.95	33	PASS
n77(3700-3980)	30	40	664000	50@25	DFT_QAM256	20.20	19.9	33	PASS
n77(3700-3980)	30	40	664000	1@1	DFT_QAM256	20.46	20.16	33	PASS
n77(3700-3980)	30	40	664000	1@104	DFT_QAM256	20.19	19.89	33	PASS
n77(3700-3980)	30	40	664000	53@26	CP_QPSK	22.88	22.58	33	PASS
n77(3700-3980)	30	40	664000	1@1	CP_QPSK	22.85	22.55	33	PASS
n77(3700-3980)	30	40	664000	1@104	CP_QPSK	22.94	22.64	33	PASS
n77(3700-3980)	30	40	664000	53@26	CP_QAM16	22.62	22.32	33	PASS
n77(3700-3980)	30	40	664000	1@1	CP_QAM16	22.84	22.54	33	PASS
n77(3700-3980)	30	40	664000	1@104	CP_QAM16	22.83	22.53	33	PASS
n77(3700-3980)	30	40	664000	53@26	CP_QAM64	21.33	21.03	33	PASS
n77(3700-3980)	30	40	664000	1@1	CP_QAM64	21.31	21.01	33	PASS
n77(3700-3980)	30	40	664000	1@104	CP_QAM64	21.24	20.94	33	PASS
n77(3700-3980)	30	40	664000	53@26	CP_QAM256	18.25	17.95	33	PASS
n77(3700-3980)	30	40	664000	1@1	CP_QAM256	18.37	18.07	33	PASS
n77(3700-3980)	30	40	664000	1@104	CP_QAM256	18.17	17.87	33	PASS
n77(3700-3980)	30	60	648668	81@40	DFT_BPSK	24.71	24.41	33	PASS
n77(3700-3980)	30	60	648668	1@1	DFT_BPSK	24.64	24.34	33	PASS
n77(3700-3980)	30	60	648668	1@160	DFT_BPSK	24.76	24.46	33	PASS
n77(3700-3980)	30	60	648668	81@40	DFT_QPSK	24.40	24.1	33	PASS
n77(3700-3980)	30	60	648668	1@1	DFT_QPSK	24.54	24.24	33	PASS

n77(3700-3980)	30	60	648668	1@160	DFT_QPSK	24.71	24.41	33	PASS
n77(3700-3980)	30	60	648668	81@40	DFT_QAM16	23.64	23.34	33	PASS
n77(3700-3980)	30	60	648668	1@1	DFT_QAM16	23.57	23.27	33	PASS
n77(3700-3980)	30	60	648668	1@160	DFT_QAM16	23.83	23.53	33	PASS
n77(3700-3980)	30	60	648668	81@40	DFT_QAM64	22.30	22	33	PASS
n77(3700-3980)	30	60	648668	1@1	DFT_QAM64	22.08	21.78	33	PASS
n77(3700-3980)	30	60	648668	1@160	DFT_QAM64	22.22	21.92	33	PASS
n77(3700-3980)	30	60	648668	81@40	DFT_QAM256	20.24	19.94	33	PASS
n77(3700-3980)	30	60	648668	1@1	DFT_QAM256	20.15	19.85	33	PASS
n77(3700-3980)	30	60	648668	1@160	DFT_QAM256	20.32	20.02	33	PASS
n77(3700-3980)	30	60	648668	81@40	CP_QPSK	22.91	22.61	33	PASS
n77(3700-3980)	30	60	648668	1@1	CP_QPSK	23.01	22.71	33	PASS
n77(3700-3980)	30	60	648668	1@160	CP_QPSK	23.19	22.89	33	PASS
n77(3700-3980)	30	60	648668	81@40	CP_QAM16	22.66	22.36	33	PASS
n77(3700-3980)	30	60	648668	1@1	CP_QAM16	22.69	22.39	33	PASS
n77(3700-3980)	30	60	648668	1@160	CP_QAM16	23.00	22.7	33	PASS
n77(3700-3980)	30	60	648668	81@40	CP_QAM64	21.24	20.94	33	PASS
n77(3700-3980)	30	60	648668	1@1	CP_QAM64	21.14	20.84	33	PASS
n77(3700-3980)	30	60	648668	1@160	CP_QAM64	21.27	20.97	33	PASS
n77(3700-3980)	30	60	648668	81@40	CP_QAM256	18.16	17.86	33	PASS
n77(3700-3980)	30	60	648668	1@1	CP_QAM256	18.22	17.92	33	PASS
n77(3700-3980)	30	60	648668	1@160	CP_QAM256	18.43	18.13	33	PASS
n77(3700-3980)	30	60	656000	81@40	DFT_BPSK	24.76	24.46	33	PASS
n77(3700-3980)	30	60	656000	1@1	DFT_BPSK	24.54	24.24	33	PASS
n77(3700-3980)	30	60	656000	1@160	DFT_BPSK	24.96	24.66	33	PASS
n77(3700-3980)	30	60	656000	81@40	DFT_QPSK	24.68	24.38	33	PASS
n77(3700-3980)	30	60	656000	1@1	DFT_QPSK	24.53	24.23	33	PASS
n77(3700-3980)	30	60	656000	1@160	DFT_QPSK	24.79	24.49	33	PASS
n77(3700-3980)	30	60	656000	81@40	DFT_QAM16	23.75	23.45	33	PASS
n77(3700-3980)	30	60	656000	1@1	DFT_QAM16	23.61	23.31	33	PASS
n77(3700-3980)	30	60	656000	1@160	DFT_QAM16	23.98	23.68	33	PASS
n77(3700-3980)	30	60	656000	81@40	DFT_QAM64	22.27	21.97	33	PASS
n77(3700-3980)	30	60	656000	1@1	DFT_QAM64	22.11	21.81	33	PASS
n77(3700-3980)	30	60	656000	1@160	DFT_QAM64	22.43	22.13	33	PASS
n77(3700-3980)	30	60	656000	81@40	DFT_QAM256	20.24	19.94	33	PASS
n77(3700-3980)	30	60	656000	1@1	DFT_QAM256	20.16	19.86	33	PASS
n77(3700-3980)	30	60	656000	1@160	DFT_QAM256	20.50	20.2	33	PASS
n77(3700-3980)	30	60	656000	81@40	CP_QPSK	23.14	22.84	33	PASS
n77(3700-3980)	30	60	656000	1@1	CP_QPSK	22.97	22.67	33	PASS
n77(3700-3980)	30	60	656000	1@160	CP_QPSK	23.44	23.14	33	PASS
n77(3700-3980)	30	60	656000	81@40	CP_QAM16	22.76	22.46	33	PASS
n77(3700-3980)	30	60	656000	1@1	CP_QAM16	22.84	22.54	33	PASS

n77(3700-3980)	30	60	656000	1@160	CP_QAM16	23.17	22.87	33	PASS
n77(3700-3980)	30	60	656000	81@40	CP_QAM64	21.30	21	33	PASS
n77(3700-3980)	30	60	656000	1@1	CP_QAM64	21.23	20.93	33	PASS
n77(3700-3980)	30	60	656000	1@160	CP_QAM64	21.47	21.17	33	PASS
n77(3700-3980)	30	60	656000	81@40	CP_QAM256	18.11	17.81	33	PASS
n77(3700-3980)	30	60	656000	1@1	CP_QAM256	18.21	17.91	33	PASS
n77(3700-3980)	30	60	656000	1@160	CP_QAM256	18.52	18.22	33	PASS
n77(3700-3980)	30	60	663332	81@40	DFT_BPSK	24.86	24.56	33	PASS
n77(3700-3980)	30	60	663332	1@1	DFT_BPSK	24.87	24.57	33	PASS
n77(3700-3980)	30	60	663332	1@160	DFT_BPSK	24.41	24.11	33	PASS
n77(3700-3980)	30	60	663332	81@40	DFT_QPSK	24.34	24.04	33	PASS
n77(3700-3980)	30	60	663332	1@1	DFT_QPSK	24.77	24.47	33	PASS
n77(3700-3980)	30	60	663332	1@160	DFT_QPSK	24.27	23.97	33	PASS
n77(3700-3980)	30	60	663332	81@40	DFT_QAM16	23.67	23.37	33	PASS
n77(3700-3980)	30	60	663332	1@1	DFT_QAM16	23.95	23.65	33	PASS
n77(3700-3980)	30	60	663332	1@160	DFT_QAM16	23.18	22.88	33	PASS
n77(3700-3980)	30	60	663332	81@40	DFT_QAM64	22.15	21.85	33	PASS
n77(3700-3980)	30	60	663332	1@1	DFT_QAM64	22.38	22.08	33	PASS
n77(3700-3980)	30	60	663332	1@160	DFT_QAM64	22.13	21.83	33	PASS
n77(3700-3980)	30	60	663332	81@40	DFT_QAM256	20.42	20.12	33	PASS
n77(3700-3980)	30	60	663332	1@1	DFT_QAM256	20.41	20.11	33	PASS
n77(3700-3980)	30	60	663332	1@160	DFT_QAM256	20.15	19.85	33	PASS
n77(3700-3980)	30	60	663332	81@40	CP_QPSK	22.76	22.46	33	PASS
n77(3700-3980)	30	60	663332	1@1	CP_QPSK	23.31	23.01	33	PASS
n77(3700-3980)	30	60	663332	1@160	CP_QPSK	22.39	22.09	33	PASS
n77(3700-3980)	30	60	663332	81@40	CP_QAM16	22.60	22.3	33	PASS
n77(3700-3980)	30	60	663332	1@1	CP_QAM16	23.00	22.7	33	PASS
n77(3700-3980)	30	60	663332	1@160	CP_QAM16	22.29	21.99	33	PASS
n77(3700-3980)	30	60	663332	81@40	CP_QAM64	21.20	20.9	33	PASS
n77(3700-3980)	30	60	663332	1@1	CP_QAM64	21.40	21.1	33	PASS
n77(3700-3980)	30	60	663332	1@160	CP_QAM64	21.14	20.84	33	PASS
n77(3700-3980)	30	60	663332	81@40	CP_QAM256	18.40	18.1	33	PASS
n77(3700-3980)	30	60	663332	1@1	CP_QAM256	18.43	18.13	33	PASS
n77(3700-3980)	30	60	663332	1@160	CP_QAM256	18.17	17.87	33	PASS
n77(3700-3980)	30	80	649334	108@54	DFT_BPSK	24.71	24.41	33	PASS
n77(3700-3980)	30	80	649334	1@1	DFT_BPSK	24.55	24.25	33	PASS
n77(3700-3980)	30	80	649334	1@215	DFT_BPSK	24.80	24.5	33	PASS
n77(3700-3980)	30	80	649334	108@54	DFT_QPSK	24.73	24.43	33	PASS
n77(3700-3980)	30	80	649334	1@1	DFT_QPSK	24.37	24.07	33	PASS
n77(3700-3980)	30	80	649334	1@215	DFT_QPSK	24.65	24.35	33	PASS
n77(3700-3980)	30	80	649334	108@54	DFT_QAM16	23.71	23.41	33	PASS
n77(3700-3980)	30	80	649334	1@1	DFT_QAM16	23.73	23.43	33	PASS

n77(3700-3980)	30	80	649334	1@215	DFT_QAM16	23.98	23.68	33	PASS
n77(3700-3980)	30	80	649334	108@54	DFT_QAM64	22.22	21.92	33	PASS
n77(3700-3980)	30	80	649334	1@1	DFT_QAM64	22.05	21.75	33	PASS
n77(3700-3980)	30	80	649334	1@215	DFT_QAM64	22.32	22.02	33	PASS
n77(3700-3980)	30	80	649334	108@54	DFT_QAM256	20.16	19.86	33	PASS
n77(3700-3980)	30	80	649334	1@1	DFT_QAM256	20.10	19.8	33	PASS
n77(3700-3980)	30	80	649334	1@215	DFT_QAM256	20.27	19.97	33	PASS
n77(3700-3980)	30	80	649334	109@54	CP_QPSK	23.20	22.9	33	PASS
n77(3700-3980)	30	80	649334	1@1	CP_QPSK	22.92	22.62	33	PASS
n77(3700-3980)	30	80	649334	1@215	CP_QPSK	23.19	22.89	33	PASS
n77(3700-3980)	30	80	649334	109@54	CP_QAM16	22.64	22.34	33	PASS
n77(3700-3980)	30	80	649334	1@1	CP_QAM16	23.00	22.7	33	PASS
n77(3700-3980)	30	80	649334	1@215	CP_QAM16	23.13	22.83	33	PASS
n77(3700-3980)	30	80	649334	109@54	CP_QAM64	21.17	20.87	33	PASS
n77(3700-3980)	30	80	649334	1@1	CP_QAM64	20.92	20.62	33	PASS
n77(3700-3980)	30	80	649334	1@215	CP_QAM64	21.48	21.18	33	PASS
n77(3700-3980)	30	80	649334	109@54	CP_QAM256	18.13	17.83	33	PASS
n77(3700-3980)	30	80	649334	1@1	CP_QAM256	18.00	17.7	33	PASS
n77(3700-3980)	30	80	649334	1@215	CP_QAM256	18.46	18.16	33	PASS
n77(3700-3980)	30	80	656000	108@54	DFT_BPSK	24.65	24.35	33	PASS
n77(3700-3980)	30	80	656000	1@1	DFT_BPSK	24.44	24.14	33	PASS
n77(3700-3980)	30	80	656000	1@215	DFT_BPSK	24.76	24.46	33	PASS
n77(3700-3980)	30	80	656000	108@54	DFT_QPSK	24.66	24.36	33	PASS
n77(3700-3980)	30	80	656000	1@1	DFT_QPSK	24.32	24.02	33	PASS
n77(3700-3980)	30	80	656000	1@215	DFT_QPSK	24.59	24.29	33	PASS
n77(3700-3980)	30	80	656000	108@54	DFT_QAM16	23.65	23.35	33	PASS
n77(3700-3980)	30	80	656000	1@1	DFT_QAM16	23.64	23.34	33	PASS
n77(3700-3980)	30	80	656000	1@215	DFT_QAM16	23.92	23.62	33	PASS
n77(3700-3980)	30	80	656000	108@54	DFT_QAM64	22.28	21.98	33	PASS
n77(3700-3980)	30	80	656000	1@1	DFT_QAM64	22.05	21.75	33	PASS
n77(3700-3980)	30	80	656000	1@215	DFT_QAM64	22.40	22.1	33	PASS
n77(3700-3980)	30	80	656000	108@54	DFT_QAM256	20.26	19.96	33	PASS
n77(3700-3980)	30	80	656000	1@1	DFT_QAM256	20.01	19.71	33	PASS
n77(3700-3980)	30	80	656000	1@215	DFT_QAM256	20.32	20.02	33	PASS
n77(3700-3980)	30	80	656000	109@54	CP_QPSK	23.23	22.93	33	PASS
n77(3700-3980)	30	80	656000	1@1	CP_QPSK	22.85	22.55	33	PASS
n77(3700-3980)	30	80	656000	1@215	CP_QPSK	23.12	22.82	33	PASS
n77(3700-3980)	30	80	656000	109@54	CP_QAM16	22.61	22.31	33	PASS
n77(3700-3980)	30	80	656000	1@1	CP_QAM16	22.59	22.29	33	PASS
n77(3700-3980)	30	80	656000	1@215	CP_QAM16	22.82	22.52	33	PASS
n77(3700-3980)	30	80	656000	109@54	CP_QAM64	21.09	20.79	33	PASS
n77(3700-3980)	30	80	656000	1@1	CP_QAM64	20.97	20.67	33	PASS

n77(3700-3980)	30	80	656000	1@215	CP_QAM64	21.16	20.86	33	PASS
n77(3700-3980)	30	80	656000	109@54	CP_QAM256	18.10	17.8	33	PASS
n77(3700-3980)	30	80	656000	1@1	CP_QAM256	18.04	17.74	33	PASS
n77(3700-3980)	30	80	656000	1@215	CP_QAM256	18.25	17.95	33	PASS
n77(3700-3980)	30	80	662666	108@54	DFT_BPSK	24.72	24.42	33	PASS
n77(3700-3980)	30	80	662666	1@1	DFT_BPSK	24.92	24.62	33	PASS
n77(3700-3980)	30	80	662666	1@215	DFT_BPSK	24.38	24.08	33	PASS
n77(3700-3980)	30	80	662666	108@54	DFT_QPSK	24.51	24.21	33	PASS
n77(3700-3980)	30	80	662666	1@1	DFT_QPSK	24.78	24.48	33	PASS
n77(3700-3980)	30	80	662666	1@215	DFT_QPSK	24.25	23.95	33	PASS
n77(3700-3980)	30	80	662666	108@54	DFT_QAM16	23.77	23.47	33	PASS
n77(3700-3980)	30	80	662666	1@1	DFT_QAM16	23.96	23.66	33	PASS
n77(3700-3980)	30	80	662666	1@215	DFT_QAM16	23.44	23.14	33	PASS
n77(3700-3980)	30	80	662666	108@54	DFT_QAM64	22.46	22.16	33	PASS
n77(3700-3980)	30	80	662666	1@1	DFT_QAM64	22.47	22.17	33	PASS
n77(3700-3980)	30	80	662666	1@215	DFT_QAM64	22.07	21.77	33	PASS
n77(3700-3980)	30	80	662666	108@54	DFT_QAM256	20.40	20.1	33	PASS
n77(3700-3980)	30	80	662666	1@1	DFT_QAM256	20.42	20.12	33	PASS
n77(3700-3980)	30	80	662666	1@215	DFT_QAM256	20.15	19.85	33	PASS
n77(3700-3980)	30	80	662666	109@54	CP_QPSK	22.95	22.65	33	PASS
n77(3700-3980)	30	80	662666	1@1	CP_QPSK	23.41	23.11	33	PASS
n77(3700-3980)	30	80	662666	1@215	CP_QPSK	22.53	22.23	33	PASS
n77(3700-3980)	30	80	662666	109@54	CP_QAM16	22.86	22.56	33	PASS
n77(3700-3980)	30	80	662666	1@1	CP_QAM16	23.13	22.83	33	PASS
n77(3700-3980)	30	80	662666	1@215	CP_QAM16	22.25	21.95	33	PASS
n77(3700-3980)	30	80	662666	109@54	CP_QAM64	21.42	21.12	33	PASS
n77(3700-3980)	30	80	662666	1@1	CP_QAM64	21.54	21.24	33	PASS
n77(3700-3980)	30	80	662666	1@215	CP_QAM64	21.09	20.79	33	PASS
n77(3700-3980)	30	80	662666	109@54	CP_QAM256	18.37	18.07	33	PASS
n77(3700-3980)	30	80	662666	1@1	CP_QAM256	18.58	18.28	33	PASS
n77(3700-3980)	30	80	662666	1@215	CP_QAM256	18.11	17.81	33	PASS
n77(3700-3980)	30	100	650000	135@67	DFT_BPSK	24.76	24.46	33	PASS
n77(3700-3980)	30	100	650000	1@1	DFT_BPSK	24.51	24.21	33	PASS
n77(3700-3980)	30	100	650000	1@271	DFT_BPSK	24.91	24.61	33	PASS
n77(3700-3980)	30	100	650000	135@67	DFT_QPSK	24.80	24.5	33	PASS
n77(3700-3980)	30	100	650000	1@1	DFT_QPSK	24.41	24.11	33	PASS
n77(3700-3980)	30	100	650000	1@271	DFT_QPSK	24.78	24.48	33	PASS
n77(3700-3980)	30	100	650000	135@67	DFT_QAM16	23.74	23.44	33	PASS
n77(3700-3980)	30	100	650000	1@1	DFT_QAM16	23.49	23.19	33	PASS
n77(3700-3980)	30	100	650000	1@271	DFT_QAM16	23.92	23.62	33	PASS
n77(3700-3980)	30	100	650000	135@67	DFT_QAM64	22.28	21.98	33	PASS
n77(3700-3980)	30	100	650000	1@1	DFT_QAM64	22.02	21.72	33	PASS

n77(3700-3980)	30	100	650000	1@271	DFT_QAM64	22.37	22.07	33	PASS
n77(3700-3980)	30	100	650000	135@67	DFT_QAM256	20.24	19.94	33	PASS
n77(3700-3980)	30	100	650000	1@1	DFT_QAM256	20.08	19.78	33	PASS
n77(3700-3980)	30	100	650000	1@271	DFT_QAM256	20.41	20.11	33	PASS
n77(3700-3980)	30	100	650000	137@68	CP_QPSK	23.32	23.02	33	PASS
n77(3700-3980)	30	100	650000	1@1	CP_QPSK	23.01	22.71	33	PASS
n77(3700-3980)	30	100	650000	1@271	CP_QPSK	23.30	23	33	PASS
n77(3700-3980)	30	100	650000	137@68	CP_QAM16	22.77	22.47	33	PASS
n77(3700-3980)	30	100	650000	1@1	CP_QAM16	22.67	22.37	33	PASS
n77(3700-3980)	30	100	650000	1@271	CP_QAM16	22.98	22.68	33	PASS
n77(3700-3980)	30	100	650000	137@68	CP_QAM64	21.30	21	33	PASS
n77(3700-3980)	30	100	650000	1@1	CP_QAM64	20.93	20.63	33	PASS
n77(3700-3980)	30	100	650000	1@271	CP_QAM64	21.41	21.11	33	PASS
n77(3700-3980)	30	100	650000	137@68	CP_QAM256	18.26	17.96	33	PASS
n77(3700-3980)	30	100	650000	1@1	CP_QAM256	18.02	17.72	33	PASS
n77(3700-3980)	30	100	650000	1@271	CP_QAM256	18.76	18.46	33	PASS
n77(3700-3980)	30	100	656000	135@67	DFT_BPSK	24.76	24.46	33	PASS
n77(3700-3980)	30	100	656000	1@1	DFT_BPSK	24.47	24.17	33	PASS
n77(3700-3980)	30	100	656000	1@271	DFT_BPSK	24.99	24.69	33	PASS
n77(3700-3980)	30	100	656000	135@67	DFT_QPSK	24.74	24.44	33	PASS
n77(3700-3980)	30	100	656000	1@1	DFT_QPSK	24.41	24.11	33	PASS
n77(3700-3980)	30	100	656000	1@271	DFT_QPSK	24.84	24.54	33	PASS
n77(3700-3980)	30	100	656000	135@67	DFT_QAM16	23.80	23.5	33	PASS
n77(3700-3980)	30	100	656000	1@1	DFT_QAM16	23.58	23.28	33	PASS
n77(3700-3980)	30	100	656000	1@271	DFT_QAM16	24.05	23.75	33	PASS
n77(3700-3980)	30	100	656000	135@67	DFT_QAM64	22.24	21.94	33	PASS
n77(3700-3980)	30	100	656000	1@1	DFT_QAM64	22.09	21.79	33	PASS
n77(3700-3980)	30	100	656000	1@271	DFT_QAM64	22.60	22.3	33	PASS
n77(3700-3980)	30	100	656000	135@67	DFT_QAM256	20.25	19.95	33	PASS
n77(3700-3980)	30	100	656000	1@1	DFT_QAM256	20.18	19.88	33	PASS
n77(3700-3980)	30	100	656000	1@271	DFT_QAM256	20.69	20.39	33	PASS
n77(3700-3980)	30	100	656000	137@68	CP_QPSK	23.27	22.97	33	PASS
n77(3700-3980)	30	100	656000	1@1	CP_QPSK	22.87	22.57	33	PASS
n77(3700-3980)	30	100	656000	1@271	CP_QPSK	23.46	23.16	33	PASS
n77(3700-3980)	30	100	656000	137@68	CP_QAM16	22.72	22.42	33	PASS
n77(3700-3980)	30	100	656000	1@1	CP_QAM16	22.86	22.56	33	PASS
n77(3700-3980)	30	100	656000	1@271	CP_QAM16	23.38	23.08	33	PASS
n77(3700-3980)	30	100	656000	137@68	CP_QAM64	21.24	20.94	33	PASS
n77(3700-3980)	30	100	656000	1@1	CP_QAM64	21.18	20.88	33	PASS
n77(3700-3980)	30	100	656000	1@271	CP_QAM64	21.68	21.38	33	PASS
n77(3700-3980)	30	100	656000	137@68	CP_QAM256	18.20	17.9	33	PASS
n77(3700-3980)	30	100	656000	1@1	CP_QAM256	18.07	17.77	33	PASS

n77(3700-3980)	30	100	656000	1@271	CP_QAM256	18.55	18.25	33	PASS
n77(3700-3980)	30	100	662000	135@67	DFT_BPSK	24.91	24.61	33	PASS
n77(3700-3980)	30	100	662000	1@1	DFT_BPSK	24.82	24.52	33	PASS
n77(3700-3980)	30	100	662000	1@271	DFT_BPSK	24.44	24.14	33	PASS
n77(3700-3980)	30	100	662000	135@67	DFT_QPSK	24.86	24.56	33	PASS
n77(3700-3980)	30	100	662000	1@1	DFT_QPSK	24.65	24.35	33	PASS
n77(3700-3980)	30	100	662000	1@271	DFT_QPSK	24.29	23.99	33	PASS
n77(3700-3980)	30	100	662000	135@67	DFT_QAM16	23.81	23.51	33	PASS
n77(3700-3980)	30	100	662000	1@1	DFT_QAM16	23.94	23.64	33	PASS
n77(3700-3980)	30	100	662000	1@271	DFT_QAM16	23.56	23.26	33	PASS
n77(3700-3980)	30	100	662000	135@67	DFT_QAM64	22.40	22.1	33	PASS
n77(3700-3980)	30	100	662000	1@1	DFT_QAM64	22.35	22.05	33	PASS
n77(3700-3980)	30	100	662000	1@271	DFT_QAM64	21.97	21.67	33	PASS
n77(3700-3980)	30	100	662000	135@67	DFT_QAM256	20.31	20.01	33	PASS
n77(3700-3980)	30	100	662000	1@1	DFT_QAM256	20.40	20.1	33	PASS
n77(3700-3980)	30	100	662000	1@271	DFT_QAM256	20.14	19.84	33	PASS
n77(3700-3980)	30	100	662000	137@68	CP_QPSK	23.39	23.09	33	PASS
n77(3700-3980)	30	100	662000	1@1	CP_QPSK	23.25	22.95	33	PASS
n77(3700-3980)	30	100	662000	1@271	CP_QPSK	22.60	22.3	33	PASS
n77(3700-3980)	30	100	662000	137@68	CP_QAM16	22.77	22.47	33	PASS
n77(3700-3980)	30	100	662000	1@1	CP_QAM16	23.27	22.97	33	PASS
n77(3700-3980)	30	100	662000	1@271	CP_QAM16	22.46	22.16	33	PASS
n77(3700-3980)	30	100	662000	137@68	CP_QAM64	21.25	20.95	33	PASS
n77(3700-3980)	30	100	662000	1@1	CP_QAM64	21.16	20.86	33	PASS
n77(3700-3980)	30	100	662000	1@271	CP_QAM64	20.66	20.36	33	PASS
n77(3700-3980)	30	100	662000	137@68	CP_QAM256	18.18	17.88	33	PASS
n77(3700-3980)	30	100	662000	1@1	CP_QAM256	18.22	17.92	33	PASS
n77(3700-3980)	30	100	662000	1@271	CP_QAM256	18.02	17.72	33	PASS

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n77(3700-3980)	30	100	656000	135@67	DFT_BPSK	-4.86	0.00	-2.5	2.5	PASS
n77(3700-3980)	30	100	656000	1@1	DFT_BPSK	-7.20	0.00	-2.5	2.5	PASS
n77(3700-3980)	30	100	656000	1@271	DFT_BPSK	3.87	0.00	-2.5	2.5	PASS
n77(3700-3980)	30	100	656000	135@67	DFT_QPSK	-0.73	0.00	-2.5	2.5	PASS
n77(3700-3980)	30	100	656000	1@1	DFT_QPSK	-3.84	0.00	-2.5	2.5	PASS
n77(3700-3980)	30	100	656000	1@271	DFT_QPSK	4.78	0.00	-2.5	2.5	PASS

3 Peak-to-Average Ratio for NR FR1

Band	SCS	Bandwidth	UL	RB	Modulation	Result	high Limit	Verdict
------	-----	-----------	----	----	------------	--------	------------	---------

JianYan Testing Group Shenzhen Co., Ltd.

Project No.: JYTSZR2203077


No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China.

Tel: +86-755-23118282, Fax: +86-755-23116366


Page 12 of

	(kHz)	(MHz)	Channel	Allocation		(dB)	(dB)	
n77(3700-3980)	30	20	656000	50@0	DFT_BPSK	4.69	13	PASS
n77(3700-3980)	30	20	656000	50@0	DFT_QPSK	5.52	13	PASS
n77(3700-3980)	30	20	656000	50@0	DFT_QAM16	6.21	13	PASS
n77(3700-3980)	30	20	656000	50@0	DFT_QAM64	6.62	13	PASS
n77(3700-3980)	30	20	656000	50@0	DFT_QAM256	6.63	13	PASS
n77(3700-3980)	30	30	656000	75@0	DFT_BPSK	4.62	13	PASS
n77(3700-3980)	30	30	656000	75@0	DFT_QPSK	4.86	13	PASS
n77(3700-3980)	30	30	656000	75@0	DFT_QAM16	5.77	13	PASS
n77(3700-3980)	30	30	656000	75@0	DFT_QAM64	6.40	13	PASS
n77(3700-3980)	30	30	656000	75@0	DFT_QAM256	6.75	13	PASS
n77(3700-3980)	30	40	656000	100@0	DFT_BPSK	4.72	13	PASS
n77(3700-3980)	30	40	656000	100@0	DFT_QPSK	5.10	13	PASS
n77(3700-3980)	30	40	656000	100@0	DFT_QAM16	5.86	13	PASS
n77(3700-3980)	30	40	656000	100@0	DFT_QAM64	6.54	13	PASS
n77(3700-3980)	30	40	656000	100@0	DFT_QAM256	6.63	13	PASS
n77(3700-3980)	30	60	656000	162@0	DFT_BPSK	4.76	13	PASS
n77(3700-3980)	30	60	656000	162@0	DFT_QPSK	5.73	13	PASS
n77(3700-3980)	30	60	656000	162@0	DFT_QAM16	6.48	13	PASS
n77(3700-3980)	30	60	656000	162@0	DFT_QAM64	6.70	13	PASS
n77(3700-3980)	30	60	656000	162@0	DFT_QAM256	6.84	13	PASS
n77(3700-3980)	30	80	656000	216@0	DFT_BPSK	5.29	13	PASS
n77(3700-3980)	30	80	656000	216@0	DFT_QPSK	5.84	13	PASS
n77(3700-3980)	30	80	656000	216@0	DFT_QAM16	6.52	13	PASS
n77(3700-3980)	30	80	656000	216@0	DFT_QAM64	6.74	13	PASS
n77(3700-3980)	30	80	656000	216@0	DFT_QAM256	6.80	13	PASS
n77(3700-3980)	30	100	656000	270@0	DFT_BPSK	4.88	13	PASS
n77(3700-3980)	30	100	656000	270@0	DFT_QPSK	5.75	13	PASS
n77(3700-3980)	30	100	656000	270@0	DFT_QAM16	6.48	13	PASS
n77(3700-3980)	30	100	656000	270@0	DFT_QAM64	6.75	13	PASS
n77(3700-3980)	30	100	656000	270@0	DFT_QAM256	6.86	13	PASS


n77(3700-3980) SCS=30kHz DFT_BPSK BW=20MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=30kHz DFT_QPSK BW=20MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=30kHz DFT_QAM16 BW=20MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=30kHz DFT_QAM64 BW=20MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=30kHz DFT_QAM256 BW=20MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=30kHz DFT_BPSK BW=30MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=30kHz DFT_QPSK BW=30MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=30kHz DFT_QAM16 BW=30MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=30kHz DFT_QAM64 BW=30MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=30kHz DFT_QAM256 BW=30MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=30kHz DFT_BPSK BW=40MHz Channel=656000 RB=100@0




n77(3700-3980) SCS=30kHz DFT_QPSK BW=40MHz Channel=656000 RB=100@0




n77(3700-3980) SCS=30kHz DFT_QAM16 BW=40MHz Channel=656000 RB=100@0




n77(3700-3980) SCS=30kHz DFT_QAM64 BW=40MHz Channel=656000 RB=100@0




n77(3700-3980) SCS=30kHz DFT_QAM256 BW=40MHz Channel=656000 RB=100@0




n77(3700-3980) SCS=30kHz DFT_BPSK BW=60MHz Channel=656000 RB=162@0




n77(3700-3980) SCS=30kHz DFT_QPSK BW=60MHz Channel=656000 RB=162@0




n77(3700-3980) SCS=30kHz DFT_QAM16 BW=60MHz Channel=656000 RB=162@0




n77(3700-3980) SCS=30kHz DFT_QAM64 BW=60MHz Channel=656000 RB=162@0




n77(3700-3980) SCS=30kHz DFT_QAM256 BW=60MHz Channel=656000 RB=162@0




n77(3700-3980) SCS=30kHz DFT_BPSK BW=80MHz Channel=656000 RB=216@0




n77(3700-3980) SCS=30kHz DFT_QPSK BW=80MHz Channel=656000 RB=216@0




n77(3700-3980) SCS=30kHz DFT_QAM16 BW=80MHz Channel=656000 RB=216@0




n77(3700-3980) SCS=30kHz DFT_QAM64 BW=80MHz Channel=656000 RB=216@0




n77(3700-3980) SCS=30kHz DFT_QAM256 BW=80MHz Channel=656000 RB=216@0




n77(3700-3980) SCS=30kHz DFT_BPSK BW=100MHz Channel=656000 RB=270@0




n77(3700-3980) SCS=30kHz DFT_QPSK BW=100MHz Channel=656000 RB=270@0




n77(3700-3980) SCS=30kHz DFT_QAM16 BW=100MHz Channel=656000 RB=270@0



n77(3700-3980) SCS=30kHz DFT_QAM64 BW=100MHz Channel=656000 RB=270@0



n77(3700-3980) SCS=30kHz DFT_QAM256 BW=100MHz Channel=656000 RB=270@0



4 Occupied bandwidth for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n77(3700-3980)	30	20	647334	50@0	DFT_BPSK	18.030	18.920	PASS
n77(3700-3980)	30	20	647334	50@0	DFT_QPSK	18.120	18.970	PASS
n77(3700-3980)	30	20	647334	50@0	DFT_QAM16	18.090	18.960	PASS
n77(3700-3980)	30	20	647334	50@0	DFT_QAM64	18.100	18.960	PASS
n77(3700-3980)	30	20	647334	50@0	DFT_QAM256	18.090	18.940	PASS
n77(3700-3980)	30	20	647334	51@0	CP_QPSK	18.270	19.370	PASS
n77(3700-3980)	30	20	656000	50@0	DFT_BPSK	18.080	18.940	PASS
n77(3700-3980)	30	20	656000	50@0	DFT_QPSK	18.170	18.960	PASS
n77(3700-3980)	30	20	656000	50@0	DFT_QAM16	18.080	18.940	PASS
n77(3700-3980)	30	20	656000	50@0	DFT_QAM64	18.090	18.950	PASS
n77(3700-3980)	30	20	656000	50@0	DFT_QAM256	18.080	18.950	PASS
n77(3700-3980)	30	20	656000	51@0	CP_QPSK	18.270	19.340	PASS
n77(3700-3980)	30	20	664666	50@0	DFT_BPSK	18.120	18.940	PASS
n77(3700-3980)	30	20	664666	50@0	DFT_QPSK	18.180	19.000	PASS
n77(3700-3980)	30	20	664666	50@0	DFT_QAM16	18.110	18.930	PASS
n77(3700-3980)	30	20	664666	50@0	DFT_QAM64	18.110	18.960	PASS
n77(3700-3980)	30	20	664666	50@0	DFT_QAM256	18.110	18.950	PASS
n77(3700-3980)	30	20	664666	51@0	CP_QPSK	18.320	19.380	PASS

n77(3700-3980)	30	30	647668	75@0	DFT_BPSK	27.630	28.450	PASS
n77(3700-3980)	30	30	647668	75@0	DFT_QPSK	27.630	28.470	PASS
n77(3700-3980)	30	30	647668	75@0	DFT_QAM16	27.650	28.480	PASS
n77(3700-3980)	30	30	647668	75@0	DFT_QAM64	27.600	28.420	PASS
n77(3700-3980)	30	30	647668	75@0	DFT_QAM256	27.630	28.460	PASS
n77(3700-3980)	30	30	647668	78@0	CP_QPSK	27.980	29.590	PASS
n77(3700-3980)	30	30	656000	75@0	DFT_BPSK	27.620	28.450	PASS
n77(3700-3980)	30	30	656000	75@0	DFT_QPSK	27.620	28.470	PASS
n77(3700-3980)	30	30	656000	75@0	DFT_QAM16	27.640	28.480	PASS
n77(3700-3980)	30	30	656000	75@0	DFT_QAM64	27.530	28.420	PASS
n77(3700-3980)	30	30	656000	75@0	DFT_QAM256	27.620	28.470	PASS
n77(3700-3980)	30	30	656000	78@0	CP_QPSK	27.990	29.590	PASS
n77(3700-3980)	30	30	664332	75@0	DFT_BPSK	27.650	28.450	PASS
n77(3700-3980)	30	30	664332	75@0	DFT_QPSK	27.640	28.460	PASS
n77(3700-3980)	30	30	664332	75@0	DFT_QAM16	27.730	28.480	PASS
n77(3700-3980)	30	30	664332	75@0	DFT_QAM64	27.620	28.440	PASS
n77(3700-3980)	30	30	664332	75@0	DFT_QAM256	27.650	28.470	PASS
n77(3700-3980)	30	30	664332	78@0	CP_QPSK	27.990	29.570	PASS
n77(3700-3980)	30	40	648000	100@0	DFT_BPSK	37.650	37.880	PASS
n77(3700-3980)	30	40	648000	100@0	DFT_QPSK	37.610	37.900	PASS
n77(3700-3980)	30	40	648000	100@0	DFT_QAM16	37.510	37.870	PASS
n77(3700-3980)	30	40	648000	100@0	DFT_QAM64	37.480	37.850	PASS
n77(3700-3980)	30	40	648000	100@0	DFT_QAM256	37.500	37.870	PASS
n77(3700-3980)	30	40	648000	106@0	CP_QPSK	37.980	40.050	PASS
n77(3700-3980)	30	40	656000	100@0	DFT_BPSK	37.650	37.890	PASS
n77(3700-3980)	30	40	656000	100@0	DFT_QPSK	37.510	37.910	PASS
n77(3700-3980)	30	40	656000	100@0	DFT_QAM16	37.500	37.890	PASS
n77(3700-3980)	30	40	656000	100@0	DFT_QAM64	37.460	37.860	PASS
n77(3700-3980)	30	40	656000	100@0	DFT_QAM256	37.480	37.860	PASS
n77(3700-3980)	30	40	656000	106@0	CP_QPSK	37.980	40.050	PASS
n77(3700-3980)	30	40	664000	100@0	DFT_BPSK	37.650	37.890	PASS
n77(3700-3980)	30	40	664000	100@0	DFT_QPSK	37.500	37.880	PASS
n77(3700-3980)	30	40	664000	100@0	DFT_QAM16	37.500	37.870	PASS
n77(3700-3980)	30	40	664000	100@0	DFT_QAM64	37.460	37.830	PASS
n77(3700-3980)	30	40	664000	100@0	DFT_QAM256	37.480	37.840	PASS
n77(3700-3980)	30	40	664000	106@0	CP_QPSK	37.970	40.040	PASS
n77(3700-3980)	30	60	648668	162@0	DFT_BPSK	58.100	61.000	PASS
n77(3700-3980)	30	60	648668	162@0	DFT_QPSK	58.110	61.010	PASS
n77(3700-3980)	30	60	648668	162@0	DFT_QAM16	57.960	61.000	PASS
n77(3700-3980)	30	60	648668	162@0	DFT_QAM64	58.120	61.010	PASS
n77(3700-3980)	30	60	648668	162@0	DFT_QAM256	58.110	61.020	PASS
n77(3700-3980)	30	60	648668	162@0	CP_QPSK	58.090	61.020	PASS


n77(3700-3980)	30	60	656000	162@0	DFT_BPSK	58.100	61.010	PASS
n77(3700-3980)	30	60	656000	162@0	DFT_QPSK	58.110	60.990	PASS
n77(3700-3980)	30	60	656000	162@0	DFT_QAM16	57.950	60.980	PASS
n77(3700-3980)	30	60	656000	162@0	DFT_QAM64	58.110	61.010	PASS
n77(3700-3980)	30	60	656000	162@0	DFT_QAM256	58.110	61.030	PASS
n77(3700-3980)	30	60	656000	162@0	CP_QPSK	58.080	61.000	PASS
n77(3700-3980)	30	60	663332	162@0	DFT_BPSK	58.080	60.990	PASS
n77(3700-3980)	30	60	663332	162@0	DFT_QPSK	57.960	60.980	PASS
n77(3700-3980)	30	60	663332	162@0	DFT_QAM16	57.940	60.990	PASS
n77(3700-3980)	30	60	663332	162@0	DFT_QAM64	58.110	61.030	PASS
n77(3700-3980)	30	60	663332	162@0	DFT_QAM256	58.100	61.030	PASS
n77(3700-3980)	30	60	663332	162@0	CP_QPSK	57.960	61.010	PASS
n77(3700-3980)	30	80	649334	216@0	DFT_BPSK	77.510	81.340	PASS
n77(3700-3980)	30	80	649334	216@0	DFT_QPSK	77.500	81.350	PASS
n77(3700-3980)	30	80	649334	216@0	DFT_QAM16	77.510	81.340	PASS
n77(3700-3980)	30	80	649334	216@0	DFT_QAM64	77.470	81.320	PASS
n77(3700-3980)	30	80	649334	216@0	DFT_QAM256	77.550	81.370	PASS
n77(3700-3980)	30	80	649334	217@0	CP_QPSK	77.830	81.750	PASS
n77(3700-3980)	30	80	656000	216@0	DFT_BPSK	77.450	81.330	PASS
n77(3700-3980)	30	80	656000	216@0	DFT_QPSK	77.470	81.340	PASS
n77(3700-3980)	30	80	656000	216@0	DFT_QAM16	77.270	81.320	PASS
n77(3700-3980)	30	80	656000	216@0	DFT_QAM64	77.270	81.310	PASS
n77(3700-3980)	30	80	656000	216@0	DFT_QAM256	77.480	81.370	PASS
n77(3700-3980)	30	80	656000	217@0	CP_QPSK	77.800	81.740	PASS
n77(3700-3980)	30	80	662666	216@0	DFT_BPSK	77.470	81.340	PASS
n77(3700-3980)	30	80	662666	216@0	DFT_QPSK	77.500	81.370	PASS
n77(3700-3980)	30	80	662666	216@0	DFT_QAM16	77.450	81.330	PASS
n77(3700-3980)	30	80	662666	216@0	DFT_QAM64	77.280	81.320	PASS
n77(3700-3980)	30	80	662666	216@0	DFT_QAM256	77.510	81.380	PASS
n77(3700-3980)	30	80	662666	217@0	CP_QPSK	77.800	81.760	PASS
n77(3700-3980)	30	100	650000	270@0	DFT_BPSK	97.230	101.640	PASS
n77(3700-3980)	30	100	650000	270@0	DFT_QPSK	96.980	101.650	PASS
n77(3700-3980)	30	100	650000	270@0	DFT_QAM16	97.220	101.640	PASS
n77(3700-3980)	30	100	650000	270@0	DFT_QAM64	96.990	101.620	PASS
n77(3700-3980)	30	100	650000	270@0	DFT_QAM256	97.200	101.650	PASS
n77(3700-3980)	30	100	650000	273@0	CP_QPSK	97.790	102.720	PASS
n77(3700-3980)	30	100	656000	270@0	DFT_BPSK	96.930	101.630	PASS
n77(3700-3980)	30	100	656000	270@0	DFT_QPSK	96.890	101.600	PASS
n77(3700-3980)	30	100	656000	270@0	DFT_QAM16	96.880	101.640	PASS
n77(3700-3980)	30	100	656000	270@0	DFT_QAM64	96.880	101.640	PASS
n77(3700-3980)	30	100	656000	270@0	DFT_QAM256	96.880	101.640	PASS
n77(3700-3980)	30	100	656000	273@0	CP_QPSK	97.740	102.710	PASS

n77(3700-3980)	30	100	662000	270@0	DFT_BPSK	96.990	101.660	PASS
n77(3700-3980)	30	100	662000	270@0	DFT_QPSK	96.960	101.640	PASS
n77(3700-3980)	30	100	662000	270@0	DFT_QAM16	96.950	101.650	PASS
n77(3700-3980)	30	100	662000	270@0	DFT_QAM64	96.960	101.630	PASS
n77(3700-3980)	30	100	662000	270@0	DFT_QAM256	96.960	101.680	PASS
n77(3700-3980)	30	100	662000	273@0	CP_QPSK	97.750	102.740	PASS


n77(3700-3980) SCS=30kHz DFT_BPSK BW=20MHz Channel=647334 RB=50@0




n77(3700-3980) SCS=30kHz DFT_QPSK BW=20MHz Channel=647334 RB=50@0



n77(3700-3980) SCS=30kHz DFT_QAM16 BW=20MHz Channel=647334 RB=50@0




n77(3700-3980) SCS=30kHz DFT_QAM64 BW=20MHz Channel=647334 RB=50@0




n77(3700-3980) SCS=30kHz DFT_QAM256 BW=20MHz Channel=647334 RB=50@0




n77(3700-3980) SCS=30kHz CP_QPSK BW=20MHz Channel=647334 RB=51 @0




n77(3700-3980) SCS=30kHz DFT_BPSK BW=20MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=30kHz DFT_QPSK BW=20MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=30kHz DFT_QAM16 BW=20MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=30kHz DFT_QAM64 BW=20MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=30kHz DFT_QAM256 BW=20MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=30kHz CP_QPSK BW=20MHz Channel=656000 RB=51 @0




n77(3700-3980) SCS=30kHz DFT_BPSK BW=20MHz Channel=664666 RB=50@0




n77(3700-3980) SCS=30kHz DFT_QPSK BW=20MHz Channel=664666 RB=50@0



n77(3700-3980) SCS=30kHz DFT_QAM16 BW=20MHz Channel=664666 RB=50@0




n77(3700-3980) SCS=30kHz DFT_QAM64 BW=20MHz Channel=664666 RB=50@0




n77(3700-3980) SCS=30kHz DFT_QAM256 BW=20MHz Channel=664666 RB=50@0




n77(3700-3980) SCS=30kHz CP_QPSK BW=20MHz Channel=664666 RB=51 @0




n77(3700-3980) SCS=30kHz DFT_BPSK BW=30MHz Channel=647668 RB=75@0




n77(3700-3980) SCS=30kHz DFT_QPSK BW=30MHz Channel=647668 RB=75@0




n77(3700-3980) SCS=30kHz DFT_QAM16 BW=30MHz Channel=647668 RB=75@0




n77(3700-3980) SCS=30kHz DFT_QAM64 BW=30MHz Channel=647668 RB=75@0




n77(3700-3980) SCS=30kHz DFT_QAM256 BW=30MHz Channel=647668 RB=75@0




n77(3700-3980) SCS=30kHz CP_QPSK BW=30MHz Channel=647668 RB=78@0




n77(3700-3980) SCS=30kHz DFT_BPSK BW=30MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=30kHz DFT_QPSK BW=30MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=30kHz DFT_QAM16 BW=30MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=30kHz DFT_QAM64 BW=30MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=30kHz DFT_QAM256 BW=30MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=30kHz CP_QPSK BW=30MHz Channel=656000 RB=78@0




n77(3700-3980) SCS=30kHz DFT_BPSK BW=30MHz Channel=664332 RB=75@0




n77(3700-3980) SCS=30kHz DFT_QPSK BW=30MHz Channel=664332 RB=75@0




n77(3700-3980) SCS=30kHz DFT_QAM16 BW=30MHz Channel=664332 RB=75@0



n77(3700-3980) SCS=30kHz DFT_QAM64 BW=30MHz Channel=664332 RB=75@0



n77(3700-3980) SCS=30kHz DFT_QAM256 BW=30MHz Channel=664332 RB=75@0



n77(3700-3980) SCS=30kHz CP_QPSK BW=30MHz Channel=664332 RB=78@0