



**21.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.56	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.95	-25	Pass	2985
30	1000	0.1	RMS	832.998	-65.09	-25	Pass	9699
1000	2475	1	RMS	2475	-51.99	-25	Pass	1475
2475	2735	1	RMS	2547.8	7.84	60	Pass	401
2735	3000	1	RMS	2950.975	-49.96	-25	Pass	401
3000	12000	1	RMS	11803.757	-53.97	-25	Pass	9000
12000	26000	1	RMS	25987.998	-39.42	-25	Pass	14000




**21.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.04	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.93	-25	Pass	2985
30	1000	0.1	RMS	852.905	-64.87	-25	Pass	9699
1000	2475	1	RMS	2472.999	-52.03	-25	Pass	1475
2475	2735	1	RMS	2553.65	12.83	60	Pass	401
2735	3000	1	RMS	2949.65	-49.95	-25	Pass	401
3000	12000	1	RMS	11808.763	-53.96	-25	Pass	9000
12000	26000	1	RMS	25987.998	-39.48	-25	Pass	14000




**21.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.87	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.48	-25	Pass	2985
30	1000	0.1	RMS	840.799	-64.89	-25	Pass	9699
1000	2475	1	RMS	2473.999	-51.94	-25	Pass	1475
2475	2735	1	RMS	2547.8	6.84	60	Pass	401
2735	3000	1	RMS	2946.338	-49.93	-25	Pass	401
3000	12000	1	RMS	11804.758	-53.96	-25	Pass	9000
12000	26000	1	RMS	25999	-39.5	-25	Pass	14000




**21.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.91	-25	Pass	2985
30	1000	0.1	RMS	978.872	-64.94	-25	Pass	9699
1000	2475	1	RMS	2461.991	-52.02	-25	Pass	1475
2475	2735	1	RMS	2568.6	13.08	60	Pass	401
2735	3000	1	RMS	2946.338	-49.97	-25	Pass	401
3000	12000	1	RMS	11810.766	-53.96	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.53	-25	Pass	14000




**21.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.72	-25	Pass	401
0.15	30	0.01	RMS	0.23	-73.07	-25	Pass	2985
30	1000	0.1	RMS	849.801	-64.97	-25	Pass	9699
1000	2475	1	RMS	2472.999	-51.97	-25	Pass	1475
2475	2735	1	RMS	2554.3	8	60	Pass	401
2735	3000	1	RMS	2948.988	-49.89	-25	Pass	401
3000	12000	1	RMS	11804.758	-53.97	-25	Pass	9000
12000	26000	1	RMS	25986.998	-39.48	-25	Pass	14000




**21.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.37	-25	Pass	2985
30	1000	0.1	RMS	843.199	-64.91	-25	Pass	9699
1000	2475	1	RMS	2471.998	-52.02	-25	Pass	1475
2475	2735	1	RMS	2568.6	13.17	60	Pass	401
2735	3000	1	RMS	2948.325	-49.96	-25	Pass	401
3000	12000	1	RMS	11808.763	-53.98	-25	Pass	9000
12000	26000	1	RMS	26000	-39.41	-25	Pass	14000



**21.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.86	-25	Pass	2985
30	1000	0.1	RMS	846.2	-64.87	-25	Pass	9699
1000	2475	1	RMS	2475	-51.97	-25	Pass	1475
2475	2735	1	RMS	2552.35	7.02	60	Pass	401
2735	3000	1	RMS	2949.65	-49.94	-25	Pass	401
3000	12000	1	RMS	11819.777	-53.91	-25	Pass	9000
12000	26000	1	RMS	25984.997	-39.43	-25	Pass	14000



22. n5 15kHz


22.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.68	-13	Pass	691
0.15	30	0.01	RMS	1.05	-65.67	-13	Pass	2985
30	814	0.1	RMS	812.7	-60.49	-13	Pass	7840
814	859	0.1	RMS	826.261	10.99	60	Pass	691
859	1000	0.1	RMS	900.329	-60.29	-13	Pass	1410
1000	3000	1	RMS	2999	-46.66	-13	Pass	2000
3000	10000	1	RMS	10000	-53.53	-13	Pass	7000




22.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.32	-13	Pass	691
0.15	30	0.01	RMS	1.07	-65.28	-13	Pass	2985
30	814	0.1	RMS	812.7	-60.52	-13	Pass	7840
814	859	0.1	RMS	827.304	11.01	60	Pass	691
859	1000	0.1	RMS	896.026	-60.35	-13	Pass	1410
1000	3000	1	RMS	1652.326	-46.27	-13	Pass	2000
3000	10000	1	RMS	10000	-53.52	-13	Pass	7000




**22.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.74	-13	Pass	691
0.15	30	0.01	RMS	1.07	-65.4	-13	Pass	2985
30	814	0.1	RMS	806.799	-60.96	-13	Pass	7840
814	859	0.1	RMS	836.304	10.4	60	Pass	691
859	1000	0.1	RMS	917.842	-60.37	-13	Pass	1410
1000	3000	1	RMS	2999	-46.79	-13	Pass	2000
3000	10000	1	RMS	9994.999	-53.64	-13	Pass	7000




**22.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.71	-13	Pass	691
0.15	30	0.01	RMS	1.07	-65.43	-13	Pass	2985
30	814	0.1	RMS	812.1	-60.81	-13	Pass	7840
814	859	0.1	RMS	837.348	10.44	60	Pass	691
859	1000	0.1	RMS	876.012	-60.39	-13	Pass	1410
1000	3000	1	RMS	1672.336	-46.45	-13	Pass	2000
3000	10000	1	RMS	6999.571	-53.67	-13	Pass	7000




**22.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.78	-13	Pass	691
0.15	30	0.01	RMS	1.05	-66.29	-13	Pass	2985
30	814	0.1	RMS	813	-60.85	-13	Pass	7840
814	859	0.1	RMS	847.326	10.38	60	Pass	691
859	1000	0.1	RMS	874.511	-60.49	-13	Pass	1410
1000	3000	1	RMS	2999	-46.8	-13	Pass	2000
3000	10000	1	RMS	10000	-53.62	-13	Pass	7000




**22.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.85	-13	Pass	691
0.15	30	0.01	RMS	1.05	-65.46	-13	Pass	2985
30	814	0.1	RMS	813.4	-60.98	-13	Pass	7840
814	859	0.1	RMS	846.413	10.4	60	Pass	691
859	1000	0.1	RMS	890.923	-60.47	-13	Pass	1410
1000	3000	1	RMS	1692.346	-46.47	-13	Pass	2000
3000	10000	1	RMS	9993.999	-53.66	-13	Pass	7000




**22.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.86	-13	Pass	691
0.15	30	0.01	RMS	1.791	-70.91	-13	Pass	2985
30	814	0.1	RMS	812.3	-56.3	-13	Pass	7840
814	859	0.1	RMS	833.826	6.03	60	Pass	691
859	1000	0.1	RMS	880.515	-60.27	-13	Pass	1410
1000	3000	1	RMS	3000	-46.79	-13	Pass	2000
3000	10000	1	RMS	10000	-53.59	-13	Pass	7000




**22.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.88	-13	Pass	691
0.15	30	0.01	RMS	1.801	-70.78	-13	Pass	2985
30	814	0.1	RMS	813.9	-52.91	-13	Pass	7840
814	859	0.1	RMS	832.13	5.99	60	Pass	691
859	1000	0.1	RMS	890.222	-60.36	-13	Pass	1410
1000	3000	1	RMS	3000	-46.79	-13	Pass	2000
3000	10000	1	RMS	9994.999	-53.58	-13	Pass	7000




**22.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74	-13	Pass	691
0.15	30	0.01	RMS	1.801	-71.36	-13	Pass	2985
30	814	0.1	RMS	813.1	-60.09	-13	Pass	7840
814	859	0.1	RMS	835.261	6.02	60	Pass	691
859	1000	0.1	RMS	901.93	-60.32	-13	Pass	1410
1000	3000	1	RMS	3000	-46.78	-13	Pass	2000
3000	10000	1	RMS	9995.999	-53.55	-13	Pass	7000




**22.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.88	-13	Pass	691
0.15	30	0.01	RMS	1.801	-70.13	-13	Pass	2985
30	814	0.1	RMS	813.6	-57.72	-13	Pass	7840
814	859	0.1	RMS	837.87	6.09	60	Pass	691
859	1000	0.1	RMS	890.222	-60.44	-13	Pass	1410
1000	3000	1	RMS	2999	-46.74	-13	Pass	2000
3000	10000	1	RMS	9987.998	-53.55	-13	Pass	7000




**22.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.94	-13	Pass	691
0.15	30	0.01	RMS	1.791	-70.71	-13	Pass	2985
30	814	0.1	RMS	813.9	-60.8	-13	Pass	7840
814	859	0.1	RMS	838	6.06	60	Pass	691
859	1000	0.1	RMS	895.226	-60.35	-13	Pass	1410
1000	3000	1	RMS	2997.999	-46.77	-13	Pass	2000
3000	10000	1	RMS	9997	-53.58	-13	Pass	7000




**22.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.91	-13	Pass	691
0.15	30	0.01	RMS	1.791	-71.01	-13	Pass	2985
30	814	0.1	RMS	812.5	-60.44	-13	Pass	7840
814	859	0.1	RMS	837.935	6.2	60	Pass	691
859	1000	0.1	RMS	922.745	-60.35	-13	Pass	1410
1000	3000	1	RMS	2999	-46.75	-13	Pass	2000
3000	10000	1	RMS	6993.571	-53.55	-13	Pass	7000




22.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.88	-13	Pass	691
0.15	30	0.01	RMS	6.842	-69.15	-13	Pass	2985
30	814	0.1	RMS	813.9	-51.08	-13	Pass	7840
814	859	0.1	RMS	833.826	4.63	60	Pass	691
859	1000	0.1	RMS	898.928	-60.4	-13	Pass	1410
1000	3000	1	RMS	3000	-46.73	-13	Pass	2000
3000	10000	1	RMS	9999	-53.54	-13	Pass	7000




22.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.97	-13	Pass	691
0.15	30	0.01	RMS	6.842	-68.79	-13	Pass	2985
30	814	0.1	RMS	813.9	-48.67	-13	Pass	7840
814	859	0.1	RMS	835.717	4.68	60	Pass	691
859	1000	0.1	RMS	902.731	-60.4	-13	Pass	1410
1000	3000	1	RMS	2994.997	-46.75	-13	Pass	2000
3000	10000	1	RMS	9999	-53.46	-13	Pass	7000




**22.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.97	-13	Pass	691
0.15	30	0.01	RMS	1.951	-69.06	-13	Pass	2985
30	814	0.1	RMS	813	-54.31	-13	Pass	7840
814	859	0.1	RMS	835.261	4.8	60	Pass	691
859	1000	0.1	RMS	881.916	-60.36	-13	Pass	1410
1000	3000	1	RMS	3000	-46.72	-13	Pass	2000
3000	10000	1	RMS	9993.999	-53.6	-13	Pass	7000




22.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.91	-13	Pass	691
0.15	30	0.01	RMS	6.842	-69.19	-13	Pass	2985
30	814	0.1	RMS	813.8	-51.22	-13	Pass	7840
814	859	0.1	RMS	835.261	4.74	60	Pass	691
859	1000	0.1	RMS	907.534	-60.34	-13	Pass	1410
1000	3000	1	RMS	3000	-46.72	-13	Pass	2000
3000	10000	1	RMS	9998	-53.55	-13	Pass	7000




**22.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.95	-13	Pass	691
0.15	30	0.01	RMS	1.951	-68.97	-13	Pass	2985
30	814	0.1	RMS	813.6	-56.14	-13	Pass	7840
814	859	0.1	RMS	837.739	4.97	60	Pass	691
859	1000	0.1	RMS	863.603	-60.27	-13	Pass	1410
1000	3000	1	RMS	3000	-46.71	-13	Pass	2000
3000	10000	1	RMS	9998	-53.5	-13	Pass	7000



22.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.92	-13	Pass	691
0.15	30	0.01	RMS	6.832	-69.09	-13	Pass	2985
30	814	0.1	RMS	813.5	-53.55	-13	Pass	7840
814	859	0.1	RMS	836.826	5.01	60	Pass	691
859	1000	0.1	RMS	868.106	-60.38	-13	Pass	1410
1000	3000	1	RMS	3000	-46.7	-13	Pass	2000
3000	10000	1	RMS	9999	-53.55	-13	Pass	7000



23. n7 15kHz


23.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.93	-25	Pass	691
0.15	30	0.01	RMS	28.74	-73.02	-25	Pass	2985
30	1000	0.1	RMS	888.789	-60.4	-25	Pass	9700
1000	2490	1	RMS	2490	-48.81	-25	Pass	1490
2490	2580	1	RMS	2502.391	20.81	60	Pass	691
2580	3000	1	RMS	2999.391	-46.68	-25	Pass	691
3000	6500	1	RMS	6484.996	-55.03	-25	Pass	3500
6500	26000	1	RMS	25814.991	-44.54	-25	Pass	19500




23.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.85	-25	Pass	691
0.15	30	0.01	RMS	22.688	-72.9	-25	Pass	2985
30	1000	0.1	RMS	975.697	-60.23	-25	Pass	9700
1000	2490	1	RMS	2490	-48.67	-25	Pass	1490
2490	2580	1	RMS	2502.391	20.79	60	Pass	691
2580	3000	1	RMS	2997.565	-46.67	-25	Pass	691
3000	6500	1	RMS	6479.994	-55.06	-25	Pass	3500
6500	26000	1	RMS	25800.99	-44.53	-25	Pass	19500




**23.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.83	-25	Pass	691
0.15	30	0.01	RMS	23.088	-72.89	-25	Pass	2985
30	1000	0.1	RMS	904.99	-60.34	-25	Pass	9700
1000	2490	1	RMS	2485.997	-49.01	-25	Pass	1490
2490	2580	1	RMS	2534.87	20.52	60	Pass	691
2580	3000	1	RMS	2998.783	-46.64	-25	Pass	691
3000	6500	1	RMS	6486.996	-55.07	-25	Pass	3500
6500	26000	1	RMS	25825.991	-44.46	-25	Pass	19500




23.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.88	-25	Pass	691
0.15	30	0.01	RMS	28.59	-72.56	-25	Pass	2985
30	1000	0.1	RMS	886.388	-60.26	-25	Pass	9700
1000	2490	1	RMS	2456.978	-49.03	-25	Pass	1490
2490	2580	1	RMS	2535	20.63	60	Pass	691
2580	3000	1	RMS	3000	-46.64	-25	Pass	691
3000	6500	1	RMS	6488.997	-55.01	-25	Pass	3500
6500	26000	1	RMS	25836.992	-44.63	-25	Pass	19500




**23.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.93	-25	Pass	691
0.15	30	0.01	RMS	26.049	-72.95	-25	Pass	2985
30	1000	0.1	RMS	898.29	-60.33	-25	Pass	9700
1000	2490	1	RMS	2452.975	-49.06	-25	Pass	1490
2490	2580	1	RMS	2567.609	20.19	60	Pass	691
2580	3000	1	RMS	2998.174	-46.73	-25	Pass	691
3000	6500	1	RMS	6480.995	-55.03	-25	Pass	3500
6500	26000	1	RMS	25818.991	-44.58	-25	Pass	19500




**23.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.04	-25	Pass	691
0.15	30	0.01	RMS	22.517	-72.97	-25	Pass	2985
30	1000	0.1	RMS	890.289	-60.38	-25	Pass	9700
1000	2490	1	RMS	2451.974	-49.04	-25	Pass	1490
2490	2580	1	RMS	2567.609	20.16	60	Pass	691
2580	3000	1	RMS	2998.783	-46.72	-25	Pass	691
3000	6500	1	RMS	6482.995	-55.08	-25	Pass	3500
6500	26000	1	RMS	25838.992	-44.6	-25	Pass	19500




**23.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.91	-25	Pass	691
0.15	30	0.01	RMS	25.478	-72.98	-25	Pass	2985
30	1000	0.1	RMS	871.387	-60.27	-25	Pass	9700
1000	2490	1	RMS	2490	-47.58	-25	Pass	1490
2490	2580	1	RMS	2508.652	16.16	60	Pass	691
2580	3000	1	RMS	2999.391	-46.67	-25	Pass	691
3000	6500	1	RMS	6491.998	-55.1	-25	Pass	3500
6500	26000	1	RMS	25814.991	-44.62	-25	Pass	19500




**23.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.99	-25	Pass	691
0.15	30	0.01	RMS	28.86	-72.55	-25	Pass	2985
30	1000	0.1	RMS	907.991	-60.22	-25	Pass	9700
1000	2490	1	RMS	2490	-44.48	-25	Pass	1490
2490	2580	1	RMS	2509.043	16.17	60	Pass	691
2580	3000	1	RMS	3000	-46.68	-25	Pass	691
3000	6500	1	RMS	6481.995	-55.03	-25	Pass	3500
6500	26000	1	RMS	25802.99	-44.55	-25	Pass	19500




**23.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.93	-25	Pass	691
0.15	30	0.01	RMS	26.179	-72.86	-25	Pass	2985
30	1000	0.1	RMS	907.29	-60.18	-25	Pass	9700
1000	2490	1	RMS	2490	-48.98	-25	Pass	1490
2490	2580	1	RMS	2536.304	15.96	60	Pass	691
2580	3000	1	RMS	2998.174	-46.68	-25	Pass	691
3000	6500	1	RMS	6416.976	-55.05	-25	Pass	3500
6500	26000	1	RMS	25818.991	-44.59	-25	Pass	19500




**23.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.9	-25	Pass	691
0.15	30	0.01	RMS	28.9	-72.75	-25	Pass	2985
30	1000	0.1	RMS	893.889	-60.31	-25	Pass	9700
1000	2490	1	RMS	2481.995	-48.96	-25	Pass	1490
2490	2580	1	RMS	2534.348	15.9	60	Pass	691
2580	3000	1	RMS	2999.391	-46.66	-25	Pass	691
3000	6500	1	RMS	6481.995	-55.09	-25	Pass	3500
6500	26000	1	RMS	25817.991	-44.6	-25	Pass	19500




**23.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.88	-25	Pass	691
0.15	30	0.01	RMS	28.489	-72.83	-25	Pass	2985
30	1000	0.1	RMS	884.388	-60.16	-25	Pass	9700
1000	2490	1	RMS	2482.995	-48.95	-25	Pass	1490
2490	2580	1	RMS	2564.087	15.66	60	Pass	691
2580	3000	1	RMS	2995.13	-46.69	-25	Pass	691
3000	6500	1	RMS	6484.996	-55.05	-25	Pass	3500
6500	26000	1	RMS	25809.99	-44.6	-25	Pass	19500




**23.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.88	-25	Pass	691
0.15	30	0.01	RMS	29.2	-72.85	-25	Pass	2985
30	1000	0.1	RMS	901.79	-60.22	-25	Pass	9700
1000	2490	1	RMS	2467.985	-49.07	-25	Pass	1490
2490	2580	1	RMS	2561.478	15.66	60	Pass	691
2580	3000	1	RMS	2580	-44.92	-25	Pass	691
3000	6500	1	RMS	6485.996	-55.04	-25	Pass	3500
6500	26000	1	RMS	25832.991	-44.6	-25	Pass	19500




23.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.86	-25	Pass	691
0.15	30	0.01	RMS	25.909	-72.91	-25	Pass	2985
30	1000	0.1	RMS	923.792	-60.3	-25	Pass	9700
1000	2490	1	RMS	2490	-45.1	-25	Pass	1490
2490	2580	1	RMS	2512.174	14.76	60	Pass	691
2580	3000	1	RMS	3000	-46.69	-25	Pass	691
3000	6500	1	RMS	6473.993	-55.07	-25	Pass	3500
6500	26000	1	RMS	25808.99	-44.59	-25	Pass	19500




23.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.96	-25	Pass	691
0.15	30	0.01	RMS	25.979	-73.07	-25	Pass	2985
30	1000	0.1	RMS	993.199	-60.24	-25	Pass	9700
1000	2490	1	RMS	2490	-42.45	-25	Pass	1490
2490	2580	1	RMS	2512.565	14.72	60	Pass	691
2580	3000	1	RMS	3000	-46.68	-25	Pass	691
3000	6500	1	RMS	6482.995	-55.08	-25	Pass	3500
6500	26000	1	RMS	25837.992	-44.62	-25	Pass	19500




**23.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.86	-25	Pass	691
0.15	30	0.01	RMS	23.148	-72.53	-25	Pass	2985
30	1000	0.1	RMS	897.589	-60.39	-25	Pass	9700
1000	2490	1	RMS	2450.974	-49.04	-25	Pass	1490
2490	2580	1	RMS	2537.478	14.43	60	Pass	691
2580	3000	1	RMS	2998.783	-46.7	-25	Pass	691
3000	6500	1	RMS	6490.997	-55.1	-25	Pass	3500
6500	26000	1	RMS	25807.99	-44.65	-25	Pass	19500




**23.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.85	-25	Pass	691
0.15	30	0.01	RMS	0.15	-73.02	-25	Pass	2985
30	1000	0.1	RMS	980.298	-60.39	-25	Pass	9700
1000	2490	1	RMS	2490	-49.02	-25	Pass	1490
2490	2580	1	RMS	2537.478	14.31	60	Pass	691
2580	3000	1	RMS	3000	-46.7	-25	Pass	691
3000	6500	1	RMS	6493.998	-55.09	-25	Pass	3500
6500	26000	1	RMS	25844.992	-44.7	-25	Pass	19500




23.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.8	-25	Pass	691
0.15	30	0.01	RMS	28.379	-72.76	-25	Pass	2985
30	1000	0.1	RMS	897.589	-60.35	-25	Pass	9700
1000	2490	1	RMS	2449.973	-49.08	-25	Pass	1490
2490	2580	1	RMS	2562.13	14	60	Pass	691
2580	3000	1	RMS	2580	-46.06	-25	Pass	691
3000	6500	1	RMS	6473.993	-55.11	-25	Pass	3500
6500	26000	1	RMS	25819.991	-44.66	-25	Pass	19500



**23.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.88	-25	Pass	691
0.15	30	0.01	RMS	25.599	-72.72	-25	Pass	2985
30	1000	0.1	RMS	997.6	-60.39	-25	Pass	9700
1000	2490	1	RMS	2477.992	-49.02	-25	Pass	1490
2490	2580	1	RMS	2562.522	14	60	Pass	691
2580	3000	1	RMS	2580	-41.87	-25	Pass	691
3000	6500	1	RMS	6486.996	-55.11	-25	Pass	3500
6500	26000	1	RMS	25839.992	-44.66	-25	Pass	19500



24. n41 30kHz


24.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.84	-25	Pass	691
0.15	30	0.01	RMS	25.749	-69.23	-25	Pass	2985
30	1000	0.1	RMS	885.088	-58.1	-25	Pass	9700
1000	2486	1	RMS	2486	-41.97	-25	Pass	1486
2486	2700	1	RMS	2507.71	17.38	60	Pass	691
2700	3000	1	RMS	2999.565	-46.57	-25	Pass	691
3000	6500	1	RMS	6488.997	-54.73	-25	Pass	3500
6500	27000	1	RMS	26494.975	-43.55	-25	Pass	20500




**24.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.49	-25	Pass	691
0.15	30	0.01	RMS	25.799	-70.69	-25	Pass	2985
30	1000	0.1	RMS	902.99	-57.65	-25	Pass	9700
1000	2486	1	RMS	2486	-36.58	-25	Pass	1486
2486	2700	1	RMS	2508.33	17.34	60	Pass	691
2700	3000	1	RMS	2998.261	-46.61	-25	Pass	691
3000	6500	1	RMS	6412.975	-54.87	-25	Pass	3500
6500	27000	1	RMS	25837.943	-43.84	-25	Pass	20500




**24.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.88	-25	Pass	691
0.15	30	0.01	RMS	24.988	-69.86	-25	Pass	2985
30	1000	0.1	RMS	873.387	-57.8	-25	Pass	9700
1000	2486	1	RMS	2478.995	-48.87	-25	Pass	1486
2486	2700	1	RMS	2594.551	17.07	60	Pass	691
2700	3000	1	RMS	2995.652	-46.68	-25	Pass	691
3000	6500	1	RMS	6433.981	-54.88	-25	Pass	3500
6500	27000	1	RMS	25887.946	-43.7	-25	Pass	20500




**24.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.56	-25	Pass	691
0.15	30	0.01	RMS	22.668	-70.12	-25	Pass	2985
30	1000	0.1	RMS	961.096	-57.71	-25	Pass	9700
1000	2486	1	RMS	2464.986	-48.94	-25	Pass	1486
2486	2700	1	RMS	2595.481	16.99	60	Pass	691
2700	3000	1	RMS	2995.652	-46.62	-25	Pass	691
3000	6500	1	RMS	6491.998	-54.88	-25	Pass	3500
6500	27000	1	RMS	25835.943	-43.49	-25	Pass	20500




**24.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.93	-25	Pass	691
0.15	30	0.01	RMS	27.389	-69.93	-25	Pass	2985
30	1000	0.1	RMS	962.896	-57.98	-25	Pass	9700
1000	2486	1	RMS	2464.986	-48.96	-25	Pass	1486
2486	2700	1	RMS	2677.049	17.09	60	Pass	691
2700	3000	1	RMS	2700	-42.14	-25	Pass	691
3000	6500	1	RMS	6487.997	-54.72	-25	Pass	3500
6500	27000	1	RMS	26799.99	-43.76	-25	Pass	20500




**24.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.93	-25	Pass	691
0.15	30	0.01	RMS	22.638	-69.75	-25	Pass	2985
30	1000	0.1	RMS	872.287	-57.84	-25	Pass	9700
1000	2486	1	RMS	2482.998	-48.9	-25	Pass	1486
2486	2700	1	RMS	2678.91	17.07	60	Pass	691
2700	3000	1	RMS	2700	-37.78	-25	Pass	691
3000	6500	1	RMS	6464.99	-54.89	-25	Pass	3500
6500	27000	1	RMS	25840.943	-43.55	-25	Pass	20500




**24.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.91	-25	Pass	691
0.15	30	0.01	RMS	27.239	-71.11	-25	Pass	2985
30	1000	0.1	RMS	966.897	-57.46	-25	Pass	9700
1000	2486	1	RMS	2486	-34.36	-25	Pass	1486
2486	2700	1	RMS	2534.383	12.15	60	Pass	691
2700	3000	1	RMS	2999.565	-46.69	-25	Pass	691
3000	6500	1	RMS	6433.981	-54.79	-25	Pass	3500
6500	27000	1	RMS	25794.941	-43.67	-25	Pass	20500




**24.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.93	-25	Pass	691
0.15	30	0.01	RMS	22.818	-70.29	-25	Pass	2985
30	1000	0.1	RMS	956.596	-58.24	-25	Pass	9700
1000	2486	1	RMS	2486	-30.26	-25	Pass	1486
2486	2700	1	RMS	2524.148	12.04	60	Pass	691
2700	3000	1	RMS	2998.261	-46.61	-25	Pass	691
3000	6500	1	RMS	6428.98	-54.83	-25	Pass	3500
6500	27000	1	RMS	25809.942	-43.82	-25	Pass	20500




**24.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.81	-25	Pass	691
0.15	30	0.01	RMS	22.267	-70.02	-25	Pass	2985
30	1000	0.1	RMS	877.787	-57.85	-25	Pass	9700
1000	2486	1	RMS	2477.995	-48.91	-25	Pass	1486
2486	2700	1	RMS	2600.133	12.11	60	Pass	691
2700	3000	1	RMS	2996.522	-46.75	-25	Pass	691
3000	6500	1	RMS	6483.995	-54.8	-25	Pass	3500
6500	27000	1	RMS	25796.941	-43.91	-25	Pass	20500




**24.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.91	-25	Pass	691
0.15	30	0.01	RMS	22.127	-70.29	-25	Pass	2985
30	1000	0.1	RMS	993.699	-57.54	-25	Pass	9700
1000	2486	1	RMS	2477.995	-48.69	-25	Pass	1486
2486	2700	1	RMS	2601.064	12.09	60	Pass	691
2700	3000	1	RMS	2999.13	-46.69	-25	Pass	691
3000	6500	1	RMS	6487.997	-54.7	-25	Pass	3500
6500	27000	1	RMS	25806.942	-43.68	-25	Pass	20500




**24.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.91	-25	Pass	691
0.15	30	0.01	RMS	28.76	-69.44	-25	Pass	2985
30	1000	0.1	RMS	931.293	-57.75	-25	Pass	9700
1000	2486	1	RMS	2478.995	-48.89	-25	Pass	1486
2486	2700	1	RMS	2669.296	12.1	60	Pass	691
2700	3000	1	RMS	2700.435	-32.81	-25	Pass	691
3000	6500	1	RMS	6392.969	-54.82	-25	Pass	3500
6500	27000	1	RMS	25856.944	-43.36	-25	Pass	20500




**24.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.95	-25	Pass	691
0.15	30	0.01	RMS	25.809	-69.2	-25	Pass	2985
30	1000	0.1	RMS	856.285	-58.09	-25	Pass	9700
1000	2486	1	RMS	2447.974	-48.97	-25	Pass	1486
2486	2700	1	RMS	2646.345	12	60	Pass	691
2700	3000	1	RMS	2700.435	-28.51	-25	Pass	691
3000	6500	1	RMS	6445.985	-54.87	-25	Pass	3500
6500	27000	1	RMS	25851.944	-43.89	-25	Pass	20500




**24.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.79	-25	Pass	691
0.15	30	0.01	RMS	21.787	-69.84	-25	Pass	2985
30	1000	0.1	RMS	894.089	-57.85	-25	Pass	9700
1000	2486	1	RMS	2486	-30.65	-25	Pass	1486
2486	2700	1	RMS	2567.258	10.5	60	Pass	691
2700	3000	1	RMS	2995.217	-46.68	-25	Pass	691
3000	6500	1	RMS	6433.981	-54.65	-25	Pass	3500
6500	27000	1	RMS	25788.941	-43.72	-25	Pass	20500




**24.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.88	-25	Pass	691
0.15	30	0.01	RMS	28.219	-70.23	-25	Pass	2985
30	1000	0.1	RMS	831.583	-57.46	-25	Pass	9700
1000	2486	1	RMS	2486	-28.28	-25	Pass	1486
2486	2700	1	RMS	2566.017	10.45	60	Pass	691
2700	3000	1	RMS	2997.391	-46.71	-25	Pass	691
3000	6500	1	RMS	6476.993	-54.76	-25	Pass	3500
6500	27000	1	RMS	25790.941	-43.52	-25	Pass	20500




**24.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.94	-25	Pass	691
0.15	30	0.01	RMS	21.827	-69.97	-25	Pass	2985
30	1000	0.1	RMS	921.192	-58.06	-25	Pass	9700
1000	2486	1	RMS	2479.996	-47.24	-25	Pass	1486
2486	2700	1	RMS	2603.855	10.41	60	Pass	691
2700	3000	1	RMS	2704.783	-45.37	-25	Pass	691
3000	6500	1	RMS	6465.99	-54.86	-25	Pass	3500
6500	27000	1	RMS	25860.944	-43.62	-25	Pass	20500




**24.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.85	-25	Pass	691
0.15	30	0.01	RMS	25.348	-69.92	-25	Pass	2985
30	1000	0.1	RMS	973.197	-57.9	-25	Pass	9700
1000	2486	1	RMS	2483.999	-44.45	-25	Pass	1486
2486	2700	1	RMS	2606.957	10.34	60	Pass	691
2700	3000	1	RMS	2701.304	-42.51	-25	Pass	691
3000	6500	1	RMS	6480.995	-54.79	-25	Pass	3500
6500	27000	1	RMS	25834.943	-43.9	-25	Pass	20500




**24.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.86	-25	Pass	691
0.15	30	0.01	RMS	16.816	-68.81	-25	Pass	2985
30	1000	0.1	RMS	921.092	-58.14	-25	Pass	9700
1000	2486	1	RMS	2479.996	-48.77	-25	Pass	1486
2486	2700	1	RMS	2622.464	10.23	60	Pass	691
2700	3000	1	RMS	2700.435	-30.39	-25	Pass	691
3000	6500	1	RMS	6436.982	-54.66	-25	Pass	3500
6500	27000	1	RMS	25801.942	-43.63	-25	Pass	20500



**24.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-75.08	-25	Pass	691
0.15	30	0.01	RMS	16.806	-68.49	-25	Pass	2985
30	1000	0.1	RMS	919.292	-57.87	-25	Pass	9700
1000	2486	1	RMS	2486	-47.66	-25	Pass	1486
2486	2700	1	RMS	2617.191	10.25	60	Pass	691
2700	3000	1	RMS	2700	-28.01	-25	Pass	691
3000	6500	1	RMS	6405.973	-54.77	-25	Pass	3500
6500	27000	1	RMS	25815.942	-43.64	-25	Pass	20500



25. n77 30kHz(3450-3550)


25.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.34	-13	Pass	691
0.15	30	0.01	RMS	27.509	-69.87	-13	Pass	2985
30	1000	0.1	RMS	917.291	-57.19	-13	Pass	9700
1000	3000	1	RMS	2989.995	-46.24	-13	Pass	2000
3000	3440	1	RMS	3440	-41.5	-13	Pass	691
3440	3560	1	RMS	3456.522	16.9	60	Pass	691
3560	6500	1	RMS	6491.997	-53.95	-13	Pass	2940
6500	40000	1	RMS	39694.796	-30.72	-13	Pass	33500




**25.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.78	-13	Pass	691
0.15	30	0.01	RMS	22.688	-69.79	-13	Pass	2985
30	1000	0.1	RMS	838.183	-57.41	-13	Pass	9700
1000	3000	1	RMS	2999	-46.25	-13	Pass	2000
3000	3440	1	RMS	3440	-40.79	-13	Pass	691
3440	3560	1	RMS	3460	16.84	60	Pass	691
3560	6500	1	RMS	6481.994	-53.94	-13	Pass	2940
6500	40000	1	RMS	39057.371	-31.2	-13	Pass	33500




**25.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.1	-13	Pass	691
0.15	30	0.01	RMS	25.689	-70.52	-13	Pass	2985
30	1000	0.1	RMS	900.39	-57.35	-13	Pass	9700
1000	3000	1	RMS	2992.996	-46.44	-13	Pass	2000
3000	3440	1	RMS	3262.087	-41.94	-13	Pass	691
3440	3560	1	RMS	3496.87	16.49	60	Pass	691
3560	6500	1	RMS	6472.991	-54.13	-13	Pass	2940
6500	40000	1	RMS	39694.796	-31.07	-13	Pass	33500




**25.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.99	-13	Pass	691
0.15	30	0.01	RMS	25.689	-69.85	-13	Pass	2985
30	1000	0.1	RMS	833.283	-56.72	-13	Pass	9700
1000	3000	1	RMS	2991.996	-46.26	-13	Pass	2000
3000	3440	1	RMS	3244.232	-41.87	-13	Pass	691
3440	3560	1	RMS	3498.261	16.36	60	Pass	691
3560	6500	1	RMS	6417.972	-53.93	-13	Pass	2940
6500	40000	1	RMS	39704.803	-30.83	-13	Pass	33500




**25.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.48	-13	Pass	691
0.15	30	0.01	RMS	25.168	-70.38	-13	Pass	2985
30	1000	0.1	RMS	846.384	-57.33	-13	Pass	9700
1000	3000	1	RMS	2992.996	-46.25	-13	Pass	2000
3000	3440	1	RMS	3255.072	-41.94	-13	Pass	691
3440	3560	1	RMS	3541.913	16.58	60	Pass	691
3560	6500	1	RMS	3560	-49.04	-13	Pass	2940
6500	40000	1	RMS	39667.778	-30.5	-13	Pass	33500




**25.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.35	-13	Pass	691
0.15	30	0.01	RMS	23.238	-68.89	-13	Pass	2985
30	1000	0.1	RMS	815.981	-58.09	-13	Pass	9700
1000	3000	1	RMS	2991.996	-46.27	-13	Pass	2000
3000	3440	1	RMS	3244.87	-41.96	-13	Pass	691
3440	3560	1	RMS	3538.957	16.65	60	Pass	691
3560	6500	1	RMS	3560	-43.86	-13	Pass	2940
6500	40000	1	RMS	39031.354	-30.63	-13	Pass	33500




**25.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-77.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-67.72	-13	Pass	2986
30	1000	0.1	RMS	42.4	-59.82	-13	Pass	9701
1000	3000	1	RMS	2996	-48.76	-13	Pass	2001
3000	3440	1	RMS	3440	-37.95	-13	Pass	601
3440	3560	1	RMS	3469	10.92	60	Pass	601
3560	6500	1	RMS	3788	-62.52	-13	Pass	2941
6500	40000	1	RMS	38607	-41.83	-13	Pass	33501




**25.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-76.71	-13	Pass	601
0.15	30	0.01	RMS	20.1	-69.07	-13	Pass	2986
30	1000	0.1	RMS	46.2	-58.52	-13	Pass	9701
1000	3000	1	RMS	2990	-48.78	-13	Pass	2001
3000	3440	1	RMS	3440	-35.27	-13	Pass	601
3440	3560	1	RMS	3464	10.9	60	Pass	601
3560	6500	1	RMS	3561	-61.58	-13	Pass	2941
6500	40000	1	RMS	38599	-41.86	-13	Pass	33501




**25.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.21	-13	Pass	601
0.15	30	0.01	RMS	0.16	-67.8	-13	Pass	2986
30	1000	0.1	RMS	997.1	-61.86	-13	Pass	9701
1000	3000	1	RMS	2994	-48.97	-13	Pass	2001
3000	3440	1	RMS	3230.267	-44.83	-13	Pass	601
3440	3560	1	RMS	3494.4	10.9	60	Pass	601
3560	6500	1	RMS	3561	-60.54	-13	Pass	2941
6500	40000	1	RMS	38588	-41.94	-13	Pass	33501




**25.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.84	-13	Pass	601
0.15	30	0.01	RMS	0.17	-69.45	-13	Pass	2986
30	1000	0.1	RMS	857.8	-61.89	-13	Pass	9701
1000	3000	1	RMS	2962	-48.97	-13	Pass	2001
3000	3440	1	RMS	3236.133	-44.85	-13	Pass	601
3440	3560	1	RMS	3501	10.89	60	Pass	601
3560	6500	1	RMS	3568	-58.36	-13	Pass	2941
6500	40000	1	RMS	38635	-41.95	-13	Pass	33501




**25.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-77.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-68.61	-13	Pass	2986
30	1000	0.1	RMS	59.4	-57.22	-13	Pass	9701
1000	3000	1	RMS	1962	-39.66	-13	Pass	2001
3000	3440	1	RMS	3237.6	-44.83	-13	Pass	601
3440	3560	1	RMS	3519	10.96	60	Pass	601
3560	6500	1	RMS	3566	-48.74	-13	Pass	2941
6500	40000	1	RMS	38617	-41.82	-13	Pass	33501




**25.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.83	-13	Pass	601
0.15	30	0.01	RMS	0.18	-69.77	-13	Pass	2986
30	1000	0.1	RMS	885	-62.34	-13	Pass	9701
1000	3000	1	RMS	2946	-48.95	-13	Pass	2001
3000	3440	1	RMS	3245.667	-44.77	-13	Pass	601
3440	3560	1	RMS	3520	10.75	60	Pass	601
3560	6500	1	RMS	3560	-45.35	-13	Pass	2941
6500	40000	1	RMS	38301	-41.93	-13	Pass	33501




**25.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.22	-13	Pass	691
0.15	30	0.01	RMS	26.439	-69.69	-13	Pass	2985
30	1000	0.1	RMS	788.478	-57.94	-13	Pass	9700
1000	3000	1	RMS	2993.997	-46.09	-13	Pass	2000
3000	3440	1	RMS	3438.087	-33.78	-13	Pass	691
3440	3560	1	RMS	3482.261	9.81	60	Pass	691
3560	6500	1	RMS	3561	-35.83	-13	Pass	2940
6500	40000	1	RMS	39681.788	-30.91	-13	Pass	33500



**25.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-13	Pass	691
0.15	30	0.01	RMS	21.687	-70.65	-13	Pass	2985
30	1000	0.1	RMS	868.886	-57.89	-13	Pass	9700
1000	3000	1	RMS	2997.999	-46.25	-13	Pass	2000
3000	3440	1	RMS	3440	-31.64	-13	Pass	691
3440	3560	1	RMS	3477.217	9.81	60	Pass	691
3560	6500	1	RMS	3561	-34.91	-13	Pass	2940
6500	40000	1	RMS	39721.814	-30.79	-13	Pass	33500



26. n77 30kHz(3700-3980)


26.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.45	-13	Pass	691
0.15	30	0.01	RMS	27.689	-69.36	-13	Pass	2985
30	1000	0.1	RMS	901.19	-57.46	-13	Pass	9700
1000	3000	1	RMS	2996.998	-46.03	-13	Pass	2000
3000	3690	1	RMS	3690	-38.38	-13	Pass	691
3690	3990	1	RMS	3711.739	16.17	60	Pass	691
3990	6500	1	RMS	6490.996	-54.14	-13	Pass	2510
6500	40000	1	RMS	39699.8	-31.14	-13	Pass	33500




**26.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.84	-13	Pass	691
0.15	30	0.01	RMS	0.49	-69.76	-13	Pass	2985
30	1000	0.1	RMS	972.897	-57.96	-13	Pass	9700
1000	3000	1	RMS	2995.998	-46.24	-13	Pass	2000
3000	3690	1	RMS	3690	-34.39	-13	Pass	691
3690	3990	1	RMS	3712.609	16.2	60	Pass	691
3990	6500	1	RMS	6479.992	-54.23	-13	Pass	2510
6500	40000	1	RMS	39704.803	-30.92	-13	Pass	33500




**26.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.37	-13	Pass	691
0.15	30	0.01	RMS	22.668	-69.34	-13	Pass	2985
30	1000	0.1	RMS	952.895	-57.48	-13	Pass	9700
1000	3000	1	RMS	3000	-46.33	-13	Pass	2000
3000	3690	1	RMS	3595	-41.48	-13	Pass	691
3690	3990	1	RMS	3836.957	16.34	60	Pass	691
3990	6500	1	RMS	6469.988	-54.03	-13	Pass	2510
6500	40000	1	RMS	39013.342	-30.93	-13	Pass	33500




**26.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.31	-13	Pass	691
0.15	30	0.01	RMS	26.809	-69.26	-13	Pass	2985
30	1000	0.1	RMS	950.095	-57.71	-13	Pass	9700
1000	3000	1	RMS	3000	-46.31	-13	Pass	2000
3000	3690	1	RMS	3600	-41.46	-13	Pass	691
3690	3990	1	RMS	3836.957	16.41	60	Pass	691
3990	6500	1	RMS	6457.983	-53.95	-13	Pass	2510
6500	40000	1	RMS	39008.338	-31.09	-13	Pass	33500




**26.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.61	-13	Pass	691
0.15	30	0.01	RMS	27.059	-69.36	-13	Pass	2985
30	1000	0.1	RMS	907.39	-57.84	-13	Pass	9700
1000	3000	1	RMS	2992.996	-46.21	-13	Pass	2000
3000	3690	1	RMS	3599	-41.53	-13	Pass	691
3690	3990	1	RMS	3972.174	16.06	60	Pass	691
3990	6500	1	RMS	3990	-48.7	-13	Pass	2510
6500	40000	1	RMS	39751.834	-31.07	-13	Pass	33500




**26.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.72	-13	Pass	691
0.15	30	0.01	RMS	29.19	-69.55	-13	Pass	2985
30	1000	0.1	RMS	980.198	-57.48	-13	Pass	9700
1000	3000	1	RMS	2982.991	-46.34	-13	Pass	2000
3000	3690	1	RMS	3600	-41.53	-13	Pass	691
3690	3990	1	RMS	3968.696	16.12	60	Pass	691
3990	6500	1	RMS	3990	-45.8	-13	Pass	2510
6500	40000	1	RMS	39033.355	-30.88	-13	Pass	33500




**26.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-77.8	-13	Pass	601
0.15	30	0.01	RMS	0.16	-70.03	-13	Pass	2986
30	1000	0.1	RMS	59.4	-56.38	-13	Pass	9701
1000	3000	1	RMS	2664	-48.86	-13	Pass	2001
3000	3690	1	RMS	3690	-37.59	-13	Pass	691
3690	3990	1	RMS	3728.5	9.98	60	Pass	601
3990	6500	1	RMS	4032	-61.45	-13	Pass	2511
6500	40000	1	RMS	38599	-41.7	-13	Pass	33501




**26.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-76.37	-13	Pass	601
0.15	30	0.01	RMS	0.19	-71.32	-13	Pass	2986
30	1000	0.1	RMS	59.5	-57.36	-13	Pass	9701
1000	3000	1	RMS	2993	-48.78	-13	Pass	2001
3000	3690	1	RMS	3690	-34.62	-13	Pass	691
3690	3990	1	RMS	3731	9.76	60	Pass	601
3990	6500	1	RMS	4036	-61.68	-13	Pass	2511
6500	40000	1	RMS	38629	-41.69	-13	Pass	33501




**26.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.141	-78.99	-13	Pass	601
0.15	30	0.01	RMS	19.87	-69.54	-13	Pass	2986
30	1000	0.1	RMS	58.5	-57.87	-13	Pass	9701
1000	3000	1	RMS	1963	-22.82	-13	Pass	2001
3000	3690	1	RMS	3690	-41.25	-13	Pass	691
3690	3990	1	RMS	3839	9.66	60	Pass	601
3990	6500	1	RMS	4096	-63.15	-13	Pass	2511
6500	40000	1	RMS	38599	-42.11	-13	Pass	33501




**26.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-76.08	-13	Pass	601
0.15	30	0.01	RMS	0.18	-69.73	-13	Pass	2986
30	1000	0.1	RMS	59.4	-56.78	-13	Pass	9701
1000	3000	1	RMS	2981	-49	-13	Pass	2001
3000	3690	1	RMS	3687	-41.47	-13	Pass	691
3690	3990	1	RMS	3837	9.69	60	Pass	601
3990	6500	1	RMS	6323	-63.26	-13	Pass	2511
6500	40000	1	RMS	38627	-41.97	-13	Pass	33501




**26.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.81	-13	Pass	601
0.15	30	0.01	RMS	3.83	-61.1	-13	Pass	2986
30	1000	0.1	RMS	750.9	-62.1	-13	Pass	9701
1000	3000	1	RMS	2996	-48.99	-13	Pass	2001
3000	3690	1	RMS	3690	-41.32	-13	Pass	691
3690	3990	1	RMS	3958.5	9.46	60	Pass	601
3990	6500	1	RMS	3997	-49.9	-13	Pass	2511
6500	40000	1	RMS	38610	-42.07	-13	Pass	33501




**26.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-66.75	-13	Pass	2986
30	1000	0.1	RMS	897.7	-62	-13	Pass	9701
1000	3000	1	RMS	2997	-48.98	-13	Pass	2001
3000	3690	1	RMS	3690	-41.46	-13	Pass	691
3690	3990	1	RMS	3952	9.31	60	Pass	601
3990	6500	1	RMS	3990	-47.55	-13	Pass	2511
6500	40000	1	RMS	38583	-42.1	-13	Pass	33501




**26.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.67	-13	Pass	691
0.15	30	0.01	RMS	0.32	-70.05	-13	Pass	2985
30	1000	0.1	RMS	913.891	-57.61	-13	Pass	9700
1000	3000	1	RMS	2999	-46.22	-13	Pass	2000
3000	3690	1	RMS	3687	-36.85	-13	Pass	691
3690	3990	1	RMS	3745.652	9.65	60	Pass	691
3990	6500	1	RMS	6483.994	-54.16	-13	Pass	2510
6500	40000	1	RMS	38985.323	-31.16	-13	Pass	33500




**26.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.98	-13	Pass	691
0.15	30	0.01	RMS	16.816	-69.07	-13	Pass	2985
30	1000	0.1	RMS	972.297	-58.16	-13	Pass	9700
1000	3000	1	RMS	2999	-46.26	-13	Pass	2000
3000	3690	1	RMS	3688	-34.64	-13	Pass	691
3690	3990	1	RMS	3750.87	9.54	60	Pass	691
3990	6500	1	RMS	6427.971	-54.02	-13	Pass	2510
6500	40000	1	RMS	39631.754	-31.12	-13	Pass	33500




**26.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.99	-13	Pass	691
0.15	30	0.01	RMS	21.827	-70.14	-13	Pass	2985
30	1000	0.1	RMS	987.799	-57.44	-13	Pass	9700
1000	3000	1	RMS	2990.995	-46.21	-13	Pass	2000
3000	3690	1	RMS	3595	-41.44	-13	Pass	691
3690	3990	1	RMS	3828.261	9.47	60	Pass	691
3990	6500	1	RMS	6485.994	-53.96	-13	Pass	2510
6500	40000	1	RMS	39031.354	-30.78	-13	Pass	33500




**26.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.63	-13	Pass	691
0.15	30	0.01	RMS	24.758	-69.57	-13	Pass	2985
30	1000	0.1	RMS	952.095	-57.59	-13	Pass	9700
1000	3000	1	RMS	2999	-46.15	-13	Pass	2000
3000	3690	1	RMS	3603	-41.43	-13	Pass	691
3690	3990	1	RMS	3842.174	9.49	60	Pass	691
3990	6500	1	RMS	6456.983	-54.17	-13	Pass	2510
6500	40000	1	RMS	39050.366	-31.34	-13	Pass	33500




**26.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.61	-13	Pass	691
0.15	30	0.01	RMS	24.348	-69.99	-13	Pass	2985
30	1000	0.1	RMS	928.693	-58.03	-13	Pass	9700
1000	3000	1	RMS	2997.999	-46.19	-13	Pass	2000
3000	3690	1	RMS	3598	-41.55	-13	Pass	691
3690	3990	1	RMS	3912.609	9.33	60	Pass	691
3990	6500	1	RMS	3990	-40.86	-13	Pass	2510
6500	40000	1	RMS	39028.352	-30.08	-13	Pass	33500



**26.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.33	-13	Pass	691
0.15	30	0.01	RMS	28.57	-69.51	-13	Pass	2985
30	1000	0.1	RMS	888.889	-57.94	-13	Pass	9700
1000	3000	1	RMS	2997.999	-46.2	-13	Pass	2000
3000	3690	1	RMS	3602	-41.48	-13	Pass	691
3690	3990	1	RMS	3946.087	9.3	60	Pass	691
3990	6500	1	RMS	3990	-37.28	-13	Pass	2510
6500	40000	1	RMS	39092.395	-31	-13	Pass	33500



27. n78 30kHz(3450-3550)


**27.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.06	-13	Pass	691
0.15	30	0.01	RMS	21.607	-70.05	-13	Pass	2985
30	1000	0.1	RMS	929.193	-57.07	-13	Pass	9700
1000	3000	1	RMS	2995.998	-46.26	-13	Pass	2000
3000	3440	1	RMS	3439.362	-41.6	-13	Pass	691
3440	3560	1	RMS	3458.087	16.85	60	Pass	691
3560	6500	1	RMS	6479.993	-54.02	-13	Pass	2940
6500	38000	1	RMS	37802.994	-35.65	-13	Pass	31500




**27.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.12	-13	Pass	691
0.15	30	0.01	RMS	1.801	-68.61	-13	Pass	2985
30	1000	0.1	RMS	970.097	-57.71	-13	Pass	9700
1000	3000	1	RMS	2999	-46.34	-13	Pass	2000
3000	3440	1	RMS	3440	-40.97	-13	Pass	691
3440	3560	1	RMS	3458.957	16.77	60	Pass	691
3560	6500	1	RMS	6487.996	-53.99	-13	Pass	2940
6500	38000	1	RMS	37808.994	-35.27	-13	Pass	31500




**27.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.46	-13	Pass	691
0.15	30	0.01	RMS	27.459	-69.95	-13	Pass	2985
30	1000	0.1	RMS	995.8	-57.64	-13	Pass	9700
1000	3000	1	RMS	3000	-46.3	-13	Pass	2000
3000	3440	1	RMS	3239.768	-41.99	-13	Pass	691
3440	3560	1	RMS	3497.565	16.34	60	Pass	691
3560	6500	1	RMS	6415.971	-54.09	-13	Pass	2940
6500	38000	1	RMS	37798.994	-35.71	-13	Pass	31500




**27.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.55	-13	Pass	691
0.15	30	0.01	RMS	26.109	-69.33	-13	Pass	2985
30	1000	0.1	RMS	881.988	-57.79	-13	Pass	9700
1000	3000	1	RMS	2994.997	-46.31	-13	Pass	2000
3000	3440	1	RMS	3247.42	-41.97	-13	Pass	691
3440	3560	1	RMS	3498.435	16.3	60	Pass	691
3560	6500	1	RMS	6458.986	-54.1	-13	Pass	2940
6500	38000	1	RMS	37760.992	-35.91	-13	Pass	31500




**27.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.79	-13	Pass	691
0.15	30	0.01	RMS	23.048	-69.31	-13	Pass	2985
30	1000	0.1	RMS	973.797	-57.49	-13	Pass	9700
1000	3000	1	RMS	3000	-46.23	-13	Pass	2000
3000	3440	1	RMS	3323.304	-41.92	-13	Pass	691
3440	3560	1	RMS	3536.87	16.56	60	Pass	691
3560	6500	1	RMS	3560	-49.01	-13	Pass	2940
6500	38000	1	RMS	37789.993	-35.24	-13	Pass	31500




**27.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.66	-13	Pass	691
0.15	30	0.01	RMS	0.31	-69.6	-13	Pass	2985
30	1000	0.1	RMS	994.999	-57.48	-13	Pass	9700
1000	3000	1	RMS	2982.991	-46.26	-13	Pass	2000
3000	3440	1	RMS	3320.116	-41.93	-13	Pass	691
3440	3560	1	RMS	3538.783	16.51	60	Pass	691
3560	6500	1	RMS	3560	-42.8	-13	Pass	2940
6500	38000	1	RMS	37726.991	-35.32	-13	Pass	31500




**27.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.75	-13	Pass	691
0.15	30	0.01	RMS	28.91	-69.4	-13	Pass	2985
30	1000	0.1	RMS	863.986	-57.34	-13	Pass	9700
1000	3000	1	RMS	2996.998	-46.2	-13	Pass	2000
3000	3440	1	RMS	3440	-38.43	-13	Pass	691
3440	3560	1	RMS	3468	12.64	60	Pass	691
3560	6500	1	RMS	6469.99	-54.13	-13	Pass	2940
6500	38000	1	RMS	37760.992	-36.1	-13	Pass	31500




**27.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.53	-13	Pass	691
0.15	30	0.01	RMS	25.438	-68.98	-13	Pass	2985
30	1000	0.1	RMS	897.189	-57.1	-13	Pass	9700
1000	3000	1	RMS	2999	-46.2	-13	Pass	2000
3000	3440	1	RMS	3440	-36.5	-13	Pass	691
3440	3560	1	RMS	3471.826	12.51	60	Pass	691
3560	6500	1	RMS	6449.983	-54.2	-13	Pass	2940
6500	38000	1	RMS	37786.993	-35.74	-13	Pass	31500




**27.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.46	-13	Pass	691
0.15	30	0.01	RMS	25.839	-70	-13	Pass	2985
30	1000	0.1	RMS	909.191	-56.72	-13	Pass	9700
1000	3000	1	RMS	2994.997	-46.15	-13	Pass	2000
3000	3440	1	RMS	3017.217	-41.92	-13	Pass	691
3440	3560	1	RMS	3491.304	12.24	60	Pass	691
3560	6500	1	RMS	6484.995	-54	-13	Pass	2940
6500	38000	1	RMS	37806.994	-35.71	-13	Pass	31500




**27.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.55	-13	Pass	691
0.15	30	0.01	RMS	28.369	-70.03	-13	Pass	2985
30	1000	0.1	RMS	843.984	-58.04	-13	Pass	9700
1000	3000	1	RMS	2992.996	-46.31	-13	Pass	2000
3000	3440	1	RMS	3379.42	-41.97	-13	Pass	691
3440	3560	1	RMS	3498.087	12.29	60	Pass	691
3560	6500	1	RMS	6485.995	-54.16	-13	Pass	2940
6500	38000	1	RMS	37757.992	-35.92	-13	Pass	31500




**27.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.06	-13	Pass	691
0.15	30	0.01	RMS	22.558	-70.61	-13	Pass	2985
30	1000	0.1	RMS	938.294	-57.21	-13	Pass	9700
1000	3000	1	RMS	2989.995	-46.28	-13	Pass	2000
3000	3440	1	RMS	3311.826	-41.99	-13	Pass	691
3440	3560	1	RMS	3518.783	12.32	60	Pass	691
3560	6500	1	RMS	3566.002	-45.25	-13	Pass	2940
6500	38000	1	RMS	37775.993	-35.81	-13	Pass	31500




**27.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.2	-13	Pass	691
0.15	30	0.01	RMS	25.939	-70.09	-13	Pass	2985
30	1000	0.1	RMS	919.492	-57.93	-13	Pass	9700
1000	3000	1	RMS	3000	-46.37	-13	Pass	2000
3000	3440	1	RMS	3237.217	-41.91	-13	Pass	691
3440	3560	1	RMS	3521.913	12.36	60	Pass	691
3560	6500	1	RMS	3560	-42.16	-13	Pass	2940
6500	38000	1	RMS	37799.994	-35.9	-13	Pass	31500




**27.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.4	-13	Pass	691
0.15	30	0.01	RMS	25.378	-69.41	-13	Pass	2985
30	1000	0.1	RMS	892.089	-57.08	-13	Pass	9700
1000	3000	1	RMS	2995.998	-46.3	-13	Pass	2000
3000	3440	1	RMS	3436.812	-33.98	-13	Pass	691
3440	3560	1	RMS	3476.87	9.82	60	Pass	691
3560	6500	1	RMS	3561	-36.26	-13	Pass	2940
6500	38000	1	RMS	37854.995	-36.24	-13	Pass	31500



**27.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.71	-13	Pass	691
0.15	30	0.01	RMS	29.18	-68.69	-13	Pass	2985
30	1000	0.1	RMS	943.694	-57.42	-13	Pass	9700
1000	3000	1	RMS	2999	-46.27	-13	Pass	2000
3000	3440	1	RMS	3440	-32.06	-13	Pass	691
3440	3560	1	RMS	3476.87	9.79	60	Pass	691
3560	6500	1	RMS	3561	-35.08	-13	Pass	2940
6500	38000	1	RMS	37856.995	-35.9	-13	Pass	31500



28. n78 30kHz(3700-3800)


**28.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.54	-13	Pass	691
0.15	30	0.01	RMS	24.628	-70.09	-13	Pass	2985
30	1000	0.1	RMS	865.586	-57.3	-13	Pass	9700
1000	3000	1	RMS	2995.998	-46.17	-13	Pass	2000
3000	3690	1	RMS	3690	-38.55	-13	Pass	691
3690	3810	1	RMS	3712.261	16.01	60	Pass	691
3810	6500	1	RMS	6473.99	-54.22	-13	Pass	2690
6500	38000	1	RMS	37832.995	-35.99	-13	Pass	31500




**28.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.08	-13	Pass	691
0.15	30	0.01	RMS	28.66	-69.99	-13	Pass	2985
30	1000	0.1	RMS	892.789	-57.17	-13	Pass	9700
1000	3000	1	RMS	3000	-46.3	-13	Pass	2000
3000	3690	1	RMS	3690	-34.77	-13	Pass	691
3690	3810	1	RMS	3712.435	15.94	60	Pass	691
3810	6500	1	RMS	6410.967	-54.23	-13	Pass	2690
6500	38000	1	RMS	37796.994	-35.8	-13	Pass	31500




**28.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.97	-13	Pass	691
0.15	30	0.01	RMS	24.238	-68.99	-13	Pass	2985
30	1000	0.1	RMS	884.488	-57.58	-13	Pass	9700
1000	3000	1	RMS	2996.998	-46.38	-13	Pass	2000
3000	3690	1	RMS	3600	-41.52	-13	Pass	691
3690	3810	1	RMS	3750.522	16.26	60	Pass	691
3810	6500	1	RMS	6473.99	-54.15	-13	Pass	2690
6500	38000	1	RMS	37795.994	-35.45	-13	Pass	31500




**28.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.92	-13	Pass	691
0.15	30	0.01	RMS	25.839	-69.62	-13	Pass	2985
30	1000	0.1	RMS	908.191	-57.6	-13	Pass	9700
1000	3000	1	RMS	2994.997	-46.21	-13	Pass	2000
3000	3690	1	RMS	3600	-41.42	-13	Pass	691
3690	3810	1	RMS	3746.87	16.42	60	Pass	691
3810	6500	1	RMS	6464.987	-54.27	-13	Pass	2690
6500	38000	1	RMS	37792.993	-35.87	-13	Pass	31500




**28.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.11	-13	Pass	691
0.15	30	0.01	RMS	22.487	-70.45	-13	Pass	2985
30	1000	0.1	RMS	983.798	-57.97	-13	Pass	9700
1000	3000	1	RMS	2999	-46.22	-13	Pass	2000
3000	3690	1	RMS	3599	-41.41	-13	Pass	691
3690	3810	1	RMS	3791.565	16.33	60	Pass	691
3810	6500	1	RMS	3810	-41.57	-13	Pass	2690
6500	38000	1	RMS	37771.993	-35.87	-13	Pass	31500




**28.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.14	-13	Pass	691
0.15	30	0.01	RMS	28.59	-69.61	-13	Pass	2985
30	1000	0.1	RMS	931.493	-58.1	-13	Pass	9700
1000	3000	1	RMS	2991.996	-46.25	-13	Pass	2000
3000	3690	1	RMS	3606	-41.5	-13	Pass	691
3690	3810	1	RMS	3791.217	16.27	60	Pass	691
3810	6500	1	RMS	3810	-35.47	-13	Pass	2690
6500	38000	1	RMS	37801.994	-35.48	-13	Pass	31500




**28.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.23	-13	Pass	691
0.15	30	0.01	RMS	29.07	-69.36	-13	Pass	2985
30	1000	0.1	RMS	946.995	-58	-13	Pass	9700
1000	3000	1	RMS	2997.999	-46.17	-13	Pass	2000
3000	3690	1	RMS	3690	-38.46	-13	Pass	691
3690	3810	1	RMS	3731.913	12.16	60	Pass	691
3810	6500	1	RMS	6487.996	-54.21	-13	Pass	2690
6500	38000	1	RMS	37815.994	-35.93	-13	Pass	31500




**28.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.17	-13	Pass	691
0.15	30	0.01	RMS	28.399	-68.79	-13	Pass	2985
30	1000	0.1	RMS	844.284	-57.45	-13	Pass	9700
1000	3000	1	RMS	3000	-46.1	-13	Pass	2000
3000	3690	1	RMS	3690	-35.41	-13	Pass	691
3690	3810	1	RMS	3733.13	11.99	60	Pass	691
3810	6500	1	RMS	3812.001	-53.19	-13	Pass	2690
6500	38000	1	RMS	37812.994	-35.45	-13	Pass	31500




**28.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:650000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.54	-13	Pass	691
0.15	30	0.01	RMS	21.917	-69.49	-13	Pass	2985
30	1000	0.1	RMS	826.582	-57.43	-13	Pass	9700
1000	3000	1	RMS	2997.999	-46.08	-13	Pass	2000
3000	3690	1	RMS	3689	-41.5	-13	Pass	691
3690	3810	1	RMS	3747.043	12.16	60	Pass	691
3810	6500	1	RMS	3819.003	-52	-13	Pass	2690
6500	38000	1	RMS	37780.993	-35.52	-13	Pass	31500




**28.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:650000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.64	-13	Pass	691
0.15	30	0.01	RMS	28.099	-69.55	-13	Pass	2985
30	1000	0.1	RMS	907.49	-57.41	-13	Pass	9700
1000	3000	1	RMS	2995.998	-46.2	-13	Pass	2000
3000	3690	1	RMS	3687	-41.03	-13	Pass	691
3690	3810	1	RMS	3748.957	12.18	60	Pass	691
3810	6500	1	RMS	3815.002	-46.23	-13	Pass	2690
6500	38000	1	RMS	37785.993	-35.8	-13	Pass	31500




**28.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.51	-13	Pass	691
0.15	30	0.01	RMS	22.117	-70.76	-13	Pass	2985
30	1000	0.1	RMS	832.183	-57.58	-13	Pass	9700
1000	3000	1	RMS	2992.996	-46.36	-13	Pass	2000
3000	3690	1	RMS	3599	-41.55	-13	Pass	691
3690	3810	1	RMS	3781.304	12.24	60	Pass	691
3810	6500	1	RMS	3810	-42.09	-13	Pass	2690
6500	38000	1	RMS	37826.995	-35.96	-13	Pass	31500




**28.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.48	-13	Pass	691
0.15	30	0.01	RMS	22.487	-69.74	-13	Pass	2985
30	1000	0.1	RMS	838.183	-57.73	-13	Pass	9700
1000	3000	1	RMS	2999	-45.99	-13	Pass	2000
3000	3690	1	RMS	3604	-41.47	-13	Pass	691
3690	3810	1	RMS	3768.435	12.09	60	Pass	691
3810	6500	1	RMS	3823.005	-37.18	-13	Pass	2690
6500	38000	1	RMS	37783.993	-35.62	-13	Pass	31500




**28.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.59	-13	Pass	691
0.15	30	0.01	RMS	23.968	-69.57	-13	Pass	2985
30	1000	0.1	RMS	873.887	-57.66	-13	Pass	9700
1000	3000	1	RMS	2996.998	-46.12	-13	Pass	2000
3000	3690	1	RMS	3687	-36.95	-13	Pass	691
3690	3810	1	RMS	3743.391	9.35	60	Pass	691
3810	6500	1	RMS	3811	-37.36	-13	Pass	2690
6500	38000	1	RMS	37773.993	-35.52	-13	Pass	31500



**28.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.48	-13	Pass	691
0.15	30	0.01	RMS	29.86	-70.01	-13	Pass	2985
30	1000	0.1	RMS	907.39	-57.91	-13	Pass	9700
1000	3000	1	RMS	2995.998	-46.33	-13	Pass	2000
3000	3690	1	RMS	3687	-34.61	-13	Pass	691
3690	3810	1	RMS	3752.435	9.29	60	Pass	691
3810	6500	1	RMS	3811	-34.05	-13	Pass	2690
6500	38000	1	RMS	37817.994	-35.91	-13	Pass	31500



END