


A.6 Band Edge

1. GSM_GSM850


1.1. GSM Band Edge(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.438	-44.72	-13	Pass	401
823	824	0.003	RMS	823.994	-19.71	-13	Pass	700
824	824.5	0.01	RMS	824.213	21.7	35	Pass	401



1.2. GSM Band Edge(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.816	22.06	35	Pass	401
849	850	0.003	RMS	849.02	-18.83	-13	Pass	700
850	855	0.1	RMS	852.475	-44.49	-13	Pass	401



2. GSM_PCS


2.1. GSM Band Edge(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-34.48	-13	Pass	41
1849	1850	0.003	RMS	1849.977	-21.18	-13	Pass	700
1850	1851	0.01	RMS	1850.2	20.18	35	Pass	401



2.2. GSM Band Edge(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.803	18.8	35	Pass	401
1910	1911	0.003	RMS	1910.034	-21.14	-13	Pass	700
1911	1915	1	RMS	1911	-34.55	-13	Pass	41



3. EGPRS_GSM850


3.1. EGPRS Band Edge(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.978	-45.79	-13	Pass	401
823	824	0.003	RMS	823.969	-26.72	-13	Pass	700
824	824.5	0.01	RMS	824.203	15.84	35	Pass	401



3.2. EGPRS Band Edge(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.808	15.86	35	Pass	401
849	850	0.003	RMS	849.023	-27.34	-13	Pass	700
850	855	0.1	RMS	850.163	-45.78	-13	Pass	401



4. EGPRS_PCS


4.1. EGPRS Band Edge(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-35.15	-13	Pass	41
1849	1850	0.003	RMS	1849.987	-28.67	-13	Pass	700
1850	1851	0.01	RMS	1850.225	15.47	35	Pass	401



4.2. EGPRS Band Edge(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.768	15.3	35	Pass	401
1910	1911	0.003	RMS	1910.027	-28.86	-13	Pass	700
1911	1915	1	RMS	1911	-35.16	-13	Pass	41



5. EVDO BC0_CH1013(FCC)

5.3. Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	823	-26.62	-13	Pass	401
823	823.994	0.013	RMS	823.994	-18.05	-13	Pass	401
824	829	0.1	RMS	824.7	13.85	35	Pass	401



6. EVDO BC0_CH777(FCC)

6.9. Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.338	14.09	35	Pass	401
849	850	0.013	RMS	849	-13.09	-13	Pass*	401
850	855	0.1	RMS	850	-27	-13	Pass	401



7. WCDMA_Band2


7.1. WCDMA Band Edge(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-25.32	-13	Pass	41
1849	1850	0.051	RMS	1849.853	-26.07	-13	Pass	401
1850	1855	0.1	RMS	1851.525	8.87	35	Pass	401



7.2. WCDMA Band Edge(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.725	8.87	35	Pass	401
1910	1911	0.051	RMS	1910	-24.88	-13	Pass	401
1911	1915	1	RMS	1911.2	-19.81	-13	Pass	41



8. WCDMA_Band4


8.1. WCDMA Band Edge(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1705	1709	1	RMS	1709	-22.93	-13	Pass	41
1709	1710	0.051	RMS	1710	-24.02	-13	Pass	401
1710	1715	0.1	RMS	1713.825	8.47	35	Pass	401



8.2. WCDMA Band Edge(NTNV)(Channel:1513)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.725	8.52	35	Pass	401
1755	1756	0.051	RMS	1755	-23.8	-13	Pass	401
1756	1760	1	RMS	1756	-25.79	-13	Pass	41



9. WCDMA_Band5


9.1. WCDMA Band Edge(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.835	-36.61	-13	Pass	401
823	824	0.051	RMS	823.84	-26.56	-13	Pass	401
824	829	0.1	RMS	827.775	8.78	35	Pass	401



9.2. WCDMA Band Edge(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.688	8.79	35	Pass	401
849	850	0.051	RMS	849.155	-27.38	-13	Pass	401
850	855	0.1	RMS	850.338	-37.4	-13	Pass	401



10. LTE_Band2


10.1. LTE Band Edge(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.36	-13	Pass	401
1848	1849	1	RMS	1849	-33.88	-13	Pass	2
1849	1850	0.02	RMS	1850	-25.27	-13	Pass	401
1850	1852	0.1	RMS	1850.255	21.19	30	Pass	401




10.2. LTE Band Edge(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-29.14	-13	Pass	401
1848	1849	1	RMS	1849	-21.56	-13	Pass	2
1849	1850	0.02	RMS	1849.998	-33.31	-13	Pass	401
1850	1852	0.1	RMS	1850.275	12.87	30	Pass	401




10.3. LTE Band Edge(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.74	-13	Pass	401
1848	1849	1	RMS	1849	-32.64	-13	Pass	2
1849	1850	0.02	RMS	1850	-26.58	-13	Pass	401
1850	1852	0.1	RMS	1850.25	20.35	30	Pass	401




10.4. LTE Band Edge(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-34.08	-13	Pass	401
1848	1849	1	RMS	1849	-26.21	-13	Pass	2
1849	1850	0.02	RMS	1849.925	-36.15	-13	Pass	401
1850	1852	0.1	RMS	1851.105	11.93	30	Pass	401




10.5. LTE Band Edge(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.745	19.76	30	Pass	401
1910	1911	0.02	RMS	1910.018	-26.26	-13	Pass	401
1911	1912	1	RMS	1911	-28.32	-13	Pass	2
1912	1920	1	RMS	1912	-41.87	-13	Pass	401




10.6. LTE Band Edge(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1908.915	11.38	30	Pass	401
1910	1911	0.02	RMS	1910	-30.74	-13	Pass	401
1911	1912	1	RMS	1911	-20.67	-13	Pass	2
1912	1920	1	RMS	1912	-29.71	-13	Pass	401




10.7. LTE Band Edge(NTNV)(Subtest:7, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.755	18.76	30	Pass	401
1910	1911	0.02	RMS	1910.003	-26.79	-13	Pass	401
1911	1912	1	RMS	1911	-29.17	-13	Pass	2
1912	1920	1	RMS	1912	-42.12	-13	Pass	401




10.8. LTE Band Edge(NTNV)(Subtest:8, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909	10.61	30	Pass	401
1910	1911	0.02	RMS	1910.118	-31.88	-13	Pass	401
1911	1912	1	RMS	1911	-23.2	-13	Pass	2
1912	1920	1	RMS	1912	-32.45	-13	Pass	401




10.9. LTE Band Edge(NTNV)(Subtest:9, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.72	-37.25	-13	Pass	401
1848	1849	1	RMS	1849	-34.75	-13	Pass	2
1849	1850	0.03	RMS	1849.998	-19.25	-13	Pass	401
1850	1853	0.1	RMS	1850.248	21.53	30	Pass	401




10.10. LTE Band Edge(NTNV)(Subtest:10, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-23.57	-13	Pass	401
1848	1849	1	RMS	1849	-23.51	-13	Pass	2
1849	1850	0.03	RMS	1850	-26.13	-13	Pass	401
1850	1853	0.1	RMS	1852.7	9.21	30	Pass	401




10.11. LTE Band Edge(NTNV)(Subtest:11, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.9	-37.66	-13	Pass	401
1848	1849	1	RMS	1849	-31.69	-13	Pass	2
1849	1850	0.03	RMS	1850	-19.17	-13	Pass	401
1850	1853	0.1	RMS	1850.233	20.62	30	Pass	401




10.12. LTE Band Edge(NTNV)(Subtest:12, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-26.51	-13	Pass	401
1848	1849	1	RMS	1849	-24.63	-13	Pass	2
1849	1850	0.03	RMS	1850	-28.06	-13	Pass	401
1850	1853	0.1	RMS	1852.415	8.23	30	Pass	401



10.13. LTE Band Edge(NTNV)(Subtest:13, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.76	19.88	30	Pass	401
1910	1911	0.03	RMS	1910	-19.84	-13	Pass	35
1911	1912	1	RMS	1911	-36.51	-13	Pass	2
1912	1920	1	RMS	1912.22	-36.92	-13	Pass	401




10.14. LTE Band Edge(NTNV)(Subtest:14, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1907.278	7.96	30	Pass	401
1910	1911	0.03	RMS	1910	-27.46	-13	Pass	401
1911	1912	1	RMS	1911	-20.01	-13	Pass	2
1912	1920	1	RMS	1912	-21.56	-13	Pass	401



10.15. LTE Band Edge(NTNV)(Subtest:15, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.753	18.88	30	Pass	401
1910	1911	0.03	RMS	1910	-19.7	-13	Pass	401
1911	1912	1	RMS	1911	-34.44	-13	Pass	2
1912	1920	1	RMS	1912.18	-38.09	-13	Pass	401




10.16. LTE Band Edge(NTNV)(Subtest:16, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1907.645	7.06	30	Pass	401
1910	1911	0.03	RMS	1910	-27.52	-13	Pass	401
1911	1912	1	RMS	1911	-20.17	-13	Pass	2
1912	1920	1	RMS	1912	-23.21	-13	Pass	401




10.17. LTE Band Edge(NTNV)(Subtest:17, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1846.52	-36.41	-13	Pass	401
1848	1849	1	RMS	1849	-37.34	-13	Pass	2
1849	1850	0.051	RMS	1850	-22.38	-13	Pass	401
1850	1855	0.1	RMS	1850.313	21.2	30	Pass	401




10.18. LTE Band Edge(NTNV)(Subtest:18, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-24.68	-13	Pass	401
1848	1849	1	RMS	1849	-24.35	-13	Pass	2
1849	1850	0.051	RMS	1850	-29.78	-13	Pass	401
1850	1855	0.1	RMS	1851.65	7.02	30	Pass	401




10.19. LTE Band Edge(NTNV)(Subtest:19, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1846.12	-39.12	-13	Pass	401
1848	1849	1	RMS	1849	-34.61	-13	Pass	2
1849	1850	0.051	RMS	1850	-22.06	-13	Pass	401
1850	1855	0.1	RMS	1850.35	20.6	30	Pass	401




10.20. LTE Band Edge(NTNV)(Subtest:20, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-27.49	-13	Pass	401
1848	1849	1	RMS	1849	-26.23	-13	Pass	2
1849	1850	0.051	RMS	1850	-30.74	-13	Pass	401
1850	1855	0.1	RMS	1853.325	5.99	30	Pass	401




10.21. LTE Band Edge(NTNV)(Subtest:21, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.65	19.89	30	Pass	401
1910	1911	0.051	RMS	1910	-22.2	-13	Pass	401
1911	1912	1	RMS	1911	-37.91	-13	Pass	2
1912	1920	1	RMS	1913.8	-38.28	-13	Pass	401




10.22. LTE Band Edge(NTNV)(Subtest:22, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.85	5.82	30	Pass	401
1910	1911	0.051	RMS	1910.003	-29.71	-13	Pass	401
1911	1912	1	RMS	1911	-22.68	-13	Pass	2
1912	1920	1	RMS	1912	-24.86	-13	Pass	9




10.23. LTE Band Edge(NTNV)(Subtest:23, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.663	18.96	30	Pass	401
1910	1911	0.051	RMS	1910.003	-22.48	-13	Pass	401
1911	1912	1	RMS	1911	-35.54	-13	Pass	2
1912	1920	1	RMS	1913.92	-41.01	-13	Pass	401




10.24. LTE Band Edge(NTNV)(Subtest:24, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1905.588	5.15	30	Pass	401
1910	1911	0.051	RMS	1910.003	-30.52	-13	Pass	401
1911	1912	1	RMS	1911	-24.26	-13	Pass	2
1912	1920	1	RMS	1912	-26.08	-13	Pass	401




10.25. LTE Band Edge(NTNV)(Subtest:25, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1841.78	-37.9	-13	Pass	401
1848	1849	1	RMS	1849	-40.23	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-32.58	-13	Pass	401
1850	1860	0.1	RMS	1850.575	21.43	30	Pass	401




10.26. LTE Band Edge(NTNV)(Subtest:26, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.9	-27.69	-13	Pass	401
1848	1849	1	RMS	1849	-26.63	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-31.79	-13	Pass	401
1850	1860	0.1	RMS	1854.275	3.98	30	Pass	401




10.27. LTE Band Edge(NTNV)(Subtest:27, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1841.64	-38.62	-13	Pass	401
1848	1849	1	RMS	1849	-37.09	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-30.73	-13	Pass	401
1850	1860	0.1	RMS	1850.6	20.59	30	Pass	401




10.28. LTE Band Edge(NTNV)(Subtest:28, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.82	-29.23	-13	Pass	401
1848	1849	1	RMS	1849	-29.42	-13	Pass	2
1849	1850	0.1	RMS	1850	-34.27	-13	Pass	401
1850	1860	0.1	RMS	1851.325	2.92	30	Pass	401




10.29. LTE Band Edge(NTNV)(Subtest:29, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	20.1	30	Pass	401
1910	1911	0.1	RMS	1910.005	-29.1	-13	Pass	401
1911	1912	1	RMS	1911	-37.3	-13	Pass	2
1912	1920	1	RMS	1915.64	-43.04	-13	Pass	401




10.30. LTE Band Edge(NTNV)(Subtest:30, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1902.45	3.75	30	Pass	401
1910	1911	0.1	RMS	1910	-32.4	-13	Pass	401
1911	1912	1	RMS	1911	-26.56	-13	Pass	2
1912	1920	1	RMS	1912	-28.18	-13	Pass	401




10.31. LTE Band Edge(NTNV)(Subtest:31, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.425	19.13	30	Pass	401
1910	1911	0.1	RMS	1910	-30.08	-13	Pass	401
1911	1912	1	RMS	1911	-37.28	-13	Pass	2
1912	1920	1	RMS	1912.4	-44.54	-13	Pass	401




10.32. LTE Band Edge(NTNV)(Subtest:32, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1901.2	2.96	30	Pass	401
1910	1911	0.1	RMS	1910.008	-33.39	-13	Pass	401
1911	1912	1	RMS	1911	-28.09	-13	Pass	2
1912	1920	1	RMS	1912	-29.17	-13	Pass	401




10.33. LTE Band Edge(NTNV)(Subtest:33, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1844.22	-39.14	-13	Pass	401
1848	1849	1	RMS	1849	-40.67	-13	Pass	2
1849	1850	0.15	RMS	1850	-29.95	-13	Pass	401
1850	1865	0.1	RMS	1850.825	21.14	30	Pass	401




10.34. LTE Band Edge(NTNV)(Subtest:34, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-27.27	-13	Pass	401
1848	1849	1	RMS	1848	-27.09	-13	Pass	2
1849	1850	0.15	RMS	1850	-32.64	-13	Pass	401
1850	1865	0.1	RMS	1854.575	2.17	30	Pass	401




10.35. LTE Band Edge(NTNV)(Subtest:35, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1844.36	-40.31	-13	Pass	401
1848	1849	1	RMS	1849	-39.41	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-30.43	-13	Pass	401
1850	1865	0.1	RMS	1850.825	20.35	30	Pass	401




10.36. LTE Band Edge(NTNV)(Subtest:36, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-30.35	-13	Pass	401
1848	1849	1	RMS	1849	-29.89	-13	Pass	2
1849	1850	0.15	RMS	1850	-34.82	-13	Pass	401
1850	1865	0.1	RMS	1851.988	1.24	30	Pass	401




10.37. LTE Band Edge(NTNV)(Subtest:37, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	20.31	30	Pass	401
1910	1911	0.15	RMS	1910	-29.66	-13	Pass	401
1911	1912	1	RMS	1911	-39.91	-13	Pass	2
1912	1920	1	RMS	1915.54	-43.81	-13	Pass	401




10.38. LTE Band Edge(NTNV)(Subtest:38, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1895.9	2.37	30	Pass	401
1910	1911	0.15	RMS	1910.005	-31.56	-13	Pass	401
1911	1912	1	RMS	1912	-26.68	-13	Pass	2
1912	1920	1	RMS	1912	-26.33	-13	Pass	401




10.39. LTE Band Edge(NTNV)(Subtest:39, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.138	19.26	30	Pass	401
1910	1911	0.15	RMS	1910	-30.31	-13	Pass	401
1911	1912	1	RMS	1911	-40.06	-13	Pass	2
1912	1920	1	RMS	1912.2	-43.82	-13	Pass	401




10.40. LTE Band Edge(NTNV)(Subtest:40, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1895.975	1.41	30	Pass	401
1910	1911	0.15	RMS	1910.003	-34	-13	Pass	401
1911	1912	1	RMS	1911	-30.09	-13	Pass	2
1912	1920	1	RMS	1912	-30.58	-13	Pass	401




10.41. LTE Band Edge(NTNV)(Subtest:41, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1844.64	-41.75	-13	Pass	401
1848	1849	1	RMS	1849	-40.65	-13	Pass	2
1849	1850	0.2	RMS	1849.998	-30.63	-13	Pass	401
1850	1870	0.1	RMS	1851.1	21.1	30	Pass	401




10.42. LTE Band Edge(NTNV)(Subtest:42, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-30.29	-13	Pass	401
1848	1849	1	RMS	1849	-29.29	-13	Pass	2
1849	1850	0.2	RMS	1850	-33.49	-13	Pass	401
1850	1870	0.1	RMS	1856.65	0.94	30	Pass	401




10.43. LTE Band Edge(NTNV)(Subtest:43, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1844.62	-42.54	-13	Pass	401
1848	1849	1	RMS	1849	-40.99	-13	Pass	2
1849	1850	0.2	RMS	1850	-30.82	-13	Pass	401
1850	1870	0.1	RMS	1851.1	20.38	30	Pass	401




10.44. LTE Band Edge(NTNV)(Subtest:44, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-32.39	-13	Pass	401
1848	1849	1	RMS	1849	-31.5	-13	Pass	2
1849	1850	0.2	RMS	1849.983	-35.2	-13	Pass	401
1850	1870	0.1	RMS	1855	-0.05	30	Pass	401




10.45. LTE Band Edge(NTNV)(Subtest:45, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	20.34	30	Pass	401
1910	1911	0.2	RMS	1910	-30.22	-13	Pass	401
1911	1912	1	RMS	1911	-40.53	-13	Pass	2
1912	1920	1	RMS	1915.32	-43.57	-13	Pass	401




10.46. LTE Band Edge(NTNV)(Subtest:46, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1891.4	1.35	30	Pass	401
1910	1911	0.2	RMS	1910.008	-31.84	-13	Pass	401
1911	1912	1	RMS	1911	-27.6	-13	Pass	2
1912	1920	1	RMS	1912.04	-28.56	-13	Pass	401




10.47. LTE Band Edge(NTNV)(Subtest:47, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	19.46	30	Pass	401
1910	1911	0.2	RMS	1910.005	-30.41	-13	Pass	401
1911	1912	1	RMS	1911	-40.58	-13	Pass	2
1912	1920	1	RMS	1912	-43.34	-13	Pass	401



10.48. LTE Band Edge(NTNV)(Subtest:48, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1892.1	0.16	30	Pass	401
1910	1911	0.2	RMS	1910.003	-33.61	-13	Pass	401
1911	1912	1	RMS	1911	-29.01	-13	Pass	2
1912	1920	1	RMS	1912.04	-29.29	-13	Pass	401



11. LTE_Band4


11.1. LTE Band Edge(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-43.6	-13	Pass	401
1708	1709	1	RMS	1709	-30.7	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-37.15	-13	Pass	401
1710	1712	0.1	RMS	1710.24	20.98	30	Pass	401




11.2. LTE Band Edge(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.17	-13	Pass	401
1708	1709	1	RMS	1709	-27.21	-13	Pass	2
1709	1710	0.02	RMS	1709.988	-38.05	-13	Pass	401
1710	1712	0.1	RMS	1711.115	12.6	30	Pass	401




11.3. LTE Band Edge(NTNV)(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-42.61	-13	Pass	401
1708	1709	1	RMS	1709	-31.26	-13	Pass	2
1709	1710	0.02	RMS	1710	-28.74	-13	Pass	401
1710	1712	0.1	RMS	1710.255	19.97	30	Pass	401




11.4. LTE Band Edge(NTNV)(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.18	-13	Pass	401
1708	1709	1	RMS	1709	-31.8	-13	Pass	2
1709	1710	0.02	RMS	1709.993	-41.28	-13	Pass	401
1710	1712	0.1	RMS	1711.115	11.69	30	Pass	401



11.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.76	20.14	30	Pass	401
1755	1756	0.02	RMS	1755	-35.38	-13	Pass	401
1756	1757	1	RMS	1756	-32.62	-13	Pass	2
1757	1765	1	RMS	1757.04	-42.26	-13	Pass	401




11.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.445	11.67	30	Pass	401
1755	1756	0.02	RMS	1755.035	-35.03	-13	Pass	401
1756	1757	1	RMS	1756	-24.68	-13	Pass	2
1757	1765	1	RMS	1757.02	-31.05	-13	Pass	401



11.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.75	19.18	30	Pass	401
1755	1756	0.02	RMS	1755	-29.25	-13	Pass	401
1756	1757	1	RMS	1756	-32.91	-13	Pass	2
1757	1765	1	RMS	1757	-42.55	-13	Pass	401




11.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1753.97	10.9	30	Pass	401
1755	1756	0.02	RMS	1755.11	-36.75	-13	Pass	401
1756	1757	1	RMS	1756	-26.88	-13	Pass	2
1757	1765	1	RMS	1757.02	-33.77	-13	Pass	401




11.9. LTE Band Edge(NTNV)(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.84	-42.63	-13	Pass	401
1708	1709	1	RMS	1709	-36.85	-13	Pass	2
1709	1710	0.03	RMS	1710	-19.87	-13	Pass	35
1710	1713	0.1	RMS	1710.24	21.12	30	Pass	401




11.10. LTE Band Edge(NTNV)(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.38	-28.6	-13	Pass	401
1708	1709	1	RMS	1709	-27.3	-13	Pass	2
1709	1710	0.03	RMS	1710	-26.05	-13	Pass	401
1710	1713	0.1	RMS	1712.303	8.93	30	Pass	401




11.11. LTE Band Edge(NTNV)(Subtest:11, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.1	-13	Pass	401
1708	1709	1	RMS	1709	-34.99	-13	Pass	2
1709	1710	0.03	RMS	1710	-20.64	-13	Pass	35
1710	1713	0.1	RMS	1710.255	20.28	30	Pass	401




11.12. LTE Band Edge(NTNV)(Subtest:12, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.25	-13	Pass	401
1708	1709	1	RMS	1709	-29.49	-13	Pass	2
1709	1710	0.03	RMS	1710	-26.73	-13	Pass	401
1710	1713	0.1	RMS	1712.73	8.06	30	Pass	401



11.13. LTE Band Edge(NTNV)(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.76	20.23	30	Pass	401
1755	1756	0.03	RMS	1755	-18.55	-13	Pass	401
1756	1757	1	RMS	1756	-36.85	-13	Pass	2
1757	1765	1	RMS	1757.24	-38.24	-13	Pass	401




11.14. LTE Band Edge(NTNV)(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.7	7.97	30	Pass	401
1755	1756	0.03	RMS	1755	-27.2	-13	Pass	401
1756	1757	1	RMS	1756	-22.41	-13	Pass	2
1757	1765	1	RMS	1757.02	-24.84	-13	Pass	401



11.15. LTE Band Edge(NTNV)(Subtest:15, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.768	19.27	30	Pass	401
1755	1756	0.03	RMS	1755	-18.95	-13	Pass	401
1756	1757	1	RMS	1756	-33.82	-13	Pass	2
1757	1765	1	RMS	1757.04	-39.34	-13	Pass	401




11.16. LTE Band Edge(NTNV)(Subtest:16, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.43	7.16	30	Pass	401
1755	1756	0.03	RMS	1755	-28.12	-13	Pass	401
1756	1757	1	RMS	1756	-24	-13	Pass	2
1757	1765	1	RMS	1757	-27.11	-13	Pass	401




11.17. LTE Band Edge(NTNV)(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.87	-13	Pass	401
1708	1709	1	RMS	1709	-39.32	-13	Pass	2
1709	1710	0.051	RMS	1710	-21.75	-13	Pass	401
1710	1715	0.1	RMS	1710.325	20.84	30	Pass	401




11.18. LTE Band Edge(NTNV)(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-26.09	-13	Pass	401
1708	1709	1	RMS	1709	-25.34	-13	Pass	2
1709	1710	0.051	RMS	1710	-29.53	-13	Pass	401
1710	1715	0.1	RMS	1714.338	6.81	30	Pass	401




11.19. LTE Band Edge(NTNV)(Subtest:19, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-40.99	-13	Pass	401
1708	1709	1	RMS	1709	-36.17	-13	Pass	2
1709	1710	0.051	RMS	1710	-21.71	-13	Pass	401
1710	1715	0.1	RMS	1710.338	20.07	30	Pass	401




11.20. LTE Band Edge(NTNV)(Subtest:20, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.88	-30.79	-13	Pass	401
1708	1709	1	RMS	1709	-27.98	-13	Pass	2
1709	1710	0.051	RMS	1710	-30.85	-13	Pass	401
1710	1715	0.1	RMS	1713.325	5.84	30	Pass	401




11.21. LTE Band Edge(NTNV)(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.65	20.31	30	Pass	401
1755	1756	0.051	RMS	1755	-22.24	-13	Pass	401
1756	1757	1	RMS	1756	-37.67	-13	Pass	2
1757	1765	1	RMS	1758.74	-37.42	-13	Pass	401




11.22. LTE Band Edge(NTNV)(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.625	5.8	30	Pass	401
1755	1756	0.051	RMS	1755	-30.14	-13	Pass	401
1756	1757	1	RMS	1756	-25.37	-13	Pass	2
1757	1765	1	RMS	1757	-26.37	-13	Pass	9




11.23. LTE Band Edge(NTNV)(Subtest:23, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.663	19.39	30	Pass	401
1755	1756	0.051	RMS	1755.003	-22.47	-13	Pass	401
1756	1757	1	RMS	1756	-35.75	-13	Pass	2
1757	1765	1	RMS	1758.9	-40.79	-13	Pass	401




11.24. LTE Band Edge(NTNV)(Subtest:24, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.25	4.87	30	Pass	401
1755	1756	0.051	RMS	1755.003	-31.07	-13	Pass	401
1756	1757	1	RMS	1756	-27.47	-13	Pass	2
1757	1765	1	RMS	1757	-29.01	-13	Pass	9




11.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1701.76	-39.85	-13	Pass	401
1708	1709	1	RMS	1709	-40.49	-13	Pass	2
1709	1710	0.1	RMS	1710	-32.43	-13	Pass	401
1710	1720	0.1	RMS	1710.6	20.76	30	Pass	401




11.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.56	-13	Pass	401
1708	1709	1	RMS	1709	-24.15	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-29.38	-13	Pass	401
1710	1720	0.1	RMS	1719.35	3.93	30	Pass	401




11.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1701.8	-43.38	-13	Pass	401
1708	1709	1	RMS	1709	-38.44	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-31.42	-13	Pass	401
1710	1720	0.1	RMS	1710.6	19.62	30	Pass	401




11.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-27.5	-13	Pass	401
1708	1709	1	RMS	1709	-26.1	-13	Pass	2
1709	1710	0.1	RMS	1709.993	-31.54	-13	Pass	401
1710	1720	0.1	RMS	1719.05	2.96	30	Pass	401




11.29. LTE Band Edge(NTNV)(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	20.65	30	Pass	401
1755	1756	0.1	RMS	1755	-30.86	-13	Pass	401
1756	1757	1	RMS	1756	-39.39	-13	Pass	2
1757	1765	1	RMS	1763.24	-37.55	-13	Pass	401




11.30. LTE Band Edge(NTNV)(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1752.6	3.25	30	Pass	401
1755	1756	0.1	RMS	1755.005	-31.78	-13	Pass	401
1756	1757	1	RMS	1756	-25.4	-13	Pass	2
1757	1765	1	RMS	1757.02	-26.21	-13	Pass	401




11.31. LTE Band Edge(NTNV)(Subtest:31, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	19.44	30	Pass	401
1755	1756	0.1	RMS	1755	-31.99	-13	Pass	401
1756	1757	1	RMS	1756	-38.3	-13	Pass	2
1757	1765	1	RMS	1763.22	-40.57	-13	Pass	401




11.32. LTE Band Edge(NTNV)(Subtest:32, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1753.825	2.53	30	Pass	401
1755	1756	0.1	RMS	1755	-32.58	-13	Pass	401
1756	1757	1	RMS	1756	-27.01	-13	Pass	2
1757	1765	1	RMS	1757.02	-28	-13	Pass	401




11.33. LTE Band Edge(NTNV)(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1702.18	-42.57	-13	Pass	401
1708	1709	1	RMS	1709	-41.42	-13	Pass	2
1709	1710	0.15	RMS	1710	-31.64	-13	Pass	401
1710	1725	0.1	RMS	1710.825	20.3	30	Pass	401




11.34. LTE Band Edge(NTNV)(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-24.48	-13	Pass	401
1708	1709	1	RMS	1709	-23.6	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-29.26	-13	Pass	401
1710	1725	0.1	RMS	1721.4	1.94	30	Pass	401




11.35. LTE Band Edge(NTNV)(Subtest:35, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-44.06	-13	Pass	401
1708	1709	1	RMS	1709	-40.06	-13	Pass	2
1709	1710	0.15	RMS	1710	-31.17	-13	Pass	401
1710	1725	0.1	RMS	1710.825	19.36	30	Pass	401




11.36. LTE Band Edge(NTNV)(Subtest:36, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-26.72	-13	Pass	401
1708	1709	1	RMS	1709	-26	-13	Pass	2
1709	1710	0.15	RMS	1709.975	-31.93	-13	Pass	401
1710	1725	0.1	RMS	1722.413	1.06	30	Pass	401




11.37. LTE Band Edge(NTNV)(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.138	20.68	30	Pass	401
1755	1756	0.15	RMS	1755	-30	-13	Pass	401
1756	1757	1	RMS	1756	-39.96	-13	Pass	2
1757	1765	1	RMS	1760.56	-39.22	-13	Pass	401




11.38. LTE Band Edge(NTNV)(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1751.363	1.99	30	Pass	401
1755	1756	0.15	RMS	1755	-31.21	-13	Pass	401
1756	1757	1	RMS	1756	-24.82	-13	Pass	2
1757	1765	1	RMS	1757.02	-25.84	-13	Pass	401




11.39. LTE Band Edge(NTNV)(Subtest:39, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	19.75	30	Pass	401
1755	1756	0.15	RMS	1755	-31.03	-13	Pass	401
1756	1757	1	RMS	1756	-40.77	-13	Pass	2
1757	1765	1	RMS	1760.5	-39.51	-13	Pass	401




11.40. LTE Band Edge(NTNV)(Subtest:40, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1752.825	1.19	30	Pass	401
1755	1756	0.15	RMS	1755.003	-32.69	-13	Pass	401
1756	1757	1	RMS	1756	-26.61	-13	Pass	2
1757	1765	1	RMS	1757	-26.88	-13	Pass	401




11.41. LTE Band Edge(NTNV)(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1700.04	-42.38	-13	Pass	401
1708	1709	1	RMS	1709	-41.6	-13	Pass	2
1709	1710	0.2	RMS	1710	-32.89	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.36	30	Pass	401




11.42. LTE Band Edge(NTNV)(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.92	-25.88	-13	Pass	401
1708	1709	1	RMS	1709	-25.41	-13	Pass	2
1709	1710	0.2	RMS	1709.958	-29.09	-13	Pass	401
1710	1730	0.1	RMS	1722.8	0.57	30	Pass	401




11.43. LTE Band Edge(NTNV)(Subtest:43, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.72	-13	Pass	401
1708	1709	1	RMS	1709	-41.09	-13	Pass	2
1709	1710	0.2	RMS	1710	-31.56	-13	Pass	401
1710	1730	0.1	RMS	1711.1	19.9	30	Pass	401




11.44. LTE Band Edge(NTNV)(Subtest:44, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-28.57	-13	Pass	401
1708	1709	1	RMS	1709	-27.84	-13	Pass	2
1709	1710	0.2	RMS	1709.978	-32.18	-13	Pass	401
1710	1730	0.1	RMS	1722.95	-0.3	30	Pass	401




11.45. LTE Band Edge(NTNV)(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	20.72	30	Pass	401
1755	1756	0.2	RMS	1755	-30.24	-13	Pass	401
1756	1757	1	RMS	1756	-38.98	-13	Pass	2
1757	1765	1	RMS	1760.24	-38.38	-13	Pass	401




11.46. LTE Band Edge(NTNV)(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.45	0.89	30	Pass	401
1755	1756	0.2	RMS	1755.02	-31.56	-13	Pass	401
1756	1757	1	RMS	1756	-26.22	-13	Pass	2
1757	1765	1	RMS	1757	-28.04	-13	Pass	401




11.47. LTE Band Edge(NTNV)(Subtest:47, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	19.7	30	Pass	401
1755	1756	0.2	RMS	1755.003	-30.71	-13	Pass	401
1756	1757	1	RMS	1756	-40.26	-13	Pass	2
1757	1765	1	RMS	1760.24	-39.03	-13	Pass	401



11.48. LTE Band Edge(NTNV)(Subtest:48, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1752.6	-0.12	30	Pass	401
1755	1756	0.2	RMS	1755.015	-33.4	-13	Pass	401
1756	1757	1	RMS	1756	-28.41	-13	Pass	2
1757	1765	1	RMS	1757.22	-30.24	-13	Pass	401



12. LTE_Band5


12.1. LTE Band Edge(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-51.65	-13	Pass	401
823	824	0.02	RMS	824	-36.84	-13	Pass	401
824	826	0.1	RMS	824.255	21.09	30	Pass	401




12.2. LTE Band Edge(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.3	-44.2	-13	Pass	401
823	824	0.02	RMS	824	-40.87	-13	Pass	401
824	826	0.1	RMS	824.43	12.76	30	Pass	401




12.3. LTE Band Edge(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-53.07	-13	Pass	401
823	824	0.02	RMS	824	-38.28	-13	Pass	401
824	826	0.1	RMS	824.245	20.23	30	Pass	401




12.4. LTE Band Edge(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-43.32	-13	Pass	401
823	824	0.02	RMS	823.923	-40.45	-13	Pass	401
824	826	0.1	RMS	824.58	11.76	30	Pass	401




12.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	21.04	30	Pass	401
849	850	0.02	RMS	849	-35.69	-13	Pass	401
850	860	0.1	RMS	850.6	-52.43	-13	Pass	401




12.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.885	12.81	30	Pass	401
849	850	0.02	RMS	849.038	-39.02	-13	Pass	401
850	860	0.1	RMS	850	-44.78	-13	Pass	401




12.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	20.11	30	Pass	401
849	850	0.02	RMS	849.003	-36.9	-13	Pass	401
850	860	0.1	RMS	850	-53.28	-13	Pass	401




12.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.335	11.61	30	Pass	401
849	850	0.02	RMS	849	-41.84	-13	Pass	401
850	860	0.1	RMS	850	-43	-13	Pass	401




12.9. LTE Band Edge(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-39.95	-13	Pass	401
823	824	0.02	RMS	824	-22	-13	Pass	51
824	827	0.1	RMS	824.24	21.29	30	Pass	401




12.10. LTE Band Edge(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-37.57	-13	Pass	401
823	824	0.03	RMS	824	-27.34	-13	Pass	401
824	827	0.1	RMS	826.325	8.92	30	Pass	401




12.11. LTE Band Edge(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-41.11	-13	Pass	401
823	824	0.02	RMS	824	-24.64	-13	Pass	51
824	827	0.1	RMS	824.24	20.44	30	Pass	401




12.12. LTE Band Edge(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-40.32	-13	Pass	401
823	824	0.03	RMS	824	-27.76	-13	Pass	401
824	827	0.1	RMS	824.675	8.02	30	Pass	401




12.13. LTE Band Edge(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	21.21	30	Pass	401
849	850	0.03	RMS	849	-20.16	-13	Pass	35
850	860	0.1	RMS	851.25	-43.79	-13	Pass	401




12.14. LTE Band Edge(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.623	9	30	Pass	401
849	850	0.03	RMS	849	-28.72	-13	Pass	401
850	860	0.1	RMS	850	-41.69	-13	Pass	401




12.15. LTE Band Edge(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	20.4	30	Pass	401
849	850	0.03	RMS	849	-22.82	-13	Pass	35
850	860	0.1	RMS	851.3	-44.06	-13	Pass	401




12.16. LTE Band Edge(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.208	7.95	30	Pass	401
849	850	0.03	RMS	849	-30.2	-13	Pass	401
850	860	0.1	RMS	850	-43.24	-13	Pass	401




12.17. LTE Band Edge(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.18	-39.06	-13	Pass	401
823	824	0.051	RMS	824	-23.13	-13	Pass	401
824	829	0.1	RMS	824.325	21.11	30	Pass	401




12.18. LTE Band Edge(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-30.26	-13	Pass	401
823	824	0.051	RMS	824	-28.68	-13	Pass	401
824	829	0.1	RMS	828.3	6.86	30	Pass	401




12.19. LTE Band Edge(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.16	-39.62	-13	Pass	401
823	824	0.051	RMS	824	-24.86	-13	Pass	401
824	829	0.1	RMS	824.363	20.49	30	Pass	401




12.20. LTE Band Edge(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-34.47	-13	Pass	401
823	824	0.051	RMS	824	-30.59	-13	Pass	401
824	829	0.1	RMS	827.788	5.76	30	Pass	401




12.21. LTE Band Edge(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.95	30	Pass	401
849	850	0.051	RMS	849	-22.64	-13	Pass	401
850	860	0.1	RMS	850	-51.34	-13	Pass	401




12.22. LTE Band Edge(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.675	7.01	30	Pass	401
849	850	0.051	RMS	849	-28.65	-13	Pass	401
850	860	0.1	RMS	850.1	-31.63	-13	Pass	401




12.23. LTE Band Edge(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.675	20.28	30	Pass	401
849	850	0.051	RMS	849	-24.68	-13	Pass	401
850	860	0.1	RMS	850	-49.98	-13	Pass	401




12.24. LTE Band Edge(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.688	5.96	30	Pass	401
849	850	0.051	RMS	849	-31.32	-13	Pass	401
850	860	0.1	RMS	850.1	-35.46	-13	Pass	401




12.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-54.02	-13	Pass	401
823	824	0.1	RMS	824	-32.44	-13	Pass	401
824	834	0.1	RMS	824.6	21.06	30	Pass	401




12.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-27.09	-13	Pass	401
823	824	0.1	RMS	823.995	-25.12	-13	Pass	401
824	834	0.1	RMS	828.275	3.91	30	Pass	401




12.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.51	-13	Pass	401
823	824	0.1	RMS	823.995	-31.22	-13	Pass	401
824	834	0.1	RMS	824.6	20.51	30	Pass	401




12.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-28.6	-13	Pass	401
823	824	0.1	RMS	824	-27.17	-13	Pass	401
824	834	0.1	RMS	830.625	2.98	30	Pass	401




12.29. LTE Band Edge(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	21.21	30	Pass	401
849	850	0.1	RMS	849	-32.82	-13	Pass	401
850	860	0.1	RMS	850	-55.05	-13	Pass	401




12.30. LTE Band Edge(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.5	4	30	Pass	401
849	850	0.1	RMS	849.008	-27.76	-13	Pass	401
850	860	0.1	RMS	850.175	-31.32	-13	Pass	401




12.31. LTE Band Edge(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	19	30	Pass	401
849	850	0.1	RMS	849.003	-32.96	-13	Pass	401
850	860	0.1	RMS	850	-52.06	-13	Pass	401



12.32. LTE Band Edge(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.525	2.96	30	Pass	401
849	850	0.1	RMS	849.008	-27.25	-13	Pass	401
850	860	0.1	RMS	850.175	-29.84	-13	Pass	401



13. LTE_Band7


13.1. LTE Band Edge(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-49.28	-25	Pass	401
2494	2496	1	RMS	2496	-46.41	-13	Pass	401
2496	2499	1	RMS	2499	-33.53	-10	Pass	4
2499	2500	0.1	RMS	2500	-18	-10	Pass	401
2500	2505	0.1	RMS	2500.338	20.85	30	Pass	401




13.2. LTE Band Edge(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-35.86	-25	Pass	401
2494	2496	1	RMS	2495.955	-30.69	-13	Pass	401
2496	2499	1	RMS	2499	-27.01	-10	Pass	4
2499	2500	0.1	RMS	2500	-26.96	-10	Pass	401
2500	2505	0.1	RMS	2501.663	6.63	30	Pass	401




13.3. LTE Band Edge(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-49.35	-25	Pass	401
2494	2496	1	RMS	2495.985	-45.68	-13	Pass	401
2496	2499	1	RMS	2499	-33.41	-10	Pass	4
2499	2500	0.1	RMS	2500	-18.09	-10	Pass	401
2500	2505	0.1	RMS	2500.35	20.16	30	Pass	401




13.4. LTE Band Edge(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-38.4	-25	Pass	401
2494	2496	1	RMS	2495.985	-33.97	-13	Pass	401
2496	2499	1	RMS	2499	-29.45	-10	Pass	4
2499	2500	0.1	RMS	2500	-28.24	-10	Pass	401
2500	2505	0.1	RMS	2503.325	5.65	30	Pass	401




13.5. LTE Band Edge(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.663	21.51	30	Pass	401
2570	2571	0.1	RMS	2570	-17.47	-10	Pass	401
2571	2575	1	RMS	2571	-28.52	-10	Pass	5
2575	2576	1	RMS	2575.183	-45.89	-13	Pass	401
2576	2595	1	RMS	2576	-48.09	-25	Pass	401




13.6. LTE Band Edge(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2566.863	7.12	30	Pass	401
2570	2571	0.1	RMS	2570	-26.4	-10	Pass	401
2571	2575	1	RMS	2571	-25.47	-10	Pass	5
2575	2576	1	RMS	2575.028	-33.9	-13	Pass	401
2576	2595	1	RMS	2576.095	-36.43	-25	Pass	401



13.7. LTE Band Edge(NTNV)(Subtest:7, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.638	20.85	30	Pass	401
2570	2571	0.1	RMS	2570.003	-17.22	-10	Pass	401
2571	2575	1	RMS	2571	-29.12	-10	Pass	5
2575	2576	1	RMS	2575.335	-45.93	-13	Pass	401
2576	2595	1	RMS	2576	-47.92	-25	Pass	401




13.8. LTE Band Edge(NTNV)(Subtest:8, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.238	6.07	30	Pass	401
2570	2571	0.1	RMS	2570	-27.31	-10	Pass	401
2571	2575	1	RMS	2571	-26.57	-10	Pass	5
2575	2576	1	RMS	2575	-34.19	-13	Pass	401
2576	2595	1	RMS	2576.048	-36.1	-25	Pass	401




13.9. LTE Band Edge(NTNV)(Subtest:9, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-50.05	-25	Pass	401
2490	2496	1	RMS	2494.905	-48.44	-13	Pass	401
2496	2499	1	RMS	2499	-37.32	-10	Pass	4
2499	2500	0.2	RMS	2499.993	-16.84	-10	Pass	401
2500	2510	0.1	RMS	2500.575	21.04	30	Pass	401




13.10. LTE Band Edge(NTNV)(Subtest:10, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-40.79	-25	Pass	401
2490	2496	1	RMS	2496	-32.11	-13	Pass	401
2496	2499	1	RMS	2499	-29.73	-10	Pass	4
2499	2500	0.2	RMS	2500	-29.75	-10	Pass	401
2500	2510	0.1	RMS	2509.35	3.89	30	Pass	401




13.11. LTE Band Edge(NTNV)(Subtest:11, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-50.31	-25	Pass	401
2490	2496	1	RMS	2494.32	-46.21	-13	Pass	401
2496	2499	1	RMS	2499	-36.16	-10	Pass	4
2499	2500	0.2	RMS	2500	-18.08	-10	Pass	401
2500	2510	0.1	RMS	2500.6	20.27	30	Pass	401




13.12. LTE Band Edge(NTNV)(Subtest:12, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-43.51	-25	Pass	401
2490	2496	1	RMS	2495.79	-33.41	-13	Pass	401
2496	2499	1	RMS	2499	-32.56	-10	Pass	4
2499	2500	0.2	RMS	2500	-31.95	-10	Pass	401
2500	2510	0.1	RMS	2508.35	2.82	30	Pass	401




13.13. LTE Band Edge(NTNV)(Subtest:13, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	21.46	30	Pass	401
2570	2571	0.2	RMS	2570	-16.62	-10	Pass	401
2571	2575	1	RMS	2571	-32.13	-10	Pass	5
2575	2580	1	RMS	2575.013	-46.99	-13	Pass	401
2580	2595	1	RMS	2580	-50.65	-25	Pass	401




13.14. LTE Band Edge(NTNV)(Subtest:14, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2567.575	4.08	30	Pass	401
2570	2571	0.2	RMS	2570.003	-29.59	-10	Pass	401
2571	2575	1	RMS	2571	-27.76	-10	Pass	5
2575	2580	1	RMS	2576.1	-31.9	-13	Pass	401
2580	2595	1	RMS	2580	-38.55	-25	Pass	401




13.15. LTE Band Edge(NTNV)(Subtest:15, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	20.5	30	Pass	401
2570	2571	0.2	RMS	2570.008	-18.11	-10	Pass	401
2571	2575	1	RMS	2571	-33.04	-10	Pass	5
2575	2580	1	RMS	2575.413	-45.52	-13	Pass	401
2580	2595	1	RMS	2580.3	-50.83	-25	Pass	401




13.16. LTE Band Edge(NTNV)(Subtest:16, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2567.575	3.05	30	Pass	401
2570	2571	0.2	RMS	2570	-30.89	-10	Pass	401
2571	2575	1	RMS	2571	-29	-10	Pass	5
2575	2580	1	RMS	2575.225	-30.81	-13	Pass	401
2580	2595	1	RMS	2580.113	-37.86	-25	Pass	401




13.17. LTE Band Edge(NTNV)(Subtest:17, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-50.35	-25	Pass	401
2490	2496	1	RMS	2495.355	-46.69	-13	Pass	401
2496	2499	1	RMS	2499	-41	-10	Pass	4
2499	2500	0.3	RMS	2500	-21.05	-10	Pass	401
2500	2515	0.1	RMS	2500.825	20.71	30	Pass	401




13.18. LTE Band Edge(NTNV)(Subtest:18, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-39.56	-25	Pass	401
2490	2496	1	RMS	2495.91	-33.53	-13	Pass	401
2496	2499	1	RMS	2499	-30.72	-10	Pass	4
2499	2500	0.3	RMS	2500	-30.58	-10	Pass	401
2500	2515	0.1	RMS	2513.163	2.08	30	Pass	401




13.19. LTE Band Edge(NTNV)(Subtest:19, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-50.53	-25	Pass	401
2490	2496	1	RMS	2495.16	-47.03	-13	Pass	401
2496	2499	1	RMS	2499	-39.65	-10	Pass	4
2499	2500	0.3	RMS	2499.998	-21.93	-10	Pass	401
2500	2515	0.1	RMS	2500.825	19.94	30	Pass	401




13.20. LTE Band Edge(NTNV)(Subtest:20, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-42.1	-25	Pass	401
2490	2496	1	RMS	2495.925	-35.67	-13	Pass	401
2496	2499	1	RMS	2499	-33.3	-10	Pass	4
2499	2500	0.3	RMS	2500	-33.21	-10	Pass	401
2500	2515	0.1	RMS	2513.2	1.17	30	Pass	401




13.21. LTE Band Edge(NTNV)(Subtest:21, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	21.27	30	Pass	401
2570	2571	0.3	RMS	2570	-20.64	-10	Pass	401
2571	2575	1	RMS	2571	-39	-10	Pass	5
2575	2585	1	RMS	2575	-44.88	-13	Pass	401
2585	2595	1	RMS	2585.075	-51.57	-25	Pass	401




13.22. LTE Band Edge(NTNV)(Subtest:22, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2566.363	2.18	30	Pass	401
2570	2571	0.3	RMS	2570	-29.95	-10	Pass	401
2571	2575	1	RMS	2572	-28.5	-10	Pass	5
2575	2585	1	RMS	2575	-33.98	-13	Pass	401
2585	2595	1	RMS	2585.1	-41.86	-25	Pass	401




13.23. LTE Band Edge(NTNV)(Subtest:23, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	20.32	30	Pass	401
2570	2571	0.3	RMS	2570.008	-21.64	-10	Pass	401
2571	2575	1	RMS	2571	-39.17	-10	Pass	5
2575	2585	1	RMS	2575	-44.32	-13	Pass	401
2585	2595	1	RMS	2585.35	-51.65	-25	Pass	401




13.24. LTE Band Edge(NTNV)(Subtest:24, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2557.25	1.22	30	Pass	401
2570	2571	0.3	RMS	2570.003	-31.82	-10	Pass	401
2571	2575	1	RMS	2572	-30.47	-10	Pass	5
2575	2585	1	RMS	2575.1	-34.26	-13	Pass	401
2585	2595	1	RMS	2585	-41.63	-25	Pass	401




13.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-50.69	-25	Pass	401
2490	2496	1	RMS	2495.565	-46.32	-13	Pass	401
2496	2499	1	RMS	2499	-42.74	-10	Pass	4
2499	2500	0.51	RMS	2500	-20.98	-10	Pass	401
2500	2520	0.1	RMS	2501.1	20.76	30	Pass	401




13.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-37.19	-25	Pass	401
2490	2496	1	RMS	2496	-32.19	-13	Pass	401
2496	2499	1	RMS	2499	-29.16	-10	Pass	4
2499	2500	0.51	RMS	2500	-28.75	-10	Pass	401
2500	2520	0.1	RMS	2517.4	0.89	30	Pass	401




13.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-49.19	-25	Pass	401
2490	2496	1	RMS	2495.49	-46.59	-13	Pass	401
2496	2499	1	RMS	2499	-42.08	-10	Pass	4
2499	2500	0.51	RMS	2499.995	-21.17	-10	Pass	401
2500	2520	0.1	RMS	2501.1	20.04	30	Pass	401




13.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-39.08	-25	Pass	401
2490	2496	1	RMS	2495.91	-34.07	-13	Pass	401
2496	2499	1	RMS	2499	-31.09	-10	Pass	4
2499	2500	0.51	RMS	2499.998	-30.43	-10	Pass	401
2500	2520	0.1	RMS	2517	-0.15	30	Pass	401




13.29. LTE Band Edge(NTNV)(Subtest:29, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	21.14	30	Pass	401
2570	2571	0.51	RMS	2570.003	-20.34	-10	Pass	401
2571	2575	1	RMS	2571	-41.73	-10	Pass	5
2575	2590	1	RMS	2575	-45.58	-13	Pass	401
2590	2595	1	RMS	2593.838	-51.84	-25	Pass	401




13.30. LTE Band Edge(NTNV)(Subtest:30, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2556.35	0.89	30	Pass	401
2570	2571	0.51	RMS	2570.005	-28.22	-10	Pass	401
2571	2575	1	RMS	2571	-27.14	-10	Pass	5
2575	2590	1	RMS	2575	-30.95	-13	Pass	401
2590	2595	1	RMS	2590	-50.21	-25	Pass	401




13.31. LTE Band Edge(NTNV)(Subtest:31, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	20.26	30	Pass	401
2570	2571	0.51	RMS	2570	-20.63	-10	Pass	401
2571	2575	1	RMS	2571	-40.95	-10	Pass	5
2575	2590	1	RMS	2575	-45.97	-13	Pass	401
2590	2595	1	RMS	2594.125	-51.83	-25	Pass	401



13.32. LTE Band Edge(NTNV)(Subtest:32, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2554.65	-0.11	30	Pass	401
2570	2571	0.51	RMS	2570.005	-30.08	-10	Pass	401
2571	2575	1	RMS	2571	-29.87	-10	Pass	5
2575	2590	1	RMS	2575	-32.76	-13	Pass	401
2590	2595	1	RMS	2590.038	-50.05	-25	Pass	401



14. LTE_Band12


14.1. LTE Band Edge(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-35.27	-13	Pass	401
698.9	699	0.03	RMS	699	-31.36	-13	Pass	401
699	701	0.1	RMS	699.255	21.17	30	Pass	401




14.2. LTE Band Edge(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-36.87	-13	Pass	401
698.9	699	0.03	RMS	698.999	-40.51	-13	Pass	401
699	701	0.1	RMS	700.105	12.67	30	Pass	401




14.3. LTE Band Edge(NTNV)(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-33.16	-13	Pass	401
698.9	699	0.03	RMS	698.998	-35.05	-13	Pass	401
699	701	0.1	RMS	699.255	20.19	30	Pass	401



14.4. LTE Band Edge(NTNV)(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-36.8	-13	Pass	401
698.9	699	0.03	RMS	698.997	-40.32	-13	Pass	401
699	701	0.1	RMS	700.125	11.82	30	Pass	401




14.5. LTE Band Edge(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.76	20.94	30	Pass	401
716	716.1	0.03	RMS	716	-35.91	-13	Pass	401
716.1	725	0.1	RMS	716.1	-35.15	-13	Pass	401




14.6. LTE Band Edge(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	714.9	12.56	30	Pass	401
716	716.1	0.03	RMS	716.003	-38.55	-13	Pass	401
716.1	725	0.1	RMS	716.1	-34.49	-13	Pass	401



14.7. LTE Band Edge(NTNV)(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.755	20.01	30	Pass	401
716	716.1	0.03	RMS	716	-35.73	-13	Pass	401
716.1	725	0.1	RMS	716.1	-34.98	-13	Pass	401




14.8. LTE Band Edge(NTNV)(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.105	11.65	30	Pass	401
716	716.1	0.03	RMS	716.002	-39.87	-13	Pass	401
716.1	725	0.1	RMS	716.278	-35.63	-13	Pass	401




14.9. LTE Band Edge(NTNV)(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-23.76	-13	Pass	401
698.9	699	0.03	RMS	699	-19.42	-13	Pass	401
699	702	0.1	RMS	699.225	20.97	30	Pass	401




14.10. LTE Band Edge(NTNV)(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-28.49	-13	Pass	401
698.9	699	0.03	RMS	698.999	-26.97	-13	Pass	401
699	702	0.1	RMS	701.708	8.98	30	Pass	401




14.11. LTE Band Edge(NTNV)(Subtest:11, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.06	-13	Pass	401
698.9	699	0.03	RMS	699	-22.16	-13	Pass	401
699	702	0.1	RMS	699.255	20.06	30	Pass	401




14.12. LTE Band Edge(NTNV)(Subtest:12, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.07	-13	Pass	401
698.9	699	0.03	RMS	699	-28.62	-13	Pass	401
699	702	0.1	RMS	701.378	8.1	30	Pass	401




14.13. LTE Band Edge(NTNV)(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.753	20.75	30	Pass	401
716	716.1	0.03	RMS	716	-20.62	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.03	-13	Pass	401




14.14. LTE Band Edge(NTNV)(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	714.088	8.93	30	Pass	401
716	716.1	0.03	RMS	716.001	-29	-13	Pass	401
716.1	725	0.1	RMS	716.1	-30.56	-13	Pass	401




14.15. LTE Band Edge(NTNV)(Subtest:15, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.753	20.12	30	Pass	401
716	716.1	0.03	RMS	716	-22.68	-13	Pass	5
716.1	725	0.1	RMS	716.1	-28.28	-13	Pass	401




14.16. LTE Band Edge(NTNV)(Subtest:16, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	713.66	7.86	30	Pass	401
716	716.1	0.03	RMS	716.001	-29.12	-13	Pass	401
716.1	725	0.1	RMS	716.1	-31.59	-13	Pass	401




14.17. LTE Band Edge(NTNV)(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.74	-13	Pass	401
698.9	699	0.03	RMS	699	-25.9	-13	Pass	401
699	704	0.1	RMS	699.35	20.88	30	Pass	401




14.18. LTE Band Edge(NTNV)(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.51	-13	Pass	401
698.9	699	0.03	RMS	698.999	-32.09	-13	Pass	401
699	704	0.1	RMS	702.35	6.74	30	Pass	401




14.19. LTE Band Edge(NTNV)(Subtest:19, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-32.33	-13	Pass	401
698.9	699	0.03	RMS	698.998	-27.67	-13	Pass	401
699	704	0.1	RMS	699.363	20.25	30	Pass	401




14.20. LTE Band Edge(NTNV)(Subtest:20, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.789	-31.17	-13	Pass	401
698.9	699	0.03	RMS	699	-32.58	-13	Pass	401
699	704	0.1	RMS	702.325	5.84	30	Pass	401




14.21. LTE Band Edge(NTNV)(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.97	30	Pass	401
716	716.1	0.03	RMS	716	-26.68	-13	Pass	401
716.1	725	0.1	RMS	716.1	-31.32	-13	Pass	401




14.22. LTE Band Edge(NTNV)(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	712.875	6.59	30	Pass	401
716	716.1	0.03	RMS	716.001	-34.23	-13	Pass	401
716.1	725	0.1	RMS	716.1	-36.08	-13	Pass	401




14.23. LTE Band Edge(NTNV)(Subtest:23, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.16	30	Pass	401
716	716.1	0.03	RMS	716	-27.93	-13	Pass	401
716.1	725	0.1	RMS	716.1	-32.81	-13	Pass	401




14.24. LTE Band Edge(NTNV)(Subtest:24, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	713.275	5.6	30	Pass	401
716	716.1	0.03	RMS	716	-35.34	-13	Pass	401
716.1	725	0.1	RMS	716.1	-36.78	-13	Pass	401




14.25. LTE Band Edge(NTNV)(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-39.09	-13	Pass	90
698.9	699	0.03	RMS	699	-38.95	-13	Pass	401
699	709	0.1	RMS	699.575	21.17	30	Pass	401




14.26. LTE Band Edge(NTNV)(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-35.24	-13	Pass	401
698.9	699	0.03	RMS	699	-37.77	-13	Pass	401
699	709	0.1	RMS	703.275	3.97	30	Pass	401




14.27. LTE Band Edge(NTNV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-40.72	-13	Pass	401
698.9	699	0.03	RMS	698.999	-40.23	-13	Pass	401
699	709	0.1	RMS	699.6	20.53	30	Pass	401




14.28. LTE Band Edge(NTNV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-36.09	-13	Pass	401
698.9	699	0.03	RMS	698.999	-39.64	-13	Pass	401
699	709	0.1	RMS	702.825	2.94	30	Pass	401




14.29. LTE Band Edge(NTNV)(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	21.03	30	Pass	401
716	716.1	0.03	RMS	716.001	-38.06	-13	Pass	401
716.1	725	0.1	RMS	716.1	-38.7	-13	Pass	401




14.30. LTE Band Edge(NTNV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	712.35	3.66	30	Pass	401
716	716.1	0.03	RMS	716.026	-39.17	-13	Pass	401
716.1	725	0.1	RMS	716.1	-35.16	-13	Pass	401



14.31. LTE Band Edge(NTNV)(Subtest:31, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.08	30	Pass	401
716	716.1	0.03	RMS	716	-40.33	-13	Pass	401
716.1	725	0.1	RMS	716.1	-40.71	-13	Pass	401



14.32. LTE Band Edge(NTNV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	712.575	2.63	30	Pass	401
716	716.1	0.03	RMS	716.001	-40.37	-13	Pass	401
716.1	725	0.1	RMS	716.1	-36.81	-13	Pass	401



15. LTE_Band17


15.1. LTE Band Edge(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-31.64	-13	Pass	140
703.9	704	0.03	RMS	704	-25.71	-13	Pass	5
704	709	0.1	RMS	704.338	21	30	Pass	401




15.2. LTE Band Edge(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-31.07	-13	Pass	401
703.9	704	0.03	RMS	703.999	-31.82	-13	Pass	401
704	709	0.1	RMS	705.675	6.77	30	Pass	401




15.3. LTE Band Edge(NTNV)(Subtest:3, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-28.03	-13	Pass	401
703.9	704	0.03	RMS	704	-25.39	-13	Pass	401
704	709	0.1	RMS	704.338	20.24	30	Pass	401




15.4. LTE Band Edge(NTNV)(Subtest:4, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-32.63	-13	Pass	401
703.9	704	0.03	RMS	703.999	-33.06	-13	Pass	401
704	709	0.1	RMS	705.675	5.77	30	Pass	401




15.5. LTE Band Edge(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.94	30	Pass	401
716	716.1	0.03	RMS	716	-26.23	-13	Pass	401
716.1	725	0.1	RMS	716.1	-31.33	-13	Pass	401




15.6. LTE Band Edge(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	712.863	6.73	30	Pass	401
716	716.1	0.03	RMS	716.001	-33	-13	Pass	401
716.1	725	0.1	RMS	716.1	-32.95	-13	Pass	401




15.7. LTE Band Edge(NTNV)(Subtest:7, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.19	30	Pass	401
716	716.1	0.03	RMS	716.001	-25.76	-13	Pass	401
716.1	725	0.1	RMS	716.1	-28.39	-13	Pass	401




15.8. LTE Band Edge(NTNV)(Subtest:8, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	713.25	5.7	30	Pass	401
716	716.1	0.03	RMS	716	-34.48	-13	Pass	401
716.1	725	0.1	RMS	716.1	-35.02	-13	Pass	401




15.9. LTE Band Edge(NTNV)(Subtest:9, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-36.69	-13	Pass	401
703.9	704	0.03	RMS	703.997	-37.49	-13	Pass	401
704	714	0.1	RMS	704.575	21.03	30	Pass	401




15.10. LTE Band Edge(NTNV)(Subtest:10, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-33.7	-13	Pass	401
703.9	704	0.03	RMS	703.998	-37.16	-13	Pass	401
704	714	0.1	RMS	708.25	3.73	30	Pass	401




15.11. LTE Band Edge(NTNV)(Subtest:11, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-34.69	-13	Pass	401
703.9	704	0.03	RMS	703.999	-36.33	-13	Pass	401
704	714	0.1	RMS	704.6	20.42	30	Pass	401




15.12. LTE Band Edge(NTNV)(Subtest:12, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-35.37	-13	Pass	401
703.9	704	0.03	RMS	704	-39.15	-13	Pass	401
704	714	0.1	RMS	710.6	2.75	30	Pass	401



15.13. LTE Band Edge(NTNV)(Subtest:13, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.99	30	Pass	401
716	716.1	0.03	RMS	716.002	-38.6	-13	Pass	401
716.1	725	0.1	RMS	716.1	-39.16	-13	Pass	401




15.14. LTE Band Edge(NTNV)(Subtest:14, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	713.55	3.7	30	Pass	401
716	716.1	0.03	RMS	716.027	-37.89	-13	Pass	401
716.1	725	0.1	RMS	716.122	-33.77	-13	Pass	401




15.15. LTE Band Edge(NTNV)(Subtest:15, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	19.94	30	Pass	401
716	716.1	0.03	RMS	716.009	-38.33	-13	Pass	401
716.1	725	0.1	RMS	716.1	-37.49	-13	Pass	401



15.16. LTE Band Edge(NTNV)(Subtest:16, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	713.55	2.71	30	Pass	401
716	716.1	0.03	RMS	716.005	-38.9	-13	Pass	401
716.1	725	0.1	RMS	716.122	-35.44	-13	Pass	401



16. LTE_Band26(part22)


16.1. LTE Band Edge(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-52.74	-13	Pass	401
823	824	0.02	RMS	824	-38.96	-13	Pass	401
824	826	0.1	RMS	824.245	21.23	30	Pass	401




16.2. LTE Band Edge(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.32	-44.02	-13	Pass	401
823	824	0.02	RMS	823.998	-43.68	-13	Pass	401
824	826	0.1	RMS	824.275	12.78	30	Pass	401




16.3. LTE Band Edge(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-53.15	-13	Pass	401
823	824	0.02	RMS	824	-40.24	-13	Pass	401
824	826	0.1	RMS	824.265	20.15	30	Pass	401




16.4. LTE Band Edge(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.82	-43.54	-13	Pass	401
823	824	0.02	RMS	824	-45.02	-13	Pass	401
824	826	0.1	RMS	825.11	11.77	30	Pass	401




16.5. LTE Band Edge(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	21.1	30	Pass	401
849	850	0.02	RMS	849	-33.49	-13	Pass	401
850	860	0.1	RMS	850.575	-52.16	-13	Pass	401




16.6. LTE Band Edge(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.915	12.76	30	Pass	401
849	850	0.02	RMS	849.013	-35.84	-13	Pass	401
850	860	0.1	RMS	850.675	-44.73	-13	Pass	401




16.7. LTE Band Edge(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.765	20.16	30	Pass	401
849	850	0.02	RMS	849	-35.26	-13	Pass	401
850	860	0.1	RMS	850.55	-53.35	-13	Pass	401




16.8. LTE Band Edge(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.955	11.86	30	Pass	401
849	850	0.02	RMS	849.028	-37.68	-13	Pass	401
850	860	0.1	RMS	850.1	-43.53	-13	Pass	401




16.9. LTE Band Edge(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-52.06	-13	Pass	401
823	824	0.01	RMS	824	-25.16	-13	Pass	401
824	827	0.1	RMS	824.248	21.26	30	Pass	401




16.10. LTE Band Edge(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-39.9	-13	Pass	401
823	824	0.03	RMS	824	-26.92	-13	Pass	401
824	827	0.1	RMS	826.693	9.06	30	Pass	401




16.11. LTE Band Edge(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-52.5	-13	Pass	401
823	824	0.01	RMS	824	-26.78	-13	Pass	401
824	827	0.1	RMS	824.24	20.49	30	Pass	401




16.12. LTE Band Edge(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-42.27	-13	Pass	401
823	824	0.03	RMS	824	-28.7	-13	Pass	401
824	827	0.1	RMS	826.415	8.03	30	Pass	401




16.13. LTE Band Edge(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	21.19	30	Pass	401
849	850	0.01	RMS	849	-24.51	-13	Pass	401
850	860	0.1	RMS	850	-49.79	-13	Pass	401




16.14. LTE Band Edge(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.095	9.04	30	Pass	401
849	850	0.03	RMS	849	-29	-13	Pass	401
850	860	0.1	RMS	850.05	-36.65	-13	Pass	401




16.15. LTE Band Edge(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.783	20.27	30	Pass	401
849	850	0.03	RMS	849	-22.33	-13	Pass	401
850	860	0.1	RMS	850	-50.6	-13	Pass	401




16.16. LTE Band Edge(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.668	8.03	30	Pass	401
849	850	0.03	RMS	849	-29.07	-13	Pass	401
850	860	0.1	RMS	850	-37.91	-13	Pass	401




16.17. LTE Band Edge(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-52.56	-13	Pass	401
823	824	0.051	RMS	824	-23.28	-13	Pass	401
824	829	0.1	RMS	824.338	21.04	30	Pass	401




16.18. LTE Band Edge(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.84	-39.06	-13	Pass	401
823	824	0.051	RMS	824	-30.71	-13	Pass	401
824	829	0.1	RMS	827.338	6.79	30	Pass	401




16.19. LTE Band Edge(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-53.47	-13	Pass	401
823	824	0.051	RMS	824	-24.71	-13	Pass	401
824	829	0.1	RMS	824.35	20.38	30	Pass	401




16.20. LTE Band Edge(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-40.33	-13	Pass	401
823	824	0.051	RMS	824	-31.89	-13	Pass	401
824	829	0.1	RMS	827.338	5.9	30	Pass	401




16.21. LTE Band Edge(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	21.14	30	Pass	401
849	850	0.051	RMS	849	-23.27	-13	Pass	401
850	860	0.1	RMS	850	-51.6	-13	Pass	401




16.22. LTE Band Edge(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.713	6.88	30	Pass	401
849	850	0.051	RMS	849	-30.82	-13	Pass	401
850	860	0.1	RMS	850.2	-36.18	-13	Pass	401




16.23. LTE Band Edge(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.4	30	Pass	401
849	850	0.051	RMS	849	-24.69	-13	Pass	401
850	860	0.1	RMS	850	-52.11	-13	Pass	401




16.24. LTE Band Edge(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.625	5.91	30	Pass	401
849	850	0.051	RMS	849	-32.27	-13	Pass	401
850	860	0.1	RMS	850.2	-37.73	-13	Pass	401




16.25. LTE Band Edge(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-55.11	-13	Pass	401
823	824	0.1	RMS	824	-32.73	-13	Pass	401
824	834	0.1	RMS	824.575	21.26	30	Pass	401




16.26. LTE Band Edge(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.42	-37.41	-13	Pass	401
823	824	0.1	RMS	823.998	-33.82	-13	Pass	401
824	834	0.1	RMS	828.225	3.87	30	Pass	401




16.27. LTE Band Edge(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-55.55	-13	Pass	401
823	824	0.1	RMS	824	-33.89	-13	Pass	401
824	834	0.1	RMS	824.625	20.49	30	Pass	401




16.28. LTE Band Edge(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-39.55	-13	Pass	401
823	824	0.1	RMS	824	-35.87	-13	Pass	401
824	834	0.1	RMS	830.6	2.8	30	Pass	401



16.29. LTE Band Edge(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	21.15	30	Pass	401
849	850	0.1	RMS	849	-32.83	-13	Pass	401
850	860	0.1	RMS	850	-55.08	-13	Pass	401




16.30. LTE Band Edge(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.4	3.89	30	Pass	401
849	850	0.1	RMS	849	-30.92	-13	Pass	401
850	860	0.1	RMS	850	-33.06	-13	Pass	401




16.31. LTE Band Edge(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.13	30	Pass	401
849	850	0.1	RMS	849	-34.87	-13	Pass	401
850	860	0.1	RMS	850	-55.93	-13	Pass	401




16.32. LTE Band Edge(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.575	2.98	30	Pass	401
849	850	0.1	RMS	849.005	-33.15	-13	Pass	401
850	860	0.1	RMS	850.25	-35.66	-13	Pass	401




16.33. LTE Band Edge(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-56.01	-13	Pass	401
823	824	0.15	RMS	824	-30.62	-13	Pass	401
824	839	0.1	RMS	824.825	20.94	30	Pass	401




16.34. LTE Band Edge(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.34	-36.59	-13	Pass	401
823	824	0.15	RMS	823.998	-34.73	-13	Pass	401
824	839	0.1	RMS	828.538	1.94	30	Pass	401




16.35. LTE Band Edge(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-56.08	-13	Pass	401
823	824	0.15	RMS	824	-31.13	-13	Pass	401
824	839	0.1	RMS	824.863	20.03	30	Pass	401




16.36. LTE Band Edge(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	817.96	-38.3	-13	Pass	401
823	824	0.15	RMS	823.998	-36.62	-13	Pass	401
824	839	0.1	RMS	833.9	0.92	30	Pass	401




16.37. LTE Band Edge(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	21	30	Pass	401
849	850	0.15	RMS	849	-32.31	-13	Pass	401
850	860	0.1	RMS	850	-56.13	-13	Pass	401




16.38. LTE Band Edge(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	837.9	2.26	30	Pass	401
849	850	0.15	RMS	849.003	-29.14	-13	Pass	401
850	860	0.1	RMS	850.025	-32.6	-13	Pass	401




16.39. LTE Band Edge(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	20.05	30	Pass	401
849	850	0.15	RMS	849.005	-32.5	-13	Pass	401
850	860	0.1	RMS	850	-56.55	-13	Pass	401




16.40. LTE Band Edge(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	837.863	1.17	30	Pass	401
849	850	0.15	RMS	849.005	-31.7	-13	Pass	401
850	860	0.1	RMS	850.025	-34.92	-13	Pass	401




17. LTE_Band26(part90)

17.1. LTE Band Edge_in-band(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)




17.2. LTE Band Edge_in-band(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.015	RMS	813.985	-44.87	Pass	401




17.3. LTE Band Edge_in-band(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.943	-52.19	Pass	1000




17.4. LTE Band Edge_in-band(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)


Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.015	RMS	813.928	-44.94	Pass	401



17.5. LTE Band Edge_in-band(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




17.6. LTE Band Edge_in-band(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)




17.7. LTE Band Edge_in-band(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.014	-46.54	Pass	1000




17.8. LTE Band Edge_in-band(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)




17.9. LTE Band Edge_in-band(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.971	-30.5	Pass	1000




17.10. LTE Band Edge_in-band(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.03	RMS	813.985	-28.08	Pass	401




17.11. LTE Band Edge_in-band(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.972	-31.38	Pass	1000




17.12. LTE Band Edge_in-band(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.03	RMS	813.983	-29.89	Pass	401




17.13. LTE Band Edge_in-band(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.018	-31.43	Pass	1000




17.14. LTE Band Edge_in-band(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)




17.15. LTE Band Edge_in-band(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.028	-34.2	Pass	1000




17.16. LTE Band Edge_in-band(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)




17.17. LTE Band Edge_in-band(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.963	-46.86	Pass	1000




17.18. LTE Band Edge_in-band(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.051	RMS	813.97	-32.53	Pass	401




17.19. LTE Band Edge_in-band(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.975	-37.26	Pass	1000




17.20. LTE Band Edge_in-band(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



17.21. LTE Band Edge_in-band(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




17.22. LTE Band Edge_in-band(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)




17.23. LTE Band Edge_in-band(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.026	-40.08	Pass	1000




17.24. LTE Band Edge_in-band(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)




17.25. LTE Band Edge_in-band(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	2	0.002	RMS	813.982	-49.11	Pass	2000




17.26. LTE Band Edge_in-band(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	2	0.1	RMS	813.985	-32.48	Pass	401




17.27. LTE Band Edge_in-band(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	2	0.002	RMS	813.996	-44.45	Pass	2000




17.28. LTE Band Edge_in-band(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




17.29. LTE Band Edge_in-band(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	2	0.002	RMS	824.018	-47.76	Pass	2000




17.30. LTE Band Edge_in-band(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)




17.31. LTE Band Edge_in-band(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	2	0.002	RMS	824.031	-49.91	Pass	2000




17.32. LTE Band Edge_in-band(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)




18. LTE_Band26(part90)

18.1. LTE Band Edge_out-of-band(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-30.91	Pass	401




18.2. LTE Band Edge_out-of-band(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




18.3. LTE Band Edge_out-of-band(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)



18.4. LTE Band Edge_out-of-band(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)




18.5. LTE Band Edge_out-of-band(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




18.6. LTE Band Edge_out-of-band(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)


Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-36.38	Pass	401




18.7. LTE Band Edge_out-of-band(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)



18.8. LTE Band Edge_out-of-band(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)




18.9. LTE Band Edge_out-of-band(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)




18.10. LTE Band Edge_out-of-band(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-25.38	Pass	401




18.11. LTE Band Edge_out-of-band(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-18.6	Pass	401




18.12. LTE Band Edge_out-of-band(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)




18.13. LTE Band Edge_out-of-band(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)



18.14. LTE Band Edge_out-of-band(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)




18.15. LTE Band Edge_out-of-band(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)




18.16. LTE Band Edge_out-of-band(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-26.97	Pass	401




18.17. LTE Band Edge_out-of-band(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-24.27	Pass	401




18.18. LTE Band Edge_out-of-band(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-30.97	Pass	401




18.19. LTE Band Edge_out-of-band(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-22.7	Pass	401




18.20. LTE Band Edge_out-of-band(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-32.33	Pass	401




18.21. LTE Band Edge_out-of-band(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-25.27	Pass	401




18.22. LTE Band Edge_out-of-band(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)




18.23. LTE Band Edge_out-of-band(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-26.47	Pass	401




18.24. LTE Band Edge_out-of-band(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-31.23	Pass	401




18.25. LTE Band Edge_out-of-band(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




18.26. LTE Band Edge_out-of-band(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)


Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-33.4	Pass	401




18.27. LTE Band Edge_out-of-band(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




18.28. LTE Band Edge_out-of-band(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




18.29. LTE Band Edge_out-of-band(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




18.30. LTE Band Edge_out-of-band(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)



18.31. LTE Band Edge_out-of-band(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)




18.32. LTE Band Edge_out-of-band(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)



19. LTE_Band38


19.1. LTE Band Edge(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-39.13	-25	Pass	401
2564	2565	1	RMS	2564.99	-37.21	-13	Pass	401
2565	2569	1	RMS	2569	-25.44	-10	Pass	5
2569	2570	0.1	RMS	2570	-15.17	-10	Pass	401
2570	2575	0.1	RMS	2570.338	21.59	30	Pass	401




19.2. LTE Band Edge(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-34.46	-25	Pass	401
2564	2565	1	RMS	2564.978	-33.11	-13	Pass	401
2565	2569	1	RMS	2569	-25.03	-10	Pass	5
2569	2570	0.1	RMS	2570	-25.11	-10	Pass	401
2570	2575	0.1	RMS	2573.288	8.02	30	Pass	401




19.3. LTE Band Edge(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-37.89	-25	Pass	401
2564	2565	1	RMS	2565	-36.93	-13	Pass	2
2565	2569	1	RMS	2569	-24.23	-10	Pass	5
2569	2570	0.1	RMS	2570	-14.6	-10	Pass	401
2570	2575	0.1	RMS	2570.325	21.71	30	Pass	401




19.4. LTE Band Edge(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-32.1	-25	Pass	401
2564	2565	1	RMS	2564.998	-30.69	-13	Pass	401
2565	2569	1	RMS	2569	-22.6	-10	Pass	5
2569	2570	0.1	RMS	2570	-23.45	-10	Pass	401
2570	2575	0.1	RMS	2573.988	7.93	30	Pass	401




19.5. LTE Band Edge(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.638	21.06	30	Pass	401
2620	2621	0.1	RMS	2620	-16.1	-10	Pass	401
2621	2625	1	RMS	2621	-26.08	-10	Pass	5
2625	2626	1	RMS	2625	-38.25	-13	Pass	401
2626	2645	1	RMS	2626	-40.04	-25	Pass	401




19.6. LTE Band Edge(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.25	8.02	30	Pass	401
2620	2621	0.1	RMS	2620	-24.75	-10	Pass	401
2621	2625	1	RMS	2621	-25.19	-10	Pass	5
2625	2626	1	RMS	2625.018	-32.5	-13	Pass	401
2626	2645	1	RMS	2627.283	-33.44	-25	Pass	401




19.7. LTE Band Edge(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.675	21.45	30	Pass	401
2620	2621	0.1	RMS	2620	-14.87	-10	Pass	401
2621	2625	1	RMS	2621	-25.41	-10	Pass	5
2625	2626	1	RMS	2625.038	-38.03	-13	Pass	401
2626	2645	1	RMS	2626.048	-39.64	-25	Pass	401




19.8. LTE Band Edge(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2618.05	7.65	30	Pass	401
2620	2621	0.1	RMS	2620	-23.96	-10	Pass	401
2621	2625	1	RMS	2621	-23.8	-10	Pass	5
2625	2626	1	RMS	2625.118	-30.84	-13	Pass	401
2626	2645	1	RMS	2626.285	-32.15	-25	Pass	401




19.9. LTE Band Edge(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.963	-42.16	-25	Pass	401
2560	2565	1	RMS	2561.688	-35.43	-13	Pass	401
2565	2569	1	RMS	2569	-26.64	-10	Pass	5
2569	2570	0.2	RMS	2570	-20.96	-10	Pass	401
2570	2580	0.1	RMS	2570.575	21.33	30	Pass	401




19.10. LTE Band Edge(NTNV)(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2554.975	-34.89	-25	Pass	401
2560	2565	1	RMS	2565	-28.62	-13	Pass	401
2565	2569	1	RMS	2569	-26.94	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-27.69	-10	Pass	401
2570	2580	0.1	RMS	2572.5	5.11	30	Pass	401



19.11. LTE Band Edge(NTNV)(Subtest:11, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.925	-41.75	-25	Pass	401
2560	2565	1	RMS	2561.75	-33.79	-13	Pass	401
2565	2569	1	RMS	2569	-26.17	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-19.73	-10	Pass	401
2570	2580	0.1	RMS	2570.625	21.4	30	Pass	401



19.12. LTE Band Edge(NTNV)(Subtest:12, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2560	-33.94	-25	Pass	401
2560	2565	1	RMS	2564.988	-25.4	-13	Pass	401
2565	2569	1	RMS	2569	-24.39	-10	Pass	5
2569	2570	0.2	RMS	2570	-26.37	-10	Pass	401
2570	2580	0.1	RMS	2573.2	4.88	30	Pass	401

