


19.13. LTE Band Edge(NTNV)(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.4	21.14	30	Pass	401
2620	2621	0.2	RMS	2620.008	-16.32	-10	Pass	401
2621	2625	1	RMS	2621	-27.31	-10	Pass	5
2625	2630	1	RMS	2625.425	-36.36	-13	Pass	401
2630	2645	1	RMS	2630.113	-42.37	-25	Pass	401




19.14. LTE Band Edge(NTNV)(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.3	4.85	30	Pass	401
2620	2621	0.2	RMS	2620	-28.1	-10	Pass	401
2621	2625	1	RMS	2621	-27.26	-10	Pass	5
2625	2630	1	RMS	2625.038	-31.18	-13	Pass	401
2630	2645	1	RMS	2634.95	-31.82	-25	Pass	401




19.15. LTE Band Edge(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.375	21.22	30	Pass	401
2620	2621	0.2	RMS	2620.003	-15.54	-10	Pass	401
2621	2625	1	RMS	2621	-26.04	-10	Pass	5
2625	2630	1	RMS	2625.075	-36.16	-13	Pass	401
2630	2645	1	RMS	2630.075	-41.46	-25	Pass	401




19.16. LTE Band Edge(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2613.35	4.85	30	Pass	401
2620	2621	0.2	RMS	2620.005	-27.22	-10	Pass	401
2621	2625	1	RMS	2621	-26.93	-10	Pass	5
2625	2630	1	RMS	2625.075	-27.42	-13	Pass	401
2630	2645	1	RMS	2630.863	-32.69	-25	Pass	401




19.17. LTE Band Edge(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.85	-45.16	-25	Pass	401
2555	2565	1	RMS	2565	-38.57	-13	Pass	11
2565	2569	1	RMS	2569	-28.77	-10	Pass	5
2569	2570	0.3	RMS	2570	-20.24	-10	Pass	401
2570	2585	0.1	RMS	2570.863	21.32	30	Pass	401




19.18. LTE Band Edge(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.925	-37.75	-25	Pass	401
2555	2565	1	RMS	2563.975	-28.89	-13	Pass	401
2565	2569	1	RMS	2569	-27.74	-10	Pass	5
2569	2570	0.3	RMS	2570	-27.28	-10	Pass	401
2570	2585	0.1	RMS	2574.988	3.27	30	Pass	401




19.19. LTE Band Edge(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.925	-43.91	-25	Pass	401
2555	2565	1	RMS	2565	-36.51	-13	Pass	11
2565	2569	1	RMS	2569	-26.73	-10	Pass	5
2569	2570	0.3	RMS	2570	-18.83	-10	Pass	401
2570	2585	0.1	RMS	2570.825	21.55	30	Pass	401




19.20. LTE Band Edge(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.975	-34.89	-25	Pass	401
2555	2565	1	RMS	2563.85	-25.91	-13	Pass	401
2565	2569	1	RMS	2568	-25.19	-10	Pass	5
2569	2570	0.3	RMS	2569.993	-27.2	-10	Pass	401
2570	2585	0.1	RMS	2573.488	3.19	30	Pass	401



19.21. LTE Band Edge(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	20.93	30	Pass	401
2620	2621	0.3	RMS	2620	-19.91	-10	Pass	401
2621	2625	1	RMS	2621	-28.35	-10	Pass	5
2625	2635	1	RMS	2625	-36.89	-13	Pass	11
2635	2645	1	RMS	2635	-44.28	-25	Pass	401




19.22. LTE Band Edge(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2618.8	3	30	Pass	401
2620	2621	0.3	RMS	2620	-29.41	-10	Pass	401
2621	2625	1	RMS	2621	-28.75	-10	Pass	5
2625	2635	1	RMS	2626.075	-30.85	-13	Pass	401
2635	2645	1	RMS	2635.15	-34.27	-25	Pass	401




19.23. LTE Band Edge(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	21.08	30	Pass	401
2620	2621	0.3	RMS	2620	-19.18	-10	Pass	401
2621	2625	1	RMS	2621	-27.1	-10	Pass	5
2625	2635	1	RMS	2625	-36.41	-13	Pass	11
2635	2645	1	RMS	2635.1	-43.53	-25	Pass	401




19.24. LTE Band Edge(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2618.238	3.2	30	Pass	401
2620	2621	0.3	RMS	2620.013	-29.28	-10	Pass	401
2621	2625	1	RMS	2621	-28.74	-10	Pass	5
2625	2635	1	RMS	2626.025	-29.82	-13	Pass	401
2635	2645	1	RMS	2635.2	-31.97	-25	Pass	401




19.25. LTE Band Edge(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.875	-45.57	-25	Pass	401
2550	2565	1	RMS	2565	-37.33	-13	Pass	16
2565	2569	1	RMS	2569	-28.05	-10	Pass	5
2569	2570	0.51	RMS	2570	-18.94	-10	Pass	401
2570	2590	0.1	RMS	2571.1	21.34	30	Pass	401




19.26. LTE Band Edge(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.963	-39.34	-25	Pass	401
2550	2565	1	RMS	2564.813	-28.74	-13	Pass	401
2565	2569	1	RMS	2569	-27.54	-10	Pass	5
2569	2570	0.51	RMS	2569.993	-26.34	-10	Pass	401
2570	2590	0.1	RMS	2581	1.9	30	Pass	401




19.27. LTE Band Edge(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.95	-45.32	-25	Pass	401
2550	2565	1	RMS	2565	-37.03	-13	Pass	16
2565	2569	1	RMS	2569	-27.99	-10	Pass	5
2569	2570	0.51	RMS	2570	-18.58	-10	Pass	401
2570	2590	0.1	RMS	2571.1	21.36	30	Pass	401




19.28. LTE Band Edge(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2550	-36.88	-25	Pass	401
2550	2565	1	RMS	2564.963	-26.22	-13	Pass	401
2565	2569	1	RMS	2569	-25.64	-10	Pass	5
2569	2570	0.51	RMS	2570	-25.66	-10	Pass	401
2570	2590	0.1	RMS	2583.4	1.96	30	Pass	401




19.29. LTE Band Edge(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	21.11	30	Pass	401
2620	2621	0.51	RMS	2620.003	-18.93	-10	Pass	401
2621	2625	1	RMS	2621	-27.31	-10	Pass	5
2625	2640	1	RMS	2625	-36.08	-13	Pass	16
2640	2645	1	RMS	2640	-44.53	-25	Pass	401




19.30. LTE Band Edge(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2608.95	1.81	30	Pass	401
2620	2621	0.51	RMS	2620.003	-28.04	-10	Pass	401
2621	2625	1	RMS	2621	-27.94	-10	Pass	5
2625	2640	1	RMS	2625.075	-30.04	-13	Pass	401
2640	2645	1	RMS	2644.85	-35.65	-25	Pass	401




19.31. LTE Band Edge(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	21.25	30	Pass	401
2620	2621	0.51	RMS	2620.003	-18.65	-10	Pass	401
2621	2625	1	RMS	2621	-26.56	-10	Pass	5
2625	2640	1	RMS	2625	-35.63	-13	Pass	16
2640	2645	1	RMS	2640	-44.09	-25	Pass	401



19.32. LTE Band Edge(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2609.25	1.8	30	Pass	401
2620	2621	0.51	RMS	2620.008	-28.8	-10	Pass	401
2621	2625	1	RMS	2621	-29.92	-10	Pass	5
2625	2640	1	RMS	2625.038	-30.61	-13	Pass	401
2640	2645	1	RMS	2640	-33.79	-25	Pass	401



20. LTE_Band41 full


20.1. LTE Band Edge(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-38.73	-25	Pass	401
2490	2495	1	RMS	2495	-23.84	-13	Pass	6
2495	2496	0.051	RMS	2496	-19.53	-13	Pass	401
2496	2501	0.1	RMS	2496.338	22.21	30	Pass	401




20.2. LTE Band Edge(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.11	-25	Pass	401
2490	2495	1	RMS	2495	-24.32	-13	Pass	6
2495	2496	0.051	RMS	2496	-29.66	-13	Pass	401
2496	2501	0.1	RMS	2500.338	7.82	30	Pass	401




20.3. LTE Band Edge(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-38.65	-25	Pass	401
2490	2495	1	RMS	2495	-24.37	-13	Pass	6
2495	2496	0.051	RMS	2495.998	-20.01	-13	Pass	401
2496	2501	0.1	RMS	2496.338	21.37	30	Pass	401




20.4. LTE Band Edge(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-32.16	-25	Pass	401
2490	2495	1	RMS	2495	-23	-13	Pass	6
2495	2496	0.051	RMS	2496	-28.8	-13	Pass	401
2496	2501	0.1	RMS	2499.963	6.97	30	Pass	401




20.5. LTE Band Edge(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.65	22.15	30	Pass	401
2690	2691	0.1	RMS	2690	-15.18	-10	Pass	401
2691	2695	1	RMS	2691	-25.28	-10	Pass	5
2695	2696	1	RMS	2695.023	-37.56	-13	Pass	401
2696	2715	1	RMS	2696	-38.39	-25	Pass	401




20.6. LTE Band Edge(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.263	8.02	30	Pass	401
2690	2691	0.1	RMS	2690	-23.42	-10	Pass	401
2691	2695	1	RMS	2691	-20.2	-10	Pass	5
2695	2696	1	RMS	2695.145	-27.75	-13	Pass	401
2696	2715	1	RMS	2696	-28.83	-25	Pass	401



20.7. LTE Band Edge(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.675	21.63	30	Pass	401
2690	2691	0.1	RMS	2690	-14.61	-10	Pass	401
2691	2695	1	RMS	2691	-25.91	-10	Pass	5
2695	2696	1	RMS	2695.02	-37.93	-13	Pass	401
2696	2715	1	RMS	2696.048	-38.91	-25	Pass	401




20.8. LTE Band Edge(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2687.2	6.85	30	Pass	401
2690	2691	0.1	RMS	2690	-22.9	-10	Pass	401
2691	2695	1	RMS	2691	-16.99	-10	Pass	5
2695	2696	1	RMS	2695.003	-27.37	-13	Pass	401
2696	2715	1	RMS	2696	-29.04	-25	Pass	401




20.9. LTE Band Edge(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-38.71	-25	Pass	401
2490	2495	1	RMS	2495	-26.41	-13	Pass	6
2495	2496	0.1	RMS	2496	-17.9	-13	Pass	11
2496	2506	0.1	RMS	2496.575	21.99	30	Pass	401




20.10. LTE Band Edge(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.07	-25	Pass	16
2490	2495	1	RMS	2495	-24.92	-13	Pass	6
2495	2496	0.1	RMS	2496	-29.89	-13	Pass	401
2496	2506	0.1	RMS	2505.3	5.06	30	Pass	401




20.11. LTE Band Edge(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-38.26	-25	Pass	401
2490	2495	1	RMS	2495	-26.38	-13	Pass	6
2495	2496	0.1	RMS	2496	-18.7	-13	Pass	11
2496	2506	0.1	RMS	2496.575	21.44	30	Pass	401




20.12. LTE Band Edge(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-30.64	-25	Pass	16
2490	2495	1	RMS	2495	-25.64	-13	Pass	6
2495	2496	0.1	RMS	2496	-31.52	-13	Pass	401
2496	2506	0.1	RMS	2504.425	4.03	30	Pass	401




20.13. LTE Band Edge(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.425	22.26	30	Pass	401
2690	2691	0.2	RMS	2690.003	-19.51	-10	Pass	401
2691	2695	1	RMS	2691	-26.4	-10	Pass	5
2695	2700	1	RMS	2698.088	-34.29	-13	Pass	401
2700	2715	1	RMS	2700.038	-41.84	-25	Pass	401




20.14. LTE Band Edge(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.825	4.98	30	Pass	401
2690	2691	0.2	RMS	2690	-25.01	-10	Pass	401
2691	2695	1	RMS	2691	-21.03	-10	Pass	5
2695	2700	1	RMS	2695.025	-23.48	-13	Pass	401
2700	2715	1	RMS	2700.15	-31.6	-25	Pass	401



20.15. LTE Band Edge(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.425	21.17	30	Pass	401
2690	2691	0.2	RMS	2690	-22.04	-10	Pass	401
2691	2695	1	RMS	2691	-28.65	-10	Pass	5
2695	2700	1	RMS	2698.213	-36.35	-13	Pass	401
2700	2715	1	RMS	2700.075	-43.66	-25	Pass	401




20.16. LTE Band Edge(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.225	3.91	30	Pass	401
2690	2691	0.2	RMS	2690.005	-24.83	-10	Pass	401
2691	2695	1	RMS	2691	-19.99	-10	Pass	5
2695	2700	1	RMS	2695.038	-22.23	-13	Pass	401
2700	2715	1	RMS	2700	-31.22	-25	Pass	401




20.17. LTE Band Edge(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-38.22	-25	Pass	401
2490	2495	1	RMS	2495	-27.2	-13	Pass	6
2495	2496	0.15	RMS	2496	-24.13	-13	Pass	401
2496	2511	0.1	RMS	2496.863	21.73	30	Pass	401




20.18. LTE Band Edge(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.3	-25	Pass	16
2490	2495	1	RMS	2495	-25.32	-13	Pass	6
2495	2496	0.15	RMS	2496	-29.94	-13	Pass	401
2496	2511	0.1	RMS	2509.8	3.21	30	Pass	401




20.19. LTE Band Edge(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-38.22	-25	Pass	401
2490	2495	1	RMS	2495	-27.38	-13	Pass	6
2495	2496	0.15	RMS	2495.998	-25.11	-13	Pass	401
2496	2511	0.1	RMS	2496.825	21.01	30	Pass	401




20.20. LTE Band Edge(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-30.93	-25	Pass	16
2490	2495	1	RMS	2495	-25.48	-13	Pass	6
2495	2496	0.15	RMS	2495.998	-31.33	-13	Pass	401
2496	2511	0.1	RMS	2509.238	2.55	30	Pass	401



20.21. LTE Band Edge(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	22.14	30	Pass	401
2690	2691	0.3	RMS	2690.003	-20.7	-10	Pass	401
2691	2695	1	RMS	2691	-27.23	-10	Pass	5
2695	2705	1	RMS	2702.45	-33.4	-13	Pass	401
2705	2715	1	RMS	2705.025	-44.12	-25	Pass	401




20.22. LTE Band Edge(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2678.15	2.99	30	Pass	401
2690	2691	0.3	RMS	2690.005	-24.6	-10	Pass	401
2691	2695	1	RMS	2691	-21.44	-10	Pass	5
2695	2705	1	RMS	2695.025	-24.44	-13	Pass	401
2705	2715	1	RMS	2705.275	-32.8	-25	Pass	401



20.23. LTE Band Edge(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	21.03	30	Pass	401
2690	2691	0.3	RMS	2690	-22.46	-10	Pass	401
2691	2695	1	RMS	2691	-29.23	-10	Pass	5
2695	2705	1	RMS	2702.5	-34.91	-13	Pass	401
2705	2715	1	RMS	2705.125	-45.28	-25	Pass	401




20.24. LTE Band Edge(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2680.363	2.17	30	Pass	401
2690	2691	0.3	RMS	2690	-25	-10	Pass	401
2691	2695	1	RMS	2691	-21.05	-10	Pass	5
2695	2705	1	RMS	2695.025	-23.67	-13	Pass	401
2705	2715	1	RMS	2705.3	-32.4	-25	Pass	401




20.25. LTE Band Edge(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-37.3	-25	Pass	401
2490	2495	1	RMS	2495	-26.64	-13	Pass	6
2495	2496	0.2	RMS	2495.998	-25.71	-13	Pass	401
2496	2516	0.1	RMS	2497.1	21.93	30	Pass	401




20.26. LTE Band Edge(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-29.26	-25	Pass	16
2490	2495	1	RMS	2495	-25.04	-13	Pass	6
2495	2496	0.2	RMS	2496	-29.17	-13	Pass	401
2496	2516	0.1	RMS	2510.9	1.97	30	Pass	401




20.27. LTE Band Edge(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-37.25	-25	Pass	401
2490	2495	1	RMS	2495	-26.66	-13	Pass	6
2495	2496	0.2	RMS	2496	-25.28	-13	Pass	401
2496	2516	0.1	RMS	2497.1	21.03	30	Pass	401




20.28. LTE Band Edge(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-30.24	-25	Pass	16
2490	2495	1	RMS	2495	-25.73	-13	Pass	6
2495	2496	0.2	RMS	2495.983	-30.47	-13	Pass	401
2496	2516	0.1	RMS	2513.1	1.12	30	Pass	401




20.29. LTE Band Edge(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	21.91	30	Pass	401
2690	2691	0.51	RMS	2690.003	-19.16	-10	Pass	401
2691	2695	1	RMS	2691	-28.38	-10	Pass	5
2695	2710	1	RMS	2706.625	-33.6	-13	Pass	401
2710	2715	1	RMS	2710.05	-45.86	-25	Pass	401




20.30. LTE Band Edge(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2676.25	1.99	30	Pass	401
2690	2691	0.51	RMS	2690.013	-24.31	-10	Pass	401
2691	2695	1	RMS	2691	-24.24	-10	Pass	5
2695	2710	1	RMS	2695.525	-26.49	-13	Pass	401
2710	2715	1	RMS	2710.013	-35.84	-25	Pass	401




20.31. LTE Band Edge(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	21.06	30	Pass	401
2690	2691	0.51	RMS	2690.003	-19.22	-10	Pass	401
2691	2695	1	RMS	2691	-27.63	-10	Pass	5
2695	2710	1	RMS	2706.663	-34.89	-13	Pass	401
2710	2715	1	RMS	2710.05	-45.6	-25	Pass	401



20.32. LTE Band Edge(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2674.65	0.92	30	Pass	401
2690	2691	0.51	RMS	2690.003	-24.06	-10	Pass	401
2691	2695	1	RMS	2691	-23.2	-10	Pass	5
2695	2710	1	RMS	2695.788	-24.7	-13	Pass	401
2710	2715	1	RMS	2710.05	-35.29	-25	Pass	401



21. CA_7C


21.1. CA Band Edge(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.238	-47.63	-25	Pass	401
2490	2496	1	RMS	2495.97	-51.05	-13	Pass	401
2496	2499	1	RMS	2499	-46.75	-10	Pass	401
2499	2500	1	RMS	2500	-27.67	-10	Pass	2
2500	2530	0.1	RMS	2501.05	10.05	30	Pass	401




21.2. CA Band Edge(NTNV)(Subtest:2, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.225	-51.74	-25	Pass	401
2490	2496	1	RMS	2495.955	-51.42	-13	Pass	401
2496	2499	1	RMS	2499	-46.72	-10	Pass	401
2499	2500	1	RMS	2500	-27.63	-10	Pass	2
2500	2530	0.1	RMS	2528.8	10.5	30	Pass	401




21.3. CA Band Edge(NTNV)(Subtest:3, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.23	-25	Pass	401
2490	2496	1	RMS	2496	-25.13	-13	Pass	401
2496	2499	1	RMS	2498.573	-23.49	-10	Pass	401
2499	2500	1	RMS	2500	-23.38	-10	Pass	2
2500	2530	0.1	RMS	2526.55	0.49	30	Pass	401




21.4. CA Band Edge(NTNV)(Subtest:4, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.088	-46.89	-25	Pass	401
2490	2496	1	RMS	2495.985	-51.07	-13	Pass	401
2496	2499	1	RMS	2499	-46.3	-10	Pass	401
2499	2500	1	RMS	2500	-27.15	-10	Pass	2
2500	2530	0.1	RMS	2501.125	10.05	30	Pass	401




21.5. CA Band Edge(NTNV)(Subtest:5, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.113	-51.67	-25	Pass	401
2490	2496	1	RMS	2495.865	-51.49	-13	Pass	401
2496	2499	1	RMS	2499	-46.45	-10	Pass	401
2499	2500	1	RMS	2500	-27.21	-10	Pass	2
2500	2530	0.1	RMS	2528.8	10.28	30	Pass	401




21.6. CA Band Edge(NTNV)(Subtest:6, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-32.87	-25	Pass	401
2490	2496	1	RMS	2495.94	-26.52	-13	Pass	401
2496	2499	1	RMS	2498.475	-25.11	-10	Pass	401
2499	2500	1	RMS	2500	-24.81	-10	Pass	2
2500	2530	0.1	RMS	2523.625	-0.43	30	Pass	401




21.7. CA Band Edge(NTNV)(Subtest:7, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2568.875	10.75	30	Pass	401
2570	2571	1	RMS	2570	-42.34	-10	Pass	2
2571	2575	1	RMS	2571	-48.33	-10	Pass	401
2575	2600	1	RMS	2596.5	-49.87	-13	Pass	401
2600	2615	1	RMS	2613.125	-51.61	-25	Pass	401



21.8. CA Band Edge(NTNV)(Subtest:8, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2568.875	12.83	30	Pass	401
2570	2571	1	RMS	2570	-40.17	-10	Pass	2
2571	2575	1	RMS	2571	-46.99	-10	Pass	401
2575	2600	1	RMS	2578.75	-20.9	-13	Pass	401
2600	2615	1	RMS	2613.763	-51.61	-25	Pass	401




21.9. CA Band Edge(NTNV)(Subtest:9, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2565.95	1.02	30	Pass	401
2570	2571	1	RMS	2570	-26.6	-10	Pass	2
2571	2575	1	RMS	2574.68	-25.99	-10	Pass	401
2575	2600	1	RMS	2575.813	-26.06	-13	Pass	401
2600	2615	1	RMS	2613.5	-51.64	-25	Pass	401




21.10. CA Band Edge(NTNV)(Subtest:10, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2541.2	10.67	30	Pass	401
2570	2571	1	RMS	2570	-42.27	-10	Pass	2
2571	2575	1	RMS	2571	-48.27	-10	Pass	401
2575	2600	1	RMS	2596.5	-49.66	-13	Pass	401
2600	2615	1	RMS	2613.35	-51.63	-25	Pass	401




21.11. CA Band Edge(NTNV)(Subtest:11, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2568.875	12.88	30	Pass	401
2570	2571	1	RMS	2570	-40.06	-10	Pass	2
2571	2575	1	RMS	2571	-46.92	-10	Pass	401
2575	2600	1	RMS	2578.75	-21.04	-13	Pass	401
2600	2615	1	RMS	2614.325	-51.61	-25	Pass	401




21.12. CA Band Edge(NTNV)(Subtest:12, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2563.025	0.18	30	Pass	401
2570	2571	1	RMS	2570	-27.97	-10	Pass	2
2571	2575	1	RMS	2573.19	-27.94	-10	Pass	401
2575	2600	1	RMS	2575	-28.15	-13	Pass	401
2600	2615	1	RMS	2610.913	-51.61	-25	Pass	401




21.13. CA Band Edge(NTNV)(Subtest:13, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2481.3	-47.56	-25	Pass	401
2490	2496	1	RMS	2495.91	-51.31	-13	Pass	401
2496	2499	1	RMS	2499	-45.03	-10	Pass	401
2499	2500	1	RMS	2500	-25.43	-10	Pass	2
2500	2540	0.1	RMS	2501.1	12.07	30	Pass	401




21.14. CA Band Edge(NTNV)(Subtest:14, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.363	-51.74	-25	Pass	401
2490	2496	1	RMS	2496	-51.47	-13	Pass	401
2496	2499	1	RMS	2499	-46.43	-10	Pass	401
2499	2500	1	RMS	2500	-27.18	-10	Pass	2
2500	2540	0.1	RMS	2538.7	10.55	30	Pass	401




21.15. CA Band Edge(NTNV)(Subtest:15, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-28.68	-25	Pass	401
2490	2496	1	RMS	2496	-23.89	-13	Pass	401
2496	2499	1	RMS	2498.43	-23.27	-10	Pass	401
2499	2500	1	RMS	2500	-23.32	-10	Pass	2
2500	2540	0.1	RMS	2518.4	-2.01	30	Pass	401




21.16. CA Band Edge(NTNV)(Subtest:16, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2481.3	-47.17	-25	Pass	401
2490	2496	1	RMS	2495.985	-51.27	-13	Pass	401
2496	2499	1	RMS	2499	-44.62	-10	Pass	401
2499	2500	1	RMS	2500	-24.86	-10	Pass	2
2500	2540	0.1	RMS	2501.1	12.1	30	Pass	401




21.17. CA Band Edge(NTNV)(Subtest:17, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.85	-51.75	-25	Pass	401
2490	2496	1	RMS	2496	-51.4	-13	Pass	401
2496	2499	1	RMS	2499	-46.29	-10	Pass	401
2499	2500	1	RMS	2500	-26.62	-10	Pass	2
2500	2540	0.1	RMS	2501.1	10.44	30	Pass	401




21.18. CA Band Edge(NTNV)(Subtest:18, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.22	-25	Pass	401
2490	2496	1	RMS	2495.28	-25.95	-13	Pass	401
2496	2499	1	RMS	2498.985	-25.42	-10	Pass	401
2499	2500	1	RMS	2500	-25.35	-10	Pass	2
2500	2540	0.1	RMS	2518.4	-2.9	30	Pass	401




21.19. CA Band Edge(NTNV)(Subtest:19, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2568.9	10.86	30	Pass	401
2570	2571	1	RMS	2570	-26.55	-10	Pass	2
2571	2575	1	RMS	2571	-46.12	-10	Pass	401
2575	2610	1	RMS	2575	-51.36	-13	Pass	401
2610	2615	1	RMS	2614.238	-51.59	-25	Pass	401



21.20. CA Band Edge(NTNV)(Subtest:20, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2568.9	13.1	30	Pass	401
2570	2571	1	RMS	2570	-24.31	-10	Pass	2
2571	2575	1	RMS	2571	-43.93	-10	Pass	401
2575	2610	1	RMS	2588.65	-31.03	-13	Pass	401
2610	2615	1	RMS	2614.338	-51.61	-25	Pass	401




21.21. CA Band Edge(NTNV)(Subtest:21, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2552.6	-1.84	30	Pass	401
2570	2571	1	RMS	2570	-25.52	-10	Pass	2
2571	2575	1	RMS	2571.23	-26.99	-10	Pass	401
2575	2610	1	RMS	2575.088	-28.37	-13	Pass	401
2610	2615	1	RMS	2614.325	-51.59	-25	Pass	401




21.22. CA Band Edge(NTNV)(Subtest:22, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2568.9	10.77	30	Pass	401
2570	2571	1	RMS	2570	-26.43	-10	Pass	2
2571	2575	1	RMS	2571	-45.96	-10	Pass	401
2575	2610	1	RMS	2575.175	-51.36	-13	Pass	401
2610	2615	1	RMS	2612.838	-51.59	-25	Pass	401




21.23. CA Band Edge(NTNV)(Subtest:23, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2568.9	13.16	30	Pass	401
2570	2571	1	RMS	2570	-24.16	-10	Pass	2
2571	2575	1	RMS	2571	-43.85	-10	Pass	401
2575	2610	1	RMS	2588.65	-31.14	-13	Pass	401
2610	2615	1	RMS	2614.625	-51.6	-25	Pass	401



21.24. CA Band Edge(NTNV)(Subtest:24, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2556.7	-2.74	30	Pass	401
2570	2571	1	RMS	2570	-27.6	-10	Pass	2
2571	2575	1	RMS	2571	-29.05	-10	Pass	401
2575	2610	1	RMS	2575.525	-30.2	-13	Pass	401
2610	2615	1	RMS	2612.388	-51.58	-25	Pass	401



22. n5 15kHz


22.1. Band Edge for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.08	-40.21	-13	Pass	601
823	824	0.051	RMS	824	-16.42	-13	Pass	601
824	844	0.1	RMS	824.333	19.81	30	Pass	601




22.2. Band Edge for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	821.84	-41.8	-13	Pass	601
823	824	0.051	RMS	824	-29.26	-13	Pass	601
824	844	0.1	RMS	828.6	6.43	30	Pass	601




22.3. Band Edge for SA(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.16	-41.97	-13	Pass	601
823	824	0.051	RMS	824	-16.26	-13	Pass	601
824	844	0.1	RMS	824.333	19.77	30	Pass	601




22.4. Band Edge for SA(NTNV)(Subtest:4, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-32.36	-13	Pass	601
823	824	0.051	RMS	823.998	-28.36	-13	Pass	601
824	844	0.1	RMS	827.8	6.4	30	Pass	601




22.5. Band Edge for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.633	19.51	30	Pass	601
849	850	0.051	RMS	849	-17.75	-13	Pass	601
850	874	0.1	RMS	850.72	-48.29	-13	Pass	601




22.6. Band Edge for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	844.9	6.16	30	Pass	601
849	850	0.051	RMS	849.002	-30.02	-13	Pass	601
850	874	0.1	RMS	850.76	-42.14	-13	Pass	601




22.7. Band Edge for SA(NTNV)(Subtest:7, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.633	19.43	30	Pass	601
849	850	0.051	RMS	849	-17.67	-13	Pass	601
850	874	0.1	RMS	850.8	-49.09	-13	Pass	601




22.8. Band Edge for SA(NTNV)(Subtest:8, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845.033	6.29	30	Pass	601
849	850	0.051	RMS	849.002	-29.15	-13	Pass	601
850	874	0.1	RMS	850.04	-35.09	-13	Pass	601




22.9. Band Edge for SA(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.96	-49.42	-13	Pass	601
823	824	0.15	RMS	823.998	-16.29	-13	Pass	601
824	844	0.1	RMS	824.467	19.67	30	Pass	601




22.10. Band Edge for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.84	-42.26	-13	Pass	601
823	824	0.15	RMS	824	-33.14	-13	Pass	601
824	844	0.1	RMS	835.867	1.84	30	Pass	601




22.11. Band Edge for SA(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-49.13	-13	Pass	601
823	824	0.15	RMS	824	-16.01	-13	Pass	601
824	844	0.1	RMS	824.467	19.68	30	Pass	601




22.12. Band Edge for SA(NTNV)(Subtest:4, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.88	-35.86	-13	Pass	601
823	824	0.15	RMS	824	-31.55	-13	Pass	601
824	844	0.1	RMS	833.9	1.81	30	Pass	601




22.13. Band Edge for SA(NTNV)(Subtest:5, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	19.37	30	Pass	601
849	850	0.15	RMS	849.002	-17.83	-13	Pass	601
850	874	0.1	RMS	850	-50.06	-13	Pass	601




22.14. Band Edge for SA(NTNV)(Subtest:6, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	837.3	1.82	30	Pass	601
849	850	0.15	RMS	849.037	-40.73	-13	Pass	601
850	874	0.1	RMS	850	-45.49	-13	Pass	601




22.15. Band Edge for SA(NTNV)(Subtest:7, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	19.36	30	Pass	601
849	850	0.15	RMS	849.003	-17.23	-13	Pass	601
850	874	0.1	RMS	850.04	-50.32	-13	Pass	601




22.16. Band Edge for SA(NTNV)(Subtest:8, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	837.233	1.73	30	Pass	601
849	850	0.15	RMS	849.142	-34.89	-13	Pass	601
850	874	0.1	RMS	850.04	-38.51	-13	Pass	601




22.17. Band Edge for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-49.08	-13	Pass	601
823	824	0.2	RMS	824	-18.93	-13	Pass	6
824	844	0.1	RMS	824.533	19.62	30	Pass	601




22.18. Band Edge for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.88	-42.44	-13	Pass	601
823	824	0.2	RMS	823.982	-34.76	-13	Pass	601
824	844	0.1	RMS	833.867	0.82	30	Pass	601




22.19. Band Edge for SA(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-49.59	-13	Pass	601
823	824	0.2	RMS	824	-19.16	-13	Pass	6
824	844	0.1	RMS	824.533	19.52	30	Pass	601




22.20. Band Edge for SA(NTNV)(Subtest:4, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.64	-37.39	-13	Pass	601
823	824	0.2	RMS	823.997	-32.06	-13	Pass	601
824	844	0.1	RMS	833.367	0.64	30	Pass	601




22.21. Band Edge for SA(NTNV)(Subtest:5, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.433	19.41	30	Pass	601
849	850	0.2	RMS	849	-20.99	-13	Pass	6
850	874	0.1	RMS	850	-50.35	-13	Pass	601




22.22. Band Edge for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	835.967	0.65	30	Pass	601
849	850	0.2	RMS	849.018	-38.69	-13	Pass	601
850	874	0.1	RMS	850.12	-43.76	-13	Pass	601




22.23. Band Edge for SA(NTNV)(Subtest:7, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.433	19.25	30	Pass	601
849	850	0.2	RMS	849	-19.02	-13	Pass	601
850	874	0.1	RMS	850	-50.37	-13	Pass	601



22.24. Band Edge for SA(NTNV)(Subtest:8, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	837.8	0.61	30	Pass	601
849	850	0.2	RMS	849.063	-35.86	-13	Pass	601
850	874	0.1	RMS	850.2	-40.2	-13	Pass	601



23. n7 15kHz


23.1. Band Edge for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-47.6	-25	Pass	601
2494	2496	1	RMS	2495.84	-44.95	-13	Pass	601
2496	2499	1	RMS	2499	-30.12	-10	Pass	4
2499	2500	0.051	RMS	2500	-14.57	-10	Pass	601
2500	2520	1	RMS	2500.333	23.2	30	Pass	601




23.2. Band Edge for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-33.7	-25	Pass	601
2494	2496	1	RMS	2496	-25.13	-13	Pass	601
2496	2499	1	RMS	2499	-19.53	-10	Pass	4
2499	2500	0.1	RMS	2499.995	-22.38	-10	Pass	601
2500	2520	1	RMS	2503.533	17.08	30	Pass	601




23.3. Band Edge for SA(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.842	-47.65	-25	Pass	601
2494	2496	1	RMS	2495.847	-44.97	-13	Pass	601
2496	2499	1	RMS	2499	-30.35	-10	Pass	4
2499	2500	0.051	RMS	2500	-15.19	-10	Pass	601
2500	2520	1	RMS	2500.367	23.13	30	Pass	601




23.4. Band Edge for SA(NTNV)(Subtest:4, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-33.74	-25	Pass	601
2494	2496	1	RMS	2495.997	-22.34	-13	Pass	601
2496	2499	1	RMS	2499	-13.63	-10	Pass	4
2499	2500	0.1	RMS	2499.995	-19.91	-10	Pass	601
2500	2520	1	RMS	2503.633	17.06	30	Pass	601




23.5. Band Edge for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.633	22.9	30	Pass	601
2570	2571	0.051	RMS	2570	-17.38	-10	Pass	601
2571	2575	1	RMS	2571	-29.92	-10	Pass	5
2575	2576	1	RMS	2575.053	-45.32	-13	Pass	601
2576	2595	1	RMS	2576.095	-47.17	-25	Pass	601




23.6. Band Edge for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2568.667	16.67	30	Pass	601
2570	2571	0.1	RMS	2570	-23.24	-10	Pass	601
2571	2575	1	RMS	2571	-21.41	-10	Pass	5
2575	2576	1	RMS	2575.007	-32.52	-13	Pass	601
2576	2595	1	RMS	2576	-33.48	-25	Pass	601




23.7. Band Edge for SA(NTNV)(Subtest:7, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.667	22.84	30	Pass	601
2570	2571	0.051	RMS	2570.005	-16.35	-10	Pass	601
2571	2575	1	RMS	2571	-29.39	-10	Pass	5
2575	2576	1	RMS	2575.103	-46.08	-13	Pass	601
2576	2595	1	RMS	2576.222	-47.38	-25	Pass	601




23.8. Band Edge for SA(NTNV)(Subtest:8, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2568.3	16.72	30	Pass	601
2570	2571	0.1	RMS	2570	-21.31	-10	Pass	601
2571	2575	1	RMS	2571	-16.36	-10	Pass	5
2575	2576	1	RMS	2575.003	-29.55	-13	Pass	601
2576	2595	1	RMS	2576	-32.85	-25	Pass	601




23.9. Band Edge for SA(NTNV)(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.683	-50.01	-25	Pass	601
2485	2496	1	RMS	2495.798	-45.4	-13	Pass	601
2496	2499	1	RMS	2499	-31.71	-10	Pass	4
2499	2500	0.051	RMS	2500	-20.19	-10	Pass	601
2500	2520	1	RMS	2500.433	23.06	30	Pass	601




23.10. Band Edge for SA(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.967	-45.69	-25	Pass	601
2485	2496	1	RMS	2493.58	-27.07	-13	Pass	601
2496	2499	1	RMS	2499	-23.37	-10	Pass	4
2499	2500	0.3	RMS	2500	-21.07	-10	Pass	601
2500	2520	1	RMS	2512.733	12.58	30	Pass	601




23.11. Band Edge for SA(NTNV)(Subtest:3, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.783	-50.01	-25	Pass	601
2485	2496	1	RMS	2495.615	-45.5	-13	Pass	601
2496	2499	1	RMS	2499	-31.87	-10	Pass	4
2499	2500	0.051	RMS	2499.993	-19.99	-10	Pass	601
2500	2520	1	RMS	2500.533	23.01	30	Pass	601




23.12. Band Edge for SA(NTNV)(Subtest:4, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-42.11	-25	Pass	601
2485	2496	1	RMS	2496	-20.85	-13	Pass	601
2496	2499	1	RMS	2499	-18.84	-10	Pass	4
2499	2500	0.3	RMS	2499.998	-19.87	-10	Pass	601
2500	2520	1	RMS	2512.633	12.57	30	Pass	601




23.13. Band Edge for SA(NTNV)(Subtest:5, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	22.76	30	Pass	601
2570	2571	0.051	RMS	2570	-22.28	-10	Pass	601
2571	2575	1	RMS	2571	-32.08	-10	Pass	5
2575	2585	1	RMS	2575.05	-45.76	-13	Pass	601
2585	2595	1	RMS	2585.6	-49.31	-25	Pass	601




23.14. Band Edge for SA(NTNV)(Subtest:6, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2567.467	12.17	30	Pass	601
2570	2571	0.3	RMS	2570.018	-30.68	-10	Pass	601
2571	2575	1	RMS	2571	-27.43	-10	Pass	5
2575	2585	1	RMS	2575.017	-29.18	-13	Pass	601
2585	2595	1	RMS	2585	-45.96	-25	Pass	601




23.15. Band Edge for SA(NTNV)(Subtest:7, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.467	22.68	30	Pass	601
2570	2571	0.051	RMS	2570.002	-20.76	-10	Pass	601
2571	2575	1	RMS	2571	-30.99	-10	Pass	5
2575	2585	1	RMS	2575.2	-46.1	-13	Pass	601
2585	2595	1	RMS	2585.1	-49.29	-25	Pass	601




23.16. Band Edge for SA(NTNV)(Subtest:8, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2567.633	12.15	30	Pass	601
2570	2571	0.3	RMS	2570.002	-27.07	-10	Pass	601
2571	2575	1	RMS	2571	-22.98	-10	Pass	5
2575	2585	1	RMS	2575.017	-26.59	-13	Pass	601
2585	2595	1	RMS	2585	-42.31	-25	Pass	601




23.17. Band Edge for SA(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2478.975	-50.18	-25	Pass	601
2480	2496	1	RMS	2496	-44.86	-13	Pass	601
2496	2499	1	RMS	2499	-32.64	-10	Pass	4
2499	2500	0.051	RMS	2499.997	-23.2	-10	Pass	601
2500	2520	1	RMS	2500.6	23.02	30	Pass	601




23.18. Band Edge for SA(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.925	-49.26	-25	Pass	601
2480	2496	1	RMS	2496	-27.6	-13	Pass	601
2496	2499	1	RMS	2499	-23.48	-10	Pass	4
2499	2500	0.39	RMS	2500	-18.48	-10	Pass	601
2500	2520	1	RMS	2516.233	11.41	30	Pass	601




23.19. Band Edge for SA(NTNV)(Subtest:3, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2476.983	-50.18	-25	Pass	601
2480	2496	1	RMS	2496	-45.45	-13	Pass	601
2496	2499	1	RMS	2499	-33.19	-10	Pass	4
2499	2500	0.051	RMS	2499.993	-22.59	-10	Pass	601
2500	2520	1	RMS	2500.533	22.99	30	Pass	601




23.20. Band Edge for SA(NTNV)(Subtest:4, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.992	-47.63	-25	Pass	601
2480	2496	1	RMS	2496	-21.73	-13	Pass	601
2496	2499	1	RMS	2499	-19.87	-10	Pass	4
2499	2500	0.39	RMS	2500	-17.97	-10	Pass	601
2500	2520	1	RMS	2516.533	11.39	30	Pass	601




23.21. Band Edge for SA(NTNV)(Subtest:5, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.433	22.77	30	Pass	601
2570	2571	0.051	RMS	2570	-25.95	-10	Pass	601
2571	2575	1	RMS	2571	-33.15	-10	Pass	5
2575	2590	1	RMS	2575.05	-45.86	-13	Pass	601
2590	2595	1	RMS	2592.533	-49.34	-25	Pass	601




23.22. Band Edge for SA(NTNV)(Subtest:6, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2567.167	10.8	30	Pass	601
2570	2571	0.39	RMS	2570.052	-28.9	-10	Pass	601
2571	2575	1	RMS	2571	-27.21	-10	Pass	5
2575	2590	1	RMS	2576.675	-29.98	-13	Pass	601
2590	2595	1	RMS	2590.175	-49.19	-25	Pass	601




23.23. Band Edge for SA(NTNV)(Subtest:7, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	22.68	30	Pass	601
2570	2571	0.051	RMS	2570.002	-24.01	-10	Pass	601
2571	2575	1	RMS	2571	-32.37	-10	Pass	5
2575	2590	1	RMS	2575.075	-46.61	-13	Pass	601
2590	2595	1	RMS	2591.675	-49.32	-25	Pass	601



23.24. Band Edge for SA(NTNV)(Subtest:8, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2567.133	10.77	30	Pass	601
2570	2571	0.39	RMS	2570.07	-27.13	-10	Pass	601
2571	2575	1	RMS	2571	-24.32	-10	Pass	5
2575	2590	1	RMS	2575.025	-27.19	-13	Pass	601
2590	2595	1	RMS	2590.025	-48.81	-25	Pass	601



24. n41 30kHz


24.1. Band Edge for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.515	-50.33	-25	Pass	401
2490	2495	1	RMS	2495	-29.64	-13	Pass	401
2495	2496	0.051	RMS	2496	-28.24	-13	Pass	401
2496	2596	1	RMS	2497	19.26	30	Pass	401




24.2. Band Edge for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488	-28.12	-25	Pass	100
2490	2495	1	RMS	2494.95	-26.2	-13	Pass	401
2495	2496	0.4	RMS	2496	-28.92	-13	Pass	4
2496	2596	1	RMS	2513.5	11.34	30	Pass	401




24.3. Band Edge for SA(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.268	-50.04	-25	Pass	401
2490	2495	1	RMS	2495	-29.94	-13	Pass	401
2495	2496	0.051	RMS	2495.993	-28.87	-13	Pass	401
2496	2596	1	RMS	2497	19.46	30	Pass	401




24.4. Band Edge for SA(NTNV)(Subtest:4, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-28.5	-25	Pass	100
2490	2495	1	RMS	2494.963	-24.81	-13	Pass	401
2495	2496	0.4	RMS	2496	-29.08	-13	Pass	4
2496	2596	1	RMS	2514	10.66	30	Pass	401




24.5. Band Edge for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	19.31	30	Pass	401
2690	2691	0.1	RMS	2690.003	-26.81	-13	Pass	401
2691	2695	1	RMS	2691.01	-31.67	-13	Pass	401
2695	2710	1	RMS	2698	-48.84	-13	Pass	401
2710	2795	1	RMS	2771.838	-49.95	-25	Pass	401




24.6. Band Edge for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2675.5	10.57	30	Pass	401
2690	2691	0.4	RMS	2690	-31.06	-13	Pass	4
2691	2695	1	RMS	2691.01	-27.98	-13	Pass	401
2695	2710	1	RMS	2697.213	-27.93	-13	Pass	401
2710	2715	1	RMS	2711.213	-45.28	-25	Pass	401
2715	2795	1	RMS	2715.2	-46.58	-25	Pass	401




24.7. Band Edge for SA(NTNV)(Subtest:7, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	19.21	30	Pass	401
2690	2691	0.1	RMS	2690.01	-25.75	-13	Pass	401
2691	2695	1	RMS	2691	-30.36	-13	Pass	401
2695	2710	1	RMS	2698.113	-48.77	-13	Pass	401
2710	2795	1	RMS	2761.425	-49.99	-25	Pass	401




24.8. Band Edge for SA(NTNV)(Subtest:8, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2674.5	9.83	30	Pass	401
2690	2691	0.4	RMS	2690	-30.17	-13	Pass	4
2691	2695	1	RMS	2691.19	-25.6	-13	Pass	401
2695	2710	1	RMS	2695.15	-27.53	-13	Pass	401
2710	2715	1	RMS	2711.525	-43.7	-25	Pass	401
2715	2795	1	RMS	2715	-44.64	-25	Pass	401




24.9. Band Edge for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-50.35	-25	Pass	401
2490	2495	1	RMS	2495	-30.2	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-28.56	-13	Pass	401
2496	2596	1	RMS	2497	19.29	30	Pass	401




24.10. Band Edge for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-35.98	-25	Pass	401
2490	2495	1	RMS	2494.288	-30.14	-13	Pass	401
2495	2496	1.2	RMS	2496	-26.87	-13	Pass	2
2496	2596	1	RMS	2549.75	5.86	30	Pass	401




24.11. Band Edge for SA(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-50.24	-25	Pass	401
2490	2495	1	RMS	2494.988	-30.25	-13	Pass	401
2495	2496	0.051	RMS	2495.99	-28.82	-13	Pass	401
2496	2596	1	RMS	2497	19.34	30	Pass	401




24.12. Band Edge for SA(NTNV)(Subtest:4, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.258	-33.41	-25	Pass	401
2490	2495	1	RMS	2494.375	-30.07	-13	Pass	401
2495	2496	1.2	RMS	2496	-27.44	-13	Pass	2
2496	2596	1	RMS	2553.5	5.43	30	Pass	401




24.13. Band Edge for SA(NTNV)(Subtest:5, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	19.18	30	Pass	401
2690	2691	0.1	RMS	2690.003	-28.52	-13	Pass	401
2691	2695	1	RMS	2691.01	-33.43	-13	Pass	401
2695	2750	1	RMS	2695	-49.44	-13	Pass	401
2750	2795	1	RMS	2771.713	-49.99	-25	Pass	401




24.14. Band Edge for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2645	5.76	30	Pass	401
2690	2691	1.2	RMS	2690	-25.73	-13	Pass	2
2691	2695	1	RMS	2691.4	-30.07	-13	Pass	401
2695	2750	1	RMS	2695	-34.02	-13	Pass	401
2750	2755	1	RMS	2754.85	-50.12	-25	Pass	401
2755	2795	1	RMS	2791.4	-49.93	-25	Pass	401




24.15. Band Edge for SA(NTNV)(Subtest:7, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	18.93	30	Pass	401
2690	2691	0.1	RMS	2690.02	-27.32	-13	Pass	401
2691	2695	1	RMS	2691	-31.84	-13	Pass	401
2695	2750	1	RMS	2695.275	-49.52	-13	Pass	401
2750	2795	1	RMS	2771.713	-49.92	-25	Pass	401




24.16. Band Edge for SA(NTNV)(Subtest:8, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2638.25	5.16	30	Pass	401
2690	2691	1.2	RMS	2690	-25.92	-13	Pass	2
2691	2695	1	RMS	2691.32	-29.35	-13	Pass	401
2695	2750	1	RMS	2695	-31.34	-13	Pass	401
2750	2755	1	RMS	2754.5	-50.15	-25	Pass	401
2755	2795	1	RMS	2777.4	-49.97	-25	Pass	401




24.17. Band Edge for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-50.14	-25	Pass	401
2490	2495	1	RMS	2495	-30.26	-13	Pass	401
2495	2496	0.051	RMS	2495.995	-29.23	-13	Pass	401
2496	2596	1	RMS	2497	19.72	30	Pass	401




24.18. Band Edge for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-33.51	-25	Pass	401
2490	2495	1	RMS	2495	-31.47	-13	Pass	401
2495	2496	1	RMS	2496	-29.87	-13	Pass	2
2496	2596	1	RMS	2588.75	4.67	30	Pass	401




24.19. Band Edge for SA(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-50.2	-25	Pass	401
2490	2495	1	RMS	2495	-30.98	-13	Pass	401
2495	2496	0.051	RMS	2495.98	-30.47	-13	Pass	401
2496	2596	1	RMS	2497	19.91	30	Pass	401




24.20. Band Edge for SA(NTNV)(Subtest:4, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-34.07	-25	Pass	100
2490	2495	1	RMS	2494.6	-32.79	-13	Pass	401
2495	2496	1	RMS	2496	-31.07	-13	Pass	2
2496	2596	1	RMS	2590.25	4.02	30	Pass	401




24.21. Band Edge for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	19.5	30	Pass	401
2690	2691	0.1	RMS	2690.008	-28.17	-13	Pass	401
2691	2695	1	RMS	2691.01	-32.9	-13	Pass	401
2695	2790	1	RMS	2695.238	-49.26	-13	Pass	401
2790	2795	1	RMS	2790.6	-50.02	-25	Pass	401




24.22. Band Edge for SA(NTNV)(Subtest:6, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2611.25	4.04	30	Pass	401
2690	2691	2	RMS	2690	-29.25	-13	Pass	2
2691	2695	1	RMS	2691.11	-32.77	-13	Pass	401
2695	2790	1	RMS	2695.238	-33.15	-13	Pass	401
2790	2795	1	RMS	2793.913	-49.94	-25	Pass	401




24.23. Band Edge for SA(NTNV)(Subtest:7, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	19.49	30	Pass	401
2690	2691	0.1	RMS	2690.003	-26.32	-13	Pass	401
2691	2695	1	RMS	2691.01	-31.57	-13	Pass	401
2695	2790	1	RMS	2695	-49.39	-13	Pass	401
2790	2795	1	RMS	2791.138	-49.96	-25	Pass	401



24.24. Band Edge for SA(NTNV)(Subtest:8, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2609.25	3.43	30	Pass	401
2690	2691	2	RMS	2690	-28.77	-13	Pass	2
2691	2695	1	RMS	2692.18	-31.57	-13	Pass	401
2695	2790	1	RMS	2695.238	-31.92	-13	Pass	401
2790	2795	1	RMS	2790.188	-49.96	-25	Pass	401



25. n77 30kHz(3450-3550)


25.1. Band Edge for SA(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-45.87	-13	Pass	601
3445	3449	0.62	RMS	3448.993	-30.18	-13	Pass	601
3449	3450	0.2	RMS	3449.995	-20.87	-13	Pass	601
3450	3550	1	RMS	3451	20.48	30	Pass	601




25.2. Band Edge for SA(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3442.333	-30.97	-13	Pass	601
3445	3449	0.62	RMS	3448.867	-30.73	-13	Pass	601
3449	3450	0.2	RMS	3449.962	-31.42	-13	Pass	601
3450	3550	1	RMS	3462.5	11.81	30	Pass	601




25.3. Band Edge for SA(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-45.71	-13	Pass	601
3445	3449	0.62	RMS	3448.953	-30	-13	Pass	601
3449	3450	0.2	RMS	3449.997	-20.41	-13	Pass	601
3450	3550	1	RMS	3451	20.43	30	Pass	601




25.4. Band Edge for SA(NTNV)(Subtest:4, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.833	-29.44	-13	Pass	601
3445	3449	0.62	RMS	3448.847	-28.03	-13	Pass	601
3449	3450	0.2	RMS	3449.998	-30.35	-13	Pass	601
3450	3550	1	RMS	3456.5	11.3	30	Pass	601




25.5. Band Edge for SA(NTNV)(Subtest:5, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	20.54	30	Pass	601
3550	3551	0.2	RMS	3550.007	-22.32	-13	Pass	601
3551	3555	0.62	RMS	3551.16	-30.4	-13	Pass	601
3555	3655	1	RMS	3555	-45.57	-13	Pass	601




25.6. Band Edge for SA(NTNV)(Subtest:6, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3544.167	11.82	30	Pass	601
3550	3551	0.2	RMS	3550.015	-35.22	-13	Pass	601
3551	3555	0.62	RMS	3551.093	-32.99	-13	Pass	601
3555	3655	1	RMS	3557.167	-32.3	-13	Pass	601




25.7. Band Edge for SA(NTNV)(Subtest:7, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	20.6	30	Pass	601
3550	3551	0.2	RMS	3550	-20.94	-13	Pass	601
3551	3555	0.62	RMS	3551.087	-30.3	-13	Pass	601
3555	3655	1	RMS	3555	-45.6	-13	Pass	601




25.8. Band Edge for SA(NTNV)(Subtest:8, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3536.833	11.38	30	Pass	601
3550	3551	0.2	RMS	3550.16	-33.17	-13	Pass	601
3551	3555	0.62	RMS	3551.053	-29.56	-13	Pass	601
3555	3655	1	RMS	3555	-31.23	-13	Pass	601




25.9. Band Edge for SA(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-45.43	-13	Pass	401
3445	3449	0.62	RMS	3448.96	-30.09	-13	Pass	401
3449	3450	0.2	RMS	3450	-29.01	-13	Pass	401
3450	3550	1	RMS	3451.25	19.38	30	Pass	401




25.10. Band Edge for SA(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-31.25	-13	Pass	401
3445	3449	0.62	RMS	3447.77	-32.29	-13	Pass	401
3449	3450	0.2	RMS	3449.988	-37.02	-13	Pass	401
3450	3550	1	RMS	3462.75	6.7	30	Pass	401




25.11. Band Edge for SA(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.75	-45.16	-13	Pass	401
3445	3449	0.62	RMS	3448.99	-29.81	-13	Pass	401
3449	3450	0.2	RMS	3450	-28.92	-13	Pass	401
3450	3550	1	RMS	3451.25	19.48	30	Pass	401




25.12. Band Edge for SA(NTNV)(Subtest:4, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-30.56	-13	Pass	401
3445	3449	0.62	RMS	3448.95	-31.21	-13	Pass	401
3449	3450	0.2	RMS	3449.933	-35.36	-13	Pass	401
3450	3550	1	RMS	3456.75	6	30	Pass	401



25.13. Band Edge for SA(NTNV)(Subtest:5, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.75	18.83	30	Pass	401
3550	3551	0.2	RMS	3550	-30.52	-13	Pass	401
3551	3555	0.62	RMS	3551.05	-31.96	-13	Pass	401
3555	3655	1	RMS	3555	-45.65	-13	Pass	401




25.14. Band Edge for SA(NTNV)(Subtest:6, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3513	6.32	30	Pass	401
3550	3551	0.2	RMS	3550.648	-36.23	-13	Pass	401
3551	3555	0.62	RMS	3553.29	-32.46	-13	Pass	401
3555	3655	1	RMS	3555.25	-34.06	-13	Pass	401




25.15. Band Edge for SA(NTNV)(Subtest:7, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.75	18.91	30	Pass	401
3550	3551	0.2	RMS	3550.005	-30.09	-13	Pass	401
3551	3555	0.62	RMS	3551.08	-31.58	-13	Pass	401
3555	3655	1	RMS	3555	-45.38	-13	Pass	401




25.16. Band Edge for SA(NTNV)(Subtest:8, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3513.75	5.88	30	Pass	401
3550	3551	0.2	RMS	3550.68	-36.35	-13	Pass	401
3551	3555	0.62	RMS	3553.16	-32.44	-13	Pass	401
3555	3655	1	RMS	3555	-32.53	-13	Pass	401




25.17. Band Edge for SA(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.833	-45.4	-13	Pass	601
3445	3449	0.62	RMS	3448.767	-28.04	-13	Pass	601
3449	3450	0.2	RMS	3449.988	-20.88	-13	Pass	601
3450	3550	1	RMS	3451	20.61	30	Pass	601




25.18. Band Edge for SA(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.833	-32.08	-13	Pass	601
3445	3449	0.62	RMS	3448.487	-33.43	-13	Pass	601
3449	3450	0.2	RMS	3449.997	-35.75	-13	Pass	601
3450	3550	1	RMS	3475	5.19	30	Pass	601




25.19. Band Edge for SA(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.667	-45.41	-13	Pass	601
3445	3449	0.62	RMS	3448.793	-27.99	-13	Pass	601
3449	3450	0.2	RMS	3449.993	-20.71	-13	Pass	601
3450	3550	1	RMS	3451	20.52	30	Pass	601




25.20. Band Edge for SA(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3426.333	-32.08	-13	Pass	601
3445	3449	0.62	RMS	3448.693	-33.2	-13	Pass	601
3449	3450	0.2	RMS	3449.973	-35.93	-13	Pass	601
3450	3550	1	RMS	3466.333	4.75	30	Pass	601




25.21. Band Edge for SA(NTNV)(Subtest:5, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.833	20.98	30	Pass	601
3550	3551	0.2	RMS	3550	-22.71	-13	Pass	601
3551	3555	0.62	RMS	3551.073	-28.83	-13	Pass	601
3555	3655	1	RMS	3555	-45.46	-13	Pass	601




25.22. Band Edge for SA(NTNV)(Subtest:6, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3472.25	3.62	30	Pass	401
3550	3551	0.2	RMS	3550.385	-40.17	-13	Pass	401
3551	3555	0.62	RMS	3553.73	-36.11	-13	Pass	401
3555	3655	1	RMS	3555	-35.66	-13	Pass	401




25.23. Band Edge for SA(NTNV)(Subtest:7, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.833	20.9	30	Pass	601
3550	3551	0.2	RMS	3550.025	-21.94	-13	Pass	601
3551	3555	0.62	RMS	3551.147	-28.57	-13	Pass	601
3555	3655	1	RMS	3555	-45.18	-13	Pass	601



25.24. Band Edge for SA(NTNV)(Subtest:8, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3469.667	4.75	30	Pass	601
3550	3551	0.2	RMS	3550.298	-37.91	-13	Pass	601
3551	3555	0.62	RMS	3551.987	-34.09	-13	Pass	601
3555	3655	1	RMS	3555.167	-33.03	-13	Pass	601



26. n77 30kHz(3700-3980)


26.1. Band Edge for SA(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.833	-44.84	-13	Pass	601
3695	3699	0.62	RMS	3698.66	-29.04	-13	Pass	601
3699	3700	0.39	RMS	3699.995	-16.05	-13	Pass	601
3700	3800	1	RMS	3701	20.89	30	Pass	601




26.2. Band Edge for SA(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3692.333	-34.19	-13	Pass	601
3695	3699	0.62	RMS	3699	-33.82	-13	Pass	601
3699	3700	0.39	RMS	3699.998	-28.01	-13	Pass	601
3700	3800	1	RMS	3708.667	11.97	30	Pass	601




26.3. Band Edge for SA(NTNV)(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.667	-44.87	-13	Pass	601
3695	3699	0.62	RMS	3698.807	-31.18	-13	Pass	601
3699	3700	0.39	RMS	3699.99	-16.69	-13	Pass	601
3700	3800	1	RMS	3701	20.8	30	Pass	601




26.4. Band Edge for SA(NTNV)(Subtest:4, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3684.667	-34.21	-13	Pass	601
3695	3699	0.62	RMS	3698.92	-31.76	-13	Pass	601
3699	3700	0.39	RMS	3699.992	-28.57	-13	Pass	601
3700	3800	1	RMS	3710.333	11.4	30	Pass	601




26.5. Band Edge for SA(NTNV)(Subtest:5, Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3979	20.03	30	Pass	601
3980	3981	0.39	RMS	3980.007	-18.11	-13	Pass	601
3981	3985	0.62	RMS	3981.107	-31.02	-13	Pass	601
3985	4085	1	RMS	3985	-45.11	-13	Pass	601




26.6. Band Edge for SA(NTNV)(Subtest:6, Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3964.333	11.45	30	Pass	601
3980	3981	0.39	RMS	3980.147	-35.64	-13	Pass	601
3981	3985	0.62	RMS	3981.3	-36.23	-13	Pass	601
3985	4085	1	RMS	3985.833	-39.34	-13	Pass	601




26.7. Band Edge for SA(NTNV)(Subtest:7, Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3979	19.96	30	Pass	601
3980	3981	0.39	RMS	3980.008	-17.59	-13	Pass	601
3981	3985	0.62	RMS	3981.413	-32.72	-13	Pass	601
3985	4085	1	RMS	3985	-45.29	-13	Pass	601




26.8. Band Edge for SA(NTNV)(Subtest:8, Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3965	10.76	30	Pass	601
3980	3981	0.39	RMS	3980.16	-31.31	-13	Pass	601
3981	3985	0.62	RMS	3981.207	-30.74	-13	Pass	601
3985	4085	1	RMS	3985	-33.59	-13	Pass	601




26.9. Band Edge for SA(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.75	-44.81	-13	Pass	401
3695	3699	0.62	RMS	3698.94	-30.04	-13	Pass	401
3699	3700	0.39	RMS	3700	-25.16	-13	Pass	401
3700	3800	1	RMS	3701.25	18.5	30	Pass	401




26.10. Band Edge for SA(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3679	-36.02	-13	Pass	401
3695	3699	0.62	RMS	3698.96	-36.91	-13	Pass	401
3699	3700	0.39	RMS	3699.998	-38.04	-13	Pass	401
3700	3800	1	RMS	3732.25	5.83	30	Pass	401




26.11. Band Edge for SA(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-44.63	-13	Pass	401
3695	3699	0.62	RMS	3698.85	-29.87	-13	Pass	401
3699	3700	0.39	RMS	3699.988	-24.74	-13	Pass	401
3700	3800	1	RMS	3701.25	18.47	30	Pass	401




26.12. Band Edge for SA(NTNV)(Subtest:4, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.5	-36.19	-13	Pass	401
3695	3699	0.62	RMS	3698.93	-36.25	-13	Pass	401
3699	3700	0.39	RMS	3699.975	-37.23	-13	Pass	401
3700	3800	1	RMS	3743	5.21	30	Pass	401




26.13. Band Edge for SA(NTNV)(Subtest:5, Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3978.75	18.74	30	Pass	401
3980	3981	0.39	RMS	3980.003	-28.28	-13	Pass	401
3981	3985	0.62	RMS	3981	-32.62	-13	Pass	401
3985	4085	1	RMS	3985.75	-45.4	-13	Pass	401




26.14. Band Edge for SA(NTNV)(Subtest:6, Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3945.5	6.2	30	Pass	401
3980	3981	0.39	RMS	3980.595	-39.07	-13	Pass	401
3981	3985	0.62	RMS	3984.84	-37.38	-13	Pass	401
3985	4085	1	RMS	3985	-35.5	-13	Pass	401




26.15. Band Edge for SA(NTNV)(Subtest:7, Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3978.75	18.75	30	Pass	401
3980	3981	0.39	RMS	3980.01	-25.67	-13	Pass	401
3981	3985	0.62	RMS	3981.06	-32.41	-13	Pass	401
3985	4085	1	RMS	3985.25	-45.47	-13	Pass	401




26.16. Band Edge for SA(NTNV)(Subtest:8, Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3940.25	5.65	30	Pass	401
3980	3981	0.39	RMS	3980.018	-37.86	-13	Pass	401
3981	3985	0.62	RMS	3981.19	-36.46	-13	Pass	401
3985	4085	1	RMS	3985	-36.3	-13	Pass	401




26.17. Band Edge for SA(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.667	-44.86	-13	Pass	601
3695	3699	0.62	RMS	3698.667	-27.65	-13	Pass	601
3699	3700	0.39	RMS	3699.993	-16.9	-13	Pass	601
3700	3800	1	RMS	3701	20.98	30	Pass	601




26.18. Band Edge for SA(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.667	-36.12	-13	Pass	601
3695	3699	0.62	RMS	3698.96	-37.05	-13	Pass	601
3699	3700	0.39	RMS	3699.99	-34.52	-13	Pass	601
3700	3800	1	RMS	3715.333	4.85	30	Pass	601




26.19. Band Edge for SA(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.667	-44.68	-13	Pass	601
3695	3699	0.62	RMS	3698.513	-28.24	-13	Pass	601
3699	3700	0.2	RMS	3699.977	-21.26	-13	Pass	601
3700	3800	1	RMS	3701	20.82	30	Pass	601




26.20. Band Edge for SA(NTNV)(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.667	-36.17	-13	Pass	601
3695	3699	0.62	RMS	3698.98	-37.45	-13	Pass	601
3699	3700	0.39	RMS	3699.992	-34.25	-13	Pass	601
3700	3800	1	RMS	3792.833	4.39	30	Pass	601




26.21. Band Edge for SA(NTNV)(Subtest:5, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3979	20.07	30	Pass	601
3980	3981	0.39	RMS	3980.002	-18.39	-13	Pass	601
3981	3985	0.62	RMS	3981.127	-30.49	-13	Pass	601
3985	4085	1	RMS	3985	-45.24	-13	Pass	601




26.22. Band Edge for SA(NTNV)(Subtest:6, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3912	4.25	30	Pass	601
3980	3981	0.39	RMS	3980.125	-39.79	-13	Pass	601
3981	3985	0.62	RMS	3984	-38.76	-13	Pass	601
3985	4085	1	RMS	3987.167	-37.42	-13	Pass	601




26.23. Band Edge for SA(NTNV)(Subtest:7, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3979	19.92	30	Pass	601
3980	3981	0.39	RMS	3980.003	-18.23	-13	Pass	601
3981	3985	0.62	RMS	3981.153	-30.41	-13	Pass	601
3985	4085	1	RMS	3985.5	-45.32	-13	Pass	601



26.24. Band Edge for SA(NTNV)(Subtest:8, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3901.333	3.69	30	Pass	601
3980	3981	0.39	RMS	3980.132	-39.58	-13	Pass	601
3981	3985	0.62	RMS	3981.08	-38.7	-13	Pass	601
3985	4085	1	RMS	3986.5	-37.18	-13	Pass	601



27. n78 30kHz(3450-3550)


27.1. Band Edge for SA(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.833	-45.61	-13	Pass	601
3445	3449	0.62	RMS	3448.673	-30.26	-13	Pass	601
3449	3450	0.2	RMS	3449.988	-20.87	-13	Pass	601
3450	3550	1	RMS	3451	20.56	30	Pass	601




27.2. Band Edge for SA(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3442.167	-30.74	-13	Pass	601
3445	3449	0.62	RMS	3448.793	-29.52	-13	Pass	601
3449	3450	0.2	RMS	3449.985	-30.88	-13	Pass	601
3450	3550	1	RMS	3456.5	11.83	30	Pass	601




27.3. Band Edge for SA(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-45.49	-13	Pass	601
3445	3449	0.62	RMS	3448.693	-30.05	-13	Pass	601
3449	3450	0.2	RMS	3450	-20.78	-13	Pass	601
3450	3550	1	RMS	3451	20.49	30	Pass	601




27.4. Band Edge for SA(NTNV)(Subtest:4, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.5	-28.29	-13	Pass	601
3445	3449	0.62	RMS	3448.853	-26.35	-13	Pass	601
3449	3450	0.2	RMS	3449.998	-30.29	-13	Pass	601
3450	3550	1	RMS	3455.167	11.32	30	Pass	601




27.5. Band Edge for SA(NTNV)(Subtest:5, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	20.58	30	Pass	601
3550	3551	0.2	RMS	3550.002	-22.21	-13	Pass	601
3551	3555	0.62	RMS	3551.227	-29.18	-13	Pass	601
3555	3655	1	RMS	3555	-45.66	-13	Pass	601




27.6. Band Edge for SA(NTNV)(Subtest:6, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3535.333	11.81	30	Pass	601
3550	3551	0.2	RMS	3550.195	-34.68	-13	Pass	601
3551	3555	0.62	RMS	3551.1	-32.38	-13	Pass	601
3555	3655	1	RMS	3557.333	-32.36	-13	Pass	601




27.7. Band Edge for SA(NTNV)(Subtest:7, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	20.52	30	Pass	601
3550	3551	0.2	RMS	3550.023	-21.07	-13	Pass	601
3551	3555	0.62	RMS	3551.16	-29.26	-13	Pass	601
3555	3655	1	RMS	3555	-45.59	-13	Pass	601




27.8. Band Edge for SA(NTNV)(Subtest:8, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3541	11.47	30	Pass	601
3550	3551	0.2	RMS	3550.068	-31.19	-13	Pass	601
3551	3555	0.62	RMS	3551.013	-28.14	-13	Pass	601
3555	3655	1	RMS	3555.167	-30.25	-13	Pass	601



27.9. Band Edge for SA(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.833	-45.87	-13	Pass	601
3445	3449	0.62	RMS	3448.993	-28.68	-13	Pass	601
3449	3450	0.2	RMS	3449.995	-28.28	-13	Pass	601
3450	3550	1	RMS	3451.167	20.18	30	Pass	601




27.10. Band Edge for SA(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-31.66	-13	Pass	601
3445	3449	0.62	RMS	3448.96	-32.66	-13	Pass	601
3449	3450	0.2	RMS	3449.683	-37.09	-13	Pass	601
3450	3550	1	RMS	3458.667	7.74	30	Pass	601




27.11. Band Edge for SA(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-45.77	-13	Pass	601
3445	3449	0.62	RMS	3448.993	-28.69	-13	Pass	601
3449	3450	0.2	RMS	3449.993	-27.62	-13	Pass	601
3450	3550	1	RMS	3451.167	20.14	30	Pass	601




27.12. Band Edge for SA(NTNV)(Subtest:4, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.833	-30.47	-13	Pass	601
3445	3449	0.62	RMS	3448.24	-31.23	-13	Pass	601
3449	3450	0.2	RMS	3449.2	-35.43	-13	Pass	601
3450	3550	1	RMS	3462.333	7.21	30	Pass	601




27.13. Band Edge for SA(NTNV)(Subtest:5, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.667	20.53	30	Pass	601
3550	3551	0.2	RMS	3550.002	-29.11	-13	Pass	601
3551	3555	0.62	RMS	3551.013	-29.78	-13	Pass	601
3555	3655	1	RMS	3555.167	-46.06	-13	Pass	601




27.14. Band Edge for SA(NTNV)(Subtest:6, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3508	7.91	30	Pass	601
3550	3551	0.2	RMS	3550.662	-36.8	-13	Pass	601
3551	3555	0.62	RMS	3553.04	-32.61	-13	Pass	601
3555	3655	1	RMS	3569.5	-33.18	-13	Pass	601



27.15. Band Edge for SA(NTNV)(Subtest:7, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.667	20.44	30	Pass	601
3550	3551	0.2	RMS	3550	-28.34	-13	Pass	601
3551	3555	0.62	RMS	3551.013	-29.68	-13	Pass	601
3555	3655	1	RMS	3555.167	-45.83	-13	Pass	601




27.16. Band Edge for SA(NTNV)(Subtest:8, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3503	7.41	30	Pass	601
3550	3551	0.2	RMS	3550.04	-36.1	-13	Pass	601
3551	3555	0.62	RMS	3551.993	-31.92	-13	Pass	601
3555	3655	1	RMS	3555	-32.01	-13	Pass	601




27.17. Band Edge for SA(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-45.53	-13	Pass	601
3445	3449	0.62	RMS	3448.773	-28.04	-13	Pass	601
3449	3450	0.2	RMS	3450	-20.98	-13	Pass	601
3450	3550	1	RMS	3451	20.58	30	Pass	601




27.18. Band Edge for SA(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.833	-32.67	-13	Pass	601
3445	3449	0.62	RMS	3445.5	-34.04	-13	Pass	601
3449	3450	0.2	RMS	3450	-35.7	-13	Pass	601
3450	3550	1	RMS	3469.167	5.32	30	Pass	601




27.19. Band Edge for SA(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.833	-45.28	-13	Pass	601
3445	3449	0.62	RMS	3448.753	-28.02	-13	Pass	601
3449	3450	0.2	RMS	3449.995	-21.21	-13	Pass	601
3450	3550	1	RMS	3451	20.57	30	Pass	601




27.20. Band Edge for SA(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3426.333	-32.25	-13	Pass	601
3445	3449	0.62	RMS	3448.66	-33.46	-13	Pass	601
3449	3450	0.2	RMS	3449.955	-36.61	-13	Pass	601
3450	3550	1	RMS	3460.333	4.83	30	Pass	601




27.21. Band Edge for SA(NTNV)(Subtest:5, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.833	20.89	30	Pass	601
3550	3551	0.2	RMS	3550	-22.85	-13	Pass	601
3551	3555	0.62	RMS	3551.173	-29.05	-13	Pass	601
3555	3655	1	RMS	3555	-45.48	-13	Pass	601




27.22. Band Edge for SA(NTNV)(Subtest:6, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3472.25	3.62	30	Pass	401
3550	3551	0.2	RMS	3550.385	-40.17	-13	Pass	401
3551	3555	0.62	RMS	3553.73	-36.11	-13	Pass	401
3555	3655	1	RMS	3555	-35.66	-13	Pass	401




27.23. Band Edge for SA(NTNV)(Subtest:7, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	20.79	30	Pass	601
3550	3551	0.2	RMS	3550.008	-22.65	-13	Pass	601
3551	3555	0.62	RMS	3551.16	-28.95	-13	Pass	601
3555	3655	1	RMS	3555	-45.39	-13	Pass	601



27.24. Band Edge for SA(NTNV)(Subtest:8, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3468	4.85	30	Pass	601
3550	3551	0.2	RMS	3550.232	-38.57	-13	Pass	601
3551	3555	0.62	RMS	3551.133	-34.51	-13	Pass	601
3555	3655	1	RMS	3555	-33.26	-13	Pass	601



28. n78 30kHz(3700-3800)


28.1. Band Edge for SA(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-45.11	-13	Pass	601
3695	3699	0.62	RMS	3698.727	-28.4	-13	Pass	601
3699	3700	0.39	RMS	3699.995	-16.05	-13	Pass	601
3700	3800	1	RMS	3701	20.82	30	Pass	601




28.2. Band Edge for SA(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3692.5	-34.68	-13	Pass	601
3695	3699	0.62	RMS	3698.9	-34.37	-13	Pass	601
3699	3700	0.39	RMS	3699.993	-27.72	-13	Pass	601
3700	3800	1	RMS	3705.333	11.81	30	Pass	601




28.3. Band Edge for SA(NTNV)(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.833	-45.1	-13	Pass	601
3695	3699	0.62	RMS	3698.873	-29.94	-13	Pass	601
3699	3700	0.39	RMS	3699.988	-16.05	-13	Pass	601
3700	3800	1	RMS	3701	20.72	30	Pass	601




28.4. Band Edge for SA(NTNV)(Subtest:4, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3683.833	-34.54	-13	Pass	601
3695	3699	0.62	RMS	3698.947	-32.09	-13	Pass	601
3699	3700	0.39	RMS	3699.968	-28.16	-13	Pass	601
3700	3800	1	RMS	3711.667	11.28	30	Pass	601




28.5. Band Edge for SA(NTNV)(Subtest:5, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3799	20.63	30	Pass	601
3800	3801	0.39	RMS	3800.007	-17.36	-13	Pass	601
3801	3805	0.62	RMS	3801.3	-27.48	-13	Pass	601
3805	3905	1	RMS	3805	-44.82	-13	Pass	601




28.6. Band Edge for SA(NTNV)(Subtest:6, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3785.667	11.93	30	Pass	601
3800	3801	0.39	RMS	3800	-35.06	-13	Pass	601
3801	3805	0.62	RMS	3801.053	-35.18	-13	Pass	601
3805	3905	1	RMS	3807.333	-34.46	-13	Pass	601




28.7. Band Edge for SA(NTNV)(Subtest:7, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3799	20.46	30	Pass	601
3800	3801	0.39	RMS	3800.023	-17.08	-13	Pass	601
3801	3805	0.62	RMS	3801.347	-27.55	-13	Pass	601
3805	3905	1	RMS	3805	-44.73	-13	Pass	601




28.8. Band Edge for SA(NTNV)(Subtest:8, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3787.333	11.29	30	Pass	601
3800	3801	0.39	RMS	3800.065	-32.18	-13	Pass	601
3801	3805	0.62	RMS	3801.06	-31.18	-13	Pass	601
3805	3905	1	RMS	3815.167	-32.58	-13	Pass	601



28.9. Band Edge for SA(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-45.37	-13	Pass	601
3695	3699	0.62	RMS	3698.847	-28.71	-13	Pass	601
3699	3700	0.39	RMS	3699.998	-23.36	-13	Pass	601
3700	3800	1	RMS	3701.167	20.41	30	Pass	601




28.10. Band Edge for SA(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.667	-33	-13	Pass	601
3695	3699	0.62	RMS	3698.987	-33.83	-13	Pass	601
3699	3700	0.39	RMS	3699.993	-33.81	-13	Pass	601
3700	3800	1	RMS	3704.333	7.52	30	Pass	601



28.11. Band Edge for SA(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-45.24	-13	Pass	601
3695	3699	0.62	RMS	3698.96	-29.78	-13	Pass	601
3699	3700	0.39	RMS	3700	-22.42	-13	Pass	601
3700	3800	1	RMS	3701.167	20.44	30	Pass	601




28.12. Band Edge for SA(NTNV)(Subtest:4, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.833	-32.89	-13	Pass	601
3695	3699	0.62	RMS	3698.98	-32.69	-13	Pass	601
3699	3700	0.39	RMS	3699.96	-33.25	-13	Pass	601
3700	3800	1	RMS	3711.167	7	30	Pass	601




28.13. Band Edge for SA(NTNV)(Subtest:5, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3798.667	20.28	30	Pass	601
3800	3801	0.39	RMS	3800.003	-25.55	-13	Pass	601
3801	3805	0.62	RMS	3801.127	-28.01	-13	Pass	601
3805	3905	1	RMS	3805.167	-45.25	-13	Pass	601




28.14. Band Edge for SA(NTNV)(Subtest:6, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3761.5	7.61	30	Pass	601
3800	3801	0.39	RMS	3800.29	-40.11	-13	Pass	601
3801	3805	0.62	RMS	3801.013	-39.11	-13	Pass	601
3805	3905	1	RMS	3836.667	-36.87	-13	Pass	601



28.15. Band Edge for SA(NTNV)(Subtest:7, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3798.833	20.27	30	Pass	601
3800	3801	0.39	RMS	3800.005	-23.85	-13	Pass	601
3801	3805	0.62	RMS	3801.14	-27.73	-13	Pass	601
3805	3905	1	RMS	3805	-45.12	-13	Pass	601




28.16. Band Edge for SA(NTNV)(Subtest:8, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3766.833	7.11	30	Pass	601
3800	3801	0.39	RMS	3800.118	-37.21	-13	Pass	601
3801	3805	0.62	RMS	3801.133	-36.11	-13	Pass	601
3805	3905	1	RMS	3836.667	-35.11	-13	Pass	601



28.17. Band Edge for SA(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.833	-45.03	-13	Pass	601
3695	3699	0.62	RMS	3698.66	-28.35	-13	Pass	601
3699	3700	0.39	RMS	3699.995	-17.11	-13	Pass	601
3700	3800	1	RMS	3701	20.81	30	Pass	601




28.18. Band Edge for SA(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.667	-35.41	-13	Pass	601
3695	3699	0.62	RMS	3698.987	-35.92	-13	Pass	601
3699	3700	0.39	RMS	3699.973	-34.19	-13	Pass	601
3700	3800	1	RMS	3709.833	4.76	30	Pass	601




28.19. Band Edge for SA(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.833	-44.78	-13	Pass	601
3695	3699	0.62	RMS	3698.667	-28.25	-13	Pass	601
3699	3700	0.39	RMS	3699.995	-17.25	-13	Pass	601
3700	3800	1	RMS	3701	20.78	30	Pass	601




28.20. Band Edge for SA(NTNV)(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.667	-35.63	-13	Pass	601
3695	3699	0.62	RMS	3698.98	-36.77	-13	Pass	601
3699	3700	0.39	RMS	3699.992	-34.51	-13	Pass	601
3700	3800	1	RMS	3706	4.26	30	Pass	601




28.21. Band Edge for SA(NTNV)(Subtest:5, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3799	20.74	30	Pass	601
3800	3801	0.39	RMS	3800.002	-17.7	-13	Pass	601
3801	3805	0.62	RMS	3801.307	-27.55	-13	Pass	601
3805	3905	1	RMS	3805.333	-44.76	-13	Pass	601




28.22. Band Edge for SA(NTNV)(Subtest:6, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3794.25	2.67	30	Pass	401
3800	3801	0.39	RMS	3800.21	-41.3	-13	Pass	401
3801	3805	0.62	RMS	3802.04	-39.77	-13	Pass	401
3805	3905	1	RMS	3805.25	-39.12	-13	Pass	401




28.23. Band Edge for SA(NTNV)(Subtest:7, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3799	20.55	30	Pass	601
3800	3801	0.39	RMS	3800.002	-17.28	-13	Pass	601
3801	3805	0.62	RMS	3801.333	-27.44	-13	Pass	601
3805	3905	1	RMS	3805.167	-44.56	-13	Pass	601



28.24. Band Edge for SA(NTNV)(Subtest:8, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3708.667	4.61	30	Pass	601
3800	3801	0.39	RMS	3800.022	-38.87	-13	Pass	601
3801	3805	0.62	RMS	3801.76	-36.95	-13	Pass	601
3805	3905	1	RMS	3805.5	-35.89	-13	Pass	601



END