




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Band66 16QAM BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 16QAM BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 16QAM BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 16QAM BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 16QAM BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 16QAM BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 16QAM BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 16QAM BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132657 RB Size=15 Position=#0



Band66 16QAM BW=5MHz Channel=131997 RB Size=25 Position=#0



Band66 16QAM BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0



Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0



Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0



Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0



Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0



Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




Band71 16QAM BW=10MHz Channel=133172 RB Size=50 Position=#0




Band71 16QAM BW=10MHz Channel=133422 RB Size=50 Position=#0




Band71 16QAM BW=15MHz Channel=133197 RB Size=75 Position=#0




Band71 16QAM BW=15MHz Channel=133397 RB Size=75 Position=#0




Band71 16QAM BW=20MHz Channel=133222 RB Size=100 Position=#0




Band71 16QAM BW=20MHz Channel=133372 RB Size=100 Position=#0




Band71 16QAM BW=5MHz Channel=133147 RB Size=25 Position=#0




Band71 16QAM BW=5MHz Channel=133447 RB Size=25 Position=#0




Band71 QPSK BW=10MHz Channel=133172 RB Size=50 Position=#0




Band71 QPSK BW=10MHz Channel=133422 RB Size=50 Position=#0




Band71 QPSK BW=15MHz Channel=133197 RB Size=75 Position=#0




Band71 QPSK BW=15MHz Channel=133397 RB Size=75 Position=#0




Band71 QPSK BW=20MHz Channel=133222 RB Size=100 Position=#0




Band71 QPSK BW=20MHz Channel=133372 RB Size=100 Position=#0



Band71 QPSK BW=5MHz Channel=133147 RB Size=25 Position=#0



Band71 QPSK BW=5MHz Channel=133447 RB Size=25 Position=#0



06 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band12	1.4	23017	6	#0	QPSK	25251.78	-34.42	-13	PASS
Band12	1.4	23017	6	#0	16QAM	24429.40	-33.73	-13	PASS
Band12	1.4	23095	6	#0	QPSK	24723.93	-33.69	-13	PASS
Band12	1.4	23095	6	#0	16QAM	24597.06	-34.04	-13	PASS
Band12	1.4	23173	6	#0	QPSK	25111.53	-34.57	-13	PASS
Band12	1.4	23173	6	#0	16QAM	25095.59	-33.39	-13	PASS
Band12	3	23025	15	#0	QPSK	25017.81	-33.53	-13	PASS
Band12	3	23025	15	#0	16QAM	24627.03	-33.58	-13	PASS
Band12	3	23095	15	#0	QPSK	25096.86	-33.31	-13	PASS
Band12	3	23095	15	#0	16QAM	24473.39	-34.33	-13	PASS
Band12	3	23165	15	#0	QPSK	24656.35	-34.50	-13	PASS
Band12	3	23165	15	#0	16QAM	25354.41	-33.66	-13	PASS
Band12	5	23035	25	#0	QPSK	24600.89	-33.70	-13	PASS
Band12	5	23035	25	#0	16QAM	25275.36	-34.30	-13	PASS
Band12	5	23095	25	#0	QPSK	25860.59	-33.81	-13	PASS
Band12	5	23095	25	#0	16QAM	24964.90	-34.57	-13	PASS
Band12	5	23155	25	#0	QPSK	26450.91	-34.66	-13	PASS
Band12	5	23155	25	#0	16QAM	24412.19	-34.25	-13	PASS
Band12	10	23060	50	#0	QPSK	25210.98	-34.08	-13	PASS
Band12	10	23060	50	#0	16QAM	25228.19	-33.97	-13	PASS
Band12	10	23095	50	#0	QPSK	25323.18	-34.41	-13	PASS
Band12	10	23095	50	#0	16QAM	25085.39	-34.56	-13	PASS
Band12	10	23130	50	#0	QPSK	26478.96	-34.21	-13	PASS
Band12	10	23130	50	#0	16QAM	25035.03	-34.30	-13	PASS
Band2	1.4	18607	6	#0	QPSK	24781.94	-33.53	-13	PASS
Band2	1.4	18607	6	#0	16QAM	25847.20	-33.28	-13	PASS
Band2	1.4	18900	6	#0	QPSK	25297.04	-33.64	-13	PASS
Band2	1.4	18900	6	#0	16QAM	25333.38	-33.33	-13	PASS
Band2	1.4	19193	6	#0	QPSK	25263.89	-33.32	-13	PASS
Band2	1.4	19193	6	#0	16QAM	25166.99	-33.23	-13	PASS
Band2	3	18615	15	#0	QPSK	25172.73	-33.41	-13	PASS
Band2	3	18615	15	#0	16QAM	25265.80	-31.11	-13	PASS
Band2	3	18900	15	#0	QPSK	25817.24	-33.40	-13	PASS
Band2	3	18900	15	#0	16QAM	25228.83	-33.55	-13	PASS
Band2	3	19185	15	#0	QPSK	25154.24	-32.35	-13	PASS
Band2	3	19185	15	#0	16QAM	25197.59	-33.05	-13	PASS
Band2	5	18625	25	#0	QPSK	25205.24	-33.44	-13	PASS
Band2	5	18625	25	#0	16QAM	24757.08	-33.31	-13	PASS
Band2	5	18900	25	#0	QPSK	25265.16	-33.02	-13	PASS
Band2	5	18900	25	#0	16QAM	25239.03	-33.32	-13	PASS
Band2	5	19175	25	#0	QPSK	24745.60	-32.16	-13	PASS
Band2	5	19175	25	#0	16QAM	25283.65	-33.50	-13	PASS

Band2	10	18650	50	#0	QPSK	26470.68	-32.46	-13	PASS
Band2	10	18650	50	#0	16QAM	25838.28	-33.28	-13	PASS
Band2	10	18900	50	#0	QPSK	26488.53	-33.21	-13	PASS
Band2	10	18900	50	#0	16QAM	25190.58	-32.34	-13	PASS
Band2	10	19150	50	#0	QPSK	24725.84	-33.15	-13	PASS
Band2	10	19150	50	#0	16QAM	25026.10	-32.35	-13	PASS
Band2	15	18675	75	#0	QPSK	25047.78	-32.60	-13	PASS
Band2	15	18675	75	#0	16QAM	25183.56	-33.52	-13	PASS
Band2	15	18900	75	#0	QPSK	25750.94	-33.57	-13	PASS
Band2	15	18900	75	#0	16QAM	25811.50	-33.16	-13	PASS
Band2	15	19125	75	#0	QPSK	25162.53	-33.38	-13	PASS
Band2	15	19125	75	#0	16QAM	24536.50	-33.09	-13	PASS
Band2	20	18700	100	#0	QPSK	25138.94	-33.28	-13	PASS
Band2	20	18700	100	#0	16QAM	25841.46	-33.18	-13	PASS
Band2	20	18900	100	#0	QPSK	25281.10	-32.59	-13	PASS
Band2	20	18900	100	#0	16QAM	26327.88	-33.54	-13	PASS
Band2	20	19100	100	#0	QPSK	25203.96	-33.15	-13	PASS
Band2	20	19100	100	#0	16QAM	25134.48	-33.43	-13	PASS
Band25	1.4	26047	6	#0	QPSK	25217.99	-33.08	-13	PASS
Band25	1.4	26047	6	#0	16QAM	26366.13	-33.64	-13	PASS
Band25	1.4	26365	6	#0	QPSK	24413.46	-33.64	-13	PASS
Band25	1.4	26365	6	#0	16QAM	24627.03	-32.65	-13	PASS
Band25	1.4	26683	6	#0	QPSK	26447.09	-33.52	-13	PASS
Band25	1.4	26683	6	#0	16QAM	24478.49	-33.03	-13	PASS
Band25	3	26055	15	#0	QPSK	21544.08	-33.04	-13	PASS
Band25	3	26055	15	#0	16QAM	26409.48	-32.80	-13	PASS
Band25	3	26365	15	#0	QPSK	24732.21	-32.32	-13	PASS
Band25	3	26365	15	#0	16QAM	25304.05	-32.83	-13	PASS
Band25	3	26675	15	#0	QPSK	24588.78	-33.40	-13	PASS
Band25	3	26675	15	#0	16QAM	25325.73	-33.00	-13	PASS
Band25	5	26065	25	#0	QPSK	25169.54	-33.18	-13	PASS
Band25	5	26065	25	#0	16QAM	25256.24	-33.17	-13	PASS
Band25	5	26365	25	#0	QPSK	26480.88	-32.61	-13	PASS
Band25	5	26365	25	#0	16QAM	24785.13	-32.63	-13	PASS
Band25	5	26665	25	#0	QPSK	25277.28	-32.52	-13	PASS
Band25	5	26665	25	#0	16QAM	25780.26	-33.23	-13	PASS
Band25	10	26090	50	#0	QPSK	25269.63	-32.98	-13	PASS
Band25	10	26090	50	#0	16QAM	25205.24	-33.36	-13	PASS
Band25	10	26365	50	#0	QPSK	25149.78	-33.86	-13	PASS
Band25	10	26365	50	#0	16QAM	24829.11	-33.21	-13	PASS
Band25	10	26640	50	#0	QPSK	24530.13	-33.47	-13	PASS
Band25	10	26640	50	#0	16QAM	26362.94	-33.15	-13	PASS
Band25	15	26115	75	#0	QPSK	25160.61	-32.74	-13	PASS
Band25	15	26115	75	#0	16QAM	25041.40	-33.64	-13	PASS

Band25	15	26365	75	#0	QPSK	24652.53	-33.61	-13	PASS
Band25	15	26365	75	#0	16QAM	25293.85	-33.60	-13	PASS
Band25	15	26615	75	#0	QPSK	26107.94	-33.88	-13	PASS
Band25	15	26615	75	#0	16QAM	24417.93	-33.48	-13	PASS
Band25	20	26140	100	#0	QPSK	24449.80	-33.42	-13	PASS
Band25	20	26140	100	#0	16QAM	26438.16	-33.08	-13	PASS
Band25	20	26365	100	#0	QPSK	26480.88	-33.18	-13	PASS
Band25	20	26365	100	#0	16QAM	25090.49	-33.19	-13	PASS
Band25	20	26590	100	#0	QPSK	25263.25	-32.98	-13	PASS
Band25	20	26590	100	#0	16QAM	25319.99	-33.35	-13	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	25792.38	-33.76	-13	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	25056.06	-33.22	-13	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	25038.85	-34.54	-13	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	25307.88	-34.71	-13	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	24683.76	-34.14	-13	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	25317.44	-34.44	-13	PASS
Band26(814-824)	3	26705	15	#0	QPSK	25068.18	-34.46	-13	PASS
Band26(814-824)	3	26705	15	#0	16QAM	25352.50	-33.86	-13	PASS
Band26(814-824)	3	26740	15	#0	QPSK	25217.35	-34.14	-13	PASS
Band26(814-824)	3	26740	15	#0	16QAM	24466.38	-34.04	-13	PASS
Band26(814-824)	3	26775	15	#0	QPSK	24738.59	-33.16	-13	PASS
Band26(814-824)	3	26775	15	#0	16QAM	24354.81	-34.06	-13	PASS
Band26(814-824)	5	26715	25	#0	QPSK	24697.15	-34.31	-13	PASS
Band26(814-824)	5	26715	25	#0	16QAM	25195.68	-33.11	-13	PASS
Band26(814-824)	5	26740	25	#0	QPSK	25135.75	-34.49	-13	PASS
Band26(814-824)	5	26740	25	#0	16QAM	25304.05	-33.81	-13	PASS
Band26(814-824)	5	26765	25	#0	QPSK	24700.98	-33.96	-13	PASS
Band26(814-824)	5	26765	25	#0	16QAM	24475.94	-34.60	-13	PASS
Band26(814-824)	10	26740	50	#0	QPSK	25200.14	-33.67	-13	PASS
Band26(814-824)	10	26740	50	#0	16QAM	25209.06	-34.30	-13	PASS
Band26(824-849)	1.4	26797	6	#0	QPSK	25323.18	-33.39	-13	PASS
Band26(824-849)	1.4	26797	6	#0	16QAM	21619.30	-34.56	-13	PASS
Band26(824-849)	1.4	26915	6	#0	QPSK	25064.35	-33.28	-13	PASS
Band26(824-849)	1.4	26915	6	#0	16QAM	24672.93	-33.70	-13	PASS
Band26(824-849)	1.4	27033	6	#0	QPSK	21045.55	-34.36	-13	PASS
Band26(824-849)	1.4	27033	6	#0	16QAM	24485.50	-34.28	-13	PASS
Band26(824-849)	3	26805	15	#0	QPSK	24717.55	-34.09	-13	PASS
Band26(824-849)	3	26805	15	#0	16QAM	25218.63	-32.85	-13	PASS
Band26(824-849)	3	26915	15	#0	QPSK	24481.68	-34.02	-13	PASS
Band26(824-849)	3	26915	15	#0	16QAM	25211.61	-34.05	-13	PASS
Band26(824-849)	3	27025	15	#0	QPSK	25292.58	-34.52	-13	PASS
Band26(824-849)	3	27025	15	#0	16QAM	24486.14	-34.45	-13	PASS
Band26(824-849)	5	26815	25	#0	QPSK	21626.31	-34.17	-13	PASS
Band26(824-849)	5	26815	25	#0	16QAM	25289.39	-34.08	-13	PASS


Band26(824-849)	5	26915	25	#0	QPSK	24679.94	-33.48	-13	PASS
Band26(824-849)	5	26915	25	#0	16QAM	25684.64	-34.20	-13	PASS
Band26(824-849)	5	27015	25	#0	QPSK	24755.80	-33.29	-13	PASS
Band26(824-849)	5	27015	25	#0	16QAM	25205.24	-33.86	-13	PASS
Band26(824-849)	10	26840	50	#0	QPSK	25288.75	-33.53	-13	PASS
Band26(824-849)	10	26840	50	#0	16QAM	21604.00	-34.33	-13	PASS
Band26(824-849)	10	26915	50	#0	QPSK	24668.46	-34.07	-13	PASS
Band26(824-849)	10	26915	50	#0	16QAM	24649.98	-33.23	-13	PASS
Band26(824-849)	10	26990	50	#0	QPSK	25072.64	-32.39	-13	PASS
Band26(824-849)	10	26990	50	#0	16QAM	25342.30	-33.23	-13	PASS
Band26(824-849)	15	26865	75	#0	QPSK	24454.90	-34.18	-13	PASS
Band26(824-849)	15	26865	75	#0	16QAM	24714.36	-33.96	-13	PASS
Band26(824-849)	15	26915	75	#0	QPSK	24987.85	-34.18	-13	PASS
Band26(824-849)	15	26915	75	#0	16QAM	21059.58	-34.71	-13	PASS
Band26(824-849)	15	26965	75	#0	QPSK	25256.88	-34.29	-13	PASS
Band26(824-849)	15	26965	75	#0	16QAM	24500.16	-33.72	-13	PASS
Band4	1.4	19957	6	#0	QPSK	24718.19	-32.49	-13	PASS
Band4	1.4	19957	6	#0	16QAM	24623.84	-33.64	-13	PASS
Band4	1.4	20175	6	#0	QPSK	25845.93	-33.10	-13	PASS
Band4	1.4	20175	6	#0	16QAM	25338.48	-33.51	-13	PASS
Band4	1.4	20393	6	#0	QPSK	25267.71	-32.85	-13	PASS
Band4	1.4	20393	6	#0	16QAM	24493.79	-32.99	-13	PASS
Band4	3	19965	15	#0	QPSK	24426.21	-32.58	-13	PASS
Band4	3	19965	15	#0	16QAM	26403.10	-33.30	-13	PASS
Band4	3	20175	15	#0	QPSK	26447.09	-33.49	-13	PASS
Band4	3	20175	15	#0	16QAM	21572.13	-32.99	-13	PASS
Band4	3	20385	15	#0	QPSK	25080.93	-33.50	-13	PASS
Band4	3	20385	15	#0	16QAM	24669.10	-33.52	-13	PASS
Band4	5	19975	25	#0	QPSK	24879.48	-33.62	-13	PASS
Band4	5	19975	25	#0	16QAM	24434.50	-32.69	-13	PASS
Band4	5	20175	25	#0	QPSK	25266.44	-33.36	-13	PASS
Band4	5	20175	25	#0	16QAM	24783.21	-32.94	-13	PASS
Band4	5	20375	25	#0	QPSK	21593.16	-33.52	-13	PASS
Band4	5	20375	25	#0	16QAM	26454.10	-33.07	-13	PASS
Band4	10	20000	50	#0	QPSK	25088.58	-33.41	-13	PASS
Band4	10	20000	50	#0	16QAM	24679.30	-32.96	-13	PASS
Band4	10	20175	50	#0	QPSK	25369.71	-33.36	-13	PASS
Band4	10	20175	50	#0	16QAM	24794.05	-32.87	-13	PASS
Band4	10	20350	50	#0	QPSK	24992.95	-33.37	-13	PASS
Band4	10	20350	50	#0	16QAM	25261.34	-33.66	-13	PASS
Band4	15	20025	75	#0	QPSK	25305.96	-33.78	-13	PASS
Band4	15	20025	75	#0	16QAM	25819.15	-32.71	-13	PASS
Band4	15	20175	75	#0	QPSK	26377.60	-33.82	-13	PASS
Band4	15	20175	75	#0	16QAM	26383.98	-33.09	-13	PASS

Band4	15	20325	75	#0	QPSK	25158.70	-32.43	-13	PASS
Band4	15	20325	75	#0	16QAM	25191.85	-33.05	-13	PASS
Band4	20	20050	100	#0	QPSK	24434.50	-33.21	-13	PASS
Band4	20	20050	100	#0	16QAM	25816.60	-32.62	-13	PASS
Band4	20	20175	100	#0	QPSK	24563.91	-33.12	-13	PASS
Band4	20	20175	100	#0	16QAM	25288.75	-33.31	-13	PASS
Band4	20	20300	100	#0	QPSK	25316.16	-33.56	-13	PASS
Band4	20	20300	100	#0	16QAM	25056.70	-33.54	-13	PASS
Band41	5	39675	25	#0	QPSK	25635.55	-32.99	-25	PASS
Band41	5	39675	25	#0	16QAM	24539.05	-33.22	-25	PASS
Band41	5	40620	25	#0	QPSK	24510.36	-32.98	-25	PASS
Band41	5	40620	25	#0	16QAM	24456.18	-32.76	-25	PASS
Band41	5	41565	25	#0	QPSK	24642.96	-32.72	-25	PASS
Band41	5	41565	25	#0	16QAM	25110.25	-32.47	-25	PASS
Band41	10	39700	50	#0	QPSK	24646.79	-32.04	-25	PASS
Band41	10	39700	50	#0	16QAM	25115.99	-32.39	-25	PASS
Band41	10	40620	50	#0	QPSK	25125.55	-33.08	-25	PASS
Band41	10	40620	50	#0	16QAM	24697.79	-33.13	-25	PASS
Band41	10	41540	50	#0	QPSK	25298.31	-33.35	-25	PASS
Band41	10	41540	50	#0	16QAM	25214.16	-32.68	-25	PASS
Band41	15	39725	75	#0	QPSK	25006.34	-32.77	-25	PASS
Band41	15	39725	75	#0	16QAM	25348.04	-32.34	-25	PASS
Band41	15	40620	75	#0	QPSK	25172.09	-32.86	-25	PASS
Band41	15	40620	75	#0	16QAM	25821.70	-32.83	-25	PASS
Band41	15	41515	75	#0	QPSK	25273.45	-32.98	-25	PASS
Band41	15	41515	75	#0	16QAM	25853.58	-32.30	-25	PASS
Band41	20	39750	100	#0	QPSK	25098.14	-32.67	-25	PASS
Band41	20	39750	100	#0	16QAM	25131.29	-32.51	-25	PASS
Band41	20	40620	100	#0	QPSK	25250.50	-31.61	-25	PASS
Band41	20	40620	100	#0	16QAM	25297.04	-32.85	-25	PASS
Band41	20	41490	100	#0	QPSK	25115.99	-32.60	-25	PASS
Band41	20	41490	100	#0	16QAM	25239.03	-32.44	-25	PASS
Band5	1.4	20407	6	#0	QPSK	24588.78	-34.56	-13	PASS
Band5	1.4	20407	6	#0	16QAM	26475.14	-34.33	-13	PASS
Band5	1.4	20525	6	#0	QPSK	25259.43	-34.26	-13	PASS
Band5	1.4	20525	6	#0	16QAM	25103.88	-33.70	-13	PASS
Band5	1.4	20643	6	#0	QPSK	24981.48	-34.71	-13	PASS
Band5	1.4	20643	6	#0	16QAM	25242.85	-33.86	-13	PASS
Band5	3	20415	15	#0	QPSK	24689.50	-33.34	-13	PASS
Band5	3	20415	15	#0	16QAM	25187.39	-33.86	-13	PASS
Band5	3	20525	15	#0	QPSK	25793.01	-33.93	-13	PASS
Band5	3	20525	15	#0	16QAM	25764.96	-34.56	-13	PASS
Band5	3	20635	15	#0	QPSK	25268.99	-34.18	-13	PASS
Band5	3	20635	15	#0	16QAM	25536.10	-33.97	-13	PASS

Band5	5	20425	25	#0	QPSK	24771.74	-33.05	-13	PASS
Band5	5	20425	25	#0	16QAM	25216.71	-34.18	-13	PASS
Band5	5	20525	25	#0	QPSK	25366.53	-33.83	-13	PASS
Band5	5	20525	25	#0	16QAM	25337.20	-34.01	-13	PASS
Band5	5	20625	25	#0	QPSK	24553.71	-34.44	-13	PASS
Band5	5	20625	25	#0	16QAM	25223.09	-33.98	-13	PASS
Band5	10	20450	50	#0	QPSK	25159.98	-34.25	-13	PASS
Band5	10	20450	50	#0	16QAM	25217.35	-33.60	-13	PASS
Band5	10	20525	50	#0	QPSK	24411.55	-34.58	-13	PASS
Band5	10	20525	50	#0	16QAM	25368.44	-33.97	-13	PASS
Band5	10	20600	50	#0	QPSK	24438.96	-33.26	-13	PASS
Band5	10	20600	50	#0	16QAM	25322.54	-33.77	-13	PASS
Band66	1.4	131979	6	#0	QPSK	24551.80	-32.74	-13	PASS
Band66	1.4	131979	6	#0	16QAM	25120.45	-33.15	-13	PASS
Band66	1.4	132322	6	#0	QPSK	25697.39	-32.95	-13	PASS
Band66	1.4	132322	6	#0	16QAM	25098.78	-32.97	-13	PASS
Band66	1.4	132665	6	#0	QPSK	24668.46	-33.24	-13	PASS
Band66	1.4	132665	6	#0	16QAM	25701.85	-32.81	-13	PASS
Band66	3	131987	15	#0	QPSK	24457.45	-32.88	-13	PASS
Band66	3	131987	15	#0	16QAM	25677.63	-32.20	-13	PASS
Band66	3	132322	15	#0	QPSK	24696.51	-33.01	-13	PASS
Band66	3	132322	15	#0	16QAM	24720.74	-33.36	-13	PASS
Band66	3	132657	15	#0	QPSK	26471.95	-32.75	-13	PASS
Band66	3	132657	15	#0	16QAM	25123.64	-32.90	-13	PASS
Band66	5	131997	25	#0	QPSK	25223.09	-32.87	-13	PASS
Band66	5	131997	25	#0	16QAM	24727.11	-31.54	-13	PASS
Band66	5	132322	25	#0	QPSK	25323.18	-32.82	-13	PASS
Band66	5	132322	25	#0	16QAM	25240.30	-33.01	-13	PASS
Band66	5	132647	25	#0	QPSK	25913.50	-33.11	-13	PASS
Band66	5	132647	25	#0	16QAM	24470.84	-32.93	-13	PASS
Band66	10	132022	50	#0	QPSK	24333.14	-33.55	-13	PASS
Band66	10	132022	50	#0	16QAM	24664.64	-31.94	-13	PASS
Band66	10	132322	50	#0	QPSK	25290.03	-32.35	-13	PASS
Band66	10	132322	50	#0	16QAM	25138.94	-33.08	-13	PASS
Band66	10	132622	50	#0	QPSK	25244.13	-33.17	-13	PASS
Band66	10	132622	50	#0	16QAM	25221.18	-33.57	-13	PASS
Band66	15	132047	75	#0	QPSK	26440.71	-33.29	-13	PASS
Band66	15	132047	75	#0	16QAM	24785.13	-33.08	-13	PASS
Band66	15	132322	75	#0	QPSK	25123.00	-32.10	-13	PASS
Band66	15	132322	75	#0	16QAM	24543.51	-32.71	-13	PASS
Band66	15	132597	75	#0	QPSK	24676.11	-33.02	-13	PASS
Band66	15	132597	75	#0	16QAM	25066.26	-33.87	-13	PASS
Band66	20	132072	100	#0	QPSK	25226.91	-33.24	-13	PASS
Band66	20	132072	100	#0	16QAM	25166.35	-33.46	-13	PASS


Band66	20	132322	100	#0	QPSK	24421.75	-32.23	-13	PASS
Band66	20	132322	100	#0	16QAM	25115.99	-33.16	-13	PASS
Band66	20	132572	100	#0	QPSK	25110.25	-32.88	-13	PASS
Band66	20	132572	100	#0	16QAM	24780.66	-33.37	-13	PASS
Band71	5	133147	25	#0	QPSK	25013.99	-33.85	-13	PASS
Band71	5	133147	25	#0	16QAM	24618.74	-34.36	-13	PASS
Band71	5	133297	25	#0	QPSK	25208.43	-32.61	-13	PASS
Band71	5	133297	25	#0	16QAM	24807.44	-34.37	-13	PASS
Band71	5	133447	25	#0	QPSK	24820.19	-33.59	-13	PASS
Band71	5	133447	25	#0	16QAM	25319.99	-33.49	-13	PASS
Band71	10	133172	50	#0	QPSK	24783.21	-33.68	-13	PASS
Band71	10	133172	50	#0	16QAM	24688.86	-34.08	-13	PASS
Band71	10	133297	50	#0	QPSK	25311.70	-33.38	-13	PASS
Band71	10	133297	50	#0	16QAM	24669.10	-33.69	-13	PASS
Band71	10	133422	50	#0	QPSK	24977.01	-33.06	-13	PASS
Band71	10	133422	50	#0	16QAM	24669.10	-34.09	-13	PASS
Band71	15	133197	75	#0	QPSK	25236.48	-32.98	-13	PASS
Band71	15	133197	75	#0	16QAM	25218.63	-34.35	-13	PASS
Band71	15	133297	75	#0	QPSK	24642.33	-33.67	-13	PASS
Band71	15	133297	75	#0	16QAM	25070.73	-34.19	-13	PASS
Band71	15	133397	75	#0	QPSK	25243.49	-33.41	-13	PASS
Band71	15	133397	75	#0	16QAM	25277.91	-33.77	-13	PASS
Band71	20	133222	100	#0	QPSK	25752.85	-34.53	-13	PASS
Band71	20	133222	100	#0	16QAM	25283.65	-34.47	-13	PASS
Band71	20	133297	100	#0	QPSK	25221.81	-33.78	-13	PASS
Band71	20	133297	100	#0	16QAM	24639.78	-34.37	-13	PASS
Band71	20	133372	100	#0	QPSK	24780.66	-33.71	-13	PASS
Band71	20	133372	100	#0	16QAM	25126.83	-33.85	-13	PASS

Band12 16QAM BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01062855	-53.85	-13
2	0.15	30	10	0.15223875	-54.64	-13
3	30	1000	100	960.88475	-55.76	-13
4	1000	26500	1000	24429.4	-33.73	-13

Band12 16QAM BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0163602	-52.98	-13
2	0.15	30	10	0.15970125	-56.74	-13
3	30	1000	100	971.1425	-56.65	-13
4	1000	26500	1000	24597.0625	-34.04	-13

Band12 16QAM BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-52.95	-13
2	0.15	30	10	0.1574625	-53.84	-13
3	30	1000	100	892.06325	-56.82	-13
4	1000	26500	1000	25095.5875	-33.39	-13

Band12 16QAM BW=10MHz Channel=23060 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.013089	-53.88	-13
2	0.15	30	10	0.15074625	-54.38	-13
3	30	1000	100	839.95	-56.2	-13
4	1000	26500	1000	25228.1875	-33.97	-13

Band12 16QAM BW=10MHz Channel=23095 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00907755	-51.53	-13
2	0.15	30	10	0.15223875	-54.83	-13
3	30	1000	100	793.8265	-56.3	-13
4	1000	26500	1000	25085.3875	-34.56	-13

Band12 16QAM BW=10MHz Channel=23130 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012126675	-51.37	-13
2	0.15	30	10	0.15	-52.58	-13
3	30	1000	100	961.27275	-56.13	-13
4	1000	26500	1000	25035.025	-34.3	-13

Band12 16QAM BW=3MHz Channel=23025 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.017103975	-52.57	-13
2	0.15	30	10	0.15	-53.43	-13
3	30	1000	100	834.83325	-55.89	-13
4	1000	26500	1000	24627.025	-33.58	-13

Band12 16QAM BW=3MHz Channel=23095 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01195395	-52.88	-13
2	0.15	30	10	0.164925	-56.43	-13
3	30	1000	100	904.358	-56.41	-13
4	1000	26500	1000	24473.3875	-34.33	-13

Band12 16QAM BW=3MHz Channel=23165 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01095285	-54.39	-13
2	0.15	30	10	0.17313375	-55.62	-13
3	30	1000	100	837.20975	-55.47	-13
4	1000	26500	1000	25364.4125	-33.66	-13

Band12 16QAM BW=5MHz Channel=23035 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101562	-52.56	-13
2	0.15	30	10	0.15	-54.94	-13
3	30	1000	100	508.792	-55.56	-13
4	1000	26500	1000	25275.3625	-34.3	-13

Band12 16QAM BW=5MHz Channel=23095 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009870675	-51.36	-13
2	0.15	30	10	0.16194	-54.76	-13
3	30	1000	100	975.38625	-56.64	-13
4	1000	26500	1000	24964.9	-34.57	-13

Band12 16QAM BW=5MHz Channel=23155 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009123375	-52.86	-13
2	0.15	30	10	0.1664175	-54.95	-13
3	30	1000	100	799.71925	-55.61	-13
4	1000	26500	1000	24412.1875	-34.25	-13

Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01326525	-52.51	-13
2	0.15	30	10	0.16865625	-55.13	-13
3	30	1000	100	755.24475	-56.61	-13
4	1000	26500	1000	25251.775	-34.42	-13

Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009165675	-51.2	-13
2	0.15	30	10	0.1514925	-52.76	-13
3	30	1000	100	827.7765	-55.46	-13
4	1000	26500	1000	24723.925	-33.69	-13

Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-54.16	-13
2	0.15	30	10	0.15223875	-54.31	-13
3	30	1000	100	531.07775	-56.09	-13
4	1000	26500	1000	25111.525	-34.57	-13

Band12 QPSK BW=10MHz Channel=23060 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01151685	-52.88	-13
2	0.15	30	10	0.170895	-54.9	-13
3	30	1000	100	929.45675	-55	-13
4	1000	26500	1000	25210.975	-34.08	-13

Band12 QPSK BW=10MHz Channel=23095 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009412425	-51.56	-13
2	0.15	30	10	0.15	-55	-13
3	30	1000	100	498.9465	-56.07	-13
4	1000	26500	1000	25323.175	-34.41	-13

Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01092465	-53.01	-13
2	0.15	30	10	0.15	-54.06	-13
3	30	1000	100	884.8125	-55.87	-13
4	1000	26500	1000	26478.9625	-34.21	-13

Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01005045	-52.8	-13
2	0.15	30	10	0.15	-54.07	-13
3	30	1000	100	778.8885	-55.8	-13
4	1000	26500	1000	25017.8125	-33.53	-13

Band12 QPSK BW=3MHz Channel=23095 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.017985225	-53.19	-13
2	0.15	30	10	0.152985	-55.82	-13
3	30	1000	100	471.253	-56.35	-13
4	1000	26500	1000	25096.8625	-33.31	-13

Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.014636475	-52.52	-13
2	0.15	30	10	0.15074625	-52.23	-13
3	30	1000	100	772.12275	-55.86	-13
4	1000	26500	1000	24656.35	-34.5	-13

Band12 QPSK BW=5MHz Channel=23035 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-53.65	-13
2	0.15	30	10	0.15223875	-53.98	-13
3	30	1000	100	786.57575	-56.3	-13
4	1000	26500	1000	24600.8875	-33.7	-13

Band12 QPSK BW=5MHz Channel=23095 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-52.3	-13
2	0.15	30	10	0.1514925	-53.27	-13
3	30	1000	100	810.5105	-55.94	-13
4	1000	26500	1000	25860.5875	-33.81	-13

Band12 QPSK BW=5MHz Channel=23155 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010568625	-52.89	-13
2	0.15	30	10	0.15522375	-54.43	-13
3	30	1000	100	853.6755	-55.78	-13
4	1000	26500	1000	26450.9125	-34.66	-13

Band2 16QAM BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0111291	-51.76	-13
2	0.15	30	10	0.15	-53.61	-13
3	30	1000	100	658.0265	-55.49	-13
4	1000	26500	1000	25847.2	-33.28	-13

Band2 16QAM BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01071315	-50.7	-13
2	0.15	30	10	0.15	-53.38	-13
3	30	1000	100	770.61925	-55.33	-13
4	1000	26500	1000	25333.375	-33.33	-13

Band2 16QAM BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.019790025	-52.72	-13
2	0.15	30	10	0.15373125	-55.82	-13
3	30	1000	100	973.713	-54.92	-13
4	1000	26500	1000	25166.9875	-33.23	-13

Band2 16QAM BW=10MHz Channel=18650 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009849525	-48.82	-13
2	0.15	30	10	0.15970125	-54.38	-13
3	30	1000	100	916.386	-55.98	-13
4	1000	26500	1000	25838.275	-33.28	-13

Band2 16QAM BW=10MHz Channel=18900 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-48.85	-13
2	0.15	30	10	0.15223875	-54.64	-13
3	30	1000	100	812.8385	-55.67	-13
4	1000	26500	1000	25190.575	-32.34	-13

Band2 16QAM BW=10MHz Channel=19150 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009141	-50.62	-13
2	0.15	30	10	0.1514925	-53.29	-13
3	30	1000	100	930.451	-54.58	-13
4	1000	26500	1000	25026.1	-32.35	-13

Band2 16QAM BW=15MHz Channel=18675 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0108048	-52.53	-13
2	0.15	30	10	0.1723875	-52.82	-13
3	30	1000	100	752.1165	-55.85	-13
4	1000	26500	1000	25183.5625	-33.52	-13

Band2 16QAM BW=15MHz Channel=18900 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009574575	-50.61	-13
2	0.15	30	10	0.15223875	-55.43	-13
3	30	1000	100	927.347	-54.14	-13
4	1000	26500	1000	25811.5	-33.16	-13

Band2 16QAM BW=15MHz Channel=19125 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01953975	-52.4	-13
2	0.15	30	10	0.2022375	-55.31	-13
3	30	1000	100	593.57	-55.61	-13
4	1000	26500	1000	24536.5	-33.09	-13

Band2 16QAM BW=20MHz Channel=18700 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0107766	-51.81	-13
2	0.15	30	10	0.16194	-53.59	-13
3	30	1000	100	973.4705	-54.22	-13
4	1000	26500	1000	25841.4625	-33.18	-13

Band2 16QAM BW=20MHz Channel=18900 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00948645	-50.56	-13
2	0.15	30	10	0.15522375	-53.28	-13
3	30	1000	100	909.23225	-54.93	-13
4	1000	26500	1000	26327.875	-33.54	-13

Band2 16QAM BW=20MHz Channel=19100 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012556725	-51.74	-13
2	0.15	30	10	0.15	-52.36	-13
3	30	1000	100	268.911	-54.95	-13
4	1000	26500	1000	25134.475	-33.43	-13

Band2 16QAM BW=3MHz Channel=18615 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.015743325	-50.21	-13
2	0.15	30	10	0.15223875	-54.74	-13
3	30	1000	100	561.8025	-55.8	-13
4	1000	26500	1000	25265.8	-31.11	-13

Band2 16QAM BW=3MHz Channel=18900 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094371	-50.74	-13
2	0.15	30	10	0.1902975	-52.78	-13
3	30	1000	100	956.544	-56.17	-13
4	1000	26500	1000	25228.825	-33.55	-13

Band2 16QAM BW=3MHz Channel=19185 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010145625	-51.1	-13
2	0.15	30	10	0.15	-56.57	-13
3	30	1000	100	842.8115	-55.57	-13
4	1000	26500	1000	25197.5875	-33.05	-13

Band2 16QAM BW=5MHz Channel=18625 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092256	-50.19	-13
2	0.15	30	10	0.1544775	-53.37	-13
3	30	1000	100	918.68975	-55.04	-13
4	1000	26500	1000	24757.075	-33.31	-13

Band2 16QAM BW=5MHz Channel=18900 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009081075	-51.22	-13
2	0.15	30	10	0.1634325	-54.38	-13
3	30	1000	100	764.16875	-55.38	-13
4	1000	26500	1000	25239.025	-33.32	-13

Band2 16QAM BW=5MHz Channel=19175 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01404075	-49.36	-13
2	0.15	30	10	0.15	-53.18	-13
3	30	1000	100	783.1565	-55.79	-13
4	1000	26500	1000	25283.65	-33.5	-13

Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009130425	-52.23	-13
2	0.15	30	10	0.15597	-52.81	-13
3	30	1000	100	781.071	-55.14	-13
4	1000	26500	1000	24781.9375	-33.53	-13

Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090705	-50.74	-13
2	0.15	30	10	0.15671625	-54.17	-13
3	30	1000	100	810.3165	-55.22	-13
4	1000	26500	1000	25297.0375	-33.64	-13

Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011153775	-51.32	-13
2	0.15	30	10	0.15074625	-53.47	-13
3	30	1000	100	771.1285	-55.34	-13
4	1000	26500	1000	25263.8875	-33.32	-13

Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009884775	-52.89	-13
2	0.15	30	10	0.1514925	-51.29	-13
3	30	1000	100	491.88975	-55.22	-13
4	1000	26500	1000	26470.675	-32.46	-13

Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009525225	-50.27	-13
2	0.15	30	10	0.1514925	-54.54	-13
3	30	1000	100	946.52875	-55.82	-13
4	1000	26500	1000	26488.525	-33.21	-13

Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009141	-50.69	-13
2	0.15	30	10	0.1544775	-51.77	-13
3	30	1000	100	944.1765	-55.66	-13
4	1000	26500	1000	24725.8375	-33.15	-13

Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0156834	-49.33	-13
2	0.15	30	10	0.16268625	-53.24	-13
3	30	1000	100	856.65825	-55.71	-13
4	1000	26500	1000	25047.775	-32.6	-13

Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-50.19	-13
2	0.15	30	10	0.16119375	-53.78	-13
3	30	1000	100	934.9615	-55.24	-13
4	1000	26500	1000	25750.9375	-33.57	-13

Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01185525	-51.05	-13
2	0.15	30	10	0.1514925	-55.48	-13
3	30	1000	100	816.54875	-55.83	-13
4	1000	26500	1000	25162.525	-33.38	-13

Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00934545	-49.25	-13
2	0.15	30	10	0.1514925	-53.92	-13
3	30	1000	100	827.146	-55.16	-13
4	1000	26500	1000	25138.9375	-33.28	-13

Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010018725	-51.99	-13
2	0.15	30	10	0.16194	-54.27	-13
3	30	1000	100	405.55975	-56.17	-13
4	1000	26500	1000	25281.1	-32.59	-13

Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01017735	-51.44	-13
2	0.15	30	10	0.158955	-53.49	-13
3	30	1000	100	636.735	-55.7	-13
4	1000	26500	1000	25203.9625	-33.15	-13

Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01612755	-50.61	-13
2	0.15	30	10	0.15	-56.62	-13
3	30	1000	100	783.9325	-56.01	-13
4	1000	26500	1000	25172.725	-33.41	-13

Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.013628325	-49.62	-13
2	0.15	30	10	0.15	-52.55	-13
3	30	1000	100	413.6835	-55.41	-13
4	1000	26500	1000	25817.2375	-33.4	-13

Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011181975	-50.02	-13
2	0.15	30	10	0.16865625	-53.37	-13
3	30	1000	100	948.59	-55.31	-13
4	1000	26500	1000	25154.2375	-32.35	-13

Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01367415	-52.21	-13
2	0.15	30	10	0.18208875	-55.59	-13
3	30	1000	100	874.31225	-54.99	-13
4	1000	26500	1000	25205.2375	-33.44	-13

Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01082595	-49.47	-13
2	0.15	30	10	0.15	-53.55	-13
3	30	1000	100	887.7225	-55.63	-13
4	1000	26500	1000	25265.1625	-33.02	-13

Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009215025	-50.77	-13
2	0.15	30	10	0.16417875	-53.38	-13
3	30	1000	100	757.18475	-56.04	-13
4	1000	26500	1000	24745.6	-32.16	-13

Band25 16QAM BW=1.4MHz Channel=26047 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090141	-52.58	-13
2	0.15	30	10	0.15	-52.9	-13
3	30	1000	100	926.78925	-54.72	-13
4	1000	26500	1000	26366.125	-33.64	-13

Band25 16QAM BW=1.4MHz Channel=26365 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010025775	-50.73	-13
2	0.15	30	10	0.15373125	-53.37	-13
3	30	1000	100	928.29275	-56.14	-13
4	1000	26500	1000	24627.025	-32.65	-13

Band25 16QAM BW=1.4MHz Channel=26683 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-52.94	-13
2	0.15	30	10	0.15820875	-53.54	-13
3	30	1000	100	520.45625	-55.91	-13
4	1000	26500	1000	24478.4875	-33.03	-13

Band25 16QAM BW=10MHz Channel=26090 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00966975	-52.11	-13
2	0.15	30	10	0.1574625	-55.8	-13
3	30	1000	100	776.7545	-55.29	-13
4	1000	26500	1000	25205.2375	-33.36	-13

Band25 16QAM BW=10MHz Channel=26365 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092538	-53.06	-13
2	0.15	30	10	0.1514925	-53.93	-13
3	30	1000	100	848.098	-55.82	-13
4	1000	26500	1000	24829.1125	-33.21	-13

Band25 16QAM BW=10MHz Channel=26640 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012486225	-51.19	-13
2	0.15	30	10	0.1604475	-53.9	-13
3	30	1000	100	806.388	-55.12	-13
4	1000	26500	1000	26362.9375	-33.15	-13

Band25 16QAM BW=15MHz Channel=26115 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00955695	-49.45	-13
2	0.15	30	10	0.15	-53.42	-13
3	30	1000	100	881.15075	-55.3	-13
4	1000	26500	1000	25041.4	-33.64	-13

Band25 16QAM BW=15MHz Channel=26365 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01019145	-50.77	-13
2	0.15	30	10	0.15820875	-54.04	-13
3	30	1000	100	868.1285	-56.4	-13
4	1000	26500	1000	25293.85	-33.6	-13

Band25 16QAM BW=15MHz Channel=26615 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0118482	-53.45	-13
2	0.15	30	10	0.1783575	-55	-13
3	30	1000	100	886.51	-56.05	-13
4	1000	26500	1000	24417.925	-33.48	-13

Band25 16QAM BW=20MHz Channel=26140 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011626125	-52.6	-13
2	0.15	30	10	0.15	-54.54	-13
3	30	1000	100	702.33125	-55.65	-13
4	1000	26500	1000	26438.1625	-33.08	-13

Band25 16QAM BW=20MHz Channel=26365 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00943005	-51.41	-13
2	0.15	30	10	0.1544775	-53.97	-13
3	30	1000	100	762.32575	-55.97	-13
4	1000	26500	1000	25090.4875	-33.19	-13

Band25 16QAM BW=20MHz Channel=26590 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010561575	-51.26	-13
2	0.15	30	10	0.15597	-54.14	-13
3	30	1000	100	800.471	-55.45	-13
4	1000	26500	1000	25319.9875	-33.35	-13

Band25 16QAM BW=3MHz Channel=26055 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012190125	-52.56	-13
2	0.15	30	10	0.1574625	-53.2	-13
3	30	1000	100	726.7995	-55.77	-13
4	1000	26500	1000	26409.475	-32.8	-13

Band25 16QAM BW=3MHz Channel=26365 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00903525	-51.65	-13
2	0.15	30	10	0.152985	-54.66	-13
3	30	1000	100	939.88425	-55.81	-13
4	1000	26500	1000	25304.05	-32.83	-13

Band25 16QAM BW=3MHz Channel=26675 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-49.94	-13
2	0.15	30	10	0.16194	-52.35	-13
3	30	1000	100	867.13425	-56.4	-13
4	1000	26500	1000	25325.725	-33	-13

Band25 16QAM BW=5MHz Channel=26065 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01198215	-51.05	-13
2	0.15	30	10	0.15	-54.61	-13
3	30	1000	100	647.33225	-55.83	-13
4	1000	26500	1000	25256.2375	-33.17	-13

Band25 16QAM BW=5MHz Channel=26365 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012359325	-50.8	-13
2	0.15	30	10	0.15522375	-53.49	-13
3	30	1000	100	752.48025	-55.67	-13
4	1000	26500	1000	24785.125	-32.63	-13

Band25 16QAM BW=5MHz Channel=26665 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009497025	-50.56	-13
2	0.15	30	10	0.1514925	-53.16	-13
3	30	1000	100	936.853	-56.02	-13
4	1000	26500	1000	25780.2625	-33.23	-13

Band25 QPSK BW=1.4MHz Channel=26047 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00985305	-50.69	-13
2	0.15	30	10	0.152985	-53.2	-13
3	30	1000	100	826.53975	-55.05	-13
4	1000	26500	1000	25217.9875	-33.08	-13

Band25 QPSK BW=1.4MHz Channel=26365 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-53.91	-13
2	0.15	30	10	0.15074625	-54.31	-13
3	30	1000	100	752.48025	-55.2	-13
4	1000	26500	1000	24413.4625	-33.64	-13

Band25 QPSK BW=1.4MHz Channel=26683 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00982485	-51	-13
2	0.15	30	10	0.16119375	-53.79	-13
3	30	1000	100	842.10825	-55.24	-13
4	1000	26500	1000	26447.0875	-33.52	-13

Band25 QPSK BW=10MHz Channel=26090 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0137235	-49.13	-13
2	0.15	30	10	0.15671625	-53.67	-13
3	30	1000	100	742.73175	-55.51	-13
4	1000	26500	1000	25269.625	-32.98	-13

Band25 QPSK BW=10MHz Channel=26365 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094089	-50.27	-13
2	0.15	30	10	0.15074625	-54.28	-13
3	30	1000	100	903.3395	-55.5	-13
4	1000	26500	1000	25149.775	-33.86	-13

Band25 QPSK BW=10MHz Channel=26640 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00990945	-52.42	-13
2	0.15	30	10	0.15	-49.72	-13
3	30	1000	100	684.4105	-55.77	-13
4	1000	26500	1000	24530.125	-33.47	-13

Band25 QPSK BW=15MHz Channel=26115 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01877835	-50.89	-13
2	0.15	30	10	0.16567125	-54.03	-13
3	30	1000	100	549.9685	-55.75	-13
4	1000	26500	1000	25160.6125	-32.74	-13

Band25 QPSK BW=15MHz Channel=26365 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0097191	-51.32	-13
2	0.15	30	10	0.15	-50.91	-13
3	30	1000	100	904.5035	-55.02	-13
4	1000	26500	1000	24652.525	-33.61	-13

Band25 QPSK BW=15MHz Channel=26615 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010787175	-52.38	-13
2	0.15	30	10	0.16716375	-51.83	-13
3	30	1000	100	896.889	-56.08	-13
4	1000	26500	1000	26107.9375	-33.88	-13

Band25 QPSK BW=20MHz Channel=26140 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011146725	-51.23	-13
2	0.15	30	10	0.19104375	-53.59	-13
3	30	1000	100	760.82225	-55.35	-13
4	1000	26500	1000	24449.8	-33.42	-13

Band25 QPSK BW=20MHz Channel=26365 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009193875	-51.69	-13
2	0.15	30	10	0.1544775	-55.04	-13
3	30	1000	100	835.02725	-55.79	-13
4	1000	26500	1000	26480.875	-33.18	-13

Band25 QPSK BW=20MHz Channel=26590 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009705	-50.37	-13
2	0.15	30	10	0.15671625	-53.78	-13
3	30	1000	100	828.504	-56.21	-13
4	1000	26500	1000	25263.25	-32.98	-13

Band25 QPSK BW=3MHz Channel=26055 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099447	-49.38	-13
2	0.15	30	10	0.15	-54.4	-13
3	30	1000	100	797.5125	-55.69	-13
4	1000	26500	1000	21544.075	-33.04	-13

Band25 QPSK BW=3MHz Channel=26365 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-52.24	-13
2	0.15	30	10	0.16716375	-54.13	-13
3	30	1000	100	891.52975	-55.32	-13
4	1000	26500	1000	24732.2125	-32.32	-13

Band25 QPSK BW=3MHz Channel=26675 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01191165	-52.42	-13
2	0.15	30	10	0.1544775	-54.35	-13
3	30	1000	100	894.755	-54.81	-13
4	1000	26500	1000	24588.775	-33.4	-13

Band25 QPSK BW=5MHz Channel=26065 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011851725	-51.19	-13
2	0.15	30	10	0.15	-54.39	-13
3	30	1000	100	906.298	-55.85	-13
4	1000	26500	1000	25169.5375	-33.18	-13

Band25 QPSK BW=5MHz Channel=26365 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.014728125	-53.19	-13
2	0.15	30	10	0.15820875	-54.59	-13
3	30	1000	100	728.9335	-54.59	-13
4	1000	26500	1000	26480.875	-32.61	-13

Band25 QPSK BW=5MHz Channel=26665 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009215025	-50.18	-13
2	0.15	30	10	0.17462625	-54.53	-13
3	30	1000	100	955.01625	-54.01	-13
4	1000	26500	1000	25277.275	-32.52	-13

Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0170652	-52.87	-13
2	0.15	30	10	0.17910375	-52.99	-13
3	30	1000	100	624.028	-55.82	-13
4	1000	26500	1000	25056.0625	-33.22	-13

Band26(814-824) 16QAM BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.021333975	-52.77	-13
2	0.15	30	10	0.1604475	-54.49	-13
3	30	1000	100	836.846	-46.53	-13
4	1000	26500	1000	25307.875	-34.71	-13

Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0150912	-51.35	-13
2	0.15	30	10	0.16119375	-54.27	-13
3	30	1000	100	905.6675	-56.29	-13
4	1000	26500	1000	25317.4375	-34.44	-13

Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009433575	-50.14	-13
2	0.15	30	10	0.1604475	-53.56	-13
3	30	1000	100	928.414	-56.08	-13
4	1000	26500	1000	25209.0625	-34.3	-13

Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-49.27	-13
2	0.15	30	10	0.16194	-55.68	-13
3	30	1000	100	840.79875	-44.42	-13
4	1000	26500	1000	25352.5	-33.86	-13

Band26(814-824) 16QAM BW=3MHz Channel=26740 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010660275	-49.67	-13
2	0.15	30	10	0.15	-54.15	-13
3	30	1000	100	841.9385	-42.57	-13
4	1000	26500	1000	24466.375	-34.04	-13

Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012845775	-51.89	-13
2	0.15	30	10	0.15	-56.09	-13
3	30	1000	100	862.357	-56.91	-13
4	1000	26500	1000	24354.8125	-34.06	-13

Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091974	-53.57	-13
2	0.15	30	10	0.1634325	-54.73	-13
3	30	1000	100	881.97525	-55.83	-13
4	1000	26500	1000	25195.675	-33.11	-13

Band26(814-824) 16QAM BW=5MHz Channel=26740 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0131877	-52.29	-13
2	0.15	30	10	0.16791	-55.36	-13
3	30	1000	100	419.52775	-56.5	-13
4	1000	26500	1000	25304.05	-33.81	-13

Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009912975	-52.36	-13
2	0.15	30	10	0.15373125	-56.63	-13
3	30	1000	100	779.30075	-55.77	-13
4	1000	26500	1000	24475.9375	-34.6	-13

Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009130425	-49.65	-13
2	0.15	30	10	0.15820875	-54.62	-13
3	30	1000	100	917.47725	-56.03	-13
4	1000	26500	1000	25792.375	-33.76	-13

Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011407575	-51.86	-13
2	0.15	30	10	0.15671625	-54.74	-13
3	30	1000	100	837.64625	-42.06	-13
4	1000	26500	1000	25038.85	-34.54	-13

Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.016314375	-50.37	-13
2	0.15	30	10	0.15671625	-54.89	-13
3	30	1000	100	844.7515	-56.22	-13
4	1000	26500	1000	24683.7625	-34.14	-13

Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01182	-50.18	-13
2	0.15	30	10	0.16865625	-54.99	-13
3	30	1000	100	591.6785	-56.11	-13
4	1000	26500	1000	25200.1375	-33.67	-13

Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.014791575	-52.05	-13
2	0.15	30	10	0.164925	-53.55	-13
3	30	1000	100	974.17375	-55.76	-13
4	1000	26500	1000	25068.175	-34.46	-13

Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00943005	-51.76	-13
2	0.15	30	10	0.16194	-55.86	-13
3	30	1000	100	842.1325	-46.12	-13
4	1000	26500	1000	25217.35	-34.14	-13

Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01487265	-50.62	-13
2	0.15	30	10	0.1723875	-56.91	-13
3	30	1000	100	573.103	-56.42	-13
4	1000	26500	1000	24738.5875	-33.16	-13

Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009574575	-53.8	-13
2	0.15	30	10	0.158955	-53.75	-13
3	30	1000	100	533.915	-56.62	-13
4	1000	26500	1000	24697.15	-34.31	-13

Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.018908775	-51.94	-13
2	0.15	30	10	0.15	-54.21	-13
3	30	1000	100	753.523	-56.63	-13
4	1000	26500	1000	25135.75	-34.49	-13

Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01024785	-52.03	-13
2	0.15	30	10	0.15597	-55.9	-13
3	30	1000	100	849.5045	-49.56	-13
4	1000	26500	1000	24700.975	-33.96	-13

Band26(824-849) 16QAM BW=1.4MHz Channel=26797 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010667325	-49.69	-13
2	0.15	30	10	0.16194	-55.5	-13
3	30	1000	100	983.29175	-55.66	-13
4	1000	26500	1000	21619.3	-34.56	-13

Band26(824-849) 16QAM BW=1.4MHz Channel=26915 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009497025	-51.38	-13
2	0.15	30	10	0.1634325	-55.42	-13
3	30	1000	100	810.656	-56.39	-13
4	1000	26500	1000	24672.925	-33.7	-13

Band26(824-849) 16QAM BW=1.4MHz Channel=27033 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0111573	-51.88	-13
2	0.15	30	10	0.1514925	-54.48	-13
3	30	1000	100	782.64725	-56.45	-13
4	1000	26500	1000	24485.5	-34.28	-13

Band26(824-849) 16QAM BW=10MHz Channel=26840 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01745295	-51.49	-13
2	0.15	30	10	0.15074625	-55.51	-13
3	30	1000	100	925.116	-56.37	-13
4	1000	26500	1000	21604	-34.33	-13

Band26(824-849) 16QAM BW=10MHz Channel=26915 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01127715	-53.24	-13
2	0.15	30	10	0.15820875	-53.47	-13
3	30	1000	100	576.42525	-55.45	-13
4	1000	26500	1000	24649.975	-33.23	-13

Band26(824-849) 16QAM BW=10MHz Channel=26990 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0110586	-53.7	-13
2	0.15	30	10	0.15820875	-53.43	-13
3	30	1000	100	763.05325	-56.79	-13
4	1000	26500	1000	25342.3	-33.23	-13

Band26(824-849) 16QAM BW=15MHz Channel=26865 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.014918475	-52.62	-13
2	0.15	30	10	0.15820875	-55.47	-13
3	30	1000	100	478.916	-56.12	-13
4	1000	26500	1000	24714.3625	-33.96	-13

Band26(824-849) 16QAM BW=15MHz Channel=26915 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01084005	-50.07	-13
2	0.15	30	10	0.158955	-56.28	-13
3	30	1000	100	510.75625	-56.84	-13
4	1000	26500	1000	21059.575	-34.71	-13

Band26(824-849) 16QAM BW=15MHz Channel=26965 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100998	-52.57	-13
2	0.15	30	10	0.152985	-51.35	-13
3	30	1000	100	980.81825	-56.18	-13
4	1000	26500	1000	24500.1625	-33.72	-13

Band26(824-849) 16QAM BW=3MHz Channel=26805 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012302925	-47.67	-13
2	0.15	30	10	0.16417875	-55.28	-13
3	30	1000	100	782.429	-56.69	-13
4	1000	26500	1000	25218.625	-32.85	-13

Band26(824-849) 16QAM BW=3MHz Channel=26915 RB Size=15 Position=#0