





4.6 Frequency Stability Test

TEST APPLICABLE


- 1. According to FCC Part 2 Section 2.1055 (a)(1), the frequency stability shall be measured with variation of ambient temperature from -30°C to +50°C centigrade.
- 2. According to FCC Part 2 Section 2.1055 (E) (2), for battery powered equipment, the frequency stability shall be measured with reducing primary supply voltage to the battery operating end point, which is specified by the manufacture.
- 3. Vary primary supply voltage from 85 to 115 percent of the nominal value for other than hand carried voltage equipment and the end voltage point was 3.3V.

TEST PROCEDURE

In order to measure the carrier frequency under the condition of AFC lock, it is necessary to make measurements with the EUT in a "call mode". This is accomplished with the use of R&S CMU200 DIGITAL RADIO COMMUNICATION TESTER.

- 1. Measure the carrier frequency at room temperature;
- 2. Subject the EUT to overnight soak at -30°C;
- 3. With the EUT, powered via nominal voltage, connected to the CMU200 and in a simulated call on middle channel of PCS 1900 and GSM850, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming;
- 4. Repeat the above measurements at 10°C increments from -30°C to +50°C. Allow at least 0.5 hours at each temperature, unpowered, before making measurements;
- 5. Remeasure carrier frequency at room temperature with nominal voltage. Vary supply voltage from minimum voltage to maximum voltage, in 0.1Volt increments remeasuring carrier frequency at each voltage. Pause at nominal voltage for 0.5 hours unpowered, to allow any self-heating to stabilize, before continuing;
- Subject the EUT to overnight soak at +50℃;
- 7. With the EUT, powered via nominal voltage, connected to the CMU200 and in a simulated call on the centre channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming;
- 8. Repeat the above measurements at 10[°]C increments from +50[°]C to -30[°]C. Allow at least 0.5 hours at each temperature, unpowered, before making measurements;
- 9. At all temperature levels hold the temperature to +/- 0.5° C during the measurement procedure;

TEST CONFIGURATION





Shenzhen LCS Compliance Testing Laboratory Ltd. Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China



TEST LIMITS

For Hand carried battery powered equipment

According to the JTC standard the frequency stability of the carrier shall be accurate to within 0.1 ppm of the received frequency from the base station. This accuracy is sufficient to meet Sec. 24.235, Frequency Stability. The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. As this transceiver is considered "Hand carried, battery powered equipment" Section 2.1055(d)(2) applies. This requires that the lower voltage for frequency stability testing be specified by the manufacturer. This transceiver is specified to operate with an input voltage of between 3.3VDC and 4.35VDC, with a nominal voltage of 3.8DC. Operation above or below these voltage limits is prohibited by transceiver software in order to prevent improper operation as well as to protect components from overstress. These voltages represent a tolerance of -10 % and +12.5 %. For the purposes of measuring frequency stability these voltage limits are to be used.

For equipment powered by primary supply voltage

According to the JTC standard the frequency stability of the carrier shall be accurate to within 0.1 ppm of the received frequency from the base station. This accuracy is sufficient to meet Sec. 24.235, Frequency Stability. The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. For this EUT section 2.1055(d)(1) applies. This requires varying primary supply voltage from 85 to 115 percent of the nominal value for other than hand carried battery equipment.

TEST RESULTS

GSM/TM1/GSM850							
DC Power	Temperature (℃)	Frequency error(Hz)	Frequency error(ppm)	Limit (ppm)	Verdict		
VL	25	11	0.013	2.50	PASS		
VN	25	-43	-0.052	2.50	PASS		
VH we	25	-39	-0.047	2.50	PASS		
VN LCS VN	-30	-20	-0.024	2.50	PASS		
VN	-20	19	0.023	2.50	PASS		
VN	-10	-3	-0.004	2.50	PASS		
VN	0	-6	-0.007	2.50	PASS		
VN	10	-48	-0.058	2.50	PASS		
VN	20	-41	-0.050	2.50	PASS		
VN	30	-7	-0.008	2.50	PASS		
VN	40	-21	-0.025	2.50	PASS		
VN	50	-50	-0.061	2.50	PASS		

		GSM/TM3/	EDGE850		
DC Power	Temperature (℃)	Frequency error(Hz)	Frequency error(ppm)	Limit (ppm)	Verdict
VL LCO	25	35	0.042	2.50	PASS
VN	25	-1	-0.001	2.50	PASS
VH	25	-50	-0.061	2.50	PASS
VN	-30	32	0.039	2.50	PASS
VN	-20	31	0.038	2.50	PASS
VN	-10	-39	-0.047	2.50	PASS
VN	0	12	0.015	2.50	PASS
VN	10	-12	-0.015	2.50	PASS
VN	20	26	0.032	2.50	PASS
VN	30	-18	-0.022	2.50	PASS
VN	40	18	0.022	2.50	PASS
VN	50	21	0.025	2.50	PASS
LCS Testing	15	LCS Testing	IST LOS	Testing	I ET LCS Test



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China



GSM/TM1/PCS1900						S.
DC Power	Temperature (℃)	Frequency error(Hz)	Frequency error(ppm)	Limit (ppm)	Verdict	0
VL	25	26	0.014	2.50	PASS	
VN	25	26	0.014	2.50	PASS	
VH	25	44	0.023	2.50	PASS	
VN	-30	-3	-0.002	2.50	PASS	
VN	-20	-44	-0.023	2.50	PASS	
VN	-10	16	0.009	2.50	PASS	
VN	0	-24	-0.013	2.50	PASS	
VN	10	-19	-0.010	2.50	PASS	
VN	20	-32	-0.017	2.50	PASS	
VN	30	-47	-0.025	2.50	PASS	
VN	40	-11	-0.006	2.50	PASS	
VN	50	22	0.012	2.50	PASS	
VIST LCS	162.	NSI U	STOT	NS.	LCS TO	-

GSM/TM3/EDGE1900							
DC Power	Temperature (℃)	Frequency error(Hz)	Frequency error(ppm)	Limit (ppm)	Verdict		
VL	25	-1	-0.001	2.50	PASS		
VN	25	-46	-0.024	2.50	PASS		
VH	25	40	0.021	2.50	PASS		
VN	-30	-44	-0.023	2.50	PASS		
VN	-20	14	0.007	2.50	PASS		
VN	-10	23	0.012	2.50	PASS		
VN	0	29	0.015	2.50	PASS		
VN	10	45	0.024	2.50	PASS		
VN M	20	-40	-0.021	2.50	PASS		
VN CS VN	30	46	0.024	2.50	PASS		
VN	40	47	0.025	2.50	PASS		
VN	50	49	0.026	2.50	PASS		










Scan code to check authenticity

Peak-to-Average Ratio (PAR) 4.7

LIMIT

The Peak-to-Average Ratio (PAR) of the transmission may not exceed 13 dB.

TEST CONFIGURATION



TEST PROCEDURE

Use spectrum to measure the total peak power and record as PPk. Use spectrum to measure the total average power and record as PAvg. Both the peak and average power levels must be expressed in the same logarithmic 国立间检测度的 LCSTesting Lab units (e.g., dBm).

Determine the PAPR from:

PAPR (dB) = P_{Pk} (dBm) - P_{Avg} (dBm).


Record the maximum PAPR level associated with a probability of 0.1%.

TEST RESULTS

Test Mode	Channel	Frequency (MHz)	PAPR Value (dB)	Limits (dB)	Verdict
	128	824.2	2.64	13.0	
GSM/TM1/GSM850	190	836.6	2.63	13.0	PASS
	251	848.8	2.63	13.0	
- 112	128	824.2	5.72	13.0	PASS
GSM/TM3/EDGE850	190	836.6	5.74	13.0	
II Minsting Law	251	848.8	5.69	13.0	
151 rcs	512	1850.20	2.63	13.0	8
GSM/TM1/PCS1900	661	1880.00	2.63	13.0	PASS
	810	1909.80	2.63	13.0	
GSM/TM3/EDGE1900	512	1850.20	5.52	13.0	
	661	1880.00	5.55	13.0	PASS
	810	1909.80	5.53	13.0	




Shenzhen LCS Compliance Testing Laboratory Ltd. Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China





Shenzhen LCS Compliance Testing Laboratory Ltd. Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China





Shenzhen LCS Compliance Testing Laboratory Ltd. Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

5 TEST SETUP PHOTOGRAPHS OF EUT

Please refer to separated files for Test Setup Photos of the EUT.

6 EXTERIOR PHOTOGRAPHS OF THE EUT



Please refer to separated files for External Photos of the EUT.

7 INTERIOR PHOTOGRAPHS OF THE EUT

Please refer to separated files for Internal Photos of the EUT.

-----THE END OF TEST REPORT-----

