

03 Peak-to-Average Ratio


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band2	1.4	18607	1	#0	QPSK	5.35	13	PASS
Band2	1.4	18607	1	#0	16QAM	6.20	13	PASS
Band2	1.4	18900	1	#0	QPSK	5.11	13	PASS
Band2	1.4	18900	1	#0	16QAM	5.95	13	PASS
Band2	1.4	19193	1	#0	QPSK	4.37	13	PASS
Band2	1.4	19193	1	#0	16QAM	5.05	13	PASS
Band2	3	18615	1	#0	QPSK	5.12	13	PASS
Band2	3	18615	1	#0	16QAM	6.01	13	PASS
Band2	3	18900	1	#0	QPSK	5.15	13	PASS
Band2	3	18900	1	#0	16QAM	6.02	13	PASS
Band2	3	19185	1	#0	QPSK	4.43	13	PASS
Band2	3	19185	1	#0	16QAM	5.19	13	PASS
Band2	5	18625	1	#0	QPSK	5.39	13	PASS
Band2	5	18625	1	#0	16QAM	5.87	13	PASS
Band2	5	18900	1	#0	QPSK	4.99	13	PASS
Band2	5	18900	1	#0	16QAM	5.63	13	PASS
Band2	5	19175	1	#0	QPSK	4.99	13	PASS
Band2	5	19175	1	#0	16QAM	5.65	13	PASS
Band2	10	18650	1	#0	QPSK	5.34	13	PASS
Band2	10	18900	1	#0	QPSK	5.20	13	PASS
Band2	10	19150	1	#0	QPSK	5.21	13	PASS
Band2	15	18675	1	#0	QPSK	5.16	13	PASS
Band2	15	18900	1	#0	QPSK	5.22	13	PASS
Band2	15	19125	1	#0	QPSK	5.43	13	PASS
Band2	20	18700	1	#0	QPSK	5.05	13	PASS
Band2	20	18900	1	#0	QPSK	5.28	13	PASS
Band2	20	19100	1	#0	QPSK	5.37	13	PASS
Band4	1.4	20175	1	#0	QPSK	5.58	13	PASS
Band4	1.4	20175	1	#0	16QAM	6.28	13	PASS
Band4	3	20175	1	#0	QPSK	5.52	13	PASS
Band4	3	20175	1	#0	16QAM	6.34	13	PASS
Band4	5	20175	1	#0	QPSK	5.76	13	PASS
Band4	5	20175	1	#0	16QAM	6.11	13	PASS
Band4	10	20175	1	#0	QPSK	5.73	13	PASS
Band4	15	20175	1	#0	QPSK	5.54	13	PASS
Band4	20	20175	1	#0	QPSK	5.25	13	PASS
Band5	1.4	20407	1	#0	QPSK	5.73	13	PASS
Band5	1.4	20407	1	#0	16QAM	6.50	13	PASS
Band5	1.4	20525	1	#0	QPSK	4.98	13	PASS
Band5	1.4	20525	1	#0	16QAM	5.86	13	PASS
Band5	1.4	20643	1	#0	QPSK	5.17	13	PASS

Band5	1.4	20643	1	#0	16QAM	5.88	13	PASS
Band5	3	20415	1	#0	QPSK	5.56	13	PASS
Band5	3	20415	1	#0	16QAM	6.34	13	PASS
Band5	3	20525	1	#0	QPSK	5.01	13	PASS
Band5	3	20525	1	#0	16QAM	5.93	13	PASS
Band5	3	20635	1	#0	QPSK	5.29	13	PASS
Band5	3	20635	1	#0	16QAM	5.91	13	PASS
Band5	5	20425	1	#0	QPSK	5.85	13	PASS
Band5	5	20425	1	#0	16QAM	6.25	13	PASS
Band5	5	20525	1	#0	QPSK	4.79	13	PASS
Band5	5	20525	1	#0	16QAM	5.41	13	PASS
Band5	5	20625	1	#0	QPSK	5.52	13	PASS
Band5	5	20625	1	#0	16QAM	5.91	13	PASS
Band5	10	20450	1	#0	QPSK	5.52	13	PASS
Band5	10	20525	1	#0	QPSK	4.88	13	PASS
Band5	10	20600	1	#0	QPSK	5.41	13	PASS
Band66	1.4	132322	1	#0	QPSK	5.16	13	PASS
Band66	1.4	132322	1	#0	16QAM	6.03	13	PASS
Band66	3	132322	1	#0	QPSK	5.09	13	PASS
Band66	3	132322	1	#0	16QAM	6.01	13	PASS
Band66	5	132322	1	#0	QPSK	5.16	13	PASS
Band66	5	132322	1	#0	16QAM	5.69	13	PASS
Band66	10	132322	1	#0	QPSK	5.19	13	PASS
Band66	15	132322	1	#0	QPSK	5.17	13	PASS
Band66	20	132322	1	#0	QPSK	5.13	13	PASS
Band7	5	21100	1	#0	QPSK	5.56	13	PASS
Band7	5	21100	1	#0	16QAM	5.96	13	PASS
Band7	10	21100	1	#0	QPSK	5.39	13	PASS
Band7	15	21100	1	#0	QPSK	5.19	13	PASS
Band7	20	21100	1	#0	QPSK	5.02	13	PASS


Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Band2 16QAM BW=1.4MHz Channel=18607 RB Size=1 Position=#0



Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 16QAM BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#0




Band2 16QAM BW=1.4MHz Channel=19193 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=1 Position=#0




Band2 16QAM BW=3MHz Channel=18615 RB Size=1 Position=#0



Band2 QPSK BW=3MHz Channel=18900 RB Size=1 Position=#0




Band2 16QAM BW=3MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=1 Position=#0




Band2 16QAM BW=3MHz Channel=19185 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#0




Band2 16QAM BW=5MHz Channel=18625 RB Size=1 Position=#0



Band2 QPSK BW=5MHz Channel=18900 RB Size=1 Position=#0



Band2 16QAM BW=5MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#0




Band2 16QAM BW=5MHz Channel=19175 RB Size=1 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=1 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=1 Position=#0



Band2 QPSK BW=15MHz Channel=18675 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=18900 RB Size=1 Position=#0



Band2 QPSK BW=15MHz Channel=19125 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=18900 RB Size=1 Position=#0



Band2 QPSK BW=20MHz Channel=19100 RB Size=1 Position=#0




Band4 QPSK BW=1.4MHz Channel=20175 RB Size=1 Position=#0



Band4 16QAM BW=1.4MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=3MHz Channel=20175 RB Size=1 Position=#0



Band4 16QAM BW=3MHz Channel=20175 RB Size=1 Position=#0



Band4 QPSK BW=5MHz Channel=20175 RB Size=1 Position=#0



Band4 16QAM BW=5MHz Channel=20175 RB Size=1 Position=#0



Band4 QPSK BW=10MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=15MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=20MHz Channel=20175 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#0




Band5 16QAM BW=1.4MHz Channel=20407 RB Size=1 Position=#0



Band5 QPSK BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 16QAM BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#0




Band5 16QAM BW=1.4MHz Channel=20643 RB Size=1 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#0




Band5 16QAM BW=3MHz Channel=20415 RB Size=1 Position=#0



Band5 QPSK BW=3MHz Channel=20525 RB Size=1 Position=#0




Band5 16QAM BW=3MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#0




Band5 16QAM BW=3MHz Channel=20635 RB Size=1 Position=#0



Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#0




Band5 16QAM BW=5MHz Channel=20425 RB Size=1 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=1 Position=#0




Band5 16QAM BW=5MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#0



Band5 16QAM BW=5MHz Channel=20625 RB Size=1 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=1 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=3MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=5MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=1 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0




Band7 16QAM BW=5MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0



Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0



Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0



04 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band2	1.4	18607	6	#0	QPSK	1.089	1.447	PASS
Band2	1.4	18607	6	#0	16QAM	1.099	1.418	PASS
Band2	1.4	18900	6	#0	QPSK	1.093	1.411	PASS
Band2	1.4	18900	6	#0	16QAM	1.093	1.461	PASS
Band2	1.4	19193	6	#0	QPSK	1.103	1.448	PASS
Band2	1.4	19193	6	#0	16QAM	1.089	1.423	PASS
Band2	3	18615	15	#0	QPSK	2.698	3.191	PASS
Band2	3	18615	15	#0	16QAM	2.686	3.133	PASS
Band2	3	18900	15	#0	QPSK	2.681	3.158	PASS
Band2	3	18900	15	#0	16QAM	2.679	3.211	PASS
Band2	3	19185	15	#0	QPSK	2.686	3.128	PASS
Band2	3	19185	15	#0	16QAM	2.684	3.326	PASS
Band2	5	18625	25	#0	QPSK	4.486	5.067	PASS
Band2	5	18625	25	#0	16QAM	4.489	5.087	PASS
Band2	5	18900	25	#0	QPSK	4.490	5.011	PASS
Band2	5	18900	25	#0	16QAM	4.478	5.032	PASS
Band2	5	19175	25	#0	QPSK	4.472	5.058	PASS
Band2	5	19175	25	#0	16QAM	4.490	5.002	PASS
Band2	10	18650	50	#0	QPSK	8.941	9.570	PASS
Band2	10	18900	50	#0	QPSK	8.970	9.661	PASS
Band2	10	19150	50	#0	QPSK	8.920	9.572	PASS


Band2	15	18675	75	#0	QPSK	13.514	16.296	PASS
Band2	15	18900	75	#0	QPSK	13.484	15.998	PASS
Band2	15	19125	75	#0	QPSK	13.479	16.310	PASS
Band2	20	18700	100	#0	QPSK	18.048	20.967	PASS
Band2	20	18900	100	#0	QPSK	17.970	20.518	PASS
Band2	20	19100	100	#0	QPSK	18.010	20.957	PASS
Band4	1.4	20175	6	#0	QPSK	1.090	1.451	PASS
Band4	1.4	20175	6	#0	16QAM	1.105	1.445	PASS
Band4	3	20175	15	#0	QPSK	2.693	3.167	PASS
Band4	3	20175	15	#0	16QAM	2.682	3.166	PASS
Band4	5	20175	25	#0	QPSK	4.495	5.007	PASS
Band4	5	20175	25	#0	16QAM	4.485	4.993	PASS
Band4	10	20175	50	#0	QPSK	8.941	9.635	PASS
Band4	15	20175	75	#0	QPSK	13.504	16.193	PASS
Band4	20	20175	100	#0	QPSK	18.022	20.742	PASS
Band5	1.4	20407	6	#0	QPSK	1.096	1.409	PASS
Band5	1.4	20407	6	#0	16QAM	1.106	1.490	PASS
Band5	1.4	20525	6	#0	QPSK	1.098	1.434	PASS
Band5	1.4	20525	6	#0	16QAM	1.097	1.415	PASS
Band5	1.4	20643	6	#0	QPSK	1.101	1.473	PASS
Band5	1.4	20643	6	#0	16QAM	1.101	1.436	PASS
Band5	3	20415	15	#0	QPSK	2.687	3.189	PASS
Band5	3	20415	15	#0	16QAM	2.687	3.161	PASS
Band5	3	20525	15	#0	QPSK	2.692	3.162	PASS
Band5	3	20525	15	#0	16QAM	2.677	3.222	PASS
Band5	3	20635	15	#0	QPSK	2.688	3.212	PASS
Band5	3	20635	15	#0	16QAM	2.692	3.222	PASS
Band5	5	20425	25	#0	QPSK	4.483	5.013	PASS
Band5	5	20425	25	#0	16QAM	4.467	5.073	PASS
Band5	5	20525	25	#0	QPSK	4.478	5.035	PASS
Band5	5	20525	25	#0	16QAM	4.494	4.961	PASS
Band5	5	20625	25	#0	QPSK	4.481	5.129	PASS
Band5	5	20625	25	#0	16QAM	4.496	5.007	PASS
Band5	10	20450	50	#0	QPSK	8.909	9.612	PASS
Band5	10	20525	50	#0	QPSK	8.911	9.639	PASS
Band5	10	20600	50	#0	QPSK	8.911	9.548	PASS
Band66	1.4	132322	6	#0	QPSK	1.095	1.430	PASS
Band66	1.4	132322	6	#0	16QAM	1.108	1.513	PASS
Band66	3	132322	15	#0	QPSK	2.683	3.106	PASS
Band66	3	132322	15	#0	16QAM	2.680	3.167	PASS
Band66	5	132322	25	#0	QPSK	4.503	5.021	PASS
Band66	5	132322	25	#0	16QAM	4.487	5.041	PASS
Band66	10	132322	50	#0	QPSK	8.911	9.620	PASS
Band66	15	132322	75	#0	QPSK	13.486	15.777	PASS

Band66	20	132322	100	#0	QPSK	17.975	20.560	PASS
Band7	5	21100	25	#0	QPSK	4.490	5.053	PASS
Band7	5	21100	25	#0	16QAM	4.485	5.077	PASS
Band7	10	21100	50	#0	QPSK	8.913	9.543	PASS
Band7	15	21100	75	#0	QPSK	13.501	16.609	PASS
Band7	20	21100	100	#0	QPSK	18.046	20.824	PASS

Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0



Band2 16QAM BW=1.4MHz Channel=18607 RB Size=6 Position=#0



Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0



Band2 16QAM BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0



Band2 16QAM BW=1.4MHz Channel=19193 RB Size=6 Position=#0



Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 16QAM BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 16QAM BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0



Band2 16QAM BW=3MHz Channel=19185 RB Size=15 Position=#0



Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0



Band2 16QAM BW=5MHz Channel=18625 RB Size=25 Position=#0



Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 16QAM BW=5MHz Channel=18900 RB Size=25 Position=#0



Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0



Band2 16QAM BW=5MHz Channel=19175 RB Size=25 Position=#0



Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0



Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0



Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0



Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0



Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0



Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Band4 QPSK BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Band4 16QAM BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Band4 QPSK BW=3MHz Channel=20175 RB Size=15 Position=#0



Band4 16QAM BW=3MHz Channel=20175 RB Size=15 Position=#0



Band4 QPSK BW=5MHz Channel=20175 RB Size=25 Position=#0



Band4 16QAM BW=5MHz Channel=20175 RB Size=25 Position=#0




Band4 QPSK BW=10MHz Channel=20175 RB Size=50 Position=#0



Band4 QPSK BW=15MHz Channel=20175 RB Size=75 Position=#0




Band4 QPSK BW=20MHz Channel=20175 RB Size=100 Position=#0



Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Band5 16QAM BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0



Band5 16QAM BW=1.4MHz Channel=20525 RB Size=6 Position=#0



Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0



Band5 16QAM BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 16QAM BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 16QAM BW=3MHz Channel=20525 RB Size=15 Position=#0



Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 16QAM BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 16QAM BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0



Band5 16QAM BW=5MHz Channel=20525 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 16QAM BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132322 RB Size=6 Position=#0



Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0



Band66 16QAM BW=3MHz Channel=132322 RB Size=15 Position=#0



Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0



Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0



Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0



Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21100 RB Size=25 Position=#0



Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0



Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0



Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0



05 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band2	1.4	18607	6	#0	QPSK	1850.00	-23.84	-13	PASS
Band2	1.4	18607	6	#0	16QAM	1850.00	-24.90	-13	PASS
Band2	1.4	19193	6	#0	QPSK	1910.00	-23.81	-13	PASS
Band2	1.4	19193	6	#0	16QAM	1910.00	-24.99	-13	PASS
Band2	3	18615	15	#0	QPSK	1849.98	-24.84	-13	PASS
Band2	3	18615	15	#0	16QAM	1850.00	-24.38	-13	PASS
Band2	3	19185	15	#0	QPSK	1910.00	-25.17	-13	PASS
Band2	3	19185	15	#0	16QAM	1910.00	-24.65	-13	PASS
Band2	5	18625	25	#0	QPSK	1850.00	-28.75	-13	PASS
Band2	5	18625	25	#0	16QAM	1849.96	-28.58	-13	PASS
Band2	5	19175	25	#0	QPSK	1910.00	-27.61	-13	PASS
Band2	5	19175	25	#0	16QAM	1910.01	-29.66	-13	PASS
Band2	10	18650	50	#0	QPSK	1849.78	-36.35	-13	PASS
Band2	10	19150	50	#0	QPSK	1910.00	-35.41	-13	PASS
Band2	15	18675	75	#0	QPSK	1849.82	-26.94	-13	PASS
Band2	15	19125	75	#0	QPSK	1910.09	-28.94	-13	PASS
Band2	20	18700	100	#0	QPSK	1849.84	-28.14	-13	PASS
Band2	20	19100	100	#0	QPSK	1910.48	-30.52	-13	PASS
Band4	1.4	19957	6	#0	QPSK	1710.00	-23.45	-13	PASS
Band4	1.4	19957	6	#0	16QAM	1710.00	-23.47	-13	PASS
Band4	1.4	20393	6	#0	QPSK	1755.01	-23.69	-13	PASS
Band4	1.4	20393	6	#0	16QAM	1755.01	-24.84	-13	PASS
Band4	3	19965	15	#0	QPSK	1709.99	-21.95	-13	PASS
Band4	3	19965	15	#0	16QAM	1710.00	-23.86	-13	PASS
Band4	3	20385	15	#0	QPSK	1755.01	-24.47	-13	PASS
Band4	3	20385	15	#0	16QAM	1755.00	-24.00	-13	PASS
Band4	5	19975	25	#0	QPSK	1709.99	-26.35	-13	PASS
Band4	5	19975	25	#0	16QAM	1710.00	-28.39	-13	PASS
Band4	5	20375	25	#0	QPSK	1755.01	-27.52	-13	PASS
Band4	5	20375	25	#0	16QAM	1755.03	-29.51	-13	PASS
Band4	10	20000	50	#0	QPSK	1710.00	-36.00	-13	PASS
Band4	10	20350	50	#0	QPSK	1755.18	-37.12	-13	PASS
Band4	15	20025	75	#0	QPSK	1709.97	-26.41	-13	PASS
Band4	15	20325	75	#0	QPSK	1755.09	-29.10	-13	PASS
Band4	20	20050	100	#0	QPSK	1709.88	-27.28	-13	PASS
Band4	20	20300	100	#0	QPSK	1755.20	-29.71	-13	PASS
Band5	1.4	20407	6	#0	QPSK	824.00	-23.53	-13	PASS
Band5	1.4	20407	6	#0	16QAM	824.00	-24.00	-13	PASS
Band5	1.4	20643	6	#0	QPSK	849.00	-23.70	-13	PASS
Band5	1.4	20643	6	#0	16QAM	849.01	-24.54	-13	PASS
Band5	3	20415	15	#0	QPSK	824.00	-23.31	-13	PASS
Band5	3	20415	15	#0	16QAM	823.99	-24.94	-13	PASS

Band5	3	20635	15	#0	QPSK	849.00	-24.75	-13	PASS
Band5	3	20635	15	#0	16QAM	849.00	-24.57	-13	PASS
Band5	5	20425	25	#0	QPSK	824.00	-26.06	-13	PASS
Band5	5	20425	25	#0	16QAM	824.00	-27.92	-13	PASS
Band5	5	20625	25	#0	QPSK	849.01	-26.61	-13	PASS
Band5	5	20625	25	#0	16QAM	849.03	-28.05	-13	PASS
Band5	10	20450	50	#0	QPSK	824.00	-37.46	-13	PASS
Band5	10	20600	50	#0	QPSK	849.00	-35.19	-13	PASS
Band66	1.4	131979	6	#0	QPSK	1710.00	-22.71	-13	PASS
Band66	1.4	131979	6	#0	16QAM	1710.00	-23.53	-13	PASS
Band66	1.4	132665	6	#0	QPSK	1780.01	-24.16	-13	PASS
Band66	1.4	132665	6	#0	16QAM	1780.00	-25.77	-13	PASS
Band66	3	131987	15	#0	QPSK	1709.99	-22.60	-13	PASS
Band66	3	131987	15	#0	16QAM	1710.00	-23.31	-13	PASS
Band66	3	132657	15	#0	QPSK	1780.00	-24.55	-13	PASS
Band66	3	132657	15	#0	16QAM	1780.01	-25.16	-13	PASS
Band66	5	131997	25	#0	QPSK	1710.00	-26.43	-13	PASS
Band66	5	131997	25	#0	16QAM	1709.99	-28.17	-13	PASS
Band66	5	132647	25	#0	QPSK	1780.00	-27.43	-13	PASS
Band66	5	132647	25	#0	16QAM	1780.02	-30.09	-13	PASS
Band66	10	132022	50	#0	QPSK	1710.00	-36.46	-13	PASS
Band66	10	132622	50	#0	QPSK	1780.00	-36.76	-13	PASS
Band66	15	132047	75	#0	QPSK	1709.79	-26.36	-13	PASS
Band66	15	132597	75	#0	QPSK	1780.12	-27.40	-13	PASS
Band66	20	132072	100	#0	QPSK	1709.76	-26.45	-13	PASS
Band66	20	132572	100	#0	QPSK	1780.12	-29.53	-13	PASS
Band7	5	20775	25	#0	QPSK	2498.97	-15.09	-10	PASS
Band7	5	20775	25	#0	16QAM	2498.99	-15.59	-10	PASS
Band7	5	21425	25	#0	QPSK	2571.03	-15.29	-10	PASS
Band7	5	21425	25	#0	16QAM	2571.00	-16.53	-10	PASS
Band7	10	20800	50	#0	QPSK	2489.91	-37.46	-25	PASS
Band7	10	21400	50	#0	QPSK	2580.14	-37.01	-25	PASS
Band7	15	20825	75	#0	QPSK	2498.87	-19.53	-10	PASS
Band7	15	21375	75	#0	QPSK	2570.00	-21.85	-10	PASS
Band7	20	20850	100	#0	QPSK	2500.00	-21.30	-10	PASS
Band7	20	21350	100	#0	QPSK	2570.07	-23.54	-10	PASS

Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0



Band2 16QAM BW=1.4MHz Channel=18607 RB Size=6 Position=#0



Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0



Band2 16QAM BW=1.4MHz Channel=19193 RB Size=6 Position=#0



Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0



Band2 16QAM BW=3MHz Channel=18615 RB Size=15 Position=#0



Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0



Band2 16QAM BW=3MHz Channel=19185 RB Size=15 Position=#0



Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0



Band2 16QAM BW=5MHz Channel=18625 RB Size=25 Position=#0



Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0



Band2 16QAM BW=5MHz Channel=19175 RB Size=25 Position=#0



Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0



Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0



Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0



Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0



Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0



Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0



Band4 QPSK BW=1.4MHz Channel=19957 RB Size=6 Position=#0



Band4 16QAM BW=1.4MHz Channel=19957 RB Size=6 Position=#0



Band4 QPSK BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Band4 16QAM BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Band4 QPSK BW=3MHz Channel=19965 RB Size=15 Position=#0



Band4 16QAM BW=3MHz Channel=19965 RB Size=15 Position=#0



Band4 QPSK BW=3MHz Channel=20385 RB Size=15 Position=#0



Band4 16QAM BW=3MHz Channel=20385 RB Size=15 Position=#0



Band4 QPSK BW=5MHz Channel=19975 RB Size=25 Position=#0



Band4 16QAM BW=5MHz Channel=19975 RB Size=25 Position=#0



Band4 QPSK BW=5MHz Channel=20375 RB Size=25 Position=#0




Band4 16QAM BW=5MHz Channel=20375 RB Size=25 Position=#0



Band4 QPSK BW=10MHz Channel=20000 RB Size=50 Position=#0



Band4 QPSK BW=10MHz Channel=20350 RB Size=50 Position=#0




Band4 QPSK BW=15MHz Channel=20025 RB Size=75 Position=#0




Band4 QPSK BW=15MHz Channel=20325 RB Size=75 Position=#0



Band4 QPSK BW=20MHz Channel=20050 RB Size=100 Position=#0



Band4 QPSK BW=20MHz Channel=20300 RB Size=100 Position=#0



Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Band5 16QAM BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0



Band5 16QAM BW=1.4MHz Channel=20643 RB Size=6 Position=#0



Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 16QAM BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0



Band5 16QAM BW=3MHz Channel=20635 RB Size=15 Position=#0



Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 16QAM BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 16QAM BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0



Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0



Band66 16QAM BW=1.4MHz Channel=131979 RB Size=6 Position=#0



Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132665 RB Size=6 Position=#0



Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0



Band66 16QAM BW=3MHz Channel=131987 RB Size=15 Position=#0



Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132657 RB Size=15 Position=#0



Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0



Band66 16QAM BW=5MHz Channel=131997 RB Size=25 Position=#0



Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132647 RB Size=25 Position=#0



Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0



Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0



Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21425 RB Size=25 Position=#0



Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0



Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0



Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0



Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




06 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band2	1.4	18607	6	#0	QPSK	25102.60	-34.40	-13	PASS
Band2	1.4	18607	6	#0	16QAM	25056.06	-34.06	-13	PASS
Band2	1.4	18900	6	#0	QPSK	25103.24	-34.62	-13	PASS
Band2	1.4	18900	6	#0	16QAM	25940.28	-34.09	-13	PASS
Band2	1.4	19193	6	#0	QPSK	24595.79	-34.03	-13	PASS
Band2	1.4	19193	6	#0	16QAM	25108.34	-34.31	-13	PASS
Band2	3	18615	15	#0	QPSK	25541.20	-34.68	-13	PASS
Band2	3	18615	15	#0	16QAM	25045.23	-34.01	-13	PASS
Band2	3	18900	15	#0	QPSK	25572.44	-34.61	-13	PASS
Band2	3	18900	15	#0	16QAM	26305.56	-34.24	-13	PASS
Band2	3	19185	15	#0	QPSK	25063.08	-34.08	-13	PASS
Band2	3	19185	15	#0	16QAM	25049.69	-34.02	-13	PASS
Band2	5	18625	25	#0	QPSK	25035.03	-34.48	-13	PASS
Band2	5	18625	25	#0	16QAM	24552.44	-34.14	-13	PASS
Band2	5	18900	25	#0	QPSK	25124.28	-34.29	-13	PASS
Band2	5	18900	25	#0	16QAM	26445.18	-34.04	-13	PASS
Band2	5	19175	25	#0	QPSK	25863.14	-34.64	-13	PASS
Band2	5	19175	25	#0	16QAM	26098.38	-34.34	-13	PASS
Band2	10	18650	50	#0	QPSK	26089.45	-34.22	-13	PASS
Band2	10	18900	50	#0	QPSK	25663.60	-34.21	-13	PASS
Band2	10	19150	50	#0	QPSK	26172.33	-34.39	-13	PASS
Band2	15	18675	75	#0	QPSK	25093.04	-34.94	-13	PASS
Band2	15	18900	75	#0	QPSK	26372.50	-34.20	-13	PASS
Band2	15	19125	75	#0	QPSK	25171.45	-34.82	-13	PASS
Band2	20	18700	100	#0	QPSK	24299.35	-35.07	-13	PASS
Band2	20	18900	100	#0	QPSK	26200.38	-34.50	-13	PASS
Band2	20	19100	100	#0	QPSK	24454.26	-33.82	-13	PASS
Band4	1.4	19957	6	#0	QPSK	25046.50	-34.47	-13	PASS
Band4	1.4	19957	6	#0	16QAM	24417.29	-34.87	-13	PASS
Band4	1.4	20393	6	#0	QPSK	25140.85	-33.70	-13	PASS
Band4	1.4	20393	6	#0	16QAM	25035.03	-34.98	-13	PASS
Band4	3	19965	15	#0	QPSK	26443.90	-34.47	-13	PASS
Band4	3	19965	15	#0	16QAM	26431.15	-34.79	-13	PASS
Band4	3	20385	15	#0	QPSK	25028.01	-34.28	-13	PASS
Band4	3	20385	15	#0	16QAM	25485.74	-34.02	-13	PASS
Band4	5	19975	25	#0	QPSK	24553.71	-34.42	-13	PASS
Band4	5	19975	25	#0	16QAM	25036.94	-32.81	-13	PASS
Band4	5	20375	25	#0	QPSK	24464.46	-34.50	-13	PASS
Band4	5	20375	25	#0	16QAM	24538.41	-34.43	-13	PASS
Band4	10	20000	50	#0	QPSK	26368.68	-34.57	-13	PASS
Band4	10	20350	50	#0	QPSK	26139.81	-34.67	-13	PASS
Band4	15	20025	75	#0	QPSK	24438.96	-34.28	-13	PASS


Band4	15	20325	75	#0	QPSK	25531.00	-34.22	-13	PASS
Band4	20	20050	100	#0	QPSK	25020.36	-34.74	-13	PASS
Band4	20	20300	100	#0	QPSK	25541.20	-34.14	-13	PASS
Band5	1.4	20407	6	#0	QPSK	25589.01	-36.29	-13	PASS
Band5	1.4	20407	6	#0	16QAM	24498.89	-34.80	-13	PASS
Band5	1.4	20525	6	#0	QPSK	24451.71	-35.67	-13	PASS
Band5	1.4	20525	6	#0	16QAM	24377.13	-35.45	-13	PASS
Band5	1.4	20643	6	#0	QPSK	25145.31	-33.82	-13	PASS
Band5	1.4	20643	6	#0	16QAM	25120.45	-35.13	-13	PASS
Band5	3	20415	15	#0	QPSK	25542.48	-35.04	-13	PASS
Band5	3	20415	15	#0	16QAM	25490.20	-35.51	-13	PASS
Band5	3	20525	15	#0	QPSK	25098.14	-35.94	-13	PASS
Band5	3	20525	15	#0	16QAM	25064.35	-34.11	-13	PASS
Band5	3	20635	15	#0	QPSK	24460.64	-35.52	-13	PASS
Band5	3	20635	15	#0	16QAM	25054.15	-35.09	-13	PASS
Band5	5	20425	25	#0	QPSK	26080.53	-35.52	-13	PASS
Band5	5	20425	25	#0	16QAM	25021.64	-35.22	-13	PASS
Band5	5	20525	25	#0	QPSK	25137.66	-34.97	-13	PASS
Band5	5	20525	25	#0	16QAM	25949.20	-34.27	-13	PASS
Band5	5	20625	25	#0	QPSK	24506.54	-35.58	-13	PASS
Band5	5	20625	25	#0	16QAM	25012.71	-35.90	-13	PASS
Band5	10	20450	50	#0	QPSK	26470.04	-35.73	-13	PASS
Band5	10	20525	50	#0	QPSK	24573.48	-36.03	-13	PASS
Band5	10	20600	50	#0	QPSK	26391.63	-35.19	-13	PASS
Band66	1.4	131979	6	#0	QPSK	25580.09	-34.20	-13	PASS
Band66	1.4	131979	6	#0	16QAM	24409.00	-35.03	-13	PASS
Band66	1.4	132665	6	#0	QPSK	25054.15	-34.94	-13	PASS
Band66	1.4	132665	6	#0	16QAM	25043.31	-34.45	-13	PASS
Band66	3	131987	15	#0	QPSK	25074.55	-34.42	-13	PASS
Band66	3	131987	15	#0	16QAM	25077.74	-34.26	-13	PASS
Band66	3	132657	15	#0	QPSK	25687.19	-34.97	-13	PASS
Band66	3	132657	15	#0	16QAM	25949.20	-34.63	-13	PASS
Band66	5	131997	25	#0	QPSK	26376.96	-33.89	-13	PASS
Band66	5	131997	25	#0	16QAM	25493.39	-34.87	-13	PASS
Band66	5	132647	25	#0	QPSK	24994.23	-34.85	-13	PASS
Band66	5	132647	25	#0	16QAM	25061.16	-33.80	-13	PASS
Band66	10	132022	50	#0	QPSK	25067.54	-34.34	-13	PASS
Band66	10	132622	50	#0	QPSK	25088.58	-34.20	-13	PASS
Band66	15	132047	75	#0	QPSK	25130.65	-33.87	-13	PASS
Band66	15	132597	75	#0	QPSK	24502.08	-34.09	-13	PASS
Band66	20	132072	100	#0	QPSK	26064.59	-34.32	-13	PASS
Band66	20	132572	100	#0	QPSK	25064.35	-34.41	-13	PASS
Band7	5	20775	25	#0	QPSK	24411.55	-34.85	-25	PASS
Band7	5	20775	25	#0	16QAM	25555.86	-34.19	-25	PASS

Band7	5	21425	25	#0	QPSK	25064.99	-33.48	-25	PASS
Band7	5	21425	25	#0	16QAM	24463.19	-34.15	-25	PASS
Band7	10	20800	50	#0	QPSK	25553.95	-34.13	-25	PASS
Band7	10	21400	50	#0	QPSK	24349.08	-34.29	-25	PASS
Band7	15	20825	75	#0	QPSK	25578.18	-34.42	-25	PASS
Band7	15	21375	75	#0	QPSK	25926.25	-33.53	-25	PASS
Band7	20	20850	100	#0	QPSK	25055.43	-33.89	-25	PASS
Band7	20	21350	100	#0	QPSK	26044.19	-34.09	-25	PASS


Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 16QAM BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 16QAM BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 16QAM BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 16QAM BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 16QAM BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 16QAM BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 16QAM BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 16QAM BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 16QAM BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Band4 QPSK BW=1.4MHz Channel=19957 RB Size=6 Position=#0




Band4 16QAM BW=1.4MHz Channel=19957 RB Size=6 Position=#0




Band4 QPSK BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Band4 16QAM BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Band4 QPSK BW=3MHz Channel=19965 RB Size=15 Position=#0




Band4 16QAM BW=3MHz Channel=19965 RB Size=15 Position=#0




Band4 QPSK BW=3MHz Channel=20385 RB Size=15 Position=#0




Band4 16QAM BW=3MHz Channel=20385 RB Size=15 Position=#0




Band4 QPSK BW=5MHz Channel=19975 RB Size=25 Position=#0




Band4 16QAM BW=5MHz Channel=19975 RB Size=25 Position=#0




Band4 QPSK BW=5MHz Channel=20375 RB Size=25 Position=#0




Band4 16QAM BW=5MHz Channel=20375 RB Size=25 Position=#0




Band4 QPSK BW=10MHz Channel=20000 RB Size=50 Position=#0




Band4 QPSK BW=10MHz Channel=20350 RB Size=50 Position=#0




Band4 QPSK BW=15MHz Channel=20025 RB Size=75 Position=#0




Band4 QPSK BW=15MHz Channel=20325 RB Size=75 Position=#0




Band4 QPSK BW=20MHz Channel=20050 RB Size=100 Position=#0




Band4 QPSK BW=20MHz Channel=20300 RB Size=100 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 16QAM BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 16QAM BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 16QAM BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 16QAM BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 16QAM BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 16QAM BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 16QAM BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 16QAM BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 16QAM BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0



Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0



Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0110304	-49.91	-25
2	0.15	30	10	0.15671625	-51.81	-25
3	30	1000	100	730.02475	-56.08	-25
4	1000	26500	1000	26044.1875	-34.09	-25