

FCC RF Test Report

(LTE)

Applicant: SHENZHEN TRANSHAN TECHNOLOGY LIMITED

Address of Applicant: Room 03, 23/F, Unit B Building, No 9, Shenzhen Bay Eco - Technology Park, Yuehai Street, Nanshan District, Shenzhen, China

Equipment Under Test (EUT)

Product Name: Mobile Phone

Model No.: P662LS

Trade Mark: VIMOQ

FCC ID: 2A5RQ-P662LS

Applicable Standards: FCC CFR Title 47 Part 2, 22H, 24E, 27L&F&H&M, 90S

Date of Sample Receipt: 25 Jul., 2023

Date of Test: 26 Jul., to 15 Aug., 2023

Date of Report Issued: 16 Aug., 2023

Test Result: PASS

Tested by: _____

Luomeng Ding
Test Engineer

Date: _____

16 Aug., 2023

Reviewed by: _____

*one**
Project Engineer

Date: _____

16 Aug., 2023

Approved by: _____

Zhang
Manager

Date: _____

16 Aug., 2023

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in above the application standard version. Test results reported herein relate only to the item(s) tested.

This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

1 Version

Version No.	Date	Description
00	16 Aug., 2023	Original

2 Contents

Page

Cover Page	1
1 Version	2
2 Contents	3
3 General Information	4
3.1 Client Information	4
3.2 General Description of E.U.T.	4
3.3 Test Mode and Environment	5
3.4 Description of Test Auxiliary Equipment	5
3.5 Measurement Uncertainty	5
3.6 Additions to, Deviations, or Exclusions from the Method	5
3.7 Laboratory Facility	5
3.8 Laboratory Location	6
3.9 Test Instruments List	6
4 Measurement Setup and Procedure	7
4.1 Test Channel	7
4.2 Test Setup	10
4.3 Test Procedure	11
5 Test Results	12
5.1 Summary	12
5.1.1 Clause and Data Summary	12
5.1.2 Test Limit	14
5.2 RF Output Power	15

3 General Information

3.1 Client Information

Applicant:	SHENZHEN TRANSCAN TECHNOLOGY LIMITED
Address:	Room 03, 23/F, Unit B Building, No 9, Shenzhen Bay Eco -Technology Park, Yuehai Street, Nanshan District, Shenzhen, China
Manufacturer:	SHENZHEN TRANSCAN TECHNOLOGY LIMITED
Address:	Room 03, 23/F, Unit B Building, No 9, Shenzhen Bay Eco -Technology Park, Yuehai Street, Nanshan District, Shenzhen, China
Factory:	SHENZHEN TECNO TECHNOLOGY CO., LTD.
Address:	101, Building 24, Waijing Industrial Park, Fumin Community, Fucheng Street, Longhua District, Shenzhen City, P.R.China

3.2 General Description of E.U.T.

Product Name:	Mobile Phone	
Model No.:	P662LS	
Operation Frequency Range:	LTE band 2:	Tx: 1850 MHz - 1910 MHz Rx: 1930 MHz - 1990 MHz
	LTE band 4:	Tx: 1710 MHz - 1755 MHz Rx: 2110 MHz - 2155 MHz
	LTE band 5:	Tx: 824 MHz - 849 MHz Rx: 869 MHz - 894 MHz
	LTE band 7:	Tx: 2500 MHz - 2570 MHz Rx: 2620 MHz - 2690 MHz
	LTE band 12:	Tx: 699 MHz - 716 MHz Rx: 729 MHz - 746 MHz
	LTE band 13:	Tx: 777 MHz - 787 MHz Rx: 746 MHz - 756 MHz
	LTE band 17:	Tx: 704 MHz - 716 MHz Rx: 734 MHz - 746 MHz
	LTE band 26:	Tx: 814 MHz - 849 MHz Rx: 859 MHz - 894 MHz
	LTE band 38:	Tx: 2570 MHz - 2620 MHz Rx: 2570 MHz - 2620 MHz
	LTE band 41:	Tx: 2535 MHz - 2655 MHz Rx: 2535 MHz - 2655 MHz
	LTE band 66:	Tx: 1710 MHz - 1780 MHz Rx: 2110 MHz - 2200 MHz
Modulation Type:	<input checked="" type="checkbox"/> QPSK <input checked="" type="checkbox"/> 16QAM <input checked="" type="checkbox"/> 64QAM(only supports downlink)	
Antenna Type:	Internal Antenna	
Antenna Gain:	LTE band 2:	0 dBi (declare by Applicant)
	LTE band 4:	-1.0 dBi (declare by Applicant)
	LTE band 5:	-5.0 dBi (declare by Applicant)
	LTE band 7:	0 dBi (declare by Applicant)
	LTE band 12:	-5.0 dBi (declare by Applicant)
	LTE band 13:	-5.0 dBi (declare by Applicant)
	LTE band 17:	-5.0 dBi (declare by Applicant)
	LTE band 26:	-5.0 dBi (declare by Applicant)
	LTE band 38:	-1.0 dBi (declare by Applicant)
	LTE band 41:	-1.0 dBi (declare by Applicant)
	LTE band 66:	-2.0 dBi (declare by Applicant)
Power Supply:	Rechargeable Li-ion Polymer Battery DC3.87V, 5850mAh	
AC Adapter:	Model: U180VSA Input: AC100-240V, 50/60Hz, 0.6A Output: DC 5.0V, 2.4A or 7.5V, 2.4A 18.0W Max	
Test Sample Condition:	The test samples were provided in good working order with no visible defects.	

3.3 Test Mode and Environment

Test Mode:	
QPSK mode:	Keep the EUT communication with simulated station in QPSK mode
16QAM mode:	Keep the EUT communication with simulated station in 16QAM mode
<i>Remark: The EUT has been tested under continuous transmitting mode. Channel Low, Mid and High for each type band with rated data rate were chosen for full testing. The field strength of spurious radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for these modes. Just the worst case position (H mode) shown in report.</i>	
Operating Environment:	
Temperature:	Normal: 15°C ~ 35°C, Extreme: -30°C ~ +50°C
Humidity:	20 % ~ 75 % RH
Atmospheric Pressure:	1008 mbar
Voltage:	Nominal: 3.87 Vdc, Extreme: Low 3.45 Vdc, High 4.45 Vdc

3.4 Description of Test Auxiliary Equipment

Test Equipment	Manufacturer	Model No.	Serial No.
Simulated Station	Anritsu	MT8820C	6201026545
Simulated Station	Rohde & Schwarz	CMW500	108209

3.5 Measurement Uncertainty

Parameter	Expanded Uncertainty (Confidence of 95%(U = 2Uc(y)))
Radiated Emission (30MHz ~ 1GHz) (3m SAC)	3.8 dB
Radiated Emission (1GHz ~ 18GHz) (3m SAC)	3.6 dB
Radiated Emission (18GHz ~ 40GHz) (3m SAC)	5.34 dB

Note: All the measurement uncertainty value were shown with a coverage k=2 to indicate 95% level of confidence. The measurement data show herein meets or exceeds the CISPR measurement uncertainty values specified in CISPR 16-4-2 and can be compared directly to specified limit to determine compliance.

3.6 Additions to, Deviations, or Exclusions from the Method

No

3.7 Laboratory Facility

<p>The test facility is recognized, certified, or accredited by the following organizations:</p> <ul style="list-style-type: none"> ● FCC - Designation No.: CN1211 JianYan Testing Group Shenzhen Co., Ltd. has been accredited as a testing laboratory by FCC(Federal Communications Commission). The test firm Registration No. is 727551. ● ISED – CAB identifier.: CN0021 The 3m Semi-anechoic chamber and 10m Semi-anechoic chamber of JianYan Testing Group Shenzhen Co., Ltd. has been Registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 10106A-1. ● CNAS - Registration No.: CNAS L15527 JianYan Testing Group Shenzhen Co., Ltd. is accredited to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration laboratories for the competence of testing. The Registration No. is CNAS L15527. ● A2LA - Registration No.: 4346.01 This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories. The test scope can be found as below link: https://portal.a2la.org/scopepdf/4346-01.pdf
--

3.8 Laboratory Location

JianYan Testing Group Shenzhen Co., Ltd.
 Address: No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China.
 Tel: +86-755-23118282, Fax: +86-755-23116366
 Email: info-JYTee@lets.com, Website: <http://jyt.lets.com>

3.9 Test Instruments List

Conducted Method:					
Test Equipment	Manufacturer	Model No.	Manage No.	Cal. Date (mm-dd-yy)	Cal. Due date (mm-dd-yy)
Spectrum Analyzer	Keysight	N9020A	WXJ094	10-26-2022	10-25-2023
Simulated Station	Rohde & Schwarz	CMW500	WXJ081	06-13-2023	06-12-2024
Temperature Humidity Chamber	ZHONG ZHI	CZ-A-80D	WXJ032-3	01-09-2023	01-08-2025
DC Power Supply	Keysight	E3642A	WXJ025-2	N/A	
RF Control Unit	Tonscend	JS0806-1	WXG010	N/A	
Band Reject Filter Group	Tonscend	JS0806-F	WXG010-1	N/A	
Test Software	Tonscend	TS+	Version: 2.6.9.0526		

4 Measurement Setup and Procedure

4.1 Test Channel

According to ANSI C63.26-2015 chapter 5.1.2.1 Table 2 requirement, select lowest channel, middle channel, and highest channel in the frequency range in which device operates for testing. The detailed frequency points are as follows:

LTE band 2					
Channels		Frequency (MHz)	Channels		Frequency (MHz)
1.4 MHz			3 MHz		
Lowest channel	18607	1850.7	Lowest channel	18915	1851.5
Middle channel	18900	1880.0	Middle channel	18900	1880.0
Highest channel	19193	1909.3	Highest channel	19185	1908.5
5 MHz			10 MHz		
Lowest channel	18625	1852.5	Lowest channel	18650	1855.0
Middle channel	18900	1880.0	Middle channel	18900	1880.0
Highest channel	19175	1907.5	Highest channel	19150	1905.0
15 MHz			20 MHz		
Lowest channel	18675	1857.5	Lowest channel	18700	1860.0
Middle channel	18900	1880.0	Middle channel	18900	1880.0
Highest channel	19125	1902.5	Highest channel	19100	1900.0
LTE band 7					
Channels		Frequency (MHz)	Channels		Frequency (MHz)
5 MHz			10 MHz		
Lowest channel	20775	2502.5	Lowest channel	20800	2505.0
Middle channel	21100	2535.0	Middle channel	21100	2535.0
Highest channel	21425	2567.5	Highest channel	21400	2565.0
15 MHz			20 MHz		
Lowest channel	20825	2507.5	Lowest channel	20850	2510.0
Middle channel	21100	2535.0	Middle channel	21100	2535.0
Highest channel	21375	2562.5	Highest channel	21350	2560.0
LTE band 12					
Channels		Frequency (MHz)	Channels		Frequency (MHz)
1.4 MHz			3 MHz		
Lowest channel	23017	699.70	Lowest channel	23025	700.50
Middle channel	23095	707.50	Middle channel	23095	707.50
Highest channel	23173	715.30	Highest channel	23165	714.50
5 MHz			10 MHz		
Lowest channel	23035	701.50	Lowest channel	23060	704.00
Middle channel	23095	707.50	Middle channel	23095	707.50
Highest channel	23155	713.50	Highest channel	23130	711.00
LTE band 13					
5 MHz			10 MHz		
Lowest channel	23205	779.5	Lowest channel	/	/
Middle channel	23230	782.0	Middle channel	23230	782.00
Highest channel	23255	784.5	Highest channel	/	/


LTE band 17					
5 MHz			10 MHz		
Lowest channel	23755	706.50	Lowest channel	23780	709.00
Middle channel	23790	710.00	Middle channel	23790	710.00
Highest channel	23825	713.50	Highest channel	23800	711.00
LTE band 26 For Part 22 Include LTE band 5					
Channels		Frequency (MHz)	Channels		Frequency (MHz)
1.4 MHz			3 MHz		
Lowest channel	26797	824.7	Lowest channel	26805	825.5
Middle channel	26915	836.5	Middle channel	26915	836.5
Highest channel	27033	848.3	Highest channel	27025	847.5
5 MHz			10 MHz		
Lowest channel	26815	826.5	Lowest channel	26840	829.0
Middle channel	26915	836.5	Middle channel	26915	836.5
Highest channel	27015	846.5	Highest channel	26990	844.0
15 MHz					
Lowest channel	26865	831.5			
Middle channel	26915	836.5			
Highest channel	26965	841.5			
LTE band 26 For Part 90					
Channels		Frequency (MHz)	Channels		Frequency (MHz)
1.4 MHz			3 MHz		
Lowest channel	26697	814.7	Lowest channel	26705	815.5
Middle channel	26740	819.0	Middle channel	26740	819.0
Highest channel	26783	823.3	Highest channel	26775	822.5
5 MHz			10 MHz		
Lowest channel	26715	816.5	Lowest channel	/	/
Middle channel	26740	819.0	Middle channel	26740	819.0
Highest channel	26765	821.5	Highest channel	/	/
LTE band 41 Include LTE band 38					
Channels		Frequency (MHz)	Channels		Frequency (MHz)
5 MHz			10 MHz		
Lowest channel	40065	2537.50	Lowest channel	40090	2540.00
Middle channel	40640	2595.00	Middle channel	40640	2595.00
Highest channel	41215	2652.50	Highest channel	41190	2650.00
15 MHz			20 MHz		
Lowest channel	40115	2542.50	Lowest channel	40140	2545.00
Middle channel	40640	2595.00	Middle channel	40640	2595.00
Highest channel	41165	2647.50	Highest channel	41140	2645.00

LTE band 66 Include LTE band 4					
Channels		Frequency (MHz)	Channels		Frequency (MHz)
1.4 MHz			3 MHz		
Lowest channel	131979	1710.7	Lowest channel	131987	1711.5
Middle channel	132322	1745.0	Middle channel	132322	1745.0
Highest channel	132665	1779.3	Highest channel	132657	1778.5
5 MHz			10 MHz		
Lowest channel	131997	1712.5	Lowest channel	132022	1715.0
Middle channel	132322	1745.5	Middle channel	132322	1745.0
Highest channel	132647	1777.5	Highest channel	132622	1775.0
15 MHz			20 MHz		
Lowest channel	132047	1717.5	Lowest channel	132072	1720.0
Middle channel	132322	1745.0	Middle channel	132322	1745.0
Highest channel	132597	1772.5	Highest channel	132572	1770.0


4.2 Test Setup

1) Radiated emission measurement:


Below 1GHz (3m SAC)



Above 1GHz (3m SAC)



2) Conducted test method



4.3 Test Procedure

Test method	Test step
Radiated emission	<p>For below 1GHz:</p> <ol style="list-style-type: none"> The EUT was placed on the tabletop of a rotating table 0.8 m the ground at a 3 m semi anechoic chamber. The measurement distance from the EUT to the receiving antenna is 3 m. EUT works in each mode of operation that needs to be tested , and having the EUT continuously working, respectively on 3 axis (X, Y & Z) and considered typical configuration to obtain worst position. The highest signal levels relative to the limit shall be determined by rotating the EUT from 0° to 360° and with varying the measurement antenna height between 1 m and 4 m in vertical and horizontal polarizations. Open the test software to control the test antenna and test turntable. Perform the test, save the test results, and export the test data. <p>For above 1GHz:</p> <ol style="list-style-type: none"> The EUT was placed on the tabletop of a rotating table 1.5 m the ground at a 3 m fully anechoic room. The measurement distance from the EUT to the receiving antenna is 3 m. EUT works in each mode of operation that needs to be tested , and having the EUT continuously working, respectively on 3 axis (X, Y & Z) and considered typical configuration to obtain worst position. The highest signal levels relative to the limit shall be determined by rotating the EUT from 0° to 360° and with varying the measurement antenna height between 1 m and 4 m in vertical and horizontal polarizations. Open the test software to control the test antenna and test turntable. Perform the test, save the test results, and export the test data.
Conducted test method	<ol style="list-style-type: none"> The LTE antenna port of EUT was connected to the test port of the test system through an RF cable. The EUT is keeping in continuous transmission mode and tested in all modulation modes. Open the test software, prepare a test plan, and control the system through the software. After the test is completed, the test report is exported through the test software.

5 Test Results

5.1 Summary

5.1.1 Clause and Data Summary

This report is revised according to the JYTSZ-R12-2300400 report, FCC ID: 2A5RQ-P662LO issued by JianYan Testing Group Shenzhen Co., Ltd. Differences: Memory increased, updated model and FCC ID, so need to Spot test Conducted Output Power.

Test items	Standard clause	Test data	Result
RF Exposure (SAR)	Part 1.1307 Part 2.1093	Please refer to report No.: JYTSZ-R12-2300400.	Pass*
RF Output Power	Part 2.1046 Part 22.913 (a)(5) Part 24.232 (c) Part 27.50 (c)(10) Part 27.50 (d)(4) Part 27.50 (h)(2) Part 90.635(b)	See Section 5.2	Pass
Peak-to-Average Power Ratio	Part 24.232 (d) Part 27.50 (d)(5)	Please refer to report No.: JYTSZ-R12-2300400.	Pass*
Modulation Characteristics	Part 2.1047	Please refer to report No.: JYTSZ-R12-2300400.	Pass*
26dB Emission Bandwidth 99% Occupied Bandwidth	Part 2.1049	Please refer to report No.: JYTSZ-R12-2300400.	Pass*
Out of Band Emission at Antenna Terminals	Part 2.1051 Part 22.917 (a) Part 24.238 (a) Part 27.53 (g) Part 27.53 (c) Part 27.53 (h) Part 27.53 (m)(4) Part 90.691(a)	Please refer to report No.: JYTSZ-R12-2300400.	Pass*
Field Strength of Spurious Radiation	Part 2.1053 Part 22.917 (a) Part 24.238 (a) Part 27.53 (c) Part 27.53 (g) Part 27.53 (h) Part 27.53 (m)(4) Part 90.691(a)	Please refer to report No.: JYTSZ-R12-2300400.	Pass*
Frequency Stability vs. Temperature	Part 2.1055 (a)(1)(b) Part 22.355 Part 24.235 Part 27.54 Part 90.213(a)	Please refer to report No.: JYTSZ-R12-2300400.	Pass*
Frequency Stability vs. Voltage	Part 2.1055 (d)(2) Part 22.355 Part 24.235 Part 27.54 Part 90.213(a)	Please refer to report No.: JYTSZ-R12-2300400.	Pass*

Remark:

1. Pass: The EUT complies with the essential requirements in the standard.
2. Pass*: Please refer to FCC ID: 2A5RQ-P662LO, report No.: JYTSZ-R12-2300400 issue by JianYan Testing Group Shenzhen Co., Ltd.
3. The cable insertion loss used by "RF Output Power" and other conduction measurement items is 0.5dB (Fundamental Frequency below 1GHz)/1.0dB (Fundamental Frequency above 1GHz) (provided by the customer).

Test Method:

ANSI/TIA-603-E-2016
ANSI C63.26-2015

5.1.2 Test Limit

Test items	Limit																																
RF Output Power	<p>LTE band 2/7/38/41: 2W EIRP</p> <p>LTE band 4/66: 1W EIRP</p> <p>LTE band 5: 7W ERP</p> <p>LTE band 12/13/17: 3W ERP</p>																																
Peak-to-Average Power Ratio	<p>LTE band 2/4/26:The peak-to-average ratio (PAR) of the transmission may not exceed 13 dB</p> <p>Other bands: N/A report only</p>																																
Modulation Characteristics	N/A																																
26dB Emission Bandwidth 99% Occupied Bandwidth	N/A																																
Out of Band Emission at Antenna Terminals Field Strength of Spurious Radiation	<p>LTE band 2, 4, 5, 12, 13, 17, 66: The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.</p> <p>LTE band 7, 38, 41: For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz.</p>																																
Frequency Stability vs. Temperature Frequency Stability vs. Voltage	<p>LTE band 2: The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.</p> <p>LTE band 4, 7, 12, 13, 17, 38, 41, 66: The frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.</p> <p>LTE band 5: Except as otherwise provided in this part, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table C-1 of this section.</p> <p style="text-align: center;">TABLE C-1—FREQUENCY TOLERANCE FOR TRANSMITTERS IN THE PUBLIC MOBILE SERVICES</p> <table border="1"> <thead> <tr> <th>Frequency range (MHz)</th> <th>Base, fixed (ppm)</th> <th>Mobile >3 watts (ppm)</th> <th>Mobile ≤3 watts (ppm)</th> </tr> </thead> <tbody> <tr> <td>25 to 50</td> <td>20.0</td> <td>20.0</td> <td>50.0</td> </tr> <tr> <td>50 to 450</td> <td>5.0</td> <td>5.0</td> <td>50.0</td> </tr> <tr> <td>450 to 512</td> <td>2.5</td> <td>5.0</td> <td>5.0</td> </tr> <tr> <td>821 to 896</td> <td>1.5</td> <td>2.5</td> <td>2.5</td> </tr> <tr> <td>928 to 929</td> <td>5.0</td> <td>n/a</td> <td>n/a</td> </tr> <tr> <td>929 to 960</td> <td>1.5</td> <td>n/a</td> <td>n/a</td> </tr> <tr> <td>2110 to 2220</td> <td>10.0</td> <td>n/a</td> <td>n/a</td> </tr> </tbody> </table>	Frequency range (MHz)	Base, fixed (ppm)	Mobile >3 watts (ppm)	Mobile ≤3 watts (ppm)	25 to 50	20.0	20.0	50.0	50 to 450	5.0	5.0	50.0	450 to 512	2.5	5.0	5.0	821 to 896	1.5	2.5	2.5	928 to 929	5.0	n/a	n/a	929 to 960	1.5	n/a	n/a	2110 to 2220	10.0	n/a	n/a
Frequency range (MHz)	Base, fixed (ppm)	Mobile >3 watts (ppm)	Mobile ≤3 watts (ppm)																														
25 to 50	20.0	20.0	50.0																														
50 to 450	5.0	5.0	50.0																														
450 to 512	2.5	5.0	5.0																														
821 to 896	1.5	2.5	2.5																														
928 to 929	5.0	n/a	n/a																														
929 to 960	1.5	n/a	n/a																														
2110 to 2220	10.0	n/a	n/a																														

5.2 RF Output Power

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	22.63	22.63	33.01	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	22.64	22.64	33.01	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	22.66	22.66	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	22.53	22.53	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	22.57	22.57	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#2	22.54	22.54	33.01	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	21.50	21.5	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	22.54	22.54	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	22.65	22.65	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	22.62	22.62	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	22.72	22.72	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	22.69	22.69	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#2	22.77	22.77	33.01	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	21.69	21.69	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	22.44	22.44	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	22.52	22.52	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	22.52	22.52	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	22.69	22.69	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	22.66	22.66	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#2	22.76	22.76	33.01	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	21.59	21.59	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	21.66	21.66	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	21.54	21.54	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	21.67	21.67	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	21.60	21.6	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	21.56	21.56	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#2	21.57	21.57	33.01	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	20.74	20.74	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	21.74	21.74	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	21.71	21.71	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	21.64	21.64	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	21.59	21.59	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	21.56	21.56	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#2	21.54	21.54	33.01	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	20.49	20.49	33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	21.83	21.83	33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	21.67	21.67	33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	21.70	21.7	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	21.70	21.7	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	21.61	21.61	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#2	21.59	21.59	33.01	PASS

Band2	1.4MHz	16QAM	19193	6RB#0	20.95	20.95	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#0	22.63	22.63	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#7	22.67	22.67	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#14	22.64	22.64	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#0	21.59	21.59	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#4	21.61	21.61	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#7	21.51	21.51	33.01	PASS
Band2	3MHz	QPSK	18615	15RB#0	21.54	21.54	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#0	22.70	22.7	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#7	22.71	22.71	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#14	22.71	22.71	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#0	21.61	21.61	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#4	21.63	21.63	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#7	21.67	21.67	33.01	PASS
Band2	3MHz	QPSK	18900	15RB#0	21.70	21.7	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#0	22.68	22.68	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#7	22.69	22.69	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#14	22.68	22.68	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#0	21.63	21.63	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#4	21.62	21.62	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#7	21.63	21.63	33.01	PASS
Band2	3MHz	QPSK	19185	15RB#0	21.68	21.68	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#0	22.12	22.12	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#7	22.09	22.09	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#14	22.15	22.15	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#0	20.83	20.83	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#4	20.82	20.82	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#7	20.72	20.72	33.01	PASS
Band2	3MHz	16QAM	18615	15RB#0	20.69	20.69	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#0	21.20	21.2	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#7	21.19	21.19	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#14	21.22	21.22	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#0	20.74	20.74	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#4	20.75	20.75	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#7	20.88	20.88	33.01	PASS
Band2	3MHz	16QAM	18900	15RB#0	20.86	20.86	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#0	21.40	21.4	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#7	21.30	21.3	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#14	21.42	21.42	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#0	20.87	20.87	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#4	20.86	20.86	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#7	20.91	20.91	33.01	PASS
Band2	3MHz	16QAM	19185	15RB#0	20.65	20.65	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#0	22.62	22.62	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#12	22.58	22.58	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#24	22.57	22.57	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#0	21.63	21.63	33.01	PASS

Band2	5MHz	QPSK	18625	12RB#6	21.47	21.47	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#11	21.42	21.42	33.01	PASS
Band2	5MHz	QPSK	18625	25RB#0	21.59	21.59	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#0	22.82	22.82	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#12	22.79	22.79	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#24	22.94	22.94	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#0	21.67	21.67	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#6	21.61	21.61	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#11	21.59	21.59	33.01	PASS
Band2	5MHz	QPSK	18900	25RB#0	21.65	21.65	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#0	22.59	22.59	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#12	22.62	22.62	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#24	22.69	22.69	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#0	21.81	21.81	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#6	21.70	21.7	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#11	21.70	21.7	33.01	PASS
Band2	5MHz	QPSK	19175	25RB#0	21.73	21.73	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#0	21.49	21.49	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#12	21.47	21.47	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#24	21.60	21.6	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#0	20.72	20.72	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#6	20.72	20.72	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#11	20.68	20.68	33.01	PASS
Band2	5MHz	16QAM	18625	25RB#0	20.60	20.6	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#0	21.45	21.45	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#12	21.48	21.48	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#24	21.49	21.49	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#0	20.61	20.61	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#6	20.63	20.63	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#11	20.63	20.63	33.01	PASS
Band2	5MHz	16QAM	18900	25RB#0	20.67	20.67	33.01	PASS
Band2	5MHz	16QAM	19175	1RB#0	20.94	20.94	33.01	PASS
Band2	5MHz	16QAM	19175	1RB#12	21.04	21.04	33.01	PASS
Band2	5MHz	16QAM	19175	1RB#24	21.13	21.13	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#0	20.73	20.73	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#6	20.73	20.73	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#11	20.73	20.73	33.01	PASS
Band2	5MHz	16QAM	19175	25RB#0	20.84	20.84	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#0	22.56	22.56	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#24	22.47	22.47	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#49	22.55	22.55	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#0	21.56	21.56	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#12	21.49	21.49	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#24	21.44	21.44	33.01	PASS
Band2	10MHz	QPSK	18650	50RB#0	21.46	21.46	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#0	22.66	22.66	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#24	22.72	22.72	33.01	PASS

Band2	10MHz	QPSK	18900	1RB#49	22.79	22.79	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#0	21.60	21.6	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#12	21.76	21.76	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#24	21.53	21.53	33.01	PASS
Band2	10MHz	QPSK	18900	50RB#0	21.75	21.75	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#0	22.63	22.63	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#24	22.65	22.65	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#49	22.69	22.69	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#0	21.72	21.72	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#12	21.76	21.76	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#24	21.65	21.65	33.01	PASS
Band2	10MHz	QPSK	19150	50RB#0	21.70	21.7	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#0	21.17	21.17	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#24	21.23	21.23	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#49	21.13	21.13	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#0	20.78	20.78	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#12	20.68	20.68	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#24	20.70	20.7	33.01	PASS
Band2	10MHz	16QAM	18650	50RB#0	20.63	20.63	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#0	22.22	22.22	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#24	22.32	22.32	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#49	22.25	22.25	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#0	20.72	20.72	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#12	20.82	20.82	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#24	20.82	20.82	33.01	PASS
Band2	10MHz	16QAM	18900	50RB#0	20.74	20.74	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#0	21.72	21.72	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#24	21.73	21.73	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#49	21.70	21.7	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#0	20.68	20.68	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#12	20.69	20.69	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#24	20.70	20.7	33.01	PASS
Band2	10MHz	16QAM	19150	50RB#0	20.75	20.75	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#0	22.55	22.55	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#37	22.46	22.46	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#74	22.49	22.49	33.01	PASS
Band2	15MHz	QPSK	18675	36RB#0	21.63	21.63	33.01	PASS
Band2	15MHz	QPSK	18675	36RB#16	21.47	21.47	33.01	PASS
Band2	15MHz	QPSK	18675	36RB#35	21.67	21.67	33.01	PASS
Band2	15MHz	QPSK	18675	75RB#0	21.49	21.49	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#0	22.72	22.72	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#37	22.72	22.72	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#74	22.71	22.71	33.01	PASS
Band2	15MHz	QPSK	18900	36RB#0	21.66	21.66	33.01	PASS
Band2	15MHz	QPSK	18900	36RB#16	21.52	21.52	33.01	PASS
Band2	15MHz	QPSK	18900	36RB#35	21.73	21.73	33.01	PASS
Band2	15MHz	QPSK	18900	75RB#0	21.65	21.65	33.01	PASS

Band2	15MHz	QPSK	19125	1RB#0	22.56	22.56	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#37	22.58	22.58	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#74	22.66	22.66	33.01	PASS
Band2	15MHz	QPSK	19125	36RB#0	21.74	21.74	33.01	PASS
Band2	15MHz	QPSK	19125	36RB#16	21.68	21.68	33.01	PASS
Band2	15MHz	QPSK	19125	36RB#35	21.69	21.69	33.01	PASS
Band2	15MHz	QPSK	19125	75RB#0	21.60	21.6	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#0	21.73	21.73	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#37	21.81	21.81	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#74	21.74	21.74	33.01	PASS
Band2	15MHz	16QAM	18675	36RB#0	20.70	20.7	33.01	PASS
Band2	15MHz	16QAM	18675	36RB#16	20.72	20.72	33.01	PASS
Band2	15MHz	16QAM	18675	36RB#35	20.72	20.72	33.01	PASS
Band2	15MHz	16QAM	18675	75RB#0	20.66	20.66	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#0	22.26	22.26	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#37	22.26	22.26	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#74	22.32	22.32	33.01	PASS
Band2	15MHz	16QAM	18900	36RB#0	20.63	20.63	33.01	PASS
Band2	15MHz	16QAM	18900	36RB#16	20.65	20.65	33.01	PASS
Band2	15MHz	16QAM	18900	36RB#35	20.67	20.67	33.01	PASS
Band2	15MHz	16QAM	18900	75RB#0	20.70	20.7	33.01	PASS
Band2	15MHz	16QAM	19125	1RB#0	21.65	21.65	33.01	PASS
Band2	15MHz	16QAM	19125	1RB#37	21.70	21.7	33.01	PASS
Band2	15MHz	16QAM	19125	1RB#74	21.76	21.76	33.01	PASS
Band2	15MHz	16QAM	19125	36RB#0	20.76	20.76	33.01	PASS
Band2	15MHz	16QAM	19125	36RB#16	20.69	20.69	33.01	PASS
Band2	15MHz	16QAM	19125	36RB#35	20.68	20.68	33.01	PASS
Band2	15MHz	16QAM	19125	75RB#0	20.67	20.67	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#0	22.72	22.72	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#49	22.64	22.64	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#99	22.71	22.71	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#0	21.64	21.64	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#24	21.48	21.48	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#49	21.68	21.68	33.01	PASS
Band2	20MHz	QPSK	18700	100RB#0	21.48	21.48	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#0	22.64	22.64	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#49	22.72	22.72	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#99	22.82	22.82	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#0	21.70	21.7	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#24	21.61	21.61	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#49	21.65	21.65	33.01	PASS
Band2	20MHz	QPSK	18900	100RB#0	21.81	21.81	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#0	22.80	22.8	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#49	22.81	22.81	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#99	22.90	22.9	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#0	21.64	21.64	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#24	21.57	21.57	33.01	PASS

Band2	20MHz	QPSK	19100	50RB#49	21.71	21.71	33.01	PASS
Band2	20MHz	QPSK	19100	100RB#0	21.65	21.65	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#0	21.96	21.96	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#49	21.91	21.91	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#99	22.06	22.06	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#0	20.59	20.59	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#24	20.59	20.59	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#49	20.58	20.58	33.01	PASS
Band2	20MHz	16QAM	18700	100RB#0	20.71	20.71	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#0	21.45	21.45	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#49	21.46	21.46	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#99	21.58	21.58	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#0	20.88	20.88	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#24	20.89	20.89	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#49	20.89	20.89	33.01	PASS
Band2	20MHz	16QAM	18900	100RB#0	20.76	20.76	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#0	21.67	21.67	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#49	21.67	21.67	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#99	21.81	21.81	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#0	20.81	20.81	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#24	20.82	20.82	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#49	20.83	20.83	33.01	PASS
Band2	20MHz	16QAM	19100	100RB#0	20.74	20.74	33.01	PASS
Band7	5MHz	QPSK	20775	1RB#0	21.62	21.62	38.45	PASS
Band7	5MHz	QPSK	20775	1RB#12	21.61	21.61	38.45	PASS
Band7	5MHz	QPSK	20775	1RB#24	21.50	21.5	38.45	PASS
Band7	5MHz	QPSK	20775	12RB#0	20.66	20.66	38.45	PASS
Band7	5MHz	QPSK	20775	12RB#6	20.77	20.77	38.45	PASS
Band7	5MHz	QPSK	20775	12RB#11	20.69	20.69	38.45	PASS
Band7	5MHz	QPSK	20775	25RB#0	20.54	20.54	38.45	PASS
Band7	5MHz	QPSK	21100	1RB#0	21.74	21.74	38.45	PASS
Band7	5MHz	QPSK	21100	1RB#12	21.80	21.8	38.45	PASS
Band7	5MHz	QPSK	21100	1RB#24	21.86	21.86	38.45	PASS
Band7	5MHz	QPSK	21100	12RB#0	20.97	20.97	38.45	PASS
Band7	5MHz	QPSK	21100	12RB#6	20.93	20.93	38.45	PASS
Band7	5MHz	QPSK	21100	12RB#11	20.96	20.96	38.45	PASS
Band7	5MHz	QPSK	21100	25RB#0	21.11	21.11	38.45	PASS
Band7	5MHz	QPSK	21425	1RB#0	21.95	21.95	38.45	PASS
Band7	5MHz	QPSK	21425	1RB#12	22.11	22.11	38.45	PASS
Band7	5MHz	QPSK	21425	1RB#24	22.11	22.11	38.45	PASS
Band7	5MHz	QPSK	21425	12RB#0	20.96	20.96	38.45	PASS
Band7	5MHz	QPSK	21425	12RB#6	21.00	21	38.45	PASS
Band7	5MHz	QPSK	21425	12RB#11	21.02	21.02	38.45	PASS
Band7	5MHz	QPSK	21425	25RB#0	20.97	20.97	38.45	PASS
Band7	5MHz	16QAM	20775	1RB#0	19.91	19.91	38.45	PASS
Band7	5MHz	16QAM	20775	1RB#12	20.02	20.02	38.45	PASS
Band7	5MHz	16QAM	20775	1RB#24	19.92	19.92	38.45	PASS

Band7	5MHz	16QAM	20775	12RB#0	19.71	19.71	38.45	PASS
Band7	5MHz	16QAM	20775	12RB#6	19.71	19.71	38.45	PASS
Band7	5MHz	16QAM	20775	12RB#11	19.72	19.72	38.45	PASS
Band7	5MHz	16QAM	20775	25RB#0	19.73	19.73	38.45	PASS
Band7	5MHz	16QAM	21100	1RB#0	20.97	20.97	38.45	PASS
Band7	5MHz	16QAM	21100	1RB#12	21.27	21.27	38.45	PASS
Band7	5MHz	16QAM	21100	1RB#24	20.84	20.84	38.45	PASS
Band7	5MHz	16QAM	21100	12RB#0	20.05	20.05	38.45	PASS
Band7	5MHz	16QAM	21100	12RB#6	20.08	20.08	38.45	PASS
Band7	5MHz	16QAM	21100	12RB#11	19.93	19.93	38.45	PASS
Band7	5MHz	16QAM	21100	25RB#0	19.84	19.84	38.45	PASS
Band7	5MHz	16QAM	21425	1RB#0	20.40	20.4	38.45	PASS
Band7	5MHz	16QAM	21425	1RB#12	20.51	20.51	38.45	PASS
Band7	5MHz	16QAM	21425	1RB#24	20.59	20.59	38.45	PASS
Band7	5MHz	16QAM	21425	12RB#0	19.86	19.86	38.45	PASS
Band7	5MHz	16QAM	21425	12RB#6	19.94	19.94	38.45	PASS
Band7	5MHz	16QAM	21425	12RB#11	19.77	19.77	38.45	PASS
Band7	5MHz	16QAM	21425	25RB#0	20.20	20.2	38.45	PASS
Band7	10MHz	QPSK	20800	1RB#0	21.46	21.46	38.45	PASS
Band7	10MHz	QPSK	20800	1RB#24	21.27	21.27	38.45	PASS
Band7	10MHz	QPSK	20800	1RB#49	21.35	21.35	38.45	PASS
Band7	10MHz	QPSK	20800	25RB#0	20.52	20.52	38.45	PASS
Band7	10MHz	QPSK	20800	25RB#12	20.47	20.47	38.45	PASS
Band7	10MHz	QPSK	20800	25RB#24	20.46	20.46	38.45	PASS
Band7	10MHz	QPSK	20800	50RB#0	20.52	20.52	38.45	PASS
Band7	10MHz	QPSK	21100	1RB#0	21.92	21.92	38.45	PASS
Band7	10MHz	QPSK	21100	1RB#24	21.99	21.99	38.45	PASS
Band7	10MHz	QPSK	21100	1RB#49	21.90	21.9	38.45	PASS
Band7	10MHz	QPSK	21100	25RB#0	20.88	20.88	38.45	PASS
Band7	10MHz	QPSK	21100	25RB#12	20.90	20.9	38.45	PASS
Band7	10MHz	QPSK	21100	25RB#24	20.91	20.91	38.45	PASS
Band7	10MHz	QPSK	21100	50RB#0	20.88	20.88	38.45	PASS
Band7	10MHz	QPSK	21400	1RB#0	21.69	21.69	38.45	PASS
Band7	10MHz	QPSK	21400	1RB#24	21.83	21.83	38.45	PASS
Band7	10MHz	QPSK	21400	1RB#49	21.95	21.95	38.45	PASS
Band7	10MHz	QPSK	21400	25RB#0	20.74	20.74	38.45	PASS
Band7	10MHz	QPSK	21400	25RB#12	20.81	20.81	38.45	PASS
Band7	10MHz	QPSK	21400	25RB#24	20.81	20.81	38.45	PASS
Band7	10MHz	QPSK	21400	50RB#0	20.93	20.93	38.45	PASS
Band7	10MHz	16QAM	20800	1RB#0	20.38	20.38	38.45	PASS
Band7	10MHz	16QAM	20800	1RB#24	20.34	20.34	38.45	PASS
Band7	10MHz	16QAM	20800	1RB#49	20.30	20.3	38.45	PASS
Band7	10MHz	16QAM	20800	25RB#0	19.75	19.75	38.45	PASS
Band7	10MHz	16QAM	20800	25RB#12	19.76	19.76	38.45	PASS
Band7	10MHz	16QAM	20800	25RB#24	19.77	19.77	38.45	PASS
Band7	10MHz	16QAM	20800	50RB#0	19.60	19.6	38.45	PASS
Band7	10MHz	16QAM	21100	1RB#0	21.47	21.47	38.45	PASS

Band7	10MHz	16QAM	21100	1RB#24	21.46	21.46	38.45	PASS
Band7	10MHz	16QAM	21100	1RB#49	21.52	21.52	38.45	PASS
Band7	10MHz	16QAM	21100	25RB#0	20.09	20.09	38.45	PASS
Band7	10MHz	16QAM	21100	25RB#12	20.10	20.1	38.45	PASS
Band7	10MHz	16QAM	21100	25RB#24	20.14	20.14	38.45	PASS
Band7	10MHz	16QAM	21100	50RB#0	19.99	19.99	38.45	PASS
Band7	10MHz	16QAM	21400	1RB#0	20.63	20.63	38.45	PASS
Band7	10MHz	16QAM	21400	1RB#24	20.81	20.81	38.45	PASS
Band7	10MHz	16QAM	21400	1RB#49	21.04	21.04	38.45	PASS
Band7	10MHz	16QAM	21400	25RB#0	19.93	19.93	38.45	PASS
Band7	10MHz	16QAM	21400	25RB#12	19.94	19.94	38.45	PASS
Band7	10MHz	16QAM	21400	25RB#24	19.88	19.88	38.45	PASS
Band7	10MHz	16QAM	21400	50RB#0	20.02	20.02	38.45	PASS
Band7	15MHz	QPSK	20825	1RB#0	21.39	21.39	38.45	PASS
Band7	15MHz	QPSK	20825	1RB#37	21.22	21.22	38.45	PASS
Band7	15MHz	QPSK	20825	1RB#74	21.36	21.36	38.45	PASS
Band7	15MHz	QPSK	20825	36RB#0	20.53	20.53	38.45	PASS
Band7	15MHz	QPSK	20825	36RB#16	20.39	20.39	38.45	PASS
Band7	15MHz	QPSK	20825	36RB#35	20.40	20.4	38.45	PASS
Band7	15MHz	QPSK	20825	75RB#0	20.46	20.46	38.45	PASS
Band7	15MHz	QPSK	21100	1RB#0	21.78	21.78	38.45	PASS
Band7	15MHz	QPSK	21100	1RB#37	22.10	22.1	38.45	PASS
Band7	15MHz	QPSK	21100	1RB#74	21.86	21.86	38.45	PASS
Band7	15MHz	QPSK	21100	36RB#0	20.95	20.95	38.45	PASS
Band7	15MHz	QPSK	21100	36RB#16	20.79	20.79	38.45	PASS
Band7	15MHz	QPSK	21100	36RB#35	20.97	20.97	38.45	PASS
Band7	15MHz	QPSK	21100	75RB#0	20.96	20.96	38.45	PASS
Band7	15MHz	QPSK	21375	1RB#0	21.54	21.54	38.45	PASS
Band7	15MHz	QPSK	21375	1RB#37	21.73	21.73	38.45	PASS
Band7	15MHz	QPSK	21375	1RB#74	21.96	21.96	38.45	PASS
Band7	15MHz	QPSK	21375	36RB#0	20.72	20.72	38.45	PASS
Band7	15MHz	QPSK	21375	36RB#16	20.88	20.88	38.45	PASS
Band7	15MHz	QPSK	21375	36RB#35	20.73	20.73	38.45	PASS
Band7	15MHz	QPSK	21375	75RB#0	20.75	20.75	38.45	PASS
Band7	15MHz	16QAM	20825	1RB#0	20.78	20.78	38.45	PASS
Band7	15MHz	16QAM	20825	1RB#37	20.61	20.61	38.45	PASS
Band7	15MHz	16QAM	20825	1RB#74	20.71	20.71	38.45	PASS
Band7	15MHz	16QAM	20825	36RB#0	19.69	19.69	38.45	PASS
Band7	15MHz	16QAM	20825	36RB#16	19.69	19.69	38.45	PASS
Band7	15MHz	16QAM	20825	36RB#35	19.71	19.71	38.45	PASS
Band7	15MHz	16QAM	20825	75RB#0	19.52	19.52	38.45	PASS
Band7	15MHz	16QAM	21100	1RB#0	21.54	21.54	38.45	PASS
Band7	15MHz	16QAM	21100	1RB#37	21.58	21.58	38.45	PASS
Band7	15MHz	16QAM	21100	1RB#74	21.49	21.49	38.45	PASS
Band7	15MHz	16QAM	21100	36RB#0	19.90	19.9	38.45	PASS
Band7	15MHz	16QAM	21100	36RB#16	19.89	19.89	38.45	PASS
Band7	15MHz	16QAM	21100	36RB#35	19.90	19.9	38.45	PASS

Band7	15MHz	16QAM	21100	75RB#0	20.06	20.06	38.45	PASS
Band7	15MHz	16QAM	21375	1RB#0	20.59	20.59	38.45	PASS
Band7	15MHz	16QAM	21375	1RB#37	20.81	20.81	38.45	PASS
Band7	15MHz	16QAM	21375	1RB#74	20.91	20.91	38.45	PASS
Band7	15MHz	16QAM	21375	36RB#0	19.88	19.88	38.45	PASS
Band7	15MHz	16QAM	21375	36RB#16	19.94	19.94	38.45	PASS
Band7	15MHz	16QAM	21375	36RB#35	19.91	19.91	38.45	PASS
Band7	15MHz	16QAM	21375	75RB#0	19.78	19.78	38.45	PASS
Band7	20MHz	QPSK	20850	1RB#0	21.55	21.55	38.45	PASS
Band7	20MHz	QPSK	20850	1RB#49	21.49	21.49	38.45	PASS
Band7	20MHz	QPSK	20850	1RB#99	21.63	21.63	38.45	PASS
Band7	20MHz	QPSK	20850	50RB#0	20.49	20.49	38.45	PASS
Band7	20MHz	QPSK	20850	50RB#24	20.48	20.48	38.45	PASS
Band7	20MHz	QPSK	20850	50RB#49	20.48	20.48	38.45	PASS
Band7	20MHz	QPSK	20850	100RB#0	20.32	20.32	38.45	PASS
Band7	20MHz	QPSK	21100	1RB#0	21.85	21.85	38.45	PASS
Band7	20MHz	QPSK	21100	1RB#49	22.06	22.06	38.45	PASS
Band7	20MHz	QPSK	21100	1RB#99	22.11	22.11	38.45	PASS
Band7	20MHz	QPSK	21100	50RB#0	20.94	20.94	38.45	PASS
Band7	20MHz	QPSK	21100	50RB#24	20.83	20.83	38.45	PASS
Band7	20MHz	QPSK	21100	50RB#49	20.88	20.88	38.45	PASS
Band7	20MHz	QPSK	21100	100RB#0	20.95	20.95	38.45	PASS
Band7	20MHz	QPSK	21350	1RB#0	21.68	21.68	38.45	PASS
Band7	20MHz	QPSK	21350	1RB#49	21.78	21.78	38.45	PASS
Band7	20MHz	QPSK	21350	1RB#99	22.03	22.03	38.45	PASS
Band7	20MHz	QPSK	21350	50RB#0	20.79	20.79	38.45	PASS
Band7	20MHz	QPSK	21350	50RB#24	20.74	20.74	38.45	PASS
Band7	20MHz	QPSK	21350	50RB#49	20.64	20.64	38.45	PASS
Band7	20MHz	QPSK	21350	100RB#0	20.59	20.59	38.45	PASS
Band7	20MHz	16QAM	20850	1RB#0	21.17	21.17	38.45	PASS
Band7	20MHz	16QAM	20850	1RB#49	20.92	20.92	38.45	PASS
Band7	20MHz	16QAM	20850	1RB#99	21.07	21.07	38.45	PASS
Band7	20MHz	16QAM	20850	50RB#0	19.55	19.55	38.45	PASS
Band7	20MHz	16QAM	20850	50RB#24	19.57	19.57	38.45	PASS
Band7	20MHz	16QAM	20850	50RB#49	19.57	19.57	38.45	PASS
Band7	20MHz	16QAM	20850	100RB#0	19.63	19.63	38.45	PASS
Band7	20MHz	16QAM	21100	1RB#0	20.76	20.76	38.45	PASS
Band7	20MHz	16QAM	21100	1RB#49	20.92	20.92	38.45	PASS
Band7	20MHz	16QAM	21100	1RB#99	20.93	20.93	38.45	PASS
Band7	20MHz	16QAM	21100	50RB#0	20.02	20.02	38.45	PASS
Band7	20MHz	16QAM	21100	50RB#24	20.02	20.02	38.45	PASS
Band7	20MHz	16QAM	21100	50RB#49	20.03	20.03	38.45	PASS
Band7	20MHz	16QAM	21100	100RB#0	19.99	19.99	38.45	PASS
Band7	20MHz	16QAM	21350	1RB#0	20.43	20.43	38.45	PASS
Band7	20MHz	16QAM	21350	1RB#49	20.56	20.56	38.45	PASS
Band7	20MHz	16QAM	21350	1RB#99	20.97	20.97	38.45	PASS
Band7	20MHz	16QAM	21350	50RB#0	19.90	19.9	38.45	PASS

Band7	20MHz	16QAM	21350	50RB#24	20.00	20	38.45	PASS
Band7	20MHz	16QAM	21350	50RB#49	20.04	20.04	38.45	PASS
Band7	20MHz	16QAM	21350	100RB#0	19.88	19.88	38.45	PASS
Band12	1.4MHz	QPSK	23017	1RB#0	23.37	16.22	34.77	PASS
Band12	1.4MHz	QPSK	23017	1RB#2	23.34	16.19	34.77	PASS
Band12	1.4MHz	QPSK	23017	1RB#5	23.41	16.26	34.77	PASS
Band12	1.4MHz	QPSK	23017	3RB#0	23.49	16.34	34.77	PASS
Band12	1.4MHz	QPSK	23017	3RB#1	23.49	16.34	34.77	PASS
Band12	1.4MHz	QPSK	23017	3RB#2	23.49	16.34	34.77	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	22.38	15.23	34.77	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	23.61	16.46	34.77	PASS
Band12	1.4MHz	QPSK	23095	1RB#2	23.64	16.49	34.77	PASS
Band12	1.4MHz	QPSK	23095	1RB#5	23.52	16.37	34.77	PASS
Band12	1.4MHz	QPSK	23095	3RB#0	23.62	16.47	34.77	PASS
Band12	1.4MHz	QPSK	23095	3RB#1	23.63	16.48	34.77	PASS
Band12	1.4MHz	QPSK	23095	3RB#2	23.69	16.54	34.77	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	22.69	15.54	34.77	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	23.57	16.42	34.77	PASS
Band12	1.4MHz	QPSK	23173	1RB#2	23.63	16.48	34.77	PASS
Band12	1.4MHz	QPSK	23173	1RB#5	23.76	16.61	34.77	PASS
Band12	1.4MHz	QPSK	23173	3RB#0	23.64	16.49	34.77	PASS
Band12	1.4MHz	QPSK	23173	3RB#1	23.52	16.37	34.77	PASS
Band12	1.4MHz	QPSK	23173	3RB#2	23.52	16.37	34.77	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	22.64	15.49	34.77	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	22.99	15.84	34.77	PASS
Band12	1.4MHz	16QAM	23017	1RB#2	22.92	15.77	34.77	PASS
Band12	1.4MHz	16QAM	23017	1RB#5	22.89	15.74	34.77	PASS
Band12	1.4MHz	16QAM	23017	3RB#0	22.08	14.93	34.77	PASS
Band12	1.4MHz	16QAM	23017	3RB#1	22.04	14.89	34.77	PASS
Band12	1.4MHz	16QAM	23017	3RB#2	22.04	14.89	34.77	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	21.57	14.42	34.77	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	22.63	15.48	34.77	PASS
Band12	1.4MHz	16QAM	23095	1RB#2	22.32	15.17	34.77	PASS
Band12	1.4MHz	16QAM	23095	1RB#5	22.33	15.18	34.77	PASS
Band12	1.4MHz	16QAM	23095	3RB#0	22.17	15.02	34.77	PASS
Band12	1.4MHz	16QAM	23095	3RB#1	22.50	15.35	34.77	PASS
Band12	1.4MHz	16QAM	23095	3RB#2	22.46	15.31	34.77	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	21.76	14.61	34.77	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	22.99	15.84	34.77	PASS
Band12	1.4MHz	16QAM	23173	1RB#2	23.02	15.87	34.77	PASS
Band12	1.4MHz	16QAM	23173	1RB#5	23.07	15.92	34.77	PASS
Band12	1.4MHz	16QAM	23173	3RB#0	22.36	15.21	34.77	PASS
Band12	1.4MHz	16QAM	23173	3RB#1	22.35	15.2	34.77	PASS
Band12	1.4MHz	16QAM	23173	3RB#2	22.25	15.1	34.77	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	21.60	14.45	34.77	PASS
Band12	3MHz	QPSK	23025	1RB#0	23.49	16.34	34.77	PASS
Band12	3MHz	QPSK	23025	1RB#7	23.52	16.37	34.77	PASS

Band12	3MHz	QPSK	23025	1RB#14	23.55	16.4	34.77	PASS
Band12	3MHz	QPSK	23025	8RB#0	22.37	15.22	34.77	PASS
Band12	3MHz	QPSK	23025	8RB#4	22.30	15.15	34.77	PASS
Band12	3MHz	QPSK	23025	8RB#7	22.48	15.33	34.77	PASS
Band12	3MHz	QPSK	23025	15RB#0	22.31	15.16	34.77	PASS
Band12	3MHz	QPSK	23095	1RB#0	23.58	16.43	34.77	PASS
Band12	3MHz	QPSK	23095	1RB#7	23.65	16.5	34.77	PASS
Band12	3MHz	QPSK	23095	1RB#14	23.59	16.44	34.77	PASS
Band12	3MHz	QPSK	23095	8RB#0	22.60	15.45	34.77	PASS
Band12	3MHz	QPSK	23095	8RB#4	22.47	15.32	34.77	PASS
Band12	3MHz	QPSK	23095	8RB#7	22.59	15.44	34.77	PASS
Band12	3MHz	QPSK	23095	15RB#0	22.67	15.52	34.77	PASS
Band12	3MHz	QPSK	23165	1RB#0	23.52	16.37	34.77	PASS
Band12	3MHz	QPSK	23165	1RB#7	23.60	16.45	34.77	PASS
Band12	3MHz	QPSK	23165	1RB#14	23.62	16.47	34.77	PASS
Band12	3MHz	QPSK	23165	8RB#0	22.48	15.33	34.77	PASS
Band12	3MHz	QPSK	23165	8RB#4	22.40	15.25	34.77	PASS
Band12	3MHz	QPSK	23165	8RB#7	22.61	15.46	34.77	PASS
Band12	3MHz	QPSK	23165	15RB#0	22.43	15.28	34.77	PASS
Band12	3MHz	16QAM	23025	1RB#0	22.05	14.9	34.77	PASS
Band12	3MHz	16QAM	23025	1RB#7	22.00	14.85	34.77	PASS
Band12	3MHz	16QAM	23025	1RB#14	22.12	14.97	34.77	PASS
Band12	3MHz	16QAM	23025	8RB#0	21.47	14.32	34.77	PASS
Band12	3MHz	16QAM	23025	8RB#4	21.49	14.34	34.77	PASS
Band12	3MHz	16QAM	23025	8RB#7	21.58	14.43	34.77	PASS
Band12	3MHz	16QAM	23025	15RB#0	21.22	14.07	34.77	PASS
Band12	3MHz	16QAM	23095	1RB#0	22.36	15.21	34.77	PASS
Band12	3MHz	16QAM	23095	1RB#7	22.35	15.2	34.77	PASS
Band12	3MHz	16QAM	23095	1RB#14	22.45	15.3	34.77	PASS
Band12	3MHz	16QAM	23095	8RB#0	21.57	14.42	34.77	PASS
Band12	3MHz	16QAM	23095	8RB#4	21.59	14.44	34.77	PASS
Band12	3MHz	16QAM	23095	8RB#7	21.73	14.58	34.77	PASS
Band12	3MHz	16QAM	23095	15RB#0	21.69	14.54	34.77	PASS
Band12	3MHz	16QAM	23165	1RB#0	22.21	15.06	34.77	PASS
Band12	3MHz	16QAM	23165	1RB#7	22.27	15.12	34.77	PASS
Band12	3MHz	16QAM	23165	1RB#14	22.41	15.26	34.77	PASS
Band12	3MHz	16QAM	23165	8RB#0	21.44	14.29	34.77	PASS
Band12	3MHz	16QAM	23165	8RB#4	21.51	14.36	34.77	PASS
Band12	3MHz	16QAM	23165	8RB#7	21.52	14.37	34.77	PASS
Band12	3MHz	16QAM	23165	15RB#0	21.45	14.3	34.77	PASS
Band12	5MHz	QPSK	23035	1RB#0	23.42	16.27	34.77	PASS
Band12	5MHz	QPSK	23035	1RB#12	23.40	16.25	34.77	PASS
Band12	5MHz	QPSK	23035	1RB#24	23.47	16.32	34.77	PASS
Band12	5MHz	QPSK	23035	12RB#0	22.47	15.32	34.77	PASS
Band12	5MHz	QPSK	23035	12RB#6	22.50	15.35	34.77	PASS
Band12	5MHz	QPSK	23035	12RB#11	22.51	15.36	34.77	PASS
Band12	5MHz	QPSK	23035	25RB#0	22.53	15.38	34.77	PASS

Band12	5MHz	QPSK	23095	1RB#0	23.69	16.54	34.77	PASS
Band12	5MHz	QPSK	23095	1RB#12	23.61	16.46	34.77	PASS
Band12	5MHz	QPSK	23095	1RB#24	23.66	16.51	34.77	PASS
Band12	5MHz	QPSK	23095	12RB#0	22.50	15.35	34.77	PASS
Band12	5MHz	QPSK	23095	12RB#6	22.52	15.37	34.77	PASS
Band12	5MHz	QPSK	23095	12RB#11	22.52	15.37	34.77	PASS
Band12	5MHz	QPSK	23095	25RB#0	22.60	15.45	34.77	PASS
Band12	5MHz	QPSK	23155	1RB#0	23.64	16.49	34.77	PASS
Band12	5MHz	QPSK	23155	1RB#12	23.67	16.52	34.77	PASS
Band12	5MHz	QPSK	23155	1RB#24	23.66	16.51	34.77	PASS
Band12	5MHz	QPSK	23155	12RB#0	22.68	15.53	34.77	PASS
Band12	5MHz	QPSK	23155	12RB#6	22.51	15.36	34.77	PASS
Band12	5MHz	QPSK	23155	12RB#11	22.52	15.37	34.77	PASS
Band12	5MHz	QPSK	23155	25RB#0	22.48	15.33	34.77	PASS
Band12	5MHz	16QAM	23035	1RB#0	22.50	15.35	34.77	PASS
Band12	5MHz	16QAM	23035	1RB#12	22.76	15.61	34.77	PASS
Band12	5MHz	16QAM	23035	1RB#24	22.73	15.58	34.77	PASS
Band12	5MHz	16QAM	23035	12RB#0	21.50	14.35	34.77	PASS
Band12	5MHz	16QAM	23035	12RB#6	21.56	14.41	34.77	PASS
Band12	5MHz	16QAM	23035	12RB#11	21.57	14.42	34.77	PASS
Band12	5MHz	16QAM	23035	25RB#0	21.63	14.48	34.77	PASS
Band12	5MHz	16QAM	23095	1RB#0	21.94	14.79	34.77	PASS
Band12	5MHz	16QAM	23095	1RB#12	22.17	15.02	34.77	PASS
Band12	5MHz	16QAM	23095	1RB#24	22.07	14.92	34.77	PASS
Band12	5MHz	16QAM	23095	12RB#0	21.29	14.14	34.77	PASS
Band12	5MHz	16QAM	23095	12RB#6	21.46	14.31	34.77	PASS
Band12	5MHz	16QAM	23095	12RB#11	21.33	14.18	34.77	PASS
Band12	5MHz	16QAM	23095	25RB#0	21.66	14.51	34.77	PASS
Band12	5MHz	16QAM	23155	1RB#0	21.79	14.64	34.77	PASS
Band12	5MHz	16QAM	23155	1RB#12	21.94	14.79	34.77	PASS
Band12	5MHz	16QAM	23155	1RB#24	22.10	14.95	34.77	PASS
Band12	5MHz	16QAM	23155	12RB#0	21.61	14.46	34.77	PASS
Band12	5MHz	16QAM	23155	12RB#6	21.57	14.42	34.77	PASS
Band12	5MHz	16QAM	23155	12RB#11	21.64	14.49	34.77	PASS
Band12	5MHz	16QAM	23155	25RB#0	21.64	14.49	34.77	PASS
Band12	10MHz	QPSK	23060	1RB#0	23.42	16.27	34.77	PASS
Band12	10MHz	QPSK	23060	1RB#24	23.36	16.21	34.77	PASS
Band12	10MHz	QPSK	23060	1RB#49	23.49	16.34	34.77	PASS
Band12	10MHz	QPSK	23060	25RB#0	22.47	15.32	34.77	PASS
Band12	10MHz	QPSK	23060	25RB#12	22.55	15.4	34.77	PASS
Band12	10MHz	QPSK	23060	25RB#24	22.55	15.4	34.77	PASS
Band12	10MHz	QPSK	23060	50RB#0	22.51	15.36	34.77	PASS
Band12	10MHz	QPSK	23095	1RB#0	23.48	16.33	34.77	PASS
Band12	10MHz	QPSK	23095	1RB#24	23.66	16.51	34.77	PASS
Band12	10MHz	QPSK	23095	1RB#49	23.71	16.56	34.77	PASS
Band12	10MHz	QPSK	23095	25RB#0	22.62	15.47	34.77	PASS
Band12	10MHz	QPSK	23095	25RB#12	22.53	15.38	34.77	PASS

Band12	10MHz	QPSK	23095	25RB#24	22.54	15.39	34.77	PASS
Band12	10MHz	QPSK	23095	50RB#0	22.69	15.54	34.77	PASS
Band12	10MHz	QPSK	23130	1RB#0	23.49	16.34	34.77	PASS
Band12	10MHz	QPSK	23130	1RB#24	23.53	16.38	34.77	PASS
Band12	10MHz	QPSK	23130	1RB#49	23.64	16.49	34.77	PASS
Band12	10MHz	QPSK	23130	25RB#0	22.43	15.28	34.77	PASS
Band12	10MHz	QPSK	23130	25RB#12	22.65	15.5	34.77	PASS
Band12	10MHz	QPSK	23130	25RB#24	22.63	15.48	34.77	PASS
Band12	10MHz	QPSK	23130	50RB#0	22.70	15.55	34.77	PASS
Band12	10MHz	16QAM	23060	1RB#0	22.26	15.11	34.77	PASS
Band12	10MHz	16QAM	23060	1RB#24	22.28	15.13	34.77	PASS
Band12	10MHz	16QAM	23060	1RB#49	22.38	15.23	34.77	PASS
Band12	10MHz	16QAM	23060	25RB#0	21.67	14.52	34.77	PASS
Band12	10MHz	16QAM	23060	25RB#12	21.59	14.44	34.77	PASS
Band12	10MHz	16QAM	23060	25RB#24	21.65	14.5	34.77	PASS
Band12	10MHz	16QAM	23060	50RB#0	21.59	14.44	34.77	PASS
Band12	10MHz	16QAM	23095	1RB#0	23.00	15.85	34.77	PASS
Band12	10MHz	16QAM	23095	1RB#24	23.13	15.98	34.77	PASS
Band12	10MHz	16QAM	23095	1RB#49	23.20	16.05	34.77	PASS
Band12	10MHz	16QAM	23095	25RB#0	21.64	14.49	34.77	PASS
Band12	10MHz	16QAM	23095	25RB#12	21.67	14.52	34.77	PASS
Band12	10MHz	16QAM	23095	25RB#24	21.67	14.52	34.77	PASS
Band12	10MHz	16QAM	23095	50RB#0	21.74	14.59	34.77	PASS
Band12	10MHz	16QAM	23130	1RB#0	22.40	15.25	34.77	PASS
Band12	10MHz	16QAM	23130	1RB#24	22.57	15.42	34.77	PASS
Band12	10MHz	16QAM	23130	1RB#49	22.74	15.59	34.77	PASS
Band12	10MHz	16QAM	23130	25RB#0	21.56	14.41	34.77	PASS
Band12	10MHz	16QAM	23130	25RB#12	21.57	14.42	34.77	PASS
Band12	10MHz	16QAM	23130	25RB#24	21.58	14.43	34.77	PASS
Band12	10MHz	16QAM	23130	50RB#0	21.66	14.51	34.77	PASS
Band13	5MHz	QPSK	23205	1RB#0	23.42	16.27	34.77	PASS
Band13	5MHz	QPSK	23205	1RB#12	23.33	16.18	34.77	PASS
Band13	5MHz	QPSK	23205	1RB#24	23.35	16.2	34.77	PASS
Band13	5MHz	QPSK	23205	12RB#0	22.38	15.23	34.77	PASS
Band13	5MHz	QPSK	23205	12RB#6	22.43	15.28	34.77	PASS
Band13	5MHz	QPSK	23205	12RB#11	22.49	15.34	34.77	PASS
Band13	5MHz	QPSK	23205	25RB#0	22.35	15.2	34.77	PASS
Band13	5MHz	QPSK	23230	1RB#0	23.53	16.38	34.77	PASS
Band13	5MHz	QPSK	23230	1RB#12	23.39	16.24	34.77	PASS
Band13	5MHz	QPSK	23230	1RB#24	23.47	16.32	34.77	PASS
Band13	5MHz	QPSK	23230	12RB#0	22.49	15.34	34.77	PASS
Band13	5MHz	QPSK	23230	12RB#6	22.50	15.35	34.77	PASS
Band13	5MHz	QPSK	23230	12RB#11	22.50	15.35	34.77	PASS
Band13	5MHz	QPSK	23230	25RB#0	22.37	15.22	34.77	PASS
Band13	5MHz	QPSK	23255	1RB#0	23.28	16.13	34.77	PASS
Band13	5MHz	QPSK	23255	1RB#12	23.30	16.15	34.77	PASS
Band13	5MHz	QPSK	23255	1RB#24	23.51	16.36	34.77	PASS

Band13	5MHz	QPSK	23255	12RB#0	22.53	15.38	34.77	PASS
Band13	5MHz	QPSK	23255	12RB#6	22.36	15.21	34.77	PASS
Band13	5MHz	QPSK	23255	12RB#11	22.36	15.21	34.77	PASS
Band13	5MHz	QPSK	23255	25RB#0	22.34	15.19	34.77	PASS
Band13	5MHz	16QAM	23205	1RB#0	22.66	15.51	34.77	PASS
Band13	5MHz	16QAM	23205	1RB#12	22.53	15.38	34.77	PASS
Band13	5MHz	16QAM	23205	1RB#24	22.54	15.39	34.77	PASS
Band13	5MHz	16QAM	23205	12RB#0	21.53	14.38	34.77	PASS
Band13	5MHz	16QAM	23205	12RB#6	21.55	14.4	34.77	PASS
Band13	5MHz	16QAM	23205	12RB#11	21.48	14.33	34.77	PASS
Band13	5MHz	16QAM	23205	25RB#0	21.30	14.15	34.77	PASS
Band13	5MHz	16QAM	23230	1RB#0	21.76	14.61	34.77	PASS
Band13	5MHz	16QAM	23230	1RB#12	21.78	14.63	34.77	PASS
Band13	5MHz	16QAM	23230	1RB#24	21.74	14.59	34.77	PASS
Band13	5MHz	16QAM	23230	12RB#0	21.42	14.27	34.77	PASS
Band13	5MHz	16QAM	23230	12RB#6	21.43	14.28	34.77	PASS
Band13	5MHz	16QAM	23230	12RB#11	21.45	14.3	34.77	PASS
Band13	5MHz	16QAM	23230	25RB#0	21.50	14.35	34.77	PASS
Band13	5MHz	16QAM	23255	1RB#0	22.51	15.36	34.77	PASS
Band13	5MHz	16QAM	23255	1RB#12	22.26	15.11	34.77	PASS
Band13	5MHz	16QAM	23255	1RB#24	22.32	15.17	34.77	PASS
Band13	5MHz	16QAM	23255	12RB#0	21.32	14.17	34.77	PASS
Band13	5MHz	16QAM	23255	12RB#6	21.33	14.18	34.77	PASS
Band13	5MHz	16QAM	23255	12RB#11	21.38	14.23	34.77	PASS
Band13	5MHz	16QAM	23255	25RB#0	21.18	14.03	34.77	PASS
Band13	10MHz	QPSK	23230	1RB#0	23.41	16.26	34.77	PASS
Band13	10MHz	QPSK	23230	1RB#24	23.28	16.13	34.77	PASS
Band13	10MHz	QPSK	23230	1RB#49	23.40	16.25	34.77	PASS
Band13	10MHz	QPSK	23230	25RB#0	22.43	15.28	34.77	PASS
Band13	10MHz	QPSK	23230	25RB#12	22.49	15.34	34.77	PASS
Band13	10MHz	QPSK	23230	25RB#24	22.49	15.34	34.77	PASS
Band13	10MHz	QPSK	23230	50RB#0	22.32	15.17	34.77	PASS
Band13	10MHz	16QAM	23230	1RB#0	22.38	15.23	34.77	PASS
Band13	10MHz	16QAM	23230	1RB#24	22.24	15.09	34.77	PASS
Band13	10MHz	16QAM	23230	1RB#49	22.23	15.08	34.77	PASS
Band13	10MHz	16QAM	23230	25RB#0	21.49	14.34	34.77	PASS
Band13	10MHz	16QAM	23230	25RB#12	21.52	14.37	34.77	PASS
Band13	10MHz	16QAM	23230	25RB#24	21.52	14.37	34.77	PASS
Band13	10MHz	16QAM	23230	50RB#0	21.41	14.26	34.77	PASS
Band17	5MHz	QPSK	23755	1RB#0	23.62	16.47	34.77	PASS
Band17	5MHz	QPSK	23755	1RB#12	23.62	16.47	34.77	PASS
Band17	5MHz	QPSK	23755	1RB#24	23.66	16.51	34.77	PASS
Band17	5MHz	QPSK	23755	12RB#0	22.70	15.55	34.77	PASS
Band17	5MHz	QPSK	23755	12RB#6	22.72	15.57	34.77	PASS
Band17	5MHz	QPSK	23755	12RB#11	22.65	15.5	34.77	PASS
Band17	5MHz	QPSK	23755	25RB#0	22.48	15.33	34.77	PASS
Band17	5MHz	QPSK	23790	1RB#0	23.45	16.3	34.77	PASS

Band17	5MHz	QPSK	23790	1RB#12	23.63	16.48	34.77	PASS
Band17	5MHz	QPSK	23790	1RB#24	23.74	16.59	34.77	PASS
Band17	5MHz	QPSK	23790	12RB#0	22.66	15.51	34.77	PASS
Band17	5MHz	QPSK	23790	12RB#6	22.55	15.4	34.77	PASS
Band17	5MHz	QPSK	23790	12RB#11	22.66	15.51	34.77	PASS
Band17	5MHz	QPSK	23790	25RB#0	22.56	15.41	34.77	PASS
Band17	5MHz	QPSK	23825	1RB#0	23.70	16.55	34.77	PASS
Band17	5MHz	QPSK	23825	1RB#12	23.80	16.65	34.77	PASS
Band17	5MHz	QPSK	23825	1RB#24	23.77	16.62	34.77	PASS
Band17	5MHz	QPSK	23825	12RB#0	22.67	15.52	34.77	PASS
Band17	5MHz	QPSK	23825	12RB#6	22.66	15.51	34.77	PASS
Band17	5MHz	QPSK	23825	12RB#11	22.66	15.51	34.77	PASS
Band17	5MHz	QPSK	23825	25RB#0	22.56	15.41	34.77	PASS
Band17	5MHz	16QAM	23755	1RB#0	21.91	14.76	34.77	PASS
Band17	5MHz	16QAM	23755	1RB#12	21.83	14.68	34.77	PASS
Band17	5MHz	16QAM	23755	1RB#24	22.05	14.9	34.77	PASS
Band17	5MHz	16QAM	23755	12RB#0	21.66	14.51	34.77	PASS
Band17	5MHz	16QAM	23755	12RB#6	21.58	14.43	34.77	PASS
Band17	5MHz	16QAM	23755	12RB#11	21.58	14.43	34.77	PASS
Band17	5MHz	16QAM	23755	25RB#0	21.71	14.56	34.77	PASS
Band17	5MHz	16QAM	23790	1RB#0	22.41	15.26	34.77	PASS
Band17	5MHz	16QAM	23790	1RB#12	22.43	15.28	34.77	PASS
Band17	5MHz	16QAM	23790	1RB#24	22.45	15.3	34.77	PASS
Band17	5MHz	16QAM	23790	12RB#0	21.46	14.31	34.77	PASS
Band17	5MHz	16QAM	23790	12RB#6	21.60	14.45	34.77	PASS
Band17	5MHz	16QAM	23790	12RB#11	21.67	14.52	34.77	PASS
Band17	5MHz	16QAM	23790	25RB#0	21.48	14.33	34.77	PASS
Band17	5MHz	16QAM	23825	1RB#0	22.32	15.17	34.77	PASS
Band17	5MHz	16QAM	23825	1RB#12	22.37	15.22	34.77	PASS
Band17	5MHz	16QAM	23825	1RB#24	22.46	15.31	34.77	PASS
Band17	5MHz	16QAM	23825	12RB#0	21.46	14.31	34.77	PASS
Band17	5MHz	16QAM	23825	12RB#6	21.47	14.32	34.77	PASS
Band17	5MHz	16QAM	23825	12RB#11	21.48	14.33	34.77	PASS
Band17	5MHz	16QAM	23825	25RB#0	21.52	14.37	34.77	PASS
Band17	10MHz	QPSK	23780	1RB#0	23.33	16.18	34.77	PASS
Band17	10MHz	QPSK	23780	1RB#24	23.52	16.37	34.77	PASS
Band17	10MHz	QPSK	23780	1RB#49	23.72	16.57	34.77	PASS
Band17	10MHz	QPSK	23780	25RB#0	22.53	15.38	34.77	PASS
Band17	10MHz	QPSK	23780	25RB#12	22.53	15.38	34.77	PASS
Band17	10MHz	QPSK	23780	25RB#24	22.61	15.46	34.77	PASS
Band17	10MHz	QPSK	23780	50RB#0	22.67	15.52	34.77	PASS
Band17	10MHz	QPSK	23790	1RB#0	23.68	16.53	34.77	PASS
Band17	10MHz	QPSK	23790	1RB#24	23.63	16.48	34.77	PASS
Band17	10MHz	QPSK	23790	1RB#49	23.78	16.63	34.77	PASS
Band17	10MHz	QPSK	23790	25RB#0	22.78	15.63	34.77	PASS
Band17	10MHz	QPSK	23790	25RB#12	22.60	15.45	34.77	PASS
Band17	10MHz	QPSK	23790	25RB#24	22.58	15.43	34.77	PASS

Band17	10MHz	QPSK	23790	50RB#0	22.66	15.51	34.77	PASS
Band17	10MHz	QPSK	23800	1RB#0	23.50	16.35	34.77	PASS
Band17	10MHz	QPSK	23800	1RB#24	23.52	16.37	34.77	PASS
Band17	10MHz	QPSK	23800	1RB#49	23.66	16.51	34.77	PASS
Band17	10MHz	QPSK	23800	25RB#0	22.44	15.29	34.77	PASS
Band17	10MHz	QPSK	23800	25RB#12	22.67	15.52	34.77	PASS
Band17	10MHz	QPSK	23800	25RB#24	22.54	15.39	34.77	PASS
Band17	10MHz	QPSK	23800	50RB#0	22.70	15.55	34.77	PASS
Band17	10MHz	16QAM	23780	1RB#0	22.23	15.08	34.77	PASS
Band17	10MHz	16QAM	23780	1RB#24	22.46	15.31	34.77	PASS
Band17	10MHz	16QAM	23780	1RB#49	22.42	15.27	34.77	PASS
Band17	10MHz	16QAM	23780	25RB#0	21.67	14.52	34.77	PASS
Band17	10MHz	16QAM	23780	25RB#12	21.62	14.47	34.77	PASS
Band17	10MHz	16QAM	23780	25RB#24	21.68	14.53	34.77	PASS
Band17	10MHz	16QAM	23780	50RB#0	21.69	14.54	34.77	PASS
Band17	10MHz	16QAM	23790	1RB#0	23.04	15.89	34.77	PASS
Band17	10MHz	16QAM	23790	1RB#24	23.16	16.01	34.77	PASS
Band17	10MHz	16QAM	23790	1RB#49	23.15	16	34.77	PASS
Band17	10MHz	16QAM	23790	25RB#0	21.77	14.62	34.77	PASS
Band17	10MHz	16QAM	23790	25RB#12	21.85	14.7	34.77	PASS
Band17	10MHz	16QAM	23790	25RB#24	21.80	14.65	34.77	PASS
Band17	10MHz	16QAM	23790	50RB#0	21.79	14.64	34.77	PASS
Band17	10MHz	16QAM	23800	1RB#0	22.38	15.23	34.77	PASS
Band17	10MHz	16QAM	23800	1RB#24	22.55	15.4	34.77	PASS
Band17	10MHz	16QAM	23800	1RB#49	22.75	15.6	34.77	PASS
Band17	10MHz	16QAM	23800	25RB#0	21.57	14.42	34.77	PASS
Band17	10MHz	16QAM	23800	25RB#12	21.58	14.43	34.77	PASS
Band17	10MHz	16QAM	23800	25RB#24	21.59	14.44	34.77	PASS
Band17	10MHz	16QAM	23800	50RB#0	21.76	14.61	34.77	PASS
Band26	1.4MHz	QPSK	26697	1RB#0	23.47	16.32	38.45	PASS
Band26	1.4MHz	QPSK	26697	1RB#2	23.44	16.29	38.45	PASS
Band26	1.4MHz	QPSK	26697	1RB#5	23.48	16.33	38.45	PASS
Band26	1.4MHz	QPSK	26697	3RB#0	23.54	16.39	38.45	PASS
Band26	1.4MHz	QPSK	26697	3RB#1	23.53	16.38	38.45	PASS
Band26	1.4MHz	QPSK	26697	3RB#2	23.53	16.38	38.45	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	22.59	15.44	38.45	PASS
Band26	1.4MHz	QPSK	26740	1RB#0	23.20	16.05	38.45	PASS
Band26	1.4MHz	QPSK	26740	1RB#2	23.22	16.07	38.45	PASS
Band26	1.4MHz	QPSK	26740	1RB#5	23.16	16.01	38.45	PASS
Band26	1.4MHz	QPSK	26740	3RB#0	23.43	16.28	38.45	PASS
Band26	1.4MHz	QPSK	26740	3RB#1	23.43	16.28	38.45	PASS
Band26	1.4MHz	QPSK	26740	3RB#2	23.33	16.18	38.45	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	22.29	15.14	38.45	PASS
Band26	1.4MHz	QPSK	26783	1RB#0	23.13	15.98	38.45	PASS
Band26	1.4MHz	QPSK	26783	1RB#2	23.31	16.16	38.45	PASS
Band26	1.4MHz	QPSK	26783	1RB#5	23.21	16.06	38.45	PASS
Band26	1.4MHz	QPSK	26783	3RB#0	23.30	16.15	38.45	PASS

Band26	1.4MHz	QPSK	26783	3RB#1	23.27	16.12	38.45	PASS
Band26	1.4MHz	QPSK	26783	3RB#2	23.35	16.2	38.45	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	22.31	15.16	38.45	PASS
Band26	1.4MHz	QPSK	26797	1RB#0	23.23	16.08	38.45	PASS
Band26	1.4MHz	QPSK	26797	1RB#2	23.21	16.06	38.45	PASS
Band26	1.4MHz	QPSK	26797	1RB#5	23.20	16.05	38.45	PASS
Band26	1.4MHz	QPSK	26797	3RB#0	23.32	16.17	38.45	PASS
Band26	1.4MHz	QPSK	26797	3RB#1	23.30	16.15	38.45	PASS
Band26	1.4MHz	QPSK	26797	3RB#3	23.31	16.16	38.45	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	22.31	15.16	38.45	PASS
Band26	1.4MHz	QPSK	26915	1RB#0	23.63	16.48	38.45	PASS
Band26	1.4MHz	QPSK	26915	1RB#2	23.72	16.57	38.45	PASS
Band26	1.4MHz	QPSK	26915	1RB#5	23.69	16.54	38.45	PASS
Band26	1.4MHz	QPSK	26915	3RB#0	23.86	16.71	38.45	PASS
Band26	1.4MHz	QPSK	26915	3RB#1	23.86	16.71	38.45	PASS
Band26	1.4MHz	QPSK	26915	3RB#3	23.83	16.68	38.45	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	22.71	15.56	38.45	PASS
Band26	1.4MHz	QPSK	27033	1RB#0	23.80	16.65	38.45	PASS
Band26	1.4MHz	QPSK	27033	1RB#2	23.82	16.67	38.45	PASS
Band26	1.4MHz	QPSK	27033	1RB#5	23.82	16.67	38.45	PASS
Band26	1.4MHz	QPSK	27033	3RB#0	23.75	16.6	38.45	PASS
Band26	1.4MHz	QPSK	27033	3RB#1	23.75	16.6	38.45	PASS
Band26	1.4MHz	QPSK	27033	3RB#3	23.72	16.57	38.45	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	22.74	15.59	38.45	PASS
Band26	1.4MHz	16QAM	26697	1RB#0	22.58	15.43	38.45	PASS
Band26	1.4MHz	16QAM	26697	1RB#2	22.57	15.42	38.45	PASS
Band26	1.4MHz	16QAM	26697	1RB#5	22.49	15.34	38.45	PASS
Band26	1.4MHz	16QAM	26697	3RB#0	22.47	15.32	38.45	PASS
Band26	1.4MHz	16QAM	26697	3RB#1	22.48	15.33	38.45	PASS
Band26	1.4MHz	16QAM	26697	3RB#2	22.49	15.34	38.45	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	21.66	14.51	38.45	PASS
Band26	1.4MHz	16QAM	26740	1RB#0	22.30	15.15	38.45	PASS
Band26	1.4MHz	16QAM	26740	1RB#2	22.39	15.24	38.45	PASS
Band26	1.4MHz	16QAM	26740	1RB#5	22.37	15.22	38.45	PASS
Band26	1.4MHz	16QAM	26740	3RB#0	22.25	15.1	38.45	PASS
Band26	1.4MHz	16QAM	26740	3RB#1	22.28	15.13	38.45	PASS
Band26	1.4MHz	16QAM	26740	3RB#2	22.31	15.16	38.45	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	21.41	14.26	38.45	PASS
Band26	1.4MHz	16QAM	26783	1RB#0	22.01	14.86	38.45	PASS
Band26	1.4MHz	16QAM	26783	1RB#2	21.93	14.78	38.45	PASS
Band26	1.4MHz	16QAM	26783	1RB#5	22.13	14.98	38.45	PASS
Band26	1.4MHz	16QAM	26783	3RB#0	22.21	15.06	38.45	PASS
Band26	1.4MHz	16QAM	26783	3RB#1	22.19	15.04	38.45	PASS
Band26	1.4MHz	16QAM	26783	3RB#2	22.22	15.07	38.45	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	21.55	14.4	38.45	PASS
Band26	1.4MHz	16QAM	26797	1RB#0	22.87	15.72	38.45	PASS
Band26	1.4MHz	16QAM	26797	1RB#2	22.98	15.83	38.45	PASS

Band26	1.4MHz	16QAM	26797	1RB#5	22.90	15.75	38.45	PASS
Band26	1.4MHz	16QAM	26797	3RB#0	22.03	14.88	38.45	PASS
Band26	1.4MHz	16QAM	26797	3RB#1	22.05	14.9	38.45	PASS
Band26	1.4MHz	16QAM	26797	3RB#3	22.03	14.88	38.45	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	21.43	14.28	38.45	PASS
Band26	1.4MHz	16QAM	26915	1RB#0	23.37	16.22	38.45	PASS
Band26	1.4MHz	16QAM	26915	1RB#2	23.30	16.15	38.45	PASS
Band26	1.4MHz	16QAM	26915	1RB#5	23.43	16.28	38.45	PASS
Band26	1.4MHz	16QAM	26915	3RB#0	22.46	15.31	38.45	PASS
Band26	1.4MHz	16QAM	26915	3RB#1	22.47	15.32	38.45	PASS
Band26	1.4MHz	16QAM	26915	3RB#3	22.42	15.27	38.45	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	22.02	14.87	38.45	PASS
Band26	1.4MHz	16QAM	27033	1RB#0	22.60	15.45	38.45	PASS
Band26	1.4MHz	16QAM	27033	1RB#2	22.50	15.35	38.45	PASS
Band26	1.4MHz	16QAM	27033	1RB#5	22.54	15.39	38.45	PASS
Band26	1.4MHz	16QAM	27033	3RB#0	22.24	15.09	38.45	PASS
Band26	1.4MHz	16QAM	27033	3RB#1	22.24	15.09	38.45	PASS
Band26	1.4MHz	16QAM	27033	3RB#3	22.29	15.14	38.45	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	21.78	14.63	38.45	PASS
Band26	3MHz	QPSK	26705	1RB#0	23.42	16.27	38.45	PASS
Band26	3MHz	QPSK	26705	1RB#7	23.36	16.21	38.45	PASS
Band26	3MHz	QPSK	26705	1RB#14	23.39	16.24	38.45	PASS
Band26	3MHz	QPSK	26705	8RB#0	22.47	15.32	38.45	PASS
Band26	3MHz	QPSK	26705	8RB#4	22.47	15.32	38.45	PASS
Band26	3MHz	QPSK	26705	8RB#7	22.36	15.21	38.45	PASS
Band26	3MHz	QPSK	26705	15RB#0	22.47	15.32	38.45	PASS
Band26	3MHz	QPSK	26740	1RB#0	23.49	16.34	38.45	PASS
Band26	3MHz	QPSK	26740	1RB#7	23.39	16.24	38.45	PASS
Band26	3MHz	QPSK	26740	1RB#14	23.41	16.26	38.45	PASS
Band26	3MHz	QPSK	26740	8RB#0	22.30	15.15	38.45	PASS
Band26	3MHz	QPSK	26740	8RB#4	22.30	15.15	38.45	PASS
Band26	3MHz	QPSK	26740	8RB#7	22.36	15.21	38.45	PASS
Band26	3MHz	QPSK	26740	15RB#0	22.34	15.19	38.45	PASS
Band26	3MHz	QPSK	26775	1RB#0	23.31	16.16	38.45	PASS
Band26	3MHz	QPSK	26775	1RB#7	23.24	16.09	38.45	PASS
Band26	3MHz	QPSK	26775	1RB#14	23.26	16.11	38.45	PASS
Band26	3MHz	QPSK	26775	8RB#0	22.42	15.27	38.45	PASS
Band26	3MHz	QPSK	26775	8RB#4	22.43	15.28	38.45	PASS
Band26	3MHz	QPSK	26775	8RB#7	22.33	15.18	38.45	PASS
Band26	3MHz	QPSK	26775	15RB#0	22.33	15.18	38.45	PASS
Band26	3MHz	QPSK	26805	1RB#0	23.23	16.08	38.45	PASS
Band26	3MHz	QPSK	26805	1RB#8	23.33	16.18	38.45	PASS
Band26	3MHz	QPSK	26805	1RB#14	23.23	16.08	38.45	PASS
Band26	3MHz	QPSK	26805	8RB#0	22.34	15.19	38.45	PASS
Band26	3MHz	QPSK	26805	8RB#4	22.27	15.12	38.45	PASS
Band26	3MHz	QPSK	26805	8RB#7	22.34	15.19	38.45	PASS
Band26	3MHz	QPSK	26805	15RB#0	22.37	15.22	38.45	PASS

Band26	3MHz	QPSK	26915	1RB#0	23.56	16.41	38.45	PASS
Band26	3MHz	QPSK	26915	1RB#8	23.71	16.56	38.45	PASS
Band26	3MHz	QPSK	26915	1RB#14	23.78	16.63	38.45	PASS
Band26	3MHz	QPSK	26915	8RB#0	22.77	15.62	38.45	PASS
Band26	3MHz	QPSK	26915	8RB#4	22.64	15.49	38.45	PASS
Band26	3MHz	QPSK	26915	8RB#7	22.80	15.65	38.45	PASS
Band26	3MHz	QPSK	26915	15RB#0	22.62	15.47	38.45	PASS
Band26	3MHz	QPSK	27025	1RB#0	23.90	16.75	38.45	PASS
Band26	3MHz	QPSK	27025	1RB#8	23.82	16.67	38.45	PASS
Band26	3MHz	QPSK	27025	1RB#14	23.59	16.44	38.45	PASS
Band26	3MHz	QPSK	27025	8RB#0	22.79	15.64	38.45	PASS
Band26	3MHz	QPSK	27025	8RB#4	22.81	15.66	38.45	PASS
Band26	3MHz	QPSK	27025	8RB#7	22.86	15.71	38.45	PASS
Band26	3MHz	QPSK	27025	15RB#0	22.75	15.6	38.45	PASS
Band26	3MHz	16QAM	26705	1RB#0	22.31	15.16	38.45	PASS
Band26	3MHz	16QAM	26705	1RB#7	22.24	15.09	38.45	PASS
Band26	3MHz	16QAM	26705	1RB#14	22.15	15	38.45	PASS
Band26	3MHz	16QAM	26705	8RB#0	21.65	14.5	38.45	PASS
Band26	3MHz	16QAM	26705	8RB#4	21.65	14.5	38.45	PASS
Band26	3MHz	16QAM	26705	8RB#7	21.48	14.33	38.45	PASS
Band26	3MHz	16QAM	26705	15RB#0	21.39	14.24	38.45	PASS
Band26	3MHz	16QAM	26740	1RB#0	22.48	15.33	38.45	PASS
Band26	3MHz	16QAM	26740	1RB#7	22.38	15.23	38.45	PASS
Band26	3MHz	16QAM	26740	1RB#14	22.38	15.23	38.45	PASS
Band26	3MHz	16QAM	26740	8RB#0	21.28	14.13	38.45	PASS
Band26	3MHz	16QAM	26740	8RB#4	21.25	14.1	38.45	PASS
Band26	3MHz	16QAM	26740	8RB#7	21.34	14.19	38.45	PASS
Band26	3MHz	16QAM	26740	15RB#0	21.25	14.1	38.45	PASS
Band26	3MHz	16QAM	26775	1RB#0	22.08	14.93	38.45	PASS
Band26	3MHz	16QAM	26775	1RB#7	21.93	14.78	38.45	PASS
Band26	3MHz	16QAM	26775	1RB#14	22.12	14.97	38.45	PASS
Band26	3MHz	16QAM	26775	8RB#0	21.51	14.36	38.45	PASS
Band26	3MHz	16QAM	26775	8RB#4	21.55	14.4	38.45	PASS
Band26	3MHz	16QAM	26775	8RB#7	21.55	14.4	38.45	PASS
Band26	3MHz	16QAM	26775	15RB#0	21.41	14.26	38.45	PASS
Band26	3MHz	16QAM	26805	1RB#0	21.96	14.81	38.45	PASS
Band26	3MHz	16QAM	26805	1RB#8	21.93	14.78	38.45	PASS
Band26	3MHz	16QAM	26805	1RB#14	22.01	14.86	38.45	PASS
Band26	3MHz	16QAM	26805	8RB#0	21.40	14.25	38.45	PASS
Band26	3MHz	16QAM	26805	8RB#4	21.42	14.27	38.45	PASS
Band26	3MHz	16QAM	26805	8RB#7	21.39	14.24	38.45	PASS
Band26	3MHz	16QAM	26805	15RB#0	21.23	14.08	38.45	PASS
Band26	3MHz	16QAM	26915	1RB#0	22.60	15.45	38.45	PASS
Band26	3MHz	16QAM	26915	1RB#8	22.66	15.51	38.45	PASS
Band26	3MHz	16QAM	26915	1RB#14	22.63	15.48	38.45	PASS
Band26	3MHz	16QAM	26915	8RB#0	21.99	14.84	38.45	PASS
Band26	3MHz	16QAM	26915	8RB#4	21.98	14.83	38.45	PASS

Band26	3MHz	16QAM	26915	8RB#7	22.01	14.86	38.45	PASS
Band26	3MHz	16QAM	26915	15RB#0	21.78	14.63	38.45	PASS
Band26	3MHz	16QAM	27025	1RB#0	22.47	15.32	38.45	PASS
Band26	3MHz	16QAM	27025	1RB#8	22.43	15.28	38.45	PASS
Band26	3MHz	16QAM	27025	1RB#14	22.41	15.26	38.45	PASS
Band26	3MHz	16QAM	27025	8RB#0	21.95	14.8	38.45	PASS
Band26	3MHz	16QAM	27025	8RB#4	22.02	14.87	38.45	PASS
Band26	3MHz	16QAM	27025	8RB#7	21.84	14.69	38.45	PASS
Band26	3MHz	16QAM	27025	15RB#0	21.68	14.53	38.45	PASS
Band26	5MHz	QPSK	26715	1RB#0	23.44	16.29	38.45	PASS
Band26	5MHz	QPSK	26715	1RB#12	23.47	16.32	38.45	PASS
Band26	5MHz	QPSK	26715	1RB#24	23.29	16.14	38.45	PASS
Band26	5MHz	QPSK	26715	12RB#0	22.56	15.41	38.45	PASS
Band26	5MHz	QPSK	26715	12RB#6	22.58	15.43	38.45	PASS
Band26	5MHz	QPSK	26715	12RB#11	22.57	15.42	38.45	PASS
Band26	5MHz	QPSK	26715	25RB#0	22.52	15.37	38.45	PASS
Band26	5MHz	QPSK	26740	1RB#0	23.65	16.5	38.45	PASS
Band26	5MHz	QPSK	26740	1RB#12	23.43	16.28	38.45	PASS
Band26	5MHz	QPSK	26740	1RB#24	23.44	16.29	38.45	PASS
Band26	5MHz	QPSK	26740	12RB#0	22.54	15.39	38.45	PASS
Band26	5MHz	QPSK	26740	12RB#6	22.55	15.4	38.45	PASS
Band26	5MHz	QPSK	26740	12RB#11	22.49	15.34	38.45	PASS
Band26	5MHz	QPSK	26740	25RB#0	22.37	15.22	38.45	PASS
Band26	5MHz	QPSK	26765	1RB#0	23.28	16.13	38.45	PASS
Band26	5MHz	QPSK	26765	1RB#12	23.30	16.15	38.45	PASS
Band26	5MHz	QPSK	26765	1RB#24	23.33	16.18	38.45	PASS
Band26	5MHz	QPSK	26765	12RB#0	22.41	15.26	38.45	PASS
Band26	5MHz	QPSK	26765	12RB#6	22.42	15.27	38.45	PASS
Band26	5MHz	QPSK	26765	12RB#11	22.42	15.27	38.45	PASS
Band26	5MHz	QPSK	26765	25RB#0	22.46	15.31	38.45	PASS
Band26	5MHz	QPSK	26815	1RB#0	23.10	15.95	38.45	PASS
Band26	5MHz	QPSK	26815	1RB#12	23.13	15.98	38.45	PASS
Band26	5MHz	QPSK	26815	1RB#24	23.16	16.01	38.45	PASS
Band26	5MHz	QPSK	26815	12RB#0	22.26	15.11	38.45	PASS
Band26	5MHz	QPSK	26815	12RB#6	22.18	15.03	38.45	PASS
Band26	5MHz	QPSK	26815	12RB#13	22.24	15.09	38.45	PASS
Band26	5MHz	QPSK	26815	25RB#0	22.25	15.1	38.45	PASS
Band26	5MHz	QPSK	26915	1RB#0	23.73	16.58	38.45	PASS
Band26	5MHz	QPSK	26915	1RB#12	23.78	16.63	38.45	PASS
Band26	5MHz	QPSK	26915	1RB#24	23.71	16.56	38.45	PASS
Band26	5MHz	QPSK	26915	12RB#0	22.64	15.49	38.45	PASS
Band26	5MHz	QPSK	26915	12RB#6	22.63	15.48	38.45	PASS
Band26	5MHz	QPSK	26915	12RB#13	22.64	15.49	38.45	PASS
Band26	5MHz	QPSK	26915	25RB#0	22.59	15.44	38.45	PASS
Band26	5MHz	QPSK	27015	1RB#0	23.69	16.54	38.45	PASS
Band26	5MHz	QPSK	27015	1RB#12	23.84	16.69	38.45	PASS
Band26	5MHz	QPSK	27015	1RB#24	23.85	16.7	38.45	PASS

Band26	5MHz	QPSK	27015	12RB#0	22.93	15.78	38.45	PASS
Band26	5MHz	QPSK	27015	12RB#6	22.80	15.65	38.45	PASS
Band26	5MHz	QPSK	27015	12RB#13	22.82	15.67	38.45	PASS
Band26	5MHz	QPSK	27015	25RB#0	22.84	15.69	38.45	PASS
Band26	5MHz	16QAM	26715	1RB#0	22.81	15.66	38.45	PASS
Band26	5MHz	16QAM	26715	1RB#12	22.63	15.48	38.45	PASS
Band26	5MHz	16QAM	26715	1RB#24	22.61	15.46	38.45	PASS
Band26	5MHz	16QAM	26715	12RB#0	21.75	14.6	38.45	PASS
Band26	5MHz	16QAM	26715	12RB#6	21.68	14.53	38.45	PASS
Band26	5MHz	16QAM	26715	12RB#11	21.63	14.48	38.45	PASS
Band26	5MHz	16QAM	26715	25RB#0	21.26	14.11	38.45	PASS
Band26	5MHz	16QAM	26740	1RB#0	22.25	15.1	38.45	PASS
Band26	5MHz	16QAM	26740	1RB#12	22.20	15.05	38.45	PASS
Band26	5MHz	16QAM	26740	1RB#24	22.26	15.11	38.45	PASS
Band26	5MHz	16QAM	26740	12RB#0	21.36	14.21	38.45	PASS
Band26	5MHz	16QAM	26740	12RB#6	21.27	14.12	38.45	PASS
Band26	5MHz	16QAM	26740	12RB#11	21.32	14.17	38.45	PASS
Band26	5MHz	16QAM	26740	25RB#0	21.47	14.32	38.45	PASS
Band26	5MHz	16QAM	26765	1RB#0	21.72	14.57	38.45	PASS
Band26	5MHz	16QAM	26765	1RB#12	21.78	14.63	38.45	PASS
Band26	5MHz	16QAM	26765	1RB#24	21.67	14.52	38.45	PASS
Band26	5MHz	16QAM	26765	12RB#0	21.44	14.29	38.45	PASS
Band26	5MHz	16QAM	26765	12RB#6	21.42	14.27	38.45	PASS
Band26	5MHz	16QAM	26765	12RB#11	21.42	14.27	38.45	PASS
Band26	5MHz	16QAM	26765	25RB#0	21.49	14.34	38.45	PASS
Band26	5MHz	16QAM	26815	1RB#0	21.43	14.28	38.45	PASS
Band26	5MHz	16QAM	26815	1RB#12	21.45	14.3	38.45	PASS
Band26	5MHz	16QAM	26815	1RB#24	21.48	14.33	38.45	PASS
Band26	5MHz	16QAM	26815	12RB#0	21.18	14.03	38.45	PASS
Band26	5MHz	16QAM	26815	12RB#6	21.15	14	38.45	PASS
Band26	5MHz	16QAM	26815	12RB#13	21.15	14	38.45	PASS
Band26	5MHz	16QAM	26815	25RB#0	21.24	14.09	38.45	PASS
Band26	5MHz	16QAM	26915	1RB#0	21.89	14.74	38.45	PASS
Band26	5MHz	16QAM	26915	1RB#12	21.88	14.73	38.45	PASS
Band26	5MHz	16QAM	26915	1RB#24	22.01	14.86	38.45	PASS
Band26	5MHz	16QAM	26915	12RB#0	21.64	14.49	38.45	PASS
Band26	5MHz	16QAM	26915	12RB#6	21.74	14.59	38.45	PASS
Band26	5MHz	16QAM	26915	12RB#13	21.61	14.46	38.45	PASS
Band26	5MHz	16QAM	26915	25RB#0	21.84	14.69	38.45	PASS
Band26	5MHz	16QAM	27015	1RB#0	22.82	15.67	38.45	PASS
Band26	5MHz	16QAM	27015	1RB#12	22.70	15.55	38.45	PASS
Band26	5MHz	16QAM	27015	1RB#24	22.80	15.65	38.45	PASS
Band26	5MHz	16QAM	27015	12RB#0	22.16	15.01	38.45	PASS
Band26	5MHz	16QAM	27015	12RB#6	22.10	14.95	38.45	PASS
Band26	5MHz	16QAM	27015	12RB#13	21.91	14.76	38.45	PASS
Band26	5MHz	16QAM	27015	25RB#0	21.76	14.61	38.45	PASS
Band26	10MHz	QPSK	26740	1RB#0	23.39	16.24	38.45	PASS

Band26	10MHz	QPSK	26740	1RB#24	23.32	16.17	38.45	PASS
Band26	10MHz	QPSK	26740	1RB#49	23.26	16.11	38.45	PASS
Band26	10MHz	QPSK	26740	25RB#0	22.51	15.36	38.45	PASS
Band26	10MHz	QPSK	26740	25RB#12	22.56	15.41	38.45	PASS
Band26	10MHz	QPSK	26740	25RB#24	22.55	15.4	38.45	PASS
Band26	10MHz	QPSK	26740	50RB#0	22.45	15.3	38.45	PASS
Band26	10MHz	QPSK	26840	1RB#0	23.01	15.86	38.45	PASS
Band26	10MHz	QPSK	26840	1RB#24	23.08	15.93	38.45	PASS
Band26	10MHz	QPSK	26840	1RB#49	23.19	16.04	38.45	PASS
Band26	10MHz	QPSK	26840	25RB#0	22.26	15.11	38.45	PASS
Band26	10MHz	QPSK	26840	25RB#12	22.35	15.2	38.45	PASS
Band26	10MHz	QPSK	26840	25RB#25	22.30	15.15	38.45	PASS
Band26	10MHz	QPSK	26840	50RB#0	22.34	15.19	38.45	PASS
Band26	10MHz	QPSK	26915	1RB#0	23.52	16.37	38.45	PASS
Band26	10MHz	QPSK	26915	1RB#24	23.65	16.5	38.45	PASS
Band26	10MHz	QPSK	26915	1RB#49	23.86	16.71	38.45	PASS
Band26	10MHz	QPSK	26915	25RB#0	22.56	15.41	38.45	PASS
Band26	10MHz	QPSK	26915	25RB#12	22.58	15.43	38.45	PASS
Band26	10MHz	QPSK	26915	25RB#25	22.80	15.65	38.45	PASS
Band26	10MHz	QPSK	26915	50RB#0	22.68	15.53	38.45	PASS
Band26	10MHz	QPSK	26990	1RB#0	23.53	16.38	38.45	PASS
Band26	10MHz	QPSK	26990	1RB#24	23.62	16.47	38.45	PASS
Band26	10MHz	QPSK	26990	1RB#49	23.68	16.53	38.45	PASS
Band26	10MHz	QPSK	26990	25RB#0	22.73	15.58	38.45	PASS
Band26	10MHz	QPSK	26990	25RB#12	22.69	15.54	38.45	PASS
Band26	10MHz	QPSK	26990	25RB#25	22.92	15.77	38.45	PASS
Band26	10MHz	QPSK	26990	50RB#0	22.79	15.64	38.45	PASS
Band26	10MHz	16QAM	26740	1RB#0	22.43	15.28	38.45	PASS
Band26	10MHz	16QAM	26740	1RB#24	22.30	15.15	38.45	PASS
Band26	10MHz	16QAM	26740	1RB#49	22.15	15	38.45	PASS
Band26	10MHz	16QAM	26740	25RB#0	21.64	14.49	38.45	PASS
Band26	10MHz	16QAM	26740	25RB#12	21.70	14.55	38.45	PASS
Band26	10MHz	16QAM	26740	25RB#24	21.64	14.49	38.45	PASS
Band26	10MHz	16QAM	26740	50RB#0	21.50	14.35	38.45	PASS
Band26	10MHz	16QAM	26840	1RB#0	22.11	14.96	38.45	PASS
Band26	10MHz	16QAM	26840	1RB#24	22.24	15.09	38.45	PASS
Band26	10MHz	16QAM	26840	1RB#49	22.30	15.15	38.45	PASS
Band26	10MHz	16QAM	26840	25RB#0	21.46	14.31	38.45	PASS
Band26	10MHz	16QAM	26840	25RB#12	21.37	14.22	38.45	PASS
Band26	10MHz	16QAM	26840	25RB#25	21.53	14.38	38.45	PASS
Band26	10MHz	16QAM	26840	50RB#0	21.26	14.11	38.45	PASS
Band26	10MHz	16QAM	26915	1RB#0	22.52	15.37	38.45	PASS
Band26	10MHz	16QAM	26915	1RB#24	22.59	15.44	38.45	PASS
Band26	10MHz	16QAM	26915	1RB#49	22.78	15.63	38.45	PASS
Band26	10MHz	16QAM	26915	25RB#0	21.77	14.62	38.45	PASS
Band26	10MHz	16QAM	26915	25RB#12	21.76	14.61	38.45	PASS
Band26	10MHz	16QAM	26915	25RB#25	21.73	14.58	38.45	PASS

Band26	10MHz	16QAM	26915	50RB#0	21.73	14.58	38.45	PASS
Band26	10MHz	16QAM	26990	1RB#0	22.65	15.5	38.45	PASS
Band26	10MHz	16QAM	26990	1RB#24	22.67	15.52	38.45	PASS
Band26	10MHz	16QAM	26990	1RB#49	22.65	15.5	38.45	PASS
Band26	10MHz	16QAM	26990	25RB#0	22.00	14.85	38.45	PASS
Band26	10MHz	16QAM	26990	25RB#12	22.00	14.85	38.45	PASS
Band26	10MHz	16QAM	26990	25RB#25	22.13	14.98	38.45	PASS
Band26	10MHz	16QAM	26990	50RB#0	21.90	14.75	38.45	PASS
Band26	15MHz	QPSK	26865	1RB#0	23.15	16	38.45	PASS
Band26	15MHz	QPSK	26865	1RB#38	23.20	16.05	38.45	PASS
Band26	15MHz	QPSK	26865	1RB#74	23.48	16.33	38.45	PASS
Band26	15MHz	QPSK	26865	38RB#0	22.27	15.12	38.45	PASS
Band26	15MHz	QPSK	26865	38RB#18	22.39	15.24	38.45	PASS
Band26	15MHz	QPSK	26865	38RB#37	22.68	15.53	38.45	PASS
Band26	15MHz	QPSK	26865	75RB#0	22.35	15.2	38.45	PASS
Band26	15MHz	QPSK	26915	1RB#0	23.54	16.39	38.45	PASS
Band26	15MHz	QPSK	26915	1RB#38	23.63	16.48	38.45	PASS
Band26	15MHz	QPSK	26915	1RB#74	23.87	16.72	38.45	PASS
Band26	15MHz	QPSK	26915	38RB#0	22.51	15.36	38.45	PASS
Band26	15MHz	QPSK	26915	38RB#18	22.65	15.5	38.45	PASS
Band26	15MHz	QPSK	26915	38RB#37	22.86	15.71	38.45	PASS
Band26	15MHz	QPSK	26915	75RB#0	22.61	15.46	38.45	PASS
Band26	15MHz	QPSK	26965	1RB#0	23.39	16.24	38.45	PASS
Band26	15MHz	QPSK	26965	1RB#38	23.65	16.5	38.45	PASS
Band26	15MHz	QPSK	26965	1RB#74	23.67	16.52	38.45	PASS
Band26	15MHz	QPSK	26965	38RB#0	22.67	15.52	38.45	PASS
Band26	15MHz	QPSK	26965	38RB#18	22.74	15.59	38.45	PASS
Band26	15MHz	QPSK	26965	38RB#37	22.73	15.58	38.45	PASS
Band26	15MHz	QPSK	26965	75RB#0	22.81	15.66	38.45	PASS
Band26	15MHz	16QAM	26865	1RB#0	22.22	15.07	38.45	PASS
Band26	15MHz	16QAM	26865	1RB#38	22.30	15.15	38.45	PASS
Band26	15MHz	16QAM	26865	1RB#74	22.54	15.39	38.45	PASS
Band26	15MHz	16QAM	26865	38RB#0	22.25	15.1	38.45	PASS
Band26	15MHz	16QAM	26865	38RB#18	22.39	15.24	38.45	PASS
Band26	15MHz	16QAM	26865	38RB#37	22.68	15.53	38.45	PASS
Band26	15MHz	16QAM	26865	75RB#0	21.55	14.4	38.45	PASS
Band26	15MHz	16QAM	26915	1RB#0	22.53	15.38	38.45	PASS
Band26	15MHz	16QAM	26915	1RB#38	22.64	15.49	38.45	PASS
Band26	15MHz	16QAM	26915	1RB#74	22.80	15.65	38.45	PASS
Band26	15MHz	16QAM	26915	38RB#0	22.58	15.43	38.45	PASS
Band26	15MHz	16QAM	26915	38RB#18	22.63	15.48	38.45	PASS
Band26	15MHz	16QAM	26915	38RB#37	22.89	15.74	38.45	PASS
Band26	15MHz	16QAM	26915	75RB#0	21.78	14.63	38.45	PASS
Band26	15MHz	16QAM	26965	1RB#0	22.63	15.48	38.45	PASS
Band26	15MHz	16QAM	26965	1RB#38	22.74	15.59	38.45	PASS
Band26	15MHz	16QAM	26965	1RB#74	22.81	15.66	38.45	PASS
Band26	15MHz	16QAM	26965	38RB#0	22.63	15.48	38.45	PASS

Band26	15MHz	16QAM	26965	38RB#18	22.74	15.59	38.45	PASS
Band26	15MHz	16QAM	26965	38RB#37	22.84	15.69	38.45	PASS
Band26	15MHz	16QAM	26965	75RB#0	21.88	14.73	38.45	PASS
Band41	5MHz	QPSK	40065	1RB#0	22.16	21.16	33.01	PASS
Band41	5MHz	QPSK	40065	1RB#12	22.24	21.24	33.01	PASS
Band41	5MHz	QPSK	40065	1RB#24	22.24	21.24	33.01	PASS
Band41	5MHz	QPSK	40065	12RB#0	21.35	20.35	33.01	PASS
Band41	5MHz	QPSK	40065	12RB#6	21.35	20.35	33.01	PASS
Band41	5MHz	QPSK	40065	12RB#11	21.35	20.35	33.01	PASS
Band41	5MHz	QPSK	40065	25RB#0	21.29	20.29	33.01	PASS
Band41	5MHz	QPSK	40640	1RB#0	22.44	21.44	33.01	PASS
Band41	5MHz	QPSK	40640	1RB#12	22.44	21.44	33.01	PASS
Band41	5MHz	QPSK	40640	1RB#24	22.44	21.44	33.01	PASS
Band41	5MHz	QPSK	40640	12RB#0	21.45	20.45	33.01	PASS
Band41	5MHz	QPSK	40640	12RB#6	21.45	20.45	33.01	PASS
Band41	5MHz	QPSK	40640	12RB#11	21.46	20.46	33.01	PASS
Band41	5MHz	QPSK	40640	25RB#0	21.34	20.34	33.01	PASS
Band41	5MHz	QPSK	41215	1RB#0	22.31	21.31	33.01	PASS
Band41	5MHz	QPSK	41215	1RB#12	22.43	21.43	33.01	PASS
Band41	5MHz	QPSK	41215	1RB#24	22.39	21.39	33.01	PASS
Band41	5MHz	QPSK	41215	12RB#0	21.54	20.54	33.01	PASS
Band41	5MHz	QPSK	41215	12RB#6	21.57	20.57	33.01	PASS
Band41	5MHz	QPSK	41215	12RB#11	21.58	20.58	33.01	PASS
Band41	5MHz	QPSK	41215	25RB#0	21.53	20.53	33.01	PASS
Band41	5MHz	16QAM	40065	1RB#0	21.30	20.3	33.01	PASS
Band41	5MHz	16QAM	40065	1RB#12	21.28	20.28	33.01	PASS
Band41	5MHz	16QAM	40065	1RB#24	21.31	20.31	33.01	PASS
Band41	5MHz	16QAM	40065	12RB#0	20.49	19.49	33.01	PASS
Band41	5MHz	16QAM	40065	12RB#6	20.48	19.48	33.01	PASS
Band41	5MHz	16QAM	40065	12RB#11	20.48	19.48	33.01	PASS
Band41	5MHz	16QAM	40065	25RB#0	20.34	19.34	33.01	PASS
Band41	5MHz	16QAM	40640	1RB#0	21.86	20.86	33.01	PASS
Band41	5MHz	16QAM	40640	1RB#12	21.86	20.86	33.01	PASS
Band41	5MHz	16QAM	40640	1RB#24	21.94	20.94	33.01	PASS
Band41	5MHz	16QAM	40640	12RB#0	20.50	19.5	33.01	PASS
Band41	5MHz	16QAM	40640	12RB#6	20.50	19.5	33.01	PASS
Band41	5MHz	16QAM	40640	12RB#11	20.51	19.51	33.01	PASS
Band41	5MHz	16QAM	40640	25RB#0	20.57	19.57	33.01	PASS
Band41	5MHz	16QAM	41215	1RB#0	21.89	20.89	33.01	PASS
Band41	5MHz	16QAM	41215	1RB#12	21.90	20.9	33.01	PASS
Band41	5MHz	16QAM	41215	1RB#24	21.85	20.85	33.01	PASS
Band41	5MHz	16QAM	41215	12RB#0	20.57	19.57	33.01	PASS
Band41	5MHz	16QAM	41215	12RB#6	20.58	19.58	33.01	PASS
Band41	5MHz	16QAM	41215	12RB#11	20.59	19.59	33.01	PASS
Band41	5MHz	16QAM	41215	25RB#0	20.66	19.66	33.01	PASS
Band41	10MHz	QPSK	40090	1RB#0	22.03	21.03	33.01	PASS
Band41	10MHz	QPSK	40090	1RB#24	21.98	20.98	33.01	PASS

Band41	10MHz	QPSK	40090	1RB#49	21.87	20.87	33.01	PASS
Band41	10MHz	QPSK	40090	25RB#0	21.05	20.05	33.01	PASS
Band41	10MHz	QPSK	40090	25RB#12	21.03	20.03	33.01	PASS
Band41	10MHz	QPSK	40090	25RB#24	21.13	20.13	33.01	PASS
Band41	10MHz	QPSK	40090	50RB#0	21.05	20.05	33.01	PASS
Band41	10MHz	QPSK	40640	1RB#0	22.13	21.13	33.01	PASS
Band41	10MHz	QPSK	40640	1RB#24	22.05	21.05	33.01	PASS
Band41	10MHz	QPSK	40640	1RB#49	22.10	21.1	33.01	PASS
Band41	10MHz	QPSK	40640	25RB#0	21.28	20.28	33.01	PASS
Band41	10MHz	QPSK	40640	25RB#12	21.29	20.29	33.01	PASS
Band41	10MHz	QPSK	40640	25RB#24	21.28	20.28	33.01	PASS
Band41	10MHz	QPSK	40640	50RB#0	21.18	20.18	33.01	PASS
Band41	10MHz	QPSK	41190	1RB#0	21.70	20.7	33.01	PASS
Band41	10MHz	QPSK	41190	1RB#24	21.70	20.7	33.01	PASS
Band41	10MHz	QPSK	41190	1RB#49	21.78	20.78	33.01	PASS
Band41	10MHz	QPSK	41190	25RB#0	20.82	19.82	33.01	PASS
Band41	10MHz	QPSK	41190	25RB#12	20.81	19.81	33.01	PASS
Band41	10MHz	QPSK	41190	25RB#24	20.84	19.84	33.01	PASS
Band41	10MHz	QPSK	41190	50RB#0	20.86	19.86	33.01	PASS
Band41	10MHz	16QAM	40090	1RB#0	20.81	19.81	33.01	PASS
Band41	10MHz	16QAM	40090	1RB#24	20.77	19.77	33.01	PASS
Band41	10MHz	16QAM	40090	1RB#49	20.60	19.6	33.01	PASS
Band41	10MHz	16QAM	40090	25RB#0	20.47	19.47	33.01	PASS
Band41	10MHz	16QAM	40090	25RB#12	20.44	19.44	33.01	PASS
Band41	10MHz	16QAM	40090	25RB#24	20.44	19.44	33.01	PASS
Band41	10MHz	16QAM	40090	50RB#0	20.15	19.15	33.01	PASS
Band41	10MHz	16QAM	40640	1RB#0	21.43	20.43	33.01	PASS
Band41	10MHz	16QAM	40640	1RB#24	21.30	20.3	33.01	PASS
Band41	10MHz	16QAM	40640	1RB#49	21.28	20.28	33.01	PASS
Band41	10MHz	16QAM	40640	25RB#0	20.53	19.53	33.01	PASS
Band41	10MHz	16QAM	40640	25RB#12	20.52	19.52	33.01	PASS
Band41	10MHz	16QAM	40640	25RB#24	20.51	19.51	33.01	PASS
Band41	10MHz	16QAM	40640	50RB#0	20.39	19.39	33.01	PASS
Band41	10MHz	16QAM	41190	1RB#0	20.46	19.46	33.01	PASS
Band41	10MHz	16QAM	41190	1RB#24	20.50	19.5	33.01	PASS
Band41	10MHz	16QAM	41190	1RB#49	20.56	19.56	33.01	PASS
Band41	10MHz	16QAM	41190	25RB#0	20.14	19.14	33.01	PASS
Band41	10MHz	16QAM	41190	25RB#12	20.15	19.15	33.01	PASS
Band41	10MHz	16QAM	41190	25RB#24	20.15	19.15	33.01	PASS
Band41	10MHz	16QAM	41190	50RB#0	19.89	18.89	33.01	PASS
Band41	15MHz	QPSK	40115	1RB#0	22.29	21.29	33.01	PASS
Band41	15MHz	QPSK	40115	1RB#37	22.26	21.26	33.01	PASS
Band41	15MHz	QPSK	40115	1RB#74	22.20	21.2	33.01	PASS
Band41	15MHz	QPSK	40115	36RB#0	21.36	20.36	33.01	PASS
Band41	15MHz	QPSK	40115	36RB#16	21.35	20.35	33.01	PASS
Band41	15MHz	QPSK	40115	36RB#35	21.35	20.35	33.01	PASS
Band41	15MHz	QPSK	40115	75RB#0	21.32	20.32	33.01	PASS

Band41	15MHz	QPSK	40640	1RB#0	22.54	21.54	33.01	PASS
Band41	15MHz	QPSK	40640	1RB#37	22.44	21.44	33.01	PASS
Band41	15MHz	QPSK	40640	1RB#74	22.40	21.4	33.01	PASS
Band41	15MHz	QPSK	40640	36RB#0	21.59	20.59	33.01	PASS
Band41	15MHz	QPSK	40640	36RB#16	21.60	20.6	33.01	PASS
Band41	15MHz	QPSK	40640	36RB#35	21.60	20.6	33.01	PASS
Band41	15MHz	QPSK	40640	75RB#0	21.59	20.59	33.01	PASS
Band41	15MHz	QPSK	41165	1RB#0	22.30	21.3	33.01	PASS
Band41	15MHz	QPSK	41165	1RB#37	22.32	21.32	33.01	PASS
Band41	15MHz	QPSK	41165	1RB#74	22.34	21.34	33.01	PASS
Band41	15MHz	QPSK	41165	36RB#0	21.30	20.3	33.01	PASS
Band41	15MHz	QPSK	41165	36RB#16	21.25	20.25	33.01	PASS
Band41	15MHz	QPSK	41165	36RB#35	21.25	20.25	33.01	PASS
Band41	15MHz	QPSK	41165	75RB#0	21.19	20.19	33.01	PASS
Band41	15MHz	16QAM	40115	1RB#0	20.67	19.67	33.01	PASS
Band41	15MHz	16QAM	40115	1RB#37	20.58	19.58	33.01	PASS
Band41	15MHz	16QAM	40115	1RB#74	20.28	19.28	33.01	PASS
Band41	15MHz	16QAM	40115	36RB#0	20.58	19.58	33.01	PASS
Band41	15MHz	16QAM	40115	36RB#16	20.58	19.58	33.01	PASS
Band41	15MHz	16QAM	40115	36RB#35	20.57	19.57	33.01	PASS
Band41	15MHz	16QAM	40115	75RB#0	20.56	19.56	33.01	PASS
Band41	15MHz	16QAM	40640	1RB#0	21.72	20.72	33.01	PASS
Band41	15MHz	16QAM	40640	1RB#37	21.55	20.55	33.01	PASS
Band41	15MHz	16QAM	40640	1RB#74	21.48	20.48	33.01	PASS
Band41	15MHz	16QAM	40640	36RB#0	20.75	19.75	33.01	PASS
Band41	15MHz	16QAM	40640	36RB#16	20.82	19.82	33.01	PASS
Band41	15MHz	16QAM	40640	36RB#35	20.73	19.73	33.01	PASS
Band41	15MHz	16QAM	40640	75RB#0	20.82	19.82	33.01	PASS
Band41	15MHz	16QAM	41165	1RB#0	20.63	19.63	33.01	PASS
Band41	15MHz	16QAM	41165	1RB#37	20.67	19.67	33.01	PASS
Band41	15MHz	16QAM	41165	1RB#74	20.72	19.72	33.01	PASS
Band41	15MHz	16QAM	41165	36RB#0	20.54	19.54	33.01	PASS
Band41	15MHz	16QAM	41165	36RB#16	20.45	19.45	33.01	PASS
Band41	15MHz	16QAM	41165	36RB#35	20.55	19.55	33.01	PASS
Band41	15MHz	16QAM	41165	75RB#0	20.50	19.5	33.01	PASS
Band41	20MHz	QPSK	40140	1RB#0	22.50	21.5	33.01	PASS
Band41	20MHz	QPSK	40140	1RB#49	22.42	21.42	33.01	PASS
Band41	20MHz	QPSK	40140	1RB#99	22.45	21.45	33.01	PASS
Band41	20MHz	QPSK	40140	50RB#0	21.30	20.3	33.01	PASS
Band41	20MHz	QPSK	40140	50RB#24	21.42	20.42	33.01	PASS
Band41	20MHz	QPSK	40140	50RB#49	21.42	20.42	33.01	PASS
Band41	20MHz	QPSK	40140	100RB#0	21.30	20.3	33.01	PASS
Band41	20MHz	QPSK	40640	1RB#0	22.61	21.61	33.01	PASS
Band41	20MHz	QPSK	40640	1RB#49	22.44	21.44	33.01	PASS
Band41	20MHz	QPSK	40640	1RB#99	22.46	21.46	33.01	PASS
Band41	20MHz	QPSK	40640	50RB#0	21.51	20.51	33.01	PASS
Band41	20MHz	QPSK	40640	50RB#24	21.53	20.53	33.01	PASS

Band41	20MHz	QPSK	40640	50RB#49	21.53	20.53	33.01	PASS
Band41	20MHz	QPSK	40640	100RB#0	21.50	20.5	33.01	PASS
Band41	20MHz	QPSK	41140	1RB#0	22.44	21.44	33.01	PASS
Band41	20MHz	QPSK	41140	1RB#49	22.37	21.37	33.01	PASS
Band41	20MHz	QPSK	41140	1RB#99	22.57	21.57	33.01	PASS
Band41	20MHz	QPSK	41140	50RB#0	21.31	20.31	33.01	PASS
Band41	20MHz	QPSK	41140	50RB#24	21.33	20.33	33.01	PASS
Band41	20MHz	QPSK	41140	50RB#49	21.33	20.33	33.01	PASS
Band41	20MHz	QPSK	41140	100RB#0	21.32	20.32	33.01	PASS
Band41	20MHz	16QAM	40140	1RB#0	21.48	20.48	33.01	PASS
Band41	20MHz	16QAM	40140	1RB#49	21.43	20.43	33.01	PASS
Band41	20MHz	16QAM	40140	1RB#99	21.39	20.39	33.01	PASS
Band41	20MHz	16QAM	40140	50RB#0	20.57	19.57	33.01	PASS
Band41	20MHz	16QAM	40140	50RB#24	20.57	19.57	33.01	PASS
Band41	20MHz	16QAM	40140	50RB#49	20.56	19.56	33.01	PASS
Band41	20MHz	16QAM	40140	100RB#0	20.39	19.39	33.01	PASS
Band41	20MHz	16QAM	40640	1RB#0	22.00	21	33.01	PASS
Band41	20MHz	16QAM	40640	1RB#49	21.82	20.82	33.01	PASS
Band41	20MHz	16QAM	40640	1RB#99	21.92	20.92	33.01	PASS
Band41	20MHz	16QAM	40640	50RB#0	20.72	19.72	33.01	PASS
Band41	20MHz	16QAM	40640	50RB#24	20.72	19.72	33.01	PASS
Band41	20MHz	16QAM	40640	50RB#49	20.72	19.72	33.01	PASS
Band41	20MHz	16QAM	40640	100RB#0	20.66	19.66	33.01	PASS
Band41	20MHz	16QAM	41140	1RB#0	21.70	20.7	33.01	PASS
Band41	20MHz	16QAM	41140	1RB#49	21.51	20.51	33.01	PASS
Band41	20MHz	16QAM	41140	1RB#99	21.81	20.81	33.01	PASS
Band41	20MHz	16QAM	41140	50RB#0	20.43	19.43	33.01	PASS
Band41	20MHz	16QAM	41140	50RB#24	20.47	19.47	33.01	PASS
Band41	20MHz	16QAM	41140	50RB#49	20.53	19.53	33.01	PASS
Band41	20MHz	16QAM	41140	100RB#0	20.31	19.31	33.01	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	22.74	20.74	38.45	PASS
Band66	1.4MHz	QPSK	131979	1RB#2	22.72	20.72	38.45	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	22.72	20.72	38.45	PASS
Band66	1.4MHz	QPSK	131979	3RB#0	22.88	20.88	38.45	PASS
Band66	1.4MHz	QPSK	131979	3RB#1	22.84	20.84	38.45	PASS
Band66	1.4MHz	QPSK	131979	3RB#2	22.82	20.82	38.45	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	21.83	19.83	38.45	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	22.92	20.92	38.45	PASS
Band66	1.4MHz	QPSK	132322	1RB#2	23.01	21.01	38.45	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	22.98	20.98	38.45	PASS
Band66	1.4MHz	QPSK	132322	3RB#0	22.86	20.86	38.45	PASS
Band66	1.4MHz	QPSK	132322	3RB#1	22.84	20.84	38.45	PASS
Band66	1.4MHz	QPSK	132322	3RB#2	22.94	20.94	38.45	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	21.88	19.88	38.45	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	22.90	20.9	38.45	PASS
Band66	1.4MHz	QPSK	132665	1RB#2	22.89	20.89	38.45	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	22.95	20.95	38.45	PASS

Band66	1.4MHz	QPSK	132665	3RB#0	23.09	21.09	38.45	PASS
Band66	1.4MHz	QPSK	132665	3RB#1	23.06	21.06	38.45	PASS
Band66	1.4MHz	QPSK	132665	3RB#2	23.06	21.06	38.45	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	22.04	20.04	38.45	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	22.62	20.62	38.45	PASS
Band66	1.4MHz	16QAM	131979	1RB#2	22.61	20.61	38.45	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	22.65	20.65	38.45	PASS
Band66	1.4MHz	16QAM	131979	3RB#0	21.51	19.51	38.45	PASS
Band66	1.4MHz	16QAM	131979	3RB#1	21.47	19.47	38.45	PASS
Band66	1.4MHz	16QAM	131979	3RB#2	21.53	19.53	38.45	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	21.16	19.16	38.45	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	22.28	20.28	38.45	PASS
Band66	1.4MHz	16QAM	132322	1RB#2	22.39	20.39	38.45	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	22.49	20.49	38.45	PASS
Band66	1.4MHz	16QAM	132322	3RB#0	21.59	19.59	38.45	PASS
Band66	1.4MHz	16QAM	132322	3RB#1	21.69	19.69	38.45	PASS
Band66	1.4MHz	16QAM	132322	3RB#2	21.66	19.66	38.45	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	21.07	19.07	38.45	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	22.14	20.14	38.45	PASS
Band66	1.4MHz	16QAM	132665	1RB#2	22.15	20.15	38.45	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	22.07	20.07	38.45	PASS
Band66	1.4MHz	16QAM	132665	3RB#0	22.03	20.03	38.45	PASS
Band66	1.4MHz	16QAM	132665	3RB#1	22.00	20	38.45	PASS
Band66	1.4MHz	16QAM	132665	3RB#2	22.02	20.02	38.45	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	21.26	19.26	38.45	PASS
Band66	3MHz	QPSK	131987	1RB#0	22.75	20.75	38.45	PASS
Band66	3MHz	QPSK	131987	1RB#7	22.86	20.86	38.45	PASS
Band66	3MHz	QPSK	131987	1RB#14	22.85	20.85	38.45	PASS
Band66	3MHz	QPSK	131987	8RB#0	21.77	19.77	38.45	PASS
Band66	3MHz	QPSK	131987	8RB#4	21.78	19.78	38.45	PASS
Band66	3MHz	QPSK	131987	8RB#7	21.78	19.78	38.45	PASS
Band66	3MHz	QPSK	131987	15RB#0	21.92	19.92	38.45	PASS
Band66	3MHz	QPSK	132322	1RB#0	22.83	20.83	38.45	PASS
Band66	3MHz	QPSK	132322	1RB#7	22.80	20.8	38.45	PASS
Band66	3MHz	QPSK	132322	1RB#14	22.89	20.89	38.45	PASS
Band66	3MHz	QPSK	132322	8RB#0	21.90	19.9	38.45	PASS
Band66	3MHz	QPSK	132322	8RB#4	21.90	19.9	38.45	PASS
Band66	3MHz	QPSK	132322	8RB#7	21.85	19.85	38.45	PASS
Band66	3MHz	QPSK	132322	15RB#0	21.90	19.9	38.45	PASS
Band66	3MHz	QPSK	132657	1RB#0	22.98	20.98	38.45	PASS
Band66	3MHz	QPSK	132657	1RB#7	22.99	20.99	38.45	PASS
Band66	3MHz	QPSK	132657	1RB#14	23.02	21.02	38.45	PASS
Band66	3MHz	QPSK	132657	8RB#0	22.10	20.1	38.45	PASS
Band66	3MHz	QPSK	132657	8RB#4	22.11	20.11	38.45	PASS
Band66	3MHz	QPSK	132657	8RB#7	22.11	20.11	38.45	PASS
Band66	3MHz	QPSK	132657	15RB#0	22.12	20.12	38.45	PASS
Band66	3MHz	16QAM	131987	1RB#0	21.47	19.47	38.45	PASS

Band66	3MHz	16QAM	131987	1RB#7	21.46	19.46	38.45	PASS
Band66	3MHz	16QAM	131987	1RB#14	21.41	19.41	38.45	PASS
Band66	3MHz	16QAM	131987	8RB#0	21.01	19.01	38.45	PASS
Band66	3MHz	16QAM	131987	8RB#4	21.00	19	38.45	PASS
Band66	3MHz	16QAM	131987	8RB#7	21.01	19.01	38.45	PASS
Band66	3MHz	16QAM	131987	15RB#0	20.80	18.8	38.45	PASS
Band66	3MHz	16QAM	132322	1RB#0	21.90	19.9	38.45	PASS
Band66	3MHz	16QAM	132322	1RB#7	21.93	19.93	38.45	PASS
Band66	3MHz	16QAM	132322	1RB#14	22.36	20.36	38.45	PASS
Band66	3MHz	16QAM	132322	8RB#0	21.07	19.07	38.45	PASS
Band66	3MHz	16QAM	132322	8RB#4	21.08	19.08	38.45	PASS
Band66	3MHz	16QAM	132322	8RB#7	21.13	19.13	38.45	PASS
Band66	3MHz	16QAM	132322	15RB#0	21.07	19.07	38.45	PASS
Band66	3MHz	16QAM	132657	1RB#0	21.89	19.89	38.45	PASS
Band66	3MHz	16QAM	132657	1RB#7	21.87	19.87	38.45	PASS
Band66	3MHz	16QAM	132657	1RB#14	21.87	19.87	38.45	PASS
Band66	3MHz	16QAM	132657	8RB#0	21.26	19.26	38.45	PASS
Band66	3MHz	16QAM	132657	8RB#4	21.27	19.27	38.45	PASS
Band66	3MHz	16QAM	132657	8RB#7	21.27	19.27	38.45	PASS
Band66	3MHz	16QAM	132657	15RB#0	21.10	19.1	38.45	PASS
Band66	5MHz	QPSK	131997	1RB#0	22.87	20.87	38.45	PASS
Band66	5MHz	QPSK	131997	1RB#12	22.85	20.85	38.45	PASS
Band66	5MHz	QPSK	131997	1RB#24	22.94	20.94	38.45	PASS
Band66	5MHz	QPSK	131997	12RB#0	21.80	19.8	38.45	PASS
Band66	5MHz	QPSK	131997	12RB#6	21.82	19.82	38.45	PASS
Band66	5MHz	QPSK	131997	12RB#11	21.90	19.9	38.45	PASS
Band66	5MHz	QPSK	131997	25RB#0	21.72	19.72	38.45	PASS
Band66	5MHz	QPSK	132322	1RB#0	23.06	21.06	38.45	PASS
Band66	5MHz	QPSK	132322	1RB#12	23.06	21.06	38.45	PASS
Band66	5MHz	QPSK	132322	1RB#24	22.97	20.97	38.45	PASS
Band66	5MHz	QPSK	132322	12RB#0	21.92	19.92	38.45	PASS
Band66	5MHz	QPSK	132322	12RB#6	21.87	19.87	38.45	PASS
Band66	5MHz	QPSK	132322	12RB#11	21.88	19.88	38.45	PASS
Band66	5MHz	QPSK	132322	25RB#0	21.92	19.92	38.45	PASS
Band66	5MHz	QPSK	132647	1RB#0	23.07	21.07	38.45	PASS
Band66	5MHz	QPSK	132647	1RB#12	23.07	21.07	38.45	PASS
Band66	5MHz	QPSK	132647	1RB#24	23.05	21.05	38.45	PASS
Band66	5MHz	QPSK	132647	12RB#0	22.08	20.08	38.45	PASS
Band66	5MHz	QPSK	132647	12RB#6	22.09	20.09	38.45	PASS
Band66	5MHz	QPSK	132647	12RB#11	22.10	20.1	38.45	PASS
Band66	5MHz	QPSK	132647	25RB#0	22.08	20.08	38.45	PASS
Band66	5MHz	16QAM	131997	1RB#0	21.75	19.75	38.45	PASS
Band66	5MHz	16QAM	131997	1RB#12	21.76	19.76	38.45	PASS
Band66	5MHz	16QAM	131997	1RB#24	21.78	19.78	38.45	PASS
Band66	5MHz	16QAM	131997	12RB#0	20.82	18.82	38.45	PASS
Band66	5MHz	16QAM	131997	12RB#6	20.82	18.82	38.45	PASS
Band66	5MHz	16QAM	131997	12RB#11	20.83	18.83	38.45	PASS

Band66	5MHz	16QAM	131997	25RB#0	20.79	18.79	38.45	PASS
Band66	5MHz	16QAM	132322	1RB#0	21.73	19.73	38.45	PASS
Band66	5MHz	16QAM	132322	1RB#12	21.73	19.73	38.45	PASS
Band66	5MHz	16QAM	132322	1RB#24	22.04	20.04	38.45	PASS
Band66	5MHz	16QAM	132322	12RB#0	21.00	19	38.45	PASS
Band66	5MHz	16QAM	132322	12RB#6	21.01	19.01	38.45	PASS
Band66	5MHz	16QAM	132322	12RB#11	21.02	19.02	38.45	PASS
Band66	5MHz	16QAM	132322	25RB#0	20.99	18.99	38.45	PASS
Band66	5MHz	16QAM	132647	1RB#0	21.51	19.51	38.45	PASS
Band66	5MHz	16QAM	132647	1RB#12	21.48	19.48	38.45	PASS
Band66	5MHz	16QAM	132647	1RB#24	21.45	19.45	38.45	PASS
Band66	5MHz	16QAM	132647	12RB#0	21.20	19.2	38.45	PASS
Band66	5MHz	16QAM	132647	12RB#6	21.21	19.21	38.45	PASS
Band66	5MHz	16QAM	132647	12RB#11	21.21	19.21	38.45	PASS
Band66	5MHz	16QAM	132647	25RB#0	21.31	19.31	38.45	PASS
Band66	10MHz	QPSK	132022	1RB#0	22.73	20.73	38.45	PASS
Band66	10MHz	QPSK	132022	1RB#24	22.69	20.69	38.45	PASS
Band66	10MHz	QPSK	132022	1RB#49	22.88	20.88	38.45	PASS
Band66	10MHz	QPSK	132022	25RB#0	21.76	19.76	38.45	PASS
Band66	10MHz	QPSK	132022	25RB#12	21.90	19.9	38.45	PASS
Band66	10MHz	QPSK	132022	25RB#24	21.91	19.91	38.45	PASS
Band66	10MHz	QPSK	132022	50RB#0	21.93	19.93	38.45	PASS
Band66	10MHz	QPSK	132322	1RB#0	23.04	21.04	38.45	PASS
Band66	10MHz	QPSK	132322	1RB#24	22.93	20.93	38.45	PASS
Band66	10MHz	QPSK	132322	1RB#49	23.01	21.01	38.45	PASS
Band66	10MHz	QPSK	132322	25RB#0	21.94	19.94	38.45	PASS
Band66	10MHz	QPSK	132322	25RB#12	21.90	19.9	38.45	PASS
Band66	10MHz	QPSK	132322	25RB#24	21.91	19.91	38.45	PASS
Band66	10MHz	QPSK	132322	50RB#0	21.90	19.9	38.45	PASS
Band66	10MHz	QPSK	132622	1RB#0	23.11	21.11	38.45	PASS
Band66	10MHz	QPSK	132622	1RB#24	23.10	21.1	38.45	PASS
Band66	10MHz	QPSK	132622	1RB#49	23.03	21.03	38.45	PASS
Band66	10MHz	QPSK	132622	25RB#0	22.24	20.24	38.45	PASS
Band66	10MHz	QPSK	132622	25RB#12	22.15	20.15	38.45	PASS
Band66	10MHz	QPSK	132622	25RB#24	22.09	20.09	38.45	PASS
Band66	10MHz	QPSK	132622	50RB#0	22.01	20.01	38.45	PASS
Band66	10MHz	16QAM	132022	1RB#0	21.68	19.68	38.45	PASS
Band66	10MHz	16QAM	132022	1RB#24	21.76	19.76	38.45	PASS
Band66	10MHz	16QAM	132022	1RB#49	21.88	19.88	38.45	PASS
Band66	10MHz	16QAM	132022	25RB#0	21.01	19.01	38.45	PASS
Band66	10MHz	16QAM	132022	25RB#12	21.02	19.02	38.45	PASS
Band66	10MHz	16QAM	132022	25RB#24	21.02	19.02	38.45	PASS
Band66	10MHz	16QAM	132022	50RB#0	21.04	19.04	38.45	PASS
Band66	10MHz	16QAM	132322	1RB#0	22.70	20.7	38.45	PASS
Band66	10MHz	16QAM	132322	1RB#24	22.71	20.71	38.45	PASS
Band66	10MHz	16QAM	132322	1RB#49	22.66	20.66	38.45	PASS
Band66	10MHz	16QAM	132322	25RB#0	21.05	19.05	38.45	PASS

Band66	10MHz	16QAM	132322	25RB#12	21.04	19.04	38.45	PASS
Band66	10MHz	16QAM	132322	25RB#24	21.04	19.04	38.45	PASS
Band66	10MHz	16QAM	132322	50RB#0	21.03	19.03	38.45	PASS
Band66	10MHz	16QAM	132622	1RB#0	22.19	20.19	38.45	PASS
Band66	10MHz	16QAM	132622	1RB#24	22.13	20.13	38.45	PASS
Band66	10MHz	16QAM	132622	1RB#49	22.06	20.06	38.45	PASS
Band66	10MHz	16QAM	132622	25RB#0	21.23	19.23	38.45	PASS
Band66	10MHz	16QAM	132622	25RB#12	21.24	19.24	38.45	PASS
Band66	10MHz	16QAM	132622	25RB#24	21.25	19.25	38.45	PASS
Band66	10MHz	16QAM	132622	50RB#0	21.19	19.19	38.45	PASS
Band66	15MHz	QPSK	132047	1RB#0	22.56	20.56	38.45	PASS
Band66	15MHz	QPSK	132047	1RB#37	22.72	20.72	38.45	PASS
Band66	15MHz	QPSK	132047	1RB#74	22.93	20.93	38.45	PASS
Band66	15MHz	QPSK	132047	36RB#0	21.84	19.84	38.45	PASS
Band66	15MHz	QPSK	132047	36RB#16	21.96	19.96	38.45	PASS
Band66	15MHz	QPSK	132047	36RB#35	21.97	19.97	38.45	PASS
Band66	15MHz	QPSK	132047	75RB#0	21.88	19.88	38.45	PASS
Band66	15MHz	QPSK	132322	1RB#0	23.03	21.03	38.45	PASS
Band66	15MHz	QPSK	132322	1RB#37	22.94	20.94	38.45	PASS
Band66	15MHz	QPSK	132322	1RB#74	23.07	21.07	38.45	PASS
Band66	15MHz	QPSK	132322	36RB#0	21.99	19.99	38.45	PASS
Band66	15MHz	QPSK	132322	36RB#16	21.84	19.84	38.45	PASS
Band66	15MHz	QPSK	132322	36RB#35	21.99	19.99	38.45	PASS
Band66	15MHz	QPSK	132322	75RB#0	21.90	19.9	38.45	PASS
Band66	15MHz	QPSK	132597	1RB#0	23.04	21.04	38.45	PASS
Band66	15MHz	QPSK	132597	1RB#37	23.12	21.12	38.45	PASS
Band66	15MHz	QPSK	132597	1RB#74	23.07	21.07	38.45	PASS
Band66	15MHz	QPSK	132597	36RB#0	22.28	20.28	38.45	PASS
Band66	15MHz	QPSK	132597	36RB#16	22.20	20.2	38.45	PASS
Band66	15MHz	QPSK	132597	36RB#35	22.20	20.2	38.45	PASS
Band66	15MHz	QPSK	132597	75RB#0	22.17	20.17	38.45	PASS
Band66	15MHz	16QAM	132047	1RB#0	21.90	19.9	38.45	PASS
Band66	15MHz	16QAM	132047	1RB#37	22.02	20.02	38.45	PASS
Band66	15MHz	16QAM	132047	1RB#74	22.17	20.17	38.45	PASS
Band66	15MHz	16QAM	132047	36RB#0	21.07	19.07	38.45	PASS
Band66	15MHz	16QAM	132047	36RB#16	21.05	19.05	38.45	PASS
Band66	15MHz	16QAM	132047	36RB#35	21.00	19	38.45	PASS
Band66	15MHz	16QAM	132047	75RB#0	21.09	19.09	38.45	PASS
Band66	15MHz	16QAM	132322	1RB#0	22.74	20.74	38.45	PASS
Band66	15MHz	16QAM	132322	1RB#37	22.69	20.69	38.45	PASS
Band66	15MHz	16QAM	132322	1RB#74	22.69	20.69	38.45	PASS
Band66	15MHz	16QAM	132322	36RB#0	20.91	18.91	38.45	PASS
Band66	15MHz	16QAM	132322	36RB#16	20.92	18.92	38.45	PASS
Band66	15MHz	16QAM	132322	36RB#35	20.93	18.93	38.45	PASS
Band66	15MHz	16QAM	132322	75RB#0	20.96	18.96	38.45	PASS
Band66	15MHz	16QAM	132597	1RB#0	22.13	20.13	38.45	PASS
Band66	15MHz	16QAM	132597	1RB#37	22.15	20.15	38.45	PASS

Band66	15MHz	16QAM	132597	1RB#74	22.09	20.09	38.45	PASS
Band66	15MHz	16QAM	132597	36RB#0	21.21	19.21	38.45	PASS
Band66	15MHz	16QAM	132597	36RB#16	21.21	19.21	38.45	PASS
Band66	15MHz	16QAM	132597	36RB#35	21.26	19.26	38.45	PASS
Band66	15MHz	16QAM	132597	75RB#0	21.32	19.32	38.45	PASS
Band66	20MHz	QPSK	132072	1RB#0	22.88	20.88	38.45	PASS
Band66	20MHz	QPSK	132072	1RB#49	23.00	21	38.45	PASS
Band66	20MHz	QPSK	132072	1RB#99	23.20	21.2	38.45	PASS
Band66	20MHz	QPSK	132072	50RB#0	21.80	19.8	38.45	PASS
Band66	20MHz	QPSK	132072	50RB#24	21.77	19.77	38.45	PASS
Band66	20MHz	QPSK	132072	50RB#49	21.87	19.87	38.45	PASS
Band66	20MHz	QPSK	132072	100RB#0	21.96	19.96	38.45	PASS
Band66	20MHz	QPSK	132322	1RB#0	23.14	21.14	38.45	PASS
Band66	20MHz	QPSK	132322	1RB#49	23.07	21.07	38.45	PASS
Band66	20MHz	QPSK	132322	1RB#99	23.15	21.15	38.45	PASS
Band66	20MHz	QPSK	132322	50RB#0	21.94	19.94	38.45	PASS
Band66	20MHz	QPSK	132322	50RB#24	21.95	19.95	38.45	PASS
Band66	20MHz	QPSK	132322	50RB#49	21.86	19.86	38.45	PASS
Band66	20MHz	QPSK	132322	100RB#0	21.85	19.85	38.45	PASS
Band66	20MHz	QPSK	132572	1RB#0	23.05	21.05	38.45	PASS
Band66	20MHz	QPSK	132572	1RB#49	23.18	21.18	38.45	PASS
Band66	20MHz	QPSK	132572	1RB#99	23.18	21.18	38.45	PASS
Band66	20MHz	QPSK	132572	50RB#0	22.22	20.22	38.45	PASS
Band66	20MHz	QPSK	132572	50RB#24	22.10	20.1	38.45	PASS
Band66	20MHz	QPSK	132572	50RB#49	22.10	20.1	38.45	PASS
Band66	20MHz	QPSK	132572	100RB#0	22.20	20.2	38.45	PASS
Band66	20MHz	16QAM	132072	1RB#0	21.82	19.82	38.45	PASS
Band66	20MHz	16QAM	132072	1RB#49	22.08	20.08	38.45	PASS
Band66	20MHz	16QAM	132072	1RB#99	22.13	20.13	38.45	PASS
Band66	20MHz	16QAM	132072	50RB#0	21.00	19	38.45	PASS
Band66	20MHz	16QAM	132072	50RB#24	20.97	18.97	38.45	PASS
Band66	20MHz	16QAM	132072	50RB#49	20.93	18.93	38.45	PASS
Band66	20MHz	16QAM	132072	100RB#0	20.99	18.99	38.45	PASS
Band66	20MHz	16QAM	132322	1RB#0	22.34	20.34	38.45	PASS
Band66	20MHz	16QAM	132322	1RB#49	22.23	20.23	38.45	PASS
Band66	20MHz	16QAM	132322	1RB#99	22.38	20.38	38.45	PASS
Band66	20MHz	16QAM	132322	50RB#0	21.03	19.03	38.45	PASS
Band66	20MHz	16QAM	132322	50RB#24	21.03	19.03	38.45	PASS
Band66	20MHz	16QAM	132322	50RB#49	21.02	19.02	38.45	PASS
Band66	20MHz	16QAM	132322	100RB#0	21.02	19.02	38.45	PASS
Band66	20MHz	16QAM	132572	1RB#0	21.87	19.87	38.45	PASS
Band66	20MHz	16QAM	132572	1RB#49	22.03	20.03	38.45	PASS
Band66	20MHz	16QAM	132572	1RB#99	22.00	20	38.45	PASS
Band66	20MHz	16QAM	132572	50RB#0	21.25	19.25	38.45	PASS
Band66	20MHz	16QAM	132572	50RB#24	21.20	19.2	38.45	PASS
Band66	20MHz	16QAM	132572	50RB#49	21.20	19.2	38.45	PASS
Band66	20MHz	16QAM	132572	100RB#0	21.26	19.26	38.45	PASS

Remark: $EIRP (dBm) = \text{Conducted power (dBm)} + \text{Antenna Gain (dBi)}$. (For Band 2 & 4 & 7 & 38 & 41 & 66)
 $ERP (dBm) = EIRP (dBm) - 2.15 (dB)$. (For Band 5 & 12 & 17 & 71)

-----End of report-----