

serial number	Material code	Material name	Description	Manufacturer	Part Number	location number
1	09.9863000000	CPU	SC9863A;774;FC VFBGA;13X12.6;040;BB;LTE	SPREADTRUM	SC9863A	U2100
2	09.2721G00000	PMU	PMU,SC2721G;166;FCVFBGA;5.8*6.2;040	SpreadTrum	SC2721G	U0200
3	09.3550000000	DCDC	DC2DC;0.6V ~1.23V;5A;WLCSP-20	ETA	ETA355DCSU	U0301
4	10.1815708700	SAW DPX;	SAW DPX;2450MHz;1575MHz;1.6*0.8*0.7mm	MURATA	LFD181G57DPFC087	U7200
	10.1608060620	GPS SAW DPX	Multilayer Ceramic Diplexer GPS 1.57 GHz/ISM 2.4 GHz Band 1.6x0.8x0.6 mm3	Walsin	RFDIP1608060TS6T20	
	10.1608060970	GPS SAW DPX	Multilayer Ceramic Diplexer GPS 1.57 GHz/ISM 2.4 GHz Band 1.6x0.8x0.6 mm3	WALSIN(华新科)	RFDIP1608060T97Q1C	
5	10.0202442000	WIFI SAW	WIFI SAW Filter Unbalanced IL=1.2dB 1.45*1.15*0.70mm	CETC	NDFG020-2442SA	U7204
6	10.0451580000	GPS SAW	GPS SAW Filter Unbalanced 1575 42MHz 1.15*0.95*0.65mm	CETC	NDFH045-1580SA	U7202
	10.3158110900	GPS SAW	GPS SAW Filter Unbalanced 1575 42MHz 1.15*0.95*0.65mm	CETC	NDFH003-1580SA	
7	09.0515000000	GPS LNA	GNSS,LNA,DFN-6L,1.1*0.9*0.45mm	AWINIC	AW5015DNR	U7203
8	09.3692000000	BL Driver	Series backlight drive Vfb=0.2V max=36V SOT23-6	BROADCHIP	BCT3692BEUT-TR	U1000
9	05.4010000000	Schottky	Schottky Barrier Diode;40V;0.5V/1A;SOD-323	Prisemi	PSBD3D40V1H	D1000
	05.0140S00000	Schottky	Schottky Barrier Diode;40V;0.5V/1A;SOD-323	ECORE	ECDCH0140S	
10	09.RPM6743310	RFPA	MMMB Power Amplifier Module;4.0*6.8*0.95mm	RDA	RPM6743-31	U0601
11	09.RTM7916510	RFPA	RFPA,5.5*5.3*0.8mm	RDA	RTM7916-51	U0705
12	09.3595D10000	Transceiver	SR3595D1;123;FCVFBGA;4.5*4.5;035;RF;4G	SPREADTRUM	SR3595D1	U0600
13	08.2Z26000002	Crystal	TSX;26MHZ;+/-10ppm;9pf;2.5*2.0mm	FAILONG	2Z26000002	X0600
	08.2502691T02	TSX	TSX;26MHZ;±10ppm;9.0pF;2.5*2.0*1.0mm	TKD	SXT25Y026000B91T02	
14	09.1418R00000	RF SWITCH	0.1 to 3.0 GHz SP8T Antenna Switch Small QFN (1.4 pin 2.0*2.0*0.50mm)	CanaanTek	CAN1418R	U0812
	09.1418000000	RF SWITCH	0.1 to 3.0 GHz SP8T Antenna Switch Small QFN (1.4 pin 2.0*2.0*0.50mm)	CanaanTek	CAN1418	
	09.5708SQ0000	RF SWITCH	0.1 to 3.0 GHz SP8T Antenna Switch Small QFN (1.4 pin 2.0*2.0*0.50mm)	Lansus	NZ5708SQTR1	
15	09.646EWX0000	MIPI SWITCH	4-Data Lane MIPI Switch;4.5Gbps;VCC:1.5V to 5.0V;WLCSP-20	BROADCHIP(广芯)	BCT646EWX-TR	U5101
16	09.4321000000	音频&USB切换开	USB2.0 Hi-Speed and Audio Switches,VCC Operating Range: 2.7V to 5.0V,-3dB Bandwidth: 720MHz(USB Mode) 0.5 ohm at VCC=3.6V	BROADCHIP(广芯)	BCT4321NETB-TR	U6201
17	09.3798000000	电压检测	Audio Headset Analog Switch, Input Voltage Range: 2.6V to 5.0V, WLCSP-1 2x1 2.0B	SGMICRO	SGM3798YG/TR	U6202
18	05.7232010000	Digital Transistor	P-MOSFET;-20V;-800mA;150mW;Vgs=-0.5V;SOT-723	Prisemi	PPM723T201E0	Q1600
19	05.7237030200.1	Digital Transistor	N-MOSFET;20V 180mA SOT-723;1.2*1.2*0.8MM	Prisemi	PNM723T201E0	Q1602
	05.7237030200.2	Digital Transistor	N-MOSFET;20V 180mA SOT-723;1.2*1.2*0.8MM	Prisemi	PNM723T30V01	

版本:V1.0版 20	09.63AD351232.RA0B	eMMC+LPDDR3	64GB/32Gb,LPDDR3,eMMC 5.1,1866Mbps,11.5m	SK Hynix	H9TQ52ACLTMCUR-KUM	作成日期: 2022/8/22 U0500
	09.63AD351232.RA5B	eMMC+LPDDR3	64GB/32Gb,LPDDR3,eMMC 5.1,1866Mbps,11.5m	SK Hynix	H9TQ53ACLTMCUR-KUM	
	09.63AD351232.RA1B	eMMC+LPDDR3	64GB/32Gb,LPDDR3,eMMC 5.1,1866Mbps,11.5m	SAMSUNG	KMRH60014A-B614	
	09.63AD351232.RA2B	eMMC+LPDDR3	64GB/32Gb,LPDDR3,eMMC 5.1,1866Mbps,11.5m	SAMSUNG	KMRH60014M-B614	
	09.63AD351232.RA3B	eMMC+LPDDR3	64GB/32Gb,LPDDR3,eMMC 5.1,1866Mbps,11.5m	SAMSUNG	KMRP60014M-B614	
	09.63AD351232.RA4B	eMMC+LPDDR3	64GB/32Gb,LPDDR3,eMMC 5.1,1866Mbps,11.5m	SAMSUNG	KMRC10014M-B809	
21	01.0310663020	Capacitor	CAP,X5R,10uF,±20%,6.3V,0603	SAMSUNG	CL10A106MQ8NNNC	C0516 C0505
	01.0310663020.1	Capacitor	CAP,X5R,10uF,±20%,6.3V,0603	DAKAI	D0603X5R106M6R3NT	
	01.0310663020.2	Capacitor	CAP,X5R,10uF,±20%,6.3V,0603	Eyang	C0603X5R106M6R3NTD	
	01.0310663020.3	Capacitor	CAP,X5R,10uF,±20%,6.3V,0603	MURATA	GRM188R60J106ME47D	
	01.0310663020.4	Capacitor	CAP,X5R,10uF,±20%,6.3V,0603	TAIYO	JMK107BJ106MA-T	
22	01.0222563020	Capacitor	CAP,X5R,2.2uF,±20%,6.3V,0402	SAMSUNG	CL05A225MQ5NNNC	C0506
	01.0222563020.1	Capacitor	CAP,X5R,2.2uF,±20%,6.3V,0402	Eyang	C0402X5R225M6R3NTB	
	01.0222563020.2	Capacitor	CAP,X5R,2.2uF,±20%,6.3V,0402	MURATA	GRM155R60J225ME15D	
23	01.0110563020	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	Eyang	C0201X5R105M6R3NTX	C0507 C0513 C0021
	01.0110563020.1	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	SAMSUNG	CL03A105MQ3CSN	
	01.0110563020.2	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	MURATA	GRM033R60J105MEA2J	
	01.0110563020.3	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	KYOCERA	CM03X5R105M06AH	
	01.0110563020.4	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	TAIYO	JMK063ABJ105MP-F	
24	01.0110463010	Capacitor	CAP,X5R,100nF,±10%,6.3V,0201	Eyang	C0201X5R104K6R3NTA	C0518 C0504 C0502 C0503 C0508 C0022
	01.0110463010.1	Capacitor	CAP,X5R,100nF,±10%,6.3V,0201	FENGHUA	0201X104K6R3NT	
	01.0110463010.2	Capacitor	CAP,X5R,100nF,±10%,6.3V,0201	MURATA	GRM033R60J104KE19D	

	01.0110463010.3	Capacitor	CAP,X5R,100nF,±10%,6.3V,0201	SAMSUNG	CL03A104KQ3NUNC	C0520
	01.0110463010.4	Capacitor	CAP,X5R,100nF,±10%,6.3V,0201	VIIYONG	V104K0201X5R6R3NAT	
版本:V1.0 25	02.0124120001	Resistor	RES,240Ω±1%,1/20W,0201	UniOhm	0201F2400TCE	作成日期: 2022/8/22 R0500 R0503
	02.0124120001.1	Resistor	RES,240Ω±1%,1/20W,0201	Yageo	RC0201FR-07240RL	
	02.0124120001.2	Resistor	RES,240Ω±1%,1/20W,0201	Ralec	RR0603(0201)L2400FT	
	02.0124120001.3	Resistor	RES,240Ω±1%,1/20W,0201	FENGHUA	RC-01W2410FT	
26	02.0100020005	Resistor	RES,0Ω±5%,1/20W,0201	UniOhm	0201J0000TCE	R0562 R0563
	02.0100020005.1	Resistor	RES,0Ω±5%,1/20W,0201	Yageo	RC0201JR-070RL	R0564 R0565
	02.0100020005.2	Resistor	RES,0Ω±5%,1/20W,0201	Ralec	RR0603(0201)L0ROJT	R0566 R0567
	02.0100020005.3	Resistor	RES,0Ω±5%,1/20W,0201	FENGHUA	RC-01W000JT	R0568 R0569 R0570 R0571 R0572 R0573
27	02.0200016005	Resistor	RES,0Ω±5%,1/16W,0402	UniOhm	0402J0000TCE	R0501 R0505
	02.0200016005.1	Resistor	RES,0Ω±5%,1/16W,0402	Yageo	RC0402JR-070RL	
	02.0200016005.2	Resistor	RES,0Ω±5%,1/16W,0402	Ralec	RR1005(0402)L0ROJT	
	02.0200016005.3	Resistor	RES,0Ω±5%,1/16W,0402	FENGHUA	RC-02000JT	
1	01.0322610020	Capacitor	CAP,X5R,22uF,±20%,10V,0603	Yageo	CC0603MRX5R6BB226	C0324 C0302
	01.0322610020.1	Capacitor	CAP,X5R,22uF,±20%,10V,0603	MURATA	GRM188R61A226ME15D	C0303 C0306
	01.0322610020.2	Capacitor	CAP,X5R,22uF,±20%,10V,0603	SAMSUNG	CL10A226MP8NUNC	C0319 C0741 C2202 C2200 C2217 C2262
2	01.0310663020	Capacitor	CAP,X5R,10uF,±20%,6.3V,0603	SAMSUNG	CL10A106MQ8NUNC	C0200 C0326
	01.0310663020.1	Capacitor	CAP,X5R,10uF,±20%,6.3V,0603	DAKAI	D0603X5R106M6R3NT	C0321 C0300
	01.0310663020.2	Capacitor	CAP,X5R,10uF,±20%,6.3V,0603	Eyang	C0603X5R106M6R3NTD	C0301 C0315
	01.0310663020.3	Capacitor	CAP,X5R,10uF,±20%,6.3V,0603	MURATA	GRM188R60J106ME47D	C2258 C6108
	01.0310663020.4	Capacitor	CAP,X5R,10uF,±20%,6.3V,0603	TAIYO	JMK107BJ106MA-T	C1100 C0330
3	01.0247563020	Capacitor	CAP,X5R,4.7uF,±20%,6.3V,0402	SAMSUNG	CL05A475MQ5NRNC	C0320 C0318
	01.0247563020.1	Capacitor	CAP,X5R,4.7uF,±20%,6.3V,0402	Eyang	C0402X5R475M6R3NTB	C0325 C0627
	01.0247563020.2	Capacitor	CAP,X5R,4.7uF,±20%,6.3V,0402	MURATA	GRM155R60J475ME15D	C0618 C2201 C2207 C2214 C2261 C2234
4	01.0222563020	Capacitor	CAP,X5R,2.2uF,±20%,6.3V,0402	SAMSUNG	CL05A225MQ5NUNC	C0213 C0316
	01.0222563020.1	Capacitor	CAP,X5R,2.2uF,±20%,6.3V,0402	Eyang	C0402X5R225M6R3NTB	C0604 C0622
	01.0222563020.2	Capacitor	CAP,X5R,2.2uF,±20%,6.3V,0402	MURATA	GRM155R60J225ME15D	C0623 C2265 C2264 C2255 C0205
5	01.0310550010	Capacitor	CAP,X5R,1uF,±10%,50V,0603	Yageo	CC0603KRX5R9BB105	C1007 C1005
	01.0310550010.1	Capacitor	CAP,X5R,1uF,±10%,50V,0603	DAKAI	D0603X5R105K500NT	
	01.0310550010.2	Capacitor	CAP,X5R,1uF,±10%,50V,0603	SAMSUNG	CL10A105KB8NUNC	

	01.0310550010.3	Capacitor	CAP,X5R,1uF,±10%,50V,0603	MURATA	GRM188R61A105KA12D	
	01.0310550010.4	Capacitor	CAP,X5R,1uF,±10%,50V,0603	TAIYO	UMK107BJ105KA-T	
版本:V1.0版 6	01.0110563020	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	Eyang	C0201X5R105M6R3NTX	C0204 C0203 C0312 C0640 G0605 C0616 C2203 C2208 C2238 C2236 C2256 C2216 C2232 C2242 C3122 C3116 C1020 C1002
	01.0110563020.1	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	SAMSUNG	CL03A105MQ3CSN	
	01.0110563020.2	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	MURATA	GRM033R60J105MEA2J	
	01.0110563020.3	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	KYOCERA	CM03X5R105M06AH	
	01.0110563020.4	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	TAIYO	JMK063ABJ105MP-F	
	01.0110563020.5	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	VIIYONG	V105M0201X5R6R3NXT	
7	01.0110463010	Capacitor	CAP,X5R,100nF,±10%,6.3V,0201	Eyang	C0201X5R104K6R3NTA	C0209 C0603 C0828 C2209 C2205 C2248 C2246 C2253 C2250 C2226 C2254 C2247 C2218 C2220 C2223 C2213 C2228 C2227 C2245 C2225
	01.0110463010.1	Capacitor	CAP,X5R,100nF,±10%,6.3V,0201	FENGHUA	0201X104K6R3NT	
	01.0110463010.2	Capacitor	CAP,X5R,100nF,±10%,6.3V,0201	MURATA	GRM033R60J104KE19D	
	01.0110463010.3	Capacitor	CAP,X5R,100nF,±10%,6.3V,0201	SAMSUNG	CL03A104KQ3NNNC	
	01.0110463010.4	Capacitor	CAP,X5R,100nF,±10%,6.3V,0201	VIIYONG	V104K0201X5R6R3NAT	
8	01.0110325010	Capacitor	CAP,X5R,10nF,±10%,25V,0201	Yageo	CC0201KRX5R8BB103	
	01.0110325010.1	Capacitor	CAP,X5R,10nF,±10%,25V,0201	Eyang	C0201X5R103K250NTA	
	01.0110325010.2	Capacitor	CAP,X5R,10nF,±10%,25V,0201	FENGHUA	0201X103K250NT	C0740
	01.0110325010.3	Capacitor	CAP,X5R,10nF,±10%,25V,0201	DARFON	C0603X5R103KET	
	01.0110325010.4	Capacitor	CAP,X5R,10nF,±10%,25V,0201	VIIYONG	V103K0201X5R250NAT	
9	01.0110250010	Capacitor	CAP,X7R,1.0nF,±10%,50V,0201	Yageo	CC0201KRX7R9BB102	
	01.0110250010.1	Capacitor	CAP,X7R,1.0nF,±10%,50V,0201	Eyang	C0201X7R102K500NT	C0628 C0626 C0639 C3153 C7215 C7237 C0624
	01.0110250010.2	Capacitor	CAP,X7R,1.0nF,±10%,50V,0201	FENGHUA	0201B102K500NT	
	01.0110250010.3	Capacitor	CAP,X7R,1.0nF,±10%,50V,0201	DARFON	C0603X7R102KGT	
	01.0110250010.4	Capacitor	CAP,X7R,1.0nF,±10%,50V,0201	MURATA	GRM033R71H102KA12D	
	01.0110250010.5	Capacitor	CAP,X7R,1.0nF,±10%,50V,0201	VIIYONG	V102K0201X7R500NAT	
10	01.0147150010	Capacitor	CAP,X7R,470pF,±10%,50V,0201	Yageo	CC0201KRX7R9BB471	
	01.0147150010.1	Capacitor	CAP,X7R,470pF,±10%,50V,0201	Eyang	C0201X7R471K500NTA	
	01.0147150010.2	Capacitor	CAP,X7R,470pF,±10%,50V,0201	FENGHUA	0201B471K500NT	C0738 C6102
	01.0147150010.3	Capacitor	CAP,X7R,470pF,±10%,50V,0201	MURATA	GRM033R71H471KA12D	
	01.0147150010.4	Capacitor	CAP,X7R,470pF,±10%,50V,0201	VIIYONG	V471K0201X7R500NAT	
	01.0110150005	Capacitor	CAP,NPO,100pF,±5%,50V,0201	Yageo	CC0201JRNPO9BN101	

11	01.0110150005.1	Capacitor	CAP,COG,100pF,±5%,50V,0201	Eyang	C0201COG101J500NTA	C0621 C3113 C3114 C1017 C2105
	01.0110150005.2	Capacitor	CAP,NPO,100pF,±5%,50V,0201	FENGHUA	0201CG101J500NT	
	01.0110150005.3	Capacitor	CAP,NPO,100pF,±5%,50V,0201	DARFON	C0603NPO101JGT	
	01.0110150005.4	Capacitor	CAP,NPO,100pF,±5%,50V,0201	VIIYONG	V101J0201C0G500NAT	
12	01.0147050005	Capacitor	CAP,NPO,47pF,±5%,50V,0201	Yageo	CC0201JRNPO9BN470	C0630 C0645 C0646 C0739 C0817 C3110 C3111 C0634
	01.0147050005.1	Capacitor	CAP,COG,47pF,±5%,50V,0201	Eyang	C0201COG470J500NT	
	01.0147050005.2	Capacitor	CAP,NPO,47pF,±5%,50V,0201	FENGHUA	0201CG470J500NT	
	01.0147050005.3	Capacitor	CAP,NPO,47pF,±5%,50V,0201	DARFON	C0603NPO470JGT	
	01.0147050005.4	Capacitor	CAP,NPO,47pF,±5%,50V,0201	VIIYONG	V470J0201C0G500NAT	
13	01.0139050005	Capacitor	CAP,NPO,39pF,±5%,50V,0201	Yageo	CC0201JRNPO9BN390	C7209 C7213
	01.0139050005.1	Capacitor	CAP,COG,39pF,±5%,50V,0201	Eyang	C0201COG390J500NT	
	01.0139050005.2	Capacitor	CAP,COG,39pF,±5%,50V,0201	FENGHUA	0201CG390J500NT	
	01.0139050005.3	Capacitor	CAP,NPO,39pF,±5%,50V,0201	DARFON	C0603NPO390JGT	
	01.0139050005.4	Capacitor	CAP,NPO,39pF,±5%,50V,0201	VIIYONG	V390J0201C0G500NAT	
14	01.0133050005	Capacitor	CAP,NPO,33pF,±5%,50V,0201	Yageo	CC0201JRNPO9BN330	L7204 C2
	01.0133050005.1	Capacitor	CAP,COG,33pF,±5%,50V,0201	Eyang	C0201COG330J500NTA	
	01.0133050005.2	Capacitor	CAP,COG,33pF,±5%,50V,0201	FENGHUA	0201CG330J500NT	
	01.0133050005.3	Capacitor	CAP,NPO,33pF,±5%,50V,0201	DARFON	C0603NPO330JGT	
	01.0133050005.4	Capacitor	CAP,COG,33pF,±5%,50V,0201	MURATA	GRM0335C1H330JA01D	
	01.0133050005.5	Capacitor	CAP,NPO,33pF,±5%,50V,0201	VIIYONG	V330J0201C0G500NAT	
15	01.0122050005	Capacitor	CAP,NPO,22pF,±5%,50V,0201	Yageo	CC0201JRNPO9BN220	C0688 C0735 C0742 L7229
	01.0122050005.1	Capacitor	CAP,COG,22pF,±5%,50V,0201	Eyang	C0201COG220J500NTA	
	01.0122050005.2	Capacitor	CAP,COG,22pF,±5%,50V,0201	FENGHUA	0201CG220J500NT	
	01.0122050005.3	Capacitor	CAP,NPO,22pF,±5%,50V,0201	DARFON	C0603NPO220JGT	
	01.0122050005.4	Capacitor	CAP,NPO,22pF,±5%,50V,0201	MURATA	GRM0335C1H220JA01D	
	01.0122050005.5	Capacitor	CAP,NPO,22pF,±5%,50V,0201	VIIYONG	V220J0201C0G500NAT	
	01.0112050005	Capacitor	CAP,NPO,12pF,±5%,50V,0201	Yageo	CC0201JRNPO9BN120	C0736
	01.0112050005.1	Capacitor	CAP,COG,12pF,±5%,50V,0201	Eyang	C0201COG120J500NTA	
	01.0112050005.2	Capacitor	CAP,COG,12pF,±5%,50V,0201	FENGHUA	0201CG120J500NT	
	01.0112050005.3	Capacitor	CAP,NPO,12pF,±5%,50V,0201	DARFON	C0603NPO120JGT	
	01.0112050005.4	Capacitor	CAP,NPO,12pF,±5%,50V,0201	VIIYONG	V120J0201C0G500NAT	
	01.0110050005	Capacitor	CAP,NPO,10pF,±5%,50V,0201	Yageo	CC0201JRNPO9BN100	C0643 C0629 C0625 C0638 C0607 C0602
	01.0110050005.1	Capacitor	CAP,COG,10pF,±5%,50V,0201	Eyang	C0201COG100J500NTA	

16	01.0110050005.2	Capacitor	CAP,COG,10pF,±5%,50V,0201	FENGHUA	0201CG100J500NT	C0607 C0602
	01.0110050005.3	Capacitor	CAP,NPO,10pF,±5%,50V,0201	DARFON	C0603NPO100JGT	C0617 C0615
	01.0110050005.4	Capacitor	CAP,COG,10pF,±5%,50V,0201	MURATA	GRM0335C1H100JA01D	C0620 C0746
	01.0110050005.5	Capacitor	CAP,NPO,10pF,±5%,50V,0201	VIIYONG	V100J0201C0G500NAT	C2101 C2100
版本:V1.0版 作成日期: 2022/8/22						
17	01.0103350025	Capacitor	CAP,NPO,3.3pF,±0.25pF,50V,0201	Yageo	CC0201CRNPO9BN3R3	C0781 L0611 L0606
	01.0103350025.1	Capacitor	CAP,COG,3.3pF,±0.25pF,50V,0201	Eyang	C0201COG3R3C500NTA	
	01.0103350025.2	Capacitor	CAP,COG,3.3pF,±0.25pF,50V,0201	FENGHUA	0201CG3R3C500NT	
	01.0103350025.3	Capacitor	CAP,NPO,3.3pF,±0.25pF,50V,0201	DARFON	C0603NPO339CGT	
	01.0103350025.4	Capacitor	CAP,COG,3.3pF,±0.25pF,50V,0201	MURATA	GRM0335C1H3R3CA01D	
	01.0103350025.5	Capacitor	CAP,NPO,3.3pF,±0.25pF,50V,0201	VIIYONG	V3R3C0201C0G500NAT	
18	01.0101550025	Capacitor	CAP,NPO,1.5pF,±0.25pF,50V,0201	Yageo	CC0201CRNPO8BN1R5	C2102
	01.0101550025.1	Capacitor	CAP,COG,1.5pF,±0.25pF,50V,0201	Eyang	C0201COG1R5C500NTA	
	01.0101550025.2	Capacitor	CAP,COG,1.5pF,±0.25pF,50V,0201	MURATA	GRM0335C1H1R5CA01D	
	01.0101550025.3	Capacitor	CAP,COG,1.5pF,±0.25pF,50V,0201	FENGHUA	0201CG1R5C500NT	
	01.0101550025.4	Capacitor	CAP,NPO,1.5pF,±0.25pF,50V,0201	VIIYONG	V1R5C0201C0G500NAT	
19	01.0101050025	Capacitor	CAP,NPO,1pF,±0.25pF,50V,0201	Yageo	CC0201CRNPO9BN1R0	L0600
	01.0101050025.1	Capacitor	CAP,COG,1pF,±0.25pF,50V,0201	Eyang	C0201COG1R0C500NTA	
	01.0101050025.2	Capacitor	CAP,COG,1pF,±0.25pF,50V,0201	FENGHUA	0201CG1R0C500NT	
	01.0101050025.3	Capacitor	CAP,NPO,1pF,±0.25pF,50V,0201	DARFON	C0603NPO109CGT	
	01.0101050025.4	Capacitor	CAP,COG,1pF,±0.25pF,50V,0201	MURATA	GRM0335C1H1R0CA01D	
	01.0101050025.5	Capacitor	CAP,COG,1pF,±0.25pF,50V,0201	VIIYONG	V1R0C0201C0G500NAT	
20	01.0100550025	Capacitor	CAP,NPO,0.5pF,±0.25pF,50V,0201	Yageo	CC0201CRNPO9BNR50	L0728
	01.0100550025.1	Capacitor	CAP,COG,0.5pF,±0.25pF,50V,0201	Eyang	C0201COG0R5C500NTA	
	01.0100550025.2	Capacitor	CAP,COG,0.5pF,±0.25pF,50V,0201	FENGHUA	0201CG0R5C500NT	
	01.0100550025.3	Capacitor	CAP,NPO,0.5pF,±0.25pF,50V,0201	DARFON	C0603NPO508CGT	
	01.0100550025.4	Capacitor	CAP,COG,0.5pF,±0.25pF,50V,0201	MURATA	GRM0335C1HR50CA01D	
	01.0100550025.5	Capacitor	CAP,COG,0.5pF,±0.25pF,50V,0201	VIIYONG	V0R5C0201C0G500NAT	
1	02.0247301000	NTC	RES,NTC,47K,±1%,1/16W,0402	MURATA	NCP15WB473F03RC	R0603 R6103
2	02.0110420005	Resistor	RES,100K,±5%,1/20W,0201	UniOhm	0201J0104TCE	R0310 R3102 R1604 R1606
	02.0110420005.1	Resistor	RES,100K,±5%,1/20W,0201	Yageo	RC0201JR-07100KL	
	02.0110420005.2	Resistor	RES,100K,±5%,1/20W,0201	Ralec	RR0603(0201)L104JT	
	02.0110420005.3	Resistor	RES,100K,±5%,1/20W,0201	FENGHUA	RC-01W104JT	
3	02.0110420001	Resistor	RES,100K,±1%,1/20W,0201	UniOhm	0201F1003TCE	R0609 R6116 R0611 R6206
	02.0110420001.1	Resistor	RES,100K,±1%,1/20W,0201	Yageo	RC0201FR-07100KL	
	02.0110420001.2	Resistor	RES,100K,±1%,1/20W,0201	Ralec	RR0603(0201)L1003FT	

	02.0110420001.3	Resistor	RES,100K,±1%,1/20W,0201	FENGHUA	RC-01W1003FT	
4 版本:V1.0版	02.0156320005	Resistor	RES,56K,±5%,1/20W,0201	UniOhm	0201J0563TCE	R0610 作成日期: 2022/8/22
	02.0156320005.1	Resistor	RES,56K,±5%,1/20W,0201	Yageo	RC0201JR-0756KL	
	02.0156320005.2	Resistor	RES,56K,±5%,1/20W,0201	Ralec	RR0603(0201)L563JT	
	02.0156320005.3	Resistor	RES,56K,±5%,1/20W,0201	FENGHUA	RC-01W563JT	
5	02.0156320001	Resistor	RES,56K,±1%,1/20W,0201	UniOhm	0201F5602TCE	R0608 R6114
	02.0156320001.1	Resistor	RES,56K,±1%,1/20W,0201	Yageo	RC0201FR-0756KL	
	02.0156320001.2	Resistor	RES,56K,±1%,1/20W,0201	Ralec	RR0603(0201)L5602FT	
	02.0156320001.3	Resistor	RES,56K,±1%,1/20W,0201	FENGHUA	RC-01W5602FT	
6	02.0147320001	Resistor	RES,47K,±1%,1/20W,0201	UniOhm	0201F4702TCE	R6104 R6205
	02.0147320001.1	Resistor	RES,47K,±1%,1/20W,0201	Yageo	RC0201FR-0747KL	
	02.0147320001.2	Resistor	RES,47K,±1%,1/20W,0201	Ralec	RR0603(0201)L4702FT	
7	02.0110320005	Resistor	RES,10K,±5%,1/20W,0201	UniOhm	0201J0103TCE	R0204 R0316 R0604 R3109 R0606 R0635
	02.0110320005.1	Resistor	RES,10K,±5%,1/20W,0201	Yageo	RC0201JR-0710KL	
	02.0110320005.2	Resistor	RES,10K,±5%,1/20W,0201	Ralec	RR0603(0201)L103JT	
	02.0110320005.3	Resistor	RES,10K,±5%,1/20W,0201	FENGHUA	RC-01W103JT	
8	02.0115220005	Resistor	RES,1.5K,±5%,1/20W,0201	UniOhm	0201J0152TCE	R0702 R3108
	02.0115220005.1	Resistor	RES,1.5K,±5%,1/20W,0201	Yageo	RC0201JR-071K5L	
	02.0115220005.2	Resistor	RES,1.5K,±5%,1/20W,0201	Ralec	RR0603(0201)L152JT	
	02.0115220005.3	Resistor	RES,1.5K,±5%,1/20W,0201	FENGHUA	RC-01W152JT	
9	02.0110220005	Resistor	RES,1K,±5%,1/20W,0201	UniOhm	0201J0102TCE	R0206 R3138 R3139 R3131 R3132 R6231 R6304 R6302 R6303 R6300 R6305 R10 R1303
	02.0110220005.1	Resistor	RES,1K,±5%,1/20W,0201	Yageo	RC0201JR-071KL	
	02.0110220005.2	Resistor	RES,1K,±5%,1/20W,0201	Ralec	RR0603(0201)L102JT	
	02.0110220005.3	Resistor	RES,1K,±5%,1/20W,0201	FENGHUA	RC-01W102JT	
10	02.0151120005	Resistor	RES,510Ω±5%,1/20W,0201	UniOhm	0201J0511TCE	R4110 R1002 R1003 R6105
	02.0151120005.1	Resistor	RES,510Ω±5%,1/20W,0201	Yageo	RC0201JR-07510RL	
	02.0151120005.2	Resistor	RES,510Ω±5%,1/20W,0201	Ralec	RR0603(0201)L511JT	
	02.0151120005.3	Resistor	RES,510Ω±5%,1/20W,0201	FENGHUA	RC-01W511JT	
11	02.0143120005	Resistor	RES,430Ω,±5%,1/20W,0201	UniOhm	0201J0431JTCE	R0620 R0621
	02.0143120005.1	Resistor	RES,430Ω,±5%,1/20W,0201	Yageo	RC0201JR-07430RL	
	02.0143120005.2	Resistor	RES,430Ω,±5%,1/20W,0201	Ralec	RR0603(0201)L431JT	
	02.0143120005.3	Resistor	RES,430Ω,±5%,1/20W,0201	FENGHUA	RC-01W431JT	
12	02.0124120001	Resistor	RES,240Ω±1%,1/20W,0201	UniOhm	0201F2400TCE	R2301
	02.0124120001.1	Resistor	RES,240Ω±1%,1/20W,0201	Yageo	RC0201FR-07240RL	
	02.0124120001.2	Resistor	RES,240Ω±1%,1/20W,0201	Ralec	RR0603(0201)L2400FT	

	02.0124120001.3	Resistor	RES,240Ω±1%,1/20W,0201	FENGHUA	RC-01W2400FT	
13 版本:V1.0版	02.0110120005	Resistor	RES,100Ω±5%,1/20W,0201	UniOhm	0201J0101TCE	R1010 R1013 作成日期: 2022/8/22
	02.0110120005.1	Resistor	RES,100Ω±5%,1/20W,0201	Yageo	RC0201JR-07100RL	
	02.0110120005.2	Resistor	RES,100Ω±5%,1/20W,0201	Ralec	RR0603(0201)L101JT	
	02.0110120005.3	Resistor	RES,100Ω±5%,1/20W,0201	FENGHUA	RC-01W101JT	
14	02.0151020005	Resistor	RES,51Ω±5%,1/20W,0201	UniOhm	0201J0510TCE	R2132 R2133
	02.0151020005.1	Resistor	RES,51Ω±5%,1/20W,0201	Yageo	RC0201JR-0751RL	
	02.0151020005.2	Resistor	RES,51Ω±5%,1/20W,0201	Ralec	RR0603(0201)L51OJT	
	02.0151020005.3	Resistor	RES,51Ω±5%,1/20W,0201	FENGHUA	RC-01W510JT	
15	02.0133020005	Resistor	RES,33Ω±5%,1/20W,0201	UniOhm	0201J0330TCE	R3104 R3110
	02.0133020005.1	Resistor	RES,33Ω±5%,1/20W,0201	Yageo	RC0201JR-0733RL	
	02.0133020005.2	Resistor	RES,33Ω±5%,1/20W,0201	Ralec	RR0603(0201)L33OJT	
	02.0133020005.3	Resistor	RES,33Ω±5%,1/20W,0201	FENGHUA	RC-01W330JT	
16	02.0127020005	Resistor	RES,27Ω±5%,1/20W,0201	UniOhm	0201J0270TCE	R0619
	02.0127020005.1	Resistor	RES,27Ω±5%,1/20W,0201	Yageo	RC0201JR-0727RL	
	02.0127020005.2	Resistor	RES,27Ω±5%,1/20W,0201	Ralec	RR0603(0201)L270JT	
	02.0127020005.3	Resistor	RES,27Ω±5%,1/20W,0201	FENGHUA	RC-01W270JT	
17	02.0110020005	Resistor	RES,10Ω±5%,1/20W,0201	UniOhm	0201J0100TCE	R1016 R1008
	02.0110020005.1	Resistor	RES,10Ω±5%,1/20W,0201	Yageo	RC0201JR-0710RL	R1026 R1027
	02.0110020005.2	Resistor	RES,10Ω±5%,1/20W,0201	Ralec	RR0603(0201)L100JT	R1023 R1033
	02.0110020005.3	Resistor	RES,10Ω±5%,1/20W,0201	FENGHUA	RC-01W100JT	R1017 R1021 R1024 R1025
18	02.0203316001	Resistor	RES,3.3Ω,±1%,1/16W,0402	UniOhm	0402F330KTCE	R1009
	02.0203316001.1	Resistor	RES,3.3Ω,±1%,1/16W,0402	Yageo	RC0402FR-073R30L	
	02.0203316001.2	Resistor	RES,3.3Ω,±1%,1/16W,0402	Ralec	RR1005(0402)L3R30FT	
	02.0203316001.3	Resistor	RES,3.3Ω,±1%,1/16W,0402	FENGHUA	RC-02W3R30FT	
19	02.0202216005	Resistor	RES,2.2Ω,±5%,1/16W,0402	UniOhm	0402J022JTCE	R1103 R5129
	02.0202216005.1	Resistor	RES,2.2Ω,±5%,1/16W,0402	Yageo	RC0402JR-072R2L	
	02.0202216005.2	Resistor	RES,2.2Ω,±5%,1/16W,0402	Ralec	RR1005(0402)L2R2JT	
	02.0202216005.3	Resistor	RES,2.2Ω,±5%,1/16W,0402	FENGHUA	RC-02W2R2JT	
20	02.05R0205001	Resistor	RES,0.02ohm±1%,0.5W,0805	UniOhm	MS05W2F200MT5E	R6102
	02.05R0205001.1	Resistor	RES,0.02ohm±1%,0.5W,0805	Yageo	PE0805FRE470R02Z	
21	02.0200016005	Resistor	RES,0Ω±5%,1/16W,0402	UniOhm	0402J0000TCE	FB4100 FB7201 R0631 R1004 R6322
	02.0200016005.1	Resistor	RES,0Ω±5%,1/16W,0402	Yageo	RC0402JR-070RL	
	02.0200016005.2	Resistor	RES,0Ω±5%,1/16W,0402	Ralec	RR1005(0402)L0ROJT	
	02.0200016005.3	Resistor	RES,0Ω±5%,1/16W,0402	FENGHUA	RC-02000JT	
	02.0100020005	Resistor	RES,0Ω±5%,1/20W,0201	UniOhm	0201J0000TCE	C0606 C0671 R0804 R2100

22	02.0100020005.1	Resistor	RES,0Ω±5%,1/20W,0201	Yageo	RC0201JR-070RL	R7200 R7202
	02.0100020005.2	Resistor	RES,0Ω±5%,1/20W,0201	Ralec	RR0603(0201)L0ROJT	R0205 R2210
	02.0100020005.3	Resistor	RES,0Ω±5%,1/20W,0201	FENGHUA	RC-01W000JT	R7206 R17 R2101 R3125 R5133
版本:V1.0版	02.0300010005	Resistor	RES,0Ω±5%,1/10W,0603	UniOhm	0603J0000T5E	作成日期: 2022/8/22
23	02.0300010005.1	Resistor	RES,0Ω±5%,1/10W,0603	Yageo	RC0603JR-070RL	L4103
	02.0300010005.2	Resistor	RES,0Ω±5%,1/10W,0603	Ralec	RR1608(0603)L0R0JT	
	02.0300010005.3	Resistor	RES,0Ω±5%,1/10W,0603	FENGHUA	RC-03000JT	
1	03.252010100M.3	Power Inductor	Power Inductor,10uH,20%,2.5mm*2.0mm*1.0mm	sunlord	WPN252010H100M	L1000
	03.252010100M.2	Power Inductor	Power Inductor,10uH,20%,2.5mm*2.0mm*1.0mm	TAITECH	UHP252010NF-100M	
2	03.252010R33M	Power Inductor	Power Inductor,0.33uH,±	sunlord	WPN252010HR33MTY01	L0300 L0301 L0303
	03.252010R33M.1	Power Inductor	Power Inductor,0.33uH,±	sunlord	WPN252010HR33MT	
	03.252010R33M.2	Power Inductor	Power Inductor,0.33uH,±	CLHILISI	MHCHL252010A-R33M-Q8	
	03.252010R33M.3	Power Inductor	Power Inductor,0.33uH,±	INPAQ	WIP252010P-R33ML	
3	03.2016101R0M	Power Inductor	Power Inductor,1.0uH,±	sunlord	WPN201610H1R0MT	L0302
	03.2016101R0M.1	Power Inductor	Power Inductor,1.0uH,±	CLHILISI	MHCHL201610A-1R0M-Q8	
	03.2016101R0M.2	Power Inductor	Power Inductor,1.0uH,±	INPAQ	WIP201610P-1R0ML	
4	03.2016102R2M	Power Inductor	Power Inductor,2.2uH,±	sunlord	WPN201610H2R2MT	L0308 L0304
	03.2016102R2M.1	Power Inductor	Power Inductor,2.2uH,±	CLHILISI	MHCHL201610A-2R2M-Q8	
	03.2016102R2M.2	Power Inductor	Power Inductor,2.2uH,±	INPAQ	WIP201610P-2R2ML	
	03.2016102R2M.3	Power Inductor	Power Inductor,2.2uH,±20%,2.10A,0.138ohm,201	sunlord	WPN201610M2R2MT	
5	03.0201270005	Inductor	IND Multilayer,27nH,±5%,0201	sunlord	SDCL0603Q27NJT02	L2101
	03.0201270205	Inductor	IND Multilayer,27nH,±5%,0201	FENGHUA	VHF060303HQ27NJT	
6	03.0201150005	Inductor	IND Multilayer,15nH,±5%,0201	sunlord	SDCL0603Q15NJT02	C0744
	03.0201150205	Inductor	IND Multilayer,15nH,±5%,0201	FENGHUA	VHF060303HQ15NJT	
7	03.0201120005	Inductor	IND Multilayer,12nH,±5%,0201	sunlord	SDCL0603Q12NJT02	L7205
	03.0201120205	Inductor	IND Multilayer,12nH,±5%,0201	FENGHUA	VHF060303HQ12NJT	
8	03.0201100005	Inductor	IND Multilayer,10nH,±5%,0201	sunlord	SDCL0603Q10NJT02	C0631
	03.0201100205	Inductor	IND Multilayer,10nH,±5%,0201	FENGHUA	VHF060303HQ10NJT	
	03.0201100005.1	Inductor	IND Multilayer,10nH,±5%,0201	sunlord	LQP03TN10NJ02D	
	03.0201100005.2	Inductor	IND Multilayer,10nH,±3%,0201	sunlord	LQP03TN10NH02D	
9	03.0201091005	Inductor	IND Multilayer,9.1nH,±5%,0201	sunlord	SDCL0603Q9N1JT02	L7207
	03.0201091205	Inductor	IND Multilayer,9.1nH,±5%,0201	FENGHUA	VHF060303HQ9N1JT	
10	03.0201082005	Inductor	IND Multilayer,8.2nH,±5%,0201	sunlord	SDCL0603Q8N2JT02	L7200
	03.0201082205	Inductor	IND Multilayer,8.2nH,±5%,0201	FENGHUA	VHF060303HQ8N2JT	

12	03.0201036030	Inductor	IND Multilayer,3.6nH,±0.3nH,0201	sunlord	SDCL0603Q3N6ST02	C0718 L2100
	03.0201036032	Inductor	IND Multilayer,3.6nH,±0.3nH,0201	FENGHUA	VHF060303HQ3N6ST	
13	03.0201033030	Inductor	IND Multilayer,3.3nH,±0.3nH,0201	sunlord	SDCL0603Q3N3ST02	C0633
	03.0201033032	Inductor	IND Multilayer,3.3nH,±0.3nH,0201	FENGHUA	VHF060303HQ3N3ST	
14	03.0201018030	Inductor	IND Multilayer,1.8nH,±0.3nH,0201	sunlord	SDCL0603Q1N8ST02	C0747
	03.0201018032	Inductor	IND Multilayer,1.8nH,±0.3nH,0201	FENGHUA	VHF060303HQ1N8ST	
15	03.0201015030	Inductor	IND Multilayer,1.5nH,±0.3nH,0201	sunlord	SDCL0603Q1N5ST02	R7201
	03.0201015032	Inductor	IND Multilayer,1.5nH,±0.3nH,0201	FENGHUA	VHF060303HQ1N5ST	
16	03.0201010030	Inductor	IND Multilayer,1.0nH,±0.3nH,0201	sunlord	SDCL0603Q1N0ST02	L7202
	03.0201010032	Inductor	IND Multilayer,1.0nH,±0.3nH,0201	FENGHUA	VHF060303HQ1N0ST	
1	04.0402601000	Ferrite Bead	Ferrite	佳邦	MCB1005B601FBP	FB3104 FB3102 FB3103
	04.0402601000.2	Ferrite Bead	Ferrite	Sunlord	GZ1005D601CTF	
	04.0402601000.3	Ferrite Bead	Ferrite	Sunlord	GZ1005D601TF	
	04.0402601000.4	Ferrite Bead	Ferrite	Sunlord	GZ1005U601CTF	
2	04.0402750000	Ferrite Bead	Ferrite Bead:75ohm@100MHz:250mA:0.50ohm:0402	Sunlord	GZ1005D750TF	L3101
	04.0402750000.1	Ferrite Bead	Bead, 75ohm@100MHz, ±25%, 600mA, 0. 3ohm, 0402	Sunlord	SZ1005G750TF	
	04.0402750000.2	Ferrite Bead	Bead, 75ohm@100MHz, ±25%, 600mA, 0. 3ohm, 0402	Sunlord	SZ1005K750TF	
	04.0402750000.3	Ferrite Bead	Ferrite Bead:75ohm@100MHz:250mA:0.50ohm:0402	佳邦	MCB1005H750FBP	
1	10.3922212212	Band4/B66 SAW DPX	SAW DPX,Band4 Unbalanced,1.8*1.4*0.6mm	EPCOS	B39222B1221L210	U0005
2	01.0101050025	Capacitor	CAP,NPO,1pF,±0.25pF,50V,0201	Yageo	CC0201CRNPO9BN1R0	L0026
	01.0101050025.1	Capacitor	CAP,COG,1pF,±0.25pF,50V,0201	Eyang	C0201COG1R0C500NTA	
	01.0101050025.2	Capacitor	CAP,COG,1pF,±0.25pF,50V,0201	FENGHUA	0201CG1R0C500NT	
	01.0101050025.3	Capacitor	CAP,NPO,1pF,±0.25pF,50V,0201	DARFON	C0603NPO109CGT	
	01.0101050025.4	Capacitor	CAP,COG,1pF,±0.25pF,50V,0201	MURATA	GRM0335C1H1R0CA01D	
	01.0101050025.5	Capacitor	CAP,COG,1pF,±0.25pF,50V,0201	VIIYONG	V1R0C0201C0G500NAT	
3	01.0101850025	Capacitor	CAP,NPO,1.8pF,±0.25pF,50V,0201	Yageo	CC0201CRNPO9BN1R8	C0015
	01.0101850025.1	Capacitor	CAP,C0G,1.8pF,±0.25pF,50V,0201	Eyang	C0201COG1R8C500NTA	
	01.0101850025.2	Capacitor	CAP,C0G,1.8pF,±0.25pF,50V,0201	FENGHUA	0201CG1R8C500NT	
	01.0101850025.3	Capacitor	CAP,C0G,1.8pF,±0.25pF,50V,0201	MURATA	GRM0335C1H1R8CA01D	
	01.0101850025.4	Capacitor	CAP,NPO,1.8pF,±0.25pF,50V,0201	VIIYONG	V1R8C0201C0G500NAT	

4 版本:V1.0版	01.0147050005	Capacitor	CAP,NPO,47pF,±5%,50V,0201	Yageo	CC0201JRNPO9BN470	C0016 作成日期: 2022/8/22
	01.0147050005.1	Capacitor	CAP,COG,47pF,±5%,50V,0201	Eyang	C0201COG470J500NT	
	01.0147050005.2	Capacitor	CAP,NPO,47pF,±5%,50V,0201	FENGHUA	0201CG470J500NT	
	01.0147050005.3	Capacitor	CAP,NPO,47pF,±5%,50V,0201	DARFON	C0603NPO470JGT	
	01.0147050005.4	Capacitor	CAP,NPO,47pF,±5%,50V,0201	VIIYONG	V470J0201C0G500NAT	
	03.0201020030	Inductor	IND Multilayer,2.0nH,±0.3nH,0201	sunlord	SDCL0603Q2N0ST02	L0022 C0013
	03.0201020032	Inductor	IND Multilayer,2.0nH,±0.3nH,0201	FENGHUA	VHF060303HQ2N0ST	
6	03.0201024030	Inductor	IND Multilayer,2.4nH,±0.3nH,0201	sunlord	SDCL0603Q2N4ST02	C0043
	03.0201024032	Inductor	IND Multilayer,2.4nH,±0.3nH,0201	FENGHUA	VHF060303HQ2N4ST	
7	03.0201036030	Inductor	IND Multilayer,3.6nH,±0.3nH,0201	sunlord	SDCL0603Q3N6ST02	L0024
	03.0201036032	Inductor	IND Multilayer,3.6nH,±0.3nH,0201	FENGHUA	VHF060303HQ3N6ST	
1	10.0422155000	B1+B4+B66	RX,SAW,Filter,Unbalanced,B1/B4/B66,1.15*0.95	CETC55	NDFH042-2155SA	U0808
2	01.0147050005	Capacitor	CAP,NPO,47pF,±5%,50V,0201	Yageo	CC0201JRNPO9BN470	C0835 C0836
	01.0147050005.1	Capacitor	CAP,COG,47pF,±5%,50V,0201	Eyang	C0201COG470J500NT	
	01.0147050005.2	Capacitor	CAP,NPO,47pF,±5%,50V,0201	FENGHUA	0201CG470J500NT	
	01.0147050005.3	Capacitor	CAP,NPO,47pF,±5%,50V,0201	DARFON	C0603NPO470JGT	
	01.0147050005.4	Capacitor	CAP,NPO,47pF,±5%,50V,0201	VIIYONG	V470J0201C0G500NAT	
3	03.0201056030	Inductor	IND Multilayer,5.6nH,±0.3nH,0201	sunlord	SDCL0603Q5N6ST02	C0837
	03.0201056032	Inductor	IND Multilayer,5.6nH,±0.3nH,0201	FENGHUA	VHF060303HQ5N6ST	
4	03.0201047030	Inductor	IND Multilayer,4.7nH,±0.3nH,0201	sunlord	SDCL0603Q4N7ST02	L0818
	03.0201047032	Inductor	IND Multilayer,4.7nH,±0.3nH,0201	FENGHUA	VHF060303HQ4N7ST	
24	10.B392021229	Band2 SAW	SAW DPX,Band2,1.8*1.4*0.6mm	EPCOS	B39202-B1229-P810	U0710
25	01.0122050005	Capacitor	CAP,NPO,22pF,±5%,50V,0201	Yageo	CC0201JRNPO9BN220	C0752
	01.0122050005.1	Capacitor	CAP,COG,22pF,±5%,50V,0201	Eyang	C0201COG220J500NTA	
	01.0122050005.2	Capacitor	CAP,COG,22pF,±5%,50V,0201	FENGHUA	0201CG220J500NT	
	01.0122050005.3	Capacitor	CAP,NPO,22pF,±5%,50V,0201	DARFON	C0603NPO220JGT	
	01.0122050005.4	Capacitor	CAP,NPO,22pF,±5%,50V,0201	MURATA	GRM0335C1H220JA01D	
	01.0122050005.5	Capacitor	CAP,NPO,22pF,±5%,50V,0201	VIIYONG	V220J0201C0G500NAT	
	01.0110150005	Capacitor	CAP,NPO,100pF,±5%,50V,0201	Yageo	CC0201JRNPO9BN101	

3	01.0110150005.1	Capacitor	CAP,COG,100pF,±5%,50V,0201	Eyang	C0201COG101J500NTA	C0753
	01.0110150005.2	Capacitor	CAP,NPO,100pF,±5%,50V,0201	FENGHUA	0201CG101J500NT	
	01.0110150005.3	Capacitor	CAP,NPO,100pF,±5%,50V,0201	DARFON	C0603NPO101JGT	
	01.0110150005.4	Capacitor	CAP,NPO,100pF,±5%,50V,0201	VIIYONG	V101J0201C0G500NAT	
4	03.0201015030	Inductor	IND Multilayer,1.5nH,±0.3nH,0201	sunlord	SDCL0603Q1N5ST02	C0786
	03.0201015032	Inductor	IND Multilayer,1.5nH,±0.3nH,0201	FENGHUA	VHF060303HQ1N5ST	
5	03.0201027030	Inductor	IND Multilayer,2.7nH,±0.3nH,0201	sunlord	SDCL0603Q2N7ST02	L0736 C0641 L0721
	03.0201027032	Inductor	IND Multilayer,2.7nH,±0.3nH,0201	FENGHUA	VHF060303HQ2N7ST	
	03.0201150005	Inductor	IND Multilayer,15nH,±5%,0201	sunlord	SDCL0603Q15NJT02	L0761
	03.0201150205	Inductor	IND Multilayer,15nH,±5%,0201	FENGHUA	VHF060303HQ15NJT	
1	10.3918212278	Band3 SAW DPX	SAW DPX,Band3:1.8*1.4*0.6mm	EPCOS	B39182B1227P810	U0713
2	01.0100550025	Capacitor	CAP,NPO,0.5pF,±0.25pF,50V,0201	Yageo	CC0201CRNPO9BNR50	L0604
	01.0100550025.1	Capacitor	CAP,COG,0.5pF,±0.25pF,50V,0201	Eyang	C0201COG0R5C500NTA	
	01.0100550025.2	Capacitor	CAP,COG,0.5pF,±0.25pF,50V,0201	FENGHUA	0201CG0R5C500NT	
	01.0100550025.3	Capacitor	CAP,NPO,0.5pF,±0.25pF,50V,0201	DARFON	C0603NPO508CGT	
	01.0100550025.4	Capacitor	CAP,COG,0.5pF,±0.25pF,50V,0201	MURATA	GRM0335C1HR50CA01D	
	01.0100550025.5	Capacitor	CAP,COG,0.5pF,±0.25pF,50V,0201	VIIYONG	V0R5C0201C0G500NAT	
3	01.0103050025	Capacitor	CAP,NPO,3pF,±0.25pF,50V,0201	Yageo	CC0201CRNPO9BN3R0	C0756
	01.0103050025.1	Capacitor	CAP,COG,3pF,±0.25pF,50V,0201	Eyang	C0201COG3R0C500NTA	
	01.0103050025.2	Capacitor	CAP,COG,3pF,±0.25pF,50V,0201	FENGHUA	0201CG3R0C500NT	
	01.0103050025.3	Capacitor	CAP,NPO,3pF,±0.25pF,50V,0201	DARFON	C0603NPO309CGT	
	01.0103050025.4	Capacitor	CAP,NPO,3pF,±0.25pF,50V,0201	VIIYONG	V3R0C0201C0G500NAT	
4	01.0147050005	Capacitor	CAP,NPO,47pF,±5%,50V,0201	Yageo	CC0201JRNPO9BN470	C0757
	01.0147050005.1	Capacitor	CAP,COG,47pF,±5%,50V,0201	Eyang	C0201COG470J500NT	
	01.0147050005.2	Capacitor	CAP,NPO,47pF,±5%,50V,0201	FENGHUA	0201CG470J500NT	
	01.0147050005.3	Capacitor	CAP,NPO,47pF,±5%,50V,0201	DARFON	C0603NPO470JGT	
	01.0147050005.4	Capacitor	CAP,NPO,47pF,±5%,50V,0201	VIIYONG	V470J0201C0G500NAT	
5	03.0201022030	Inductor	IND Multilayer,2.2nH,±0.3nH,0201	sunlord	SDCL0603Q2N2ST02	L0758
	03.0201022032	Inductor	IND Multilayer,2.2nH,±0.3nH,0201	FENGHUA	VHF060303HQ2N2ST	
6	03.0201015030	Inductor	IND Multilayer,1.5nH,±0.3nH,0201	sunlord	SDCL0603Q1N5ST02	C0787

0	03.0201015032	Inductor	IND Multilayer,1.5nH,±0.3nH,0201	FENGHUA	VHF060303HQ1N5ST	C0787
7	03.0201027030	Inductor	IND Multilayer,2.7nH,±0.3nH,0201	sunlord	SDCL0603Q2N7ST02	C0636 L0727
	03.0201027032	Inductor	IND Multilayer,2.7nH,±0.3nH,0201	FENGHUA	VHF060303HQ2N7ST	
1	10.1218420000	B3 RX SAW	RX SAW Filter,Unbalanced,B3,1.15*0.95*0.5mm	CETC	NDFH012-1842SA	U0825
2	01.0147050005	Capacitor	CAP,NPO,47pF,±5%,50V,0201	Yageo	CC0201JRNPO9BN470	C0805
	01.0147050005.1	Capacitor	CAP,COG,47pF,±5%,50V,0201	Eyang	C0201COG470J500NT	
	01.0147050005.2	Capacitor	CAP,NPO,47pF,±5%,50V,0201	FENGHUA	0201CG470J500NT	
	01.0147050005.3	Capacitor	CAP,NPO,47pF,±5%,50V,0201	DARFON	C0603NPO470JGT	
	01.0147050005.4	Capacitor	CAP,NPO,47pF,±5%,50V,0201	VIIYONG	V470J0201C0G500NAT	
	03.0201039030	Inductor	IND Multilayer,3.9nH,±0.3nH,0201	sunlord	SDCL0603Q3N9ST02	C0801
	03.0201039032	Inductor	IND Multilayer,3.9nH,±0.3nH,0201	FENGHUA	VHF060303HQ3N9ST	
4	03.0201047030	Inductor	IND Multilayer,4.7nH,±0.3nH,0201	sunlord	SDCL0603Q4N7ST02	C0806
	03.0201047032	Inductor	IND Multilayer,4.7nH,±0.3nH,0201	FENGHUA	VHF060303HQ4N7ST	
1	10.3988186260	Band5 SAW DPX	SAW DPX;Band5;1.8*1.4*0.6mm	EPCOS	B39881B8626P810	U0714
2	01.0147050005	Capacitor	CAP,NPO,47pF,±5%,50V,0201	Yageo	CC0201JRNPO9BN470	C0762
	01.0147050005.1	Capacitor	CAP,COG,47pF,±5%,50V,0201	Eyang	C0201COG470J500NT	
	01.0147050005.2	Capacitor	CAP,NPO,47pF,±5%,50V,0201	FENGHUA	0201CG470J500NT	
	01.0147050005.3	Capacitor	CAP,NPO,47pF,±5%,50V,0201	DARFON	C0603NPO470JGT	
	01.0147050005.4	Capacitor	CAP,NPO,47pF,±5%,50V,0201	VIIYONG	V470J0201C0G500NAT	
3	01.0108250050	Capacitor	CAP,NPO,8.2pF,±0.5pF,50V,0201	Yageo	CC0201DRNPO9BN8R2	C0637
	01.0108250050.1	Capacitor	CAP,COG,8.2pF,±0.5pF,50V,0201	Eyang	C0201COG8R2D500NT	
	01.0108250050.2	Capacitor	CAP,COG,8.2pF,±0.5pF,50V,0201	Eyang	C0201COG8R2D500NTA	
	01.0108250050.3	Capacitor	CAP,COG,8.2pF,±0.5pF,50V,0201	FENGHUA	0201CG8R2D500NT	
	01.0108250050.4	Capacitor	CAP,NPO,8.2pF,±0.5pF,50V,0201	DARFON	C0603NPO829DGT	
	01.0108250050.5	Capacitor	CAP,NPO,8.2pF,±0.5pF,50V,0201	VIIYONG	V8R2D0201C0G500NAT	
4	03.0201043030	Inductor	IND Multilayer,4.3nH,±0.3nH,0201	sunlord	SDCL0603Q4N3ST02	C0761
	03.0201043032	Inductor	IND Multilayer,4.3nH,±0.3nH,0201	FENGHUA	VHF060303HQ4N3ST	
5	03.0201082005	Inductor	IND Multilayer,8.2nH,±5%,0201	sunlord	SDCL0603Q8N2JT02	L0766
	03.0201082205	Inductor	IND Multilayer,8.2nH,±5%,0201	FENGHUA	VHF060303HQ8N2JT	
6	03.0201091005	Inductor	IND Multilayer,9.1nH,±5%,0201	sunlord	SDCL0603Q9N1JT02	L0019
	03.0201091205	Inductor	IND Multilayer,9.1nH,±5%,0201	FENGHUA	VHF060303HQ9N1JT	
7	03.0201150005	Inductor	IND Multilayer,15nH,±5%,0201	sunlord	SDCL0603Q15NJT02	U0769

7	03.0201150205	Inductor	IND Multilayer,15nH,±5%,0201	FENGHUA	VHF060303HQ15NJT	L0709
8 版本:V1.0版	03.0201180005	Inductor	IND Multilayer,18nH,±5%,0201	sunlord	SDCL0603Q18NJT02	L0767 作成日期: 2022/8/22
	03.0201180205	Inductor	IND Multilayer,18nH,±5%,0201	FENGHUA	VHF060303HQ18NJT02	
	03.0201180005.1	Inductor	IND Multilayer,18nH,±5%,0201	sunlord	LQP03TN18NJ02D	
	03.0201180005.2	Inductor	IND Multilayer,18nH,±3%,0201	sunlord	LQP03TN18NH02D	
1	10.B392712300	B7 SAW DPX	SAW DPX,Band7,1.8*1.4*0.6mm	EPCOS	B39272B1230P810	U0709
2	10.3526550000	B7 RX SAW	RX SAW Filter,Unbalanced,B7,1.15*0.95*0.5mm	CETC	NDFH035-2655SA	U0806
	10.7R11AU0000	B7 RX SAW	RX SAW Filter,Unbalanced,B7,1.15*0.95*0.5mm	频苛微	PSB7R11AU	
3	01.0101050025	Capacitor	CAP,NPO,1pF,±0.25pF,50V,0201	Yageo	CC0201CRNPO9BN1R0	L0811
	01.0101050025.1	Capacitor	CAP,COG,1pF,±0.25pF,50V,0201	Eyang	C0201COG1R0C500NTA	
	01.0101050025.2	Capacitor	CAP,COG,1pF,±0.25pF,50V,0201	FENGHUA	0201CG1R0C500NT	
	01.0101050025.3	Capacitor	CAP,NPO,1pF,±0.25pF,50V,0201	DARFON	C0603NPO109CGT	
	01.0101050025.4	Capacitor	CAP,COG,1pF,±0.25pF,50V,0201	MURATA	GRM0335C1H1R0CA01D	
	01.0101050025.5	Capacitor	CAP,COG,1pF,±0.25pF,50V,0201	VIIYONG	V1R0C0201C0G500NAT	
4	01.0101550025	Capacitor	CAP,NP0,1.5pF,±0.25pF,50V,0201	Yageo	CC0201CRNPO8BN1R5	L0712
	01.0101550025.1	Capacitor	CAP,C0G,1.5pF,±0.25pF,50V,0201	Eyang	C0201COG1R5C500NTA	
	01.0101550025.2	Capacitor	CAP,C0G,1.5pF,±0.25pF,50V,0201	MURATA	GRM0335C1H1R5CA01D	
	01.0101550025.3	Capacitor	CAP,C0G,1.5pF,±0.25pF,50V,0201	FENGHUA	0201CG1R5C500NT	
	01.0101550025.4	Capacitor	CAP,NP0,1.5pF,±0.25pF,50V,0201	VIIYONG	V1R5C0201C0G500NAT	
5	01.0108250050	Capacitor	CAP,NPO,8.2pF,±0.5pF,50V,0201	Yageo	CC0201DRNPO9BN8R2	R0706
	01.0108250050.1	Capacitor	CAP,COG,8.2pF,±0.5pF,50V,0201	Eyang	C0201COG8R2D500NT	
	01.0108250050.2	Capacitor	CAP,COG,8.2pF,±0.5pF,50V,0201	Eyang	C0201COG8R2D500NTA	
	01.0108250050.3	Capacitor	CAP,COG,8.2pF,±0.5pF,50V,0201	FENGHUA	0201CG8R2D500NT	
	01.0108250050.4	Capacitor	CAP,NPO,8.2pF,±0.5pF,50V,0201	DARFON	C0603NPO829DGT	
	01.0108250050.5	Capacitor	CAP,NPO,8.2pF,±0.5pF,50V,0201	VIIYONG	V8R2D0201C0G500NAT	
6	01.0118050005	Capacitor	CAP,NPO,18pF,±5%,50V,0201	Yageo	CC0201JRNPO9BN180	C0750
	01.0118050005.1	Capacitor	CAP,COG,18pF,±5%,50V,0201	Eyang	C0201COG180J500NTA	
	01.0118050005.2	Capacitor	CAP,COG,18pF,±5%,50V,0201	FENGHUA	0201CG180J500NT	
	01.0118050005.3	Capacitor	CAP,NPO,18pF,±5%,50V,0201	DARFON	C0603NPO180JGT	
	01.0118050005.4	Capacitor	CAP,NPO,18pF,±5%,50V,0201	MURATA	GRM0335C1H180JA01D	

	01.0118050005.5	Capacitor	CAP,NPO,18pF,±5%,50V,0201	VIIYONG	V180J0201C0G500NAT	
版本:V1.0版	01.0147050005	Capacitor	CAP,NPO,47pF,±5%,50V,0201	Yageo	CC0201JRNPO9BN470	G0751,C0822 作成日期: 2022/8/22
	01.0147050005.1	Capacitor	CAP,COG,47pF,±5%,50V,0201	Eyang	C0201COG470J500NT	
	01.0147050005.2	Capacitor	CAP,NPO,47pF,±5%,50V,0201	FENGHUA	0201CG470J500NT	
	01.0147050005.3	Capacitor	CAP,NPO,47pF,±5%,50V,0201	DARFON	C0603NPO470JGT	
	01.0147050005.4	Capacitor	CAP,NPO,47pF,±5%,50V,0201	VIIYONG	V470J0201C0G500NAT	
8	03.0201018030	Inductor	IND Multilayer,1.8nH,±0.3nH,0201	sunlord	SDCL0603Q1N8ST02	L0706
	03.0201018032	Inductor	IND Multilayer,1.8nH,±0.3nH,0201	FENGHUA	VHF060303HQ1N8ST	
9	03.0201020030	Inductor	IND Multilayer,2.0nH,±0.3nH,0201	sunlord	SDCL0603Q2N0ST02	C0632
	03.0201020032	Inductor	IND Multilayer,2.0nH,±0.3nH,0201	FENGHUA	VHF060303HQ2N0ST	
10	03.0201030030	Inductor	IND Multilayer,3.0nH,±0.3nH,0201	sunlord	SDCL0603Q3N0ST02	C0815
	03.0201030032	Inductor	IND Multilayer,3.0nH,±0.3nH,0201	FENGHUA	VHF060303HQ3N0ST	
11	03.0201024030	Inductor	IND Multilayer,2.4nH,±0.3nH,0201	sunlord	SDCL0603Q2N4ST02	C0785
	03.0201024032	Inductor	IND Multilayer,2.4nH,±0.3nH,0201	FENGHUA	VHF060303HQ2N4ST	
12	03.0201047030	Inductor	IND Multilayer,4.7nH,±0.3nH,0201	sunlord	SDCL0603Q4N7ST02	C0823
	03.0201047032	Inductor	IND Multilayer,4.7nH,±0.3nH,0201	FENGHUA	VHF060303HQ4N7ST	
13	03.0201051030	Inductor	IND Multilayer,5.1nH,±0.3nH,0201	sunlord	SDCL0603Q5N1ST02	L0757
	03.0201051032	Inductor	IND Multilayer,5.1nH,±0.3nH,0201	FENGHUA	VHF060303HQ5N1ST	
14	03.0201180005	Inductor	IND Multilayer,18nH,±5%,0201	sunlord	SDCL0603Q18NJT02	L0734
	03.0201180205	Inductor	IND Multilayer,18nH,±5%,0201	FENGHUA	VHF060303HQ18NJT02	
	03.0201180005.1	Inductor	IND Multilayer,18nH,±5%,0201	sunlord	LQP03TN18NJ02D	
	03.0201180005.2	Inductor	IND Multilayer,18nH,±3%,0201	sunlord	LQP03TN18NH02D	
1	10.3994185140	B8 SAW DPX	SAW DPX;Band8;1.8*1.4*0.6mm	EPCOS	B39941B8514P810	U0422
2	01.0101250025	Capacitor	CAP,NPO,1.2pF,±0.25pF,50V,0201	Yageo	CC0201CRNPO9BN1R2	L0457
	01.0101250025.1	Capacitor	CAP,COG,1.2pF,±0.25pF,50V,0201	Eyang	C0201COG1R2C500NTA	
	01.0101250025.2	Capacitor	CAP,COG,1.2pF,±0.25pF,50V,0201	FENGHUA	0201CG1R2C500NT	
	01.0101250025.3	Capacitor	CAP,NPO,1.2pF,±0.25pF,50V,0201	DARFON	C0603NPO129CGT	
	01.0101250025.4	Capacitor	CAP,COG,1.2pF,±0.25pF,50V,0201	MURATA	GRM0335C1H1R2CA01D	
	01.0101250025.5	Capacitor	CAP,NPO,1.2pF,±0.25pF,50V,0201	VIIYONG	V1R2C0201C0G500NAT	
	01.0102250025	Capacitor	CAP,NPO,2.2pF,±0.25pF,50V,0201	Yageo	CC0201CRNPO9BN2R2	

3	01.0102250025.1	Capacitor	CAP,C0G,2.2pF,±0.25pF,50V,0201	Eyang	C0201COG2R2C500NTA	L0458
	01.0102250025.2	Capacitor	CAP,C0G,2.2pF,±0.25pF,50V,0201	FENGHUA	0201CG2R2C500NT	
	01.0102250025.3	Capacitor	CAP,C0G,2.2pF,±0.25pF,50V,0201	MURATA	GRM0335C1H2R2CA01D	
	01.0102250025.4	Capacitor	CAP,NPO,2.2pF,±0.25pF,50V,0201	VIIYONG	V2R2C0201C0G500NAT	
版本:V1.0版 作成日期: 2022/8/22						
4	01.0112050005	Capacitor	CAP,NPO,12pF,±5%,50V,0201	Yageo	CC0201JRNPO9BN120	C0413
	01.0112050005.1	Capacitor	CAP,COG,12pF,±5%,50V,0201	Eyang	C0201COG120J500NTA	
	01.0112050005.2	Capacitor	CAP,COG,12pF,±5%,50V,0201	FENGHUA	0201CG120J500NT	
	01.0112050005.3	Capacitor	CAP,NPO,12pF,±5%,50V,0201	DARFON	C0603NPO120JGT	
	01.0112050005.4	Capacitor	CAP,NPO,12pF,±5%,50V,0201	VIIYONG	V120J0201C0G500NAT	
5	03.0201015030	Inductor	IND Multilayer,1.5nH,±0.3nH,0201	sunlord	SDCL0603Q1N5ST02	C0461
	03.0201015032	Inductor	IND Multilayer,1.5nH,±0.3nH,0201	FENGHUA	VHF060303HQ1N5ST	
6	03.0201051030	Inductor	IND Multilayer,5.1nH,±0.3nH,0201	sunlord	SDCL0603Q5N1ST02	L0456
	03.0201051032	Inductor	IND Multilayer,5.1nH,±0.3nH,0201	FENGHUA	VHF060303HQ5N1ST	
7	03.0201056030	Inductor	IND Multilayer,5.6nH,±0.3nH,0201	sunlord	SDCL0603Q5N6ST02	C0474
	03.0201056032	Inductor	IND Multilayer,5.6nH,±0.3nH,0201	FENGHUA	VHF060303HQ5N6ST	
8	03.0201091005	Inductor	IND Multilayer,9.1nH,±5%,0201	sunlord	SDCL0603Q9N1JT02	L0016
	03.0201091205	Inductor	IND Multilayer,9.1nH,±5%,0201	FENGHUA	VHF060303HQ9N1JT	
9	03.0201180005	Inductor	IND Multilayer,18nH,±5%,0201	sunlord	SDCL0603Q18NJT02	R0415
	03.0201180205	Inductor	IND Multilayer,18nH,±5%,0201	FENGHUA	VHF060303HQ18NJT02	
	03.0201180005.1	Inductor	IND Multilayer,18nH,±5%,0201	sunlord	LQP03TN18NJ02D	
	03.0201180005.2	Inductor	IND Multilayer,18nH,±3%,0201	sunlord	LQP03TN18NH02D	
1	02.0100020005	Resistor	RES,0Ω±5%,1/20W,0201	UniOhm	0201J0000TCE	R6003
	02.0100020005.1	Resistor	RES,0Ω±5%,1/20W,0201	Yageo	RC0201JR-070RL	
	02.0100020005.2	Resistor	RES,0Ω±5%,1/20W,0201	Ralec	RR0603(0201)L0ROJT	
	02.0100020005.3	Resistor	RES,0Ω±5%,1/20W,0201	FENGHUA	RC-01W000JT	
2	01.0222563020	Capacitor	CAP,X5R,2.2uF,±20%,6.3V,0402	SAMSUNG	CL05A225MQ5NNNC	C500
	01.0222563020.1	Capacitor	CAP,X5R,2.2uF,±20%,6.3V,0402	Eyang	C0402X5R225M6R3NTB	
	01.0222563020.2	Capacitor	CAP,X5R,2.2uF,±20%,6.3V,0402	MURATA	GRM155R60J225ME15D	
1	05.3N4V8UA000	EOS	ESD protector;Bi--	Prisemi	PTVSHC3N4V8UA	U4

1	05.5V032N1000	TVS	双向TVS;0.2pF;DFN1006-2;(1.0*0.6*0.5mm)	晶岳	SSCE5V032N1	TVS3125
2	05.5V042N1000	TVS	TVS;Bi-directional;5.0V;15pF;DFN1006-2L	晶岳	SSCE5V042N1	T18 T19 T20 T21
1	09.6937CSU000	OTG&Charger	Switching Charger IC;Integrated OTG Boost CHG, 12V/3A; 预充500mA; OTG:1A;	ETA	ETA6937CSU	U6104
2	03.2520101R0M	Power Inductor	Power Inductor,1.0uH,±	sunlord	SWPA252010S1R0NT	L6100
	03.2520101R0M.1	Power Inductor	Power Inductor,1.0uH,±	sunlord	SPH252010H1R0MT	
	03.2520101R0M.2	Power Inductor	Power Inductor,1.0uH,±	sunlord	WPN252010H1R0MT	
	03.2520101R0M.3	Power Inductor	Power Inductor,1.0uH ±20% Is=3.5	CLHILISI	MHCHL252010F-1R0M-Q8	
	03.2520101R0M.4	Power Inductor	Power Inductor,1.0uH ±20% Is=3.5	TAITECH	UHP252010NF-1R0M	
3	02.0100020005	Resistor	RES,0Ω±5%,1/20W,0201	UniOhm	0201J0000TCE	R6109
	02.0100020005.1	Resistor	RES,0Ω±5%,1/20W,0201	Yageo	RC0201JR-070RL	
	02.0100020005.2	Resistor	RES,0Ω±5%,1/20W,0201	Ralec	RR0603(0201)L0ROJT	
	02.0100020005.3	Resistor	RES,0Ω±5%,1/20W,0201	FENGHUA	RC-01W000JT	
4	02.05R0368001	Resistor	RES,0.036Ω±1%,1/8W,0805	UniOhm	0805F360MT5E	R6107
	02.05R0368001.1	Resistor	RES,0.036Ω±1%,1/8W,0805	Yageo	RL0805FR-07R036L	
	02.05R0368001.2	Resistor	RES,0.036Ω±1%,1/8W,0805	Ralec	RR(2012)0805LR036FT	
5	02.0110120005	Resistor	RES,100Ω±5%,1/20W,0201	UniOhm	0201J0101TCE	R0306
	02.0110120005.1	Resistor	RES,100Ω±5%,1/20W,0201	Yageo	RC0201JR-07100RL	
	02.0110120005.2	Resistor	RES,100Ω±5%,1/20W,0201	Ralec	RR0603(0201)L101JT	
	02.0110120005.3	Resistor	RES,100Ω±5%,1/20W,0201	FENGHUA	RC-01W101JT	
6	02.0110320005	Resistor	RES,10K,±5%,1/20W,0201	UniOhm	0201J0103TCE	R6122 R6123
	02.0110320005.1	Resistor	RES,10K,±5%,1/20W,0201	Yageo	RC0201JR-0710KL	
	02.0110320005.2	Resistor	RES,10K,±5%,1/20W,0201	Ralec	RR0603(0201)L103JT	
	02.0110320005.3	Resistor	RES,10K,±5%,1/20W,0201	FENGHUA	RC-01W103JT	
7	01.0110150005	Capacitor	CAP,NPO,100pF,±5%,50V,0201	Yageo	CC0201JRNPO9BN101	C6119
	01.0110150005.1	Capacitor	CAP,COG,100pF,±5%,50V,0201	Eyang	C0201COG101J500NTA	
	01.0110150005.2	Capacitor	CAP,NPO,100pF,±5%,50V,0201	FENGHUA	0201CG101J500NT	
	01.0110150005.3	Capacitor	CAP,NPO,100pF,±5%,50V,0201	DARFON	C0603NPO101JGT	
	01.0110150005.4	Capacitor	CAP,NPO,100pF,±5%,50V,0201	VIIYONG	V101J0201COG500NAT	
8	01.0133363010	Capacitor	CAP,X5R,33nF,±10%,6.3V,0201	FENGHUA	0201X333K6R3NT	C6116
	01.0133363010.1	Capacitor	CAP,X5R,33nF,±10%,6.3V,0201	SAMSUNG	CL03A333KQ3NNNC	
	01.0133363010.2	Capacitor	CAP,X5R,33nF,±10%,6.3V,0201	MURATA	GRM033R60J333KE01D	
	01.0133363010.3	Capacitor	CAP,X5R,33nF,±10%,6.3V,0201	TAIYO	JMK063BJ333KP-F	

9	01.0110463010	Capacitor	CAP,X5R,100nF,±10%,6.3V,0201	Eyang	C0201X5R104K6R3NTA	C6109 C6111 作成日期: 2022/8/22
	01.0110463010.1	Capacitor	CAP,X5R,100nF,±10%,6.3V,0201	FENGHUA	0201X104K6R3NT	
	01.0110463010.2	Capacitor	CAP,X5R,100nF,±10%,6.3V,0201	MURATA	GRM033R60J104KE19D	
	01.0110463010.3	Capacitor	CAP,X5R,100nF,±10%,6.3V,0201	SAMSUNG	CL03A104KQ3NNNC	
	01.0110463010.4	Capacitor	CAP,X5R,100nF,±10%,6.3V,0201	VIIYONG	V104K0201X5R6R3NAT	
10	01.0310550010	Capacitor	CAP,X5R,1uF,±10%,50V,0603	Yageo	CC0603KRX5R9BB105	C6113
	01.0310550010.1	Capacitor	CAP,X5R,1uF,±10%,50V,0603	DAKAI	D0603X5R105K500NT	
	01.0310550010.2	Capacitor	CAP,X5R,1uF,±10%,50V,0603	SAMSUNG	CL10A105KB8NNNC	
	01.0310550010.3	Capacitor	CAP,X5R,1uF,±10%,50V,0603	MURATA	GRM188R61A105KA12D	
	01.0310550010.4	Capacitor	CAP,X5R,1uF,±10%,50V,0603	TAIYO	UMK107BJ105KA-T	
11	01.0110516020	Capacitor	CAP,X5R,1uF,±20%,16V,0201	Eyang	C0201X5R105M160NT	C6112
	01.0110516020.1	Capacitor	CAP,X5R,1uF,±20%,16V,0201	SAMSUNG	CL03A105MO3CSNH	
	01.0110516020.2	Capacitor	CAP,X5R,1uF,±20%,16V,0201	MURATA	GRM033R61C105MEA2D	
12	01.0310663020	Capacitor	CAP,X5R,10uF,±20%,6.3V,0603	SAMSUNG	CL10A106MQ8NNNC	C6101
	01.0310663020.1	Capacitor	CAP,X5R,10uF,±20%,6.3V,0603	DAKAI	D0603X5R106M6R3NT	
	01.0310663020.2	Capacitor	CAP,X5R,10uF,±20%,6.3V,0603	Eyang	C0603X5R106M6R3NTD	
	01.0310663020.3	Capacitor	CAP,X5R,10uF,±20%,6.3V,0603	MURATA	GRM188R60J106ME47D	
	01.0310663020.4	Capacitor	CAP,X5R,10uF,±20%,6.3V,0603	TAIYO	JMK107BJ106MA-T	
1	02.0100020005	Resistor	RES,0Ω±5%,1/20W,0201	UniOhm	0201J0000TCE	R5002 R5001
	02.0100020005.1	Resistor	RES,0Ω±5%,1/20W,0201	Yageo	RC0201JR-070RL	
	02.0100020005.2	Resistor	RES,0Ω±5%,1/20W,0201	Ralec	RR0603(0201)L0ROJT	
	02.0100020005.3	Resistor	RES,0Ω±5%,1/20W,0201	FENGHUA	RC-01W000JT	
2	06.0802200240	rear flash shrapnel	L2. 4*W1. 0*H2. 2	伟硕	CR-0220-0240	ANT10 ANT11
1	09.0850S00000	3D	Digital Output 3-axis MEMS Accelerometer;±2g/±4g/±8g/±16g;2mm*2mm*1.0mm LGA Package	矽创	STK8BA50-S	U5200
	09.2182209000	3D	Digital Output 3-axis MEMS Accelerometer;±2g/±4g/±8g/±16g;2mm*2mm*0.9mm LGA-12	明皐	DA218-B	
2	02.0100020005	Resistor	RES,0Ω±5%,1/20W,0201	UniOhm	0201J0000TCE	R5204
	02.0100020005.1	Resistor	RES,0Ω±5%,1/20W,0201	Yageo	RC0201JR-070RL	
	02.0100020005.2	Resistor	RES,0Ω±5%,1/20W,0201	Ralec	RR0603(0201)L0ROJT	

	02.0100020005.3	Resistor	RES,0Ω±5%,1/20W,0201	FENGHUA	RC-01W000JT	
版本:V1.0 3	01.0110563020	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	Eyang	C0201X5R105M6R3NTX	作成日期: 2022/8/22 C5208 C1202
	01.0110563020.1	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	SAMSUNG	CL03A105MQ3CSN	
	01.0110563020.2	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	MURATA	GRM033R60J105ME42	
	01.0110563020.3	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	KYOCERA	CM03X5R105M06AH	
	01.0110563020.4	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	TAIYO	JMK063ABJ105MP-F	
	01.0110563020.5	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	VIIYONG	V105M0201X5R6R3NXT	
1	02.0100020005	Resistor	RES,0Ω±5%,1/20W,0201	UniOhm	0201J0000TCE	R3111 R3112
	02.0100020005.1	Resistor	RES,0Ω±5%,1/20W,0201	Yageo	RC0201JR-070RL	
	02.0100020005.2	Resistor	RES,0Ω±5%,1/20W,0201	Ralec	RR0603(0201)L0ROJT	
	02.0100020005.3	Resistor	RES,0Ω±5%,1/20W,0201	FENGHUA	RC-01W000JT	
2	01.0147050005	Capacitor	CAP,NPO,47pF,±5%,50V,0201	Yageo	CC0201JRNPO9BN470	C3127 C3128
	01.0147050005.1	Capacitor	CAP,COG,47pF,±5%,50V,0201	Eyang	C0201COG470J500NT	
	01.0147050005.2	Capacitor	CAP,NPO,47pF,±5%,50V,0201	FENGHUA	0201CG470J500NT	
	01.0147050005.3	Capacitor	CAP,NPO,47pF,±5%,50V,0201	DARFON	C0603NPO470JGT	
	01.0147050005.4	Capacitor	CAP,NPO,47pF,±5%,50V,0201	VIIYONG	V470J0201C0G500NAT	
1	04.040205U601	Ferrite Bead	Ferrite Bead;600@;500mA;0.35ohm;0402	FENGHUA	CBM100505U601T	R3142 R3143
2	01.0110250010	Capacitor	CAP,X7R,1.0nF,±10%,50V,0201	Yageo	CC0201KRX7R9BB102	C17 C18
	01.0110250010.1	Capacitor	CAP,X7R,1.0nF,±10%,50V,0201	Eyang	C0201X7R102K500NT	
	01.0110250010.2	Capacitor	CAP,X7R,1.0nF,±10%,50V,0201	FENGHUA	0201B102K500NT	
	01.0110250010.3	Capacitor	CAP,X7R,1.0nF,±10%,50V,0201	DARFON	C0603X7R102KGT	
	01.0110250010.4	Capacitor	CAP,X7R,1.0nF,±10%,50V,0201	MURATA	GRM033R71H102KA12D	
	01.0110250010.5	Capacitor	CAP,X7R,1.0nF,±10%,50V,0201	VIIYONG	V102K0201X7R500NAT	
1	02.0100020005	Resistor	RES,0Ω±5%,1/20W,0201	UniOhm	0201J0000TCE	R6400
	02.0100020005.1	Resistor	RES,0Ω±5%,1/20W,0201	Yageo	RC0201JR-070RL	
	02.0100020005.2	Resistor	RES,0Ω±5%,1/20W,0201	Ralec	RR0603(0201)L0ROJT	
	02.0100020005.3	Resistor	RES,0Ω±5%,1/20W,0201	FENGHUA	RC-01W000JT	
2	02.0200016005	Resistor	RES,0Ω±5%,1/16W,0402	UniOhm	0402J0000TCE	R6403
	02.0200016005.1	Resistor	RES,0Ω±5%,1/16W,0402	Yageo	RC0402JR-070RL	
	02.0200016005.2	Resistor	RES,0Ω±5%,1/16W,0402	Ralec	RR1005(0402)L0ROJT	

	02.0200016005.3	Resistor	RES,0Ω±5%,1/16W,0402	FENGHUA	RC-02000JT	
2	09.2036ELS280	LDO	LDO;Vout=2.8 V ± 2.5%;300mA;UTDFN-1x1-4L;	BROADCHIP	BCT2036ELS28-TR	U5004
3 版本:V1.0版	02.0147320001	Resistor	RES,47K,±1%,1/20W,0201	UniOhm	0201F4702TCE	R5515 作成日期: 2022/8/22
	02.0147320001.1	Resistor	RES,47K,±1%,1/20W,0201	Yageo	RC0201FR-0747KL	
	02.0147320001.2	Resistor	RES,47K,±1%,1/20W,0201	Ralec	RR0603(0201)L4702FT	
4	01.0110563020	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	Eyang	C0201X5R105M6R3NTX	C5548 C5549
	01.0110563020.1	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	SAMSUNG	CL03A105MQ3CSN	
	01.0110563020.2	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	MURATA	GRM033R60J105MEA2J	
	01.0110563020.3	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	KYOCERA	CM03X5R105M06AH	
	01.0110563020.4	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	TAIYO	JMK063ABJ105MP-F	
	01.0110563020.5	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	VIIYONG	V105M0201X5R6R3NXT	
1	09.2036ELS120	LDO	LDO;Vout=1.2 V ± 2.5%;300mA;UTDFN-1x1-4L;	BROADCHIP	BCT2036ELS12-TR	U5001
2	09.2036ELS280	LDO	LDO;Vout=2.8 V ± 2.5%;300mA;UTDFN-1x1-4L;	BROADCHIP	BCT2036ELS28-TR	U5003
3	02.0147320001	Resistor	RES,47K,±1%,1/20W,0201	UniOhm	0201F4702TCE	R5511 R5514
	02.0147320001.1	Resistor	RES,47K,±1%,1/20W,0201	Yageo	RC0201FR-0747KL	
	02.0147320001.2	Resistor	RES,47K,±1%,1/20W,0201	Ralec	RR0603(0201)L4702FT	
4	01.0110563020	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	Eyang	C0201X5R105M6R3NTX	C5544 C5545 C5546 C5547
	01.0110563020.1	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	SAMSUNG	CL03A105MQ3CSN	
	01.0110563020.2	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	MURATA	GRM033R60J105MEA2J	
	01.0110563020.3	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	KYOCERA	CM03X5R105M06AH	
	01.0110563020.4	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	TAIYO	JMK063ABJ105MP-F	
	01.0110563020.5	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	VIIYONG	V105M0201X5R6R3NXT	
1	06.062574024F	24PIN BTB	Board-to-board connector, 24pin female, 0.4 pitch, 0.8H	讯凯	WB2574024F	J202
2	02.0100020005	Resistor	RES,0Ω±5%,1/20W,0201	UniOhm	0201J0000TCE	R5111 R5522 R5523
	02.0100020005.1	Resistor	RES,0Ω±5%,1/20W,0201	Yageo	RC0201JR-070RL	
	02.0100020005.2	Resistor	RES,0Ω±5%,1/20W,0201	Ralec	RR0603(0201)L0ROJT	
	02.0100020005.3	Resistor	RES,0Ω±5%,1/20W,0201	FENGHUA	RC-01W000JT	
3	01.0110463010	Capacitor	CAP,X5R,100nF,±10%,6.3V,0201	Eyang	C0201X5R104K6R3NTA	C5000 C5134 C1123
	01.0110463010.1	Capacitor	CAP,X5R,100nF,±10%,6.3V,0201	FENGHUA	0201X104K6R3NT	
	01.0110463010.2	Capacitor	CAP,X5R,100nF,±10%,6.3V,0201	MURATA	GRM033R60J104KE19D	

	01.0110463010.3	Capacitor	CAP,X5R,100nF,±10%,6.3V,0201	SAMSUNG	CL03A104KQ3NNNC	
	01.0110463010.4	Capacitor	CAP,X5R,100nF,±10%,6.3V,0201	VIIYONG	V104K0201X5R6R3NAT	
版本:V1.0版 4	01.0110563020	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	Eyang	C0201X5R105M6R3NTX	作成日期: 2022/8/22 C827
	01.0110563020.1	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	SAMSUNG	CL03A105MQ3CSN	
	01.0110563020.2	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	MURATA	GRM033R60J105MEA2J	
	01.0110563020.3	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	KYOCERA	CM03X5R105M06AH	
	01.0110563020.4	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	TAIYO	JMK063ABJ105MP-F	
	01.0110563020.5	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	VIIYONG	V105M0201X5R6R3NXT	
5	01.0247563020	Capacitor	CAP,X5R,4.7uF,±20%,6.3V,0402	SAMSUNG	CL05A475MQ5NRNC	C826 C5133 C1122
	01.0247563020.1	Capacitor	CAP,X5R,4.7uF,±20%,6.3V,0402	Eyang	C0402X5R475M6R3NTB	
	01.0247563020.2	Capacitor	CAP,X5R,4.7uF,±20%,6.3V,0402	MURATA	GRM155R60J475ME15D	
1	06.0630221115	Rear camera macro connector	Front lock 21pin, 0.3 pitch, 0.2 cable ZIF connector	亚奇	OK-F302-21115	J203
2	02.0100020005	Resistor	RES,0Ω±5%,1/20W,0201	UniOhm	0201J0000TCE	R5543 R5541
	02.0100020005.1	Resistor	RES,0Ω±5%,1/20W,0201	Yageo	RC0201JR-070RL	
	02.0100020005.2	Resistor	RES,0Ω±5%,1/20W,0201	Ralec	RR0603(0201)L0ROJT	
	02.0100020005.3	Resistor	RES,0Ω±5%,1/20W,0201	FENGHUA	RC-01W000JT	
3	01.0110563020	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	Eyang	C0201X5R105M6R3NTX	C5540 C5568 C5565
	01.0110563020.1	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	SAMSUNG	CL03A105MQ3CSN	
	01.0110563020.2	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	MURATA	GRM033R60J105MEA2J	
	01.0110563020.3	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	KYOCERA	CM03X5R105M06AH	
	01.0110563020.4	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	TAIYO	JMK063ABJ105MP-F	
	01.0110563020.5	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	VIIYONG	V105M0201X5R6R3NXT	
4	01.0247563020	Capacitor	CAP,X5R,4.7uF,±20%,6.3V,0402	SAMSUNG	CL05A475MQ5NRNC	C5567
	01.0247563020.1	Capacitor	CAP,X5R,4.7uF,±20%,6.3V,0402	Eyang	C0402X5R475M6R3NTB	
	01.0247563020.2	Capacitor	CAP,X5R,4.7uF,±20%,6.3V,0402	MURATA	GRM155R60J475ME15D	
1	06.0195009500	SIM card holder	Three choose two (dual Nano Sim card + TF card)	伟硕	SM95-CR00AB-95	CON88
2	06.0801500310	Diversity Antenna Shrapnel	L3.1*W1.0*H1.5 Half Gold	伟硕	CR-0150-0310	ANT0802 ANT0803

3	06.0801500310	GPS antenna shrapnel	L3.1*W1.0*H1.5 Half Gold	伟硕	CR-0150-0310	ANT2 ANT3
4	06.0635006040.1	BTB battery con	Board-to-board connector, 6pin female, 0.8 p	亚奇	OK-35GF006-04	J6101
5	06.0606080060.3	6PIN side key holder	Rear lock 6pin, 0.5 pitch, 0.3 cable ZIF connector	亚奇	OK-F501-06325	J6301
6	06.062574024F	24PIN Proactive BTB	Board-to-board connector, 24pin female, 0.4 pitch, 0.8H	讯凯	WB2574024F	J800
7	06.062574030F	30PIN rear camera BTB	Board-to-board connector, 30pin female, 0.4 pitch, 0.8H	讯凯	WB2574030F	J201
8	06.063563544F	44PIN BTB FPC	Board-to-board connector, 44pin female, 0.35	讯凯	WB3563544F	J6201
9	06.0606080390.2	39PIN_screen connector	Front lock 39pin, 0.3 pitch, 0.2 cable ZIF connector	亚奇	OK-F302-39115	J200
10	06.0681801199	RF test socket	Three generations of RF test sockets, 2*2*0.9H	讯达通	ECT818011998	J0703
11	06.0606080500	copper axis seat	Fourth generation RF coaxial seat, 2*2*0.6H	讯达通	ECT818000500	J0402
12	06.09J53563A1	BB1 shield	BB1 shielding cover coated with insulating g	捷昂	J535-9863-BB1-Y	J100
13	06.09J53563A2	BB2 shield	BB2 shielding cover coated with insulating g	捷昂	J535-9863-BB2-Y	/
14	06.09J53563A8	RF1 shield	RF1 shielding cover, 30.9*20.1*1.3, tinplate	捷昂	J535-9863-RF1-M	J101
15	06.09J5356303	RF2 shield	RF2 shielding cover, 31.3*18.7*1.3, stainless	捷昂	J535-9863-RF2-M	/
16	06.09J53563A4	EF1 shield	EF1 shielding cover coated with insulating g	捷昂	J535-9863-EF1-Y	J103
17	06.09J53563A5	EF2 shield	EF2 shielding cover coated with insulating g	捷昂	J535-9863-EF2-Y	/
18	06.09J5356301	GPS shield	GPS shielding cover, 15.3*9.5*1.45, tinplate	捷昂	J535-9863-GPS-M	J102
19	06.09J5356302	NFC shield	NFC shielding cover, 10.2*8.7*1.25, tinplate	捷昂	J535-9863-NFC-M	J104
20	07.J53563D3E3.1	PCB	J535_63AMB_D3EFT_V1.0, 1 fight 6, 10 layers	科翔	J535_63AMB_D3EFT_V1.0_20220601CA-制板文件	
1	02.0100020005	Resistor	RES,0Ω±5%,1/20W,0201	UniOhm	0201J0000TCE	R7411 R7413 R7414 R7415
	02.0100020005.1	Resistor	RES,0Ω±5%,1/20W,0201	Yageo	RC0201JR-070RL	
	02.0100020005.2	Resistor	RES,0Ω±5%,1/20W,0201	Ralec	RR0603(0201)L0ROJT	
	02.0100020005.3	Resistor	RES,0Ω±5%,1/20W,0201	FENGHUA	RC-01W000JT	
2	02.0200016005	Resistor	RES,0Ω±5%,1/16W,0402	UniOhm	0402J0000TCE	B7402 B7403
	02.0200016005.1	Resistor	RES,0Ω±5%,1/16W,0402	Yageo	RC0402JR-070RL	
	02.0200016005.2	Resistor	RES,0Ω±5%,1/16W,0402	Ralec	RR1005(0402)L0ROJT	
	02.0200016005.3	Resistor	RES,0Ω±5%,1/16W,0402	FENGHUA	RC-02000JT	
	01.0133050005	Capacitor	CAP,NPO,33pF,±5%,50V,0201	Yageo	CC0201JRNPO9BN330	
	01.0133050005.1	Capacitor	CAP,COG,33pF,±5%,50V,0201	Eyang	C0201COG330J500NTA	

3	01.0133050005.2	Capacitor	CAP,COG,33pF,±5%,50V,0201	FENGHUA	0201CG330J500NT	C7403 C7404 C7405 C7406 作成日期: 2022/8/22
	01.0133050005.3	Capacitor	CAP,NPO,33pF,±5%,50V,0201	DARFON	C0603NPO330JGT	
	01.0133050005.4	Capacitor	CAP,COG,33pF,±5%,50V,0201	MURATA	GRM0335C1H330JA01D	
	01.0133050005.5	Capacitor	CAP,NPO,33pF,±5%,50V,0201	VIIYONG	V330J0201C0G500NAT	
4	01.0310550010	Capacitor	CAP,X5R,1uF,±10%,50V,0603	Yageo	CC0603KRX5R9BB105	C7401
	01.0310550010.1	Capacitor	CAP,X5R,1uF,±10%,50V,0603	DAKAI	D0603X5R105K500NT	
	01.0310550010.2	Capacitor	CAP,X5R,1uF,±10%,50V,0603	SAMSUNG	CL10A105KB8NNNC	
	01.0310550010.3	Capacitor	CAP,X5R,1uF,±10%,50V,0603	MURATA	GRM188R61A105KA12D	
	01.0310550010.4	Capacitor	CAP,X5R,1uF,±10%,50V,0603	TAIYO	UMK107BJ105KA-T	
5	01.0222563020	Capacitor	CAP,X5R,2.2uF,±20%,6.3V,0402	SAMSUNG	CL05A225MQ5NNNC	C7407
	01.0222563020.1	Capacitor	CAP,X5R,2.2uF,±20%,6.3V,0402	Eyang	C0402X5R225M6R3NTB	
	01.0222563020.2	Capacitor	CAP,X5R,2.2uF,±20%,6.3V,0402	MURATA	GRM155R60J225ME15D	
6	04.0402102200	Ferrite Bead	0402,1000ohm/100MHZ,+/-25%,200mA,DCR=0.9Ω	Sunlord	SZ1005K102CTF	R7407 R7408
	04.0402102000	Ferrite Bead	BEAD;1000ohm,150mA;1.2ohm;0402	佳邦	MCB1005B102EBP	
	04.0402102000.2	Ferrite Bead	BEAD;1000ohm,150mA;1.2ohm;0402	Sunlord	GZ1005D102TF	
	04.0402102000.3	Ferrite Bead	BEAD;1000ohm,150mA;1.2ohm;0402	Sunlord	GZ1005D102CTF	
	04.0402102000.4	Ferrite Bead	BEAD;1000ohm,150mA;1.2ohm;0402	Sunlord	GZ1005U102CTF	
7	04.0402750000	Ferrite Bead	Ferrite Bead:75ohm@100MHz:250mA:0.50ohm:0402	Sunlord	GZ1005D750TF	R7409 R7410
	04.0402750000.1	Ferrite Bead	Bead, 75ohm@100MHz, ±25%, 600mA, 0. 3ohm, 0402	Sunlord	SZ1005G750TF	
	04.0402750000.2	Ferrite Bead	Bead, 75ohm@100MHz, ±25%, 600mA, 0. 3ohm, 0402	Sunlord	SZ1005K750TF	
	04.0402750000.3	Ferrite Bead	Ferrite Bead:75ohm@100MHz:250mA:0.50ohm:0402	Jiabang	MCB1005H750FBP	
1	02.0500008005	Resistor	RES,0Ω±5%,1/8W,0805	UniOhm	0805J0000T5E	R7401
	02.0500008005.1	Resistor	RES,0Ω±5%,1/8W,0805	Yageo	RC0805JR-070RL	
	02.0500008005.2	Resistor	RES,0Ω±5%,1/8W,0805	Ralec	RR2012(0805)L0R0JT	

	02.0500008005.3	Resistor	RES,0Ω±5%,1/8W,0805	FENGHUA	RC-05000JT	
1 版本:V1.0版	06.2718381400	Patch microphone	SMD analog silicon microphone (back sound), body 2.75*1.85*0.95	magic crystal	MJ2718BA38F1R4	MIC7402 作成日期: 2022/8/22
	06.2718381NS1	Patch microphone	SMD analog silicon microphone (back sound), body 2.75*1.85*0.95	GMEMS	GTM2718AB381WNS1	
2	02.0200016005	Resistor	RES,0Ω±5%,1/16W,0402	UniOhm	0402J0000TCE	R7405
	02.0200016005.1	Resistor	RES,0Ω±5%,1/16W,0402	Yageo	RC0402JR-070RL	
	02.0200016005.2	Resistor	RES,0Ω±5%,1/16W,0402	Ralec	RR1005(0402)L0ROJT	
	02.0200016005.3	Resistor	RES,0Ω±5%,1/16W,0402	FENGHUA	RC-02000JT	
3	01.0110563020	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	Eyang	C0201X5R105M6R3NTX	C7402
	01.0110563020.1	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	SAMSUNG	CL03A105MQ3CSN	
	01.0110563020.2	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	MURATA	GRM033R60J105MEA2J	
	01.0110563020.3	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	KYOCERA	CM03X5R105M06AH	
	01.0110563020.4	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	TAIYO	JMK063ABJ105MP-F	
	01.0110563020.5	Capacitor	CAP,X5R,1uF,±20%,6.3V,0201	VIIYONG	V105M0201X5R6R3NXT	
1	05.1120000000	ESD	ESD protector;Uni-directional;12V;1500pF;4600W;	Prisemi	PTVSHC1TF12VU	D7401
1	05.2500620700	TVS	TVS;Bi-directional;5.0V;15pF;DFN1006-2L	Prisemi	PESDNC2FD5VB	T7401 T7405 T7407
2	05.MC2FD5VB00	TVS	TVS(channels);5V;0.5pF;SOD-923	Prisemi	PESDMC2FD5VB	T7402 T7403 T7404 T7406
	05.5923095000.1	TVS	TVS(channels);5V;0.5pF;SOD-923	Prisemi	PESDUC2FD5VB	
3	05.NC2FD12VB0	TVS	Bidirectional TVS;VRWM=12V;IR=1uA;Air=±30KV;Contact=±30KV;Package:0402 (DFN1006-2L) 15PF	Prisemi	PESDNC2FD12VB	T7409 T7410
1	06.0363166300	Type-c seat	TYPE-C 16PIN sink plate 1.6H tongue leakage	Wei Shuo	MU63-CR16AB-63	J7401
2	06.063563544F	44PIN BTB FPC	Board-to-board connector, 44pin female, 0.35	Xunkai	WB3563544F	J7402
3	06.0801300220	Antenna Shrapnel	L2.2*W1.0*H1.3 Half Gold B Section Q	Wei Shuo	CR-0130-0220-01	ANT7401 ANT7402
4	06.0606080500	copper axis seat	Fourth generation RF coaxial seat, 2*2*0.6H	Connect	ECT818000500	J7403