



Appendix J: Test Data for E-UTRA Band 5

Product Name: Fixed wireless phone

Test Model: HP15

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Can Kun
Supervised by:	Nick Peng





J.1 Conducted Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	23.60	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	23.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	23.51	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	23.44	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	23.56	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	23.79	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	23.57	PASS
Band5	1.4MHz	16QAM	20407	3RB#0	22.73	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	23.57	PASS
Band5	1.4MHz	16QAM	20407	3RB#1	22.88	PASS
Band5	1.4MHz	QPSK	20407	3RB#3	23.54	PASS
Band5	1.4MHz	16QAM	20407	3RB#3	22.94	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	22.92	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	22.37	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	23.55	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	23.41	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	23.55	PASS
Band5	1.4MHz	16QAM	20525	1RB#2	23.52	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	23.55	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	23.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#0	23.74	PASS
Band5	1.4MHz	16QAM	20525	3RB#0	23.08	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	23.71	PASS
Band5	1.4MHz	16QAM	20525	3RB#1	23.07	PASS
Band5	1.4MHz	QPSK	20525	3RB#3	23.85	PASS
Band5	1.4MHz	16QAM	20525	3RB#3	22.98	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	22.87	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	22.39	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	23.27	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	23.16	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	22.99	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	22.72	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	22.03	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	21.82	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	23.40	PASS
Band5	1.4MHz	16QAM	20643	3RB#0	23.01	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	23.37	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band5	1.4MHz	16QAM	20643	3RB#1	23.00	PASS
Band5	1.4MHz	QPSK	20643	3RB#3	22.37	PASS
Band5	1.4MHz	16QAM	20643	3RB#3	22.17	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	22.70	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	22.01	PASS
Band5	3MHz	QPSK	20415	1RB#0	23.32	PASS
Band5	3MHz	16QAM	20415	1RB#0	22.70	PASS
Band5	3MHz	QPSK	20415	1RB#8	23.33	PASS
Band5	3MHz	16QAM	20415	1RB#8	22.70	PASS
Band5	3MHz	QPSK	20415	1RB#14	23.32	PASS
Band5	3MHz	16QAM	20415	1RB#14	22.52	PASS
Band5	3MHz	QPSK	20415	8RB#0	22.33	PASS
Band5	3MHz	16QAM	20415	8RB#0	22.12	PASS
Band5	3MHz	QPSK	20415	8RB#4	22.54	PASS
Band5	3MHz	16QAM	20415	8RB#4	22.12	PASS
Band5	3MHz	QPSK	20415	8RB#7	22.48	PASS
Band5	3MHz	16QAM	20415	8RB#7	22.03	PASS
Band5	3MHz	QPSK	20415	15RB#0	22.43	PASS
Band5	3MHz	16QAM	20415	15RB#0	21.90	PASS
Band5	3MHz	QPSK	20525	1RB#0	23.53	PASS
Band5	3MHz	16QAM	20525	1RB#0	22.21	PASS
Band5	3MHz	QPSK	20525	1RB#8	23.39	PASS
Band5	3MHz	16QAM	20525	1RB#8	22.26	PASS
Band5	3MHz	QPSK	20525	1RB#14	23.46	PASS
Band5	3MHz	16QAM	20525	1RB#14	23.13	PASS
Band5	3MHz	QPSK	20525	8RB#0	22.64	PASS
Band5	3MHz	16QAM	20525	8RB#0	22.28	PASS
Band5	3MHz	QPSK	20525	8RB#4	22.49	PASS
Band5	3MHz	16QAM	20525	8RB#4	22.29	PASS
Band5	3MHz	QPSK	20525	8RB#7	22.64	PASS
Band5	3MHz	16QAM	20525	8RB#7	22.29	PASS
Band5	3MHz	QPSK	20525	15RB#0	22.77	PASS
Band5	3MHz	16QAM	20525	15RB#0	21.93	PASS
Band5	3MHz	QPSK	20635	1RB#0	23.42	PASS
Band5	3MHz	16QAM	20635	1RB#0	23.62	PASS
Band5	3MHz	QPSK	20635	1RB#8	23.42	PASS
Band5	3MHz	16QAM	20635	1RB#8	23.49	PASS
Band5	3MHz	QPSK	20635	1RB#14	21.99	PASS
Band5	3MHz	16QAM	20635	1RB#14	21.84	PASS
Band5	3MHz	QPSK	20635	8RB#0	22.84	PASS
Band5	3MHz	16QAM	20635	8RB#0	22.37	PASS
Band5	3MHz	QPSK	20635	8RB#4	22.86	PASS
Band5	3MHz	16QAM	20635	8RB#4	22.30	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band5	3MHz	QPSK	20635	8RB#7	22.73	PASS
Band5	3MHz	16QAM	20635	8RB#7	22.19	PASS
Band5	3MHz	QPSK	20635	15RB#0	22.78	PASS
Band5	3MHz	16QAM	20635	15RB#0	22.41	PASS
Band5	5MHz	QPSK	20425	1RB#0	23.33	PASS
Band5	5MHz	16QAM	20425	1RB#0	22.10	PASS
Band5	5MHz	QPSK	20425	1RB#12	23.38	PASS
Band5	5MHz	16QAM	20425	1RB#12	22.19	PASS
Band5	5MHz	QPSK	20425	1RB#24	23.40	PASS
Band5	5MHz	16QAM	20425	1RB#24	22.16	PASS
Band5	5MHz	QPSK	20425	12RB#0	22.48	PASS
Band5	5MHz	16QAM	20425	12RB#0	21.87	PASS
Band5	5MHz	QPSK	20425	12RB#6	22.55	PASS
Band5	5MHz	16QAM	20425	12RB#6	21.88	PASS
Band5	5MHz	QPSK	20425	12RB#13	22.44	PASS
Band5	5MHz	16QAM	20425	12RB#13	21.86	PASS
Band5	5MHz	QPSK	20425	25RB#0	22.48	PASS
Band5	5MHz	16QAM	20425	25RB#0	22.03	PASS
Band5	5MHz	QPSK	20525	1RB#0	23.27	PASS
Band5	5MHz	16QAM	20525	1RB#0	23.21	PASS
Band5	5MHz	QPSK	20525	1RB#12	23.27	PASS
Band5	5MHz	16QAM	20525	1RB#12	22.92	PASS
Band5	5MHz	QPSK	20525	1RB#24	23.70	PASS
Band5	5MHz	16QAM	20525	1RB#24	23.12	PASS
Band5	5MHz	QPSK	20525	12RB#0	22.69	PASS
Band5	5MHz	16QAM	20525	12RB#0	22.09	PASS
Band5	5MHz	QPSK	20525	12RB#6	22.72	PASS
Band5	5MHz	16QAM	20525	12RB#6	22.21	PASS
Band5	5MHz	QPSK	20525	12RB#13	22.60	PASS
Band5	5MHz	16QAM	20525	12RB#13	22.29	PASS
Band5	5MHz	QPSK	20525	25RB#0	22.60	PASS
Band5	5MHz	16QAM	20525	25RB#0	22.09	PASS
Band5	5MHz	QPSK	20625	1RB#0	23.48	PASS
Band5	5MHz	16QAM	20625	1RB#0	22.92	PASS
Band5	5MHz	QPSK	20625	1RB#12	23.35	PASS
Band5	5MHz	16QAM	20625	1RB#12	22.76	PASS
Band5	5MHz	QPSK	20625	1RB#24	22.58	PASS
Band5	5MHz	16QAM	20625	1RB#24	22.19	PASS
Band5	5MHz	QPSK	20625	12RB#0	22.80	PASS
Band5	5MHz	16QAM	20625	12RB#0	22.29	PASS
Band5	5MHz	QPSK	20625	12RB#6	22.74	PASS
Band5	5MHz	16QAM	20625	12RB#6	22.33	PASS
Band5	5MHz	QPSK	20625	12RB#13	22.58	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band5	5MHz	16QAM	20625	12RB#13	22.10	PASS
Band5	5MHz	QPSK	20625	25RB#0	22.69	PASS
Band5	5MHz	16QAM	20625	25RB#0	22.15	PASS
Band5	10MHz	QPSK	20450	1RB#0	23.26	PASS
Band5	10MHz	16QAM	20450	1RB#0	22.83	PASS
Band5	10MHz	QPSK	20450	1RB#24	23.33	PASS
Band5	10MHz	16QAM	20450	1RB#24	22.92	PASS
Band5	10MHz	QPSK	20450	1RB#49	23.21	PASS
Band5	10MHz	16QAM	20450	1RB#49	23.01	PASS
Band5	10MHz	QPSK	20450	25RB#0	22.38	PASS
Band5	10MHz	16QAM	20450	25RB#0	21.79	PASS
Band5	10MHz	QPSK	20450	25RB#12	22.54	PASS
Band5	10MHz	16QAM	20450	25RB#12	21.96	PASS
Band5	10MHz	QPSK	20450	25RB#25	22.45	PASS
Band5	10MHz	16QAM	20450	25RB#25	21.86	PASS
Band5	10MHz	QPSK	20450	50RB#0	22.43	PASS
Band5	10MHz	16QAM	20450	50RB#0	21.88	PASS
Band5	10MHz	QPSK	20525	1RB#0	23.48	PASS
Band5	10MHz	16QAM	20525	1RB#0	23.02	PASS
Band5	10MHz	QPSK	20525	1RB#24	23.45	PASS
Band5	10MHz	16QAM	20525	1RB#24	22.17	PASS
Band5	10MHz	QPSK	20525	1RB#49	23.50	PASS
Band5	10MHz	16QAM	20525	1RB#49	22.30	PASS
Band5	10MHz	QPSK	20525	25RB#0	22.54	PASS
Band5	10MHz	16QAM	20525	25RB#0	22.25	PASS
Band5	10MHz	QPSK	20525	25RB#12	22.56	PASS
Band5	10MHz	16QAM	20525	25RB#12	22.10	PASS
Band5	10MHz	QPSK	20525	25RB#25	22.61	PASS
Band5	10MHz	16QAM	20525	25RB#25	22.21	PASS
Band5	10MHz	QPSK	20525	50RB#0	22.54	PASS
Band5	10MHz	16QAM	20525	50RB#0	22.05	PASS
Band5	10MHz	QPSK	20600	1RB#0	23.53	PASS
Band5	10MHz	16QAM	20600	1RB#0	23.55	PASS
Band5	10MHz	QPSK	20600	1RB#24	23.44	PASS
Band5	10MHz	16QAM	20600	1RB#24	23.52	PASS
Band5	10MHz	QPSK	20600	1RB#49	22.97	PASS
Band5	10MHz	16QAM	20600	1RB#49	22.82	PASS
Band5	10MHz	QPSK	20600	25RB#0	22.89	PASS
Band5	10MHz	16QAM	20600	25RB#0	22.26	PASS
Band5	10MHz	QPSK	20600	25RB#12	22.65	PASS
Band5	10MHz	16QAM	20600	25RB#12	22.28	PASS
Band5	10MHz	QPSK	20600	25RB#25	22.67	PASS
Band5	10MHz	16QAM	20600	25RB#25	22.27	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band5	10MHz	QPSK	20600	50RB#0	22.73	PASS
Band5	10MHz	16QAM	20600	50RB#0	22.18	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



J.2 Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	4.79	13	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	5.12	13	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	5.65	13	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	6.24	13	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	4.58	13	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	5.46	13	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	5.46	13	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	6.01	13	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	3.58	13	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	3.34	13	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	3.97	13	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	4.81	13	PASS
Band5	3MHz	QPSK	20415	1RB#0	4.89	13	PASS
Band5	3MHz	16QAM	20415	1RB#0	5.65	13	PASS
Band5	3MHz	QPSK	20415	15RB#0	5.74	13	PASS
Band5	3MHz	16QAM	20415	15RB#0	6.43	13	PASS
Band5	3MHz	QPSK	20525	1RB#0	4.64	13	PASS
Band5	3MHz	16QAM	20525	1RB#0	5.32	13	PASS
Band5	3MHz	QPSK	20525	15RB#0	5.54	13	PASS
Band5	3MHz	16QAM	20525	15RB#0	6.17	13	PASS
Band5	3MHz	QPSK	20635	1RB#0	3.62	13	PASS
Band5	3MHz	16QAM	20635	1RB#0	3.58	13	PASS
Band5	3MHz	QPSK	20635	15RB#0	4.53	13	PASS
Band5	3MHz	16QAM	20635	15RB#0	5.19	13	PASS
Band5	5MHz	QPSK	20425	1RB#0	5.16	13	PASS
Band5	5MHz	16QAM	20425	1RB#0	5.84	13	PASS
Band5	5MHz	QPSK	20425	25RB#0	5.79	13	PASS
Band5	5MHz	16QAM	20425	25RB#0	6.40	13	PASS
Band5	5MHz	QPSK	20525	1RB#0	4.96	13	PASS
Band5	5MHz	16QAM	20525	1RB#0	5.41	13	PASS
Band5	5MHz	QPSK	20525	25RB#0	5.63	13	PASS
Band5	5MHz	16QAM	20525	25RB#0	6.23	13	PASS
Band5	5MHz	QPSK	20625	1RB#0	4.13	13	PASS
Band5	5MHz	16QAM	20625	1RB#0	4.57	13	PASS
Band5	5MHz	QPSK	20625	25RB#0	5.28	13	PASS
Band5	5MHz	16QAM	20625	25RB#0	5.88	13	PASS
Band5	10MHz	QPSK	20450	1RB#0	5.11	13	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band5	10MHz	16QAM	20450	1RB#0	5.67	13	PASS
Band5	10MHz	QPSK	20450	50RB#0	5.67	13	PASS
Band5	10MHz	16QAM	20450	50RB#0	6.34	13	PASS
Band5	10MHz	QPSK	20525	1RB#0	4.83	13	PASS
Band5	10MHz	16QAM	20525	1RB#0	5.81	13	PASS
Band5	10MHz	QPSK	20525	50RB#0	5.66	13	PASS
Band5	10MHz	16QAM	20525	50RB#0	6.30	13	PASS
Band5	10MHz	QPSK	20600	1RB#0	4.77	13	PASS
Band5	10MHz	16QAM	20600	1RB#0	5.26	13	PASS
Band5	10MHz	QPSK	20600	50RB#0	5.36	13	PASS
Band5	10MHz	16QAM	20600	50RB#0	5.97	13	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Test Graphs



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-3MHz-QPSK-20415-1RB#0-PASS




Band5-3MHz-16QAM-20415-1RB#0-PASS




Band5-3MHz-QPSK-20415-15RB#0-PASS






Band5-3MHz-16QAM-20415-15RB#0-PASS




Band5-3MHz-QPSK-20525-1RB#0-PASS



Band5-3MHz-16QAM-20525-1RB#0-PASS








Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-5MHz-QPSK-20425-1RB#0-PASS



Band5-5MHz-16QAM-20425-1RB#0-PASS



Band5-5MHz-QPSK-20425-25RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-5MHz-16QAM-20425-25RB#0-PASS




Band5-5MHz-QPSK-20525-1RB#0-PASS




Band5-5MHz-16QAM-20525-1RB#0-PASS






Band5-5MHz-QPSK-20525-25RB#0-PASS



Band5-5MHz-16QAM-20525-25RB#0-PASS



Band5-5MHz-QPSK-20625-1RB#0-PASS






Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-10MHz-QPSK-20450-1RB#0-PASS



Band5-10MHz-16QAM-20450-1RB#0-PASS



Band5-10MHz-QPSK-20450-50RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-10MHz-16QAM-20450-50RB#0-PASS




Band5-10MHz-QPSK-20525-1RB#0-PASS




Band5-10MHz-16QAM-20525-1RB#0-PASS






Band5-10MHz-QPSK-20525-50RB#0-PASS




Band5-10MHz-16QAM-20525-50RB#0-PASS




Band5-10MHz-QPSK-20600-1RB#0-PASS






Band5-10MHz-16QAM-20600-1RB#0-PASS



Band5-10MHz-QPSK-20600-50RB#0-PASS



Band5-10MHz-16QAM-20600-50RB#0-PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



J.3 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	1.0940	1.284	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	1.1058	1.284	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1.0996	1.292	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1.1004	1.358	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	1.0989	1.306	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	1.0949	1.295	PASS
Band5	3MHz	QPSK	20415	15RB#0	2.7229	3.144	PASS
Band5	3MHz	16QAM	20415	15RB#0	2.6990	3.139	PASS
Band5	3MHz	QPSK	20525	15RB#0	2.7100	3.217	PASS
Band5	3MHz	16QAM	20525	15RB#0	2.7070	3.265	PASS
Band5	3MHz	QPSK	20635	15RB#0	2.7092	3.162	PASS
Band5	3MHz	16QAM	20635	15RB#0	2.7094	3.282	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.5199	5.213	PASS
Band5	5MHz	16QAM	20425	25RB#0	4.5120	5.285	PASS
Band5	5MHz	QPSK	20525	25RB#0	4.5171	5.211	PASS
Band5	5MHz	16QAM	20525	25RB#0	4.5380	5.373	PASS
Band5	5MHz	QPSK	20625	25RB#0	4.5323	5.407	PASS
Band5	5MHz	16QAM	20625	25RB#0	4.5521	5.394	PASS
Band5	10MHz	QPSK	20450	50RB#0	8.9870	10.04	PASS
Band5	10MHz	16QAM	20450	50RB#0	8.9929	10.04	PASS
Band5	10MHz	QPSK	20525	50RB#0	9.0310	10.27	PASS
Band5	10MHz	16QAM	20525	50RB#0	9.0242	10.64	PASS
Band5	10MHz	QPSK	20600	50RB#0	8.9821	9.920	PASS
Band5	10MHz	16QAM	20600	50RB#0	9.0031	10.01	PASS





Test Graphs




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-1.4MHz-16QAM-20525-6RB#0-PASS




Band5-1.4MHz-QPSK-20643-6RB#0-PASS




Band5-1.4MHz-16QAM-20643-6RB#0-PASS






Band5-3MHz-QPSK-20415-15RB#0-PASS




Band5-3MHz-16QAM-20415-15RB#0-PASS




Band5-3MHz-QPSK-20525-15RB#0-PASS






Band5-3MHz-16QAM-20525-15RB#0-PASS



Band5-3MHz-QPSK-20635-15RB#0-PASS



Band5-3MHz-16QAM-20635-15RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-5MHz-QPSK-20425-25RB#0-PASS




Band5-5MHz-16QAM-20425-25RB#0-PASS




Band5-5MHz-QPSK-20525-25RB#0-PASS






Band5-5MHz-16QAM-20525-25RB#0-PASS



Band5-5MHz-QPSK-20625-25RB#0-PASS



Band5-5MHz-16QAM-20625-25RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5-10MHz-QPSK-20450-50RB#0-PASS




Band5-10MHz-16QAM-20450-50RB#0-PASS




Band5-10MHz-QPSK-20525-50RB#0-PASS






Band5-10MHz-16QAM-20525-50RB#0-PASS



Band5-10MHz-QPSK-20600-50RB#0-PASS



Band5-10MHz-16QAM-20600-50RB#0-PASS






J.4 Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Peak Frequency	Result(dBm)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	823.90	-28.29	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	823.99	-28.92	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	849.04	-25.55	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	849.05	-25.77	PASS
Band5	3MHz	QPSK	20415	15RB#0	824.00	-22.97	PASS
Band5	3MHz	16QAM	20415	15RB#0	824.00	-24.39	PASS
Band5	3MHz	QPSK	20635	15RB#0	849.00	-23.67	PASS
Band5	3MHz	16QAM	20635	15RB#0	849.00	-25.26	PASS
Band5	5MHz	QPSK	20425	25RB#0	824.00	-27.30	PASS
Band5	5MHz	16QAM	20425	25RB#0	824.00	-28.85	PASS
Band5	5MHz	QPSK	20625	25RB#0	849.01	-28.77	PASS
Band5	5MHz	16QAM	20625	25RB#0	849.00	-26.99	PASS
Band5	10MHz	QPSK	20450	50RB#0	823.99	-32.63	PASS
Band5	10MHz	16QAM	20450	50RB#0	823.99	-33.15	PASS
Band5	10MHz	QPSK	20600	50RB#0	849.10	-33.56	PASS
Band5	10MHz	16QAM	20600	50RB#0	849.01	-32.32	PASS

Test Graphs




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5_1.4MHz_16QAM_20407_6RB#0



Band5_1.4MHz_QPSK_20643_6RB#0



Band5_1.4MHz_16QAM_20643_6RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5_3MHz_QPSK_20415_15RB#0



Band5_3MHz_16QAM_20415_15RB#0



Band5_3MHz_QPSK_20635_15RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5_3MHz_16QAM_20635_15RB#0



Band5_5MHz_QPSK_20425_25RB#0



Band5_5MHz_16QAM_20425_25RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5_5MHz_QPSK_20625_25RB#0



Band5_5MHz_16QAM_20625_25RB#0



Band5_10MHz_QPSK_20450_50RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5_10MHz_16QAM_20450_50RB#0



Band5_10MHz_QPSK_20600_50RB#0



Band5_10MHz_16QAM_20600_50RB#0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



J.5 Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	0.009~0.15	-57.69	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	0.15~30	-53.27	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	30~1000	-41.92	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	1000~3000	-41.71	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	3000~10000	-43.88	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	0.009~0.15	-58.43	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	0.15~30	-53.06	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	30~1000	-46.14	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	1000~3000	-41.05	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	3000~10000	-44.16	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	0.009~0.15	-59.01	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	0.15~30	-53.39	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	30~1000	-46.38	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	1000~3000	-42.28	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	3000~10000	-43.95	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	0.009~0.15	-57.01	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	0.15~30	-52.72	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	30~1000	-44.25	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	1000~3000	-40.25	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	3000~10000	-43.48	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	0.009~0.15	-59.36	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	0.15~30	-50.70	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	30~1000	-44.65	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	1000~3000	-43.86	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	3000~10000	-44.09	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	0.009~0.15	-58.57	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	0.15~30	-52.69	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	30~1000	-41.32	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	1000~3000	-42.57	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	3000~10000	-44.05	PASS
Band5	3MHz	QPSK	20415	1RB#0	0.009~0.15	-56.09	PASS
Band5	3MHz	QPSK	20415	1RB#0	0.15~30	-52.43	PASS
Band5	3MHz	QPSK	20415	1RB#0	30~1000	-49.31	PASS
Band5	3MHz	QPSK	20415	1RB#0	1000~3000	-42.01	PASS
Band5	3MHz	QPSK	20415	1RB#0	3000~10000	-43.94	PASS
Band5	3MHz	16QAM	20415	1RB#0	0.009~0.15	-60.94	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band5	3MHz	16QAM	20415	1RB#0	0.15~30	-51.18	PASS
Band5	3MHz	16QAM	20415	1RB#0	30~1000	-48.83	PASS
Band5	3MHz	16QAM	20415	1RB#0	1000~3000	-40.02	PASS
Band5	3MHz	16QAM	20415	1RB#0	3000~10000	-43.95	PASS
Band5	3MHz	QPSK	20525	1RB#0	0.009~0.15	-58.27	PASS
Band5	3MHz	QPSK	20525	1RB#0	0.15~30	-53.12	PASS
Band5	3MHz	QPSK	20525	1RB#0	30~1000	-49.42	PASS
Band5	3MHz	QPSK	20525	1RB#0	1000~3000	-42.60	PASS
Band5	3MHz	QPSK	20525	1RB#0	3000~10000	-44.10	PASS
Band5	3MHz	16QAM	20525	1RB#0	0.009~0.15	-61.04	PASS
Band5	3MHz	16QAM	20525	1RB#0	0.15~30	-54.08	PASS
Band5	3MHz	16QAM	20525	1RB#0	30~1000	-49.77	PASS
Band5	3MHz	16QAM	20525	1RB#0	1000~3000	-42.59	PASS
Band5	3MHz	16QAM	20525	1RB#0	3000~10000	-44.05	PASS
Band5	3MHz	QPSK	20635	1RB#0	0.009~0.15	-54.55	PASS
Band5	3MHz	QPSK	20635	1RB#0	0.15~30	-53.79	PASS
Band5	3MHz	QPSK	20635	1RB#0	30~1000	-47.27	PASS
Band5	3MHz	QPSK	20635	1RB#0	1000~3000	-43.63	PASS
Band5	3MHz	QPSK	20635	1RB#0	3000~10000	-44.12	PASS
Band5	3MHz	16QAM	20635	1RB#0	0.009~0.15	-57.34	PASS
Band5	3MHz	16QAM	20635	1RB#0	0.15~30	-53.90	PASS
Band5	3MHz	16QAM	20635	1RB#0	30~1000	-46.56	PASS
Band5	3MHz	16QAM	20635	1RB#0	1000~3000	-43.65	PASS
Band5	3MHz	16QAM	20635	1RB#0	3000~10000	-44.22	PASS
Band5	5MHz	QPSK	20425	1RB#0	0.009~0.15	-57.36	PASS
Band5	5MHz	QPSK	20425	1RB#0	0.15~30	-53.05	PASS
Band5	5MHz	QPSK	20425	1RB#0	30~1000	-57.39	PASS
Band5	5MHz	QPSK	20425	1RB#0	1000~3000	-42.77	PASS
Band5	5MHz	QPSK	20425	1RB#0	3000~10000	-44.14	PASS
Band5	5MHz	16QAM	20425	1RB#0	0.009~0.15	-57.67	PASS
Band5	5MHz	16QAM	20425	1RB#0	0.15~30	-51.88	PASS
Band5	5MHz	16QAM	20425	1RB#0	30~1000	-57.21	PASS
Band5	5MHz	16QAM	20425	1RB#0	1000~3000	-38.53	PASS
Band5	5MHz	16QAM	20425	1RB#0	3000~10000	-43.98	PASS
Band5	5MHz	QPSK	20525	1RB#0	0.009~0.15	-56.58	PASS
Band5	5MHz	QPSK	20525	1RB#0	0.15~30	-52.25	PASS
Band5	5MHz	QPSK	20525	1RB#0	30~1000	-59.50	PASS
Band5	5MHz	QPSK	20525	1RB#0	1000~3000	-42.47	PASS
Band5	5MHz	QPSK	20525	1RB#0	3000~10000	-44.29	PASS
Band5	5MHz	16QAM	20525	1RB#0	0.009~0.15	-57.03	PASS
Band5	5MHz	16QAM	20525	1RB#0	0.15~30	-53.54	PASS
Band5	5MHz	16QAM	20525	1RB#0	30~1000	-58.64	PASS
Band5	5MHz	16QAM	20525	1RB#0	1000~3000	-41.88	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band5	5MHz	16QAM	20525	1RB#0	3000~10000	-44.28	PASS
Band5	5MHz	QPSK	20625	1RB#0	0.009~0.15	-60.75	PASS
Band5	5MHz	QPSK	20625	1RB#0	0.15~30	-52.11	PASS
Band5	5MHz	QPSK	20625	1RB#0	30~1000	-57.00	PASS
Band5	5MHz	QPSK	20625	1RB#0	1000~3000	-44.00	PASS
Band5	5MHz	QPSK	20625	1RB#0	3000~10000	-44.29	PASS
Band5	5MHz	16QAM	20625	1RB#0	0.009~0.15	-57.94	PASS
Band5	5MHz	16QAM	20625	1RB#0	0.15~30	-52.11	PASS
Band5	5MHz	16QAM	20625	1RB#0	30~1000	-60.74	PASS
Band5	5MHz	16QAM	20625	1RB#0	1000~3000	-43.20	PASS
Band5	5MHz	16QAM	20625	1RB#0	3000~10000	-43.90	PASS
Band5	10MHz	QPSK	20450	1RB#0	0.009~0.15	-56.87	PASS
Band5	10MHz	QPSK	20450	1RB#0	0.15~30	-51.09	PASS
Band5	10MHz	QPSK	20450	1RB#0	30~1000	-61.92	PASS
Band5	10MHz	QPSK	20450	1RB#0	1000~3000	-41.67	PASS
Band5	10MHz	QPSK	20450	1RB#0	3000~10000	-43.56	PASS
Band5	10MHz	16QAM	20450	1RB#0	0.009~0.15	-55.75	PASS
Band5	10MHz	16QAM	20450	1RB#0	0.15~30	-51.34	PASS
Band5	10MHz	16QAM	20450	1RB#0	30~1000	-62.16	PASS
Band5	10MHz	16QAM	20450	1RB#0	1000~3000	-42.13	PASS
Band5	10MHz	16QAM	20450	1RB#0	3000~10000	-43.84	PASS
Band5	10MHz	QPSK	20525	1RB#0	0.009~0.15	-59.84	PASS
Band5	10MHz	QPSK	20525	1RB#0	0.15~30	-51.13	PASS
Band5	10MHz	QPSK	20525	1RB#0	30~1000	-61.85	PASS
Band5	10MHz	QPSK	20525	1RB#0	1000~3000	-42.85	PASS
Band5	10MHz	QPSK	20525	1RB#0	3000~10000	-44.06	PASS
Band5	10MHz	16QAM	20525	1RB#0	0.009~0.15	-57.97	PASS
Band5	10MHz	16QAM	20525	1RB#0	0.15~30	-53.52	PASS
Band5	10MHz	16QAM	20525	1RB#0	30~1000	-62.12	PASS
Band5	10MHz	16QAM	20525	1RB#0	1000~3000	-41.74	PASS
Band5	10MHz	16QAM	20525	1RB#0	3000~10000	-43.83	PASS
Band5	10MHz	QPSK	20600	1RB#0	0.009~0.15	-58.15	PASS
Band5	10MHz	QPSK	20600	1RB#0	0.15~30	-51.57	PASS
Band5	10MHz	QPSK	20600	1RB#0	30~1000	-61.32	PASS
Band5	10MHz	QPSK	20600	1RB#0	1000~3000	-45.16	PASS
Band5	10MHz	QPSK	20600	1RB#0	3000~10000	-44.16	PASS
Band5	10MHz	16QAM	20600	1RB#0	0.009~0.15	-59.85	PASS
Band5	10MHz	16QAM	20600	1RB#0	0.15~30	-52.27	PASS
Band5	10MHz	16QAM	20600	1RB#0	30~1000	-61.98	PASS
Band5	10MHz	16QAM	20600	1RB#0	1000~3000	-45.38	PASS
Band5	10MHz	16QAM	20600	1RB#0	3000~10000	-44.05	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Test Graphs




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5_1.4MHz_QPSK_20407_1RB#0_1000~3000_1000~3000




Band5_1.4MHz_QPSK_20407_1RB#0_3000~10000_3000~10000




Band5_1.4MHz_16QAM_20407_1RB#0_0.009~0.15_0.009~0.15






Band5_1.4MHz_16QAM_20407_1RB#0_0.15~30_0.15~30



Band5_1.4MHz_16QAM_20407_1RB#0_30~1000_30~1000



Band5_1.4MHz_16QAM_20407_1RB#0_1000~3000_1000~3000




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5	1.4MHz	16QAM	20407	1RB#0	3000~10000	3000~10000
-------	--------	-------	-------	-------	------------	------------




Band5 1.4MHz QPSK 20525 1RB#0 0.009~0.15 0.009~0.15




Band5	1.4MHz	QPSK	20525	1RB#0	0.15~30	0.15~30
-------	--------	------	-------	-------	---------	---------






Band5_1.4MHz_QPSK_20525_1RB#0_30~1000_30~1000



Band5_1.4MHz_QPSK_20525_1RB#0_1000~3000_1000~3000



Band5_1.4MHz_QPSK_20525_1RB#0_3000~10000_3000~10000




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5_1.4MHz_16QAM_20525_1RB#0_0.009~0.15_0.009~0.15



Band5_1.4MHz_16QAM_20525_1RB#0_0.15~30_0.15~30



Band5_1.4MHz_16QAM_20525_1RB#0_30~1000_30~1000




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5_1.4MHz_16QAM_20525_1RB#0_1000~3000_1000~3000



Band5_1.4MHz_16QAM_20525_1RB#0_3000~10000_3000~10000



Band5_1.4MHz_QPSK_20643_1RB#0_0.009~0.15_0.009~0.15




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band5_1.4MHz_QPSK_20643_1RB#0_0.15~30_0.15~30



Band5_1.4MHz_QPSK_20643_1RB#0_30~1000_30~1000



Band5_1.4MHz_QPSK_20643_1RB#0_1000~3000_1000~3000



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity