


Annex E. LTE Band Edge

1. LTE_Band5


1.1. LTE Band Edge(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.015	RMS	823.996	-23.97	Pass	2666




1.2. LTE Band Edge(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.015	RMS	823.974	-45.47	Pass	2666




1.3. LTE Band Edge(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.015	RMS	823.351	-41.73	Pass	2666




1.4. LTE Band Edge(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.015	RMS	823.996	-19.67	Pass	2666




1.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.015	RMS	823.996	-32.49	Pass	2666




1.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.015	RMS	823.831	-37.77	Pass	2666




1.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.015	RMS	823.996	-28.73	Pass	2666




1.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.015	RMS	823.996	-20.47	Pass	2666




1.9. LTE Band Edge(NTNV)(Subtest:9, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.015	RMS	823.944	-45.4	Pass	2666




1.10. LTE Band Edge(NTNV)(Subtest:10, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.015	RMS	823.313	-40.82	Pass	2666




1.11. LTE Band Edge(NTNV)(Subtest:11, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.015	RMS	823.996	-22.68	Pass	2666




1.12. LTE Band Edge(NTNV)(Subtest:12, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.015	RMS	823.989	-34.89	Pass	2666




1.13. LTE Band Edge(NTNV)(Subtest:13, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.015	RMS	823.974	-40.35	Pass	2666




1.14. LTE Band Edge(NTNV)(Subtest:14, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.015	RMS	823.989	-29.97	Pass	2666




1.15. LTE Band Edge(NTNV)(Subtest:15, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.015	RMS	849.604	-38.97	Pass	2666




1.16. LTE Band Edge(NTNV)(Subtest:16, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.015	RMS	849.116	-36.92	Pass	2666




1.17. LTE Band Edge(NTNV)(Subtest:17, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.015	RMS	849.004	-22.1	Pass	2666




1.18. LTE Band Edge(NTNV)(Subtest:18, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.015	RMS	849.109	-34.8	Pass	2666




1.19. LTE Band Edge(NTNV)(Subtest:19, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.015	RMS	849.086	-27.55	Pass	2666




1.20. LTE Band Edge(NTNV)(Subtest:20, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.015	RMS	849.004	-24.69	Pass	2666




1.21. LTE Band Edge(NTNV)(Subtest:21, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.015	RMS	849.004	-27.32	Pass	2666




1.22. LTE Band Edge(NTNV)(Subtest:22, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.015	RMS	849.702	-40.19	Pass	2666




1.23. LTE Band Edge(NTNV)(Subtest:23, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.015	RMS	849.004	-36.36	Pass	2666




1.24. LTE Band Edge(NTNV)(Subtest:24, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.015	RMS	849.004	-23.04	Pass	2666




1.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.015	RMS	849.191	-35.45	Pass	2666



1.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.015	RMS	849.064	-29.59	Pass	2666




Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.015	RMS	849.004	-26.07	Pass	2666

The screenshot shows a Keysight Spectrum Analyzer interface. The main display area shows a signal trace at 849.004 MHz with a power level of -26.067 dBm. The trace is labeled 'Trace 1 Pass'. The frequency grid is set to 10 dB/div Log. The center frequency is 849.000000 MHz, and the span is 20.00 MHz. The resolution bandwidth (RBW) is 15 kHz, and the video bandwidth (VBW) is 47 kHz. The detector is set to RMS, and the sweep time is 1.000 s (2666 pts). The interface also shows various settings like PNO: Fast, IF Gain: Low, and a 'PASS' status indicator.

Frequency	Auto Tune	Center Freq	Start Freq	Stop Freq	CF Step	Freq Offset
849.000000 MHz		849.000000 MHz	839.000000 MHz	859.000000 MHz	2.000000 MHz	0 Hz


1.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.015	RMS	849.026	-29.64	Pass	2666




1.29. LTE Band Edge(NTNV)(Subtest:29, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.03	RMS	824	-21.89	Pass	1333




1.30. LTE Band Edge(NTNV)(Subtest:30, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.03	RMS	823.865	-49.92	Pass	1333




1.31. LTE Band Edge(NTNV)(Subtest:31, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.03	RMS	821.703	-37.95	Pass	1333




1.32. LTE Band Edge(NTNV)(Subtest:32, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.03	RMS	824	-29.75	Pass	1333




1.33. LTE Band Edge(NTNV)(Subtest:33, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.03	RMS	823.985	-35.09	Pass	1333




1.34. LTE Band Edge(NTNV)(Subtest:34, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.03	RMS	823.985	-39.99	Pass	1333




1.35. LTE Band Edge(NTNV)(Subtest:35, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.03	RMS	824	-32.91	Pass	1333




1.36. LTE Band Edge(NTNV)(Subtest:36, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.03	RMS	824	-20.23	Pass	1333



1.37. LTE Band Edge(NTNV)(Subtest:37, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.03	RMS	824	-49.71	Pass	1333




Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.03	RMS	821.718	-37.52	Pass	1333

The screenshot displays the Keysight Spectrum Analyzer - Swept SA interface. The main plot shows a spectrum with a prominent peak at 821.718 MHz, labeled 'Mkr1 821.718 MHz -37.523 dBm'. The plot is titled 'Trace 1 Pass'. The center frequency is 824.000000 MHz, and the span is 20.00 MHz. The resolution bandwidth (RBW) is 30 kHz, and the video bandwidth (VBW) is 91 kHz. The power level is -37.52 dBm. The interface includes various control panels on the right, such as 'Frequency', 'Auto Tune', 'Center Freq', 'Start Freq', 'Stop Freq', 'CF Step', 'Auto', 'Man', 'Freq Offset', and '0 Hz'. The status bar at the bottom shows 'MSG' and 'STATUS'.


1.39. LTE Band Edge(NTNV)(Subtest:39, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.03	RMS	824	-32.1	Pass	1333




1.40. LTE Band Edge(NTNV)(Subtest:40, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.03	RMS	823.94	-37.83	Pass	1333




1.41. LTE Band Edge(NTNV)(Subtest:41, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.03	RMS	823.97	-42.79	Pass	1333




1.42. LTE Band Edge(NTNV)(Subtest:42, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.03	RMS	824	-32.32	Pass	1333




1.43. LTE Band Edge(NTNV)(Subtest:43, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.03	RMS	851.312	-36.46	Pass	1333




1.44. LTE Band Edge(NTNV)(Subtest:44, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.03	RMS	849.015	-45.21	Pass	1333




1.45. LTE Band Edge(NTNV)(Subtest:45, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.03	RMS	849	-20.02	Pass	1333




1.46. LTE Band Edge(NTNV)(Subtest:46, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.03	RMS	849.135	-37.17	Pass	1333




1.47. LTE Band Edge(NTNV)(Subtest:47, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.03	RMS	849.165	-32.83	Pass	1333




1.48. LTE Band Edge(NTNV)(Subtest:48, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.03	RMS	849.015	-27.55	Pass	1333




1.49. LTE Band Edge(NTNV)(Subtest:49, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.03	RMS	849.015	-30.37	Pass	1333




1.50. LTE Band Edge(NTNV)(Subtest:50, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.03	RMS	851.222	-38.44	Pass	1333




1.51. LTE Band Edge(NTNV)(Subtest:51, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.03	RMS	849.015	-45.65	Pass	1333




1.52. LTE Band Edge(NTNV)(Subtest:52, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.03	RMS	849	-20.34	Pass	1333




1.53. LTE Band Edge(NTNV)(Subtest:53, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.03	RMS	849.33	-38.16	Pass	1333




1.54. LTE Band Edge(NTNV)(Subtest:54, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.03	RMS	849.09	-32.33	Pass	1333



1.55. LTE Band Edge(NTNV)(Subtest:55, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.03	RMS	849.045	-28.47	Pass	1333



1.56. LTE Band Edge(NTNV)(Subtest:56, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.03	RMS	849.015	-32.16	Pass	1333



Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.051	RMS	823.987	-20.62	Pass	784

The screenshot displays the Keysight Spectrum Analyzer - Swept SA interface. The main display area shows a yellow trace on a black background with a grid. A prominent peak is visible at 823.987 MHz, labeled 'Mkr1 823.987 MHz -20.621 dBm'. The trace is labeled 'Trace 1 Pass'. The right-hand control panel includes buttons for 'Frequency', 'Auto Tune', 'Center Freq 824.000000 MHz', 'Start Freq 814.000000 MHz', 'Stop Freq 834.000000 MHz', 'CF Step 2.000000 MHz (Auto/Man)', and 'Freq Offset 0 Hz'. The bottom status bar shows 'Center 824.00 MHz', '#Res BW 51 kHz', 'VBW 150 kHz*', 'Span 20.00 MHz', and '#Sweep 1.000 s (784 pts)'.


Center Freq	Start Freq	Stop Freq	CF Step	Freq Offset
824.000000 MHz	814.000000 MHz	834.000000 MHz	2.000000 MHz (Auto)	0 Hz

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.051	RMS	823.732	-48.9	Pass	784

The screenshot displays the Keysight Spectrum Analyzer - Swept SA interface. The main plot shows a spectrum with a prominent peak at 823.732 MHz and -48.903 dBm. The plot is labeled 'Trace 1 Pass' and 'Mkr1 823.732 MHz -48.903 dBm'. The center frequency is 824.000000 MHz, and the span is 20.00 MHz. The resolution bandwidth (RBW) is 0.051 MHz, and the video bandwidth (VBW) is 150 kHz. The power level is -48.9 dBm. The interface includes various control buttons and readouts, such as 'Center Freq 824.000000 MHz', 'Span 20.00 MHz', 'RBW 0.051 MHz', 'VBW 150 kHz', and 'Power -48.9 dBm'. The 'Verdict' is 'Pass'.


1.59. LTE Band Edge(NTNV)(Subtest:59, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.051	RMS	820.003	-36.12	Pass	784




1.60. LTE Band Edge(NTNV)(Subtest:60, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.051	RMS	823.962	-30.11	Pass	784




1.61. LTE Band Edge(NTNV)(Subtest:61, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.051	RMS	823.834	-36.89	Pass	784




1.62. LTE Band Edge(NTNV)(Subtest:62, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.051	RMS	823.911	-43.96	Pass	784




1.63. LTE Band Edge(NTNV)(Subtest:63, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.051	RMS	823.987	-31.06	Pass	784




1.64. LTE Band Edge(NTNV)(Subtest:64, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.051	RMS	823.987	-20.74	Pass	784



1.65. LTE Band Edge(NTNV)(Subtest:65, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.051	RMS	823.987	-49.23	Pass	784




Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.051	RMS	820.028	-36.87	Pass	784

The screenshot displays the Keysight Spectrum Analyzer - Swept SA interface. The main plot shows a spectrum trace with a prominent peak at 820.028 MHz, labeled as Mkr1. The peak power is -36.873 dBm. The center frequency is set to 824.000000 MHz, and the span is 20.00 MHz. The resolution bandwidth (RBW) is 0.051 MHz, and the video bandwidth (VBW) is 150 kHz*. The detector is set to RMS, and the trigger is Free Run. The verdict is PASS. The right sidebar contains various settings: Frequency (Auto Tune), Center Freq (824.000000 MHz), Start Freq (814.000000 MHz), Stop Freq (834.000000 MHz), CF Step (2.000000 MHz, Auto), and Freq Offset (0 Hz). The bottom status bar shows MSG and STATUS indicators.

Parameter	Value
Center Freq	824.000000 MHz
Start Freq	814.000000 MHz
Stop Freq	834.000000 MHz
CF Step	2.000000 MHz
Freq Offset	0 Hz


1.67. LTE Band Edge(NTNV)(Subtest:67, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.051	RMS	823.987	-28.41	Pass	784




1.68. LTE Band Edge(NTNV)(Subtest:68, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.051	RMS	823.936	-38.49	Pass	784




1.69. LTE Band Edge(NTNV)(Subtest:69, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.051	RMS	823.757	-43.41	Pass	784



1.70. LTE Band Edge(NTNV)(Subtest:70, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.051	RMS	823.987	-32.66	Pass	784



Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.051	RMS	852.972	-38.17	Pass	784

Keysight Spectrum Analyzer - Swept SA

Center Freq 849.000000 MHz

PASS

Ref Offset 11.93 dB

Ref 30.00 dBm

10 dB/div

Log

Trace 1 Pass

Mkr1 852.972 MHz

-38.172 dBm

Center 849.00 MHz

#Res BW 51 kHz

VBW 150 kHz*

Span 20.00 MHz

#Sweep 1.000 s (784 pts)

Frequency

Auto Tune

Center Freq 849.000000 MHz

Start Freq 839.000000 MHz

Stop Freq 859.000000 MHz


CF Step 2.000000 MHz

Auto Man

Freq Offset 0 Hz


1.72. LTE Band Edge(NTNV)(Subtest:72, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.051	RMS	849.064	-46.57	Pass	784




1.73. LTE Band Edge(NTNV)(Subtest:73, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.051	RMS	849.013	-18.68	Pass	784




1.74. LTE Band Edge(NTNV)(Subtest:74, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.051	RMS	849.013	-40.07	Pass	784




1.75. LTE Band Edge(NTNV)(Subtest:75, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.051	RMS	849.192	-35.54	Pass	784



1.76. LTE Band Edge(NTNV)(Subtest:76, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.051	RMS	849.038	-27.48	Pass	784




1.77. LTE Band Edge(NTNV)(Subtest:77, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.051	RMS	849.013	-30.06	Pass	784




1.78. LTE Band Edge(NTNV)(Subtest:78, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.051	RMS	852.997	-38.42	Pass	784




1.79. LTE Band Edge(NTNV)(Subtest:79, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.051	RMS	849.038	-47.12	Pass	784




1.80. LTE Band Edge(NTNV)(Subtest:80, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.051	RMS	849.013	-19.2	Pass	784




1.81. LTE Band Edge(NTNV)(Subtest:81, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.051	RMS	849.013	-41.59	Pass	784




1.82. LTE Band Edge(NTNV)(Subtest:82, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.051	RMS	849.166	-35.17	Pass	784



1.83. LTE Band Edge(NTNV)(Subtest:83, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.051	RMS	849.013	-28.4	Pass	784




1.84. LTE Band Edge(NTNV)(Subtest:84, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.051	RMS	849.038	-32.27	Pass	784




1.85. LTE Band Edge(NTNV)(Subtest:85, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.1	RMS	824	-21.6	Pass	601



1.86. LTE Band Edge(NTNV)(Subtest:86, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.1	RMS	823.7	-49.36	Pass	601




1.87. LTE Band Edge(NTNV)(Subtest:87, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.1	RMS	815.8	-39.35	Pass	601




1.88. LTE Band Edge(NTNV)(Subtest:88, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.1	RMS	824	-31.38	Pass	601




1.89. LTE Band Edge(NTNV)(Subtest:89, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.1	RMS	823.933	-38.8	Pass	601




1.90. LTE Band Edge(NTNV)(Subtest:90, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.1	RMS	823.967	-43.61	Pass	601




1.91. LTE Band Edge(NTNV)(Subtest:91, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.1	RMS	823.967	-35.13	Pass	601




1.92. LTE Band Edge(NTNV)(Subtest:92, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.1	RMS	824	-21.3	Pass	601




1.93. LTE Band Edge(NTNV)(Subtest:93, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.1	RMS	823.733	-49.36	Pass	601




1.94. LTE Band Edge(NTNV)(Subtest:94, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.1	RMS	815.767	-40.26	Pass	601




1.95. LTE Band Edge(NTNV)(Subtest:95, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.1	RMS	824	-33.81	Pass	601




1.96. LTE Band Edge(NTNV)(Subtest:96, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.1	RMS	824	-39.27	Pass	601



1.97. LTE Band Edge(NTNV)(Subtest:97, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.1	RMS	823.9	-44.05	Pass	601




1.98. LTE Band Edge(NTNV)(Subtest:98, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	20	0.1	RMS	823.967	-35.19	Pass	601




1.99. LTE Band Edge(NTNV)(Subtest:99, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.1	RMS	857.233	-37.68	Pass	601




1.100. LTE Band Edge(NTNV)(Subtest:100, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.1	RMS	849.7	-40.42	Pass	601



1.101. LTE Band Edge(NTNV)(Subtest:101, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.1	RMS	849	-21.63	Pass	601



1.102. LTE Band Edge(NTNV)(Subtest:102, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.1	RMS	849.033	-42.45	Pass	601



1.103. LTE Band Edge(NTNV)(Subtest:103, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.1	RMS	849.233	-36.54	Pass	601



1.104. LTE Band Edge(NTNV)(Subtest:104, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.1	RMS	849.033	-29.3	Pass	601




1.105. LTE Band Edge(NTNV)(Subtest:105, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.1	RMS	849	-33.73	Pass	601




1.106. LTE Band Edge(NTNV)(Subtest:106, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.1	RMS	857.2	-38.13	Pass	601




1.107. LTE Band Edge(NTNV)(Subtest:107, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.1	RMS	850.367	-44.16	Pass	601



1.108. LTE Band Edge(NTNV)(Subtest:108, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.1	RMS	849	-21.7	Pass	601



1.109. LTE Band Edge(NTNV)(Subtest:109, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.1	RMS	849.167	-43.12	Pass	601



1.110. LTE Band Edge(NTNV)(Subtest:110, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:MID)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.1	RMS	849.2	-37.81	Pass	601



1.111. LTE Band Edge(NTNV)(Subtest:111, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.1	RMS	849	-30.95	Pass	601



1.112. LTE Band Edge(NTNV)(Subtest:112, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
849	20	0.1	RMS	849	-36.58	Pass	601



END