

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B66_1.4MHz_EIRP

Band: 66 / Bandwidth: 1.4MHz / NTV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1710.7	1	0	23.33	0.92	24.25	<=30	Pass		
			2	22.86	0.92	23.78	<=30	Pass		
			5	22.75	0.92	23.67	<=30	Pass		
		3	0	22.93	0.92	23.85	<=30	Pass		
			2	22.92	0.92	23.84	<=30	Pass		
			3	22.93	0.92	23.85	<=30	Pass		
		6	0	21.87	0.92	22.79	<=30	Pass		
		1745	1	0	22.78	0.92	23.70	<=30	Pass	
				2	22.82	0.92	23.74	<=30	Pass	
	5			22.75	0.92	23.67	<=30	Pass		
	3		0	22.97	0.92	23.89	<=30	Pass		
			2	22.95	0.92	23.87	<=30	Pass		
			3	22.92	0.92	23.84	<=30	Pass		
	6		0	21.95	0.92	22.87	<=30	Pass		
	1779.3		1	0	22.74	0.92	23.66	<=30	Pass	
				2	22.85	0.92	23.77	<=30	Pass	
		5		22.80	0.92	23.72	<=30	Pass		
		3	0	22.81	0.92	23.73	<=30	Pass		
			2	22.77	0.92	23.69	<=30	Pass		
			3	22.78	0.92	23.70	<=30	Pass		
		6	0	21.89	0.92	22.81	<=30	Pass		
		16QAM	1710.7	1	0	21.82	0.92	22.74	<=30	Pass
					2	21.93	0.92	22.85	<=30	Pass
	5				21.90	0.92	22.82	<=30	Pass	
3	0			21.97	0.92	22.89	<=30	Pass		
	2			21.98	0.92	22.90	<=30	Pass		
	3			21.95	0.92	22.87	<=30	Pass		
6	0			21.10	0.92	22.02	<=30	Pass		
1745	1			0	22.15	0.92	23.07	<=30	Pass	
				2	22.26	0.92	23.18	<=30	Pass	
			5	22.19	0.92	23.11	<=30	Pass		
	3		0	22.13	0.92	23.05	<=30	Pass		
			2	22.07	0.92	22.99	<=30	Pass		
			3	22.07	0.92	22.99	<=30	Pass		
	6		0	21.06	0.92	21.98	<=30	Pass		
	1779.3		1	0	21.80	0.92	22.72	<=30	Pass	
				2	21.91	0.92	22.83	<=30	Pass	
5				21.79	0.92	22.71	<=30	Pass		
3			0	21.83	0.92	22.75	<=30	Pass		
			2	21.79	0.92	22.71	<=30	Pass		
			3	21.78	0.92	22.70	<=30	Pass		
6			0	20.80	0.92	21.72	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B66_3MHz_EIRP

Band: 66 / Bandwidth: 3MHz / NTV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1711.5	1	0	22.63	0.92	23.55	<=30	Pass		
			7	22.75	0.92	23.67	<=30	Pass		
			14	22.65	0.92	23.57	<=30	Pass		
		8	0	21.92	0.92	22.84	<=30	Pass		
			4	21.93	0.92	22.85	<=30	Pass		
			7	21.92	0.92	22.84	<=30	Pass		
		15	0	21.84	0.92	22.76	<=30	Pass		
		1745	1	0	22.72	0.92	23.64	<=30	Pass	
				7	22.78	0.92	23.70	<=30	Pass	
	14			22.63	0.92	23.55	<=30	Pass		
	8		0	21.91	0.92	22.83	<=30	Pass		
			4	21.99	0.92	22.91	<=30	Pass		
			7	21.94	0.92	22.86	<=30	Pass		
	15		0	21.95	0.92	22.87	<=30	Pass		
	1778.5		1	0	22.64	0.92	23.56	<=30	Pass	
				7	22.78	0.92	23.70	<=30	Pass	
		14		22.70	0.92	23.62	<=30	Pass		
		8	0	21.74	0.92	22.66	<=30	Pass		
			4	21.87	0.92	22.79	<=30	Pass		
			7	21.86	0.92	22.78	<=30	Pass		
		15	0	21.79	0.92	22.71	<=30	Pass		
		16QAM	1711.5	1	0	21.93	0.92	22.85	<=30	Pass
					7	22.04	0.92	22.96	<=30	Pass
	14				21.87	0.92	22.79	<=30	Pass	
8	0			21.09	0.92	22.01	<=30	Pass		
	4			21.19	0.92	22.11	<=30	Pass		
	7			21.17	0.92	22.09	<=30	Pass		
15	0			20.98	0.92	21.90	<=30	Pass		
1745	1			0	21.98	0.92	22.90	<=30	Pass	
				7	22.09	0.92	23.01	<=30	Pass	
			14	21.89	0.92	22.81	<=30	Pass		
	8		0	20.95	0.92	21.87	<=30	Pass		
			4	21.02	0.92	21.94	<=30	Pass		
			7	21.01	0.92	21.93	<=30	Pass		
	15		0	21.05	0.92	21.97	<=30	Pass		
	1778.5		1	0	21.63	0.92	22.55	<=30	Pass	
				7	21.73	0.92	22.65	<=30	Pass	
14				21.57	0.92	22.49	<=30	Pass		
8			0	20.89	0.92	21.81	<=30	Pass		
			4	21.00	0.92	21.92	<=30	Pass		
			7	20.97	0.92	21.89	<=30	Pass		
15			0	20.84	0.92	21.76	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B66_5MHz_EIRP

Band: 66 / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	22.96	0.92	23.88	<=30	Pass
			13	23.14	0.92	24.06	<=30	Pass
			24	23.02	0.92	23.94	<=30	Pass
		12	0	21.90	0.92	22.82	<=30	Pass

16QAM	1745	25	6	22.03	0.92	22.95	<=30	Pass		
			13	22.07	0.92	22.99	<=30	Pass		
			0	21.96	0.92	22.88	<=30	Pass		
		1	12	0	23.04	0.92	23.96	<=30	Pass	
				13	23.14	0.92	24.06	<=30	Pass	
				24	23.01	0.92	23.93	<=30	Pass	
		12	0	22.01	0.92	22.93	<=30	Pass		
			6	22.10	0.92	23.02	<=30	Pass		
			13	22.06	0.92	22.98	<=30	Pass		
		25	0	22.03	0.92	22.95	<=30	Pass		
		1777.5	1	12	0	22.82	0.92	23.74	<=30	Pass
					13	22.92	0.92	23.84	<=30	Pass
	24				22.86	0.92	23.78	<=30	Pass	
	25			0	21.78	0.92	22.70	<=30	Pass	
				6	21.88	0.92	22.80	<=30	Pass	
				13	21.91	0.92	22.83	<=30	Pass	
	12		0	21.86	0.92	22.78	<=30	Pass		
			0	22.27	0.92	23.19	<=30	Pass		
			13	22.42	0.92	23.34	<=30	Pass		
			24	22.28	0.92	23.20	<=30	Pass		
			0	20.91	0.92	21.83	<=30	Pass		
			6	21.07	0.92	21.99	<=30	Pass		
	13	21.02	0.92	21.94	<=30	Pass				
	25	0	21.08	0.92	22.00	<=30	Pass			
1745	1	12	0	22.20	0.92	23.12	<=30	Pass		
			13	22.38	0.92	23.30	<=30	Pass		
			24	22.21	0.92	23.13	<=30	Pass		
		25	0	21.01	0.92	21.93	<=30	Pass		
			6	21.12	0.92	22.04	<=30	Pass		
			13	21.09	0.92	22.01	<=30	Pass		
	12	0	21.11	0.92	22.03	<=30	Pass			
		0	22.05	0.92	22.97	<=30	Pass			
		13	22.12	0.92	23.04	<=30	Pass			
		24	21.96	0.92	22.88	<=30	Pass			
		0	20.84	0.92	21.76	<=30	Pass			
		6	20.98	0.92	21.90	<=30	Pass			
13	20.95	0.92	21.87	<=30	Pass					
25	0	20.91	0.92	21.83	<=30	Pass				

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B66_10MHz_EIRP

Band: 66 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	22.94	0.92	23.86	<=30	Pass
			25	23.03	0.92	23.95	<=30	Pass
			49	23.00	0.92	23.92	<=30	Pass
		25	0	21.86	0.92	22.78	<=30	Pass
			13	22.05	0.92	22.97	<=30	Pass
			25	22.09	0.92	23.01	<=30	Pass
	50	0	22.00	0.92	22.92	<=30	Pass	
	1745	1	0	23.07	0.92	23.99	<=30	Pass
			25	23.13	0.92	24.05	<=30	Pass
			49	23.07	0.92	23.99	<=30	Pass
		25	0	22.01	0.92	22.93	<=30	Pass

16QAM	1775	50	13	22.07	0.92	22.99	<=30	Pass		
			25	22.08	0.92	23.00	<=30	Pass		
			0	22.06	0.92	22.98	<=30	Pass		
		1	25	0	22.92	0.92	23.84	<=30	Pass	
				25	22.93	0.92	23.85	<=30	Pass	
				49	22.93	0.92	23.85	<=30	Pass	
		25	50	0	21.83	0.92	22.75	<=30	Pass	
				13	21.93	0.92	22.85	<=30	Pass	
				25	22.03	0.92	22.95	<=30	Pass	
	16QAM	1715	1	0	22.18	0.92	23.10	<=30	Pass	
				25	22.31	0.92	23.23	<=30	Pass	
				49	22.20	0.92	23.12	<=30	Pass	
			25	50	0	20.94	0.92	21.86	<=30	Pass
					13	21.16	0.92	22.08	<=30	Pass
					25	21.18	0.92	22.10	<=30	Pass
50			1745	0	21.06	0.92	21.98	<=30	Pass	
				1	22.14	0.92	23.06	<=30	Pass	
				25	22.18	0.92	23.10	<=30	Pass	
1		25	49	22.11	0.92	23.03	<=30	Pass		
			0	21.08	0.92	22.00	<=30	Pass		
			13	21.17	0.92	22.09	<=30	Pass		
25		50	25	21.16	0.92	22.08	<=30	Pass		
			0	21.10	0.92	22.02	<=30	Pass		
			1	22.12	0.92	23.04	<=30	Pass		
1	1775	25	22.17	0.92	23.09	<=30	Pass			
		49	22.05	0.92	22.97	<=30	Pass			
		0	20.91	0.92	21.83	<=30	Pass			
25	50	13	21.10	0.92	22.02	<=30	Pass			
		25	21.14	0.92	22.06	<=30	Pass			
		0	21.05	0.92	21.97	<=30	Pass			

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B66_15MHz_EIRP

Band: 66 / Bandwidth: 15MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1717.5	1	0	22.86	0.92	23.78	<=30	Pass	
			38	23.01	0.92	23.93	<=30	Pass	
			74	22.97	0.92	23.89	<=30	Pass	
		36	0	21.84	0.92	22.76	<=30	Pass	
			18	21.99	0.92	22.91	<=30	Pass	
			39	22.12	0.92	23.04	<=30	Pass	
		75	0	22.06	0.92	22.98	<=30	Pass	
		1745	1	0	23.08	0.92	24.00	<=30	Pass
				38	23.11	0.92	24.03	<=30	Pass
	74			22.97	0.92	23.89	<=30	Pass	
	36		0	21.94	0.92	22.86	<=30	Pass	
			18	22.01	0.92	22.93	<=30	Pass	
			39	22.02	0.92	22.94	<=30	Pass	
	75	0	22.01	0.92	22.93	<=30	Pass		
	1772.5	1	0	22.80	0.92	23.72	<=30	Pass	
			38	22.99	0.92	23.91	<=30	Pass	
			74	22.88	0.92	23.80	<=30	Pass	
		36	0	21.93	0.92	22.85	<=30	Pass	

16QAM	1717.5	75	18	21.93	0.92	22.85	<=30	Pass	
			39	22.05	0.92	22.97	<=30	Pass	
			0	22.07	0.92	22.99	<=30	Pass	
		1	0	22.42	0.92	23.34	<=30	Pass	
			38	22.48	0.92	23.40	<=30	Pass	
			74	22.34	0.92	23.26	<=30	Pass	
		36	0	20.88	0.92	21.80	<=30	Pass	
			18	21.00	0.92	21.92	<=30	Pass	
			39	21.07	0.92	21.99	<=30	Pass	
	75	0	20.97	0.92	21.89	<=30	Pass		
	1745	1	0	22.01	0.92	22.93	<=30	Pass	
			38	22.16	0.92	23.08	<=30	Pass	
			74	22.00	0.92	22.92	<=30	Pass	
		36	0	21.02	0.92	21.94	<=30	Pass	
			18	21.07	0.92	21.99	<=30	Pass	
			39	21.11	0.92	22.03	<=30	Pass	
		75	0	21.05	0.92	21.97	<=30	Pass	
		1772.5	1	0	22.03	0.92	22.95	<=30	Pass
				38	22.21	0.92	23.13	<=30	Pass
	74			21.95	0.92	22.87	<=30	Pass	
	36		0	20.97	0.92	21.89	<=30	Pass	
			18	20.97	0.92	21.89	<=30	Pass	
			39	21.08	0.92	22.00	<=30	Pass	
	75		0	21.05	0.92	21.97	<=30	Pass	

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B66_20MHz_EIRP

Band: 66 / Bandwidth: 20MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1720	1	0	22.76	0.92	23.68	<=30	Pass		
			50	22.96	0.92	23.88	<=30	Pass		
			99	22.99	0.92	23.91	<=30	Pass		
		50	0	21.86	0.92	22.78	<=30	Pass		
			25	22.10	0.92	23.02	<=30	Pass		
			50	22.01	0.92	22.93	<=30	Pass		
		100	0	21.94	0.92	22.86	<=30	Pass		
		1745	1	0	22.91	0.92	23.83	<=30	Pass	
				50	23.14	0.92	24.06	<=30	Pass	
	99			22.89	0.92	23.81	<=30	Pass		
	50		0	22.07	0.92	22.99	<=30	Pass		
			25	22.11	0.92	23.03	<=30	Pass		
			50	22.17	0.92	23.09	<=30	Pass		
	100		0	22.09	0.92	23.01	<=30	Pass		
	1770		1	0	22.78	0.92	23.70	<=30	Pass	
				50	22.96	0.92	23.88	<=30	Pass	
		99		22.84	0.92	23.76	<=30	Pass		
		50	0	22.09	0.92	23.01	<=30	Pass		
			25	21.99	0.92	22.91	<=30	Pass		
			50	22.16	0.92	23.08	<=30	Pass		
		100	0	22.12	0.92	23.04	<=30	Pass		
		16QAM	1720	1	0	22.30	0.92	23.22	<=30	Pass
					50	22.44	0.92	23.36	<=30	Pass
	99				22.24	0.92	23.16	<=30	Pass	
50	0			20.90	0.92	21.82	<=30	Pass		



	1745	100	25	21.14	0.92	22.06	<=30	Pass
			50	21.02	0.92	21.94	<=30	Pass
			0	21.00	0.92	21.92	<=30	Pass
		1	0	22.10	0.92	23.02	<=30	Pass
			50	22.37	0.92	23.29	<=30	Pass
			99	22.09	0.92	23.01	<=30	Pass
	50	0	21.11	0.92	22.03	<=30	Pass	
		25	21.17	0.92	22.09	<=30	Pass	
		50	21.20	0.92	22.12	<=30	Pass	
	100	0	21.14	0.92	22.06	<=30	Pass	
	1770	1	0	21.89	0.92	22.81	<=30	Pass
			50	22.26	0.92	23.18	<=30	Pass
			99	21.92	0.92	22.84	<=30	Pass
		50	0	21.16	0.92	22.08	<=30	Pass
			25	21.01	0.92	21.93	<=30	Pass
			50	21.21	0.92	22.13	<=30	Pass
		100	0	21.20	0.92	22.12	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B66_1.4MHz

Band: 66 / Bandwidth: 1.4MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	1710.7	6	0	20	3.27	-10.271	-0.0060	-2.5 to 2.5	Pass	
					3.85	-1.574	-0.0009	-2.5 to 2.5	Pass	
					4.43	-5.593	-0.0033	-2.5 to 2.5	Pass	
				-30	3.85	16.737	0.0098	-2.5 to 2.5	Pass	
					-20	3.85	-10.386	-0.0061	-2.5 to 2.5	Pass
					-10	3.85	-13.261	-0.0078	-2.5 to 2.5	Pass
				0	3.85	-15.092	-0.0088	-2.5 to 2.5	Pass	
					10	3.85	-9.041	-0.0053	-2.5 to 2.5	Pass
					30	3.85	8.097	0.0047	-2.5 to 2.5	Pass
				40	3.85	-5.322	-0.0031	-2.5 to 2.5	Pass	
					50	3.85	11.716	0.0068	-2.5 to 2.5	Pass
					1745	6	0	20	3.27	7.095
	3.85	-3.819	-0.0022	-2.5 to 2.5					Pass	
	4.43	3.076	0.0018	-2.5 to 2.5					Pass	
	-30	3.85	-5.937	-0.0034				-2.5 to 2.5	Pass	
		-20	3.85	-0.973				-0.0006	-2.5 to 2.5	Pass
		-10	3.85	-4.692				-0.0027	-2.5 to 2.5	Pass
	0	3.85	-9.041	-0.0052				-2.5 to 2.5	Pass	
		10	3.85	-13.862				-0.0079	-2.5 to 2.5	Pass
		30	3.85	10.886				0.0062	-2.5 to 2.5	Pass
	40	3.85	11.988	0.0069				-2.5 to 2.5	Pass	
		50	3.85	-14.477				-0.0083	-2.5 to 2.5	Pass
		1779.3	6	0				20	3.27	21.043
	3.85				6.266	0.0035	-2.5 to 2.5		Pass	
	4.43				5.436	0.0031	-2.5 to 2.5		Pass	
	-30				3.85	14.191	0.0080	-2.5 to 2.5	Pass	
					-20	3.85	4.935	0.0028	-2.5 to 2.5	Pass

16QAM	1710.7	6	0	-10	3.85	-10.114	-0.0057	-2.5 to 2.5	Pass			
				0	3.85	11.845	0.0067	-2.5 to 2.5	Pass			
				10	3.85	10.529	0.0059	-2.5 to 2.5	Pass			
				30	3.85	3.691	0.0021	-2.5 to 2.5	Pass			
				40	3.85	3.047	0.0017	-2.5 to 2.5	Pass			
				50	3.85	9.270	0.0052	-2.5 to 2.5	Pass			
	1745	6	0	20	3.27	12.145	0.0071	-2.5 to 2.5	Pass			
					3.85	-15.979	-0.0093	-2.5 to 2.5	Pass			
					4.43	-2.232	-0.0013	-2.5 to 2.5	Pass			
				-30	3.85	5.922	0.0035	-2.5 to 2.5	Pass			
				-20	3.85	-3.862	-0.0023	-2.5 to 2.5	Pass			
				-10	3.85	-8.082	-0.0047	-2.5 to 2.5	Pass			
				0	3.85	7.925	0.0046	-2.5 to 2.5	Pass			
				10	3.85	-13.905	-0.0081	-2.5 to 2.5	Pass			
				30	3.85	4.663	0.0027	-2.5 to 2.5	Pass			
				40	3.85	0.343	0.0002	-2.5 to 2.5	Pass			
				50	3.85	4.878	0.0029	-2.5 to 2.5	Pass			
				1779.3	6	0	20	3.27	-11.988	-0.0069	-2.5 to 2.5	Pass
								3.85	-11.859	-0.0068	-2.5 to 2.5	Pass
								4.43	-7.453	-0.0043	-2.5 to 2.5	Pass
							-30	3.85	-9.756	-0.0056	-2.5 to 2.5	Pass
	-20	3.85	-6.909				-0.0040	-2.5 to 2.5	Pass			
	-10	3.85	-2.818				-0.0016	-2.5 to 2.5	Pass			
	0	3.85	1.702				0.0010	-2.5 to 2.5	Pass			
	10	3.85	-10.386				-0.0060	-2.5 to 2.5	Pass			
	30	3.85	10.858				0.0062	-2.5 to 2.5	Pass			
	1779.3	6	0	20	3.85	-12.646	-0.0072	-2.5 to 2.5	Pass			
3.85					16.065	0.0092	-2.5 to 2.5	Pass				
3.27					8.268	0.0046	-2.5 to 2.5	Pass				
-30				3.85	-9.756	-0.0055	-2.5 to 2.5	Pass				
-20				3.85	5.493	0.0031	-2.5 to 2.5	Pass				
-10				3.85	-0.358	-0.0002	-2.5 to 2.5	Pass				
0				3.85	-5.078	-0.0029	-2.5 to 2.5	Pass				
10				3.85	-13.804	-0.0078	-2.5 to 2.5	Pass				
30				3.85	-4.606	-0.0026	-2.5 to 2.5	Pass				
40	3.85	2.875	0.0016	-2.5 to 2.5	Pass							
50	3.85	-1.101	-0.0006	-2.5 to 2.5	Pass							

2.1.2 B66_3MHz

Band: 66 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1711.5	15	0	20	3.27	-15.035	-0.0088	-2.5 to 2.5	Pass
					3.85	-8.984	-0.0052	-2.5 to 2.5	Pass
					4.43	-9.699	-0.0057	-2.5 to 2.5	Pass
				-30	3.85	-5.865	-0.0034	-2.5 to 2.5	Pass
				-20	3.85	-8.540	-0.0050	-2.5 to 2.5	Pass
				-10	3.85	5.307	0.0031	-2.5 to 2.5	Pass
				0	3.85	-15.635	-0.0091	-2.5 to 2.5	Pass
				10	3.85	9.384	0.0055	-2.5 to 2.5	Pass
				30	3.85	-13.089	-0.0076	-2.5 to 2.5	Pass
				40	3.85	-10.285	-0.0060	-2.5 to 2.5	Pass
				50	3.85	7.210	0.0042	-2.5 to 2.5	Pass

	1745	15	0	20	3.27	7.167	0.0041	-2.5 to 2.5	Pass	
					3.85	-12.474	-0.0071	-2.5 to 2.5	Pass	
					4.43	2.518	0.0014	-2.5 to 2.5	Pass	
				-30	3.85	2.575	0.0015	-2.5 to 2.5	Pass	
					-20	3.85	-8.984	-0.0051	-2.5 to 2.5	Pass
						-10	3.85	-16.952	-0.0097	-2.5 to 2.5
				0	3.85	-5.550	-0.0032	-2.5 to 2.5	Pass	
					10	3.85	-3.190	-0.0018	-2.5 to 2.5	Pass
					30	3.85	-15.235	-0.0087	-2.5 to 2.5	Pass
	40	3.85	3.018		0.0017	-2.5 to 2.5	Pass			
	50	3.85	-14.620		-0.0084	-2.5 to 2.5	Pass			
		3.85	-14.334		-0.0081	-2.5 to 2.5	Pass			
	1778.5	15	0	20	3.85	-16.937	-0.0095	-2.5 to 2.5	Pass	
					4.43	9.813	0.0055	-2.5 to 2.5	Pass	
					-30	3.85	6.766	0.0038	-2.5 to 2.5	Pass
				-20	3.85	-15.535	-0.0087	-2.5 to 2.5	Pass	
					-10	3.85	3.262	0.0018	-2.5 to 2.5	Pass
						0	3.85	2.804	0.0016	-2.5 to 2.5
10				3.85	-11.401	-0.0064	-2.5 to 2.5	Pass		
				30	3.85	1.688	0.0009	-2.5 to 2.5	Pass	
				40	3.85	-14.520	-0.0082	-2.5 to 2.5	Pass	
	50	3.85	10.586	0.0060	-2.5 to 2.5	Pass				
		3.85	-13.790	-0.0081	-2.5 to 2.5	Pass				
	16QAM	1711.5	15	0	20	3.85	-0.787	-0.0005	-2.5 to 2.5	Pass
4.43						5.107	0.0030	-2.5 to 2.5	Pass	
-30						3.85	-12.617	-0.0074	-2.5 to 2.5	Pass
-20					3.85	-10.200	-0.0060	-2.5 to 2.5	Pass	
					-10	3.85	4.034	0.0024	-2.5 to 2.5	Pass
						0	3.85	2.875	0.0017	-2.5 to 2.5
10					3.85	-1.831	-0.0011	-2.5 to 2.5	Pass	
					30	3.85	6.437	0.0038	-2.5 to 2.5	Pass
					40	3.85	-0.615	-0.0004	-2.5 to 2.5	Pass
		50	3.85	-7.796	-0.0046	-2.5 to 2.5	Pass			
			3.85	8.955	0.0051	-2.5 to 2.5	Pass			
		1745	15	0	20	3.85	-14.906	-0.0085	-2.5 to 2.5	Pass
4.43						-2.661	-0.0015	-2.5 to 2.5	Pass	
-30						3.85	8.841	0.0051	-2.5 to 2.5	Pass
-20					3.85	-0.300	-0.0002	-2.5 to 2.5	Pass	
					-10	3.85	7.482	0.0043	-2.5 to 2.5	Pass
						0	3.85	11.387	0.0065	-2.5 to 2.5
10					3.85	2.933	0.0017	-2.5 to 2.5	Pass	
	30				3.85	-9.871	-0.0057	-2.5 to 2.5	Pass	
	40				3.85	3.290	0.0019	-2.5 to 2.5	Pass	
	50	3.85	-9.799	-0.0056	-2.5 to 2.5	Pass				
		3.85	5.436	0.0031	-2.5 to 2.5	Pass				
	1778.5	15	0	20	3.85	-3.548	-0.0020	-2.5 to 2.5	Pass	
4.43					5.465	0.0031	-2.5 to 2.5	Pass		
-30					3.85	1.359	0.0008	-2.5 to 2.5	Pass	
-20				3.85	-5.465	-0.0031	-2.5 to 2.5	Pass		
				-10	3.85	2.146	0.0012	-2.5 to 2.5	Pass	
					0	3.85	-0.443	-0.0002	-2.5 to 2.5	Pass
10				3.85	10.815	0.0061	-2.5 to 2.5	Pass		
				30	3.85	-9.398	-0.0053	-2.5 to 2.5	Pass	
				40	3.85	6.981	0.0039	-2.5 to 2.5	Pass	
	50	3.85	-10.757	-0.0060	-2.5 to 2.5	Pass				
		3.85	-10.757	-0.0060	-2.5 to 2.5	Pass				

2.1.3 B66_5MHz

Band: 66 / Bandwidth: 5MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	1712.5	25	0	20	3.27	-3.104	-0.0018	-2.5 to 2.5	Pass	
					3.85	6.037	0.0035	-2.5 to 2.5	Pass	
					4.43	10.700	0.0062	-2.5 to 2.5	Pass	
				-30	3.85	1.931	0.0011	-2.5 to 2.5	Pass	
					-20	3.85	8.397	0.0049	-2.5 to 2.5	Pass
						-10	3.85	13.304	0.0078	-2.5 to 2.5
				0	3.85	10.457	0.0061	-2.5 to 2.5	Pass	
					10	3.85	-9.599	-0.0056	-2.5 to 2.5	Pass
				30	3.85	5.436	0.0032	-2.5 to 2.5	Pass	
				40	3.85	5.565	0.0032	-2.5 to 2.5	Pass	
	50	3.85	-5.765	-0.0034	-2.5 to 2.5	Pass				
	1745	25	0	20	3.27	8.183	0.0047	-2.5 to 2.5	Pass	
					3.85	8.612	0.0049	-2.5 to 2.5	Pass	
					4.43	-2.489	-0.0014	-2.5 to 2.5	Pass	
				-30	3.85	1.016	0.0006	-2.5 to 2.5	Pass	
					-20	3.85	7.668	0.0044	-2.5 to 2.5	Pass
						-10	3.85	15.349	0.0088	-2.5 to 2.5
				0	3.85	-7.281	-0.0042	-2.5 to 2.5	Pass	
					10	3.85	8.626	0.0049	-2.5 to 2.5	Pass
				30	3.85	-2.174	-0.0012	-2.5 to 2.5	Pass	
				40	3.85	6.309	0.0036	-2.5 to 2.5	Pass	
	50	3.85	-0.372	-0.0002	-2.5 to 2.5	Pass				
	1777.5	25	0	20	3.27	-0.658	-0.0004	-2.5 to 2.5	Pass	
					3.85	1.831	0.0010	-2.5 to 2.5	Pass	
					4.43	1.316	0.0007	-2.5 to 2.5	Pass	
				-30	3.85	-1.087	-0.0006	-2.5 to 2.5	Pass	
					-20	3.85	-3.233	-0.0018	-2.5 to 2.5	Pass
						-10	3.85	-4.563	-0.0026	-2.5 to 2.5
				0	3.85	1.116	0.0006	-2.5 to 2.5	Pass	
					10	3.85	0.029	0.0000	-2.5 to 2.5	Pass
30				3.85	0.186	0.0001	-2.5 to 2.5	Pass		
40				3.85	6.108	0.0034	-2.5 to 2.5	Pass		
50	3.85	-3.319	-0.0019	-2.5 to 2.5	Pass					
16QAM	1712.5	25	0	20	3.27	-5.350	-0.0031	-2.5 to 2.5	Pass	
					3.85	0.429	0.0003	-2.5 to 2.5	Pass	
					4.43	2.346	0.0014	-2.5 to 2.5	Pass	
				-30	3.85	-10.629	-0.0062	-2.5 to 2.5	Pass	
					-20	3.85	-0.973	-0.0006	-2.5 to 2.5	Pass
						-10	3.85	4.106	0.0024	-2.5 to 2.5
				0	3.85	-7.811	-0.0046	-2.5 to 2.5	Pass	
					10	3.85	-4.005	-0.0023	-2.5 to 2.5	Pass
				30	3.85	-9.828	-0.0057	-2.5 to 2.5	Pass	
				40	3.85	-8.998	-0.0053	-2.5 to 2.5	Pass	
	50	3.85	-1.945	-0.0011	-2.5 to 2.5	Pass				
	1745	25	0	20	3.27	-19.169	-0.0110	-2.5 to 2.5	Pass	
					3.85	-4.535	-0.0026	-2.5 to 2.5	Pass	
					4.43	-4.020	-0.0023	-2.5 to 2.5	Pass	
				-30	3.85	15.950	0.0091	-2.5 to 2.5	Pass	
					-20	3.85	10.386	0.0060	-2.5 to 2.5	Pass
						-10	3.85	-10.471	-0.0060	-2.5 to 2.5
				0	3.85	-5.708	-0.0033	-2.5 to 2.5	Pass	
					10	3.85	-1.802	-0.0010	-2.5 to 2.5	Pass
				30	3.85	-2.904	-0.0017	-2.5 to 2.5	Pass	

	1777.5	25	0	40	3.85	-5.937	-0.0034	-2.5 to 2.5	Pass
				50	3.85	4.864	0.0028	-2.5 to 2.5	Pass
				20	3.27	-6.309	-0.0035	-2.5 to 2.5	Pass
					3.85	-0.558	-0.0003	-2.5 to 2.5	Pass
					4.43	3.219	0.0018	-2.5 to 2.5	Pass
				-30	3.85	0.572	0.0003	-2.5 to 2.5	Pass
				-20	3.85	-7.210	-0.0041	-2.5 to 2.5	Pass
				-10	3.85	0.343	0.0002	-2.5 to 2.5	Pass
				0	3.85	4.320	0.0024	-2.5 to 2.5	Pass
				10	3.85	3.490	0.0020	-2.5 to 2.5	Pass
				30	3.85	3.176	0.0018	-2.5 to 2.5	Pass
				40	3.85	3.147	0.0018	-2.5 to 2.5	Pass
				50	3.85	7.653	0.0043	-2.5 to 2.5	Pass

2.1.4 B66_10MHz

Band: 66 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1715	50	0	20	3.27	0.858	0.0005	-2.5 to 2.5	Pass
					3.85	-4.306	-0.0025	-2.5 to 2.5	Pass
					4.43	-0.029	0.0000	-2.5 to 2.5	Pass
				-30	3.85	-9.627	-0.0056	-2.5 to 2.5	Pass
				-20	3.85	3.619	0.0021	-2.5 to 2.5	Pass
				-10	3.85	-0.901	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-11.272	-0.0066	-2.5 to 2.5	Pass
				10	3.85	4.449	0.0026	-2.5 to 2.5	Pass
				30	3.85	4.063	0.0024	-2.5 to 2.5	Pass
				40	3.85	-5.765	-0.0034	-2.5 to 2.5	Pass
	50	3.85	-2.160	-0.0013	-2.5 to 2.5	Pass			
	1745	50	0	20	3.27	-0.858	-0.0005	-2.5 to 2.5	Pass
					3.85	-0.472	-0.0003	-2.5 to 2.5	Pass
					4.43	-2.890	-0.0017	-2.5 to 2.5	Pass
				-30	3.85	0.730	0.0004	-2.5 to 2.5	Pass
				-20	3.85	1.845	0.0011	-2.5 to 2.5	Pass
				-10	3.85	6.709	0.0038	-2.5 to 2.5	Pass
				0	3.85	4.234	0.0024	-2.5 to 2.5	Pass
				10	3.85	1.616	0.0009	-2.5 to 2.5	Pass
				30	3.85	1.674	0.0010	-2.5 to 2.5	Pass
				40	3.85	0.901	0.0005	-2.5 to 2.5	Pass
	50	3.85	1.931	0.0011	-2.5 to 2.5	Pass			
	1775	50	0	20	3.27	-0.715	-0.0004	-2.5 to 2.5	Pass
					3.85	-1.745	-0.0010	-2.5 to 2.5	Pass
					4.43	-0.029	0.0000	-2.5 to 2.5	Pass
				-30	3.85	-7.210	-0.0041	-2.5 to 2.5	Pass
				-20	3.85	1.230	0.0007	-2.5 to 2.5	Pass
				-10	3.85	3.176	0.0018	-2.5 to 2.5	Pass
				0	3.85	-5.794	-0.0033	-2.5 to 2.5	Pass
				10	3.85	-3.648	-0.0021	-2.5 to 2.5	Pass
30				3.85	3.505	0.0020	-2.5 to 2.5	Pass	
40				3.85	2.189	0.0012	-2.5 to 2.5	Pass	
50	3.85	-5.679	-0.0032	-2.5 to 2.5	Pass				
16QAM	1715	50	0	20	3.27	-3.033	-0.0018	-2.5 to 2.5	Pass
					3.85	7.453	0.0043	-2.5 to 2.5	Pass
					4.43	-3.319	-0.0019	-2.5 to 2.5	Pass
				-30	3.85	0.858	0.0005	-2.5 to 2.5	Pass

				-20	3.85	-4.091	-0.0024	-2.5 to 2.5	Pass
				-10	3.85	2.089	0.0012	-2.5 to 2.5	Pass
				0	3.85	-3.390	-0.0020	-2.5 to 2.5	Pass
				10	3.85	5.107	0.0030	-2.5 to 2.5	Pass
				30	3.85	-2.003	-0.0012	-2.5 to 2.5	Pass
				40	3.85	0.072	0.0000	-2.5 to 2.5	Pass
				50	3.85	1.373	0.0008	-2.5 to 2.5	Pass
	1745	50	0	20	3.27	-4.120	-0.0024	-2.5 to 2.5	Pass
					3.85	-6.266	-0.0036	-2.5 to 2.5	Pass
					4.43	-2.947	-0.0017	-2.5 to 2.5	Pass
				-30	3.85	4.163	0.0024	-2.5 to 2.5	Pass
				-20	3.85	-2.990	-0.0017	-2.5 to 2.5	Pass
				-10	3.85	0.072	0.0000	-2.5 to 2.5	Pass
				0	3.85	5.136	0.0029	-2.5 to 2.5	Pass
				10	3.85	0.944	0.0005	-2.5 to 2.5	Pass
				30	3.85	-1.001	-0.0006	-2.5 to 2.5	Pass
				40	3.85	-3.190	-0.0018	-2.5 to 2.5	Pass
	50	3.85	-2.174	-0.0012	-2.5 to 2.5	Pass			
	1775	50	0	20	3.27	1.988	0.0011	-2.5 to 2.5	Pass
					3.85	0.758	0.0004	-2.5 to 2.5	Pass
					4.43	-0.687	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	1.073	0.0006	-2.5 to 2.5	Pass
				-20	3.85	2.589	0.0015	-2.5 to 2.5	Pass
				-10	3.85	-2.089	-0.0012	-2.5 to 2.5	Pass
0				3.85	3.462	0.0020	-2.5 to 2.5	Pass	
10				3.85	0.200	0.0001	-2.5 to 2.5	Pass	
30				3.85	3.519	0.0020	-2.5 to 2.5	Pass	
40				3.85	-5.593	-0.0032	-2.5 to 2.5	Pass	
50	3.85	-2.089	-0.0012	-2.5 to 2.5	Pass				

2.1.5 B66_15MHz

Band: 66 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1717.5	75	0	20	3.27	-3.834	-0.0022	-2.5 to 2.5	Pass
					3.85	-2.317	-0.0013	-2.5 to 2.5	Pass
					4.43	3.347	0.0019	-2.5 to 2.5	Pass
				-30	3.85	-1.016	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	-5.307	-0.0031	-2.5 to 2.5	Pass
				-10	3.85	4.377	0.0025	-2.5 to 2.5	Pass
				0	3.85	0.401	0.0002	-2.5 to 2.5	Pass
				10	3.85	-4.706	-0.0027	-2.5 to 2.5	Pass
				30	3.85	-2.646	-0.0015	-2.5 to 2.5	Pass
				40	3.85	-5.422	-0.0032	-2.5 to 2.5	Pass
	50	3.85	-2.089	-0.0012	-2.5 to 2.5	Pass			
	1745	75	0	20	3.27	4.749	0.0027	-2.5 to 2.5	Pass
					3.85	2.389	0.0014	-2.5 to 2.5	Pass
					4.43	5.550	0.0032	-2.5 to 2.5	Pass
				-30	3.85	2.632	0.0015	-2.5 to 2.5	Pass
				-20	3.85	0.587	0.0003	-2.5 to 2.5	Pass
				-10	3.85	-2.117	-0.0012	-2.5 to 2.5	Pass
				0	3.85	-4.148	-0.0024	-2.5 to 2.5	Pass
				10	3.85	-0.787	-0.0005	-2.5 to 2.5	Pass
				30	3.85	1.473	0.0008	-2.5 to 2.5	Pass
40				3.85	3.390	0.0019	-2.5 to 2.5	Pass	



	1772.5	75	0	50	3.85	2.961	0.0017	-2.5 to 2.5	Pass
				20	3.27	-3.490	-0.0020	-2.5 to 2.5	Pass
					3.85	-1.287	-0.0007	-2.5 to 2.5	Pass
					4.43	-1.802	-0.0010	-2.5 to 2.5	Pass
					-30	3.85	-6.280	-0.0035	-2.5 to 2.5
				-20	3.85	-0.486	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	1.988	0.0011	-2.5 to 2.5	Pass
				0	3.85	-5.951	-0.0034	-2.5 to 2.5	Pass
				10	3.85	-5.064	-0.0029	-2.5 to 2.5	Pass
				30	3.85	-5.436	-0.0031	-2.5 to 2.5	Pass
				40	3.85	-3.748	-0.0021	-2.5 to 2.5	Pass
				50	3.85	-8.283	-0.0047	-2.5 to 2.5	Pass
				16QAM	1717.5	75	0	20	3.27
3.85	0.587	0.0003	-2.5 to 2.5						Pass
	4.43	-2.460	-0.0014					-2.5 to 2.5	Pass
	-30	3.85	0.114					0.0001	-2.5 to 2.5
-20	3.85	-4.735	-0.0028					-2.5 to 2.5	Pass
-10	3.85	2.117	0.0012					-2.5 to 2.5	Pass
0	3.85	-2.933	-0.0017					-2.5 to 2.5	Pass
10	3.85	3.033	0.0018					-2.5 to 2.5	Pass
30	3.85	2.761	0.0016					-2.5 to 2.5	Pass
40	3.85	-3.991	-0.0023					-2.5 to 2.5	Pass
50	3.85	2.174	0.0013					-2.5 to 2.5	Pass
1745	75	0	20					3.27	5.779
					3.85	1.545	0.0009	-2.5 to 2.5	Pass
					4.43	2.217	0.0013	-2.5 to 2.5	Pass
					-30	3.85	1.030	0.0006	-2.5 to 2.5
			-20		3.85	4.849	0.0028	-2.5 to 2.5	Pass
			-10		3.85	-3.347	-0.0019	-2.5 to 2.5	Pass
			0		3.85	-5.465	-0.0031	-2.5 to 2.5	Pass
			10		3.85	3.691	0.0021	-2.5 to 2.5	Pass
			30		3.85	-3.905	-0.0022	-2.5 to 2.5	Pass
			40		3.85	0.772	0.0004	-2.5 to 2.5	Pass
			50		3.85	2.160	0.0012	-2.5 to 2.5	Pass
			1772.5		75	0	20	3.27	-2.890
3.85	-7.982	-0.0045						-2.5 to 2.5	Pass
	4.43	-6.809		-0.0038			-2.5 to 2.5	Pass	
	-30	3.85		-2.832			-0.0016	-2.5 to 2.5	Pass
-20	3.85	-4.091		-0.0023			-2.5 to 2.5	Pass	
-10	3.85	-6.537		-0.0037			-2.5 to 2.5	Pass	
0	3.85	-5.994		-0.0034			-2.5 to 2.5	Pass	
10	3.85	-1.688		-0.0010			-2.5 to 2.5	Pass	
30	3.85	-2.503		-0.0014			-2.5 to 2.5	Pass	
40	3.85	-3.262		-0.0018			-2.5 to 2.5	Pass	
50	3.85	-2.146		-0.0012			-2.5 to 2.5	Pass	

2.1.6 B66_20MHz

Band: 66 / Bandwidth: 20MHz														
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict					
		Size	Offset				Result	Limit						
QPSK	1720	100	0	20	3.27	4.478	0.0026	-2.5 to 2.5	Pass					
									3.85	1.345	0.0008	-2.5 to 2.5	Pass	
										4.43	4.120	0.0024	-2.5 to 2.5	Pass
										-30	3.85	-2.518	-0.0015	-2.5 to 2.5
									-20	3.85	-3.977	-0.0023	-2.5 to 2.5	Pass



				-10	3.85	0.286	0.0002	-2.5 to 2.5	Pass		
				0	3.85	1.616	0.0009	-2.5 to 2.5	Pass		
				10	3.85	-0.086	0.0000	-2.5 to 2.5	Pass		
				30	3.85	-1.287	-0.0007	-2.5 to 2.5	Pass		
				40	3.85	-5.822	-0.0034	-2.5 to 2.5	Pass		
				50	3.85	-3.791	-0.0022	-2.5 to 2.5	Pass		
	1745	100	0	20	3.27	0.844	0.0005	-2.5 to 2.5	Pass		
					3.85	1.516	0.0009	-2.5 to 2.5	Pass		
					4.43	-6.566	-0.0038	-2.5 to 2.5	Pass		
				-30	3.85	-3.691	-0.0021	-2.5 to 2.5	Pass		
				-20	3.85	-0.272	-0.0002	-2.5 to 2.5	Pass		
				-10	3.85	5.207	0.0030	-2.5 to 2.5	Pass		
		1770	100	0	20	3.85	6.552	0.0038	-2.5 to 2.5	Pass	
						10	3.85	-2.947	-0.0017	-2.5 to 2.5	Pass
						30	3.85	0.858	0.0005	-2.5 to 2.5	Pass
					40	3.85	-6.495	-0.0037	-2.5 to 2.5	Pass	
					50	3.85	-2.131	-0.0012	-2.5 to 2.5	Pass	
					3.27	-3.619	-0.0020	-2.5 to 2.5	Pass		
	1720	100	0	20	3.85	1.416	0.0008	-2.5 to 2.5	Pass		
					4.43	-3.991	-0.0023	-2.5 to 2.5	Pass		
					-30	3.85	-5.322	-0.0030	-2.5 to 2.5	Pass	
				-20	3.85	-6.781	-0.0038	-2.5 to 2.5	Pass		
				-10	3.85	-1.488	-0.0008	-2.5 to 2.5	Pass		
				0	3.85	-0.801	-0.0005	-2.5 to 2.5	Pass		
		1745	100	0	20	10	3.85	-2.632	-0.0015	-2.5 to 2.5	Pass
						30	3.85	-8.254	-0.0047	-2.5 to 2.5	Pass
						40	3.85	-7.668	-0.0043	-2.5 to 2.5	Pass
					50	3.85	-1.502	-0.0008	-2.5 to 2.5	Pass	
3.27					-0.472	-0.0003	-2.5 to 2.5	Pass			
3.85					-4.678	-0.0027	-2.5 to 2.5	Pass			
16QAM	1745	100	0	20	4.43	-2.818	-0.0016	-2.5 to 2.5	Pass		
					-30	3.85	-0.672	-0.0004	-2.5 to 2.5	Pass	
					-20	3.85	-6.037	-0.0035	-2.5 to 2.5	Pass	
				-10	3.85	-0.830	-0.0005	-2.5 to 2.5	Pass		
				0	3.85	-7.639	-0.0044	-2.5 to 2.5	Pass		
				10	3.85	0.286	0.0002	-2.5 to 2.5	Pass		
	1770	100	0	20	30	3.85	-1.659	-0.0010	-2.5 to 2.5	Pass	
					40	3.85	-0.014	0.0000	-2.5 to 2.5	Pass	
					50	3.85	-3.433	-0.0020	-2.5 to 2.5	Pass	
				3.27	1.287	0.0007	-2.5 to 2.5	Pass			
				3.85	-6.351	-0.0036	-2.5 to 2.5	Pass			
				4.43	-0.687	-0.0004	-2.5 to 2.5	Pass			
1770	100	0	20	-30	3.85	4.435	0.0025	-2.5 to 2.5	Pass		
				-20	3.85	-3.619	-0.0021	-2.5 to 2.5	Pass		
				-10	3.85	0.901	0.0005	-2.5 to 2.5	Pass		
			0	3.85	-0.930	-0.0005	-2.5 to 2.5	Pass			
			10	3.85	2.360	0.0014	-2.5 to 2.5	Pass			
			30	3.85	-1.731	-0.0010	-2.5 to 2.5	Pass			
				20	40	3.85	0.701	0.0004	-2.5 to 2.5	Pass	
					50	3.85	0.615	0.0004	-2.5 to 2.5	Pass	
					3.27	-6.752	-0.0038	-2.5 to 2.5	Pass		
				3.85	-7.753	-0.0044	-2.5 to 2.5	Pass			
				4.43	-1.230	-0.0007	-2.5 to 2.5	Pass			
				-30	3.85	0.143	0.0001	-2.5 to 2.5	Pass		
				20	-20	3.85	-2.918	-0.0016	-2.5 to 2.5	Pass	
					-10	3.85	-4.005	-0.0023	-2.5 to 2.5	Pass	
				0	3.85	-1.774	-0.0010	-2.5 to 2.5	Pass		
				10	3.85	-5.522	-0.0031	-2.5 to 2.5	Pass		

				30	3.85	-3.490	-0.0020	-2.5 to 2.5	Pass
				40	3.85	-2.475	-0.0014	-2.5 to 2.5	Pass
				50	3.85	0.744	0.0004	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B66_1.4MHz

Band: 66 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	6	0	Refer To Test Graph		Pass
16QAM	1745	6	0	Refer To Test Graph		Pass

3.1.2 B66_3MHz

Band: 66 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	15	0	Refer To Test Graph		Pass
16QAM	1745	15	0	Refer To Test Graph		Pass

3.1.3 B66_5MHz

Band: 66 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	25	0	Refer To Test Graph		Pass
16QAM	1745	25	0	Refer To Test Graph		Pass

3.1.4 B66_10MHz

Band: 66 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	50	0	Refer To Test Graph		Pass
16QAM	1745	50	0	Refer To Test Graph		Pass

3.1.5 B66_15MHz

Band: 66 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	75	0	Refer To Test Graph		Pass
16QAM	1745	75	0	Refer To Test Graph		Pass




3.1.6 B66_20MHz



Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	100	0	Refer To Test Graph		Pass
16QAM	1745	100	0	Refer To Test Graph		Pass

3.2 Test Graph

3.2.1 B66_1.4MHz



3.2.2 B66_3MHz



3.2.3 B66_5MHz

Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV

CMW 500 V 3.7.172 - LTE Measurement - V3.7.31 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1745.0 MHz Ref. Level: 35.00 dBm BW: 5.0 MHz CP: Normal Meas Subfr./Slot: 7 / All

IO Constellation

Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: QPSK

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

LTE

Multi Evaluation

RDY

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling

ON

PS: Connection Established

RRC State: Connected

Go To Local

Show Remote Screen

Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV

CMW 500 V 3.7.172 - LTE Measurement - V3.7.31 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1745.0 MHz Ref. Level: 35.00 dBm BW: 5.0 MHz CP: Normal Meas Subfr./Slot: 7 / All

IO Constellation

Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: 16-QAM

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

LTE

Multi Evaluation

RDY

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling

ON



PS: Connection Established

RRC State: Connected



Go To Local

Show Remote Screen

3.2.4 B66_10MHz



3.2.5 B66_15MHz



3.2.6 B66_20MHz

Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV

CMW 500 V 3.7.172 - LTE Measurement - V3.7.31 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1745.0 MHz Ref. Level: 35.00 dBm BW: 20.0 MHz CP: Normal Meas Subfr./Slot: 7 / All

IO Constellation

Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: QPSK

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

LTE

Multi Evaluation RDY


RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling ON



QPSK constellation diagram showing four clusters of points in a square grid on a Q-I plane from -1 to 1.

PS: Connection Established

RRC State: Connected

Go To Local

Show Remote Screen

Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV

CMW 500 V 3.7.172 - LTE Measurement - V3.7.31 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1745.0 MHz Ref. Level: 35.00 dBm BW: 20.0 MHz CP: Normal Meas Subfr./Slot: 7 / All

IO Constellation

Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: 16-QAM

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

LTE

Multi Evaluation RDY


RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling ON



16-QAM constellation diagram showing sixteen clusters of points in a 4x4 grid on a Q-I plane from -1 to 1.

PS: Connection Established

RRC State: Connected

Go To Local

Show Remote Screen

4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band66_OBW

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1710.7	6	0	1.112	/	Pass
		1745	6	0	1.120	/	Pass
		1779.3	6	0	1.117	/	Pass
	16QAM	1710.7	6	0	1.122	/	Pass
		1745	6	0	1.117	/	Pass
		1779.3	6	0	1.118	/	Pass
3	QPSK	1711.5	15	0	2.736	/	Pass
		1745	15	0	2.723	/	Pass
		1778.5	15	0	2.739	/	Pass
	16QAM	1711.5	15	0	2.749	/	Pass
		1745	15	0	2.730	/	Pass
		1778.5	15	0	2.726	/	Pass
5	QPSK	1712.5	25	0	4.548	/	Pass
		1745	25	0	4.550	/	Pass
		1777.5	25	0	4.559	/	Pass
	16QAM	1712.5	25	0	4.556	/	Pass
		1745	25	0	4.545	/	Pass
		1777.5	25	0	4.534	/	Pass
10	QPSK	1715	50	0	9.053	/	Pass
		1745	50	0	9.061	/	Pass
		1775	50	0	9.058	/	Pass
	16QAM	1715	50	0	9.051	/	Pass
		1745	50	0	9.046	/	Pass
		1775	50	0	9.060	/	Pass
15	QPSK	1717.5	75	0	13.535	/	Pass
		1745	75	0	13.617	/	Pass
		1772.5	75	0	13.701	/	Pass
	16QAM	1717.5	75	0	13.543	/	Pass
		1745	75	0	13.576	/	Pass
		1772.5	75	0	13.720	/	Pass
20	QPSK	1720	100	0	17.986	/	Pass
		1745	100	0	18.164	/	Pass
		1770	100	0	18.248	/	Pass
	16QAM	1720	100	0	18.047	/	Pass
		1745	100	0	18.168	/	Pass
		1770	100	0	18.245	/	Pass

4.1.2 Band66_XDB


Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1710.7	6	0	1.312	/	Pass




	16QAM	1745	6	0	1.333	/	Pass
		1779.3	6	0	1.340	/	Pass
		1710.7	6	0	1.319	/	Pass
		1745	6	0	1.310	/	Pass
		1779.3	6	0	1.314	/	Pass
3	QPSK	1711.5	15	0	3.054	/	Pass
		1745	15	0	3.045	/	Pass
		1778.5	15	0	3.020	/	Pass
	16QAM	1711.5	15	0	3.033	/	Pass
		1745	15	0	3.046	/	Pass
		1778.5	15	0	3.032	/	Pass
5	QPSK	1712.5	25	0	4.991	/	Pass
		1745	25	0	4.990	/	Pass
		1777.5	25	0	4.980	/	Pass
	16QAM	1712.5	25	0	5.015	/	Pass
		1745	25	0	5.003	/	Pass
		1777.5	25	0	5.009	/	Pass
10	QPSK	1715	50	0	9.898	/	Pass
		1745	50	0	9.918	/	Pass
		1775	50	0	9.893	/	Pass
	16QAM	1715	50	0	9.857	/	Pass
		1745	50	0	9.926	/	Pass
		1775	50	0	9.849	/	Pass
15	QPSK	1717.5	75	0	14.825	/	Pass
		1745	75	0	14.920	/	Pass
		1772.5	75	0	14.967	/	Pass
	16QAM	1717.5	75	0	14.746	/	Pass
		1745	75	0	14.871	/	Pass
		1772.5	75	0	14.931	/	Pass
20	QPSK	1720	100	0	19.535	/	Pass
		1745	100	0	19.672	/	Pass
		1770	100	0	19.788	/	Pass
	16QAM	1720	100	0	19.613	/	Pass
		1745	100	0	19.731	/	Pass
		1770	100	0	19.814	/	Pass

4.2 Test Graph


4.2.1 Band66_OBW




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV





Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV




4.2.2 Band66_XDB




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B66_1.4MHz

Band: 66 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	6	0	5.96	<=13	Pass
	1745	6	0	6.01	<=13	Pass
	1779.3	6	0	4.24	<=13	Pass
16QAM	1710.7	6	0	6.71	<=13	Pass
	1745	6	0	6.80	<=13	Pass
	1779.3	6	0	5.18	<=13	Pass

5.1.2 B66_3MHz

Band: 66 / Bandwidth: 3MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	15	0	6.05	<=13	Pass
	1745	15	0	5.97	<=13	Pass
	1778.5	15	0	4.77	<=13	Pass
16QAM	1711.5	15	0	6.90	<=13	Pass
	1745	15	0	6.82	<=13	Pass
	1778.5	15	0	5.68	<=13	Pass

5.1.3 B66_5MHz

Band: 66 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	25	0	5.98	<=13	Pass
	1745	25	0	5.98	<=13	Pass
	1777.5	25	0	5.39	<=13	Pass
16QAM	1712.5	25	0	6.77	<=13	Pass
	1745	25	0	6.71	<=13	Pass
	1777.5	25	0	6.10	<=13	Pass

5.1.4 B66_10MHz

Band: 66 / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	50	0	5.75	<=13	Pass
	1745	50	0	5.80	<=13	Pass
	1775	50	0	5.63	<=13	Pass
16QAM	1715	50	0	6.57	<=13	Pass



	1745	50	0	6.64	<=13	Pass
	1775	50	0	6.46	<=13	Pass

5.1.5 B66_15MHz


Band: 66 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	75	0	5.26	<=13	Pass
	1745	75	0	5.29	<=13	Pass
	1772.5	75	0	5.46	<=13	Pass
16QAM	1717.5	75	0	6.31	<=13	Pass
	1745	75	0	6.41	<=13	Pass
	1772.5	75	0	6.45	<=13	Pass

5.1.6 B66_20MHz


Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	100	0	5.65	<=13	Pass
	1745	100	0	5.64	<=13	Pass
	1770	100	0	5.78	<=13	Pass
16QAM	1720	100	0	6.70	<=13	Pass
	1745	100	0	6.78	<=13	Pass
	1770	100	0	6.77	<=13	Pass

5.2 Test Graph


5.2.1 B66_1.4MHz




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




5.2.2 B66_3MHz




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




5.2.3 B66_5MHz




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




5.2.4 B66_10MHz




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




5.2.5 B66_15MHz




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




5.2.6 B66_20MHz




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B66_1.4MHz

Band: 66 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	1779.3	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	1779.3	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

6.1.2 B66_3MHz

Band: 66 / Bandwidth: 3MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	1778.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	1778.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

6.1.3 B66_5MHz

Band: 66 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	1777.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

16QAM	1712.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	1745	1	0	Refer To Test Graph	Pass
		1777.5	1	0	Refer To Test Graph
				24	Refer To Test Graph
			25	0	Refer To Test Graph

6.1.4 B66_10MHz

Band: 66 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	1	0	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	1745	1	0	Refer To Test Graph	Pass	
		1775	1	0	Refer To Test Graph	Pass
				49	Refer To Test Graph	Pass
			50	0	Refer To Test Graph	Pass
16QAM	1715	1	0	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	1745	1	0	Refer To Test Graph	Pass	
		1775	1	0	Refer To Test Graph	Pass
				49	Refer To Test Graph	Pass
			50	0	Refer To Test Graph	Pass

6.1.5 B66_15MHz

Band: 66 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	1	0	Refer To Test Graph	Pass	
		75	0	Refer To Test Graph	Pass	
	1745	1	0	Refer To Test Graph	Pass	
		1772.5	1	0	Refer To Test Graph	Pass
				74	Refer To Test Graph	Pass
			75	0	Refer To Test Graph	Pass
16QAM	1717.5	1	0	Refer To Test Graph	Pass	
		75	0	Refer To Test Graph	Pass	
	1745	1	0	Refer To Test Graph	Pass	
		1772.5	1	0	Refer To Test Graph	Pass
				74	Refer To Test Graph	Pass
			75	0	Refer To Test Graph	Pass

6.1.6 B66_20MHz


Band: 66 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	1	0	Refer To Test Graph	Pass	
		100	0	Refer To Test Graph	Pass	
	1745	1	0	Refer To Test Graph	Pass	
		1770	1	0	Refer To Test Graph	Pass
				99	Refer To Test Graph	Pass




		100	0	Refer To Test Graph	Pass
16QAM	1720	1	0	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass
	1745	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	1770	1	99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass

6.2 Test Graph


6.2.1 B66_1.4MHz



Band66_1.4MHz_QPSK_LCH_1710.7MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_LCH_1710.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1708.5	1709	1	/	1	1708.998	-48.38	-13	Pass
1709	1710	0.013	/	2	1709.964	-35.15	-13	Pass
1710	1711.5	0.013	/	/	/	/	/	/


Band66_1.4MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_1_5_NTNV




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_1_0_NTNV



Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1708.5	1709	1	/	1	1708.971	-49.89	-13	Pass
1709	1710	0.013	/	2	1709.859	-36.17	-13	Pass
1710	1711.5	0.013	/	/	/	/	/	/


Band66_1.4MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_1_0_NTNV





Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_1_5_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




6.2.2 B66_3MHz



Band66_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.494	-28.14	-13	Pass
1709	1710	0.033	/	2	1710.000	-32.33	-13	Pass
1710	1713	0.033	/	/	/	/	/	/


Band66_3MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_14_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV



Band66_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.494	-28.30	-13	Pass
1709	1710	0.03	/	2	1709.958	-35.16	-13	Pass
1710	1713	0.03	/	/	/	/	/	/


Band66_3MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_1_0_NTNV





Band66_3MHz_16QAM_HCH_1778.5MHz_RB_1_14_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




6.2.3 B66_5MHz



Band66_5MHz_QPSK_LCH_1712.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.490	-27.77	-13	Pass
1709	1710	0.051	/	2	1710.000	-35.10	-13	Pass
1710	1715	0.051	/	/	/	/	/	/


Band66_5MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_24_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_1_0_NTNV



Band66_5MHz_16QAM_LCH_1712.5MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.490	-27.57	-13	Pass
1709	1710	0.051	/	2	1709.400	-36.41	-13	Pass
1710	1715	0.051	/	/	/	/	/	/


Band66_5MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_1_0_NTNV





Band66_5MHz_16QAM_HCH_1777.5MHz_RB_1_24_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




6.2.4 B66_10MHz



Band66_10MHz_QPSK_LCH_1715MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.480	-30.54	-13	Pass
1709	1710	0.1	/	2	1709.940	-36.54	-13	Pass
1710	1720	0.1	/	/	/	/	/	/


Band66_10MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_1_49_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_1_0_NTNV



Band66_10MHz_16QAM_LCH_1715MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.340	-30.37	-13	Pass
1709	1710	0.1	/	2	1710.000	-36.87	-13	Pass
1710	1720	0.1	/	/	/	/	/	/


Band66_10MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_1_0_NTNV





Band66_10MHz_16QAM_HCH_1775MHz_RB_1_49_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




6.2.5 B66_15MHz



Band66_15MHz_QPSK_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1707.120	-31.75	-13	Pass
1709	1710	0.15	/	2	1709.790	-37.51	-13	Pass
1710	1725	0.15	/	/	/	/	/	/


Band66_15MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_74_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_1_0_NTNV



Band66_15MHz_16QAM_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1707.360	-31.07	-13	Pass
1709	1710	0.15	/	2	1709.940	-38.16	-13	Pass
1710	1725	0.15	/	/	/	/	/	/


Band66_15MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_1_0_NTNV





Band66_15MHz_16QAM_HCH_1772.5MHz_RB_1_74_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




6.2.6 B66_20MHz



Band66_20MHz_QPSK_LCH_1720MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1708.480	-33.23	-13	Pass
1709	1710	0.2	/	2	1709.320	-37.27	-13	Pass
1710	1730	0.2	/	/	/	/	/	/


Band66_20MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_99_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_1_0_NTNV



Band66_20MHz_16QAM_LCH_1720MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1708.480	-33.34	-13	Pass
1709	1710	0.2	/	2	1709.600	-38.45	-13	Pass
1710	1730	0.2	/	/	/	/	/	/


Band66_20MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_HCH_1770MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_HCH_1770MHz_RB_1_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_1_99_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV



7. Form731

7.1 Test Result

7.1.1 Form731_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
66	1.4	1710.7	1779.3	0.2153	0.0118	ppm	1M12G7D	27L	23.33
66	1.4	1710.7	1779.3	0.1683	0.0093	ppm	1M12W7D	27L	22.26
66	3	1711.5	1778.5	0.1897	0.0097	ppm	2M74G7D	27L	22.78
66	3	1711.5	1778.5	0.1618	0.0085	ppm	2M75W7D	27L	22.09
66	5	1712.5	1777.5	0.2061	0.0088	ppm	4M56G7D	27L	23.14
66	5	1712.5	1777.5	0.1746	0.0110	ppm	4M56W7D	27L	22.42
66	10	1715	1775	0.2056	0.0066	ppm	9M06G7D	27L	23.13
66	10	1715	1775	0.1702	0.0043	ppm	9M06W7D	27L	22.31
66	15	1717.5	1772.5	0.2046	0.0047	ppm	13M7G7D	27L	23.11
66	15	1717.5	1772.5	0.1770	0.0045	ppm	13M7W7D	27L	22.48
66	20	1720	1770	0.2061	0.0047	ppm	18M2G7D	27L	23.14
66	20	1720	1770	0.1754	0.0044	ppm	18M2W7D	27L	22.44

7.1.2 Form731_EIRP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
66	1.4	1710.7	1779.3	0.2661	0.0118	ppm	1M12G7D	27L	24.25
66	1.4	1710.7	1779.3	0.2080	0.0093	ppm	1M12W7D	27L	23.18
66	3	1711.5	1778.5	0.2344	0.0097	ppm	2M74G7D	27L	23.70
66	3	1711.5	1778.5	0.2000	0.0085	ppm	2M75W7D	27L	23.01
66	5	1712.5	1777.5	0.2547	0.0088	ppm	4M56G7D	27L	24.06
66	5	1712.5	1777.5	0.2158	0.0110	ppm	4M56W7D	27L	23.34
66	10	1715	1775	0.2541	0.0066	ppm	9M06G7D	27L	24.05
66	10	1715	1775	0.2104	0.0043	ppm	9M06W7D	27L	23.23
66	15	1717.5	1772.5	0.2529	0.0047	ppm	13M7G7D	27L	24.03
66	15	1717.5	1772.5	0.2188	0.0045	ppm	13M7W7D	27L	23.40
66	20	1720	1770	0.2547	0.0047	ppm	18M2G7D	27L	24.06
66	20	1720	1770	0.2168	0.0044	ppm	18M2W7D	27L	23.36