

Appendix for Band 41

Report No.: BCTC2408633035-6E

Applicant: Acer India PVT Limited

Product Name: Tablet


Test Model: Acer Iconia Tab iM10-22

Tested Date: 2024-08-07 to 2024-09-13

Shenzhen BCTC Testing Co., Ltd.

Contents

Appendix 1. Conducted output power	3
Appendix 2. Frequency stability.....	8
Appendix 3. Peak-to-Average Ratio	15
Appendix 4. Occupied bandwidth.....	28
Appendix 5. Band edge	41
Appendix 6. Out-of-band emissions	50



Appendix 1. Conducted output power


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dBm)	EIRP (dBm)	Verdict
Band41(2535-2655)	5	40065	1	#0	QPSK	22.35	2.14	24.49	PASS
Band41(2535-2655)	5	40065	1	#Mid	QPSK	22.45	2.14	24.59	PASS
Band41(2535-2655)	5	40065	1	#Max	QPSK	22.37	2.14	24.51	PASS
Band41(2535-2655)	5	40065	12	#0	QPSK	21.32	2.14	23.46	PASS
Band41(2535-2655)	5	40065	12	#Mid	QPSK	21.34	2.14	23.48	PASS
Band41(2535-2655)	5	40065	12	#Max	QPSK	21.35	2.14	23.49	PASS
Band41(2535-2655)	5	40065	25	#0	QPSK	21.32	2.14	23.46	PASS
Band41(2535-2655)	5	40640	1	#0	QPSK	22.21	2.14	24.35	PASS
Band41(2535-2655)	5	40640	1	#Mid	QPSK	22.36	2.14	24.5	PASS
Band41(2535-2655)	5	40640	1	#Max	QPSK	22.23	2.14	24.37	PASS
Band41(2535-2655)	5	40640	12	#0	QPSK	21.40	2.14	23.54	PASS
Band41(2535-2655)	5	40640	12	#Mid	QPSK	21.45	2.14	23.59	PASS
Band41(2535-2655)	5	40640	12	#Max	QPSK	21.40	2.14	23.54	PASS
Band41(2535-2655)	5	40640	25	#0	QPSK	21.39	2.14	23.53	PASS
Band41(2535-2655)	5	41215	1	#0	QPSK	22.01	2.14	24.15	PASS
Band41(2535-2655)	5	41215	1	#Mid	QPSK	22.11	2.14	24.25	PASS
Band41(2535-2655)	5	41215	1	#Max	QPSK	21.94	2.14	24.08	PASS
Band41(2535-2655)	5	41215	12	#0	QPSK	21.02	2.14	23.16	PASS
Band41(2535-2655)	5	41215	12	#Mid	QPSK	21.01	2.14	23.15	PASS
Band41(2535-2655)	5	41215	12	#Max	QPSK	20.91	2.14	23.05	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	20.99	2.14	23.13	PASS
Band41(2535-2655)	10	40090	1	#0	QPSK	22.38	2.14	24.52	PASS
Band41(2535-2655)	10	40090	1	#Mid	QPSK	22.40	2.14	24.54	PASS
Band41(2535-2655)	10	40090	1	#Max	QPSK	22.30	2.14	24.44	PASS
Band41(2535-2655)	10	40090	25	#0	QPSK	21.25	2.14	23.39	PASS
Band41(2535-2655)	10	40090	25	#Mid	QPSK	21.33	2.14	23.47	PASS
Band41(2535-2655)	10	40090	25	#Max	QPSK	21.34	2.14	23.48	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	21.27	2.14	23.41	PASS
Band41(2535-2655)	10	40640	1	#0	QPSK	22.30	2.14	24.44	PASS
Band41(2535-2655)	10	40640	1	#Mid	QPSK	22.43	2.14	24.57	PASS
Band41(2535-2655)	10	40640	1	#Max	QPSK	22.43	2.14	24.57	PASS
Band41(2535-2655)	10	40640	25	#0	QPSK	21.38	2.14	23.52	PASS
Band41(2535-2655)	10	40640	25	#Mid	QPSK	21.45	2.14	23.59	PASS
Band41(2535-2655)	10	40640	25	#Max	QPSK	21.40	2.14	23.54	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	21.39	2.14	23.53	PASS
Band41(2535-2655)	10	41190	1	#0	QPSK	22.19	2.14	24.33	PASS
Band41(2535-2655)	10	41190	1	#Mid	QPSK	22.15	2.14	24.29	PASS
Band41(2535-2655)	10	41190	1	#Max	QPSK	21.97	2.14	24.11	PASS

Band41(2535-2655)	10	41190	25	#0	QPSK	21.09	2.14	23.23	PASS
Band41(2535-2655)	10	41190	25	#Mid	QPSK	21.04	2.14	23.18	PASS
Band41(2535-2655)	10	41190	25	#Max	QPSK	20.90	2.14	23.04	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	21.01	2.14	23.15	PASS
Band41(2535-2655)	15	40115	1	#0	QPSK	22.26	2.14	24.4	PASS
Band41(2535-2655)	15	40115	1	#Mid	QPSK	22.35	2.14	24.49	PASS
Band41(2535-2655)	15	40115	1	#Max	QPSK	22.27	2.14	24.41	PASS
Band41(2535-2655)	15	40115	36	#0	QPSK	21.35	2.14	23.49	PASS
Band41(2535-2655)	15	40115	36	#Mid	QPSK	21.42	2.14	23.56	PASS
Band41(2535-2655)	15	40115	36	#Max	QPSK	21.38	2.14	23.52	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	21.40	2.14	23.54	PASS
Band41(2535-2655)	15	40640	1	#0	QPSK	22.26	2.14	24.4	PASS
Band41(2535-2655)	15	40640	1	#Mid	QPSK	22.42	2.14	24.56	PASS
Band41(2535-2655)	15	40640	1	#Max	QPSK	22.37	2.14	24.51	PASS
Band41(2535-2655)	15	40640	36	#0	QPSK	21.33	2.14	23.47	PASS
Band41(2535-2655)	15	40640	36	#Mid	QPSK	21.40	2.14	23.54	PASS
Band41(2535-2655)	15	40640	36	#Max	QPSK	21.38	2.14	23.52	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	21.45	2.14	23.59	PASS
Band41(2535-2655)	15	41165	1	#0	QPSK	22.24	2.14	24.38	PASS
Band41(2535-2655)	15	41165	1	#Mid	QPSK	22.26	2.14	24.4	PASS
Band41(2535-2655)	15	41165	1	#Max	QPSK	21.91	2.14	24.05	PASS
Band41(2535-2655)	15	41165	36	#0	QPSK	21.17	2.14	23.31	PASS
Band41(2535-2655)	15	41165	36	#Mid	QPSK	21.13	2.14	23.27	PASS
Band41(2535-2655)	15	41165	36	#Max	QPSK	20.97	2.14	23.11	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	21.11	2.14	23.25	PASS
Band41(2535-2655)	20	40140	1	#0	QPSK	22.22	2.14	24.36	PASS
Band41(2535-2655)	20	40140	1	#Mid	QPSK	22.41	2.14	24.55	PASS
Band41(2535-2655)	20	40140	1	#Max	QPSK	22.27	2.14	24.41	PASS
Band41(2535-2655)	20	40140	50	#0	QPSK	21.16	2.14	23.3	PASS
Band41(2535-2655)	20	40140	50	#Mid	QPSK	21.30	2.14	23.44	PASS
Band41(2535-2655)	20	40140	50	#Max	QPSK	21.31	2.14	23.45	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	21.20	2.14	23.34	PASS
Band41(2535-2655)	20	40640	1	#0	QPSK	22.18	2.14	24.32	PASS
Band41(2535-2655)	20	40640	1	#Mid	QPSK	22.47	2.14	24.61	PASS
Band41(2535-2655)	20	40640	1	#Max	QPSK	22.33	2.14	24.47	PASS
Band41(2535-2655)	20	40640	50	#0	QPSK	21.37	2.14	23.51	PASS
Band41(2535-2655)	20	40640	50	#Mid	QPSK	21.45	2.14	23.59	PASS
Band41(2535-2655)	20	40640	50	#Max	QPSK	21.35	2.14	23.49	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	21.37	2.14	23.51	PASS
Band41(2535-2655)	20	41140	1	#0	QPSK	22.14	2.14	24.28	PASS
Band41(2535-2655)	20	41140	1	#Mid	QPSK	22.26	2.14	24.4	PASS
Band41(2535-2655)	20	41140	1	#Max	QPSK	21.88	2.14	24.02	PASS
Band41(2535-2655)	20	41140	50	#0	QPSK	21.19	2.14	23.33	PASS

Band41(2535-2655)	20	41140	50	#Mid	QPSK	21.23	2.14	23.37	PASS
Band41(2535-2655)	20	41140	50	#Max	QPSK	21.03	2.14	23.17	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	21.03	2.14	23.17	PASS
Band41(2535-2655)	5	40065	1	#0	16QAM	21.61	2.14	23.75	PASS
Band41(2535-2655)	5	40065	1	#Mid	16QAM	21.71	2.14	23.85	PASS
Band41(2535-2655)	5	40065	1	#Max	16QAM	21.64	2.14	23.78	PASS
Band41(2535-2655)	5	40065	12	#0	16QAM	20.14	2.14	22.28	PASS
Band41(2535-2655)	5	40065	12	#Mid	16QAM	20.20	2.14	22.34	PASS
Band41(2535-2655)	5	40065	12	#Max	16QAM	20.18	2.14	22.32	PASS
Band41(2535-2655)	5	40065	25	#0	16QAM	20.12	2.14	22.26	PASS
Band41(2535-2655)	5	40640	1	#0	16QAM	21.46	2.14	23.60	PASS
Band41(2535-2655)	5	40640	1	#Mid	16QAM	21.60	2.14	23.74	PASS
Band41(2535-2655)	5	40640	1	#Max	16QAM	21.48	2.14	23.62	PASS
Band41(2535-2655)	5	40640	12	#0	16QAM	20.22	2.14	22.36	PASS
Band41(2535-2655)	5	40640	12	#Mid	16QAM	20.31	2.14	22.45	PASS
Band41(2535-2655)	5	40640	12	#Max	16QAM	20.22	2.14	22.36	PASS
Band41(2535-2655)	5	40640	25	#0	16QAM	20.33	2.14	22.47	PASS
Band41(2535-2655)	5	41215	1	#0	16QAM	21.22	2.14	23.36	PASS
Band41(2535-2655)	5	41215	1	#Mid	16QAM	21.26	2.14	23.40	PASS
Band41(2535-2655)	5	41215	1	#Max	16QAM	21.09	2.14	23.23	PASS
Band41(2535-2655)	5	41215	12	#0	16QAM	19.92	2.14	22.06	PASS
Band41(2535-2655)	5	41215	12	#Mid	16QAM	19.96	2.14	22.10	PASS
Band41(2535-2655)	5	41215	12	#Max	16QAM	19.86	2.14	22.00	PASS
Band41(2535-2655)	5	41215	25	#0	16QAM	19.89	2.14	22.03	PASS
Band41(2535-2655)	10	40090	1	#0	16QAM	21.58	2.14	23.72	PASS
Band41(2535-2655)	10	40090	1	#Mid	16QAM	21.63	2.14	23.77	PASS
Band41(2535-2655)	10	40090	1	#Max	16QAM	21.58	2.14	23.72	PASS
Band41(2535-2655)	10	40090	25	#0	16QAM	20.17	2.14	22.31	PASS
Band41(2535-2655)	10	40090	25	#Mid	16QAM	20.23	2.14	22.37	PASS
Band41(2535-2655)	10	40090	25	#Max	16QAM	20.24	2.14	22.38	PASS
Band41(2535-2655)	10	40090	50	#0	16QAM	20.16	2.14	22.30	PASS
Band41(2535-2655)	10	40640	1	#0	16QAM	21.40	2.14	23.54	PASS
Band41(2535-2655)	10	40640	1	#Mid	16QAM	21.46	2.14	23.60	PASS
Band41(2535-2655)	10	40640	1	#Max	16QAM	21.49	2.14	23.63	PASS
Band41(2535-2655)	10	40640	25	#0	16QAM	20.28	2.14	22.42	PASS
Band41(2535-2655)	10	40640	25	#Mid	16QAM	20.37	2.14	22.51	PASS
Band41(2535-2655)	10	40640	25	#Max	16QAM	20.31	2.14	22.45	PASS
Band41(2535-2655)	10	40640	50	#0	16QAM	20.33	2.14	22.47	PASS
Band41(2535-2655)	10	41190	1	#0	16QAM	21.06	2.14	23.20	PASS
Band41(2535-2655)	10	41190	1	#Mid	16QAM	20.97	2.14	23.11	PASS
Band41(2535-2655)	10	41190	1	#Max	16QAM	20.83	2.14	22.97	PASS
Band41(2535-2655)	10	41190	25	#0	16QAM	20.05	2.14	22.19	PASS
Band41(2535-2655)	10	41190	25	#Mid	16QAM	20.00	2.14	22.14	PASS

Band41(2535-2655)	10	41190	25	#Max	16QAM	19.89	2.14	22.03	PASS
Band41(2535-2655)	10	41190	50	#0	16QAM	19.96	2.14	22.10	PASS
Band41(2535-2655)	15	40115	1	#0	16QAM	21.54	2.14	23.68	PASS
Band41(2535-2655)	15	40115	1	#Mid	16QAM	21.57	2.14	23.71	PASS
Band41(2535-2655)	15	40115	1	#Max	16QAM	21.53	2.14	23.67	PASS
Band41(2535-2655)	15	40115	36	#0	16QAM	20.15	2.14	22.29	PASS
Band41(2535-2655)	15	40115	36	#Mid	16QAM	20.29	2.14	22.43	PASS
Band41(2535-2655)	15	40115	36	#Max	16QAM	20.25	2.14	22.39	PASS
Band41(2535-2655)	15	40115	75	#0	16QAM	20.22	2.14	22.36	PASS
Band41(2535-2655)	15	40640	1	#0	16QAM	21.31	2.14	23.45	PASS
Band41(2535-2655)	15	40640	1	#Mid	16QAM	21.47	2.14	23.61	PASS
Band41(2535-2655)	15	40640	1	#Max	16QAM	21.41	2.14	23.55	PASS
Band41(2535-2655)	15	40640	36	#0	16QAM	20.30	2.14	22.44	PASS
Band41(2535-2655)	15	40640	36	#Mid	16QAM	20.39	2.14	22.53	PASS
Band41(2535-2655)	15	40640	36	#Max	16QAM	20.38	2.14	22.52	PASS
Band41(2535-2655)	15	40640	75	#0	16QAM	20.28	2.14	22.42	PASS
Band41(2535-2655)	15	41165	1	#0	16QAM	21.31	2.14	23.45	PASS
Band41(2535-2655)	15	41165	1	#Mid	16QAM	21.30	2.14	23.44	PASS
Band41(2535-2655)	15	41165	1	#Max	16QAM	20.98	2.14	23.12	PASS
Band41(2535-2655)	15	41165	36	#0	16QAM	20.03	2.14	22.17	PASS
Band41(2535-2655)	15	41165	36	#Mid	16QAM	20.01	2.14	22.15	PASS
Band41(2535-2655)	15	41165	36	#Max	16QAM	19.88	2.14	22.02	PASS
Band41(2535-2655)	15	41165	75	#0	16QAM	20.04	2.14	22.18	PASS
Band41(2535-2655)	20	40140	1	#0	16QAM	21.21	2.14	23.35	PASS
Band41(2535-2655)	20	40140	1	#Mid	16QAM	21.41	2.14	23.55	PASS
Band41(2535-2655)	20	40140	1	#Max	16QAM	21.30	2.14	23.44	PASS
Band41(2535-2655)	20	40140	50	#0	16QAM	20.07	2.14	22.21	PASS
Band41(2535-2655)	20	40140	50	#Mid	16QAM	20.28	2.14	22.42	PASS
Band41(2535-2655)	20	40140	50	#Max	16QAM	20.23	2.14	22.37	PASS
Band41(2535-2655)	20	40140	100	#0	16QAM	20.12	2.14	22.26	PASS
Band41(2535-2655)	20	40640	1	#0	16QAM	21.25	2.14	23.39	PASS
Band41(2535-2655)	20	40640	1	#Mid	16QAM	21.54	2.14	23.68	PASS
Band41(2535-2655)	20	40640	1	#Max	16QAM	21.42	2.14	23.56	PASS
Band41(2535-2655)	20	40640	50	#0	16QAM	20.25	2.14	22.39	PASS
Band41(2535-2655)	20	40640	50	#Mid	16QAM	20.34	2.14	22.48	PASS
Band41(2535-2655)	20	40640	50	#Max	16QAM	20.21	2.14	22.35	PASS
Band41(2535-2655)	20	40640	100	#0	16QAM	20.24	2.14	22.38	PASS
Band41(2535-2655)	20	41140	1	#0	16QAM	21.23	2.14	23.37	PASS
Band41(2535-2655)	20	41140	1	#Mid	16QAM	21.36	2.14	23.50	PASS
Band41(2535-2655)	20	41140	1	#Max	16QAM	20.95	2.14	23.09	PASS
Band41(2535-2655)	20	41140	50	#0	16QAM	20.11	2.14	22.25	PASS
Band41(2535-2655)	20	41140	50	#Mid	16QAM	20.17	2.14	22.31	PASS
Band41(2535-2655)	20	41140	50	#Max	16QAM	19.92	2.14	22.06	PASS

Band41(2535-2655)	20	41140	100	#0	16QAM	19.98	2.14	22.12	PASS
-------------------	----	-------	-----	----	-------	-------	------	-------	------



Appendix 2. Frequency stability

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperatue (C)	Result (Hz)	Result (ppm)	Verdict
Band41(2535-2655)	5	40065	25	#0	QPSK	LV	NT	-3.79	-0.001	PASS
Band41(2535-2655)	5	40065	25	#0	QPSK	NV	NT	-2.86	-0.001	PASS
Band41(2535-2655)	5	40065	25	#0	QPSK	HV	NT	-3.95	-0.002	PASS
Band41(2535-2655)	5	40065	25	#0	16QAM	LV	NT	3.38	0.001	PASS
Band41(2535-2655)	5	40065	25	#0	16QAM	NV	NT	-2.27	-0.001	PASS
Band41(2535-2655)	5	40065	25	#0	16QAM	HV	NT	-9.67	-0.004	PASS
Band41(2535-2655)	5	40640	25	#0	QPSK	LV	NT	-2.82	-0.001	PASS
Band41(2535-2655)	5	40640	25	#0	QPSK	NV	NT	-5.34	-0.002	PASS
Band41(2535-2655)	5	40640	25	#0	QPSK	HV	NT	-5.12	-0.002	PASS
Band41(2535-2655)	5	40640	25	#0	16QAM	LV	NT	-0.41	0.000	PASS
Band41(2535-2655)	5	40640	25	#0	16QAM	NV	NT	-2.17	-0.001	PASS
Band41(2535-2655)	5	40640	25	#0	16QAM	HV	NT	-1.16	0.000	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	LV	NT	-3.50	-0.001	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	NV	NT	-10.17	-0.004	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	HV	NT	-10.34	-0.004	PASS
Band41(2535-2655)	5	41215	25	#0	16QAM	LV	NT	-4.61	-0.002	PASS
Band41(2535-2655)	5	41215	25	#0	16QAM	NV	NT	2.39	0.001	PASS
Band41(2535-2655)	5	41215	25	#0	16QAM	HV	NT	2.26	0.001	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	LV	NT	-1.83	-0.001	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	NV	NT	1.02	0.000	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	HV	NT	0.46	0.000	PASS
Band41(2535-2655)	10	40090	50	#0	16QAM	LV	NT	1.13	0.000	PASS
Band41(2535-2655)	10	40090	50	#0	16QAM	NV	NT	-3.13	-0.001	PASS
Band41(2535-2655)	10	40090	50	#0	16QAM	HV	NT	0.83	0.000	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	LV	NT	-3.28	-0.001	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	NV	NT	-0.29	0.000	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	HV	NT	1.49	0.001	PASS
Band41(2535-2655)	10	40640	50	#0	16QAM	LV	NT	-2.93	-0.001	PASS
Band41(2535-2655)	10	40640	50	#0	16QAM	NV	NT	-4.02	-0.002	PASS
Band41(2535-2655)	10	40640	50	#0	16QAM	HV	NT	0.73	0.000	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	LV	NT	-0.53	0.000	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	NV	NT	-1.22	0.000	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	HV	NT	0.24	0.000	PASS
Band41(2535-2655)	10	41190	50	#0	16QAM	LV	NT	0.60	0.000	PASS
Band41(2535-2655)	10	41190	50	#0	16QAM	NV	NT	1.42	0.001	PASS
Band41(2535-2655)	10	41190	50	#0	16QAM	HV	NT	1.03	0.000	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	LV	NT	-1.00	0.000	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	NV	NT	-1.96	-0.001	PASS

Band41(2535-2655)	15	40115	75	#0	QPSK	HV	NT	-2.35	-0.001	PASS
Band41(2535-2655)	15	40115	75	#0	16QAM	LV	NT	-0.86	0.000	PASS
Band41(2535-2655)	15	40115	75	#0	16QAM	NV	NT	-0.36	0.000	PASS
Band41(2535-2655)	15	40115	75	#0	16QAM	HV	NT	-1.47	-0.001	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	LV	NT	1.26	0.000	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	NV	NT	-3.58	-0.001	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	HV	NT	-0.63	0.000	PASS
Band41(2535-2655)	15	40640	75	#0	16QAM	LV	NT	-2.66	-0.001	PASS
Band41(2535-2655)	15	40640	75	#0	16QAM	NV	NT	-0.34	0.000	PASS
Band41(2535-2655)	15	40640	75	#0	16QAM	HV	NT	-1.37	-0.001	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	LV	NT	-0.04	0.000	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	NV	NT	-0.77	0.000	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	HV	NT	4.95	0.002	PASS
Band41(2535-2655)	15	41165	75	#0	16QAM	LV	NT	-2.72	-0.001	PASS
Band41(2535-2655)	15	41165	75	#0	16QAM	NV	NT	3.26	0.001	PASS
Band41(2535-2655)	15	41165	75	#0	16QAM	HV	NT	-2.00	-0.001	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	LV	NT	-0.56	0.000	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	NV	NT	-3.00	-0.001	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	HV	NT	0.07	0.000	PASS
Band41(2535-2655)	20	40140	100	#0	16QAM	LV	NT	0.49	0.000	PASS
Band41(2535-2655)	20	40140	100	#0	16QAM	NV	NT	-2.83	-0.001	PASS
Band41(2535-2655)	20	40140	100	#0	16QAM	HV	NT	-0.84	0.000	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	LV	NT	-1.23	0.000	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	NV	NT	-1.90	-0.001	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	HV	NT	-1.86	-0.001	PASS
Band41(2535-2655)	20	40640	100	#0	16QAM	LV	NT	-2.22	-0.001	PASS
Band41(2535-2655)	20	40640	100	#0	16QAM	NV	NT	-0.94	0.000	PASS
Band41(2535-2655)	20	40640	100	#0	16QAM	HV	NT	-0.59	0.000	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	LV	NT	-1.39	-0.001	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	NV	NT	-3.78	-0.001	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	HV	NT	-2.23	-0.001	PASS
Band41(2535-2655)	20	41140	100	#0	16QAM	LV	NT	-1.29	0.000	PASS
Band41(2535-2655)	20	41140	100	#0	16QAM	NV	NT	0.92	0.000	PASS
Band41(2535-2655)	20	41140	100	#0	16QAM	HV	NT	-1.43	-0.001	PASS

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperatue (C)	Result (Hz)	Result (ppm)	Verdict
Band41(2535-2655)	5	40065	25	#0	QPSK	NV	-30	0.00	0.000	PASS
Band41(2535-2655)	5	40065	25	#0	QPSK	NV	-20	0.00	0.000	PASS
Band41(2535-2655)	5	40065	25	#0	QPSK	NV	-10	0.00	0.000	PASS
Band41(2535-2655)	5	40065	25	#0	QPSK	NV	0	0.00	0.000	PASS
Band41(2535-2655)	5	40065	25	#0	QPSK	NV	10	0.00	0.000	PASS
Band41(2535-2655)	5	40065	25	#0	QPSK	NV	20	0.00	0.000	PASS

Band41(2535-2655)	5	40065	25	#0	QPSK	NV	30	0.00	0.000	PASS
Band41(2535-2655)	5	40065	25	#0	QPSK	NV	40	0.00	0.000	PASS
Band41(2535-2655)	5	40065	25	#0	QPSK	NV	50	0.00	0.000	PASS
Band41(2535-2655)	5	40065	25	#0	16QAM	NV	-30	0.00	0.000	PASS
Band41(2535-2655)	5	40065	25	#0	16QAM	NV	-20	0.00	0.000	PASS
Band41(2535-2655)	5	40065	25	#0	16QAM	NV	-10	0.00	0.000	PASS
Band41(2535-2655)	5	40065	25	#0	16QAM	NV	0	0.00	0.000	PASS
Band41(2535-2655)	5	40065	25	#0	16QAM	NV	10	0.00	0.000	PASS
Band41(2535-2655)	5	40065	25	#0	16QAM	NV	20	0.00	0.000	PASS
Band41(2535-2655)	5	40065	25	#0	16QAM	NV	30	0.00	0.000	PASS
Band41(2535-2655)	5	40065	25	#0	16QAM	NV	40	0.00	0.000	PASS
Band41(2535-2655)	5	40065	25	#0	16QAM	NV	50	0.00	0.000	PASS
Band41(2535-2655)	5	40640	25	#0	QPSK	NV	-30	2.88	0.001	PASS
Band41(2535-2655)	5	40640	25	#0	QPSK	NV	-20	-3.53	-0.001	PASS
Band41(2535-2655)	5	40640	25	#0	QPSK	NV	-10	-2.06	-0.001	PASS
Band41(2535-2655)	5	40640	25	#0	QPSK	NV	0	0.92	0.000	PASS
Band41(2535-2655)	5	40640	25	#0	QPSK	NV	10	3.19	0.001	PASS
Band41(2535-2655)	5	40640	25	#0	QPSK	NV	20	-1.07	0.000	PASS
Band41(2535-2655)	5	40640	25	#0	QPSK	NV	30	1.13	0.000	PASS
Band41(2535-2655)	5	40640	25	#0	QPSK	NV	40	-4.48	-0.002	PASS
Band41(2535-2655)	5	40640	25	#0	QPSK	NV	50	0.30	0.000	PASS
Band41(2535-2655)	5	40640	25	#0	16QAM	NV	-30	4.22	0.002	PASS
Band41(2535-2655)	5	40640	25	#0	16QAM	NV	-20	-0.27	0.000	PASS
Band41(2535-2655)	5	40640	25	#0	16QAM	NV	-10	-0.57	0.000	PASS
Band41(2535-2655)	5	40640	25	#0	16QAM	NV	0	2.99	0.001	PASS
Band41(2535-2655)	5	40640	25	#0	16QAM	NV	10	-2.93	-0.001	PASS
Band41(2535-2655)	5	40640	25	#0	16QAM	NV	20	8.08	0.003	PASS
Band41(2535-2655)	5	40640	25	#0	16QAM	NV	30	-0.87	0.000	PASS
Band41(2535-2655)	5	40640	25	#0	16QAM	NV	40	-4.59	-0.002	PASS
Band41(2535-2655)	5	40640	25	#0	16QAM	NV	50	-0.57	0.000	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	NV	-30	1.14	0.000	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	NV	-20	0.64	0.000	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	NV	-10	1.56	0.001	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	NV	0	1.52	0.001	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	NV	10	-3.96	-0.001	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	NV	20	3.49	0.001	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	NV	30	1.47	0.001	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	NV	40	-0.30	0.000	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	NV	50	1.06	0.000	PASS
Band41(2535-2655)	5	41215	25	#0	16QAM	NV	-30	1.49	0.001	PASS
Band41(2535-2655)	5	41215	25	#0	16QAM	NV	-20	-1.04	0.000	PASS
Band41(2535-2655)	5	41215	25	#0	16QAM	NV	-10	0.90	0.000	PASS
Band41(2535-2655)	5	41215	25	#0	16QAM	NV	0	-3.58	-0.001	PASS

Band41(2535-2655)	5	41215	25	#0	16QAM	NV	10	1.70	0.001	PASS
Band41(2535-2655)	5	41215	25	#0	16QAM	NV	20	-3.20	-0.001	PASS
Band41(2535-2655)	5	41215	25	#0	16QAM	NV	30	-15.91	-0.006	PASS
Band41(2535-2655)	5	41215	25	#0	16QAM	NV	40	-17.34	-0.007	PASS
Band41(2535-2655)	5	41215	25	#0	16QAM	NV	50	-7.95	-0.003	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	NV	-30	0.04	0.000	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	NV	-20	-1.67	-0.001	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	NV	-10	1.59	0.001	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	NV	0	0.01	0.000	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	NV	10	-1.80	-0.001	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	NV	20	-0.21	0.000	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	NV	30	-2.20	-0.001	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	NV	40	-3.88	-0.002	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	NV	50	-2.23	-0.001	PASS
Band41(2535-2655)	10	40090	50	#0	16QAM	NV	-30	-1.96	-0.001	PASS
Band41(2535-2655)	10	40090	50	#0	16QAM	NV	-20	-1.36	-0.001	PASS
Band41(2535-2655)	10	40090	50	#0	16QAM	NV	-10	2.49	0.001	PASS
Band41(2535-2655)	10	40090	50	#0	16QAM	NV	0	-0.30	0.000	PASS
Band41(2535-2655)	10	40090	50	#0	16QAM	NV	10	-0.14	0.000	PASS
Band41(2535-2655)	10	40090	50	#0	16QAM	NV	20	1.59	0.001	PASS
Band41(2535-2655)	10	40090	50	#0	16QAM	NV	30	-3.86	-0.002	PASS
Band41(2535-2655)	10	40090	50	#0	16QAM	NV	40	0.40	0.000	PASS
Band41(2535-2655)	10	40090	50	#0	16QAM	NV	50	-1.20	0.000	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	NV	-30	1.09	0.000	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	NV	-20	-1.04	0.000	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	NV	-10	-2.16	-0.001	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	NV	0	-3.33	-0.001	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	NV	10	-3.36	-0.001	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	NV	20	-0.37	0.000	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	NV	30	-2.68	-0.001	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	NV	40	-0.93	0.000	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	NV	50	0.50	0.000	PASS
Band41(2535-2655)	10	40640	50	#0	16QAM	NV	-30	-4.13	-0.002	PASS
Band41(2535-2655)	10	40640	50	#0	16QAM	NV	-20	-1.99	-0.001	PASS
Band41(2535-2655)	10	40640	50	#0	16QAM	NV	-10	0.53	0.000	PASS
Band41(2535-2655)	10	40640	50	#0	16QAM	NV	0	-0.89	0.000	PASS
Band41(2535-2655)	10	40640	50	#0	16QAM	NV	10	-0.54	0.000	PASS
Band41(2535-2655)	10	40640	50	#0	16QAM	NV	20	-2.82	-0.001	PASS
Band41(2535-2655)	10	40640	50	#0	16QAM	NV	30	-2.86	-0.001	PASS
Band41(2535-2655)	10	40640	50	#0	16QAM	NV	40	-0.93	0.000	PASS
Band41(2535-2655)	10	40640	50	#0	16QAM	NV	50	-4.12	-0.002	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	NV	-30	-3.83	-0.001	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	NV	-20	-0.03	0.000	PASS

Band41(2535-2655)	10	41190	50	#0	QPSK	NV	-10	-2.82	-0.001	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	NV	0	-0.03	0.000	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	NV	10	-1.75	-0.001	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	NV	20	-4.45	-0.002	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	NV	30	1.69	0.001	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	NV	40	-1.04	0.000	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	NV	50	-2.37	-0.001	PASS
Band41(2535-2655)	10	41190	50	#0	16QAM	NV	-30	1.69	0.001	PASS
Band41(2535-2655)	10	41190	50	#0	16QAM	NV	-20	-2.73	-0.001	PASS
Band41(2535-2655)	10	41190	50	#0	16QAM	NV	-10	-9.34	-0.004	PASS
Band41(2535-2655)	10	41190	50	#0	16QAM	NV	0	-6.12	-0.002	PASS
Band41(2535-2655)	10	41190	50	#0	16QAM	NV	10	-2.29	-0.001	PASS
Band41(2535-2655)	10	41190	50	#0	16QAM	NV	20	-1.09	0.000	PASS
Band41(2535-2655)	10	41190	50	#0	16QAM	NV	30	-1.32	0.000	PASS
Band41(2535-2655)	10	41190	50	#0	16QAM	NV	40	-2.46	-0.001	PASS
Band41(2535-2655)	10	41190	50	#0	16QAM	NV	50	-2.55	-0.001	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	NV	-30	-2.66	-0.001	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	NV	-20	-0.96	0.000	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	NV	-10	-3.89	-0.002	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	NV	0	-0.46	0.000	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	NV	10	0.31	0.000	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	NV	20	-3.16	-0.001	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	NV	30	-2.40	-0.001	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	NV	40	1.20	0.000	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	NV	50	-2.13	-0.001	PASS
Band41(2535-2655)	15	40115	75	#0	16QAM	NV	-30	-1.16	0.000	PASS
Band41(2535-2655)	15	40115	75	#0	16QAM	NV	-20	-0.56	0.000	PASS
Band41(2535-2655)	15	40115	75	#0	16QAM	NV	-10	-1.33	-0.001	PASS
Band41(2535-2655)	15	40115	75	#0	16QAM	NV	0	-0.31	0.000	PASS
Band41(2535-2655)	15	40115	75	#0	16QAM	NV	10	-4.63	-0.002	PASS
Band41(2535-2655)	15	40115	75	#0	16QAM	NV	20	0.46	0.000	PASS
Band41(2535-2655)	15	40115	75	#0	16QAM	NV	30	-0.93	0.000	PASS
Band41(2535-2655)	15	40115	75	#0	16QAM	NV	40	0.11	0.000	PASS
Band41(2535-2655)	15	40115	75	#0	16QAM	NV	50	-0.69	0.000	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	NV	-30	1.59	0.001	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	NV	-20	-3.69	-0.001	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	NV	-10	0.47	0.000	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	NV	0	-3.56	-0.001	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	NV	10	1.30	0.001	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	NV	20	-0.90	0.000	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	NV	30	1.07	0.000	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	NV	40	-2.10	-0.001	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	NV	50	-0.99	0.000	PASS


Band41(2535-2655)	15	40640	75	#0	16QAM	NV	-30	0.10	0.000	PASS
Band41(2535-2655)	15	40640	75	#0	16QAM	NV	-20	1.27	0.000	PASS
Band41(2535-2655)	15	40640	75	#0	16QAM	NV	-10	1.00	0.000	PASS
Band41(2535-2655)	15	40640	75	#0	16QAM	NV	0	-1.85	-0.001	PASS
Band41(2535-2655)	15	40640	75	#0	16QAM	NV	10	-1.19	0.000	PASS
Band41(2535-2655)	15	40640	75	#0	16QAM	NV	20	-1.66	-0.001	PASS
Band41(2535-2655)	15	40640	75	#0	16QAM	NV	30	-0.94	0.000	PASS
Band41(2535-2655)	15	40640	75	#0	16QAM	NV	40	-0.26	0.000	PASS
Band41(2535-2655)	15	40640	75	#0	16QAM	NV	50	-3.18	-0.001	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	NV	-30	0.16	0.000	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	NV	-20	-0.83	0.000	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	NV	-10	-7.74	-0.003	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	NV	0	-1.06	0.000	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	NV	10	-2.47	-0.001	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	NV	20	-3.93	-0.001	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	NV	30	-1.73	-0.001	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	NV	40	-3.75	-0.001	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	NV	50	-2.82	-0.001	PASS
Band41(2535-2655)	15	41165	75	#0	16QAM	NV	-30	-1.83	-0.001	PASS
Band41(2535-2655)	15	41165	75	#0	16QAM	NV	-20	-3.25	-0.001	PASS
Band41(2535-2655)	15	41165	75	#0	16QAM	NV	-10	-1.82	-0.001	PASS
Band41(2535-2655)	15	41165	75	#0	16QAM	NV	0	-1.80	-0.001	PASS
Band41(2535-2655)	15	41165	75	#0	16QAM	NV	10	-5.41	-0.002	PASS
Band41(2535-2655)	15	41165	75	#0	16QAM	NV	20	-4.43	-0.002	PASS
Band41(2535-2655)	15	41165	75	#0	16QAM	NV	30	-2.13	-0.001	PASS
Band41(2535-2655)	15	41165	75	#0	16QAM	NV	40	-2.79	-0.001	PASS
Band41(2535-2655)	15	41165	75	#0	16QAM	NV	50	-4.26	-0.002	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	NV	-30	-0.23	0.000	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	NV	-20	-1.97	-0.001	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	NV	-10	-5.34	-0.002	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	NV	0	-0.39	0.000	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	NV	10	-1.63	-0.001	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	NV	20	0.40	0.000	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	NV	30	0.50	0.000	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	NV	40	-1.19	0.000	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	NV	50	0.01	0.000	PASS
Band41(2535-2655)	20	40140	100	#0	16QAM	NV	-30	-0.31	0.000	PASS
Band41(2535-2655)	20	40140	100	#0	16QAM	NV	-20	-0.31	0.000	PASS
Band41(2535-2655)	20	40140	100	#0	16QAM	NV	-10	-1.06	0.000	PASS
Band41(2535-2655)	20	40140	100	#0	16QAM	NV	0	-2.76	-0.001	PASS
Band41(2535-2655)	20	40140	100	#0	16QAM	NV	10	-1.39	-0.001	PASS
Band41(2535-2655)	20	40140	100	#0	16QAM	NV	20	0.74	0.000	PASS
Band41(2535-2655)	20	40140	100	#0	16QAM	NV	30	-0.51	0.000	PASS

Band41(2535-2655)	20	40140	100	#0	16QAM	NV	40	-1.87	-0.001	PASS
Band41(2535-2655)	20	40140	100	#0	16QAM	NV	50	1.00	0.000	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	NV	-30	-2.03	-0.001	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	NV	-20	-6.85	-0.003	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	NV	-10	-1.22	0.000	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	NV	0	-0.53	0.000	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	NV	10	-1.39	-0.001	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	NV	20	-0.09	0.000	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	NV	30	0.24	0.000	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	NV	40	-2.52	-0.001	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	NV	50	-0.59	0.000	PASS
Band41(2535-2655)	20	40640	100	#0	16QAM	NV	-30	-0.07	0.000	PASS
Band41(2535-2655)	20	40640	100	#0	16QAM	NV	-20	0.54	0.000	PASS
Band41(2535-2655)	20	40640	100	#0	16QAM	NV	-10	1.03	0.000	PASS
Band41(2535-2655)	20	40640	100	#0	16QAM	NV	0	-1.75	-0.001	PASS
Band41(2535-2655)	20	40640	100	#0	16QAM	NV	10	-1.80	-0.001	PASS
Band41(2535-2655)	20	40640	100	#0	16QAM	NV	20	-4.62	-0.002	PASS
Band41(2535-2655)	20	40640	100	#0	16QAM	NV	30	0.19	0.000	PASS
Band41(2535-2655)	20	40640	100	#0	16QAM	NV	40	0.62	0.000	PASS
Band41(2535-2655)	20	40640	100	#0	16QAM	NV	50	-2.66	-0.001	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	NV	-30	2.85	0.001	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	NV	-20	-6.09	-0.002	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	NV	-10	-1.49	-0.001	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	NV	0	-0.83	0.000	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	NV	10	-2.60	-0.001	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	NV	20	0.39	0.000	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	NV	30	-0.49	0.000	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	NV	40	1.06	0.000	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	NV	50	-3.00	-0.001	PASS
Band41(2535-2655)	20	41140	100	#0	16QAM	NV	-30	0.06	0.000	PASS
Band41(2535-2655)	20	41140	100	#0	16QAM	NV	-20	-1.39	-0.001	PASS
Band41(2535-2655)	20	41140	100	#0	16QAM	NV	-10	-1.96	-0.001	PASS
Band41(2535-2655)	20	41140	100	#0	16QAM	NV	0	-3.13	-0.001	PASS
Band41(2535-2655)	20	41140	100	#0	16QAM	NV	10	-0.57	0.000	PASS
Band41(2535-2655)	20	41140	100	#0	16QAM	NV	20	1.76	0.001	PASS
Band41(2535-2655)	20	41140	100	#0	16QAM	NV	30	-1.83	-0.001	PASS
Band41(2535-2655)	20	41140	100	#0	16QAM	NV	40	1.14	0.000	PASS
Band41(2535-2655)	20	41140	100	#0	16QAM	NV	50	-0.54	0.000	PASS


Appendix 3. Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band41(2535-2655)	5	40065	1	#0	QPSK	7.54	13	PASS
Band41(2535-2655)	5	40065	1	#0	16QAM	8.85	13	PASS
Band41(2535-2655)	5	40640	1	#0	QPSK	7.39	13	PASS
Band41(2535-2655)	5	40640	1	#0	16QAM	7.50	13	PASS
Band41(2535-2655)	5	41215	1	#0	QPSK	9.72	13	PASS
Band41(2535-2655)	5	41215	1	#0	16QAM	8.92	13	PASS
Band41(2535-2655)	10	40090	1	#0	QPSK	7.32	13	PASS
Band41(2535-2655)	10	40090	1	#0	16QAM	7.59	13	PASS
Band41(2535-2655)	10	40640	1	#0	QPSK	7.19	13	PASS
Band41(2535-2655)	10	40640	1	#0	16QAM	8.86	13	PASS
Band41(2535-2655)	10	41190	1	#0	QPSK	8.95	13	PASS
Band41(2535-2655)	10	41190	1	#0	16QAM	9.14	13	PASS
Band41(2535-2655)	15	40115	1	#0	QPSK	6.97	13	PASS
Band41(2535-2655)	15	40115	1	#0	16QAM	7.18	13	PASS
Band41(2535-2655)	15	40640	1	#0	QPSK	7.56	13	PASS
Band41(2535-2655)	15	40640	1	#0	16QAM	8.79	13	PASS
Band41(2535-2655)	15	41165	1	#0	QPSK	8.71	13	PASS
Band41(2535-2655)	15	41165	1	#0	16QAM	8.58	13	PASS
Band41(2535-2655)	20	40140	1	#0	QPSK	8.46	13	PASS
Band41(2535-2655)	20	40140	1	#0	16QAM	8.61	13	PASS
Band41(2535-2655)	20	40640	1	#0	QPSK	6.58	13	PASS
Band41(2535-2655)	20	40640	1	#0	16QAM	8.55	13	PASS
Band41(2535-2655)	20	41140	1	#0	QPSK	8.90	13	PASS
Band41(2535-2655)	20	41140	1	#0	16QAM	10.05	13	PASS



Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=1 Position=#0




Band41(2535-2655) 16QAM BW=5MHz Channel=40065 RB Size=1 Position=#0




Band41(2535-2655) QPSK BW=5MHz Channel=40640 RB Size=1 Position=#0







Band41(2535-2655) 16QAM BW=5MHz Channel=41215 RB Size=1 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=1 Position=#0




Band41(2535-2655) 16QAM BW=10MHz Channel=40090 RB Size=1 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=40640 RB Size=1 Position=#0




Band41(2535-2655) 16QAM BW=10MHz Channel=40640 RB Size=1 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=1 Position=#0




Band41(2535-2655) 16QAM BW=10MHz Channel=41190 RB Size=1 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=1 Position=#0




Band41(2535-2655) 16QAM BW=15MHz Channel=40115 RB Size=1 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=40640 RB Size=1 Position=#0




Band41(2535-2655) 16QAM BW=15MHz Channel=40640 RB Size=1 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=1 Position=#0




Band41(2535-2655) 16QAM BW=15MHz Channel=41165 RB Size=1 Position=#0




Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=1 Position=#0




Band41(2535-2655) 16QAM BW=20MHz Channel=40140 RB Size=1 Position=#0




Band41(2535-2655) QPSK BW=20MHz Channel=40640 RB Size=1 Position=#0




Band41(2535-2655) 16QAM BW=20MHz Channel=40640 RB Size=1 Position=#0



Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=1 Position=#0



Band41(2535-2655) 16QAM BW=20MHz Channel=41140 RB Size=1 Position=#0




Appendix 4. Occupied bandwidth


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band41(2535-2655)	5	40065	25	#0	QPSK	4.514	4.858	PASS
Band41(2535-2655)	5	40065	25	#0	16QAM	4.507	4.912	PASS
Band41(2535-2655)	5	40640	25	#0	QPSK	4.511	4.804	PASS
Band41(2535-2655)	5	40640	25	#0	16QAM	4.513	4.838	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	4.511	5.070	PASS
Band41(2535-2655)	5	41215	25	#0	16QAM	4.495	4.887	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	9.024	9.659	PASS
Band41(2535-2655)	10	40090	50	#0	16QAM	8.970	9.620	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	8.958	9.609	PASS
Band41(2535-2655)	10	40640	50	#0	16QAM	8.962	9.542	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	9.010	9.722	PASS
Band41(2535-2655)	10	41190	50	#0	16QAM	9.017	10.174	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	13.481	14.441	PASS
Band41(2535-2655)	15	40115	75	#0	16QAM	13.454	14.429	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	13.405	14.427	PASS
Band41(2535-2655)	15	40640	75	#0	16QAM	13.445	14.482	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	13.442	14.459	PASS
Band41(2535-2655)	15	41165	75	#0	16QAM	13.480	14.714	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	17.996	19.173	PASS
Band41(2535-2655)	20	40140	100	#0	16QAM	17.881	19.280	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	17.830	19.142	PASS
Band41(2535-2655)	20	40640	100	#0	16QAM	17.825	19.234	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	17.900	19.222	PASS
Band41(2535-2655)	20	41140	100	#0	16QAM	17.919	19.130	PASS



Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=25 Position=#0




Band41(2535-2655) 16QAM BW=5MHz Channel=40065 RB Size=25 Position=#0






Band41(2535-2655) QPSK BW=5MHz Channel=40640 RB Size=25 Position=#0




Band41(2535-2655) 16QAM BW=5MHz Channel=40640 RB Size=25 Position=#0






Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41(2535-2655) 16QAM BW=5MHz Channel=41215 RB Size=25 Position=#0






Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) 16QAM BW=10MHz Channel=40090 RB Size=50 Position=#0






Band41(2535-2655) QPSK BW=10MHz Channel=40640 RB Size=50 Position=#0




Band41(2535-2655) 16QAM BW=10MHz Channel=40640 RB Size=50 Position=#0






Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2535-2655) 16QAM BW=10MHz Channel=41190 RB Size=50 Position=#0






Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2655) 16QAM BW=15MHz Channel=40115 RB Size=75 Position=#0






Band41(2535-2655) QPSK BW=15MHz Channel=40640 RB Size=75 Position=#0




Band41(2535-2655) 16QAM BW=15MHz Channel=40640 RB Size=75 Position=#0






Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2535-2655) 16QAM BW=15MHz Channel=41165 RB Size=75 Position=#0






Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2655) 16QAM BW=20MHz Channel=40140 RB Size=100 Position=#0






Band41(2535-2655) QPSK BW=20MHz Channel=40640 RB Size=100 Position=#0




Band41(2535-2655) 16QAM BW=20MHz Channel=40640 RB Size=100 Position=#0






Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0




Band41(2535-2655) 16QAM BW=20MHz Channel=41140 RB Size=100 Position=#0




Appendix 5. Band edge


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41(2535-2655)	5	40065	25	#0	QPSK	2533.98	-18.42	-10	PASS
Band41(2535-2655)	5	40065	25	#0	16QAM	2533.99	-19.40	-10	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	2656.02	-18.91	-10	PASS
Band41(2535-2655)	5	41215	25	#0	16QAM	2656.00	-19.59	-10	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	2524.68	-38.44	-25	PASS
Band41(2535-2655)	10	40090	50	#0	16QAM	2524.17	-38.13	-25	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	2665.56	-35.61	-25	PASS
Band41(2535-2655)	10	41190	50	#0	16QAM	2665.08	-35.92	-25	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	2519.60	-37.98	-25	PASS
Band41(2535-2655)	15	40115	75	#0	16QAM	2519.96	-38.26	-25	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	2670.44	-35.79	-25	PASS
Band41(2535-2655)	15	41165	75	#0	16QAM	2670.04	-36.44	-25	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	2513.89	-39.79	-25	PASS
Band41(2535-2655)	20	40140	100	#0	16QAM	2511.31	-39.87	-25	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	2675.09	-38.60	-25	PASS
Band41(2535-2655)	20	41140	100	#0	16QAM	2675.43	-38.64	-25	PASS

Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=25 Position=#0







Band41(2535-2655) 16QAM BW=5MHz Channel=40065 RB Size=25 Position=#0




Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41(2535-2655) 16QAM BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) 16QAM BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2535-2655) 16QAM BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2655) 16QAM BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2535-2655) 16QAM BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2655) 16QAM BW=20MHz Channel=40140 RB Size=100 Position=#0



Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0




Band41(2535-2655) 16QAM BW=20MHz Channel=41140 RB Size=100 Position=#0




Appendix 6. Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41(2535-2655)	5	40065	25	#0	QPSK	25683.75	-37.15	-25	PASS
Band41(2535-2655)	5	40065	25	#0	16QAM	25580.00	-37.18	-25	PASS
Band41(2535-2655)	5	40640	25	#0	QPSK	25652.50	-36.80	-25	PASS
Band41(2535-2655)	5	40640	25	#0	16QAM	25621.25	-37.29	-25	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	25631.88	-37.08	-25	PASS
Band41(2535-2655)	5	41215	25	#0	16QAM	2676.88	-36.32	-25	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	25640.00	-36.57	-25	PASS
Band41(2535-2655)	10	40090	50	#0	16QAM	25593.75	-36.95	-25	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	25620.00	-36.91	-25	PASS
Band41(2535-2655)	10	40640	50	#0	16QAM	25646.25	-36.58	-25	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	25663.13	-36.88	-25	PASS
Band41(2535-2655)	10	41190	50	#0	16QAM	25698.13	-37.28	-25	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	25604.38	-36.64	-25	PASS
Band41(2535-2655)	15	40115	75	#0	16QAM	25619.38	-37.30	-25	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	25612.50	-37.29	-25	PASS
Band41(2535-2655)	15	40640	75	#0	16QAM	25630.00	-36.66	-25	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	25543.75	-36.66	-25	PASS
Band41(2535-2655)	15	41165	75	#0	16QAM	25653.75	-37.10	-25	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	25576.88	-36.65	-25	PASS
Band41(2535-2655)	20	40140	100	#0	16QAM	25651.25	-36.08	-25	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	25660.00	-36.30	-25	PASS
Band41(2535-2655)	20	40640	100	#0	16QAM	25631.88	-36.91	-25	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	25610.63	-35.67	-25	PASS
Band41(2535-2655)	20	41140	100	#0	16QAM	25625.00	-37.06	-25	PASS


Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=25 Position=#0




Band41(2535-2655) 16QAM BW=5MHz Channel=40065 RB Size=25 Position=#0




Band41(2535-2655) QPSK BW=5MHz Channel=40640 RB Size=25 Position=#0




Band41(2535-2655) 16QAM BW=5MHz Channel=40640 RB Size=25 Position=#0




Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41(2535-2655) 16QAM BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) 16QAM BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=40640 RB Size=50 Position=#0




Band41(2535-2655) 16QAM BW=10MHz Channel=40640 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2535-2655) 16QAM BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2655) 16QAM BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=40640 RB Size=75 Position=#0




Band41(2535-2655) 16QAM BW=15MHz Channel=40640 RB Size=75 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2535-2655) 16QAM BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2655) 16QAM BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2655) QPSK BW=20MHz Channel=40640 RB Size=100 Position=#0



Band41(2535-2655) 16QAM BW=20MHz Channel=40640 RB Size=100 Position=#0



Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0



Band41(2535-2655) 16QAM BW=20MHz Channel=41140 RB Size=100 Position=#0

