

FCC LTE Band Test Data

FCC ID : 2A9LJ-ME61

Company: : Meferi Technologies Co.,Ltd.

EUT : Mobile Computer

Model Number : ME61


Reviewed By : Eric Wang


Appendix B: Peak-to-Average Ratio(CCDF)


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band66	1.4MHz	QPSK	131979	6RB#0	5.10	13	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	6.12	13	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	4.73	13	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	5.69	13	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	5.06	13	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	6.04	13	PASS
Band66	3MHz	QPSK	131987	15RB#0	5.18	13	PASS
Band66	3MHz	16QAM	131987	15RB#0	6.03	13	PASS
Band66	3MHz	QPSK	132322	15RB#0	4.74	13	PASS
Band66	3MHz	16QAM	132322	15RB#0	5.59	13	PASS
Band66	3MHz	QPSK	132657	15RB#0	5.00	13	PASS
Band66	3MHz	16QAM	132657	15RB#0	5.70	13	PASS
Band66	5MHz	QPSK	131997	25RB#0	5.10	13	PASS
Band66	5MHz	16QAM	131997	25RB#0	5.93	13	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.72	13	PASS
Band66	5MHz	16QAM	132322	25RB#0	5.50	13	PASS
Band66	5MHz	QPSK	132647	25RB#0	4.84	13	PASS
Band66	5MHz	16QAM	132647	25RB#0	5.63	13	PASS
Band66	10MHz	QPSK	132022	50RB#0	5.05	13	PASS
Band66	10MHz	16QAM	132022	50RB#0	6.01	13	PASS
Band66	10MHz	QPSK	132322	50RB#0	4.72	13	PASS
Band66	10MHz	16QAM	132322	50RB#0	5.68	13	PASS
Band66	10MHz	QPSK	132622	50RB#0	4.76	13	PASS
Band66	10MHz	16QAM	132622	50RB#0	5.81	13	PASS
Band66	15MHz	QPSK	132047	75RB#0	5.24	13	PASS
Band66	15MHz	16QAM	132047	75RB#0	6.00	13	PASS
Band66	15MHz	QPSK	132322	75RB#0	4.95	13	PASS
Band66	15MHz	16QAM	132322	75RB#0	5.67	13	PASS
Band66	15MHz	QPSK	132597	75RB#0	5.11	13	PASS
Band66	15MHz	16QAM	132597	75RB#0	5.91	13	PASS
Band66	20MHz	QPSK	132072	100RB#0	5.02	13	PASS
Band66	20MHz	16QAM	132072	100RB#0	6.00	13	PASS
Band66	20MHz	QPSK	132322	100RB#0	4.84	13	PASS
Band66	20MHz	16QAM	132322	100RB#0	5.73	13	PASS
Band66	20MHz	QPSK	132572	100RB#0	5.07	13	PASS
Band66	20MHz	16QAM	132572	100RB#0	5.94	13	PASS

Test Graphs













Band66-3MHz-QPSK-131987-15RB#0-PASS





Band66-3MHz-16QAM-131987-15RB#0-PASS
























Band66-10MHz-QPSK-132622-50RB#0-PASS





Band66-10MHz-16QAM-132622-50RB#0-PASS
















Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band66	1.4MHz	QPSK	131979	6RB#0	1.0969	1.283	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	1.0975	1.291	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	1.0939	1.298	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1.1006	1.299	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	1.0965	1.285	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	1.1021	1.294	PASS
Band66	3MHz	QPSK	131987	15RB#0	2.6982	2.966	PASS
Band66	3MHz	16QAM	131987	15RB#0	2.6932	2.960	PASS
Band66	3MHz	QPSK	132322	15RB#0	2.7038	2.951	PASS
Band66	3MHz	16QAM	132322	15RB#0	2.6997	2.977	PASS
Band66	3MHz	QPSK	132657	15RB#0	2.7016	2.974	PASS
Band66	3MHz	16QAM	132657	15RB#0	2.6997	2.983	PASS
Band66	5MHz	QPSK	131997	25RB#0	4.5142	5.003	PASS
Band66	5MHz	16QAM	131997	25RB#0	4.4957	4.975	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.5160	4.991	PASS
Band66	5MHz	16QAM	132322	25RB#0	4.4977	4.976	PASS
Band66	5MHz	QPSK	132647	25RB#0	4.5092	5.003	PASS
Band66	5MHz	16QAM	132647	25RB#0	4.4911	4.973	PASS
Band66	10MHz	QPSK	132022	50RB#0	8.9653	9.905	PASS
Band66	10MHz	16QAM	132022	50RB#0	8.9545	9.870	PASS
Band66	10MHz	QPSK	132322	50RB#0	8.9704	9.949	PASS
Band66	10MHz	16QAM	132322	50RB#0	8.9609	9.826	PASS
Band66	10MHz	QPSK	132622	50RB#0	8.9645	9.887	PASS
Band66	10MHz	16QAM	132622	50RB#0	8.9521	9.814	PASS
Band66	15MHz	QPSK	132047	75RB#0	13.414	14.76	PASS
Band66	15MHz	16QAM	132047	75RB#0	13.439	14.65	PASS
Band66	15MHz	QPSK	132322	75RB#0	13.427	14.78	PASS
Band66	15MHz	16QAM	132322	75RB#0	13.428	14.65	PASS
Band66	15MHz	QPSK	132597	75RB#0	13.421	14.75	PASS
Band66	15MHz	16QAM	132597	75RB#0	13.414	14.67	PASS
Band66	20MHz	QPSK	132072	100RB#0	17.857	19.31	PASS
Band66	20MHz	16QAM	132072	100RB#0	17.870	19.42	PASS
Band66	20MHz	QPSK	132322	100RB#0	17.889	19.24	PASS
Band66	20MHz	16QAM	132322	100RB#0	17.934	19.46	PASS
Band66	20MHz	QPSK	132572	100RB#0	17.922	19.35	PASS
Band66	20MHz	16QAM	132572	100RB#0	17.951	19.49	PASS

Test Graphs







Band66-1.4MHz-QPSK-132322-6RB#0-PASS




Band66-1.4MHz-16QAM-132322-6RB#0-PASS




Band66-1.4MHz-QPSK-132665-6RB#0-PASS




Band66-1.4MHz-16QAM-132665-6RB#0-PASS







Band66-3MHz-QPSK-132322-15RB#0-PASS




Band66-3MHz-16QAM-132322-15RB#0-PASS




Band66-3MHz-QPSK-132657-15RB#0-PASS




Band66-3MHz-16QAM-132657-15RB#0-PASS







Band66-5MHz-QPSK-132322-25RB#0-PASS




Band66-5MHz-16QAM-132322-25RB#0-PASS



Band66-5MHz-QPSK-132647-25RB#0-PASS




Band66-5MHz-16QAM-132647-25RB#0-PASS



Band66-10MHz-QPSK-132022-50RB#0-PASS




Band66-10MHz-16QAM-132022-50RB#0-PASS




Band66-10MHz-QPSK-132322-50RB#0-PASS




Band66-10MHz-16QAM-132322-50RB#0-PASS




Band66-10MHz-QPSK-132622-50RB#0-PASS




Band66-10MHz-16QAM-132622-50RB#0-PASS



Band66-15MHz-QPSK-132047-75RB#0-PASS




Band66-15MHz-16QAM-132047-75RB#0-PASS




Band66-15MHz-QPSK-132322-75RB#0-PASS




Band66-15MHz-16QAM-132322-75RB#0-PASS





Band66-15MHz-QPSK-132597-75RB#0-PASS




Band66-15MHz-16QAM-132597-75RB#0-PASS







Band66-20MHz-QPSK-132572-100RB#0-PASS




Band66-20MHz-16QAM-132572-100RB#0-PASS

Appendix D: Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band66	5MHz	QPSK	131997	25RB#0	-36.91	PASS
Band66	5MHz	16QAM	131997	25RB#0	-36.56	PASS
Band66	5MHz	QPSK	132647	25RB#0	-36.28	PASS
Band66	5MHz	16QAM	132647	25RB#0	-37.63	PASS
Band66	10MHz	QPSK	132022	50RB#0	-35.57	PASS
Band66	10MHz	16QAM	132022	50RB#0	-37.36	PASS
Band66	10MHz	QPSK	132622	50RB#0	-36.47	PASS
Band66	10MHz	16QAM	132622	50RB#0	-37.15	PASS
Band66	15MHz	QPSK	132047	75RB#0	-34.68	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	-42.87	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	-44.61	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	-42.92	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	-45.02	PASS
Band66	3MHz	QPSK	131987	15RB#0	-37.02	PASS
Band66	3MHz	16QAM	131987	15RB#0	-36.99	PASS
Band66	3MHz	QPSK	132657	15RB#0	-36.95	PASS
Band66	3MHz	16QAM	132657	15RB#0	-36.75	PASS
Band66	15MHz	16QAM	132047	75RB#0	-34.98	PASS
Band66	15MHz	QPSK	132597	75RB#0	-35.70	PASS
Band66	15MHz	16QAM	132597	75RB#0	-37.29	PASS
Band66	20MHz	QPSK	132072	100RB#0	-35.66	PASS
Band66	20MHz	16QAM	132072	100RB#0	-36.56	PASS
Band66	20MHz	QPSK	132572	100RB#0	-35.88	PASS
Band66	20MHz	16QAM	132572	100RB#0	-36.22	PASS

Test Graphs





Band66_5MHz_QPSK_132647_25RB#0



Band66_5MHz_16QAM_132647_25RB#0



Band66_10MHz_QPSK_132022_50RB#0



Band66_10MHz_16QAM_132022_50RB#0



Band66_10MHz_QPSK_132622_50RB#0



Band66_10MHz_16QAM_132622_50RB#0



Band66_15MHz_QPSK_132047_75RB#0



Band66_1.4MHz_QPSK_131979_6RB#0



Band66_1.4MHz_16QAM_131979_6RB#0



Band66_1.4MHz_QPSK_132665_6RB#0



Band66_1.4MHz_16QAM_132665_6RB#0



Band66_3MHz_QPSK_131987_15RB#0




Band66_3MHz_16QAM_131987_15RB#0



Band66_3MHz_QPSK_132657_15RB#0



Band66_3MHz_16QAM_132657_15RB#0



Band66_15MHz_16QAM_132047_75RB#0



Band66_15MHz_QPSK_132597_75RB#0




Band66_15MHz_16QAM_132597_75RB#0



Band66_20MHz_QPSK_132072_100RB#0



Band66_20MHz_16QAM_132072_100RB#0



Band66_20MHz_QPSK_132572_100RB#0



Band66_20MHz_16QAM_132572_100RB#0

Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band66	1.4MHz	16QAM	131979	6RB#0	0.009~0.15	-45.75	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	0.15~30	-55.79	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	30~1000	-64.87	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	1000~3000	-36.97	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	3000~20000	-46.37	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	0.009~0.15	-46.33	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	0.15~30	-55.12	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	0.009~0.15	-47.26	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	0.15~30	-57.83	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	30~1000	-64.74	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	1000~3000	-34.70	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	3000~20000	-46.53	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	30~1000	-64.59	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	1000~3000	-35.13	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	3000~20000	-46.22	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	0.009~0.15	-48.47	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	0.15~30	-58.65	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	30~1000	-64.74	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1000~3000	-36.63	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	3000~20000	-46.21	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	0.009~0.15	-46.07	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	0.15~30	-59.48	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	30~1000	-65.11	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	1000~3000	-36.27	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	3000~20000	-46.47	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	0.009~0.15	-47.54	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	0.15~30	-57.98	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	30~1000	-64.60	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	1000~3000	-38.90	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	3000~20000	-46.49	PASS
Band66	3MHz	QPSK	131987	15RB#0	0.009~0.15	-46.87	PASS
Band66	3MHz	QPSK	131987	15RB#0	0.15~30	-57.07	PASS
Band66	3MHz	QPSK	131987	15RB#0	30~1000	-64.42	PASS
Band66	3MHz	QPSK	131987	15RB#0	1000~3000	-37.52	PASS
Band66	3MHz	QPSK	131987	15RB#0	3000~20000	-46.39	PASS
Band66	3MHz	16QAM	131987	15RB#0	0.009~0.15	-45.56	PASS


Band66	3MHz	16QAM	131987	15RB#0	0.15~30	-58.23	PASS
Band66	3MHz	16QAM	131987	15RB#0	30~1000	-64.82	PASS
Band66	3MHz	16QAM	131987	15RB#0	1000~3000	-38.02	PASS
Band66	3MHz	16QAM	131987	15RB#0	3000~20000	-46.18	PASS
Band66	3MHz	QPSK	132322	15RB#0	0.009~0.15	-45.11	PASS
Band66	3MHz	QPSK	132322	15RB#0	0.15~30	-57.68	PASS
Band66	3MHz	QPSK	132322	15RB#0	30~1000	-64.57	PASS
Band66	3MHz	QPSK	132322	15RB#0	1000~3000	-36.19	PASS
Band66	3MHz	QPSK	132322	15RB#0	3000~20000	-46.02	PASS
Band66	3MHz	16QAM	132322	15RB#0	0.009~0.15	-46.95	PASS
Band66	3MHz	16QAM	132322	15RB#0	0.15~30	-57.13	PASS
Band66	3MHz	16QAM	132322	15RB#0	30~1000	-64.85	PASS
Band66	3MHz	16QAM	132322	15RB#0	1000~3000	-37.13	PASS
Band66	3MHz	16QAM	132322	15RB#0	3000~20000	-46.26	PASS
Band66	3MHz	QPSK	132657	15RB#0	0.009~0.15	-48.52	PASS
Band66	3MHz	QPSK	132657	15RB#0	0.15~30	-56.22	PASS
Band66	3MHz	QPSK	132657	15RB#0	30~1000	-64.79	PASS
Band66	3MHz	QPSK	132657	15RB#0	1000~3000	-38.50	PASS
Band66	3MHz	QPSK	132657	15RB#0	3000~20000	-46.23	PASS
Band66	3MHz	16QAM	132657	15RB#0	0.009~0.15	-47.50	PASS
Band66	3MHz	16QAM	132657	15RB#0	0.15~30	-57.28	PASS
Band66	3MHz	16QAM	132657	15RB#0	30~1000	-64.93	PASS
Band66	3MHz	16QAM	132657	15RB#0	1000~3000	-39.46	PASS
Band66	3MHz	16QAM	132657	15RB#0	3000~20000	-46.18	PASS
Band66	5MHz	QPSK	131997	25RB#0	0.009~0.15	-47.38	PASS
Band66	5MHz	QPSK	131997	25RB#0	0.15~30	-57.49	PASS
Band66	5MHz	QPSK	131997	25RB#0	30~1000	-64.32	PASS
Band66	5MHz	QPSK	131997	25RB#0	1000~3000	-39.29	PASS
Band66	5MHz	QPSK	131997	25RB#0	3000~20000	-46.28	PASS
Band66	5MHz	16QAM	131997	25RB#0	0.009~0.15	-47.40	PASS
Band66	5MHz	16QAM	131997	25RB#0	0.15~30	-57.03	PASS
Band66	5MHz	16QAM	131997	25RB#0	30~1000	-64.87	PASS
Band66	5MHz	16QAM	131997	25RB#0	1000~3000	-41.08	PASS
Band66	5MHz	16QAM	131997	25RB#0	3000~20000	-46.52	PASS
Band66	5MHz	QPSK	132322	25RB#0	0.009~0.15	-46.41	PASS
Band66	5MHz	QPSK	132322	25RB#0	0.15~30	-57.98	PASS
Band66	5MHz	QPSK	132322	25RB#0	30~1000	-64.66	PASS
Band66	5MHz	QPSK	132322	25RB#0	1000~3000	-37.56	PASS
Band66	5MHz	QPSK	132322	25RB#0	3000~20000	-46.19	PASS
Band66	5MHz	16QAM	132322	25RB#0	0.009~0.15	-46.17	PASS
Band66	5MHz	16QAM	132322	25RB#0	0.15~30	-59.48	PASS
Band66	5MHz	16QAM	132322	25RB#0	30~1000	-64.84	PASS
Band66	5MHz	16QAM	132322	25RB#0	1000~3000	-41.23	PASS


Band66	5MHz	16QAM	132322	25RB#0	3000~20000	-46.26	PASS
Band66	5MHz	QPSK	132647	25RB#0	0.009~0.15	-46.82	PASS
Band66	5MHz	QPSK	132647	25RB#0	0.15~30	-56.51	PASS
Band66	5MHz	QPSK	132647	25RB#0	30~1000	-64.66	PASS
Band66	5MHz	QPSK	132647	25RB#0	1000~3000	-40.34	PASS
Band66	5MHz	QPSK	132647	25RB#0	3000~20000	-46.47	PASS
Band66	5MHz	16QAM	132647	25RB#0	0.009~0.15	-47.68	PASS
Band66	5MHz	16QAM	132647	25RB#0	0.15~30	-57.31	PASS
Band66	5MHz	16QAM	132647	25RB#0	30~1000	-64.52	PASS
Band66	5MHz	16QAM	132647	25RB#0	1000~3000	-42.09	PASS
Band66	5MHz	16QAM	132647	25RB#0	3000~20000	-46.27	PASS
Band66	10MHz	QPSK	132022	50RB#0	0.009~0.15	-47.08	PASS
Band66	10MHz	QPSK	132022	50RB#0	0.15~30	-55.80	PASS
Band66	10MHz	QPSK	132022	50RB#0	30~1000	-64.65	PASS
Band66	10MHz	QPSK	132022	50RB#0	1000~3000	-43.69	PASS
Band66	10MHz	QPSK	132022	50RB#0	3000~20000	-46.69	PASS
Band66	10MHz	16QAM	132022	50RB#0	0.009~0.15	-46.55	PASS
Band66	10MHz	16QAM	132022	50RB#0	0.15~30	-56.05	PASS
Band66	10MHz	16QAM	132022	50RB#0	30~1000	-64.67	PASS
Band66	10MHz	16QAM	132022	50RB#0	1000~3000	-45.65	PASS
Band66	10MHz	16QAM	132022	50RB#0	3000~20000	-46.40	PASS
Band66	10MHz	QPSK	132322	50RB#0	0.009~0.15	-47.23	PASS
Band66	10MHz	QPSK	132322	50RB#0	0.15~30	-54.79	PASS
Band66	10MHz	QPSK	132322	50RB#0	30~1000	-64.74	PASS
Band66	10MHz	QPSK	132322	50RB#0	1000~3000	-41.31	PASS
Band66	10MHz	QPSK	132322	50RB#0	3000~20000	-46.40	PASS
Band66	10MHz	16QAM	132322	50RB#0	0.009~0.15	-46.67	PASS
Band66	10MHz	16QAM	132322	50RB#0	0.15~30	-59.53	PASS
Band66	10MHz	16QAM	132322	50RB#0	30~1000	-64.90	PASS
Band66	10MHz	16QAM	132322	50RB#0	1000~3000	-42.92	PASS
Band66	10MHz	16QAM	132322	50RB#0	3000~20000	-46.27	PASS
Band66	10MHz	QPSK	132622	50RB#0	0.009~0.15	-47.60	PASS
Band66	10MHz	QPSK	132622	50RB#0	0.15~30	-55.17	PASS
Band66	10MHz	QPSK	132622	50RB#0	30~1000	-64.71	PASS
Band66	10MHz	QPSK	132622	50RB#0	1000~3000	-42.16	PASS
Band66	10MHz	QPSK	132622	50RB#0	3000~20000	-46.16	PASS
Band66	10MHz	16QAM	132622	50RB#0	0.009~0.15	-46.13	PASS
Band66	10MHz	16QAM	132622	50RB#0	0.15~30	-58.78	PASS
Band66	10MHz	16QAM	132622	50RB#0	30~1000	-64.47	PASS
Band66	10MHz	16QAM	132622	50RB#0	1000~3000	-43.27	PASS
Band66	10MHz	16QAM	132622	50RB#0	3000~20000	-46.22	PASS
Band66	15MHz	QPSK	132047	75RB#0	0.009~0.15	-48.97	PASS
Band66	15MHz	QPSK	132047	75RB#0	0.15~30	-58.19	PASS


Band66	15MHz	QPSK	132047	75RB#0	30~1000	-64.84	PASS
Band66	15MHz	QPSK	132047	75RB#0	1000~3000	-42.88	PASS
Band66	15MHz	QPSK	132047	75RB#0	3000~20000	-45.98	PASS
Band66	15MHz	16QAM	132047	75RB#0	0.009~0.15	-45.44	PASS
Band66	15MHz	16QAM	132047	75RB#0	0.15~30	-58.69	PASS
Band66	15MHz	16QAM	132047	75RB#0	30~1000	-64.73	PASS
Band66	15MHz	16QAM	132047	75RB#0	1000~3000	-45.32	PASS
Band66	15MHz	16QAM	132047	75RB#0	3000~20000	-46.18	PASS
Band66	15MHz	QPSK	132322	75RB#0	0.009~0.15	-45.14	PASS
Band66	15MHz	QPSK	132322	75RB#0	0.15~30	-59.53	PASS
Band66	15MHz	QPSK	132322	75RB#0	30~1000	-64.79	PASS
Band66	15MHz	QPSK	132322	75RB#0	1000~3000	-42.00	PASS
Band66	15MHz	QPSK	132322	75RB#0	3000~20000	-46.14	PASS
Band66	15MHz	16QAM	132322	75RB#0	0.009~0.15	-49.01	PASS
Band66	15MHz	16QAM	132322	75RB#0	0.15~30	-57.85	PASS
Band66	15MHz	16QAM	132322	75RB#0	30~1000	-64.89	PASS
Band66	15MHz	16QAM	132322	75RB#0	1000~3000	-42.16	PASS
Band66	15MHz	16QAM	132322	75RB#0	3000~20000	-46.48	PASS
Band66	15MHz	QPSK	132597	75RB#0	0.009~0.15	-47.93	PASS
Band66	15MHz	QPSK	132597	75RB#0	0.15~30	-56.93	PASS
Band66	15MHz	QPSK	132597	75RB#0	30~1000	-64.53	PASS
Band66	15MHz	QPSK	132597	75RB#0	1000~3000	-42.01	PASS
Band66	15MHz	QPSK	132597	75RB#0	3000~20000	-46.29	PASS
Band66	15MHz	16QAM	132597	75RB#0	0.009~0.15	-48.02	PASS
Band66	15MHz	16QAM	132597	75RB#0	0.15~30	-55.84	PASS
Band66	15MHz	16QAM	132597	75RB#0	30~1000	-64.77	PASS
Band66	15MHz	16QAM	132597	75RB#0	1000~3000	-43.37	PASS
Band66	15MHz	16QAM	132597	75RB#0	3000~20000	-46.61	PASS
Band66	20MHz	QPSK	132072	100RB#0	0.009~0.15	-47.44	PASS
Band66	20MHz	QPSK	132072	100RB#0	0.15~30	-56.70	PASS
Band66	20MHz	QPSK	132072	100RB#0	30~1000	-64.79	PASS
Band66	20MHz	QPSK	132072	100RB#0	1000~3000	-45.84	PASS
Band66	20MHz	QPSK	132072	100RB#0	3000~20000	-46.74	PASS
Band66	20MHz	16QAM	132072	100RB#0	0.009~0.15	-46.33	PASS
Band66	20MHz	16QAM	132072	100RB#0	0.15~30	-59.58	PASS
Band66	20MHz	16QAM	132072	100RB#0	30~1000	-64.54	PASS
Band66	20MHz	16QAM	132072	100RB#0	1000~3000	-47.96	PASS
Band66	20MHz	16QAM	132072	100RB#0	3000~20000	-46.41	PASS
Band66	20MHz	QPSK	132322	100RB#0	0.009~0.15	-46.29	PASS
Band66	20MHz	QPSK	132322	100RB#0	0.15~30	-57.82	PASS
Band66	20MHz	QPSK	132322	100RB#0	30~1000	-64.78	PASS
Band66	20MHz	QPSK	132322	100RB#0	1000~3000	-48.69	PASS
Band66	20MHz	QPSK	132322	100RB#0	3000~20000	-46.55	PASS


Band66	20MHz	16QAM	132322	100RB#0	0.009~0.15	-48.38	PASS
Band66	20MHz	16QAM	132322	100RB#0	0.15~30	-56.79	PASS
Band66	20MHz	16QAM	132322	100RB#0	30~1000	-64.76	PASS
Band66	20MHz	16QAM	132322	100RB#0	1000~3000	-48.92	PASS
Band66	20MHz	16QAM	132322	100RB#0	3000~20000	-46.27	PASS
Band66	20MHz	QPSK	132572	100RB#0	0.009~0.15	-47.88	PASS
Band66	20MHz	QPSK	132572	100RB#0	0.15~30	-56.61	PASS
Band66	20MHz	QPSK	132572	100RB#0	30~1000	-64.47	PASS
Band66	20MHz	QPSK	132572	100RB#0	1000~3000	-44.86	PASS
Band66	20MHz	QPSK	132572	100RB#0	3000~20000	-46.50	PASS
Band66	20MHz	16QAM	132572	100RB#0	0.009~0.15	-48.02	PASS
Band66	20MHz	16QAM	132572	100RB#0	0.15~30	-57.21	PASS
Band66	20MHz	16QAM	132572	100RB#0	30~1000	-64.53	PASS
Band66	20MHz	16QAM	132572	100RB#0	1000~3000	-44.96	PASS
Band66	20MHz	16QAM	132572	100RB#0	3000~20000	-45.71	PASS


Test Graphs























Band66_1.4MHz_QPSK_132322_6RB#0_1000~3000_1000~3000




Band66_1.4MHz_QPSK_132322_6RB#0_3000~20000_3000~20000









Band66_1.4MHz_QPSK_132665_6RB#0_0.15~30_0.15~30



Band66_1.4MHz_QPSK_132665_6RB#0_30~1000_30~1000

