


Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0



05 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band12	1.4	23017	6	#0	QPSK	698.86	-24.02	-13	PASS
Band12	1.4	23017	6	#0	QAM16	698.90	-24.32	-13	PASS
Band12	1.4	23173	6	#0	QPSK	716.11	-24.86	-13	PASS
Band12	1.4	23173	6	#0	QAM16	716.15	-25.93	-13	PASS
Band12	3	23025	15	#0	QPSK	699.00	-23.37	-13	PASS
Band12	3	23025	15	#0	QAM16	699.00	-23.09	-13	PASS
Band12	3	23165	15	#0	QPSK	716.00	-25.10	-13	PASS
Band12	3	23165	15	#0	QAM16	716.00	-24.79	-13	PASS
Band12	5	23035	25	#0	QPSK	698.59	-27.82	-13	PASS
Band12	5	23035	25	#0	QAM16	698.90	-28.43	-13	PASS
Band12	5	23155	25	#0	QPSK	716.11	-25.93	-13	PASS
Band12	5	23155	25	#0	QAM16	716.35	-27.34	-13	PASS
Band12	10	23060	50	#0	QPSK	698.65	-29.81	-13	PASS
Band12	10	23060	50	#0	QAM16	698.83	-31.15	-13	PASS
Band12	10	23130	50	#0	QPSK	716.67	-31.00	-13	PASS
Band12	10	23130	50	#0	QAM16	716.53	-31.56	-13	PASS
Band17	5	23755	25	#0	QPSK	703.99	-28.41	-13	PASS
Band17	5	23755	25	#0	QAM16	703.98	-30.14	-13	PASS
Band17	5	23825	25	#0	QPSK	716.00	-28.25	-13	PASS
Band17	5	23825	25	#0	QAM16	716.00	-26.32	-13	PASS
Band17	10	23780	50	#0	QPSK	704.00	-31.17	-13	PASS
Band17	10	23780	50	#0	QAM16	704.00	-32.41	-13	PASS
Band17	10	23800	50	#0	QPSK	716.12	-30.60	-13	PASS
Band17	10	23800	50	#0	QAM16	716.00	-30.92	-13	PASS
Band2	1.4	18607	6	#0	QPSK	1849.98	-31.70	-13	PASS
Band2	1.4	18607	6	#0	QAM16	1850.00	-33.05	-13	PASS
Band2	1.4	19193	6	#0	QPSK	1910.01	-27.29	-13	PASS
Band2	1.4	19193	6	#0	QAM16	1910.06	-29.32	-13	PASS
Band2	3	18615	15	#0	QPSK	1850.00	-24.76	-13	PASS
Band2	3	18615	15	#0	QAM16	1849.99	-27.00	-13	PASS
Band2	3	19185	15	#0	QPSK	1910.00	-25.45	-13	PASS
Band2	3	19185	15	#0	QAM16	1910.01	-25.04	-13	PASS
Band2	5	18625	25	#0	QPSK	1850.00	-28.94	-13	PASS
Band2	5	18625	25	#0	QAM16	1850.00	-30.23	-13	PASS
Band2	5	19175	25	#0	QPSK	1910.00	-29.68	-13	PASS
Band2	5	19175	25	#0	QAM16	1910.05	-29.74	-13	PASS
Band2	10	18650	50	#0	QPSK	1849.96	-28.18	-13	PASS
Band2	10	18650	50	#0	QAM16	1850.00	-31.05	-13	PASS
Band2	10	19150	50	#0	QPSK	1910.18	-29.39	-13	PASS
Band2	10	19150	50	#0	QAM16	1910.02	-31.72	-13	PASS
Band2	15	18675	75	#0	QPSK	1849.46	-24.43	-13	PASS
Band2	15	18675	75	#0	QAM16	1849.79	-27.37	-13	PASS


Band2	15	19125	75	#0	QPSK	1910.00	-26.47	-13	PASS
Band2	15	19125	75	#0	QAM16	1910.03	-28.34	-13	PASS
Band2	20	18700	100	#0	QPSK	1850.00	-24.43	-13	PASS
Band2	20	18700	100	#0	QAM16	1849.88	-26.75	-13	PASS
Band2	20	19100	100	#0	QPSK	1910.56	-25.64	-13	PASS
Band2	20	19100	100	#0	QAM16	1910.04	-28.77	-13	PASS
Band25	1.4	26047	6	#0	QPSK	1849.99	-32.80	-13	PASS
Band25	1.4	26047	6	#0	QAM16	1849.99	-34.16	-13	PASS
Band25	1.4	26683	6	#0	QPSK	1915.01	-31.01	-13	PASS
Band25	1.4	26683	6	#0	QAM16	1915.01	-34.25	-13	PASS
Band25	3	26055	15	#0	QPSK	1850.00	-24.36	-13	PASS
Band25	3	26055	15	#0	QAM16	1850.00	-26.08	-13	PASS
Band25	3	26675	15	#0	QPSK	1915.00	-26.28	-13	PASS
Band25	3	26675	15	#0	QAM16	1915.00	-27.41	-13	PASS
Band25	5	26065	25	#0	QPSK	1849.99	-29.74	-13	PASS
Band25	5	26065	25	#0	QAM16	1850.00	-29.58	-13	PASS
Band25	5	26665	25	#0	QPSK	1915.03	-27.39	-13	PASS
Band25	5	26665	25	#0	QAM16	1915.01	-27.86	-13	PASS
Band25	10	26090	50	#0	QPSK	1850.00	-30.84	-13	PASS
Band25	10	26090	50	#0	QAM16	1850.00	-32.26	-13	PASS
Band25	10	26640	50	#0	QPSK	1915.12	-34.55	-13	PASS
Band25	10	26640	50	#0	QAM16	1915.00	-36.42	-13	PASS
Band25	15	26115	75	#0	QPSK	1849.19	-26.54	-13	PASS
Band25	15	26115	75	#0	QAM16	1849.94	-29.13	-13	PASS
Band25	15	26615	75	#0	QPSK	1915.03	-32.01	-13	PASS
Band25	15	26615	75	#0	QAM16	1915.00	-35.51	-13	PASS
Band25	20	26140	100	#0	QPSK	1850.00	-26.66	-13	PASS
Band25	20	26140	100	#0	QAM16	1849.44	-29.03	-13	PASS
Band25	20	26590	100	#0	QPSK	1915.04	-31.56	-13	PASS
Band25	20	26590	100	#0	QAM16	1915.04	-33.26	-13	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	813.94	-21.93	-13	PASS
Band26(814-824)	1.4	26697	6	#0	QAM16	815.44	-22.68	-13	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	822.54	-20.20	-13	PASS
Band26(814-824)	1.4	26783	6	#0	QAM16	824.04	-21.47	-13	PASS
Band26(814-824)	3	26705	15	#0	QPSK	813.96	-18.75	-13	PASS
Band26(814-824)	3	26705	15	#0	QAM16	813.96	-21.68	-13	PASS
Band26(814-824)	3	26775	15	#0	QPSK	820.96	-20.62	-13	PASS
Band26(814-824)	3	26775	15	#0	QAM16	820.96	-19.02	-13	PASS
Band26(814-824)	5	26715	25	#0	QPSK	819.06	-24.20	-13	PASS
Band26(814-824)	5	26715	25	#0	QAM16	813.73	-26.60	-13	PASS
Band26(814-824)	5	26765	25	#0	QPSK	824.09	-26.73	-13	PASS
Band26(814-824)	5	26765	25	#0	QAM16	824.04	-25.77	-13	PASS
Band26(814-824)	10	26740	50	#0	QPSK	813.89	-31.03	-13	PASS
Band26(814-824)	10	26740	50	#0	QAM16	824.21	-32.16	-13	PASS

Band26(824-849)	1.4	26797	6	#0	QPSK	823.97	-29.77	-13	PASS
Band26(824-849)	1.4	26797	6	#0	QAM16	823.98	-30.76	-13	PASS
Band26(824-849)	1.4	27033	6	#0	QPSK	849.03	-29.76	-13	PASS
Band26(824-849)	1.4	27033	6	#0	QAM16	849.06	-31.39	-13	PASS
Band26(824-849)	3	26805	15	#0	QPSK	824.00	-24.11	-13	PASS
Band26(824-849)	3	26805	15	#0	QAM16	823.99	-25.23	-13	PASS
Band26(824-849)	3	27025	15	#0	QPSK	849.00	-26.43	-13	PASS
Band26(824-849)	3	27025	15	#0	QAM16	849.00	-26.23	-13	PASS
Band26(824-849)	5	26815	25	#0	QPSK	824.00	-27.29	-13	PASS
Band26(824-849)	5	26815	25	#0	QAM16	824.00	-28.72	-13	PASS
Band26(824-849)	5	27015	25	#0	QPSK	849.00	-30.15	-13	PASS
Band26(824-849)	5	27015	25	#0	QAM16	849.10	-29.42	-13	PASS
Band26(824-849)	10	26840	50	#0	QPSK	824.00	-29.24	-13	PASS
Band26(824-849)	10	26840	50	#0	QAM16	823.96	-29.15	-13	PASS
Band26(824-849)	10	26990	50	#0	QPSK	849.00	-32.51	-13	PASS
Band26(824-849)	10	26990	50	#0	QAM16	849.00	-33.19	-13	PASS
Band26(824-849)	15	26865	75	#0	QPSK	824.00	-28.95	-13	PASS
Band26(824-849)	15	26865	75	#0	QAM16	823.73	-30.49	-13	PASS
Band26(824-849)	15	26965	75	#0	QPSK	849.00	-32.33	-13	PASS
Band26(824-849)	15	26965	75	#0	QAM16	849.24	-33.04	-13	PASS
Band38	5	37775	25	#0	QPSK	2561.56	-39.05	-25	PASS
Band38	5	37775	25	#0	QAM16	2563.23	-30.19	-25	PASS
Band38	5	38225	25	#0	QPSK	2621.00	-18.67	-10	PASS
Band38	5	38225	25	#0	QAM16	2621.01	-19.45	-10	PASS
Band38	10	37800	50	#0	QPSK	2559.51	-33.03	-25	PASS
Band38	10	37800	50	#0	QAM16	2559.22	-33.29	-25	PASS
Band38	10	38200	50	#0	QPSK	2630.05	-33.37	-25	PASS
Band38	10	38200	50	#0	QAM16	2630.00	-35.37	-25	PASS
Band38	15	37825	75	#0	QPSK	2553.88	-35.84	-25	PASS
Band38	15	37825	75	#0	QAM16	2553.67	-35.80	-25	PASS
Band38	15	38175	75	#0	QPSK	2635.75	-37.73	-25	PASS
Band38	15	38175	75	#0	QAM16	2636.18	-36.93	-25	PASS
Band38	20	37850	100	#0	QPSK	2548.96	-37.68	-25	PASS
Band38	20	37850	100	#0	QAM16	2546.94	-37.63	-25	PASS
Band38	20	38150	100	#0	QPSK	2643.89	-38.00	-25	PASS
Band38	20	38150	100	#0	QAM16	2640.15	-38.60	-25	PASS
Band4	1.4	19957	6	#0	QPSK	1710.00	-28.19	-13	PASS
Band4	1.4	19957	6	#0	QAM16	1709.93	-30.14	-13	PASS
Band4	1.4	20393	6	#0	QPSK	1755.01	-28.97	-13	PASS
Band4	1.4	20393	6	#0	QAM16	1755.06	-29.25	-13	PASS
Band4	3	19965	15	#0	QPSK	1710.00	-23.83	-13	PASS
Band4	3	19965	15	#0	QAM16	1710.00	-25.60	-13	PASS
Band4	3	20385	15	#0	QPSK	1755.00	-25.07	-13	PASS
Band4	3	20385	15	#0	QAM16	1755.02	-26.23	-13	PASS

Band4	5	19975	25	#0	QPSK	1709.97	-25.63	-13	PASS
Band4	5	19975	25	#0	QAM16	1710.00	-26.09	-13	PASS
Band4	5	20375	25	#0	QPSK	1755.00	-28.15	-13	PASS
Band4	5	20375	25	#0	QAM16	1755.03	-29.38	-13	PASS
Band4	10	20000	50	#0	QPSK	1710.00	-22.99	-13	PASS
Band4	10	20000	50	#0	QAM16	1709.98	-25.52	-13	PASS
Band4	10	20350	50	#0	QPSK	1755.14	-31.02	-13	PASS
Band4	10	20350	50	#0	QAM16	1755.18	-32.07	-13	PASS
Band4	15	20025	75	#0	QPSK	1709.61	-20.82	-13	PASS
Band4	15	20025	75	#0	QAM16	1709.22	-23.49	-13	PASS
Band4	15	20325	75	#0	QPSK	1757.10	-29.63	-13	PASS
Band4	15	20325	75	#0	QAM16	1755.03	-33.11	-13	PASS
Band4	20	20050	100	#0	QPSK	1709.80	-20.75	-13	PASS
Band4	20	20050	100	#0	QAM16	1709.92	-23.72	-13	PASS
Band4	20	20300	100	#0	QPSK	1755.40	-30.70	-13	PASS
Band4	20	20300	100	#0	QAM16	1755.08	-34.56	-13	PASS
Band41(2555-2655)	5	40265	25	#0	QPSK	2547.88	-30.52	-25	PASS
Band41(2555-2655)	5	40265	25	#0	QAM16	2548.12	-29.20	-25	PASS
Band41(2555-2655)	5	41215	25	#0	QPSK	2656.08	-16.89	-10	PASS
Band41(2555-2655)	5	41215	25	#0	QAM16	2661.40	-31.24	-25	PASS
Band41(2555-2655)	10	40290	50	#0	QPSK	2544.90	-33.71	-25	PASS
Band41(2555-2655)	10	40290	50	#0	QAM16	2544.32	-34.93	-25	PASS
Band41(2555-2655)	10	41190	50	#0	QPSK	2667.06	-33.75	-25	PASS
Band41(2555-2655)	10	41190	50	#0	QAM16	2665.88	-36.26	-25	PASS
Band41(2555-2655)	15	40315	75	#0	QPSK	2537.95	-35.66	-25	PASS
Band41(2555-2655)	15	40315	75	#0	QAM16	2539.51	-38.52	-25	PASS
Band41(2555-2655)	15	41165	75	#0	QPSK	2670.65	-36.86	-25	PASS
Band41(2555-2655)	15	41165	75	#0	QAM16	2670.38	-37.21	-25	PASS
Band41(2555-2655)	20	40340	100	#0	QPSK	2532.50	-38.49	-25	PASS
Band41(2555-2655)	20	40340	100	#0	QAM16	2533.82	-39.22	-25	PASS
Band41(2555-2655)	20	41140	100	#0	QPSK	2675.56	-37.24	-25	PASS
Band41(2555-2655)	20	41140	100	#0	QAM16	2679.62	-38.14	-25	PASS
Band5	1.4	20407	6	#0	QPSK	823.98	-29.67	-13	PASS
Band5	1.4	20407	6	#0	QAM16	823.99	-30.50	-13	PASS
Band5	1.4	20643	6	#0	QPSK	849.02	-30.19	-13	PASS
Band5	1.4	20643	6	#0	QAM16	849.02	-31.02	-13	PASS
Band5	3	20415	15	#0	QPSK	824.00	-25.27	-13	PASS
Band5	3	20415	15	#0	QAM16	824.00	-24.84	-13	PASS
Band5	3	20635	15	#0	QPSK	849.00	-25.24	-13	PASS
Band5	3	20635	15	#0	QAM16	849.00	-25.63	-13	PASS
Band5	5	20425	25	#0	QPSK	824.00	-26.44	-13	PASS
Band5	5	20425	25	#0	QAM16	824.00	-28.46	-13	PASS
Band5	5	20625	25	#0	QPSK	849.00	-29.00	-13	PASS
Band5	5	20625	25	#0	QAM16	849.03	-28.75	-13	PASS


Band5	10	20450	50	#0	QPSK	824.00	-28.33	-13	PASS
Band5	10	20450	50	#0	QAM16	823.98	-29.82	-13	PASS
Band5	10	20600	50	#0	QPSK	849.02	-31.39	-13	PASS
Band5	10	20600	50	#0	QAM16	849.04	-32.41	-13	PASS
Band7	5	20775	25	#0	QPSK	2498.97	-10.82	-10	PASS
Band7	5	20775	25	#0	QAM16	2498.99	-12.41	-10	PASS
Band7	5	21425	25	#0	QPSK	2571.01	-11.12	-10	PASS
Band7	5	21425	25	#0	QAM16	2571.00	-13.30	-10	PASS
Band7	10	20800	50	#0	QPSK	2498.22	-15.62	-10	PASS
Band7	10	20800	50	#0	QAM16	2498.88	-17.08	-10	PASS
Band7	10	21400	50	#0	QPSK	2571.30	-15.32	-10	PASS
Band7	10	21400	50	#0	QAM16	2571.43	-16.66	-10	PASS
Band7	15	20825	75	#0	QPSK	2495.97	-19.75	-13	PASS
Band7	15	20825	75	#0	QAM16	2495.86	-20.99	-13	PASS
Band7	15	21375	75	#0	QPSK	2571.25	-15.66	-10	PASS
Band7	15	21375	75	#0	QAM16	2571.29	-17.70	-10	PASS
Band7	20	20850	100	#0	QPSK	2495.86	-20.97	-13	PASS
Band7	20	20850	100	#0	QAM16	2495.31	-23.15	-13	PASS
Band7	20	21350	100	#0	QPSK	2575.32	-18.68	-13	PASS
Band7	20	21350	100	#0	QAM16	2575.03	-20.51	-13	PASS

Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	698.8604	-24.02	-13
2	698.9	699	30	698.9941	-27.19	-13

Band12 QAM16 BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	698.9	-24.32	-13
2	698.9	699	30	698.9863	-27.34	-13

Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.0134	-26.61	-13
2	716.1	726	100	716.1099	-24.86	-13

Band12 QAM16 BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.0048	-27.64	-13
2	716.1	726	100	716.1495	-25.93	-13

Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	698.8208	-26.49	-13
2	698.9	699	30	698.9981	-23.37	-13

Band12 QAM16 BW=3MHz Channel=23025 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	698.9	-28.39	-13
2	698.9	699	30	698.9998	-23.09	-13

Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.0047	-25.1	-13
2	716.1	726	100	716.1396	-25.41	-13

Band12 QAM16 BW=3MHz Channel=23165 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.0034	-24.79	-13
2	716.1	726	100	716.1099	-25.33	-13

Band12 QPSK BW=5MHz Channel=23035 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	698.5931	-27.82	-13
2	698.9	699	30	698.9954	-28.91	-13

Band12 QAM16 BW=5MHz Channel=23035 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	698.9	-28.43	-13
2	698.9	699	30	698.9678	-30.36	-13

Band12 QPSK BW=5MHz Channel=23155 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.001	-30.41	-13
2	716.1	726	100	716.1099	-25.93	-13


Band12 QAM16 BW=5MHz Channel=23155 RB Size=25 Position=#0



Band12 QPSK BW=10MHz Channel=23060 RB Size=50 Position=#0




Band12 QAM16 BW=10MHz Channel=23060 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	686.5	698.9	100	698.8256	-31.15	-13
2	698.9	699	30	698.9977	-34.63	-13

Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.0274	-33.8	-13
2	716.1	728.5	100	716.6704	-31	-13

Band12 QAM16 BW=10MHz Channel=23130 RB Size=50 Position=#0



Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0



Band17 QAM16 BW=5MHz Channel=23755 RB Size=25 Position=#0



Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0



Band17 QAM16 BW=5MHz Channel=23825 RB Size=25 Position=#0



Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0



Band17 QAM16 BW=10MHz Channel=23780 RB Size=50 Position=#0



Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0



Band17 QAM16 BW=10MHz Channel=23800 RB Size=50 Position=#0



Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0



Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0



Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0



Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0



Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0



Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0



Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0



Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0



Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0



Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0



Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0



Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0



Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0



Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0



Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0



Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0



Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0



Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0



Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0



Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0



Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0



Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0



Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0



Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0



Band25 QPSK BW=1.4MHz Channel=26047 RB Size=6 Position=#0



Band25 QAM16 BW=1.4MHz Channel=26047 RB Size=6 Position=#0



Band25 QPSK BW=1.4MHz Channel=26683 RB Size=6 Position=#0



Band25 QAM16 BW=1.4MHz Channel=26683 RB Size=6 Position=#0



Band25 QPSK BW=3MHz Channel=26055 RB Size=15 Position=#0



Band25 QAM16 BW=3MHz Channel=26055 RB Size=15 Position=#0



Band25 QPSK BW=3MHz Channel=26675 RB Size=15 Position=#0



Band25 QAM16 BW=3MHz Channel=26675 RB Size=15 Position=#0



Band25 QPSK BW=5MHz Channel=26065 RB Size=25 Position=#0



Band25 QAM16 BW=5MHz Channel=26065 RB Size=25 Position=#0



Band25 QPSK BW=5MHz Channel=26665 RB Size=25 Position=#0



Band25 QAM16 BW=5MHz Channel=26665 RB Size=25 Position=#0



Band25 QPSK BW=10MHz Channel=26090 RB Size=50 Position=#0



Band25 QAM16 BW=10MHz Channel=26090 RB Size=50 Position=#0



Band25 QPSK BW=10MHz Channel=26640 RB Size=50 Position=#0



Band25 QAM16 BW=10MHz Channel=26640 RB Size=50 Position=#0



Band25 QPSK BW=15MHz Channel=26115 RB Size=75 Position=#0



Band25 QAM16 BW=15MHz Channel=26115 RB Size=75 Position=#0



Band25 QPSK BW=15MHz Channel=26615 RB Size=75 Position=#0



Band25 QAM16 BW=15MHz Channel=26615 RB Size=75 Position=#0



Band25 QPSK BW=20MHz Channel=26140 RB Size=100 Position=#0




Band25 QAM16 BW=20MHz Channel=26140 RB Size=100 Position=#0




Band25 QPSK BW=20MHz Channel=26590 RB Size=100 Position=#0



Band25 QAM16 BW=20MHz Channel=26590 RB Size=100 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	813.3	813.9625	100	813.93865	-21.93	-13
2	813.9625	814	0.3	813.991525	-43.79	-20
3	815.4	815.4375	0.3	815.426025	-43.56	-20
4	815.4375	816.1	100	815.4381625	-23.22	-13

Band26(814-824) QAM16 BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	813.3	813.9625	100	813.9432875	-24.18	-13
2	813.9625	814	0.3	813.976075	-43.44	-20
3	815.4	815.4375	0.3	815.43	-43.91	-20
4	815.4375	816.1	100	815.4381625	-22.68	-13

Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	821.9	822.5625	100	822.5406375	-20.2	-13
2	822.5625	822.6	0.3	822.599925	-43.09	-20
3	824	824.0375	0.3	824.03405	-43.21	-20
4	824.0375	824.7	100	824.041475	-20.59	-13

Band26(814-824) QAM16 BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	821.9	822.5625	100	822.5625	-23.86	-13
2	822.5625	822.6	0.3	822.5719875	-44.23	-20
3	824	824.0375	0.3	824.0261375	-43.1	-20
4	824.0375	824.7	100	824.0381625	-21.47	-13

Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	812.5	813.9625	100	813.969575	-18.75	-13
2	813.9625	814	0.3	813.9881125	-39.62	-20
3	817	817.0375	0.3	817.0002625	-40.12	-20
4	817.0375	818.5	100	817.04335	-21.81	-13

Band26(814-824) QAM16 BW=3MHz Channel=26705 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	812.5	813.9625	100	813.9625	-21.68	-13
2	813.9625	814	0.3	814	-40.79	-20
3	817	817.0375	0.3	817.0008	-42.57	-20
4	817.0375	818.5	100	817.0477375	-21.82	-13

Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	819.5	820.9625	100	820.9625	-20.82	-13
2	820.9625	821	0.3	820.9912625	-40.57	-20
3	824	824.0375	0.3	824.0013125	-41.82	-20
4	824.0375	825.5	100	824.0652875	-22.61	-13

Band26(814-824) QAM16 BW=3MHz Channel=26775 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	819.5	820.9625	100	820.9625	-19.02	-13
2	820.9625	821	0.3	821	-38.68	-20
3	824	824.0375	0.3	824.0072375	-41.63	-20
4	824.0375	825.5	100	824.0389625	-20.96	-13

Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	811.5	813.9625	100	813.928025	-24.47	-13
2	813.9625	814	0.3	813.9893125	-47	-20
3	819	819.0375	0.3	819.0117375	-47.83	-20
4	819.0375	821.5	100	819.0596625	-24.2	-13

Band26(814-824) QAM16 BW=5MHz Channel=26715 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	811.5	813.9625	100	813.731025	-26.6	-13
2	813.9625	814	0.3	813.9920125	-47.6	-20
3	819	819.0375	0.3	819.0099	-48.21	-20
4	819.0375	821.5	100	819.1926375	-27.24	-13

Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	816.5	818.9625	100	818.9625	-26.9	-13
2	818.9625	819	0.3	818.990025	-46.48	-20
3	824	824.0375	0.3	824.0079675	-48.46	-20
4	824.0375	826.5	100	824.0892125	-26.73	-13

Band26(814-824) QAM16 BW=5MHz Channel=26765 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	816.5	818.9625	100	818.9058625	-26.34	-13
2	818.9625	819	0.3	818.9920125	-46.44	-20
3	824	824.0375	0.3	824.01425	-47.21	-20
4	824.0375	826.5	100	824.0448875	-25.77	-13

Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	809	813.9625	100	813.893025	-31.03	-13
2	813.9625	814	0.3	813.9878125	-52.97	-20
3	824	824.0375	0.3	824.029025	-52.2	-20
4	824.0375	829	100	824.0772	-31.13	-13

Band26(814-824) QAM16 BW=10MHz Channel=26740 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	809	813.9625	100	813.893025	-32.62	-13
2	813.9625	814	0.3	813.98305	-50.75	-20
3	824	824.0375	0.3	824.018	-51.2	-20
4	824.0375	829	100	824.2111875	-32.16	-13

Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=6 Position=#0



Band26(824-849) QAM16 BW=1.4MHz Channel=26797 RB Size=6 Position=#0



Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=6 Position=#0



Band26(824-849) QAM16 BW=1.4MHz Channel=27033 RB Size=6 Position=#0



Band26(824-849) QPSK BW=3MHz Channel=26805 RB Size=15 Position=#0



Band26(824-849) QAM16 BW=3MHz Channel=26805 RB Size=15 Position=#0