

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.11	-4.27	16.69	<=38.45	Pass
			2	23.20	-4.27	16.78	<=38.45	Pass
			5	23.14	-4.27	16.72	<=38.45	Pass
		3	0	23.24	-4.27	16.82	<=38.45	Pass
			2	23.22	-4.27	16.80	<=38.45	Pass
			3	23.19	-4.27	16.77	<=38.45	Pass
		6	0	22.11	-4.27	15.69	<=38.45	Pass
	836.5	1	0	22.93	-4.27	16.51	<=38.45	Pass
			2	23.05	-4.27	16.63	<=38.45	Pass
			5	22.85	-4.27	16.43	<=38.45	Pass
		3	0	23.04	-4.27	16.62	<=38.45	Pass
			2	23.10	-4.27	16.68	<=38.45	Pass
			3	23.09	-4.27	16.67	<=38.45	Pass
		6	0	21.97	-4.27	15.55	<=38.45	Pass
	848.3	1	0	22.88	-4.27	16.46	<=38.45	Pass
			2	22.95	-4.27	16.53	<=38.45	Pass
			5	22.88	-4.27	16.46	<=38.45	Pass
		3	0	23.08	-4.27	16.66	<=38.45	Pass
			2	22.99	-4.27	16.57	<=38.45	Pass
			3	22.98	-4.27	16.56	<=38.45	Pass
		6	0	21.89	-4.27	15.47	<=38.45	Pass
16QAM	824.7	1	0	22.27	-4.27	15.85	<=38.45	Pass
			2	22.19	-4.27	15.77	<=38.45	Pass
			5	22.23	-4.27	15.81	<=38.45	Pass
		3	0	22.29	-4.27	15.87	<=38.45	Pass
			2	22.44	-4.27	16.02	<=38.45	Pass
			3	22.22	-4.27	15.80	<=38.45	Pass
		6	0	21.21	-4.27	14.79	<=38.45	Pass
	836.5	1	0	22.01	-4.27	15.59	<=38.45	Pass
			2	22.24	-4.27	15.82	<=38.45	Pass
			5	22.03	-4.27	15.61	<=38.45	Pass
		3	0	22.28	-4.27	15.86	<=38.45	Pass
			2	22.08	-4.27	15.66	<=38.45	Pass
			3	22.14	-4.27	15.72	<=38.45	Pass
		6	0	21.08	-4.27	14.66	<=38.45	Pass
	848.3	1	0	22.05	-4.27	15.63	<=38.45	Pass
			2	22.04	-4.27	15.62	<=38.45	Pass
			5	21.91	-4.27	15.49	<=38.45	Pass
		3	0	22.10	-4.27	15.68	<=38.45	Pass
			2	22.20	-4.27	15.78	<=38.45	Pass
			3	21.96	-4.27	15.54	<=38.45	Pass
		6	0	20.83	-4.27	14.41	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	23.13	-4.27	16.71	<=38.45	Pass
			7	23.28	-4.27	16.86	<=38.45	Pass
			14	23.02	-4.27	16.60	<=38.45	Pass
		8	0	22.12	-4.27	15.70	<=38.45	Pass
			4	22.12	-4.27	15.70	<=38.45	Pass
			7	22.08	-4.27	15.66	<=38.45	Pass
		15	0	22.10	-4.27	15.68	<=38.45	Pass
	836.5	1	0	22.94	-4.27	16.52	<=38.45	Pass
			7	23.11	-4.27	16.69	<=38.45	Pass
			14	22.96	-4.27	16.54	<=38.45	Pass
		8	0	21.97	-4.27	15.55	<=38.45	Pass
			4	22.00	-4.27	15.58	<=38.45	Pass
			7	21.94	-4.27	15.52	<=38.45	Pass
		15	0	21.99	-4.27	15.57	<=38.45	Pass
	847.5	1	0	22.96	-4.27	16.54	<=38.45	Pass
			7	23.05	-4.27	16.63	<=38.45	Pass
			14	22.88	-4.27	16.46	<=38.45	Pass
		8	0	21.96	-4.27	15.54	<=38.45	Pass
			4	21.95	-4.27	15.53	<=38.45	Pass
			7	21.84	-4.27	15.42	<=38.45	Pass
		15	0	21.95	-4.27	15.53	<=38.45	Pass
16QAM	825.5	1	0	22.24	-4.27	15.82	<=38.45	Pass
			7	22.81	-4.27	16.39	<=38.45	Pass
			14	22.22	-4.27	15.80	<=38.45	Pass
		8	0	21.26	-4.27	14.84	<=38.45	Pass
			4	21.34	-4.27	14.92	<=38.45	Pass
			7	21.11	-4.27	14.69	<=38.45	Pass
		15	0	21.21	-4.27	14.79	<=38.45	Pass
	836.5	1	0	22.21	-4.27	15.79	<=38.45	Pass
			7	22.19	-4.27	15.77	<=38.45	Pass
			14	22.61	-4.27	16.19	<=38.45	Pass
		8	0	21.06	-4.27	14.64	<=38.45	Pass
			4	21.17	-4.27	14.75	<=38.45	Pass
			7	21.22	-4.27	14.80	<=38.45	Pass
		15	0	21.08	-4.27	14.66	<=38.45	Pass
	847.5	1	0	22.53	-4.27	16.11	<=38.45	Pass
			7	22.27	-4.27	15.85	<=38.45	Pass
			14	21.96	-4.27	15.54	<=38.45	Pass
		8	0	21.20	-4.27	14.78	<=38.45	Pass
4			20.99	-4.27	14.57	<=38.45	Pass	
7			20.95	-4.27	14.53	<=38.45	Pass	
15		0	21.07	-4.27	14.65	<=38.45	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	22.99	-4.27	16.57	<=38.45	Pass
			13	23.10	-4.27	16.68	<=38.45	Pass
			24	22.91	-4.27	16.49	<=38.45	Pass
		12	0	21.97	-4.27	15.55	<=38.45	Pass
			6	22.09	-4.27	15.67	<=38.45	Pass

	836.5	25	13	22.07	-4.27	15.65	<=38.45	Pass
			0	22.08	-4.27	15.66	<=38.45	Pass
			0	22.83	-4.27	16.41	<=38.45	Pass
		1	13	22.97	-4.27	16.55	<=38.45	Pass
			24	22.81	-4.27	16.39	<=38.45	Pass
			0	21.98	-4.27	15.56	<=38.45	Pass
		12	6	22.01	-4.27	15.59	<=38.45	Pass
			13	21.87	-4.27	15.45	<=38.45	Pass
			0	21.90	-4.27	15.48	<=38.45	Pass
	846.5	1	0	22.79	-4.27	16.37	<=38.45	Pass
			13	22.92	-4.27	16.50	<=38.45	Pass
			24	22.79	-4.27	16.37	<=38.45	Pass
		12	0	21.87	-4.27	15.45	<=38.45	Pass
			6	21.95	-4.27	15.53	<=38.45	Pass
			13	21.66	-4.27	15.24	<=38.45	Pass
		25	0	21.80	-4.27	15.38	<=38.45	Pass
			0	22.09	-4.27	15.67	<=38.45	Pass
			13	22.01	-4.27	15.59	<=38.45	Pass
16QAM	826.5	1	24	22.18	-4.27	15.76	<=38.45	Pass
			0	21.11	-4.27	14.69	<=38.45	Pass
			6	21.16	-4.27	14.74	<=38.45	Pass
		12	13	21.17	-4.27	14.75	<=38.45	Pass
			0	21.17	-4.27	14.75	<=38.45	Pass
			0	22.14	-4.27	15.72	<=38.45	Pass
		1	13	22.09	-4.27	15.67	<=38.45	Pass
			24	21.72	-4.27	15.30	<=38.45	Pass
			0	21.13	-4.27	14.71	<=38.45	Pass
	836.5	12	6	21.09	-4.27	14.67	<=38.45	Pass
			13	20.94	-4.27	14.52	<=38.45	Pass
			0	21.03	-4.27	14.61	<=38.45	Pass
		25	0	21.68	-4.27	15.26	<=38.45	Pass
			13	22.23	-4.27	15.81	<=38.45	Pass
			24	21.91	-4.27	15.49	<=38.45	Pass
		12	0	20.91	-4.27	14.49	<=38.45	Pass
			6	20.98	-4.27	14.56	<=38.45	Pass
			13	20.69	-4.27	14.27	<=38.45	Pass
	846.5	25	0	20.85	-4.27	14.43	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	22.98	-4.27	16.56	<=38.45	Pass
			25	23.12	-4.27	16.70	<=38.45	Pass
			49	22.91	-4.27	16.49	<=38.45	Pass
		25	0	21.90	-4.27	15.48	<=38.45	Pass
			13	21.98	-4.27	15.56	<=38.45	Pass
			25	22.12	-4.27	15.70	<=38.45	Pass
		50	0	22.02	-4.27	15.60	<=38.45	Pass
			0	22.86	-4.27	16.44	<=38.45	Pass
			25	23.03	-4.27	16.61	<=38.45	Pass
	836.5	1	49	22.88	-4.27	16.46	<=38.45	Pass
			0	21.99	-4.27	15.57	<=38.45	Pass
			13	21.97	-4.27	15.55	<=38.45	Pass
		25	25	21.85	-4.27	15.43	<=38.45	Pass
			0	21.93	-4.27	15.51	<=38.45	Pass

16QAM	844	1	0	22.82	-4.27	16.40	<=38.45	Pass
			25	22.99	-4.27	16.57	<=38.45	Pass
			49	22.82	-4.27	16.40	<=38.45	Pass
		25	0	21.95	-4.27	15.53	<=38.45	Pass
			13	21.96	-4.27	15.54	<=38.45	Pass
			25	21.73	-4.27	15.31	<=38.45	Pass
		50	0	21.90	-4.27	15.48	<=38.45	Pass
	829	1	0	21.94	-4.27	15.52	<=38.45	Pass
			25	21.98	-4.27	15.56	<=38.45	Pass
			49	21.78	-4.27	15.36	<=38.45	Pass
		25	0	21.12	-4.27	14.70	<=38.45	Pass
			13	21.15	-4.27	14.73	<=38.45	Pass
			25	21.29	-4.27	14.87	<=38.45	Pass
		50	0	21.17	-4.27	14.75	<=38.45	Pass
	836.5	1	0	22.08	-4.27	15.66	<=38.45	Pass
			25	22.13	-4.27	15.71	<=38.45	Pass
			49	22.50	-4.27	16.08	<=38.45	Pass
		25	0	21.12	-4.27	14.70	<=38.45	Pass
			13	21.17	-4.27	14.75	<=38.45	Pass
			25	20.99	-4.27	14.57	<=38.45	Pass
		50	0	21.05	-4.27	14.63	<=38.45	Pass
	844	1	0	22.53	-4.27	16.11	<=38.45	Pass
			25	22.62	-4.27	16.20	<=38.45	Pass
			49	22.42	-4.27	16.00	<=38.45	Pass
		25	0	21.07	-4.27	14.65	<=38.45	Pass
			13	21.04	-4.27	14.62	<=38.45	Pass
			25	20.85	-4.27	14.43	<=38.45	Pass
		50	0	20.94	-4.27	14.52	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	22.88	-4.27	16.46	<=38.45	Pass
			38	22.96	-4.27	16.54	<=38.45	Pass
			74	22.76	-4.27	16.34	<=38.45	Pass
		36	0	21.88	-4.27	15.46	<=38.45	Pass
			18	21.93	-4.27	15.51	<=38.45	Pass
			39	21.91	-4.27	15.49	<=38.45	Pass
		75	0	21.88	-4.27	15.46	<=38.45	Pass
	836.5	1	0	22.87	-4.27	16.45	<=38.45	Pass
			38	22.86	-4.27	16.44	<=38.45	Pass
			74	22.75	-4.27	16.33	<=38.45	Pass
		36	0	21.88	-4.27	15.46	<=38.45	Pass
			18	21.97	-4.27	15.55	<=38.45	Pass
			39	21.83	-4.27	15.41	<=38.45	Pass
		75	0	21.85	-4.27	15.43	<=38.45	Pass
	841.5	1	0	22.81	-4.27	16.39	<=38.45	Pass
			38	22.88	-4.27	16.46	<=38.45	Pass
			74	22.73	-4.27	16.31	<=38.45	Pass
		36	0	22.06	-4.27	15.64	<=38.45	Pass
			18	21.95	-4.27	15.53	<=38.45	Pass
			39	21.89	-4.27	15.47	<=38.45	Pass
		75	0	21.97	-4.27	15.55	<=38.45	Pass
16QAM	831.5	1	0	22.33	-4.27	15.91	<=38.45	Pass
			38	22.31	-4.27	15.89	<=38.45	Pass



		36	74	22.24	-4.27	15.82	<=38.45	Pass
			0	20.86	-4.27	14.44	<=38.45	Pass
			18	21.00	-4.27	14.58	<=38.45	Pass
			39	20.94	-4.27	14.52	<=38.45	Pass
	75	1	0	20.95	-4.27	14.53	<=38.45	Pass
			0	22.03	-4.27	15.61	<=38.45	Pass
			38	22.15	-4.27	15.73	<=38.45	Pass
			74	21.97	-4.27	15.55	<=38.45	Pass
	836.5	36	0	20.87	-4.27	14.45	<=38.45	Pass
			18	21.05	-4.27	14.63	<=38.45	Pass
			39	20.88	-4.27	14.46	<=38.45	Pass
			75	20.94	-4.27	14.52	<=38.45	Pass
	841.5	1	0	22.40	-4.27	15.98	<=38.45	Pass
			38	22.54	-4.27	16.12	<=38.45	Pass
			74	22.37	-4.27	15.95	<=38.45	Pass
		36	0	21.14	-4.27	14.72	<=38.45	Pass
			18	20.98	-4.27	14.56	<=38.45	Pass
			39	20.88	-4.27	14.46	<=38.45	Pass
		75	0	21.01	-4.27	14.59	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.27	-4.549	-0.0055	-2.5 to 2.5	Pass
					3.85	-7.939	-0.0096	-2.5 to 2.5	Pass
					4.43	-5.021	-0.0061	-2.5 to 2.5	Pass
				-30	3.85	-2.060	-0.0025	-2.5 to 2.5	Pass
				-20	3.85	-2.747	-0.0033	-2.5 to 2.5	Pass
				-10	3.85	-8.297	-0.0101	-2.5 to 2.5	Pass
				0	3.85	-8.411	-0.0102	-2.5 to 2.5	Pass
				10	3.85	-7.052	-0.0086	-2.5 to 2.5	Pass
				30	3.85	-4.306	-0.0052	-2.5 to 2.5	Pass
				40	3.85	-9.427	-0.0114	-2.5 to 2.5	Pass
				50	3.85	-8.426	-0.0102	-2.5 to 2.5	Pass
	836.5	6	0	20	3.27	-5.879	-0.0070	-2.5 to 2.5	Pass
					3.85	-12.517	-0.0150	-2.5 to 2.5	Pass
					4.43	-11.973	-0.0143	-2.5 to 2.5	Pass
				-30	3.85	0.358	0.0004	-2.5 to 2.5	Pass
				-20	3.85	-2.689	-0.0032	-2.5 to 2.5	Pass
				-10	3.85	-9.656	-0.0115	-2.5 to 2.5	Pass
				0	3.85	-0.815	-0.0010	-2.5 to 2.5	Pass
				10	3.85	1.373	0.0016	-2.5 to 2.5	Pass
				30	3.85	-7.496	-0.0090	-2.5 to 2.5	Pass
				40	3.85	-2.460	-0.0029	-2.5 to 2.5	Pass
				50	3.85	-10.471	-0.0125	-2.5 to 2.5	Pass
	848.3	6	0	20	3.27	-3.519	-0.0041	-2.5 to 2.5	Pass
					3.85	-9.041	-0.0107	-2.5 to 2.5	Pass
					4.43	-7.224	-0.0085	-2.5 to 2.5	Pass
				-30	3.85	-11.401	-0.0134	-2.5 to 2.5	Pass

16QAM	824.7	6	0	-20	3.85	-4.420	-0.0052	-2.5 to 2.5	Pass
				-10	3.85	-11.373	-0.0134	-2.5 to 2.5	Pass
				0	3.85	-6.809	-0.0080	-2.5 to 2.5	Pass
				10	3.85	-4.649	-0.0055	-2.5 to 2.5	Pass
				30	3.85	-5.608	-0.0066	-2.5 to 2.5	Pass
				40	3.85	-5.865	-0.0069	-2.5 to 2.5	Pass
				50	3.85	-3.891	-0.0046	-2.5 to 2.5	Pass
	836.5	6	0	20	3.27	-5.536	-0.0067	-2.5 to 2.5	Pass
					3.85	-13.633	-0.0165	-2.5 to 2.5	Pass
					4.43	-9.871	-0.0120	-2.5 to 2.5	Pass
				-30	3.85	-6.423	-0.0078	-2.5 to 2.5	Pass
				-20	3.85	-5.522	-0.0067	-2.5 to 2.5	Pass
				-10	3.85	-4.048	-0.0049	-2.5 to 2.5	Pass
				0	3.85	-7.524	-0.0091	-2.5 to 2.5	Pass
				10	3.85	-4.234	-0.0051	-2.5 to 2.5	Pass
				30	3.85	-5.064	-0.0061	-2.5 to 2.5	Pass
				40	3.85	-8.283	-0.0100	-2.5 to 2.5	Pass
				50	3.85	-13.962	-0.0169	-2.5 to 2.5	Pass
				20	3.27	-3.848	-0.0046	-2.5 to 2.5	Pass
					3.85	-4.520	-0.0054	-2.5 to 2.5	Pass
					4.43	-3.691	-0.0044	-2.5 to 2.5	Pass
	848.3	6	0	-30	3.85	-2.990	-0.0036	-2.5 to 2.5	Pass
				-20	3.85	1.302	0.0016	-2.5 to 2.5	Pass
				-10	3.85	-1.245	-0.0015	-2.5 to 2.5	Pass
				0	3.85	-0.658	-0.0008	-2.5 to 2.5	Pass
				10	3.85	-3.519	-0.0042	-2.5 to 2.5	Pass
				30	3.85	-7.267	-0.0087	-2.5 to 2.5	Pass
				40	3.85	-14.219	-0.0170	-2.5 to 2.5	Pass
				50	3.85	1.888	0.0023	-2.5 to 2.5	Pass
				20	3.27	-8.111	-0.0096	-2.5 to 2.5	Pass
					3.85	-5.364	-0.0063	-2.5 to 2.5	Pass
					4.43	-6.995	-0.0082	-2.5 to 2.5	Pass
				-30	3.85	-10.400	-0.0123	-2.5 to 2.5	Pass
				-20	3.85	-10.014	-0.0118	-2.5 to 2.5	Pass
				-10	3.85	-13.332	-0.0157	-2.5 to 2.5	Pass
				0	3.85	-4.106	-0.0048	-2.5 to 2.5	Pass
				10	3.85	-3.347	-0.0039	-2.5 to 2.5	Pass
				30	3.85	-1.159	-0.0014	-2.5 to 2.5	Pass
				40	3.85	-9.656	-0.0114	-2.5 to 2.5	Pass
				50	3.85	-1.130	-0.0013	-2.5 to 2.5	Pass

2.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	3.27	-11.215	-0.0136	-2.5 to 2.5	Pass
					3.85	-9.055	-0.0110	-2.5 to 2.5	Pass
					4.43	-10.657	-0.0129	-2.5 to 2.5	Pass
				-30	3.85	-4.649	-0.0056	-2.5 to 2.5	Pass
				-20	3.85	-10.271	-0.0124	-2.5 to 2.5	Pass
				-10	3.85	-7.410	-0.0090	-2.5 to 2.5	Pass
				0	3.85	-10.042	-0.0122	-2.5 to 2.5	Pass
				10	3.85	-9.499	-0.0115	-2.5 to 2.5	Pass
				30	3.85	-7.296	-0.0088	-2.5 to 2.5	Pass
				40	3.85	-3.047	-0.0037	-2.5 to 2.5	Pass
				50	3.85	-11.058	-0.0134	-2.5 to 2.5	Pass
	836.5	15	0	20	3.27	-3.762	-0.0045	-2.5 to 2.5	Pass

					3.85	-4.535	-0.0054	-2.5 to 2.5	Pass
					4.43	-9.556	-0.0114	-2.5 to 2.5	Pass
				-30	3.85	-2.861	-0.0034	-2.5 to 2.5	Pass
				-20	3.85	-6.809	-0.0081	-2.5 to 2.5	Pass
				-10	3.85	-4.277	-0.0051	-2.5 to 2.5	Pass
				0	3.85	-11.187	-0.0134	-2.5 to 2.5	Pass
				10	3.85	-4.306	-0.0051	-2.5 to 2.5	Pass
				30	3.85	-6.266	-0.0075	-2.5 to 2.5	Pass
				40	3.85	0.229	0.0003	-2.5 to 2.5	Pass
				50	3.85	-9.184	-0.0110	-2.5 to 2.5	Pass
	847.5	15	0	20	3.27	-1.187	-0.0014	-2.5 to 2.5	Pass
					3.85	-3.147	-0.0037	-2.5 to 2.5	Pass
					4.43	-4.663	-0.0055	-2.5 to 2.5	Pass
				-30	3.85	-7.839	-0.0092	-2.5 to 2.5	Pass
				-20	3.85	-12.646	-0.0149	-2.5 to 2.5	Pass
				-10	3.85	-5.651	-0.0067	-2.5 to 2.5	Pass
				0	3.85	-3.834	-0.0045	-2.5 to 2.5	Pass
				10	3.85	-0.730	-0.0009	-2.5 to 2.5	Pass
				30	3.85	-10.028	-0.0118	-2.5 to 2.5	Pass
				40	3.85	-3.834	-0.0045	-2.5 to 2.5	Pass
16QAM	825.5	15	0	20	3.27	-7.167	-0.0087	-2.5 to 2.5	Pass
					3.85	-6.652	-0.0081	-2.5 to 2.5	Pass
					4.43	-7.467	-0.0090	-2.5 to 2.5	Pass
				-30	3.85	-6.795	-0.0082	-2.5 to 2.5	Pass
				-20	3.85	-6.824	-0.0083	-2.5 to 2.5	Pass
				-10	3.85	-7.739	-0.0094	-2.5 to 2.5	Pass
				0	3.85	-5.693	-0.0069	-2.5 to 2.5	Pass
				10	3.85	-5.336	-0.0065	-2.5 to 2.5	Pass
				30	3.85	-5.193	-0.0063	-2.5 to 2.5	Pass
				40	3.85	-6.151	-0.0075	-2.5 to 2.5	Pass
	836.5	15	0	20	3.27	-1.774	-0.0021	-2.5 to 2.5	Pass
					3.85	-3.247	-0.0039	-2.5 to 2.5	Pass
					4.43	-6.437	-0.0077	-2.5 to 2.5	Pass
				-30	3.85	-4.921	-0.0059	-2.5 to 2.5	Pass
				-20	3.85	-6.595	-0.0079	-2.5 to 2.5	Pass
				-10	3.85	-5.965	-0.0071	-2.5 to 2.5	Pass
				0	3.85	-10.443	-0.0125	-2.5 to 2.5	Pass
				10	3.85	-10.157	-0.0121	-2.5 to 2.5	Pass
				30	3.85	-7.939	-0.0095	-2.5 to 2.5	Pass
				40	3.85	-5.608	-0.0067	-2.5 to 2.5	Pass
	847.5	15	0	20	3.27	-4.663	-0.0055	-2.5 to 2.5	Pass
					3.85	-6.809	-0.0080	-2.5 to 2.5	Pass
					4.43	-5.879	-0.0069	-2.5 to 2.5	Pass
				-30	3.85	-7.510	-0.0089	-2.5 to 2.5	Pass
				-20	3.85	-2.174	-0.0026	-2.5 to 2.5	Pass
				-10	3.85	-7.696	-0.0091	-2.5 to 2.5	Pass
				0	3.85	-4.077	-0.0048	-2.5 to 2.5	Pass
				10	3.85	-8.698	-0.0103	-2.5 to 2.5	Pass
				30	3.85	-8.612	-0.0102	-2.5 to 2.5	Pass
				40	3.85	-8.883	-0.0105	-2.5 to 2.5	Pass
				50	3.85	-6.137	-0.0072	-2.5 to 2.5	Pass

2.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz

Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.27	-10.486	-0.0127	-2.5 to 2.5	Pass
					3.85	-7.796	-0.0094	-2.5 to 2.5	Pass
					4.43	-5.150	-0.0062	-2.5 to 2.5	Pass
				-30	3.85	-11.086	-0.0134	-2.5 to 2.5	Pass
				-20	3.85	-8.483	-0.0103	-2.5 to 2.5	Pass
				-10	3.85	-6.895	-0.0083	-2.5 to 2.5	Pass
				0	3.85	-6.723	-0.0081	-2.5 to 2.5	Pass
				10	3.85	-9.356	-0.0113	-2.5 to 2.5	Pass
				30	3.85	-3.519	-0.0043	-2.5 to 2.5	Pass
				40	3.85	-5.121	-0.0062	-2.5 to 2.5	Pass
				50	3.85	-5.894	-0.0071	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	-6.852	-0.0082	-2.5 to 2.5	Pass
					3.85	-7.238	-0.0087	-2.5 to 2.5	Pass
					4.43	-7.524	-0.0090	-2.5 to 2.5	Pass
				-30	3.85	-2.775	-0.0033	-2.5 to 2.5	Pass
				-20	3.85	-7.396	-0.0088	-2.5 to 2.5	Pass
				-10	3.85	-9.198	-0.0110	-2.5 to 2.5	Pass
				0	3.85	-7.038	-0.0084	-2.5 to 2.5	Pass
				10	3.85	-6.094	-0.0073	-2.5 to 2.5	Pass
				30	3.85	-7.496	-0.0090	-2.5 to 2.5	Pass
				40	3.85	-3.805	-0.0045	-2.5 to 2.5	Pass
				50	3.85	-10.815	-0.0129	-2.5 to 2.5	Pass
	846.5	25	0	20	3.27	-10.629	-0.0126	-2.5 to 2.5	Pass
					3.85	-6.237	-0.0074	-2.5 to 2.5	Pass
					4.43	-13.304	-0.0157	-2.5 to 2.5	Pass
				-30	3.85	-4.277	-0.0051	-2.5 to 2.5	Pass
				-20	3.85	-9.556	-0.0113	-2.5 to 2.5	Pass
				-10	3.85	-9.112	-0.0108	-2.5 to 2.5	Pass
				0	3.85	-6.723	-0.0079	-2.5 to 2.5	Pass
				10	3.85	-5.593	-0.0066	-2.5 to 2.5	Pass
				30	3.85	-5.064	-0.0060	-2.5 to 2.5	Pass
				40	3.85	-4.978	-0.0059	-2.5 to 2.5	Pass
				50	3.85	-7.510	-0.0089	-2.5 to 2.5	Pass
16QAM	826.5	25	0	20	3.27	-7.954	-0.0096	-2.5 to 2.5	Pass
					3.85	-6.180	-0.0075	-2.5 to 2.5	Pass
					4.43	-8.540	-0.0103	-2.5 to 2.5	Pass
				-30	3.85	-4.764	-0.0058	-2.5 to 2.5	Pass
				-20	3.85	-5.994	-0.0073	-2.5 to 2.5	Pass
				-10	3.85	-4.020	-0.0049	-2.5 to 2.5	Pass
				0	3.85	-7.968	-0.0096	-2.5 to 2.5	Pass
				10	3.85	-3.920	-0.0047	-2.5 to 2.5	Pass
				30	3.85	-4.420	-0.0053	-2.5 to 2.5	Pass
				40	3.85	-3.877	-0.0047	-2.5 to 2.5	Pass
				50	3.85	-6.094	-0.0074	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	-7.882	-0.0094	-2.5 to 2.5	Pass
					3.85	-6.752	-0.0081	-2.5 to 2.5	Pass
					4.43	-11.601	-0.0139	-2.5 to 2.5	Pass
				-30	3.85	-8.841	-0.0106	-2.5 to 2.5	Pass
				-20	3.85	-8.254	-0.0099	-2.5 to 2.5	Pass
				-10	3.85	-3.533	-0.0042	-2.5 to 2.5	Pass
				0	3.85	-6.480	-0.0077	-2.5 to 2.5	Pass
				10	3.85	-2.861	-0.0034	-2.5 to 2.5	Pass
				30	3.85	-1.645	-0.0020	-2.5 to 2.5	Pass
				40	3.85	-2.961	-0.0035	-2.5 to 2.5	Pass
				50	3.85	-7.253	-0.0087	-2.5 to 2.5	Pass
	846.5	25	0	20	3.27	-8.912	-0.0105	-2.5 to 2.5	Pass
					3.85	-6.323	-0.0075	-2.5 to 2.5	Pass

					4.43	-3.119	-0.0037	-2.5 to 2.5	Pass
				-30	3.85	-6.337	-0.0075	-2.5 to 2.5	Pass
				-20	3.85	-4.148	-0.0049	-2.5 to 2.5	Pass
				-10	3.85	-6.766	-0.0080	-2.5 to 2.5	Pass
				0	3.85	-5.965	-0.0070	-2.5 to 2.5	Pass
				10	3.85	-0.157	-0.0002	-2.5 to 2.5	Pass
				30	3.85	-8.254	-0.0098	-2.5 to 2.5	Pass
				40	3.85	-1.574	-0.0019	-2.5 to 2.5	Pass
				50	3.85	-6.738	-0.0080	-2.5 to 2.5	Pass

2.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.27	-6.881	-0.0083	-2.5 to 2.5	Pass
					3.85	-6.065	-0.0073	-2.5 to 2.5	Pass
					4.43	-10.200	-0.0123	-2.5 to 2.5	Pass
				-30	3.85	-8.440	-0.0102	-2.5 to 2.5	Pass
				-20	3.85	-7.253	-0.0087	-2.5 to 2.5	Pass
				-10	3.85	-6.337	-0.0076	-2.5 to 2.5	Pass
				0	3.85	-6.595	-0.0080	-2.5 to 2.5	Pass
				10	3.85	-8.583	-0.0104	-2.5 to 2.5	Pass
				30	3.85	-9.656	-0.0116	-2.5 to 2.5	Pass
				40	3.85	-7.267	-0.0088	-2.5 to 2.5	Pass
				50	3.85	-5.980	-0.0072	-2.5 to 2.5	Pass
	836.5	50	0	20	3.27	-6.423	-0.0077	-2.5 to 2.5	Pass
					3.85	-7.668	-0.0092	-2.5 to 2.5	Pass
					4.43	-8.597	-0.0103	-2.5 to 2.5	Pass
				-30	3.85	-7.510	-0.0090	-2.5 to 2.5	Pass
				-20	3.85	-10.014	-0.0120	-2.5 to 2.5	Pass
				-10	3.85	-4.649	-0.0056	-2.5 to 2.5	Pass
				0	3.85	-3.262	-0.0039	-2.5 to 2.5	Pass
				10	3.85	-3.204	-0.0038	-2.5 to 2.5	Pass
				30	3.85	-8.111	-0.0097	-2.5 to 2.5	Pass
				40	3.85	-5.236	-0.0063	-2.5 to 2.5	Pass
				50	3.85	-5.751	-0.0069	-2.5 to 2.5	Pass
	844	50	0	20	3.27	-7.725	-0.0092	-2.5 to 2.5	Pass
					3.85	-4.864	-0.0058	-2.5 to 2.5	Pass
					4.43	-4.606	-0.0055	-2.5 to 2.5	Pass
				-30	3.85	-7.224	-0.0086	-2.5 to 2.5	Pass
				-20	3.85	-6.051	-0.0072	-2.5 to 2.5	Pass
				-10	3.85	-5.693	-0.0067	-2.5 to 2.5	Pass
				0	3.85	-6.166	-0.0073	-2.5 to 2.5	Pass
				10	3.85	-4.721	-0.0056	-2.5 to 2.5	Pass
				30	3.85	-6.137	-0.0073	-2.5 to 2.5	Pass
				40	3.85	-5.808	-0.0069	-2.5 to 2.5	Pass
				50	3.85	-8.011	-0.0095	-2.5 to 2.5	Pass
16QAM	829	50	0	20	3.27	-6.495	-0.0078	-2.5 to 2.5	Pass
					3.85	-6.738	-0.0081	-2.5 to 2.5	Pass
					4.43	-5.565	-0.0067	-2.5 to 2.5	Pass
				-30	3.85	-10.228	-0.0123	-2.5 to 2.5	Pass
				-20	3.85	-6.580	-0.0079	-2.5 to 2.5	Pass
				-10	3.85	-8.855	-0.0107	-2.5 to 2.5	Pass
				0	3.85	-7.424	-0.0090	-2.5 to 2.5	Pass
				10	3.85	-8.097	-0.0098	-2.5 to 2.5	Pass
				30	3.85	-5.922	-0.0071	-2.5 to 2.5	Pass
				40	3.85	-7.367	-0.0089	-2.5 to 2.5	Pass

	836.5	50	0	50	3.85	-4.520	-0.0055	-2.5 to 2.5	Pass
				20	3.27	-6.952	-0.0083	-2.5 to 2.5	Pass
					3.85	-5.679	-0.0068	-2.5 to 2.5	Pass
					4.43	-8.912	-0.0107	-2.5 to 2.5	Pass
				-30	3.85	-8.926	-0.0107	-2.5 to 2.5	Pass
				-20	3.85	-7.081	-0.0085	-2.5 to 2.5	Pass
				-10	3.85	-4.563	-0.0055	-2.5 to 2.5	Pass
				0	3.85	-6.967	-0.0083	-2.5 to 2.5	Pass
				10	3.85	-6.351	-0.0076	-2.5 to 2.5	Pass
				30	3.85	-4.249	-0.0051	-2.5 to 2.5	Pass
	844	50	0	40	3.85	-6.824	-0.0082	-2.5 to 2.5	Pass
				50	3.85	-4.578	-0.0055	-2.5 to 2.5	Pass
				20	3.27	-10.757	-0.0127	-2.5 to 2.5	Pass
					3.85	-5.894	-0.0070	-2.5 to 2.5	Pass
					4.43	-6.781	-0.0080	-2.5 to 2.5	Pass
				-30	3.85	-2.775	-0.0033	-2.5 to 2.5	Pass
				-20	3.85	-3.777	-0.0045	-2.5 to 2.5	Pass
				-10	3.85	-7.854	-0.0093	-2.5 to 2.5	Pass
				0	3.85	-6.423	-0.0076	-2.5 to 2.5	Pass
				10	3.85	-1.888	-0.0022	-2.5 to 2.5	Pass
				30	3.85	-2.532	-0.0030	-2.5 to 2.5	Pass
				40	3.85	-6.866	-0.0081	-2.5 to 2.5	Pass
				50	3.85	-6.080	-0.0072	-2.5 to 2.5	Pass

2.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	831.5	75	0	20	3.27	-6.824	-0.0082	-2.5 to 2.5	Pass
					3.85	-5.679	-0.0068	-2.5 to 2.5	Pass
					4.43	-4.292	-0.0052	-2.5 to 2.5	Pass
				-30	3.85	-4.463	-0.0054	-2.5 to 2.5	Pass
				-20	3.85	-4.377	-0.0053	-2.5 to 2.5	Pass
				-10	3.85	-5.708	-0.0069	-2.5 to 2.5	Pass
				0	3.85	-7.210	-0.0087	-2.5 to 2.5	Pass
				10	3.85	-3.104	-0.0037	-2.5 to 2.5	Pass
				30	3.85	-3.390	-0.0041	-2.5 to 2.5	Pass
				40	3.85	-4.334	-0.0052	-2.5 to 2.5	Pass
	836.5	75	0	50	3.85	-4.320	-0.0052	-2.5 to 2.5	Pass
				20	3.27	-8.054	-0.0096	-2.5 to 2.5	Pass
					3.85	-6.638	-0.0079	-2.5 to 2.5	Pass
					4.43	-5.322	-0.0064	-2.5 to 2.5	Pass
				-30	3.85	-7.496	-0.0090	-2.5 to 2.5	Pass
				-20	3.85	-2.103	-0.0025	-2.5 to 2.5	Pass
				-10	3.85	-3.862	-0.0046	-2.5 to 2.5	Pass
				0	3.85	-3.519	-0.0042	-2.5 to 2.5	Pass
				10	3.85	-3.562	-0.0043	-2.5 to 2.5	Pass
				30	3.85	-6.952	-0.0083	-2.5 to 2.5	Pass
	841.5	75	0	40	3.85	-8.540	-0.0102	-2.5 to 2.5	Pass
				50	3.85	-7.539	-0.0090	-2.5 to 2.5	Pass
				20	3.27	-5.264	-0.0063	-2.5 to 2.5	Pass
					3.85	-6.909	-0.0082	-2.5 to 2.5	Pass
					4.43	-7.424	-0.0088	-2.5 to 2.5	Pass
				-30	3.85	-6.280	-0.0075	-2.5 to 2.5	Pass
				-20	3.85	-5.922	-0.0070	-2.5 to 2.5	Pass
				-10	3.85	-3.133	-0.0037	-2.5 to 2.5	Pass
				0	3.85	-4.807	-0.0057	-2.5 to 2.5	Pass

16QAM	831.5	75	0	10	3.85	-8.540	-0.0101	-2.5 to 2.5	Pass
				30	3.85	-7.095	-0.0084	-2.5 to 2.5	Pass
				40	3.85	-7.067	-0.0084	-2.5 to 2.5	Pass
				50	3.85	-5.550	-0.0066	-2.5 to 2.5	Pass
				20	3.27	-2.761	-0.0033	-2.5 to 2.5	Pass
					3.85	-4.592	-0.0055	-2.5 to 2.5	Pass
					4.43	-5.751	-0.0069	-2.5 to 2.5	Pass
				-30	3.85	-2.689	-0.0032	-2.5 to 2.5	Pass
				-20	3.85	-6.366	-0.0077	-2.5 to 2.5	Pass
				-10	3.85	-4.177	-0.0050	-2.5 to 2.5	Pass
				0	3.85	-4.535	-0.0055	-2.5 to 2.5	Pass
				10	3.85	-3.419	-0.0041	-2.5 to 2.5	Pass
	836.5	75	0	30	3.85	-3.161	-0.0038	-2.5 to 2.5	Pass
				40	3.85	-7.625	-0.0092	-2.5 to 2.5	Pass
				50	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
				20	3.27	-4.592	-0.0055	-2.5 to 2.5	Pass
					3.85	-6.022	-0.0072	-2.5 to 2.5	Pass
					4.43	-5.379	-0.0064	-2.5 to 2.5	Pass
				-30	3.85	-5.021	-0.0060	-2.5 to 2.5	Pass
				-20	3.85	-5.579	-0.0067	-2.5 to 2.5	Pass
				-10	3.85	-5.093	-0.0061	-2.5 to 2.5	Pass
				0	3.85	-5.007	-0.0060	-2.5 to 2.5	Pass
				10	3.85	-5.708	-0.0068	-2.5 to 2.5	Pass
	841.5	75	0	30	3.85	-5.093	-0.0061	-2.5 to 2.5	Pass
				40	3.85	-7.138	-0.0085	-2.5 to 2.5	Pass
				50	3.85	-4.749	-0.0057	-2.5 to 2.5	Pass
				20	3.27	-8.769	-0.0104	-2.5 to 2.5	Pass
					3.85	-6.752	-0.0080	-2.5 to 2.5	Pass
					4.43	-5.779	-0.0069	-2.5 to 2.5	Pass
				-30	3.85	-6.094	-0.0072	-2.5 to 2.5	Pass
				-20	3.85	-4.020	-0.0048	-2.5 to 2.5	Pass
				-10	3.85	-7.482	-0.0089	-2.5 to 2.5	Pass
				0	3.85	-3.562	-0.0042	-2.5 to 2.5	Pass
				10	3.85	-5.178	-0.0062	-2.5 to 2.5	Pass
				30	3.85	-5.279	-0.0063	-2.5 to 2.5	Pass
				40	3.85	-7.753	-0.0092	-2.5 to 2.5	Pass
				50	3.85	-4.392	-0.0052	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	6	0	Refer To Test Graph		Pass
16QAM	836.5	6	0	Refer To Test Graph		Pass

3.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	

QPSK	836.5	15	0	Refer To Test Graph	Pass
16QAM	836.5	15	0	Refer To Test Graph	Pass

3.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph		Pass
16QAM	836.5	25	0	Refer To Test Graph		Pass

3.1.4 B26b_10MHz


Band: 26b / Bandwidth: 10MHz / NTNv						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph		Pass
16QAM	836.5	50	0	Refer To Test Graph		Pass

3.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTNv						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	75	0	Refer To Test Graph		Pass
16QAM	836.5	75	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B26b_1.4MHz




3.2.2 B26b_3MHz




3.2.3 B26b_5MHz



3.2.4 B26b_10MHz



3.2.5 B26b_15MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band26b_OBW

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.109	/	Pass
		836.5	6	0	1.107	/	Pass
		848.3	6	0	1.127	/	Pass
	16QAM	824.7	6	0	1.113	/	Pass
		836.5	6	0	1.104	/	Pass
		848.3	6	0	1.115	/	Pass
3	QPSK	825.5	15	0	2.728	/	Pass
		836.5	15	0	2.735	/	Pass
		847.5	15	0	2.721	/	Pass
	16QAM	825.5	15	0	2.719	/	Pass
		836.5	15	0	2.719	/	Pass
		847.5	15	0	2.722	/	Pass
5	QPSK	826.5	25	0	4.538	/	Pass
		836.5	25	0	4.538	/	Pass
		846.5	25	0	4.525	/	Pass
	16QAM	826.5	25	0	4.552	/	Pass
		836.5	25	0	4.528	/	Pass
		846.5	25	0	4.508	/	Pass
10	QPSK	829	50	0	9.055	/	Pass
		836.5	50	0	9.059	/	Pass
		844	50	0	9.055	/	Pass
	16QAM	829	50	0	9.055	/	Pass
		836.5	50	0	9.032	/	Pass
		844	50	0	9.018	/	Pass
15	QPSK	831.5	75	0	13.566	/	Pass
		836.5	75	0	13.529	/	Pass
		841.5	75	0	13.594	/	Pass
	16QAM	831.5	75	0	13.554	/	Pass
		836.5	75	0	13.564	/	Pass
		841.5	75	0	13.582	/	Pass


4.1.2 Band26b_XDB

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.314	/	Pass
		836.5	6	0	1.316	/	Pass
		848.3	6	0	1.318	/	Pass
	16QAM	824.7	6	0	1.312	/	Pass
		836.5	6	0	1.301	/	Pass
		848.3	6	0	1.307	/	Pass
3	QPSK	825.5	15	0	2.986	/	Pass
		836.5	15	0	2.990	/	Pass
		847.5	15	0	2.996	/	Pass


	16QAM	825.5	15	0	2.978	/	Pass
		836.5	15	0	3.000	/	Pass
		847.5	15	0	2.972	/	Pass
5	QPSK	826.5	25	0	5.040	/	Pass
		836.5	25	0	4.991	/	Pass
		846.5	25	0	4.966	/	Pass
	16QAM	826.5	25	0	5.127	/	Pass
		836.5	25	0	5.030	/	Pass
		846.5	25	0	4.959	/	Pass
10	QPSK	829	50	0	9.966	/	Pass
		836.5	50	0	9.879	/	Pass
		844	50	0	9.909	/	Pass
	16QAM	829	50	0	9.797	/	Pass
		836.5	50	0	9.962	/	Pass
		844	50	0	9.905	/	Pass
15	QPSK	831.5	75	0	14.966	/	Pass
		836.5	75	0	14.953	/	Pass
		841.5	75	0	14.944	/	Pass
	16QAM	831.5	75	0	14.706	/	Pass
		836.5	75	0	14.834	/	Pass
		841.5	75	0	14.800	/	Pass

4.2 Test Graph


4.2.1 Band26b_OBW




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




4.2.2 Band26b_XDB




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV



Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV



Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV



Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV

