




Band26(814-824) QAM16 BW=5MHz Channel=26740 RB Size=25 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=15 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=25 Position=#0




Band26(824-849) QAM16 BW=1.4MHz Channel=26915 RB Size=6 Position=#0




Band26(824-849) QAM16 BW=10MHz Channel=26915 RB Size=50 Position=#0




Band26(824-849) QAM16 BW=15MHz Channel=26915 RB Size=75 Position=#0




Band26(824-849) QAM16 BW=3MHz Channel=26915 RB Size=15 Position=#0




Band26(824-849) QAM16 BW=5MHz Channel=26915 RB Size=25 Position=#0




Band26(824-849) QPSK BW=1.4MHz Channel=26915 RB Size=6 Position=#0




Band26(824-849) QPSK BW=10MHz Channel=26915 RB Size=50 Position=#0




Band26(824-849) QPSK BW=15MHz Channel=26915 RB Size=75 Position=#0




Band26(824-849) QPSK BW=3MHz Channel=26915 RB Size=15 Position=#0




Band26(824-849) QPSK BW=5MHz Channel=26915 RB Size=25 Position=#0




Band4 QAM16 BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Band4 QAM16 BW=10MHz Channel=20175 RB Size=50 Position=#0




Band4 QAM16 BW=15MHz Channel=20175 RB Size=75 Position=#0




Band4 QAM16 BW=20MHz Channel=20175 RB Size=100 Position=#0




Band4 QAM16 BW=3MHz Channel=20175 RB Size=15 Position=#0




Band4 QAM16 BW=5MHz Channel=20175 RB Size=25 Position=#0




Band4 QPSK BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Band4 QPSK BW=10MHz Channel=20175 RB Size=50 Position=#0




Band4 QPSK BW=15MHz Channel=20175 RB Size=75 Position=#0




Band4 QPSK BW=20MHz Channel=20175 RB Size=100 Position=#0




Band4 QPSK BW=3MHz Channel=20175 RB Size=15 Position=#0




Band4 QPSK BW=5MHz Channel=20175 RB Size=25 Position=#0




Band41(2555-2655) QAM16 BW=10MHz Channel=40740 RB Size=50 Position=#0




Band41(2555-2655) QAM16 BW=15MHz Channel=40740 RB Size=75 Position=#0




Band41(2555-2655) QAM16 BW=20MHz Channel=40740 RB Size=100 Position=#0




Band41(2555-2655) QAM16 BW=5MHz Channel=40740 RB Size=25 Position=#0




Band41(2555-2655) QPSK BW=10MHz Channel=40740 RB Size=50 Position=#0




Band41(2555-2655) QPSK BW=15MHz Channel=40740 RB Size=75 Position=#0




Band41(2555-2655) QPSK BW=20MHz Channel=40740 RB Size=100 Position=#0




Band41(2555-2655) QPSK BW=5MHz Channel=40740 RB Size=25 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QAM16 BW=10MHz Channel=20525 RB Size=50 Position=#0




Band5 QAM16 BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QAM16 BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0



Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0



Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0



05 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band12	1.4	23017	6	#0	QPSK	698.79	-20.03	-13	PASS
Band12	1.4	23017	6	#0	QAM16	698.90	-19.03	-13	PASS
Band12	1.4	23173	6	#0	QPSK	716.11	-20.18	-13	PASS
Band12	1.4	23173	6	#0	QAM16	716.26	-19.64	-13	PASS
Band12	3	23025	15	#0	QPSK	698.90	-23.48	-13	PASS
Band12	3	23025	15	#0	QAM16	698.80	-22.66	-13	PASS
Band12	3	23165	15	#0	QPSK	716.01	-23.98	-13	PASS
Band12	3	23165	15	#0	QAM16	716.00	-23.39	-13	PASS
Band12	5	23035	25	#0	QPSK	698.83	-25.72	-13	PASS
Band12	5	23035	25	#0	QAM16	698.89	-27.10	-13	PASS
Band12	5	23155	25	#0	QPSK	716.33	-26.26	-13	PASS
Band12	5	23155	25	#0	QAM16	716.49	-26.39	-13	PASS
Band12	10	23060	50	#0	QPSK	698.66	-30.20	-13	PASS
Band12	10	23060	50	#0	QAM16	698.83	-29.89	-13	PASS
Band12	10	23130	50	#0	QPSK	716.17	-30.46	-13	PASS
Band12	10	23130	50	#0	QAM16	716.19	-30.28	-13	PASS
Band13	5	23205	25	#0	QPSK	776.75	-32.20	-13	PASS
Band13	5	23205	25	#0	QAM16	776.59	-32.34	-13	PASS
Band13	5	23255	25	#0	QPSK	787.13	-30.31	-13	PASS
Band13	5	23255	25	#0	QAM16	787.01	-33.27	-13	PASS
Band13	10	23230	50	#0	QPSK	776.81	-36.10	-13	PASS
Band13	10	23230	50	#0	QAM16	774.71	-58.66	-35	PASS
Band17	5	23755	25	#0	QPSK	703.96	-26.87	-13	PASS
Band17	5	23755	25	#0	QAM16	703.99	-28.61	-13	PASS
Band17	5	23825	25	#0	QPSK	716.00	-27.08	-13	PASS
Band17	5	23825	25	#0	QAM16	716.00	-27.42	-13	PASS
Band17	10	23780	50	#0	QPSK	704.00	-29.18	-13	PASS
Band17	10	23780	50	#0	QAM16	704.00	-29.28	-13	PASS
Band17	10	23800	50	#0	QPSK	716.00	-29.99	-13	PASS
Band17	10	23800	50	#0	QAM16	716.00	-29.95	-13	PASS
Band2	1.4	18607	6	#0	QPSK	1849.99	-30.90	-13	PASS
Band2	1.4	18607	6	#0	QAM16	1850.00	-31.99	-13	PASS
Band2	1.4	19193	6	#0	QPSK	1910.00	-30.21	-13	PASS
Band2	1.4	19193	6	#0	QAM16	1910.01	-30.13	-13	PASS
Band2	3	18615	15	#0	QPSK	1849.99	-25.01	-13	PASS
Band2	3	18615	15	#0	QAM16	1850.00	-26.81	-13	PASS
Band2	3	19185	15	#0	QPSK	1910.00	-25.08	-13	PASS
Band2	3	19185	15	#0	QAM16	1910.00	-26.26	-13	PASS
Band2	5	18625	25	#0	QPSK	1850.00	-32.77	-13	PASS
Band2	5	18625	25	#0	QAM16	1849.98	-30.54	-13	PASS
Band2	5	19175	25	#0	QPSK	1910.00	-30.41	-13	PASS
Band2	5	19175	25	#0	QAM16	1910.04	-29.84	-13	PASS


Band2	10	18650	50	#0	QPSK	1850.00	-34.82	-13	PASS
Band2	10	18650	50	#0	QAM16	1850.00	-32.61	-13	PASS
Band2	10	19150	50	#0	QPSK	1910.02	-32.77	-13	PASS
Band2	10	19150	50	#0	QAM16	1910.10	-33.03	-13	PASS
Band2	15	18675	75	#0	QPSK	1850.00	-35.26	-13	PASS
Band2	15	18675	75	#0	QAM16	1849.85	-35.41	-13	PASS
Band2	15	19125	75	#0	QPSK	1910.12	-29.92	-13	PASS
Band2	15	19125	75	#0	QAM16	1910.09	-32.67	-13	PASS
Band2	20	18700	100	#0	QPSK	1850.00	-35.15	-13	PASS
Band2	20	18700	100	#0	QAM16	1849.76	-36.10	-13	PASS
Band2	20	19100	100	#0	QPSK	1910.16	-30.76	-13	PASS
Band2	20	19100	100	#0	QAM16	1910.60	-34.58	-13	PASS
Band25	1.4	26047	6	#0	QPSK	1850.00	-37.18	-13	PASS
Band25	1.4	26047	6	#0	QAM16	1849.97	-35.15	-13	PASS
Band25	1.4	26683	6	#0	QPSK	1915.09	-37.90	-13	PASS
Band25	1.4	26683	6	#0	QAM16	1915.05	-38.04	-13	PASS
Band25	3	26055	15	#0	QPSK	1850.00	-28.04	-13	PASS
Band25	3	26055	15	#0	QAM16	1850.00	-29.78	-13	PASS
Band25	3	26675	15	#0	QPSK	1915.00	-29.64	-13	PASS
Band25	3	26675	15	#0	QAM16	1915.00	-30.16	-13	PASS
Band25	5	26065	25	#0	QPSK	1850.00	-31.29	-13	PASS
Band25	5	26065	25	#0	QAM16	1850.00	-34.78	-13	PASS
Band25	5	26665	25	#0	QPSK	1915.00	-30.76	-13	PASS
Band25	5	26665	25	#0	QAM16	1915.00	-31.88	-13	PASS
Band25	10	26090	50	#0	QPSK	1850.00	-31.70	-13	PASS
Band25	10	26090	50	#0	QAM16	1850.00	-36.65	-13	PASS
Band25	10	26640	50	#0	QPSK	1915.04	-31.07	-13	PASS
Band25	10	26640	50	#0	QAM16	1915.04	-34.38	-13	PASS
Band25	15	26115	75	#0	QPSK	1849.91	-25.56	-13	PASS
Band25	15	26115	75	#0	QAM16	1850.00	-36.80	-13	PASS
Band25	15	26615	75	#0	QPSK	1915.09	-27.88	-13	PASS
Band25	15	26615	75	#0	QAM16	1915.00	-30.67	-13	PASS
Band25	20	26140	100	#0	QPSK	1849.92	-32.55	-13	PASS
Band25	20	26140	100	#0	QAM16	1850.00	-35.11	-13	PASS
Band25	20	26590	100	#0	QPSK	1915.00	-28.96	-13	PASS
Band25	20	26590	100	#0	QAM16	1915.16	-31.39	-13	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	813.96	-18.11	-13	PASS
Band26(814-824)	1.4	26697	6	#0	QAM16	815.45	-22.04	-13	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	822.55	-21.55	-13	PASS
Band26(814-824)	1.4	26783	6	#0	QAM16	822.52	-19.40	-13	PASS
Band26(814-824)	3	26705	15	#0	QPSK	817.06	-19.39	-13	PASS
Band26(814-824)	3	26705	15	#0	QAM16	813.96	-21.52	-13	PASS
Band26(814-824)	3	26775	15	#0	QPSK	824.06	-19.94	-13	PASS
Band26(814-824)	3	26775	15	#0	QAM16	820.95	-17.96	-13	PASS

Band26(814-824)	5	26715	25	#0	QPSK	819.04	-25.61	-13	PASS
Band26(814-824)	5	26715	25	#0	QAM16	813.92	-24.88	-13	PASS
Band26(814-824)	5	26765	25	#0	QPSK	824.06	-27.10	-13	PASS
Band26(814-824)	5	26765	25	#0	QAM16	818.94	-27.79	-13	PASS
Band26(814-824)	10	26740	50	#0	QPSK	813.88	-30.81	-13	PASS
Band26(814-824)	10	26740	50	#0	QAM16	824.07	-32.52	-13	PASS
Band26(824-849)	1.4	26797	6	#0	QPSK	823.99	-30.52	-13	PASS
Band26(824-849)	1.4	26797	6	#0	QAM16	824.00	-32.14	-13	PASS
Band26(824-849)	1.4	27033	6	#0	QPSK	849.01	-33.31	-13	PASS
Band26(824-849)	1.4	27033	6	#0	QAM16	849.01	-30.79	-13	PASS
Band26(824-849)	3	26805	15	#0	QPSK	824.00	-24.91	-13	PASS
Band26(824-849)	3	26805	15	#0	QAM16	824.00	-24.83	-13	PASS
Band26(824-849)	3	27025	15	#0	QPSK	849.00	-23.27	-13	PASS
Band26(824-849)	3	27025	15	#0	QAM16	849.00	-26.16	-13	PASS
Band26(824-849)	5	26815	25	#0	QPSK	824.00	-26.97	-13	PASS
Band26(824-849)	5	26815	25	#0	QAM16	824.00	-27.03	-13	PASS
Band26(824-849)	5	27015	25	#0	QPSK	849.00	-29.28	-13	PASS
Band26(824-849)	5	27015	25	#0	QAM16	849.11	-29.80	-13	PASS
Band26(824-849)	10	26840	50	#0	QPSK	823.98	-28.70	-13	PASS
Band26(824-849)	10	26840	50	#0	QAM16	823.98	-32.26	-13	PASS
Band26(824-849)	10	26990	50	#0	QPSK	849.00	-30.73	-13	PASS
Band26(824-849)	10	26990	50	#0	QAM16	849.00	-32.69	-13	PASS
Band26(824-849)	15	26865	75	#0	QPSK	823.94	-26.43	-13	PASS
Band26(824-849)	15	26865	75	#0	QAM16	824.00	-30.30	-13	PASS
Band26(824-849)	15	26965	75	#0	QPSK	849.15	-31.99	-13	PASS
Band26(824-849)	15	26965	75	#0	QAM16	849.00	-32.55	-13	PASS
Band4	1.4	19957	6	#0	QPSK	1710.00	-32.78	-13	PASS
Band4	1.4	19957	6	#0	QAM16	1709.99	-31.06	-13	PASS
Band4	1.4	20393	6	#0	QPSK	1755.03	-33.75	-13	PASS
Band4	1.4	20393	6	#0	QAM16	1755.00	-32.05	-13	PASS
Band4	3	19965	15	#0	QPSK	1710.00	-25.41	-13	PASS
Band4	3	19965	15	#0	QAM16	1709.99	-25.95	-13	PASS
Band4	3	20385	15	#0	QPSK	1755.00	-25.16	-13	PASS
Band4	3	20385	15	#0	QAM16	1755.00	-26.37	-13	PASS
Band4	5	19975	25	#0	QPSK	1709.98	-28.12	-13	PASS
Band4	5	19975	25	#0	QAM16	1710.00	-29.13	-13	PASS
Band4	5	20375	25	#0	QPSK	1755.00	-29.52	-13	PASS
Band4	5	20375	25	#0	QAM16	1755.05	-30.76	-13	PASS
Band4	10	20000	50	#0	QPSK	1710.00	-33.22	-13	PASS
Band4	10	20000	50	#0	QAM16	1709.50	-36.02	-13	PASS
Band4	10	20350	50	#0	QPSK	1755.00	-34.58	-13	PASS
Band4	10	20350	50	#0	QAM16	1755.00	-36.14	-13	PASS
Band4	15	20025	75	#0	QPSK	1709.94	-32.34	-13	PASS
Band4	15	20025	75	#0	QAM16	1710.00	-35.59	-13	PASS

Band4	15	20325	75	#0	QPSK	1755.12	-33.39	-13	PASS
Band4	15	20325	75	#0	QAM16	1755.00	-34.56	-13	PASS
Band4	20	20050	100	#0	QPSK	1710.00	-40.76	-13	PASS
Band4	20	20050	100	#0	QAM16	1710.00	-38.03	-13	PASS
Band4	20	20300	100	#0	QPSK	1755.48	-36.57	-13	PASS
Band4	20	20300	100	#0	QAM16	1755.00	-36.48	-13	PASS
Band41(2555-2655)	5	40265	25	#0	QPSK	2548.53	-33.79	-25	PASS
Band41(2555-2655)	5	40265	25	#0	QAM16	2548.33	-31.96	-25	PASS
Band41(2555-2655)	5	41215	25	#0	QPSK	2661.43	-29.47	-25	PASS
Band41(2555-2655)	5	41215	25	#0	QAM16	2662.02	-31.51	-25	PASS
Band41(2555-2655)	10	40290	50	#0	QPSK	2544.27	-36.33	-25	PASS
Band41(2555-2655)	10	40290	50	#0	QAM16	2544.19	-37.57	-25	PASS
Band41(2555-2655)	10	41190	50	#0	QPSK	2665.58	-33.88	-25	PASS
Band41(2555-2655)	10	41190	50	#0	QAM16	2665.42	-34.18	-25	PASS
Band41(2555-2655)	15	40315	75	#0	QPSK	2539.69	-37.33	-25	PASS
Band41(2555-2655)	15	40315	75	#0	QAM16	2539.96	-36.45	-25	PASS
Band41(2555-2655)	15	41165	75	#0	QPSK	2670.67	-35.41	-25	PASS
Band41(2555-2655)	15	41165	75	#0	QAM16	2670.16	-36.78	-25	PASS
Band41(2555-2655)	20	40340	100	#0	QPSK	2534.71	-39.54	-25	PASS
Band41(2555-2655)	20	40340	100	#0	QAM16	2532.54	-39.85	-25	PASS
Band41(2555-2655)	20	41140	100	#0	QPSK	2675.77	-37.66	-25	PASS
Band41(2555-2655)	20	41140	100	#0	QAM16	2656.43	-22.56	-10	PASS
Band5	1.4	20407	6	#0	QPSK	824.00	-30.35	-13	PASS
Band5	1.4	20407	6	#0	QAM16	823.98	-32.00	-13	PASS
Band5	1.4	20643	6	#0	QPSK	849.01	-34.08	-13	PASS
Band5	1.4	20643	6	#0	QAM16	849.00	-30.63	-13	PASS
Band5	3	20415	15	#0	QPSK	824.00	-23.54	-13	PASS
Band5	3	20415	15	#0	QAM16	824.00	-25.56	-13	PASS
Band5	3	20635	15	#0	QPSK	849.01	-25.35	-13	PASS
Band5	3	20635	15	#0	QAM16	849.00	-25.47	-13	PASS
Band5	5	20425	25	#0	QPSK	824.00	-27.59	-13	PASS
Band5	5	20425	25	#0	QAM16	823.98	-29.13	-13	PASS
Band5	5	20625	25	#0	QPSK	849.04	-30.07	-13	PASS
Band5	5	20625	25	#0	QAM16	849.03	-30.46	-13	PASS
Band5	10	20450	50	#0	QPSK	824.00	-30.12	-13	PASS
Band5	10	20450	50	#0	QAM16	824.00	-30.77	-13	PASS
Band5	10	20600	50	#0	QPSK	849.10	-31.14	-13	PASS
Band5	10	20600	50	#0	QAM16	849.02	-32.75	-13	PASS
Band7	5	20775	25	#0	QPSK	2499.00	-11.61	-10	PASS
Band7	5	20775	25	#0	QAM16	2498.99	-12.88	-10	PASS
Band7	5	21425	25	#0	QPSK	2571.01	-14.19	-10	PASS
Band7	5	21425	25	#0	QAM16	2571.06	-14.67	-10	PASS
Band7	10	20800	50	#0	QPSK	2489.96	-33.68	-25	PASS
Band7	10	20800	50	#0	QAM16	2489.96	-32.31	-25	PASS


Band7	10	21400	50	#0	QPSK	2580.32	-37.55	-25	PASS
Band7	10	21400	50	#0	QAM16	2580.02	-37.49	-25	PASS
Band7	15	20825	75	#0	QPSK	2484.61	-37.81	-25	PASS
Band7	15	20825	75	#0	QAM16	2484.97	-37.08	-25	PASS
Band7	15	21375	75	#0	QPSK	2585.34	-37.43	-25	PASS
Band7	15	21375	75	#0	QAM16	2585.43	-37.65	-25	PASS
Band7	20	20850	100	#0	QPSK	2477.55	-39.69	-25	PASS
Band7	20	20850	100	#0	QAM16	2476.44	-39.73	-25	PASS
Band7	20	21350	100	#0	QPSK	2590.19	-37.65	-25	PASS
Band7	20	21350	100	#0	QAM16	2590.84	-37.63	-25	PASS

Band12 QAM16 BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	698.9	-19.03	-13
2	698.9	699	30	698.984	-23.22	-13

Band12 QAM16 BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.0363	-22.54	-13
2	716.1	726	100	716.2584	-19.64	-13

Band12 QAM16 BW=10MHz Channel=23060 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	686.5	698.9	100	698.8256	-29.89	-13
2	698.9	699	30	698.9499	-34.59	-13

Band12 QAM16 BW=10MHz Channel=23130 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.0653	-34.36	-13
2	716.1	728.5	100	716.1868	-30.28	-13

Band12 QAM16 BW=3MHz Channel=23025 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	698.801	-22.66	-13
2	698.9	699	30	699	-23.81	-13

Band12 QAM16 BW=3MHz Channel=23165 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.0004	-23.39	-13
2	716.1	726	100	716.1198	-23.6	-13

Band12 QAM16 BW=5MHz Channel=23035 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	698.8901	-27.1	-13
2	698.9	699	30	698.995	-30.52	-13

Band12 QAM16 BW=5MHz Channel=23155 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.0095	-29.1	-13
2	716.1	726	100	716.4861	-26.39	-13

Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	698.7911	-20.03	-13
2	698.9	699	30	698.9532	-23.15	-13

Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.0087	-24	-13
2	716.1	726	100	716.1099	-20.18	-13

Band12 QPSK BW=10MHz Channel=23060 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	686.5	698.9	100	698.6644	-30.2	-13
2	698.9	699	30	698.946	-33.73	-13

Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.004	-34.06	-13
2	716.1	728.5	100	716.1744	-30.46	-13

Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	698.9	-23.48	-13
2	698.9	699	30	698.9882	-23.75	-13

Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.0076	-23.98	-13
2	716.1	726	100	716.1297	-24.58	-13

Band12 QPSK BW=5MHz Channel=23035 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	698.8307	-25.72	-13
2	698.9	699	30	699	-29.15	-13

Band12 QPSK BW=5MHz Channel=23155 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	716	716.1	30	716.0093	-29.32	-13
2	716.1	726	100	716.3277	-26.26	-13

Band13 QAM16 BW=10MHz Channel=23230 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	774.712	-58.66	-35
2	775	776.9	100	776.8259	-40.07	-13
3	776.9	777	30	776.9651	-42.74	-13
4	787	787.1	30	787.028	-41.15	-13
5	787.1	793	100	787.1472	-37.91	-13
6	793	805	6.8	793.024	-60.8	-35

Band13 QAM16 BW=5MHz Channel=23205 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	774.904	-55.05	-35
2	775	776.9	100	776.5903	-32.34	-13
3	776.9	777	30	776.9909	-34.85	-13
4	787	787.1	30	787.0074	-52.29	-13
5	787.1	793	100	787.6959	-47.52	-13
6	793	805	6.8	793.456	-64	-35

Band13 QAM16 BW=5MHz Channel=23255 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	774.892	-60.35	-35
2	775	776.9	100	776.6663	-44.66	-13
3	776.9	777	30	776.9813	-50.36	-13
4	787	787.1	30	787.0077	-33.27	-13
5	787.1	793	100	787.2888	-33.98	-13
6	793	805	6.8	793.24	-60.04	-35

Band13 QPSK BW=10MHz Channel=23230 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	775	-59.07	-35
2	775	776.9	100	776.8107	-36.1	-13
3	776.9	777	30	776.9908	-39.63	-13
4	787	787.1	30	787.0225	-40.32	-13
5	787.1	793	100	787.2062	-38.16	-13
6	793	805	6.8	793.24	-59.91	-35

Band13 QPSK BW=5MHz Channel=23205 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	774.928	-55.15	-35
2	775	776.9	100	776.7499	-32.2	-13
3	776.9	777	30	776.9863	-33.83	-13
4	787	787.1	30	787.0285	-52.83	-13
5	787.1	793	100	787.2652	-46.74	-13
6	793	805	6.8	793.444	-63.14	-35

Band13 QPSK BW=5MHz Channel=23255 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	774.82	-58.63	-35
2	775	776.9	100	776.2863	-46.55	-13
3	776.9	777	30	776.9611	-53.07	-13
4	787	787.1	30	787.0006	-34.74	-13
5	787.1	793	100	787.1295	-30.31	-13
6	793	805	6.8	793.312	-60.58	-35


Band17 QAM16 BW=10MHz Channel=23780 RB Size=50 Position=#0




Band17 QAM16 BW=10MHz Channel=23800 RB Size=50 Position=#0




Band17 QAM16 BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 QAM16 BW=5MHz Channel=23825 RB Size=25 Position=#0




Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0




Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0




Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0



Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0



Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Band25 QAM16 BW=1.4MHz Channel=26047 RB Size=6 Position=#0




Band25 QAM16 BW=1.4MHz Channel=26683 RB Size=6 Position=#0




Band25 QAM16 BW=10MHz Channel=26090 RB Size=50 Position=#0




Band25 QAM16 BW=10MHz Channel=26640 RB Size=50 Position=#0




Band25 QAM16 BW=15MHz Channel=26115 RB Size=75 Position=#0




Band25 QAM16 BW=15MHz Channel=26615 RB Size=75 Position=#0



Band25 QAM16 BW=20MHz Channel=26140 RB Size=100 Position=#0



Band25 QAM16 BW=20MHz Channel=26590 RB Size=100 Position=#0




Band25 QAM16 BW=3MHz Channel=26055 RB Size=15 Position=#0




Band25 QAM16 BW=3MHz Channel=26675 RB Size=15 Position=#0



Band25 QAM16 BW=5MHz Channel=26065 RB Size=25 Position=#0




Band25 QAM16 BW=5MHz Channel=26665 RB Size=25 Position=#0




Band25 QPSK BW=1.4MHz Channel=26047 RB Size=6 Position=#0



Band25 QPSK BW=1.4MHz Channel=26683 RB Size=6 Position=#0




Band25 QPSK BW=10MHz Channel=26090 RB Size=50 Position=#0



Band25 QPSK BW=10MHz Channel=26640 RB Size=50 Position=#0




Band25 QPSK BW=15MHz Channel=26115 RB Size=75 Position=#0




Band25 QPSK BW=15MHz Channel=26615 RB Size=75 Position=#0




Band25 QPSK BW=20MHz Channel=26140 RB Size=100 Position=#0




Band25 QPSK BW=20MHz Channel=26590 RB Size=100 Position=#0




Band25 QPSK BW=3MHz Channel=26055 RB Size=15 Position=#0




Band25 QPSK BW=3MHz Channel=26675 RB Size=15 Position=#0




Band25 QPSK BW=5MHz Channel=26065 RB Size=25 Position=#0



Band25 QPSK BW=5MHz Channel=26665 RB Size=25 Position=#0




Band26(814-824) QAM16 BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	813.3	813.9625	100	813.89625	-23.51	-13
2	813.9625	814	0.3	813.984025	-46.31	-20
3	815.4	815.4375	0.3	815.4300375	-46.17	-20
4	815.4375	816.1	100	815.4474375	-22.04	-13

Band26(814-824) QAM16 BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	821.9	822.5625	100	822.516125	-19.4	-13
2	822.5625	822.6	0.3	822.597375	-47.38	-20
3	824	824.0375	0.3	824.0048	-46.76	-20
4	824.0375	824.7	100	824.18325	-21.38	-13

Band26(814-824) QAM16 BW=10MHz Channel=26740 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	809	813.9625	100	813.912875	-33.57	-13
2	813.9625	814	0.3	813.97	-52.63	-20
3	824	824.0375	0.3	824.0181125	-52.89	-20
4	824.0375	829	100	824.067275	-32.52	-13

Band26(814-824) QAM16 BW=3MHz Channel=26705 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	812.5	813.9625	100	813.9625	-21.52	-13
2	813.9625	814	0.3	814	-41.63	-20
3	817	817.0375	0.3	817.0008625	-42.16	-20
4	817.0375	818.5	100	817.1077	-22.37	-13

Band26(814-824) QAM16 BW=3MHz Channel=26775 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	819.5	820.9625	100	820.9508	-17.96	-13
2	820.9625	821	0.3	821	-41.09	-20
3	824	824.0375	0.3	824.0000375	-41.61	-20
4	824.0375	825.5	100	824.0682125	-21.58	-13

Band26(814-824) QAM16 BW=5MHz Channel=26715 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	811.5	813.9625	100	813.9206375	-24.88	-13
2	813.9625	814	0.3	813.9920125	-48.44	-20
3	819	819.0375	0.3	819.014325	-47.55	-20
4	819.0375	821.5	100	819.2566625	-27.11	-13

Band26(814-824) QAM16 BW=5MHz Channel=26765 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	816.5	818.9625	100	818.9354125	-27.79	-13
2	818.9625	819	0.3	818.9920875	-48.58	-20
3	824	824.0375	0.3	824.0000375	-48.04	-20
4	824.0375	826.5	100	824.1089125	-28.16	-13

Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0