



n260, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Mid channel, 18GHz-40GHz, V




n260, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Mid channel, 18GHz-40GHz, H




23:02:14 15.01.2022

n260, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Mid channel, 40GHz-60GHz, V




23:04:25 15.01.2022

n260, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Mid channel, 40GHz-60GHz, H




23:42:00 15.01.2022

n260, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Mid channel, 60GHz-75GHz




23:53:09 15.01.2022

n260, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Mid channel, 75GHz-110GHz




00:14:16 16.01.2022

n260, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Mid channel, 110GHz-170GHz




00:55:39 16.01.2022


n260, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Mid channel, 170GHz-200GHz



n260, Module0,100MHz, PUSCH DFT, QPSK, 1RB, High channel, 18GHz-40GHz, V




n260, Module0,100MHz, PUSCH DFT, QPSK, 1RB, High channel, 18GHz-40GHz, H




23:06:35 15.01.2022

n260, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, High channel, 40GHz-60GHz, V




23:07:58 15.01.2022

n260, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, High channel, 40GHz-60GHz, H




23:40:17 15.01.2022

n260, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, High channel, 60GHz-75GHz,




23:51:27 15.01.2022

n260, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, High channel, 75GHz-110GHz




00:11:56 16.01.2022

n260, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, High channel, 110GHz-170GHz




00:53:38 16.01.2022


n260, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, High channel, 170GHz-200GHz



n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Low channel, 18GHz-27.5GHz, V




n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Low channel, 18GHz-27.5GHz, H




21:30:05 15.01.2022

n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Low channel, 27.5GHz-40GHz, V




21:31:24 15.01.2022

n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Low channel, 27.5GHz-40GHz, H




23:16:50 15.01.2022

n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Low channel, 40GHz-60GHz, V




23:19:05 15.01.2022

n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Low channel, 40GHz-60GHz, H




23:39:01 15.01.2022

n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Low channel, 60GHz-75GHz




00:00:29 16.01.2022


n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Low channel, 75GHz-100GHz



n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Mid channel, 18GHz-27.5GHz, V




n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Mid channel, 18GHz-27.5GHz, H




21:39:43 15.01.2022

n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Mid channel, 27.5GHz-40GHz, V




21:41:02 15.01.2022

n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Mid channel, 27.5GHz-40GHz, H




23:13:29 15.01.2022

n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Mid channel, 40GHz-60GHz, V




23:14:47 15.01.2022

n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Mid channel, 40GHz-60GHz, H




23:37:25 15.01.2022

n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Mid channel, 60GHz-75GHz




23:59:08 15.01.2022


n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, Mid channel, 75GHz-100GHz



n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, High channel, 18GHz-27.5GHz, V




n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, High channel, 18GHz-27.5GHz, H




21:47:37 15.01.2022

n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, High channel, 27.5GHz-40GHz, V




21:48:56 15.01.2022

n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, High channel, 27.5GHz-40GHz, H




23:10:22 15.01.2022

n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, High channel, 40GHz-60GHz, V




23:11:37 15.01.2022

n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, High channel, 40GHz-60GHz, H



23:35:43 15.01.2022

n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, High channel, 60GHz-75GHz



23:56:40 15.01.2022

n261, Module0, 100MHz, PUSCH DFT, QPSK, 1RB, High channel, 75GHz-100GHz


C.3 Occupied Bandwidth Plots

n260, 50MHz (99%)

MID CHANNEL


Module0, CP-OFDM			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
38499.96	QPSK	16QAM	64QAM
	46.01	45.82	45.93

n260, 50MHz Bandwidth, MID CHANNEL, QPSK (99% BW)




15:35:37 13.01.2022

n260, 50MHz Bandwidth, MID CHANNEL, 16QAM (99% BW)



n260, 50MHz Bandwidth, MID CHANNEL, 64QAM (99% BW)



15:49:40 13.01.2022


Note: The worst modulation is QPSK, and we test follow setups used QPSK.

n260, 50MHz (99%)

LOW CHANNEL


Module0, CP-OFDM			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
37025.04	QPSK	16QAM	64QAM
	46.05	/	/

n260, 50MHz Bandwidth, LOW CHANNEL, QPSK (99% BW)



n260, 50MHz (99%)
HIGH CHANNEL

Module0, CP-OFDM			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
39975	QPSK	16QAM	64QAM
	46.05	/	/


n260, 50MHz Bandwidth, HIGH CHANNEL, QPSK (99% BW)


n260, 100MHz (99%)

MID CHANNEL


Module0, CP-OFDM			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
38499.96	QPSK	16QAM	64QAM
	94.30	94.22	94.23

n260, 100MHz Bandwidth, QPSK (99% BW)




20:45:24 13.01.2022

n260, 100MHz Bandwidth, 16QAM (99% BW)



n260, 100MHz Bandwidth, 64QAM (99% BW)




Note: The worst modulation is QPSK, and we test follow setups used QPSK.

n260, 100MHz (99%)

LOW CHANNEL

Module0, CP-OFDM			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
37050	QPSK	16QAM	64QAM
	94.35	/	/

n260, 100MHz Bandwidth, LOW CHANNEL, QPSK (99% BW)




21:18:35 13.01.2022

n260, 100MHz (99%)

HIGH CHANNEL

Module0, CP-OFDM			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
39949.92	QPSK	16QAM	64QAM
	94.62	/	/

n260, 100MHz Bandwidth, LOW CHANNEL, QPSK (99% BW)




21:35:11 13.01.2022

n260, 50MHz (99%)

MID CHANNEL


Module0, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
38499.96	QPSK	16QAM	64QAM
	46.03	45.96	45.79

n260, 50MHz Bandwidth, QPSK (99% BW)




16:48:19 13.01.2022

n260, 50MHz Bandwidth, 16QAM (99% BW)



16:43:17 13.01.2022

n260, 50MHz Bandwidth, 64QAM (99% BW)



16:38:10 13.01.2022


Note: The worst modulation is QPSK, and we test follow setups used QPSK.

n260, 50MHz (99%)

LOW CHANNEL

Module0, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
37025.04	QPSK	16QAM	64QAM
	46.05	/	/


n260, 50MHz Bandwidth, LOW CHANNEL, QPSK (99% BW)



**n260, 50MHz (99%)
HIGH CHANNEL**

Module0, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
39975	QPSK	16QAM	64QAM
	46.07	/	/

n260, 50MHz Bandwidth, HIGH CHANNEL, QPSK (99% BW)




18:18:52 13.01.2022

n260, 100MHz (99%)

MID CHANNEL


Module0, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
38499.96	QPSK	16QAM	64QAM
	91.44	91.38	91.22

n260, 100MHz Bandwidth, MID CHANNEL, QPSK (99% BW)




21:52:50 13.01.2022

n260, 100MHz Bandwidth, MID CHANNEL, 16QAM (99% BW)



n260, 100MHz Bandwidth, MID CHANNEL, 64QAM (99% BW)




Note: The worst modulation is QPSK, and we test follow setups used QPSK.

n260, 100MHz (99%)

LOW CHANNEL

Module0, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
37050	QPSK	16QAM	64QAM
	91.57	/	/


n260, 100MHz Bandwidth, LOW CHANNEL, QPSK (99% BW)



**n260, 100MHz (99%)
HIGH CHANNEL**

Module0, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
39949.92	QPSK	16QAM	64QAM
	91.71	/	/

n260, 100MHz Bandwidth, HIGH CHANNEL, QPSK (99% BW)



00:59:12 14.01.2022


NOTE: The max EIRP modulation is QPSK, and we test follow setups used QPSK.

n260, 50MHz (99%)

MID CHANNEL

Module1, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
38499.96	QPSK	16QAM	64QAM
	46.17	/	/

n260, 50MHz Bandwidth, MID CHANNEL, QPSK (99% BW)



LOW CHANNEL

Module1, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
37025.04	QPSK	16QAM	64QAM
	46.15	/	/


n260, 50MHz Bandwidth, LOW CHANNEL, QPSK (99% BW)


12:24:26 14.01.2022

HIGH CHANNEL

Module1, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
37025.04	QPSK	16QAM	64QAM
	46.17	/	/

n260, 50MHz Bandwidth, HIGH CHANNEL, QPSK (99% BW)




n260, 100MHz (99%)

MID CHANNEL

Module1, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
38499.96	QPSK	16QAM	64QAM
	91.18	/	/

n260, 100MHz Bandwidth, MID CHANNEL, QPSK (99% BW)




13:08:09 14.01.2022

LOW CHANNEL

Module1, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
37050	QPSK	16QAM	64QAM
	91.30	/	/

n260, 100MHz Bandwidth, LOW CHANNEL, QPSK (99% BW)




12:52:25 14.01.2022

HIGH CHANNEL

Module1, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
39949.92	QPSK	16QAM	64QAM
	91.33	/	/

n260, 100MHz Bandwidth, HIGH CHANNEL, QPSK (99% BW)




13:26:24 14.01.2022

n261, 50MHz (99%)

MID CHANNEL


Module0, CP-OFDM			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
27924.96	QPSK	16QAM	64QAM
	46.01	45.74	45.80

n261, 50MHz Bandwidth, MID CHANNEL, QPSK (99% BW)




01:41:31 14.01.2022

n261, 50MHz Bandwidth, MID CHANNEL, 16QAM (99% BW)



n261, 50MHz Bandwidth, MID CHANNEL, 64QAM (99% BW)




02:10:42 14.01.2022

Note: The worst modulation is QPSK, and we test follow setups used QPSK.

n261, 50MHz (99%)
LOW CHANNEL

Module0, CP-OFDM			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
27525	QPSK	16QAM	64QAM
	46.07	/	/

n261, 50MHz Bandwidth, LOW CHANNEL, QPSK (99% BW)


**n261, 50MHz (99%)
HIGH CHANNEL**

Module0, CP-OFDM			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
28324.92	QPSK	16QAM	64QAM
	46.13	/	/

n261, 50MHz Bandwidth, HIGH CHANNEL, QPSK (99% BW)




02:35:45 14.01.2022

n261, 100MHz (99%)


MID CHANNEL

Module0, CP-OFDM			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
27924.96	QPSK	16QAM	64QAM
	94.28	94.12	94.09


n261, 100MHz Bandwidth, MID CHANNEL, QPSK (99% BW)



n261, 100MHz Bandwidth, MID CHANNEL, 16QAM (99% BW)



n261, 100MHz Bandwidth, MID CHANNEL, 64QAM (99% BW)




Note: The worst modulation is QPSK, and we test follow setups used QPSK.

n261, 100MHz (99%)

LOW CHANNEL

Module0, CP-OFDM			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
27550.08	QPSK	16QAM	64QAM
	94.25	/	/


n261, 100MHz Bandwidth, LOW CHANNEL, QPSK (99% BW)



**n261, 100MHz (99%)
HIGH CHANNEL**

Module0, CP-OFDM			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
28299.96	QPSK	16QAM	64QAM
	94.31	/	/

n261, 100MHz Bandwidth, HIGH CHANNEL, QPSK (99% BW)




07:17:17 14.01.2022

n261, 50MHz (99%)

MID CHANNEL


Module0, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
27924.96	QPSK	16QAM	64QAM
	46.08	45.99	45.80

n261, 50MHz Bandwidth, MID CHANNEL,QPSK (99% BW)



08:18:57 14.01.2022

n261, 50MHz Bandwidth, MID CHANNEL,16QAM (99% BW)




n261, 50MHz Bandwidth, MID CHANNEL, 64QAM (99% BW)



Note: The worst modulation is QPSK, and we test follow setups used QPSK.

n261, 50MHz (99%)
LOW CHANNEL

Module0, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
27525	QPSK	16QAM	64QAM
	46.00	/	/


n261, 50MHz Bandwidth, LOW CHANNEL, QPSK (99% BW)


n261, 50MHz (99%)

HIGH CHANNEL

Module0, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
28324.92	QPSK	16QAM	64QAM
	46.04	/	/

n261, 50MHz Bandwidth, HIGH CHANNEL, QPSK (99% BW)




09:51:27 14.01.2022

n261, 100MHz (99%)

MID CHANNEL


Module0, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
27924.96	QPSK	16QAM	64QAM
	91.19	91.28	91.39

n261, 100MHz Bandwidth, MID CHANNEL, QPSK (99% BW)




09:18:49 16.01.2022

n261, 100MHz Bandwidth, MID CHANNEL, 16QAM (99% BW)



09:30:57 16.01.2022

n261, 100MHz Bandwidth, MID CHANNEL, 64QAM (99% BW)



09:35:58 16.01.2022


Note: The worst modulation is 64QAM, and we test follow setups used 64QAM.

n261, 100MHz (99%)

LOW CHANNEL

Module0, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
27550.08	QPSK	16QAM	64QAM
	/	/	91.25

n261, 100MHz Bandwidth, LOW CHANNEL, 64QAM (99% BW)




11:56:40 16.01.2022

**n261, 100MHz (99%)
HIGH CHANNEL**

Module0, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
28299.96	QPSK	16QAM	64QAM
	/	/	91.44

n261, 100MHz Bandwidth, HIGH CHANNEL, 64QAM (99% BW)



08:38:16 16.01.2022


NOTE: The max EIRP modulation is QPSK, and we test follow setups used QPSK.

n261, 50MHz (99%)

MID CHANNEL

Module1, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
27924.96	QPSK	16QAM	64QAM
	46.08	/	/

n261, 50MHz Bandwidth, MID CHANNEL, QPSK (99% BW)



13:44:16 14.01.2022

LOW CHANNEL

Module1, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
27525	QPSK	16QAM	64QAM
	46.12	/	/

n261, 50MHz Bandwidth, LOW CHANNEL, QPSK (99% BW)




13:33:02 14.01.2022

HIGH CHANNEL

Module1, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
28324.92	QPSK	16QAM	64QAM
	46.18	/	/

n261, 50MHz Bandwidth, HIGH CHANNEL, QPSK (99% BW)




13:55:28 14.01.2022

n261, 100MHz (99%)

MID CHANNEL

Module1, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
27924.96	QPSK	16QAM	64QAM
	91.34	/	/


n261, 100MHz Bandwidth, MID CHANNEL, QPSK (99% BW)



15:20:33 14.01.2022

LOW CHANNEL


Module1, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
27550.08	QPSK	16QAM	64QAM
	91.39	/	/

n261, 100MHz Bandwidth, LOW CHANNEL, QPSK (99% BW)


HIGH CHANNEL

Module1, PUSCH DFT			
Frequency(MHz)	Occupied Bandwidth (99%) (MHz)		
28299.96	QPSK	16QAM	64QAM
	91.37	/	/

n261, 100MHz Bandwidth, HIGH CHANNEL, QPSK (99% BW)




C.4 Band Edge Plots

n260

LOW BAND EDGE BLOCK-50MHz-100%RB

Module0, CP-OFDM							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n260	50MHz	37025.04	LOW	120kHz	QPSK	-29.75	-5
n260	50MHz	37025.04	LOW	120kHz		-31.13	-13



16:55:24 13.01.2022

HIGH BAND EDGE BLOCK-50MHz-100%RB


Module0, CP-OFDM							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n260	50MHz	39975	HIGH	120kHz	QPSK	-24.88	-5
n260	50MHz	39975	HIGH	120kHz		-26.49	-13



17:28:07 13.01.2022


LOW BAND EDGE BLOCK-50MHz-1RB

Module0, CP-OFDM							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n260	50MHz	37025.04	LOW	120kHz	QPSK	-25.18	-5
n260	50MHz	37025.04	LOW	120kHz		-34.65	-13



HIGH BAND EDGE BLOCK-50MHz-1RB


Module0, CP-OFDM							
	BANDWIDTH	FREQUENCY (MHz)	CHANNEL	SCS	MODULATION	Peak(dBm)	Limit (dBm)
n260	50MHz	39975	HIGH	120kHz	QPSK	-19.77	-5
n260	50MHz	39975	HIGH	120kHz		-29.61	-13



17:40:23 13.01.2022


LOW BAND EDGE BLOCK-100MHz-100%RB

Module0, CP-OFDM							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n260	100MHz	37050	LOW	120kHz	QPSK	-32.35	-5
n260	100MHz	37050	LOW	120kHz		-34.01	-13




HIGH BAND EDGE BLOCK-100MHz-100%RB

Module0, CP-OFDM							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n260	100MHz	39949.92	HIGH	120kHz	QPSK	-31.95	-5
n260	100MHz	39949.92	HIGH	120kHz		-31.63	-13




LOW BAND EDGE BLOCK-100MHZ-1RB

Module0, CP-OFDM							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n260	100MHz	37050	LOW	120kHz	QPSK	-26.50	-5
n260	100MHz	37050	LOW	120kHz		-35.04	-13



HIGH BAND EDGE BLOCK-100MHz-1RB


Module0, CP-OFDM							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n260	100MHz	39949.92	HIGH	120kHz	QPSK	-21.54	-5
n260	100MHz	39949.92	HIGH	120kHz		-30.02	-13



21:45:02 13.01.2022

LOW BAND EDGE BLOCK-50MHz-100%RB


Module0, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n260	50MHz	37025.04	LOW	120kHz	QPSK	-26.88	-5
n260	50MHz	37025.04	LOW	120kHz		-28.65	-13



17:21:28 13.01.2022

HIGH BAND EDGE BLOCK-50MHz-100%RB


Module0, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n260	50MHz	39975	HIGH	120kHz	QPSK	-22.55	-5
n260	50MHz	39975	HIGH	120kHz		-24.20	-13



18:19:05 13.01.2022


LOW BAND EDGE BLOCK-50MHz-1RB

Module0, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNEL	SCS	MODULATION	Peak(dBm)	Limit (dBm)
n260	50MHz	37025.04	LOW	120kHz	QPSK	-22.84	-5
n260	50MHz	37025.04	LOW	120kHz		-33.89	-13



HIGH BAND EDGE BLOCK-50MHz-1RB


Module0, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n260	50MHz	39975	HIGH	120kHz	QPSK	-17.88	-5
n260	50MHz	39975	HIGH	120kHz		-27.76	-13



17:45:46 13.01.2022

LOW BAND EDGE BLOCK-100MHz-100%RB


Module0, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n260	100MHz	37050	LOW	120kHz	QPSK	-33.49	-5
n260	100MHz	37050	LOW	120kHz		-35.17	-13



00:51:26 14.01.2022

HIGH BAND EDGE BLOCK-100MHz-100%RB


Module0, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n260	100MHz	39949.92	HIGH	120kHz	QPSK	-27.19	-5
n260	100MHz	39949.92	HIGH	120kHz		-27.95	-13



00:59:25 14.01.2022

LOW BAND EDGE BLOCK-100MHz-1RB


Module0, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n260	100MHz	37050	LOW	120kHz	QPSK	-22.74	-5
n260	100MHz	37050	LOW	120kHz		-26.50	-13



01:11:26 14.01.2022

HIGH BAND EDGE BLOCK-100MHz-1RB


Module0, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n260	100MHz	39949.92	HIGH	120kHz	QPSK	-21.36	-5
n260	100MHz	39949.92	HIGH	120kHz		-22.08	-13



01:16:55 14.01.2022

LOW BAND EDGE BLOCK-50MHz-100%RB


Module1, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n260	50MHz	37025.04	LOW	120kHz	QPSK	-26.51	-5
n260	50MHz	37025.04	LOW	120kHz		-29.94	-13



12:24:38 14.01.2022

HIGH BAND EDGE BLOCK-50MHz-100%RB


Module1, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n260	50MHz	39975	HIGH	120kHz	QPSK	-22.52	-5
n260	50MHz	39975	HIGH	120kHz		-24.55	-13



12:40:40 14.01.2022

LOW BAND EDGE BLOCK-50MHz-1RB


Module1, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n260	50MHz	37025.04	LOW	120kHz	QPSK	-26.04	-5
n260	50MHz	37025.04	LOW	120kHz		-33.99	-13



14:24:48 14.01.2022

HIGH BAND EDGE BLOCK-50MHz-1RB


Module1, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n260	50MHz	39975	HIGH	120kHz	QPSK	-19.07	-5
n260	50MHz	39975	HIGH	120kHz		-25.58	-13



14:34:05 14.01.2022

LOW BAND EDGE BLOCK-100MHz-100%RB


Module1, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n260	100MHz	37050	LOW	120kHz	QPSK	-30.97	-5
n260	100MHz	37050	LOW	120kHz		-33.20	-13



12:52:38 14.01.2022

HIGH BAND EDGE BLOCK-100MHz-100%RB


Module1, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n260	100MHz	39949.92	HIGH	120kHz	QPSK	-27.99	-5
n260	100MHz	39949.92	HIGH	120kHz		-29.10	-13



13:26:36 14.01.2022

LOW BAND EDGE BLOCK-100MHz-1RB


Module1, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n260	100MHz	37050	LOW	120kHz	QPSK	-25.10	-5
n260	100MHz	37050	LOW	120kHz		-34.29	-13



14:39:21 14.01.2022

HIGH BAND EDGE BLOCK-100MHz-1RB


Module1, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n260	100MHz	39949.92	HIGH	120kHz	QPSK	-21.56	-5
n260	100MHz	39949.92	HIGH	120kHz		-29.37	-13



n261


LOW BAND EDGE BLOCK-50MHz-100%RB

Module0, CP-OFDM							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n261	50MHz	27525	LOW	120kHz	QPSK	-38.74	-5
n261	50MHz	27525	LOW	120kHz		-40.26	-13




HIGH BAND EDGE BLOCK-50MHz-100%RB

Module0, CP-OFDM							
	BANDWIDTH	FREQUENCY (MHz)	CHANNEL	SCS	MODULATION	Peak(dBm)	Limit (dBm)
n261	50MHz	28324.92	HIGH	120kHz	QPSK	-40.12	-5
n261	50MHz	28324.92	HIGH	120kHz		-41.03	-13



LOW BAND EDGE BLOCK-50MHz-1RB


Module0, CP-OFDM							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n261	50MHz	27525	LOW	120kHz	QPSK	-33.05	-5
n261	50MHz	27525	LOW	120kHz		-44.98	-13



04:21:14 14.01.2022

HIGH BAND EDGE BLOCK-50MHz-1RB


Module0, CP-OFDM							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n261	50MHz	28324.92	HIGH	120kHz	QPSK	-38.20	-5
n261	50MHz	28324.92	HIGH	120kHz		-45.21	-13



04:00:27 14.01.2022

LOW BAND EDGE BLOCK-100MHz-100%RB


Module0, CP-OFDM							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n261	100MHz	27550.08	LOW	120kHz	QPSK	-42.73	-5
n261	100MHz	27550.08	LOW	120kHz		-44.17	-13



07:05:25 14.01.2022

HIGH BAND EDGE BLOCK-100MHz-100%RB


Module0, CP-OFDM							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n261	100MHz	28299.96	HIGH	120kHz	QPSK	-41.00	-5
n261	100MHz	28299.96	HIGH	120kHz		-41.01	-13



07:17:29 14.01.2022

LOW BAND EDGE BLOCK-100MHz-1RB


Module0, CP-OFDM							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n261	100MHz	27550.08	LOW	120kHz	16QAM	-36.02	-5
n261	100MHz	27550.08	LOW	120kHz		-44.74	-13



07:59:05 14.01.2022

HIGH BAND EDGE BLOCK-100MHz-1RB


Module0, CP-OFDM							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n261	100MHz	28299.96	HIGH	120kHz	16QAM	-36.58	-5
n261	100MHz	28299.96	HIGH	120kHz		-44.35	-13



08:06:01 14.01.2022

LOW BAND EDGE BLOCK-50MHz-100%RB


Module0, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n261	50MHz	27525	LOW	120kHz	QPSK	-35.15	-5
n261	50MHz	27525	LOW	120kHz		-37.66	-13



09:05:02 14.01.2022


HIGH BAND EDGE BLOCK-50MHz-100%RB

Module0, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNEL	SCS	MODULATION	Peak(dBm)	Limit (dBm)
n261	50MHz	28324.92	HIGH	120kHz	QPSK	-36.17	-5
n261	50MHz	28324.92	HIGH	120kHz		-37.26	-13



LOW BAND EDGE BLOCK-50MHz-1RB


Module0, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n261	50MHz	27525	LOW	120kHz	QPSK	-30.96	-5
n261	50MHz	27525	LOW	120kHz		-42.65	-13



09:19:10 14.01.2022

HIGH BAND EDGE BLOCK-50MHz-1RB


Module0, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n261	50MHz	28324.92	HIGH	120kHz	QPSK	-35.76	-5
n261	50MHz	28324.92	HIGH	120kHz		-43.84	-13



09:31:59 14.01.2022


LOW BAND EDGE BLOCK-100MHz-100%RB

Module0, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n261	100MHz	27550.08	LOW	120kHz	64QAM	-33.80	-5
n261	100MHz	27550.08	LOW	120kHz		-35.90	-13



HIGH BAND EDGE BLOCK-100MHz-100%RB


Module0, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n261	100MHz	28299.96	HIGH	120kHz	64QAM	-37.45	-5
n261	100MHz	28299.96	HIGH	120kHz		-37.34	-13



08:38:29 16.01.2022

LOW BAND EDGE BLOCK-100MHz-1RB


Module0, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n261	100MHz	27550.08	LOW	120kHz	QPSK	-24.02	-5
n261	100MHz	27550.08	LOW	120kHz		-38.27	-13



08:59:59 16.01.2022

HIGH BAND EDGE BLOCK-100MHz-1RB


Module0, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n261	100MHz	28299.96	HIGH	120kHz	QPSK	-33.71	-5
n261	100MHz	28299.96	HIGH	120kHz		-39.50	-13



10:33:12 16.01.2022

LOW BAND EDGE BLOCK-50MHz-100%RB


Module1, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n261	50MHz	27525	LOW	120kHz	QPSK	-31.57	-5
n261	50MHz	27525	LOW	120kHz		-33.90	-13



13:33:15 14.01.2022

HIGH BAND EDGE BLOCK-50MHz-100%RB


Module1, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n261	50MHz	28324.92	HIGH	120kHz	QPSK	-36.95	-5
n261	50MHz	28324.92	HIGH	120kHz		-38.01	-13



13:55:40 14.01.2022

LOW BAND EDGE BLOCK-50MHz-1RB


Module1, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n261	50MHz	27525	LOW	120kHz	QPSK	-29.59	-5
n261	50MHz	27525	LOW	120kHz		-39.59	-13



14:16:46 14.01.2022

HIGH BAND EDGE BLOCK-50MHz-1RB


Module1, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n261	50MHz	28324.92	HIGH	120kHz	QPSK	-33.05	-5
n261	50MHz	28324.92	HIGH	120kHz		-40.66	-13



14:11:01 14.01.2022

LOW BAND EDGE BLOCK-100MHz-100%RB


Module1, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n261	100MHz	27550.08	LOW	120kHz	QPSK	-36.57	-5
n261	100MHz	27550.08	LOW	120kHz		-39.30	-13



15:00:11 14.01.2022

HIGH BAND EDGE BLOCK-100MHz-100%RB


Module1, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n261	100MHz	28299.96	HIGH	120kHz	QPSK	-41.36	-5
n261	100MHz	28299.96	HIGH	120kHz		-41.64	-13



15:31:31 14.01.2022

LOW BAND EDGE BLOCK-100MHz-1RB


Module1, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n261	100MHz	27550.08	LOW	120kHz	QPSK	-27.62	-5
n261	100MHz	27550.08	LOW	120kHz		-38.84	-13



15:09:16 14.01.2022

HIGH BAND EDGE BLOCK-100MHz-1RB

Module1, PUSCH DFT							
	BANDWIDTH	FREQUENCY (MHz)	CHANNE L	SCS	MODULAT ION	Peak(dBm)	Limit (dBm)
n261	100MHz	28299.96	HIGH	120kHz	QPSK	-37.86	-5
n261	100MHz	28299.96	HIGH	120kHz		-43.52	-13



15:36:56 14.01.2022

END OF REPORT