






N2(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N2(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N2(5M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N2(5M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N2(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N2(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH







N2(5M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N2(5M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



N2(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N2(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N2(10M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N2(10M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH






N2(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_C




N2(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_C




H

H


N2(10M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N2(10M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



N2(15M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N2(15M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH







N2(15M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N2(15M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N2(15M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_C




N2(15M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_C



N2(15M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N2(15M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH







N2(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N2(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N2(20M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N2(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N2(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_C




N2(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_C







N2(20M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N2(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N5(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N5(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N5(5M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH





N5(5M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH






N5(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH

N5(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH





N5(5M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH

N5(5M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N5(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH

N5(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH







N5(10M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N5(10M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N5(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_C




N5(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_C



N5(10M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH





N5(10M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH







N5(15M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH

N5(15M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH





N5(15M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH

N5(15M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N5(15M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_C

N5(15M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_C







N5(15M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N5(15M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N5(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N5(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N5(20M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N5(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH






N5(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_C



H

N5(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_C




H


N5(20M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N5(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH







N66(5M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N66(5M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_C




N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_C



N66(5M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH





N66(5M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH





N66(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_C

N66(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_C





H

H

N66(10M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH


N66(10M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH






N66(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_

N66(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_





CH



CH



N66(10M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH

N66(10M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N66(15M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH

N66(15M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH







N66(15M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH



N66(15M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N66(15M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_



CH

N66(15M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_




CH

N66(15M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N66(15M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH






N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_C




H

N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_C




H

N66(20M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




H

N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




H

N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High



CH


N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High



CH

N66(20M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH

N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




2.7. Radiated Spurious Emissions


2.7.1. Requirement

According to FCC section 2.1051, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43+10*\log(P)$ dB. This calculated to be -13dBm.

2.7.2. Test Description



(For the test frequency from 30MHz to 1GHz)



(For the test frequency above 1GHz)

The EUT is located in a 3m Full-Anechoic Chamber, the cable loss, air loss and so on of the site as factors are pre-calibrated using the "Substitution" method, and calculated to correct the reading. A call is established between the EUT and the SS via a Common Antenna. The EUT is commanded by the SS to operate at the maximum and minimum output power, and only the test result of the maximum output power was recorded.

In the frequency range above 30MHz, Bi-Log Test Antenna (30MHz to 1GHz) and Horn Test Antenna (above 1GHz) are used. Test Antenna is 3m away from the EUT. Test Antenna height is varied from 1m to 4m above the ground and the Turn Table is actuated to turn from 0° to 360° to determine the maximum value of the radiated power. The emission levels at both horizontal and vertical polarizations should be tested. The Filters consists of Notch Filters and High Pass Filter.

Note: when doing measurements above 1GHz, the EUT has been within the 3dB cone width of the horn antenna during horizontal antenna.

2.7.3. Test procedure

KDB 971168 D01v03 Section 5.8 and ANSI/TIA-603-E-2016.



2.7.4. Test Result

The measurement frequency range is from 30MHz to the 10th harmonic of the fundamental frequency. Test Antenna height is varied from 1m to 4m above the ground, and the Turn Table is actuated to turn from 0° to 360°, both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. Mid channels on all channel bandwidth verified. Only the worst RB size/offset presented.

The substitution corrections are obtained as described below:

$$A_{\text{SUBST}} = P_{\text{SUBST_TX}} - P_{\text{SUBST_RX}} - L_{\text{SUBST_CABLES}} + G_{\text{SUBST_TX_ANT}}$$

$$A_{\text{TOT}} = L_{\text{CABLES}} + A_{\text{SUBST}}$$

Where A_{SUBST} is the final substitution correction including receive antenna gain.

$P_{\text{SUBST_TX}}$ is signal generator level,

$P_{\text{SUBST_RX}}$ is receiver level,

$L_{\text{SUBST_CABLES}}$ is cable losses including TX cable,

$G_{\text{SUBST_TX_ANT}}$ is substitution antenna gain.

A_{TOT} is total correction factor including cable loss and substitution correction

During the test, the data of A_{TOT} was added in the Test Spectrum Analyze, so Spectrum Analyze reading is the final values which contain the data of A_{TOT} .

Note1: The power of the EUT transmitting frequency should be ignored.


Note2: All Spurious Emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.

Note3: All bandwidth and modulation were considered and evaluated respectively by performing full test for each band, only the worst cases (Max Bandwidth and QPSK mode) were recorded in this test report.



Ant 3

Test Graph




Suspected List										
NO	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EU T Pol.	Ant. Pol.
1	1324.8250	-61.9	-13.0	48.98	-7.79	-45.2	37.4	23	Z	Horizont
2	1968.9690	-57.7	-13.0	44.73	-4.77	-46.3	41.6	103	Z	Horizont
3	3813.3130	-55.4	-13.0	42.47	-6.73	-46.2	39.5	67	Z	Horizont
4	7513.0130	-46.1	-13.0	33.13	10.44	-35.6	46.0	49	Z	Horizont
5	10690.190	-42.6	-13.0	29.69	14.09	-34.4	48.5	15	Z	Horizont
6	16353.854	-36.4	-13.0	23.40	24.23	-27.1	51.3	126	Z	Horizont

N2 388000 20M DFT-s-OFDM QPSK RB Size-50 RB Offset-25 SCS 15KHz 1-18G H ANT3



Test Graph




○ Final Test

Suspected List										
NO	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margi n [dB]	Facto r [dB]	Path [dB]	Air [dB]	Angl e [°]	EU T Pol.	Ant. Pol.
1	1396.3960	-62.2	-13.0	49.27	-8.08	-45.3	37.2	23	Z	Vertica
2	2255.2550	-59.1	-13.0	46.14	-7.91	-47.1	39.2	114	Z	Vertica
3	3818.8190	-55.3	-13.0	42.35	-7.26	-46.3	39.1	264	Z	Vertica
4	7489.9900	-46.3	-13.0	33.34	10.06	-35.6	45.7	38	Z	Vertica
5	10379.379	-42.5	-13.0	29.57	14.49	-34.9	49.4	81	Z	Vertica
6	14661.662	-37.2	-13.0	24.28	23.10	-27.3	50.4	156	Z	Vertica

N2 388000 20M DFT-s-OFDM QPSK RB Size-50 RB Offset-25 SCS 15KHz 1-18G V
ANT3



Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	35.8260	-53.1	-13.00	40.10	-8.93	-39.57	30.64	Horizontal
2	51.3610	-60.77	-13.00	47.77	-7.54	-39.46	31.92	Horizontal
3	103.7940	-71	-13.00	58.00	-17.50	-38.70	21.20	Horizontal
4	279.5400	-72.38	-13.00	59.38	-12.04	-37.04	25.00	Horizontal
5	467.9080	-73.98	-13.00	60.98	-8.45	-35.34	26.89	Horizontal
6	871.8320	-71.01	-13.00	58.01	-2.19	-34.04	31.85	Horizontal

N2 388000 20M DFT-s-OFDM QPSK RB Size-50 RB Offset-25 SCS 15KHz 30M-1G H ANT3



Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	35.8260	-56.7	-13.00	43.70	-16.61	-39.57	22.96	Vertical
2	71.7520	-68.24	-13.00	55.24	-18.59	-39.44	20.85	Vertical
3	99.9100	-68.97	-13.00	55.97	-12.46	-38.70	26.24	Vertical
4	279.5400	-71.65	-13.00	58.65	-12.54	-37.04	24.50	Vertical
5	436.8370	-72.96	-13.00	59.96	-8.93	-35.57	26.64	Vertical
6	758.2280	-71.71	-13.00	58.71	-2.35	-34.21	31.86	Vertical

N2 388000 20M DFT-s-OFDM QPSK RB Size-50 RB Offset-25 SCS 15KHz 30M-1G V ANT3



Test Graph




Suspected List										
NO	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margi n [dB]	Facto r [dB]	Path [dB]	Air [dB]	Angl e [°]	EU T Pol.	Ant. Pol.
1	1297.2970	-61.4	-13.0	48.49	-7.70	-45.3	37.6	64	Z	Horizont
2	1765.2650	-56.4	-13.0	43.41	-8.27	-46.2	38.0	16	Z	Horizont
3	3813.3130	-55.3	-13.0	42.38	-6.73	-46.2	39.5	98	Z	Horizont
4	7501.5020	-46.5	-13.0	33.50	10.71	-35.4	46.1	48	Z	Horizont
5	10724.725	-42.7	-13.0	29.78	13.95	-34.7	48.7	251	Z	Horizont
6	14650.150	-37.2	-13.0	24.22	22.61	-27.1	49.7	139	Z	Horizont

N2 392000 20M DFT-s-OFDM QPSK RB Size-50 RB Offset-25 SCS 15KHz 1-18G H
ANT3



Test Graph




Suspected List

NO	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margi n [dB]	Facto r [dB]	Path [dB]	Air [dB]	Angl e [°]	EU T Pol.	Ant. Pol.
1	1352.3520	-62.1	-13.0	49.10	-8.59	-45.2	36.6	124	Z	Vertica
2	1754.2540	-57.0	-13.0	44.07	-9.26	-46.2	37.0	246	Z	Vertica
3	3169.1690	-58.7	-13.0	45.70	-9.14	-47.7	38.6	49	Z	Vertica
4	6741.7420	-48.6	-13.0	35.68	4.61	-38.3	42.9	25	Z	Vertica
5	9976.4760	-42.2	-13.0	29.23	13.94	-34.5	48.4	93	Z	Vertica
6	14650.150	-37.7	-13.0	24.78	23.28	-27.1	50.4	105	Z	Vertica

N2 392000 20M DFT-s-OFDM QPSK RB Size-50 RB Offset-25 SCS 15KHz 1-18G V
ANT3

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	38.7390	-55.92	-13.00	42.92	-7.63	-39.55	31.92	Horizontal
2	51.3610	-59.38	-13.00	46.38	-7.54	-39.46	31.92	Horizontal
3	63.9840	-64.28	-13.00	51.28	-12.92	-39.49	26.57	Horizontal
4	102.8230	-73.02	-13.00	60.02	-17.48	-38.70	21.22	Horizontal
5	230.9910	-72.26	-13.00	59.26	-10.68	-37.54	26.86	Horizontal
6	661.1310	-71.42	-13.00	58.42	-4.30	-34.40	30.10	Horizontal

N2 392000 20M DFT-s-OFDM QPSK RB Size-50 RB Offset-25 SCS 15KHz 30M-1G H ANT3



Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	35.8260	-56.38	-13.00	43.38	-16.61	-39.57	22.96	Vertical
2	38.7390	-57.73	-13.00	44.73	-16.41	-39.55	23.14	Vertical
3	71.7520	-68.71	-13.00	55.71	-18.59	-39.44	20.85	Vertical
4	103.7940	-69.23	-13.00	56.23	-13.84	-38.70	24.86	Vertical
5	280.5110	-72.9	-13.00	59.90	-12.48	-37.03	24.55	Vertical
6	752.4020	-70.9	-13.00	57.90	-2.55	-34.20	31.65	Vertical

N2 392000 20M DFT-s-OFDM QPSK RB Size-50 RB Offset-25 SCS 15KHz 30M-1G V ANT3



Test Graph




Suspected List										
NO	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margi n [dB]	Facto r [dB]	Path [dB]	Air [dB]	Angl e [°]	EU T Pol.	Ant. Pol.
1	1297.2970	-61.1	-13.0	48.19	-7.70	-45.3	37.6	106	Z	Horizont
2	1957.9580	-58.0	-13.0	45.08	-4.95	-46.4	41.4	36	Z	Horizont
3	4617.1170	-53.2	-13.0	40.27	-4.74	-45.2	40.5	92	Z	Horizont
4	7282.7830	-47.3	-13.0	34.32	8.42	-37.0	45.4	207	Z	Horizont
5	11346.346	-40.9	-13.0	27.90	15.75	-33.4	49.1	168	Z	Horizont
6	16779.780	-36.3	-13.0	23.38	24.35	-27.2	51.6	43	Z	Horizont

N2 396000 20M DFT-s-OFDM QPSK RB Size-50 RB Offset-25 SCS 15KHz 1-18G H
ANT3



Test Graph




○ Final Test

Suspected List										
NO	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margi n [dB]	Facto r [dB]	Path [dB]	Air [dB]	Angl e [°]	EU T Pol.	Ant. Pol.
1	1242.2420	-64.1	-13.0	51.19	-10.0	-45.4	35.4	136	Z	Vertica
2	1765.2650	-59.6	-13.0	46.69	-9.26	-46.2	37.0	23	Z	Vertica
3	3862.8630	-55.8	-13.0	42.80	-7.75	-47.0	39.2	59	Z	Vertica
4	7432.4320	-47.3	-13.0	34.39	8.83	-36.5	45.4	281	Z	Vertica
5	11380.881	-41.4	-13.0	28.44	15.89	-33.3	49.2	107	Z	Vertica
6	16802.803	-38.6	-13.0	25.63	24.60	-26.3	50.9	81	Z	Vertica

N2 396000 20M DFT-s-OFDM QPSK RB Size-50 RB Offset-25 SCS 15KHz 1-18G V
ANT3

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	38.7390	-55.26	-13.00	42.26	-7.63	-39.55	31.92	Horizontal
2	51.3610	-60.57	-13.00	47.57	-7.54	-39.46	31.92	Horizontal
3	104.7650	-72.98	-13.00	59.98	-17.53	-38.70	21.17	Horizontal
4	229.0490	-71.41	-13.00	58.41	-10.79	-37.53	26.74	Horizontal
5	439.7500	-74.85	-13.00	61.85	-8.92	-35.54	26.62	Horizontal
6	857.2670	-71.17	-13.00	58.17	-2.36	-34.07	31.71	Horizontal

N2 396000 20M DFT-s-OFDM QPSK RB Size-50 RB Offset-25 SCS 15KHz 30M-1G H
ANT3

Test Graph



○ Final Test


Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	35.8260	-56.14	-13.00	43.14	-16.61	-39.57	22.96	Vertical
2	52.3320	-67.71	-13.00	54.71	-15.94	-39.47	23.53	Vertical
3	100.8810	-69.32	-13.00	56.32	-12.75	-38.70	25.95	Vertical
4	279.5400	-72.29	-13.00	59.29	-12.54	-37.04	24.50	Vertical
5	445.5760	-74.73	-13.00	61.73	-8.84	-35.47	26.63	Vertical
6	650.4500	-71.46	-13.00	58.46	-4.57	-34.40	29.83	Vertical

N2 396000 20M DFT-s-OFDM QPSK RB Size-50 RB Offset-25 SCS 15KHz 30M-1G V ANT3



Ant 0

Test Graph




○ Final Test

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1748.9490	-54.5	-13.00	41.50	-8.27	-46.26	37.99	126	Z	Horizontal
2	2463.0630	-58.48	-13.00	45.48	-10.39	-47.28	36.89	235	Z	Horizontal
3	5069.8700	-54.16	-13.00	41.16	-2.36	-43.85	41.49	76	Z	Horizontal
4	7517.5180	-45.92	-13.00	32.92	10.34	-35.67	46.01	89	Z	Horizontal
5	12013.2130	-40.52	-13.00	27.52	18.04	-31.31	49.35	105	Z	Horizontal
6	17820.6210	-35.3	-13.00	22.30	27.37	-26.52	53.89	36	Z	Horizontal

N5 167300 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 1-18G H ANT0



Test Graph




○ Final Test

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1714.1140	-60.34	-13.00	47.34	-9.37	-46.33	36.96	28	Z	Vertical
2	2445.6460	-57.51	-13.00	44.51	-10.48	-47.35	36.87	267	Z	Vertical
3	5424.0240	-53.56	-13.00	40.56	-2.52	-42.99	40.47	115	Z	Vertical
4	7999.6000	-46.48	-13.00	33.48	10.66	-35.26	45.92	68	Z	Vertical
5	11968.3680	-40.56	-13.00	27.56	16.95	-31.86	48.81	42	Z	Vertical
6	17271.2710	-35.02	-13.00	22.02	23.46	-27.25	50.71	106	Z	Vertical

N5 167300 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 1-18G V ANT0

Test Graph




○ Final Test

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	38.7390	-55.11	-13.00	42.11	-7.63	-39.55	31.92	208	Z	Horizontal
2	155.2550	-70.08	-13.00	57.08	-20.30	-38.52	18.22	154	Z	Horizontal
3	209.6300	-65.38	-13.00	52.38	-14.07	-37.58	23.51	84	Z	Horizontal
4	323.2330	-68.06	-13.00	55.06	-12.53	-37.01	24.48	203	Z	Horizontal
5	827.1670	-27.15	-13.00	14.15	-2.90	-34.16	31.26	94	Z	NA
6	877.6580	-33.85	-13.00	20.85	-2.16	-34.02	31.86	135	Z	NA

N5 167300 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 30M-1G H ANT0

Test Graph




Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	37.7680	-55.75	-13.00	42.75	-16.48	-39.56	23.08	68	Z	Vertical
2	99.9100	-68.49	-13.00	55.49	-12.46	-38.70	26.24	134	Z	Vertical
3	211.5720	-68.88	-13.00	55.88	-16.60	-37.57	20.97	87	Z	Vertical
4	321.2910	-67.26	-13.00	54.26	-11.48	-37.01	25.53	207	Z	Vertical
5	827.1670	-37.54	-13.00	24.54	-2.67	-34.16	31.49	94	Z	NA
6	886.3960	-39.37	-13.00	26.37	-1.32	-34.00	32.68	106	Z	NA

N5 167300 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 30M-1G V ANT0



Test Graph




○ Final Test

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1754.7550	-54.49	-13.00	41.49	-8.27	-46.27	38.00	108	Z	Horizontal
2	2463.0630	-58.26	-13.00	45.26	-10.39	-47.28	36.89	64	Z	Horizontal
3	3850.6510	-54.93	-13.00	41.93	-7.45	-47.10	39.65	259	Z	Horizontal
4	7483.8840	-46.03	-13.00	33.03	10.29	-35.80	46.09	48	Z	Horizontal
5	13650.0500	-38.24	-13.00	25.24	22.47	-27.57	50.04	137	Z	Horizontal
6	17349.7500	-34.49	-13.00	21.49	24.31	-26.98	51.29	61	Z	Horizontal

N5 175800 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 1-18G H ANT0



Test Graph




○ Final Test

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1342.5430	-60.9	-13.00	47.90	-8.72	-45.27	36.55	107	Z	Vertical
2	2451.4510	-57.79	-13.00	44.79	-10.50	-47.33	36.83	93	Z	Vertical
3	4390.5910	-53.95	-13.00	40.95	-5.92	-45.97	40.05	142	Z	Vertical
4	7069.0690	-46.41	-13.00	33.41	7.03	-37.57	44.60	81	Z	Vertical
5	11351.7520	-41.18	-13.00	28.18	15.73	-33.39	49.12	264	Z	Vertical
6	14636.6370	-37.43	-13.00	24.43	22.82	-27.54	50.36	68	Z	Vertical

N5 175800 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 1-18G V ANT0

Test Graph




○ Final Test

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	38.7390	-55.4	-13.00	42.40	-7.63	-39.55	31.92	64	Z	Horizontal
2	55.2450	-63.31	-13.00	50.31	-9.07	-39.47	30.40	23	Z	Horizontal
3	104.7650	-71.55	-13.00	58.55	-17.53	-38.70	21.17	164	Z	Horizontal
4	279.5400	-70.9	-13.00	57.90	-12.04	-37.04	25.00	307	Z	Horizontal
5	824.2540	-25.9	-13.00	12.90	-3.01	-34.17	31.16	194	Z	NA
6	883.4830	-34.65	-13.00	21.65	-2.11	-34.01	31.90	135	Z	NA

N5 175800 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 30M-1G H ANT0

Test Graph




Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	35.8260	-58.15	-13.00	45.15	-16.61	-39.57	22.96	121	Z	Vertical
2	40.6810	-58.53	-13.00	45.53	-16.24	-39.53	23.29	68	Z	Vertical
3	72.7230	-67.5	-13.00	54.50	-18.79	-39.40	20.61	39	Z	Vertical
4	279.5400	-68.73	-13.00	55.73	-12.54	-37.04	24.50	267	Z	Vertical
5	824.2540	-38.12	-13.00	25.12	-2.81	-34.17	31.36	124	Z	NA
6	881.5420	-42.04	-13.00	29.04	-1.51	-34.01	32.50	318	Z	NA

N5 175800 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 30M-1G V ANT0



Test Graph




○ Final Test

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	2016.0160	-57.43	-13.00	44.43	-4.89	-46.41	41.52	84	Z	Horizontal
2	3090.0900	-58.47	-13.00	45.47	-8.21	-47.15	38.94	308	Z	Horizontal
3	5000.2000	-53.37	-13.00	40.37	-2.45	-43.81	41.36	16	Z	Horizontal
4	9401.0010	-44.25	-13.00	31.25	12.65	-36.38	49.03	79	Z	Horizontal
5	13392.1920	-38.48	-13.00	25.48	21.68	-28.38	50.06	35	Z	Horizontal
6	17248.8490	-34.38	-13.00	21.38	24.91	-26.76	51.67	231	Z	Horizontal

N5 176800 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 1-18G H ANT0

Test Graph




○ Final Test

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1418.0180	-61.19	-13.00	48.19	-8.42	-45.38	36.96	49	Z	Vertical
2	2294.6950	-59.33	-13.00	46.33	-7.34	-46.38	39.04	138	Z	Vertical
3	4286.0860	-55.39	-13.00	42.39	-6.84	-46.42	39.58	64	Z	Vertical
4	7988.3880	-46.79	-13.00	33.79	10.49	-35.35	45.84	184	Z	Vertical
5	11497.4970	-41.38	-13.00	28.38	15.47	-34.30	49.77	267	Z	Vertical
6	14659.0590	-36.59	-13.00	23.59	23.13	-27.32	50.45	76	Z	Vertical

N5 176800 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 1-18G V ANT0

Test Graph




○ Final Test

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	38.7390	-55.87	-13.00	42.87	-7.63	-39.55	31.92	93	Z	Horizontal
2	46.5070	-60.25	-13.00	47.25	-7.03	-39.49	32.46	48	Z	Horizontal
3	160.1100	-76.82	-13.00	63.82	-19.62	-38.39	18.77	326	Z	Horizontal
4	279.5400	-71.05	-13.00	58.05	-12.04	-37.04	25.00	67	Z	Horizontal
5	814.5450	-38.55	-13.00	25.55	-3.32	-34.20	30.88	34	Z	NA
6	875.7160	-35.9	-13.00	22.90	-2.17	-34.03	31.86	151	Z	NA

N5 176800 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 30M-1G H ANT0

Test Graph



○ Final Test


Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	35.8260	-56.35	-13.00	43.35	-16.61	-39.57	22.96	65	Z	Vertical
2	72.7230	-65.02	-13.00	52.02	-18.79	-39.40	20.61	49	Z	Vertical
3	102.8230	-69.82	-13.00	56.82	-13.47	-38.70	25.23	147	Z	Vertical
4	279.5400	-68.4	-13.00	55.40	-12.54	-37.04	24.50	36	Z	Vertical
5	814.5450	-50.43	-13.00	37.43	-3.15	-34.20	31.05	248	Z	NA
6	885.4250	-41.24	-13.00	28.24	-1.36	-34.00	32.64	84	Z	NA

N5 176800 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 30M-1G V ANT0



Ant 3

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1737.3370	-54.63	-13.00	41.63	-8.32	-46.29	37.97	Horizontal
2	3072.6730	-58.23	-13.00	45.23	-8.37	-47.28	38.91	Horizontal
3	5830.4300	-53.57	-13.00	40.57	-1.13	-42.51	41.38	Horizontal
4	9389.7900	-45.54	-13.00	32.54	12.53	-36.48	49.01	Horizontal
5	13392.1920	-39.87	-13.00	26.87	21.68	-28.38	50.06	Horizontal
6	17988.7890	-34.46	-13.00	21.46	30.37	-26.64	57.01	Horizontal

N66 424000 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 1-18G H ANT3

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1365.7660	-62.4	-13.00	49.40	-8.44	-45.30	36.86	Vertical
2	2857.8580	-59.65	-13.00	46.65	-9.20	-47.53	38.33	Vertical
3	4460.2600	-54.03	-13.00	41.03	-5.56	-45.66	40.10	Vertical
4	7607.2070	-45.79	-13.00	32.79	9.82	-35.34	45.16	Vertical
5	14647.8480	-37.01	-13.00	24.01	23.21	-27.20	50.41	Vertical
6	17943.9440	-35.22	-13.00	22.22	28.91	-26.33	55.24	Vertical

N66 424000 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 1-18G V ANT3

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	35.8260	-54.35	-13.00	41.35	-8.93	-39.57	30.64	Horizontal
2	38.7390	-54.12	-13.00	41.12	-7.63	-39.55	31.92	Horizontal
3	51.3610	-60.56	-13.00	47.56	-7.54	-39.46	31.92	Horizontal
4	104.7650	-67.52	-13.00	54.52	-17.53	-38.70	21.17	Horizontal
5	279.5400	-71.5	-13.00	58.50	-12.04	-37.04	25.00	Horizontal
6	662.1020	-71.65	-13.00	58.65	-4.28	-34.40	30.12	Horizontal

N66 424000 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 30M-1G HANT3

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	35.8260	-55.41	-13.00	42.41	-16.61	-39.57	22.96	Vertical
2	40.6810	-57.27	-13.00	44.27	-16.24	-39.53	23.29	Vertical
3	70.7810	-65.54	-13.00	52.54	-18.39	-39.48	21.09	Vertical
4	103.7940	-67.02	-13.00	54.02	-13.84	-38.70	24.86	Vertical
5	280.5110	-71.71	-13.00	58.71	-12.48	-37.03	24.55	Vertical
6	770.8510	-71.34	-13.00	58.34	-2.76	-34.22	31.46	Vertical

N66 424000 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 30M-1G V ANT3



Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1429.6300	-61.99	-13.00	48.99	-8.74	-45.39	36.65	Horizontal
2	2033.4330	-58.19	-13.00	45.19	-5.62	-46.57	40.95	Horizontal
3	4082.8830	-56.14	-13.00	43.14	-6.86	-46.78	39.92	Horizontal
4	7528.7290	-46.4	-13.00	33.40	10.07	-35.81	45.88	Horizontal
5	12024.4240	-40.72	-13.00	27.72	18.08	-31.29	49.37	Horizontal
6	17248.8490	-35.12	-13.00	22.12	24.91	-26.76	51.67	Horizontal

N66 429000 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 1-18G H ANT3

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1412.2120	-61.68	-13.00	48.68	-8.30	-45.37	37.07	Vertical
2	1754.7550	-61.99	-13.00	48.99	-9.26	-46.27	37.01	Vertical
3	2863.6640	-58.21	-13.00	45.21	-9.21	-47.56	38.35	Vertical
4	5191.7920	-53.95	-13.00	40.95	-2.34	-43.26	40.92	Vertical
5	7472.6730	-46.59	-13.00	33.59	9.60	-36.03	45.63	Vertical
6	14647.8480	-37	-13.00	24.00	23.21	-27.20	50.41	Vertical

N66 429000 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 1-18G V ANT3

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	37.7680	-53.66	-13.00	40.66	-8.07	-39.56	31.49	Horizontal
2	52.3320	-60.77	-13.00	47.77	-7.93	-39.47	31.54	Horizontal
3	104.7650	-67.43	-13.00	54.43	-17.53	-38.70	21.17	Horizontal
4	230.0200	-73.12	-13.00	60.12	-10.64	-37.53	26.89	Horizontal
5	514.5150	-73.3	-13.00	60.30	-7.06	-35.14	28.08	Horizontal
6	759.1990	-71.1	-13.00	58.10	-2.52	-34.21	31.69	Horizontal

N66 429000 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 30M-1G H ANT3

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	34.8550	-55.05	-13.00	42.05	-16.68	-39.58	22.90	Vertical
2	38.7390	-54.74	-13.00	41.74	-16.41	-39.55	23.14	Vertical
3	75.6360	-65.95	-13.00	52.95	-19.40	-39.28	19.88	Vertical
4	103.7940	-67.11	-13.00	54.11	-13.84	-38.70	24.86	Vertical
5	197.9780	-73.39	-13.00	60.39	-15.99	-37.89	21.90	Vertical
6	778.6190	-70.88	-13.00	57.88	-3.17	-34.22	31.05	Vertical

N66 429000 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 30M-1G V ANT3

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1296.0960	-61.54	-13.00	48.54	-7.74	-45.30	37.56	Horizontal
2	2033.4330	-58.36	-13.00	45.36	-5.62	-46.57	40.95	Horizontal
3	3810.0100	-55.34	-13.00	42.34	-6.67	-46.18	39.51	Horizontal
4	7461.4610	-46.07	-13.00	33.07	9.66	-36.26	45.92	Horizontal
5	9972.7730	-42.99	-13.00	29.99	13.78	-34.60	48.38	Horizontal
6	15892.2920	-36.34	-13.00	23.34	23.50	-27.14	50.64	Horizontal

N66 434000 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 1-18G H ANT3

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1754.7550	-55.21	-13.00	42.21	-9.26	-46.27	37.01	Vertical
2	3084.2840	-58.25	-13.00	45.25	-8.63	-47.19	38.56	Vertical
3	4907.3070	-54.34	-13.00	41.34	-3.39	-44.04	40.65	Vertical
4	7495.0950	-46.71	-13.00	33.71	10.20	-35.56	45.76	Vertical
5	10690.2900	-42.54	-13.00	29.54	14.13	-34.47	48.60	Vertical
6	14647.8480	-37.34	-13.00	24.34	23.21	-27.20	50.41	Vertical

N66 434000 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 1-18G V ANT3

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	37.7680	-52.99	-13.00	39.99	-8.07	-39.56	31.49	Horizontal
2	52.3320	-59.72	-13.00	46.72	-7.93	-39.47	31.54	Horizontal
3	90.2000	-69.13	-13.00	56.13	-18.92	-38.71	19.79	Horizontal
4	103.7940	-66.94	-13.00	53.94	-17.50	-38.70	21.20	Horizontal
5	230.0200	-71.04	-13.00	58.04	-10.64	-37.53	26.89	Horizontal
6	767.9380	-71.16	-13.00	58.16	-2.72	-34.21	31.49	Horizontal

N66 434000 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 30M-1G H ANT3

Test Graph



○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	35.8260	-53.78	-13.00	40.78	-16.61	-39.57	22.96	Vertical
2	39.7100	-56.65	-13.00	43.65	-16.34	-39.54	23.20	Vertical
3	90.2000	-66.13	-13.00	53.13	-16.50	-38.71	22.21	Vertical
4	180.5010	-73.32	-13.00	60.32	-16.59	-38.11	21.52	Vertical
5	279.5400	-71.47	-13.00	58.47	-12.54	-37.04	24.50	Vertical
6	759.1990	-70.94	-13.00	57.94	-2.32	-34.21	31.89	Vertical

N66 434000 20M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 15KHz 30M-1G V ANT3