





Band66-15MHz-64QAM-132597-75RB#0

Band66-20MHz-QPSK-132072-100RB#0



Band66-20MHz-QPSK-132322-100RB#0

Band66-20MHz-QPSK-132572-100RB#0



Band66-20MHz-16QAM-132072-100RB#0

Band66-20MHz-16QAM-132322-100RB#0




Band66-20MHz-16QAM-132572-100RB#0

Band66-20MHz-64QAM-132072-100RB#0




Band66-20MHz-64QAM-132322-100RB#0


Band66-20MHz-64QAM-132572-100RB#0



Band71-5MHz-QPSK-133147-25RB#0

Band71-5MHz-QPSK-133297-25RB#0






Band71-5MHz-64QAM-133447-25RB#0


Band71-10MHz-QPSK-133172-50RB#0




Band71-10MHz-QPSK-133297-50RB#0




Band71-10MHz-QPSK-133422-50RB#0




Band71-10MHz-16QAM-133172-50RB#0




Band71-10MHz-16QAM-133297-50RB#0






Band71-15MHz-QPSK-133397-75RB#0

Band71-15MHz-16QAM-133197-75RB#0




Band71-15MHz-16QAM-133297-75RB#0



Band71-15MHz-16QAM-133397-75RB#0



Band71-15MHz-64QAM-133197-75RB#0

Band71-15MHz-64QAM-133297-75RB#0





Appendix D: Band Edge

Test Result (worst case)

Band	Bandwidth	Modulation	Channel	RB Config.	Result (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	-40.37,-29.51	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	-29.49,-36.93	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	-32.72,-33.99	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	-37.17,-29.73	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	-27.04,-39.64	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	-32.38,-31.46	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	-39.86,-27.18	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	-31.90,-38.45	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	-31.12,-33.02	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	-33.53,-29.87	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	-28.07,-39.25	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	-33.15,-30.72	PASS
Band2	1.4MHz	64QAM	18607	1RB#0	-39.78,-27.49	PASS
Band2	1.4MHz	64QAM	18607	1RB#5	-31.62,-37.41	PASS
Band2	1.4MHz	64QAM	18607	6RB#0	-31.08,-33.63	PASS
Band2	1.4MHz	64QAM	19193	1RB#0	-35.26,-29.62	PASS
Band2	1.4MHz	64QAM	19193	1RB#5	-26.89,-38.94	PASS
Band2	1.4MHz	64QAM	19193	6RB#0	-33.21,-30.96	PASS
Band2	20MHz	QPSK	18700	1RB#0	-44.63,-33.67	PASS
Band2	20MHz	QPSK	18700	1RB#99	-47.01,-60.07	PASS
Band2	20MHz	QPSK	18700	100RB#0	-38.07,-40.94	PASS
Band2	20MHz	QPSK	19100	1RB#0	-59.48,-46.78	PASS
Band2	20MHz	QPSK	19100	1RB#99	-35.12,-44.27	PASS
Band2	20MHz	QPSK	19100	100RB#0	-39.98,-36.69	PASS
Band2	20MHz	16QAM	18700	1RB#0	-44.46,-34.19	PASS
Band2	20MHz	16QAM	18700	1RB#99	-46.33,-59.60	PASS
Band2	20MHz	16QAM	18700	100RB#0	-35.60,-39.23	PASS
Band2	20MHz	16QAM	19100	1RB#0	-56.99,-46.18	PASS
Band2	20MHz	16QAM	19100	1RB#99	-34.19,-43.58	PASS
Band2	20MHz	16QAM	19100	100RB#0	-37.89,-34.23	PASS
Band2	20MHz	64QAM	18700	1RB#0	-44.35,-35.62	PASS
Band2	20MHz	64QAM	18700	1RB#99	-46.31,-59.20	PASS
Band2	20MHz	64QAM	18700	100RB#0	-36.00,-39.50	PASS
Band2	20MHz	64QAM	19100	1RB#0	-59.39,-46.27	PASS
Band2	20MHz	64QAM	19100	1RB#99	-34.31,-43.50	PASS
Band2	20MHz	64QAM	19100	100RB#0	-37.93,-34.34	PASS

Band4	1.4MHz	QPSK	19957	1RB#0	-41.20,-29.37	PASS
Band4	1.4MHz	QPSK	19957	1RB#5	-30.55,-37.00	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	-33.28,-34.83	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	-39.05,-31.95	PASS
Band4	1.4MHz	QPSK	20393	1RB#5	-27.80,-41.30	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	-34.89,-34.50	PASS
Band4	1.4MHz	16QAM	19957	1RB#0	-40.18,-29.54	PASS
Band4	1.4MHz	16QAM	19957	1RB#5	-32.88,-40.25	PASS
Band4	1.4MHz	16QAM	19957	6RB#0	-32.19,-33.80	PASS
Band4	1.4MHz	16QAM	20393	1RB#0	-39.64,-32.04	PASS
Band4	1.4MHz	16QAM	20393	1RB#5	-29.49,-41.09	PASS
Band4	1.4MHz	16QAM	20393	6RB#0	-34.05,-33.52	PASS
Band4	1.4MHz	64QAM	19957	1RB#0	-40.13,-29.24	PASS
Band4	1.4MHz	64QAM	19957	1RB#5	-32.87,-40.17	PASS
Band4	1.4MHz	64QAM	19957	6RB#0	-32.08,-33.67	PASS
Band4	1.4MHz	64QAM	20393	1RB#0	-39.56,-32.10	PASS
Band4	1.4MHz	64QAM	20393	1RB#5	-28.48,-40.91	PASS
Band4	1.4MHz	64QAM	20393	6RB#0	-33.90,-33.68	PASS
Band4	20MHz	QPSK	20050	1RB#0	-45.08,-37.17	PASS
Band4	20MHz	QPSK	20050	1RB#99	-38.38,-60.24	PASS
Band4	20MHz	QPSK	20050	100RB#0	-39.01,-41.82	PASS
Band4	20MHz	QPSK	20300	1RB#0	-61.40,-28.41	PASS
Band4	20MHz	QPSK	20300	1RB#99	-36.12,-40.12	PASS
Band4	20MHz	QPSK	20300	100RB#0	-39.39,-36.02	PASS
Band4	20MHz	16QAM	20050	1RB#0	-44.50,-33.94	PASS
Band4	20MHz	16QAM	20050	1RB#99	-38.69,-59.73	PASS
Band4	20MHz	16QAM	20050	100RB#0	-38.51,-41.37	PASS
Band4	20MHz	16QAM	20300	1RB#0	-59.56,-33.21	PASS
Band4	20MHz	16QAM	20300	1RB#99	-36.40,-44.90	PASS
Band4	20MHz	16QAM	20300	100RB#0	-38.23,-34.89	PASS
Band4	20MHz	64QAM	20050	1RB#0	-44.38,-33.74	PASS
Band4	20MHz	64QAM	20050	1RB#99	-38.62,-60.20	PASS
Band4	20MHz	64QAM	20050	100RB#0	-38.56,-41.37	PASS
Band4	20MHz	64QAM	20300	1RB#0	-59.18,-33.50	PASS
Band4	20MHz	64QAM	20300	1RB#99	-35.21,-44.89	PASS
Band4	20MHz	64QAM	20300	100RB#0	-38.21,-35.06	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	-50.62,-28.33	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	-51.20,-37.31	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	-40.01,-30.43	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	-39.10,-51.48	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	-30.57,-50.18	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	-31.24,-40.28	PASS

Band5	1.4MHz	16QAM	20407	1RB#0	-50.87,-28.86	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	-50.92,-38.40	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	-40.94,-31.69	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	-39.91,-51.28	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	-26.98,-50.09	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	-32.73,-40.46	PASS
Band5	1.4MHz	64QAM	20407	1RB#0	-50.88,-27.65	PASS
Band5	1.4MHz	64QAM	20407	1RB#5	-50.87,-38.16	PASS
Band5	1.4MHz	64QAM	20407	6RB#0	-40.86,-32.04	PASS
Band5	1.4MHz	64QAM	20643	1RB#0	-40.21,-51.03	PASS
Band5	1.4MHz	64QAM	20643	1RB#5	-27.80,-50.12	PASS
Band5	1.4MHz	64QAM	20643	6RB#0	-32.82,-40.70	PASS
Band5	10MHz	QPSK	20450	1RB#0	-48.74,-24.27	PASS
Band5	10MHz	QPSK	20450	1RB#49	-42.44,-54.94	PASS
Band5	10MHz	QPSK	20450	50RB#0	-39.77,-31.57	PASS
Band5	10MHz	QPSK	20600	1RB#0	-56.19,-37.73	PASS
Band5	10MHz	QPSK	20600	1RB#49	-24.87,-49.92	PASS
Band5	10MHz	QPSK	20600	50RB#0	-32.06,-40.12	PASS
Band5	10MHz	16QAM	20450	1RB#0	-50.27,-26.34	PASS
Band5	10MHz	16QAM	20450	1RB#49	-44.90,-55.41	PASS
Band5	10MHz	16QAM	20450	50RB#0	-40.45,-33.04	PASS
Band5	10MHz	16QAM	20600	1RB#0	-56.14,-39.75	PASS
Band5	10MHz	16QAM	20600	1RB#49	-24.86,-50.94	PASS
Band5	10MHz	16QAM	20600	50RB#0	-33.39,-41.09	PASS
Band5	10MHz	64QAM	20450	1RB#0	-50.36,-27.60	PASS
Band5	10MHz	64QAM	20450	1RB#49	-44.70,-56.25	PASS
Band5	10MHz	64QAM	20450	50RB#0	-40.55,-32.97	PASS
Band5	10MHz	64QAM	20600	1RB#0	-56.83,-39.39	PASS
Band5	10MHz	64QAM	20600	1RB#49	-25.52,-50.74	PASS
Band5	10MHz	64QAM	20600	50RB#0	-33.43,-41.26	PASS
Band12	1.4MHz	QPSK	23017	1RB#0	-33.95,-24.78	PASS
Band12	1.4MHz	QPSK	23017	1RB#5	-29.19,-48.80	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	-32.51,-31.93	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	-49.19,-29.36	PASS
Band12	1.4MHz	QPSK	23173	1RB#5	-24.33,-33.40	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	-31.10,-30.36	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	-36.22,-25.82	PASS
Band12	1.4MHz	16QAM	23017	1RB#5	-31.31,-48.55	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	-32.11,-32.13	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	-49.15,-31.47	PASS
Band12	1.4MHz	16QAM	23173	1RB#5	-26.14,-35.28	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	-31.93,-31.52	PASS

Band12	1.4MHz	64QAM	23017	1RB#0	-35.14,-25.81	PASS
Band12	1.4MHz	64QAM	23017	1RB#5	-31.26,-48.48	PASS
Band12	1.4MHz	64QAM	23017	6RB#0	-32.12,-32.18	PASS
Band12	1.4MHz	64QAM	23173	1RB#0	-49.07,-31.42	PASS
Band12	1.4MHz	64QAM	23173	1RB#5	-26.46,-35.80	PASS
Band12	1.4MHz	64QAM	23173	6RB#0	-31.96,-31.28	PASS
Band12	10MHz	QPSK	23060	1RB#0	-37.54,-26.49	PASS
Band12	10MHz	QPSK	23060	1RB#49	-35.99,-54.43	PASS
Band12	10MHz	QPSK	23060	50RB#0	-36.11,-37.43	PASS
Band12	10MHz	QPSK	23130	1RB#0	-55.15,-51.22	PASS
Band12	10MHz	QPSK	23130	1RB#49	-26.34,-35.97	PASS
Band12	10MHz	QPSK	23130	50RB#0	-39.63,-37.22	PASS
Band12	10MHz	16QAM	23060	1RB#0	-38.06,-27.72	PASS
Band12	10MHz	16QAM	23060	1RB#49	-38.11,-54.70	PASS
Band12	10MHz	16QAM	23060	50RB#0	-37.17,-39.29	PASS
Band12	10MHz	16QAM	23130	1RB#0	-55.59,-51.09	PASS
Band12	10MHz	16QAM	23130	1RB#49	-26.83,-37.25	PASS
Band12	10MHz	16QAM	23130	50RB#0	-40.56,-37.86	PASS
Band12	10MHz	64QAM	23060	1RB#0	-38.00,-27.92	PASS
Band12	10MHz	64QAM	23060	1RB#49	-39.90,-55.32	PASS
Band12	10MHz	64QAM	23060	50RB#0	-39.24,-40.32	PASS
Band12	10MHz	64QAM	23130	1RB#0	-56.20,-51.97	PASS
Band12	10MHz	64QAM	23130	1RB#49	-28.07,-38.97	PASS
Band12	10MHz	64QAM	23130	50RB#0	-41.32,-38.99	PASS
Band17	5MHz	QPSK	23755	1RB#0	-31.00,-21.48	PASS
Band17	5MHz	QPSK	23755	1RB#24	-30.82,-52.73	PASS
Band17	5MHz	QPSK	23755	25RB#0	-34.49,-33.32	PASS
Band17	5MHz	QPSK	23825	1RB#0	-52.74,-32.26	PASS
Band17	5MHz	QPSK	23825	1RB#24	-20.86,-32.94	PASS
Band17	5MHz	QPSK	23825	25RB#0	-32.84,-34.56	PASS
Band17	5MHz	16QAM	23755	1RB#0	-31.75,-21.81	PASS
Band17	5MHz	16QAM	23755	1RB#24	-32.77,-52.39	PASS
Band17	5MHz	16QAM	23755	25RB#0	-35.95,-33.81	PASS
Band17	5MHz	16QAM	23825	1RB#0	-52.88,-33.86	PASS
Band17	5MHz	16QAM	23825	1RB#24	-21.57,-32.79	PASS
Band17	5MHz	16QAM	23825	25RB#0	-33.53,-35.13	PASS
Band17	5MHz	64QAM	23755	1RB#0	-33.71,-22.41	PASS
Band17	5MHz	64QAM	23755	1RB#24	-35.09,-53.21	PASS
Band17	5MHz	64QAM	23755	25RB#0	-36.62,-34.88	PASS
Band17	5MHz	64QAM	23825	1RB#0	-53.52,-36.90	PASS
Band17	5MHz	64QAM	23825	1RB#24	-22.11,-33.51	PASS
Band17	5MHz	64QAM	23825	25RB#0	-34.95,-35.68	PASS


Band17	10MHz	QPSK	23780	1RB#0	-40.15,-27.40	PASS
Band17	10MHz	QPSK	23780	1RB#49	-30.99,-54.84	PASS
Band17	10MHz	QPSK	23780	50RB#0	-38.50,-39.40	PASS
Band17	10MHz	QPSK	23800	1RB#0	-55.52,-51.37	PASS
Band17	10MHz	QPSK	23800	1RB#49	-26.72,-36.41	PASS
Band17	10MHz	QPSK	23800	50RB#0	-39.61,-37.11	PASS
Band17	10MHz	16QAM	23780	1RB#0	-37.71,-27.98	PASS
Band17	10MHz	16QAM	23780	1RB#49	-32.59,-54.90	PASS
Band17	10MHz	16QAM	23780	50RB#0	-39.70,-40.85	PASS
Band17	10MHz	16QAM	23800	1RB#0	-55.81,-51.50	PASS
Band17	10MHz	16QAM	23800	1RB#49	-26.50,-37.68	PASS
Band17	10MHz	16QAM	23800	50RB#0	-40.43,-37.76	PASS
Band17	10MHz	64QAM	23780	1RB#0	-37.99,-28.27	PASS
Band17	10MHz	64QAM	23780	1RB#49	-34.40,-55.66	PASS
Band17	10MHz	64QAM	23780	50RB#0	-40.67,-41.58	PASS
Band17	10MHz	64QAM	23800	1RB#0	-56.47,-52.35	PASS
Band17	10MHz	64QAM	23800	1RB#49	-27.81,-38.15	PASS
Band17	10MHz	64QAM	23800	50RB#0	-41.59,-39.43	PASS
Band41	5MHz	QPSK	40065	1RB#0	-49.06,-48.50,-45.67,-35.30	PASS
Band41	5MHz	QPSK	40065	1RB#24	-49.06,-48.31,-36.64,-58.87	PASS
Band41	5MHz	QPSK	40065	25RB#0	-47.26,-46.61,-39.00,-42.01	PASS
Band41	5MHz	QPSK	41215	1RB#0	-58.56,-31.82,-47.87,-48.43	PASS
Band41	5MHz	QPSK	41215	1RB#24	-38.04,-45.26,-48.05,-48.35	PASS
Band41	5MHz	QPSK	41215	25RB#0	-39.75,-34.72,-46.55,-46.82	PASS
Band41	5MHz	16QAM	40065	1RB#0	-49.14,-48.36,-45.17,-35.79	PASS
Band41	5MHz	16QAM	40065	1RB#24	-49.11,-48.23,-36.33,-60.53	PASS
Band41	5MHz	16QAM	40065	25RB#0	-47.06,-45.55,-40.21,-44.06	PASS
Band41	5MHz	16QAM	41215	1RB#0	-60.92,-34.35,-47.79,-48.38	PASS
Band41	5MHz	16QAM	41215	1RB#24	-34.31,-45.02,-47.78,-48.28	PASS
Band41	5MHz	16QAM	41215	25RB#0	-42.32,-36.76,-45.39,-46.56	PASS
Band41	5MHz	64QAM	40065	1RB#0	-49.07,-48.47,-44.72,-34.28	PASS
Band41	5MHz	64QAM	40065	1RB#24	-49.09,-48.33,-36.44,-61.72	PASS
Band41	5MHz	64QAM	40065	25RB#0	-46.86,-45.44,-39.91,-43.49	PASS
Band41	5MHz	64QAM	41215	1RB#0	-60.26,-34.41,-47.75,-48.40	PASS
Band41	5MHz	64QAM	41215	1RB#24	-35.26,-44.82,-47.87,-48.27	PASS
Band41	5MHz	64QAM	41215	25RB#0	-41.92,-37.22,-45.45,-46.24	PASS
Band41	20MHz	QPSK	40140	1RB#0	-49.80,-47.32,-47.82,-45.37	PASS
Band41	20MHz	QPSK	40140	1RB#99	-49.83,-40.02,-48.26,-64.65	PASS
Band41	20MHz	QPSK	40140	100RB#0	-49.31,-45.53,-43.45,-47.30	PASS
Band41	20MHz	QPSK	41140	1RB#0	-63.67,-48.02,-33.49,-48.86	PASS
Band41	20MHz	QPSK	41140	1RB#99	-47.18,-47.24,-47.91,-48.86	PASS
Band41	20MHz	QPSK	41140	100RB#0	-45.18,-41.33,-42.28,-48.52	PASS


Band41	20MHz	16QAM	40140	1RB#0	-49.81,-46.68,-47.66,-44.91	PASS
Band41	20MHz	16QAM	40140	1RB#99	-49.82,-40.10,-48.23,-62.69	PASS
Band41	20MHz	16QAM	40140	100RB#0	-49.20,-45.97,-44.73,-49.05	PASS
Band41	20MHz	16QAM	41140	1RB#0	-64.09,-47.61,-37.59,-48.87	PASS
Band41	20MHz	16QAM	41140	1RB#99	-45.89,-46.88,-48.06,-48.86	PASS
Band41	20MHz	16QAM	41140	100RB#0	-44.98,-40.95,-42.74,-48.22	PASS
Band41	20MHz	64QAM	40140	1RB#0	-49.83,-46.94,-47.47,-44.84	PASS
Band41	20MHz	64QAM	40140	1RB#99	-49.82,-40.67,-48.36,-64.21	PASS
Band41	20MHz	64QAM	40140	100RB#0	-49.13,-45.45,-44.86,-48.77	PASS
Band41	20MHz	64QAM	41140	1RB#0	-63.73,-47.69,-38.59,-48.88	PASS
Band41	20MHz	64QAM	41140	1RB#99	-44.92,-46.83,-47.98,-48.88	PASS
Band41	20MHz	64QAM	41140	100RB#0	-44.99,-40.72,-41.97,-48.24	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	-41.13,-30.64	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	-30.65,-35.54	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	-33.11,-34.51	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	-38.30,-30.96	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	-29.12,-40.76	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	-33.52,-33.47	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	-40.30,-33.41	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	-32.98,-39.33	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	-32.07,-33.98	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	-38.00,-30.95	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	-29.22,-40.41	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	-34.69,-33.00	PASS
Band66	1.4MHz	64QAM	131979	1RB#0	-40.29,-27.60	PASS
Band66	1.4MHz	64QAM	131979	1RB#5	-32.73,-39.62	PASS
Band66	1.4MHz	64QAM	131979	6RB#0	-31.99,-34.67	PASS
Band66	1.4MHz	64QAM	132665	1RB#0	-35.95,-30.72	PASS
Band66	1.4MHz	64QAM	132665	1RB#5	-30.36,-40.19	PASS
Band66	1.4MHz	64QAM	132665	6RB#0	-34.02,-32.96	PASS
Band66	20MHz	QPSK	132072	1RB#0	-44.82,-35.67	PASS
Band66	20MHz	QPSK	132072	1RB#99	-38.85,-60.60	PASS
Band66	20MHz	QPSK	132072	100RB#0	-38.79,-41.81	PASS
Band66	20MHz	QPSK	132572	1RB#0	-61.36,-30.09	PASS
Band66	20MHz	QPSK	132572	1RB#99	-35.14,-44.47	PASS
Band66	20MHz	QPSK	132572	100RB#0	-39.33,-36.25	PASS
Band66	20MHz	16QAM	132072	1RB#0	-44.33,-33.58	PASS
Band66	20MHz	16QAM	132072	1RB#99	-38.66,-59.83	PASS
Band66	20MHz	16QAM	132072	100RB#0	-36.90,-40.01	PASS
Band66	20MHz	16QAM	132572	1RB#0	-60.59,-34.35	PASS
Band66	20MHz	16QAM	132572	1RB#99	-34.96,-43.86	PASS
Band66	20MHz	16QAM	132572	100RB#0	-39.64,-35.86	PASS

Band66	20MHz	64QAM	132072	1RB#0	-44.19,-35.99	PASS
Band66	20MHz	64QAM	132072	1RB#99	-39.27,-59.96	PASS
Band66	20MHz	64QAM	132072	100RB#0	-36.85,-40.10	PASS
Band66	20MHz	64QAM	132572	1RB#0	-59.55,-34.95	PASS
Band66	20MHz	64QAM	132572	1RB#99	-34.13,-43.90	PASS
Band66	20MHz	64QAM	132572	100RB#0	-39.46,-35.91	PASS
Band71	5MHz	QPSK	133147	1RB#0	-31.29,-20.95	PASS
Band71	5MHz	QPSK	133147	1RB#24	-35.18,-51.28	PASS
Band71	5MHz	QPSK	133147	25RB#0	-34.29,-32.56	PASS
Band71	5MHz	QPSK	133447	1RB#0	-51.05,-31.08	PASS
Band71	5MHz	QPSK	133447	1RB#24	-20.31,-31.63	PASS
Band71	5MHz	QPSK	133447	25RB#0	-31.53,-33.17	PASS
Band71	5MHz	16QAM	133147	1RB#0	-31.50,-21.62	PASS
Band71	5MHz	16QAM	133147	1RB#24	-37.69,-51.52	PASS
Band71	5MHz	16QAM	133147	25RB#0	-34.99,-33.79	PASS
Band71	5MHz	16QAM	133447	1RB#0	-51.53,-33.27	PASS
Band71	5MHz	16QAM	133447	1RB#24	-21.19,-41.20	PASS
Band71	5MHz	16QAM	133447	25RB#0	-32.76,-34.22	PASS
Band71	5MHz	64QAM	133147	1RB#0	-34.81,-22.11	PASS
Band71	5MHz	64QAM	133147	1RB#24	-38.86,-52.46	PASS
Band71	5MHz	64QAM	133147	25RB#0	-36.63,-34.46	PASS
Band71	5MHz	64QAM	133447	1RB#0	-52.41,-33.85	PASS
Band71	5MHz	64QAM	133447	1RB#24	-23.14,-33.64	PASS
Band71	5MHz	64QAM	133447	25RB#0	-33.83,-33.96	PASS
Band71	20MHz	QPSK	133222	1RB#0	-43.21,-34.54	PASS
Band71	20MHz	QPSK	133222	1RB#99	-53.31,-61.53	PASS
Band71	20MHz	QPSK	133222	100RB#0	-42.65,-48.95	PASS
Band71	20MHz	QPSK	133372	1RB#0	-61.49,-51.39	PASS
Band71	20MHz	QPSK	133372	1RB#99	-33.77,-42.91	PASS
Band71	20MHz	QPSK	133372	100RB#0	-46.47,-40.39	PASS
Band71	20MHz	16QAM	133222	1RB#0	-43.78,-34.33	PASS
Band71	20MHz	16QAM	133222	1RB#99	-53.65,-61.69	PASS
Band71	20MHz	16QAM	133222	100RB#0	-43.84,-49.47	PASS
Band71	20MHz	16QAM	133372	1RB#0	-61.66,-52.17	PASS
Band71	20MHz	16QAM	133372	1RB#99	-34.23,-43.24	PASS
Band71	20MHz	16QAM	133372	100RB#0	-47.66,-40.76	PASS
Band71	20MHz	64QAM	133222	1RB#0	-44.09,-35.20	PASS
Band71	20MHz	64QAM	133222	1RB#99	-54.65,-62.70	PASS
Band71	20MHz	64QAM	133222	100RB#0	-43.82,-50.51	PASS
Band71	20MHz	64QAM	133372	1RB#0	-62.60,-53.34	PASS
Band71	20MHz	64QAM	133372	1RB#99	-34.96,-45.45	PASS
Band71	20MHz	64QAM	133372	100RB#0	-47.44,-41.37	PASS

Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.

Test Graphs









Band2-1.4MHz-64QAM-18607-6RB#0

Band2-1.4MHz-64QAM-19193-1RB#0




Band2-1.4MHz-64QAM-19193-1RB#5

Band2-1.4MHz-64QAM-19193-6RB#0




Band2-20MHz-QPSK-18700-1RB#0

Band2-20MHz-QPSK-18700-1RB#99




Band2-20MHz-QPSK-18700-100RB#0


Band2-20MHz-QPSK-19100-1RB#0




Band2-20MHz-QPSK-19100-1RB#99




Band2-20MHz-QPSK-19100-100RB#0




Band2-20MHz-16QAM-18700-1RB#0




Band2-20MHz-16QAM-18700-1RB#99




Band2-20MHz-16QAM-18700-100RB#0




Band2-20MHz-16QAM-19100-1RB#0




Band2-20MHz-16QAM-19100-1RB#99



Band2-20MHz-16QAM-19100-100RB#0



Band2-20MHz-64QAM-18700-1RB#0



Band2-20MHz-64QAM-18700-1RB#99