

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	24.03	22.33	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	24.07	22.37	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	24.07	22.37	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	23.07	21.37	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	23.08	21.38	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#2	23.07	21.37	33	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	22.99	21.29	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	24.07	22.47	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	24.04	22.44	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	24.10	22.5	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	22.98	21.38	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	23.08	21.48	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#2	23.08	21.48	33	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	23.08	21.48	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	23.88	22.28	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	23.87	22.27	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	23.86	22.26	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	23.04	21.44	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	23.10	21.5	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#2	23.07	21.47	33	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	23.01	21.41	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	23.78	22.08	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	23.80	22.1	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	23.79	22.09	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	22.83	21.13	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	22.84	21.14	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#2	22.85	21.15	33	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	22.34	20.64	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	23.29	21.69	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	23.34	21.74	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	23.47	21.87	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	22.75	21.15	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	22.75	21.15	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#2	22.75	21.15	33	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	22.27	20.67	33	PASS

Band2	1.4MHz	16QAM	19193	1RB#0	23.09	21.49	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	23.11	21.51	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	23.08	21.48	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	22.95	21.35	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	22.94	21.34	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#2	22.97	21.37	33	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	22.15	20.55	33	PASS
Band2	3MHz	QPSK	18615	1RB#0	24.04	22.34	33	PASS
Band2	3MHz	QPSK	18615	1RB#7	24.09	22.39	33	PASS
Band2	3MHz	QPSK	18615	1RB#14	23.96	22.26	33	PASS
Band2	3MHz	QPSK	18615	8RB#0	23.15	21.45	33	PASS
Band2	3MHz	QPSK	18615	8RB#4	23.16	21.46	33	PASS
Band2	3MHz	QPSK	18615	8RB#7	22.98	21.28	33	PASS
Band2	3MHz	QPSK	18615	15RB#0	23.17	21.47	33	PASS
Band2	3MHz	QPSK	18900	1RB#0	23.92	22.32	33	PASS
Band2	3MHz	QPSK	18900	1RB#7	23.94	22.34	33	PASS
Band2	3MHz	QPSK	18900	1RB#14	23.94	22.34	33	PASS
Band2	3MHz	QPSK	18900	8RB#0	23.04	21.44	33	PASS
Band2	3MHz	QPSK	18900	8RB#4	23.06	21.46	33	PASS
Band2	3MHz	QPSK	18900	8RB#7	23.07	21.47	33	PASS
Band2	3MHz	QPSK	18900	15RB#0	23.07	21.47	33	PASS
Band2	3MHz	QPSK	19185	1RB#0	23.94	22.34	33	PASS
Band2	3MHz	QPSK	19185	1RB#7	24.02	22.42	33	PASS
Band2	3MHz	QPSK	19185	1RB#14	23.94	22.34	33	PASS
Band2	3MHz	QPSK	19185	8RB#0	22.97	21.37	33	PASS
Band2	3MHz	QPSK	19185	8RB#4	22.96	21.36	33	PASS
Band2	3MHz	QPSK	19185	8RB#7	22.92	21.32	33	PASS
Band2	3MHz	QPSK	19185	15RB#0	22.94	21.34	33	PASS
Band2	3MHz	16QAM	18615	1RB#0	23.13	21.43	33	PASS
Band2	3MHz	16QAM	18615	1RB#7	23.08	21.38	33	PASS
Band2	3MHz	16QAM	18615	1RB#14	22.93	21.23	33	PASS
Band2	3MHz	16QAM	18615	8RB#0	22.31	20.61	33	PASS
Band2	3MHz	16QAM	18615	8RB#4	22.34	20.64	33	PASS
Band2	3MHz	16QAM	18615	8RB#7	22.20	20.5	33	PASS
Band2	3MHz	16QAM	18615	15RB#0	22.17	20.47	33	PASS
Band2	3MHz	16QAM	18900	1RB#0	22.98	21.38	33	PASS
Band2	3MHz	16QAM	18900	1RB#7	22.96	21.36	33	PASS
Band2	3MHz	16QAM	18900	1RB#14	22.97	21.37	33	PASS
Band2	3MHz	16QAM	18900	8RB#0	22.14	20.54	33	PASS
Band2	3MHz	16QAM	18900	8RB#4	22.14	20.54	33	PASS
Band2	3MHz	16QAM	18900	8RB#7	22.13	20.53	33	PASS
Band2	3MHz	16QAM	18900	15RB#0	21.95	20.35	33	PASS

Band2	3MHz	16QAM	19185	1RB#0	23.44	21.84	33	PASS
Band2	3MHz	16QAM	19185	1RB#7	23.59	21.99	33	PASS
Band2	3MHz	16QAM	19185	1RB#14	23.41	21.81	33	PASS
Band2	3MHz	16QAM	19185	8RB#0	22.13	20.53	33	PASS
Band2	3MHz	16QAM	19185	8RB#4	22.17	20.57	33	PASS
Band2	3MHz	16QAM	19185	8RB#7	22.16	20.56	33	PASS
Band2	3MHz	16QAM	19185	15RB#0	22.11	20.51	33	PASS
Band2	5MHz	QPSK	18625	1RB#0	24.07	22.37	33	PASS
Band2	5MHz	QPSK	18625	1RB#12	24.01	22.31	33	PASS
Band2	5MHz	QPSK	18625	1RB#24	24.07	22.37	33	PASS
Band2	5MHz	QPSK	18625	12RB#0	23.17	21.47	33	PASS
Band2	5MHz	QPSK	18625	12RB#6	23.08	21.38	33	PASS
Band2	5MHz	QPSK	18625	12RB#11	23.18	21.48	33	PASS
Band2	5MHz	QPSK	18625	25RB#0	22.92	21.22	33	PASS
Band2	5MHz	QPSK	18900	1RB#0	24.03	22.43	33	PASS
Band2	5MHz	QPSK	18900	1RB#12	24.00	22.4	33	PASS
Band2	5MHz	QPSK	18900	1RB#24	24.05	22.45	33	PASS
Band2	5MHz	QPSK	18900	12RB#0	22.97	21.37	33	PASS
Band2	5MHz	QPSK	18900	12RB#6	22.98	21.38	33	PASS
Band2	5MHz	QPSK	18900	12RB#11	23.00	21.4	33	PASS
Band2	5MHz	QPSK	18900	25RB#0	23.01	21.41	33	PASS
Band2	5MHz	QPSK	19175	1RB#0	24.16	22.56	33	PASS
Band2	5MHz	QPSK	19175	1RB#12	24.09	22.49	33	PASS
Band2	5MHz	QPSK	19175	1RB#24	24.09	22.49	33	PASS
Band2	5MHz	QPSK	19175	12RB#0	23.04	21.44	33	PASS
Band2	5MHz	QPSK	19175	12RB#6	22.96	21.36	33	PASS
Band2	5MHz	QPSK	19175	12RB#11	22.94	21.34	33	PASS
Band2	5MHz	QPSK	19175	25RB#0	22.92	21.32	33	PASS
Band2	5MHz	16QAM	18625	1RB#0	22.52	20.82	33	PASS
Band2	5MHz	16QAM	18625	1RB#12	22.39	20.69	33	PASS
Band2	5MHz	16QAM	18625	1RB#24	22.53	20.83	33	PASS
Band2	5MHz	16QAM	18625	12RB#0	22.21	20.51	33	PASS
Band2	5MHz	16QAM	18625	12RB#6	22.21	20.51	33	PASS
Band2	5MHz	16QAM	18625	12RB#11	22.16	20.46	33	PASS
Band2	5MHz	16QAM	18625	25RB#0	22.11	20.41	33	PASS
Band2	5MHz	16QAM	18900	1RB#0	22.89	21.29	33	PASS
Band2	5MHz	16QAM	18900	1RB#12	22.88	21.28	33	PASS
Band2	5MHz	16QAM	18900	1RB#24	22.93	21.33	33	PASS
Band2	5MHz	16QAM	18900	12RB#0	22.09	20.49	33	PASS
Band2	5MHz	16QAM	18900	12RB#6	22.12	20.52	33	PASS
Band2	5MHz	16QAM	18900	12RB#11	22.08	20.48	33	PASS
Band2	5MHz	16QAM	18900	25RB#0	21.96	20.36	33	PASS

Band2	5MHz	16QAM	19175	1RB#0	23.11	21.51	33	PASS
Band2	5MHz	16QAM	19175	1RB#12	23.06	21.46	33	PASS
Band2	5MHz	16QAM	19175	1RB#24	23.02	21.42	33	PASS
Band2	5MHz	16QAM	19175	12RB#0	22.02	20.42	33	PASS
Band2	5MHz	16QAM	19175	12RB#6	22.05	20.45	33	PASS
Band2	5MHz	16QAM	19175	12RB#11	22.04	20.44	33	PASS
Band2	5MHz	16QAM	19175	25RB#0	22.17	20.57	33	PASS
Band2	10MHz	QPSK	18650	1RB#0	23.98	22.28	33	PASS
Band2	10MHz	QPSK	18650	1RB#24	23.96	22.26	33	PASS
Band2	10MHz	QPSK	18650	1RB#49	23.95	22.25	33	PASS
Band2	10MHz	QPSK	18650	25RB#0	23.00	21.3	33	PASS
Band2	10MHz	QPSK	18650	25RB#12	22.93	21.23	33	PASS
Band2	10MHz	QPSK	18650	25RB#24	23.03	21.33	33	PASS
Band2	10MHz	QPSK	18650	50RB#0	23.09	21.39	33	PASS
Band2	10MHz	QPSK	18900	1RB#0	23.94	22.34	33	PASS
Band2	10MHz	QPSK	18900	1RB#24	23.97	22.37	33	PASS
Band2	10MHz	QPSK	18900	1RB#49	24.02	22.42	33	PASS
Band2	10MHz	QPSK	18900	25RB#0	22.98	21.38	33	PASS
Band2	10MHz	QPSK	18900	25RB#12	23.09	21.49	33	PASS
Band2	10MHz	QPSK	18900	25RB#24	22.99	21.39	33	PASS
Band2	10MHz	QPSK	18900	50RB#0	23.02	21.42	33	PASS
Band2	10MHz	QPSK	19150	1RB#0	24.16	22.56	33	PASS
Band2	10MHz	QPSK	19150	1RB#24	24.12	22.52	33	PASS
Band2	10MHz	QPSK	19150	1RB#49	24.05	22.45	33	PASS
Band2	10MHz	QPSK	19150	25RB#0	23.04	21.44	33	PASS
Band2	10MHz	QPSK	19150	25RB#12	23.08	21.48	33	PASS
Band2	10MHz	QPSK	19150	25RB#24	23.02	21.42	33	PASS
Band2	10MHz	QPSK	19150	50RB#0	23.10	21.5	33	PASS
Band2	10MHz	16QAM	18650	1RB#0	22.85	21.15	33	PASS
Band2	10MHz	16QAM	18650	1RB#24	22.84	21.14	33	PASS
Band2	10MHz	16QAM	18650	1RB#49	22.81	21.11	33	PASS
Band2	10MHz	16QAM	18650	25RB#0	21.97	20.27	33	PASS
Band2	10MHz	16QAM	18650	25RB#12	21.99	20.29	33	PASS
Band2	10MHz	16QAM	18650	25RB#24	21.99	20.29	33	PASS
Band2	10MHz	16QAM	18650	50RB#0	22.16	20.46	33	PASS
Band2	10MHz	16QAM	18900	1RB#0	22.61	21.01	33	PASS
Band2	10MHz	16QAM	18900	1RB#24	22.73	21.13	33	PASS
Band2	10MHz	16QAM	18900	1RB#49	22.69	21.09	33	PASS
Band2	10MHz	16QAM	18900	25RB#0	22.19	20.59	33	PASS
Band2	10MHz	16QAM	18900	25RB#12	22.15	20.55	33	PASS
Band2	10MHz	16QAM	18900	25RB#24	22.17	20.57	33	PASS
Band2	10MHz	16QAM	18900	50RB#0	22.08	20.48	33	PASS

Band2	10MHz	16QAM	19150	1RB#0	22.94	21.34	33	PASS
Band2	10MHz	16QAM	19150	1RB#24	22.87	21.27	33	PASS
Band2	10MHz	16QAM	19150	1RB#49	22.89	21.29	33	PASS
Band2	10MHz	16QAM	19150	25RB#0	22.20	20.6	33	PASS
Band2	10MHz	16QAM	19150	25RB#12	22.21	20.61	33	PASS
Band2	10MHz	16QAM	19150	25RB#24	22.22	20.62	33	PASS
Band2	10MHz	16QAM	19150	50RB#0	22.12	20.52	33	PASS
Band2	15MHz	QPSK	18675	1RB#0	23.90	22.2	33	PASS
Band2	15MHz	QPSK	18675	1RB#37	24.01	22.31	33	PASS
Band2	15MHz	QPSK	18675	1RB#74	23.92	22.22	33	PASS
Band2	15MHz	QPSK	18675	36RB#0	23.00	21.3	33	PASS
Band2	15MHz	QPSK	18675	36RB#16	22.94	21.24	33	PASS
Band2	15MHz	QPSK	18675	36RB#35	23.06	21.36	33	PASS
Band2	15MHz	QPSK	18675	75RB#0	23.09	21.39	33	PASS
Band2	15MHz	QPSK	18900	1RB#0	23.99	22.39	33	PASS
Band2	15MHz	QPSK	18900	1RB#37	23.94	22.34	33	PASS
Band2	15MHz	QPSK	18900	1RB#74	24.06	22.46	33	PASS
Band2	15MHz	QPSK	18900	36RB#0	23.01	21.41	33	PASS
Band2	15MHz	QPSK	18900	36RB#16	22.91	21.31	33	PASS
Band2	15MHz	QPSK	18900	36RB#35	22.92	21.32	33	PASS
Band2	15MHz	QPSK	18900	75RB#0	23.00	21.4	33	PASS
Band2	15MHz	QPSK	19125	1RB#0	24.17	22.57	33	PASS
Band2	15MHz	QPSK	19125	1RB#37	24.15	22.55	33	PASS
Band2	15MHz	QPSK	19125	1RB#74	24.06	22.46	33	PASS
Band2	15MHz	QPSK	19125	36RB#0	23.04	21.44	33	PASS
Band2	15MHz	QPSK	19125	36RB#16	22.98	21.38	33	PASS
Band2	15MHz	QPSK	19125	36RB#35	22.99	21.39	33	PASS
Band2	15MHz	QPSK	19125	75RB#0	23.07	21.47	33	PASS
Band2	15MHz	16QAM	18675	1RB#0	22.88	21.18	33	PASS
Band2	15MHz	16QAM	18675	1RB#37	22.81	21.11	33	PASS
Band2	15MHz	16QAM	18675	1RB#74	22.77	21.07	33	PASS
Band2	15MHz	16QAM	18675	36RB#0	22.11	20.41	33	PASS
Band2	15MHz	16QAM	18675	36RB#16	22.12	20.42	33	PASS
Band2	15MHz	16QAM	18675	36RB#35	22.13	20.43	33	PASS
Band2	15MHz	16QAM	18675	75RB#0	22.12	20.42	33	PASS
Band2	15MHz	16QAM	18900	1RB#0	23.24	21.64	33	PASS
Band2	15MHz	16QAM	18900	1RB#37	23.22	21.62	33	PASS
Band2	15MHz	16QAM	18900	1RB#74	23.25	21.65	33	PASS
Band2	15MHz	16QAM	18900	36RB#0	22.17	20.57	33	PASS
Band2	15MHz	16QAM	18900	36RB#16	22.15	20.55	33	PASS
Band2	15MHz	16QAM	18900	36RB#35	22.15	20.55	33	PASS
Band2	15MHz	16QAM	18900	75RB#0	22.18	20.58	33	PASS

Band2	15MHz	16QAM	19125	1RB#0	23.02	21.42	33	PASS
Band2	15MHz	16QAM	19125	1RB#37	22.94	21.34	33	PASS
Band2	15MHz	16QAM	19125	1RB#74	22.87	21.27	33	PASS
Band2	15MHz	16QAM	19125	36RB#0	22.11	20.51	33	PASS
Band2	15MHz	16QAM	19125	36RB#16	22.13	20.53	33	PASS
Band2	15MHz	16QAM	19125	36RB#35	22.14	20.54	33	PASS
Band2	15MHz	16QAM	19125	75RB#0	22.11	20.51	33	PASS
Band2	20MHz	QPSK	18700	1RB#0	24.24	22.54	33	PASS
Band2	20MHz	QPSK	18700	1RB#49	24.17	22.47	33	PASS
Band2	20MHz	QPSK	18700	1RB#99	24.10	22.4	33	PASS
Band2	20MHz	QPSK	18700	50RB#0	22.99	21.29	33	PASS
Band2	20MHz	QPSK	18700	50RB#24	23.07	21.37	33	PASS
Band2	20MHz	QPSK	18700	50RB#49	22.98	21.28	33	PASS
Band2	20MHz	QPSK	18700	100RB#0	23.07	21.37	33	PASS
Band2	20MHz	QPSK	18900	1RB#0	24.12	22.52	33	PASS
Band2	20MHz	QPSK	18900	1RB#49	24.14	22.54	33	PASS
Band2	20MHz	QPSK	18900	1RB#99	24.26	22.66	33	PASS
Band2	20MHz	QPSK	18900	50RB#0	22.92	21.32	33	PASS
Band2	20MHz	QPSK	18900	50RB#24	23.05	21.45	33	PASS
Band2	20MHz	QPSK	18900	50RB#49	23.05	21.45	33	PASS
Band2	20MHz	QPSK	18900	100RB#0	23.05	21.45	33	PASS
Band2	20MHz	QPSK	19100	1RB#0	23.91	22.31	33	PASS
Band2	20MHz	QPSK	19100	1RB#49	23.91	22.31	33	PASS
Band2	20MHz	QPSK	19100	1RB#99	23.87	22.27	33	PASS
Band2	20MHz	QPSK	19100	50RB#0	23.16	21.56	33	PASS
Band2	20MHz	QPSK	19100	50RB#24	23.03	21.43	33	PASS
Band2	20MHz	QPSK	19100	50RB#49	23.04	21.44	33	PASS
Band2	20MHz	QPSK	19100	100RB#0	23.02	21.42	33	PASS
Band2	20MHz	16QAM	18700	1RB#0	22.90	21.2	33	PASS
Band2	20MHz	16QAM	18700	1RB#49	22.80	21.1	33	PASS
Band2	20MHz	16QAM	18700	1RB#99	22.73	21.03	33	PASS
Band2	20MHz	16QAM	18700	50RB#0	22.16	20.46	33	PASS
Band2	20MHz	16QAM	18700	50RB#24	22.15	20.45	33	PASS
Band2	20MHz	16QAM	18700	50RB#49	22.16	20.46	33	PASS
Band2	20MHz	16QAM	18700	100RB#0	22.06	20.36	33	PASS
Band2	20MHz	16QAM	18900	1RB#0	23.51	21.91	33	PASS
Band2	20MHz	16QAM	18900	1RB#49	23.52	21.92	33	PASS
Band2	20MHz	16QAM	18900	1RB#99	23.60	22	33	PASS
Band2	20MHz	16QAM	18900	50RB#0	22.02	20.42	33	PASS
Band2	20MHz	16QAM	18900	50RB#24	22.10	20.5	33	PASS
Band2	20MHz	16QAM	18900	50RB#49	21.98	20.38	33	PASS
Band2	20MHz	16QAM	18900	100RB#0	22.19	20.59	33	PASS

Band2	20MHz	16QAM	19100	1RB#0	23.27	21.67	33	PASS
Band2	20MHz	16QAM	19100	1RB#49	23.20	21.6	33	PASS
Band2	20MHz	16QAM	19100	1RB#99	23.08	21.48	33	PASS
Band2	20MHz	16QAM	19100	50RB#0	22.25	20.65	33	PASS
Band2	20MHz	16QAM	19100	50RB#24	22.23	20.63	33	PASS
Band2	20MHz	16QAM	19100	50RB#49	22.27	20.67	33	PASS
Band2	20MHz	16QAM	19100	100RB#0	22.08	20.48	33	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	23.84	20.19	38.5	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	23.73	20.08	38.5	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	23.76	20.11	38.5	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	22.78	19.13	38.5	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	22.81	19.16	38.5	PASS
Band5	1.4MHz	QPSK	20407	3RB#2	22.80	19.15	38.5	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	22.80	19.15	38.5	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	23.86	20.21	38.5	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	23.83	20.18	38.5	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	23.84	20.19	38.5	PASS
Band5	1.4MHz	QPSK	20525	3RB#0	22.94	19.29	38.5	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	22.92	19.27	38.5	PASS
Band5	1.4MHz	QPSK	20525	3RB#2	22.91	19.26	38.5	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	23.17	19.52	38.5	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	23.74	20.09	38.5	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	23.71	20.06	38.5	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	23.75	20.1	38.5	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	22.57	18.92	38.5	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	22.76	19.11	38.5	PASS
Band5	1.4MHz	QPSK	20643	3RB#2	22.76	19.11	38.5	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	22.76	19.11	38.5	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	23.38	19.73	38.5	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	23.41	19.76	38.5	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	23.44	19.79	38.5	PASS
Band5	1.4MHz	16QAM	20407	3RB#0	22.47	18.82	38.5	PASS
Band5	1.4MHz	16QAM	20407	3RB#1	22.46	18.81	38.5	PASS
Band5	1.4MHz	16QAM	20407	3RB#2	22.44	18.79	38.5	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	22.38	18.73	38.5	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	22.75	19.1	38.5	PASS
Band5	1.4MHz	16QAM	20525	1RB#2	23.18	19.53	38.5	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	23.19	19.54	38.5	PASS
Band5	1.4MHz	16QAM	20525	3RB#0	23.11	19.46	38.5	PASS
Band5	1.4MHz	16QAM	20525	3RB#1	23.10	19.45	38.5	PASS
Band5	1.4MHz	16QAM	20525	3RB#2	23.10	19.45	38.5	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	22.36	18.71	38.5	PASS

Band5	1.4MHz	16QAM	20643	1RB#0	23.35	19.7	38.5	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	23.30	19.65	38.5	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	23.42	19.77	38.5	PASS
Band5	1.4MHz	16QAM	20643	3RB#0	22.37	18.72	38.5	PASS
Band5	1.4MHz	16QAM	20643	3RB#1	22.43	18.78	38.5	PASS
Band5	1.4MHz	16QAM	20643	3RB#2	22.38	18.73	38.5	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	21.70	18.05	38.5	PASS
Band5	3MHz	QPSK	20415	1RB#0	23.72	20.07	38.5	PASS
Band5	3MHz	QPSK	20415	1RB#7	23.78	20.13	38.5	PASS
Band5	3MHz	QPSK	20415	1RB#14	23.71	20.06	38.5	PASS
Band5	3MHz	QPSK	20415	8RB#0	22.64	18.99	38.5	PASS
Band5	3MHz	QPSK	20415	8RB#4	22.65	19	38.5	PASS
Band5	3MHz	QPSK	20415	8RB#7	22.74	19.09	38.5	PASS
Band5	3MHz	QPSK	20415	15RB#0	22.86	19.21	38.5	PASS
Band5	3MHz	QPSK	20525	1RB#0	23.85	20.2	38.5	PASS
Band5	3MHz	QPSK	20525	1RB#7	23.78	20.13	38.5	PASS
Band5	3MHz	QPSK	20525	1RB#14	23.77	20.12	38.5	PASS
Band5	3MHz	QPSK	20525	8RB#0	22.90	19.25	38.5	PASS
Band5	3MHz	QPSK	20525	8RB#4	22.92	19.27	38.5	PASS
Band5	3MHz	QPSK	20525	8RB#7	23.25	19.6	38.5	PASS
Band5	3MHz	QPSK	20525	15RB#0	23.27	19.62	38.5	PASS
Band5	3MHz	QPSK	20635	1RB#0	23.80	20.15	38.5	PASS
Band5	3MHz	QPSK	20635	1RB#7	23.76	20.11	38.5	PASS
Band5	3MHz	QPSK	20635	1RB#14	23.84	20.19	38.5	PASS
Band5	3MHz	QPSK	20635	8RB#0	22.70	19.05	38.5	PASS
Band5	3MHz	QPSK	20635	8RB#4	22.73	19.08	38.5	PASS
Band5	3MHz	QPSK	20635	8RB#7	22.73	19.08	38.5	PASS
Band5	3MHz	QPSK	20635	15RB#0	22.68	19.03	38.5	PASS
Band5	3MHz	16QAM	20415	1RB#0	22.64	18.99	38.5	PASS
Band5	3MHz	16QAM	20415	1RB#7	22.61	18.96	38.5	PASS
Band5	3MHz	16QAM	20415	1RB#14	22.68	19.03	38.5	PASS
Band5	3MHz	16QAM	20415	8RB#0	22.40	18.75	38.5	PASS
Band5	3MHz	16QAM	20415	8RB#4	22.34	18.69	38.5	PASS
Band5	3MHz	16QAM	20415	8RB#7	22.42	18.77	38.5	PASS
Band5	3MHz	16QAM	20415	15RB#0	22.20	18.55	38.5	PASS
Band5	3MHz	16QAM	20525	1RB#0	22.58	18.93	38.5	PASS
Band5	3MHz	16QAM	20525	1RB#7	22.99	19.34	38.5	PASS
Band5	3MHz	16QAM	20525	1RB#14	22.98	19.33	38.5	PASS
Band5	3MHz	16QAM	20525	8RB#0	21.89	18.24	38.5	PASS
Band5	3MHz	16QAM	20525	8RB#4	21.89	18.24	38.5	PASS
Band5	3MHz	16QAM	20525	8RB#7	22.33	18.68	38.5	PASS
Band5	3MHz	16QAM	20525	15RB#0	22.11	18.46	38.5	PASS

Band5	3MHz	16QAM	20635	1RB#0	23.24	19.59	38.5	PASS
Band5	3MHz	16QAM	20635	1RB#7	23.26	19.61	38.5	PASS
Band5	3MHz	16QAM	20635	1RB#14	23.16	19.51	38.5	PASS
Band5	3MHz	16QAM	20635	8RB#0	21.78	18.13	38.5	PASS
Band5	3MHz	16QAM	20635	8RB#4	21.78	18.13	38.5	PASS
Band5	3MHz	16QAM	20635	8RB#7	21.81	18.16	38.5	PASS
Band5	3MHz	16QAM	20635	15RB#0	21.81	18.16	38.5	PASS
Band5	5MHz	QPSK	20425	1RB#0	23.83	20.18	38.5	PASS
Band5	5MHz	QPSK	20425	1RB#12	23.83	20.18	38.5	PASS
Band5	5MHz	QPSK	20425	1RB#24	23.85	20.2	38.5	PASS
Band5	5MHz	QPSK	20425	12RB#0	22.78	19.13	38.5	PASS
Band5	5MHz	QPSK	20425	12RB#6	22.77	19.12	38.5	PASS
Band5	5MHz	QPSK	20425	12RB#11	22.78	19.13	38.5	PASS
Band5	5MHz	QPSK	20425	25RB#0	22.87	19.22	38.5	PASS
Band5	5MHz	QPSK	20525	1RB#0	23.87	20.22	38.5	PASS
Band5	5MHz	QPSK	20525	1RB#12	23.76	20.11	38.5	PASS
Band5	5MHz	QPSK	20525	1RB#24	23.88	20.23	38.5	PASS
Band5	5MHz	QPSK	20525	12RB#0	22.75	19.1	38.5	PASS
Band5	5MHz	QPSK	20525	12RB#6	22.89	19.24	38.5	PASS
Band5	5MHz	QPSK	20525	12RB#11	22.89	19.24	38.5	PASS
Band5	5MHz	QPSK	20525	25RB#0	23.25	19.6	38.5	PASS
Band5	5MHz	QPSK	20625	1RB#0	23.76	20.11	38.5	PASS
Band5	5MHz	QPSK	20625	1RB#12	23.78	20.13	38.5	PASS
Band5	5MHz	QPSK	20625	1RB#24	23.81	20.16	38.5	PASS
Band5	5MHz	QPSK	20625	12RB#0	22.74	19.09	38.5	PASS
Band5	5MHz	QPSK	20625	12RB#6	22.76	19.11	38.5	PASS
Band5	5MHz	QPSK	20625	12RB#11	22.76	19.11	38.5	PASS
Band5	5MHz	QPSK	20625	25RB#0	22.70	19.05	38.5	PASS
Band5	5MHz	16QAM	20425	1RB#0	22.04	18.39	38.5	PASS
Band5	5MHz	16QAM	20425	1RB#12	22.14	18.49	38.5	PASS
Band5	5MHz	16QAM	20425	1RB#24	22.20	18.55	38.5	PASS
Band5	5MHz	16QAM	20425	12RB#0	22.14	18.49	38.5	PASS
Band5	5MHz	16QAM	20425	12RB#6	22.26	18.61	38.5	PASS
Band5	5MHz	16QAM	20425	12RB#11	22.23	18.58	38.5	PASS
Band5	5MHz	16QAM	20425	25RB#0	22.31	18.66	38.5	PASS
Band5	5MHz	16QAM	20525	1RB#0	22.70	19.05	38.5	PASS
Band5	5MHz	16QAM	20525	1RB#12	23.14	19.49	38.5	PASS
Band5	5MHz	16QAM	20525	1RB#24	22.72	19.07	38.5	PASS
Band5	5MHz	16QAM	20525	12RB#0	21.73	18.08	38.5	PASS
Band5	5MHz	16QAM	20525	12RB#6	21.77	18.12	38.5	PASS
Band5	5MHz	16QAM	20525	12RB#11	21.71	18.06	38.5	PASS
Band5	5MHz	16QAM	20525	25RB#0	22.05	18.4	38.5	PASS

Band5	5MHz	16QAM	20625	1RB#0	22.70	19.05	38.5	PASS
Band5	5MHz	16QAM	20625	1RB#12	22.75	19.1	38.5	PASS
Band5	5MHz	16QAM	20625	1RB#24	22.69	19.04	38.5	PASS
Band5	5MHz	16QAM	20625	12RB#0	21.71	18.06	38.5	PASS
Band5	5MHz	16QAM	20625	12RB#6	21.72	18.07	38.5	PASS
Band5	5MHz	16QAM	20625	12RB#11	21.72	18.07	38.5	PASS
Band5	5MHz	16QAM	20625	25RB#0	21.76	18.11	38.5	PASS
Band5	10MHz	QPSK	20450	1RB#0	23.69	20.04	38.5	PASS
Band5	10MHz	QPSK	20450	1RB#24	23.77	20.12	38.5	PASS
Band5	10MHz	QPSK	20450	1RB#49	23.78	20.13	38.5	PASS
Band5	10MHz	QPSK	20450	25RB#0	22.78	19.13	38.5	PASS
Band5	10MHz	QPSK	20450	25RB#12	22.78	19.13	38.5	PASS
Band5	10MHz	QPSK	20450	25RB#24	22.83	19.18	38.5	PASS
Band5	10MHz	QPSK	20450	50RB#0	22.76	19.11	38.5	PASS
Band5	10MHz	QPSK	20525	1RB#0	23.74	20.09	38.5	PASS
Band5	10MHz	QPSK	20525	1RB#24	23.97	20.32	38.5	PASS
Band5	10MHz	QPSK	20525	1RB#49	23.84	20.19	38.5	PASS
Band5	10MHz	QPSK	20525	25RB#0	22.87	19.22	38.5	PASS
Band5	10MHz	QPSK	20525	25RB#12	22.89	19.24	38.5	PASS
Band5	10MHz	QPSK	20525	25RB#24	22.78	19.13	38.5	PASS
Band5	10MHz	QPSK	20525	50RB#0	23.26	19.61	38.5	PASS
Band5	10MHz	QPSK	20600	1RB#0	24.04	20.39	38.5	PASS
Band5	10MHz	QPSK	20600	1RB#24	23.92	20.27	38.5	PASS
Band5	10MHz	QPSK	20600	1RB#49	23.89	20.24	38.5	PASS
Band5	10MHz	QPSK	20600	25RB#0	22.83	19.18	38.5	PASS
Band5	10MHz	QPSK	20600	25RB#12	22.71	19.06	38.5	PASS
Band5	10MHz	QPSK	20600	25RB#24	22.60	18.95	38.5	PASS
Band5	10MHz	QPSK	20600	50RB#0	22.84	19.19	38.5	PASS
Band5	10MHz	16QAM	20450	1RB#0	22.32	18.67	38.5	PASS
Band5	10MHz	16QAM	20450	1RB#24	22.50	18.85	38.5	PASS
Band5	10MHz	16QAM	20450	1RB#49	22.46	18.81	38.5	PASS
Band5	10MHz	16QAM	20450	25RB#0	22.11	18.46	38.5	PASS
Band5	10MHz	16QAM	20450	25RB#12	22.10	18.45	38.5	PASS
Band5	10MHz	16QAM	20450	25RB#24	22.10	18.45	38.5	PASS
Band5	10MHz	16QAM	20450	50RB#0	21.79	18.14	38.5	PASS
Band5	10MHz	16QAM	20525	1RB#0	22.45	18.8	38.5	PASS
Band5	10MHz	16QAM	20525	1RB#24	22.92	19.27	38.5	PASS
Band5	10MHz	16QAM	20525	1RB#49	22.48	18.83	38.5	PASS
Band5	10MHz	16QAM	20525	25RB#0	21.96	18.31	38.5	PASS
Band5	10MHz	16QAM	20525	25RB#12	21.96	18.31	38.5	PASS
Band5	10MHz	16QAM	20525	25RB#24	21.88	18.23	38.5	PASS
Band5	10MHz	16QAM	20525	50RB#0	22.23	18.58	38.5	PASS

Band5	10MHz	16QAM	20600	1RB#0	22.64	18.99	38.5	PASS
Band5	10MHz	16QAM	20600	1RB#24	22.60	18.95	38.5	PASS
Band5	10MHz	16QAM	20600	1RB#49	22.52	18.87	38.5	PASS
Band5	10MHz	16QAM	20600	25RB#0	22.38	18.73	38.5	PASS
Band5	10MHz	16QAM	20600	25RB#12	22.42	18.77	38.5	PASS
Band5	10MHz	16QAM	20600	25RB#24	22.42	18.77	38.5	PASS
Band5	10MHz	16QAM	20600	50RB#0	22.28	18.63	38.5	PASS
Band7	5MHz	QPSK	20775	1RB#0	24.00	22.4	38.5	PASS
Band7	5MHz	QPSK	20775	1RB#12	24.01	22.41	38.5	PASS
Band7	5MHz	QPSK	20775	1RB#24	24.05	22.45	38.5	PASS
Band7	5MHz	QPSK	20775	12RB#0	22.98	21.38	38.5	PASS
Band7	5MHz	QPSK	20775	12RB#6	22.98	21.38	38.5	PASS
Band7	5MHz	QPSK	20775	12RB#11	22.98	21.38	38.5	PASS
Band7	5MHz	QPSK	20775	25RB#0	22.96	21.36	38.5	PASS
Band7	5MHz	QPSK	21100	1RB#0	23.56	21.96	38.5	PASS
Band7	5MHz	QPSK	21100	1RB#12	23.51	21.91	38.5	PASS
Band7	5MHz	QPSK	21100	1RB#24	23.56	21.96	38.5	PASS
Band7	5MHz	QPSK	21100	12RB#0	22.76	21.16	38.5	PASS
Band7	5MHz	QPSK	21100	12RB#6	22.81	21.21	38.5	PASS
Band7	5MHz	QPSK	21100	12RB#11	22.68	21.08	38.5	PASS
Band7	5MHz	QPSK	21100	25RB#0	22.80	21.2	38.5	PASS
Band7	5MHz	QPSK	21425	1RB#0	23.86	22.26	38.5	PASS
Band7	5MHz	QPSK	21425	1RB#12	23.86	22.26	38.5	PASS
Band7	5MHz	QPSK	21425	1RB#24	23.84	22.24	38.5	PASS
Band7	5MHz	QPSK	21425	12RB#0	22.85	21.25	38.5	PASS
Band7	5MHz	QPSK	21425	12RB#6	22.82	21.22	38.5	PASS
Band7	5MHz	QPSK	21425	12RB#11	22.82	21.22	38.5	PASS
Band7	5MHz	QPSK	21425	25RB#0	22.70	21.1	38.5	PASS
Band7	5MHz	16QAM	20775	1RB#0	22.43	20.83	38.5	PASS
Band7	5MHz	16QAM	20775	1RB#12	22.52	20.92	38.5	PASS
Band7	5MHz	16QAM	20775	1RB#24	22.46	20.86	38.5	PASS
Band7	5MHz	16QAM	20775	12RB#0	21.98	20.38	38.5	PASS
Band7	5MHz	16QAM	20775	12RB#6	22.02	20.42	38.5	PASS
Band7	5MHz	16QAM	20775	12RB#11	21.95	20.35	38.5	PASS
Band7	5MHz	16QAM	20775	25RB#0	22.09	20.49	38.5	PASS
Band7	5MHz	16QAM	21100	1RB#0	23.00	21.4	38.5	PASS
Band7	5MHz	16QAM	21100	1RB#12	22.98	21.38	38.5	PASS
Band7	5MHz	16QAM	21100	1RB#24	22.98	21.38	38.5	PASS
Band7	5MHz	16QAM	21100	12RB#0	21.88	20.28	38.5	PASS
Band7	5MHz	16QAM	21100	12RB#6	21.86	20.26	38.5	PASS
Band7	5MHz	16QAM	21100	12RB#11	21.89	20.29	38.5	PASS
Band7	5MHz	16QAM	21100	25RB#0	21.92	20.32	38.5	PASS

Band7	5MHz	16QAM	21425	1RB#0	22.68	21.08	38.5	PASS
Band7	5MHz	16QAM	21425	1RB#12	22.77	21.17	38.5	PASS
Band7	5MHz	16QAM	21425	1RB#24	22.66	21.06	38.5	PASS
Band7	5MHz	16QAM	21425	12RB#0	21.78	20.18	38.5	PASS
Band7	5MHz	16QAM	21425	12RB#6	21.82	20.22	38.5	PASS
Band7	5MHz	16QAM	21425	12RB#11	21.80	20.2	38.5	PASS
Band7	5MHz	16QAM	21425	25RB#0	21.94	20.34	38.5	PASS
Band7	10MHz	QPSK	20800	1RB#0	23.78	22.18	38.5	PASS
Band7	10MHz	QPSK	20800	1RB#24	23.85	22.25	38.5	PASS
Band7	10MHz	QPSK	20800	1RB#49	23.76	22.16	38.5	PASS
Band7	10MHz	QPSK	20800	25RB#0	22.86	21.26	38.5	PASS
Band7	10MHz	QPSK	20800	25RB#12	22.89	21.29	38.5	PASS
Band7	10MHz	QPSK	20800	25RB#24	22.89	21.29	38.5	PASS
Band7	10MHz	QPSK	20800	50RB#0	22.90	21.3	38.5	PASS
Band7	10MHz	QPSK	21100	1RB#0	23.80	22.2	38.5	PASS
Band7	10MHz	QPSK	21100	1RB#24	23.73	22.13	38.5	PASS
Band7	10MHz	QPSK	21100	1RB#49	23.88	22.28	38.5	PASS
Band7	10MHz	QPSK	21100	25RB#0	22.89	21.29	38.5	PASS
Band7	10MHz	QPSK	21100	25RB#12	22.80	21.2	38.5	PASS
Band7	10MHz	QPSK	21100	25RB#24	22.82	21.22	38.5	PASS
Band7	10MHz	QPSK	21100	50RB#0	22.72	21.12	38.5	PASS
Band7	10MHz	QPSK	21400	1RB#0	23.72	22.12	38.5	PASS
Band7	10MHz	QPSK	21400	1RB#24	23.75	22.15	38.5	PASS
Band7	10MHz	QPSK	21400	1RB#49	23.79	22.19	38.5	PASS
Band7	10MHz	QPSK	21400	25RB#0	22.80	21.2	38.5	PASS
Band7	10MHz	QPSK	21400	25RB#12	22.82	21.22	38.5	PASS
Band7	10MHz	QPSK	21400	25RB#24	22.84	21.24	38.5	PASS
Band7	10MHz	QPSK	21400	50RB#0	22.77	21.17	38.5	PASS
Band7	10MHz	16QAM	20800	1RB#0	22.92	21.32	38.5	PASS
Band7	10MHz	16QAM	20800	1RB#24	22.91	21.31	38.5	PASS
Band7	10MHz	16QAM	20800	1RB#49	22.90	21.3	38.5	PASS
Band7	10MHz	16QAM	20800	25RB#0	21.89	20.29	38.5	PASS
Band7	10MHz	16QAM	20800	25RB#12	21.89	20.29	38.5	PASS
Band7	10MHz	16QAM	20800	25RB#24	21.88	20.28	38.5	PASS
Band7	10MHz	16QAM	20800	50RB#0	21.94	20.34	38.5	PASS
Band7	10MHz	16QAM	21100	1RB#0	22.47	20.87	38.5	PASS
Band7	10MHz	16QAM	21100	1RB#24	22.50	20.9	38.5	PASS
Band7	10MHz	16QAM	21100	1RB#49	22.55	20.95	38.5	PASS
Band7	10MHz	16QAM	21100	25RB#0	21.96	20.36	38.5	PASS
Band7	10MHz	16QAM	21100	25RB#12	21.96	20.36	38.5	PASS
Band7	10MHz	16QAM	21100	25RB#24	21.94	20.34	38.5	PASS
Band7	10MHz	16QAM	21100	50RB#0	21.91	20.31	38.5	PASS

Band7	10MHz	16QAM	21400	1RB#0	22.81	21.21	38.5	PASS
Band7	10MHz	16QAM	21400	1RB#24	22.74	21.14	38.5	PASS
Band7	10MHz	16QAM	21400	1RB#49	22.83	21.23	38.5	PASS
Band7	10MHz	16QAM	21400	25RB#0	21.97	20.37	38.5	PASS
Band7	10MHz	16QAM	21400	25RB#12	21.90	20.3	38.5	PASS
Band7	10MHz	16QAM	21400	25RB#24	21.91	20.31	38.5	PASS
Band7	10MHz	16QAM	21400	50RB#0	21.95	20.35	38.5	PASS
Band7	15MHz	QPSK	20825	1RB#0	23.71	22.11	38.5	PASS
Band7	15MHz	QPSK	20825	1RB#37	23.76	22.16	38.5	PASS
Band7	15MHz	QPSK	20825	1RB#74	23.72	22.12	38.5	PASS
Band7	15MHz	QPSK	20825	36RB#0	22.77	21.17	38.5	PASS
Band7	15MHz	QPSK	20825	36RB#16	22.93	21.33	38.5	PASS
Band7	15MHz	QPSK	20825	36RB#35	22.92	21.32	38.5	PASS
Band7	15MHz	QPSK	20825	75RB#0	22.92	21.32	38.5	PASS
Band7	15MHz	QPSK	21100	1RB#0	23.89	22.29	38.5	PASS
Band7	15MHz	QPSK	21100	1RB#37	23.77	22.17	38.5	PASS
Band7	15MHz	QPSK	21100	1RB#74	23.86	22.26	38.5	PASS
Band7	15MHz	QPSK	21100	36RB#0	22.82	21.22	38.5	PASS
Band7	15MHz	QPSK	21100	36RB#16	22.82	21.22	38.5	PASS
Band7	15MHz	QPSK	21100	36RB#35	22.84	21.24	38.5	PASS
Band7	15MHz	QPSK	21100	75RB#0	22.73	21.13	38.5	PASS
Band7	15MHz	QPSK	21375	1RB#0	23.69	22.09	38.5	PASS
Band7	15MHz	QPSK	21375	1RB#37	23.68	22.08	38.5	PASS
Band7	15MHz	QPSK	21375	1RB#74	23.74	22.14	38.5	PASS
Band7	15MHz	QPSK	21375	36RB#0	22.65	21.05	38.5	PASS
Band7	15MHz	QPSK	21375	36RB#16	22.78	21.18	38.5	PASS
Band7	15MHz	QPSK	21375	36RB#35	22.60	21	38.5	PASS
Band7	15MHz	QPSK	21375	75RB#0	22.74	21.14	38.5	PASS
Band7	15MHz	16QAM	20825	1RB#0	22.76	21.16	38.5	PASS
Band7	15MHz	16QAM	20825	1RB#37	22.76	21.16	38.5	PASS
Band7	15MHz	16QAM	20825	1RB#74	22.61	21.01	38.5	PASS
Band7	15MHz	16QAM	20825	36RB#0	22.06	20.46	38.5	PASS
Band7	15MHz	16QAM	20825	36RB#16	22.12	20.52	38.5	PASS
Band7	15MHz	16QAM	20825	36RB#35	22.11	20.51	38.5	PASS
Band7	15MHz	16QAM	20825	75RB#0	21.91	20.31	38.5	PASS
Band7	15MHz	16QAM	21100	1RB#0	23.07	21.47	38.5	PASS
Band7	15MHz	16QAM	21100	1RB#37	23.14	21.54	38.5	PASS
Band7	15MHz	16QAM	21100	1RB#74	23.16	21.56	38.5	PASS
Band7	15MHz	16QAM	21100	36RB#0	21.91	20.31	38.5	PASS
Band7	15MHz	16QAM	21100	36RB#16	21.94	20.34	38.5	PASS
Band7	15MHz	16QAM	21100	36RB#35	21.96	20.36	38.5	PASS
Band7	15MHz	16QAM	21100	75RB#0	21.88	20.28	38.5	PASS

Band7	15MHz	16QAM	21375	1RB#0	22.99	21.39	38.5	PASS
Band7	15MHz	16QAM	21375	1RB#37	22.87	21.27	38.5	PASS
Band7	15MHz	16QAM	21375	1RB#74	22.91	21.31	38.5	PASS
Band7	15MHz	16QAM	21375	36RB#0	21.82	20.22	38.5	PASS
Band7	15MHz	16QAM	21375	36RB#16	21.83	20.23	38.5	PASS
Band7	15MHz	16QAM	21375	36RB#35	21.84	20.24	38.5	PASS
Band7	15MHz	16QAM	21375	75RB#0	21.96	20.36	38.5	PASS
Band7	20MHz	QPSK	20850	1RB#0	23.95	22.35	38.5	PASS
Band7	20MHz	QPSK	20850	1RB#49	23.96	22.36	38.5	PASS
Band7	20MHz	QPSK	20850	1RB#99	23.91	22.31	38.5	PASS
Band7	20MHz	QPSK	20850	50RB#0	22.69	21.09	38.5	PASS
Band7	20MHz	QPSK	20850	50RB#24	22.75	21.15	38.5	PASS
Band7	20MHz	QPSK	20850	50RB#49	22.75	21.15	38.5	PASS
Band7	20MHz	QPSK	20850	100RB#0	22.84	21.24	38.5	PASS
Band7	20MHz	QPSK	21100	1RB#0	24.00	22.4	38.5	PASS
Band7	20MHz	QPSK	21100	1RB#49	24.00	22.4	38.5	PASS
Band7	20MHz	QPSK	21100	1RB#99	24.12	22.52	38.5	PASS
Band7	20MHz	QPSK	21100	50RB#0	22.74	21.14	38.5	PASS
Band7	20MHz	QPSK	21100	50RB#24	22.72	21.12	38.5	PASS
Band7	20MHz	QPSK	21100	50RB#49	22.80	21.2	38.5	PASS
Band7	20MHz	QPSK	21100	100RB#0	22.81	21.21	38.5	PASS
Band7	20MHz	QPSK	21350	1RB#0	23.67	22.07	38.5	PASS
Band7	20MHz	QPSK	21350	1RB#49	23.67	22.07	38.5	PASS
Band7	20MHz	QPSK	21350	1RB#99	23.75	22.15	38.5	PASS
Band7	20MHz	QPSK	21350	50RB#0	22.70	21.1	38.5	PASS
Band7	20MHz	QPSK	21350	50RB#24	22.84	21.24	38.5	PASS
Band7	20MHz	QPSK	21350	50RB#49	22.85	21.25	38.5	PASS
Band7	20MHz	QPSK	21350	100RB#0	22.73	21.13	38.5	PASS
Band7	20MHz	16QAM	20850	1RB#0	22.69	21.09	38.5	PASS
Band7	20MHz	16QAM	20850	1RB#49	22.62	21.02	38.5	PASS
Band7	20MHz	16QAM	20850	1RB#99	22.61	21.01	38.5	PASS
Band7	20MHz	16QAM	20850	50RB#0	22.00	20.4	38.5	PASS
Band7	20MHz	16QAM	20850	50RB#24	22.07	20.47	38.5	PASS
Band7	20MHz	16QAM	20850	50RB#49	21.98	20.38	38.5	PASS
Band7	20MHz	16QAM	20850	100RB#0	21.97	20.37	38.5	PASS
Band7	20MHz	16QAM	21100	1RB#0	22.93	21.33	38.5	PASS
Band7	20MHz	16QAM	21100	1RB#49	22.90	21.3	38.5	PASS
Band7	20MHz	16QAM	21100	1RB#99	23.12	21.52	38.5	PASS
Band7	20MHz	16QAM	21100	50RB#0	21.89	20.29	38.5	PASS
Band7	20MHz	16QAM	21100	50RB#24	21.84	20.24	38.5	PASS
Band7	20MHz	16QAM	21100	50RB#49	21.83	20.23	38.5	PASS
Band7	20MHz	16QAM	21100	100RB#0	21.94	20.34	38.5	PASS

Band7	20MHz	16QAM	21350	1RB#0	23.09	21.49	38.5	PASS
Band7	20MHz	16QAM	21350	1RB#49	23.04	21.44	38.5	PASS
Band7	20MHz	16QAM	21350	1RB#99	23.17	21.57	38.5	PASS
Band7	20MHz	16QAM	21350	50RB#0	22.07	20.47	38.5	PASS
Band7	20MHz	16QAM	21350	50RB#24	22.09	20.49	38.5	PASS
Band7	20MHz	16QAM	21350	50RB#49	22.09	20.49	38.5	PASS
Band7	20MHz	16QAM	21350	100RB#0	21.83	20.23	38.5	PASS
Band12	1.4MHz	QPSK	23017	1RB#0	23.73	19.68	34.8	PASS
Band12	1.4MHz	QPSK	23017	1RB#2	23.68	19.63	34.8	PASS
Band12	1.4MHz	QPSK	23017	1RB#5	23.70	18.65	34.8	PASS
Band12	1.4MHz	QPSK	23017	3RB#0	22.76	18.71	34.8	PASS
Band12	1.4MHz	QPSK	23017	3RB#1	22.74	18.69	34.8	PASS
Band12	1.4MHz	QPSK	23017	3RB#2	22.73	19.68	34.8	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	22.68	18.63	34.8	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	23.73	20.08	34.8	PASS
Band12	1.4MHz	QPSK	23095	1RB#2	24.15	20.5	34.8	PASS
Band12	1.4MHz	QPSK	23095	1RB#5	24.20	20.55	34.8	PASS
Band12	1.4MHz	QPSK	23095	3RB#0	23.25	19.6	34.8	PASS
Band12	1.4MHz	QPSK	23095	3RB#1	23.20	19.55	34.8	PASS
Band12	1.4MHz	QPSK	23095	3RB#2	23.23	19.58	34.8	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	23.16	19.51	34.8	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	23.72	20.07	34.8	PASS
Band12	1.4MHz	QPSK	23173	1RB#2	23.73	20.08	34.8	PASS
Band12	1.4MHz	QPSK	23173	1RB#5	23.79	20.14	34.8	PASS
Band12	1.4MHz	QPSK	23173	3RB#0	22.67	19.02	34.8	PASS
Band12	1.4MHz	QPSK	23173	3RB#1	22.67	19.02	34.8	PASS
Band12	1.4MHz	QPSK	23173	3RB#2	22.67	19.02	34.8	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	22.75	19.1	34.8	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	22.55	18.5	34.8	PASS
Band12	1.4MHz	16QAM	23017	1RB#2	22.60	18.55	34.8	PASS
Band12	1.4MHz	16QAM	23017	1RB#5	22.46	18.41	34.8	PASS
Band12	1.4MHz	16QAM	23017	3RB#0	22.58	18.53	34.8	PASS
Band12	1.4MHz	16QAM	23017	3RB#1	22.60	18.55	34.8	PASS
Band12	1.4MHz	16QAM	23017	3RB#2	22.56	18.51	34.8	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	22.26	18.21	34.8	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	23.19	19.54	34.8	PASS
Band12	1.4MHz	16QAM	23095	1RB#2	23.41	19.76	34.8	PASS
Band12	1.4MHz	16QAM	23095	1RB#5	23.46	19.81	34.8	PASS
Band12	1.4MHz	16QAM	23095	3RB#0	22.97	19.32	34.8	PASS
Band12	1.4MHz	16QAM	23095	3RB#1	22.87	19.22	34.8	PASS
Band12	1.4MHz	16QAM	23095	3RB#2	22.96	19.31	34.8	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	22.19	18.54	34.8	PASS

Band12	1.4MHz	16QAM	23173	1RB#0	23.41	19.76	34.8	PASS
Band12	1.4MHz	16QAM	23173	1RB#2	23.30	19.65	34.8	PASS
Band12	1.4MHz	16QAM	23173	1RB#5	23.42	19.77	34.8	PASS
Band12	1.4MHz	16QAM	23173	3RB#0	22.35	18.7	34.8	PASS
Band12	1.4MHz	16QAM	23173	3RB#1	22.29	18.64	34.8	PASS
Band12	1.4MHz	16QAM	23173	3RB#2	22.29	18.64	34.8	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	21.87	18.22	34.8	PASS
Band12	3MHz	QPSK	23025	1RB#0	23.62	19.57	34.8	PASS
Band12	3MHz	QPSK	23025	1RB#7	23.81	19.76	34.8	PASS
Band12	3MHz	QPSK	23025	1RB#14	23.57	19.52	34.8	PASS
Band12	3MHz	QPSK	23025	8RB#0	22.70	18.65	34.8	PASS
Band12	3MHz	QPSK	23025	8RB#4	22.70	18.65	34.8	PASS
Band12	3MHz	QPSK	23025	8RB#7	22.66	18.61	34.8	PASS
Band12	3MHz	QPSK	23025	15RB#0	22.77	18.72	34.8	PASS
Band12	3MHz	QPSK	23095	1RB#0	23.78	20.13	34.8	PASS
Band12	3MHz	QPSK	23095	1RB#7	24.19	20.54	34.8	PASS
Band12	3MHz	QPSK	23095	1RB#14	24.13	20.48	34.8	PASS
Band12	3MHz	QPSK	23095	8RB#0	22.63	18.98	34.8	PASS
Band12	3MHz	QPSK	23095	8RB#4	22.65	19	34.8	PASS
Band12	3MHz	QPSK	23095	8RB#7	23.09	19.44	34.8	PASS
Band12	3MHz	QPSK	23095	15RB#0	23.09	19.44	34.8	PASS
Band12	3MHz	QPSK	23165	1RB#0	23.86	20.21	34.8	PASS
Band12	3MHz	QPSK	23165	1RB#7	23.87	20.22	34.8	PASS
Band12	3MHz	QPSK	23165	1RB#14	23.83	20.18	34.8	PASS
Band12	3MHz	QPSK	23165	8RB#0	22.78	19.13	34.8	PASS
Band12	3MHz	QPSK	23165	8RB#4	22.77	19.12	34.8	PASS
Band12	3MHz	QPSK	23165	8RB#7	22.80	19.15	34.8	PASS
Band12	3MHz	QPSK	23165	15RB#0	22.75	19.1	34.8	PASS
Band12	3MHz	16QAM	23025	1RB#0	22.48	18.43	34.8	PASS
Band12	3MHz	16QAM	23025	1RB#7	22.49	18.44	34.8	PASS
Band12	3MHz	16QAM	23025	1RB#14	22.56	18.51	34.8	PASS
Band12	3MHz	16QAM	23025	8RB#0	22.32	18.27	34.8	PASS
Band12	3MHz	16QAM	23025	8RB#4	22.32	18.27	34.8	PASS
Band12	3MHz	16QAM	23025	8RB#7	21.83	17.78	34.8	PASS
Band12	3MHz	16QAM	23025	15RB#0	22.13	18.08	34.8	PASS
Band12	3MHz	16QAM	23095	1RB#0	22.49	18.84	34.8	PASS
Band12	3MHz	16QAM	23095	1RB#7	22.84	19.19	34.8	PASS
Band12	3MHz	16QAM	23095	1RB#14	22.89	19.24	34.8	PASS
Band12	3MHz	16QAM	23095	8RB#0	22.21	18.56	34.8	PASS
Band12	3MHz	16QAM	23095	8RB#4	22.22	18.57	34.8	PASS
Band12	3MHz	16QAM	23095	8RB#7	22.24	18.59	34.8	PASS
Band12	3MHz	16QAM	23095	15RB#0	21.99	18.34	34.8	PASS

Band12	3MHz	16QAM	23165	1RB#0	23.15	19.5	34.8	PASS
Band12	3MHz	16QAM	23165	1RB#7	23.17	19.52	34.8	PASS
Band12	3MHz	16QAM	23165	1RB#14	23.34	19.69	34.8	PASS
Band12	3MHz	16QAM	23165	8RB#0	22.37	18.72	34.8	PASS
Band12	3MHz	16QAM	23165	8RB#4	22.38	18.73	34.8	PASS
Band12	3MHz	16QAM	23165	8RB#7	21.93	18.28	34.8	PASS
Band12	3MHz	16QAM	23165	15RB#0	22.35	18.7	34.8	PASS
Band12	5MHz	QPSK	23035	1RB#0	23.65	19.6	34.8	PASS
Band12	5MHz	QPSK	23035	1RB#12	23.63	19.58	34.8	PASS
Band12	5MHz	QPSK	23035	1RB#24	23.70	19.65	34.8	PASS
Band12	5MHz	QPSK	23035	12RB#0	22.65	18.6	34.8	PASS
Band12	5MHz	QPSK	23035	12RB#6	22.66	18.61	34.8	PASS
Band12	5MHz	QPSK	23035	12RB#11	22.66	18.61	34.8	PASS
Band12	5MHz	QPSK	23035	25RB#0	22.75	18.7	34.8	PASS
Band12	5MHz	QPSK	23095	1RB#0	23.68	20.03	34.8	PASS
Band12	5MHz	QPSK	23095	1RB#12	24.10	20.45	34.8	PASS
Band12	5MHz	QPSK	23095	1RB#24	23.75	20.1	34.8	PASS
Band12	5MHz	QPSK	23095	12RB#0	22.64	18.99	34.8	PASS
Band12	5MHz	QPSK	23095	12RB#6	22.65	19	34.8	PASS
Band12	5MHz	QPSK	23095	12RB#11	22.65	19	34.8	PASS
Band12	5MHz	QPSK	23095	25RB#0	23.24	19.59	34.8	PASS
Band12	5MHz	QPSK	23155	1RB#0	24.19	20.54	34.8	PASS
Band12	5MHz	QPSK	23155	1RB#12	23.73	20.08	34.8	PASS
Band12	5MHz	QPSK	23155	1RB#24	23.84	20.19	34.8	PASS
Band12	5MHz	QPSK	23155	12RB#0	23.19	19.54	34.8	PASS
Band12	5MHz	QPSK	23155	12RB#6	23.20	19.55	34.8	PASS
Band12	5MHz	QPSK	23155	12RB#11	23.09	19.44	34.8	PASS
Band12	5MHz	QPSK	23155	25RB#0	22.79	19.14	34.8	PASS
Band12	5MHz	16QAM	23035	1RB#0	21.93	17.88	34.8	PASS
Band12	5MHz	16QAM	23035	1RB#12	21.94	17.89	34.8	PASS
Band12	5MHz	16QAM	23035	1RB#24	22.15	18.1	34.8	PASS
Band12	5MHz	16QAM	23035	12RB#0	22.10	18.05	34.8	PASS
Band12	5MHz	16QAM	23035	12RB#6	22.10	18.05	34.8	PASS
Band12	5MHz	16QAM	23035	12RB#11	22.13	18.08	34.8	PASS
Band12	5MHz	16QAM	23035	25RB#0	21.73	17.68	34.8	PASS
Band12	5MHz	16QAM	23095	1RB#0	22.54	18.89	34.8	PASS
Band12	5MHz	16QAM	23095	1RB#12	23.00	19.35	34.8	PASS
Band12	5MHz	16QAM	23095	1RB#24	22.55	18.9	34.8	PASS
Band12	5MHz	16QAM	23095	12RB#0	22.12	18.47	34.8	PASS
Band12	5MHz	16QAM	23095	12RB#6	22.10	18.45	34.8	PASS
Band12	5MHz	16QAM	23095	12RB#11	22.07	18.42	34.8	PASS
Band12	5MHz	16QAM	23095	25RB#0	22.09	18.44	34.8	PASS

Band12	5MHz	16QAM	23155	1RB#0	23.12	19.47	34.8	PASS
Band12	5MHz	16QAM	23155	1RB#12	22.67	19.02	34.8	PASS
Band12	5MHz	16QAM	23155	1RB#24	22.78	19.13	34.8	PASS
Band12	5MHz	16QAM	23155	12RB#0	22.11	18.46	34.8	PASS
Band12	5MHz	16QAM	23155	12RB#6	22.12	18.47	34.8	PASS
Band12	5MHz	16QAM	23155	12RB#11	22.12	18.47	34.8	PASS
Band12	5MHz	16QAM	23155	25RB#0	22.28	18.63	34.8	PASS
Band12	10MHz	QPSK	23060	1RB#0	23.64	19.59	34.8	PASS
Band12	10MHz	QPSK	23060	1RB#24	23.63	19.58	34.8	PASS
Band12	10MHz	QPSK	23060	1RB#49	24.14	20.09	34.8	PASS
Band12	10MHz	QPSK	23060	25RB#0	22.69	18.64	34.8	PASS
Band12	10MHz	QPSK	23060	25RB#12	22.70	18.65	34.8	PASS
Band12	10MHz	QPSK	23060	25RB#24	22.71	18.66	34.8	PASS
Band12	10MHz	QPSK	23060	50RB#0	22.68	18.63	34.8	PASS
Band12	10MHz	QPSK	23095	1RB#0	23.71	20.06	34.8	PASS
Band12	10MHz	QPSK	23095	1RB#24	24.23	20.58	34.8	PASS
Band12	10MHz	QPSK	23095	1RB#49	24.25	20.6	34.8	PASS
Band12	10MHz	QPSK	23095	25RB#0	22.70	19.05	34.8	PASS
Band12	10MHz	QPSK	23095	25RB#12	22.67	19.02	34.8	PASS
Band12	10MHz	QPSK	23095	25RB#24	22.71	19.06	34.8	PASS
Band12	10MHz	QPSK	23095	50RB#0	23.28	19.63	34.8	PASS
Band12	10MHz	QPSK	23130	1RB#0	23.87	20.22	34.8	PASS
Band12	10MHz	QPSK	23130	1RB#24	23.80	20.15	34.8	PASS
Band12	10MHz	QPSK	23130	1RB#49	23.85	20.2	34.8	PASS
Band12	10MHz	QPSK	23130	25RB#0	23.12	19.47	34.8	PASS
Band12	10MHz	QPSK	23130	25RB#12	23.05	19.4	34.8	PASS
Band12	10MHz	QPSK	23130	25RB#24	23.06	19.41	34.8	PASS
Band12	10MHz	QPSK	23130	50RB#0	22.72	19.07	34.8	PASS
Band12	10MHz	16QAM	23060	1RB#0	22.29	18.24	34.8	PASS
Band12	10MHz	16QAM	23060	1RB#24	22.33	18.28	34.8	PASS
Band12	10MHz	16QAM	23060	1RB#49	22.83	18.78	34.8	PASS
Band12	10MHz	16QAM	23060	25RB#0	21.55	17.5	34.8	PASS
Band12	10MHz	16QAM	23060	25RB#12	21.54	17.49	34.8	PASS
Band12	10MHz	16QAM	23060	25RB#24	21.56	17.51	34.8	PASS
Band12	10MHz	16QAM	23060	50RB#0	22.14	18.09	34.8	PASS
Band12	10MHz	16QAM	23095	1RB#0	22.43	18.78	34.8	PASS
Band12	10MHz	16QAM	23095	1RB#24	22.90	19.25	34.8	PASS
Band12	10MHz	16QAM	23095	1RB#49	22.84	19.19	34.8	PASS
Band12	10MHz	16QAM	23095	25RB#0	22.21	18.56	34.8	PASS
Band12	10MHz	16QAM	23095	25RB#12	22.22	18.57	34.8	PASS
Band12	10MHz	16QAM	23095	25RB#24	22.19	18.54	34.8	PASS
Band12	10MHz	16QAM	23095	50RB#0	22.17	18.52	34.8	PASS

Band12	10MHz	16QAM	23130	1RB#0	22.51	18.86	34.8	PASS
Band12	10MHz	16QAM	23130	1RB#24	22.50	18.85	34.8	PASS
Band12	10MHz	16QAM	23130	1RB#49	22.68	19.03	34.8	PASS
Band12	10MHz	16QAM	23130	25RB#0	22.23	18.58	34.8	PASS
Band12	10MHz	16QAM	23130	25RB#12	22.23	18.58	34.8	PASS
Band12	10MHz	16QAM	23130	25RB#24	22.23	18.58	34.8	PASS
Band12	10MHz	16QAM	23130	50RB#0	21.81	18.16	34.8	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	23.99	22.49	38.5	PASS
Band66	1.4MHz	QPSK	131979	1RB#2	23.96	22.46	38.5	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	23.95	22.45	38.5	PASS
Band66	1.4MHz	QPSK	131979	3RB#0	23.10	21.6	38.5	PASS
Band66	1.4MHz	QPSK	131979	3RB#1	23.08	21.58	38.5	PASS
Band66	1.4MHz	QPSK	131979	3RB#2	23.07	21.57	38.5	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	23.04	21.54	38.5	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	24.02	22.32	38.5	PASS
Band66	1.4MHz	QPSK	132322	1RB#2	24.01	22.31	38.5	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	23.97	22.27	38.5	PASS
Band66	1.4MHz	QPSK	132322	3RB#0	22.91	21.21	38.5	PASS
Band66	1.4MHz	QPSK	132322	3RB#1	22.92	21.22	38.5	PASS
Band66	1.4MHz	QPSK	132322	3RB#2	22.92	21.22	38.5	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	22.94	21.24	38.5	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	23.92	22.22	38.5	PASS
Band66	1.4MHz	QPSK	132665	1RB#2	23.93	22.23	38.5	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	23.92	22.22	38.5	PASS
Band66	1.4MHz	QPSK	132665	3RB#0	23.01	21.31	38.5	PASS
Band66	1.4MHz	QPSK	132665	3RB#1	22.93	21.23	38.5	PASS
Band66	1.4MHz	QPSK	132665	3RB#2	22.93	21.23	38.5	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	23.01	21.31	38.5	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	23.64	22.14	38.5	PASS
Band66	1.4MHz	16QAM	131979	1RB#2	23.56	22.06	38.5	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	23.60	22.1	38.5	PASS
Band66	1.4MHz	16QAM	131979	3RB#0	22.81	21.31	38.5	PASS
Band66	1.4MHz	16QAM	131979	3RB#1	22.79	21.29	38.5	PASS
Band66	1.4MHz	16QAM	131979	3RB#2	22.78	21.28	38.5	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	22.24	20.74	38.5	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	23.37	21.67	38.5	PASS
Band66	1.4MHz	16QAM	132322	1RB#2	23.36	21.66	38.5	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	23.35	21.65	38.5	PASS
Band66	1.4MHz	16QAM	132322	3RB#0	22.66	20.96	38.5	PASS
Band66	1.4MHz	16QAM	132322	3RB#1	22.67	20.97	38.5	PASS
Band66	1.4MHz	16QAM	132322	3RB#2	22.63	20.93	38.5	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	21.93	20.23	38.5	PASS

Band66	1.4MHz	16QAM	132665	1RB#0	23.61	21.91	38.5	PASS
Band66	1.4MHz	16QAM	132665	1RB#2	23.66	21.96	38.5	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	23.63	21.93	38.5	PASS
Band66	1.4MHz	16QAM	132665	3RB#0	22.77	21.07	38.5	PASS
Band66	1.4MHz	16QAM	132665	3RB#1	22.73	21.03	38.5	PASS
Band66	1.4MHz	16QAM	132665	3RB#2	22.76	21.06	38.5	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	22.14	20.44	38.5	PASS
Band66	3MHz	QPSK	131987	1RB#0	23.90	22.4	38.5	PASS
Band66	3MHz	QPSK	131987	1RB#7	23.86	22.36	38.5	PASS
Band66	3MHz	QPSK	131987	1RB#14	23.90	22.4	38.5	PASS
Band66	3MHz	QPSK	131987	8RB#0	23.04	21.54	38.5	PASS
Band66	3MHz	QPSK	131987	8RB#4	23.01	21.51	38.5	PASS
Band66	3MHz	QPSK	131987	8RB#7	22.95	21.45	38.5	PASS
Band66	3MHz	QPSK	131987	15RB#0	22.91	21.41	38.5	PASS
Band66	3MHz	QPSK	132322	1RB#0	23.95	22.25	38.5	PASS
Band66	3MHz	QPSK	132322	1RB#7	24.00	22.3	38.5	PASS
Band66	3MHz	QPSK	132322	1RB#14	24.05	22.35	38.5	PASS
Band66	3MHz	QPSK	132322	8RB#0	22.97	21.27	38.5	PASS
Band66	3MHz	QPSK	132322	8RB#4	22.83	21.13	38.5	PASS
Band66	3MHz	QPSK	132322	8RB#7	22.74	21.04	38.5	PASS
Band66	3MHz	QPSK	132322	15RB#0	22.75	21.05	38.5	PASS
Band66	3MHz	QPSK	132657	1RB#0	23.82	22.12	38.5	PASS
Band66	3MHz	QPSK	132657	1RB#7	23.91	22.21	38.5	PASS
Band66	3MHz	QPSK	132657	1RB#14	23.96	22.26	38.5	PASS
Band66	3MHz	QPSK	132657	8RB#0	22.97	21.27	38.5	PASS
Band66	3MHz	QPSK	132657	8RB#4	22.85	21.15	38.5	PASS
Band66	3MHz	QPSK	132657	8RB#7	23.03	21.33	38.5	PASS
Band66	3MHz	QPSK	132657	15RB#0	22.86	21.16	38.5	PASS
Band66	3MHz	16QAM	131987	1RB#0	23.00	21.5	38.5	PASS
Band66	3MHz	16QAM	131987	1RB#7	22.99	21.49	38.5	PASS
Band66	3MHz	16QAM	131987	1RB#14	22.97	21.47	38.5	PASS
Band66	3MHz	16QAM	131987	8RB#0	22.22	20.72	38.5	PASS
Band66	3MHz	16QAM	131987	8RB#4	22.24	20.74	38.5	PASS
Band66	3MHz	16QAM	131987	8RB#7	22.16	20.66	38.5	PASS
Band66	3MHz	16QAM	131987	15RB#0	22.10	20.6	38.5	PASS
Band66	3MHz	16QAM	132322	1RB#0	23.04	21.34	38.5	PASS
Band66	3MHz	16QAM	132322	1RB#7	23.04	21.34	38.5	PASS
Band66	3MHz	16QAM	132322	1RB#14	23.04	21.34	38.5	PASS
Band66	3MHz	16QAM	132322	8RB#0	22.00	20.3	38.5	PASS
Band66	3MHz	16QAM	132322	8RB#4	22.01	20.31	38.5	PASS
Band66	3MHz	16QAM	132322	8RB#7	22.01	20.31	38.5	PASS
Band66	3MHz	16QAM	132322	15RB#0	21.79	20.09	38.5	PASS

Band66	3MHz	16QAM	132657	1RB#0	23.31	21.61	38.5	PASS
Band66	3MHz	16QAM	132657	1RB#7	23.44	21.74	38.5	PASS
Band66	3MHz	16QAM	132657	1RB#14	23.41	21.71	38.5	PASS
Band66	3MHz	16QAM	132657	8RB#0	22.08	20.38	38.5	PASS
Band66	3MHz	16QAM	132657	8RB#4	22.12	20.42	38.5	PASS
Band66	3MHz	16QAM	132657	8RB#7	22.12	20.42	38.5	PASS
Band66	3MHz	16QAM	132657	15RB#0	22.08	20.38	38.5	PASS
Band66	5MHz	QPSK	131997	1RB#0	23.99	22.49	38.5	PASS
Band66	5MHz	QPSK	131997	1RB#12	24.00	22.5	38.5	PASS
Band66	5MHz	QPSK	131997	1RB#24	23.95	22.45	38.5	PASS
Band66	5MHz	QPSK	131997	12RB#0	23.02	21.52	38.5	PASS
Band66	5MHz	QPSK	131997	12RB#6	23.02	21.52	38.5	PASS
Band66	5MHz	QPSK	131997	12RB#11	23.02	21.52	38.5	PASS
Band66	5MHz	QPSK	131997	25RB#0	22.91	21.41	38.5	PASS
Band66	5MHz	QPSK	132322	1RB#0	23.98	22.28	38.5	PASS
Band66	5MHz	QPSK	132322	1RB#12	23.98	22.28	38.5	PASS
Band66	5MHz	QPSK	132322	1RB#24	23.98	22.28	38.5	PASS
Band66	5MHz	QPSK	132322	12RB#0	23.01	21.31	38.5	PASS
Band66	5MHz	QPSK	132322	12RB#6	23.03	21.33	38.5	PASS
Band66	5MHz	QPSK	132322	12RB#11	22.97	21.27	38.5	PASS
Band66	5MHz	QPSK	132322	25RB#0	22.88	21.18	38.5	PASS
Band66	5MHz	QPSK	132647	1RB#0	24.01	22.31	38.5	PASS
Band66	5MHz	QPSK	132647	1RB#12	24.03	22.33	38.5	PASS
Band66	5MHz	QPSK	132647	1RB#24	24.12	22.42	38.5	PASS
Band66	5MHz	QPSK	132647	12RB#0	22.93	21.23	38.5	PASS
Band66	5MHz	QPSK	132647	12RB#6	22.92	21.22	38.5	PASS
Band66	5MHz	QPSK	132647	12RB#11	22.93	21.23	38.5	PASS
Band66	5MHz	QPSK	132647	25RB#0	22.95	21.25	38.5	PASS
Band66	5MHz	16QAM	131997	1RB#0	22.51	21.01	38.5	PASS
Band66	5MHz	16QAM	131997	1RB#12	22.36	20.86	38.5	PASS
Band66	5MHz	16QAM	131997	1RB#24	22.32	20.82	38.5	PASS
Band66	5MHz	16QAM	131997	12RB#0	22.06	20.56	38.5	PASS
Band66	5MHz	16QAM	131997	12RB#6	22.04	20.54	38.5	PASS
Band66	5MHz	16QAM	131997	12RB#11	22.04	20.54	38.5	PASS
Band66	5MHz	16QAM	131997	25RB#0	22.12	20.62	38.5	PASS
Band66	5MHz	16QAM	132322	1RB#0	22.89	21.19	38.5	PASS
Band66	5MHz	16QAM	132322	1RB#12	22.82	21.12	38.5	PASS
Band66	5MHz	16QAM	132322	1RB#24	22.87	21.17	38.5	PASS
Band66	5MHz	16QAM	132322	12RB#0	21.97	20.27	38.5	PASS
Band66	5MHz	16QAM	132322	12RB#6	21.98	20.28	38.5	PASS
Band66	5MHz	16QAM	132322	12RB#11	21.97	20.27	38.5	PASS
Band66	5MHz	16QAM	132322	25RB#0	21.83	20.13	38.5	PASS

Band66	5MHz	16QAM	132647	1RB#0	22.89	21.19	38.5	PASS
Band66	5MHz	16QAM	132647	1RB#12	22.94	21.24	38.5	PASS
Band66	5MHz	16QAM	132647	1RB#24	23.09	21.39	38.5	PASS
Band66	5MHz	16QAM	132647	12RB#0	21.92	20.22	38.5	PASS
Band66	5MHz	16QAM	132647	12RB#6	21.86	20.16	38.5	PASS
Band66	5MHz	16QAM	132647	12RB#11	21.86	20.16	38.5	PASS
Band66	5MHz	16QAM	132647	25RB#0	22.04	20.34	38.5	PASS
Band66	10MHz	QPSK	132022	1RB#0	23.87	22.37	38.5	PASS
Band66	10MHz	QPSK	132022	1RB#24	23.74	22.24	38.5	PASS
Band66	10MHz	QPSK	132022	1RB#49	23.76	22.26	38.5	PASS
Band66	10MHz	QPSK	132022	25RB#0	22.93	21.43	38.5	PASS
Band66	10MHz	QPSK	132022	25RB#12	22.94	21.44	38.5	PASS
Band66	10MHz	QPSK	132022	25RB#24	22.93	21.43	38.5	PASS
Band66	10MHz	QPSK	132022	50RB#0	22.96	21.46	38.5	PASS
Band66	10MHz	QPSK	132322	1RB#0	24.01	22.31	38.5	PASS
Band66	10MHz	QPSK	132322	1RB#24	23.91	22.21	38.5	PASS
Band66	10MHz	QPSK	132322	1RB#49	23.90	22.2	38.5	PASS
Band66	10MHz	QPSK	132322	25RB#0	22.99	21.29	38.5	PASS
Band66	10MHz	QPSK	132322	25RB#12	22.81	21.11	38.5	PASS
Band66	10MHz	QPSK	132322	25RB#24	22.81	21.11	38.5	PASS
Band66	10MHz	QPSK	132322	50RB#0	22.97	21.27	38.5	PASS
Band66	10MHz	QPSK	132622	1RB#0	23.98	22.28	38.5	PASS
Band66	10MHz	QPSK	132622	1RB#24	23.91	22.21	38.5	PASS
Band66	10MHz	QPSK	132622	1RB#49	24.04	22.34	38.5	PASS
Band66	10MHz	QPSK	132622	25RB#0	22.88	21.18	38.5	PASS
Band66	10MHz	QPSK	132622	25RB#12	22.77	21.07	38.5	PASS
Band66	10MHz	QPSK	132622	25RB#24	22.77	21.07	38.5	PASS
Band66	10MHz	QPSK	132622	50RB#0	22.84	21.14	38.5	PASS
Band66	10MHz	16QAM	132022	1RB#0	22.79	21.29	38.5	PASS
Band66	10MHz	16QAM	132022	1RB#24	22.64	21.14	38.5	PASS
Band66	10MHz	16QAM	132022	1RB#49	22.71	21.21	38.5	PASS
Band66	10MHz	16QAM	132022	25RB#0	21.86	20.36	38.5	PASS
Band66	10MHz	16QAM	132022	25RB#12	21.87	20.37	38.5	PASS
Band66	10MHz	16QAM	132022	25RB#24	21.82	20.32	38.5	PASS
Band66	10MHz	16QAM	132022	50RB#0	22.08	20.58	38.5	PASS
Band66	10MHz	16QAM	132322	1RB#0	22.71	21.01	38.5	PASS
Band66	10MHz	16QAM	132322	1RB#24	22.60	20.9	38.5	PASS
Band66	10MHz	16QAM	132322	1RB#49	22.56	20.86	38.5	PASS
Band66	10MHz	16QAM	132322	25RB#0	21.97	20.27	38.5	PASS
Band66	10MHz	16QAM	132322	25RB#12	21.96	20.26	38.5	PASS
Band66	10MHz	16QAM	132322	25RB#24	21.97	20.27	38.5	PASS
Band66	10MHz	16QAM	132322	50RB#0	21.85	20.15	38.5	PASS

Band66	10MHz	16QAM	132622	1RB#0	22.71	21.01	38.5	PASS
Band66	10MHz	16QAM	132622	1RB#24	22.75	21.05	38.5	PASS
Band66	10MHz	16QAM	132622	1RB#49	22.92	21.22	38.5	PASS
Band66	10MHz	16QAM	132622	25RB#0	22.03	20.33	38.5	PASS
Band66	10MHz	16QAM	132622	25RB#12	22.02	20.32	38.5	PASS
Band66	10MHz	16QAM	132622	25RB#24	22.04	20.34	38.5	PASS
Band66	10MHz	16QAM	132622	50RB#0	21.92	20.22	38.5	PASS
Band66	15MHz	QPSK	132047	1RB#0	23.83	22.33	38.5	PASS
Band66	15MHz	QPSK	132047	1RB#37	23.81	22.31	38.5	PASS
Band66	15MHz	QPSK	132047	1RB#74	23.77	22.27	38.5	PASS
Band66	15MHz	QPSK	132047	36RB#0	22.84	21.34	38.5	PASS
Band66	15MHz	QPSK	132047	36RB#16	22.96	21.46	38.5	PASS
Band66	15MHz	QPSK	132047	36RB#35	22.93	21.43	38.5	PASS
Band66	15MHz	QPSK	132047	75RB#0	22.84	21.34	38.5	PASS
Band66	15MHz	QPSK	132322	1RB#0	23.95	22.25	38.5	PASS
Band66	15MHz	QPSK	132322	1RB#37	24.01	22.31	38.5	PASS
Band66	15MHz	QPSK	132322	1RB#74	23.94	22.24	38.5	PASS
Band66	15MHz	QPSK	132322	36RB#0	22.81	21.11	38.5	PASS
Band66	15MHz	QPSK	132322	36RB#16	22.85	21.15	38.5	PASS
Band66	15MHz	QPSK	132322	36RB#35	22.85	21.15	38.5	PASS
Band66	15MHz	QPSK	132322	75RB#0	22.89	21.19	38.5	PASS
Band66	15MHz	QPSK	132597	1RB#0	23.87	22.17	38.5	PASS
Band66	15MHz	QPSK	132597	1RB#37	23.93	22.23	38.5	PASS
Band66	15MHz	QPSK	132597	1RB#74	24.04	22.34	38.5	PASS
Band66	15MHz	QPSK	132597	36RB#0	22.76	21.06	38.5	PASS
Band66	15MHz	QPSK	132597	36RB#16	22.77	21.07	38.5	PASS
Band66	15MHz	QPSK	132597	36RB#35	22.86	21.16	38.5	PASS
Band66	15MHz	QPSK	132597	75RB#0	22.92	21.22	38.5	PASS
Band66	15MHz	16QAM	132047	1RB#0	22.76	21.26	38.5	PASS
Band66	15MHz	16QAM	132047	1RB#37	22.66	21.16	38.5	PASS
Band66	15MHz	16QAM	132047	1RB#74	22.55	21.05	38.5	PASS
Band66	15MHz	16QAM	132047	36RB#0	21.94	20.44	38.5	PASS
Band66	15MHz	16QAM	132047	36RB#16	21.97	20.47	38.5	PASS
Band66	15MHz	16QAM	132047	36RB#35	21.96	20.46	38.5	PASS
Band66	15MHz	16QAM	132047	75RB#0	21.92	20.42	38.5	PASS
Band66	15MHz	16QAM	132322	1RB#0	23.11	21.41	38.5	PASS
Band66	15MHz	16QAM	132322	1RB#37	23.13	21.43	38.5	PASS
Band66	15MHz	16QAM	132322	1RB#74	23.09	21.39	38.5	PASS
Band66	15MHz	16QAM	132322	36RB#0	22.02	20.32	38.5	PASS
Band66	15MHz	16QAM	132322	36RB#16	22.06	20.36	38.5	PASS
Band66	15MHz	16QAM	132322	36RB#35	22.06	20.36	38.5	PASS
Band66	15MHz	16QAM	132322	75RB#0	21.90	20.2	38.5	PASS

Band66	15MHz	16QAM	132597	1RB#0	22.65	20.95	38.5	PASS
Band66	15MHz	16QAM	132597	1RB#37	22.74	21.04	38.5	PASS
Band66	15MHz	16QAM	132597	1RB#74	22.87	21.17	38.5	PASS
Band66	15MHz	16QAM	132597	36RB#0	21.84	20.14	38.5	PASS
Band66	15MHz	16QAM	132597	36RB#16	21.80	20.1	38.5	PASS
Band66	15MHz	16QAM	132597	36RB#35	21.88	20.18	38.5	PASS
Band66	15MHz	16QAM	132597	75RB#0	21.85	20.15	38.5	PASS
Band66	20MHz	QPSK	132072	1RB#0	24.05	22.55	38.5	PASS
Band66	20MHz	QPSK	132072	1RB#49	23.93	22.43	38.5	PASS
Band66	20MHz	QPSK	132072	1RB#99	24.02	22.52	38.5	PASS
Band66	20MHz	QPSK	132072	50RB#0	22.92	21.42	38.5	PASS
Band66	20MHz	QPSK	132072	50RB#24	22.77	21.27	38.5	PASS
Band66	20MHz	QPSK	132072	50RB#49	22.77	21.27	38.5	PASS
Band66	20MHz	QPSK	132072	100RB#0	22.79	21.29	38.5	PASS
Band66	20MHz	QPSK	132322	1RB#0	24.06	22.36	38.5	PASS
Band66	20MHz	QPSK	132322	1RB#49	24.05	22.35	38.5	PASS
Band66	20MHz	QPSK	132322	1RB#99	23.97	22.27	38.5	PASS
Band66	20MHz	QPSK	132322	50RB#0	22.95	21.25	38.5	PASS
Band66	20MHz	QPSK	132322	50RB#24	22.92	21.22	38.5	PASS
Band66	20MHz	QPSK	132322	50RB#49	22.93	21.23	38.5	PASS
Band66	20MHz	QPSK	132322	100RB#0	22.96	21.26	38.5	PASS
Band66	20MHz	QPSK	132572	1RB#0	23.58	21.88	38.5	PASS
Band66	20MHz	QPSK	132572	1RB#49	23.67	21.97	38.5	PASS
Band66	20MHz	QPSK	132572	1RB#99	23.84	22.14	38.5	PASS
Band66	20MHz	QPSK	132572	50RB#0	22.67	20.97	38.5	PASS
Band66	20MHz	QPSK	132572	50RB#24	22.69	20.99	38.5	PASS
Band66	20MHz	QPSK	132572	50RB#49	22.67	20.97	38.5	PASS
Band66	20MHz	QPSK	132572	100RB#0	22.81	21.11	38.5	PASS
Band66	20MHz	16QAM	132072	1RB#0	22.96	21.46	38.5	PASS
Band66	20MHz	16QAM	132072	1RB#49	22.84	21.34	38.5	PASS
Band66	20MHz	16QAM	132072	1RB#99	22.91	21.41	38.5	PASS
Band66	20MHz	16QAM	132072	50RB#0	21.95	20.45	38.5	PASS
Band66	20MHz	16QAM	132072	50RB#24	21.96	20.46	38.5	PASS
Band66	20MHz	16QAM	132072	50RB#49	21.97	20.47	38.5	PASS
Band66	20MHz	16QAM	132072	100RB#0	21.95	20.45	38.5	PASS
Band66	20MHz	16QAM	132322	1RB#0	23.13	21.43	38.5	PASS
Band66	20MHz	16QAM	132322	1RB#49	23.11	21.41	38.5	PASS
Band66	20MHz	16QAM	132322	1RB#99	22.99	21.29	38.5	PASS
Band66	20MHz	16QAM	132322	50RB#0	21.85	20.15	38.5	PASS
Band66	20MHz	16QAM	132322	50RB#24	21.85	20.15	38.5	PASS
Band66	20MHz	16QAM	132322	50RB#49	21.85	20.15	38.5	PASS
Band66	20MHz	16QAM	132322	100RB#0	21.87	20.17	38.5	PASS

Band66	20MHz	16QAM	132572	1RB#0	22.84	21.14	38.5	PASS
Band66	20MHz	16QAM	132572	1RB#49	22.91	21.21	38.5	PASS
Band66	20MHz	16QAM	132572	1RB#99	23.15	21.45	38.5	PASS
Band66	20MHz	16QAM	132572	50RB#0	21.93	20.23	38.5	PASS
Band66	20MHz	16QAM	132572	50RB#24	21.96	20.26	38.5	PASS
Band66	20MHz	16QAM	132572	50RB#49	21.82	20.12	38.5	PASS
Band66	20MHz	16QAM	132572	100RB#0	21.94	20.24	38.5	PASS

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band 2 & 4 & 7 & 38 & 41 & 66)

ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band 5 & 12 & 17 & 71)


Appendix B: Peak-to-Average Ratio(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	20MHz	QPSK	18900	100RB#0	5.54	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	6.29	13	PASS
Band5	10MHz	QPSK	20525	50RB#0	5.55	13	PASS
Band5	10MHz	16QAM	20525	50RB#0	6.22	13	PASS
Band7	20MHz	QPSK	21100	100RB#0	5.07	13	PASS
Band7	20MHz	16QAM	21100	100RB#0	5.76	13	PASS
Band12	10MHz	QPSK	23095	50RB#0	5.52	13	PASS
Band12	10MHz	16QAM	23095	50RB#0	6.27	13	PASS
Band66	20MHz	QPSK	132322	100RB#0	5.19	13	PASS
Band66	20MHz	16QAM	132322	100RB#0	6.00	13	PASS

Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.

Test Graphs





Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.0976	1.250	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.0964	1.244	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.0993	1.247	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.1057	1.252	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.1031	1.255	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.0992	1.247	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.7053	3.007	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.7021	3.013	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.7074	3.034	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.7071	3.041	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.7028	3.036	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.7116	3.047	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.5167	4.986	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.5197	4.981	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.5016	4.984	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.5073	4.968	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.5086	4.976	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.5240	4.988	PASS
Band2	10MHz	QPSK	18650	50RB#0	8.9972	9.940	PASS
Band2	10MHz	QPSK	18900	50RB#0	9.0109	9.903	PASS
Band2	10MHz	QPSK	19150	50RB#0	9.0041	9.939	PASS
Band2	10MHz	16QAM	18650	50RB#0	8.9992	9.956	PASS
Band2	10MHz	16QAM	18900	50RB#0	8.9738	9.941	PASS
Band2	10MHz	16QAM	19150	50RB#0	9.0080	9.910	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.517	14.92	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.506	14.96	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.505	14.92	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.502	14.98	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.500	14.98	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.511	14.92	PASS
Band2	20MHz	QPSK	18700	100RB#0	18.006	19.73	PASS
Band2	20MHz	QPSK	18900	100RB#0	17.986	19.68	PASS
Band2	20MHz	QPSK	19100	100RB#0	18.041	19.80	PASS
Band2	20MHz	16QAM	18700	100RB#0	18.056	19.76	PASS


Band2	20MHz	16QAM	18900	100RB#0	18.024	19.72	PASS
Band2	20MHz	16QAM	19100	100RB#0	17.994	19.69	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	1.0904	1.241	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1.0897	1.247	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	1.0976	1.243	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	1.1051	1.254	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1.1012	1.251	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	1.0969	1.248	PASS
Band5	3MHz	QPSK	20415	15RB#0	2.7032	3.008	PASS
Band5	3MHz	QPSK	20525	15RB#0	2.7123	3.014	PASS
Band5	3MHz	QPSK	20635	15RB#0	2.7070	3.023	PASS
Band5	3MHz	16QAM	20415	15RB#0	2.7029	3.032	PASS
Band5	3MHz	16QAM	20525	15RB#0	2.7132	3.043	PASS
Band5	3MHz	16QAM	20635	15RB#0	2.7073	3.041	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.5186	4.982	PASS
Band5	5MHz	QPSK	20525	25RB#0	4.5265	4.972	PASS
Band5	5MHz	QPSK	20625	25RB#0	4.5003	4.978	PASS
Band5	5MHz	16QAM	20425	25RB#0	4.5069	4.969	PASS
Band5	5MHz	16QAM	20525	25RB#0	4.5104	4.971	PASS
Band5	5MHz	16QAM	20625	25RB#0	4.5237	5.001	PASS
Band5	10MHz	QPSK	20450	50RB#0	8.9780	9.881	PASS
Band5	10MHz	QPSK	20525	50RB#0	9.0236	9.940	PASS
Band5	10MHz	QPSK	20600	50RB#0	8.9896	9.886	PASS
Band5	10MHz	16QAM	20450	50RB#0	8.9824	9.935	PASS
Band5	10MHz	16QAM	20525	50RB#0	9.0212	9.948	PASS
Band5	10MHz	16QAM	20600	50RB#0	8.9889	9.926	PASS
Band7	5MHz	QPSK	20775	25RB#0	4.5235	4.987	PASS
Band7	5MHz	QPSK	21100	25RB#0	4.5018	4.980	PASS
Band7	5MHz	QPSK	21425	25RB#0	4.5089	4.998	PASS
Band7	5MHz	16QAM	20775	25RB#0	4.5129	4.963	PASS
Band7	5MHz	16QAM	21100	25RB#0	4.5303	5.011	PASS
Band7	5MHz	16QAM	21425	25RB#0	4.5260	4.996	PASS
Band7	10MHz	QPSK	20800	50RB#0	9.0034	9.892	PASS
Band7	10MHz	QPSK	21100	50RB#0	9.0099	9.958	PASS
Band7	10MHz	QPSK	21400	50RB#0	8.9899	9.925	PASS
Band7	10MHz	16QAM	20800	50RB#0	9.0043	9.892	PASS
Band7	10MHz	16QAM	21100	50RB#0	9.0090	9.965	PASS
Band7	10MHz	16QAM	21400	50RB#0	9.0199	9.898	PASS
Band7	15MHz	QPSK	20825	75RB#0	13.535	14.90	PASS
Band7	15MHz	QPSK	21100	75RB#0	13.496	15.11	PASS
Band7	15MHz	QPSK	21375	75RB#0	13.448	14.97	PASS
Band7	15MHz	16QAM	20825	75RB#0	13.505	14.97	PASS



Band7	15MHz	16QAM	21100	75RB#0	13.515	14.88	PASS
Band7	15MHz	16QAM	21375	75RB#0	13.507	14.96	PASS
Band7	20MHz	QPSK	20850	100RB#0	18.009	19.72	PASS
Band7	20MHz	QPSK	21100	100RB#0	18.058	19.87	PASS
Band7	20MHz	QPSK	21350	100RB#0	17.961	19.59	PASS
Band7	20MHz	16QAM	20850	100RB#0	18.081	19.87	PASS
Band7	20MHz	16QAM	21100	100RB#0	18.020	19.77	PASS
Band7	20MHz	16QAM	21350	100RB#0	17.961	19.71	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	1.0968	1.248	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	1.0979	1.242	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	1.0937	1.244	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	1.1038	1.250	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	1.0986	1.246	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	1.0887	1.239	PASS
Band12	3MHz	QPSK	23025	15RB#0	2.7157	3.004	PASS
Band12	3MHz	QPSK	23095	15RB#0	2.7072	3.030	PASS
Band12	3MHz	QPSK	23165	15RB#0	2.7076	3.012	PASS
Band12	3MHz	16QAM	23025	15RB#0	2.7077	3.022	PASS
Band12	3MHz	16QAM	23095	15RB#0	2.7105	3.056	PASS
Band12	3MHz	16QAM	23165	15RB#0	2.7064	3.024	PASS
Band12	5MHz	QPSK	23035	25RB#0	4.5208	4.977	PASS
Band12	5MHz	QPSK	23095	25RB#0	4.5014	4.972	PASS
Band12	5MHz	QPSK	23155	25RB#0	4.5097	4.991	PASS
Band12	5MHz	16QAM	23035	25RB#0	4.5062	4.975	PASS
Band12	5MHz	16QAM	23095	25RB#0	4.5250	4.988	PASS
Band12	5MHz	16QAM	23155	25RB#0	4.5270	5.001	PASS
Band12	10MHz	QPSK	23060	50RB#0	9.0046	9.919	PASS
Band12	10MHz	QPSK	23095	50RB#0	8.9930	9.927	PASS
Band12	10MHz	QPSK	23130	50RB#0	8.9773	9.905	PASS
Band12	10MHz	16QAM	23060	50RB#0	8.9880	9.927	PASS
Band12	10MHz	16QAM	23095	50RB#0	8.9907	9.979	PASS
Band12	10MHz	16QAM	23130	50RB#0	8.9959	9.978	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	1.0922	1.247	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	1.0915	1.243	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	1.0995	1.248	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	1.1044	1.253	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1.1039	1.254	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	1.0969	1.245	PASS
Band66	3MHz	QPSK	131987	15RB#0	2.7111	3.019	PASS
Band66	3MHz	QPSK	132322	15RB#0	2.7052	3.025	PASS
Band66	3MHz	QPSK	132657	15RB#0	2.7046	3.032	PASS
Band66	3MHz	16QAM	131987	15RB#0	2.7077	3.048	PASS

Band66	3MHz	16QAM	132322	15RB#0	2.7067	3.051	PASS
Band66	3MHz	16QAM	132657	15RB#0	2.7114	3.044	PASS
Band66	5MHz	QPSK	131997	25RB#0	4.5196	4.982	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.5236	4.976	PASS
Band66	5MHz	QPSK	132647	25RB#0	4.4978	4.964	PASS
Band66	5MHz	16QAM	131997	25RB#0	4.5081	4.962	PASS
Band66	5MHz	16QAM	132322	25RB#0	4.5101	4.967	PASS
Band66	5MHz	16QAM	132647	25RB#0	4.5330	5.000	PASS
Band66	10MHz	QPSK	132022	50RB#0	8.9983	9.863	PASS
Band66	10MHz	QPSK	132322	50RB#0	9.0098	9.916	PASS
Band66	10MHz	QPSK	132622	50RB#0	9.0164	9.915	PASS
Band66	10MHz	16QAM	132022	50RB#0	8.9941	9.926	PASS
Band66	10MHz	16QAM	132322	50RB#0	8.9960	9.921	PASS
Band66	10MHz	16QAM	132622	50RB#0	9.0036	9.949	PASS
Band66	15MHz	QPSK	132047	75RB#0	13.510	14.98	PASS
Band66	15MHz	QPSK	132322	75RB#0	13.510	14.96	PASS
Band66	15MHz	QPSK	132597	75RB#0	13.484	15.04	PASS
Band66	15MHz	16QAM	132047	75RB#0	13.504	14.93	PASS
Band66	15MHz	16QAM	132322	75RB#0	13.504	15.00	PASS
Band66	15MHz	16QAM	132597	75RB#0	13.513	15.01	PASS
Band66	20MHz	QPSK	132072	100RB#0	17.998	19.71	PASS
Band66	20MHz	QPSK	132322	100RB#0	18.013	19.65	PASS
Band66	20MHz	QPSK	132572	100RB#0	18.045	19.83	PASS
Band66	20MHz	16QAM	132072	100RB#0	17.987	19.69	PASS
Band66	20MHz	16QAM	132322	100RB#0	18.028	19.83	PASS
Band66	20MHz	16QAM	132572	100RB#0	17.993	19.81	PASS

Test Graphs











Band2-10MHz-QPSK-19150-50RB#0

Band2-10MHz-16QAM-18650-50RB#0



Band2-10MHz-16QAM-18900-50RB#0

Band2-10MHz-16QAM-19150-50RB#0



Band2-15MHz-QPSK-18675-75RB#0

Band2-15MHz-QPSK-18900-75RB#0

