

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	22.71	23.22	33.01	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	22.60	23.11	33.01	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	22.66	23.17	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	22.60	23.11	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	22.72	23.23	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#2	22.70	23.21	33.01	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	21.67	22.18	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	22.60	23.11	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	22.67	23.18	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	22.61	23.12	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	22.51	23.02	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	22.57	23.08	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#2	22.57	23.08	33.01	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	21.52	22.03	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	22.44	22.95	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	22.51	23.02	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	22.49	23.00	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	22.48	22.99	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	22.47	22.98	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#2	22.50	23.01	33.01	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	21.47	21.98	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	22.06	22.57	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	22.09	22.60	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	22.13	22.64	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	21.39	21.90	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	21.32	21.83	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#2	21.42	21.93	33.01	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	20.78	21.29	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	21.79	22.30	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	21.74	22.25	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	21.71	22.22	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	21.30	21.81	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	21.42	21.93	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#2	21.30	21.81	33.01	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	20.53	21.04	33.01	PASS

Band2	1.4MHz	16QAM	19193	1RB#0	21.19	21.70	33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	21.15	21.66	33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	21.14	21.65	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	21.29	21.80	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	21.29	21.80	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#2	21.29	21.80	33.01	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	20.47	20.98	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#0	22.47	22.98	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#7	22.57	23.08	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#14	22.33	22.84	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#0	21.62	22.13	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#4	21.51	22.02	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#7	21.57	22.08	33.01	PASS
Band2	3MHz	QPSK	18615	15RB#0	21.50	22.01	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#0	22.44	22.95	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#7	22.47	22.98	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#14	22.47	22.98	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#0	21.54	22.05	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#4	21.55	22.06	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#7	21.47	21.98	33.01	PASS
Band2	3MHz	QPSK	18900	15RB#0	21.56	22.07	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#0	22.64	23.15	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#7	22.58	23.09	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#14	22.59	23.10	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#0	21.58	22.09	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#4	21.59	22.10	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#7	21.49	22.00	33.01	PASS
Band2	3MHz	QPSK	19185	15RB#0	21.57	22.08	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#0	21.65	22.16	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#7	21.72	22.23	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#14	21.58	22.09	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#0	20.81	21.32	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#4	20.82	21.33	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#7	20.67	21.18	33.01	PASS
Band2	3MHz	16QAM	18615	15RB#0	20.68	21.19	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#0	21.35	21.86	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#7	21.31	21.82	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#14	21.39	21.90	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#0	20.62	21.13	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#4	20.60	21.11	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#7	20.61	21.12	33.01	PASS
Band2	3MHz	16QAM	18900	15RB#0	20.48	20.99	33.01	PASS

Band2	3MHz	16QAM	19185	1RB#0	21.46	21.97	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#7	21.42	21.93	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#14	21.39	21.90	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#0	20.51	21.02	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#4	20.52	21.03	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#7	20.48	20.99	33.01	PASS
Band2	3MHz	16QAM	19185	15RB#0	20.54	21.05	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#0	22.55	23.06	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#12	22.35	22.86	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#24	22.42	22.93	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#0	21.62	22.13	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#6	21.51	22.02	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#11	21.52	22.03	33.01	PASS
Band2	5MHz	QPSK	18625	25RB#0	21.47	21.98	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#0	22.37	22.88	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#12	22.37	22.88	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#24	22.33	22.84	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#0	21.57	22.08	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#6	21.57	22.08	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#11	21.45	21.96	33.01	PASS
Band2	5MHz	QPSK	18900	25RB#0	21.48	21.99	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#0	22.62	23.13	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#12	22.65	23.16	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#24	22.64	23.15	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#0	21.58	22.09	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#6	21.60	22.11	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#11	21.60	22.11	33.01	PASS
Band2	5MHz	QPSK	19175	25RB#0	21.52	22.03	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#0	21.00	21.51	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#12	20.88	21.39	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#24	20.95	21.46	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#0	20.66	21.17	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#6	20.66	21.17	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#11	20.66	21.17	33.01	PASS
Band2	5MHz	16QAM	18625	25RB#0	20.57	21.08	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#0	21.66	22.17	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#12	21.74	22.25	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#24	21.69	22.20	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#0	20.68	21.19	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#6	20.70	21.21	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#11	20.70	21.21	33.01	PASS
Band2	5MHz	16QAM	18900	25RB#0	20.65	21.16	33.01	PASS

Band2	5MHz	16QAM	19175	1RB#0	21.32	21.83	33.01	PASS
Band2	5MHz	16QAM	19175	1RB#12	21.25	21.76	33.01	PASS
Band2	5MHz	16QAM	19175	1RB#24	21.41	21.92	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#0	20.48	20.99	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#6	20.48	20.99	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#11	20.49	21.00	33.01	PASS
Band2	5MHz	16QAM	19175	25RB#0	20.55	21.06	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#0	22.61	23.12	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#24	22.37	22.88	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#49	22.50	23.01	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#0	21.43	21.94	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#12	21.57	22.08	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#24	21.58	22.09	33.01	PASS
Band2	10MHz	QPSK	18650	50RB#0	21.48	21.99	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#0	22.29	22.80	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#24	22.34	22.85	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#49	22.33	22.84	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#0	21.54	22.05	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#12	21.45	21.96	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#24	21.46	21.97	33.01	PASS
Band2	10MHz	QPSK	18900	50RB#0	21.46	21.97	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#0	22.54	23.05	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#24	22.50	23.01	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#49	22.48	22.99	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#0	21.41	21.92	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#12	21.43	21.94	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#24	21.43	21.94	33.01	PASS
Band2	10MHz	QPSK	19150	50RB#0	21.54	22.05	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#0	21.67	22.18	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#24	21.54	22.05	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#49	21.51	22.02	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#0	20.47	20.98	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#12	20.49	21.00	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#24	20.49	21.00	33.01	PASS
Band2	10MHz	16QAM	18650	50RB#0	20.60	21.11	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#0	21.33	21.84	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#24	21.48	21.99	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#49	21.33	21.84	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#0	20.63	21.14	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#12	20.63	21.14	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#24	20.64	21.15	33.01	PASS
Band2	10MHz	16QAM	18900	50RB#0	20.62	21.13	33.01	PASS

Band2	10MHz	16QAM	19150	1RB#0	21.99	22.50	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#24	22.00	22.51	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#49	22.03	22.54	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#0	20.99	21.50	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#12	20.99	21.50	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#24	21.00	21.51	33.01	PASS
Band2	10MHz	16QAM	19150	50RB#0	20.56	21.07	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#0	22.62	23.13	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#37	22.46	22.97	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#74	22.50	23.01	33.01	PASS
Band2	15MHz	QPSK	18675	36RB#0	21.51	22.02	33.01	PASS
Band2	15MHz	QPSK	18675	36RB#16	21.45	21.96	33.01	PASS
Band2	15MHz	QPSK	18675	36RB#35	21.46	21.97	33.01	PASS
Band2	15MHz	QPSK	18675	75RB#0	21.61	22.12	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#0	22.24	22.75	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#37	22.31	22.82	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#74	22.22	22.73	33.01	PASS
Band2	15MHz	QPSK	18900	36RB#0	21.54	22.05	33.01	PASS
Band2	15MHz	QPSK	18900	36RB#16	21.53	22.04	33.01	PASS
Band2	15MHz	QPSK	18900	36RB#35	21.53	22.04	33.01	PASS
Band2	15MHz	QPSK	18900	75RB#0	21.54	22.05	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#0	22.54	23.05	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#37	22.55	23.06	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#74	22.48	22.99	33.01	PASS
Band2	15MHz	QPSK	19125	36RB#0	21.47	21.98	33.01	PASS
Band2	15MHz	QPSK	19125	36RB#16	21.38	21.89	33.01	PASS
Band2	15MHz	QPSK	19125	36RB#35	21.39	21.90	33.01	PASS
Band2	15MHz	QPSK	19125	75RB#0	21.41	21.92	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#0	21.65	22.16	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#37	21.50	22.01	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#74	21.45	21.96	33.01	PASS
Band2	15MHz	16QAM	18675	36RB#0	20.53	21.04	33.01	PASS
Band2	15MHz	16QAM	18675	36RB#16	20.54	21.05	33.01	PASS
Band2	15MHz	16QAM	18675	36RB#35	20.55	21.06	33.01	PASS
Band2	15MHz	16QAM	18675	75RB#0	20.87	21.38	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#0	21.52	22.03	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#37	21.59	22.10	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#74	21.48	21.99	33.01	PASS
Band2	15MHz	16QAM	18900	36RB#0	20.55	21.06	33.01	PASS
Band2	15MHz	16QAM	18900	36RB#16	20.55	21.06	33.01	PASS
Band2	15MHz	16QAM	18900	36RB#35	20.55	21.06	33.01	PASS
Band2	15MHz	16QAM	18900	75RB#0	20.52	21.03	33.01	PASS

Band2	15MHz	16QAM	19125	1RB#0	22.04	22.55	33.01	PASS
Band2	15MHz	16QAM	19125	1RB#37	21.94	22.45	33.01	PASS
Band2	15MHz	16QAM	19125	1RB#74	21.97	22.48	33.01	PASS
Band2	15MHz	16QAM	19125	36RB#0	20.84	21.35	33.01	PASS
Band2	15MHz	16QAM	19125	36RB#16	20.85	21.36	33.01	PASS
Band2	15MHz	16QAM	19125	36RB#35	20.86	21.37	33.01	PASS
Band2	15MHz	16QAM	19125	75RB#0	20.92	21.43	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#0	22.77	23.28	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#49	22.69	23.20	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#99	22.58	23.09	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#0	21.62	22.13	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#24	21.41	21.92	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#49	21.42	21.93	33.01	PASS
Band2	20MHz	QPSK	18700	100RB#0	21.38	21.89	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#0	22.54	23.05	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#49	22.58	23.09	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#99	22.63	23.14	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#0	21.42	21.93	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#24	21.60	22.11	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#49	21.54	22.05	33.01	PASS
Band2	20MHz	QPSK	18900	100RB#0	21.55	22.06	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#0	22.43	22.94	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#49	22.44	22.95	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#99	22.50	23.01	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#0	21.55	22.06	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#24	21.47	21.98	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#49	21.47	21.98	33.01	PASS
Band2	20MHz	QPSK	19100	100RB#0	21.51	22.02	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#0	21.62	22.13	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#49	21.56	22.07	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#99	21.38	21.89	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#0	20.66	21.17	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#24	20.67	21.18	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#49	20.67	21.18	33.01	PASS
Band2	20MHz	16QAM	18700	100RB#0	20.46	20.97	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#0	21.87	22.38	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#49	21.86	22.37	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#99	21.85	22.36	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#0	20.50	21.01	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#24	20.50	21.01	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#49	20.60	21.11	33.01	PASS
Band2	20MHz	16QAM	18900	100RB#0	20.65	21.16	33.01	PASS

Band2	20MHz	16QAM	19100	1RB#0	21.28	21.79	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#49	21.28	21.79	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#99	21.39	21.90	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#0	20.58	21.09	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#24	20.60	21.11	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#49	20.61	21.12	33.01	PASS
Band2	20MHz	16QAM	19100	100RB#0	20.80	21.31	33.01	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	22.96	21.15	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	22.94	21.13	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	22.93	21.12	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	22.99	21.18	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	22.94	21.13	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#2	22.98	21.17	38.45	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	22.04	20.23	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	22.91	21.10	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	22.79	20.98	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	22.77	20.96	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#0	22.88	21.07	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	22.84	21.03	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#2	22.85	21.04	38.45	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	21.89	20.08	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	22.79	20.98	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	22.84	21.03	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	22.86	21.05	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	22.81	21.00	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	22.84	21.03	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#2	22.78	20.97	38.45	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	22.02	20.21	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	22.31	20.50	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	22.28	20.47	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	21.51	19.70	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#0	21.72	19.91	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#1	21.73	19.92	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#2	21.68	19.87	38.45	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	21.46	19.65	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	22.33	20.52	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#2	22.34	20.53	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	22.36	20.55	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#0	21.46	19.65	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#1	21.42	19.61	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#2	21.41	19.60	38.45	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	21.55	19.74	38.45	PASS

Band5	1.4MHz	16QAM	20643	1RB#0	21.28	19.47	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	21.74	19.93	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	21.66	19.85	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#0	21.27	19.46	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#1	21.25	19.44	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#2	21.27	19.46	38.45	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	20.96	19.15	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#0	22.97	21.16	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#7	22.89	21.08	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#14	22.79	20.98	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#0	22.13	20.32	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#4	22.14	20.33	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#7	21.91	20.10	38.45	PASS
Band5	3MHz	QPSK	20415	15RB#0	22.07	20.26	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#0	22.94	21.13	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#7	22.78	20.97	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#14	22.88	21.07	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#0	21.98	20.17	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#4	21.98	20.17	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#7	21.89	20.08	38.45	PASS
Band5	3MHz	QPSK	20525	15RB#0	21.89	20.08	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#0	22.77	20.96	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#7	22.71	20.90	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#14	22.86	21.05	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#0	21.48	19.67	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#4	21.54	19.73	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#7	21.90	20.09	38.45	PASS
Band5	3MHz	QPSK	20635	15RB#0	21.58	19.77	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#0	21.97	20.16	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#7	21.91	20.10	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#14	21.68	19.87	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#0	21.67	19.86	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#4	21.69	19.88	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#7	21.25	19.44	38.45	PASS
Band5	3MHz	16QAM	20415	15RB#0	21.44	19.63	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#0	21.59	19.78	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#7	21.45	19.64	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#14	21.44	19.63	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#0	21.15	19.34	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#4	20.87	19.06	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#7	21.43	19.62	38.45	PASS
Band5	3MHz	16QAM	20525	15RB#0	21.24	19.43	38.45	PASS

Band5	3MHz	16QAM	20635	1RB#0	21.79	19.98	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#7	21.63	19.82	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#14	22.02	20.21	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#0	20.63	18.82	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#4	20.93	19.12	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#7	21.06	19.25	38.45	PASS
Band5	3MHz	16QAM	20635	15RB#0	20.78	18.97	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#0	22.91	21.10	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#12	22.68	20.87	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#24	22.82	21.01	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#0	22.02	20.21	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#6	22.02	20.21	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#11	22.02	20.21	38.45	PASS
Band5	5MHz	QPSK	20425	25RB#0	21.89	20.08	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#0	22.92	21.11	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#12	22.74	20.93	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#24	22.81	21.00	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#0	21.91	20.10	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#6	21.93	20.12	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#11	21.94	20.13	38.45	PASS
Band5	5MHz	QPSK	20525	25RB#0	21.96	20.15	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#0	22.84	21.03	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#12	22.77	20.96	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#24	22.85	21.04	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#0	21.52	19.71	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#6	21.57	19.76	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#11	21.66	19.85	38.45	PASS
Band5	5MHz	QPSK	20625	25RB#0	21.65	19.84	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#0	21.30	19.49	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#12	21.20	19.39	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#24	21.11	19.30	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#0	21.35	19.54	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#6	21.36	19.55	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#11	21.36	19.55	38.45	PASS
Band5	5MHz	16QAM	20425	25RB#0	21.08	19.27	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#0	22.06	20.25	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#12	21.94	20.13	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#24	22.04	20.23	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#0	20.98	19.17	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#6	20.99	19.18	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#11	21.38	19.57	38.45	PASS
Band5	5MHz	16QAM	20525	25RB#0	21.25	19.44	38.45	PASS

Band5	5MHz	16QAM	20625	1RB#0	21.49	19.68	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#12	21.56	19.75	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#24	21.94	20.13	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#0	21.32	19.51	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#6	21.34	19.53	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#11	21.35	19.54	38.45	PASS
Band5	5MHz	16QAM	20625	25RB#0	20.76	18.95	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#0	22.85	21.04	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#24	22.72	20.91	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#49	22.77	20.96	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#0	21.77	19.96	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#12	21.78	19.97	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#24	21.81	20.00	38.45	PASS
Band5	10MHz	QPSK	20450	50RB#0	21.67	19.86	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#0	23.01	21.20	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#24	22.89	21.08	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#49	22.90	21.09	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#0	21.94	20.13	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#12	21.91	20.10	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#24	21.91	20.10	38.45	PASS
Band5	10MHz	QPSK	20525	50RB#0	21.88	20.07	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#0	22.83	21.02	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#24	22.91	21.10	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#49	22.77	20.96	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#0	21.91	20.10	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#12	21.83	20.02	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#24	21.84	20.03	38.45	PASS
Band5	10MHz	QPSK	20600	50RB#0	21.89	20.08	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#0	21.82	20.01	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#24	21.58	19.77	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#49	21.69	19.88	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#0	21.07	19.26	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#12	21.07	19.26	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#24	21.08	19.27	38.45	PASS
Band5	10MHz	16QAM	20450	50RB#0	21.40	19.59	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#0	22.41	20.60	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#24	22.31	20.50	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#49	22.35	20.54	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#0	20.92	19.11	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#12	20.93	19.12	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#24	20.94	19.13	38.45	PASS
Band5	10MHz	16QAM	20525	50RB#0	21.38	19.57	38.45	PASS

Band5	10MHz	16QAM	20600	1RB#0	21.74	19.93	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#24	21.81	20.00	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#49	21.93	20.12	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#0	20.91	19.10	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#12	20.92	19.11	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#24	20.92	19.11	38.45	PASS
Band5	10MHz	16QAM	20600	50RB#0	21.19	19.38	38.45	PASS
Band12	1.4MHz	QPSK	23017	1RB#0	22.91	20.97	34.77	PASS
Band12	1.4MHz	QPSK	23017	1RB#2	22.83	20.89	34.77	PASS
Band12	1.4MHz	QPSK	23017	1RB#5	22.84	20.90	34.77	PASS
Band12	1.4MHz	QPSK	23017	3RB#0	22.95	21.01	34.77	PASS
Band12	1.4MHz	QPSK	23017	3RB#1	22.94	21.00	34.77	PASS
Band12	1.4MHz	QPSK	23017	3RB#2	22.93	20.99	34.77	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	22.01	20.07	34.77	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	22.98	21.04	34.77	PASS
Band12	1.4MHz	QPSK	23095	1RB#2	22.85	20.91	34.77	PASS
Band12	1.4MHz	QPSK	23095	1RB#5	22.86	20.92	34.77	PASS
Band12	1.4MHz	QPSK	23095	3RB#0	22.86	20.92	34.77	PASS
Band12	1.4MHz	QPSK	23095	3RB#1	22.85	20.91	34.77	PASS
Band12	1.4MHz	QPSK	23095	3RB#2	22.87	20.93	34.77	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	21.81	19.87	34.77	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	22.79	20.85	34.77	PASS
Band12	1.4MHz	QPSK	23173	1RB#2	22.90	20.96	34.77	PASS
Band12	1.4MHz	QPSK	23173	1RB#5	22.80	20.86	34.77	PASS
Band12	1.4MHz	QPSK	23173	3RB#0	22.68	20.74	34.77	PASS
Band12	1.4MHz	QPSK	23173	3RB#1	22.55	20.61	34.77	PASS
Band12	1.4MHz	QPSK	23173	3RB#2	22.56	20.62	34.77	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	21.92	19.98	34.77	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	22.02	20.08	34.77	PASS
Band12	1.4MHz	16QAM	23017	1RB#2	21.91	19.97	34.77	PASS
Band12	1.4MHz	16QAM	23017	1RB#5	21.84	19.90	34.77	PASS
Band12	1.4MHz	16QAM	23017	3RB#0	21.87	19.93	34.77	PASS
Band12	1.4MHz	16QAM	23017	3RB#1	21.86	19.92	34.77	PASS
Band12	1.4MHz	16QAM	23017	3RB#2	21.86	19.92	34.77	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	21.42	19.48	34.77	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	21.96	20.02	34.77	PASS
Band12	1.4MHz	16QAM	23095	1RB#2	21.77	19.83	34.77	PASS
Band12	1.4MHz	16QAM	23095	1RB#5	22.28	20.34	34.77	PASS
Band12	1.4MHz	16QAM	23095	3RB#0	21.60	19.66	34.77	PASS
Band12	1.4MHz	16QAM	23095	3RB#1	21.61	19.67	34.77	PASS
Band12	1.4MHz	16QAM	23095	3RB#2	21.62	19.68	34.77	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	21.27	19.33	34.77	PASS

Band12	1.4MHz	16QAM	23173	1RB#0	21.90	19.96	34.77	PASS
Band12	1.4MHz	16QAM	23173	1RB#2	22.27	20.33	34.77	PASS
Band12	1.4MHz	16QAM	23173	1RB#5	22.32	20.38	34.77	PASS
Band12	1.4MHz	16QAM	23173	3RB#0	21.25	19.31	34.77	PASS
Band12	1.4MHz	16QAM	23173	3RB#1	21.31	19.37	34.77	PASS
Band12	1.4MHz	16QAM	23173	3RB#2	21.27	19.33	34.77	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	21.08	19.14	34.77	PASS
Band12	3MHz	QPSK	23025	1RB#0	22.92	20.98	34.77	PASS
Band12	3MHz	QPSK	23025	1RB#7	22.88	20.94	34.77	PASS
Band12	3MHz	QPSK	23025	1RB#14	23.03	21.09	34.77	PASS
Band12	3MHz	QPSK	23025	8RB#0	22.01	20.07	34.77	PASS
Band12	3MHz	QPSK	23025	8RB#4	22.02	20.08	34.77	PASS
Band12	3MHz	QPSK	23025	8RB#7	22.05	20.11	34.77	PASS
Band12	3MHz	QPSK	23025	15RB#0	21.97	20.03	34.77	PASS
Band12	3MHz	QPSK	23095	1RB#0	23.14	21.20	34.77	PASS
Band12	3MHz	QPSK	23095	1RB#7	22.90	20.96	34.77	PASS
Band12	3MHz	QPSK	23095	1RB#14	22.92	20.98	34.77	PASS
Band12	3MHz	QPSK	23095	8RB#0	21.91	19.97	34.77	PASS
Band12	3MHz	QPSK	23095	8RB#4	21.90	19.96	34.77	PASS
Band12	3MHz	QPSK	23095	8RB#7	21.51	19.57	34.77	PASS
Band12	3MHz	QPSK	23095	15RB#0	21.89	19.95	34.77	PASS
Band12	3MHz	QPSK	23165	1RB#0	22.69	20.75	34.77	PASS
Band12	3MHz	QPSK	23165	1RB#7	22.74	20.80	34.77	PASS
Band12	3MHz	QPSK	23165	1RB#14	22.71	20.77	34.77	PASS
Band12	3MHz	QPSK	23165	8RB#0	21.75	19.81	34.77	PASS
Band12	3MHz	QPSK	23165	8RB#4	21.73	19.79	34.77	PASS
Band12	3MHz	QPSK	23165	8RB#7	21.92	19.98	34.77	PASS
Band12	3MHz	QPSK	23165	15RB#0	21.63	19.69	34.77	PASS
Band12	3MHz	16QAM	23025	1RB#0	21.54	19.60	34.77	PASS
Band12	3MHz	16QAM	23025	1RB#7	21.61	19.67	34.77	PASS
Band12	3MHz	16QAM	23025	1RB#14	21.58	19.64	34.77	PASS
Band12	3MHz	16QAM	23025	8RB#0	21.35	19.41	34.77	PASS
Band12	3MHz	16QAM	23025	8RB#4	21.36	19.42	34.77	PASS
Band12	3MHz	16QAM	23025	8RB#7	20.90	18.96	34.77	PASS
Band12	3MHz	16QAM	23025	15RB#0	21.35	19.41	34.77	PASS
Band12	3MHz	16QAM	23095	1RB#0	21.72	19.78	34.77	PASS
Band12	3MHz	16QAM	23095	1RB#7	21.39	19.45	34.77	PASS
Band12	3MHz	16QAM	23095	1RB#14	21.43	19.49	34.77	PASS
Band12	3MHz	16QAM	23095	8RB#0	21.34	19.40	34.77	PASS
Band12	3MHz	16QAM	23095	8RB#4	21.35	19.41	34.77	PASS
Band12	3MHz	16QAM	23095	8RB#7	21.28	19.34	34.77	PASS
Band12	3MHz	16QAM	23095	15RB#0	21.15	19.21	34.77	PASS

Band12	3MHz	16QAM	23165	1RB#0	21.92	19.98	34.77	PASS
Band12	3MHz	16QAM	23165	1RB#7	21.89	19.95	34.77	PASS
Band12	3MHz	16QAM	23165	1RB#14	22.25	20.31	34.77	PASS
Band12	3MHz	16QAM	23165	8RB#0	21.26	19.32	34.77	PASS
Band12	3MHz	16QAM	23165	8RB#4	21.26	19.32	34.77	PASS
Band12	3MHz	16QAM	23165	8RB#7	20.95	19.01	34.77	PASS
Band12	3MHz	16QAM	23165	15RB#0	21.28	19.34	34.77	PASS
Band12	5MHz	QPSK	23035	1RB#0	22.77	20.83	34.77	PASS
Band12	5MHz	QPSK	23035	1RB#12	22.85	20.91	34.77	PASS
Band12	5MHz	QPSK	23035	1RB#24	22.82	20.88	34.77	PASS
Band12	5MHz	QPSK	23035	12RB#0	22.00	20.06	34.77	PASS
Band12	5MHz	QPSK	23035	12RB#6	22.00	20.06	34.77	PASS
Band12	5MHz	QPSK	23035	12RB#11	22.00	20.06	34.77	PASS
Band12	5MHz	QPSK	23035	25RB#0	21.95	20.01	34.77	PASS
Band12	5MHz	QPSK	23095	1RB#0	22.90	20.96	34.77	PASS
Band12	5MHz	QPSK	23095	1RB#12	22.73	20.79	34.77	PASS
Band12	5MHz	QPSK	23095	1RB#24	22.78	20.84	34.77	PASS
Band12	5MHz	QPSK	23095	12RB#0	21.87	19.93	34.77	PASS
Band12	5MHz	QPSK	23095	12RB#6	21.87	19.93	34.77	PASS
Band12	5MHz	QPSK	23095	12RB#11	21.88	19.94	34.77	PASS
Band12	5MHz	QPSK	23095	25RB#0	21.94	20.00	34.77	PASS
Band12	5MHz	QPSK	23155	1RB#0	22.81	20.87	34.77	PASS
Band12	5MHz	QPSK	23155	1RB#12	22.74	20.80	34.77	PASS
Band12	5MHz	QPSK	23155	1RB#24	23.05	21.11	34.77	PASS
Band12	5MHz	QPSK	23155	12RB#0	22.28	20.34	34.77	PASS
Band12	5MHz	QPSK	23155	12RB#6	22.29	20.35	34.77	PASS
Band12	5MHz	QPSK	23155	12RB#11	22.29	20.35	34.77	PASS
Band12	5MHz	QPSK	23155	25RB#0	21.81	19.87	34.77	PASS
Band12	5MHz	16QAM	23035	1RB#0	21.21	19.27	34.77	PASS
Band12	5MHz	16QAM	23035	1RB#12	21.29	19.35	34.77	PASS
Band12	5MHz	16QAM	23035	1RB#24	21.02	19.08	34.77	PASS
Band12	5MHz	16QAM	23035	12RB#0	21.21	19.27	34.77	PASS
Band12	5MHz	16QAM	23035	12RB#6	21.28	19.34	34.77	PASS
Band12	5MHz	16QAM	23035	12RB#11	21.28	19.34	34.77	PASS
Band12	5MHz	16QAM	23035	25RB#0	20.94	19.00	34.77	PASS
Band12	5MHz	16QAM	23095	1RB#0	21.99	20.05	34.77	PASS
Band12	5MHz	16QAM	23095	1RB#12	21.93	19.99	34.77	PASS
Band12	5MHz	16QAM	23095	1RB#24	21.81	19.87	34.77	PASS
Band12	5MHz	16QAM	23095	12RB#0	21.31	19.37	34.77	PASS
Band12	5MHz	16QAM	23095	12RB#6	21.31	19.37	34.77	PASS
Band12	5MHz	16QAM	23095	12RB#11	21.29	19.35	34.77	PASS
Band12	5MHz	16QAM	23095	25RB#0	21.30	19.36	34.77	PASS

Band12	5MHz	16QAM	23155	1RB#0	22.00	20.06	34.77	PASS
Band12	5MHz	16QAM	23155	1RB#12	21.33	19.39	34.77	PASS
Band12	5MHz	16QAM	23155	1RB#24	21.81	19.87	34.77	PASS
Band12	5MHz	16QAM	23155	12RB#0	21.19	19.25	34.77	PASS
Band12	5MHz	16QAM	23155	12RB#6	21.13	19.19	34.77	PASS
Band12	5MHz	16QAM	23155	12RB#11	21.15	19.21	34.77	PASS
Band12	5MHz	16QAM	23155	25RB#0	21.33	19.39	34.77	PASS
Band12	10MHz	QPSK	23060	1RB#0	22.85	20.91	34.77	PASS
Band12	10MHz	QPSK	23060	1RB#24	22.74	20.80	34.77	PASS
Band12	10MHz	QPSK	23060	1RB#49	22.90	20.96	34.77	PASS
Band12	10MHz	QPSK	23060	25RB#0	22.03	20.09	34.77	PASS
Band12	10MHz	QPSK	23060	25RB#12	22.01	20.07	34.77	PASS
Band12	10MHz	QPSK	23060	25RB#24	22.02	20.08	34.77	PASS
Band12	10MHz	QPSK	23060	50RB#0	21.70	19.76	34.77	PASS
Band12	10MHz	QPSK	23095	1RB#0	22.74	20.80	34.77	PASS
Band12	10MHz	QPSK	23095	1RB#24	22.66	20.72	34.77	PASS
Band12	10MHz	QPSK	23095	1RB#49	22.64	20.70	34.77	PASS
Band12	10MHz	QPSK	23095	25RB#0	21.86	19.92	34.77	PASS
Band12	10MHz	QPSK	23095	25RB#12	21.94	20.00	34.77	PASS
Band12	10MHz	QPSK	23095	25RB#24	21.94	20.00	34.77	PASS
Band12	10MHz	QPSK	23095	50RB#0	21.86	19.92	34.77	PASS
Band12	10MHz	QPSK	23130	1RB#0	23.02	21.08	34.77	PASS
Band12	10MHz	QPSK	23130	1RB#24	22.92	20.98	34.77	PASS
Band12	10MHz	QPSK	23130	1RB#49	22.85	20.91	34.77	PASS
Band12	10MHz	QPSK	23130	25RB#0	21.79	19.85	34.77	PASS
Band12	10MHz	QPSK	23130	25RB#12	21.79	19.85	34.77	PASS
Band12	10MHz	QPSK	23130	25RB#24	21.81	19.87	34.77	PASS
Band12	10MHz	QPSK	23130	50RB#0	21.89	19.95	34.77	PASS
Band12	10MHz	16QAM	23060	1RB#0	21.85	19.91	34.77	PASS
Band12	10MHz	16QAM	23060	1RB#24	21.52	19.58	34.77	PASS
Band12	10MHz	16QAM	23060	1RB#49	21.64	19.70	34.77	PASS
Band12	10MHz	16QAM	23060	25RB#0	20.82	18.88	34.77	PASS
Band12	10MHz	16QAM	23060	25RB#12	20.82	18.88	34.77	PASS
Band12	10MHz	16QAM	23060	25RB#24	20.82	18.88	34.77	PASS
Band12	10MHz	16QAM	23060	50RB#0	21.20	19.26	34.77	PASS
Band12	10MHz	16QAM	23095	1RB#0	21.69	19.75	34.77	PASS
Band12	10MHz	16QAM	23095	1RB#24	21.58	19.64	34.77	PASS
Band12	10MHz	16QAM	23095	1RB#49	22.04	20.10	34.77	PASS
Band12	10MHz	16QAM	23095	25RB#0	21.44	19.50	34.77	PASS
Band12	10MHz	16QAM	23095	25RB#12	21.44	19.50	34.77	PASS
Band12	10MHz	16QAM	23095	25RB#24	21.44	19.50	34.77	PASS
Band12	10MHz	16QAM	23095	50RB#0	21.20	19.26	34.77	PASS

Band12	10MHz	16QAM	23130	1RB#0	21.68	19.74	34.77	PASS
Band12	10MHz	16QAM	23130	1RB#24	21.40	19.46	34.77	PASS
Band12	10MHz	16QAM	23130	1RB#49	21.94	20.00	34.77	PASS
Band12	10MHz	16QAM	23130	25RB#0	21.26	19.32	34.77	PASS
Band12	10MHz	16QAM	23130	25RB#12	21.27	19.33	34.77	PASS
Band12	10MHz	16QAM	23130	25RB#24	21.29	19.35	34.77	PASS
Band12	10MHz	16QAM	23130	50RB#0	20.85	18.91	34.77	PASS
Band17	5MHz	QPSK	23755	1RB#0	22.68	20.74	34.77	PASS
Band17	5MHz	QPSK	23755	1RB#12	22.98	21.04	34.77	PASS
Band17	5MHz	QPSK	23755	1RB#24	22.84	20.90	34.77	PASS
Band17	5MHz	QPSK	23755	12RB#0	21.95	20.01	34.77	PASS
Band17	5MHz	QPSK	23755	12RB#6	21.97	20.03	34.77	PASS
Band17	5MHz	QPSK	23755	12RB#11	21.96	20.02	34.77	PASS
Band17	5MHz	QPSK	23755	25RB#0	21.81	19.87	34.77	PASS
Band17	5MHz	QPSK	23790	1RB#0	22.71	20.77	34.77	PASS
Band17	5MHz	QPSK	23790	1RB#12	22.76	20.82	34.77	PASS
Band17	5MHz	QPSK	23790	1RB#24	22.70	20.76	34.77	PASS
Band17	5MHz	QPSK	23790	12RB#0	21.78	19.84	34.77	PASS
Band17	5MHz	QPSK	23790	12RB#6	21.80	19.86	34.77	PASS
Band17	5MHz	QPSK	23790	12RB#11	21.70	19.76	34.77	PASS
Band17	5MHz	QPSK	23790	25RB#0	21.75	19.81	34.77	PASS
Band17	5MHz	QPSK	23825	1RB#0	22.63	20.69	34.77	PASS
Band17	5MHz	QPSK	23825	1RB#12	22.71	20.77	34.77	PASS
Band17	5MHz	QPSK	23825	1RB#24	22.87	20.93	34.77	PASS
Band17	5MHz	QPSK	23825	12RB#0	22.29	20.35	34.77	PASS
Band17	5MHz	QPSK	23825	12RB#6	22.27	20.33	34.77	PASS
Band17	5MHz	QPSK	23825	12RB#11	22.29	20.35	34.77	PASS
Band17	5MHz	QPSK	23825	25RB#0	21.82	19.88	34.77	PASS
Band17	5MHz	16QAM	23755	1RB#0	21.45	19.51	34.77	PASS
Band17	5MHz	16QAM	23755	1RB#12	21.81	19.87	34.77	PASS
Band17	5MHz	16QAM	23755	1RB#24	21.59	19.65	34.77	PASS
Band17	5MHz	16QAM	23755	12RB#0	21.28	19.34	34.77	PASS
Band17	5MHz	16QAM	23755	12RB#6	21.28	19.34	34.77	PASS
Band17	5MHz	16QAM	23755	12RB#11	21.34	19.40	34.77	PASS
Band17	5MHz	16QAM	23755	25RB#0	21.31	19.37	34.77	PASS
Band17	5MHz	16QAM	23790	1RB#0	21.08	19.14	34.77	PASS
Band17	5MHz	16QAM	23790	1RB#12	21.14	19.20	34.77	PASS
Band17	5MHz	16QAM	23790	1RB#24	21.70	19.76	34.77	PASS
Band17	5MHz	16QAM	23790	12RB#0	21.10	19.16	34.77	PASS
Band17	5MHz	16QAM	23790	12RB#6	21.21	19.27	34.77	PASS
Band17	5MHz	16QAM	23790	12RB#11	21.09	19.15	34.77	PASS
Band17	5MHz	16QAM	23790	25RB#0	20.76	18.82	34.77	PASS

Band17	5MHz	16QAM	23825	1RB#0	22.36	20.42	34.77	PASS
Band17	5MHz	16QAM	23825	1RB#12	21.53	19.59	34.77	PASS
Band17	5MHz	16QAM	23825	1RB#24	21.94	20.00	34.77	PASS
Band17	5MHz	16QAM	23825	12RB#0	21.31	19.37	34.77	PASS
Band17	5MHz	16QAM	23825	12RB#6	21.42	19.48	34.77	PASS
Band17	5MHz	16QAM	23825	12RB#11	21.31	19.37	34.77	PASS
Band17	5MHz	16QAM	23825	25RB#0	21.35	19.41	34.77	PASS
Band17	10MHz	QPSK	23780	1RB#0	22.71	20.77	34.77	PASS
Band17	10MHz	QPSK	23780	1RB#24	22.86	20.92	34.77	PASS
Band17	10MHz	QPSK	23780	1RB#49	22.76	20.82	34.77	PASS
Band17	10MHz	QPSK	23780	25RB#0	21.97	20.03	34.77	PASS
Band17	10MHz	QPSK	23780	25RB#12	21.98	20.04	34.77	PASS
Band17	10MHz	QPSK	23780	25RB#24	21.98	20.04	34.77	PASS
Band17	10MHz	QPSK	23780	50RB#0	21.91	19.97	34.77	PASS
Band17	10MHz	QPSK	23790	1RB#0	22.91	20.97	34.77	PASS
Band17	10MHz	QPSK	23790	1RB#24	22.63	20.69	34.77	PASS
Band17	10MHz	QPSK	23790	1RB#49	22.64	20.70	34.77	PASS
Band17	10MHz	QPSK	23790	25RB#0	21.82	19.88	34.77	PASS
Band17	10MHz	QPSK	23790	25RB#12	21.84	19.90	34.77	PASS
Band17	10MHz	QPSK	23790	25RB#24	21.85	19.91	34.77	PASS
Band17	10MHz	QPSK	23790	50RB#0	21.86	19.92	34.77	PASS
Band17	10MHz	QPSK	23800	1RB#0	22.99	21.05	34.77	PASS
Band17	10MHz	QPSK	23800	1RB#24	22.80	20.86	34.77	PASS
Band17	10MHz	QPSK	23800	1RB#49	22.78	20.84	34.77	PASS
Band17	10MHz	QPSK	23800	25RB#0	21.93	19.99	34.77	PASS
Band17	10MHz	QPSK	23800	25RB#12	21.93	19.99	34.77	PASS
Band17	10MHz	QPSK	23800	25RB#24	21.93	19.99	34.77	PASS
Band17	10MHz	QPSK	23800	50RB#0	21.90	19.96	34.77	PASS
Band17	10MHz	16QAM	23780	1RB#0	21.28	19.34	34.77	PASS
Band17	10MHz	16QAM	23780	1RB#24	21.31	19.37	34.77	PASS
Band17	10MHz	16QAM	23780	1RB#49	21.56	19.62	34.77	PASS
Band17	10MHz	16QAM	23780	25RB#0	21.19	19.25	34.77	PASS
Band17	10MHz	16QAM	23780	25RB#12	21.20	19.26	34.77	PASS
Band17	10MHz	16QAM	23780	25RB#24	21.20	19.26	34.77	PASS
Band17	10MHz	16QAM	23780	50RB#0	21.20	19.26	34.77	PASS
Band17	10MHz	16QAM	23790	1RB#0	21.73	19.79	34.77	PASS
Band17	10MHz	16QAM	23790	1RB#24	21.51	19.57	34.77	PASS
Band17	10MHz	16QAM	23790	1RB#49	21.49	19.55	34.77	PASS
Band17	10MHz	16QAM	23790	25RB#0	21.38	19.44	34.77	PASS
Band17	10MHz	16QAM	23790	25RB#12	21.39	19.45	34.77	PASS
Band17	10MHz	16QAM	23790	25RB#24	21.39	19.45	34.77	PASS
Band17	10MHz	16QAM	23790	50RB#0	20.80	18.86	34.77	PASS

Band17	10MHz	16QAM	23800	1RB#0	22.41	20.47	34.77	PASS
Band17	10MHz	16QAM	23800	1RB#24	22.11	20.17	34.77	PASS
Band17	10MHz	16QAM	23800	1RB#49	22.49	20.55	34.77	PASS
Band17	10MHz	16QAM	23800	25RB#0	21.34	19.40	34.77	PASS
Band17	10MHz	16QAM	23800	25RB#12	21.32	19.38	34.77	PASS
Band17	10MHz	16QAM	23800	25RB#24	21.33	19.39	34.77	PASS
Band17	10MHz	16QAM	23800	50RB#0	20.84	18.90	34.77	PASS
Band41	5MHz	QPSK	400265	1RB#0	23.68	24.01	33.01	PASS
Band41	5MHz	QPSK	400265	1RB#12	23.72	24.05	33.01	PASS
Band41	5MHz	QPSK	400265	1RB#24	23.80	24.13	33.01	PASS
Band41	5MHz	QPSK	400265	12RB#0	23.72	24.05	33.01	PASS
Band41	5MHz	QPSK	400265	12RB#6	23.68	24.01	33.01	PASS
Band41	5MHz	QPSK	400265	12RB#11	23.69	24.02	33.01	PASS
Band41	5MHz	QPSK	400265	25RB#0	22.67	23.00	33.01	PASS
Band41	5MHz	QPSK	40265	1RB#0	22.69	23.02	33.01	PASS
Band41	5MHz	QPSK	40265	1RB#12	22.64	22.97	33.01	PASS
Band41	5MHz	QPSK	40265	1RB#24	22.84	23.17	33.01	PASS
Band41	5MHz	QPSK	40265	12RB#0	21.61	21.94	33.01	PASS
Band41	5MHz	QPSK	40265	12RB#6	21.62	21.95	33.01	PASS
Band41	5MHz	QPSK	40265	12RB#11	21.71	22.04	33.01	PASS
Band41	5MHz	QPSK	40265	25RB#0	21.66	21.99	33.01	PASS
Band41	5MHz	QPSK	40640	1RB#0	22.86	23.19	33.01	PASS
Band41	5MHz	QPSK	40640	1RB#12	22.70	23.03	33.01	PASS
Band41	5MHz	QPSK	40640	1RB#24	22.57	22.90	33.01	PASS
Band41	5MHz	QPSK	40640	12RB#0	21.71	22.04	33.01	PASS
Band41	5MHz	QPSK	40640	12RB#6	21.72	22.05	33.01	PASS
Band41	5MHz	QPSK	40640	12RB#11	21.73	22.06	33.01	PASS
Band41	5MHz	QPSK	40640	25RB#0	21.72	22.05	33.01	PASS
Band41	5MHz	QPSK	40740	1RB#0	22.74	23.07	33.01	PASS
Band41	5MHz	QPSK	40740	1RB#12	22.68	23.01	33.01	PASS
Band41	5MHz	QPSK	40740	1RB#24	22.72	23.05	33.01	PASS
Band41	5MHz	QPSK	40740	12RB#0	21.84	22.17	33.01	PASS
Band41	5MHz	QPSK	40740	12RB#6	21.84	22.17	33.01	PASS
Band41	5MHz	QPSK	40740	12RB#11	21.84	22.17	33.01	PASS
Band41	5MHz	QPSK	40740	25RB#0	21.83	22.16	33.01	PASS
Band41	5MHz	QPSK	41215	1RB#0	22.83	23.16	33.01	PASS
Band41	5MHz	QPSK	41215	1RB#12	22.93	23.26	33.01	PASS
Band41	5MHz	QPSK	41215	1RB#24	22.81	23.14	33.01	PASS
Band41	5MHz	QPSK	41215	12RB#0	22.08	22.41	33.01	PASS
Band41	5MHz	QPSK	41215	12RB#6	22.09	22.42	33.01	PASS
Band41	5MHz	QPSK	41215	12RB#11	22.09	22.42	33.01	PASS
Band41	5MHz	QPSK	41215	25RB#0	22.10	22.43	33.01	PASS

Band41	5MHz	16QAM	400265	1RB#0	22.94	23.27	33.01	PASS
Band41	5MHz	16QAM	400265	1RB#12	22.92	23.25	33.01	PASS
Band41	5MHz	16QAM	400265	1RB#24	22.98	23.31	33.01	PASS
Band41	5MHz	16QAM	400265	12RB#0	22.86	23.19	33.01	PASS
Band41	5MHz	16QAM	400265	12RB#6	22.82	23.15	33.01	PASS
Band41	5MHz	16QAM	400265	12RB#11	22.87	23.20	33.01	PASS
Band41	5MHz	16QAM	400265	25RB#0	21.83	22.16	33.01	PASS
Band41	5MHz	16QAM	40265	1RB#0	21.98	22.31	33.01	PASS
Band41	5MHz	16QAM	40265	1RB#12	22.24	22.57	33.01	PASS
Band41	5MHz	16QAM	40265	1RB#24	21.93	22.26	33.01	PASS
Band41	5MHz	16QAM	40265	12RB#0	20.66	20.99	33.01	PASS
Band41	5MHz	16QAM	40265	12RB#6	20.63	20.96	33.01	PASS
Band41	5MHz	16QAM	40265	12RB#11	20.61	20.94	33.01	PASS
Band41	5MHz	16QAM	40265	25RB#0	20.81	21.14	33.01	PASS
Band41	5MHz	16QAM	40640	1RB#0	22.21	22.54	33.01	PASS
Band41	5MHz	16QAM	40640	1RB#12	21.88	22.21	33.01	PASS
Band41	5MHz	16QAM	40640	1RB#24	21.89	22.22	33.01	PASS
Band41	5MHz	16QAM	40640	12RB#0	20.89	21.22	33.01	PASS
Band41	5MHz	16QAM	40640	12RB#6	20.78	21.11	33.01	PASS
Band41	5MHz	16QAM	40640	12RB#11	20.79	21.12	33.01	PASS
Band41	5MHz	16QAM	40640	25RB#0	20.89	21.22	33.01	PASS
Band41	5MHz	16QAM	40740	1RB#0	21.88	22.21	33.01	PASS
Band41	5MHz	16QAM	40740	1RB#12	21.91	22.24	33.01	PASS
Band41	5MHz	16QAM	40740	1RB#24	22.03	22.36	33.01	PASS
Band41	5MHz	16QAM	40740	12RB#0	20.87	21.20	33.01	PASS
Band41	5MHz	16QAM	40740	12RB#6	20.87	21.20	33.01	PASS
Band41	5MHz	16QAM	40740	12RB#11	20.87	21.20	33.01	PASS
Band41	5MHz	16QAM	40740	25RB#0	21.03	21.36	33.01	PASS
Band41	5MHz	16QAM	41215	1RB#0	22.38	22.71	33.01	PASS
Band41	5MHz	16QAM	41215	1RB#12	22.38	22.71	33.01	PASS
Band41	5MHz	16QAM	41215	1RB#24	22.36	22.69	33.01	PASS
Band41	5MHz	16QAM	41215	12RB#0	21.04	21.37	33.01	PASS
Band41	5MHz	16QAM	41215	12RB#6	21.04	21.37	33.01	PASS
Band41	5MHz	16QAM	41215	12RB#11	21.04	21.37	33.01	PASS
Band41	5MHz	16QAM	41215	25RB#0	21.11	21.44	33.01	PASS
Band41	10MHz	QPSK	40290	1RB#0	22.50	22.83	33.01	PASS
Band41	10MHz	QPSK	40290	1RB#24	22.63	22.96	33.01	PASS
Band41	10MHz	QPSK	40290	1RB#49	22.48	22.81	33.01	PASS
Band41	10MHz	QPSK	40290	25RB#0	21.60	21.93	33.01	PASS
Band41	10MHz	QPSK	40290	25RB#12	21.67	22.00	33.01	PASS
Band41	10MHz	QPSK	40290	25RB#24	21.66	21.99	33.01	PASS
Band41	10MHz	QPSK	40290	50RB#0	21.61	21.94	33.01	PASS

Band41	10MHz	QPSK	40740	1RB#0	22.88	23.21	33.01	PASS
Band41	10MHz	QPSK	40740	1RB#24	22.91	23.24	33.01	PASS
Band41	10MHz	QPSK	40740	1RB#49	23.00	23.33	33.01	PASS
Band41	10MHz	QPSK	40740	25RB#0	21.80	22.13	33.01	PASS
Band41	10MHz	QPSK	40740	25RB#12	21.87	22.20	33.01	PASS
Band41	10MHz	QPSK	40740	25RB#24	21.86	22.19	33.01	PASS
Band41	10MHz	QPSK	40740	50RB#0	21.90	22.23	33.01	PASS
Band41	10MHz	QPSK	41190	1RB#0	22.92	23.25	33.01	PASS
Band41	10MHz	QPSK	41190	1RB#24	22.98	23.31	33.01	PASS
Band41	10MHz	QPSK	41190	1RB#49	23.00	23.33	33.01	PASS
Band41	10MHz	QPSK	41190	25RB#0	22.11	22.44	33.01	PASS
Band41	10MHz	QPSK	41190	25RB#12	22.12	22.45	33.01	PASS
Band41	10MHz	QPSK	41190	25RB#24	22.01	22.34	33.01	PASS
Band41	10MHz	QPSK	41190	50RB#0	22.08	22.41	33.01	PASS
Band41	10MHz	16QAM	40290	1RB#0	21.69	22.02	33.01	PASS
Band41	10MHz	16QAM	40290	1RB#24	21.68	22.01	33.01	PASS
Band41	10MHz	16QAM	40290	1RB#49	21.78	22.11	33.01	PASS
Band41	10MHz	16QAM	40290	25RB#0	20.92	21.25	33.01	PASS
Band41	10MHz	16QAM	40290	25RB#12	20.92	21.25	33.01	PASS
Band41	10MHz	16QAM	40290	25RB#24	20.92	21.25	33.01	PASS
Band41	10MHz	16QAM	40290	50RB#0	20.70	21.03	33.01	PASS
Band41	10MHz	16QAM	40740	1RB#0	22.06	22.39	33.01	PASS
Band41	10MHz	16QAM	40740	1RB#24	22.15	22.48	33.01	PASS
Band41	10MHz	16QAM	40740	1RB#49	22.22	22.55	33.01	PASS
Band41	10MHz	16QAM	40740	25RB#0	20.91	21.24	33.01	PASS
Band41	10MHz	16QAM	40740	25RB#12	20.92	21.25	33.01	PASS
Band41	10MHz	16QAM	40740	25RB#24	20.92	21.25	33.01	PASS
Band41	10MHz	16QAM	40740	50RB#0	20.94	21.27	33.01	PASS
Band41	10MHz	16QAM	41190	1RB#0	21.82	22.15	33.01	PASS
Band41	10MHz	16QAM	41190	1RB#24	21.95	22.28	33.01	PASS
Band41	10MHz	16QAM	41190	1RB#49	21.78	22.11	33.01	PASS
Band41	10MHz	16QAM	41190	25RB#0	21.47	21.80	33.01	PASS
Band41	10MHz	16QAM	41190	25RB#12	21.34	21.67	33.01	PASS
Band41	10MHz	16QAM	41190	25RB#24	21.34	21.67	33.01	PASS
Band41	10MHz	16QAM	41190	50RB#0	21.15	21.48	33.01	PASS
Band41	15MHz	QPSK	40315	1RB#0	22.70	23.03	33.01	PASS
Band41	15MHz	QPSK	40315	1RB#37	22.74	23.07	33.01	PASS
Band41	15MHz	QPSK	40315	1RB#74	22.83	23.16	33.01	PASS
Band41	15MHz	QPSK	40315	36RB#0	21.61	21.94	33.01	PASS
Band41	15MHz	QPSK	40315	36RB#16	21.76	22.09	33.01	PASS
Band41	15MHz	QPSK	40315	36RB#35	21.76	22.09	33.01	PASS
Band41	15MHz	QPSK	40315	75RB#0	21.57	21.90	33.01	PASS

Band41	15MHz	QPSK	40740	1RB#0	22.90	23.23	33.01	PASS
Band41	15MHz	QPSK	40740	1RB#37	22.92	23.25	33.01	PASS
Band41	15MHz	QPSK	40740	1RB#74	22.87	23.20	33.01	PASS
Band41	15MHz	QPSK	40740	36RB#0	21.93	22.26	33.01	PASS
Band41	15MHz	QPSK	40740	36RB#16	21.95	22.28	33.01	PASS
Band41	15MHz	QPSK	40740	36RB#35	21.95	22.28	33.01	PASS
Band41	15MHz	QPSK	40740	75RB#0	21.88	22.21	33.01	PASS
Band41	15MHz	QPSK	41165	1RB#0	23.13	23.46	33.01	PASS
Band41	15MHz	QPSK	41165	1RB#37	23.12	23.45	33.01	PASS
Band41	15MHz	QPSK	41165	1RB#74	23.15	23.48	33.01	PASS
Band41	15MHz	QPSK	41165	36RB#0	22.07	22.40	33.01	PASS
Band41	15MHz	QPSK	41165	36RB#16	22.07	22.40	33.01	PASS
Band41	15MHz	QPSK	41165	36RB#35	22.08	22.41	33.01	PASS
Band41	15MHz	QPSK	41165	75RB#0	22.06	22.39	33.01	PASS
Band41	15MHz	16QAM	40315	1RB#0	21.91	22.24	33.01	PASS
Band41	15MHz	16QAM	40315	1RB#37	21.88	22.21	33.01	PASS
Band41	15MHz	16QAM	40315	1RB#74	21.96	22.29	33.01	PASS
Band41	15MHz	16QAM	40315	36RB#0	20.74	21.07	33.01	PASS
Band41	15MHz	16QAM	40315	36RB#16	20.75	21.08	33.01	PASS
Band41	15MHz	16QAM	40315	36RB#35	20.75	21.08	33.01	PASS
Band41	15MHz	16QAM	40315	75RB#0	20.81	21.14	33.01	PASS
Band41	15MHz	16QAM	40740	1RB#0	22.12	22.45	33.01	PASS
Band41	15MHz	16QAM	40740	1RB#37	22.07	22.40	33.01	PASS
Band41	15MHz	16QAM	40740	1RB#74	22.15	22.48	33.01	PASS
Band41	15MHz	16QAM	40740	36RB#0	20.93	21.26	33.01	PASS
Band41	15MHz	16QAM	40740	36RB#16	20.93	21.26	33.01	PASS
Band41	15MHz	16QAM	40740	36RB#35	20.93	21.26	33.01	PASS
Band41	15MHz	16QAM	40740	75RB#0	21.00	21.33	33.01	PASS
Band41	15MHz	16QAM	41165	1RB#0	21.47	21.80	33.01	PASS
Band41	15MHz	16QAM	41165	1RB#37	21.55	21.88	33.01	PASS
Band41	15MHz	16QAM	41165	1RB#74	21.42	21.75	33.01	PASS
Band41	15MHz	16QAM	41165	36RB#0	21.18	21.51	33.01	PASS
Band41	15MHz	16QAM	41165	36RB#16	21.19	21.52	33.01	PASS
Band41	15MHz	16QAM	41165	36RB#35	21.19	21.52	33.01	PASS
Band41	15MHz	16QAM	41165	75RB#0	21.18	21.51	33.01	PASS
Band41	20MHz	QPSK	40340	1RB#0	22.66	22.99	33.01	PASS
Band41	20MHz	QPSK	40340	1RB#49	22.69	23.02	33.01	PASS
Band41	20MHz	QPSK	40340	1RB#99	22.77	23.10	33.01	PASS
Band41	20MHz	QPSK	40340	50RB#0	21.62	21.95	33.01	PASS
Band41	20MHz	QPSK	40340	50RB#24	21.63	21.96	33.01	PASS
Band41	20MHz	QPSK	40340	50RB#49	21.64	21.97	33.01	PASS
Band41	20MHz	QPSK	40340	100RB#0	21.71	22.04	33.01	PASS

Band41	20MHz	QPSK	40740	1RB#0	22.82	23.15	33.01	PASS
Band41	20MHz	QPSK	40740	1RB#49	22.90	23.23	33.01	PASS
Band41	20MHz	QPSK	40740	1RB#99	22.88	23.21	33.01	PASS
Band41	20MHz	QPSK	40740	50RB#0	21.83	22.16	33.01	PASS
Band41	20MHz	QPSK	40740	50RB#24	21.77	22.10	33.01	PASS
Band41	20MHz	QPSK	40740	50RB#49	21.84	22.17	33.01	PASS
Band41	20MHz	QPSK	40740	100RB#0	21.91	22.24	33.01	PASS
Band41	20MHz	QPSK	41140	1RB#0	23.08	23.08	33.01	PASS
Band41	20MHz	QPSK	41140	1RB#49	23.14	23.14	33.01	PASS
Band41	20MHz	QPSK	41140	1RB#99	23.16	23.16	33.01	PASS
Band41	20MHz	QPSK	41140	50RB#0	22.00	22.00	33.01	PASS
Band41	20MHz	QPSK	41140	50RB#24	22.00	22.00	33.01	PASS
Band41	20MHz	QPSK	41140	50RB#49	22.01	22.01	33.01	PASS
Band41	20MHz	QPSK	41140	100RB#0	22.13	22.13	33.01	PASS
Band41	20MHz	16QAM	40340	1RB#0	22.09	22.09	33.01	PASS
Band41	20MHz	16QAM	40340	1RB#49	22.08	22.08	33.01	PASS
Band41	20MHz	16QAM	40340	1RB#99	22.16	22.16	33.01	PASS
Band41	20MHz	16QAM	40340	50RB#0	20.91	20.91	33.01	PASS
Band41	20MHz	16QAM	40340	50RB#24	20.91	20.91	33.01	PASS
Band41	20MHz	16QAM	40340	50RB#49	20.91	20.91	33.01	PASS
Band41	20MHz	16QAM	40340	100RB#0	20.78	20.78	33.01	PASS
Band41	20MHz	16QAM	40740	1RB#0	22.23	22.23	33.01	PASS
Band41	20MHz	16QAM	40740	1RB#49	22.27	22.27	33.01	PASS
Band41	20MHz	16QAM	40740	1RB#99	22.31	22.31	33.01	PASS
Band41	20MHz	16QAM	40740	50RB#0	21.01	21.01	33.01	PASS
Band41	20MHz	16QAM	40740	50RB#24	20.99	20.99	33.01	PASS
Band41	20MHz	16QAM	40740	50RB#49	20.99	20.99	33.01	PASS
Band41	20MHz	16QAM	40740	100RB#0	21.05	21.05	33.01	PASS
Band41	20MHz	16QAM	41140	1RB#0	22.11	22.11	33.01	PASS
Band41	20MHz	16QAM	41140	1RB#49	22.19	22.19	33.01	PASS
Band41	20MHz	16QAM	41140	1RB#99	22.21	22.21	33.01	PASS
Band41	20MHz	16QAM	41140	50RB#0	21.18	21.18	33.01	PASS
Band41	20MHz	16QAM	41140	50RB#24	21.18	21.18	33.01	PASS
Band41	20MHz	16QAM	41140	50RB#49	21.18	21.18	33.01	PASS
Band41	20MHz	16QAM	41140	100RB#0	21.17	21.17	33.01	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	22.71	23.17	30.00	PASS
Band66	1.4MHz	QPSK	131979	1RB#2	22.70	23.16	30.00	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	22.70	23.16	30.00	PASS
Band66	1.4MHz	QPSK	131979	3RB#0	22.56	23.02	30.00	PASS
Band66	1.4MHz	QPSK	131979	3RB#1	22.56	23.02	30.00	PASS
Band66	1.4MHz	QPSK	131979	3RB#2	22.68	23.14	30.00	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	21.70	22.16	30.00	PASS

Band66	1.4MHz	QPSK	132322	1RB#0	22.74	23.20	30.00	PASS
Band66	1.4MHz	QPSK	132322	1RB#2	22.74	23.20	30.00	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	22.79	23.25	30.00	PASS
Band66	1.4MHz	QPSK	132322	3RB#0	22.62	23.08	30.00	PASS
Band66	1.4MHz	QPSK	132322	3RB#1	22.70	23.16	30.00	PASS
Band66	1.4MHz	QPSK	132322	3RB#2	22.74	23.20	30.00	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	21.70	22.16	30.00	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	22.70	23.16	30.00	PASS
Band66	1.4MHz	QPSK	132665	1RB#2	22.68	23.14	30.00	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	22.67	23.13	30.00	PASS
Band66	1.4MHz	QPSK	132665	3RB#0	22.63	23.09	30.00	PASS
Band66	1.4MHz	QPSK	132665	3RB#1	22.69	23.15	30.00	PASS
Band66	1.4MHz	QPSK	132665	3RB#2	22.66	23.12	30.00	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	21.70	22.16	30.00	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	22.13	22.59	30.00	PASS
Band66	1.4MHz	16QAM	131979	1RB#2	22.12	22.58	30.00	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	22.18	22.64	30.00	PASS
Band66	1.4MHz	16QAM	131979	3RB#0	21.31	21.77	30.00	PASS
Band66	1.4MHz	16QAM	131979	3RB#1	21.31	21.77	30.00	PASS
Band66	1.4MHz	16QAM	131979	3RB#2	21.33	21.79	30.00	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	20.97	21.43	30.00	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	22.82	23.28	30.00	PASS
Band66	1.4MHz	16QAM	132322	1RB#2	22.85	23.31	30.00	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	22.82	23.28	30.00	PASS
Band66	1.4MHz	16QAM	132322	3RB#0	21.62	22.08	30.00	PASS
Band66	1.4MHz	16QAM	132322	3RB#1	21.59	22.05	30.00	PASS
Band66	1.4MHz	16QAM	132322	3RB#2	21.61	22.07	30.00	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	21.19	21.65	30.00	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	21.89	22.35	30.00	PASS
Band66	1.4MHz	16QAM	132665	1RB#2	21.83	22.29	30.00	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	21.52	21.98	30.00	PASS
Band66	1.4MHz	16QAM	132665	3RB#0	21.50	21.96	30.00	PASS
Band66	1.4MHz	16QAM	132665	3RB#1	21.50	21.96	30.00	PASS
Band66	1.4MHz	16QAM	132665	3RB#2	21.53	21.99	30.00	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	20.73	21.19	30.00	PASS
Band66	3MHz	QPSK	131987	1RB#0	22.53	22.99	30.00	PASS
Band66	3MHz	QPSK	131987	1RB#7	22.56	23.02	30.00	PASS
Band66	3MHz	QPSK	131987	1RB#14	22.60	23.06	30.00	PASS
Band66	3MHz	QPSK	131987	8RB#0	21.65	22.11	30.00	PASS
Band66	3MHz	QPSK	131987	8RB#4	21.62	22.08	30.00	PASS
Band66	3MHz	QPSK	131987	8RB#7	21.60	22.06	30.00	PASS
Band66	3MHz	QPSK	131987	15RB#0	21.63	22.09	30.00	PASS

Band66	3MHz	QPSK	132322	1RB#0	22.74	23.20	30.00	PASS
Band66	3MHz	QPSK	132322	1RB#7	22.72	23.18	30.00	PASS
Band66	3MHz	QPSK	132322	1RB#14	22.77	23.23	30.00	PASS
Band66	3MHz	QPSK	132322	8RB#0	21.77	22.23	30.00	PASS
Band66	3MHz	QPSK	132322	8RB#4	21.71	22.17	30.00	PASS
Band66	3MHz	QPSK	132322	8RB#7	21.78	22.24	30.00	PASS
Band66	3MHz	QPSK	132322	15RB#0	21.76	22.22	30.00	PASS
Band66	3MHz	QPSK	132657	1RB#0	22.82	23.28	30.00	PASS
Band66	3MHz	QPSK	132657	1RB#7	22.88	23.34	30.00	PASS
Band66	3MHz	QPSK	132657	1RB#14	22.86	23.32	30.00	PASS
Band66	3MHz	QPSK	132657	8RB#0	21.64	22.10	30.00	PASS
Band66	3MHz	QPSK	132657	8RB#4	21.67	22.13	30.00	PASS
Band66	3MHz	QPSK	132657	8RB#7	21.78	22.24	30.00	PASS
Band66	3MHz	QPSK	132657	15RB#0	21.68	22.14	30.00	PASS
Band66	3MHz	16QAM	131987	1RB#0	21.37	21.83	30.00	PASS
Band66	3MHz	16QAM	131987	1RB#7	21.34	21.80	30.00	PASS
Band66	3MHz	16QAM	131987	1RB#14	21.57	22.03	30.00	PASS
Band66	3MHz	16QAM	131987	8RB#0	21.14	21.60	30.00	PASS
Band66	3MHz	16QAM	131987	8RB#4	21.20	21.66	30.00	PASS
Band66	3MHz	16QAM	131987	8RB#7	20.90	21.36	30.00	PASS
Band66	3MHz	16QAM	131987	15RB#0	21.04	21.50	30.00	PASS
Band66	3MHz	16QAM	132322	1RB#0	21.55	22.01	30.00	PASS
Band66	3MHz	16QAM	132322	1RB#7	21.59	22.05	30.00	PASS
Band66	3MHz	16QAM	132322	1RB#14	21.53	21.99	30.00	PASS
Band66	3MHz	16QAM	132322	8RB#0	21.20	21.66	30.00	PASS
Band66	3MHz	16QAM	132322	8RB#4	21.21	21.67	30.00	PASS
Band66	3MHz	16QAM	132322	8RB#7	21.28	21.74	30.00	PASS
Band66	3MHz	16QAM	132322	15RB#0	20.84	21.30	30.00	PASS
Band66	3MHz	16QAM	132657	1RB#0	21.61	22.07	30.00	PASS
Band66	3MHz	16QAM	132657	1RB#7	21.56	22.02	30.00	PASS
Band66	3MHz	16QAM	132657	1RB#14	21.79	22.25	30.00	PASS
Band66	3MHz	16QAM	132657	8RB#0	21.07	21.53	30.00	PASS
Band66	3MHz	16QAM	132657	8RB#4	21.04	21.50	30.00	PASS
Band66	3MHz	16QAM	132657	8RB#7	20.72	21.18	30.00	PASS
Band66	3MHz	16QAM	132657	15RB#0	20.79	21.25	30.00	PASS
Band66	5MHz	QPSK	131997	1RB#0	22.57	23.03	30.00	PASS
Band66	5MHz	QPSK	131997	1RB#12	22.52	22.98	30.00	PASS
Band66	5MHz	QPSK	131997	1RB#24	22.57	23.03	30.00	PASS
Band66	5MHz	QPSK	131997	12RB#0	21.60	22.06	30.00	PASS
Band66	5MHz	QPSK	131997	12RB#6	21.47	21.93	30.00	PASS
Band66	5MHz	QPSK	131997	12RB#11	21.60	22.06	30.00	PASS
Band66	5MHz	QPSK	131997	25RB#0	21.52	21.98	30.00	PASS

Band66	5MHz	QPSK	132322	1RB#0	22.54	23.00	30.00	PASS
Band66	5MHz	QPSK	132322	1RB#12	22.64	23.10	30.00	PASS
Band66	5MHz	QPSK	132322	1RB#24	22.70	23.16	30.00	PASS
Band66	5MHz	QPSK	132322	12RB#0	21.77	22.23	30.00	PASS
Band66	5MHz	QPSK	132322	12RB#6	21.70	22.16	30.00	PASS
Band66	5MHz	QPSK	132322	12RB#11	21.76	22.22	30.00	PASS
Band66	5MHz	QPSK	132322	25RB#0	21.65	22.11	30.00	PASS
Band66	5MHz	QPSK	132647	1RB#0	22.81	23.27	30.00	PASS
Band66	5MHz	QPSK	132647	1RB#12	22.82	23.28	30.00	PASS
Band66	5MHz	QPSK	132647	1RB#24	22.85	23.31	30.00	PASS
Band66	5MHz	QPSK	132647	12RB#0	21.74	22.20	30.00	PASS
Band66	5MHz	QPSK	132647	12RB#6	21.72	22.18	30.00	PASS
Band66	5MHz	QPSK	132647	12RB#11	21.60	22.06	30.00	PASS
Band66	5MHz	QPSK	132647	25RB#0	21.75	22.21	30.00	PASS
Band66	5MHz	16QAM	131997	1RB#0	20.91	21.37	30.00	PASS
Band66	5MHz	16QAM	131997	1RB#12	20.83	21.29	30.00	PASS
Band66	5MHz	16QAM	131997	1RB#24	20.87	21.33	30.00	PASS
Band66	5MHz	16QAM	131997	12RB#0	20.92	21.38	30.00	PASS
Band66	5MHz	16QAM	131997	12RB#6	20.97	21.43	30.00	PASS
Band66	5MHz	16QAM	131997	12RB#11	21.05	21.51	30.00	PASS
Band66	5MHz	16QAM	131997	25RB#0	20.90	21.36	30.00	PASS
Band66	5MHz	16QAM	132322	1RB#0	21.89	22.35	30.00	PASS
Band66	5MHz	16QAM	132322	1RB#12	21.65	22.11	30.00	PASS
Band66	5MHz	16QAM	132322	1RB#24	21.61	22.07	30.00	PASS
Band66	5MHz	16QAM	132322	12RB#0	20.96	21.42	30.00	PASS
Band66	5MHz	16QAM	132322	12RB#6	21.03	21.49	30.00	PASS
Band66	5MHz	16QAM	132322	12RB#11	20.95	21.41	30.00	PASS
Band66	5MHz	16QAM	132322	25RB#0	20.82	21.28	30.00	PASS
Band66	5MHz	16QAM	132647	1RB#0	21.49	21.95	30.00	PASS
Band66	5MHz	16QAM	132647	1RB#12	21.35	21.81	30.00	PASS
Band66	5MHz	16QAM	132647	1RB#24	21.51	21.97	30.00	PASS
Band66	5MHz	16QAM	132647	12RB#0	20.95	21.41	30.00	PASS
Band66	5MHz	16QAM	132647	12RB#6	20.96	21.42	30.00	PASS
Band66	5MHz	16QAM	132647	12RB#11	20.97	21.43	30.00	PASS
Band66	5MHz	16QAM	132647	25RB#0	21.05	21.51	30.00	PASS
Band66	10MHz	QPSK	132022	1RB#0	22.52	22.98	30.00	PASS
Band66	10MHz	QPSK	132022	1RB#24	22.52	22.98	30.00	PASS
Band66	10MHz	QPSK	132022	1RB#49	22.59	23.05	30.00	PASS
Band66	10MHz	QPSK	132022	25RB#0	21.46	21.92	30.00	PASS
Band66	10MHz	QPSK	132022	25RB#12	21.47	21.93	30.00	PASS
Band66	10MHz	QPSK	132022	25RB#24	21.62	22.08	30.00	PASS
Band66	10MHz	QPSK	132022	50RB#0	21.51	21.97	30.00	PASS

Band66	10MHz	QPSK	132322	1RB#0	22.57	23.03	30.00	PASS
Band66	10MHz	QPSK	132322	1RB#24	22.69	23.15	30.00	PASS
Band66	10MHz	QPSK	132322	1RB#49	22.73	23.19	30.00	PASS
Band66	10MHz	QPSK	132322	25RB#0	21.69	22.15	30.00	PASS
Band66	10MHz	QPSK	132322	25RB#12	21.68	22.14	30.00	PASS
Band66	10MHz	QPSK	132322	25RB#24	21.67	22.13	30.00	PASS
Band66	10MHz	QPSK	132322	50RB#0	21.73	22.19	30.00	PASS
Band66	10MHz	QPSK	132622	1RB#0	22.66	23.12	30.00	PASS
Band66	10MHz	QPSK	132622	1RB#24	22.78	23.24	30.00	PASS
Band66	10MHz	QPSK	132622	1RB#49	22.75	23.21	30.00	PASS
Band66	10MHz	QPSK	132622	25RB#0	21.62	22.08	30.00	PASS
Band66	10MHz	QPSK	132622	25RB#12	21.73	22.19	30.00	PASS
Band66	10MHz	QPSK	132622	25RB#24	21.70	22.16	30.00	PASS
Band66	10MHz	QPSK	132622	50RB#0	21.85	22.31	30.00	PASS
Band66	10MHz	16QAM	132022	1RB#0	21.20	21.66	30.00	PASS
Band66	10MHz	16QAM	132022	1RB#24	21.36	21.82	30.00	PASS
Band66	10MHz	16QAM	132022	1RB#49	21.37	21.83	30.00	PASS
Band66	10MHz	16QAM	132022	25RB#0	20.63	21.09	30.00	PASS
Band66	10MHz	16QAM	132022	25RB#12	20.68	21.14	30.00	PASS
Band66	10MHz	16QAM	132022	25RB#24	20.70	21.16	30.00	PASS
Band66	10MHz	16QAM	132022	50RB#0	20.65	21.11	30.00	PASS
Band66	10MHz	16QAM	132322	1RB#0	21.42	21.88	30.00	PASS
Band66	10MHz	16QAM	132322	1RB#24	21.61	22.07	30.00	PASS
Band66	10MHz	16QAM	132322	1RB#49	21.53	21.99	30.00	PASS
Band66	10MHz	16QAM	132322	25RB#0	21.10	21.56	30.00	PASS
Band66	10MHz	16QAM	132322	25RB#12	21.10	21.56	30.00	PASS
Band66	10MHz	16QAM	132322	25RB#24	21.09	21.55	30.00	PASS
Band66	10MHz	16QAM	132322	50RB#0	21.13	21.59	30.00	PASS
Band66	10MHz	16QAM	132622	1RB#0	22.29	22.75	30.00	PASS
Band66	10MHz	16QAM	132622	1RB#24	22.24	22.70	30.00	PASS
Band66	10MHz	16QAM	132622	1RB#49	22.40	22.86	30.00	PASS
Band66	10MHz	16QAM	132622	25RB#0	20.85	21.31	30.00	PASS
Band66	10MHz	16QAM	132622	25RB#12	20.81	21.27	30.00	PASS
Band66	10MHz	16QAM	132622	25RB#24	20.80	21.26	30.00	PASS
Band66	10MHz	16QAM	132622	50RB#0	20.97	21.43	30.00	PASS
Band66	15MHz	QPSK	132047	1RB#0	22.62	23.08	30.00	PASS
Band66	15MHz	QPSK	132047	1RB#37	22.52	22.98	30.00	PASS
Band66	15MHz	QPSK	132047	1RB#74	22.56	23.02	30.00	PASS
Band66	15MHz	QPSK	132047	36RB#0	21.59	22.05	30.00	PASS
Band66	15MHz	QPSK	132047	36RB#16	21.60	22.06	30.00	PASS
Band66	15MHz	QPSK	132047	36RB#35	21.61	22.07	30.00	PASS
Band66	15MHz	QPSK	132047	75RB#0	21.64	22.10	30.00	PASS

Band66	15MHz	QPSK	132322	1RB#0	22.61	23.07	30.00	PASS
Band66	15MHz	QPSK	132322	1RB#37	22.61	23.07	30.00	PASS
Band66	15MHz	QPSK	132322	1RB#74	22.69	23.15	30.00	PASS
Band66	15MHz	QPSK	132322	36RB#0	21.67	22.13	30.00	PASS
Band66	15MHz	QPSK	132322	36RB#16	21.66	22.12	30.00	PASS
Band66	15MHz	QPSK	132322	36RB#35	21.65	22.11	30.00	PASS
Band66	15MHz	QPSK	132322	75RB#0	21.78	22.24	30.00	PASS
Band66	15MHz	QPSK	132597	1RB#0	22.72	23.18	30.00	PASS
Band66	15MHz	QPSK	132597	1RB#37	22.81	23.27	30.00	PASS
Band66	15MHz	QPSK	132597	1RB#74	22.73	23.19	30.00	PASS
Band66	15MHz	QPSK	132597	36RB#0	21.75	22.21	30.00	PASS
Band66	15MHz	QPSK	132597	36RB#16	21.70	22.16	30.00	PASS
Band66	15MHz	QPSK	132597	36RB#35	21.70	22.16	30.00	PASS
Band66	15MHz	QPSK	132597	75RB#0	21.69	22.15	30.00	PASS
Band66	15MHz	16QAM	132047	1RB#0	21.45	21.91	30.00	PASS
Band66	15MHz	16QAM	132047	1RB#37	21.57	22.03	30.00	PASS
Band66	15MHz	16QAM	132047	1RB#74	21.56	22.02	30.00	PASS
Band66	15MHz	16QAM	132047	36RB#0	20.63	21.09	30.00	PASS
Band66	15MHz	16QAM	132047	36RB#16	20.64	21.10	30.00	PASS
Band66	15MHz	16QAM	132047	36RB#35	20.67	21.13	30.00	PASS
Band66	15MHz	16QAM	132047	75RB#0	20.51	20.97	30.00	PASS
Band66	15MHz	16QAM	132322	1RB#0	21.74	22.20	30.00	PASS
Band66	15MHz	16QAM	132322	1RB#37	21.84	22.30	30.00	PASS
Band66	15MHz	16QAM	132322	1RB#74	21.86	22.32	30.00	PASS
Band66	15MHz	16QAM	132322	36RB#0	21.12	21.58	30.00	PASS
Band66	15MHz	16QAM	132322	36RB#16	21.12	21.58	30.00	PASS
Band66	15MHz	16QAM	132322	36RB#35	21.01	21.47	30.00	PASS
Band66	15MHz	16QAM	132322	75RB#0	21.18	21.64	30.00	PASS
Band66	15MHz	16QAM	132597	1RB#0	22.15	22.61	30.00	PASS
Band66	15MHz	16QAM	132597	1RB#37	22.22	22.68	30.00	PASS
Band66	15MHz	16QAM	132597	1RB#74	22.33	22.79	30.00	PASS
Band66	15MHz	16QAM	132597	36RB#0	20.74	21.20	30.00	PASS
Band66	15MHz	16QAM	132597	36RB#16	20.76	21.22	30.00	PASS
Band66	15MHz	16QAM	132597	36RB#35	20.77	21.23	30.00	PASS
Band66	15MHz	16QAM	132597	75RB#0	20.81	21.27	30.00	PASS
Band66	20MHz	QPSK	132072	1RB#0	22.70	23.16	30.00	PASS
Band66	20MHz	QPSK	132072	1RB#49	22.74	23.20	30.00	PASS
Band66	20MHz	QPSK	132072	1RB#99	22.85	23.31	30.00	PASS
Band66	20MHz	QPSK	132072	50RB#0	21.58	22.04	30.00	PASS
Band66	20MHz	QPSK	132072	50RB#24	21.62	22.08	30.00	PASS
Band66	20MHz	QPSK	132072	50RB#49	21.78	22.24	30.00	PASS
Band66	20MHz	QPSK	132072	100RB#0	21.70	22.16	30.00	PASS

Band66	20MHz	QPSK	132322	1RB#0	22.75	23.21	30.00	PASS
Band66	20MHz	QPSK	132322	1RB#49	22.87	23.33	30.00	PASS
Band66	20MHz	QPSK	132322	1RB#99	22.87	23.33	30.00	PASS
Band66	20MHz	QPSK	132322	50RB#0	21.60	22.06	30.00	PASS
Band66	20MHz	QPSK	132322	50RB#24	21.59	22.05	30.00	PASS
Band66	20MHz	QPSK	132322	50RB#49	21.65	22.11	30.00	PASS
Band66	20MHz	QPSK	132322	100RB#0	21.81	22.27	30.00	PASS
Band66	20MHz	QPSK	132572	1RB#0	22.69	23.15	30.00	PASS
Band66	20MHz	QPSK	132572	1RB#49	22.71	23.17	30.00	PASS
Band66	20MHz	QPSK	132572	1RB#99	22.82	23.28	30.00	PASS
Band66	20MHz	QPSK	132572	50RB#0	21.72	22.18	30.00	PASS
Band66	20MHz	QPSK	132572	50RB#24	21.73	22.19	30.00	PASS
Band66	20MHz	QPSK	132572	50RB#49	21.74	22.20	30.00	PASS
Band66	20MHz	QPSK	132572	100RB#0	21.79	22.25	30.00	PASS
Band66	20MHz	16QAM	132072	1RB#0	21.26	21.72	30.00	PASS
Band66	20MHz	16QAM	132072	1RB#49	21.46	21.92	30.00	PASS
Band66	20MHz	16QAM	132072	1RB#99	21.35	21.81	30.00	PASS
Band66	20MHz	16QAM	132072	50RB#0	20.71	21.17	30.00	PASS
Band66	20MHz	16QAM	132072	50RB#24	20.74	21.20	30.00	PASS
Band66	20MHz	16QAM	132072	50RB#49	20.77	21.23	30.00	PASS
Band66	20MHz	16QAM	132072	100RB#0	20.63	21.09	30.00	PASS
Band66	20MHz	16QAM	132322	1RB#0	22.09	22.55	30.00	PASS
Band66	20MHz	16QAM	132322	1RB#49	22.10	22.56	30.00	PASS
Band66	20MHz	16QAM	132322	1RB#99	22.03	22.49	30.00	PASS
Band66	20MHz	16QAM	132322	50RB#0	21.07	21.53	30.00	PASS
Band66	20MHz	16QAM	132322	50RB#24	21.07	21.53	30.00	PASS
Band66	20MHz	16QAM	132322	50RB#49	20.98	21.44	30.00	PASS
Band66	20MHz	16QAM	132322	100RB#0	21.13	21.59	30.00	PASS
Band66	20MHz	16QAM	132572	1RB#0	21.62	22.08	30.00	PASS
Band66	20MHz	16QAM	132572	1RB#49	21.66	22.12	30.00	PASS
Band66	20MHz	16QAM	132572	1RB#99	21.75	22.21	30.00	PASS
Band66	20MHz	16QAM	132572	50RB#0	21.13	21.59	30.00	PASS
Band66	20MHz	16QAM	132572	50RB#24	21.14	21.60	30.00	PASS
Band66	20MHz	16QAM	132572	50RB#49	21.15	21.61	30.00	PASS
Band66	20MHz	16QAM	132572	100RB#0	20.80	21.26	30.00	PASS
Band71	5MHz	QPSK	133147	1RB#0	22.62	20.66	34.77	PASS
Band71	5MHz	QPSK	133147	1RB#12	22.69	20.73	34.77	PASS
Band71	5MHz	QPSK	133147	1RB#24	22.60	20.64	34.77	PASS
Band71	5MHz	QPSK	133147	12RB#0	21.92	19.96	34.77	PASS
Band71	5MHz	QPSK	133147	12RB#6	21.90	19.94	34.77	PASS
Band71	5MHz	QPSK	133147	12RB#11	21.88	19.92	34.77	PASS
Band71	5MHz	QPSK	133147	25RB#0	21.54	19.58	34.77	PASS

Band71	5MHz	QPSK	133297	1RB#0	22.72	20.76	34.77	PASS
Band71	5MHz	QPSK	133297	1RB#12	22.71	20.75	34.77	PASS
Band71	5MHz	QPSK	133297	1RB#24	22.87	20.91	34.77	PASS
Band71	5MHz	QPSK	133297	12RB#0	21.65	19.69	34.77	PASS
Band71	5MHz	QPSK	133297	12RB#6	21.55	19.59	34.77	PASS
Band71	5MHz	QPSK	133297	12RB#11	21.55	19.59	34.77	PASS
Band71	5MHz	QPSK	133297	25RB#0	21.51	19.55	34.77	PASS
Band71	5MHz	QPSK	133447	1RB#0	23.07	21.11	34.77	PASS
Band71	5MHz	QPSK	133447	1RB#12	22.97	21.01	34.77	PASS
Band71	5MHz	QPSK	133447	1RB#24	22.93	20.97	34.77	PASS
Band71	5MHz	QPSK	133447	12RB#0	21.81	19.85	34.77	PASS
Band71	5MHz	QPSK	133447	12RB#6	21.82	19.86	34.77	PASS
Band71	5MHz	QPSK	133447	12RB#11	21.82	19.86	34.77	PASS
Band71	5MHz	QPSK	133447	25RB#0	21.73	19.77	34.77	PASS
Band71	5MHz	16QAM	133147	1RB#0	21.29	19.33	34.77	PASS
Band71	5MHz	16QAM	133147	1RB#12	20.87	18.91	34.77	PASS
Band71	5MHz	16QAM	133147	1RB#24	21.08	19.12	34.77	PASS
Band71	5MHz	16QAM	133147	12RB#0	21.03	19.07	34.77	PASS
Band71	5MHz	16QAM	133147	12RB#6	20.98	19.02	34.77	PASS
Band71	5MHz	16QAM	133147	12RB#11	21.09	19.13	34.77	PASS
Band71	5MHz	16QAM	133147	25RB#0	21.27	19.31	34.77	PASS
Band71	5MHz	16QAM	133297	1RB#0	21.49	19.53	34.77	PASS
Band71	5MHz	16QAM	133297	1RB#12	21.43	19.47	34.77	PASS
Band71	5MHz	16QAM	133297	1RB#24	22.35	20.39	34.77	PASS
Band71	5MHz	16QAM	133297	12RB#0	21.05	19.09	34.77	PASS
Band71	5MHz	16QAM	133297	12RB#6	21.04	19.08	34.77	PASS
Band71	5MHz	16QAM	133297	12RB#11	21.01	19.05	34.77	PASS
Band71	5MHz	16QAM	133297	25RB#0	20.99	19.03	34.77	PASS
Band71	5MHz	16QAM	133447	1RB#0	21.64	19.68	34.77	PASS
Band71	5MHz	16QAM	133447	1RB#12	21.71	19.75	34.77	PASS
Band71	5MHz	16QAM	133447	1RB#24	21.99	20.03	34.77	PASS
Band71	5MHz	16QAM	133447	12RB#0	21.30	19.34	34.77	PASS
Band71	5MHz	16QAM	133447	12RB#6	21.30	19.34	34.77	PASS
Band71	5MHz	16QAM	133447	12RB#11	21.15	19.19	34.77	PASS
Band71	5MHz	16QAM	133447	25RB#0	21.20	19.24	34.77	PASS
Band71	10MHz	QPSK	133172	1RB#0	22.70	20.74	34.77	PASS
Band71	10MHz	QPSK	133172	1RB#24	22.52	20.56	34.77	PASS
Band71	10MHz	QPSK	133172	1RB#49	22.79	20.83	34.77	PASS
Band71	10MHz	QPSK	133172	25RB#0	21.57	19.61	34.77	PASS
Band71	10MHz	QPSK	133172	25RB#12	21.55	19.59	34.77	PASS
Band71	10MHz	QPSK	133172	25RB#24	21.55	19.59	34.77	PASS
Band71	10MHz	QPSK	133172	50RB#0	21.63	19.67	34.77	PASS

Band71	10MHz	QPSK	133297	1RB#0	23.43	21.47	34.77	PASS
Band71	10MHz	QPSK	133297	1RB#24	23.07	21.11	34.77	PASS
Band71	10MHz	QPSK	133297	1RB#49	23.21	21.25	34.77	PASS
Band71	10MHz	QPSK	133297	25RB#0	21.84	19.88	34.77	PASS
Band71	10MHz	QPSK	133297	25RB#12	21.66	19.70	34.77	PASS
Band71	10MHz	QPSK	133297	25RB#24	21.75	19.79	34.77	PASS
Band71	10MHz	QPSK	133297	50RB#0	21.51	19.55	34.77	PASS
Band71	10MHz	QPSK	133422	1RB#0	22.75	20.79	34.77	PASS
Band71	10MHz	QPSK	133422	1RB#24	22.88	20.92	34.77	PASS
Band71	10MHz	QPSK	133422	1RB#49	22.92	20.96	34.77	PASS
Band71	10MHz	QPSK	133422	25RB#0	22.27	20.31	34.77	PASS
Band71	10MHz	QPSK	133422	25RB#12	22.27	20.31	34.77	PASS
Band71	10MHz	QPSK	133422	25RB#24	22.28	20.32	34.77	PASS
Band71	10MHz	QPSK	133422	50RB#0	22.12	20.16	34.77	PASS
Band71	10MHz	16QAM	133172	1RB#0	21.63	19.67	34.77	PASS
Band71	10MHz	16QAM	133172	1RB#24	21.52	19.56	34.77	PASS
Band71	10MHz	16QAM	133172	1RB#49	21.76	19.80	34.77	PASS
Band71	10MHz	16QAM	133172	25RB#0	21.34	19.38	34.77	PASS
Band71	10MHz	16QAM	133172	25RB#12	21.34	19.38	34.77	PASS
Band71	10MHz	16QAM	133172	25RB#24	21.31	19.35	34.77	PASS
Band71	10MHz	16QAM	133172	50RB#0	20.55	18.59	34.77	PASS
Band71	10MHz	16QAM	133297	1RB#0	22.05	20.09	34.77	PASS
Band71	10MHz	16QAM	133297	1RB#24	21.45	19.49	34.77	PASS
Band71	10MHz	16QAM	133297	1RB#49	21.94	19.98	34.77	PASS
Band71	10MHz	16QAM	133297	25RB#0	20.83	18.87	34.77	PASS
Band71	10MHz	16QAM	133297	25RB#12	20.80	18.84	34.77	PASS
Band71	10MHz	16QAM	133297	25RB#24	20.81	18.85	34.77	PASS
Band71	10MHz	16QAM	133297	50RB#0	21.17	19.21	34.77	PASS
Band71	10MHz	16QAM	133422	1RB#0	21.49	19.53	34.77	PASS
Band71	10MHz	16QAM	133422	1RB#24	21.80	19.84	34.77	PASS
Band71	10MHz	16QAM	133422	1RB#49	21.69	19.73	34.77	PASS
Band71	10MHz	16QAM	133422	25RB#0	21.29	19.33	34.77	PASS
Band71	10MHz	16QAM	133422	25RB#12	21.32	19.36	34.77	PASS
Band71	10MHz	16QAM	133422	25RB#24	21.23	19.27	34.77	PASS
Band71	10MHz	16QAM	133422	50RB#0	21.10	19.14	34.77	PASS
Band71	15MHz	QPSK	133197	1RB#0	22.76	20.80	34.77	PASS
Band71	15MHz	QPSK	133197	1RB#37	22.91	20.95	34.77	PASS
Band71	15MHz	QPSK	133197	1RB#74	22.77	20.81	34.77	PASS
Band71	15MHz	QPSK	133197	36RB#0	21.53	19.57	34.77	PASS
Band71	15MHz	QPSK	133197	36RB#16	21.52	19.56	34.77	PASS
Band71	15MHz	QPSK	133197	36RB#35	21.51	19.55	34.77	PASS
Band71	15MHz	QPSK	133197	75RB#0	21.86	19.90	34.77	PASS

Band71	15MHz	QPSK	133297	1RB#0	22.84	20.88	34.77	PASS
Band71	15MHz	QPSK	133297	1RB#37	22.97	21.01	34.77	PASS
Band71	15MHz	QPSK	133297	1RB#74	23.07	21.11	34.77	PASS
Band71	15MHz	QPSK	133297	36RB#0	21.82	19.86	34.77	PASS
Band71	15MHz	QPSK	133297	36RB#16	21.76	19.80	34.77	PASS
Band71	15MHz	QPSK	133297	36RB#35	21.79	19.83	34.77	PASS
Band71	15MHz	QPSK	133297	75RB#0	21.62	19.66	34.77	PASS
Band71	15MHz	QPSK	133397	1RB#0	22.98	21.02	34.77	PASS
Band71	15MHz	QPSK	133397	1RB#37	23.03	21.07	34.77	PASS
Band71	15MHz	QPSK	133397	1RB#74	22.93	20.97	34.77	PASS
Band71	15MHz	QPSK	133397	36RB#0	21.82	19.86	34.77	PASS
Band71	15MHz	QPSK	133397	36RB#16	21.66	19.70	34.77	PASS
Band71	15MHz	QPSK	133397	36RB#35	21.66	19.70	34.77	PASS
Band71	15MHz	QPSK	133397	75RB#0	22.19	20.23	34.77	PASS
Band71	15MHz	16QAM	133197	1RB#0	21.92	19.96	34.77	PASS
Band71	15MHz	16QAM	133197	1RB#37	21.94	19.98	34.77	PASS
Band71	15MHz	16QAM	133197	1RB#74	21.75	19.79	34.77	PASS
Band71	15MHz	16QAM	133197	36RB#0	20.61	18.65	34.77	PASS
Band71	15MHz	16QAM	133197	36RB#16	20.64	18.68	34.77	PASS
Band71	15MHz	16QAM	133197	36RB#35	20.63	18.67	34.77	PASS
Band71	15MHz	16QAM	133197	75RB#0	21.25	19.29	34.77	PASS
Band71	15MHz	16QAM	133297	1RB#0	21.40	19.44	34.77	PASS
Band71	15MHz	16QAM	133297	1RB#37	21.48	19.52	34.77	PASS
Band71	15MHz	16QAM	133297	1RB#74	21.79	19.83	34.77	PASS
Band71	15MHz	16QAM	133297	36RB#0	20.80	18.84	34.77	PASS
Band71	15MHz	16QAM	133297	36RB#16	20.85	18.89	34.77	PASS
Band71	15MHz	16QAM	133297	36RB#35	20.84	18.88	34.77	PASS
Band71	15MHz	16QAM	133297	75RB#0	20.97	19.01	34.77	PASS
Band71	15MHz	16QAM	133397	1RB#0	21.70	19.74	34.77	PASS
Band71	15MHz	16QAM	133397	1RB#37	21.95	19.99	34.77	PASS
Band71	15MHz	16QAM	133397	1RB#74	21.75	19.79	34.77	PASS
Band71	15MHz	16QAM	133397	36RB#0	21.42	19.46	34.77	PASS
Band71	15MHz	16QAM	133397	36RB#16	21.42	19.46	34.77	PASS
Band71	15MHz	16QAM	133397	36RB#35	21.46	19.50	34.77	PASS
Band71	15MHz	16QAM	133397	75RB#0	21.41	19.45	34.77	PASS
Band71	20MHz	QPSK	133222	1RB#0	22.89	20.93	34.77	PASS
Band71	20MHz	QPSK	133222	1RB#49	22.93	20.97	34.77	PASS
Band71	20MHz	QPSK	133222	1RB#99	22.94	20.98	34.77	PASS
Band71	20MHz	QPSK	133222	50RB#0	21.52	19.56	34.77	PASS
Band71	20MHz	QPSK	133222	50RB#24	21.52	19.56	34.77	PASS
Band71	20MHz	QPSK	133222	50RB#49	21.52	19.56	34.77	PASS
Band71	20MHz	QPSK	133222	100RB#0	21.95	19.99	34.77	PASS

Band71	20MHz	QPSK	133322	1RB#0	22.75	20.79	34.77	PASS
Band71	20MHz	QPSK	133322	1RB#49	22.82	20.86	34.77	PASS
Band71	20MHz	QPSK	133322	1RB#99	22.89	20.93	34.77	PASS
Band71	20MHz	QPSK	133322	50RB#0	21.73	19.77	34.77	PASS
Band71	20MHz	QPSK	133322	50RB#24	21.76	19.80	34.77	PASS
Band71	20MHz	QPSK	133322	50RB#49	21.76	19.80	34.77	PASS
Band71	20MHz	QPSK	133322	100RB#0	22.35	20.39	34.77	PASS
Band71	20MHz	QPSK	133372	1RB#0	22.75	20.79	34.77	PASS
Band71	20MHz	QPSK	133372	1RB#49	22.94	20.98	34.77	PASS
Band71	20MHz	QPSK	133372	1RB#99	23.05	21.09	34.77	PASS
Band71	20MHz	QPSK	133372	50RB#0	22.09	20.13	34.77	PASS
Band71	20MHz	QPSK	133372	50RB#24	22.10	20.14	34.77	PASS
Band71	20MHz	QPSK	133372	50RB#49	22.10	20.14	34.77	PASS
Band71	20MHz	QPSK	133372	100RB#0	21.73	19.77	34.77	PASS
Band71	20MHz	16QAM	133222	1RB#0	22.31	20.35	34.77	PASS
Band71	20MHz	16QAM	133222	1RB#49	22.20	20.24	34.77	PASS
Band71	20MHz	16QAM	133222	1RB#99	22.90	20.94	34.77	PASS
Band71	20MHz	16QAM	133222	50RB#0	20.57	18.61	34.77	PASS
Band71	20MHz	16QAM	133222	50RB#24	20.57	18.61	34.77	PASS
Band71	20MHz	16QAM	133222	50RB#49	20.47	18.51	34.77	PASS
Band71	20MHz	16QAM	133222	100RB#0	21.21	19.25	34.77	PASS
Band71	20MHz	16QAM	133322	1RB#0	21.72	19.76	34.77	PASS
Band71	20MHz	16QAM	133322	1RB#49	22.62	20.66	34.77	PASS
Band71	20MHz	16QAM	133322	1RB#99	22.40	20.44	34.77	PASS
Band71	20MHz	16QAM	133322	50RB#0	20.79	18.83	34.77	PASS
Band71	20MHz	16QAM	133322	50RB#24	20.88	18.92	34.77	PASS
Band71	20MHz	16QAM	133322	50RB#49	20.68	18.72	34.77	PASS
Band71	20MHz	16QAM	133322	100RB#0	21.37	19.41	34.77	PASS
Band71	20MHz	16QAM	133372	1RB#0	21.11	19.15	34.77	PASS
Band71	20MHz	16QAM	133372	1RB#49	21.24	19.28	34.77	PASS
Band71	20MHz	16QAM	133372	1RB#99	21.66	19.70	34.77	PASS
Band71	20MHz	16QAM	133372	50RB#0	21.35	19.39	34.77	PASS
Band71	20MHz	16QAM	133372	50RB#24	21.34	19.38	34.77	PASS
Band71	20MHz	16QAM	133372	50RB#49	21.35	19.39	34.77	PASS
Band71	20MHz	16QAM	133372	100RB#0	21.28	19.32	34.77	PASS

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band 2 & 4 & 7 & 38 & 41 & 66)

ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band 5 & 12 & 17 & 71)


Appendix B: Peak-to-Average Ratio(CCDF)


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	20MHz	QPSK	18900	100RB#0	5.32	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	6.09	13	PASS
Band5	10MHz	QPSK	20525	50RB#0	5.49	13	PASS
Band5	10MHz	16QAM	20525	50RB#0	6.03	13	PASS
Band12	10MHz	QPSK	23095	50RB#0	5.57	13	PASS
Band12	10MHz	16QAM	23095	50RB#0	6.29	13	PASS
Band17	10MHz	QPSK	23790	50RB#0	5.61	13	PASS
Band17	10MHz	16QAM	23790	50RB#0	6.36	13	PASS
Band41	20MHz	QPSK	40740	100RB#0	4.90	13	PASS
Band41	20MHz	16QAM	40740	100RB#0	5.83	13	PASS
Band66	20MHz	QPSK	132322	100RB#0	5.84	13	PASS
Band66	20MHz	16QAM	132322	100RB#0	6.51	13	PASS
Band71	20MHz	QPSK	133322	1RB#0	5.59	13	PASS
Band71	20MHz	QPSK	133322	100RB#0	5.81	13	PASS
Band71	20MHz	16QAM	133322	1RB#0	6.34	13	PASS
Band71	20MHz	16QAM	133322	100RB#0	6.46	13	PASS

Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.

Test Graphs







Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.0932	1.246	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.0944	1.249	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.0961	1.248	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.1085	1.257	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.1053	1.257	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.1015	1.240	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.7189	3.025	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.7116	3.047	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.7070	3.017	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.7049	3.033	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.7165	3.041	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.7111	3.045	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.5164	4.975	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.5175	4.984	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.4948	4.966	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.5091	4.956	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.5091	4.972	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.5266	4.997	PASS
Band2	10MHz	QPSK	18650	50RB#0	8.9972	9.874	PASS
Band2	10MHz	QPSK	18900	50RB#0	8.9878	9.901	PASS
Band2	10MHz	QPSK	19150	50RB#0	8.9980	9.904	PASS
Band2	10MHz	16QAM	18650	50RB#0	8.9829	9.896	PASS
Band2	10MHz	16QAM	18900	50RB#0	8.9882	9.924	PASS
Band2	10MHz	16QAM	19150	50RB#0	8.9944	9.980	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.485	14.96	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.485	14.95	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.490	14.96	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.489	14.99	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.515	14.99	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.520	14.94	PASS
Band2	20MHz	QPSK	18700	100RB#0	18.001	19.59	PASS
Band2	20MHz	QPSK	18900	100RB#0	17.976	19.66	PASS
Band2	20MHz	QPSK	19100	100RB#0	18.032	19.89	PASS
Band2	20MHz	16QAM	18700	100RB#0	18.053	19.78	PASS
Band2	20MHz	16QAM	18900	100RB#0	18.079	19.88	PASS


Band2	20MHz	16QAM	19100	100RB#0	18.019	19.79	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	1.0929	1.248	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1.0918	1.251	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	1.1054	1.258	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	1.1047	1.256	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1.1077	1.255	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	1.1080	1.247	PASS
Band5	3MHz	QPSK	20415	15RB#0	2.7154	3.006	PASS
Band5	3MHz	QPSK	20525	15RB#0	2.7133	3.013	PASS
Band5	3MHz	QPSK	20635	15RB#0	2.7095	3.028	PASS
Band5	3MHz	16QAM	20415	15RB#0	2.7129	3.022	PASS
Band5	3MHz	16QAM	20525	15RB#0	2.7081	3.038	PASS
Band5	3MHz	16QAM	20635	15RB#0	2.7143	3.047	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.5164	4.973	PASS
Band5	5MHz	QPSK	20525	25RB#0	4.5228	4.989	PASS
Band5	5MHz	QPSK	20625	25RB#0	4.5010	4.969	PASS
Band5	5MHz	16QAM	20425	25RB#0	4.5018	4.971	PASS
Band5	5MHz	16QAM	20525	25RB#0	4.5134	4.990	PASS
Band5	5MHz	16QAM	20625	25RB#0	4.5289	5.015	PASS
Band5	10MHz	QPSK	20450	50RB#0	8.9878	9.887	PASS
Band5	10MHz	QPSK	20525	50RB#0	9.0220	9.912	PASS
Band5	10MHz	QPSK	20600	50RB#0	8.9713	9.881	PASS
Band5	10MHz	16QAM	20450	50RB#0	8.9897	9.882	PASS
Band5	10MHz	16QAM	20525	50RB#0	8.9880	9.932	PASS
Band5	10MHz	16QAM	20600	50RB#0	8.9835	9.883	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	1.0871	1.216	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	1.0985	1.250	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	1.0945	1.256	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	1.1036	1.256	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	1.0974	1.241	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	1.0910	1.243	PASS
Band12	3MHz	QPSK	23025	15RB#0	2.7143	3.041	PASS
Band12	3MHz	QPSK	23095	15RB#0	2.7082	3.034	PASS
Band12	3MHz	QPSK	23165	15RB#0	2.7036	3.014	PASS
Band12	3MHz	16QAM	23025	15RB#0	2.7129	3.030	PASS
Band12	3MHz	16QAM	23095	15RB#0	2.7097	3.031	PASS
Band12	3MHz	16QAM	23165	15RB#0	2.7016	3.022	PASS
Band12	5MHz	QPSK	23035	25RB#0	4.5241	4.985	PASS
Band12	5MHz	QPSK	23095	25RB#0	4.4951	4.968	PASS
Band12	5MHz	QPSK	23155	25RB#0	4.5109	4.994	PASS
Band12	5MHz	16QAM	23035	25RB#0	4.5196	4.973	PASS
Band12	5MHz	16QAM	23095	25RB#0	4.5080	4.805	PASS

Band12	5MHz	16QAM	23155	25RB#0	4.5300	4.996	PASS
Band12	10MHz	QPSK	23060	50RB#0	9.0117	9.879	PASS
Band12	10MHz	QPSK	23095	50RB#0	8.9762	9.896	PASS
Band12	10MHz	QPSK	23130	50RB#0	8.9981	9.879	PASS
Band12	10MHz	16QAM	23060	50RB#0	8.9864	9.915	PASS
Band12	10MHz	16QAM	23095	50RB#0	8.9656	9.932	PASS
Band12	10MHz	16QAM	23130	50RB#0	9.0194	9.940	PASS
Band17	5MHz	QPSK	23755	25RB#0	4.5124	4.964	PASS
Band17	5MHz	QPSK	23790	25RB#0	4.4973	4.963	PASS
Band17	5MHz	QPSK	23825	25RB#0	4.5075	5.001	PASS
Band17	5MHz	16QAM	23755	25RB#0	4.4995	4.965	PASS
Band17	5MHz	16QAM	23790	25RB#0	4.5252	4.995	PASS
Band17	5MHz	16QAM	23825	25RB#0	4.5274	4.995	PASS
Band17	10MHz	QPSK	23780	50RB#0	8.9813	9.909	PASS
Band17	10MHz	QPSK	23790	50RB#0	9.0009	9.911	PASS
Band17	10MHz	QPSK	23800	50RB#0	8.9886	9.883	PASS
Band17	10MHz	16QAM	23780	50RB#0	8.9740	9.901	PASS
Band17	10MHz	16QAM	23790	50RB#0	8.9956	9.914	PASS
Band17	10MHz	16QAM	23800	50RB#0	9.0010	9.905	PASS
Band41	5MHz	QPSK	40265	25RB#0	4.5029	4.974	PASS
Band41	5MHz	QPSK	40740	25RB#0	4.5083	4.975	PASS
Band41	5MHz	QPSK	41215	25RB#0	4.5071	4.988	PASS
Band41	5MHz	16QAM	40265	25RB#0	4.5110	5.045	PASS
Band41	5MHz	16QAM	40740	25RB#0	4.5123	5.029	PASS
Band41	5MHz	16QAM	41215	25RB#0	4.5203	5.049	PASS
Band41	10MHz	QPSK	40290	50RB#0	8.9849	9.895	PASS
Band41	10MHz	QPSK	40740	50RB#0	8.9878	9.881	PASS
Band41	10MHz	QPSK	41190	50RB#0	8.9939	9.914	PASS
Band41	10MHz	16QAM	40290	50RB#0	8.9874	9.876	PASS
Band41	10MHz	16QAM	40740	50RB#0	8.9930	9.926	PASS
Band41	10MHz	16QAM	41190	50RB#0	8.9835	9.941	PASS
Band41	15MHz	QPSK	40315	75RB#0	13.512	15.00	PASS
Band41	15MHz	QPSK	40740	75RB#0	13.503	15.00	PASS
Band41	15MHz	QPSK	41165	75RB#0	13.538	14.97	PASS
Band41	15MHz	16QAM	40315	75RB#0	13.488	14.90	PASS
Band41	15MHz	16QAM	40740	75RB#0	13.523	14.89	PASS
Band41	15MHz	16QAM	41165	75RB#0	13.521	14.93	PASS
Band41	20MHz	QPSK	40340	100RB#0	17.969	19.67	PASS
Band41	20MHz	QPSK	40740	100RB#0	18.017	19.65	PASS
Band41	20MHz	QPSK	41140	100RB#0	18.025	19.72	PASS
Band41	20MHz	16QAM	40340	100RB#0	17.947	19.71	PASS
Band41	20MHz	16QAM	40740	100RB#0	17.987	19.76	PASS


Band41	20MHz	16QAM	41140	100RB#0	17.990	19.81	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	1.0978	1.242	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	1.0959	1.246	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	1.0949	1.248	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	1.1023	1.250	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1.1039	1.250	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	1.1000	1.251	PASS
Band66	3MHz	QPSK	131987	15RB#0	2.7102	3.018	PASS
Band66	3MHz	QPSK	132322	15RB#0	2.7101	3.021	PASS
Band66	3MHz	QPSK	132657	15RB#0	2.7056	3.016	PASS
Band66	3MHz	16QAM	131987	15RB#0	2.7105	3.031	PASS
Band66	3MHz	16QAM	132322	15RB#0	2.7131	3.026	PASS
Band66	3MHz	16QAM	132657	15RB#0	2.7099	3.036	PASS
Band66	5MHz	QPSK	131997	25RB#0	4.5179	4.978	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.5220	4.975	PASS
Band66	5MHz	QPSK	132647	25RB#0	4.4939	4.982	PASS
Band66	5MHz	16QAM	131997	25RB#0	4.5032	4.973	PASS
Band66	5MHz	16QAM	132322	25RB#0	4.5059	4.969	PASS
Band66	5MHz	16QAM	132647	25RB#0	4.5314	5.005	PASS
Band66	10MHz	QPSK	132022	50RB#0	8.9978	9.881	PASS
Band66	10MHz	QPSK	132322	50RB#0	8.9985	9.883	PASS
Band66	10MHz	QPSK	132622	50RB#0	9.0208	9.933	PASS
Band66	10MHz	16QAM	132022	50RB#0	8.9898	9.908	PASS
Band66	10MHz	16QAM	132322	50RB#0	8.9860	9.894	PASS
Band66	10MHz	16QAM	132622	50RB#0	8.9940	9.928	PASS
Band66	15MHz	QPSK	132047	75RB#0	13.476	14.95	PASS
Band66	15MHz	QPSK	132322	75RB#0	13.515	14.96	PASS
Band66	15MHz	QPSK	132597	75RB#0	13.497	15.01	PASS
Band66	15MHz	16QAM	132047	75RB#0	13.492	14.90	PASS
Band66	15MHz	16QAM	132322	75RB#0	13.516	14.97	PASS
Band66	15MHz	16QAM	132597	75RB#0	13.501	14.97	PASS
Band66	20MHz	QPSK	132072	100RB#0	17.969	19.58	PASS
Band66	20MHz	QPSK	132322	100RB#0	18.007	19.67	PASS
Band66	20MHz	QPSK	132572	100RB#0	18.046	19.79	PASS
Band66	20MHz	16QAM	132072	100RB#0	17.971	19.79	PASS
Band66	20MHz	16QAM	132322	100RB#0	18.059	19.73	PASS
Band66	20MHz	16QAM	132572	100RB#0	18.013	19.77	PASS
Band71	5MHz	QPSK	133147	25RB#0	4.5155	4.966	PASS
Band71	5MHz	QPSK	133297	25RB#0	4.5204	4.983	PASS
Band71	5MHz	QPSK	133447	25RB#0	4.5013	4.983	PASS
Band71	5MHz	16QAM	133147	25RB#0	4.4986	4.956	PASS
Band71	5MHz	16QAM	133297	25RB#0	4.5038	4.959	PASS

Band71	5MHz	16QAM	133447	25RB#0	4.5298	4.988	PASS
Band71	10MHz	QPSK	133172	50RB#0	9.0056	9.917	PASS
Band71	10MHz	QPSK	133297	50RB#0	8.9970	9.917	PASS
Band71	10MHz	QPSK	133422	50RB#0	8.9993	9.899	PASS
Band71	10MHz	16QAM	133172	50RB#0	8.9917	9.891	PASS
Band71	10MHz	16QAM	133297	50RB#0	8.9773	9.915	PASS
Band71	10MHz	16QAM	133422	50RB#0	8.9895	9.923	PASS
Band71	15MHz	QPSK	133197	75RB#0	13.526	14.98	PASS
Band71	15MHz	QPSK	133297	75RB#0	13.499	14.91	PASS
Band71	15MHz	QPSK	133397	75RB#0	13.494	15.02	PASS
Band71	15MHz	16QAM	133197	75RB#0	13.543	14.92	PASS
Band71	15MHz	16QAM	133297	75RB#0	13.496	14.89	PASS
Band71	15MHz	16QAM	133397	75RB#0	13.509	14.93	PASS
Band71	20MHz	QPSK	133222	100RB#0	18.020	19.78	PASS
Band71	20MHz	QPSK	133322	100RB#0	18.026	19.72	PASS
Band71	20MHz	QPSK	133372	100RB#0	18.054	19.89	PASS
Band71	20MHz	16QAM	133222	100RB#0	17.972	19.68	PASS
Band71	20MHz	16QAM	133322	100RB#0	18.082	19.80	PASS
Band71	20MHz	16QAM	133372	100RB#0	18.036	19.76	PASS

Test Graphs









Band2-5MHz-QPSK-19175-25RB#0

Band2-5MHz-16QAM-18625-25RB#0



Band2-5MHz-16QAM-18900-25RB#0

Band2-5MHz-16QAM-19175-25RB#0



Band2-10MHz-QPSK-18650-50RB#0

Band2-10MHz-QPSK-18900-50RB#0



Band2-10MHz-QPSK-19150-50RB#0

Band2-10MHz-16QAM-18650-50RB#0



Band2-10MHz-16QAM-18900-50RB#0

Band2-10MHz-16QAM-19150-50RB#0



Band2-15MHz-QPSK-18675-75RB#0

Band2-15MHz-QPSK-18900-75RB#0




Band2-15MHz-QPSK-19125-75RB#0

Band2-15MHz-16QAM-18675-75RB#0




Band2-15MHz-16QAM-18900-75RB#0


Band2-15MHz-16QAM-19125-75RB#0



Band2-20MHz-QPSK-18700-100RB#0


Band2-20MHz-QPSK-18900-100RB#0






Band5-1.4MHz-QPSK-20643-6RB#0

Band5-1.4MHz-16QAM-20407-6RB#0



Band5-1.4MHz-16QAM-20525-6RB#0

Band5-1.4MHz-16QAM-20643-6RB#0



Band5-3MHz-QPSK-20415-15RB#0

Band5-3MHz-QPSK-20525-15RB#0