



15.3. LTE Band Edge(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.72	-48.88	-13	Pass	401
823	824	0.02	RMS	824	-23.7	-13	Pass	401
824	826	0.1	RMS	824.26	20.43	30	Pass	401




15.4. LTE Band Edge(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-39.08	-13	Pass	401
823	824	0.02	RMS	824	-29.8	-13	Pass	401
824	826	0.1	RMS	824.735	12.23	30	Pass	401




15.5. LTE Band Edge(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	21.58	30	Pass	401
849	850	0.02	RMS	849	-22.45	-13	Pass	401
850	860	0.1	RMS	850	-49.76	-13	Pass	401




15.6. LTE Band Edge(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.435	13.22	30	Pass	401
849	850	0.02	RMS	849	-30.31	-13	Pass	401
850	860	0.1	RMS	850	-38.22	-13	Pass	401




15.7. LTE Band Edge(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	20.62	30	Pass	401
849	850	0.02	RMS	849	-23.72	-13	Pass	401
850	860	0.1	RMS	850.025	-49.81	-13	Pass	401




15.8. LTE Band Edge(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.325	12.35	30	Pass	401
849	850	0.02	RMS	849	-31.36	-13	Pass	401
850	860	0.1	RMS	850	-39.27	-13	Pass	401




15.9. LTE Band Edge(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.72	-46.71	-13	Pass	401
823	824	0.03	RMS	824	-21.66	-13	Pass	401
824	827	0.1	RMS	824.24	21.57	30	Pass	401




15.10. LTE Band Edge(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-37.38	-13	Pass	401
823	824	0.03	RMS	824	-33.39	-13	Pass	401
824	827	0.1	RMS	825.433	9.34	30	Pass	401




15.11. LTE Band Edge(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.76	-47.88	-13	Pass	401
823	824	0.03	RMS	824	-22.54	-13	Pass	401
824	827	0.1	RMS	824.248	20.74	30	Pass	401




15.12. LTE Band Edge(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.84	-38.88	-13	Pass	401
823	824	0.03	RMS	824	-34.95	-13	Pass	401
824	827	0.1	RMS	825.2	8.33	30	Pass	401



15.13. LTE Band Edge(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	21.64	30	Pass	401
849	850	0.03	RMS	849	-20.52	-13	Pass	401
850	860	0.1	RMS	850	-46.82	-13	Pass	401




15.14. LTE Band Edge(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.088	9.45	30	Pass	401
849	850	0.03	RMS	849	-34.53	-13	Pass	401
850	860	0.1	RMS	850.05	-35.74	-13	Pass	401




15.15. LTE Band Edge(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	20.61	30	Pass	401
849	850	0.03	RMS	849	-22.12	-13	Pass	401
850	860	0.1	RMS	850	-47.71	-13	Pass	401




15.16. LTE Band Edge(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.945	8.21	30	Pass	401
849	850	0.03	RMS	849	-35.45	-13	Pass	401
850	860	0.1	RMS	850.075	-36.74	-13	Pass	401




15.17. LTE Band Edge(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.02	-46.51	-13	Pass	401
823	824	0.051	RMS	824	-19.62	-13	Pass	401
824	829	0.1	RMS	824.338	21.29	30	Pass	401




15.18. LTE Band Edge(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-38.2	-13	Pass	401
823	824	0.051	RMS	823.998	-32.02	-13	Pass	401
824	829	0.1	RMS	825.688	7.05	30	Pass	401




15.19. LTE Band Edge(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.04	-47.28	-13	Pass	401
823	824	0.051	RMS	824	-19.78	-13	Pass	401
824	829	0.1	RMS	824.35	20.56	30	Pass	401




15.20. LTE Band Edge(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-39.05	-13	Pass	401
823	824	0.051	RMS	824	-33.14	-13	Pass	401
824	829	0.1	RMS	825.663	6	30	Pass	401




15.21. LTE Band Edge(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	21.52	30	Pass	401
849	850	0.051	RMS	849	-19.65	-13	Pass	401
850	860	0.1	RMS	850	-48.46	-13	Pass	401




15.22. LTE Band Edge(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.85	7.17	30	Pass	401
849	850	0.051	RMS	849	-32.67	-13	Pass	401
850	860	0.1	RMS	850.05	-35.8	-13	Pass	401



15.23. LTE Band Edge(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.6	30	Pass	401
849	850	0.051	RMS	849	-19.5	-13	Pass	401
850	860	0.1	RMS	850.05	-48.45	-13	Pass	401




15.24. LTE Band Edge(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.6	6.2	30	Pass	401
849	850	0.051	RMS	849	-33.75	-13	Pass	401
850	860	0.1	RMS	850	-37.92	-13	Pass	401




15.25. LTE Band Edge(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.57	-13	Pass	401
823	824	0.1	RMS	824	-22.36	-13	Pass	401
824	834	0.1	RMS	824.575	21.41	30	Pass	401




15.26. LTE Band Edge(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.48	-40.72	-13	Pass	401
823	824	0.1	RMS	823.995	-35.49	-13	Pass	401
824	834	0.1	RMS	825.95	4.14	30	Pass	401




15.27. LTE Band Edge(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.72	-47.55	-13	Pass	401
823	824	0.1	RMS	823.998	-23.3	-13	Pass	401
824	834	0.1	RMS	824.575	20.59	30	Pass	401




15.28. LTE Band Edge(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-41.57	-13	Pass	401
823	824	0.1	RMS	824	-36.28	-13	Pass	401
824	834	0.1	RMS	825.875	2.99	30	Pass	401




15.29. LTE Band Edge(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	21.51	30	Pass	401
849	850	0.1	RMS	849	-21.85	-13	Pass	401
850	860	0.1	RMS	850	-49.59	-13	Pass	401




15.30. LTE Band Edge(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.15	4.21	30	Pass	401
849	850	0.1	RMS	849.003	-36.34	-13	Pass	401
850	860	0.1	RMS	850	-39.7	-13	Pass	401




15.31. LTE Band Edge(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.43	30	Pass	401
849	850	0.1	RMS	849	-22.98	-13	Pass	401
850	860	0.1	RMS	850	-49.69	-13	Pass	401




15.32. LTE Band Edge(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	840.25	3.25	30	Pass	401
849	850	0.1	RMS	849	-38.01	-13	Pass	401
850	860	0.1	RMS	850.05	-41.7	-13	Pass	401




15.33. LTE Band Edge(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.82	-49.61	-13	Pass	401
823	824	0.15	RMS	823.995	-23.14	-13	Pass	401
824	839	0.1	RMS	824.825	21.31	30	Pass	401




15.34. LTE Band Edge(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.84	-40.85	-13	Pass	401
823	824	0.15	RMS	823.998	-36.61	-13	Pass	401
824	839	0.1	RMS	826.775	2.35	30	Pass	401




15.35. LTE Band Edge(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-49.91	-13	Pass	401
823	824	0.15	RMS	824	-23.4	-13	Pass	401
824	839	0.1	RMS	824.825	20.53	30	Pass	401




15.36. LTE Band Edge(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-41.59	-13	Pass	401
823	824	0.15	RMS	823.993	-37.07	-13	Pass	401
824	839	0.1	RMS	826.063	1.29	30	Pass	401




15.37. LTE Band Edge(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	21.42	30	Pass	401
849	850	0.15	RMS	849.003	-23.4	-13	Pass	401
850	860	0.1	RMS	850.125	-50.13	-13	Pass	401




15.38. LTE Band Edge(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	834.863	2.79	30	Pass	401
849	850	0.15	RMS	849	-35.02	-13	Pass	401
850	860	0.1	RMS	851.175	-38.35	-13	Pass	401




15.39. LTE Band Edge(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	20.41	30	Pass	401
849	850	0.15	RMS	849.005	-23.82	-13	Pass	401
850	860	0.1	RMS	850.15	-50.44	-13	Pass	401




15.40. LTE Band Edge(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	836.625	1.77	30	Pass	401
849	850	0.15	RMS	849.005	-36.04	-13	Pass	401
850	860	0.1	RMS	850.725	-38.86	-13	Pass	401




16. LTE_Band26(part90)

16.1. LTE Band Edge_in-band(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)




16.2. LTE Band Edge_in-band(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.015	RMS	813.993	-32.35	Pass	401




16.3. LTE Band Edge_in-band(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.981	-33.53	Pass	1000




16.4. LTE Band Edge_in-band(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.015	RMS	813.993	-32.48	Pass	401




16.5. LTE Band Edge_in-band(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.008	-33.52	Pass	1000




16.6. LTE Band Edge_in-band(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.015	RMS	824.008	-31.56	Pass	401




16.7. LTE Band Edge_in-band(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.008	-33.63	Pass	1000




16.8. LTE Band Edge_in-band(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.015	RMS	824.008	-32.71	Pass	401




16.9. LTE Band Edge_in-band(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.985	-32.68	Pass	1000




16.10. LTE Band Edge_in-band(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.03	RMS	813.985	-34.45	Pass	401




16.11. LTE Band Edge_in-band(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.973	-34.14	Pass	1000




16.12. LTE Band Edge_in-band(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.03	RMS	813.985	-34.91	Pass	401




16.13. LTE Band Edge_in-band(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.029	-33.68	Pass	1000




16.14. LTE Band Edge_in-band(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.03	RMS	824.015	-35.87	Pass	401




16.15. LTE Band Edge_in-band(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.016	-35.24	Pass	1000




16.16. LTE Band Edge_in-band(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.03	RMS	824.015	-35.79	Pass	401




16.17. LTE Band Edge_in-band(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.975	-34.37	Pass	1000




16.18. LTE Band Edge_in-band(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.051	RMS	813.973	-33.63	Pass	401




16.19. LTE Band Edge_in-band(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.975	-34.79	Pass	1000




16.20. LTE Band Edge_in-band(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.051	RMS	813.975	-34.2	Pass	401




16.21. LTE Band Edge_in-band(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.026	-35.01	Pass	1000




16.22. LTE Band Edge_in-band(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.051	RMS	824.028	-33.68	Pass	401




16.23. LTE Band Edge_in-band(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.038	-33.93	Pass	1000




16.24. LTE Band Edge_in-band(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.051	RMS	824.025	-34.19	Pass	401




16.25. LTE Band Edge_in-band(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	2	0.002	RMS	813.998	-37.57	Pass	2000




16.26. LTE Band Edge_in-band(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	2	0.1	RMS	813.995	-35.14	Pass	401




16.27. LTE Band Edge_in-band(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	2	0.002	RMS	813.998	-38.92	Pass	2000




16.28. LTE Band Edge_in-band(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	2	0.1	RMS	813.995	-35.79	Pass	401




16.29. LTE Band Edge_in-band(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	2	0.002	RMS	824.002	-37.5	Pass	2000




16.30. LTE Band Edge_in-band(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	2	0.1	RMS	824	-35.28	Pass	401




16.31. LTE Band Edge_in-band(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	2	0.002	RMS	824.002	-36.21	Pass	2000




16.32. LTE Band Edge_in-band(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	2	0.1	RMS	824	-35.58	Pass	401




17. LTE_Band26(part90)

17.1. LTE Band Edge_out-of-band(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)




17.2. LTE Band Edge_out-of-band(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-24.81	Pass	401




17.3. LTE Band Edge_out-of-band(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-18.89	Pass	401




17.4. LTE Band Edge_out-of-band(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-25.7	Pass	401




17.5. LTE Band Edge_out-of-band(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-19.45	Pass	401




17.6. LTE Band Edge_out-of-band(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-24.51	Pass	401




17.7. LTE Band Edge_out-of-band(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-19.18	Pass	401




17.8. LTE Band Edge_out-of-band(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-25.43	Pass	401




17.9. LTE Band Edge_out-of-band(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-18.39	Pass	401




17.10. LTE Band Edge_out-of-band(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-29.41	Pass	401




17.11. LTE Band Edge_out-of-band(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-18.77	Pass	401




17.12. LTE Band Edge_out-of-band(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-30.06	Pass	401




17.13. LTE Band Edge_out-of-band(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-19.33	Pass	401




17.14. LTE Band Edge_out-of-band(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-31.48	Pass	401




17.15. LTE Band Edge_out-of-band(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-20.48	Pass	401




17.16. LTE Band Edge_out-of-band(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-30.43	Pass	401




17.17. LTE Band Edge_out-of-band(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-18.57	Pass	401




17.18. LTE Band Edge_out-of-band(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-30.24	Pass	401




17.19. LTE Band Edge_out-of-band(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-19.63	Pass	401




17.20. LTE Band Edge_out-of-band(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-31.78	Pass	401




17.21. LTE Band Edge_out-of-band(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-19.66	Pass	401




17.22. LTE Band Edge_out-of-band(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-31.6	Pass	401




17.23. LTE Band Edge_out-of-band(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-19.47	Pass	401




17.24. LTE Band Edge_out-of-band(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-32	Pass	401




17.25. LTE Band Edge_out-of-band(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-24.5	Pass	401




17.26. LTE Band Edge_out-of-band(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-36.26	Pass	401




17.27. LTE Band Edge_out-of-band(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-25.08	Pass	401




17.28. LTE Band Edge_out-of-band(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-36.22	Pass	401




17.29. LTE Band Edge_out-of-band(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-24.4	Pass	401




17.30. LTE Band Edge_out-of-band(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-35.92	Pass	401




17.31. LTE Band Edge_out-of-band(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-23.71	Pass	401



17.32. LTE Band Edge_out-of-band(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-36.42	Pass	401



18. LTE_Band38


18.1. LTE Band Edge(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2561.673	-42.51	-25	Pass	401
2564	2565	1	RMS	2564.983	-39.01	-13	Pass	401
2565	2569	1	RMS	2569	-27.79	-10	Pass	5
2569	2570	0.1	RMS	2570	-15.46	-10	Pass	11
2570	2575	0.1	RMS	2570.325	21.64	30	Pass	401




18.2. LTE Band Edge(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2562.67	-36.67	-25	Pass	401
2564	2565	1	RMS	2564.905	-35.34	-13	Pass	401
2565	2569	1	RMS	2569	-23.01	-10	Pass	5
2569	2570	0.1	RMS	2570	-25.81	-10	Pass	401
2570	2575	0.1	RMS	2574.225	7.39	30	Pass	401




18.3. LTE Band Edge(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2563.953	-42.57	-25	Pass	401
2564	2565	1	RMS	2564.985	-38.92	-13	Pass	401
2565	2569	1	RMS	2569	-28.67	-10	Pass	5
2569	2570	0.1	RMS	2569.998	-15.75	-10	Pass	401
2570	2575	0.1	RMS	2570.35	20.23	30	Pass	401




18.4. LTE Band Edge(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2563.905	-37.02	-25	Pass	401
2564	2565	1	RMS	2564.945	-35.6	-13	Pass	401
2565	2569	1	RMS	2569	-25.38	-10	Pass	5
2569	2570	0.1	RMS	2570	-29.05	-10	Pass	401
2570	2575	0.1	RMS	2573.05	5.83	30	Pass	401




18.5. LTE Band Edge(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.663	21.44	30	Pass	401
2620	2621	0.1	RMS	2620	-14.23	-10	Pass	401
2621	2625	1	RMS	2621	-27.06	-10	Pass	5
2625	2626	1	RMS	2625	-39.3	-13	Pass	401
2626	2645	1	RMS	2628.28	-36.74	-25	Pass	401




18.6. LTE Band Edge(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2616.638	6.59	30	Pass	401
2620	2621	0.1	RMS	2620	-27.13	-10	Pass	401
2621	2625	1	RMS	2621	-26.24	-10	Pass	5
2625	2626	1	RMS	2625.013	-35.38	-13	Pass	401
2626	2645	1	RMS	2627.045	-35.47	-25	Pass	401




18.7. LTE Band Edge(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.663	21.03	30	Pass	401
2620	2621	0.1	RMS	2620	-14.01	-10	Pass	401
2621	2625	1	RMS	2621	-28	-10	Pass	5
2625	2626	1	RMS	2625.01	-39.81	-13	Pass	401
2626	2645	1	RMS	2628.28	-37.68	-25	Pass	401




18.8. LTE Band Edge(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2618.638	5.77	30	Pass	401
2620	2621	0.1	RMS	2620	-28.96	-10	Pass	401
2621	2625	1	RMS	2621	-28.32	-10	Pass	5
2625	2626	1	RMS	2625.035	-34.03	-13	Pass	401
2626	2645	1	RMS	2626	-35.65	-25	Pass	401




18.9. LTE Band Edge(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2552.95	-40.11	-25	Pass	401
2560	2565	1	RMS	2564.938	-37.13	-13	Pass	401
2565	2569	1	RMS	2569	-28.92	-10	Pass	5
2569	2570	0.2	RMS	2570	-16.92	-10	Pass	401
2570	2580	0.1	RMS	2570.575	21.44	30	Pass	401




18.10. LTE Band Edge(NTNV)(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2557.3	-39.15	-25	Pass	401
2560	2565	1	RMS	2564.913	-29.42	-13	Pass	401
2565	2569	1	RMS	2569	-25.42	-10	Pass	5
2569	2570	0.2	RMS	2569.995	-29.3	-10	Pass	401
2570	2580	0.1	RMS	2577.55	4.38	30	Pass	401




18.11. LTE Band Edge(NTNV)(Subtest:11, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2552.988	-40.91	-25	Pass	401
2560	2565	1	RMS	2561.788	-37.79	-13	Pass	401
2565	2569	1	RMS	2569	-30.96	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-18.1	-10	Pass	401
2570	2580	0.1	RMS	2570.6	20.37	30	Pass	401




18.12. LTE Band Edge(NTNV)(Subtest:12, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2558.613	-39.04	-25	Pass	401
2560	2565	1	RMS	2564.988	-30.71	-13	Pass	401
2565	2569	1	RMS	2569	-27.51	-10	Pass	5
2569	2570	0.2	RMS	2569.993	-31.31	-10	Pass	401
2570	2580	0.1	RMS	2577.05	3.36	30	Pass	401




18.13. LTE Band Edge(NTNV)(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.425	21.77	30	Pass	401
2620	2621	0.2	RMS	2620	-16.11	-10	Pass	401
2621	2625	1	RMS	2621	-30.34	-10	Pass	5
2625	2630	1	RMS	2628.125	-37.47	-13	Pass	401
2630	2645	1	RMS	2637.05	-37.7	-25	Pass	401




18.14. LTE Band Edge(NTNV)(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2613.825	4.49	30	Pass	401
2620	2621	0.2	RMS	2620.033	-31.18	-10	Pass	401
2621	2625	1	RMS	2621	-28.99	-10	Pass	5
2625	2630	1	RMS	2625.013	-31.68	-13	Pass	401
2630	2645	1	RMS	2632.625	-36.08	-25	Pass	401




18.15. LTE Band Edge(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.425	20.79	30	Pass	401
2620	2621	0.2	RMS	2620.003	-17.61	-10	Pass	401
2621	2625	1	RMS	2621	-30.92	-10	Pass	5
2625	2630	1	RMS	2628.163	-37.54	-13	Pass	401
2630	2645	1	RMS	2636.938	-38.31	-25	Pass	401




18.16. LTE Band Edge(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2613.275	3.14	30	Pass	401
2620	2621	0.2	RMS	2620	-32.41	-10	Pass	401
2621	2625	1	RMS	2621	-30.92	-10	Pass	5
2625	2630	1	RMS	2625.025	-33.21	-13	Pass	401
2630	2645	1	RMS	2631.05	-37.03	-25	Pass	401




18.17. LTE Band Edge(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2545	-44.44	-25	Pass	401
2555	2565	1	RMS	2564.95	-39.09	-13	Pass	401
2565	2569	1	RMS	2569	-29.56	-10	Pass	5
2569	2570	0.3	RMS	2569.998	-19.01	-10	Pass	401
2570	2585	0.1	RMS	2570.863	21.1	30	Pass	401




18.18. LTE Band Edge(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2553.45	-39.03	-25	Pass	401
2555	2565	1	RMS	2565	-28.08	-13	Pass	401
2565	2569	1	RMS	2569	-25.47	-10	Pass	5
2569	2570	0.3	RMS	2569.993	-28.33	-10	Pass	401
2570	2585	0.1	RMS	2582.263	2.67	30	Pass	401




18.19. LTE Band Edge(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2545	-44.78	-25	Pass	401
2555	2565	1	RMS	2557.525	-39.87	-13	Pass	401
2565	2569	1	RMS	2569	-31.36	-10	Pass	5
2569	2570	0.3	RMS	2569.998	-18.95	-10	Pass	401
2570	2585	0.1	RMS	2570.863	20.56	30	Pass	401




18.20. LTE Band Edge(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2555	-39.64	-25	Pass	401
2555	2565	1	RMS	2564.875	-30.37	-13	Pass	401
2565	2569	1	RMS	2569	-28.17	-10	Pass	5
2569	2570	0.3	RMS	2569.945	-31.33	-10	Pass	401
2570	2585	0.1	RMS	2583.238	1.52	30	Pass	401




18.21. LTE Band Edge(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.138	21.51	30	Pass	401
2620	2621	0.3	RMS	2620.008	-19.45	-10	Pass	401
2621	2625	1	RMS	2621	-31.54	-10	Pass	5
2625	2635	1	RMS	2632.5	-39.28	-13	Pass	401
2635	2645	1	RMS	2644.975	-43.31	-25	Pass	401




18.22. LTE Band Edge(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2618.688	2.28	30	Pass	401
2620	2621	0.3	RMS	2620.005	-30.49	-10	Pass	401
2621	2625	1	RMS	2621	-28.15	-10	Pass	5
2625	2635	1	RMS	2625.575	-30.78	-13	Pass	401
2635	2645	1	RMS	2636.175	-39.15	-25	Pass	401



18.23. LTE Band Edge(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	20.37	30	Pass	401
2620	2621	0.3	RMS	2620	-20.13	-10	Pass	401
2621	2625	1	RMS	2621	-31.94	-10	Pass	5
2625	2635	1	RMS	2632.475	-39.8	-13	Pass	401
2635	2645	1	RMS	2645	-43.43	-25	Pass	401




18.24. LTE Band Edge(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2610.363	1.74	30	Pass	401
2620	2621	0.3	RMS	2620.003	-32.34	-10	Pass	401
2621	2625	1	RMS	2621	-30.65	-10	Pass	5
2625	2635	1	RMS	2625.05	-32.77	-13	Pass	401
2635	2645	1	RMS	2635.1	-39.32	-25	Pass	401




18.25. LTE Band Edge(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2550	-46.34	-25	Pass	401
2550	2565	1	RMS	2564.925	-38.83	-13	Pass	401
2565	2569	1	RMS	2569	-29.11	-10	Pass	5
2569	2570	0.51	RMS	2569.995	-18.77	-10	Pass	401
2570	2590	0.1	RMS	2571.1	20.71	30	Pass	401




18.26. LTE Band Edge(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.925	-41.92	-25	Pass	401
2550	2565	1	RMS	2564.625	-31.87	-13	Pass	401
2565	2569	1	RMS	2569	-29.5	-10	Pass	5
2569	2570	0.51	RMS	2569.998	-29.74	-10	Pass	401
2570	2590	0.1	RMS	2586.25	1.47	30	Pass	401




18.27. LTE Band Edge(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.913	-46.35	-25	Pass	401
2550	2565	1	RMS	2565	-39.6	-13	Pass	16
2565	2569	1	RMS	2569	-29.59	-10	Pass	5
2569	2570	0.51	RMS	2570	-17.85	-10	Pass	401
2570	2590	0.1	RMS	2571.1	20.57	30	Pass	401




18.28. LTE Band Edge(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.988	-41.03	-25	Pass	401
2550	2565	1	RMS	2564.775	-32.91	-13	Pass	401
2565	2569	1	RMS	2569	-31.34	-10	Pass	5
2569	2570	0.51	RMS	2569.993	-31.57	-10	Pass	401
2570	2590	0.1	RMS	2587.05	0.24	30	Pass	401




18.29. LTE Band Edge(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.95	21.23	30	Pass	401
2620	2621	0.51	RMS	2620.005	-19.27	-10	Pass	401
2621	2625	1	RMS	2621	-33.94	-10	Pass	5
2625	2640	1	RMS	2637	-39.5	-13	Pass	16
2640	2645	1	RMS	2640.1	-46.33	-25	Pass	401




18.30. LTE Band Edge(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2614.7	1.06	30	Pass	401
2620	2621	0.51	RMS	2620	-30.64	-10	Pass	401
2621	2625	1	RMS	2621	-30.6	-10	Pass	5
2625	2640	1	RMS	2625.15	-31.13	-13	Pass	401
2640	2645	1	RMS	2644.625	-38.44	-25	Pass	401




18.31. LTE Band Edge(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.95	20.26	30	Pass	401
2620	2621	0.51	RMS	2620.005	-18.7	-10	Pass	401
2621	2625	1	RMS	2621	-32.49	-10	Pass	5
2625	2640	1	RMS	2636.7	-40.05	-13	Pass	401
2640	2645	1	RMS	2640.1	-46.43	-25	Pass	401



18.32. LTE Band Edge(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2603.3	0.52	30	Pass	401
2620	2621	0.51	RMS	2620.003	-31.76	-10	Pass	401
2621	2625	1	RMS	2621	-31.57	-10	Pass	5
2625	2640	1	RMS	2625	-32.17	-13	Pass	401
2640	2645	1	RMS	2640.038	-37.25	-25	Pass	401



19. LTE_Band41 120M OPPO


19.1. LTE Band Edge(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2529	1	RMS	2529	-39.58	-25	Pass	401
2529	2530	1	RMS	2529.988	-36.73	-13	Pass	401
2530	2534	1	RMS	2534	-25.16	-10	Pass	5
2534	2535	0.1	RMS	2535	-14.88	-10	Pass	401
2535	2540	0.1	RMS	2535.325	21.07	30	Pass	401




19.2. LTE Band Edge(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2529	1	RMS	2529	-36.96	-25	Pass	401
2529	2530	1	RMS	2529.875	-34.61	-13	Pass	401
2530	2534	1	RMS	2534	-25.43	-10	Pass	5
2534	2535	0.1	RMS	2535	-28.37	-10	Pass	401
2535	2540	0.1	RMS	2539.425	6.58	30	Pass	401




19.3. LTE Band Edge(NTNV)(Subtest:3, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2529	1	RMS	2528.953	-40.16	-25	Pass	401
2529	2530	1	RMS	2530	-37.13	-13	Pass	401
2530	2534	1	RMS	2534	-25.83	-10	Pass	5
2534	2535	0.1	RMS	2535	-15.53	-10	Pass	401
2535	2540	0.1	RMS	2535.338	20.75	30	Pass	401




19.4. LTE Band Edge(NTNV)(Subtest:4, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2529	1	RMS	2529	-36.86	-25	Pass	401
2529	2530	1	RMS	2529.993	-34.89	-13	Pass	401
2530	2534	1	RMS	2534	-27.82	-10	Pass	5
2534	2535	0.1	RMS	2534.998	-28.56	-10	Pass	401
2535	2540	0.1	RMS	2538.988	6.28	30	Pass	401



19.5. LTE Band Edge(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2655	0.1	RMS	2654.663	21.85	30	Pass	401
2655	2656	0.1	RMS	2655.008	-15.25	-10	Pass	401
2656	2660	1	RMS	2656	-27.5	-10	Pass	5
2660	2661	1	RMS	2660	-37.45	-13	Pass	401
2661	2680	1	RMS	2663.233	-35.27	-25	Pass	401




19.6. LTE Band Edge(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2655	0.1	RMS	2654.225	7.17	30	Pass	401
2655	2656	0.1	RMS	2655	-25.74	-10	Pass	401
2656	2660	1	RMS	2656	-21.34	-10	Pass	5
2660	2661	1	RMS	2660.005	-30.75	-13	Pass	401
2661	2680	1	RMS	2661.048	-32.34	-25	Pass	401



19.7. LTE Band Edge(NTNV)(Subtest:7, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2655	0.1	RMS	2654.663	20.79	30	Pass	401
2655	2656	0.1	RMS	2655.005	-15.72	-10	Pass	401
2656	2660	1	RMS	2656	-28.53	-10	Pass	5
2660	2661	1	RMS	2660	-38.3	-13	Pass	401
2661	2680	1	RMS	2663.233	-36.54	-25	Pass	401




19.8. LTE Band Edge(NTNV)(Subtest:8, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2655	0.1	RMS	2652.2	5.97	30	Pass	401
2655	2656	0.1	RMS	2655	-26.95	-10	Pass	401
2656	2660	1	RMS	2656	-23.35	-10	Pass	5
2660	2661	1	RMS	2660.028	-32.17	-13	Pass	401
2661	2680	1	RMS	2661.048	-34.13	-25	Pass	401




19.9. LTE Band Edge(NTNV)(Subtest:9, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2525	1	RMS	2517.913	-42.36	-25	Pass	401
2525	2530	1	RMS	2529.963	-36.41	-13	Pass	401
2530	2534	1	RMS	2534	-28.77	-10	Pass	5
2534	2535	0.2	RMS	2535	-18.22	-10	Pass	401
2535	2545	0.1	RMS	2535.6	20.88	30	Pass	401




19.10. LTE Band Edge(NTNV)(Subtest:10, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2525	1	RMS	2524.963	-39.49	-25	Pass	401
2525	2530	1	RMS	2529.988	-29.43	-13	Pass	401
2530	2534	1	RMS	2534	-27.74	-10	Pass	5
2534	2535	0.2	RMS	2534.945	-30.77	-10	Pass	401
2535	2545	0.1	RMS	2544.375	4.43	30	Pass	401




19.11. LTE Band Edge(NTNV)(Subtest:11, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2525	1	RMS	2517.838	-43.26	-25	Pass	401
2525	2530	1	RMS	2526.788	-37.38	-13	Pass	401
2530	2534	1	RMS	2534	-30.66	-10	Pass	5
2534	2535	0.2	RMS	2535	-18.56	-10	Pass	401
2535	2545	0.1	RMS	2535.6	20.29	30	Pass	401



19.12. LTE Band Edge(NTNV)(Subtest:12, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2510	2525	1	RMS	2525	-40.04	-25	Pass	401
2525	2530	1	RMS	2529.975	-30.39	-13	Pass	401
2530	2534	1	RMS	2534	-28.39	-10	Pass	5
2534	2535	0.2	RMS	2534.995	-32.15	-10	Pass	401
2535	2545	0.1	RMS	2543.825	3.04	30	Pass	401



19.13. LTE Band Edge(NTNV)(Subtest:13, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2645	2655	0.1	RMS	2654.425	21.26	30	Pass	401
2655	2656	0.2	RMS	2655.005	-17.15	-10	Pass	401
2656	2660	1	RMS	2656	-29.22	-10	Pass	5
2660	2665	1	RMS	2663.163	-34.03	-13	Pass	401
2665	2680	1	RMS	2672.05	-38.21	-25	Pass	401

