




11BE320MIMO_Ant2_6905_996+996+484_9



11BE320MIMO_Ant2_6905_996+996+484_10




11BE320MIMO_Ant2_6905_996+996+484_11




16:40:03 27.07.2023

11BE320MIMO_Ant2_6905_996+996+484_12




16:40:12 27.07.2023


11BE320MIMO_Ant2_6905_996+996+996+484_1




11BE320MIMO_Ant2_6905_996+996+996+484_2



11BE320MIMO_Ant2_6905_996+996+996+484_3




11BE320MIMO_Ant2_6905_996+996+996+484_4




16:32:26 27.07.2023

11BE320MIMO_Ant2_6905_996+996+996+484_5



16:32:35 27.07.2023

11BE320MIMO_Ant2_6905_996+996+996+484_6




11BE320MIMO_Ant2_6905_996+996+996+484_7



11BE320MIMO_Ant2_6905_996+996+996+484_8




11BE320MIMO_Ant2_6905_996+996+996_1




16:40:34 27.07.2023

11BE320MIMO_Ant2_6905_996+996+996_2




16:40:43 27.07.2023

11BE320MIMO_Ant2_6905_996+996+996_3



11BE320MIMO_Ant2_6905_996+996+996_4



Conclusion: PASS

A.8. Transmitter Spurious Emission

Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.407	-27 dBm/MHz

In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a) (see § 15.205(c)).

Limit in restricted band:

Frequency of emission (MHz)	Field strength(uV/m)	Field strength(dBuV/m)	Measurement distance(m)
30-88	100	40	3



No.123Z60483-IOT15

88-216	150	43.5	3
216-960	200	46	3
Above 960	500	54	3

The measurement is made according to ANSI C63.10-2013 and KDB 789033

Measurement Results:

AVERAGE Results:
802.11a-20M

Channel 1

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17997.750	40.31	-29.55	45.95	23.91	54.00	13.69	H
17995.050	40.27	-29.55	45.95	23.87	54.00	13.73	H
13282.200	36.24	-31.62	40.60	27.26	54.00	17.76	V
13283.100	36.08	-31.62	40.60	27.10	54.00	17.92	H
5914.214	40.41	-27.15	34.30	33.26	68.20	27.79	H
5908.572	40.35	-27.15	34.30	33.20	68.20	27.85	H

Channel 45

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17991.450	39.69	-29.55	45.95	23.29	54.00	14.31	V
17964.450	39.58	-29.55	45.95	23.18	54.00	14.42	H
13270.950	35.79	-31.62	40.60	26.81	54.00	18.21	H
13293.450	35.78	-31.62	40.60	26.80	54.00	18.22	H
11885.400	34.81	-32.63	39.10	28.34	54.00	19.19	H
11866.950	34.69	-32.13	39.15	27.67	54.00	19.31	H

Channel 93

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17988.300	39.79	-29.55	45.95	23.39	54.00	14.21	H
17985.600	39.47	-29.55	45.95	23.07	54.00	14.53	V
13300.200	35.61	-31.62	40.60	26.63	54.00	18.39	H
13262.850	35.55	-31.65	40.50	26.70	54.00	18.45	H
12290.400	34.49	-31.98	39.00	27.47	54.00	19.51	H
11862.900	34.43	-32.13	39.15	27.41	54.00	19.57	V

Channel 97

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17987.850	39.41	-29.55	45.95	23.01	54.00	14.59	V
17996.850	39.33	-29.55	45.95	22.93	54.00	14.67	V
13306.050	35.58	-31.62	40.60	26.60	54.00	18.42	V
13265.550	35.36	-31.65	40.50	26.51	54.00	18.64	H
11890.350	34.87	-32.63	39.10	28.40	54.00	19.13	V
11847.600	34.49	-32.13	39.15	27.47	54.00	19.51	V

Channel 105

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17995.500	39.36	-29.55	45.95	22.96	54.00	14.64	V
17998.200	39.30	-29.55	45.95	22.90	54.00	14.70	V
13293.000	35.78	-31.62	40.60	26.80	54.00	18.22	V
13278.600	35.66	-31.62	40.60	26.68	54.00	18.34	V
11893.500	34.25	-32.63	39.10	27.78	54.00	19.75	V
11869.200	34.16	-32.13	39.15	27.14	54.00	19.84	V

Channel 113

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17995.950	39.90	-29.55	45.95	23.50	54.00	14.10	V
17976.150	39.41	-29.55	45.95	23.01	54.00	14.59	V
13292.550	35.39	-31.62	40.60	26.41	54.00	18.61	V
13258.800	35.35	-31.65	40.50	26.50	54.00	18.65	V
11892.600	34.29	-32.63	39.10	27.82	54.00	19.71	V
11872.350	34.16	-32.13	39.15	27.14	54.00	19.84	V

Channel 117

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17994.150	39.67	-29.55	45.95	23.27	54.00	14.33	V
17985.150	39.56	-29.55	45.95	23.16	54.00	14.44	V
13267.800	35.59	-31.62	40.60	26.61	54.00	18.41	V
13293.000	35.57	-31.62	40.60	26.59	54.00	18.43	V
11885.850	34.83	-32.63	39.10	28.36	54.00	19.17	V
11892.600	34.45	-32.63	39.10	27.98	54.00	19.55	V

Channel 149

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17994.150	40.07	-29.55	45.95	23.67	54.00	13.93	V
17993.250	39.56	-29.55	45.95	23.16	54.00	14.44	V
13303.800	35.75	-31.62	40.60	26.77	54.00	18.25	H
13291.650	35.71	-31.62	40.60	26.73	54.00	18.29	V
11855.250	34.67	-32.13	39.15	27.65	54.00	19.33	V
12699.000	34.60	-31.50	39.50	26.60	54.00	19.40	V

Channel 181

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17992.350	39.72	-29.55	45.95	23.32	54.00	14.28	V
17995.500	39.65	-29.55	45.95	23.25	54.00	14.35	V
13322.250	35.73	-31.26	40.65	26.34	54.00	18.27	V
13275.900	35.57	-31.62	40.60	26.59	54.00	18.43	V
12676.050	34.50	-31.50	39.50	26.50	54.00	19.50	V
11881.350	34.48	-32.63	39.10	28.01	54.00	19.52	V

Channel 185

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17993.700	39.58	-29.55	45.95	23.18	54.00	14.42	V
17955.000	39.50	-29.55	45.95	23.10	54.00	14.50	V
13295.250	35.75	-31.62	40.60	26.77	54.00	18.25	V
13298.400	35.64	-31.62	40.60	26.66	54.00	18.36	V
11850.300	34.83	-32.13	39.15	27.81	54.00	19.17	V
11853.900	34.56	-32.13	39.15	27.54	54.00	19.44	V

Channel 209

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17994.600	39.69	-29.55	45.95	23.29	54.00	14.31	V
17984.700	39.66	-29.55	45.95	23.26	54.00	14.34	V
13276.800	35.53	-31.62	40.60	26.55	54.00	18.47	V
13300.200	35.52	-31.62	40.60	26.54	54.00	18.48	V
11866.050	35.06	-32.13	39.15	28.04	54.00	18.94	V
11853.900	34.92	-32.13	39.15	27.90	54.00	19.08	V

Channel 233

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17976.600	39.84	-29.55	45.95	23.44	54.00	14.16	V
17991.000	39.51	-29.55	45.95	23.11	54.00	14.49	V
13258.350	35.70	-31.65	40.50	26.85	54.00	18.30	V
13310.550	35.55	-31.62	40.60	26.57	54.00	18.45	V
7125.098	49.47	-25.93	35.70	39.70	68.20	18.73	V
7125.364	48.87	-25.93	35.70	39.10	68.20	19.33	V

802.11ax-20M full RU

Channel 1

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17974.350	39.74	-29.55	45.95	23.34	54.00	14.26	V
17991.900	39.58	-29.55	45.95	23.18	54.00	14.42	V
13298.400	36.02	-31.62	40.60	27.04	54.00	17.98	V
13274.550	35.81	-31.62	40.60	26.83	54.00	18.19	V
5884.072	40.09	-27.12	34.20	33.01	68.20	28.11	V
5904.610	40.08	-27.15	34.30	32.93	68.20	28.12	V

Channel 45

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17999.100	39.63	-29.55	45.95	23.23	54.00	14.37	V
17991.000	39.53	-29.55	45.95	23.13	54.00	14.47	H
13297.950	35.87	-31.62	40.60	26.89	54.00	18.13	V
13320.000	35.81	-31.26	40.65	26.42	54.00	18.19	V
11872.350	35.55	-32.13	39.15	28.53	54.00	18.45	V
11884.950	34.98	-32.63	39.10	28.51	54.00	19.02	H

Channel 93

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17955.900	39.70	-29.55	45.95	23.30	54.00	14.30	V
17998.200	39.58	-29.55	45.95	23.18	54.00	14.42	V
13281.300	35.86	-31.62	40.60	26.88	54.00	18.14	V
13304.250	35.77	-31.62	40.60	26.79	54.00	18.23	V
11881.800	34.96	-32.63	39.10	28.49	54.00	19.04	V
11856.150	34.82	-32.13	39.15	27.80	54.00	19.18	V

Channel 97

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17988.300	40.12	-29.55	45.95	23.72	54.00	13.88	V
17995.500	40.07	-29.55	45.95	23.67	54.00	13.93	H
13270.500	36.47	-31.62	40.60	27.49	54.00	17.53	H
13278.600	36.16	-31.62	40.60	27.18	54.00	17.84	V
11870.100	35.48	-32.13	39.15	28.46	54.00	18.52	V
11286.000	35.09	-33.01	38.65	29.45	54.00	18.91	V

Channel 105

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17998.650	40.18	-29.55	45.95	23.78	54.00	13.82	V
17994.150	40.09	-29.55	45.95	23.69	54.00	13.91	V
13298.400	36.13	-31.62	40.60	27.15	54.00	17.87	H
13307.400	36.11	-31.62	40.60	27.13	54.00	17.89	V
11889.450	35.16	-32.63	39.10	28.69	54.00	18.84	V
11863.350	35.13	-32.13	39.15	28.11	54.00	18.87	V

Channel 113

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17975.700	40.00	-29.55	45.95	23.60	54.00	14.00	V
17998.650	39.92	-29.55	45.95	23.52	54.00	14.08	V
13271.400	36.30	-31.62	40.60	27.32	54.00	17.70	V
13287.150	36.21	-31.62	40.60	27.23	54.00	17.79	V
11886.300	35.14	-32.63	39.10	28.67	54.00	18.86	V
11886.750	35.13	-32.63	39.10	28.66	54.00	18.87	H

Channel 117

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17957.250	40.10	-29.55	45.95	23.70	54.00	13.90	V
17962.200	40.03	-29.55	45.95	23.63	54.00	13.97	V
13290.750	36.25	-31.62	40.60	27.27	54.00	17.75	H
13293.450	36.25	-31.62	40.60	27.27	54.00	17.75	V
11886.750	35.18	-32.63	39.10	28.71	54.00	18.82	V
12694.500	35.17	-31.50	39.50	27.17	54.00	18.83	V

Channel 149

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17977.050	40.12	-29.55	45.95	23.72	54.00	13.88	V
17997.750	40.03	-29.55	45.95	23.63	54.00	13.97	V
13270.950	36.40	-31.62	40.60	27.42	54.00	17.60	V
13294.350	36.23	-31.62	40.60	27.25	54.00	17.77	V
11852.550	35.10	-32.13	39.15	28.08	54.00	18.90	V
12675.600	35.04	-31.50	39.50	27.04	54.00	18.96	H

Channel 181

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17996.850	40.08	-29.55	45.95	23.68	54.00	13.92	V
17995.050	40.02	-29.55	45.95	23.62	54.00	13.98	V
13270.050	36.41	-31.62	40.60	27.43	54.00	17.59	V
13276.350	36.21	-31.62	40.60	27.23	54.00	17.79	V
11908.800	35.33	-32.63	39.10	28.86	54.00	18.67	H
11857.500	35.24	-32.13	39.15	28.22	54.00	18.76	V

Channel 185

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17999.100	40.11	-29.55	45.95	23.71	54.00	13.89	H
17996.850	40.07	-29.55	45.95	23.67	54.00	13.93	V
13293.000	36.45	-31.62	40.60	27.47	54.00	17.55	V
13296.150	36.25	-31.62	40.60	27.27	54.00	17.75	V
11857.950	35.49	-32.13	39.15	28.47	54.00	18.51	V
11863.350	35.40	-32.13	39.15	28.38	54.00	18.60	H

Channel 209

Frequency	Measurement	Cable	Antenna	Receiver	Limit	Margin	Antenna
-----------	-------------	-------	---------	----------	-------	--------	---------

(MHz)	Result (dBuV/m)	Loss (dB)	Factor (dB/m)	Reading (dBuV)	(dBuV/m)	(dB)	Pol. (H/V)
17991.000	40.62	-29.55	45.95	24.22	54.00	13.38	H
17996.850	40.48	-29.55	45.95	24.08	54.00	13.52	H
13274.550	36.69	-31.62	40.60	27.71	54.00	17.31	V
13275.000	36.40	-31.62	40.60	27.42	54.00	17.60	V
11854.800	35.40	-32.13	39.15	28.38	54.00	18.60	V
11856.600	35.35	-32.13	39.15	28.33	54.00	18.65	V

Channel 233

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17978.400	40.36	-29.55	45.95	23.96	54.00	13.64	H
17957.250	40.26	-29.55	45.95	23.86	54.00	13.74	H
13273.200	36.59	-31.62	40.60	27.61	54.00	17.41	V
13268.700	36.41	-31.62	40.60	27.43	54.00	17.59	H
7125.014	57.74	-25.93	35.70	47.97	68.20	10.46	V
7125.000	57.56	-25.93	35.70	47.79	68.20	10.64	V

802.11ax-40M full RU
Channel 3

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17967.150	39.84	-29.55	45.95	23.44	54.00	14.16	V
17996.400	39.64	-29.55	45.95	23.24	54.00	14.36	V
13308.300	36.08	-31.62	40.60	27.10	54.00	17.92	V
13293.000	35.63	-31.62	40.60	26.65	54.00	18.37	V
5913.276	40.46	-27.15	34.30	33.31	68.20	27.74	V
5908.432	40.03	-27.15	34.30	32.88	68.20	28.17	V

Channel 43

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17992.350	40.20	-29.55	45.95	23.80	54.00	13.80	V
17995.500	39.96	-29.55	45.95	23.56	54.00	14.04	V
13279.950	36.03	-31.62	40.60	27.05	54.00	17.97	V
13293.450	35.96	-31.62	40.60	26.98	54.00	18.04	V
11864.700	34.68	-32.13	39.15	27.66	54.00	19.32	V
11886.750	34.67	-32.63	39.10	28.20	54.00	19.33	V

Channel 91

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17991.000	40.20	-29.55	45.95	23.80	54.00	13.80	V
17998.200	39.82	-29.55	45.95	23.42	54.00	14.18	V
13302.900	36.08	-31.62	40.60	27.10	54.00	17.92	V
13309.200	35.70	-31.62	40.60	26.72	54.00	18.30	V
11854.350	34.66	-32.13	39.15	27.64	54.00	19.34	V
11866.950	34.62	-32.13	39.15	27.60	54.00	19.38	V

Channel 99

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17963.100	39.94	-29.55	45.95	23.54	54.00	14.06	V
17985.150	39.93	-29.55	45.95	23.53	54.00	14.07	V
13293.450	36.08	-31.62	40.60	27.10	54.00	17.92	H
13310.550	35.98	-31.62	40.60	27.00	54.00	18.02	H
11887.200	35.10	-32.63	39.10	28.63	54.00	18.90	H
11861.550	35.07	-32.13	39.15	28.05	54.00	18.93	V

Channel 107

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17972.550	40.42	-29.55	45.95	24.02	54.00	13.58	H
17993.700	39.98	-29.55	45.95	23.58	54.00	14.02	V
13296.150	36.43	-31.62	40.60	27.45	54.00	17.57	V
13279.050	36.25	-31.62	40.60	27.27	54.00	17.75	V
11875.500	35.23	-32.13	39.15	28.21	54.00	18.77	H
11861.550	35.12	-32.13	39.15	28.10	54.00	18.88	V

Channel 115

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17964.450	40.18	-29.55	45.95	23.78	54.00	13.82	H
17995.050	40.17	-29.55	45.95	23.77	54.00	13.83	V
13264.200	36.22	-31.65	40.50	27.37	54.00	17.78	H
13297.950	36.20	-31.62	40.60	27.22	54.00	17.80	H
11859.300	35.21	-32.13	39.15	28.19	54.00	18.79	V
11867.850	35.08	-32.13	39.15	28.06	54.00	18.92	V

Channel 123

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17995.500	40.21	-29.55	45.95	23.81	54.00	13.79	H
17998.200	39.93	-29.55	45.95	23.53	54.00	14.07	V
13258.800	36.59	-31.65	40.50	27.74	54.00	17.41	V
13269.600	36.55	-31.62	40.60	27.57	54.00	17.45	V
11866.050	35.21	-32.13	39.15	28.19	54.00	18.79	V
11875.050	35.02	-32.13	39.15	28.00	54.00	18.98	V

Channel 155

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17996.850	40.22	-29.55	45.95	23.82	54.00	13.78	V
17982.450	40.08	-29.55	45.95	23.68	54.00	13.92	H
13278.600	36.79	-31.62	40.60	27.81	54.00	17.21	H
13278.150	36.33	-31.62	40.60	27.35	54.00	17.67	V
11859.750	35.29	-32.13	39.15	28.27	54.00	18.71	V
11868.750	35.25	-32.13	39.15	28.23	54.00	18.75	V

Channel 179

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17953.200	40.22	-29.55	45.95	23.82	54.00	13.78	H
17997.750	40.05	-29.55	45.95	23.65	54.00	13.95	H
13277.700	36.43	-31.62	40.60	27.45	54.00	17.57	H
13293.900	36.35	-31.62	40.60	27.37	54.00	17.65	H
11881.800	35.24	-32.63	39.10	28.77	54.00	18.76	V
11884.500	35.20	-32.63	39.10	28.73	54.00	18.80	H

Channel 187

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17967.600	40.19	-29.55	45.95	23.79	54.00	13.81	V
17999.100	40.00	-29.55	45.95	23.60	54.00	14.00	H
13288.950	36.20	-31.62	40.60	27.22	54.00	17.80	V
13292.100	36.10	-31.62	40.60	27.12	54.00	17.90	V
11876.850	35.24	-32.13	39.15	28.22	54.00	18.76	V
11861.100	35.22	-32.13	39.15	28.20	54.00	18.78	V

Channel 211

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17991.450	40.36	-29.55	45.95	23.96	54.00	13.64	V
17989.650	40.25	-29.55	45.95	23.85	54.00	13.75	H
13291.650	36.52	-31.62	40.60	27.54	54.00	17.48	V
13275.900	36.18	-31.62	40.60	27.20	54.00	17.82	V
11888.100	35.42	-32.63	39.10	28.95	54.00	18.58	V
11863.350	35.40	-32.13	39.15	28.38	54.00	18.60	V

Channel 227

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17998.650	40.55	-29.55	45.95	24.15	54.00	13.45	H
17986.950	40.39	-29.55	45.95	23.99	54.00	13.61	V
13293.900	36.42	-31.62	40.60	27.44	54.00	17.58	V
13271.850	36.41	-31.62	40.60	27.43	54.00	17.59	V
7221.446	43.86	-25.94	36.20	33.60	68.20	24.34	V
7225.870	43.69	-25.94	36.20	33.43	68.20	24.51	V

802.11ax-80M full RU

Channel 7

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17991.900	39.98	-29.55	45.95	23.58	54.00	14.02	H
17968.500	39.52	-29.55	45.95	23.12	54.00	14.48	H
13279.950	35.79	-31.62	40.60	26.81	54.00	18.21	H
13295.250	35.77	-31.62	40.60	26.79	54.00	18.23	H
5905.492	40.34	-27.15	34.30	33.19	68.20	27.86	V
5905.170	40.19	-27.15	34.30	33.04	68.20	28.01	V

Channel 39

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17962.650	39.58	-29.55	45.95	23.18	54.00	14.42	H
17995.050	39.41	-29.55	45.95	23.01	54.00	14.59	H
13291.650	35.67	-31.62	40.60	26.69	54.00	18.33	V
13298.850	35.30	-31.62	40.60	26.32	54.00	18.70	H
9003.150	34.72	-33.59	37.70	30.61	54.00	19.28	V

11879.100	34.39	-32.13	39.15	27.37	54.00	19.61	V
-----------	-------	--------	-------	-------	-------	-------	---

Channel 87

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17998.650	39.42	-29.55	45.95	23.02	54.00	14.58	V
17995.950	39.34	-29.55	45.95	22.94	54.00	14.66	H
13300.200	35.39	-31.62	40.60	26.41	54.00	18.61	H
13284.450	35.37	-31.62	40.60	26.39	54.00	18.63	H
11886.750	34.70	-32.63	39.10	28.23	54.00	19.30	V
11861.550	34.61	-32.13	39.15	27.59	54.00	19.39	H

Channel 103

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17996.850	40.10	-29.55	45.95	23.70	54.00	13.90	V
17976.150	40.03	-29.55	45.95	23.63	54.00	13.97	H
13292.100	36.24	-31.62	40.60	27.26	54.00	17.76	V
13276.800	36.21	-31.62	40.60	27.23	54.00	17.79	V
11858.400	35.56	-32.13	39.15	28.54	54.00	18.44	H
11852.100	35.43	-32.13	39.15	28.41	54.00	18.57	H

Channel 119

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17977.500	40.07	-29.55	45.95	23.67	54.00	13.93	V
17974.800	40.02	-29.55	45.95	23.62	54.00	13.98	V
13279.950	36.26	-31.62	40.60	27.28	54.00	17.74	V
13283.550	36.24	-31.62	40.60	27.26	54.00	17.76	V
11871.900	35.48	-32.13	39.15	28.46	54.00	18.52	V
11870.100	35.33	-32.13	39.15	28.31	54.00	18.67	V

Channel 151

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17994.150	40.06	-29.55	45.95	23.66	54.00	13.94	H
17995.500	40.05	-29.55	45.95	23.65	54.00	13.95	V
13281.750	36.41	-31.62	40.60	27.43	54.00	17.59	H
13278.600	36.34	-31.62	40.60	27.36	54.00	17.66	V

11890.800	35.23	-32.63	39.10	28.76	54.00	18.77	H
11861.550	35.18	-32.13	39.15	28.16	54.00	18.82	V

Channel 183

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17995.050	40.45	-29.55	45.95	24.05	54.00	13.55	H
17971.650	40.26	-29.55	45.95	23.86	54.00	13.74	V
13296.600	36.42	-31.62	40.60	27.44	54.00	17.58	H
13297.050	36.32	-31.62	40.60	27.34	54.00	17.68	H
11884.950	35.37	-32.63	39.10	28.90	54.00	18.63	V
11889.000	35.31	-32.63	39.10	28.84	54.00	18.69	H

Channel 199

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17999.100	40.29	-29.55	45.95	23.89	54.00	13.71	H
17996.850	40.26	-29.55	45.95	23.86	54.00	13.74	V
13292.550	36.38	-31.62	40.60	27.40	54.00	17.62	V
13291.200	36.23	-31.62	40.60	27.25	54.00	17.77	V
11867.850	35.46	-32.13	39.15	28.44	54.00	18.54	H
11865.600	35.28	-32.13	39.15	28.26	54.00	18.72	V

Channel 215

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17961.300	40.14	-29.55	45.95	23.74	54.00	13.86	H
17971.650	40.08	-29.55	45.95	23.68	54.00	13.92	V
13277.700	36.69	-31.62	40.60	27.71	54.00	17.31	H
13293.900	36.49	-31.62	40.60	27.51	54.00	17.51	V
7217.925	43.60	-25.94	36.20	33.34	68.20	24.60	V
7224.917	43.59	-25.94	36.20	33.33	68.20	24.61	V

802.11ax-160M full RU

Channel 15

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17996.400	39.47	-29.55	45.95	23.07	54.00	14.53	V
17993.250	39.30	-29.55	45.95	22.90	54.00	14.70	V
13307.400	35.48	-31.62	40.60	26.50	54.00	18.52	V
13260.600	35.30	-31.65	40.50	26.45	54.00	18.70	V
5923.020	40.36	-27.15	34.30	33.21	68.20	27.84	V
5864.010	40.18	-27.12	34.20	33.10	68.20	28.02	H

Channel 47

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17997.300	39.58	-29.55	45.95	23.18	54.00	14.42	V
17994.150	39.25	-29.55	45.95	22.85	54.00	14.75	H
13309.200	35.53	-31.62	40.60	26.55	54.00	18.47	V
13308.750	35.42	-31.62	40.60	26.44	54.00	18.58	V
11859.750	34.64	-32.13	39.15	27.62	54.00	19.36	V
11893.950	34.50	-32.63	39.10	28.03	54.00	19.50	V

Channel 79

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17982.000	39.37	-29.55	45.95	22.97	54.00	14.63	V
17987.400	39.30	-29.55	45.95	22.90	54.00	14.70	V
13252.500	35.52	-31.65	40.50	26.67	54.00	18.48	V
13301.550	35.45	-31.62	40.60	26.47	54.00	18.55	V
11875.050	34.89	-32.13	39.15	27.87	54.00	19.11	V
11893.500	34.49	-32.63	39.10	28.02	54.00	19.51	V

Channel 143

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17982.450	40.11	-29.55	45.95	23.71	54.00	13.89	H
17968.950	40.00	-29.55	45.95	23.60	54.00	14.00	H
13262.400	36.83	-31.65	40.50	27.98	54.00	17.17	H
13276.800	36.52	-31.62	40.60	27.54	54.00	17.48	H
11902.050	35.42	-32.63	39.10	28.95	54.00	18.58	V
11910.150	35.17	-32.63	39.10	28.70	54.00	18.83	V

Channel 207

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17980.200	40.26	-29.55	45.95	23.86	54.00	13.74	V
17998.200	40.21	-29.55	45.95	23.81	54.00	13.79	V
13259.250	36.43	-31.65	40.50	27.58	54.00	17.57	H
13262.850	36.35	-31.65	40.50	27.50	54.00	17.65	V
7227.759	43.74	-25.90	36.40	33.24	68.20	24.46	V
7224.222	43.56	-25.94	36.20	33.30	68.20	24.64	H

802.11be-20M full RU

Channel 1

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17993.700	40.31	-29.55	45.95	23.91	54.00	13.69	V
17997.300	39.79	-29.55	45.95	23.39	54.00	14.21	V
13299.300	36.00	-31.62	40.60	27.02	54.00	18.00	V
13279.050	35.78	-31.62	40.60	26.80	54.00	18.22	V
5904.666	39.81	-27.15	34.30	32.66	68.20	28.39	V
5913.304	39.79	-27.15	34.30	32.64	68.20	28.41	V

Channel 45

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17994.600	39.82	-29.55	45.95	23.42	54.00	14.18	V
17995.050	39.71	-29.55	45.95	23.31	54.00	14.29	H
13274.550	35.86	-31.62	40.60	26.88	54.00	18.14	V
13293.000	35.82	-31.62	40.60	26.84	54.00	18.18	V
11850.750	34.88	-32.13	39.15	27.86	54.00	19.12	V
11857.950	34.87	-32.13	39.15	27.85	54.00	19.13	V

Channel 93

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17977.050	39.54	-29.55	45.95	23.14	54.00	14.46	V
17942.400	39.51	-29.55	45.95	23.11	54.00	14.49	V
13298.400	35.96	-31.62	40.60	26.98	54.00	18.04	V
13293.000	35.75	-31.62	40.60	26.77	54.00	18.25	V
11867.850	34.77	-32.13	39.15	27.75	54.00	19.23	V
12684.150	34.72	-31.50	39.50	26.72	54.00	19.28	V

Channel 97

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17966.250	40.00	-29.55	45.95	23.60	54.00	14.00	V
17995.500	39.98	-29.55	45.95	23.58	54.00	14.02	H
13270.950	36.41	-31.62	40.60	27.43	54.00	17.59	V
13275.900	36.36	-31.62	40.60	27.38	54.00	17.64	V
11887.200	35.13	-32.63	39.10	28.66	54.00	18.87	H
11864.250	35.07	-32.13	39.15	28.05	54.00	18.93	V

Channel 105

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17991.900	40.30	-29.55	45.95	23.90	54.00	13.70	V
17984.700	39.83	-29.55	45.95	23.43	54.00	14.17	V
13278.600	36.34	-31.62	40.60	27.36	54.00	17.66	H
13258.800	36.12	-31.65	40.50	27.27	54.00	17.88	H
11874.150	35.38	-32.13	39.15	28.36	54.00	18.62	V
11855.700	35.24	-32.13	39.15	28.22	54.00	18.76	V

Channel 113

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17993.250	40.56	-29.55	45.95	24.16	54.00	13.44	V
17984.700	40.04	-29.55	45.95	23.64	54.00	13.96	V
13283.100	36.14	-31.62	40.60	27.16	54.00	17.86	V
13286.700	36.12	-31.62	40.60	27.14	54.00	17.88	V
11874.150	35.20	-32.13	39.15	28.18	54.00	18.80	V
11888.100	35.19	-32.63	39.10	28.72	54.00	18.81	V

Channel 117

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17992.800	40.29	-29.55	45.95	23.89	54.00	13.71	V
17996.400	40.28	-29.55	45.95	23.88	54.00	13.72	V
13276.800	36.71	-31.62	40.60	27.73	54.00	17.29	V
13275.000	36.29	-31.62	40.60	27.31	54.00	17.71	V
11872.800	35.28	-32.13	39.15	28.26	54.00	18.72	V
11888.100	35.24	-32.63	39.10	28.77	54.00	18.76	V

Channel 149

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17986.950	39.98	-29.55	45.95	23.58	54.00	14.02	V
17976.600	39.92	-29.55	45.95	23.52	54.00	14.08	H
13294.350	36.54	-31.62	40.60	27.56	54.00	17.46	H
13266.450	36.11	-31.65	40.50	27.26	54.00	17.89	H
12694.500	35.38	-31.50	39.50	27.38	54.00	18.62	V
11908.350	35.35	-32.63	39.10	28.88	54.00	18.65	H

Channel 181

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17986.050	40.15	-29.55	45.95	23.75	54.00	13.85	H
17992.800	39.94	-29.55	45.95	23.54	54.00	14.06	H
13272.300	36.39	-31.62	40.60	27.41	54.00	17.61	V
13283.550	36.39	-31.62	40.60	27.41	54.00	17.61	V
11889.000	35.35	-32.63	39.10	28.88	54.00	18.65	V
11884.950	35.28	-32.63	39.10	28.81	54.00	18.72	V

Channel 185

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17976.150	40.30	-29.55	45.95	23.90	54.00	13.70	V
17996.850	40.20	-29.55	45.95	23.80	54.00	13.80	V
13293.450	36.52	-31.62	40.60	27.54	54.00	17.48	V
13289.850	36.44	-31.62	40.60	27.46	54.00	17.56	H
11864.250	35.59	-32.13	39.15	28.57	54.00	18.41	V
11868.300	35.41	-32.13	39.15	28.39	54.00	18.59	V

Channel 209

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17994.600	40.14	-29.55	45.95	23.74	54.00	13.86	V
17984.250	40.11	-29.55	45.95	23.71	54.00	13.89	H
13276.350	36.74	-31.62	40.60	27.76	54.00	17.26	V
13296.150	36.49	-31.62	40.60	27.51	54.00	17.51	V
11871.000	35.44	-32.13	39.15	28.42	54.00	18.56	V
12672.900	35.21	-31.89	39.40	27.70	54.00	18.79	H

Channel 233

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17999.100	40.22	-29.55	45.95	23.82	54.00	13.78	H
17961.750	40.19	-29.55	45.95	23.79	54.00	13.81	V
13280.850	36.51	-31.62	40.60	27.53	54.00	17.49	V
13273.200	36.43	-31.62	40.60	27.45	54.00	17.57	H
7125.000	57.58	-25.93	35.70	47.81	68.20	10.62	V
7125.028	56.98	-25.93	35.70	47.21	68.20	11.22	V

802.11be-40M full RU

Channel 3

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17994.600	41.20	-29.55	45.95	24.80	54.00	12.80	H
17992.350	40.95	-29.55	45.95	24.55	54.00	13.05	H
13322.250	36.74	-31.26	40.65	27.35	54.00	17.26	H
13269.600	36.66	-31.62	40.60	27.68	54.00	17.34	H
5923.482	39.97	-27.15	34.30	32.82	68.20	28.23	V
5923.944	39.88	-27.15	34.30	32.73	68.20	28.32	V

Channel 43

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17995.500	40.17	-29.55	45.95	23.77	54.00	13.83	V
17991.450	39.93	-29.55	45.95	23.53	54.00	14.07	H
13297.500	35.65	-31.62	40.60	26.67	54.00	18.35	V
13294.350	35.61	-31.62	40.60	26.63	54.00	18.39	V
11294.100	34.57	-32.76	38.70	28.63	54.00	19.43	V
10713.600	34.56	-33.39	38.40	29.55	54.00	19.44	H

Channel 91

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17984.250	39.63	-29.55	45.95	23.23	54.00	14.37	V
17979.300	39.62	-29.55	45.95	23.22	54.00	14.38	H
13263.750	35.80	-31.65	40.50	26.95	54.00	18.20	V
13291.650	35.54	-31.62	40.60	26.56	54.00	18.46	V
11863.350	34.68	-32.13	39.15	27.66	54.00	19.32	H
11850.300	34.43	-32.13	39.15	27.41	54.00	19.57	V

Channel 99

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17973.450	40.23	-29.55	45.95	23.83	54.00	13.77	H
17995.500	40.03	-29.55	45.95	23.63	54.00	13.97	H
13286.700	36.20	-31.62	40.60	27.22	54.00	17.80	H
13274.100	36.16	-31.62	40.60	27.18	54.00	17.84	V
11879.100	35.19	-32.13	39.15	28.17	54.00	18.81	H
11855.250	35.18	-32.13	39.15	28.16	54.00	18.82	V

Channel 107

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17995.500	40.24	-29.55	45.95	23.84	54.00	13.76	V
17961.300	40.11	-29.55	45.95	23.71	54.00	13.89	V
13294.800	36.20	-31.62	40.60	27.22	54.00	17.80	V
13293.000	36.04	-31.62	40.60	27.06	54.00	17.96	V
11864.250	35.54	-32.13	39.15	28.52	54.00	18.46	V
11841.750	35.12	-32.13	39.15	28.10	54.00	18.88	V

Channel 115

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17987.400	39.94	-29.55	45.95	23.54	54.00	14.06	V
17975.250	39.77	-29.55	45.95	23.37	54.00	14.23	V
13291.650	36.27	-31.62	40.60	27.29	54.00	17.73	V
13274.550	36.16	-31.62	40.60	27.18	54.00	17.84	V
11886.300	35.48	-32.63	39.10	29.01	54.00	18.52	V
11785.500	35.42	-32.20	39.20	28.41	54.00	18.58	V

Channel 123

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17973.450	40.17	-29.55	45.95	23.77	54.00	13.83	V
17967.600	39.88	-29.55	45.95	23.48	54.00	14.12	V
13283.100	36.35	-31.62	40.60	27.37	54.00	17.65	V
13293.450	36.34	-31.62	40.60	27.36	54.00	17.66	H
11866.950	35.33	-32.13	39.15	28.31	54.00	18.67	V
11852.100	35.17	-32.13	39.15	28.15	54.00	18.83	V

Channel 155

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17999.100	40.07	-29.55	45.95	23.67	54.00	13.93	V
17995.050	40.03	-29.55	45.95	23.63	54.00	13.97	H
13277.700	36.69	-31.62	40.60	27.71	54.00	17.31	H
13263.750	36.37	-31.65	40.50	27.52	54.00	17.63	H
11862.450	35.23	-32.13	39.15	28.21	54.00	18.77	V
12692.250	35.17	-31.50	39.50	27.17	54.00	18.83	V

Channel 179

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17995.950	40.28	-29.55	45.95	23.88	54.00	13.72	H
17996.850	40.13	-29.55	45.95	23.73	54.00	13.87	H
13276.800	36.34	-31.62	40.60	27.36	54.00	17.66	H
13276.350	36.31	-31.62	40.60	27.33	54.00	17.69	V
11884.050	35.80	-32.63	39.10	29.33	54.00	18.20	V
11863.800	35.54	-32.13	39.15	28.52	54.00	18.46	V

Channel 187

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17995.950	40.34	-29.55	45.95	23.94	54.00	13.66	H
17998.200	40.16	-29.55	45.95	23.76	54.00	13.84	H
13291.200	36.51	-31.62	40.60	27.53	54.00	17.49	V
13252.050	36.45	-31.65	40.50	27.60	54.00	17.55	V
11866.950	35.35	-32.13	39.15	28.33	54.00	18.65	V
11853.900	35.33	-32.13	39.15	28.31	54.00	18.67	V

Channel 211

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17995.050	40.08	-29.55	45.95	23.68	54.00	13.92	H
17957.250	40.02	-29.55	45.95	23.62	54.00	13.98	V
13288.500	36.88	-31.62	40.60	27.90	54.00	17.12	H
13280.400	36.81	-31.62	40.60	27.83	54.00	17.19	V
11890.800	35.38	-32.63	39.10	28.91	54.00	18.62	V
11862.900	35.27	-32.13	39.15	28.25	54.00	18.73	V

Channel 227

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17997.300	40.14	-29.55	45.95	23.74	54.00	13.86	H
17976.150	40.12	-29.55	45.95	23.72	54.00	13.88	H
13293.900	36.42	-31.62	40.60	27.44	54.00	17.58	V
13290.750	36.40	-31.62	40.60	27.42	54.00	17.60	H
7229.202	43.68	-25.90	36.40	33.18	68.20	24.52	V
7176.114	43.62	-26.05	35.90	33.77	68.20	24.58	V

802.11be-80M full RU

Channel 7

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17995.500	39.18	-29.55	45.95	22.78	54.00	14.82	V
17993.700	39.11	-29.55	45.95	22.71	54.00	14.89	V
13267.800	35.67	-31.62	40.60	26.69	54.00	18.33	V
13301.100	35.64	-31.62	40.60	26.66	54.00	18.36	V
5924.168	40.55	-27.15	34.30	33.40	68.20	27.65	V
5911.652	40.22	-27.15	34.30	33.07	68.20	27.98	V

Channel 39

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17996.850	39.38	-29.55	45.95	22.98	54.00	14.62	V
17995.050	39.29	-29.55	45.95	22.89	54.00	14.71	V
13294.350	35.54	-31.62	40.60	26.56	54.00	18.46	V
13299.300	35.50	-31.62	40.60	26.52	54.00	18.50	V
11875.050	34.96	-32.13	39.15	27.94	54.00	19.04	V
11903.400	34.81	-32.63	39.10	28.34	54.00	19.19	V

Channel 87

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17946.900	39.51	-29.55	45.95	23.11	54.00	14.49	V
17986.950	39.43	-29.55	45.95	23.03	54.00	14.57	V
13323.600	35.57	-31.26	40.65	26.18	54.00	18.43	V
13292.550	35.51	-31.62	40.60	26.53	54.00	18.49	V
11886.750	34.66	-32.63	39.10	28.19	54.00	19.34	V
11924.100	34.55	-32.63	39.10	28.08	54.00	19.45	V

Channel 103

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17961.750	39.96	-29.55	45.95	23.56	54.00	14.04	V
17955.450	39.87	-29.55	45.95	23.47	54.00	14.13	H
13276.800	36.49	-31.62	40.60	27.51	54.00	17.51	H
13292.550	36.37	-31.62	40.60	27.39	54.00	17.63	V
11894.850	35.21	-32.63	39.10	28.74	54.00	18.79	V
11905.650	35.08	-32.63	39.10	28.61	54.00	18.92	V

Channel 119

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17995.500	40.07	-29.55	45.95	23.67	54.00	13.93	V
17959.050	40.02	-29.55	45.95	23.62	54.00	13.98	V
13280.850	36.49	-31.62	40.60	27.51	54.00	17.51	V
13291.200	36.37	-31.62	40.60	27.39	54.00	17.63	V
11862.450	35.51	-32.13	39.15	28.49	54.00	18.49	H
11888.550	35.46	-32.63	39.10	28.99	54.00	18.54	V

Channel 151

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17984.250	40.21	-29.55	45.95	23.81	54.00	13.79	V
17969.850	40.13	-29.55	45.95	23.73	54.00	13.87	H
13300.200	36.17	-31.62	40.60	27.19	54.00	17.83	V
13277.700	36.12	-31.62	40.60	27.14	54.00	17.88	V
11876.400	35.40	-32.13	39.15	28.38	54.00	18.60	H
11857.050	35.36	-32.13	39.15	28.34	54.00	18.64	H

Channel 183

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17982.450	40.49	-29.55	45.95	24.09	54.00	13.51	V
17991.450	40.05	-29.55	45.95	23.65	54.00	13.95	V
13269.600	36.42	-31.62	40.60	27.44	54.00	17.58	V
13274.550	36.39	-31.62	40.60	27.41	54.00	17.61	H
11866.050	35.48	-32.13	39.15	28.46	54.00	18.52	V
9000.450	35.21	-33.59	37.70	31.10	54.00	18.79	V

Channel 199

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17958.600	40.15	-29.55	45.95	23.75	54.00	13.85	H
17993.700	40.13	-29.55	45.95	23.73	54.00	13.87	V
13283.550	36.58	-31.62	40.60	27.60	54.00	17.42	H
13279.500	36.54	-31.62	40.60	27.56	54.00	17.46	V
11868.750	35.37	-32.13	39.15	28.35	54.00	18.63	H
11017.350	35.25	-32.98	38.60	29.63	54.00	18.75	V

Channel 215

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17988.750	40.49	-29.55	45.95	24.09	54.00	13.51	V
17991.000	40.14	-29.55	45.95	23.74	54.00	13.86	V
13268.700	36.71	-31.62	40.60	27.73	54.00	17.29	V
13288.950	36.62	-31.62	40.60	27.64	54.00	17.38	V
7216.453	43.42	-25.94	36.20	33.16	68.20	24.78	H
7168.406	43.41	-26.05	35.90	33.56	68.20	24.79	H

802.11be-160M full RU

Channel 15

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17991.450	39.95	-29.55	45.95	23.55	54.00	14.05	V
17998.200	39.53	-29.55	45.95	23.13	54.00	14.47	V
13277.250	35.85	-31.62	40.60	26.87	54.00	18.15	V
13311.000	35.73	-31.62	40.60	26.75	54.00	18.27	V
5924.336	40.29	-27.15	34.30	33.14	68.20	27.91	H
5887.446	40.13	-27.12	34.20	33.05	68.20	28.07	V

Channel 47

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17986.500	39.75	-29.55	45.95	23.35	54.00	14.25	V
17998.200	39.35	-29.55	45.95	22.95	54.00	14.65	V
13276.800	35.75	-31.62	40.60	26.77	54.00	18.25	V
13293.450	35.64	-31.62	40.60	26.66	54.00	18.36	V
11870.550	34.52	-32.13	39.15	27.50	54.00	19.48	V

11910.600	34.49	-32.63	39.10	28.02	54.00	19.51	V
-----------	-------	--------	-------	-------	-------	-------	---

Channel 79

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17993.700	40.24	-29.55	45.95	23.84	54.00	13.76	V
17994.150	40.17	-29.55	45.95	23.77	54.00	13.83	V
13299.300	36.51	-31.62	40.60	27.53	54.00	17.49	H
13297.950	36.38	-31.62	40.60	27.40	54.00	17.62	H
11901.600	35.16	-32.63	39.10	28.69	54.00	18.84	V
11896.200	35.10	-32.63	39.10	28.63	54.00	18.90	V

Channel 143

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17997.300	40.51	-29.55	45.95	24.11	54.00	13.49	H
17957.250	40.13	-29.55	45.95	23.73	54.00	13.87	V
13263.300	36.42	-31.65	40.50	27.57	54.00	17.58	V
13286.250	36.34	-31.62	40.60	27.36	54.00	17.66	V
11858.400	35.36	-32.13	39.15	28.34	54.00	18.64	V
11867.850	35.36	-32.13	39.15	28.34	54.00	18.64	V

Channel 207

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17998.200	40.49	-29.55	45.95	24.09	54.00	13.51	V
17996.400	40.13	-29.55	45.95	23.73	54.00	13.87	V
13273.200	36.33	-31.62	40.60	27.35	54.00	17.67	V
13288.050	36.31	-31.62	40.60	27.33	54.00	17.69	V
7218.066	43.70	-25.94	36.20	33.44	68.20	24.50	H
7170.438	43.67	-26.05	35.90	33.82	68.20	24.53	V

802.11be-320M full RU

Channel 31

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17993.250	39.61	-29.55	45.95	23.21	54.00	14.39	V
17996.400	39.43	-29.55	45.95	23.03	54.00	14.57	V
13296.600	35.06	-31.62	40.60	26.08	54.00	18.94	V
13323.150	35.01	-31.26	40.65	25.62	54.00	18.99	V
5876.638	40.37	-27.12	34.20	33.29	68.20	27.83	V
5911.960	40.26	-27.15	34.30	33.11	68.20	27.94	V

Channel 63

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17998.650	39.24	-29.55	45.95	22.84	54.00	14.76	V
17999.100	39.19	-29.55	45.95	22.79	54.00	14.81	V
13307.850	35.27	-31.62	40.60	26.29	54.00	18.73	V
13292.100	35.20	-31.62	40.60	26.22	54.00	18.80	V
11863.800	34.18	-32.13	39.15	27.16	54.00	19.82	V
11867.400	34.01	-32.13	39.15	26.99	54.00	19.99	V

Channel 95

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17995.500	39.77	-29.55	45.95	23.37	54.00	14.23	H
17977.050	39.71	-29.55	45.95	23.31	54.00	14.29	V
13318.200	35.80	-31.26	40.65	26.41	54.00	18.20	V
13276.800	35.70	-31.62	40.60	26.72	54.00	18.30	V
12698.550	34.81	-31.50	39.50	26.81	54.00	19.19	V
11862.900	34.72	-32.13	39.15	27.70	54.00	19.28	V

Channel 127

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17942.850	39.58	-29.55	45.95	23.18	54.00	14.42	V
17991.450	39.54	-29.55	45.95	23.14	54.00	14.46	V
13280.400	35.80	-31.62	40.60	26.82	54.00	18.20	V
13292.550	35.71	-31.62	40.60	26.73	54.00	18.29	V
11866.500	34.82	-32.13	39.15	27.80	54.00	19.18	V

12314.700	34.82	-31.98	39.00	27.80	54.00	19.18	V
-----------	-------	--------	-------	-------	-------	-------	---

Channel 159

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17997.300	39.56	-29.55	45.95	23.16	54.00	14.44	V
17991.000	39.53	-29.55	45.95	23.13	54.00	14.47	V
13279.950	35.89	-31.62	40.60	26.91	54.00	18.11	H
13294.800	35.87	-31.62	40.60	26.89	54.00	18.13	V
12678.300	34.58	-31.50	39.50	26.58	54.00	19.42	V
12683.700	34.56	-31.50	39.50	26.56	54.00	19.44	V

802.11ax-20M partial RU
Channel 1

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17993.250	39.44	-29.55	45.95	23.04	54.00	14.56	V
17994.150	39.43	-29.55	45.95	23.03	54.00	14.57	V
13296.150	35.86	-31.62	40.60	26.88	54.00	18.14	H
13298.850	35.65	-31.62	40.60	26.67	54.00	18.35	V
5912.450	40.53	-27.15	34.30	33.38	68.20	27.67	H
5913.836	40.42	-27.15	34.30	33.27	68.20	27.78	H

Channel 45

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17989.650	39.47	-29.55	45.95	23.07	54.00	14.53	H
17992.350	39.38	-29.55	45.95	22.98	54.00	14.62	V
13305.150	35.72	-31.62	40.60	26.74	54.00	18.28	V
13271.400	35.56	-31.62	40.60	26.58	54.00	18.44	V
11865.150	34.95	-32.13	39.15	27.93	54.00	19.05	V
11867.400	34.59	-32.13	39.15	27.57	54.00	19.41	H

Channel 93

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17989.650	39.90	-29.55	45.95	23.50	54.00	14.10	V
17994.600	39.76	-29.55	45.95	23.36	54.00	14.24	H
13295.250	35.98	-31.62	40.60	27.00	54.00	18.02	H

13297.050	35.93	-31.62	40.60	26.95	54.00	18.07	H
11866.050	35.07	-32.13	39.15	28.05	54.00	18.93	H
11890.350	35.03	-32.63	39.10	28.56	54.00	18.97	H

Channel 97

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17991.900	39.69	-29.55	45.95	23.29	54.00	14.31	V
17980.650	39.24	-29.55	45.95	22.84	54.00	14.76	V
13304.250	35.45	-31.62	40.60	26.47	54.00	18.55	V
13296.150	35.43	-31.62	40.60	26.45	54.00	18.57	V
11889.450	34.40	-32.63	39.10	27.93	54.00	19.60	V
11855.700	34.32	-32.13	39.15	27.30	54.00	19.68	V

Channel 105

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17996.850	39.71	-29.55	45.95	23.31	54.00	14.29	V
17997.750	39.38	-29.55	45.95	22.98	54.00	14.62	V
13315.500	35.64	-31.62	40.60	26.66	54.00	18.36	H
13292.100	35.61	-31.62	40.60	26.63	54.00	18.39	V
11866.950	34.80	-32.13	39.15	27.78	54.00	19.20	V
12677.400	34.57	-31.50	39.50	26.57	54.00	19.43	V

Channel 113

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17994.600	39.56	-29.55	45.95	23.16	54.00	14.44	V
17973.450	39.26	-29.55	45.95	22.86	54.00	14.74	V
13278.150	35.73	-31.62	40.60	26.75	54.00	18.27	V
13310.550	35.27	-31.62	40.60	26.29	54.00	18.73	V
11879.550	34.30	-32.13	39.15	27.28	54.00	19.70	V
11897.550	34.27	-32.63	39.10	27.80	54.00	19.73	V

Channel 117

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17999.100	39.63	-29.55	45.95	23.23	54.00	14.37	V
17998.200	39.47	-29.55	45.95	23.07	54.00	14.53	V

13307.850	35.59	-31.62	40.60	26.61	54.00	18.41	V
13281.300	35.50	-31.62	40.60	26.52	54.00	18.50	V
11858.400	34.73	-32.13	39.15	27.71	54.00	19.27	V
11299.500	34.68	-32.76	38.70	28.74	54.00	19.32	V

Channel 149

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17996.850	39.96	-29.55	45.95	23.56	54.00	14.04	V
17991.900	39.70	-29.55	45.95	23.30	54.00	14.30	V
13304.700	35.93	-31.62	40.60	26.95	54.00	18.07	V
13316.400	35.77	-31.62	40.60	26.79	54.00	18.23	V
11851.200	34.87	-32.13	39.15	27.85	54.00	19.13	V
11880.450	34.56	-32.13	39.15	27.54	54.00	19.44	V

Channel 181

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17998.200	39.74	-29.55	45.95	23.34	54.00	14.26	V
17986.950	39.63	-29.55	45.95	23.23	54.00	14.37	V
13300.200	35.63	-31.62	40.60	26.65	54.00	18.37	V
13283.550	35.57	-31.62	40.60	26.59	54.00	18.43	V
11884.050	34.52	-32.63	39.10	28.05	54.00	19.48	V
11875.050	34.49	-32.13	39.15	27.47	54.00	19.51	V

Channel 185

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17993.250	39.27	-29.55	45.95	22.87	54.00	14.73	V
17999.100	39.24	-29.55	45.95	22.84	54.00	14.76	V
13311.450	35.93	-31.62	40.60	26.95	54.00	18.07	V
13325.850	35.79	-31.26	40.65	26.40	54.00	18.21	V
12696.300	34.84	-31.50	39.50	26.84	54.00	19.16	V
11889.450	34.68	-32.63	39.10	28.21	54.00	19.32	V

Channel 209

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17993.250	39.65	-29.55	45.95	23.25	54.00	14.35	V
17977.050	39.60	-29.55	45.95	23.20	54.00	14.40	V

13261.050	35.83	-31.65	40.50	26.98	54.00	18.17	V
13287.150	35.76	-31.62	40.60	26.78	54.00	18.24	V
11854.800	34.84	-32.13	39.15	27.82	54.00	19.16	V
12695.850	34.69	-31.50	39.50	26.69	54.00	19.31	V

Channel 233

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17960.400	40.05	-29.55	45.95	23.65	54.00	13.95	V
17959.500	39.43	-29.55	45.95	23.03	54.00	14.57	V
13265.550	35.94	-31.65	40.50	27.09	54.00	18.06	V
13301.100	35.46	-31.62	40.60	26.48	54.00	18.54	V
7125.070	53.67	-25.93	35.70	43.90	68.20	14.53	V
7125.014	52.43	-25.93	35.70	42.66	68.20	15.77	V

802.11ax-40M partial RU
Channel 3

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17995.950	39.68	-29.55	45.95	23.28	54.00	14.32	V
17999.100	39.56	-29.55	45.95	23.16	54.00	14.44	H
13262.400	35.53	-31.65	40.50	26.68	54.00	18.47	H
13286.250	35.51	-31.62	40.60	26.53	54.00	18.49	V
5908.278	40.88	-27.15	34.30	33.73	68.20	27.32	V
5902.230	40.64	-27.15	34.30	33.49	68.20	27.56	V

Channel 43

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17994.150	39.73	-29.55	45.95	23.33	54.00	14.27	H
17997.750	39.34	-29.55	45.95	22.94	54.00	14.66	V
13305.600	35.84	-31.62	40.60	26.86	54.00	18.16	V
13297.050	35.40	-31.62	40.60	26.42	54.00	18.60	V
11886.750	34.37	-32.63	39.10	27.90	54.00	19.63	V
11863.350	34.35	-32.13	39.15	27.33	54.00	19.65	V

Channel 91

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17978.850	40.11	-29.55	45.95	23.71	54.00	13.89	H
17993.250	40.02	-29.55	45.95	23.62	54.00	13.98	V
13296.150	36.43	-31.62	40.60	27.45	54.00	17.57	H
13257.900	36.29	-31.65	40.50	27.44	54.00	17.71	H
11889.900	35.36	-32.63	39.10	28.89	54.00	18.64	V
11860.200	35.33	-32.13	39.15	28.31	54.00	18.67	H

Channel 99

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17978.400	39.77	-29.55	45.95	23.37	54.00	14.23	V
17997.300	39.57	-29.55	45.95	23.17	54.00	14.43	V
13292.550	35.32	-31.62	40.60	26.34	54.00	18.68	V
13300.650	35.32	-31.62	40.60	26.34	54.00	18.68	V
11866.050	34.61	-32.13	39.15	27.59	54.00	19.39	V
11872.800	34.53	-32.13	39.15	27.51	54.00	19.47	V

Channel 107

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17991.450	39.83	-29.55	45.95	23.43	54.00	14.17	V
17987.850	39.40	-29.55	45.95	23.00	54.00	14.60	V
13287.150	35.36	-31.62	40.60	26.38	54.00	18.64	V
13313.250	35.35	-31.62	40.60	26.37	54.00	18.65	V
11889.450	34.52	-32.63	39.10	28.05	54.00	19.48	V
11893.050	34.29	-32.63	39.10	27.82	54.00	19.71	V

Channel 115

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17964.450	40.18	-29.55	45.95	23.78	54.00	13.82	H
17995.050	40.17	-29.55	45.95	23.77	54.00	13.83	V
13264.200	36.22	-31.65	40.50	27.37	54.00	17.78	H
13297.950	36.20	-31.62	40.60	27.22	54.00	17.80	H
11859.300	35.21	-32.13	39.15	28.19	54.00	18.79	V
11867.850	35.08	-32.13	39.15	28.06	54.00	18.92	V

Channel 123

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17993.250	41.21	-29.55	45.95	24.81	54.00	12.79	H
17995.500	41.01	-29.55	45.95	24.61	54.00	12.99	H
13305.600	37.47	-31.62	40.60	28.49	54.00	16.53	H
13297.500	37.24	-31.62	40.60	28.26	54.00	16.76	H
11890.350	36.67	-32.63	39.10	30.20	54.00	17.33	V
11880.900	36.25	-32.13	39.15	29.23	54.00	17.75	H

Channel 155

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17982.450	40.15	-29.55	45.95	23.75	54.00	13.85	V
17997.750	39.98	-29.55	45.95	23.58	54.00	14.02	V
13291.650	36.21	-31.62	40.60	27.23	54.00	17.79	V
13303.350	36.02	-31.62	40.60	27.04	54.00	17.98	V
11870.100	34.99	-32.13	39.15	27.97	54.00	19.01	V
11883.600	34.97	-32.63	39.10	28.50	54.00	19.03	H

Channel 179

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17993.700	40.26	-29.55	45.95	23.86	54.00	13.74	V
17998.200	40.16	-29.55	45.95	23.76	54.00	13.84	V
13296.600	36.33	-31.62	40.60	27.35	54.00	17.67	V
13299.300	35.98	-31.62	40.60	27.00	54.00	18.02	V
11870.550	34.80	-32.13	39.15	27.78	54.00	19.20	V
11890.350	34.77	-32.63	39.10	28.30	54.00	19.23	V

Channel 187

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17990.100	39.43	-29.55	45.95	23.03	54.00	14.57	H
17991.900	39.36	-29.55	45.95	22.96	54.00	14.64	V
13250.250	35.78	-31.65	40.50	26.93	54.00	18.22	V
13297.950	35.60	-31.62	40.60	26.62	54.00	18.40	V
11869.200	34.76	-32.13	39.15	27.74	54.00	19.24	V
11884.950	34.71	-32.63	39.10	28.24	54.00	19.29	V

Channel 211

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17974.350	39.49	-29.55	45.95	23.09	54.00	14.51	V
17987.850	39.40	-29.55	45.95	23.00	54.00	14.60	V
13313.700	35.91	-31.62	40.60	26.93	54.00	18.09	V
13272.300	35.84	-31.62	40.60	26.86	54.00	18.16	V
11889.000	34.70	-32.63	39.10	28.23	54.00	19.30	V
11872.800	34.58	-32.13	39.15	27.56	54.00	19.42	V

Channel 227

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17997.750	39.76	-29.55	45.95	23.36	54.00	14.24	H
17989.650	39.40	-29.55	45.95	23.00	54.00	14.60	V
13262.850	35.49	-31.65	40.50	26.64	54.00	18.51	V
13276.350	35.45	-31.62	40.60	26.47	54.00	18.55	V
7161.948	43.69	-26.05	35.90	33.84	68.20	24.51	V
7150.132	43.68	-26.05	35.90	33.83	68.20	24.52	V

802.11ax-80M partial RU

Channel 7

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17993.700	39.66	-29.55	45.95	23.26	54.00	14.34	H
17996.850	39.65	-29.55	45.95	23.25	54.00	14.35	V
13301.100	35.54	-31.62	40.60	26.56	54.00	18.46	H
13294.350	35.52	-31.62	40.60	26.54	54.00	18.48	H
5906.836	40.65	-27.15	34.30	33.50	68.20	27.55	V
5916.006	40.61	-27.15	34.30	33.46	68.20	27.59	H

Channel 39

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17995.950	39.66	-29.55	45.95	23.26	54.00	14.34	H
17997.750	39.51	-29.55	45.95	23.11	54.00	14.49	H
13311.450	35.33	-31.62	40.60	26.35	54.00	18.67	V
13313.250	35.31	-31.62	40.60	26.33	54.00	18.69	V
11860.200	34.51	-32.13	39.15	27.49	54.00	19.49	V
11295.000	34.19	-32.76	38.70	28.25	54.00	19.81	V

Channel 87

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17996.400	39.56	-29.55	45.95	23.16	54.00	14.44	V
17998.650	39.47	-29.55	45.95	23.07	54.00	14.53	V
13275.000	35.82	-31.62	40.60	26.84	54.00	18.18	V
13281.750	35.62	-31.62	40.60	26.64	54.00	18.38	V
11863.800	34.36	-32.13	39.15	27.34	54.00	19.64	V
11780.100	34.29	-32.22	39.20	27.31	54.00	19.71	V

Channel 103

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17999.100	39.57	-29.55	45.95	23.17	54.00	14.43	V
17998.200	39.56	-29.55	45.95	23.16	54.00	14.44	V
13322.250	35.41	-31.26	40.65	26.02	54.00	18.59	V
13260.600	35.37	-31.65	40.50	26.52	54.00	18.63	H
11884.500	34.52	-32.63	39.10	28.05	54.00	19.48	V
11850.750	34.45	-32.13	39.15	27.43	54.00	19.55	V

Channel 119

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17978.850	39.63	-29.55	45.95	23.23	54.00	14.37	V
17987.850	39.61	-29.55	45.95	23.21	54.00	14.39	V
13270.500	35.88	-31.62	40.60	26.90	54.00	18.12	V
13293.000	35.83	-31.62	40.60	26.85	54.00	18.17	V
12676.500	35.47	-31.50	39.50	27.47	54.00	18.53	V
11889.450	34.75	-32.63	39.10	28.28	54.00	19.25	V

Channel 151

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17998.650	40.10	-29.55	45.95	23.70	54.00	13.90	V
17974.350	39.63	-29.55	45.95	23.23	54.00	14.37	V
13273.200	35.76	-31.62	40.60	26.78	54.00	18.24	V
13261.950	35.63	-31.65	40.50	26.78	54.00	18.37	V
11856.600	34.68	-32.13	39.15	27.66	54.00	19.32	V
11870.100	34.68	-32.13	39.15	27.66	54.00	19.32	V

Channel 183

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17999.100	39.88	-29.55	45.95	23.48	54.00	14.12	V
17992.350	39.80	-29.55	45.95	23.40	54.00	14.20	V
13299.300	35.71	-31.62	40.60	26.73	54.00	18.29	V
13270.500	35.61	-31.62	40.60	26.63	54.00	18.39	V
11853.900	35.10	-32.13	39.15	28.08	54.00	18.90	V
11852.100	34.72	-32.13	39.15	27.70	54.00	19.28	V

Channel 199

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17997.750	39.54	-29.55	45.95	23.14	54.00	14.46	H
17979.300	39.37	-29.55	45.95	22.97	54.00	14.63	V
13273.650	35.49	-31.62	40.60	26.51	54.00	18.51	V
13309.650	35.47	-31.62	40.60	26.49	54.00	18.53	V
11850.750	34.71	-32.13	39.15	27.69	54.00	19.29	V
11859.300	34.57	-32.13	39.15	27.55	54.00	19.43	V

Channel 215

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17979.300	39.75	-29.55	45.95	23.35	54.00	14.25	V
17995.500	39.67	-29.55	45.95	23.27	54.00	14.33	V
13301.100	35.83	-31.62	40.60	26.85	54.00	18.17	V
13277.250	35.79	-31.62	40.60	26.81	54.00	18.21	V
7189.280	43.61	-25.94	36.20	33.35	68.20	24.59	H
7150.320	43.60	-26.05	35.90	33.75	68.20	24.60	V

802.11ax-160M partial RU

Channel 15

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17995.950	39.84	-29.55	45.95	23.44	54.00	14.16	V
17978.850	39.37	-29.55	45.95	22.97	54.00	14.63	V
13264.650	35.41	-31.65	40.50	26.56	54.00	18.59	V
13282.200	35.41	-31.62	40.60	26.43	54.00	18.59	V
5915.572	40.56	-27.15	34.30	33.41	68.20	27.64	H
5913.780	40.44	-27.15	34.30	33.29	68.20	27.76	V

Channel 47

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17996.850	39.27	-29.55	45.95	22.87	54.00	14.73	H
17976.150	39.18	-29.55	45.95	22.78	54.00	14.82	H
13266.900	35.31	-31.65	40.50	26.46	54.00	18.69	V
13263.300	35.28	-31.65	40.50	26.43	54.00	18.72	H
11872.350	34.29	-32.13	39.15	27.27	54.00	19.71	V
10727.550	34.28	-33.39	38.40	29.27	54.00	19.72	H

Channel 79

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17992.800	39.45	-29.55	45.95	23.05	54.00	14.55	V
17998.650	39.27	-29.55	45.95	22.87	54.00	14.73	V
13275.000	35.62	-31.62	40.60	26.64	54.00	18.38	V
13283.550	35.59	-31.62	40.60	26.61	54.00	18.41	V
11893.500	34.26	-32.63	39.10	27.79	54.00	19.74	V
11906.550	34.23	-32.63	39.10	27.76	54.00	19.77	V

Channel 143

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17997.750	40.09	-29.55	45.95	23.69	54.00	13.91	V
17990.550	39.80	-29.55	45.95	23.40	54.00	14.20	V
13279.500	35.96	-31.62	40.60	26.98	54.00	18.04	V
13288.500	35.62	-31.62	40.60	26.64	54.00	18.38	V
11867.400	34.94	-32.13	39.15	27.92	54.00	19.06	V
11884.950	34.67	-32.63	39.10	28.20	54.00	19.33	V

Channel 207

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17997.750	39.82	-29.55	45.95	23.42	54.00	14.18	V
17987.850	39.61	-29.55	45.95	23.21	54.00	14.39	V
13293.900	35.91	-31.62	40.60	26.93	54.00	18.09	V
13297.500	35.85	-31.62	40.60	26.87	54.00	18.15	V
7185.384	43.87	-25.94	36.20	33.61	68.20	24.33	V
7149.576	43.73	-26.05	35.90	33.88	68.20	24.47	V

802.11be-20M partial RU

Channel 1

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17977.500	39.74	-29.55	45.95	23.34	54.00	14.26	V
17979.750	39.73	-29.55	45.95	23.33	54.00	14.27	V
13317.750	35.83	-31.26	40.65	26.44	54.00	18.17	H
13309.650	35.80	-31.62	40.60	26.82	54.00	18.20	H
5917.784	40.47	-27.15	34.30	33.32	68.20	27.73	V
5908.600	40.42	-27.15	34.30	33.27	68.20	27.78	V

Channel 45

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17985.150	39.55	-29.55	45.95	23.15	54.00	14.45	V
17993.700	39.42	-29.55	45.95	23.02	54.00	14.58	H
13270.500	35.62	-31.62	40.60	26.64	54.00	18.38	V
13296.150	35.61	-31.62	40.60	26.63	54.00	18.39	H
11866.950	34.63	-32.13	39.15	27.61	54.00	19.37	H
12695.850	34.49	-31.50	39.50	26.49	54.00	19.51	V

Channel 93

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17985.600	40.02	-29.55	45.95	23.62	54.00	13.98	H
17991.900	39.65	-29.55	45.95	23.25	54.00	14.35	V
13281.300	35.76	-31.62	40.60	26.78	54.00	18.24	V
13291.650	35.70	-31.62	40.60	26.72	54.00	18.30	V
11857.500	34.67	-32.13	39.15	27.65	54.00	19.33	V
11859.300	34.65	-32.13	39.15	27.63	54.00	19.35	H

Channel 97

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17983.350	39.51	-29.55	45.95	23.11	54.00	14.49	V
17979.300	39.37	-29.55	45.95	22.97	54.00	14.63	V
13297.500	35.22	-31.62	40.60	26.24	54.00	18.78	V
13275.000	35.20	-31.62	40.60	26.22	54.00	18.80	V
11898.450	34.48	-32.63	39.10	28.01	54.00	19.52	V
11853.000	34.46	-32.13	39.15	27.44	54.00	19.54	V

Channel 105

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17991.900	39.33	-29.55	45.95	22.93	54.00	14.67	V
17998.650	39.30	-29.55	45.95	22.90	54.00	14.70	V
13288.500	35.37	-31.62	40.60	26.39	54.00	18.63	V
13309.650	35.27	-31.62	40.60	26.29	54.00	18.73	V
11853.000	34.29	-32.13	39.15	27.27	54.00	19.71	V
11887.650	34.14	-32.63	39.10	27.67	54.00	19.86	V

Channel 113

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17988.300	39.37	-29.55	45.95	22.97	54.00	14.63	V
17992.800	39.27	-29.55	45.95	22.87	54.00	14.73	V
13277.250	35.82	-31.62	40.60	26.84	54.00	18.18	V
13290.750	35.80	-31.62	40.60	26.82	54.00	18.20	V
12297.150	34.34	-31.98	39.00	27.32	54.00	19.66	V
11862.900	34.27	-32.13	39.15	27.25	54.00	19.73	V

Channel 117

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17992.350	39.64	-29.55	45.95	23.24	54.00	14.36	V
17997.750	39.59	-29.55	45.95	23.19	54.00	14.41	V
13325.850	35.76	-31.26	40.65	26.37	54.00	18.24	V
13272.300	35.68	-31.62	40.60	26.70	54.00	18.32	V
12681.450	34.82	-31.50	39.50	26.82	54.00	19.18	V
11906.100	34.56	-32.63	39.10	28.09	54.00	19.44	V

Channel 149

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17993.250	39.76	-29.55	45.95	23.36	54.00	14.24	V
17996.850	39.66	-29.55	45.95	23.26	54.00	14.34	V
13328.100	35.91	-31.26	40.65	26.52	54.00	18.09	V
13296.150	35.72	-31.62	40.60	26.74	54.00	18.28	V
12679.650	34.73	-31.50	39.50	26.73	54.00	19.27	V
11867.850	34.64	-32.13	39.15	27.62	54.00	19.36	V

Channel 181

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17983.800	40.12	-29.55	45.95	23.72	54.00	13.88	V
17991.450	39.54	-29.55	45.95	23.14	54.00	14.46	V
13308.300	36.27	-31.62	40.60	27.29	54.00	17.73	V
13298.400	35.64	-31.62	40.60	26.66	54.00	18.36	V
11870.550	34.63	-32.13	39.15	27.61	54.00	19.37	V
11872.350	34.54	-32.13	39.15	27.52	54.00	19.46	V

Channel 185

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17997.300	39.52	-29.55	45.95	23.12	54.00	14.48	V
17985.600	39.37	-29.55	45.95	22.97	54.00	14.63	V
13255.200	35.53	-31.65	40.50	26.68	54.00	18.47	V
13314.150	35.51	-31.62	40.60	26.53	54.00	18.49	H
12693.150	34.67	-31.50	39.50	26.67	54.00	19.33	V
11858.400	34.63	-32.13	39.15	27.61	54.00	19.37	V

Channel 209

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17968.950	39.34	-29.55	45.95	22.94	54.00	14.66	V
17991.450	39.30	-29.55	45.95	22.90	54.00	14.70	V
13286.700	35.59	-31.62	40.60	26.61	54.00	18.41	V
13299.300	35.53	-31.62	40.60	26.55	54.00	18.47	V
11893.950	34.73	-32.63	39.10	28.26	54.00	19.27	V
11875.950	34.69	-32.13	39.15	27.67	54.00	19.31	V

Channel 233

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17988.300	39.65	-29.55	45.95	23.25	54.00	14.35	V
17991.900	39.49	-29.55	45.95	23.09	54.00	14.51	V
13291.200	35.80	-31.62	40.60	26.82	54.00	18.20	V
13294.800	35.74	-31.62	40.60	26.76	54.00	18.26	V
7125.224	52.47	-25.93	35.70	42.70	68.20	15.73	V
7125.280	51.58	-25.93	35.70	41.81	68.20	16.62	V

802.11be-40M partial RU

Channel 3

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17991.900	39.60	-29.55	45.95	23.20	54.00	14.40	V
17979.750	39.53	-29.55	45.95	23.13	54.00	14.47	V
13281.750	35.82	-31.62	40.60	26.84	54.00	18.18	H
13302.900	35.75	-31.62	40.60	26.77	54.00	18.25	H
5914.354	40.51	-27.15	34.30	33.36	68.20	27.69	H
5905.758	40.48	-27.15	34.30	33.33	68.20	27.72	H

Channel 43

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17989.650	39.59	-29.55	45.95	23.19	54.00	14.41	V
17994.150	39.52	-29.55	45.95	23.12	54.00	14.48	H
13293.900	35.76	-31.62	40.60	26.78	54.00	18.24	V
13322.250	35.49	-31.26	40.65	26.10	54.00	18.51	V
11882.700	34.50	-32.63	39.10	28.03	54.00	19.50	H
11885.850	34.44	-32.63	39.10	27.97	54.00	19.56	V

Channel 91

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17996.850	39.96	-29.55	45.95	23.56	54.00	14.04	V
17976.600	39.80	-29.55	45.95	23.40	54.00	14.20	H
13273.650	35.83	-31.62	40.60	26.85	54.00	18.17	V
13307.400	35.75	-31.62	40.60	26.77	54.00	18.25	H
11885.850	34.69	-32.63	39.10	28.22	54.00	19.31	V
11883.600	34.65	-32.63	39.10	28.18	54.00	19.35	H

Channel 99

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17988.750	39.70	-29.55	45.95	23.30	54.00	14.30	V
17993.700	39.62	-29.55	45.95	23.22	54.00	14.38	V
13275.450	35.94	-31.62	40.60	26.96	54.00	18.06	V
13273.200	35.75	-31.62	40.60	26.77	54.00	18.25	V
12305.250	34.35	-31.98	39.00	27.33	54.00	19.65	V
12296.700	34.25	-31.98	39.00	27.23	54.00	19.75	V

Channel 107

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17991.450	39.73	-29.55	45.95	23.33	54.00	14.27	V
17996.850	39.49	-29.55	45.95	23.09	54.00	14.51	V
13276.800	35.78	-31.62	40.60	26.80	54.00	18.22	V
13297.950	35.75	-31.62	40.60	26.77	54.00	18.25	V
11868.300	34.55	-32.13	39.15	27.53	54.00	19.45	V
11852.550	34.50	-32.13	39.15	27.48	54.00	19.50	V

Channel 115

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17987.400	39.94	-29.55	45.95	23.54	54.00	14.06	V
17975.250	39.77	-29.55	45.95	23.37	54.00	14.23	V
13291.650	36.27	-31.62	40.60	27.29	54.00	17.73	V
13274.550	36.16	-31.62	40.60	27.18	54.00	17.84	V
11886.300	35.48	-32.63	39.10	29.01	54.00	18.52	V
11785.500	35.42	-32.20	39.20	28.41	54.00	18.58	V

Channel 123

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17989.200	40.63	-29.55	45.95	24.23	54.00	13.37	V
17995.050	40.48	-29.55	45.95	24.08	54.00	13.52	V
13283.100	36.36	-31.62	40.60	27.38	54.00	17.64	V
13309.650	36.35	-31.62	40.60	27.37	54.00	17.65	V
11892.600	35.40	-32.63	39.10	28.93	54.00	18.60	V
11884.500	35.25	-32.63	39.10	28.78	54.00	18.75	V

Channel 155

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17996.850	40.42	-29.55	45.95	24.02	54.00	13.58	V
17990.100	40.39	-29.55	45.95	23.99	54.00	13.61	V
13264.650	36.47	-31.65	40.50	27.62	54.00	17.53	V
13297.050	36.16	-31.62	40.60	27.18	54.00	17.84	V
11873.250	35.21	-32.13	39.15	28.19	54.00	18.79	V
11886.300	35.13	-32.63	39.10	28.66	54.00	18.87	V

Channel 179

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17992.350	40.26	-29.55	45.95	23.86	54.00	13.74	V
17981.550	39.96	-29.55	45.95	23.56	54.00	14.04	V
13266.900	35.89	-31.65	40.50	27.04	54.00	18.11	V
13285.350	35.87	-31.62	40.60	26.89	54.00	18.13	V
11866.500	34.68	-32.13	39.15	27.66	54.00	19.32	V
11848.950	34.64	-32.13	39.15	27.62	54.00	19.36	V

Channel 187

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17993.250	39.65	-29.55	45.95	23.25	54.00	14.35	V
17994.150	39.48	-29.55	45.95	23.08	54.00	14.52	V
13281.300	35.94	-31.62	40.60	26.96	54.00	18.06	V
13281.750	35.90	-31.62	40.60	26.92	54.00	18.10	V
11878.200	34.71	-32.13	39.15	27.69	54.00	19.29	V
12694.500	34.71	-31.50	39.50	26.71	54.00	19.29	V

Channel 211

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17996.850	39.53	-29.55	45.95	23.13	54.00	14.47	V
17998.200	39.39	-29.55	45.95	22.99	54.00	14.61	V
13264.650	35.87	-31.65	40.50	27.02	54.00	18.13	V
13299.300	35.74	-31.62	40.60	26.76	54.00	18.26	V
11850.750	34.81	-32.13	39.15	27.79	54.00	19.19	H
11856.600	34.79	-32.13	39.15	27.77	54.00	19.21	V

Channel 227

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17958.150	39.38	-29.55	45.95	22.98	54.00	14.62	V
17993.250	39.34	-29.55	45.95	22.94	54.00	14.66	V
13290.750	35.77	-31.62	40.60	26.79	54.00	18.23	V
13276.350	35.53	-31.62	40.60	26.55	54.00	18.47	V
7185.776	43.97	-25.94	36.20	33.71	68.20	24.23	V
7177.082	43.67	-26.05	35.90	33.82	68.20	24.53	V

802.11be-80M partial RU

Channel 7

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17995.500	39.83	-29.55	45.95	23.43	54.00	14.17	V
17998.650	39.55	-29.55	45.95	23.15	54.00	14.45	V
13304.700	35.81	-31.62	40.60	26.83	54.00	18.19	V
13311.000	35.80	-31.62	40.60	26.82	54.00	18.20	V
5922.796	40.87	-27.15	34.30	33.72	68.20	27.33	H
5911.960	40.68	-27.15	34.30	33.53	68.20	27.52	V

Channel 39

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17995.950	39.75	-29.55	45.95	23.35	54.00	14.25	V
17996.850	39.75	-29.55	45.95	23.35	54.00	14.25	V
13316.400	35.63	-31.62	40.60	26.65	54.00	18.37	V
13301.550	35.54	-31.62	40.60	26.56	54.00	18.46	V
11863.350	34.81	-32.13	39.15	27.79	54.00	19.19	V
11892.150	34.61	-32.63	39.10	28.14	54.00	19.39	V

Channel 87

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17987.850	39.46	-29.55	45.95	23.06	54.00	14.54	V
17998.650	39.33	-29.55	45.95	22.93	54.00	14.67	V
13304.700	35.35	-31.62	40.60	26.37	54.00	18.65	H
13297.950	35.32	-31.62	40.60	26.34	54.00	18.68	V
11859.300	34.67	-32.13	39.15	27.65	54.00	19.33	V
11879.550	34.43	-32.13	39.15	27.41	54.00	19.57	V

Channel 103

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17977.950	39.53	-29.55	45.95	23.13	54.00	14.47	V
17977.500	39.47	-29.55	45.95	23.07	54.00	14.53	V
13292.550	35.64	-31.62	40.60	26.66	54.00	18.36	V
13283.100	35.56	-31.62	40.60	26.58	54.00	18.44	H
11871.450	34.75	-32.13	39.15	27.73	54.00	19.25	V
12693.600	34.57	-31.50	39.50	26.57	54.00	19.43	V

Channel 119

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17992.800	40.05	-29.55	45.95	23.65	54.00	13.95	V
17989.650	39.95	-29.55	45.95	23.55	54.00	14.05	H
13285.800	35.94	-31.62	40.60	26.96	54.00	18.06	V
13282.650	35.92	-31.62	40.60	26.94	54.00	18.08	V
12690.900	34.91	-31.50	39.50	26.91	54.00	19.09	V
11873.250	34.74	-32.13	39.15	27.72	54.00	19.26	V

Channel 151

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17993.250	40.00	-29.55	45.95	23.60	54.00	14.00	V
17995.050	39.88	-29.55	45.95	23.48	54.00	14.12	V
13311.450	35.67	-31.62	40.60	26.69	54.00	18.33	V
13269.600	35.60	-31.62	40.60	26.62	54.00	18.40	H
11881.350	35.08	-32.63	39.10	28.61	54.00	18.92	V
11891.250	34.67	-32.63	39.10	28.20	54.00	19.33	V

Channel 183

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17997.300	39.89	-29.55	45.95	23.49	54.00	14.11	V
17995.050	39.61	-29.55	45.95	23.21	54.00	14.39	V
13293.000	35.82	-31.62	40.60	26.84	54.00	18.18	V
13311.450	35.57	-31.62	40.60	26.59	54.00	18.43	V
12518.100	34.63	-31.21	39.10	26.74	54.00	19.37	V
11856.150	34.58	-32.13	39.15	27.56	54.00	19.42	V

Channel 199

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17997.300	40.00	-29.55	45.95	23.60	54.00	14.00	V
17995.500	39.58	-29.55	45.95	23.18	54.00	14.42	V
13316.400	36.12	-31.62	40.60	27.14	54.00	17.88	V
13307.850	36.05	-31.62	40.60	27.07	54.00	17.95	V
11883.150	34.74	-32.63	39.10	28.27	54.00	19.26	V
11856.600	34.65	-32.13	39.15	27.63	54.00	19.35	V

Channel 215

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17955.450	39.87	-29.55	45.95	23.47	54.00	14.13	V
17992.350	39.75	-29.55	45.95	23.35	54.00	14.25	H
13293.900	35.90	-31.62	40.60	26.92	54.00	18.10	V
13289.850	35.85	-31.62	40.60	26.87	54.00	18.15	V
7186.620	43.77	-25.94	36.20	33.51	68.20	24.43	V
7199.080	43.69	-25.94	36.20	33.43	68.20	24.51	V

802.11be-160M partial RU

Channel 15

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17995.500	39.03	-29.55	45.95	22.63	54.00	14.97	V
17995.050	38.82	-29.55	45.95	22.42	54.00	15.18	V
13305.600	34.87	-31.62	40.60	25.89	54.00	19.13	V
13293.450	34.70	-31.62	40.60	25.72	54.00	19.30	H
5908.404	40.99	-27.15	34.30	33.84	68.20	27.21	V
5901.460	40.62	-27.15	34.30	33.47	68.20	27.58	V

Channel 47

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17996.850	39.11	-29.55	45.95	22.71	54.00	14.89	V
17998.650	39.10	-29.55	45.95	22.70	54.00	14.90	V
13306.950	35.16	-31.62	40.60	26.18	54.00	18.84	V
13278.600	35.07	-31.62	40.60	26.09	54.00	18.93	V
11867.400	34.10	-32.13	39.15	27.08	54.00	19.90	V
11857.050	34.04	-32.13	39.15	27.02	54.00	19.96	V

Channel 79

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17998.650	39.63	-29.55	45.95	23.23	54.00	14.37	V
17979.750	39.08	-29.55	45.95	22.68	54.00	14.92	V
13308.300	35.10	-31.62	40.60	26.12	54.00	18.90	V
13304.700	35.09	-31.62	40.60	26.11	54.00	18.91	H
11869.650	34.02	-32.13	39.15	27.00	54.00	19.98	V
11861.100	33.91	-32.13	39.15	26.89	54.00	20.09	V

Channel 143

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17970.750	39.94	-29.55	45.95	23.54	54.00	14.06	V
17987.850	39.91	-29.55	45.95	23.51	54.00	14.09	V
13322.250	35.71	-31.26	40.65	26.32	54.00	18.29	V
13299.750	35.67	-31.62	40.60	26.69	54.00	18.33	V
11850.300	34.79	-32.13	39.15	27.77	54.00	19.21	V
12684.150	34.76	-31.50	39.50	26.76	54.00	19.24	V

Channel 207

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17999.100	39.72	-29.55	45.95	23.32	54.00	14.28	V
17994.150	39.49	-29.55	45.95	23.09	54.00	14.51	V
13294.800	36.08	-31.62	40.60	27.10	54.00	17.92	V
13305.600	35.98	-31.62	40.60	27.00	54.00	18.02	V
7168.344	43.50	-26.05	35.90	33.65	68.20	24.70	V
7165.008	43.34	-26.05	35.90	33.49	68.20	24.86	V

802.11be-320M partial RU

Channel 31

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17965.800	40.25	-29.55	45.95	23.85	54.00	13.75	V
17998.200	40.19	-29.55	45.95	23.79	54.00	13.81	V
13272.750	36.97	-31.62	40.60	27.99	54.00	17.03	V
13331.700	36.81	-31.26	40.65	27.42	54.00	17.19	V
5897.288	41.70	-27.15	34.30	34.55	68.20	26.50	H
5897.064	41.57	-27.15	34.30	34.42	68.20	26.63	H

Channel 63

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17958.150	40.25	-29.55	45.95	23.85	54.00	13.75	H
17963.100	40.24	-29.55	45.95	23.84	54.00	13.76	H
13285.800	36.88	-31.62	40.60	27.90	54.00	17.12	V
13300.650	36.79	-31.62	40.60	27.81	54.00	17.21	H
11394.450	35.29	-32.73	39.00	29.02	54.00	18.71	H
10610.100	35.27	-33.27	38.30	30.24	54.00	18.73	V

Channel 95

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17941.500	40.27	-29.55	45.95	23.87	54.00	13.73	V
17949.150	40.16	-29.55	45.95	23.76	54.00	13.84	V
13326.750	37.16	-31.26	40.65	27.77	54.00	16.84	V
13292.550	37.13	-31.62	40.60	28.15	54.00	16.87	V
11381.400	35.49	-33.13	38.85	29.77	54.00	18.51	H
10604.700	35.44	-33.27	38.30	30.41	54.00	18.56	H

Channel 127

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17971.200	40.45	-29.55	45.95	24.05	54.00	13.55	V
17974.350	40.25	-29.55	45.95	23.85	54.00	13.75	H
13295.250	36.98	-31.62	40.60	28.00	54.00	17.02	V
13266.450	36.97	-31.65	40.50	28.12	54.00	17.03	H
11389.950	35.35	-32.73	39.00	29.08	54.00	18.65	H
11328.750	35.34	-32.76	38.70	29.40	54.00	18.66	V

Channel 159

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17904.600	40.18	-29.55	45.95	23.78	54.00	13.82	H
17970.750	40.13	-29.55	45.95	23.73	54.00	13.87	V
13286.700	36.98	-31.62	40.60	28.00	54.00	17.02	H
13305.150	36.87	-31.62	40.60	27.89	54.00	17.13	V
10603.350	35.47	-33.27	38.30	30.44	54.00	18.53	H
11380.050	35.39	-33.13	38.85	29.67	54.00	18.61	V

Channel 191

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17958.150	40.25	-29.55	45.95	23.85	54.00	13.75	H
17963.100	40.24	-29.55	45.95	23.84	54.00	13.76	H
13285.800	36.88	-31.62	40.60	27.90	54.00	17.12	V
13300.650	36.79	-31.62	40.60	27.81	54.00	17.21	H
11394.450	35.29	-32.73	39.00	29.02	54.00	18.71	H
10610.100	35.27	-33.27	38.30	30.24	54.00	18.73	V

PEAK Results:
802.11a-20M

Channel 1

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17976.150	50.41	-29.55	45.95	34.01	74.00	23.59	H
17981.550	50.15	-29.55	45.95	33.75	74.00	23.85	H
13949.100	47.62	-31.02	41.40	37.24	88.20	40.58	H
13932.450	47.55	-31.02	41.40	37.17	88.20	40.65	H
5900.774	51.32	-27.15	34.30	44.17	88.20	36.88	V
5899.094	51.28	-27.15	34.30	44.13	88.20	36.92	V

Channel 45

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17996.850	51.05	-29.55	45.95	34.65	74.00	22.95	V
17985.150	50.50	-29.55	45.95	34.10	74.00	23.50	V
13862.700	47.94	-31.40	41.30	38.04	88.20	40.26	H
14185.800	46.79	-30.97	41.70	36.06	88.20	41.41	V
11887.200	45.86	-32.63	39.10	39.39	74.00	28.14	H
11030.400	45.70	-32.98	38.60	40.08	74.00	28.30	V

Channel 93

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17542.350	49.85	-29.62	44.90	34.57	88.20	38.35	H
17980.200	49.69	-29.55	45.95	33.29	74.00	24.31	V
13998.600	46.36	-30.97	41.50	35.83	88.20	41.84	H
13945.500	46.31	-31.02	41.40	35.93	88.20	41.89	V
12770.100	45.99	-31.94	39.65	38.28	88.20	42.21	H
12562.650	45.49	-31.58	39.20	37.87	74.00	28.51	V

Channel 97

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17996.850	49.80	-29.55	45.95	33.40	74.00	24.20	V
17995.050	49.62	-29.55	45.95	33.22	74.00	24.38	V
13948.650	46.94	-31.02	41.40	36.56	88.20	41.26	V
13848.750	46.81	-30.55	41.25	36.11	88.20	41.39	V
12770.550	45.60	-31.94	39.65	37.89	88.20	42.60	V
11394.000	45.08	-32.73	39.00	38.81	74.00	28.92	V

Channel 105

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17996.850	50.46	-29.55	45.95	34.06	74.00	23.54	H
17989.650	50.20	-29.55	45.95	33.80	74.00	23.80	V
13833.900	46.13	-30.55	41.25	35.43	88.20	42.07	H
13949.100	46.10	-31.02	41.40	35.72	88.20	42.10	V
12770.550	45.29	-31.94	39.65	37.58	88.20	42.91	V
10467.000	44.84	-33.89	38.20	40.53	88.20	43.36	V

Channel 113

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17983.350	50.15	-29.55	45.95	33.75	74.00	23.85	V
17982.900	49.83	-29.55	45.95	33.43	74.00	24.17	V
13765.050	46.37	-31.06	41.20	36.23	88.20	41.83	V
13987.350	46.16	-30.97	41.50	35.63	88.20	42.04	V
12703.500	45.08	-31.50	39.50	37.08	88.20	43.12	V
11860.200	45.04	-32.13	39.15	38.02	74.00	28.96	V

Channel 117

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17996.400	50.44	-29.55	45.95	34.04	74.00	23.56	V
17971.650	49.83	-29.55	45.95	33.43	74.00	24.17	H
9455.850	47.12	-34.13	37.70	43.55	74.00	26.88	V
13941.000	46.98	-31.02	41.40	36.60	88.20	41.22	V
13802.400	46.86	-31.06	41.20	36.72	88.20	41.34	V
9954.900	45.54	-34.10	37.95	41.69	88.20	42.66	V

Channel 149

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17996.400	50.16	-29.55	45.95	33.76	74.00	23.84	V
17977.500	50.12	-29.55	45.95	33.72	74.00	23.88	V
13943.250	46.71	-31.02	41.40	36.33	88.20	41.49	V
13792.950	46.63	-31.06	41.20	36.49	88.20	41.57	H
12769.650	45.59	-31.94	39.65	37.88	88.20	42.61	V
12768.750	45.36	-31.94	39.65	37.65	88.20	42.84	V

Channel 181

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17535.600	49.93	-29.62	44.90	34.65	88.20	38.27	V
17998.200	49.83	-29.55	45.95	33.43	74.00	24.17	H
13293.450	46.59	-31.62	40.60	37.61	74.00	27.41	V
13906.800	46.42	-31.40	41.30	36.52	88.20	41.78	V
11946.150	45.41	-31.70	39.05	38.06	74.00	28.59	V
11859.750	45.36	-32.13	39.15	38.34	74.00	28.64	V

Channel 185

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17541.900	50.34	-29.62	44.90	35.06	88.20	37.86	V
17461.800	49.68	-29.07	44.20	34.55	88.20	38.52	V
13738.950	46.50	-31.33	41.10	36.73	88.20	41.70	V
13947.300	46.33	-31.02	41.40	35.95	88.20	41.87	V
12763.350	45.60	-31.94	39.65	37.89	88.20	42.60	V
11895.300	45.08	-32.63	39.10	38.61	74.00	28.92	V

Channel 209

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17992.800	50.03	-29.55	45.95	33.63	74.00	23.97	V
17950.050	49.84	-29.55	45.95	33.44	74.00	24.16	H
13985.550	46.80	-30.97	41.50	36.27	88.20	41.40	H
13246.200	46.76	-31.65	40.50	37.91	88.20	41.44	V
12762.900	45.76	-31.94	39.65	38.05	88.20	42.44	V
12768.750	45.44	-31.94	39.65	37.73	88.20	42.76	V

Channel 233

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17652.150	50.29	-29.80	45.40	34.69	88.20	37.91	V
17531.100	49.89	-29.62	44.90	34.61	88.20	38.31	V
13845.600	46.71	-30.55	41.25	36.01	88.20	41.49	V
13961.250	46.67	-30.97	41.50	36.14	88.20	41.53	V
7125.028	60.73	-25.93	35.70	50.96	88.20	27.47	V
7125.238	60.73	-25.93	35.70	50.96	88.20	27.47	V

802.11ax-20M full RU

Channel 1

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17988.300	50.37	-29.55	45.95	33.97	74.00	23.63	V
17979.300	50.18	-29.55	45.95	33.78	74.00	23.82	H
12960.450	47.94	-31.10	40.05	38.99	88.20	40.26	V
14071.950	47.05	-30.70	41.70	36.05	88.20	41.15	V
5904.988	50.87	-27.15	34.30	43.72	88.20	37.33	V
5924.420	50.70	-27.15	34.30	43.55	88.20	37.50	H

Channel 45

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17982.450	50.78	-29.55	45.95	34.38	74.00	23.22	V
17991.450	49.93	-29.55	45.95	33.53	74.00	24.07	V
13845.600	46.99	-30.55	41.25	36.29	88.20	41.21	V
13682.700	46.75	-31.08	41.00	36.83	88.20	41.45	V
10497.600	45.56	-33.01	38.20	40.37	88.20	42.64	V
10611.450	45.54	-33.27	38.30	40.51	74.00	28.46	V

Channel 93

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17522.100	50.53	-29.14	44.55	35.12	88.20	37.67	V
17959.950	50.14	-29.55	45.95	33.74	74.00	23.86	V
13696.650	46.82	-31.08	41.00	36.90	88.20	41.38	V
11137.950	46.78	-32.83	38.60	41.01	74.00	27.22	V
13332.600	46.60	-31.26	40.65	37.21	74.00	27.40	V
12700.350	46.20	-31.50	39.50	38.20	88.20	42.00	V

Channel 97

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17969.400	50.97	-29.55	45.95	34.57	74.00	23.03	V
17968.050	50.29	-29.55	45.95	33.89	74.00	23.71	H
13969.350	47.44	-30.97	41.50	36.91	88.20	40.76	V
13605.300	47.05	-31.29	40.80	37.54	88.20	41.15	H
12800.700	45.95	-31.36	39.80	37.51	88.20	42.25	V
12711.150	45.81	-31.50	39.50	37.81	88.20	42.39	H

Channel 105

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17995.050	50.42	-29.55	45.95	34.02	74.00	23.58	V
17470.350	50.13	-29.07	44.20	35.00	88.20	38.07	V
13888.350	47.03	-31.40	41.30	37.13	88.20	41.17	H
13929.300	46.92	-31.02	41.40	36.54	88.20	41.28	H
12762.900	46.31	-31.94	39.65	38.60	88.20	41.89	V
10618.650	46.15	-33.27	38.30	41.12	74.00	27.85	H

Channel 113

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17625.600	50.48	-29.80	45.40	34.88	88.20	37.72	H
17989.200	50.47	-29.55	45.95	34.07	74.00	23.53	H
13925.700	48.22	-31.02	41.40	37.84	88.20	39.98	V
14611.050	47.03	-30.76	41.70	36.09	88.20	41.17	V
12923.100	45.98	-31.10	40.05	37.03	88.20	42.22	V
10622.700	45.63	-33.27	38.30	40.60	74.00	28.37	H

Channel 117

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17973.900	50.93	-29.55	45.95	34.53	74.00	23.07	H
17965.800	50.52	-29.55	45.95	34.12	74.00	23.48	H
13283.100	47.36	-31.62	40.60	38.38	74.00	26.64	H
14691.600	47.03	-30.35	41.50	35.88	88.20	41.17	V
11878.200	46.26	-32.13	39.15	39.24	74.00	27.74	V
10984.500	45.88	-33.43	38.55	40.76	74.00	28.12	V

Channel 149

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17970.750	50.60	-29.55	45.95	34.20	74.00	23.40	H
17453.700	50.30	-29.07	44.20	35.17	88.20	37.90	H
13297.500	47.43	-31.62	40.60	38.45	74.00	26.57	H
13685.400	47.11	-31.08	41.00	37.19	88.20	41.09	V
12800.700	46.11	-31.36	39.80	37.67	88.20	42.09	V
12830.400	45.91	-31.97	39.90	37.98	88.20	42.29	H

Channel 181

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17995.050	50.86	-29.55	45.95	34.46	74.00	23.14	V
17980.200	50.77	-29.55	45.95	34.37	74.00	23.23	V
13339.800	47.58	-31.26	40.65	38.19	74.00	26.42	H
14114.700	47.06	-31.00	41.70	36.36	88.20	41.14	H
11859.750	46.21	-32.13	39.15	39.19	74.00	27.79	H
11336.850	45.92	-33.13	38.85	40.20	74.00	28.08	V

Channel 185

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17971.650	51.38	-29.55	45.95	34.98	74.00	22.62	H
17986.500	50.83	-29.55	45.95	34.43	74.00	23.17	H
14591.250	47.25	-29.81	41.90	35.16	88.20	40.95	V
13837.500	47.01	-30.55	41.25	36.31	88.20	41.19	H
12685.050	46.48	-31.50	39.50	38.48	74.00	27.52	H
11133.900	46.05	-32.83	38.60	40.28	74.00	27.95	V

Channel 209

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17521.200	50.69	-29.14	44.55	35.28	88.20	37.51	V
17953.650	50.66	-29.55	45.95	34.26	74.00	23.34	H
13324.050	47.20	-31.26	40.65	37.81	74.00	26.80	V
13737.150	47.19	-31.33	41.10	37.42	88.20	41.01	V
11852.550	45.89	-32.13	39.15	38.87	74.00	28.11	V
11863.350	45.81	-32.13	39.15	38.79	74.00	28.19	V

Channel 233

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17539.200	50.53	-29.62	44.90	35.25	88.20	37.67	H
17927.100	50.52	-29.55	45.95	34.12	74.00	23.48	H
14087.250	47.61	-30.70	41.70	36.61	88.20	40.59	H
13163.400	47.16	-31.63	40.30	38.49	88.20	41.04	H
7125.140	70.49	-25.93	35.70	60.72	88.20	17.71	V
7125.056	68.51	-25.93	35.70	58.74	88.20	19.69	V

802.11ax-40M full RU

Channel 3

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17982.450	50.62	-29.55	45.95	34.22	74.00	23.38	V
17532.450	50.53	-29.62	44.90	35.25	88.20	37.67	V
13292.550	46.83	-31.62	40.60	37.85	74.00	27.17	V
13743.000	46.72	-31.33	41.10	36.95	88.20	41.48	V
5902.958	51.06	-27.15	34.30	43.91	88.20	37.14	V
5907.620	51.02	-27.15	34.30	43.87	88.20	37.18	V

Channel 43

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17996.400	50.64	-29.55	45.95	34.24	74.00	23.36	V
17644.500	50.42	-29.80	45.40	34.82	88.20	37.78	V
13282.200	47.45	-31.62	40.60	38.47	74.00	26.55	V
13944.600	47.25	-31.02	41.40	36.87	88.20	40.95	V
11860.200	45.69	-32.13	39.15	38.67	74.00	28.31	V
11867.400	45.47	-32.13	39.15	38.45	74.00	28.53	V

Channel 91

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17771.850	50.72	-29.75	45.90	34.57	74.00	23.28	H
17982.900	50.12	-29.55	45.95	33.72	74.00	23.88	V
13951.350	46.64	-31.02	41.40	36.26	88.20	41.56	V
13918.050	46.60	-31.02	41.40	36.22	88.20	41.60	V
11786.850	45.71	-32.20	39.20	38.70	74.00	28.29	V
11296.350	45.70	-32.76	38.70	39.76	74.00	28.30	V

Channel 99

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17990.100	50.57	-29.55	45.95	34.17	74.00	23.43	V
17994.150	50.54	-29.55	45.95	34.14	74.00	23.46	V
13674.150	47.24	-31.08	41.00	37.32	88.20	40.96	H
13831.650	46.97	-30.55	41.25	36.27	88.20	41.23	V
12696.750	46.21	-31.50	39.50	38.21	74.00	27.79	V
11908.800	45.84	-32.63	39.10	39.37	74.00	28.16	H

Channel 107

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17975.250	50.49	-29.55	45.95	34.09	74.00	23.51	V
17983.350	50.41	-29.55	45.95	34.01	74.00	23.59	V
14128.200	48.09	-31.00	41.70	37.39	88.20	40.11	V
13932.900	47.46	-31.02	41.40	37.08	88.20	40.74	V
11870.550	45.87	-32.13	39.15	38.85	74.00	28.13	V
12722.400	45.85	-31.50	39.50	37.85	88.20	42.35	H

Channel 115

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17994.600	50.63	-29.55	45.95	34.23	74.00	23.37	V
17996.850	50.53	-29.55	45.95	34.13	74.00	23.47	V
13842.900	47.10	-30.55	41.25	36.40	88.20	41.10	H
13259.700	47.03	-31.65	40.50	38.18	74.00	26.97	H
12760.200	46.00	-31.94	39.65	38.29	88.20	42.20	H
12783.600	45.87	-31.36	39.80	37.43	88.20	42.33	V

Channel 123

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17531.550	50.92	-29.62	44.90	35.64	88.20	37.28	H
17942.400	50.85	-29.55	45.95	34.45	74.00	23.15	H
14601.600	47.66	-29.81	41.90	35.57	88.20	40.54	V
13295.250	47.03	-31.62	40.60	38.05	74.00	26.97	H
12520.350	45.96	-31.21	39.10	38.07	74.00	28.04	V
10427.400	45.82	-33.58	38.20	41.20	88.20	42.38	H

Channel 155

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17984.250	51.65	-29.55	45.95	35.25	74.00	22.35	V
17983.800	50.85	-29.55	45.95	34.45	74.00	23.15	H
13278.600	47.43	-31.62	40.60	38.45	74.00	26.57	H
13902.300	47.27	-31.40	41.30	37.37	88.20	40.93	H
12291.300	46.56	-31.98	39.00	39.54	74.00	27.44	V
12768.750	45.92	-31.94	39.65	38.21	88.20	42.28	V

Channel 179

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17518.950	50.51	-29.14	44.55	35.10	88.20	37.69	V
17964.000	50.13	-29.55	45.95	33.73	74.00	23.87	V
13266.900	47.34	-31.65	40.50	38.49	74.00	26.66	V
13270.050	46.97	-31.62	40.60	37.99	74.00	27.03	V
12695.400	46.71	-31.50	39.50	38.71	74.00	27.29	V
12687.300	46.45	-31.50	39.50	38.45	74.00	27.55	V

Channel 187

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17478.000	50.42	-29.14	44.55	35.01	88.20	37.78	H
17977.950	50.35	-29.55	45.95	33.95	74.00	23.65	V
13909.950	47.22	-31.40	41.30	37.32	88.20	40.98	V
13296.150	47.12	-31.62	40.60	38.14	74.00	26.88	V
10530.000	46.43	-33.01	38.20	41.24	88.20	41.77	H
10724.400	46.35	-33.39	38.40	41.34	74.00	27.65	V

Channel 211

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17688.600	51.00	-29.90	45.65	35.25	88.20	37.20	V
17625.150	50.81	-29.80	45.40	35.21	88.20	37.39	V
13300.650	47.28	-31.62	40.60	38.30	74.00	26.72	V
13859.550	47.10	-30.55	41.25	36.40	88.20	41.10	V
11916.000	46.62	-32.63	39.10	40.15	74.00	27.38	V
12742.200	46.12	-31.94	39.65	38.41	88.20	42.08	V

Channel 227

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17507.250	50.61	-29.14	44.55	35.20	88.20	37.59	V
17996.400	50.56	-29.55	45.95	34.16	74.00	23.44	H
13178.700	47.62	-30.98	40.40	38.20	88.20	40.58	V
13292.550	47.24	-31.62	40.60	38.26	74.00	26.76	V
7149.766	54.58	-26.05	35.90	44.73	88.20	33.62	V
7193.376	54.46	-25.94	36.20	44.20	88.20	33.74	H

802.11ax-80M full RU

Channel 7

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17906.400	49.69	-29.55	45.95	33.29	74.00	24.31	H
17446.050	49.65	-29.07	44.20	34.52	88.20	38.55	V
13905.900	46.74	-31.40	41.30	36.84	88.20	41.46	V
13913.550	46.58	-31.02	41.40	36.20	88.20	41.62	H
5894.446	51.10	-27.15	34.30	43.95	88.20	37.10	H
5885.122	51.09	-27.12	34.20	44.01	88.20	37.11	V

Channel 39

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17991.000	51.05	-29.55	45.95	34.65	74.00	22.95	H
17716.500	49.95	-29.90	45.65	34.20	74.00	24.05	V
13866.750	46.48	-31.40	41.30	36.58	88.20	41.72	V
14555.700	46.46	-29.81	41.90	34.37	88.20	41.74	V
10594.350	45.58	-33.27	38.30	40.55	88.20	42.62	H
10521.450	45.09	-33.01	38.20	39.90	88.20	43.11	V

Channel 87

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17342.550	49.95	-29.23	43.40	35.78	88.20	38.25	V
17923.950	49.85	-29.55	45.95	33.45	74.00	24.15	V
13923.000	46.42	-31.02	41.40	36.04	88.20	41.78	V
13899.600	46.37	-31.40	41.30	36.47	88.20	41.83	V
9216.000	45.48	-33.93	37.60	41.81	88.20	42.72	V
12778.650	45.28	-31.36	39.80	36.84	88.20	42.92	V

Channel 103

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17991.900	51.51	-29.55	45.95	35.11	74.00	22.49	H
17976.600	50.63	-29.55	45.95	34.23	74.00	23.37	V
13311.450	47.84	-31.62	40.60	38.86	74.00	26.16	H
14068.350	47.07	-30.70	41.70	36.07	88.20	41.13	H
11863.800	46.21	-32.13	39.15	39.19	74.00	27.79	V
11872.800	46.09	-32.13	39.15	39.07	74.00	27.91	H

Channel 119

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17895.600	50.68	-29.55	45.95	34.28	74.00	23.32	H
17994.600	50.67	-29.55	45.95	34.27	74.00	23.33	H
13698.000	46.98	-31.08	41.00	37.06	88.20	41.22	V
13180.500	46.97	-30.98	40.40	37.55	88.20	41.23	H
11911.500	45.95	-32.63	39.10	39.48	74.00	28.05	V
12294.000	45.80	-31.98	39.00	38.78	74.00	28.20	V

Channel 151

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17951.850	50.46	-29.55	45.95	34.06	74.00	23.54	V
17999.100	50.30	-29.55	45.95	33.90	74.00	23.70	H
14552.550	47.10	-30.71	41.90	35.91	88.20	41.10	H
13934.250	47.09	-31.02	41.40	36.71	88.20	41.11	V
11859.750	46.28	-32.13	39.15	39.26	74.00	27.72	V
12307.950	46.18	-31.98	39.00	39.16	74.00	27.82	V

Channel 183

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17522.100	50.69	-29.14	44.55	35.28	88.20	37.51	V
17952.750	50.37	-29.55	45.95	33.97	74.00	23.63	V
13927.050	47.09	-31.02	41.40	36.71	88.20	41.11	H
14195.700	47.07	-30.97	41.70	36.34	88.20	41.13	V
11289.150	46.18	-32.76	38.70	40.24	74.00	27.82	V
11300.400	46.09	-32.76	38.70	40.15	74.00	27.91	H

Channel 199

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17997.750	51.40	-29.55	45.95	35.00	74.00	22.60	V
17949.600	50.48	-29.55	45.95	34.08	74.00	23.52	V
13918.500	47.73	-31.02	41.40	37.35	88.20	40.47	V
13696.650	47.23	-31.08	41.00	37.31	88.20	40.97	V
11874.150	46.42	-32.13	39.15	39.40	74.00	27.58	V
11859.300	46.13	-32.13	39.15	39.11	74.00	27.87	V

Channel 215

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17957.700	51.08	-29.55	45.95	34.68	74.00	22.92	V
17955.000	50.84	-29.55	45.95	34.44	74.00	23.16	V
14076.000	48.08	-30.70	41.70	37.08	88.20	40.12	H
13293.900	47.63	-31.62	40.60	38.65	74.00	26.37	H
7207.046	54.50	-25.94	36.20	44.24	88.20	33.70	V
7216.315	54.43	-25.94	36.20	44.17	88.20	33.77	H

802.11ax-160M full RU

Channel 15

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17615.700	50.07	-29.77	45.15	34.69	88.20	38.13	V
17998.200	49.87	-29.55	45.95	33.47	74.00	24.13	V
13958.100	47.01	-31.02	41.40	36.63	88.20	41.19	V
13697.100	46.73	-31.08	41.00	36.81	88.20	41.47	V
5882.462	51.82	-27.12	34.20	44.74	88.20	36.38	V
5882.252	51.55	-27.12	34.20	44.47	88.20	36.65	V

Channel 47

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17260.650	50.09	-29.62	42.40	37.31	88.20	38.11	V
17575.200	49.80	-29.77	45.15	34.42	88.20	38.40	H
13793.400	47.29	-31.06	41.20	37.15	88.20	40.91	H
13829.850	46.86	-30.55	41.25	36.16	88.20	41.34	H
12771.450	45.41	-31.94	39.65	37.70	88.20	42.79	H
11855.250	45.36	-32.13	39.15	38.34	74.00	28.64	V

Channel 79

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17539.650	50.91	-29.62	44.90	35.63	88.20	37.29	V
17990.550	49.84	-29.55	45.95	33.44	74.00	24.16	V
13678.200	46.55	-31.08	41.00	36.63	88.20	41.65	V
14646.600	46.44	-30.76	41.70	35.50	88.20	41.76	V
11207.700	45.68	-32.65	38.60	39.73	74.00	28.32	V
11893.500	45.31	-32.63	39.10	38.84	74.00	28.69	V

Channel 143

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17968.050	51.70	-29.55	45.95	35.30	74.00	22.30	V
17605.350	50.57	-29.77	45.15	35.19	88.20	37.63	H
13293.900	47.19	-31.62	40.60	38.21	74.00	26.81	H
13918.050	47.13	-31.02	41.40	36.75	88.20	41.07	V
10876.950	46.55	-33.31	38.50	41.36	74.00	27.45	H
11875.500	46.42	-32.13	39.15	39.40	74.00	27.58	H

Channel 207

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17626.950	50.76	-29.80	45.40	35.16	88.20	37.44	V
17969.400	50.48	-29.55	45.95	34.08	74.00	23.52	H
13920.750	47.57	-31.02	41.40	37.19	88.20	40.63	V
13262.850	47.38	-31.65	40.50	38.53	74.00	26.62	V
7187.772	54.51	-25.94	36.20	44.25	88.20	33.69	H
7227.030	54.47	-25.94	36.20	44.21	88.20	33.73	V

802.11be-20M full RU

Channel 1

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17988.300	50.62	-29.55	45.95	34.22	74.00	23.38	V
17610.750	50.45	-29.77	45.15	35.07	88.20	37.75	V
13302.000	46.38	-31.62	40.60	37.40	74.00	27.62	V
13926.600	46.31	-31.02	41.40	35.93	88.20	41.89	V
5917.854	50.89	-27.15	34.30	43.74	88.20	37.31	V
5914.746	50.67	-27.15	34.30	43.52	88.20	37.53	H

Channel 45

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17992.350	51.41	-29.55	45.95	35.01	74.00	22.59	H
17493.750	50.88	-29.14	44.55	35.47	88.20	37.32	V
13688.100	47.22	-31.08	41.00	37.30	88.20	40.98	V
14101.650	47.06	-30.70	41.70	36.06	88.20	41.14	V
12772.350	45.65	-31.36	39.80	37.21	88.20	42.55	V
12440.700	45.49	-31.82	39.00	38.31	74.00	28.51	V

Channel 93

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17980.200	50.79	-29.55	45.95	34.39	74.00	23.21	H
17853.300	50.53	-29.55	45.95	34.13	74.00	23.47	H
13881.150	46.84	-31.40	41.30	36.94	88.20	41.36	V
13978.350	46.61	-30.97	41.50	36.08	88.20	41.59	H
11894.850	46.49	-32.63	39.10	40.02	74.00	27.51	V
11891.250	45.60	-32.63	39.10	39.13	74.00	28.40	V

Channel 97

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17980.650	50.45	-29.55	45.95	34.05	74.00	23.55	H
17998.200	50.27	-29.55	45.95	33.87	74.00	23.73	V
13279.500	47.23	-31.62	40.60	38.25	74.00	26.77	V
13950.450	46.96	-31.02	41.40	36.58	88.20	41.24	V
10621.350	46.36	-33.27	38.30	41.33	74.00	27.64	V
11281.500	46.28	-33.01	38.65	40.64	74.00	27.72	V

Channel 105

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17961.750	50.52	-29.55	45.95	34.12	74.00	23.48	V
17972.100	50.49	-29.55	45.95	34.09	74.00	23.51	V
13915.350	47.15	-31.02	41.40	36.77	88.20	41.05	V
14558.850	46.94	-29.81	41.90	34.85	88.20	41.26	H
12537.000	45.97	-31.58	39.20	38.35	74.00	28.03	V
12753.000	45.85	-31.94	39.65	38.14	88.20	42.35	H

Channel 113

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17467.650	50.66	-29.07	44.20	35.53	88.20	37.54	H
17617.500	50.56	-29.77	45.15	35.18	88.20	37.64	V
13885.200	47.04	-31.40	41.30	37.14	88.20	41.16	H
14199.300	46.97	-30.97	41.70	36.24	88.20	41.23	V
11103.750	46.14	-32.83	38.60	40.37	74.00	27.86	V
11813.400	45.91	-32.20	39.20	38.90	74.00	28.09	V

Channel 117

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17988.300	51.09	-29.55	45.95	34.69	74.00	22.91	H
17950.500	50.71	-29.55	45.95	34.31	74.00	23.29	V
13942.800	47.03	-31.02	41.40	36.65	88.20	41.17	V
14656.950	46.89	-30.35	41.50	35.74	88.20	41.31	H
12763.350	46.06	-31.94	39.65	38.35	88.20	42.14	H
11883.600	46.03	-32.63	39.10	39.56	74.00	27.97	H

Channel 149

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17926.200	50.67	-29.55	45.95	34.27	74.00	23.33	H
17367.300	50.56	-29.23	43.40	36.39	88.20	37.64	V
13302.450	47.62	-31.62	40.60	38.64	74.00	26.38	H
13258.350	46.96	-31.65	40.50	38.11	74.00	27.04	V
11863.350	46.10	-32.13	39.15	39.08	74.00	27.90	H
10463.850	45.95	-33.89	38.20	41.64	88.20	42.25	H

Channel 181

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17343.450	50.64	-29.23	43.40	36.47	88.20	37.56	V
17982.900	50.56	-29.55	45.95	34.16	74.00	23.44	V
13288.500	47.61	-31.62	40.60	38.63	74.00	26.39	H
13699.350	47.53	-31.08	41.00	37.61	88.20	40.67	H
9616.500	46.97	-33.85	37.60	43.22	88.20	41.23	H
11373.750	46.02	-33.13	38.85	40.30	74.00	27.98	V

Channel 185

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17520.750	50.60	-29.14	44.55	35.19	88.20	37.60	V
17970.750	50.53	-29.55	45.95	34.13	74.00	23.47	H
13935.600	47.08	-31.02	41.40	36.70	88.20	41.12	H
14597.100	46.92	-29.81	41.90	34.83	88.20	41.28	V
12354.750	46.70	-32.38	38.95	40.13	74.00	27.30	V
10537.650	46.19	-33.01	38.20	41.00	88.20	42.01	V

Channel 209

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17997.750	51.06	-29.55	45.95	34.66	74.00	22.94	V
17983.350	50.72	-29.55	45.95	34.32	74.00	23.28	H
13866.750	47.36	-31.40	41.30	37.46	88.20	40.84	H
13759.650	47.04	-31.33	41.10	37.27	88.20	41.16	H
11863.800	46.60	-32.13	39.15	39.58	74.00	27.40	V
12772.800	46.14	-31.36	39.80	37.70	88.20	42.06	H

Channel 233

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17513.550	51.13	-29.14	44.55	35.72	88.20	37.07	V
17969.850	50.63	-29.55	45.95	34.23	74.00	23.37	H
13171.950	47.55	-30.98	40.40	38.13	88.20	40.65	V
13933.800	47.19	-31.02	41.40	36.81	88.20	41.01	V
7125.000	68.15	-25.93	35.70	58.38	88.20	20.05	V
7125.056	67.87	-25.93	35.70	58.10	88.20	20.33	V

802.11be-40M full RU

Channel 3

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17646.750	51.11	-29.80	45.40	35.51	88.20	37.09	V
17986.050	51.08	-29.55	45.95	34.68	74.00	22.92	H
13907.250	47.34	-31.40	41.30	37.44	88.20	40.86	H
13933.800	47.25	-31.02	41.40	36.87	88.20	40.95	H
5848.022	50.80	-27.12	34.20	43.72	88.20	37.40	V
5917.756	50.63	-27.15	34.30	43.48	88.20	37.57	V

Channel 43

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17977.500	50.32	-29.55	45.95	33.92	74.00	23.68	V
17965.350	50.15	-29.55	45.95	33.75	74.00	23.85	V
13270.050	46.53	-31.62	40.60	37.55	74.00	27.47	H
14651.550	46.47	-30.76	41.70	35.53	88.20	41.73	V
12530.700	46.24	-31.58	39.20	38.62	74.00	27.76	H
12702.150	46.15	-31.50	39.50	38.15	88.20	42.05	H

Channel 91

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17539.650	49.84	-29.62	44.90	34.56	88.20	38.36	V
17944.200	49.78	-29.55	45.95	33.38	74.00	24.22	V
13282.650	46.61	-31.62	40.60	37.63	74.00	27.39	V
13282.200	46.59	-31.62	40.60	37.61	74.00	27.41	V
9626.850	45.81	-33.85	37.60	42.06	88.20	42.39	V
12771.900	45.70	-31.94	39.65	37.99	88.20	42.50	V

Channel 99

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17984.700	50.67	-29.55	45.95	34.27	74.00	23.33	H
17998.650	50.43	-29.55	45.95	34.03	74.00	23.57	H
14556.600	47.55	-29.81	41.90	35.46	88.20	40.65	H
13302.450	47.39	-31.62	40.60	38.41	74.00	26.61	H
12736.800	46.21	-31.94	39.65	38.50	88.20	41.99	V
11885.850	46.04	-32.63	39.10	39.57	74.00	27.96	V

Channel 107

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17963.550	50.35	-29.55	45.95	33.95	74.00	23.65	H
17992.800	50.29	-29.55	45.95	33.89	74.00	23.71	H
13936.950	47.33	-31.02	41.40	36.95	88.20	40.87	H
13700.250	47.16	-31.08	41.00	37.24	88.20	41.04	V
11858.400	46.36	-32.13	39.15	39.34	74.00	27.64	H
11889.900	46.10	-32.63	39.10	39.63	74.00	27.90	V

Channel 115

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17988.750	50.94	-29.55	45.95	34.54	74.00	23.06	V
17990.100	50.32	-29.55	45.95	33.92	74.00	23.68	H
13941.900	47.83	-31.02	41.40	37.45	88.20	40.37	V
13330.800	47.40	-31.26	40.65	38.01	74.00	26.60	H
10462.500	46.33	-33.89	38.20	42.02	88.20	41.87	V
12697.650	46.18	-31.50	39.50	38.18	74.00	27.82	H

Channel 123

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17978.400	50.42	-29.55	45.95	34.02	74.00	23.58	V
17567.550	50.26	-29.62	44.90	34.98	88.20	37.94	V
13275.000	47.45	-31.62	40.60	38.47	74.00	26.55	V
13915.350	46.89	-31.02	41.40	36.51	88.20	41.31	H
12231.450	45.84	-32.39	38.95	39.28	74.00	28.16	H
9011.250	45.79	-33.67	37.80	41.67	74.00	28.21	V

Channel 155

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17984.250	52.05	-29.55	45.95	35.65	74.00	21.95	V
17977.050	50.91	-29.55	45.95	34.51	74.00	23.09	H
13913.550	47.19	-31.02	41.40	36.81	88.20	41.01	V
13239.450	47.06	-31.65	40.50	38.21	88.20	41.14	V
11537.550	45.83	-32.17	39.15	38.85	74.00	28.17	V
12749.400	45.79	-31.94	39.65	38.08	88.20	42.41	V

Channel 179

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17984.700	50.86	-29.55	45.95	34.46	74.00	23.14	H
17995.500	50.76	-29.55	45.95	34.36	74.00	23.24	H
13323.150	47.83	-31.26	40.65	38.44	74.00	26.17	V
14120.550	47.29	-31.00	41.70	36.59	88.20	40.91	H
12695.400	45.89	-31.50	39.50	37.89	74.00	28.11	V
10703.250	45.87	-33.39	38.40	40.86	74.00	28.13	H

Channel 187

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17983.350	50.93	-29.55	45.95	34.53	74.00	23.07	V
17965.350	50.67	-29.55	45.95	34.27	74.00	23.33	H
13950.450	47.44	-31.02	41.40	37.06	88.20	40.76	V
13181.850	47.17	-30.98	40.40	37.75	88.20	41.03	H
10602.000	46.53	-33.27	38.30	41.50	74.00	27.47	V
12192.750	46.21	-31.97	38.90	39.28	74.00	27.79	V

Channel 211

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17983.350	51.12	-29.55	45.95	34.72	74.00	22.88	V
17947.800	50.84	-29.55	45.95	34.44	74.00	23.16	V
13282.650	47.52	-31.62	40.60	38.54	74.00	26.48	V
14530.050	47.28	-30.71	41.90	36.09	88.20	40.92	H
11880.450	46.04	-32.13	39.15	39.02	74.00	27.96	H
12711.600	46.02	-31.50	39.50	38.02	88.20	42.18	V

Channel 227

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17512.200	50.77	-29.14	44.55	35.36	88.20	37.43	V
17991.900	50.68	-29.55	45.95	34.28	74.00	23.32	H
13305.600	47.79	-31.62	40.60	38.81	74.00	26.21	V
13952.700	47.34	-31.02	41.40	36.96	88.20	40.86	V
7223.126	54.91	-25.94	36.20	44.65	88.20	33.29	V
7229.006	54.74	-25.90	36.40	44.24	88.20	33.46	V

802.11be-80M full RU

Channel 7

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17632.800	50.34	-29.80	45.40	34.74	88.20	37.86	V
17980.200	50.30	-29.55	45.95	33.90	74.00	23.70	V
13944.150	46.82	-31.02	41.40	36.44	88.20	41.38	V
13913.550	46.77	-31.02	41.40	36.39	88.20	41.43	V
5878.192	51.58	-27.12	34.20	44.50	88.20	36.62	V
5886.480	51.50	-27.12	34.20	44.42	88.20	36.70	V

Channel 39

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17612.550	50.27	-29.77	45.15	34.89	88.20	37.93	V
17614.350	50.15	-29.77	45.15	34.77	88.20	38.05	H
13748.400	46.67	-31.33	41.10	36.90	88.20	41.53	V
13314.150	46.56	-31.62	40.60	37.58	74.00	27.44	V
11126.700	45.77	-32.83	38.60	40.00	74.00	28.23	H
9001.350	45.05	-33.59	37.70	40.94	74.00	28.95	V

Channel 87

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17994.600	50.26	-29.55	45.95	33.86	74.00	23.74	V
17496.000	50.11	-29.14	44.55	34.70	88.20	38.09	H
14211.900	46.92	-31.02	41.75	36.19	88.20	41.28	V
13928.400	46.74	-31.02	41.40	36.36	88.20	41.46	V
11860.650	45.57	-32.13	39.15	38.55	74.00	28.43	V
11601.450	45.53	-33.11	39.20	39.44	74.00	28.47	V

Channel 103

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17982.450	50.98	-29.55	45.95	34.58	74.00	23.02	V
17513.100	50.89	-29.14	44.55	35.48	88.20	37.31	V
14574.600	47.25	-29.81	41.90	35.16	88.20	40.95	V
11143.350	47.14	-32.76	38.60	41.30	74.00	26.86	V
13273.200	47.10	-31.62	40.60	38.12	74.00	26.90	H
10610.100	46.21	-33.27	38.30	41.18	74.00	27.79	V

Channel 119

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17520.750	50.57	-29.14	44.55	35.16	88.20	37.63	H
17977.950	50.41	-29.55	45.95	34.01	74.00	23.59	V
14200.650	47.11	-30.97	41.70	36.38	88.20	41.09	H
13959.450	47.08	-31.02	41.40	36.70	88.20	41.12	V
11902.500	46.94	-32.63	39.10	40.47	74.00	27.06	H
10528.200	46.13	-33.01	38.20	40.94	88.20	42.07	H

Channel 151

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17795.250	50.61	-29.55	45.95	34.21	74.00	23.39	V
17997.750	50.45	-29.55	45.95	34.05	74.00	23.55	V
13260.600	47.28	-31.65	40.50	38.43	74.00	26.72	V
13329.000	47.09	-31.26	40.65	37.70	74.00	26.91	V
10713.600	45.76	-33.39	38.40	40.75	74.00	28.24	H
11903.850	45.74	-32.63	39.10	39.27	74.00	28.26	V

Channel 183

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17976.600	51.22	-29.55	45.95	34.82	74.00	22.78	V
17960.400	50.91	-29.55	45.95	34.51	74.00	23.09	H
13266.900	47.62	-31.65	40.50	38.77	74.00	26.38	V
12782.700	47.16	-31.36	39.80	38.72	88.20	41.04	H
13946.850	47.15	-31.02	41.40	36.77	88.20	41.05	V
12631.950	46.61	-31.89	39.40	39.10	74.00	27.39	H

Channel 199

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17998.200	50.90	-29.55	45.95	34.50	74.00	23.10	V
17552.700	50.51	-29.62	44.90	35.23	88.20	37.69	V
13951.350	47.53	-31.02	41.40	37.15	88.20	40.67	H
13933.350	47.40	-31.02	41.40	37.02	88.20	40.80	V
10611.450	46.32	-33.27	38.30	41.29	74.00	27.68	H
13080.600	45.95	-31.67	40.20	37.42	88.20	42.25	V

Channel 215

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17992.800	50.47	-29.55	45.95	34.07	74.00	23.53	V
17955.000	50.45	-29.55	45.95	34.05	74.00	23.55	H
13213.350	47.23	-30.98	40.40	37.81	88.20	40.97	H
13302.000	47.16	-31.62	40.60	38.18	74.00	26.84	V
7228.344	54.91	-25.90	36.40	44.41	88.20	33.29	V
7180.688	54.35	-25.94	36.20	44.09	88.20	33.85	V

802.11be-160M full RU

Channel 15

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17984.700	50.34	-29.55	45.95	33.94	74.00	23.66	V
17991.900	49.59	-29.55	45.95	33.19	74.00	24.41	V
13840.650	46.83	-30.55	41.25	36.13	88.20	41.37	V
13658.850	46.63	-31.48	40.90	37.21	88.20	41.57	V
5900.830	51.02	-27.15	34.30	43.87	88.20	37.18	H
5844.172	50.91	-27.12	34.20	43.83	88.20	37.29	H

Channel 47

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17991.900	50.50	-29.55	45.95	34.10	74.00	23.50	V
17948.250	50.49	-29.55	45.95	34.09	74.00	23.51	V
13832.550	46.79	-30.55	41.25	36.09	88.20	41.41	V
14095.350	46.54	-30.70	41.70	35.54	88.20	41.66	V
12772.800	45.32	-31.36	39.80	36.88	88.20	42.88	V
12316.950	45.30	-31.98	39.00	38.28	74.00	28.70	V

Channel 79

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17660.700	50.85	-29.80	45.40	35.25	88.20	37.35	H
17949.600	50.82	-29.55	45.95	34.42	74.00	23.18	H
13300.650	47.72	-31.62	40.60	38.74	74.00	26.28	H
13950.000	47.46	-31.02	41.40	37.08	88.20	40.74	H
11675.700	46.34	-32.03	39.20	39.17	74.00	27.66	H
12295.800	46.13	-31.98	39.00	39.11	74.00	27.87	H