





n77L
n77L,70MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	64.461	64.418

n77L,70MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n77L,70MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,80MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	77.663	77.586

n77L,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n77L,80MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,90MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	87.251	87.296

n77L,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n77L,90MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	8.604	8.639

n77H,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n77H,10MHz Bandwidth,DFT-s-QPSK (99% BW)


n77H
n77H,20MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	18.078	17.990

n77H,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n77H,20MHz Bandwidth,DFT-s-QPSK (99% BW)


n77H
n77H,30MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	26.907	26.864

n77H,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n77H,30MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	35.956	35.950

n77H,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n77H,40MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,50MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	45.909	46.005

n77H,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n77H,50MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,60MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	57.925	58.016

n77H,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n77H,60MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,70MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	64.472	64.350

n77H,70MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n77H,70MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,80MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	77.771	77.740

n77H,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n77H,80MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,90MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	87.251	87.265

n77H,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n77H,90MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,100MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	97.100	96.926

n77H,100MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n77H,100MHz Bandwidth,DFT-s-QPSK (99% BW)




n78L
n78L,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	8.596	8.629

n78L,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n78L,10MHz Bandwidth,DFT-s-QPSK (99% BW)



n78L
n78L,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	18.044	17.988

n78L,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n78L,20MHz Bandwidth,DFT-s-QPSK (99% BW)



n78L
n78L,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	26.957	26.975

n78L,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n78L,30MHz Bandwidth,DFT-s-QPSK (99% BW)




n78L
n78L,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	35.987	36.013

n78L,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n78L,40MHz Bandwidth,DFT-s-QPSK (99% BW)




n78L
n78L,50MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	46.030	45.962

n78L,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n78L,50MHz Bandwidth,DFT-s-QPSK (99% BW)


n78L
n78L,60MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	58.104	58.141


n78L,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n78L,60MHz Bandwidth,DFT-s-QPSK (99% BW)


n78L


n78L,70MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	64.478	64.409

n78L,70MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n78L,70MHz Bandwidth,DFT-s-QPSK (99% BW)



n78L
n78L,80MHz(99%)



Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	77.756	77.633

n78L,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n78L,80MHz Bandwidth,DFT-s-QPSK (99% BW)


n78L
n78L,90MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	87.227	87.270

n78L,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n78L,90MHz Bandwidth,DFT-s-QPSK (99% BW)


Note: The maximum value of expanded measurement uncertainty for this test item is $U = 0.626 \text{ kHz}$, $k = 2$.

A.5 Emission Bandwidth

The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. Table below lists the measured -26dBc BW. Spectrum analyzer plots are included on the following pages.


The measurement method is from ANSI C63.26:

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be wide enough to see sufficient roll off of the signal to make the measurement.
- b) The nominal RBW shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times$ RBW.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) The dynamic range of the spectrum analyzer at the selected RBW shall be more than 10 dB below the target “-X dB” requirement, i.e., if the requirement calls for measuring the -26 dB OBW, the spectrum analyzer noise floor at the selected RBW shall be at least 36 dB below the reference level.
- e) Set spectrum analyzer detection mode to peak, and the trace mode to max hold.

n5
n5,5MHz(-26dBc)



Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	5.215	5.215

n5,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n5,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n5
n5,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	9.950	9.800

n5,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n5,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n5
n5,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	14.431	14.520

n5,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n5,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n5
n5,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	19.301	19.241

n5,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n5,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n7
n7,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	5.200	5.275


n7,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n7,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n7


n7,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	10.010	9.860

n7,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n7,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n7

n7,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	14.520	14.520


n7,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n7,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n7

n7,20MHz(-26dBc)



Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	19.361	19.361

n7,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n7,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n7
n7,25MHz(-26dBc)



Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	24.351	24.276

n7,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n7,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n7



n7,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	30.120	30.120

n7,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n7,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n7
n7,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	41.120	41.360


n7,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n7,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n25

n25,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	5.305	5.245

n25,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)





n25,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n25
n25,10MHz(-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	9.920	9.860

n25,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n25,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n25

n25,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	14.476	14.431


n25,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)**n25,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)**

n25


n25,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	19.241	19.421

n25,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)





n25,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)





n25
n25,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	24.276	24.351

n25,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n25,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n25
n25,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	30.120	30.120

n25,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n25,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n25



n25,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	41.240	41.240

n25,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)**n25,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)**


n41
n41,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	9.830	9.950

n41,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n41,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41
n41,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	14.296	14.341

n41,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n41,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n41
n41,20MHz(-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	19.540	19.540

n41,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n41,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n41
n41,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	28.501	28.771



n41,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n41,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n41



n41,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	38.720	38.720

n41,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n41,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41
n41,50MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	49.000	48.850

n41,50MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n41,50MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41
n41,60MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	60.960	60.960

n41,60MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n41,60MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n41
n41,70MHz(-26dBc)



Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	67.550	67.550

n41,70MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n41,70MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n41

n41,80MHz(-26dBc)



Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	82.240	82.240

n41,80MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)**n41,80MHz Bandwidth,DFT-s-QPSK (-26dBc BW)**

n41



n41,90MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	92.250	92.250

n41,90MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)**n41,90MHz Bandwidth,DFT-s-QPSK (-26dBc BW)**


n41
n41,100MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	102.200	102.200

n41,100MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n41,100MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66
n66,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	5.185	5.320

n66,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n66,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n66
n66,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	9.860	9.890


n66,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n66,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n66

n66,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	14.610	14.476

n66,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66


n66,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	19.301	19.361

n66,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)





n66,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)





n66
n66,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	24.351	24.276

n66,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n66,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n66
n66,30MHz(-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	30.030	30.210

n66,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n66,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n66
n66,40MHz(-26dBc)



Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	41.240	41.360

n66,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n66,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n71
n71,5MHz(-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	5.230	5.230

n71,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n71,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n71
n71,10MHz(-26dBc)



Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	9.740	9.770

n71,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n71,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n71
n71,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	14.520	14.700

n71,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n71,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n71
n71,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	19.181	19.181

n71,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n71,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n77L
n77L,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	9.770	9.860

n77L,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n77L,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L
n77L,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	19.780	19.301

n77L,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n77L,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L
n77L,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	28.501	28.412

n77L,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n77L,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L
n77L,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	38.840	38.960

n77L,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n77L,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L
n77L,50MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	48.700	49.150

n77L,50MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n77L,50MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L
n77L,60MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	60.960	60.960

n77L,60MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n77L,60MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L
n77L,70MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	67.340	67.760

n77L,70MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n77L,70MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L
n77L,80MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	82.480	82.720

n77L,80MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n77L,80MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n77L
n77L,90MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	92.250	92.250

n77L,90MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n77L,90MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77H**n77H,10MHz(-26dBc)**

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	9.650	9.740

n77H,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)**n77H,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)**


n77H
n77H,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	19.540	19.301

n77H,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n77H,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n77H
n77H,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	28.681	28.591

n77H,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n77H,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)
