

Channel 118

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17988.450	43.63	-29.59	45.95	27.27	54.00	10.37	V
17926.850	43.56	-29.59	45.95	27.20	54.00	10.44	H
14495.950	38.69	-29.56	41.90	26.35	54.00	15.31	V
14477.800	38.60	-29.56	41.90	26.26	54.00	15.40	H
11859.250	35.88	-32.73	39.15	29.46	54.00	18.12	V
11893.900	35.77	-32.53	39.10	29.20	54.00	18.23	V

Channel 134

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17994.500	43.17	-29.59	45.95	26.81	54.00	10.83	V
17985.700	43.15	-29.59	45.95	26.79	54.00	10.85	V
14499.250	38.90	-29.56	41.90	26.56	54.00	15.10	H
14495.950	38.77	-29.56	41.90	26.43	54.00	15.23	H
11785.550	35.79	-32.09	39.20	28.68	54.00	18.21	V
11885.100	35.73	-32.53	39.10	29.16	54.00	18.27	H

802.11be-HT80
Channel 42

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17972.500	43.27	-29.59	45.95	26.91	54.00	10.73	V
17997.800	43.20	-29.59	45.95	26.84	54.00	10.80	H
14488.800	38.69	-29.56	41.90	26.35	54.00	15.31	V
14497.050	38.68	-29.56	41.90	26.34	54.00	15.32	H
5148.540	44.34	-28.00	34.00	38.34	54.00	9.66	V
5148.680	44.11	-28.00	34.00	38.11	54.00	9.89	V

Channel 58

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17969.750	43.18	-29.59	45.95	26.82	54.00	10.82	V
17975.800	43.16	-29.59	45.95	26.80	54.00	10.84	V
14490.450	38.60	-29.56	41.90	26.26	54.00	15.40	H
14491.000	38.46	-29.56	41.90	26.12	54.00	15.54	V
5359.392	48.17	-27.82	34.20	41.79	54.00	5.83	V
5361.152	48.11	-27.82	34.20	41.73	54.00	5.89	V

Channel 106

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17987.900	43.40	-29.59	45.95	27.04	54.00	10.60	H
17949.950	43.22	-29.59	45.95	26.86	54.00	10.78	V
14495.950	38.54	-29.56	41.90	26.20	54.00	15.46	H
14482.750	38.39	-29.56	41.90	26.05	54.00	15.61	V
5459.575	42.73	-27.49	34.20	36.02	54.00	11.27	H
5459.140	42.61	-27.49	34.20	35.90	54.00	11.39	H

Channel 122

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17964.800	43.34	-29.59	45.95	26.98	54.00	10.66	V
17981.300	43.29	-29.59	45.95	26.93	54.00	10.71	V
14497.050	39.07	-29.56	41.90	26.73	54.00	14.93	H
14486.050	38.76	-29.56	41.90	26.42	54.00	15.24	V
11864.200	35.97	-32.73	39.15	29.55	54.00	18.03	V
11778.400	35.90	-32.71	39.20	29.41	54.00	18.10	V

802.11be-HT160

Channel 50

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17995.050	43.25	-29.59	45.95	26.89	54.00	10.75	V
17970.300	43.16	-29.59	45.95	26.80	54.00	10.84	V
14498.700	38.75	-29.56	41.90	26.41	54.00	15.25	V
14497.050	38.64	-29.56	41.90	26.30	54.00	15.36	H
5112.920	43.06	-27.79	34.00	36.85	54.00	10.94	V
5114.000	42.28	-27.79	34.00	36.07	54.00	11.72	V

Channel 114

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17942.250	43.39	-29.59	45.95	27.03	54.00	10.61	H
17987.350	43.28	-29.59	45.95	26.92	54.00	10.72	H
14498.150	38.58	-29.56	41.90	26.24	54.00	15.42	V
14488.250	38.56	-29.56	41.90	26.22	54.00	15.44	V
5437.390	43.47	-27.94	34.30	37.11	54.00	10.53	H
5437.525	43.42	-27.94	34.30	37.06	54.00	10.58	H

802.11ax-HT20 Partial RU

Channel 36

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17958.750	43.61	-29.59	45.95	27.25	54.00	10.39	H
17953.800	43.47	-29.59	45.95	27.11	54.00	10.53	V
14497.050	38.88	-29.56	41.90	26.54	54.00	15.12	V
14491.000	38.78	-29.56	41.90	26.44	54.00	15.22	V
5138.340	40.33	-27.79	34.00	34.12	54.00	13.67	V
5144.660	40.29	-27.79	34.00	34.08	54.00	13.71	V

Channel 40

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17937.850	43.44	-29.59	45.95	27.08	54.00	10.56	V
17978.550	43.43	-29.59	45.95	27.07	54.00	10.57	V
14496.500	38.98	-29.56	41.90	26.64	54.00	15.02	V
14497.600	38.69	-29.56	41.90	26.35	54.00	15.31	H
11798.750	35.67	-32.09	39.20	28.56	54.00	18.33	V
11906.000	35.59	-32.53	39.10	29.02	54.00	18.41	H

Channel 48

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17969.750	43.31	-29.59	45.95	26.95	54.00	10.69	V
17980.750	43.29	-29.59	45.95	26.93	54.00	10.71	V
14497.600	38.98	-29.56	41.90	26.64	54.00	15.02	V
14498.150	38.82	-29.56	41.90	26.48	54.00	15.18	V
11888.400	35.64	-32.53	39.10	29.07	54.00	18.36	H
11871.350	35.56	-32.73	39.15	29.14	54.00	18.44	V

Channel 52

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17970.850	43.57	-29.59	45.95	27.21	54.00	10.43	H
17986.800	43.52	-29.59	45.95	27.16	54.00	10.48	H
14491.550	38.67	-29.56	41.90	26.33	54.00	15.33	H
14489.350	38.63	-29.56	41.90	26.29	54.00	15.37	H
11884.000	35.59	-32.53	39.10	29.02	54.00	18.41	V
11890.050	35.56	-32.53	39.10	28.99	54.00	18.44	H

Channel 56

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17997.250	43.71	-29.59	45.95	27.35	54.00	10.29	V
17965.900	43.43	-29.59	45.95	27.07	54.00	10.57	H
14491.000	38.55	-29.56	41.90	26.21	54.00	15.45	V
14491.550	38.52	-29.56	41.90	26.18	54.00	15.48	H
11902.150	35.64	-32.53	39.10	29.07	54.00	18.36	H
11802.600	35.63	-32.09	39.20	28.52	54.00	18.37	H

Channel 64

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17975.800	43.39	-29.59	45.95	27.03	54.00	10.61	V
17993.400	43.33	-29.59	45.95	26.97	54.00	10.67	H
14497.600	39.08	-29.56	41.90	26.74	54.00	14.92	V
14490.450	38.67	-29.56	41.90	26.33	54.00	15.33	H
5363.424	40.69	-27.82	34.20	34.31	54.00	13.31	V
5354.464	40.52	-27.82	34.20	34.14	54.00	13.48	V

Channel 100

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17998.350	43.76	-29.59	45.95	27.40	54.00	10.24	V
17954.350	43.56	-29.59	45.95	27.20	54.00	10.44	H
14490.450	38.74	-29.56	41.90	26.40	54.00	15.26	H
14495.950	38.73	-29.56	41.90	26.39	54.00	15.27	V
5431.960	40.65	-27.94	34.30	34.29	54.00	13.35	H
5426.005	40.64	-27.94	34.30	34.28	54.00	13.36	H

Channel 120

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17970.850	43.55	-29.59	45.95	27.19	54.00	10.45	H
17992.300	43.55	-29.59	45.95	27.19	54.00	10.45	V
14480.550	38.99	-29.56	41.90	26.65	54.00	15.01	V
14498.700	38.75	-29.56	41.90	26.41	54.00	15.25	H
11905.450	35.96	-32.53	39.10	29.39	54.00	18.04	H
11847.700	35.95	-32.73	39.15	29.53	54.00	18.05	V

Channel 140

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17963.700	43.93	-29.59	45.95	27.57	54.00	10.07	V
17971.400	43.60	-29.59	45.95	27.24	54.00	10.40	V
14494.300	39.08	-29.56	41.90	26.74	54.00	14.92	H
14499.800	38.68	-29.56	41.90	26.34	54.00	15.32	V
11897.750	35.97	-32.53	39.10	29.40	54.00	18.03	V
11787.750	35.93	-32.09	39.20	28.82	54.00	18.07	V

802.11ax-HT40 Partial RU

Channel 38

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17993.400	43.65	-29.59	45.95	27.29	54.00	10.35	H
17951.600	43.50	-29.59	45.95	27.14	54.00	10.50	H
14494.300	38.50	-29.56	41.90	26.16	54.00	15.50	V
14492.650	38.48	-29.56	41.90	26.14	54.00	15.52	V
5129.020	40.33	-27.79	34.00	34.12	54.00	13.67	H
5138.100	40.30	-27.79	34.00	34.09	54.00	13.70	V

Channel 46

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17988.450	43.88	-29.59	45.95	27.52	54.00	10.12	H
17989.550	43.57	-29.59	45.95	27.21	54.00	10.43	H
14495.400	38.76	-29.56	41.90	26.42	54.00	15.24	V
14492.650	38.50	-29.56	41.90	26.16	54.00	15.50	H
11779.500	35.58	-32.71	39.20	29.09	54.00	18.42	H
11796.000	35.54	-32.09	39.20	28.43	54.00	18.46	V

Channel 54

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17980.750	43.42	-29.59	45.95	27.06	54.00	10.58	V
17995.600	43.35	-29.59	45.95	26.99	54.00	10.65	V
14497.600	39.20	-29.56	41.90	26.86	54.00	14.80	V
14492.650	38.44	-29.56	41.90	26.10	54.00	15.56	V
11871.350	35.56	-32.73	39.15	29.14	54.00	18.44	V
11868.050	35.53	-32.73	39.15	29.11	54.00	18.47	V

Channel 62

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17998.350	43.53	-29.59	45.95	27.17	54.00	10.47	V
17940.050	43.40	-29.59	45.95	27.04	54.00	10.60	H
14493.750	39.31	-29.56	41.90	26.97	54.00	14.69	V
14498.700	38.62	-29.56	41.90	26.28	54.00	15.38	V
5426.496	40.69	-27.94	34.30	34.33	54.00	13.31	V
5419.712	40.64	-27.94	34.30	34.28	54.00	13.36	V

Channel 102

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17983.500	43.84	-29.59	45.95	27.48	54.00	10.16	H
17976.900	43.79	-29.59	45.95	27.43	54.00	10.21	V
14477.250	38.88	-29.56	41.90	26.54	54.00	15.12	H
14497.600	38.86	-29.56	41.90	26.52	54.00	15.14	V
5454.790	40.97	-27.49	34.20	34.26	54.00	13.03	H
5430.490	40.96	-27.94	34.30	34.60	54.00	13.04	H

Channel 118

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17998.900	43.62	-29.59	45.95	27.26	54.00	10.38	V
17991.750	43.48	-29.59	45.95	27.12	54.00	10.52	V
14482.750	38.73	-29.56	41.90	26.39	54.00	15.27	V
14492.650	38.67	-29.56	41.90	26.33	54.00	15.33	V
11874.650	36.00	-32.73	39.15	29.58	54.00	18.00	V
11904.900	35.81	-32.53	39.10	29.24	54.00	18.19	H

Channel 134

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17906.500	43.59	-29.59	45.95	27.23	54.00	10.41	V
17992.300	43.50	-29.59	45.95	27.14	54.00	10.50	H
14488.250	38.95	-29.56	41.90	26.61	54.00	15.05	H
14499.250	38.90	-29.56	41.90	26.56	54.00	15.10	V
11772.350	35.99	-32.71	39.20	29.50	54.00	18.01	H
11765.750	35.91	-32.71	39.20	29.42	54.00	18.09	H

802.11ax-HT80 Partial RU

Channel 42

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17996.150	43.39	-29.59	45.95	27.03	54.00	10.61	V
17923.000	43.37	-29.59	45.95	27.01	54.00	10.63	V
14486.600	38.65	-29.56	41.90	26.31	54.00	15.35	V
14492.100	38.54	-29.56	41.90	26.20	54.00	15.46	V
5134.360	40.19	-27.79	34.00	33.98	54.00	13.81	V
5115.460	39.97	-27.79	34.00	33.76	54.00	14.03	V

Channel 58

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17968.100	43.52	-29.59	45.95	27.16	54.00	10.48	H
17965.900	43.30	-29.59	45.95	26.94	54.00	10.70	H
14496.500	38.65	-29.56	41.90	26.31	54.00	15.35	H
14487.150	38.48	-29.56	41.90	26.14	54.00	15.52	V
5438.096	40.55	-27.94	34.30	34.19	54.00	13.45	V
5458.416	40.54	-27.49	34.20	33.83	54.00	13.46	H

Channel 106

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17951.600	43.49	-29.59	45.95	27.13	54.00	10.51	V
17998.350	43.49	-29.59	45.95	27.13	54.00	10.51	H
14481.100	38.78	-29.56	41.90	26.44	54.00	15.22	V
14499.800	38.77	-29.56	41.90	26.43	54.00	15.23	V
5417.260	41.19	-27.94	34.30	34.83	54.00	12.81	H
5416.525	41.08	-27.94	34.30	34.72	54.00	12.92	H

Channel 122

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17963.150	43.58	-29.59	45.95	27.22	54.00	10.42	V
17989.000	43.54	-29.59	45.95	27.18	54.00	10.46	V
14499.250	38.70	-29.56	41.90	26.36	54.00	15.30	V
14484.950	38.66	-29.56	41.90	26.32	54.00	15.34	H
11888.400	36.04	-32.53	39.10	29.47	54.00	17.96	V
11786.100	35.96	-32.09	39.20	28.85	54.00	18.04	V

802.11ax-HT160 Partial RU

Channel 50

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17946.100	43.57	-29.59	45.95	27.21	54.00	10.43	V
17974.150	43.56	-29.59	45.95	27.20	54.00	10.44	H
14499.800	38.64	-29.56	41.90	26.30	54.00	15.36	V
14478.900	38.39	-29.56	41.90	26.05	54.00	15.61	H
5140.220	40.11	-27.79	34.00	33.90	54.00	13.89	V
5097.580	40.03	-28.19	33.80	34.42	54.00	13.97	V

Channel 114

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17959.300	43.51	-29.59	45.95	27.15	54.00	10.49	H
17990.650	43.45	-29.59	45.95	27.09	54.00	10.55	H
14492.100	38.94	-29.56	41.90	26.60	54.00	15.06	V
14497.600	38.71	-29.56	41.90	26.37	54.00	15.29	V
5413.420	40.80	-27.94	34.30	34.44	54.00	13.20	V
5414.770	40.73	-27.94	34.30	34.37	54.00	13.27	V

802.11be-HT20 Partial RU

Channel 36

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17995.050	43.37	-29.59	45.95	27.01	54.00	10.63	V
17980.200	43.36	-29.59	45.95	27.00	54.00	10.64	H
14499.800	38.89	-29.56	41.90	26.55	54.00	15.11	V
14498.700	38.80	-29.56	41.90	26.46	54.00	15.20	V
5144.100	40.39	-27.79	34.00	34.18	54.00	13.61	V
5112.480	40.16	-27.79	34.00	33.95	54.00	13.84	H

Channel 40

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17986.250	43.46	-29.59	45.95	27.10	54.00	10.54	H
17974.150	43.37	-29.59	45.95	27.01	54.00	10.63	H
14491.000	38.68	-29.56	41.90	26.34	54.00	15.32	H
14492.650	38.54	-29.56	41.90	26.20	54.00	15.46	V
11901.600	35.75	-32.53	39.10	29.18	54.00	18.25	H
11873.550	35.72	-32.73	39.15	29.30	54.00	18.28	H

Channel 48

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17973.050	43.28	-29.59	45.95	26.92	54.00	10.72	H
17978.550	43.24	-29.59	45.95	26.88	54.00	10.76	V
14492.100	38.49	-29.56	41.90	26.15	54.00	15.51	V
14494.300	38.48	-29.56	41.90	26.14	54.00	15.52	V
11784.450	35.80	-32.09	39.20	28.69	54.00	18.20	H
11769.600	35.78	-32.71	39.20	29.29	54.00	18.22	V

Channel 52

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17951.050	43.28	-29.59	45.95	26.92	54.00	10.72	H
17974.700	43.28	-29.59	45.95	26.92	54.00	10.72	V
14474.500	38.44	-29.56	41.90	26.10	54.00	15.56	V
14491.550	38.42	-29.56	41.90	26.08	54.00	15.58	H
11866.950	35.73	-32.73	39.15	29.31	54.00	18.27	V
11884.550	35.67	-32.53	39.10	29.10	54.00	18.33	V

Channel 56

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17940.600	43.63	-29.59	45.95	27.27	54.00	10.37	V
17998.350	43.57	-29.59	45.95	27.21	54.00	10.43	V
14499.250	38.80	-29.56	41.90	26.46	54.00	15.20	H
14493.200	38.59	-29.56	41.90	26.25	54.00	15.41	V
11887.300	35.81	-32.53	39.10	29.24	54.00	18.19	V
11880.150	35.61	-32.73	39.15	29.19	54.00	18.39	V

Channel 64

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17975.250	43.79	-29.59	45.95	27.43	54.00	10.21	V
17959.850	43.33	-29.59	45.95	26.97	54.00	10.67	H
14489.350	38.54	-29.56	41.90	26.20	54.00	15.46	V
14494.300	38.47	-29.56	41.90	26.13	54.00	15.53	V
5454.768	40.54	-27.49	34.20	33.83	54.00	13.46	V
5412.096	40.49	-27.94	34.30	34.13	54.00	13.51	V

Channel 100

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17936.200	43.60	-29.59	45.95	27.24	54.00	10.40	V
17978.000	43.60	-29.59	45.95	27.24	54.00	10.40	H
14497.050	38.63	-29.56	41.90	26.29	54.00	15.37	H
14489.350	38.62	-29.56	41.90	26.28	54.00	15.38	V
5458.990	40.94	-27.49	34.20	34.23	54.00	13.06	H
5453.620	40.87	-27.49	34.20	34.16	54.00	13.13	H

Channel 120

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17998.350	44.04	-29.59	45.95	27.68	54.00	9.96	H
17988.450	43.36	-29.59	45.95	27.00	54.00	10.64	H
14487.700	38.54	-29.56	41.90	26.20	54.00	15.46	H
14488.250	38.50	-29.56	41.90	26.16	54.00	15.50	V
11787.200	35.74	-32.09	39.20	28.63	54.00	18.26	V
11917.000	35.64	-32.53	39.10	29.07	54.00	18.36	V

Channel 140

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17992.300	43.51	-29.59	45.95	27.15	54.00	10.49	V
17974.700	43.46	-29.59	45.95	27.10	54.00	10.54	H
14480.000	38.76	-29.56	41.90	26.42	54.00	15.24	H
14495.950	38.69	-29.56	41.90	26.35	54.00	15.31	V
11867.500	35.78	-32.73	39.15	29.36	54.00	18.22	V
11863.650	35.74	-32.73	39.15	29.32	54.00	18.26	V

802.11be-HT40 Partial RU

Channel 38

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17968.100	43.62	-29.59	45.95	27.26	54.00	10.38	H
17984.600	43.47	-29.59	45.95	27.11	54.00	10.53	V
14499.800	38.73	-29.56	41.90	26.39	54.00	15.27	V
14495.400	38.70	-29.56	41.90	26.36	54.00	15.30	V
5141.440	40.39	-27.79	34.00	34.18	54.00	13.61	V
5145.160	40.36	-27.79	34.00	34.15	54.00	13.64	H

Channel 46

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17961.500	43.69	-29.59	45.95	27.33	54.00	10.31	H
17996.700	43.49	-29.59	45.95	27.13	54.00	10.51	V
14496.500	38.69	-29.56	41.90	26.35	54.00	15.31	V
14497.600	38.50	-29.56	41.90	26.16	54.00	15.50	V
11858.150	35.62	-32.73	39.15	29.20	54.00	18.38	H
11854.300	35.57	-32.73	39.15	29.15	54.00	18.43	V

Channel 54

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17981.300	43.54	-29.59	45.95	27.18	54.00	10.46	H
17991.750	43.46	-29.59	45.95	27.10	54.00	10.54	V
14483.850	38.76	-29.56	41.90	26.42	54.00	15.24	V
14499.800	38.76	-29.56	41.90	26.42	54.00	15.24	V
11871.900	35.59	-32.73	39.15	29.17	54.00	18.41	V
11886.750	35.59	-32.53	39.10	29.02	54.00	18.41	V

Channel 62

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17983.500	43.23	-29.59	45.95	26.87	54.00	10.77	H
17984.600	43.23	-29.59	45.95	26.87	54.00	10.77	V
14487.150	38.50	-29.56	41.90	26.16	54.00	15.50	V
14498.700	38.44	-29.56	41.90	26.10	54.00	15.56	H
5355.728	40.57	-27.82	34.20	34.19	54.00	13.43	V
5427.536	40.53	-27.94	34.30	34.17	54.00	13.47	V

Channel 102

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17951.050	43.72	-29.59	45.95	27.36	54.00	10.28	V
17992.300	43.47	-29.59	45.95	27.11	54.00	10.53	V
14477.800	38.94	-29.56	41.90	26.60	54.00	15.06	H
14497.600	38.81	-29.56	41.90	26.47	54.00	15.19	V
5425.495	41.00	-27.94	34.30	34.64	54.00	13.00	H
5431.360	40.98	-27.94	34.30	34.62	54.00	13.02	H

Channel 118

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17993.400	43.49	-29.59	45.95	27.13	54.00	10.51	V
17995.600	43.45	-29.59	45.95	27.09	54.00	10.55	V
14499.800	38.68	-29.56	41.90	26.34	54.00	15.32	H
14499.250	38.63	-29.56	41.90	26.29	54.00	15.37	H
11800.950	35.89	-32.09	39.20	28.78	54.00	18.11	H
11815.250	35.89	-32.09	39.20	28.78	54.00	18.11	V

Channel 134

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17975.800	43.59	-29.59	45.95	27.23	54.00	10.41	H
17937.300	43.57	-29.59	45.95	27.21	54.00	10.43	V
14498.150	38.98	-29.56	41.90	26.64	54.00	15.02	V
14490.450	38.90	-29.56	41.90	26.56	54.00	15.10	V
11879.050	35.96	-32.73	39.15	29.54	54.00	18.04	H
11888.950	35.85	-32.53	39.10	29.28	54.00	18.15	V

802.11be-HT80 Partial RU

Channel 42

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17978.550	43.24	-29.59	45.95	26.88	54.00	10.76	V
17960.950	43.22	-29.59	45.95	26.86	54.00	10.78	H
14483.850	38.80	-29.56	41.90	26.46	54.00	15.20	V
14498.150	38.64	-29.56	41.90	26.30	54.00	15.36	V
5119.000	40.18	-27.79	34.00	33.97	54.00	13.82	V
5144.600	40.10	-27.79	34.00	33.89	54.00	13.90	V

Channel 58

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17963.700	43.35	-29.59	45.95	26.99	54.00	10.65	H
17993.950	43.29	-29.59	45.95	26.93	54.00	10.71	H
14490.450	38.58	-29.56	41.90	26.24	54.00	15.42	V
14495.950	38.52	-29.56	41.90	26.18	54.00	15.48	H
5430.672	41.00	-27.94	34.30	34.64	54.00	13.00	V
5413.632	40.84	-27.94	34.30	34.48	54.00	13.16	V

Channel 106

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17964.800	43.73	-29.59	45.95	27.37	54.00	10.27	V
17945.550	43.54	-29.59	45.95	27.18	54.00	10.46	V
14499.800	38.73	-29.56	41.90	26.39	54.00	15.27	V
14483.850	38.71	-29.56	41.90	26.37	54.00	15.29	H
5453.530	40.81	-27.49	34.20	34.10	54.00	13.19	V
5452.945	40.77	-27.49	34.20	34.06	54.00	13.23	V

Channel 122

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17966.450	43.53	-29.59	45.95	27.17	54.00	10.47	V
17969.200	43.46	-29.59	45.95	27.10	54.00	10.54	H
14491.550	39.03	-29.56	41.90	26.69	54.00	14.97	V
14498.150	39.00	-29.56	41.90	26.66	54.00	15.00	V
11853.200	36.00	-32.73	39.15	29.58	54.00	18.00	V
11849.350	35.72	-32.73	39.15	29.30	54.00	18.28	V

802.11be-HT160 Partial RU

Channel 50

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17989.550	43.59	-29.59	45.95	27.23	54.00	10.41	V
17980.750	43.44	-29.59	45.95	27.08	54.00	10.56	V
14494.300	38.58	-29.56	41.90	26.24	54.00	15.42	H
14498.150	38.56	-29.56	41.90	26.22	54.00	15.44	V
5147.880	40.45	-27.79	34.00	34.24	54.00	13.55	V
5145.140	40.32	-27.79	34.00	34.11	54.00	13.68	V

Channel 114

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17990.100	43.57	-29.59	45.95	27.21	54.00	10.43	V
17985.700	43.42	-29.59	45.95	27.06	54.00	10.58	V
14491.000	38.90	-29.56	41.90	26.56	54.00	15.10	V
14480.000	38.89	-29.56	41.90	26.55	54.00	15.11	V
5413.930	41.06	-27.94	34.30	34.70	54.00	12.94	V
5414.320	41.01	-27.94	34.30	34.65	54.00	12.99	V

PEAK Results:
802.11a

Channel 36

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17932.900	53.87	-29.59	45.95	37.51	74.00	20.13	H
17976.350	53.77	-29.59	45.95	37.41	74.00	20.23	V
14596.600	50.96	-29.14	41.90	38.20	68.20	17.24	V
14559.750	50.63	-29.14	41.90	37.87	68.20	17.57	V
5149.960	57.41	-28.00	34.00	51.41	74.00	16.59	V
5147.080	56.00	-27.79	34.00	49.79	74.00	18.00	V

Channel 40

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17926.850	54.27	-29.59	45.95	37.91	74.00	19.73	H
17991.750	54.10	-29.59	45.95	37.74	74.00	19.90	V
14502.000	50.83	-29.56	41.90	38.49	68.20	17.37	H
14180.250	50.76	-30.42	41.70	39.48	68.20	17.44	V
11901.600	47.13	-32.53	39.10	40.56	74.00	26.87	V
11866.400	46.72	-32.73	39.15	40.30	74.00	27.28	H

Channel 48

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17924.100	54.55	-29.59	45.95	38.19	74.00	19.45	H
17970.300	54.39	-29.59	45.95	38.03	74.00	19.61	H
14591.100	50.67	-29.14	41.90	37.91	68.20	17.53	V
14576.250	50.54	-29.14	41.90	37.78	68.20	17.66	H
11666.200	47.15	-32.62	39.20	40.57	74.00	26.85	V
11910.950	46.90	-32.53	39.10	40.33	74.00	27.10	H

Channel 52

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17990.650	54.62	-29.59	45.95	38.26	74.00	19.38	V
17874.600	53.86	-29.59	45.95	37.50	74.00	20.14	H
14590.000	50.93	-29.14	41.90	38.17	68.20	17.27	V
14701.100	50.35	-30.04	41.50	38.89	68.20	17.85	H
11837.800	47.45	-32.73	39.15	41.03	74.00	26.55	H
11950.000	47.12	-32.42	39.05	40.49	74.00	26.88	V

Channel 56

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17990.100	54.43	-29.59	45.95	38.07	74.00	19.57	V
17967.550	54.39	-29.59	45.95	38.03	74.00	19.61	V
14192.350	50.47	-30.42	41.70	39.19	68.20	17.73	H
14525.650	50.31	-30.55	41.90	38.96	68.20	17.89	V
11906.000	48.26	-32.53	39.10	41.69	74.00	25.74	V
11773.450	46.91	-32.71	39.20	40.42	74.00	27.09	H

Channel 64

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17959.300	54.05	-29.59	45.95	37.69	74.00	19.95	H
17883.950	53.78	-29.59	45.95	37.42	74.00	20.22	H
14561.400	51.19	-29.14	41.90	38.43	68.20	17.01	V
14586.700	51.00	-29.14	41.90	38.24	68.20	17.20	V
5352.032	53.82	-27.82	34.20	47.44	74.00	20.18	V
5362.064	53.70	-27.82	34.20	47.32	74.00	20.30	V

Channel 100

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17913.650	53.80	-29.59	45.95	37.44	74.00	20.20	V
17898.800	53.79	-29.59	45.95	37.43	74.00	20.21	H
14581.750	50.54	-29.14	41.90	37.78	68.20	17.66	V
14594.950	50.42	-29.14	41.90	37.66	68.20	17.78	V
5455.810	52.47	-27.49	34.20	45.76	74.00	21.53	H
5469.640	51.94	-27.49	34.20	45.23	68.20	16.26	H

Channel 120

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17967.550	50.72	-29.59	45.95	34.36	74.00	23.28	V
17035.300	50.36	-29.30	41.10	38.56	68.20	17.84	H
14607.600	49.76	-30.67	41.70	38.73	68.20	18.44	V
14580.650	48.91	-29.14	41.90	36.15	68.20	19.29	V
11413.200	46.61	-32.58	39.00	40.19	74.00	27.39	H
10537.600	46.38	-33.31	38.20	41.49	68.20	21.82	V

Channel 140

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17974.700	54.34	-29.59	45.95	37.98	74.00	19.66	H
17943.900	53.77	-29.59	45.95	37.41	74.00	20.23	H
14561.950	50.56	-29.14	41.90	37.80	68.20	17.64	V
14583.400	50.35	-29.14	41.90	37.59	68.20	17.85	V
5799.905	52.60	-27.65	34.10	46.15	68.20	15.60	H
5801.865	52.51	-27.65	34.10	46.06	68.20	15.69	H

802.11n-HT20

Channel 36

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17963.150	54.08	-29.59	45.95	37.72	74.00	19.92	H
17885.600	54.04	-29.59	45.95	37.68	74.00	19.96	H
14577.900	51.10	-29.14	41.90	38.34	68.20	17.10	V
14100.500	50.96	-30.20	41.70	39.46	68.20	17.24	H
5149.380	56.79	-28.00	34.00	50.79	74.00	17.21	V
5149.060	56.75	-28.00	34.00	50.75	74.00	17.25	V

Channel 40

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17956.000	54.65	-29.59	45.95	38.29	74.00	19.35	V
17933.450	54.30	-29.59	45.95	37.94	74.00	19.70	H
14586.700	50.81	-29.14	41.90	38.05	68.20	17.39	V
14217.100	50.79	-30.75	41.75	39.79	68.20	17.41	H
11789.950	47.38	-32.09	39.20	40.27	74.00	26.62	H
11890.050	47.08	-32.53	39.10	40.51	74.00	26.92	V

Channel 48

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17967.000	54.26	-29.59	45.95	37.90	74.00	19.74	V
17975.250	54.09	-29.59	45.95	37.73	74.00	19.91	H
14588.900	50.40	-29.14	41.90	37.64	68.20	17.80	V
14596.050	50.27	-29.14	41.90	37.51	68.20	17.93	V
11887.300	47.30	-32.53	39.10	40.73	74.00	26.70	H
11793.250	47.21	-32.09	39.20	40.10	74.00	26.79	H

Channel 52

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17951.050	54.18	-29.59	45.95	37.82	74.00	19.82	H
17891.650	53.69	-29.59	45.95	37.33	74.00	20.31	H
14545.450	50.84	-30.55	41.90	39.49	68.20	17.36	H
14593.850	50.38	-29.14	41.90	37.62	68.20	17.82	H
11865.850	47.52	-32.73	39.15	41.10	74.00	26.48	H
11749.800	46.91	-32.71	39.20	40.42	74.00	27.09	V

Channel 56

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17997.800	54.80	-29.59	45.95	38.44	74.00	19.20	V
17979.100	54.22	-29.59	45.95	37.86	74.00	19.78	V
14555.900	50.83	-29.14	41.90	38.07	68.20	17.37	V
14185.200	50.54	-30.42	41.70	39.26	68.20	17.66	V
11749.800	47.21	-32.71	39.20	40.72	74.00	26.79	V
11777.850	47.03	-32.71	39.20	40.54	74.00	26.97	H

Channel 64

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17927.400	55.05	-29.59	45.95	38.69	74.00	18.95	H
17884.500	54.17	-29.59	45.95	37.81	74.00	19.83	V
14093.350	50.88	-30.20	41.70	39.38	68.20	17.32	V
14599.900	50.78	-29.14	41.90	38.02	68.20	17.42	V
5352.480	55.67	-27.82	34.20	49.29	74.00	18.33	V
5351.232	54.44	-27.82	34.20	48.06	74.00	19.56	V

Channel 100

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17996.150	54.36	-29.59	45.95	38.00	74.00	19.64	H
17998.900	54.28	-29.59	45.95	37.92	74.00	19.72	V
14209.950	50.62	-30.75	41.75	39.62	68.20	17.58	H
14690.100	50.62	-30.04	41.50	39.16	68.20	17.58	V
5459.500	52.57	-27.49	34.20	45.86	74.00	21.43	H
5462.440	52.62	-27.49	34.20	45.91	68.20	15.58	H

Channel 120

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17992.300	53.96	-29.59	45.95	37.60	74.00	20.04	V
17907.050	53.92	-29.59	45.95	37.56	74.00	20.08	V
14687.350	50.66	-30.04	41.50	39.20	68.20	17.54	V
14572.400	50.15	-29.14	41.90	37.39	68.20	18.05	V
11784.450	47.96	-32.09	39.20	40.85	74.00	26.04	V
11873.000	47.49	-32.73	39.15	41.07	74.00	26.51	H

Channel 140

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17936.750	54.16	-29.59	45.95	37.80	74.00	19.84	H
17863.050	54.05	-29.59	45.95	37.69	74.00	19.95	V
14568.550	50.55	-29.14	41.90	37.79	68.20	17.65	V
14599.350	50.09	-29.14	41.90	37.33	68.20	18.11	V
5810.580	52.53	-27.65	34.10	46.08	68.20	15.67	H
5727.910	52.45	-27.47	34.10	45.82	68.20	15.75	H

802.11n-HT40

Channel 38

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17986.250	55.27	-29.59	45.95	38.91	74.00	18.73	V
17962.600	54.34	-29.59	45.95	37.98	74.00	19.66	H
14587.250	50.42	-29.14	41.90	37.66	68.20	17.78	V
14670.850	50.38	-30.04	41.50	38.92	68.20	17.82	H
5144.540	61.46	-27.79	34.00	55.25	74.00	12.54	H
5148.780	60.55	-28.00	34.00	54.55	74.00	13.45	V

Channel 46

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17935.100	54.11	-29.59	45.95	37.75	74.00	19.89	V
17921.350	54.09	-29.59	45.95	37.73	74.00	19.91	V
14587.800	51.27	-29.14	41.90	38.51	68.20	16.93	V
14707.150	51.24	-30.13	41.35	40.02	68.20	16.96	H
11849.350	47.21	-32.73	39.15	40.79	74.00	26.79	V
11892.250	46.65	-32.53	39.10	40.08	74.00	27.35	H

Channel 54

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17922.450	53.88	-29.59	45.95	37.52	74.00	20.12	V
17885.050	53.83	-29.59	45.95	37.47	74.00	20.17	V
14207.750	50.50	-30.42	41.70	39.22	68.20	17.70	V
14369.450	50.40	-30.24	41.90	38.74	68.20	17.80	V
11909.850	47.77	-32.53	39.10	41.20	74.00	26.23	V
11910.400	47.62	-32.53	39.10	41.05	74.00	26.38	V

Channel 62

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17966.450	54.49	-29.59	45.95	38.13	74.00	19.51	H
17979.100	54.21	-29.59	45.95	37.85	74.00	19.79	V
14605.400	51.02	-30.67	41.70	39.99	68.20	17.18	V
14802.850	50.72	-30.04	41.05	39.71	68.20	17.48	V
5353.664	59.34	-27.82	34.20	52.96	74.00	14.66	V
5352.688	58.98	-27.82	34.20	52.60	74.00	15.02	V

Channel 102

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17951.600	54.35	-29.59	45.95	37.99	74.00	19.65	V
17970.850	54.31	-29.59	45.95	37.95	74.00	19.69	V
14196.750	50.65	-30.42	41.70	39.37	68.20	17.55	V
14597.700	50.29	-29.14	41.90	37.53	68.20	17.91	H
5432.770	52.85	-27.94	34.30	46.49	74.00	21.15	H
5468.410	53.24	-27.49	34.20	46.53	68.20	14.96	H

Channel 118

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17987.900	54.03	-29.59	45.95	37.67	74.00	19.97	H
17941.700	54.00	-29.59	45.95	37.64	74.00	20.00	V
14564.700	50.96	-29.14	41.90	38.20	68.20	17.24	V
14570.750	50.74	-29.14	41.90	37.98	68.20	17.46	V
11888.400	47.00	-32.53	39.10	40.43	74.00	27.00	H
11864.750	46.98	-32.73	39.15	40.56	74.00	27.02	V

Channel 134

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17977.450	54.29	-29.59	45.95	37.93	74.00	19.71	V
17978.000	54.09	-29.59	45.95	37.73	74.00	19.91	V
14575.700	50.68	-29.14	41.90	37.92	68.20	17.52	V
14678.000	50.46	-30.04	41.50	39.00	68.20	17.74	H
5729.398	54.35	-27.47	34.10	47.72	68.20	13.85	H
5777.820	53.43	-27.21	34.00	46.64	68.20	14.77	H

802.11ac-HT20
Channel 36

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17962.600	53.88	-29.59	45.95	37.52	74.00	20.12	V
17899.350	53.86	-29.59	45.95	37.50	74.00	20.14	V
14167.600	50.42	-30.42	41.70	39.14	68.20	17.78	H
14612.000	50.31	-30.67	41.70	39.28	68.20	17.89	V
5149.740	56.88	-28.00	34.00	50.88	74.00	17.12	V
5149.160	56.10	-28.00	34.00	50.10	74.00	17.90	V

Channel 40

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17993.400	54.56	-29.59	45.95	38.20	74.00	19.44	H
17976.350	53.90	-29.59	45.95	37.54	74.00	20.10	V
14589.450	50.59	-29.14	41.90	37.83	68.20	17.61	V
14598.800	50.31	-29.14	41.90	37.55	68.20	17.89	V
11815.800	47.22	-32.09	39.20	40.11	74.00	26.78	H
11885.100	47.06	-32.53	39.10	40.49	74.00	26.94	H

Channel 48

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17917.500	54.31	-29.59	45.95	37.95	74.00	19.69	V
17910.350	54.12	-29.59	45.95	37.76	74.00	19.88	V
14586.700	50.53	-29.14	41.90	37.77	68.20	17.67	V
14606.500	50.47	-30.67	41.70	39.44	68.20	17.73	V
11771.800	46.58	-32.71	39.20	40.09	74.00	27.42	V
11885.650	46.46	-32.53	39.10	39.89	74.00	27.54	H

Channel 52

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17970.300	54.73	-29.59	45.95	38.37	74.00	19.27	H
17920.250	54.16	-29.59	45.95	37.80	74.00	19.84	V
14689.000	51.36	-30.04	41.50	39.90	68.20	16.84	H
14703.300	50.63	-30.13	41.35	39.41	68.20	17.57	V
11747.050	46.87	-32.71	39.20	40.38	74.00	27.13	V
11919.750	46.74	-32.53	39.10	40.17	74.00	27.26	H

Channel 56

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17968.650	53.99	-29.59	45.95	37.63	74.00	20.01	V
17952.700	53.90	-29.59	45.95	37.54	74.00	20.10	V
14186.850	50.88	-30.42	41.70	39.60	68.20	17.32	H
14588.900	50.86	-29.14	41.90	38.10	68.20	17.34	V
10830.200	46.63	-33.11	38.50	41.24	74.00	27.37	H
11858.700	46.59	-32.73	39.15	40.17	74.00	27.41	V

Channel 64

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17991.200	54.62	-29.59	45.95	38.26	74.00	19.38	H
17930.700	54.06	-29.59	45.95	37.70	74.00	19.94	V
14678.000	50.91	-30.04	41.50	39.45	68.20	17.29	H
14691.200	50.91	-30.04	41.50	39.45	68.20	17.29	H
5351.200	54.20	-27.82	34.20	47.82	74.00	19.80	V
5350.448	53.94	-27.82	34.20	47.56	74.00	20.06	V

Channel 100

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17942.800	54.73	-29.59	45.95	38.37	74.00	19.27	V
17972.500	54.34	-29.59	45.95	37.98	74.00	19.66	H
14591.650	50.65	-29.14	41.90	37.89	68.20	17.55	V
14576.250	50.32	-29.14	41.90	37.56	68.20	17.88	H
5455.675	53.13	-27.49	34.20	46.42	74.00	20.87	H
5465.635	52.42	-27.49	34.20	45.71	68.20	15.78	H

Channel 120

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17941.700	54.32	-29.59	45.95	37.96	74.00	19.68	H
17980.750	54.26	-29.59	45.95	37.90	74.00	19.74	V
14503.100	50.74	-29.56	41.90	38.40	68.20	17.46	V
14693.400	50.67	-30.04	41.50	39.21	68.20	17.53	H
11880.150	47.33	-32.73	39.15	40.91	74.00	26.67	V
11887.850	46.19	-32.53	39.10	39.62	74.00	27.81	H

Channel 140

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17977.450	54.29	-29.59	45.95	37.93	74.00	19.71	V
17980.200	54.18	-29.59	45.95	37.82	74.00	19.82	V
14676.350	50.22	-30.04	41.50	38.76	68.20	17.98	H
14592.750	50.18	-29.14	41.90	37.42	68.20	18.02	H
5731.847	53.01	-27.47	34.10	46.38	68.20	15.19	H
5751.623	52.71	-27.21	34.00	45.92	68.20	15.49	H

802.11ac-HT40

Channel 38

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17963.700	55.46	-29.59	45.95	39.10	74.00	18.54	H
17984.050	54.58	-29.59	45.95	38.22	74.00	19.42	H
14592.750	50.71	-29.14	41.90	37.95	68.20	17.49	V
14700.550	50.55	-30.04	41.50	39.09	68.20	17.65	V
5145.480	60.35	-27.79	34.00	54.14	74.00	13.65	V
5146.700	60.15	-27.79	34.00	53.94	74.00	13.85	V

Channel 46

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17897.150	54.40	-29.59	45.95	38.04	74.00	19.60	V
17998.900	54.19	-29.59	45.95	37.83	74.00	19.81	V
14581.750	50.90	-29.14	41.90	38.14	68.20	17.30	V
14685.700	50.45	-30.04	41.50	38.99	68.20	17.75	H
11794.350	47.48	-32.09	39.20	40.37	74.00	26.52	V
11864.750	47.33	-32.73	39.15	40.91	74.00	26.67	V

Channel 54

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17983.500	54.43	-29.59	45.95	38.07	74.00	19.57	V
17887.250	54.10	-29.59	45.95	37.74	74.00	19.90	V
14211.600	50.69	-30.75	41.75	39.69	68.20	17.51	V
14609.250	50.67	-30.67	41.70	39.64	68.20	17.53	H
11911.500	47.53	-32.53	39.10	40.96	74.00	26.47	H
11893.350	47.09	-32.53	39.10	40.52	74.00	26.91	H

Channel 62

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17954.350	55.70	-29.59	45.95	39.34	74.00	18.30	V
17978.550	54.18	-29.59	45.95	37.82	74.00	19.82	H
14564.150	50.83	-29.14	41.90	38.07	68.20	17.37	H
14553.700	50.38	-30.55	41.90	39.03	68.20	17.82	V
5351.776	60.86	-27.82	34.20	54.48	74.00	13.14	V
5351.024	59.53	-27.82	34.20	53.15	74.00	14.47	V

Channel 102

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17934.550	55.15	-29.59	45.95	38.79	74.00	18.85	V
17998.350	54.94	-29.59	45.95	38.58	74.00	19.06	V
14592.750	50.52	-29.14	41.90	37.76	68.20	17.68	V
14077.950	50.48	-30.20	41.70	38.98	68.20	17.72	V
5414.485	53.35	-27.94	34.30	46.99	74.00	20.65	H
5466.850	52.96	-27.49	34.20	46.25	68.20	15.24	H

Channel 118

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17980.200	54.18	-29.59	45.95	37.82	74.00	19.82	V
17940.050	53.95	-29.59	45.95	37.59	74.00	20.05	H
14598.800	50.50	-29.14	41.90	37.74	68.20	17.70	V
14580.650	50.40	-29.14	41.90	37.64	68.20	17.80	V
11875.200	47.29	-32.73	39.15	40.87	74.00	26.71	H
11917.550	47.04	-32.53	39.10	40.47	74.00	26.96	V

Channel 134

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17943.900	54.04	-29.59	45.95	37.68	74.00	19.96	H
17956.000	53.73	-29.59	45.95	37.37	74.00	20.27	V
14695.600	50.75	-30.04	41.50	39.29	68.20	17.45	H
14198.950	50.28	-30.42	41.70	39.00	68.20	17.92	H
5732.408	53.29	-27.47	34.10	46.66	68.20	14.91	H
5805.312	52.85	-27.65	34.10	46.40	68.20	15.35	H

802.11ac-HT80

Channel 42

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17923.550	54.45	-29.59	45.95	38.09	74.00	19.55	V
17967.550	54.38	-29.59	45.95	38.02	74.00	19.62	H
14603.200	50.56	-29.14	41.90	37.80	68.20	17.64	V
14712.100	50.47	-30.13	41.35	39.25	68.20	17.73	H
5149.160	54.77	-28.00	34.00	48.77	74.00	19.23	V
5148.780	53.29	-28.00	34.00	47.29	74.00	20.71	V

Channel 58

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17952.150	54.56	-29.59	45.95	38.20	74.00	19.44	V
17922.450	54.15	-29.59	45.95	37.79	74.00	19.85	V
14577.350	51.54	-29.14	41.90	38.78	68.20	16.66	V
14197.300	51.38	-30.42	41.70	40.10	68.20	16.82	V
5360.096	59.54	-27.82	34.20	53.16	74.00	14.46	V
5350.784	57.21	-27.82	34.20	50.83	74.00	16.79	V

Channel 106

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17985.700	54.72	-29.59	45.95	38.36	74.00	19.28	H
17940.600	54.59	-29.59	45.95	38.23	74.00	19.41	V
14578.450	50.30	-29.14	41.90	37.54	68.20	17.90	V
14575.700	50.29	-29.14	41.90	37.53	68.20	17.91	V
5449.390	53.79	-27.49	34.20	47.08	74.00	20.21	H
5468.320	53.80	-27.49	34.20	47.09	68.20	14.40	H

Channel 122

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17987.900	54.03	-29.59	45.95	37.67	74.00	19.97	V
17993.400	53.83	-29.59	45.95	37.47	74.00	20.17	H
14595.500	50.25	-29.14	41.90	37.49	68.20	17.95	V
14706.050	50.02	-30.13	41.35	38.80	68.20	18.18	H
5805.365	53.03	-27.65	34.10	46.58	68.20	15.17	H
5729.852	52.77	-27.47	34.10	46.14	68.20	15.43	H

802.11ax-HT20

Channel 36

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17971.950	54.75	-29.59	45.95	38.39	74.00	19.25	H
17909.250	54.66	-29.59	45.95	38.30	74.00	19.34	H
14506.950	50.49	-30.55	41.90	39.14	68.20	17.71	V
14613.100	50.33	-30.67	41.70	39.30	68.20	17.87	H
5147.200	56.14	-27.79	34.00	49.93	74.00	17.86	V
5149.660	56.13	-28.00	34.00	50.13	74.00	17.87	V

Channel 40

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17986.250	54.40	-29.59	45.95	38.04	74.00	19.60	V
17996.700	54.22	-29.59	45.95	37.86	74.00	19.78	H
14584.500	50.60	-29.14	41.90	37.84	68.20	17.60	V
14592.200	50.35	-29.14	41.90	37.59	68.20	17.85	V
11778.950	46.85	-32.71	39.20	40.36	74.00	27.15	V
11936.800	46.56	-32.42	39.05	39.93	74.00	27.44	H

Channel 48

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17916.400	54.55	-29.59	45.95	38.19	74.00	19.45	V
17851.500	54.08	-29.59	45.95	37.72	74.00	19.92	V
14603.750	51.48	-29.14	41.90	38.72	68.20	16.72	H
14587.800	50.44	-29.14	41.90	37.68	68.20	17.76	V
11906.000	47.07	-32.53	39.10	40.50	74.00	26.93	V
11901.600	46.71	-32.53	39.10	40.14	74.00	27.29	V

Channel 52

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17951.050	54.34	-29.59	45.95	37.98	74.00	19.66	V
17963.700	54.34	-29.59	45.95	37.98	74.00	19.66	V
14565.250	51.00	-29.14	41.90	38.24	68.20	17.20	V
14591.100	50.68	-29.14	41.90	37.92	68.20	17.52	H
11780.600	46.79	-32.71	39.20	40.30	74.00	27.21	H
11799.300	46.72	-32.09	39.20	39.61	74.00	27.28	V

Channel 56

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17962.600	54.76	-29.59	45.95	38.40	74.00	19.24	H
17925.200	54.28	-29.59	45.95	37.92	74.00	19.72	H
14593.850	50.80	-29.14	41.90	38.04	68.20	17.40	H
14192.900	50.29	-30.42	41.70	39.01	68.20	17.91	H
11825.150	47.84	-32.09	39.20	40.73	74.00	26.16	H
11857.600	46.71	-32.73	39.15	40.29	74.00	27.29	H

Channel 64

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17921.350	54.34	-29.59	45.95	37.98	74.00	19.66	H
17970.850	54.01	-29.59	45.95	37.65	74.00	19.99	H
14605.400	50.38	-30.67	41.70	39.35	68.20	17.82	H
14104.350	50.24	-30.20	41.70	38.74	68.20	17.96	V
5350.432	55.50	-27.82	34.20	49.12	74.00	18.50	V
5350.464	55.38	-27.82	34.20	49.00	74.00	18.62	V

Channel 100

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17993.950	54.55	-29.59	45.95	38.19	74.00	19.45	V
17934.550	54.54	-29.59	45.95	38.18	74.00	19.46	V
14685.700	50.40	-30.04	41.50	38.94	68.20	17.80	V
14560.850	50.31	-29.14	41.90	37.55	68.20	17.89	V
5362.210	53.07	-27.82	34.20	46.69	74.00	20.93	H
5465.785	52.61	-27.49	34.20	45.90	68.20	15.59	H

Channel 120

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17974.700	54.88	-29.59	45.95	38.52	74.00	19.12	H
17960.400	54.35	-29.59	45.95	37.99	74.00	19.65	H
14577.350	50.31	-29.14	41.90	37.55	68.20	17.89	V
14611.450	50.29	-30.67	41.70	39.26	68.20	17.91	V
11910.950	47.24	-32.53	39.10	40.67	74.00	26.76	V
11816.900	47.14	-32.09	39.20	40.03	74.00	26.86	V

Channel 140

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17985.700	55.06	-29.59	45.95	38.70	74.00	18.94	V
17930.150	53.87	-29.59	45.95	37.51	74.00	20.13	V
14586.700	51.04	-29.14	41.90	38.28	68.20	17.16	H
14608.700	50.65	-30.67	41.70	39.62	68.20	17.55	V
5725.285	56.14	-27.47	34.10	49.51	68.20	12.06	H
5725.023	53.52	-27.47	34.10	46.89	68.20	14.68	H

802.11ax-HT40

Channel 38

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17975.250	54.02	-29.59	45.95	37.66	74.00	19.98	V
17886.150	53.99	-29.59	45.95	37.63	74.00	20.01	V
14589.450	50.54	-29.14	41.90	37.78	68.20	17.66	H
14570.750	50.46	-29.14	41.90	37.70	68.20	17.74	V
5143.780	58.65	-27.79	34.00	52.44	74.00	15.35	V
5145.260	58.54	-27.79	34.00	52.33	74.00	15.46	V

Channel 46

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17887.800	54.67	-29.59	45.95	38.31	74.00	19.33	V
17992.300	54.34	-29.59	45.95	37.98	74.00	19.66	H
14576.250	50.59	-29.14	41.90	37.83	68.20	17.61	V
14595.500	50.42	-29.14	41.90	37.66	68.20	17.78	V
11699.750	47.44	-32.70	39.20	40.94	74.00	26.56	V
11879.050	46.59	-32.73	39.15	40.17	74.00	27.41	V

Channel 54

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17944.450	54.99	-29.59	45.95	38.63	74.00	19.01	H
17933.450	54.61	-29.59	45.95	38.25	74.00	19.39	V
14598.800	50.54	-29.14	41.90	37.78	68.20	17.66	V
14193.450	50.41	-30.42	41.70	39.13	68.20	17.79	V
11871.900	46.78	-32.73	39.15	40.36	74.00	27.22	V
11882.350	46.78	-32.53	39.10	40.21	74.00	27.22	V

Channel 62

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17959.850	54.14	-29.59	45.95	37.78	74.00	19.86	H
17978.000	53.94	-29.59	45.95	37.58	74.00	20.06	H
14195.100	50.37	-30.42	41.70	39.09	68.20	17.83	V
14509.150	50.24	-30.55	41.90	38.89	68.20	17.96	H
5351.488	56.87	-27.82	34.20	50.49	74.00	17.13	V
5354.464	56.63	-27.82	34.20	50.25	74.00	17.37	V

Channel 102

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17926.850	54.47	-29.59	45.95	38.11	74.00	19.53	H
17908.150	54.11	-29.59	45.95	37.75	74.00	19.89	V
14118.100	50.79	-30.93	41.70	40.01	68.20	17.41	V
14153.850	50.78	-30.93	41.70	40.00	68.20	17.42	H
5454.775	53.69	-27.49	34.20	46.98	74.00	20.31	H
5468.740	52.98	-27.49	34.20	46.27	68.20	15.22	H

Channel 118

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17993.400	54.97	-29.59	45.95	38.61	74.00	19.03	V
17964.250	54.12	-29.59	45.95	37.76	74.00	19.88	V
14502.000	50.54	-29.56	41.90	38.20	68.20	17.66	H
14707.700	50.46	-30.13	41.35	39.24	68.20	17.74	H
11875.200	46.77	-32.73	39.15	40.35	74.00	27.23	H
11778.950	46.65	-32.71	39.20	40.16	74.00	27.35	H

Channel 134

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17958.750	54.46	-29.59	45.95	38.10	74.00	19.54	H
17985.150	54.46	-29.59	45.95	38.10	74.00	19.54	H
14574.600	50.51	-29.14	41.90	37.75	68.20	17.69	V
14577.350	50.37	-29.14	41.90	37.61	68.20	17.83	V
5788.460	52.75	-27.21	34.00	45.96	68.20	15.45	H
5786.570	52.71	-27.21	34.00	45.92	68.20	15.49	H

802.11ax-HT80
Channel 42

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17928.500	53.83	-29.59	45.95	37.47	74.00	20.17	H
17997.250	53.83	-29.59	45.95	37.47	74.00	20.17	H
14602.100	50.76	-29.14	41.90	38.00	68.20	17.44	V
14559.200	50.67	-29.14	41.90	37.91	68.20	17.53	V
5149.140	56.61	-28.00	34.00	50.61	74.00	17.39	V
5147.400	55.61	-27.79	34.00	49.40	74.00	18.39	V

Channel 58

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17976.350	54.38	-29.59	45.95	38.02	74.00	19.62	V
17960.950	54.16	-29.59	45.95	37.80	74.00	19.84	H
14563.050	50.20	-29.14	41.90	37.44	68.20	18.00	H
14387.050	50.11	-30.24	41.90	38.45	68.20	18.09	H
5361.888	59.81	-27.82	34.20	53.43	74.00	14.19	V
5360.192	59.64	-27.82	34.20	53.26	74.00	14.36	V

Channel 106

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17980.750	54.72	-29.59	45.95	38.36	74.00	19.28	V
17955.450	54.19	-29.59	45.95	37.83	74.00	19.81	V
14675.800	50.81	-30.04	41.50	39.35	68.20	17.39	V
14691.750	50.33	-30.04	41.50	38.87	68.20	17.87	H
5441.905	53.69	-27.94	34.30	47.33	74.00	20.31	H
5463.370	54.61	-27.49	34.20	47.90	68.20	13.59	H

Channel 122

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17943.900	54.17	-29.59	45.95	37.81	74.00	19.83	H
17982.400	54.13	-29.59	45.95	37.77	74.00	19.87	H
14608.700	50.37	-30.67	41.70	39.34	68.20	17.83	H
14557.550	50.33	-29.14	41.90	37.57	68.20	17.87	H
5796.177	53.31	-27.65	34.10	46.86	68.20	14.89	H
5761.335	53.05	-27.21	34.00	46.26	68.20	15.15	H

802.11ax-HT160

Channel 50

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17900.450	54.32	-29.59	45.95	37.96	74.00	19.68	H
17949.400	53.83	-29.59	45.95	37.47	74.00	20.17	H
14588.350	51.69	-29.14	41.90	38.93	68.20	16.51	H
14691.200	50.40	-30.04	41.50	38.94	68.20	17.80	H
5147.820	62.04	-27.79	34.00	55.83	74.00	11.96	H
5144.620	61.96	-27.79	34.00	55.75	74.00	12.04	V

Channel 114

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17924.650	54.32	-29.59	45.95	37.96	74.00	19.68	H
17931.250	54.30	-29.59	45.95	37.94	74.00	19.70	H
14580.100	50.53	-29.14	41.90	37.77	68.20	17.67	V
14701.100	50.23	-30.04	41.50	38.77	68.20	17.97	V
5454.565	58.13	-27.49	34.20	51.42	74.00	15.87	H
5469.505	59.03	-27.49	34.20	52.32	68.20	9.17	H

802.11be-HT20

Channel 36

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17992.300	54.68	-29.59	45.95	38.32	74.00	19.32	V
17989.000	54.56	-29.59	45.95	38.20	74.00	19.44	V
14731.900	50.65	-30.13	41.35	39.43	68.20	17.55	H
14590.550	50.54	-29.14	41.90	37.78	68.20	17.66	V
5148.680	57.30	-28.00	34.00	51.30	74.00	16.70	V
5149.420	57.30	-28.00	34.00	51.30	74.00	16.70	H

Channel 40

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17930.700	54.59	-29.59	45.95	38.23	74.00	19.41	V
17909.800	54.07	-29.59	45.95	37.71	74.00	19.93	H
14707.150	50.41	-30.13	41.35	39.19	68.20	17.79	H
14601.550	50.25	-29.14	41.90	37.49	68.20	17.95	V
11793.800	47.08	-32.09	39.20	39.97	74.00	26.92	H
11795.450	46.90	-32.09	39.20	39.79	74.00	27.10	H

Channel 48

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17980.750	54.01	-29.59	45.95	37.65	74.00	19.99	H
17985.150	53.90	-29.59	45.95	37.54	74.00	20.10	V
14595.500	50.62	-29.14	41.90	37.86	68.20	17.58	V
14149.450	50.61	-30.93	41.70	39.83	68.20	17.59	V
11797.100	47.66	-32.09	39.20	40.55	74.00	26.34	H
11823.500	46.80	-32.09	39.20	39.69	74.00	27.20	H

Channel 52

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17965.350	54.74	-29.59	45.95	38.38	74.00	19.26	H
17927.400	54.28	-29.59	45.95	37.92	74.00	19.72	H
14182.450	50.49	-30.42	41.70	39.21	68.20	17.71	H
14694.500	50.33	-30.04	41.50	38.87	68.20	17.87	V
11673.350	47.39	-32.62	39.20	40.81	74.00	26.61	V
11764.100	47.38	-32.71	39.20	40.89	74.00	26.62	V

Channel 56

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17980.200	54.54	-29.59	45.95	38.18	74.00	19.46	H
17893.300	54.27	-29.59	45.95	37.91	74.00	19.73	V
14703.850	50.93	-30.13	41.35	39.71	68.20	17.27	H
14562.500	50.26	-29.14	41.90	37.50	68.20	17.94	V
11791.050	46.63	-32.09	39.20	39.52	74.00	27.37	V
11833.950	46.63	-32.73	39.15	40.21	74.00	27.37	V

Channel 64

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17993.950	54.17	-29.59	45.95	37.81	74.00	19.83	H
17989.000	54.16	-29.59	45.95	37.80	74.00	19.84	H
14691.750	50.57	-30.04	41.50	39.11	68.20	17.63	V
14602.650	50.22	-29.14	41.90	37.46	68.20	17.98	V
5351.968	56.14	-27.82	34.20	49.76	74.00	17.86	V
5355.184	55.29	-27.82	34.20	48.91	74.00	18.71	V

Channel 100

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17963.150	54.63	-29.59	45.95	38.27	74.00	19.37	H
17961.500	54.17	-29.59	45.95	37.81	74.00	19.83	H
14599.350	50.44	-29.14	41.90	37.68	68.20	17.76	H
14585.050	50.39	-29.14	41.90	37.63	68.20	17.81	H
5458.675	52.91	-27.49	34.20	46.20	74.00	21.09	H
5468.680	52.80	-27.49	34.20	46.09	68.20	15.40	H

Channel 120

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17956.000	54.55	-29.59	45.95	38.19	74.00	19.45	H
17987.900	54.45	-29.59	45.95	38.09	74.00	19.55	V
14586.700	50.69	-29.14	41.90	37.93	68.20	17.51	V
14590.550	50.55	-29.14	41.90	37.79	68.20	17.65	H
11888.400	47.08	-32.53	39.10	40.51	74.00	26.92	V
11821.850	46.81	-32.09	39.20	39.70	74.00	27.19	H

Channel 140

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17901.550	54.22	-29.59	45.95	37.86	74.00	19.78	V
17982.400	54.20	-29.59	45.95	37.84	74.00	19.80	V
14587.250	50.19	-29.14	41.90	37.43	68.20	18.01	H
14592.750	50.09	-29.14	41.90	37.33	68.20	18.11	V
5725.967	53.90	-27.47	34.10	47.27	68.20	14.30	H
5725.075	53.83	-27.47	34.10	47.20	68.20	14.37	H

802.11be-HT40

Channel 38

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17997.800	54.63	-29.59	45.95	38.27	74.00	19.37	V
17990.650	54.48	-29.59	45.95	38.12	74.00	19.52	V
14707.150	50.92	-30.13	41.35	39.70	68.20	17.28	H
14608.700	50.82	-30.67	41.70	39.79	68.20	17.38	H
5147.200	57.13	-27.79	34.00	50.92	74.00	16.87	V
5149.800	57.02	-28.00	34.00	51.02	74.00	16.98	V

Channel 46

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17878.450	54.01	-29.59	45.95	37.65	74.00	19.99	V
17996.700	53.98	-29.59	45.95	37.62	74.00	20.02	V
14712.100	51.03	-30.13	41.35	39.81	68.20	17.17	H
13635.750	50.53	-31.29	40.90	40.92	68.20	17.67	V
11932.400	47.19	-32.42	39.05	40.56	74.00	26.81	H
11865.850	46.83	-32.73	39.15	40.41	74.00	27.17	V

Channel 54

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17993.400	54.84	-29.59	45.95	38.48	74.00	19.16	V
17986.250	54.55	-29.59	45.95	38.19	74.00	19.45	H
14204.450	50.52	-30.42	41.70	39.24	68.20	17.68	H
14546.000	50.46	-30.55	41.90	39.11	68.20	17.74	H
11773.450	48.18	-32.71	39.20	41.69	74.00	25.82	V
11901.050	47.14	-32.53	39.10	40.57	74.00	26.86	V

Channel 62

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17962.050	54.02	-29.59	45.95	37.66	74.00	19.98	V
17993.400	53.85	-29.59	45.95	37.49	74.00	20.15	H
14582.300	51.09	-29.14	41.90	38.33	68.20	17.11	V
14597.150	50.32	-29.14	41.90	37.56	68.20	17.88	H
5355.136	57.11	-27.82	34.20	50.73	74.00	16.89	V
5353.248	57.04	-27.82	34.20	50.66	74.00	16.96	V

Channel 102

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17971.950	54.39	-29.59	45.95	38.03	74.00	19.61	H
17939.500	54.11	-29.59	45.95	37.75	74.00	19.89	V
14604.300	50.29	-30.67	41.70	39.26	68.20	17.91	H
14102.150	50.26	-30.20	41.70	38.76	68.20	17.94	H
5450.635	52.29	-27.49	34.20	45.58	74.00	21.71	H
5465.560	52.21	-27.49	34.20	45.50	68.20	15.99	H

Channel 118

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17973.050	54.10	-29.59	45.95	37.74	74.00	19.90	V
17946.100	53.93	-29.59	45.95	37.57	74.00	20.07	V
14689.000	51.20	-30.04	41.50	39.74	68.20	17.00	H
14587.800	50.63	-29.14	41.90	37.87	68.20	17.57	H
11837.250	46.85	-32.73	39.15	40.43	74.00	27.15	V
11903.800	46.67	-32.53	39.10	40.10	74.00	27.33	V

Channel 134

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17938.950	54.21	-29.59	45.95	37.85	74.00	19.79	V
17970.300	53.87	-29.59	45.95	37.51	74.00	20.13	V
14588.350	50.56	-29.14	41.90	37.80	68.20	17.64	V
14593.850	50.34	-29.14	41.90	37.58	68.20	17.86	H
5788.898	52.76	-27.21	34.00	45.97	68.20	15.44	H
5788.845	52.71	-27.21	34.00	45.92	68.20	15.49	H

802.11be-HT80

Channel 42

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17953.250	54.20	-29.59	45.95	37.84	74.00	19.80	V
17993.400	54.08	-29.59	45.95	37.72	74.00	19.92	V
14576.250	50.40	-29.14	41.90	37.64	68.20	17.80	V
14535.000	50.26	-30.55	41.90	38.91	68.20	17.94	V
5149.280	57.87	-28.00	34.00	51.87	74.00	16.13	V
5149.960	57.37	-28.00	34.00	51.37	74.00	16.63	V

Channel 58

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17883.400	54.21	-29.59	45.95	37.85	74.00	19.79	H
17986.250	54.15	-29.59	45.95	37.79	74.00	19.85	H
14692.300	51.72	-30.04	41.50	40.26	68.20	16.48	V
14539.400	50.50	-30.55	41.90	39.15	68.20	17.70	H
5363.376	60.22	-27.82	34.20	53.84	74.00	13.78	V
5350.688	59.98	-27.82	34.20	53.60	74.00	14.02	V

Channel 106

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17965.900	54.60	-29.59	45.95	38.24	74.00	19.40	H
17931.250	54.39	-29.59	45.95	38.03	74.00	19.61	V
14195.650	50.40	-30.42	41.70	39.12	68.20	17.80	V
14581.200	50.35	-29.14	41.90	37.59	68.20	17.85	V
5443.525	53.98	-27.94	34.30	47.62	74.00	20.02	H
5468.530	57.04	-27.49	34.20	50.33	68.20	11.16	H

Channel 122

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17988.450	54.29	-29.59	45.95	37.93	74.00	19.71	H
17979.650	54.03	-29.59	45.95	37.67	74.00	19.97	H
14591.650	51.02	-29.14	41.90	38.26	68.20	17.18	V
14611.450	50.44	-30.67	41.70	39.41	68.20	17.76	H
5773.375	53.29	-27.21	34.00	46.50	68.20	14.91	H
5763.557	53.14	-27.21	34.00	46.35	68.20	15.06	H

802.11be-HT160

Channel 50

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17980.200	54.76	-29.59	45.95	38.40	74.00	19.24	V
17957.650	54.04	-29.59	45.95	37.68	74.00	19.96	H
14170.900	50.83	-30.42	41.70	39.55	68.20	17.37	V
14585.050	50.41	-29.14	41.90	37.65	68.20	17.79	V
5149.780	58.84	-28.00	34.00	52.84	74.00	15.16	V
5148.480	57.91	-27.79	34.00	51.70	74.00	16.09	V

Channel 114

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17992.300	54.60	-29.59	45.95	38.24	74.00	19.40	V
17957.100	54.08	-29.59	45.95	37.72	74.00	19.92	H
14201.700	50.34	-30.42	41.70	39.06	68.20	17.86	V
14556.450	50.29	-29.14	41.90	37.53	68.20	17.91	V
5453.350	57.34	-27.49	34.20	50.63	74.00	16.66	H
5463.505	58.14	-27.49	34.20	51.43	68.20	10.06	H

802.11ax-HT20 Partial RU

Channel 36

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17871.850	54.22	-29.59	45.95	37.86	74.00	19.78	V
17962.050	54.19	-29.59	45.95	37.83	74.00	19.81	V
14558.100	51.36	-29.14	41.90	38.60	68.20	16.84	V
14583.400	50.86	-29.14	41.90	38.10	68.20	17.34	V
5130.120	52.50	-27.79	34.00	46.29	74.00	21.50	H
5057.480	52.18	-28.19	33.80	46.57	74.00	21.82	V

Channel 40

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17974.700	54.65	-29.59	45.95	38.29	74.00	19.35	V
17959.850	54.27	-29.59	45.95	37.91	74.00	19.73	H
14599.900	50.72	-29.14	41.90	37.96	68.20	17.48	V
14561.400	50.30	-29.14	41.90	37.54	68.20	17.90	V
11776.750	46.88	-32.71	39.20	40.39	74.00	27.12	H
11767.400	46.64	-32.71	39.20	40.15	74.00	27.36	V

Channel 48

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17962.050	54.18	-29.59	45.95	37.82	74.00	19.82	H
17942.800	54.00	-29.59	45.95	37.64	74.00	20.00	H
14593.850	51.13	-29.14	41.90	38.37	68.20	17.07	V
14586.150	50.69	-29.14	41.90	37.93	68.20	17.51	H
11742.100	46.42	-32.71	39.20	39.93	74.00	27.58	H
11777.300	46.35	-32.71	39.20	39.86	74.00	27.65	H

Channel 52

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17966.450	54.98	-29.59	45.95	38.62	74.00	19.02	V
17938.400	54.48	-29.59	45.95	38.12	74.00	19.52	V
14695.600	50.39	-30.04	41.50	38.93	68.20	17.81	V
14190.700	50.21	-30.42	41.70	38.93	68.20	17.99	H
11884.550	46.91	-32.53	39.10	40.34	74.00	27.09	V
11811.400	46.60	-32.09	39.20	39.49	74.00	27.40	V

Channel 56

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17967.000	54.29	-29.59	45.95	37.93	74.00	19.71	V
17938.400	53.99	-29.59	45.95	37.63	74.00	20.01	V
14593.300	50.53	-29.14	41.90	37.77	68.20	17.67	H
14583.950	50.44	-29.14	41.90	37.68	68.20	17.76	V
11869.150	46.77	-32.73	39.15	40.35	74.00	27.23	V
11883.450	46.76	-32.53	39.10	40.19	74.00	27.24	V

Channel 64

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17962.600	54.65	-29.59	45.95	38.29	74.00	19.35	H
17952.150	54.53	-29.59	45.95	38.17	74.00	19.47	H
14580.650	50.61	-29.14	41.90	37.85	68.20	17.59	V
14587.800	50.33	-29.14	41.90	37.57	68.20	17.87	H
5378.512	52.31	-27.82	34.20	45.93	74.00	21.69	V
5440.528	52.13	-27.94	34.30	45.77	74.00	21.87	V

Channel 100

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17874.600	55.32	-29.59	45.95	38.96	74.00	18.68	H
17971.950	54.71	-29.59	45.95	38.35	74.00	19.29	V
14400.250	51.06	-30.24	41.90	39.40	68.20	17.14	V
14606.500	51.06	-30.67	41.70	40.03	68.20	17.14	H
5453.860	52.52	-27.49	34.20	45.81	74.00	21.48	H
5467.990	52.00	-27.49	34.20	45.29	68.20	16.20	H

Channel 120

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17912.000	54.42	-29.59	45.95	38.06	74.00	19.58	V
17957.650	54.41	-29.59	45.95	38.05	74.00	19.59	V
14692.850	51.19	-30.04	41.50	39.73	68.20	17.01	H
14593.850	51.01	-29.14	41.90	38.25	68.20	17.19	V
11889.500	47.81	-32.53	39.10	41.24	74.00	26.19	V
11909.300	46.93	-32.53	39.10	40.36	74.00	27.07	H

Channel 140

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17953.800	54.60	-29.59	45.95	38.24	74.00	19.40	H
17912.000	54.39	-29.59	45.95	38.03	74.00	19.61	H
14680.750	50.69	-30.04	41.50	39.23	68.20	17.51	V
14556.450	50.67	-29.14	41.90	37.91	68.20	17.53	H
5773.288	52.51	-27.21	34.00	45.72	68.20	15.69	H
5773.847	52.29	-27.21	34.00	45.50	68.20	15.91	H

802.11ax-HT40 Partial RU

Channel 38

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17982.950	54.68	-29.59	45.95	38.32	74.00	19.32	H
17899.350	54.37	-29.59	45.95	38.01	74.00	19.63	H
14582.850	50.43	-29.14	41.90	37.67	68.20	17.77	V
14612.000	50.30	-30.67	41.70	39.27	68.20	17.90	V
5127.980	51.71	-27.79	34.00	45.50	74.00	22.29	V
5144.880	51.69	-27.79	34.00	45.48	74.00	22.31	V

Channel 46

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17976.350	53.88	-29.59	45.95	37.52	74.00	20.12	H
17971.400	53.84	-29.59	45.95	37.48	74.00	20.16	V
14692.300	51.09	-30.04	41.50	39.63	68.20	17.11	H
14656.000	50.35	-30.04	41.50	38.89	68.20	17.85	V
11735.500	46.94	-32.71	39.20	40.45	74.00	27.06	V
11895.000	46.22	-32.53	39.10	39.65	74.00	27.78	V

Channel 54

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17997.250	55.08	-29.59	45.95	38.72	74.00	18.92	H
17955.450	54.13	-29.59	45.95	37.77	74.00	19.87	V
14695.600	50.64	-30.04	41.50	39.18	68.20	17.56	V
14601.550	50.55	-29.14	41.90	37.79	68.20	17.65	H
11891.700	47.05	-32.53	39.10	40.48	74.00	26.95	V
11872.450	46.30	-32.73	39.15	39.88	74.00	27.70	V

Channel 62

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17992.850	55.30	-29.59	45.95	38.94	74.00	18.70	V
17956.550	54.74	-29.59	45.95	38.38	74.00	19.26	V
14501.450	50.64	-29.56	41.90	38.30	68.20	17.56	V
14235.250	50.41	-30.75	41.75	39.41	68.20	17.79	V
5423.760	52.57	-27.94	34.30	46.21	74.00	21.43	H
5380.752	52.13	-27.82	34.20	45.75	74.00	21.87	H

Channel 102

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17953.800	54.57	-29.59	45.95	38.21	74.00	19.43	H
17893.850	54.55	-29.59	45.95	38.19	74.00	19.45	V
14586.700	51.48	-29.14	41.90	38.72	68.20	16.72	H
14587.800	50.19	-29.14	41.90	37.43	68.20	18.01	V
5361.115	52.87	-27.82	34.20	46.49	74.00	21.13	H
5461.495	51.80	-27.49	34.20	45.09	68.20	16.40	H

Channel 118

Frequency (MHz)	Measurement Result (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBuV)	Limit (dBuV/m)	Margin (dB)	Antenna Pol. (H/V)
17909.800	54.48	-29.59	45.95	38.12	74.00	19.52	H
17981.300	54.02	-29.59	45.95	37.66	74.00	19.98	H
14599.350	51.37	-29.14	41.90	38.61	68.20	16.83	H
14117.550	50.72	-30.93	41.70	39.94	68.20	17.48	V
11932.400	46.92	-32.42	39.05	40.29	74.00	27.08	V
11868.600	46.85	-32.73	39.15	40.43	74.00	27.15	H