



TEST REPORT

No. I20Z61188-WMD01

for

OnePlus Technology (shenzhen) Co., Ltd

Smart Phone

Model Name: HD1925

FCC ID: 2ABZ2-EE143

with

Hardware Version: 46

Software Version: 10.0.38.HD61CB

Issued Date: 2020-08-21

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504

Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn



REPORT HISTORY

Report Number	Revision	Description	Issue Date
I20Z61188-WMD01	Rev.0	1 st edition	2020-08-21

Note: the latest revision of the test report supersedes all previous version.

CONTENTS

1. TEST LABORATORY	4
1.1. INTRODUCTION & ACCREDITATION	4
1.2. TESTING LOCATION	4
1.3. TESTING ENVIRONMENT	5
1.4. PROJECT DATA	5
1.5. SIGNATURE.....	5
2. CLIENT INFORMATION	6
2.1. APPLICANT INFORMATION.....	6
2.2. MANUFACTURER INFORMATION.....	6
3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE)	7
3.1. ABOUT EUT.....	7
3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST	7
3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST.....	7
4. REFERENCE DOCUMENTS.....	8
5. LABORATORY ENVIRONMENT.....	9
6. SUMMARY OF TEST RESULT	10
7. TEST EQUIPMENT UTILIZED	12
ANNEX A: MEASUREMENT RESULTS	13
A.1 OUTPUT POWER	13
A.2 EMISSION LIMIT	108
A.3 FREQUENCY STABILITY	114
A.4 OCCUPIED BANDWIDTH.....	117
A.5 EMISSION BANDWIDTH.....	137
A.6 BAND EDGE COMPLIANCE	157
A.7 CONDUCTED SPURIOUS EMISSION	175
A.8 PEAK-TO-AVERAGE POWER RATIO	178
ANNEX B: ACCREDITATION CERTIFICATE	179



1. Test Laboratory

1.1. Introduction & Accreditation

Telecommunication Technology Labs, CAICT is an ISO/IEC 17025:2005 accredited test laboratory under NATIONAL VOLUNTARY LABORATORY ACCREDITATION PROGRAM (NVLAP) with lab code 600118-0 and is also an FCC accredited test laboratory (CN5017), and ISED accredited test laboratory (CN0066). The detail accreditation scope can be found on NVLAP website.

1.2. Testing Location

Location 1: CTTL (huayuan North Road)

Address: No. 52, Huayuan North Road, Haidian District, Beijing,
P. R. China 100191

Location 2: CTTL (Shouxiang)

Address: No. 51 Shouxiang Science Building, Xueyuan Road,
Haidian District, Beijing, P. R. China 100191

1.3. Testing Environment

Normal Temperature: 15-25°C
Relative Humidity: 20-75%

1.4. Project Data

Testing Start Date: 2020-07-28
Testing End Date: 2020-08-18

1.5. Signature



Dong Yuan
(Prepared this test report)



Zhou Yu
(Reviewed this test report)



Zhao Hui Lin
Deputy Director of the laboratory
(Approved this test report)



2. Client Information

2.1. Applicant Information

Company Name: OnePlus Technology (Shenzhen) Co., Ltd
Address /Post: 18C02, 18C03, 18C04 and 18C05, Shum Yip Terra Building, Binhe Avenue North, Futian District, Shenzhen
Contact: Ariel Cheng
Email: ariel.cheng@oneplus.com
Telephone: 13823398081

2.2. Manufacturer Information

Company Name: OnePlus Technology (Shenzhen) Co., Ltd.
Address /Post: 18C02, 18C03, 18C04 and 18C05, Shum Yip Terra Building, Binhe Avenue North, Futian District, Shenzhen
Contact: Ariel Cheng
Email: ariel.cheng@oneplus.com
Telephone: 13823398081

3. Equipment Under Test (EUT) and Ancillary Equipment (AE)

3.1. About EUT

Description	Smart Phone
Model Name	HD1925
FCC ID	2ABZ2-EE143
Antenna	Integrated
Output power	23.54dBm maximum EIRP measured for NR N66
Extreme vol. Limits	3.6VDC to 4.3VDC (nominal: 4VDC)
Extreme temp. Tolerance	0°C to +35°C

Note: Components list, please refer to documents of the manufacturer; it is also included in the original test record of CTTL.

3.2. Internal Identification of EUT used during the test

EUT ID*	IMEI	HW Version	SW Version	Date of receipt
UT09a	990013820111180	46	10.0.38.HD61CB	2020-07-28
UT08a	990013820111891	46	10.0.38.HD61CB	2020-07-23

*EUT ID: is used to identify the test sample in the lab internally.

3.3. Internal Identification of AE used during the test

AE ID*	Description
AE1	Battery
AE2	Battery
AE1	
Model	BLP745
Manufacturer	Sunwoda Electronic Co.,Ltd.
Capacitance	4010mAh
AE2	
Model	BLP745
Manufacturer	SUNWODA ELECTRONIC INDIA PRIVATE LIMITED
Capacitance	4010mAh

*AE ID: is used to identify the test sample in the lab internally.

4. Reference Documents

The following documents listed in this section are referred for testing.

Reference	Title	Version
FCC Part 24	PERSONAL COMMUNICATIONS SERVICES	10-1-19 Edition
FCC Part 27	MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES	10-1-19 Edition
ANSI/TIA-603-E	Land Mobile FM or PM Communications Equipment Measurement and Performance Standards	2016
ANSI C63.26	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services	2015
KDB 971168 D01	MEASUREMENT GUIDANCE FOR CERTIFICATION OF LICENSED DIGITAL TRANSMITTERS	v03r01

5. Laboratory Environment

Semi-anechoic chamber 2 / Fully-anechoic chamber 3 (10 meters×6.7 meters×6.15 meters) did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 35 %, Max. = 60 %
Shielding effectiveness	> 100 dB
Electrical insulation	>2 MΩ
Ground system resistance	< 0.5 Ω
Normalised site attenuation (NSA)	<±3.5 dB, 3 m distance
Site voltage standing-wave ratio (S_{VSWR})	Between 0 and 6 dB, from 1GHz to 18GHz
Uniformity of field strength	Between 0 and 6 dB, from 80 to 3000 MHz

6. Summary Of Test Result

n2

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	24.232	P
2	Emission Limit	2.1051/24.238	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	24.238	P
6	Band Edge Compliance	24.238	P
7	Conducted Spurious Emission	24.238	P
8	Peak-to-Average Power Ratio	24.232	P

n41

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

n66

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

n71

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

Terms used in Verdict column

P	Pass. The EUT complies with the essential requirements in the standard.
NP	Not Performed. The test was not performed by CTTL.
NA	Not Applicable. The test was not applicable.
BR	Re-use test data from basic model report.
F	Fail. The EUT does not comply with the essential requirements in the standard.

NR modulation: DFT-s-OFDM QPSK; 16QAM; 64QAM; 256QAM

CP-OFDM QPSK; 16QAM; 64QAM; 256QAM

NR BW: 20/40/50/60/80/90/100MHz for n41 and 5/10/15/20MHz for other NR bands

The test results provided in this report represent the worst case configuration.

7. Test Equipment Utilized

NO.	Description	Type	Series Number	Manufacture	Cal Due Date	Calibration Interval
1	UXM 5G Wireless Test Platform	E7515B	MY59020623	Keysight	2021-03-31	2 years
2	Spectrum Analyzer	FSU	200030	R&S	2021-06-01	1 year
3	Climate chamber	SH-242	93008556	ESPEC	2020-12-21	3 years
4	EMI Antenna	VULB9163	9163-235	Schwarzbeck	2020-11-24	1 year
5	EMI Antenna	3117	00058889	ETS-Lindgren	2020-11-18	1 year
6	EMI Antenna	3117	00119021	ETS-Lindgren	2021-01-14	1 year
7	Signal Generator	SMF100A	101295	R&S	2020-12-27	1 year
8	Test Receiver	E4440A	MY48250642	Agilent	2021-03-12	1 year
9	EMI Antenna	VULB9163	9163-235	Schwarzbeck	2020-11-24	1 year

Annex A: Measurement Results

A.1 Output Power

A.1.1 Summary

During the process of testing, the EUT was controlled via communication tester to ensure max power transmission and proper modulation.

In all cases, output power is within the specified limits.

A.1.2 Conducted

n2

Band	BW (MHz)	SCS (kHz)	Freq (MHz)	OFDM	Modulation	RB Allocation	Power (dBm)
n2	5	15	1852.5	DFT	QPSK	Edge1RBRight	23.11
n2	5	15	1852.5	DFT	QPSK	Edge1RBLeft	23.08
n2	5	15	1852.5	DFT	QPSK	InnerFull	23.03
n2	5	15	1852.5	DFT	QPSK	OuterFull	23.06
n2	5	15	1852.5	DFT	16QAM	Edge1RBRight	22.16
n2	5	15	1852.5	DFT	16QAM	Edge1RBLeft	21.99
n2	5	15	1852.5	DFT	16QAM	InnerFull	23.29
n2	5	15	1852.5	DFT	16QAM	OuterFull	22.24
n2	5	15	1852.5	DFT	64QAM	Edge1RBRight	21.80
n2	5	15	1852.5	DFT	64QAM	Edge1RBLeft	21.74
n2	5	15	1852.5	DFT	64QAM	InnerFull	21.65
n2	5	15	1852.5	DFT	64QAM	OuterFull	21.59
n2	5	15	1852.5	DFT	256QAM	Edge1RBRight	19.18
n2	5	15	1852.5	DFT	256QAM	Edge1RBLeft	18.97
n2	5	15	1852.5	DFT	256QAM	InnerFull	19.53
n2	5	15	1852.5	DFT	256QAM	OuterFull	19.65
n2	5	15	1852.5	CP	QPSK	Edge1RBRight	21.10
n2	5	15	1852.5	CP	QPSK	Edge1RBLeft	21.12
n2	5	15	1852.5	CP	QPSK	InnerFull	22.75
n2	5	15	1852.5	CP	QPSK	OuterFull	21.30
n2	5	15	1852.5	CP	16QAM	Edge1RBRight	21.24
n2	5	15	1852.5	CP	16QAM	Edge1RBLeft	21.07
n2	5	15	1852.5	CP	16QAM	InnerFull	21.97
n2	5	15	1852.5	CP	16QAM	OuterFull	21.11
n2	5	15	1852.5	CP	64QAM	Edge1RBRight	20.73
n2	5	15	1852.5	CP	64QAM	Edge1RBLeft	20.77
n2	5	15	1852.5	CP	64QAM	InnerFull	20.67
n2	5	15	1852.5	CP	64QAM	OuterFull	20.60

n2	5	15	1852.5	CP	256QAM	Edge1RBRight	17.23
n2	5	15	1852.5	CP	256QAM	Edge1RBLeft	17.27
n2	5	15	1852.5	CP	256QAM	InnerFull	17.70
n2	5	15	1852.5	CP	256QAM	OuterFull	17.71
n2	5	15	1880.0	DFT	QPSK	Edge1RBRight	23.13
n2	5	15	1880.0	DFT	QPSK	Edge1RBLeft	23.06
n2	5	15	1880.0	DFT	QPSK	InnerFull	23.10
n2	5	15	1880.0	DFT	QPSK	OuterFull	23.09
n2	5	15	1880.0	DFT	16QAM	Edge1RBRight	22.22
n2	5	15	1880.0	DFT	16QAM	Edge1RBLeft	22.15
n2	5	15	1880.0	DFT	16QAM	InnerFull	23.06
n2	5	15	1880.0	DFT	16QAM	OuterFull	22.23
n2	5	15	1880.0	DFT	64QAM	Edge1RBRight	21.77
n2	5	15	1880.0	DFT	64QAM	Edge1RBLeft	21.81
n2	5	15	1880.0	DFT	64QAM	InnerFull	21.72
n2	5	15	1880.0	DFT	64QAM	OuterFull	21.64
n2	5	15	1880.0	DFT	256QAM	Edge1RBRight	19.19
n2	5	15	1880.0	DFT	256QAM	Edge1RBLeft	19.07
n2	5	15	1880.0	DFT	256QAM	InnerFull	19.77
n2	5	15	1880.0	DFT	256QAM	OuterFull	19.75
n2	5	15	1880.0	CP	QPSK	Edge1RBRight	21.20
n2	5	15	1880.0	CP	QPSK	Edge1RBLeft	21.17
n2	5	15	1880.0	CP	QPSK	InnerFull	22.76
n2	5	15	1880.0	CP	QPSK	OuterFull	21.23
n2	5	15	1880.0	CP	16QAM	Edge1RBRight	21.27
n2	5	15	1880.0	CP	16QAM	Edge1RBLeft	21.20
n2	5	15	1880.0	CP	16QAM	InnerFull	21.99
n2	5	15	1880.0	CP	16QAM	OuterFull	21.25
n2	5	15	1880.0	CP	64QAM	Edge1RBRight	20.74
n2	5	15	1880.0	CP	64QAM	Edge1RBLeft	20.67
n2	5	15	1880.0	CP	64QAM	InnerFull	20.62
n2	5	15	1880.0	CP	64QAM	OuterFull	20.69
n2	5	15	1880.0	CP	256QAM	Edge1RBRight	17.32
n2	5	15	1880.0	CP	256QAM	Edge1RBLeft	17.32
n2	5	15	1880.0	CP	256QAM	InnerFull	17.69
n2	5	15	1880.0	CP	256QAM	OuterFull	17.78
n2	5	15	1907.5	DFT	QPSK	Edge1RBRight	23.13
n2	5	15	1907.5	DFT	QPSK	Edge1RBLeft	22.98
n2	5	15	1907.5	DFT	QPSK	InnerFull	23.04
n2	5	15	1907.5	DFT	QPSK	OuterFull	23.08
n2	5	15	1907.5	DFT	16QAM	Edge1RBRight	22.09

n2	5	15	1907.5	DFT	16QAM	Edge1RBLeft	22.11
n2	5	15	1907.5	DFT	16QAM	InnerFull	23.23
n2	5	15	1907.5	DFT	16QAM	OuterFull	22.14
n2	5	15	1907.5	DFT	64QAM	Edge1RBRight	21.78
n2	5	15	1907.5	DFT	64QAM	Edge1RBLeft	21.76
n2	5	15	1907.5	DFT	64QAM	InnerFull	21.80
n2	5	15	1907.5	DFT	64QAM	OuterFull	21.58
n2	5	15	1907.5	DFT	256QAM	Edge1RBRight	19.03
n2	5	15	1907.5	DFT	256QAM	Edge1RBLeft	19.02
n2	5	15	1907.5	DFT	256QAM	InnerFull	19.69
n2	5	15	1907.5	DFT	256QAM	OuterFull	19.57
n2	5	15	1907.5	CP	QPSK	Edge1RBRight	21.14
n2	5	15	1907.5	CP	QPSK	Edge1RBLeft	21.11
n2	5	15	1907.5	CP	QPSK	InnerFull	22.73
n2	5	15	1907.5	CP	QPSK	OuterFull	21.21
n2	5	15	1907.5	CP	16QAM	Edge1RBRight	21.18
n2	5	15	1907.5	CP	16QAM	Edge1RBLeft	21.11
n2	5	15	1907.5	CP	16QAM	InnerFull	21.95
n2	5	15	1907.5	CP	16QAM	OuterFull	21.18
n2	5	15	1907.5	CP	64QAM	Edge1RBRight	20.73
n2	5	15	1907.5	CP	64QAM	Edge1RBLeft	20.77
n2	5	15	1907.5	CP	64QAM	InnerFull	20.68
n2	5	15	1907.5	CP	64QAM	OuterFull	20.66
n2	5	15	1907.5	CP	256QAM	Edge1RBRight	17.19
n2	5	15	1907.5	CP	256QAM	Edge1RBLeft	17.15
n2	5	15	1907.5	CP	256QAM	InnerFull	17.75
n2	5	15	1907.5	CP	256QAM	OuterFull	17.68
n2	10	15	1855.0	DFT	QPSK	Edge1RBRight	23.17
n2	10	15	1855.0	DFT	QPSK	Edge1RBLeft	23.27
n2	10	15	1855.0	DFT	QPSK	InnerFull	23.27
n2	10	15	1855.0	DFT	QPSK	OuterFull	23.27
n2	10	15	1855.0	DFT	16QAM	Edge1RBRight	22.18
n2	10	15	1855.0	DFT	16QAM	Edge1RBLeft	22.26
n2	10	15	1855.0	DFT	16QAM	InnerFull	23.31
n2	10	15	1855.0	DFT	16QAM	OuterFull	22.25
n2	10	15	1855.0	DFT	64QAM	Edge1RBRight	21.96
n2	10	15	1855.0	DFT	64QAM	Edge1RBLeft	21.79
n2	10	15	1855.0	DFT	64QAM	InnerFull	21.84
n2	10	15	1855.0	DFT	64QAM	OuterFull	21.75
n2	10	15	1855.0	DFT	256QAM	Edge1RBRight	19.22
n2	10	15	1855.0	DFT	256QAM	Edge1RBLeft	19.14

n2	10	15	1855.0	DFT	256QAM	InnerFull	19.66
n2	10	15	1855.0	DFT	256QAM	OuterFull	19.73
n2	10	15	1855.0	CP	QPSK	Edge1RBRight	21.23
n2	10	15	1855.0	CP	QPSK	Edge1RBLLeft	21.40
n2	10	15	1855.0	CP	QPSK	InnerFull	22.69
n2	10	15	1855.0	CP	QPSK	OuterFull	21.34
n2	10	15	1855.0	CP	16QAM	Edge1RBRight	21.22
n2	10	15	1855.0	CP	16QAM	Edge1RBLLeft	21.31
n2	10	15	1855.0	CP	16QAM	InnerFull	22.24
n2	10	15	1855.0	CP	16QAM	OuterFull	21.20
n2	10	15	1855.0	CP	64QAM	Edge1RBRight	20.94
n2	10	15	1855.0	CP	64QAM	Edge1RBLLeft	20.86
n2	10	15	1855.0	CP	64QAM	InnerFull	20.78
n2	10	15	1855.0	CP	64QAM	OuterFull	20.77
n2	10	15	1855.0	CP	256QAM	Edge1RBRight	17.45
n2	10	15	1855.0	CP	256QAM	Edge1RBLLeft	17.35
n2	10	15	1855.0	CP	256QAM	InnerFull	17.79
n2	10	15	1855.0	CP	256QAM	OuterFull	17.72
n2	10	15	1880.0	DFT	QPSK	Edge1RBRight	23.20
n2	10	15	1880.0	DFT	QPSK	Edge1RBLLeft	23.10
n2	10	15	1880.0	DFT	QPSK	InnerFull	23.13
n2	10	15	1880.0	DFT	QPSK	OuterFull	23.18
n2	10	15	1880.0	DFT	16QAM	Edge1RBRight	22.29
n2	10	15	1880.0	DFT	16QAM	Edge1RBLLeft	22.22
n2	10	15	1880.0	DFT	16QAM	InnerFull	23.20
n2	10	15	1880.0	DFT	16QAM	OuterFull	22.17
n2	10	15	1880.0	DFT	64QAM	Edge1RBRight	21.99
n2	10	15	1880.0	DFT	64QAM	Edge1RBLLeft	22.00
n2	10	15	1880.0	DFT	64QAM	InnerFull	21.76
n2	10	15	1880.0	DFT	64QAM	OuterFull	21.71
n2	10	15	1880.0	DFT	256QAM	Edge1RBRight	19.08
n2	10	15	1880.0	DFT	256QAM	Edge1RBLLeft	19.13
n2	10	15	1880.0	DFT	256QAM	InnerFull	19.56
n2	10	15	1880.0	DFT	256QAM	OuterFull	19.72
n2	10	15	1880.0	CP	QPSK	Edge1RBRight	21.22
n2	10	15	1880.0	CP	QPSK	Edge1RBLLeft	21.04
n2	10	15	1880.0	CP	QPSK	InnerFull	22.65
n2	10	15	1880.0	CP	QPSK	OuterFull	21.31
n2	10	15	1880.0	CP	16QAM	Edge1RBRight	21.21
n2	10	15	1880.0	CP	16QAM	Edge1RBLLeft	21.18
n2	10	15	1880.0	CP	16QAM	InnerFull	22.25

n2	10	15	1880.0	CP	16QAM	OuterFull	21.19
n2	10	15	1880.0	CP	64QAM	Edge1RBRight	20.91
n2	10	15	1880.0	CP	64QAM	Edge1RBLeft	20.77
n2	10	15	1880.0	CP	64QAM	InnerFull	20.76
n2	10	15	1880.0	CP	64QAM	OuterFull	20.79
n2	10	15	1880.0	CP	256QAM	Edge1RBRight	17.36
n2	10	15	1880.0	CP	256QAM	Edge1RBLeft	17.37
n2	10	15	1880.0	CP	256QAM	InnerFull	17.67
n2	10	15	1880.0	CP	256QAM	OuterFull	17.63
n2	10	15	1905.0	DFT	QPSK	Edge1RBRight	23.31
n2	10	15	1905.0	DFT	QPSK	Edge1RBLeft	23.23
n2	10	15	1905.0	DFT	QPSK	InnerFull	23.18
n2	10	15	1905.0	DFT	QPSK	OuterFull	23.20
n2	10	15	1905.0	DFT	16QAM	Edge1RBRight	22.26
n2	10	15	1905.0	DFT	16QAM	Edge1RBLeft	22.20
n2	10	15	1905.0	DFT	16QAM	InnerFull	23.25
n2	10	15	1905.0	DFT	16QAM	OuterFull	22.19
n2	10	15	1905.0	DFT	64QAM	Edge1RBRight	21.99
n2	10	15	1905.0	DFT	64QAM	Edge1RBLeft	21.94
n2	10	15	1905.0	DFT	64QAM	InnerFull	21.81
n2	10	15	1905.0	DFT	64QAM	OuterFull	21.80
n2	10	15	1905.0	DFT	256QAM	Edge1RBRight	19.09
n2	10	15	1905.0	DFT	256QAM	Edge1RBLeft	19.21
n2	10	15	1905.0	DFT	256QAM	InnerFull	19.55
n2	10	15	1905.0	DFT	256QAM	OuterFull	19.70
n2	10	15	1905.0	CP	QPSK	Edge1RBRight	21.12
n2	10	15	1905.0	CP	QPSK	Edge1RBLeft	21.23
n2	10	15	1905.0	CP	QPSK	InnerFull	22.65
n2	10	15	1905.0	CP	QPSK	OuterFull	21.26
n2	10	15	1905.0	CP	16QAM	Edge1RBRight	21.38
n2	10	15	1905.0	CP	16QAM	Edge1RBLeft	21.36
n2	10	15	1905.0	CP	16QAM	InnerFull	22.26
n2	10	15	1905.0	CP	16QAM	OuterFull	21.25
n2	10	15	1905.0	CP	64QAM	Edge1RBRight	20.94
n2	10	15	1905.0	CP	64QAM	Edge1RBLeft	20.84
n2	10	15	1905.0	CP	64QAM	InnerFull	20.73
n2	10	15	1905.0	CP	64QAM	OuterFull	20.77
n2	10	15	1905.0	CP	256QAM	Edge1RBRight	17.55
n2	10	15	1905.0	CP	256QAM	Edge1RBLeft	17.24
n2	10	15	1905.0	CP	256QAM	InnerFull	17.65
n2	10	15	1905.0	CP	256QAM	OuterFull	17.63

n2	15	15	1857.5	DFT	QPSK	Edge1RBRight	23.26
n2	15	15	1857.5	DFT	QPSK	Edge1RBLeft	23.24
n2	15	15	1857.5	DFT	QPSK	InnerFull	23.29
n2	15	15	1857.5	DFT	QPSK	OuterFull	23.28
n2	15	15	1857.5	DFT	16QAM	Edge1RBRight	22.35
n2	15	15	1857.5	DFT	16QAM	Edge1RBLeft	22.30
n2	15	15	1857.5	DFT	16QAM	InnerFull	23.33
n2	15	15	1857.5	DFT	16QAM	OuterFull	22.38
n2	15	15	1857.5	DFT	64QAM	Edge1RBRight	22.01
n2	15	15	1857.5	DFT	64QAM	Edge1RBLeft	21.91
n2	15	15	1857.5	DFT	64QAM	InnerFull	21.82
n2	15	15	1857.5	DFT	64QAM	OuterFull	21.88
n2	15	15	1857.5	DFT	256QAM	Edge1RBRight	19.24
n2	15	15	1857.5	DFT	256QAM	Edge1RBLeft	19.20
n2	15	15	1857.5	DFT	256QAM	InnerFull	19.88
n2	15	15	1857.5	DFT	256QAM	OuterFull	19.83
n2	15	15	1857.5	CP	QPSK	Edge1RBRight	21.28
n2	15	15	1857.5	CP	QPSK	Edge1RBLeft	21.32
n2	15	15	1857.5	CP	QPSK	InnerFull	22.80
n2	15	15	1857.5	CP	QPSK	OuterFull	21.31
n2	15	15	1857.5	CP	16QAM	Edge1RBRight	21.34
n2	15	15	1857.5	CP	16QAM	Edge1RBLeft	21.31
n2	15	15	1857.5	CP	16QAM	InnerFull	22.41
n2	15	15	1857.5	CP	16QAM	OuterFull	21.29
n2	15	15	1857.5	CP	64QAM	Edge1RBRight	20.89
n2	15	15	1857.5	CP	64QAM	Edge1RBLeft	20.98
n2	15	15	1857.5	CP	64QAM	InnerFull	20.70
n2	15	15	1857.5	CP	64QAM	OuterFull	20.85
n2	15	15	1857.5	CP	256QAM	Edge1RBRight	17.30
n2	15	15	1857.5	CP	256QAM	Edge1RBLeft	17.34
n2	15	15	1857.5	CP	256QAM	InnerFull	17.77
n2	15	15	1857.5	CP	256QAM	OuterFull	17.74
n2	15	15	1880.0	DFT	QPSK	Edge1RBRight	23.26
n2	15	15	1880.0	DFT	QPSK	Edge1RBLeft	23.23
n2	15	15	1880.0	DFT	QPSK	InnerFull	23.21
n2	15	15	1880.0	DFT	QPSK	OuterFull	23.34
n2	15	15	1880.0	DFT	16QAM	Edge1RBRight	22.22
n2	15	15	1880.0	DFT	16QAM	Edge1RBLeft	22.34
n2	15	15	1880.0	DFT	16QAM	InnerFull	23.33
n2	15	15	1880.0	DFT	16QAM	OuterFull	22.39
n2	15	15	1880.0	DFT	64QAM	Edge1RBRight	21.98

n2	15	15	1880.0	DFT	64QAM	Edge1RBLeft	21.97
n2	15	15	1880.0	DFT	64QAM	InnerFull	21.77
n2	15	15	1880.0	DFT	64QAM	OuterFull	21.90
n2	15	15	1880.0	DFT	256QAM	Edge1RBRight	19.19
n2	15	15	1880.0	DFT	256QAM	Edge1RBLeft	19.18
n2	15	15	1880.0	DFT	256QAM	InnerFull	19.71
n2	15	15	1880.0	DFT	256QAM	OuterFull	19.73
n2	15	15	1880.0	CP	QPSK	Edge1RBRight	21.34
n2	15	15	1880.0	CP	QPSK	Edge1RBLeft	21.28
n2	15	15	1880.0	CP	QPSK	InnerFull	22.72
n2	15	15	1880.0	CP	QPSK	OuterFull	21.28
n2	15	15	1880.0	CP	16QAM	Edge1RBRight	21.30
n2	15	15	1880.0	CP	16QAM	Edge1RBLeft	21.34
n2	15	15	1880.0	CP	16QAM	InnerFull	22.38
n2	15	15	1880.0	CP	16QAM	OuterFull	21.31
n2	15	15	1880.0	CP	64QAM	Edge1RBRight	20.88
n2	15	15	1880.0	CP	64QAM	Edge1RBLeft	20.95
n2	15	15	1880.0	CP	64QAM	InnerFull	20.66
n2	15	15	1880.0	CP	64QAM	OuterFull	20.75
n2	15	15	1880.0	CP	256QAM	Edge1RBRight	17.35
n2	15	15	1880.0	CP	256QAM	Edge1RBLeft	17.40
n2	15	15	1880.0	CP	256QAM	InnerFull	17.69
n2	15	15	1880.0	CP	256QAM	OuterFull	17.72
n2	15	15	1902.5	DFT	QPSK	Edge1RBRight	23.17
n2	15	15	1902.5	DFT	QPSK	Edge1RBLeft	23.25
n2	15	15	1902.5	DFT	QPSK	InnerFull	23.16
n2	15	15	1902.5	DFT	QPSK	OuterFull	23.17
n2	15	15	1902.5	DFT	16QAM	Edge1RBRight	22.28
n2	15	15	1902.5	DFT	16QAM	Edge1RBLeft	22.21
n2	15	15	1902.5	DFT	16QAM	InnerFull	23.25
n2	15	15	1902.5	DFT	16QAM	OuterFull	22.30
n2	15	15	1902.5	DFT	64QAM	Edge1RBRight	22.10
n2	15	15	1902.5	DFT	64QAM	Edge1RBLeft	21.91
n2	15	15	1902.5	DFT	64QAM	InnerFull	21.62
n2	15	15	1902.5	DFT	64QAM	OuterFull	21.84
n2	15	15	1902.5	DFT	256QAM	Edge1RBRight	19.10
n2	15	15	1902.5	DFT	256QAM	Edge1RBLeft	19.07
n2	15	15	1902.5	DFT	256QAM	InnerFull	19.76
n2	15	15	1902.5	DFT	256QAM	OuterFull	19.68
n2	15	15	1902.5	CP	QPSK	Edge1RBRight	21.18
n2	15	15	1902.5	CP	QPSK	Edge1RBLeft	21.16

n2	15	15	1902.5	CP	QPSK	InnerFull	22.68
n2	15	15	1902.5	CP	QPSK	OuterFull	21.21
n2	15	15	1902.5	CP	16QAM	Edge1RBRight	21.30
n2	15	15	1902.5	CP	16QAM	Edge1RBLLeft	21.27
n2	15	15	1902.5	CP	16QAM	InnerFull	22.32
n2	15	15	1902.5	CP	16QAM	OuterFull	21.25
n2	15	15	1902.5	CP	64QAM	Edge1RBRight	20.75
n2	15	15	1902.5	CP	64QAM	Edge1RBLLeft	20.83
n2	15	15	1902.5	CP	64QAM	InnerFull	20.63
n2	15	15	1902.5	CP	64QAM	OuterFull	20.78
n2	15	15	1902.5	CP	256QAM	Edge1RBRight	17.29
n2	15	15	1902.5	CP	256QAM	Edge1RBLLeft	17.21
n2	15	15	1902.5	CP	256QAM	InnerFull	17.64
n2	15	15	1902.5	CP	256QAM	OuterFull	17.73
n2	20	15	1860.0	DFT	QPSK	Edge1RBRight	23.33
n2	20	15	1860.0	DFT	QPSK	Edge1RBLLeft	23.26
n2	20	15	1860.0	DFT	QPSK	InnerFull	23.31
n2	20	15	1860.0	DFT	QPSK	OuterFull	23.31
n2	20	15	1860.0	DFT	16QAM	Edge1RBRight	22.26
n2	20	15	1860.0	DFT	16QAM	Edge1RBLLeft	22.37
n2	20	15	1860.0	DFT	16QAM	InnerFull	23.31
n2	20	15	1860.0	DFT	16QAM	OuterFull	22.25
n2	20	15	1860.0	DFT	64QAM	Edge1RBRight	21.95
n2	20	15	1860.0	DFT	64QAM	Edge1RBLLeft	21.97
n2	20	15	1860.0	DFT	64QAM	InnerFull	21.82
n2	20	15	1860.0	DFT	64QAM	OuterFull	21.84
n2	20	15	1860.0	DFT	256QAM	Edge1RBRight	19.06
n2	20	15	1860.0	DFT	256QAM	Edge1RBLLeft	19.11
n2	20	15	1860.0	DFT	256QAM	InnerFull	19.77
n2	20	15	1860.0	DFT	256QAM	OuterFull	19.76
n2	20	15	1860.0	CP	QPSK	Edge1RBRight	21.15
n2	20	15	1860.0	CP	QPSK	Edge1RBLLeft	21.20
n2	20	15	1860.0	CP	QPSK	InnerFull	22.70
n2	20	15	1860.0	CP	QPSK	OuterFull	21.34
n2	20	15	1860.0	CP	16QAM	Edge1RBRight	21.27
n2	20	15	1860.0	CP	16QAM	Edge1RBLLeft	21.32
n2	20	15	1860.0	CP	16QAM	InnerFull	22.25
n2	20	15	1860.0	CP	16QAM	OuterFull	21.31
n2	20	15	1860.0	CP	64QAM	Edge1RBRight	20.75
n2	20	15	1860.0	CP	64QAM	Edge1RBLLeft	20.80
n2	20	15	1860.0	CP	64QAM	InnerFull	20.84

n2	20	15	1860.0	CP	64QAM	OuterFull	20.72
n2	20	15	1860.0	CP	256QAM	Edge1RBRight	17.14
n2	20	15	1860.0	CP	256QAM	Edge1RBLeft	17.38
n2	20	15	1860.0	CP	256QAM	InnerFull	17.76
n2	20	15	1860.0	CP	256QAM	OuterFull	17.86
n2	20	15	1880.0	DFT	QPSK	Edge1RBRight	23.21
n2	20	15	1880.0	DFT	QPSK	Edge1RBLeft	23.22
n2	20	15	1880.0	DFT	QPSK	InnerFull	23.28
n2	20	15	1880.0	DFT	QPSK	OuterFull	23.30
n2	20	15	1880.0	DFT	16QAM	Edge1RBRight	22.20
n2	20	15	1880.0	DFT	16QAM	Edge1RBLeft	22.19
n2	20	15	1880.0	DFT	16QAM	InnerFull	23.24
n2	20	15	1880.0	DFT	16QAM	OuterFull	22.23
n2	20	15	1880.0	DFT	64QAM	Edge1RBRight	21.88
n2	20	15	1880.0	DFT	64QAM	Edge1RBLeft	21.89
n2	20	15	1880.0	DFT	64QAM	InnerFull	21.78
n2	20	15	1880.0	DFT	64QAM	OuterFull	21.88
n2	20	15	1880.0	DFT	256QAM	Edge1RBRight	19.16
n2	20	15	1880.0	DFT	256QAM	Edge1RBLeft	19.18
n2	20	15	1880.0	DFT	256QAM	InnerFull	19.66
n2	20	15	1880.0	DFT	256QAM	OuterFull	19.76
n2	20	15	1880.0	CP	QPSK	Edge1RBRight	21.16
n2	20	15	1880.0	CP	QPSK	Edge1RBLeft	21.29
n2	20	15	1880.0	CP	QPSK	InnerFull	22.76
n2	20	15	1880.0	CP	QPSK	OuterFull	21.29
n2	20	15	1880.0	CP	16QAM	Edge1RBRight	21.26
n2	20	15	1880.0	CP	16QAM	Edge1RBLeft	21.33
n2	20	15	1880.0	CP	16QAM	InnerFull	22.29
n2	20	15	1880.0	CP	16QAM	OuterFull	21.25
n2	20	15	1880.0	CP	64QAM	Edge1RBRight	20.80
n2	20	15	1880.0	CP	64QAM	Edge1RBLeft	20.85
n2	20	15	1880.0	CP	64QAM	InnerFull	20.85
n2	20	15	1880.0	CP	64QAM	OuterFull	20.77
n2	20	15	1880.0	CP	256QAM	Edge1RBRight	17.25
n2	20	15	1880.0	CP	256QAM	Edge1RBLeft	17.47
n2	20	15	1880.0	CP	256QAM	InnerFull	17.70
n2	20	15	1880.0	CP	256QAM	OuterFull	17.70
n2	20	15	1900.0	DFT	QPSK	Edge1RBRight	23.12
n2	20	15	1900.0	DFT	QPSK	Edge1RBLeft	23.20
n2	20	15	1900.0	DFT	QPSK	InnerFull	23.06
n2	20	15	1900.0	DFT	QPSK	OuterFull	23.16

n2	20	15	1900.0	DFT	16QAM	Edge1RBRight	22.14
n2	20	15	1900.0	DFT	16QAM	Edge1RBLeft	22.14
n2	20	15	1900.0	DFT	16QAM	InnerFull	23.10
n2	20	15	1900.0	DFT	16QAM	OuterFull	22.10
n2	20	15	1900.0	DFT	64QAM	Edge1RBRight	21.89
n2	20	15	1900.0	DFT	64QAM	Edge1RBLeft	21.90
n2	20	15	1900.0	DFT	64QAM	InnerFull	21.71
n2	20	15	1900.0	DFT	64QAM	OuterFull	21.72
n2	20	15	1900.0	DFT	256QAM	Edge1RBRight	19.04
n2	20	15	1900.0	DFT	256QAM	Edge1RBLeft	19.05
n2	20	15	1900.0	DFT	256QAM	InnerFull	19.71
n2	20	15	1900.0	DFT	256QAM	OuterFull	19.57
n2	20	15	1900.0	CP	QPSK	Edge1RBRight	21.05
n2	20	15	1900.0	CP	QPSK	Edge1RBLeft	21.15
n2	20	15	1900.0	CP	QPSK	InnerFull	22.58
n2	20	15	1900.0	CP	QPSK	OuterFull	21.10
n2	20	15	1900.0	CP	16QAM	Edge1RBRight	21.19
n2	20	15	1900.0	CP	16QAM	Edge1RBLeft	21.28
n2	20	15	1900.0	CP	16QAM	InnerFull	22.12
n2	20	15	1900.0	CP	16QAM	OuterFull	21.14
n2	20	15	1900.0	CP	64QAM	Edge1RBRight	20.67
n2	20	15	1900.0	CP	64QAM	Edge1RBLeft	20.68
n2	20	15	1900.0	CP	64QAM	InnerFull	20.77
n2	20	15	1900.0	CP	64QAM	OuterFull	20.66
n2	20	15	1900.0	CP	256QAM	Edge1RBRight	17.12
n2	20	15	1900.0	CP	256QAM	Edge1RBLeft	17.26
n2	20	15	1900.0	CP	256QAM	InnerFull	17.65
n2	20	15	1900.0	CP	256QAM	OuterFull	17.67

n41

Band	BW (MHz)	SCS (kHz)	Freq (MHz)	OFDM	Modulation	RB Allocation	Power (dBm)
n41	20	30	2506.02	DFT	QPSK	Edge1RBRight	22.05
n41	20	30	2506.02	DFT	QPSK	Edge1RBLeft	20.86
n41	20	30	2506.02	DFT	QPSK	InnerFull	23.21
n41	20	30	2506.02	DFT	QPSK	OuterFull	22.23
n41	20	30	2506.02	DFT	16QAM	Edge1RBRight	21.14
n41	20	30	2506.02	DFT	16QAM	Edge1RBLeft	21.24
n41	20	30	2506.02	DFT	16QAM	InnerFull	22.24
n41	20	30	2506.02	DFT	16QAM	OuterFull	21.25
n41	20	30	2506.02	DFT	64QAM	Edge1RBRight	20.95
n41	20	30	2506.02	DFT	64QAM	Edge1RBLeft	21.07
n41	20	30	2506.02	DFT	64QAM	InnerFull	20.75
n41	20	30	2506.02	DFT	64QAM	OuterFull	20.72
n41	20	30	2506.02	DFT	256QAM	Edge1RBRight	18.43
n41	20	30	2506.02	DFT	256QAM	Edge1RBLeft	18.49
n41	20	30	2506.02	DFT	256QAM	InnerFull	18.61
n41	20	30	2506.02	DFT	256QAM	OuterFull	18.66
n41	20	30	2506.02	CP	QPSK	Edge1RBRight	20.20
n41	20	30	2506.02	CP	QPSK	Edge1RBLeft	20.18
n41	20	30	2506.02	CP	QPSK	InnerFull	21.67
n41	20	30	2506.02	CP	QPSK	OuterFull	20.22
n41	20	30	2506.02	CP	16QAM	Edge1RBRight	19.96
n41	20	30	2506.02	CP	16QAM	Edge1RBLeft	20.01
n41	20	30	2506.02	CP	16QAM	InnerFull	21.28
n41	20	30	2506.02	CP	16QAM	OuterFull	20.18
n41	20	30	2506.02	CP	64QAM	Edge1RBRight	19.71
n41	20	30	2506.02	CP	64QAM	Edge1RBLeft	19.78
n41	20	30	2506.02	CP	64QAM	InnerFull	19.74
n41	20	30	2506.02	CP	64QAM	OuterFull	19.80
n41	20	30	2506.02	CP	256QAM	Edge1RBRight	17.00
n41	20	30	2506.02	CP	256QAM	Edge1RBLeft	17.05
n41	20	30	2506.02	CP	256QAM	InnerFull	16.67
n41	20	30	2506.02	CP	256QAM	OuterFull	16.70
n41	20	30	2592.99	DFT	QPSK	Edge1RBRight	22.09
n41	20	30	2592.99	DFT	QPSK	Edge1RBLeft	21.99
n41	20	30	2592.99	DFT	QPSK	InnerFull	23.00
n41	20	30	2592.99	DFT	QPSK	OuterFull	22.18
n41	20	30	2592.99	DFT	16QAM	Edge1RBRight	21.13
n41	20	30	2592.99	DFT	16QAM	Edge1RBLeft	21.02

n41	20	30	2592.99	DFT	16QAM	InnerFull	22.04
n41	20	30	2592.99	DFT	16QAM	OuterFull	21.17
n41	20	30	2592.99	DFT	64QAM	Edge1RBRight	21.00
n41	20	30	2592.99	DFT	64QAM	Edge1RBLeft	20.83
n41	20	30	2592.99	DFT	64QAM	InnerFull	20.54
n41	20	30	2592.99	DFT	64QAM	OuterFull	20.57
n41	20	30	2592.99	DFT	256QAM	Edge1RBRight	18.40
n41	20	30	2592.99	DFT	256QAM	Edge1RBLeft	18.33
n41	20	30	2592.99	DFT	256QAM	InnerFull	18.50
n41	20	30	2592.99	DFT	256QAM	OuterFull	18.60
n41	20	30	2592.99	CP	QPSK	Edge1RBRight	20.07
n41	20	30	2592.99	CP	QPSK	Edge1RBLeft	19.91
n41	20	30	2592.99	CP	QPSK	InnerFull	21.61
n41	20	30	2592.99	CP	QPSK	OuterFull	20.17
n41	20	30	2592.99	CP	16QAM	Edge1RBRight	19.92
n41	20	30	2592.99	CP	16QAM	Edge1RBLeft	19.75
n41	20	30	2592.99	CP	16QAM	InnerFull	21.22
n41	20	30	2592.99	CP	16QAM	OuterFull	20.16
n41	20	30	2592.99	CP	64QAM	Edge1RBRight	19.67
n41	20	30	2592.99	CP	64QAM	Edge1RBLeft	19.65
n41	20	30	2592.99	CP	64QAM	InnerFull	19.67
n41	20	30	2592.99	CP	64QAM	OuterFull	19.70
n41	20	30	2592.99	CP	256QAM	Edge1RBRight	16.95
n41	20	30	2592.99	CP	256QAM	Edge1RBLeft	16.81
n41	20	30	2592.99	CP	256QAM	InnerFull	16.47
n41	20	30	2592.99	CP	256QAM	OuterFull	16.72
n41	20	30	2679.99	DFT	QPSK	Edge1RBRight	21.59
n41	20	30	2679.99	DFT	QPSK	Edge1RBLeft	21.89
n41	20	30	2679.99	DFT	QPSK	InnerFull	22.04
n41	20	30	2679.99	DFT	QPSK	OuterFull	21.13
n41	20	30	2679.99	DFT	16QAM	Edge1RBRight	20.82
n41	20	30	2679.99	DFT	16QAM	Edge1RBLeft	20.84
n41	20	30	2679.99	DFT	16QAM	InnerFull	21.17
n41	20	30	2679.99	DFT	16QAM	OuterFull	20.24
n41	20	30	2679.99	DFT	64QAM	Edge1RBRight	20.39
n41	20	30	2679.99	DFT	64QAM	Edge1RBLeft	20.46
n41	20	30	2679.99	DFT	64QAM	InnerFull	19.61
n41	20	30	2679.99	DFT	64QAM	OuterFull	19.70
n41	20	30	2679.99	DFT	256QAM	Edge1RBRight	17.77
n41	20	30	2679.99	DFT	256QAM	Edge1RBLeft	18.10
n41	20	30	2679.99	DFT	256QAM	InnerFull	17.94

n41	20	30	2679.99	DFT	256QAM	OuterFull	18.08
n41	20	30	2679.99	CP	QPSK	Edge1RBRight	19.88
n41	20	30	2679.99	CP	QPSK	Edge1RBLeft	19.93
n41	20	30	2679.99	CP	QPSK	InnerFull	20.40
n41	20	30	2679.99	CP	QPSK	OuterFull	19.14
n41	20	30	2679.99	CP	16QAM	Edge1RBRight	19.46
n41	20	30	2679.99	CP	16QAM	Edge1RBLeft	19.72
n41	20	30	2679.99	CP	16QAM	InnerFull	20.04
n41	20	30	2679.99	CP	16QAM	OuterFull	19.17
n41	20	30	2679.99	CP	64QAM	Edge1RBRight	19.21
n41	20	30	2679.99	CP	64QAM	Edge1RBLeft	19.47
n41	20	30	2679.99	CP	64QAM	InnerFull	18.80
n41	20	30	2679.99	CP	64QAM	OuterFull	18.64
n41	20	30	2679.99	CP	256QAM	Edge1RBRight	16.71
n41	20	30	2679.99	CP	256QAM	Edge1RBLeft	16.79
n41	20	30	2679.99	CP	256QAM	InnerFull	16.18
n41	20	30	2679.99	CP	256QAM	OuterFull	16.20
n41	40	30	2516.01	DFT	QPSK	Edge1RBRight	22.78
n41	40	30	2516.01	DFT	QPSK	Edge1RBLeft	21.74
n41	40	30	2516.01	DFT	QPSK	InnerFull	23.45
n41	40	30	2516.01	DFT	QPSK	OuterFull	22.48
n41	40	30	2516.01	DFT	16QAM	Edge1RBRight	21.26
n41	40	30	2516.01	DFT	16QAM	Edge1RBLeft	21.39
n41	40	30	2516.01	DFT	16QAM	InnerFull	22.44
n41	40	30	2516.01	DFT	16QAM	OuterFull	21.43
n41	40	30	2516.01	DFT	64QAM	Edge1RBRight	20.85
n41	40	30	2516.01	DFT	64QAM	Edge1RBLeft	21.03
n41	40	30	2516.01	DFT	64QAM	InnerFull	20.87
n41	40	30	2516.01	DFT	64QAM	OuterFull	20.97
n41	40	30	2516.01	DFT	256QAM	Edge1RBRight	18.68
n41	40	30	2516.01	DFT	256QAM	Edge1RBLeft	18.79
n41	40	30	2516.01	DFT	256QAM	InnerFull	18.90
n41	40	30	2516.01	DFT	256QAM	OuterFull	18.97
n41	40	30	2516.01	CP	QPSK	Edge1RBRight	20.28
n41	40	30	2516.01	CP	QPSK	Edge1RBLeft	20.39
n41	40	30	2516.01	CP	QPSK	InnerFull	21.90
n41	40	30	2516.01	CP	QPSK	OuterFull	20.48
n41	40	30	2516.01	CP	16QAM	Edge1RBRight	20.35
n41	40	30	2516.01	CP	16QAM	Edge1RBLeft	20.50
n41	40	30	2516.01	CP	16QAM	InnerFull	21.38
n41	40	30	2516.01	CP	16QAM	OuterFull	20.44

n41	40	30	2516.01	CP	64QAM	Edge1RBRight	20.13
n41	40	30	2516.01	CP	64QAM	Edge1RBLeft	20.19
n41	40	30	2516.01	CP	64QAM	InnerFull	19.96
n41	40	30	2516.01	CP	64QAM	OuterFull	19.94
n41	40	30	2516.01	CP	256QAM	Edge1RBRight	17.14
n41	40	30	2516.01	CP	256QAM	Edge1RBLeft	17.01
n41	40	30	2516.01	CP	256QAM	InnerFull	16.92
n41	40	30	2516.01	CP	256QAM	OuterFull	16.94
n41	40	30	2592.99	DFT	QPSK	Edge1RBRight	22.36
n41	40	30	2592.99	DFT	QPSK	Edge1RBLeft	21.22
n41	40	30	2592.99	DFT	QPSK	InnerFull	23.36
n41	40	30	2592.99	DFT	QPSK	OuterFull	22.39
n41	40	30	2592.99	DFT	16QAM	Edge1RBRight	21.41
n41	40	30	2592.99	DFT	16QAM	Edge1RBLeft	21.15
n41	40	30	2592.99	DFT	16QAM	InnerFull	22.37
n41	40	30	2592.99	DFT	16QAM	OuterFull	21.28
n41	40	30	2592.99	DFT	64QAM	Edge1RBRight	21.05
n41	40	30	2592.99	DFT	64QAM	Edge1RBLeft	20.76
n41	40	30	2592.99	DFT	64QAM	InnerFull	20.84
n41	40	30	2592.99	DFT	64QAM	OuterFull	20.86
n41	40	30	2592.99	DFT	256QAM	Edge1RBRight	18.83
n41	40	30	2592.99	DFT	256QAM	Edge1RBLeft	18.62
n41	40	30	2592.99	DFT	256QAM	InnerFull	18.73
n41	40	30	2592.99	DFT	256QAM	OuterFull	18.82
n41	40	30	2592.99	CP	QPSK	Edge1RBRight	20.45
n41	40	30	2592.99	CP	QPSK	Edge1RBLeft	20.33
n41	40	30	2592.99	CP	QPSK	InnerFull	21.84
n41	40	30	2592.99	CP	QPSK	OuterFull	20.31
n41	40	30	2592.99	CP	16QAM	Edge1RBRight	20.52
n41	40	30	2592.99	CP	16QAM	Edge1RBLeft	20.25
n41	40	30	2592.99	CP	16QAM	InnerFull	21.28
n41	40	30	2592.99	CP	16QAM	OuterFull	20.36
n41	40	30	2592.99	CP	64QAM	Edge1RBRight	20.23
n41	40	30	2592.99	CP	64QAM	Edge1RBLeft	19.97
n41	40	30	2592.99	CP	64QAM	InnerFull	19.85
n41	40	30	2592.99	CP	64QAM	OuterFull	19.86
n41	40	30	2592.99	CP	256QAM	Edge1RBRight	16.97
n41	40	30	2592.99	CP	256QAM	Edge1RBLeft	17.01
n41	40	30	2592.99	CP	256QAM	InnerFull	16.84
n41	40	30	2592.99	CP	256QAM	OuterFull	16.87
n41	40	30	2670.00	DFT	QPSK	Edge1RBRight	21.72

n41	40	30	2670.00	DFT	QPSK	Edge1RBLeft	22.12
n41	40	30	2670.00	DFT	QPSK	InnerFull	22.01
n41	40	30	2670.00	DFT	QPSK	OuterFull	21.30
n41	40	30	2670.00	DFT	16QAM	Edge1RBRight	20.29
n41	40	30	2670.00	DFT	16QAM	Edge1RBLeft	21.24
n41	40	30	2670.00	DFT	16QAM	InnerFull	21.15
n41	40	30	2670.00	DFT	16QAM	OuterFull	20.24
n41	40	30	2670.00	DFT	64QAM	Edge1RBRight	19.46
n41	40	30	2670.00	DFT	64QAM	Edge1RBLeft	20.90
n41	40	30	2670.00	DFT	64QAM	InnerFull	19.63
n41	40	30	2670.00	DFT	64QAM	OuterFull	19.71
n41	40	30	2670.00	DFT	256QAM	Edge1RBRight	17.63
n41	40	30	2670.00	DFT	256QAM	Edge1RBLeft	18.77
n41	40	30	2670.00	DFT	256QAM	InnerFull	18.02
n41	40	30	2670.00	DFT	256QAM	OuterFull	18.10
n41	40	30	2670.00	CP	QPSK	Edge1RBRight	19.32
n41	40	30	2670.00	CP	QPSK	Edge1RBLeft	20.48
n41	40	30	2670.00	CP	QPSK	InnerFull	20.34
n41	40	30	2670.00	CP	QPSK	OuterFull	19.22
n41	40	30	2670.00	CP	16QAM	Edge1RBRight	18.96
n41	40	30	2670.00	CP	16QAM	Edge1RBLeft	20.35
n41	40	30	2670.00	CP	16QAM	InnerFull	19.94
n41	40	30	2670.00	CP	16QAM	OuterFull	19.16
n41	40	30	2670.00	CP	64QAM	Edge1RBRight	18.67
n41	40	30	2670.00	CP	64QAM	Edge1RBLeft	20.29
n41	40	30	2670.00	CP	64QAM	InnerFull	18.75
n41	40	30	2670.00	CP	64QAM	OuterFull	18.80
n41	40	30	2670.00	CP	256QAM	Edge1RBRight	16.60
n41	40	30	2670.00	CP	256QAM	Edge1RBLeft	17.21
n41	40	30	2670.00	CP	256QAM	InnerFull	16.36
n41	40	30	2670.00	CP	256QAM	OuterFull	16.40
n41	50	30	2521.02	DFT	QPSK	Edge1RBRight	22.36
n41	50	30	2521.02	DFT	QPSK	Edge1RBLeft	22.21
n41	50	30	2521.02	DFT	QPSK	InnerFull	22.81
n41	50	30	2521.02	DFT	QPSK	OuterFull	21.30
n41	50	30	2521.02	DFT	16QAM	Edge1RBRight	21.49
n41	50	30	2521.02	DFT	16QAM	Edge1RBLeft	19.81
n41	50	30	2521.02	DFT	16QAM	InnerFull	21.82
n41	50	30	2521.02	DFT	16QAM	OuterFull	20.67
n41	50	30	2521.02	DFT	64QAM	Edge1RBRight	20.59
n41	50	30	2521.02	DFT	64QAM	Edge1RBLeft	19.68

n41	50	30	2521.02	DFT	64QAM	InnerFull	20.30
n41	50	30	2521.02	DFT	64QAM	OuterFull	20.38
n41	50	30	2521.02	DFT	256QAM	Edge1RBRight	18.16
n41	50	30	2521.02	DFT	256QAM	Edge1RBLeft	18.28
n41	50	30	2521.02	DFT	256QAM	InnerFull	18.45
n41	50	30	2521.02	DFT	256QAM	OuterFull	18.47
n41	50	30	2521.02	CP	QPSK	Edge1RBRight	19.68
n41	50	30	2521.02	CP	QPSK	Edge1RBLeft	20.00
n41	50	30	2521.02	CP	QPSK	InnerFull	21.60
n41	50	30	2521.02	CP	QPSK	OuterFull	20.06
n41	50	30	2521.02	CP	16QAM	Edge1RBRight	18.99
n41	50	30	2521.02	CP	16QAM	Edge1RBLeft	19.83
n41	50	30	2521.02	CP	16QAM	InnerFull	21.01
n41	50	30	2521.02	CP	16QAM	OuterFull	19.94
n41	50	30	2521.02	CP	64QAM	Edge1RBRight	18.72
n41	50	30	2521.02	CP	64QAM	Edge1RBLeft	19.55
n41	50	30	2521.02	CP	64QAM	InnerFull	19.60
n41	50	30	2521.02	CP	64QAM	OuterFull	19.42
n41	50	30	2521.02	CP	256QAM	Edge1RBRight	16.57
n41	50	30	2521.02	CP	256QAM	Edge1RBLeft	16.84
n41	50	30	2521.02	CP	256QAM	InnerFull	16.49
n41	50	30	2521.02	CP	256QAM	OuterFull	16.57
n41	50	30	2592.99	DFT	QPSK	Edge1RBRight	22.06
n41	50	30	2592.99	DFT	QPSK	Edge1RBLeft	21.31
n41	50	30	2592.99	DFT	QPSK	InnerFull	22.97
n41	50	30	2592.99	DFT	QPSK	OuterFull	21.97
n41	50	30	2592.99	DFT	16QAM	Edge1RBRight	21.25
n41	50	30	2592.99	DFT	16QAM	Edge1RBLeft	20.81
n41	50	30	2592.99	DFT	16QAM	InnerFull	22.01
n41	50	30	2592.99	DFT	16QAM	OuterFull	21.00
n41	50	30	2592.99	DFT	64QAM	Edge1RBRight	21.06
n41	50	30	2592.99	DFT	64QAM	Edge1RBLeft	20.68
n41	50	30	2592.99	DFT	64QAM	InnerFull	20.56
n41	50	30	2592.99	DFT	64QAM	OuterFull	20.47
n41	50	30	2592.99	DFT	256QAM	Edge1RBRight	18.40
n41	50	30	2592.99	DFT	256QAM	Edge1RBLeft	18.63
n41	50	30	2592.99	DFT	256QAM	InnerFull	18.44
n41	50	30	2592.99	DFT	256QAM	OuterFull	17.81
n41	50	30	2592.99	CP	QPSK	Edge1RBRight	20.13
n41	50	30	2592.99	CP	QPSK	Edge1RBLeft	20.28
n41	50	30	2592.99	CP	QPSK	InnerFull	20.80

n41	50	30	2592.99	CP	QPSK	OuterFull	19.77
n41	50	30	2592.99	CP	16QAM	Edge1RBRight	20.00
n41	50	30	2592.99	CP	16QAM	Edge1RBLeft	20.06
n41	50	30	2592.99	CP	16QAM	InnerFull	20.50
n41	50	30	2592.99	CP	16QAM	OuterFull	19.31
n41	50	30	2592.99	CP	64QAM	Edge1RBRight	19.70
n41	50	30	2592.99	CP	64QAM	Edge1RBLeft	19.20
n41	50	30	2592.99	CP	64QAM	InnerFull	19.58
n41	50	30	2592.99	CP	64QAM	OuterFull	18.79
n41	50	30	2592.99	CP	256QAM	Edge1RBRight	16.97
n41	50	30	2592.99	CP	256QAM	Edge1RBLeft	16.56
n41	50	30	2592.99	CP	256QAM	InnerFull	16.48
n41	50	30	2592.99	CP	256QAM	OuterFull	16.49
n41	50	30	2664.99	DFT	QPSK	Edge1RBRight	21.54
n41	50	30	2664.99	DFT	QPSK	Edge1RBLeft	21.89
n41	50	30	2664.99	DFT	QPSK	InnerFull	21.81
n41	50	30	2664.99	DFT	QPSK	OuterFull	20.82
n41	50	30	2664.99	DFT	16QAM	Edge1RBRight	21.05
n41	50	30	2664.99	DFT	16QAM	Edge1RBLeft	20.96
n41	50	30	2664.99	DFT	16QAM	InnerFull	21.02
n41	50	30	2664.99	DFT	16QAM	OuterFull	20.89
n41	50	30	2664.99	DFT	64QAM	Edge1RBRight	19.76
n41	50	30	2664.99	DFT	64QAM	Edge1RBLeft	20.84
n41	50	30	2664.99	DFT	64QAM	InnerFull	20.37
n41	50	30	2664.99	DFT	64QAM	OuterFull	20.28
n41	50	30	2664.99	DFT	256QAM	Edge1RBRight	18.24
n41	50	30	2664.99	DFT	256QAM	Edge1RBLeft	17.75
n41	50	30	2664.99	DFT	256QAM	InnerFull	17.65
n41	50	30	2664.99	DFT	256QAM	OuterFull	17.49
n41	50	30	2664.99	CP	QPSK	Edge1RBRight	19.94
n41	50	30	2664.99	CP	QPSK	Edge1RBLeft	19.86
n41	50	30	2664.99	CP	QPSK	InnerFull	20.31
n41	50	30	2664.99	CP	QPSK	OuterFull	19.59
n41	50	30	2664.99	CP	16QAM	Edge1RBRight	19.62
n41	50	30	2664.99	CP	16QAM	Edge1RBLeft	19.42
n41	50	30	2664.99	CP	16QAM	InnerFull	19.81
n41	50	30	2664.99	CP	16QAM	OuterFull	19.22
n41	50	30	2664.99	CP	64QAM	Edge1RBRight	18.97
n41	50	30	2664.99	CP	64QAM	Edge1RBLeft	19.14
n41	50	30	2664.99	CP	64QAM	InnerFull	18.61
n41	50	30	2664.99	CP	64QAM	OuterFull	18.57

n41	50	30	2664.99	CP	256QAM	Edge1RBRight	15.43
n41	50	30	2664.99	CP	256QAM	Edge1RBLeft	16.77
n41	50	30	2664.99	CP	256QAM	InnerFull	16.40
n41	50	30	2664.99	CP	256QAM	OuterFull	15.62
n41	60	30	2526.00	DFT	QPSK	Edge1RBRight	22.28
n41	60	30	2526.00	DFT	QPSK	Edge1RBLeft	22.23
n41	60	30	2526.00	DFT	QPSK	InnerFull	22.44
n41	60	30	2526.00	DFT	QPSK	OuterFull	20.98
n41	60	30	2526.00	DFT	16QAM	Edge1RBRight	21.26
n41	60	30	2526.00	DFT	16QAM	Edge1RBLeft	21.28
n41	60	30	2526.00	DFT	16QAM	InnerFull	21.43
n41	60	30	2526.00	DFT	16QAM	OuterFull	19.96
n41	60	30	2526.00	DFT	64QAM	Edge1RBRight	20.63
n41	60	30	2526.00	DFT	64QAM	Edge1RBLeft	19.38
n41	60	30	2526.00	DFT	64QAM	InnerFull	19.74
n41	60	30	2526.00	DFT	64QAM	OuterFull	21.04
n41	60	30	2526.00	DFT	256QAM	Edge1RBRight	17.83
n41	60	30	2526.00	DFT	256QAM	Edge1RBLeft	18.11
n41	60	30	2526.00	DFT	256QAM	InnerFull	18.53
n41	60	30	2526.00	DFT	256QAM	OuterFull	18.45
n41	60	30	2526.00	CP	QPSK	Edge1RBRight	19.61
n41	60	30	2526.00	CP	QPSK	Edge1RBLeft	19.81
n41	60	30	2526.00	CP	QPSK	InnerFull	21.56
n41	60	30	2526.00	CP	QPSK	OuterFull	19.92
n41	60	30	2526.00	CP	16QAM	Edge1RBRight	18.86
n41	60	30	2526.00	CP	16QAM	Edge1RBLeft	19.59
n41	60	30	2526.00	CP	16QAM	InnerFull	21.06
n41	60	30	2526.00	CP	16QAM	OuterFull	19.98
n41	60	30	2526.00	CP	64QAM	Edge1RBRight	18.66
n41	60	30	2526.00	CP	64QAM	Edge1RBLeft	19.44
n41	60	30	2526.00	CP	64QAM	InnerFull	19.60
n41	60	30	2526.00	CP	64QAM	OuterFull	19.44
n41	60	30	2526.00	CP	256QAM	Edge1RBRight	16.42
n41	60	30	2526.00	CP	256QAM	Edge1RBLeft	16.69
n41	60	30	2526.00	CP	256QAM	InnerFull	16.64
n41	60	30	2526.00	CP	256QAM	OuterFull	16.42
n41	60	30	2659.98	DFT	QPSK	Edge1RBRight	21.93
n41	60	30	2659.98	DFT	QPSK	Edge1RBLeft	21.75
n41	60	30	2659.98	DFT	QPSK	InnerFull	22.30
n41	60	30	2659.98	DFT	QPSK	OuterFull	21.06
n41	60	30	2659.98	DFT	16QAM	Edge1RBRight	20.90

n41	60	30	2659.98	DFT	16QAM	Edge1RBLeft	20.82
n41	60	30	2659.98	DFT	16QAM	InnerFull	20.82
n41	60	30	2659.98	DFT	16QAM	OuterFull	20.05
n41	60	30	2659.98	DFT	64QAM	Edge1RBRight	20.06
n41	60	30	2659.98	DFT	64QAM	Edge1RBLeft	20.65
n41	60	30	2659.98	DFT	64QAM	InnerFull	19.87
n41	60	30	2659.98	DFT	64QAM	OuterFull	19.50
n41	60	30	2659.98	DFT	256QAM	Edge1RBRight	18.36
n41	60	30	2659.98	DFT	256QAM	Edge1RBLeft	17.98
n41	60	30	2659.98	DFT	256QAM	InnerFull	17.52
n41	60	30	2659.98	DFT	256QAM	OuterFull	17.48
n41	60	30	2659.98	CP	QPSK	Edge1RBRight	19.94
n41	60	30	2659.98	CP	QPSK	Edge1RBLeft	19.76
n41	60	30	2659.98	CP	QPSK	InnerFull	20.40
n41	60	30	2659.98	CP	QPSK	OuterFull	19.06
n41	60	30	2659.98	CP	16QAM	Edge1RBRight	20.02
n41	60	30	2659.98	CP	16QAM	Edge1RBLeft	19.67
n41	60	30	2659.98	CP	16QAM	InnerFull	19.86
n41	60	30	2659.98	CP	16QAM	OuterFull	19.08
n41	60	30	2659.98	CP	64QAM	Edge1RBRight	19.41
n41	60	30	2659.98	CP	64QAM	Edge1RBLeft	19.34
n41	60	30	2659.98	CP	64QAM	InnerFull	18.76
n41	60	30	2659.98	CP	64QAM	OuterFull	19.09
n41	60	30	2659.98	CP	256QAM	Edge1RBRight	16.50
n41	60	30	2659.98	CP	256QAM	Edge1RBLeft	16.99
n41	60	30	2659.98	CP	256QAM	InnerFull	16.22
n41	60	30	2659.98	CP	256QAM	OuterFull	16.13
n41	60	30	2592.99	DFT	QPSK	Edge1RBRight	21.92
n41	60	30	2592.99	DFT	QPSK	Edge1RBLeft	22.20
n41	60	30	2592.99	DFT	QPSK	InnerFull	22.97
n41	60	30	2592.99	DFT	QPSK	OuterFull	21.90
n41	60	30	2592.99	DFT	16QAM	Edge1RBRight	21.03
n41	60	30	2592.99	DFT	16QAM	Edge1RBLeft	19.83
n41	60	30	2592.99	DFT	16QAM	InnerFull	21.95
n41	60	30	2592.99	DFT	16QAM	OuterFull	20.94
n41	60	30	2592.99	DFT	64QAM	Edge1RBRight	20.91
n41	60	30	2592.99	DFT	64QAM	Edge1RBLeft	19.52
n41	60	30	2592.99	DFT	64QAM	InnerFull	20.44
n41	60	30	2592.99	DFT	64QAM	OuterFull	20.42
n41	60	30	2592.99	DFT	256QAM	Edge1RBRight	18.23
n41	60	30	2592.99	DFT	256QAM	Edge1RBLeft	18.64



n41	60	30	2592.99	DFT	256QAM	InnerFull	17.68
n41	60	30	2592.99	DFT	256QAM	OuterFull	17.60
n41	60	30	2592.99	CP	QPSK	Edge1RBRight	19.97
n41	60	30	2592.99	CP	QPSK	Edge1RBLeft	20.07
n41	60	30	2592.99	CP	QPSK	InnerFull	21.92
n41	60	30	2592.99	CP	QPSK	OuterFull	18.81
n41	60	30	2592.99	CP	16QAM	Edge1RBRight	19.88
n41	60	30	2592.99	CP	16QAM	Edge1RBLeft	20.23
n41	60	30	2592.99	CP	16QAM	InnerFull	19.81
n41	60	30	2592.99	CP	16QAM	OuterFull	18.81
n41	60	30	2592.99	CP	64QAM	Edge1RBRight	19.54
n41	60	30	2592.99	CP	64QAM	Edge1RBLeft	19.42
n41	60	30	2592.99	CP	64QAM	InnerFull	19.97
n41	60	30	2592.99	CP	64QAM	OuterFull	18.33
n41	60	30	2592.99	CP	256QAM	Edge1RBRight	16.79
n41	60	30	2592.99	CP	256QAM	Edge1RBLeft	15.31
n41	60	30	2592.99	CP	256QAM	InnerFull	15.45
n41	60	30	2592.99	CP	256QAM	OuterFull	15.52
n41	80	30	2536.02	DFT	QPSK	Edge1RBRight	21.49
n41	80	30	2536.02	DFT	QPSK	Edge1RBLeft	21.93
n41	80	30	2536.02	DFT	QPSK	InnerFull	22.97
n41	80	30	2536.02	DFT	QPSK	OuterFull	21.91
n41	80	30	2536.02	DFT	16QAM	Edge1RBRight	20.43
n41	80	30	2536.02	DFT	16QAM	Edge1RBLeft	21.02
n41	80	30	2536.02	DFT	16QAM	InnerFull	21.91
n41	80	30	2536.02	DFT	16QAM	OuterFull	20.90
n41	80	30	2536.02	DFT	64QAM	Edge1RBRight	20.18
n41	80	30	2536.02	DFT	64QAM	Edge1RBLeft	20.87
n41	80	30	2536.02	DFT	64QAM	InnerFull	20.48
n41	80	30	2536.02	DFT	64QAM	OuterFull	20.42
n41	80	30	2536.02	DFT	256QAM	Edge1RBRight	17.71
n41	80	30	2536.02	DFT	256QAM	Edge1RBLeft	18.24
n41	80	30	2536.02	DFT	256QAM	InnerFull	18.52
n41	80	30	2536.02	DFT	256QAM	OuterFull	18.44
n41	80	30	2536.02	CP	QPSK	Edge1RBRight	19.06
n41	80	30	2536.02	CP	QPSK	Edge1RBLeft	19.89
n41	80	30	2536.02	CP	QPSK	InnerFull	21.54
n41	80	30	2536.02	CP	QPSK	OuterFull	19.86
n41	80	30	2536.02	CP	16QAM	Edge1RBRight	19.26
n41	80	30	2536.02	CP	16QAM	Edge1RBLeft	19.86
n41	80	30	2536.02	CP	16QAM	InnerFull	21.01

n41	80	30	2536.02	CP	16QAM	OuterFull	19.86
n41	80	30	2536.02	CP	64QAM	Edge1RBRight	19.08
n41	80	30	2536.02	CP	64QAM	Edge1RBLeft	19.62
n41	80	30	2536.02	CP	64QAM	InnerFull	19.52
n41	80	30	2536.02	CP	64QAM	OuterFull	19.32
n41	80	30	2536.02	CP	256QAM	Edge1RBRight	16.74
n41	80	30	2536.02	CP	256QAM	Edge1RBLeft	16.77
n41	80	30	2536.02	CP	256QAM	InnerFull	16.63
n41	80	30	2536.02	CP	256QAM	OuterFull	16.36
n41	80	30	2592.99	DFT	QPSK	Edge1RBRight	22.04
n41	80	30	2592.99	DFT	QPSK	Edge1RBLeft	21.82
n41	80	30	2592.99	DFT	QPSK	InnerFull	23.08
n41	80	30	2592.99	DFT	QPSK	OuterFull	22.02
n41	80	30	2592.99	DFT	16QAM	Edge1RBRight	21.11
n41	80	30	2592.99	DFT	16QAM	Edge1RBLeft	20.96
n41	80	30	2592.99	DFT	16QAM	InnerFull	22.07
n41	80	30	2592.99	DFT	16QAM	OuterFull	21.01
n41	80	30	2592.99	DFT	64QAM	Edge1RBRight	20.94
n41	80	30	2592.99	DFT	64QAM	Edge1RBLeft	19.54
n41	80	30	2592.99	DFT	64QAM	InnerFull	20.60
n41	80	30	2592.99	DFT	64QAM	OuterFull	20.49
n41	80	30	2592.99	DFT	256QAM	Edge1RBRight	18.37
n41	80	30	2592.99	DFT	256QAM	Edge1RBLeft	18.55
n41	80	30	2592.99	DFT	256QAM	InnerFull	18.94
n41	80	30	2592.99	DFT	256QAM	OuterFull	18.95
n41	80	30	2592.99	CP	QPSK	Edge1RBRight	19.96
n41	80	30	2592.99	CP	QPSK	Edge1RBLeft	19.80
n41	80	30	2592.99	CP	QPSK	InnerFull	21.90
n41	80	30	2592.99	CP	QPSK	OuterFull	20.41
n41	80	30	2592.99	CP	16QAM	Edge1RBRight	19.81
n41	80	30	2592.99	CP	16QAM	Edge1RBLeft	19.87
n41	80	30	2592.99	CP	16QAM	InnerFull	21.42
n41	80	30	2592.99	CP	16QAM	OuterFull	20.45
n41	80	30	2592.99	CP	64QAM	Edge1RBRight	19.74
n41	80	30	2592.99	CP	64QAM	Edge1RBLeft	19.21
n41	80	30	2592.99	CP	64QAM	InnerFull	19.94
n41	80	30	2592.99	CP	64QAM	OuterFull	19.87
n41	80	30	2592.99	CP	256QAM	Edge1RBRight	16.76
n41	80	30	2592.99	CP	256QAM	Edge1RBLeft	16.82
n41	80	30	2592.99	CP	256QAM	InnerFull	16.96
n41	80	30	2592.99	CP	256QAM	OuterFull	16.93

n41	80	30	2649.99	DFT	QPSK	Edge1RBRight	21.30
n41	80	30	2649.99	DFT	QPSK	Edge1RBLeft	21.96
n41	80	30	2649.99	DFT	QPSK	InnerFull	23.09
n41	80	30	2649.99	DFT	QPSK	OuterFull	22.11
n41	80	30	2649.99	DFT	16QAM	Edge1RBRight	20.17
n41	80	30	2649.99	DFT	16QAM	Edge1RBLeft	20.81
n41	80	30	2649.99	DFT	16QAM	InnerFull	22.09
n41	80	30	2649.99	DFT	16QAM	OuterFull	21.21
n41	80	30	2649.99	DFT	64QAM	Edge1RBRight	19.54
n41	80	30	2649.99	DFT	64QAM	Edge1RBLeft	20.55
n41	80	30	2649.99	DFT	64QAM	InnerFull	20.45
n41	80	30	2649.99	DFT	64QAM	OuterFull	20.31
n41	80	30	2649.99	DFT	256QAM	Edge1RBRight	17.61
n41	80	30	2649.99	DFT	256QAM	Edge1RBLeft	18.30
n41	80	30	2649.99	DFT	256QAM	InnerFull	18.62
n41	80	30	2649.99	DFT	256QAM	OuterFull	18.67
n41	80	30	2649.99	CP	QPSK	Edge1RBRight	19.10
n41	80	30	2649.99	CP	QPSK	Edge1RBLeft	20.08
n41	80	30	2649.99	CP	QPSK	InnerFull	21.07
n41	80	30	2649.99	CP	QPSK	OuterFull	20.00
n41	80	30	2649.99	CP	16QAM	Edge1RBRight	20.09
n41	80	30	2649.99	CP	16QAM	Edge1RBLeft	20.03
n41	80	30	2649.99	CP	16QAM	InnerFull	20.51
n41	80	30	2649.99	CP	16QAM	OuterFull	19.63
n41	80	30	2649.99	CP	64QAM	Edge1RBRight	19.35
n41	80	30	2649.99	CP	64QAM	Edge1RBLeft	19.68
n41	80	30	2649.99	CP	64QAM	InnerFull	19.23
n41	80	30	2649.99	CP	64QAM	OuterFull	19.16
n41	80	30	2649.99	CP	256QAM	Edge1RBRight	15.61
n41	80	30	2649.99	CP	256QAM	Edge1RBLeft	16.77
n41	80	30	2649.99	CP	256QAM	InnerFull	16.67
n41	80	30	2649.99	CP	256QAM	OuterFull	16.53
n41	90	30	2541.00	DFT	QPSK	Edge1RBRight	22.38
n41	90	30	2541.00	DFT	QPSK	Edge1RBLeft	21.82
n41	90	30	2541.00	DFT	QPSK	InnerFull	22.80
n41	90	30	2541.00	DFT	QPSK	OuterFull	21.76
n41	90	30	2541.00	DFT	16QAM	Edge1RBRight	21.17
n41	90	30	2541.00	DFT	16QAM	Edge1RBLeft	20.96
n41	90	30	2541.00	DFT	16QAM	InnerFull	21.82
n41	90	30	2541.00	DFT	16QAM	OuterFull	20.82
n41	90	30	2541.00	DFT	64QAM	Edge1RBRight	20.27

n41	90	30	2541.00	DFT	64QAM	Edge1RBLeft	20.29
n41	90	30	2541.00	DFT	64QAM	InnerFull	20.34
n41	90	30	2541.00	DFT	64QAM	OuterFull	20.37
n41	90	30	2541.00	DFT	256QAM	Edge1RBRight	17.57
n41	90	30	2541.00	DFT	256QAM	Edge1RBLeft	18.26
n41	90	30	2541.00	DFT	256QAM	InnerFull	18.35
n41	90	30	2541.00	DFT	256QAM	OuterFull	18.35
n41	90	30	2541.00	CP	QPSK	Edge1RBRight	21.24
n41	90	30	2541.00	CP	QPSK	Edge1RBLeft	19.96
n41	90	30	2541.00	CP	QPSK	InnerFull	20.81
n41	90	30	2541.00	CP	QPSK	OuterFull	19.85
n41	90	30	2541.00	CP	16QAM	Edge1RBRight	20.15
n41	90	30	2541.00	CP	16QAM	Edge1RBLeft	19.71
n41	90	30	2541.00	CP	16QAM	InnerFull	20.94
n41	90	30	2541.00	CP	16QAM	OuterFull	19.86
n41	90	30	2541.00	CP	64QAM	Edge1RBRight	18.83
n41	90	30	2541.00	CP	64QAM	Edge1RBLeft	19.35
n41	90	30	2541.00	CP	64QAM	InnerFull	19.40
n41	90	30	2541.00	CP	64QAM	OuterFull	19.24
n41	90	30	2541.00	CP	256QAM	Edge1RBRight	16.04
n41	90	30	2541.00	CP	256QAM	Edge1RBLeft	16.69
n41	90	30	2541.00	CP	256QAM	InnerFull	16.37
n41	90	30	2541.00	CP	256QAM	OuterFull	16.32
n41	90	30	2592.99	DFT	QPSK	Edge1RBRight	22.96
n41	90	30	2592.99	DFT	QPSK	Edge1RBLeft	21.65
n41	90	30	2592.99	DFT	QPSK	InnerFull	22.92
n41	90	30	2592.99	DFT	QPSK	OuterFull	21.91
n41	90	30	2592.99	DFT	16QAM	Edge1RBRight	22.12
n41	90	30	2592.99	DFT	16QAM	Edge1RBLeft	20.69
n41	90	30	2592.99	DFT	16QAM	InnerFull	21.95
n41	90	30	2592.99	DFT	16QAM	OuterFull	20.88
n41	90	30	2592.99	DFT	64QAM	Edge1RBRight	20.78
n41	90	30	2592.99	DFT	64QAM	Edge1RBLeft	19.43
n41	90	30	2592.99	DFT	64QAM	InnerFull	20.39
n41	90	30	2592.99	DFT	64QAM	OuterFull	20.44
n41	90	30	2592.99	DFT	256QAM	Edge1RBRight	17.48
n41	90	30	2592.99	DFT	256QAM	Edge1RBLeft	18.38
n41	90	30	2592.99	DFT	256QAM	InnerFull	18.67
n41	90	30	2592.99	DFT	256QAM	OuterFull	18.64
n41	90	30	2592.99	CP	QPSK	Edge1RBRight	21.42
n41	90	30	2592.99	CP	QPSK	Edge1RBLeft	19.10

n41	90	30	2592.99	CP	QPSK	InnerFull	21.60
n41	90	30	2592.99	CP	QPSK	OuterFull	20.14
n41	90	30	2592.99	CP	16QAM	Edge1RBRight	20.10
n41	90	30	2592.99	CP	16QAM	Edge1RBLeft	19.24
n41	90	30	2592.99	CP	16QAM	InnerFull	21.17
n41	90	30	2592.99	CP	16QAM	OuterFull	20.19
n41	90	30	2592.99	CP	64QAM	Edge1RBRight	18.91
n41	90	30	2592.99	CP	64QAM	Edge1RBLeft	19.37
n41	90	30	2592.99	CP	64QAM	InnerFull	19.68
n41	90	30	2592.99	CP	64QAM	OuterFull	19.65
n41	90	30	2592.99	CP	256QAM	Edge1RBRight	16.90
n41	90	30	2592.99	CP	256QAM	Edge1RBLeft	16.39
n41	90	30	2592.99	CP	256QAM	InnerFull	16.68
n41	90	30	2592.99	CP	256QAM	OuterFull	16.81
n41	90	30	2644.98	DFT	QPSK	Edge1RBRight	22.14
n41	90	30	2644.98	DFT	QPSK	Edge1RBLeft	21.78
n41	90	30	2644.98	DFT	QPSK	InnerFull	23.05
n41	90	30	2644.98	DFT	QPSK	OuterFull	22.09
n41	90	30	2644.98	DFT	16QAM	Edge1RBRight	20.22
n41	90	30	2644.98	DFT	16QAM	Edge1RBLeft	20.65
n41	90	30	2644.98	DFT	16QAM	InnerFull	22.12
n41	90	30	2644.98	DFT	16QAM	OuterFull	20.67
n41	90	30	2644.98	DFT	64QAM	Edge1RBRight	19.46
n41	90	30	2644.98	DFT	64QAM	Edge1RBLeft	19.99
n41	90	30	2644.98	DFT	64QAM	InnerFull	20.48
n41	90	30	2644.98	DFT	64QAM	OuterFull	20.18
n41	90	30	2644.98	DFT	256QAM	Edge1RBRight	17.96
n41	90	30	2644.98	DFT	256QAM	Edge1RBLeft	18.06
n41	90	30	2644.98	DFT	256QAM	InnerFull	18.57
n41	90	30	2644.98	DFT	256QAM	OuterFull	18.52
n41	90	30	2644.98	CP	QPSK	Edge1RBRight	20.28
n41	90	30	2644.98	CP	QPSK	Edge1RBLeft	19.80
n41	90	30	2644.98	CP	QPSK	InnerFull	21.49
n41	90	30	2644.98	CP	QPSK	OuterFull	20.03
n41	90	30	2644.98	CP	16QAM	Edge1RBRight	19.40
n41	90	30	2644.98	CP	16QAM	Edge1RBLeft	19.64
n41	90	30	2644.98	CP	16QAM	InnerFull	20.98
n41	90	30	2644.98	CP	16QAM	OuterFull	20.10
n41	90	30	2644.98	CP	64QAM	Edge1RBRight	18.40
n41	90	30	2644.98	CP	64QAM	Edge1RBLeft	19.35
n41	90	30	2644.98	CP	64QAM	InnerFull	19.53

n41	90	30	2644.98	CP	64QAM	OuterFull	19.40
n41	90	30	2644.98	CP	256QAM	Edge1RBRight	15.62
n41	90	30	2644.98	CP	256QAM	Edge1RBLeft	16.48
n41	90	30	2644.98	CP	256QAM	InnerFull	16.59
n41	90	30	2644.98	CP	256QAM	OuterFull	16.62
n41	100	30	2546.01	DFT	QPSK	Edge1RBRight	21.26
n41	100	30	2546.01	DFT	QPSK	Edge1RBLeft	21.65
n41	100	30	2546.01	DFT	QPSK	InnerFull	22.66
n41	100	30	2546.01	DFT	QPSK	OuterFull	21.73
n41	100	30	2546.01	DFT	16QAM	Edge1RBRight	20.09
n41	100	30	2546.01	DFT	16QAM	Edge1RBLeft	20.72
n41	100	30	2546.01	DFT	16QAM	InnerFull	21.69
n41	100	30	2546.01	DFT	16QAM	OuterFull	20.71
n41	100	30	2546.01	DFT	64QAM	Edge1RBRight	19.85
n41	100	30	2546.01	DFT	64QAM	Edge1RBLeft	20.61
n41	100	30	2546.01	DFT	64QAM	InnerFull	20.25
n41	100	30	2546.01	DFT	64QAM	OuterFull	20.20
n41	100	30	2546.01	DFT	256QAM	Edge1RBRight	18.23
n41	100	30	2546.01	DFT	256QAM	Edge1RBLeft	18.03
n41	100	30	2546.01	DFT	256QAM	InnerFull	18.28
n41	100	30	2546.01	DFT	256QAM	OuterFull	18.33
n41	100	30	2546.01	CP	QPSK	Edge1RBRight	19.10
n41	100	30	2546.01	CP	QPSK	Edge1RBLeft	19.48
n41	100	30	2546.01	CP	QPSK	InnerFull	21.27
n41	100	30	2546.01	CP	QPSK	OuterFull	19.70
n41	100	30	2546.01	CP	16QAM	Edge1RBRight	18.83
n41	100	30	2546.01	CP	16QAM	Edge1RBLeft	19.40
n41	100	30	2546.01	CP	16QAM	InnerFull	20.77
n41	100	30	2546.01	CP	16QAM	OuterFull	19.70
n41	100	30	2546.01	CP	64QAM	Edge1RBRight	18.65
n41	100	30	2546.01	CP	64QAM	Edge1RBLeft	19.18
n41	100	30	2546.01	CP	64QAM	InnerFull	19.30
n41	100	30	2546.01	CP	64QAM	OuterFull	19.20
n41	100	30	2546.01	CP	256QAM	Edge1RBRight	15.97
n41	100	30	2546.01	CP	256QAM	Edge1RBLeft	16.56
n41	100	30	2546.01	CP	256QAM	InnerFull	16.31
n41	100	30	2546.01	CP	256QAM	OuterFull	16.24
n41	100	30	2592.99	DFT	QPSK	Edge1RBRight	21.93
n41	100	30	2592.99	DFT	QPSK	Edge1RBLeft	21.74
n41	100	30	2592.99	DFT	QPSK	InnerFull	23.31
n41	100	30	2592.99	DFT	QPSK	OuterFull	22.40

n41	100	30	2592.99	DFT	16QAM	Edge1RBRight	20.91
n41	100	30	2592.99	DFT	16QAM	Edge1RBLeft	20.79
n41	100	30	2592.99	DFT	16QAM	InnerFull	20.82
n41	100	30	2592.99	DFT	16QAM	OuterFull	21.33
n41	100	30	2592.99	DFT	64QAM	Edge1RBRight	20.05
n41	100	30	2592.99	DFT	64QAM	Edge1RBLeft	19.57
n41	100	30	2592.99	DFT	64QAM	InnerFull	20.81
n41	100	30	2592.99	DFT	64QAM	OuterFull	20.79
n41	100	30	2592.99	DFT	256QAM	Edge1RBRight	18.06
n41	100	30	2592.99	DFT	256QAM	Edge1RBLeft	18.47
n41	100	30	2592.99	DFT	256QAM	InnerFull	18.86
n41	100	30	2592.99	DFT	256QAM	OuterFull	18.89
n41	100	30	2592.99	CP	QPSK	Edge1RBRight	19.33
n41	100	30	2592.99	CP	QPSK	Edge1RBLeft	19.24
n41	100	30	2592.99	CP	QPSK	InnerFull	21.73
n41	100	30	2592.99	CP	QPSK	OuterFull	20.26
n41	100	30	2592.99	CP	16QAM	Edge1RBRight	19.00
n41	100	30	2592.99	CP	16QAM	Edge1RBLeft	19.37
n41	100	30	2592.99	CP	16QAM	InnerFull	21.25
n41	100	30	2592.99	CP	16QAM	OuterFull	20.30
n41	100	30	2592.99	CP	64QAM	Edge1RBRight	18.79
n41	100	30	2592.99	CP	64QAM	Edge1RBLeft	18.52
n41	100	30	2592.99	CP	64QAM	InnerFull	19.80
n41	100	30	2592.99	CP	64QAM	OuterFull	19.84
n41	100	30	2592.99	CP	256QAM	Edge1RBRight	16.62
n41	100	30	2592.99	CP	256QAM	Edge1RBLeft	17.02
n41	100	30	2592.99	CP	256QAM	InnerFull	16.73
n41	100	30	2592.99	CP	256QAM	OuterFull	16.80
n41	100	30	2640.00	DFT	QPSK	Edge1RBRight	21.77
n41	100	30	2640.00	DFT	QPSK	Edge1RBLeft	22.29
n41	100	30	2640.00	DFT	QPSK	InnerFull	22.62
n41	100	30	2640.00	DFT	QPSK	OuterFull	21.01
n41	100	30	2640.00	DFT	16QAM	Edge1RBRight	20.78
n41	100	30	2640.00	DFT	16QAM	Edge1RBLeft	21.50
n41	100	30	2640.00	DFT	16QAM	InnerFull	21.68
n41	100	30	2640.00	DFT	16QAM	OuterFull	19.96
n41	100	30	2640.00	DFT	64QAM	Edge1RBRight	19.44
n41	100	30	2640.00	DFT	64QAM	Edge1RBLeft	20.52
n41	100	30	2640.00	DFT	64QAM	InnerFull	20.04
n41	100	30	2640.00	DFT	64QAM	OuterFull	19.44
n41	100	30	2640.00	DFT	256QAM	Edge1RBRight	18.52

n41	100	30	2640.00	DFT	256QAM	Edge1RBLeft	17.81
n41	100	30	2640.00	DFT	256QAM	InnerFull	18.57
n41	100	30	2640.00	DFT	256QAM	OuterFull	18.46
n41	100	30	2640.00	CP	QPSK	Edge1RBRight	19.34
n41	100	30	2640.00	CP	QPSK	Edge1RBLeft	19.67
n41	100	30	2640.00	CP	QPSK	InnerFull	21.62
n41	100	30	2640.00	CP	QPSK	OuterFull	20.04
n41	100	30	2640.00	CP	16QAM	Edge1RBRight	19.51
n41	100	30	2640.00	CP	16QAM	Edge1RBLeft	19.56
n41	100	30	2640.00	CP	16QAM	InnerFull	21.08
n41	100	30	2640.00	CP	16QAM	OuterFull	19.71
n41	100	30	2640.00	CP	64QAM	Edge1RBRight	18.75
n41	100	30	2640.00	CP	64QAM	Edge1RBLeft	19.61
n41	100	30	2640.00	CP	64QAM	InnerFull	19.51
n41	100	30	2640.00	CP	64QAM	OuterFull	19.25
n41	100	30	2640.00	CP	256QAM	Edge1RBRight	15.65
n41	100	30	2640.00	CP	256QAM	Edge1RBLeft	16.53
n41	100	30	2640.00	CP	256QAM	InnerFull	16.58
n41	100	30	2640.00	CP	256QAM	OuterFull	16.55

n66

Band	BW (MHz)	SCS (kHz)	Freq (MHz)	OFDM	Modulation	RB Allocation	Power (dBm)
n66	5	15	1712.5	DFT	QPSK	Edge1RBRight	22.44
n66	5	15	1712.5	DFT	QPSK	Edge1RBLeft	22.47
n66	5	15	1712.5	DFT	QPSK	InnerFull	23.59
n66	5	15	1712.5	DFT	QPSK	OuterFull	22.56
n66	5	15	1712.5	DFT	16QAM	Edge1RBRight	21.38
n66	5	15	1712.5	DFT	16QAM	Edge1RBLeft	21.46
n66	5	15	1712.5	DFT	16QAM	InnerFull	22.64
n66	5	15	1712.5	DFT	16QAM	OuterFull	21.63
n66	5	15	1712.5	DFT	64QAM	Edge1RBRight	20.98
n66	5	15	1712.5	DFT	64QAM	Edge1RBLeft	20.99
n66	5	15	1712.5	DFT	64QAM	InnerFull	21.00
n66	5	15	1712.5	DFT	64QAM	OuterFull	21.03
n66	5	15	1712.5	DFT	256QAM	Edge1RBRight	18.62
n66	5	15	1712.5	DFT	256QAM	Edge1RBLeft	18.62
n66	5	15	1712.5	DFT	256QAM	InnerFull	18.96
n66	5	15	1712.5	DFT	256QAM	OuterFull	18.99
n66	5	15	1712.5	CP	QPSK	Edge1RBRight	20.41
n66	5	15	1712.5	CP	QPSK	Edge1RBLeft	20.47
n66	5	15	1712.5	CP	QPSK	InnerFull	22.14
n66	5	15	1712.5	CP	QPSK	OuterFull	20.49
n66	5	15	1712.5	CP	16QAM	Edge1RBRight	20.09
n66	5	15	1712.5	CP	16QAM	Edge1RBLeft	20.19
n66	5	15	1712.5	CP	16QAM	InnerFull	21.58
n66	5	15	1712.5	CP	16QAM	OuterFull	20.56
n66	5	15	1712.5	CP	64QAM	Edge1RBRight	20.32
n66	5	15	1712.5	CP	64QAM	Edge1RBLeft	20.47
n66	5	15	1712.5	CP	64QAM	InnerFull	20.11
n66	5	15	1712.5	CP	64QAM	OuterFull	20.16
n66	5	15	1712.5	CP	256QAM	Edge1RBRight	17.54
n66	5	15	1712.5	CP	256QAM	Edge1RBLeft	17.56
n66	5	15	1712.5	CP	256QAM	InnerFull	17.05
n66	5	15	1712.5	CP	256QAM	OuterFull	17.03
n66	5	15	1745.0	DFT	QPSK	Edge1RBRight	22.43
n66	5	15	1745.0	DFT	QPSK	Edge1RBLeft	22.53
n66	5	15	1745.0	DFT	QPSK	InnerFull	23.59
n66	5	15	1745.0	DFT	QPSK	OuterFull	22.61
n66	5	15	1745.0	DFT	16QAM	Edge1RBRight	21.44
n66	5	15	1745.0	DFT	16QAM	Edge1RBLeft	21.48

n66	5	15	1745.0	DFT	16QAM	InnerFull	22.54
n66	5	15	1745.0	DFT	16QAM	OuterFull	21.61
n66	5	15	1745.0	DFT	64QAM	Edge1RBRight	21.07
n66	5	15	1745.0	DFT	64QAM	Edge1RBLLeft	21.05
n66	5	15	1745.0	DFT	64QAM	InnerFull	21.08
n66	5	15	1745.0	DFT	64QAM	OuterFull	21.18
n66	5	15	1745.0	DFT	256QAM	Edge1RBRight	18.65
n66	5	15	1745.0	DFT	256QAM	Edge1RBLLeft	18.68
n66	5	15	1745.0	DFT	256QAM	InnerFull	19.05
n66	5	15	1745.0	DFT	256QAM	OuterFull	19.14
n66	5	15	1745.0	CP	QPSK	Edge1RBRight	20.62
n66	5	15	1745.0	CP	QPSK	Edge1RBLLeft	20.58
n66	5	15	1745.0	CP	QPSK	InnerFull	22.15
n66	5	15	1745.0	CP	QPSK	OuterFull	20.66
n66	5	15	1745.0	CP	16QAM	Edge1RBRight	20.15
n66	5	15	1745.0	CP	16QAM	Edge1RBLLeft	20.15
n66	5	15	1745.0	CP	16QAM	InnerFull	21.70
n66	5	15	1745.0	CP	16QAM	OuterFull	20.75
n66	5	15	1745.0	CP	64QAM	Edge1RBRight	20.38
n66	5	15	1745.0	CP	64QAM	Edge1RBLLeft	20.52
n66	5	15	1745.0	CP	64QAM	InnerFull	20.17
n66	5	15	1745.0	CP	64QAM	OuterFull	20.24
n66	5	15	1745.0	CP	256QAM	Edge1RBRight	17.35
n66	5	15	1745.0	CP	256QAM	Edge1RBLLeft	17.55
n66	5	15	1745.0	CP	256QAM	InnerFull	17.10
n66	5	15	1745.0	CP	256QAM	OuterFull	17.15
n66	5	15	1777.5	DFT	QPSK	Edge1RBRight	22.54
n66	5	15	1777.5	DFT	QPSK	Edge1RBLLeft	22.41
n66	5	15	1777.5	DFT	QPSK	InnerFull	23.53
n66	5	15	1777.5	DFT	QPSK	OuterFull	22.58
n66	5	15	1777.5	DFT	16QAM	Edge1RBRight	21.35
n66	5	15	1777.5	DFT	16QAM	Edge1RBLLeft	21.44
n66	5	15	1777.5	DFT	16QAM	InnerFull	22.66
n66	5	15	1777.5	DFT	16QAM	OuterFull	21.56
n66	5	15	1777.5	DFT	64QAM	Edge1RBRight	21.05
n66	5	15	1777.5	DFT	64QAM	Edge1RBLLeft	21.01
n66	5	15	1777.5	DFT	64QAM	InnerFull	20.97
n66	5	15	1777.5	DFT	64QAM	OuterFull	21.07
n66	5	15	1777.5	DFT	256QAM	Edge1RBRight	18.58
n66	5	15	1777.5	DFT	256QAM	Edge1RBLLeft	18.66
n66	5	15	1777.5	DFT	256QAM	InnerFull	18.97

n66	5	15	1777.5	DFT	256QAM	OuterFull	19.01
n66	5	15	1777.5	CP	QPSK	Edge1RBRight	20.38
n66	5	15	1777.5	CP	QPSK	Edge1RBLeft	20.35
n66	5	15	1777.5	CP	QPSK	InnerFull	22.10
n66	5	15	1777.5	CP	QPSK	OuterFull	20.47
n66	5	15	1777.5	CP	16QAM	Edge1RBRight	20.15
n66	5	15	1777.5	CP	16QAM	Edge1RBLeft	20.00
n66	5	15	1777.5	CP	16QAM	InnerFull	21.50
n66	5	15	1777.5	CP	16QAM	OuterFull	20.57
n66	5	15	1777.5	CP	64QAM	Edge1RBRight	20.29
n66	5	15	1777.5	CP	64QAM	Edge1RBLeft	20.37
n66	5	15	1777.5	CP	64QAM	InnerFull	20.09
n66	5	15	1777.5	CP	64QAM	OuterFull	20.13
n66	5	15	1777.5	CP	256QAM	Edge1RBRight	17.50
n66	5	15	1777.5	CP	256QAM	Edge1RBLeft	17.46
n66	5	15	1777.5	CP	256QAM	InnerFull	17.03
n66	5	15	1777.5	CP	256QAM	OuterFull	17.06
n66	10	15	1715.0	DFT	QPSK	Edge1RBRight	23.31
n66	10	15	1715.0	DFT	QPSK	Edge1RBLeft	23.35
n66	10	15	1715.0	DFT	QPSK	InnerFull	24.43
n66	10	15	1715.0	DFT	QPSK	OuterFull	23.46
n66	10	15	1715.0	DFT	16QAM	Edge1RBRight	22.27
n66	10	15	1715.0	DFT	16QAM	Edge1RBLeft	22.20
n66	10	15	1715.0	DFT	16QAM	InnerFull	23.47
n66	10	15	1715.0	DFT	16QAM	OuterFull	22.43
n66	10	15	1715.0	DFT	64QAM	Edge1RBRight	21.73
n66	10	15	1715.0	DFT	64QAM	Edge1RBLeft	21.70
n66	10	15	1715.0	DFT	64QAM	InnerFull	21.96
n66	10	15	1715.0	DFT	64QAM	OuterFull	21.87
n66	10	15	1715.0	DFT	256QAM	Edge1RBRight	19.50
n66	10	15	1715.0	DFT	256QAM	Edge1RBLeft	19.38
n66	10	15	1715.0	DFT	256QAM	InnerFull	19.81
n66	10	15	1715.0	DFT	256QAM	OuterFull	19.82
n66	10	15	1715.0	CP	QPSK	Edge1RBRight	21.47
n66	10	15	1715.0	CP	QPSK	Edge1RBLeft	21.24
n66	10	15	1715.0	CP	QPSK	InnerFull	22.95
n66	10	15	1715.0	CP	QPSK	OuterFull	21.35
n66	10	15	1715.0	CP	16QAM	Edge1RBRight	21.13
n66	10	15	1715.0	CP	16QAM	Edge1RBLeft	21.19
n66	10	15	1715.0	CP	16QAM	InnerFull	22.49
n66	10	15	1715.0	CP	16QAM	OuterFull	21.26

n66	10	15	1715.0	CP	64QAM	Edge1RBRight	21.28
n66	10	15	1715.0	CP	64QAM	Edge1RBLeft	20.97
n66	10	15	1715.0	CP	64QAM	InnerFull	20.96
n66	10	15	1715.0	CP	64QAM	OuterFull	20.89
n66	10	15	1715.0	CP	256QAM	Edge1RBRight	18.29
n66	10	15	1715.0	CP	256QAM	Edge1RBLeft	18.21
n66	10	15	1715.0	CP	256QAM	InnerFull	17.88
n66	10	15	1715.0	CP	256QAM	OuterFull	17.90
n66	10	15	1745.0	DFT	QPSK	Edge1RBRight	23.36
n66	10	15	1745.0	DFT	QPSK	Edge1RBLeft	23.31
n66	10	15	1745.0	DFT	QPSK	InnerFull	24.54
n66	10	15	1745.0	DFT	QPSK	OuterFull	23.53
n66	10	15	1745.0	DFT	16QAM	Edge1RBRight	22.20
n66	10	15	1745.0	DFT	16QAM	Edge1RBLeft	22.27
n66	10	15	1745.0	DFT	16QAM	InnerFull	23.44
n66	10	15	1745.0	DFT	16QAM	OuterFull	22.46
n66	10	15	1745.0	DFT	64QAM	Edge1RBRight	21.66
n66	10	15	1745.0	DFT	64QAM	Edge1RBLeft	21.73
n66	10	15	1745.0	DFT	64QAM	InnerFull	22.00
n66	10	15	1745.0	DFT	64QAM	OuterFull	22.00
n66	10	15	1745.0	DFT	256QAM	Edge1RBRight	19.45
n66	10	15	1745.0	DFT	256QAM	Edge1RBLeft	19.50
n66	10	15	1745.0	DFT	256QAM	InnerFull	19.88
n66	10	15	1745.0	DFT	256QAM	OuterFull	19.88
n66	10	15	1745.0	CP	QPSK	Edge1RBRight	21.36
n66	10	15	1745.0	CP	QPSK	Edge1RBLeft	21.32
n66	10	15	1745.0	CP	QPSK	InnerFull	22.97
n66	10	15	1745.0	CP	QPSK	OuterFull	21.44
n66	10	15	1745.0	CP	16QAM	Edge1RBRight	21.09
n66	10	15	1745.0	CP	16QAM	Edge1RBLeft	21.21
n66	10	15	1745.0	CP	16QAM	InnerFull	22.44
n66	10	15	1745.0	CP	16QAM	OuterFull	21.35
n66	10	15	1745.0	CP	64QAM	Edge1RBRight	21.18
n66	10	15	1745.0	CP	64QAM	Edge1RBLeft	21.01
n66	10	15	1745.0	CP	64QAM	InnerFull	21.07
n66	10	15	1745.0	CP	64QAM	OuterFull	21.03
n66	10	15	1745.0	CP	256QAM	Edge1RBRight	18.20
n66	10	15	1745.0	CP	256QAM	Edge1RBLeft	18.13
n66	10	15	1745.0	CP	256QAM	InnerFull	17.89
n66	10	15	1745.0	CP	256QAM	OuterFull	17.98
n66	10	15	1775.0	DFT	QPSK	Edge1RBRight	23.37

n66	10	15	1775.0	DFT	QPSK	Edge1RBLeft	23.37
n66	10	15	1775.0	DFT	QPSK	InnerFull	24.42
n66	10	15	1775.0	DFT	QPSK	OuterFull	23.33
n66	10	15	1775.0	DFT	16QAM	Edge1RBRight	22.29
n66	10	15	1775.0	DFT	16QAM	Edge1RBLeft	22.24
n66	10	15	1775.0	DFT	16QAM	InnerFull	23.51
n66	10	15	1775.0	DFT	16QAM	OuterFull	22.39
n66	10	15	1775.0	DFT	64QAM	Edge1RBRight	21.89
n66	10	15	1775.0	DFT	64QAM	Edge1RBLeft	21.77
n66	10	15	1775.0	DFT	64QAM	InnerFull	21.88
n66	10	15	1775.0	DFT	64QAM	OuterFull	21.88
n66	10	15	1775.0	DFT	256QAM	Edge1RBRight	19.44
n66	10	15	1775.0	DFT	256QAM	Edge1RBLeft	19.47
n66	10	15	1775.0	DFT	256QAM	InnerFull	19.83
n66	10	15	1775.0	DFT	256QAM	OuterFull	19.84
n66	10	15	1775.0	CP	QPSK	Edge1RBRight	21.22
n66	10	15	1775.0	CP	QPSK	Edge1RBLeft	21.44
n66	10	15	1775.0	CP	QPSK	InnerFull	23.00
n66	10	15	1775.0	CP	QPSK	OuterFull	21.44
n66	10	15	1775.0	CP	16QAM	Edge1RBRight	20.84
n66	10	15	1775.0	CP	16QAM	Edge1RBLeft	20.87
n66	10	15	1775.0	CP	16QAM	InnerFull	22.42
n66	10	15	1775.0	CP	16QAM	OuterFull	21.39
n66	10	15	1775.0	CP	64QAM	Edge1RBRight	21.19
n66	10	15	1775.0	CP	64QAM	Edge1RBLeft	21.29
n66	10	15	1775.0	CP	64QAM	InnerFull	21.02
n66	10	15	1775.0	CP	64QAM	OuterFull	20.88
n66	10	15	1775.0	CP	256QAM	Edge1RBRight	18.22
n66	10	15	1775.0	CP	256QAM	Edge1RBLeft	18.29
n66	10	15	1775.0	CP	256QAM	InnerFull	17.92
n66	10	15	1775.0	CP	256QAM	OuterFull	17.88
n66	15	15	1717.5	DFT	QPSK	Edge1RBRight	22.71
n66	15	15	1717.5	DFT	QPSK	Edge1RBLeft	22.65
n66	15	15	1717.5	DFT	QPSK	InnerFull	23.71
n66	15	15	1717.5	DFT	QPSK	OuterFull	22.80
n66	15	15	1717.5	DFT	16QAM	Edge1RBRight	21.66
n66	15	15	1717.5	DFT	16QAM	Edge1RBLeft	21.67
n66	15	15	1717.5	DFT	16QAM	InnerFull	22.62
n66	15	15	1717.5	DFT	16QAM	OuterFull	21.76
n66	15	15	1717.5	DFT	64QAM	Edge1RBRight	21.09
n66	15	15	1717.5	DFT	64QAM	Edge1RBLeft	21.04

n66	15	15	1717.5	DFT	64QAM	InnerFull	21.15
n66	15	15	1717.5	DFT	64QAM	OuterFull	21.25
n66	15	15	1717.5	DFT	256QAM	Edge1RBRight	18.86
n66	15	15	1717.5	DFT	256QAM	Edge1RBLeft	18.85
n66	15	15	1717.5	DFT	256QAM	InnerFull	19.13
n66	15	15	1717.5	DFT	256QAM	OuterFull	19.16
n66	15	15	1717.5	CP	QPSK	Edge1RBRight	20.55
n66	15	15	1717.5	CP	QPSK	Edge1RBLeft	20.90
n66	15	15	1717.5	CP	QPSK	InnerFull	22.23
n66	15	15	1717.5	CP	QPSK	OuterFull	20.65
n66	15	15	1717.5	CP	16QAM	Edge1RBRight	20.45
n66	15	15	1717.5	CP	16QAM	Edge1RBLeft	20.60
n66	15	15	1717.5	CP	16QAM	InnerFull	21.58
n66	15	15	1717.5	CP	16QAM	OuterFull	20.73
n66	15	15	1717.5	CP	64QAM	Edge1RBRight	20.47
n66	15	15	1717.5	CP	64QAM	Edge1RBLeft	20.53
n66	15	15	1717.5	CP	64QAM	InnerFull	20.15
n66	15	15	1717.5	CP	64QAM	OuterFull	20.17
n66	15	15	1717.5	CP	256QAM	Edge1RBRight	17.58
n66	15	15	1717.5	CP	256QAM	Edge1RBLeft	17.59
n66	15	15	1717.5	CP	256QAM	InnerFull	17.24
n66	15	15	1717.5	CP	256QAM	OuterFull	17.19
n66	15	15	1745.0	DFT	QPSK	Edge1RBRight	22.60
n66	15	15	1745.0	DFT	QPSK	Edge1RBLeft	22.61
n66	15	15	1745.0	DFT	QPSK	InnerFull	23.77
n66	15	15	1745.0	DFT	QPSK	OuterFull	22.65
n66	15	15	1745.0	DFT	16QAM	Edge1RBRight	21.51
n66	15	15	1745.0	DFT	16QAM	Edge1RBLeft	21.66
n66	15	15	1745.0	DFT	16QAM	InnerFull	22.59
n66	15	15	1745.0	DFT	16QAM	OuterFull	21.76
n66	15	15	1745.0	DFT	64QAM	Edge1RBRight	21.33
n66	15	15	1745.0	DFT	64QAM	Edge1RBLeft	21.08
n66	15	15	1745.0	DFT	64QAM	InnerFull	21.26
n66	15	15	1745.0	DFT	64QAM	OuterFull	21.15
n66	15	15	1745.0	DFT	256QAM	Edge1RBRight	18.85
n66	15	15	1745.0	DFT	256QAM	Edge1RBLeft	18.68
n66	15	15	1745.0	DFT	256QAM	InnerFull	19.12
n66	15	15	1745.0	DFT	256QAM	OuterFull	19.13
n66	15	15	1745.0	CP	QPSK	Edge1RBRight	20.45
n66	15	15	1745.0	CP	QPSK	Edge1RBLeft	20.62
n66	15	15	1745.0	CP	QPSK	InnerFull	22.17

n66	15	15	1745.0	CP	QPSK	OuterFull	20.70
n66	15	15	1745.0	CP	16QAM	Edge1RBRight	20.29
n66	15	15	1745.0	CP	16QAM	Edge1RBLeft	20.42
n66	15	15	1745.0	CP	16QAM	InnerFull	21.62
n66	15	15	1745.0	CP	16QAM	OuterFull	20.64
n66	15	15	1745.0	CP	64QAM	Edge1RBRight	20.24
n66	15	15	1745.0	CP	64QAM	Edge1RBLeft	20.31
n66	15	15	1745.0	CP	64QAM	InnerFull	20.20
n66	15	15	1745.0	CP	64QAM	OuterFull	20.15
n66	15	15	1745.0	CP	256QAM	Edge1RBRight	17.49
n66	15	15	1745.0	CP	256QAM	Edge1RBLeft	17.52
n66	15	15	1745.0	CP	256QAM	InnerFull	17.13
n66	15	15	1745.0	CP	256QAM	OuterFull	17.19
n66	15	15	1772.5	DFT	QPSK	Edge1RBRight	22.51
n66	15	15	1772.5	DFT	QPSK	Edge1RBLeft	22.53
n66	15	15	1772.5	DFT	QPSK	InnerFull	23.55
n66	15	15	1772.5	DFT	QPSK	OuterFull	22.67
n66	15	15	1772.5	DFT	16QAM	Edge1RBRight	21.47
n66	15	15	1772.5	DFT	16QAM	Edge1RBLeft	21.48
n66	15	15	1772.5	DFT	16QAM	InnerFull	22.54
n66	15	15	1772.5	DFT	16QAM	OuterFull	21.74
n66	15	15	1772.5	DFT	64QAM	Edge1RBRight	21.04
n66	15	15	1772.5	DFT	64QAM	Edge1RBLeft	21.28
n66	15	15	1772.5	DFT	64QAM	InnerFull	21.19
n66	15	15	1772.5	DFT	64QAM	OuterFull	21.11
n66	15	15	1772.5	DFT	256QAM	Edge1RBRight	18.72
n66	15	15	1772.5	DFT	256QAM	Edge1RBLeft	18.55
n66	15	15	1772.5	DFT	256QAM	InnerFull	19.11
n66	15	15	1772.5	DFT	256QAM	OuterFull	19.11
n66	15	15	1772.5	CP	QPSK	Edge1RBRight	20.34
n66	15	15	1772.5	CP	QPSK	Edge1RBLeft	20.46
n66	15	15	1772.5	CP	QPSK	InnerFull	22.13
n66	15	15	1772.5	CP	QPSK	OuterFull	20.57
n66	15	15	1772.5	CP	16QAM	Edge1RBRight	20.17
n66	15	15	1772.5	CP	16QAM	Edge1RBLeft	20.02
n66	15	15	1772.5	CP	16QAM	InnerFull	21.62
n66	15	15	1772.5	CP	16QAM	OuterFull	20.56
n66	15	15	1772.5	CP	64QAM	Edge1RBRight	20.42
n66	15	15	1772.5	CP	64QAM	Edge1RBLeft	20.38
n66	15	15	1772.5	CP	64QAM	InnerFull	20.07
n66	15	15	1772.5	CP	64QAM	OuterFull	20.17

n66	15	15	1772.5	CP	256QAM	Edge1RBRight	17.52
n66	15	15	1772.5	CP	256QAM	Edge1RBLeft	17.48
n66	15	15	1772.5	CP	256QAM	InnerFull	17.09
n66	15	15	1772.5	CP	256QAM	OuterFull	17.21
n66	20	15	1720.0	DFT	QPSK	Edge1RBRight	23.08
n66	20	15	1720.0	DFT	QPSK	Edge1RBLeft	23.06
n66	20	15	1720.0	DFT	QPSK	InnerFull	23.09
n66	20	15	1720.0	DFT	QPSK	OuterFull	23.13
n66	20	15	1720.0	DFT	16QAM	Edge1RBRight	22.11
n66	20	15	1720.0	DFT	16QAM	Edge1RBLeft	22.02
n66	20	15	1720.0	DFT	16QAM	InnerFull	23.08
n66	20	15	1720.0	DFT	16QAM	OuterFull	22.15
n66	20	15	1720.0	DFT	64QAM	Edge1RBRight	21.91
n66	20	15	1720.0	DFT	64QAM	Edge1RBLeft	21.75
n66	20	15	1720.0	DFT	64QAM	InnerFull	21.57
n66	20	15	1720.0	DFT	64QAM	OuterFull	21.64
n66	20	15	1720.0	DFT	256QAM	Edge1RBRight	19.11
n66	20	15	1720.0	DFT	256QAM	Edge1RBLeft	18.99
n66	20	15	1720.0	DFT	256QAM	InnerFull	19.56
n66	20	15	1720.0	DFT	256QAM	OuterFull	19.65
n66	20	15	1720.0	CP	QPSK	Edge1RBRight	21.17
n66	20	15	1720.0	CP	QPSK	Edge1RBLeft	21.16
n66	20	15	1720.0	CP	QPSK	InnerFull	22.55
n66	20	15	1720.0	CP	QPSK	OuterFull	21.12
n66	20	15	1720.0	CP	16QAM	Edge1RBRight	21.26
n66	20	15	1720.0	CP	16QAM	Edge1RBLeft	21.21
n66	20	15	1720.0	CP	16QAM	InnerFull	22.11
n66	20	15	1720.0	CP	16QAM	OuterFull	21.11
n66	20	15	1720.0	CP	64QAM	Edge1RBRight	20.74
n66	20	15	1720.0	CP	64QAM	Edge1RBLeft	20.78
n66	20	15	1720.0	CP	64QAM	InnerFull	20.61
n66	20	15	1720.0	CP	64QAM	OuterFull	20.58
n66	20	15	1720.0	CP	256QAM	Edge1RBRight	17.21
n66	20	15	1720.0	CP	256QAM	Edge1RBLeft	17.21
n66	20	15	1720.0	CP	256QAM	InnerFull	17.50
n66	20	15	1720.0	CP	256QAM	OuterFull	17.66
n66	20	15	1745.0	DFT	QPSK	Edge1RBRight	23.05
n66	20	15	1745.0	DFT	QPSK	Edge1RBLeft	23.19
n66	20	15	1745.0	DFT	QPSK	InnerFull	23.12
n66	20	15	1745.0	DFT	QPSK	OuterFull	23.19
n66	20	15	1745.0	DFT	16QAM	Edge1RBRight	21.99

n66	20	15	1745.0	DFT	16QAM	Edge1RBLeft	22.01
n66	20	15	1745.0	DFT	16QAM	InnerFull	23.12
n66	20	15	1745.0	DFT	16QAM	OuterFull	22.10
n66	20	15	1745.0	DFT	64QAM	Edge1RBRight	21.80
n66	20	15	1745.0	DFT	64QAM	Edge1RBLeft	21.81
n66	20	15	1745.0	DFT	64QAM	InnerFull	21.59
n66	20	15	1745.0	DFT	64QAM	OuterFull	21.69
n66	20	15	1745.0	DFT	256QAM	Edge1RBRight	18.88
n66	20	15	1745.0	DFT	256QAM	Edge1RBLeft	18.98
n66	20	15	1745.0	DFT	256QAM	InnerFull	19.63
n66	20	15	1745.0	DFT	256QAM	OuterFull	19.65
n66	20	15	1745.0	CP	QPSK	Edge1RBRight	21.00
n66	20	15	1745.0	CP	QPSK	Edge1RBLeft	21.19
n66	20	15	1745.0	CP	QPSK	InnerFull	22.53
n66	20	15	1745.0	CP	QPSK	OuterFull	21.16
n66	20	15	1745.0	CP	16QAM	Edge1RBRight	21.20
n66	20	15	1745.0	CP	16QAM	Edge1RBLeft	21.30
n66	20	15	1745.0	CP	16QAM	InnerFull	22.12
n66	20	15	1745.0	CP	16QAM	OuterFull	21.09
n66	20	15	1745.0	CP	64QAM	Edge1RBRight	20.70
n66	20	15	1745.0	CP	64QAM	Edge1RBLeft	20.80
n66	20	15	1745.0	CP	64QAM	InnerFull	20.65
n66	20	15	1745.0	CP	64QAM	OuterFull	20.64
n66	20	15	1745.0	CP	256QAM	Edge1RBRight	17.16
n66	20	15	1745.0	CP	256QAM	Edge1RBLeft	17.27
n66	20	15	1745.0	CP	256QAM	InnerFull	17.53
n66	20	15	1745.0	CP	256QAM	OuterFull	17.67
n66	20	15	1770.0	DFT	QPSK	Edge1RBRight	23.02
n66	20	15	1770.0	DFT	QPSK	Edge1RBLeft	23.12
n66	20	15	1770.0	DFT	QPSK	InnerFull	23.12
n66	20	15	1770.0	DFT	QPSK	OuterFull	23.14
n66	20	15	1770.0	DFT	16QAM	Edge1RBRight	22.15
n66	20	15	1770.0	DFT	16QAM	Edge1RBLeft	22.15
n66	20	15	1770.0	DFT	16QAM	InnerFull	23.19
n66	20	15	1770.0	DFT	16QAM	OuterFull	22.21
n66	20	15	1770.0	DFT	64QAM	Edge1RBRight	21.81
n66	20	15	1770.0	DFT	64QAM	Edge1RBLeft	21.89
n66	20	15	1770.0	DFT	64QAM	InnerFull	21.49
n66	20	15	1770.0	DFT	64QAM	OuterFull	21.68
n66	20	15	1770.0	DFT	256QAM	Edge1RBRight	18.96
n66	20	15	1770.0	DFT	256QAM	Edge1RBLeft	19.07

n66	20	15	1770.0	DFT	256QAM	InnerFull	19.45
n66	20	15	1770.0	DFT	256QAM	OuterFull	19.62
n66	20	15	1770.0	CP	QPSK	Edge1RBRight	21.03
n66	20	15	1770.0	CP	QPSK	Edge1RBLeft	21.14
n66	20	15	1770.0	CP	QPSK	InnerFull	22.49
n66	20	15	1770.0	CP	QPSK	OuterFull	21.06
n66	20	15	1770.0	CP	16QAM	Edge1RBRight	21.15
n66	20	15	1770.0	CP	16QAM	Edge1RBLeft	21.26
n66	20	15	1770.0	CP	16QAM	InnerFull	22.08
n66	20	15	1770.0	CP	16QAM	OuterFull	21.03
n66	20	15	1770.0	CP	64QAM	Edge1RBRight	20.70
n66	20	15	1770.0	CP	64QAM	Edge1RBLeft	20.84
n66	20	15	1770.0	CP	64QAM	InnerFull	20.54
n66	20	15	1770.0	CP	64QAM	OuterFull	20.67
n66	20	15	1770.0	CP	256QAM	Edge1RBRight	17.16
n66	20	15	1770.0	CP	256QAM	Edge1RBLeft	17.29
n66	20	15	1770.0	CP	256QAM	InnerFull	17.48
n66	20	15	1770.0	CP	256QAM	OuterFull	17.60

n71

Band	BW (MHz)	SCS (kHz)	Freq (MHz)	OFDM	Modulation	RB Allocation	Power (dBm)
n71	5	15	665.5	DFT	QPSK	Edge1RBRight	22.00
n71	5	15	665.5	DFT	QPSK	Edge1RBLeft	22.08
n71	5	15	665.5	DFT	QPSK	InnerFull	23.08
n71	5	15	665.5	DFT	QPSK	OuterFull	22.09
n71	5	15	665.5	DFT	16QAM	Edge1RBRight	21.01
n71	5	15	665.5	DFT	16QAM	Edge1RBLeft	21.06
n71	5	15	665.5	DFT	16QAM	InnerFull	22.23
n71	5	15	665.5	DFT	16QAM	OuterFull	21.07
n71	5	15	665.5	DFT	64QAM	Edge1RBRight	20.65
n71	5	15	665.5	DFT	64QAM	Edge1RBLeft	20.72
n71	5	15	665.5	DFT	64QAM	InnerFull	20.66
n71	5	15	665.5	DFT	64QAM	OuterFull	20.59
n71	5	15	665.5	DFT	256QAM	Edge1RBRight	17.95
n71	5	15	665.5	DFT	256QAM	Edge1RBLeft	18.25
n71	5	15	665.5	DFT	256QAM	InnerFull	18.59
n71	5	15	665.5	DFT	256QAM	OuterFull	18.53
n71	5	15	665.5	CP	QPSK	Edge1RBRight	20.15
n71	5	15	665.5	CP	QPSK	Edge1RBLeft	20.14
n71	5	15	665.5	CP	QPSK	InnerFull	21.65
n71	5	15	665.5	CP	QPSK	OuterFull	20.21
n71	5	15	665.5	CP	16QAM	Edge1RBRight	20.08
n71	5	15	665.5	CP	16QAM	Edge1RBLeft	20.19
n71	5	15	665.5	CP	16QAM	InnerFull	20.86
n71	5	15	665.5	CP	16QAM	OuterFull	20.13
n71	5	15	665.5	CP	64QAM	Edge1RBRight	19.59
n71	5	15	665.5	CP	64QAM	Edge1RBLeft	19.77
n71	5	15	665.5	CP	64QAM	InnerFull	19.60
n71	5	15	665.5	CP	64QAM	OuterFull	19.58
n71	5	15	665.5	CP	256QAM	Edge1RBRight	16.06
n71	5	15	665.5	CP	256QAM	Edge1RBLeft	16.30
n71	5	15	665.5	CP	256QAM	InnerFull	16.66
n71	5	15	665.5	CP	256QAM	OuterFull	16.65
n71	5	15	680.5	DFT	QPSK	Edge1RBRight	21.91
n71	5	15	680.5	DFT	QPSK	Edge1RBLeft	22.09
n71	5	15	680.5	DFT	QPSK	InnerFull	23.05
n71	5	15	680.5	DFT	QPSK	OuterFull	22.05
n71	5	15	680.5	DFT	16QAM	Edge1RBRight	20.86
n71	5	15	680.5	DFT	16QAM	Edge1RBLeft	21.01

n71	5	15	680.5	DFT	16QAM	InnerFull	22.23
n71	5	15	680.5	DFT	16QAM	OuterFull	21.11
n71	5	15	680.5	DFT	64QAM	Edge1RBRight	20.59
n71	5	15	680.5	DFT	64QAM	Edge1RBLLeft	20.70
n71	5	15	680.5	DFT	64QAM	InnerFull	20.66
n71	5	15	680.5	DFT	64QAM	OuterFull	20.55
n71	5	15	680.5	DFT	256QAM	Edge1RBRight	17.88
n71	5	15	680.5	DFT	256QAM	Edge1RBLLeft	18.01
n71	5	15	680.5	DFT	256QAM	InnerFull	18.53
n71	5	15	680.5	DFT	256QAM	OuterFull	18.52
n71	5	15	680.5	CP	QPSK	Edge1RBRight	19.97
n71	5	15	680.5	CP	QPSK	Edge1RBLLeft	19.99
n71	5	15	680.5	CP	QPSK	InnerFull	21.65
n71	5	15	680.5	CP	QPSK	OuterFull	19.99
n71	5	15	680.5	CP	16QAM	Edge1RBRight	19.95
n71	5	15	680.5	CP	16QAM	Edge1RBLLeft	19.97
n71	5	15	680.5	CP	16QAM	InnerFull	20.80
n71	5	15	680.5	CP	16QAM	OuterFull	20.09
n71	5	15	680.5	CP	64QAM	Edge1RBRight	19.49
n71	5	15	680.5	CP	64QAM	Edge1RBLLeft	19.63
n71	5	15	680.5	CP	64QAM	InnerFull	19.62
n71	5	15	680.5	CP	64QAM	OuterFull	19.57
n71	5	15	680.5	CP	256QAM	Edge1RBRight	15.93
n71	5	15	680.5	CP	256QAM	Edge1RBLLeft	16.06
n71	5	15	680.5	CP	256QAM	InnerFull	16.64
n71	5	15	680.5	CP	256QAM	OuterFull	16.59
n71	5	15	695.5	DFT	QPSK	Edge1RBRight	21.90
n71	5	15	695.5	DFT	QPSK	Edge1RBLLeft	22.07
n71	5	15	695.5	DFT	QPSK	InnerFull	22.90
n71	5	15	695.5	DFT	QPSK	OuterFull	21.98
n71	5	15	695.5	DFT	16QAM	Edge1RBRight	20.80
n71	5	15	695.5	DFT	16QAM	Edge1RBLLeft	20.98
n71	5	15	695.5	DFT	16QAM	InnerFull	21.87
n71	5	15	695.5	DFT	16QAM	OuterFull	21.02
n71	5	15	695.5	DFT	64QAM	Edge1RBRight	20.35
n71	5	15	695.5	DFT	64QAM	Edge1RBLLeft	20.64
n71	5	15	695.5	DFT	64QAM	InnerFull	20.64
n71	5	15	695.5	DFT	64QAM	OuterFull	20.39
n71	5	15	695.5	DFT	256QAM	Edge1RBRight	17.79
n71	5	15	695.5	DFT	256QAM	Edge1RBLLeft	18.07
n71	5	15	695.5	DFT	256QAM	InnerFull	18.55

n71	5	15	695.5	DFT	256QAM	OuterFull	18.42
n71	5	15	695.5	CP	QPSK	Edge1RBRight	19.85
n71	5	15	695.5	CP	QPSK	Edge1RBLeft	20.06
n71	5	15	695.5	CP	QPSK	InnerFull	21.56
n71	5	15	695.5	CP	QPSK	OuterFull	20.06
n71	5	15	695.5	CP	16QAM	Edge1RBRight	19.94
n71	5	15	695.5	CP	16QAM	Edge1RBLeft	20.22
n71	5	15	695.5	CP	16QAM	InnerFull	20.80
n71	5	15	695.5	CP	16QAM	OuterFull	19.95
n71	5	15	695.5	CP	64QAM	Edge1RBRight	19.38
n71	5	15	695.5	CP	64QAM	Edge1RBLeft	19.66
n71	5	15	695.5	CP	64QAM	InnerFull	19.57
n71	5	15	695.5	CP	64QAM	OuterFull	19.43
n71	5	15	695.5	CP	256QAM	Edge1RBRight	15.97
n71	5	15	695.5	CP	256QAM	Edge1RBLeft	16.19
n71	5	15	695.5	CP	256QAM	InnerFull	16.54
n71	5	15	695.5	CP	256QAM	OuterFull	16.45
n71	10	15	668.0	DFT	QPSK	Edge1RBRight	21.89
n71	10	15	668.0	DFT	QPSK	Edge1RBLeft	22.06
n71	10	15	668.0	DFT	QPSK	InnerFull	22.99
n71	10	15	668.0	DFT	QPSK	OuterFull	22.09
n71	10	15	668.0	DFT	16QAM	Edge1RBRight	20.86
n71	10	15	668.0	DFT	16QAM	Edge1RBLeft	20.99
n71	10	15	668.0	DFT	16QAM	InnerFull	22.01
n71	10	15	668.0	DFT	16QAM	OuterFull	20.97
n71	10	15	668.0	DFT	64QAM	Edge1RBRight	20.54
n71	10	15	668.0	DFT	64QAM	Edge1RBLeft	20.75
n71	10	15	668.0	DFT	64QAM	InnerFull	20.60
n71	10	15	668.0	DFT	64QAM	OuterFull	20.51
n71	10	15	668.0	DFT	256QAM	Edge1RBRight	17.93
n71	10	15	668.0	DFT	256QAM	Edge1RBLeft	18.12
n71	10	15	668.0	DFT	256QAM	InnerFull	18.45
n71	10	15	668.0	DFT	256QAM	OuterFull	18.52
n71	10	15	668.0	CP	QPSK	Edge1RBRight	19.71
n71	10	15	668.0	CP	QPSK	Edge1RBLeft	19.93
n71	10	15	668.0	CP	QPSK	InnerFull	21.49
n71	10	15	668.0	CP	QPSK	OuterFull	20.01
n71	10	15	668.0	CP	16QAM	Edge1RBRight	20.04
n71	10	15	668.0	CP	16QAM	Edge1RBLeft	20.24
n71	10	15	668.0	CP	16QAM	InnerFull	21.02
n71	10	15	668.0	CP	16QAM	OuterFull	19.98

n71	10	15	668.0	CP	64QAM	Edge1RBRight	19.51
n71	10	15	668.0	CP	64QAM	Edge1RBLeft	19.81
n71	10	15	668.0	CP	64QAM	InnerFull	19.45
n71	10	15	668.0	CP	64QAM	OuterFull	19.58
n71	10	15	668.0	CP	256QAM	Edge1RBRight	16.14
n71	10	15	668.0	CP	256QAM	Edge1RBLeft	16.19
n71	10	15	668.0	CP	256QAM	InnerFull	16.48
n71	10	15	668.0	CP	256QAM	OuterFull	16.45
n71	10	15	680.5	DFT	QPSK	Edge1RBRight	21.98
n71	10	15	680.5	DFT	QPSK	Edge1RBLeft	21.93
n71	10	15	680.5	DFT	QPSK	InnerFull	23.06
n71	10	15	680.5	DFT	QPSK	OuterFull	22.13
n71	10	15	680.5	DFT	16QAM	Edge1RBRight	20.94
n71	10	15	680.5	DFT	16QAM	Edge1RBLeft	20.85
n71	10	15	680.5	DFT	16QAM	InnerFull	22.05
n71	10	15	680.5	DFT	16QAM	OuterFull	21.08
n71	10	15	680.5	DFT	64QAM	Edge1RBRight	20.63
n71	10	15	680.5	DFT	64QAM	Edge1RBLeft	20.52
n71	10	15	680.5	DFT	64QAM	InnerFull	20.68
n71	10	15	680.5	DFT	64QAM	OuterFull	20.56
n71	10	15	680.5	DFT	256QAM	Edge1RBRight	17.82
n71	10	15	680.5	DFT	256QAM	Edge1RBLeft	17.84
n71	10	15	680.5	DFT	256QAM	InnerFull	18.49
n71	10	15	680.5	DFT	256QAM	OuterFull	18.47
n71	10	15	680.5	CP	QPSK	Edge1RBRight	20.01
n71	10	15	680.5	CP	QPSK	Edge1RBLeft	19.93
n71	10	15	680.5	CP	QPSK	InnerFull	21.50
n71	10	15	680.5	CP	QPSK	OuterFull	20.08
n71	10	15	680.5	CP	16QAM	Edge1RBRight	20.08
n71	10	15	680.5	CP	16QAM	Edge1RBLeft	19.86
n71	10	15	680.5	CP	16QAM	InnerFull	20.99
n71	10	15	680.5	CP	16QAM	OuterFull	20.01
n71	10	15	680.5	CP	64QAM	Edge1RBRight	19.70
n71	10	15	680.5	CP	64QAM	Edge1RBLeft	19.53
n71	10	15	680.5	CP	64QAM	InnerFull	19.53
n71	10	15	680.5	CP	64QAM	OuterFull	19.50
n71	10	15	680.5	CP	256QAM	Edge1RBRight	16.26
n71	10	15	680.5	CP	256QAM	Edge1RBLeft	15.98
n71	10	15	680.5	CP	256QAM	InnerFull	16.58
n71	10	15	680.5	CP	256QAM	OuterFull	16.49
n71	10	15	693.0	DFT	QPSK	Edge1RBRight	21.85

n71	10	15	693.0	DFT	QPSK	Edge1RBLeft	21.96
n71	10	15	693.0	DFT	QPSK	InnerFull	22.92
n71	10	15	693.0	DFT	QPSK	OuterFull	21.93
n71	10	15	693.0	DFT	16QAM	Edge1RBRight	20.70
n71	10	15	693.0	DFT	16QAM	Edge1RBLeft	20.77
n71	10	15	693.0	DFT	16QAM	InnerFull	22.05
n71	10	15	693.0	DFT	16QAM	OuterFull	20.86
n71	10	15	693.0	DFT	64QAM	Edge1RBRight	20.46
n71	10	15	693.0	DFT	64QAM	Edge1RBLeft	20.57
n71	10	15	693.0	DFT	64QAM	InnerFull	20.57
n71	10	15	693.0	DFT	64QAM	OuterFull	20.40
n71	10	15	693.0	DFT	256QAM	Edge1RBRight	17.81
n71	10	15	693.0	DFT	256QAM	Edge1RBLeft	17.91
n71	10	15	693.0	DFT	256QAM	InnerFull	18.40
n71	10	15	693.0	DFT	256QAM	OuterFull	18.35
n71	10	15	693.0	CP	QPSK	Edge1RBRight	19.72
n71	10	15	693.0	CP	QPSK	Edge1RBLeft	20.02
n71	10	15	693.0	CP	QPSK	InnerFull	21.41
n71	10	15	693.0	CP	QPSK	OuterFull	19.91
n71	10	15	693.0	CP	16QAM	Edge1RBRight	19.79
n71	10	15	693.0	CP	16QAM	Edge1RBLeft	19.97
n71	10	15	693.0	CP	16QAM	InnerFull	21.05
n71	10	15	693.0	CP	16QAM	OuterFull	19.82
n71	10	15	693.0	CP	64QAM	Edge1RBRight	19.51
n71	10	15	693.0	CP	64QAM	Edge1RBLeft	19.66
n71	10	15	693.0	CP	64QAM	InnerFull	19.50
n71	10	15	693.0	CP	64QAM	OuterFull	19.43
n71	10	15	693.0	CP	256QAM	Edge1RBRight	16.03
n71	10	15	693.0	CP	256QAM	Edge1RBLeft	16.06
n71	10	15	693.0	CP	256QAM	InnerFull	16.49
n71	10	15	693.0	CP	256QAM	OuterFull	16.35
n71	15	15	670.5	DFT	QPSK	Edge1RBRight	22.02
n71	15	15	670.5	DFT	QPSK	Edge1RBLeft	22.29
n71	15	15	670.5	DFT	QPSK	InnerFull	23.06
n71	15	15	670.5	DFT	QPSK	OuterFull	22.10
n71	15	15	670.5	DFT	16QAM	Edge1RBRight	21.00
n71	15	15	670.5	DFT	16QAM	Edge1RBLeft	21.11
n71	15	15	670.5	DFT	16QAM	InnerFull	22.06
n71	15	15	670.5	DFT	16QAM	OuterFull	21.12
n71	15	15	670.5	DFT	64QAM	Edge1RBRight	20.64
n71	15	15	670.5	DFT	64QAM	Edge1RBLeft	20.79

n71	15	15	670.5	DFT	64QAM	InnerFull	20.52
n71	15	15	670.5	DFT	64QAM	OuterFull	20.56
n71	15	15	670.5	DFT	256QAM	Edge1RBRight	18.02
n71	15	15	670.5	DFT	256QAM	Edge1RBLeft	18.12
n71	15	15	670.5	DFT	256QAM	InnerFull	18.54
n71	15	15	670.5	DFT	256QAM	OuterFull	18.51
n71	15	15	670.5	CP	QPSK	Edge1RBRight	20.00
n71	15	15	670.5	CP	QPSK	Edge1RBLeft	20.26
n71	15	15	670.5	CP	QPSK	InnerFull	21.50
n71	15	15	670.5	CP	QPSK	OuterFull	20.17
n71	15	15	670.5	CP	16QAM	Edge1RBRight	20.06
n71	15	15	670.5	CP	16QAM	Edge1RBLeft	20.23
n71	15	15	670.5	CP	16QAM	InnerFull	21.11
n71	15	15	670.5	CP	16QAM	OuterFull	20.06
n71	15	15	670.5	CP	64QAM	Edge1RBRight	19.57
n71	15	15	670.5	CP	64QAM	Edge1RBLeft	19.81
n71	15	15	670.5	CP	64QAM	InnerFull	19.54
n71	15	15	670.5	CP	64QAM	OuterFull	19.55
n71	15	15	670.5	CP	256QAM	Edge1RBRight	16.10
n71	15	15	670.5	CP	256QAM	Edge1RBLeft	16.29
n71	15	15	670.5	CP	256QAM	InnerFull	16.51
n71	15	15	670.5	CP	256QAM	OuterFull	16.55
n71	15	15	680.5	DFT	QPSK	Edge1RBRight	22.00
n71	15	15	680.5	DFT	QPSK	Edge1RBLeft	22.02
n71	15	15	680.5	DFT	QPSK	InnerFull	23.11
n71	15	15	680.5	DFT	QPSK	OuterFull	22.07
n71	15	15	680.5	DFT	16QAM	Edge1RBRight	20.96
n71	15	15	680.5	DFT	16QAM	Edge1RBLeft	20.95
n71	15	15	680.5	DFT	16QAM	InnerFull	22.19
n71	15	15	680.5	DFT	16QAM	OuterFull	21.18
n71	15	15	680.5	DFT	64QAM	Edge1RBRight	20.71
n71	15	15	680.5	DFT	64QAM	Edge1RBLeft	20.72
n71	15	15	680.5	DFT	64QAM	InnerFull	20.56
n71	15	15	680.5	DFT	64QAM	OuterFull	20.69
n71	15	15	680.5	DFT	256QAM	Edge1RBRight	18.02
n71	15	15	680.5	DFT	256QAM	Edge1RBLeft	18.00
n71	15	15	680.5	DFT	256QAM	InnerFull	18.61
n71	15	15	680.5	DFT	256QAM	OuterFull	18.61
n71	15	15	680.5	CP	QPSK	Edge1RBRight	20.06
n71	15	15	680.5	CP	QPSK	Edge1RBLeft	20.09
n71	15	15	680.5	CP	QPSK	InnerFull	21.63

n71	15	15	680.5	CP	QPSK	OuterFull	20.08
n71	15	15	680.5	CP	16QAM	Edge1RBRight	19.88
n71	15	15	680.5	CP	16QAM	Edge1RBLeft	20.20
n71	15	15	680.5	CP	16QAM	InnerFull	21.21
n71	15	15	680.5	CP	16QAM	OuterFull	20.15
n71	15	15	680.5	CP	64QAM	Edge1RBRight	19.55
n71	15	15	680.5	CP	64QAM	Edge1RBLeft	19.73
n71	15	15	680.5	CP	64QAM	InnerFull	19.55
n71	15	15	680.5	CP	64QAM	OuterFull	19.62
n71	15	15	680.5	CP	256QAM	Edge1RBRight	16.13
n71	15	15	680.5	CP	256QAM	Edge1RBLeft	16.11
n71	15	15	680.5	CP	256QAM	InnerFull	16.51
n71	15	15	680.5	CP	256QAM	OuterFull	16.55
n71	15	15	690.5	DFT	QPSK	Edge1RBRight	21.91
n71	15	15	690.5	DFT	QPSK	Edge1RBLeft	22.01
n71	15	15	690.5	DFT	QPSK	InnerFull	22.96
n71	15	15	690.5	DFT	QPSK	OuterFull	22.05
n71	15	15	690.5	DFT	16QAM	Edge1RBRight	20.79
n71	15	15	690.5	DFT	16QAM	Edge1RBLeft	20.94
n71	15	15	690.5	DFT	16QAM	InnerFull	22.07
n71	15	15	690.5	DFT	16QAM	OuterFull	20.99
n71	15	15	690.5	DFT	64QAM	Edge1RBRight	20.42
n71	15	15	690.5	DFT	64QAM	Edge1RBLeft	20.67
n71	15	15	690.5	DFT	64QAM	InnerFull	20.41
n71	15	15	690.5	DFT	64QAM	OuterFull	20.61
n71	15	15	690.5	DFT	256QAM	Edge1RBRight	17.83
n71	15	15	690.5	DFT	256QAM	Edge1RBLeft	17.94
n71	15	15	690.5	DFT	256QAM	InnerFull	18.52
n71	15	15	690.5	DFT	256QAM	OuterFull	18.44
n71	15	15	690.5	CP	QPSK	Edge1RBRight	19.82
n71	15	15	690.5	CP	QPSK	Edge1RBLeft	20.11
n71	15	15	690.5	CP	QPSK	InnerFull	21.43
n71	15	15	690.5	CP	QPSK	OuterFull	20.02
n71	15	15	690.5	CP	16QAM	Edge1RBRight	19.92
n71	15	15	690.5	CP	16QAM	Edge1RBLeft	20.10
n71	15	15	690.5	CP	16QAM	InnerFull	21.10
n71	15	15	690.5	CP	16QAM	OuterFull	19.96
n71	15	15	690.5	CP	64QAM	Edge1RBRight	19.38
n71	15	15	690.5	CP	64QAM	Edge1RBLeft	19.70
n71	15	15	690.5	CP	64QAM	InnerFull	19.40
n71	15	15	690.5	CP	64QAM	OuterFull	19.53

n71	15	15	690.5	CP	256QAM	Edge1RBRight	15.88
n71	15	15	690.5	CP	256QAM	Edge1RBLeft	16.17
n71	15	15	690.5	CP	256QAM	InnerFull	16.53
n71	15	15	690.5	CP	256QAM	OuterFull	16.54
n71	20	15	673.0	DFT	QPSK	Edge1RBRight	22.05
n71	20	15	673.0	DFT	QPSK	Edge1RBLeft	22.23
n71	20	15	673.0	DFT	QPSK	InnerFull	23.10
n71	20	15	673.0	DFT	QPSK	OuterFull	22.04
n71	20	15	673.0	DFT	16QAM	Edge1RBRight	20.92
n71	20	15	673.0	DFT	16QAM	Edge1RBLeft	21.03
n71	20	15	673.0	DFT	16QAM	InnerFull	22.08
n71	20	15	673.0	DFT	16QAM	OuterFull	21.04
n71	20	15	673.0	DFT	64QAM	Edge1RBRight	20.68
n71	20	15	673.0	DFT	64QAM	Edge1RBLeft	20.74
n71	20	15	673.0	DFT	64QAM	InnerFull	20.56
n71	20	15	673.0	DFT	64QAM	OuterFull	20.60
n71	20	15	673.0	DFT	256QAM	Edge1RBRight	17.97
n71	20	15	673.0	DFT	256QAM	Edge1RBLeft	18.07
n71	20	15	673.0	DFT	256QAM	InnerFull	18.49
n71	20	15	673.0	DFT	256QAM	OuterFull	18.63
n71	20	15	673.0	CP	QPSK	Edge1RBRight	19.98
n71	20	15	673.0	CP	QPSK	Edge1RBLeft	20.22
n71	20	15	673.0	CP	QPSK	InnerFull	21.53
n71	20	15	673.0	CP	QPSK	OuterFull	20.01
n71	20	15	673.0	CP	16QAM	Edge1RBRight	19.87
n71	20	15	673.0	CP	16QAM	Edge1RBLeft	20.16
n71	20	15	673.0	CP	16QAM	InnerFull	21.02
n71	20	15	673.0	CP	16QAM	OuterFull	20.00
n71	20	15	673.0	CP	64QAM	Edge1RBRight	19.57
n71	20	15	673.0	CP	64QAM	Edge1RBLeft	19.78
n71	20	15	673.0	CP	64QAM	InnerFull	19.61
n71	20	15	673.0	CP	64QAM	OuterFull	19.60
n71	20	15	673.0	CP	256QAM	Edge1RBRight	16.08
n71	20	15	673.0	CP	256QAM	Edge1RBLeft	16.20
n71	20	15	673.0	CP	256QAM	InnerFull	16.47
n71	20	15	673.0	CP	256QAM	OuterFull	16.54
n71	20	15	680.5	DFT	QPSK	Edge1RBRight	21.95
n71	20	15	680.5	DFT	QPSK	Edge1RBLeft	22.04
n71	20	15	680.5	DFT	QPSK	InnerFull	23.19
n71	20	15	680.5	DFT	QPSK	OuterFull	22.14
n71	20	15	680.5	DFT	16QAM	Edge1RBRight	20.88

n71	20	15	680.5	DFT	16QAM	Edge1RBLeft	20.98
n71	20	15	680.5	DFT	16QAM	InnerFull	22.11
n71	20	15	680.5	DFT	16QAM	OuterFull	21.11
n71	20	15	680.5	DFT	64QAM	Edge1RBRight	20.56
n71	20	15	680.5	DFT	64QAM	Edge1RBLeft	20.66
n71	20	15	680.5	DFT	64QAM	InnerFull	20.61
n71	20	15	680.5	DFT	64QAM	OuterFull	20.60
n71	20	15	680.5	DFT	256QAM	Edge1RBRight	17.93
n71	20	15	680.5	DFT	256QAM	Edge1RBLeft	17.98
n71	20	15	680.5	DFT	256QAM	InnerFull	18.52
n71	20	15	680.5	DFT	256QAM	OuterFull	18.58
n71	20	15	680.5	CP	QPSK	Edge1RBRight	20.03
n71	20	15	680.5	CP	QPSK	Edge1RBLeft	20.08
n71	20	15	680.5	CP	QPSK	InnerFull	21.51
n71	20	15	680.5	CP	QPSK	OuterFull	20.08
n71	20	15	680.5	CP	16QAM	Edge1RBRight	19.97
n71	20	15	680.5	CP	16QAM	Edge1RBLeft	20.14
n71	20	15	680.5	CP	16QAM	InnerFull	21.06
n71	20	15	680.5	CP	16QAM	OuterFull	20.03
n71	20	15	680.5	CP	64QAM	Edge1RBRight	19.51
n71	20	15	680.5	CP	64QAM	Edge1RBLeft	19.70
n71	20	15	680.5	CP	64QAM	InnerFull	19.63
n71	20	15	680.5	CP	64QAM	OuterFull	19.60
n71	20	15	680.5	CP	256QAM	Edge1RBRight	16.02
n71	20	15	680.5	CP	256QAM	Edge1RBLeft	16.03
n71	20	15	680.5	CP	256QAM	InnerFull	16.54
n71	20	15	680.5	CP	256QAM	OuterFull	16.58
n71	20	15	688.0	DFT	QPSK	Edge1RBRight	21.79
n71	20	15	688.0	DFT	QPSK	Edge1RBLeft	22.13
n71	20	15	688.0	DFT	QPSK	InnerFull	23.08
n71	20	15	688.0	DFT	QPSK	OuterFull	21.98
n71	20	15	688.0	DFT	16QAM	Edge1RBRight	20.70
n71	20	15	688.0	DFT	16QAM	Edge1RBLeft	21.00
n71	20	15	688.0	DFT	16QAM	InnerFull	21.97
n71	20	15	688.0	DFT	16QAM	OuterFull	20.91
n71	20	15	688.0	DFT	64QAM	Edge1RBRight	20.44
n71	20	15	688.0	DFT	64QAM	Edge1RBLeft	20.65
n71	20	15	688.0	DFT	64QAM	InnerFull	20.54
n71	20	15	688.0	DFT	64QAM	OuterFull	20.48
n71	20	15	688.0	DFT	256QAM	Edge1RBRight	17.81
n71	20	15	688.0	DFT	256QAM	Edge1RBLeft	18.02

n71	20	15	688.0	DFT	256QAM	InnerFull	18.44
n71	20	15	688.0	DFT	256QAM	OuterFull	18.42
n71	20	15	688.0	CP	QPSK	Edge1RBRight	19.78
n71	20	15	688.0	CP	QPSK	Edge1RBLeft	20.19
n71	20	15	688.0	CP	QPSK	InnerFull	21.52
n71	20	15	688.0	CP	QPSK	OuterFull	20.02
n71	20	15	688.0	CP	16QAM	Edge1RBRight	19.74
n71	20	15	688.0	CP	16QAM	Edge1RBLeft	20.17
n71	20	15	688.0	CP	16QAM	InnerFull	21.05
n71	20	15	688.0	CP	16QAM	OuterFull	19.94
n71	20	15	688.0	CP	64QAM	Edge1RBRight	19.39
n71	20	15	688.0	CP	64QAM	Edge1RBLeft	19.82
n71	20	15	688.0	CP	64QAM	InnerFull	19.63
n71	20	15	688.0	CP	64QAM	OuterFull	19.51
n71	20	15	688.0	CP	256QAM	Edge1RBRight	15.91
n71	20	15	688.0	CP	256QAM	Edge1RBLeft	16.24
n71	20	15	688.0	CP	256QAM	InnerFull	16.48
n71	20	15	688.0	CP	256QAM	OuterFull	16.52

A.1.3 Radiated

This is the test for the maximum radiated power from the EUT.

Part 24.232(c) specifies "Mobile and portable stations are limited to 2 watts EIRP".

Part 27.50(h)(2) specifies "Mobile stations are limited to 2.0 watts EIRP".

Part 27.50(d)(4) specifies "Fixed, mobile, and portable (handheld) stations operating in the 1710–1755 MHz band and mobile and portable stations operating in the 1695–1710 MHz and 1755–1780 MHz bands are limited to 1 watt EIRP".

Part 27.50(c)(10) specifies "Portable stations (hand-held devices) in the 600 MHz uplink band and the 698–746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP".

A.1.3.2 Method of Measurement

ANSI C63.26 chapter 5.2.5.5: when working in decibels (i.e., logarithmic scale), the ERP and EIRP represent the sum of the transmit antenna gain (in dBd or dBi, respectively) and the conducted RF output power (expressed in dB relative to watts or milliwatts).

The relevant equation for determining the maximum ERP or EIRP from the measured RF output power is given in Equation (1) as follows:

$$\text{ERP or EIRP} = P_{\text{Mea}} + G_{\text{T}}$$

Where

ERP or EIRP	effective radiated power or equivalent isotropically radiated power, respectively (expressed in the same units as P_{Mea} , e.g., dBm or dBW)
P_{Mea}	measured transmitter output power or PSD, in dBm or dBW
G_{T}	gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP)

A.1.3.3 Measurement result

n2

Band	BW (MHz)	SCS (kHz)	Freq (MHz)	OFDM	Modulation	RB Allocation	Power (dBm)	EIRP (dBm)
n2	5	15	1852.5	DFT	QPSK	Edge1RBRight	23.11	22.11
n2	5	15	1852.5	DFT	QPSK	Edge1RBLeft	23.08	22.08
n2	5	15	1852.5	DFT	QPSK	InnerFull	23.03	22.03
n2	5	15	1852.5	DFT	QPSK	OuterFull	23.06	22.06
n2	5	15	1852.5	DFT	16QAM	Edge1RBRight	22.16	21.16
n2	5	15	1852.5	DFT	16QAM	Edge1RBLeft	21.99	20.99
n2	5	15	1852.5	DFT	16QAM	InnerFull	23.29	22.29
n2	5	15	1852.5	DFT	16QAM	OuterFull	22.24	21.24
n2	5	15	1852.5	DFT	64QAM	Edge1RBRight	21.80	20.8
n2	5	15	1852.5	DFT	64QAM	Edge1RBLeft	21.74	20.74
n2	5	15	1852.5	DFT	64QAM	InnerFull	21.65	20.65
n2	5	15	1852.5	DFT	64QAM	OuterFull	21.59	20.59
n2	5	15	1852.5	DFT	256QAM	Edge1RBRight	19.18	18.18
n2	5	15	1852.5	DFT	256QAM	Edge1RBLeft	18.97	17.97
n2	5	15	1852.5	DFT	256QAM	InnerFull	19.53	18.53
n2	5	15	1852.5	DFT	256QAM	OuterFull	19.65	18.65
n2	5	15	1852.5	CP	QPSK	Edge1RBRight	21.10	20.1
n2	5	15	1852.5	CP	QPSK	Edge1RBLeft	21.12	20.12
n2	5	15	1852.5	CP	QPSK	InnerFull	22.75	21.75
n2	5	15	1852.5	CP	QPSK	OuterFull	21.30	20.3
n2	5	15	1852.5	CP	16QAM	Edge1RBRight	21.24	20.24
n2	5	15	1852.5	CP	16QAM	Edge1RBLeft	21.07	20.07
n2	5	15	1852.5	CP	16QAM	InnerFull	21.97	20.97
n2	5	15	1852.5	CP	16QAM	OuterFull	21.11	20.11
n2	5	15	1852.5	CP	64QAM	Edge1RBRight	20.73	19.73
n2	5	15	1852.5	CP	64QAM	Edge1RBLeft	20.77	19.77
n2	5	15	1852.5	CP	64QAM	InnerFull	20.67	19.67
n2	5	15	1852.5	CP	64QAM	OuterFull	20.60	19.6
n2	5	15	1852.5	CP	256QAM	Edge1RBRight	17.23	16.23
n2	5	15	1852.5	CP	256QAM	Edge1RBLeft	17.27	16.27
n2	5	15	1852.5	CP	256QAM	InnerFull	17.70	16.7
n2	5	15	1852.5	CP	256QAM	OuterFull	17.71	16.71
n2	5	15	1880.0	DFT	QPSK	Edge1RBRight	23.13	22.13
n2	5	15	1880.0	DFT	QPSK	Edge1RBLeft	23.06	22.06
n2	5	15	1880.0	DFT	QPSK	InnerFull	23.10	22.1
n2	5	15	1880.0	DFT	QPSK	OuterFull	23.09	22.09
n2	5	15	1880.0	DFT	16QAM	Edge1RBRight	22.22	21.22

n2	5	15	1880.0	DFT	16QAM	Edge1RBLeft	22.15	21.15
n2	5	15	1880.0	DFT	16QAM	InnerFull	23.06	22.06
n2	5	15	1880.0	DFT	16QAM	OuterFull	22.23	21.23
n2	5	15	1880.0	DFT	64QAM	Edge1RBRight	21.77	20.77
n2	5	15	1880.0	DFT	64QAM	Edge1RBLeft	21.81	20.81
n2	5	15	1880.0	DFT	64QAM	InnerFull	21.72	20.72
n2	5	15	1880.0	DFT	64QAM	OuterFull	21.64	20.64
n2	5	15	1880.0	DFT	256QAM	Edge1RBRight	19.19	18.19
n2	5	15	1880.0	DFT	256QAM	Edge1RBLeft	19.07	18.07
n2	5	15	1880.0	DFT	256QAM	InnerFull	19.77	18.77
n2	5	15	1880.0	DFT	256QAM	OuterFull	19.75	18.75
n2	5	15	1880.0	CP	QPSK	Edge1RBRight	21.20	20.2
n2	5	15	1880.0	CP	QPSK	Edge1RBLeft	21.17	20.17
n2	5	15	1880.0	CP	QPSK	InnerFull	22.76	21.76
n2	5	15	1880.0	CP	QPSK	OuterFull	21.23	20.23
n2	5	15	1880.0	CP	16QAM	Edge1RBRight	21.27	20.27
n2	5	15	1880.0	CP	16QAM	Edge1RBLeft	21.20	20.2
n2	5	15	1880.0	CP	16QAM	InnerFull	21.99	20.99
n2	5	15	1880.0	CP	16QAM	OuterFull	21.25	20.25
n2	5	15	1880.0	CP	64QAM	Edge1RBRight	20.74	19.74
n2	5	15	1880.0	CP	64QAM	Edge1RBLeft	20.67	19.67
n2	5	15	1880.0	CP	64QAM	InnerFull	20.62	19.62
n2	5	15	1880.0	CP	64QAM	OuterFull	20.69	19.69
n2	5	15	1880.0	CP	256QAM	Edge1RBRight	17.32	16.32
n2	5	15	1880.0	CP	256QAM	Edge1RBLeft	17.32	16.32
n2	5	15	1880.0	CP	256QAM	InnerFull	17.69	16.69
n2	5	15	1880.0	CP	256QAM	OuterFull	17.78	16.78
n2	5	15	1907.5	DFT	QPSK	Edge1RBRight	23.13	22.13
n2	5	15	1907.5	DFT	QPSK	Edge1RBLeft	22.98	21.98
n2	5	15	1907.5	DFT	QPSK	InnerFull	23.04	22.04
n2	5	15	1907.5	DFT	QPSK	OuterFull	23.08	22.08
n2	5	15	1907.5	DFT	16QAM	Edge1RBRight	22.09	21.09
n2	5	15	1907.5	DFT	16QAM	Edge1RBLeft	22.11	21.11
n2	5	15	1907.5	DFT	16QAM	InnerFull	23.23	22.23
n2	5	15	1907.5	DFT	16QAM	OuterFull	22.14	21.14
n2	5	15	1907.5	DFT	64QAM	Edge1RBRight	21.78	20.78
n2	5	15	1907.5	DFT	64QAM	Edge1RBLeft	21.76	20.76
n2	5	15	1907.5	DFT	64QAM	InnerFull	21.80	20.8
n2	5	15	1907.5	DFT	64QAM	OuterFull	21.58	20.58
n2	5	15	1907.5	DFT	256QAM	Edge1RBRight	19.03	18.03
n2	5	15	1907.5	DFT	256QAM	Edge1RBLeft	19.02	18.02

n2	5	15	1907.5	DFT	256QAM	InnerFull	19.69	18.69
n2	5	15	1907.5	DFT	256QAM	OuterFull	19.57	18.57
n2	5	15	1907.5	CP	QPSK	Edge1RBRight	21.14	20.14
n2	5	15	1907.5	CP	QPSK	Edge1RBLeft	21.11	20.11
n2	5	15	1907.5	CP	QPSK	InnerFull	22.73	21.73
n2	5	15	1907.5	CP	QPSK	OuterFull	21.21	20.21
n2	5	15	1907.5	CP	16QAM	Edge1RBRight	21.18	20.18
n2	5	15	1907.5	CP	16QAM	Edge1RBLeft	21.11	20.11
n2	5	15	1907.5	CP	16QAM	InnerFull	21.95	20.95
n2	5	15	1907.5	CP	16QAM	OuterFull	21.18	20.18
n2	5	15	1907.5	CP	64QAM	Edge1RBRight	20.73	19.73
n2	5	15	1907.5	CP	64QAM	Edge1RBLeft	20.77	19.77
n2	5	15	1907.5	CP	64QAM	InnerFull	20.68	19.68
n2	5	15	1907.5	CP	64QAM	OuterFull	20.66	19.66
n2	5	15	1907.5	CP	256QAM	Edge1RBRight	17.19	16.19
n2	5	15	1907.5	CP	256QAM	Edge1RBLeft	17.15	16.15
n2	5	15	1907.5	CP	256QAM	InnerFull	17.75	16.75
n2	5	15	1907.5	CP	256QAM	OuterFull	17.68	16.68
n2	10	15	1855.0	DFT	QPSK	Edge1RBRight	23.17	22.17
n2	10	15	1855.0	DFT	QPSK	Edge1RBLeft	23.27	22.27
n2	10	15	1855.0	DFT	QPSK	InnerFull	23.27	22.27
n2	10	15	1855.0	DFT	QPSK	OuterFull	23.27	22.27
n2	10	15	1855.0	DFT	16QAM	Edge1RBRight	22.18	21.18
n2	10	15	1855.0	DFT	16QAM	Edge1RBLeft	22.26	21.26
n2	10	15	1855.0	DFT	16QAM	InnerFull	23.31	22.31
n2	10	15	1855.0	DFT	16QAM	OuterFull	22.25	21.25
n2	10	15	1855.0	DFT	64QAM	Edge1RBRight	21.96	20.96
n2	10	15	1855.0	DFT	64QAM	Edge1RBLeft	21.79	20.79
n2	10	15	1855.0	DFT	64QAM	InnerFull	21.84	20.84
n2	10	15	1855.0	DFT	64QAM	OuterFull	21.75	20.75
n2	10	15	1855.0	DFT	256QAM	Edge1RBRight	19.22	18.22
n2	10	15	1855.0	DFT	256QAM	Edge1RBLeft	19.14	18.14
n2	10	15	1855.0	DFT	256QAM	InnerFull	19.66	18.66
n2	10	15	1855.0	DFT	256QAM	OuterFull	19.73	18.73
n2	10	15	1855.0	CP	QPSK	Edge1RBRight	21.23	20.23
n2	10	15	1855.0	CP	QPSK	Edge1RBLeft	21.40	20.4
n2	10	15	1855.0	CP	QPSK	InnerFull	22.69	21.69
n2	10	15	1855.0	CP	QPSK	OuterFull	21.34	20.34
n2	10	15	1855.0	CP	16QAM	Edge1RBRight	21.22	20.22
n2	10	15	1855.0	CP	16QAM	Edge1RBLeft	21.31	20.31
n2	10	15	1855.0	CP	16QAM	InnerFull	22.24	21.24

n2	10	15	1855.0	CP	16QAM	OuterFull	21.20	20.2
n2	10	15	1855.0	CP	64QAM	Edge1RBRight	20.94	19.94
n2	10	15	1855.0	CP	64QAM	Edge1RBLeft	20.86	19.86
n2	10	15	1855.0	CP	64QAM	InnerFull	20.78	19.78
n2	10	15	1855.0	CP	64QAM	OuterFull	20.77	19.77
n2	10	15	1855.0	CP	256QAM	Edge1RBRight	17.45	16.45
n2	10	15	1855.0	CP	256QAM	Edge1RBLeft	17.35	16.35
n2	10	15	1855.0	CP	256QAM	InnerFull	17.79	16.79
n2	10	15	1855.0	CP	256QAM	OuterFull	17.72	16.72
n2	10	15	1880.0	DFT	QPSK	Edge1RBRight	23.20	22.2
n2	10	15	1880.0	DFT	QPSK	Edge1RBLeft	23.10	22.1
n2	10	15	1880.0	DFT	QPSK	InnerFull	23.13	22.13
n2	10	15	1880.0	DFT	QPSK	OuterFull	23.18	22.18
n2	10	15	1880.0	DFT	16QAM	Edge1RBRight	22.29	21.29
n2	10	15	1880.0	DFT	16QAM	Edge1RBLeft	22.22	21.22
n2	10	15	1880.0	DFT	16QAM	InnerFull	23.20	22.2
n2	10	15	1880.0	DFT	16QAM	OuterFull	22.17	21.17
n2	10	15	1880.0	DFT	64QAM	Edge1RBRight	21.99	20.99
n2	10	15	1880.0	DFT	64QAM	Edge1RBLeft	22.00	21
n2	10	15	1880.0	DFT	64QAM	InnerFull	21.76	20.76
n2	10	15	1880.0	DFT	64QAM	OuterFull	21.71	20.71
n2	10	15	1880.0	DFT	256QAM	Edge1RBRight	19.08	18.08
n2	10	15	1880.0	DFT	256QAM	Edge1RBLeft	19.13	18.13
n2	10	15	1880.0	DFT	256QAM	InnerFull	19.56	18.56
n2	10	15	1880.0	DFT	256QAM	OuterFull	19.72	18.72
n2	10	15	1880.0	CP	QPSK	Edge1RBRight	21.22	20.22
n2	10	15	1880.0	CP	QPSK	Edge1RBLeft	21.04	20.04
n2	10	15	1880.0	CP	QPSK	InnerFull	22.65	21.65
n2	10	15	1880.0	CP	QPSK	OuterFull	21.31	20.31
n2	10	15	1880.0	CP	16QAM	Edge1RBRight	21.21	20.21
n2	10	15	1880.0	CP	16QAM	Edge1RBLeft	21.18	20.18
n2	10	15	1880.0	CP	16QAM	InnerFull	22.25	21.25
n2	10	15	1880.0	CP	16QAM	OuterFull	21.19	20.19
n2	10	15	1880.0	CP	64QAM	Edge1RBRight	20.91	19.91
n2	10	15	1880.0	CP	64QAM	Edge1RBLeft	20.77	19.77
n2	10	15	1880.0	CP	64QAM	InnerFull	20.76	19.76
n2	10	15	1880.0	CP	64QAM	OuterFull	20.79	19.79
n2	10	15	1880.0	CP	256QAM	Edge1RBRight	17.36	16.36
n2	10	15	1880.0	CP	256QAM	Edge1RBLeft	17.37	16.37
n2	10	15	1880.0	CP	256QAM	InnerFull	17.67	16.67
n2	10	15	1880.0	CP	256QAM	OuterFull	17.63	16.63

n2	10	15	1905.0	DFT	QPSK	Edge1RBRight	23.31	22.31
n2	10	15	1905.0	DFT	QPSK	Edge1RBLeft	23.23	22.23
n2	10	15	1905.0	DFT	QPSK	InnerFull	23.18	22.18
n2	10	15	1905.0	DFT	QPSK	OuterFull	23.20	22.2
n2	10	15	1905.0	DFT	16QAM	Edge1RBRight	22.26	21.26
n2	10	15	1905.0	DFT	16QAM	Edge1RBLeft	22.20	21.2
n2	10	15	1905.0	DFT	16QAM	InnerFull	23.25	22.25
n2	10	15	1905.0	DFT	16QAM	OuterFull	22.19	21.19
n2	10	15	1905.0	DFT	64QAM	Edge1RBRight	21.99	20.99
n2	10	15	1905.0	DFT	64QAM	Edge1RBLeft	21.94	20.94
n2	10	15	1905.0	DFT	64QAM	InnerFull	21.81	20.81
n2	10	15	1905.0	DFT	64QAM	OuterFull	21.80	20.8
n2	10	15	1905.0	DFT	256QAM	Edge1RBRight	19.09	18.09
n2	10	15	1905.0	DFT	256QAM	Edge1RBLeft	19.21	18.21
n2	10	15	1905.0	DFT	256QAM	InnerFull	19.55	18.55
n2	10	15	1905.0	DFT	256QAM	OuterFull	19.70	18.7
n2	10	15	1905.0	CP	QPSK	Edge1RBRight	21.12	20.12
n2	10	15	1905.0	CP	QPSK	Edge1RBLeft	21.23	20.23
n2	10	15	1905.0	CP	QPSK	InnerFull	22.65	21.65
n2	10	15	1905.0	CP	QPSK	OuterFull	21.26	20.26
n2	10	15	1905.0	CP	16QAM	Edge1RBRight	21.38	20.38
n2	10	15	1905.0	CP	16QAM	Edge1RBLeft	21.36	20.36
n2	10	15	1905.0	CP	16QAM	InnerFull	22.26	21.26
n2	10	15	1905.0	CP	16QAM	OuterFull	21.25	20.25
n2	10	15	1905.0	CP	64QAM	Edge1RBRight	20.94	19.94
n2	10	15	1905.0	CP	64QAM	Edge1RBLeft	20.84	19.84
n2	10	15	1905.0	CP	64QAM	InnerFull	20.73	19.73
n2	10	15	1905.0	CP	64QAM	OuterFull	20.77	19.77
n2	10	15	1905.0	CP	256QAM	Edge1RBRight	17.55	16.55
n2	10	15	1905.0	CP	256QAM	Edge1RBLeft	17.24	16.24
n2	10	15	1905.0	CP	256QAM	InnerFull	17.65	16.65
n2	10	15	1905.0	CP	256QAM	OuterFull	17.63	16.63
n2	15	15	1857.5	DFT	QPSK	Edge1RBRight	23.26	22.26
n2	15	15	1857.5	DFT	QPSK	Edge1RBLeft	23.24	22.24
n2	15	15	1857.5	DFT	QPSK	InnerFull	23.29	22.29
n2	15	15	1857.5	DFT	QPSK	OuterFull	23.28	22.28
n2	15	15	1857.5	DFT	16QAM	Edge1RBRight	22.35	21.35
n2	15	15	1857.5	DFT	16QAM	Edge1RBLeft	22.30	21.3
n2	15	15	1857.5	DFT	16QAM	InnerFull	23.33	22.33
n2	15	15	1857.5	DFT	16QAM	OuterFull	22.38	21.38
n2	15	15	1857.5	DFT	64QAM	Edge1RBRight	22.01	21.01

n2	15	15	1857.5	DFT	64QAM	Edge1RBLeft	21.91	20.91
n2	15	15	1857.5	DFT	64QAM	InnerFull	21.82	20.82
n2	15	15	1857.5	DFT	64QAM	OuterFull	21.88	20.88
n2	15	15	1857.5	DFT	256QAM	Edge1RBRight	19.24	18.24
n2	15	15	1857.5	DFT	256QAM	Edge1RBLeft	19.20	18.2
n2	15	15	1857.5	DFT	256QAM	InnerFull	19.88	18.88
n2	15	15	1857.5	DFT	256QAM	OuterFull	19.83	18.83
n2	15	15	1857.5	CP	QPSK	Edge1RBRight	21.28	20.28
n2	15	15	1857.5	CP	QPSK	Edge1RBLeft	21.32	20.32
n2	15	15	1857.5	CP	QPSK	InnerFull	22.80	21.8
n2	15	15	1857.5	CP	QPSK	OuterFull	21.31	20.31
n2	15	15	1857.5	CP	16QAM	Edge1RBRight	21.34	20.34
n2	15	15	1857.5	CP	16QAM	Edge1RBLeft	21.31	20.31
n2	15	15	1857.5	CP	16QAM	InnerFull	22.41	21.41
n2	15	15	1857.5	CP	16QAM	OuterFull	21.29	20.29
n2	15	15	1857.5	CP	64QAM	Edge1RBRight	20.89	19.89
n2	15	15	1857.5	CP	64QAM	Edge1RBLeft	20.98	19.98
n2	15	15	1857.5	CP	64QAM	InnerFull	20.70	19.7
n2	15	15	1857.5	CP	64QAM	OuterFull	20.85	19.85
n2	15	15	1857.5	CP	256QAM	Edge1RBRight	17.30	16.3
n2	15	15	1857.5	CP	256QAM	Edge1RBLeft	17.34	16.34
n2	15	15	1857.5	CP	256QAM	InnerFull	17.77	16.77
n2	15	15	1857.5	CP	256QAM	OuterFull	17.74	16.74
n2	15	15	1880.0	DFT	QPSK	Edge1RBRight	23.26	22.26
n2	15	15	1880.0	DFT	QPSK	Edge1RBLeft	23.23	22.23
n2	15	15	1880.0	DFT	QPSK	InnerFull	23.21	22.21
n2	15	15	1880.0	DFT	QPSK	OuterFull	23.34	22.34
n2	15	15	1880.0	DFT	16QAM	Edge1RBRight	22.22	21.22
n2	15	15	1880.0	DFT	16QAM	Edge1RBLeft	22.34	21.34
n2	15	15	1880.0	DFT	16QAM	InnerFull	23.33	22.33
n2	15	15	1880.0	DFT	16QAM	OuterFull	22.39	21.39
n2	15	15	1880.0	DFT	64QAM	Edge1RBRight	21.98	20.98
n2	15	15	1880.0	DFT	64QAM	Edge1RBLeft	21.97	20.97
n2	15	15	1880.0	DFT	64QAM	InnerFull	21.77	20.77
n2	15	15	1880.0	DFT	64QAM	OuterFull	21.90	20.9
n2	15	15	1880.0	DFT	256QAM	Edge1RBRight	19.19	18.19
n2	15	15	1880.0	DFT	256QAM	Edge1RBLeft	19.18	18.18
n2	15	15	1880.0	DFT	256QAM	InnerFull	19.71	18.71
n2	15	15	1880.0	DFT	256QAM	OuterFull	19.73	18.73
n2	15	15	1880.0	CP	QPSK	Edge1RBRight	21.34	20.34
n2	15	15	1880.0	CP	QPSK	Edge1RBLeft	21.28	20.28