



Single RU Mode



In-Band Emissions



Test Result



Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result	Limit	Verdict
11AX20MIMO	Ant14	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant15	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant14	6855	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant15	6855	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
11BE20MIMO	Ant14	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant15	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant14	6855	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant15	6855	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS







Test Graphs









































Maximum conducted output power

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Set Power	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict	
11AX20MIMO	Ant14	5955	26Tone	RU0	-7	-6.43	99.82	0.01	-6.42	≤25.50	-1.50	-7.92	≤30	PASS	
			52Tone	RU37	-4	-3.44	99.82	0.01	-3.43	≤25.50	-1.50	-4.93	≤30	PASS	
			106Tone	RU53	-1	-0.36	99.82	0.01	-0.35	≤25.50	-1.50	-1.85	≤30	PASS	
	Ant15	5955	26Tone	RU0	-7	-4.50	99.63	0.02	-4.48	≤23.50	0.50	-3.98	≤30	PASS	
			52Tone	RU37	-4	-1.35	99.63	0.02	-1.33	≤23.50	0.50	-0.83	≤30	PASS	
			106Tone	RU53	-1	1.70	99.63	0.02	1.72	≤23.50	0.50	2.22	≤30	PASS	
	total	5955	26Tone	RU0	---	---	---	---	---	-2.33	≤23.50	0.50	-1.83	≤30	PASS
			52Tone	RU37	---	---	---	---	---	0.76	≤23.50	0.50	1.26	≤30	PASS
			106Tone	RU53	---	---	---	---	---	3.82	≤23.50	0.50	4.32	≤30	PASS
	Ant14	6855	26Tone	RU8	-7	-5.96	99.82	0.01	-5.95	≤28.00	-4.00	-9.95	≤30	PASS	
			52Tone	RU40	-4	-3.07	99.82	0.01	-3.06	≤28.00	-4.00	-7.06	≤30	PASS	
			106Tone	RU54	-1	0.30	99.82	0.01	0.31	≤28.00	-4.00	-3.69	≤30	PASS	
	Ant15	6855	26Tone	RU8	-7	-3.70	99.63	0.02	-3.68	≤25.00	-1.00	-4.68	≤30	PASS	
			52Tone	RU40	-4	-0.64	99.63	0.02	-0.62	≤25.00	-1.00	-1.62	≤30	PASS	
			106Tone	RU54	-1	2.63	99.63	0.02	2.65	≤25.00	-1.00	1.65	≤30	PASS	
	total	6855	26Tone	RU8	---	---	---	---	---	-1.66	≤25.00	-1.00	-2.66	≤30	PASS
			52Tone	RU40	---	---	---	---	---	1.34	≤25.00	-1.00	0.34	≤30	PASS
			106Tone	RU54	---	---	---	---	---	4.65	≤25.00	-1.00	3.65	≤30	PASS
11BE20MIMO	Ant14	5955	26Tone	RU0	-7	-6.58	99.63	0.02	-6.56	≤25.50	-1.50	-8.06	≤30	PASS	
			52Tone	RU37	-4	-3.65	99.63	0.02	-3.63	≤25.50	-1.50	-5.13	≤30	PASS	
			106Tone	RU53	-1	-0.49	99.63	0.02	-0.47	≤25.50	-1.50	-1.97	≤30	PASS	
	Ant15	5955	26Tone	RU0	-7	-4.66	99.63	0.02	-4.64	≤23.50	0.50	-4.14	≤30	PASS	
			52Tone	RU37	-4	-1.34	99.63	0.02	-1.32	≤23.50	0.50	-0.82	≤30	PASS	
			106Tone	RU53	-1	1.78	99.63	0.02	1.80	≤23.50	0.50	2.30	≤30	PASS	
	total	5955	26Tone	RU0	---	---	---	---	---	-2.48	≤23.50	0.50	-1.98	≤30	PASS
			52Tone	RU37	---	---	---	---	---	0.69	≤23.50	0.50	1.19	≤30	PASS
			106Tone	RU53	---	---	---	---	---	3.82	≤23.50	0.50	4.32	≤30	PASS
	Ant14	6855	26Tone	RU8	-7	-6.14	99.63	0.02	-6.12	≤28.00	-4.00	-10.12	≤30	PASS	
			52Tone	RU40	-4	-3.01	99.63	0.02	-2.99	≤28.00	-4.00	-6.99	≤30	PASS	
			106Tone	RU54	-1	0.25	99.63	0.02	0.27	≤28.00	-4.00	-3.73	≤30	PASS	
	Ant15	6855	26Tone	RU8	-7	-3.78	99.63	0.02	-3.76	≤25.00	-1.00	-4.76	≤30	PASS	
			52Tone	RU40	-4	-0.80	99.63	0.02	-0.78	≤25.00	-1.00	-1.78	≤30	PASS	
			106Tone	RU54	-1	2.49	99.63	0.02	2.51	≤25.00	-1.00	1.51	≤30	PASS	
	total	6855	26Tone	RU8	---	---	---	---	---	-1.77	≤25.00	-1.00	-2.77	≤30	PASS
			52Tone	RU40	---	---	---	---	---	1.26	≤25.00	-1.00	0.26	≤30	PASS
			106Tone	RU54	---	---	---	---	---	4.54	≤25.00	-1.00	3.54	≤30	PASS



Maximum power spectral density



Test Result



Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant14	5955	26Tone	RU0	-8.97	≤0.50	-1.50	-10.47	≤17	PASS
			52Tone	RU37	-9.00	≤0.50	-1.50	-10.50	≤17	PASS
			106Tone	RU53	-9.01	≤0.50	-1.50	-10.51	≤17	PASS
	Ant15	5955	26Tone	RU0	-6.86	≤-1.50	0.50	-6.36	≤17	PASS
			52Tone	RU37	-6.65	≤-1.50	0.50	-6.15	≤17	PASS
			106Tone	RU53	-6.72	≤-1.50	0.50	-6.22	≤17	PASS
	total	5955	26Tone	RU0	-4.78	≤-3.57	2.57	-2.21	≤17	PASS
			52Tone	RU37	-4.66	≤-3.57	2.57	-2.09	≤17	PASS
			106Tone	RU53	-4.71	≤-3.57	2.57	-2.14	≤17	PASS
	Ant14	6855	26Tone	RU8	-9.09	≤3.00	-4.00	-13.09	≤17	PASS
			52Tone	RU40	-8.97	≤3.00	-4.00	-12.97	≤17	PASS
			106Tone	RU54	-8.89	≤3.00	-4.00	-12.89	≤17	PASS
	Ant15	6855	26Tone	RU8	-6.82	≤0.00	-1.00	-7.82	≤17	PASS
			52Tone	RU40	-6.77	≤0.00	-1.00	-7.77	≤17	PASS
			106Tone	RU54	-6.61	≤0.00	-1.00	-7.61	≤17	PASS
total	6855	26Tone	RU8	-4.80	≤-1.64	0.64	-4.16	≤17	PASS	
		52Tone	RU40	-4.72	≤-1.64	0.64	-4.08	≤17	PASS	
		106Tone	RU54	-4.59	≤-1.64	0.64	-3.95	≤17	PASS	
11BE20MIMO	Ant14	5955	26Tone	RU0	-8.76	≤0.50	-1.50	-10.26	≤17	PASS
			52Tone	RU37	-8.70	≤0.50	-1.50	-10.20	≤17	PASS
			106Tone	RU53	-8.78	≤0.50	-1.50	-10.28	≤17	PASS
	Ant15	5955	26Tone	RU0	-6.48	≤-1.50	0.50	-5.98	≤17	PASS
			52Tone	RU37	-6.37	≤-1.50	0.50	-5.87	≤17	PASS
			106Tone	RU53	-6.40	≤-1.50	0.50	-5.90	≤17	PASS
	total	5955	26Tone	RU0	-4.46	≤-3.57	2.57	-1.89	≤17	PASS
			52Tone	RU37	-4.37	≤-3.57	2.57	-1.80	≤17	PASS
			106Tone	RU53	-4.42	≤-3.57	2.57	-1.85	≤17	PASS
	Ant14	6855	26Tone	RU8	-8.71	≤3.00	-4.00	-12.71	≤17	PASS
			52Tone	RU40	-8.57	≤3.00	-4.00	-12.57	≤17	PASS
			106Tone	RU54	-8.43	≤3.00	-4.00	-12.43	≤17	PASS
	Ant15	6855	26Tone	RU8	-6.37	≤0.00	-1.00	-7.37	≤17	PASS
			52Tone	RU40	-6.42	≤0.00	-1.00	-7.42	≤17	PASS
			106Tone	RU54	-6.31	≤0.00	-1.00	-7.31	≤17	PASS
total	6855	26Tone	RU8	-4.37	≤-1.64	0.64	-3.73	≤17	PASS	
		52Tone	RU40	-4.35	≤-1.64	0.64	-3.71	≤17	PASS	
		106Tone	RU54	-4.23	≤-1.64	0.64	-3.59	≤17	PASS	



Note: 1.The Duty Cycle Factor and is compensated in the graph.







Test Graphs









































MRU Mode

Maximum conducted output power

Test Result

Test Mode	Antenna	Channel	MRU Size	MRU Index	Set Power	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11BE20MIMO	Ant14	5955	52+26_OFDMA	1	-4.5	-4.03	94.91	0.23	-3.80	-1.50	-5.30	≤30	PASS
			106+26_OFDMA	1	-1.5	-0.87	94.67	0.24	-0.63	-1.50	-2.13	≤30	PASS
	Ant15	5955	52+26_OFDMA	1	-4.5	-1.86	94.73	0.24	-1.62	0.50	-1.12	≤30	PASS
			106+26_OFDMA	1	-1.5	1.45	94.67	0.24	1.69	0.50	2.19	≤30	PASS
	total	5955	52+26_OFDMA	1	---	---	---	---	0.44	0.50	0.94	≤30	PASS
			106+26_OFDMA	1	---	---	---	---	3.69	0.50	4.19	≤30	PASS
	Ant14	6855	52+26_OFDMA	3	-4	-2.98	94.91	0.23	-2.75	-4.00	-6.75	≤30	PASS
			106+26_OFDMA	2	-1	0.31	94.67	0.24	0.55	-4.00	-3.45	≤30	PASS
	Ant15	6855	52+26_OFDMA	3	-4	-0.68	94.73	0.24	-0.44	-1.00	-1.44	≤30	PASS
			106+26_OFDMA	2	-1	2.60	94.67	0.24	2.84	-1.00	1.84	≤30	PASS
	total	6855	52+26_OFDMA	3	---	---	---	---	1.57	-1.00	0.57	≤30	PASS
			106+26_OFDMA	2	---	---	---	---	4.85	-1.00	3.85	≤30	PASS
11BE80MIMO	Ant14	5985	Large RU 484+242	4	2.5	3.65	93.75	0.28	3.93	-1.50	2.43	≤30	PASS
			Puncturing 20M	4	2.5	4.27	99.63	0.02	4.29	-1.50	2.79	≤30	PASS
	Ant15	5985	Large RU 484+242	4	2.5	6.22	93.68	0.28	6.50	0.50	7.00	≤30	PASS
			Puncturing 20M	4	2.5	6.35	99.63	0.02	6.37	0.50	6.87	≤30	PASS
	total	5985	Large RU 484+242	4	---	---	---	---	8.41	0.50	8.91	≤30	PASS
			Puncturing 20M	4	---	---	---	---	8.46	0.50	8.96	≤30	PASS
	Ant14	6785	Large RU 484+242	1	5.5	7.45	93.68	0.28	7.73	-4.00	3.73	≤30	PASS
			Puncturing 20M	1	3.5	6.10	99.63	0.02	6.12	-4.00	2.12	≤30	PASS
	Ant15	6785	Large RU 484+242	1	5.5	7.16	93.68	0.28	7.44	-1.00	6.44	≤30	PASS
			Puncturing 20M	1	3.5	8.54	99.63	0.02	8.56	-1.00	7.56	≤30	PASS
	total	6785	Large RU 484+242	1	---	---	---	---	10.60	-1.00	9.60	≤30	PASS
			Puncturing 20M	1	---	---	---	---	10.52	-1.00	9.52	≤30	PASS
11BE160MIMO	Ant14	6025	Large RU 996+484	4	2	3.66	94.57	0.24	3.90	-1.50	2.40	≤30	PASS
			Puncturing 40M	4	2	3.50	99.63	0.02	3.52	-1.50	2.02	≤30	PASS
			Puncturing 20M	8	2	3.54	99.82	0.01	3.55	-1.50	2.05	≤30	PASS
	Ant15	6025	Large RU 996+484	4	2	6.61	94.51	0.25	6.86	0.50	7.36	≤30	PASS
			Puncturing 40M	4	2	6.60	99.63	0.02	6.62	0.50	7.12	≤30	PASS
			Puncturing 20M	8	2	6.68	99.63	0.02	6.70	0.50	7.20	≤30	PASS
	total	6025	Large RU 996+484	4	---	---	---	---	8.64	0.50	9.14	≤30	PASS
			Puncturing 40M	4	---	---	---	---	8.35	0.50	8.85	≤30	PASS
			Puncturing 20M	8	---	---	---	---	8.41	0.50	8.91	≤30	PASS
Ant14	6665	Large RU 996+484	1	5	6.64	94.57	0.24	6.88	-4.00	2.88	≤30	PASS	



	Ant15	6665	Puncturing 40M	1	3.5	6.52	99.82	0.01	6.53	-4.00	2.53	≤30	PASS
			Puncturing 20M	1	3.5	6.54	99.63	0.02	6.56	-4.00	2.56	≤30	PASS
			Large RU 996*484	1	5	7.10	94.57	0.24	7.34	-1.00	6.34	≤30	PASS
			Puncturing 40M	1	3.5	7.92	99.63	0.02	7.94	-1.00	6.94	≤30	PASS
			Puncturing 20M	1	3.5	8.00	99.63	0.02	8.02	-1.00	7.02	≤30	PASS
	total	6665	Large RU 996*484	1	---	---	---	---	10.13	-1.00	9.13	≤30	PASS
			Puncturing 40M	1	---	---	---	---	10.30	-1.00	9.30	≤30	PASS
Puncturing 20M			1	---	---	---	---	10.36	-1.00	9.36	≤30	PASS	
11BE320MIMO	Ant14	6105	Large RU 996*2+484	6	1	2.67	93.10	0.31	2.98	-1.50	1.48	≤30	PASS
			Large RU 996*3	4	1	2.43	93.88	0.27	2.70	-1.50	1.20	≤30	PASS
			Large RU 996*3+484	8	1	2.46	93.18	0.31	2.77	-1.50	1.27	≤30	PASS
			Puncturing 80M+40M	6	1	2.68	99.63	0.02	2.70	-1.50	1.20	≤30	PASS
			Puncturing 80M	4	1	2.55	99.82	0.01	2.56	-1.50	1.06	≤30	PASS
			Puncturing 40M	8	1	2.53	99.82	0.01	2.54	-1.50	1.04	≤30	PASS
	Ant15	6105	Large RU 996*2+484	6	1	6.93	94.83	0.23	7.16	0.50	7.66	≤30	PASS
			Large RU 996*3	4	1	6.67	94.00	0.27	6.94	0.50	7.44	≤30	PASS
			Large RU 996*3+484	8	1	6.85	95.35	0.21	7.06	0.50	7.56	≤30	PASS
			Puncturing 80M+40M	6	1	6.95	99.63	0.02	6.97	0.50	7.47	≤30	PASS
			Puncturing 80M	4	1	6.70	99.63	0.02	6.72	0.50	7.22	≤30	PASS
			Puncturing 40M	8	1	6.71	99.63	0.02	6.73	0.50	7.23	≤30	PASS
	total	6105	Large RU 996*2+484	6	---	---	---	---	8.56	0.50	9.06	≤30	PASS
			Large RU 996*3	4	---	---	---	---	8.33	0.50	8.83	≤30	PASS
			Large RU 996*3+484	8	---	---	---	---	8.43	0.50	8.93	≤30	PASS
			Puncturing 80M+40M	6	---	---	---	---	8.35	0.50	8.85	≤30	PASS
			Puncturing 80M	4	---	---	---	---	8.13	0.50	8.63	≤30	PASS
			Puncturing 40M	8	---	---	---	---	8.13	0.50	8.63	≤30	PASS
	Ant14	6265	Large RU 996*2+484	7	1	4.55	94.74	0.23	4.78	-1.50	3.28	≤30	PASS
			Large RU 996*3	1	1.5	4.38	92.00	0.36	4.74	-1.50	3.24	≤30	PASS
			Large RU 996*3+484	1	1.5	5.15	93.18	0.31	5.46	-1.50	3.96	≤30	PASS
			Puncturing 80M+40M	7	1.5	5.03	99.63	0.02	5.05	-1.50	3.55	≤30	PASS
			Puncturing 80M	1	1.5	5.00	99.63	0.02	5.02	-1.50	3.52	≤30	PASS
			Puncturing 40M	1	1.5	5.19	99.63	0.02	5.21	-1.50	3.71	≤30	PASS
	Ant15	6265	Large RU 996*2+484	7	1	5.17	94.83	0.23	5.40	0.50	5.90	≤30	PASS
			Large RU 996*3	1	1.5	5.01	94.00	0.27	5.28	0.50	5.78	≤30	PASS
			Large RU 996*3+484	1	1.5	5.67	95.35	0.21	5.88	0.50	6.38	≤30	PASS
			Puncturing 80M+40M	7	1.5	5.68	99.63	0.02	5.70	0.50	6.20	≤30	PASS
Puncturing 80M			1	1.5	5.58	99.63	0.02	5.60	0.50	6.10	≤30	PASS	
Puncturing 40M			1	1.5	5.71	99.63	0.02	5.73	0.50	6.23	≤30	PASS	
total	6265	Large RU 996*2+484	7	---	---	---	---	8.11	0.50	8.61	≤30	PASS	



			Large RU 996*3	1	---	---	---	---	8.03	0.50	8.53	≤30	PASS
			Large RU 996*3+484	1	---	---	---	---	8.69	0.50	9.19	≤30	PASS
			Puncturing 80M+40M	7	---	---	---	---	8.40	0.50	8.90	≤30	PASS
			Puncturing 80M	1	---	---	---	---	8.33	0.50	8.83	≤30	PASS
			Puncturing 40M	1	---	---	---	---	8.49	0.50	8.99	≤30	PASS

Note: The Duty Cycle Factor is compensated in the graph.

Maximum power spectral density

Test Result

Test Mode	Antenna	Channel	MRU Size	MRU Index	Result [dBm/MHz]	Limit [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20MIMO	Ant14	5955	52+26_OFDMA	1	-10.83	≤0.50	-1.50	-12.33	≤17	PASS
			106+26_OFDMA	1	-9.99	≤0.50	-1.50	-11.49	≤17	PASS
	Ant15	5955	52+26_OFDMA	1	-8.42	≤-1.50	0.50	-7.92	≤17	PASS
			106+26_OFDMA	1	-7.54	≤-1.50	0.50	-7.04	≤17	PASS
	total	5955	52+26_OFDMA	1	-6.45	≤-3.57	2.57	-3.88	≤17	PASS
			106+26_OFDMA	1	-5.58	≤-3.57	2.57	-3.01	≤17	PASS
	Ant14	6855	52+26_OFDMA	3	-10.16	≤3.00	-4.00	-14.16	≤17	PASS
			106+26_OFDMA	2	-9.11	≤3.00	-4.00	-13.11	≤17	PASS
	Ant15	6855	52+26_OFDMA	3	-8.04	≤0.00	-1.00	-9.04	≤17	PASS
			106+26_OFDMA	2	-6.97	≤0.00	-1.00	-7.97	≤17	PASS
total	6855	52+26_OFDMA	3	-5.96	≤-1.64	0.64	-5.32	≤17	PASS	
		106+26_OFDMA	2	-4.90	≤-1.64	0.64	-4.26	≤17	PASS	
11BE80MIMO	Ant14	5985	Large RU 484+242	4	-12.80	≤0.50	-1.50	-14.30	≤17	PASS
			Puncturing 20M	4	-12.64	≤0.50	-1.50	-14.14	≤17	PASS
	Ant15	5985	Large RU 484+242	4	-10.49	≤-1.50	0.50	-9.99	≤17	PASS
			Puncturing 20M	4	-10.96	≤-1.50	0.50	-10.46	≤17	PASS
	total	5985	Large RU 484+242	4	-8.48	≤-3.57	2.57	-5.91	≤17	PASS
			Puncturing 20M	4	-8.71	≤-3.57	2.57	-6.14	≤17	PASS
	Ant14	6785	Large RU 484+242	1	-9.49	≤3.00	-4.00	-13.49	≤17	PASS
			Puncturing 20M	1	-11.46	≤3.00	-4.00	-15.46	≤17	PASS
	Ant15	6785	Large RU 484+242	1	-9.80	≤0.00	-1.00	-10.80	≤17	PASS
			Puncturing 20M	1	-8.97	≤0.00	-1.00	-9.97	≤17	PASS
total	6785	Large RU 484+242	1	-6.63	≤-1.64	0.64	-5.99	≤17	PASS	
		Puncturing 20M	1	-7.03	≤-1.64	0.64	-6.39	≤17	PASS	
11BE160MIMO	Ant14	6025	Large RU 996+484	4	-16.22	≤0.50	-1.50	-17.72	≤17	PASS
			Puncturing 40M	4	-17.02	≤0.50	-1.50	-18.52	≤17	PASS
			Puncturing 20M	8	-17.70	≤0.50	-1.50	-19.20	≤17	PASS
	Ant15	6025	Large RU 996+484	4	-13.42	≤-1.50	0.50	-12.92	≤17	PASS
			Puncturing 40M	4	-14.16	≤-1.50	0.50	-13.66	≤17	PASS



11BE320MIMO	total	6025	Puncturing 20M	8	-14.84	≤-1.50	0.50	-14.34	≤17	PASS	
			Large RU 996+484	4	-11.59	≤-3.57	2.57	-9.02	≤17	PASS	
			Puncturing 40M	4	-12.35	≤-3.57	2.57	-9.78	≤17	PASS	
	Ant14	6665	Puncturing 20M	8	-13.03	≤-3.57	2.57	-10.46	≤17	PASS	
			Large RU 996+484	1	-13.26	≤3.00	-4.00	-17.26	≤17	PASS	
			Puncturing 40M	1	-14.04	≤3.00	-4.00	-18.04	≤17	PASS	
	Ant15	6665	Puncturing 20M	1	-14.64	≤3.00	-4.00	-18.64	≤17	PASS	
			Large RU 996+484	1	-12.93	≤0.00	-1.00	-13.93	≤17	PASS	
			Puncturing 40M	1	-12.84	≤0.00	-1.00	-13.84	≤17	PASS	
	total	6665	Puncturing 20M	1	-13.45	≤0.00	-1.00	-14.45	≤17	PASS	
			Large RU 996+484	1	-10.08	≤-1.64	0.64	-9.44	≤17	PASS	
			Puncturing 40M	1	-10.39	≤-1.64	0.64	-9.75	≤17	PASS	
	11BE320MIMO	Ant14	6105	Puncturing 20M	1	-10.99	≤-1.64	0.64	-10.35	≤17	PASS
				Large RU 996*2+484	6	-19.74	≤0.50	-1.50	-21.24	≤17	PASS
				Large RU 996*3	4	-20.65	≤0.50	-1.50	-22.15	≤17	PASS
				Large RU 996*3+484	8	-21.26	≤0.50	-1.50	-22.76	≤17	PASS
				Puncturing 80M+40M	6	-20.47	≤0.50	-1.50	-21.97	≤17	PASS
				Puncturing 80M	4	-21.42	≤0.50	-1.50	-22.92	≤17	PASS
		Ant15	6105	Puncturing 40M	8	-21.99	≤0.50	-1.50	-23.49	≤17	PASS
				Large RU 996*2+484	6	-15.80	≤-1.50	0.50	-15.30	≤17	PASS
				Large RU 996*3	4	-16.80	≤-1.50	0.50	-16.30	≤17	PASS
				Large RU 996*3+484	8	-17.22	≤-1.50	0.50	-16.72	≤17	PASS
				Puncturing 80M+40M	6	-16.50	≤-1.50	0.50	-16.00	≤17	PASS
				Puncturing 80M	4	-17.54	≤-1.50	0.50	-17.04	≤17	PASS
total		6105	Puncturing 40M	8	-18.19	≤-1.50	0.50	-17.69	≤17	PASS	
			Large RU 996*2+484	6	-14.33	≤-3.57	2.57	-11.76	≤17	PASS	
			Large RU 996*3	4	-15.30	≤-3.57	2.57	-12.73	≤17	PASS	
			Large RU 996*3+484	8	-15.78	≤-3.57	2.57	-13.21	≤17	PASS	
			Puncturing 80M+40M	6	-15.04	≤-3.57	2.57	-12.47	≤17	PASS	
			Puncturing 80M	4	-16.05	≤-3.57	2.57	-13.48	≤17	PASS	
Ant14		6265	Puncturing 40M	8	-16.68	≤-3.57	2.57	-14.11	≤17	PASS	
			Large RU 996*2+484	7	-17.31	≤0.50	-1.50	-18.81	≤17	PASS	
			Large RU 996*3	1	-17.96	≤0.50	-1.50	-19.46	≤17	PASS	
			Large RU 996*3+484	1	-17.69	≤0.50	-1.50	-19.19	≤17	PASS	
			Puncturing 80M+40M	7	-17.37	≤0.50	-1.50	-18.87	≤17	PASS	
			Puncturing 80M	1	-18.09	≤0.50	-1.50	-19.59	≤17	PASS	
Ant15	6265	Puncturing 40M	1	-18.16	≤0.50	-1.50	-19.66	≤17	PASS		
		Large RU 996*2+484	7	-17.37	≤-1.50	0.50	-16.87	≤17	PASS		
		Large RU 996*3	1	-18.40	≤-1.50	0.50	-17.90	≤17	PASS		
			Large RU	1	-18.42	≤-1.50	0.50	-17.92	≤17	PASS	



			996*3+484							
			Puncturing 80M+40M	7	-17.45	≤-1.50	0.50	-16.95	≤17	PASS
			Puncturing 80M	1	-18.42	≤-1.50	0.50	-17.92	≤17	PASS
			Puncturing 40M	1	-18.80	≤-1.50	0.50	-18.30	≤17	PASS
	total	6265	Large RU 996*2+484	7	-14.33	≤-3.57	2.57	-11.76	≤17	PASS
			Large RU 996*3	1	-15.16	≤-3.57	2.57	-12.59	≤17	PASS
			Large RU 996*3+484	1	-15.03	≤-3.57	2.57	-12.46	≤17	PASS
			Puncturing 80M+40M	7	-14.40	≤-3.57	2.57	-11.83	≤17	PASS
			Puncturing 80M	1	-15.24	≤-3.57	2.57	-12.67	≤17	PASS
			Puncturing 40M	1	-15.46	≤-3.57	2.57	-12.89	≤17	PASS

Note: 1. The Duty Cycle Factor and RBW Factor is compensated in the graph.



Test Graphs

