



TX CH 157



Date: 26.JUL.2018 11:03:02


TX CH 165



Date: 26.JUL.2018 11:04:24


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.69	17.60	>=500
CH157	5785	17.65	17.60	>=500
CH165	5825	17.70	17.60	>=500

TX CH 149



Date: 26.JUL.2018 11:23:23

TX CH 157



Date: 26.JUL.2018 11:24:34

TX CH 165




Date: 26.JUL.2018 11:25:39

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.70	47.80	>=500
CH159	5795	36.50	36.80	>=500

TX CH 151



Date: 26.JUL.2018 11:39:15

TX CH 159




Date: 26.JUL.2018 11:41:03

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	39.99	20.30
CH40	5200	41.89	24.70
CH48	5240	41.49	24.90

TX CH36




Date: 26.JUL.2018 11:27:50

TX CH40



Date: 26.JUL.2018 11:28:46

TX CH48




Date: 26.JUL.2018 11:29:30

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	44.30	37.00
CH46	5230	91.79	49.60

TX CH38



Date: 26.JUL.2018 11:43:13

TX CH46




Date: 26.JUL.2018 11:44:08

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	83.80	76.00


TX CH42



Date: 26.JUL.2018 11:48:37


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.90	17.70	>=500
CH157	5785	17.85	17.70	>=500
CH165	5825	17.85	17.80	>=500

TX CH 149



Date: 26.JUL.2018 11:30:47

TX CH 157



Date: 26.JUL.2018 11:31:54

TX CH 165




Date: 26.JUL.2018 11:33:09

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.59	36.80	>=500
CH159	5795	36.60	36.40	>=500

TX CH 151



Date: 26.JUL.2018 11:45:25


TX CH 159



Date: 26.JUL.2018 11:46:33

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	76.60	116.40	>=500




Date: 26.JUL.2018 11:49:48

With Beamforming

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	32.10	18.10
CH40	5200	30.80	18.00
CH48	5240	25.50	18.00

TX CH36




Date: 26.JUL.2018 15:07:00

TX CH40



Date: 26.JUL.2018 15:16:17

TX CH48




Date: 26.JUL.2018 15:17:27

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	75.59	37.40
CH46	5230	72.90	37.60

TX CH38



Date: 26.JUL.2018 14:55:56


TX CH46



Date: 26.JUL.2018 14:56:42


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.65	17.60	>=500
CH157	5785	17.70	17.60	>=500
CH165	5825	17.70	17.60	>=500

TX CH 149



Date: 26.JUL.2018 15:18:35

TX CH 157



Date: 26.JUL.2018 15:19:39

TX CH 165




Date: 26.JUL.2018 15:20:34

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.60	36.40	>=500
CH159	5795	36.60	36.40	>=500

TX CH 151



Date: 26.JUL.2018 14:58:23

TX CH 159




Date: 26.JUL.2018 14:59:22

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	32.89	18.30
CH40	5200	32.80	18.20
CH48	5240	28.75	18.10

TX CH36




Date: 26.JUL.2018 15:00:42

TX CH40



Date: 26.JUL.2018 15:01:33

TX CH48




Date: 26.JUL.2018 15:02:39

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	69.79	37.60
CH46	5230	72.19	37.60

TX CH38



Date: 26.JUL.2018 14:51:11

TX CH46




Date: 26.JUL.2018 14:52:10

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.81	17.70	>=500
CH157	5785	17.85	17.80	>=500
CH165	5825	17.90	17.80	>=500

TX CH 149




Date: 26.JUL.2018 15:03:40

TX CH 157



Date: 26.JUL.2018 15:04:56

TX CH 165




Date: 26.JUL.2018 15:06:03

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.61	36.40	>=500
CH159	5795	36.60	36.40	>=500

TX CH 151



Date: 26.JUL.2018 14:53:29


TX CH 159



Date: 26.JUL.2018 14:54:36

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	76.81	76.40	>=500



Date: 26.JUL.2018 14:49:54

APPENDIX F - MAXIMUM OUTPUT POWER

Non Beamforming

Test Mode: UNII-1/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.11	0.00	24.11	30.00	1.00
CH40	5200	26.32	0.00	26.32	30.00	1.00
CH48	5240	26.55	0.00	26.55	30.00	1.00

Test Mode: UNII-3/ TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	23.45	0.00	23.45	30.00	1.00
CH157	5785	22.86	0.00	22.86	30.00	1.00
CH165	5825	22.51	0.00	22.51	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.62	0.00	24.62	28.99	0.79
CH40	5200	25.39	0.00	25.39	28.99	0.79
CH48	5240	25.51	0.00	25.51	28.99	0.79

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.49	0.00	24.49	28.99	0.79
CH40	5200	25.33	0.00	25.33	28.99	0.79
CH48	5240	25.72	0.00	25.72	28.99	0.79

Test Mode: UNII-1/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	27.57	28.99	0.79
CH40	5200	28.37	28.99	0.79
CH48	5240	28.63	28.99	0.79

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	21.37	0.00	21.37	28.99	0.79
CH46	5230	24.61	0.00	24.61	28.99	0.79

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	21.08	0.00	21.08	28.99	0.79
CH46	5230	25.56	0.00	25.56	28.99	0.79

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	24.24	28.99	0.79
CH46	5230	28.12	28.99	0.79

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	21.15	0.00	21.15	28.49	0.71
CH157	5785	18.92	0.00	18.92	28.49	0.71
CH165	5825	17.98	0.00	17.98	28.49	0.71

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	20.92	0.00	20.92	28.49	0.71
CH157	5785	18.38	0.00	18.38	28.49	0.71
CH165	5825	17.86	0.00	17.86	28.49	0.71

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	24.05	28.49	0.71
CH157	5785	21.67	28.49	0.71
CH165	5825	20.93	28.49	0.71

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	24.62	0.00	24.62	28.49	0.71
CH159	5795	20.56	0.00	20.56	28.49	0.71

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	25.31	0.00	25.31	28.49	0.71
CH159	5795	21.81	0.00	21.81	28.49	0.71

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	27.99	28.49	0.71
CH159	5795	24.24	28.49	0.71

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.81	0.00	24.81	28.99	0.79
CH40	5200	25.23	0.00	25.23	28.99	0.79
CH48	5240	25.03	0.00	25.03	28.99	0.79

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.53	0.00	24.53	28.99	0.79
CH40	5200	25.35	0.00	25.35	28.99	0.79
CH48	5240	25.62	0.00	25.62	28.99	0.79

Test Mode: UNII-1/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	27.68	28.99	0.79
CH40	5200	28.30	28.99	0.79
CH48	5240	28.35	28.99	0.79

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	19.63	0.00	19.63	28.99	0.79
CH46	5230	24.54	0.00	24.54	28.99	0.79

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	20.84	0.00	20.84	28.99	0.79
CH46	5230	24.87	0.00	24.87	28.99	0.79

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	23.29	28.99	0.79
CH46	5230	27.72	28.99	0.79

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	17.33	0.00	17.33	28.99	0.79

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	19.42	0.00	19.42	28.99	0.79

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	21.51	28.99	0.79

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.28	0.00	19.28	28.49	0.71
CH157	5785	17.11	0.00	17.11	28.49	0.71
CH165	5825	15.73	0.00	15.73	28.49	0.71

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.64	0.00	19.64	28.49	0.71
CH157	5785	18.67	0.00	18.67	28.49	0.71
CH165	5825	14.56	0.00	14.56	28.49	0.71

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.47	28.49	0.71
CH157	5785	20.97	28.49	0.71
CH165	5825	18.19	28.49	0.71

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.82	0.00	21.82	28.49	0.71
CH159	5795	19.37	0.00	19.37	28.49	0.71

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	22.13	0.00	22.13	28.49	0.71
CH159	5795	20.69	0.00	20.69	28.49	0.71

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	24.99	28.49	0.71
CH159	5795	23.09	28.49	0.71

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	24.97	0.00	24.97	28.49	0.71

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	25.52	0.00	25.52	28.49	0.71

Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	28.26	28.49	0.71

With Beamforming

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	22.67	0.00	22.67	25.99	0.40
CH40	5200	22.55	0.00	22.55	25.99	0.40
CH48	5240	22.92	0.00	22.92	25.99	0.40

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	22.82	0.00	22.82	25.99	0.40
CH40	5200	22.87	0.00	22.87	25.99	0.40
CH48	5240	22.95	0.00	22.95	25.99	0.40

Test Mode: UNII-1/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	25.76	25.99	0.40
CH40	5200	25.72	25.99	0.40
CH48	5240	25.95	25.99	0.40

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	21.21	0.00	21.21	25.99	0.40
CH46	5230	22.25	0.00	22.25	25.99	0.40

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	21.03	0.00	21.03	25.99	0.40
CH46	5230	21.84	0.00	21.84	25.99	0.40

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	24.13	25.99	0.40
CH46	5230	25.06	25.99	0.40

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	21.03	0.00	21.03	25.49	0.35
CH157	5785	18.75	0.00	18.75	25.49	0.35
CH165	5825	17.83	0.00	17.83	25.49	0.35

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	20.92	0.00	20.92	25.49	0.35
CH157	5785	18.13	0.00	18.13	25.49	0.35
CH165	5825	17.65	0.00	17.65	25.49	0.35

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	23.99	25.49	0.35
CH157	5785	21.46	25.49	0.35
CH165	5825	20.75	25.49	0.35

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.68	0.00	21.68	25.49	0.35
CH159	5795	21.03	0.00	21.03	25.49	0.35

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	22.73	0.00	22.73	25.49	0.35
CH159	5795	21.26	0.00	21.26	25.49	0.35

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	25.25	25.49	0.35
CH159	5795	24.16	25.49	0.35

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	22.43	0.00	22.43	25.99	0.40
CH40	5200	22.63	0.00	22.63	25.99	0.40
CH48	5240	22.81	0.00	22.81	25.99	0.40

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	22.62	0.00	22.62	25.99	0.40
CH40	5200	22.83	0.00	22.83	25.99	0.40
CH48	5240	22.87	0.00	22.87	25.99	0.40

Test Mode: UNII-1/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	25.54	25.99	0.40
CH40	5200	25.74	25.99	0.40
CH48	5240	25.85	25.99	0.40

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	19.33	0.00	19.33	25.99	0.40
CH46	5230	22.62	0.00	22.62	25.99	0.40

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	20.51	0.00	20.51	25.99	0.40
CH46	5230	22.81	0.00	22.81	25.99	0.40

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	22.97	25.99	0.40
CH46	5230	25.73	25.99	0.40

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	17.13	0.00	17.13	25.99	0.40

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	19.22	0.00	19.22	25.99	0.40

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	21.31	25.99	0.40

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.12	0.00	19.12	25.49	0.35
CH157	5785	17.03	0.00	17.03	25.49	0.35
CH165	5825	15.52	0.00	15.52	25.49	0.35

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.34	0.00	19.34	25.49	0.35
CH157	5785	18.37	0.00	18.37	25.49	0.35
CH165	5825	14.34	0.00	14.34	25.49	0.35

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.24	25.49	0.35
CH157	5785	20.76	25.49	0.35
CH165	5825	17.98	25.49	0.35

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.37	0.00	21.37	25.49	0.35
CH159	5795	19.32	0.00	19.32	25.49	0.35

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	22.12	0.00	22.12	25.49	0.35
CH159	5795	20.13	0.00	20.13	25.49	0.35

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	24.77	25.49	0.35
CH159	5795	22.75	25.49	0.35

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	21.66	0.00	21.66	25.49	0.35

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	22.72	0.00	22.72	25.49	0.35

Test Mode: UNII-3/TX AC80 Mode_Total


Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	25.23	25.49	0.35

APPENDIX G - POWER SPECTRAL DENSITY

Non Beamforming


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.00	0.00	2.00	17.00
CH40	5200	3.76	0.00	3.76	17.00
CH48	5240	3.74	0.00	3.74	17.00




Date: 26.JUL.2018 10:55:19

CH40



Date: 26.JUL.2018 10:56:25

CH48




Date: 26.JUL.2018 10:57:05

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.73	0.00	0.73	30.00
CH157	5785	-0.17	0.00	-0.17	30.00
CH165	5825	-0.19	0.00	-0.19	30.00

TX CH149




Date: 26.JUL.2018 10:59:16

TX CH157



Date: 26.JUL.2018 11:03:12


TX CH165



Date: 26.JUL.2018 11:04:33


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.09	0.00	2.09	15.99
CH40	5200	3.42	0.00	3.42	15.99
CH48	5240	3.36	0.00	3.36	15.99




Date: 26.JUL.2018 11:18:45

CH40



Date: 26.JUL.2018 11:19:30


CH48



Date: 26.JUL.2018 11:20:15


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.30	0.00	0.30	15.99
CH40	5200	2.75	0.00	2.75	15.99
CH48	5240	2.74	0.00	2.74	15.99




Date: 26.JUL.2018 13:55:36

CH40



Date: 26.JUL.2018 13:56:47

CH48



Date: 26.JUL.2018 13:57:32


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.30	15.99
CH40	5200	6.11	15.99
CH48	5240	6.07	15.99

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.78	0.00	-4.78	15.99
CH46	5230	-0.05	0.00	-0.05	15.99

CH38



Date: 26.JUL.2018 11:37:11

CH46




Date: 26.JUL.2018 11:38:17

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.90	0.00	-3.90	15.99
CH46	5230	-0.50	0.00	-0.50	15.99

CH38



Date: 26.JUL.2018 13:43:17

CH46



Date: 26.JUL.2018 13:44:15


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.31	15.99
CH46	5230	2.74	15.99

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-2.75	0.00	-2.75	28.49
CH157	5785	-4.50	0.00	-4.50	28.49
CH165	5825	-4.63	0.00	-4.63	28.49

TX CH149




Date: 26.JUL.2018 11:23:32

TX CH157



Date: 26.JUL.2018 11:24:43

TX CH165




Date: 26.JUL.2018 11:25:48

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-2.64	0.00	-2.64	28.49
CH157	5785	-4.34	0.00	-4.34	28.49
CH165	5825	-4.04	0.00	-4.04	28.49

TX CH149




Date: 26.JUL.2018 13:58:41

TX CH157



Date: 26.JUL.2018 13:59:53

TX CH165



Date: 26.JUL.2018 14:01:12


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.32	28.49
CH157	5785	-1.41	28.49
CH165	5825	-1.31	28.49

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.71	0.00	-2.71	28.49
CH159	5795	-4.09	0.00	-4.09	28.49

TX CH151



Date: 26.JUL.2018 11:39:28

TX CH159




Date: 26.JUL.2018 11:41:16

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-3.22	0.00	-3.22	28.49
CH159	5795	-4.68	0.00	-4.68	28.49

TX CH151



Date: 26.JUL.2018 13:45:35

TX CH159




Date: 26.JUL.2018 13:46:44

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	0.05	28.49
CH159	5795	-1.36	28.49


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.84	0.00	1.84	15.99
CH40	5200	2.82	0.00	2.82	15.99
CH48	5240	2.89	0.00	2.89	15.99




Date: 26.JUL.2018 11:28:00

CH40



Date: 26.JUL.2018 11:28:56


CH48



Date: 26.JUL.2018 11:29:39


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.80	0.00	1.80	15.99
CH40	5200	2.14	0.00	2.14	15.99
CH48	5240	2.19	0.00	2.19	15.99




Date: 26.JUL.2018 13:49:26

CH40



Date: 26.JUL.2018 13:50:24

CH48



Date: 26.JUL.2018 13:51:06


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.83	15.99
CH40	5200	5.50	15.99
CH48	5240	5.56	15.99

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.83	0.00	-4.83	15.99
CH46	5230	-0.29	0.00	-0.29	15.99

CH38



Date: 26.JUL.2018 11:43:26

CH46




Date: 26.JUL.2018 11:44:21

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.07	0.00	-4.07	15.99
CH46	5230	0.04	0.00	0.04	15.99

CH38



Date: 26.JUL.2018 13:38:27

CH46




Date: 26.JUL.2018 13:39:16

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.42	15.99
CH46	5230	2.89	15.99

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-10.66	0.00	-10.66	15.99




Date: 26.JUL.2018 12:02:11

Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-6.08	15.99


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-3.33	0.00	-3.33	28.49
CH157	5785	-4.27	0.00	-4.27	28.49
CH165	5825	-7.55	0.00	-7.55	28.49

TX CH149



Date: 26.JUL.2018 11:30:57

TX CH157



Date: 26.JUL.2018 11:32:04

TX CH165




Date: 26.JUL.2018 11:33:19

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-4.41	0.00	-4.41	28.49
CH157	5785	-5.71	0.00	-5.71	28.49
CH165	5825	-6.23	0.00	-6.23	28.49

TX CH149




Date: 26.JUL.2018 13:52:13

TX CH157



Date: 26.JUL.2018 13:53:19

TX CH165



Date: 26.JUL.2018 13:54:18


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.83	28.49
CH157	5785	-1.92	28.49
CH165	5825	-3.83	28.49

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-3.51	0.00	-3.51	28.49
CH159	5795	-4.97	0.00	-4.97	28.49

TX CH151



Date: 26.JUL.2018 11:45:37

TX CH159




Date: 26.JUL.2018 11:46:46

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-3.48	0.00	-3.48	28.49
CH159	5795	-5.08	0.00	-5.08	28.49

TX CH151



Date: 26.JUL.2018 13:40:22

TX CH159



Date: 26.JUL.2018 13:41:42


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.48	28.49
CH159	5795	-2.01	28.49

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-4.51	0.00	-4.51	28.49

TX CH155




Date: 26.JUL.2018 11:50:01

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-5.22	0.00	-5.22	28.49

TX CH155



Date: 26.JUL.2018 12:03:39


Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-1.84	28.49

With Beamforming


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-2.42	0.00	-2.42	12.99
CH40	5200	-2.47	0.00	-2.47	12.99
CH48	5240	-2.42	0.00	-2.42	12.99




Date: 26.JUL.2018 15:07:10

CH40



Date: 26.JUL.2018 15:16:26


CH48



Date: 26.JUL.2018 15:17:37


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.07	0.00	0.07	12.99
CH40	5200	0.27	0.00	0.27	12.99
CH48	5240	0.37	0.00	0.37	12.99




Date: 26.JUL.2018 14:14:58

CH40



Date: 26.JUL.2018 14:15:48

CH48



Date: 26.JUL.2018 14:16:32


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.01	12.99
CH40	5200	2.12	12.99
CH48	5240	2.21	12.99

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-5.68	0.00	-5.68	12.99
CH46	5230	-5.29	0.00	-5.29	12.99

CH38



Date: 26.JUL.2018 14:56:09

CH46




Date: 26.JUL.2018 14:56:54

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.84	0.00	-2.84	12.99
CH46	5230	-2.91	0.00	-2.91	12.99

CH38



Date: 26.JUL.2018 14:29:36

CH46



Date: 26.JUL.2018 14:30:52


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.02	12.99
CH46	5230	-0.93	12.99

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.39	0.00	2.39	25.49
CH157	5785	2.27	0.00	2.27	25.49
CH165	5825	2.28	0.00	2.28	25.49

TX CH149




Date: 26.JUL.2018 15:18:44

TX CH157



Date: 26.JUL.2018 15:19:48

TX CH165




Date: 26.JUL.2018 15:20:44

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-4.04	0.00	-4.04	25.49
CH157	5785	-3.37	0.00	-3.37	25.49
CH165	5825	-3.59	0.00	-3.59	25.49

TX CH149




Date: 26.JUL.2018 14:17:56

TX CH157



Date: 26.JUL.2018 14:22:16

TX CH165



Date: 26.JUL.2018 14:23:20


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.28	25.49
CH157	5785	3.32	25.49
CH165	5825	3.28	25.49

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.90	0.00	-0.90	25.49
CH159	5795	-0.66	0.00	-0.66	25.49

TX CH151



Date: 26.JUL.2018 14:58:36

TX CH159




Date: 26.JUL.2018 14:59:35

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-7.15	0.00	-7.15	25.49
CH159	5795	-7.14	0.00	-7.14	25.49

TX CH151



Date: 26.JUL.2018 14:32:30

TX CH159



Date: 26.JUL.2018 14:34:04

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	0.02	25.49
CH159	5795	0.22	25.49