


Annex A.6 Band Edge

1. GSM_GSM850


1.1. GSM Band Edge(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	823	-45.42	-13	Pass	401
823	824	0.003	RMS	823.978	-17.9	-13	Pass	401
824	824.5	0.01	RMS	824.185	22.61	35	Pass	401



1.2. GSM Band Edge(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.784	22.91	35	Pass	401
849	850	0.003	RMS	849.023	-18.71	-13	Pass	401
850	855	0.1	RMS	850.263	-45.67	-13	Pass	401



2. GSM_PCS


2.1. GSM Band Edge(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-34.79	-13	Pass	41
1849	1850	0.003	RMS	1849.998	-20.79	-13	Pass	401
1850	1851	0.01	RMS	1850.193	18.99	35	Pass	401



2.2. GSM Band Edge(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.82	18.02	35	Pass	401
1910	1911	0.003	RMS	1910.003	-22.67	-13	Pass	401
1911	1915	1	RMS	1911	-34.63	-13	Pass	41



3. EGPRS_GSM850


3.1. EGPRS Band Edge(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.978	-46.45	-13	Pass	401
823	824	0.003	RMS	823.985	-25.98	-13	Pass	401
824	824.5	0.01	RMS	824.209	16.52	35	Pass	401



3.2. EGPRS Band Edge(NTNV)(Channel:251)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.74	17.13	35	Pass	401
849	850	0.003	RMS	849.035	-27.7	-13	Pass	401
850	855	0.1	RMS	850.013	-45.95	-13	Pass	401



4. EGPRS_PCS


4.1. EGPRS Band Edge(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-35.12	-13	Pass	41
1849	1850	0.003	RMS	1849.975	-28.94	-13	Pass	401
1850	1851	0.01	RMS	1850.19	13.52	35	Pass	401



4.2. EGPRS Band Edge(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.838	13	35	Pass	401
1910	1911	0.003	RMS	1910.023	-29.75	-13	Pass	401
1911	1915	1	RMS	1911	-34.74	-13	Pass	41



5. CDMA BC0_CH1013(FCC)

5.1. Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.978	-31.38	-13	Pass	401
823	824	0.013	RMS	824	-16.62	-13	Pass	401
824	829	0.1	RMS	824.663	13.73	35	Pass	401



6. CDMA BC0_CH777(FCC)

6.1. Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.325	13.9	35	Pass	401
849.006	850	0.013	RMS	849.007	-15.39	-13	Pass	78
850	855	0.1	RMS	850.013	-30.44	-13	Pass	401



7. EVDO BC0_CH1013(FCC)

7.1. Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.993	-35.2	-13	Pass	401
823	824	0.013	RMS	824	-18.53	-13	Pass	401
824	829	0.1	RMS	824.675	12.26	35	Pass	401



8. EVDO BC0_CH777(FCC)

8.1. Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.313	13.89	35	Pass	401
849.006	850	0.013	RMS	849.007	-15.69	-13	Pass	78
850	855	0.1	RMS	850.013	-30.03	-13	Pass	401



9. WCDMA_Band2


9.1. WCDMA Band Edge(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-26.15	-13	Pass	41
1849	1850	0.051	RMS	1850	-26.67	-13	Pass	401
1850	1855	0.1	RMS	1851.5	7.44	35	Pass	401



9.2. WCDMA Band Edge(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.7	7.61	35	Pass	401
1910	1911	0.051	RMS	1910	-24.58	-13	Pass	401
1911	1915	1	RMS	1911	-25.91	-13	Pass	41



10. WCDMA_Band5


10.1. WCDMA Band Edge(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.515	-29.71	-13	Pass	601
823	824	0.051	RMS	824	-23.91	-13	Pass	601
824	829	0.1	RMS	825.55	8.14	35	Pass	601



10.2. WCDMA Band Edge(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.7	8.29	35	Pass	601
849	850	0.051	RMS	849	-23.91	-13	Pass	601
850	855	0.1	RMS	850.483	-29.15	-13	Pass	601



11. LTE_Band5


11.1. LTE Band Edge(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.493	-50.64	-13	Pass	601
823	824	0.02	RMS	823.998	-25.37	-13	Pass	601
824	826	0.1	RMS	824.25	20.28	30	Pass	601




11.2. LTE Band Edge(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-40.46	-13	Pass	601
823	824	0.02	RMS	824	-30.48	-13	Pass	601
824	826	0.1	RMS	825.1	11.84	30	Pass	601




11.3. LTE Band Edge(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.493	-52.24	-13	Pass	601
823	824	0.02	RMS	824	-26.18	-13	Pass	601
824	826	0.1	RMS	824.25	19.25	30	Pass	601




11.4. LTE Band Edge(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-39.88	-13	Pass	601
823	824	0.02	RMS	823.998	-30.91	-13	Pass	601
824	826	0.1	RMS	825.11	10.82	30	Pass	601




11.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.753	20.63	30	Pass	601
849	850	0.02	RMS	849	-24.91	-13	Pass	601
850	860	0.1	RMS	850.567	-50.71	-13	Pass	601




11.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.44	12.06	30	Pass	601
849	850	0.02	RMS	849.002	-29.49	-13	Pass	601
850	860	0.1	RMS	850	-39.51	-13	Pass	601




11.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.747	19.65	30	Pass	601
849	850	0.02	RMS	849.002	-25.99	-13	Pass	601
850	860	0.1	RMS	850.283	-51.84	-13	Pass	601




11.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.333	11.16	30	Pass	601
849	850	0.02	RMS	849	-30.34	-13	Pass	601
850	860	0.1	RMS	850	-38.83	-13	Pass	601




11.9. LTE Band Edge(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-43.13	-13	Pass	601
823	824	0.03	RMS	824	-22.13	-13	Pass	601
824	827	0.1	RMS	824.24	20.32	30	Pass	601




11.10. LTE Band Edge(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.707	-33.35	-13	Pass	601
823	824	0.03	RMS	824	-28.24	-13	Pass	601
824	827	0.1	RMS	825.415	8	30	Pass	601




11.11. LTE Band Edge(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.973	-44.29	-13	Pass	601
823	824	0.03	RMS	824	-23.08	-13	Pass	601
824	827	0.1	RMS	824.245	19.39	30	Pass	601




11.12. LTE Band Edge(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-33.22	-13	Pass	601
823	824	0.03	RMS	824	-29.71	-13	Pass	601
824	827	0.1	RMS	826.405	7.12	30	Pass	601




11.13. LTE Band Edge(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.75	20.69	30	Pass	601
849	850	0.03	RMS	849	-21.7	-13	Pass	601
850	860	0.1	RMS	850.033	-48.36	-13	Pass	601




11.14. LTE Band Edge(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.08	8.2	30	Pass	601
849	850	0.03	RMS	849	-29.46	-13	Pass	601
850	860	0.1	RMS	850	-33.41	-13	Pass	601




11.15. LTE Band Edge(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.765	19.62	30	Pass	601
849	850	0.03	RMS	849	-22.62	-13	Pass	601
850	860	0.1	RMS	850	-49.9	-13	Pass	601




11.16. LTE Band Edge(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.45	7.17	30	Pass	601
849	850	0.03	RMS	849	-29.56	-13	Pass	601
850	860	0.1	RMS	850	-33.14	-13	Pass	601




11.17. LTE Band Edge(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.187	-39.15	-13	Pass	601
823	824	0.051	RMS	824	-22.69	-13	Pass	601
824	829	0.1	RMS	824.342	20.15	30	Pass	601




11.18. LTE Band Edge(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.933	-33.56	-13	Pass	601
823	824	0.051	RMS	823.998	-29.36	-13	Pass	601
824	829	0.1	RMS	825.675	5.93	30	Pass	601




11.19. LTE Band Edge(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.187	-40.66	-13	Pass	601
823	824	0.051	RMS	824	-23.29	-13	Pass	601
824	829	0.1	RMS	824.35	19.38	30	Pass	601




11.20. LTE Band Edge(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-33.72	-13	Pass	601
823	824	0.051	RMS	823.998	-30.23	-13	Pass	601
824	829	0.1	RMS	825.692	4.89	30	Pass	601



11.21. LTE Band Edge(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.658	20.64	30	Pass	601
849	850	0.051	RMS	849	-22.72	-13	Pass	601
850	860	0.1	RMS	850.817	-42.58	-13	Pass	601




11.22. LTE Band Edge(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	846.8	5.79	30	Pass	401
849	850	0.051	RMS	849	-29.81	-13	Pass	401
850	860	0.1	RMS	850.225	-34.91	-13	Pass	401




11.23. LTE Band Edge(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.658	19.77	30	Pass	601
849	850	0.051	RMS	849	-22.95	-13	Pass	601
850	860	0.1	RMS	850.85	-43.71	-13	Pass	601




11.24. LTE Band Edge(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.667	5.16	30	Pass	601
849	850	0.051	RMS	849	-30.48	-13	Pass	601
850	860	0.1	RMS	850	-35.04	-13	Pass	601




11.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.187	-37.08	-13	Pass	601
823	824	0.1	RMS	824	-32.27	-13	Pass	601
824	834	0.1	RMS	824.583	20.35	30	Pass	601




11.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.973	-34.36	-13	Pass	601
823	824	0.1	RMS	824	-30.71	-13	Pass	601
824	834	0.1	RMS	825.95	3.02	30	Pass	601




11.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.173	-38.2	-13	Pass	601
823	824	0.1	RMS	824	-33.58	-13	Pass	601
824	834	0.1	RMS	824.6	19.66	30	Pass	601




11.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.973	-34.88	-13	Pass	601
823	824	0.1	RMS	823.998	-32.03	-13	Pass	601
824	834	0.1	RMS	826.1	1.97	30	Pass	601




11.29. LTE Band Edge(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.417	20.93	30	Pass	601
849	850	0.1	RMS	849	-31.53	-13	Pass	601
850	860	0.1	RMS	852.817	-38.97	-13	Pass	601




11.30. LTE Band Edge(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	842.85	3.11	30	Pass	601
849	850	0.1	RMS	849	-32.65	-13	Pass	601
850	860	0.1	RMS	850	-35.05	-13	Pass	601




11.31. LTE Band Edge(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	19.93	30	Pass	601
849	850	0.1	RMS	849	-32.37	-13	Pass	601
850	860	0.1	RMS	852.817	-40.25	-13	Pass	601



11.32. LTE Band Edge(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	842.233	2.05	30	Pass	601
849	850	0.1	RMS	849.005	-33.59	-13	Pass	601
850	860	0.1	RMS	850.05	-36.03	-13	Pass	601



12. LTE_Band7


12.1. LTE Band Edge(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-47.37	-25	Pass	601
2494	2496	1	RMS	2495.983	-30.47	-13	Pass	601
2496	2499	1	RMS	2496	-30.41	-10	Pass	4
2499	2500	0.1	RMS	2500	-17.37	-10	Pass	601
2500	2505	0.1	RMS	2500.35	20.65	30	Pass	601




12.2. LTE Band Edge(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.018	-32.76	-25	Pass	601
2494	2496	1	RMS	2496	-29.23	-13	Pass	601
2496	2499	1	RMS	2499	-22.65	-10	Pass	4
2499	2500	0.1	RMS	2500	-25.24	-10	Pass	601
2500	2505	0.1	RMS	2501.675	6.4	30	Pass	601




12.3. LTE Band Edge(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.937	-47.38	-25	Pass	601
2494	2496	1	RMS	2495.94	-32.28	-13	Pass	601
2496	2499	1	RMS	2496	-32.26	-10	Pass	4
2499	2500	0.1	RMS	2500	-17.73	-10	Pass	601
2500	2505	0.1	RMS	2500.342	19.95	30	Pass	601




12.4. LTE Band Edge(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-33.16	-25	Pass	601
2494	2496	1	RMS	2496	-30.1	-13	Pass	601
2496	2499	1	RMS	2499	-23.68	-10	Pass	4
2499	2500	0.1	RMS	2500	-26.24	-10	Pass	601
2500	2505	0.1	RMS	2503.292	5.33	30	Pass	601




12.5. LTE Band Edge(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.667	20.97	30	Pass	601
2570	2571	0.1	RMS	2570	-17.88	-10	Pass	601
2571	2575	1	RMS	2574	-32.41	-10	Pass	5
2575	2576	1	RMS	2575	-42.88	-13	Pass	601
2576	2595	1	RMS	2578.248	-47.06	-25	Pass	601




12.6. LTE Band Edge(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2566.675	6.72	30	Pass	601
2570	2571	0.1	RMS	2570.007	-25.37	-10	Pass	601
2571	2575	1	RMS	2571	-22.1	-10	Pass	5
2575	2576	1	RMS	2575.007	-34.97	-13	Pass	601
2576	2595	1	RMS	2576.285	-35.07	-25	Pass	601




12.7. LTE Band Edge(NTNV)(Subtest:7, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.658	19.99	30	Pass	601
2570	2571	0.1	RMS	2570	-18.11	-10	Pass	601
2571	2575	1	RMS	2574	-33.96	-10	Pass	5
2575	2576	1	RMS	2575.002	-43.88	-13	Pass	601
2576	2595	1	RMS	2576.095	-47.22	-25	Pass	601




12.8. LTE Band Edge(NTNV)(Subtest:8, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2566.667	5.66	30	Pass	601
2570	2571	0.1	RMS	2570	-26.37	-10	Pass	601
2571	2575	1	RMS	2571	-23.35	-10	Pass	5
2575	2576	1	RMS	2575	-33.6	-13	Pass	601
2576	2595	1	RMS	2576	-34.96	-25	Pass	601




12.9. LTE Band Edge(NTNV)(Subtest:9, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.775	-47.78	-25	Pass	601
2490	2496	1	RMS	2491.77	-32.99	-13	Pass	601
2496	2499	1	RMS	2496	-40.58	-10	Pass	4
2499	2500	0.2	RMS	2499.998	-24.17	-10	Pass	601
2500	2510	0.1	RMS	2500.583	20.9	30	Pass	601




12.10. LTE Band Edge(NTNV)(Subtest:10, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2485.5	-35.76	-25	Pass	601
2490	2496	1	RMS	2495.98	-24.97	-13	Pass	601
2496	2499	1	RMS	2499	-23.46	-10	Pass	4
2499	2500	0.2	RMS	2500	-26.51	-10	Pass	601
2500	2510	0.1	RMS	2501.933	3.5	30	Pass	601




12.11. LTE Band Edge(NTNV)(Subtest:11, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.7	-47.89	-25	Pass	601
2490	2496	1	RMS	2491.67	-34.96	-13	Pass	601
2496	2499	1	RMS	2499	-40.97	-10	Pass	4
2499	2500	0.2	RMS	2500	-24.93	-10	Pass	601
2500	2510	0.1	RMS	2500.6	20.08	30	Pass	601




12.12. LTE Band Edge(NTNV)(Subtest:12, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.975	-35.43	-25	Pass	601
2490	2496	1	RMS	2495.99	-26.03	-13	Pass	601
2496	2499	1	RMS	2499	-24.62	-10	Pass	4
2499	2500	0.2	RMS	2500	-28.29	-10	Pass	601
2500	2510	0.1	RMS	2503.983	2.4	30	Pass	601



12.13. LTE Band Edge(NTNV)(Subtest:13, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.417	21.05	30	Pass	601
2570	2571	0.2	RMS	2570	-23.96	-10	Pass	601
2571	2575	1	RMS	2574	-39.08	-10	Pass	5
2575	2580	1	RMS	2578.192	-39.24	-13	Pass	601
2580	2595	1	RMS	2587.025	-47.44	-25	Pass	601




12.14. LTE Band Edge(NTNV)(Subtest:14, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2563.817	3.65	30	Pass	601
2570	2571	0.2	RMS	2570.008	-27.55	-10	Pass	601
2571	2575	1	RMS	2571	-23.2	-10	Pass	5
2575	2580	1	RMS	2575.008	-26.81	-13	Pass	601
2580	2595	1	RMS	2580.175	-40.17	-25	Pass	601




12.15. LTE Band Edge(NTNV)(Subtest:15, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	20.12	30	Pass	601
2570	2571	0.2	RMS	2570.003	-25.23	-10	Pass	601
2571	2575	1	RMS	2574	-40.29	-10	Pass	5
2575	2580	1	RMS	2578.158	-40.78	-13	Pass	601
2580	2595	1	RMS	2581.75	-47.51	-25	Pass	601




12.16. LTE Band Edge(NTNV)(Subtest:16, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2562.567	2.69	30	Pass	601
2570	2571	0.2	RMS	2570.002	-28.98	-10	Pass	601
2571	2575	1	RMS	2571	-24.61	-10	Pass	5
2575	2580	1	RMS	2575	-28.66	-13	Pass	601
2580	2595	1	RMS	2580	-38.81	-25	Pass	601




12.17. LTE Band Edge(NTNV)(Subtest:17, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.525	-37.59	-25	Pass	601
2490	2496	1	RMS	2494.35	-38.31	-13	Pass	601
2496	2499	1	RMS	2499	-41.1	-10	Pass	4
2499	2500	0.3	RMS	2500	-22.03	-10	Pass	601
2500	2515	0.1	RMS	2500.825	20.61	30	Pass	601




12.18. LTE Band Edge(NTNV)(Subtest:18, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.95	-28.96	-25	Pass	601
2490	2496	1	RMS	2495.9	-24.74	-13	Pass	601
2496	2499	1	RMS	2499	-23.04	-10	Pass	4
2499	2500	0.3	RMS	2499.998	-27.16	-10	Pass	601
2500	2515	0.1	RMS	2504.6	1.66	30	Pass	601



12.19. LTE Band Edge(NTNV)(Subtest:19, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.6	-38.54	-25	Pass	601
2490	2496	1	RMS	2494.18	-38.58	-13	Pass	601
2496	2499	1	RMS	2499	-41.05	-10	Pass	4
2499	2500	0.3	RMS	2500	-22.69	-10	Pass	601
2500	2515	0.1	RMS	2500.85	19.91	30	Pass	601




12.20. LTE Band Edge(NTNV)(Subtest:20, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.29	-25	Pass	601
2490	2496	1	RMS	2495.7	-25.91	-13	Pass	601
2496	2499	1	RMS	2499	-24.38	-10	Pass	4
2499	2500	0.3	RMS	2499.992	-28.6	-10	Pass	601
2500	2515	0.1	RMS	2502.025	0.57	30	Pass	601




12.21. LTE Band Edge(NTNV)(Subtest:21, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.15	20.82	30	Pass	601
2570	2571	0.3	RMS	2570	-22.9	-10	Pass	601
2571	2575	1	RMS	2571	-41.36	-10	Pass	5
2575	2585	1	RMS	2582.433	-43.74	-13	Pass	601
2585	2595	1	RMS	2585.517	-47.53	-25	Pass	601




12.22. LTE Band Edge(NTNV)(Subtest:22, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2559.55	1.86	30	Pass	601
2570	2571	0.3	RMS	2570.007	-28.84	-10	Pass	601
2571	2575	1	RMS	2573	-25.15	-10	Pass	5
2575	2585	1	RMS	2576.067	-26.88	-13	Pass	601
2585	2595	1	RMS	2586.217	-42.39	-25	Pass	601




12.23. LTE Band Edge(NTNV)(Subtest:23, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.15	19.93	30	Pass	601
2570	2571	0.3	RMS	2570	-23.66	-10	Pass	601
2571	2575	1	RMS	2571	-41.75	-10	Pass	5
2575	2585	1	RMS	2582.55	-44.24	-13	Pass	601
2585	2595	1	RMS	2585.967	-47.55	-25	Pass	601




12.24. LTE Band Edge(NTNV)(Subtest:24, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2561.475	0.85	30	Pass	601
2570	2571	0.3	RMS	2570	-30.02	-10	Pass	601
2571	2575	1	RMS	2571	-26.23	-10	Pass	5
2575	2585	1	RMS	2575.017	-28.23	-13	Pass	601
2585	2595	1	RMS	2585	-41.1	-25	Pass	601



12.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2483.275	-39.76	-25	Pass	601
2490	2496	1	RMS	2492.15	-37.1	-13	Pass	601
2496	2499	1	RMS	2499	-41.9	-10	Pass	4
2499	2500	0.51	RMS	2500	-21.73	-10	Pass	601
2500	2520	0.1	RMS	2501.1	20.57	30	Pass	601




12.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488.675	-28.27	-25	Pass	601
2490	2496	1	RMS	2495.97	-26.33	-13	Pass	601
2496	2499	1	RMS	2499	-25.82	-10	Pass	4
2499	2500	0.51	RMS	2499.972	-27.31	-10	Pass	601
2500	2520	0.1	RMS	2506.3	0.44	30	Pass	601



12.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2483.175	-40.43	-25	Pass	601
2490	2496	1	RMS	2492.13	-37.81	-13	Pass	601
2496	2499	1	RMS	2499	-42.14	-10	Pass	4
2499	2500	0.51	RMS	2499.998	-21.62	-10	Pass	601
2500	2520	0.1	RMS	2501.1	19.85	30	Pass	601




12.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-29.82	-25	Pass	601
2490	2496	1	RMS	2495.98	-27.25	-13	Pass	601
2496	2499	1	RMS	2499	-26.72	-10	Pass	4
2499	2500	0.51	RMS	2499.993	-28.57	-10	Pass	601
2500	2520	0.1	RMS	2509.2	-0.54	30	Pass	601




12.29. LTE Band Edge(NTNV)(Subtest:29, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	20.75	30	Pass	601
2570	2571	0.51	RMS	2570	-21.63	-10	Pass	601
2571	2575	1	RMS	2571	-41.7	-10	Pass	5
2575	2590	1	RMS	2577.8	-42.51	-13	Pass	601
2590	2595	1	RMS	2593.183	-47.54	-25	Pass	601




12.30. LTE Band Edge(NTNV)(Subtest:30, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2556.233	0.56	30	Pass	601
2570	2571	0.51	RMS	2570	-27.26	-10	Pass	601
2571	2575	1	RMS	2571	-25.74	-10	Pass	5
2575	2590	1	RMS	2575	-28.13	-13	Pass	601
2590	2595	1	RMS	2590.967	-44.72	-25	Pass	601



12.31. LTE Band Edge(NTNV)(Subtest:31, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	19.65	30	Pass	601
2570	2571	0.51	RMS	2570	-21.98	-10	Pass	601
2571	2575	1	RMS	2571	-42.1	-10	Pass	5
2575	2590	1	RMS	2577.725	-43.51	-13	Pass	601
2590	2595	1	RMS	2594	-47.59	-25	Pass	601



12.32. LTE Band Edge(NTNV)(Subtest:32, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2556.967	-0.39	30	Pass	601
2570	2571	0.51	RMS	2570.018	-28.45	-10	Pass	601
2571	2575	1	RMS	2571	-26.71	-10	Pass	5
2575	2590	1	RMS	2575.025	-28.98	-13	Pass	601
2590	2595	1	RMS	2590.075	-43.78	-25	Pass	601



13. LTE_Band38


13.1. LTE Band Edge(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2551.207	-40.77	-25	Pass	601
2564	2565	1	RMS	2564.99	-39	-13	Pass	601
2565	2569	1	RMS	2569	-26.63	-10	Pass	5
2569	2570	0.1	RMS	2570	-15.4	-10	Pass	601
2570	2575	0.1	RMS	2570.35	21.57	30	Pass	601




13.2. LTE Band Edge(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2563.082	-31.12	-25	Pass	601
2564	2565	1	RMS	2564.008	-31.44	-13	Pass	601
2565	2569	1	RMS	2569	-26.86	-10	Pass	5
2569	2570	0.1	RMS	2569.997	-24.73	-10	Pass	601
2570	2575	0.1	RMS	2571.675	7.28	30	Pass	601




13.3. LTE Band Edge(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2551.175	-41.09	-25	Pass	601
2564	2565	1	RMS	2565	-39.56	-13	Pass	601
2565	2569	1	RMS	2569	-27.12	-10	Pass	5
2569	2570	0.1	RMS	2569.992	-16.59	-10	Pass	601
2570	2575	0.1	RMS	2570.35	20.73	30	Pass	601




13.4. LTE Band Edge(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2563.937	-31.49	-25	Pass	601
2564	2565	1	RMS	2564.995	-30.23	-13	Pass	601
2565	2569	1	RMS	2569	-26.56	-10	Pass	5
2569	2570	0.1	RMS	2570	-25.64	-10	Pass	601
2570	2575	0.1	RMS	2573.658	6.26	30	Pass	601




13.5. LTE Band Edge(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.658	21.57	30	Pass	601
2620	2621	0.1	RMS	2620.002	-15.7	-10	Pass	601
2621	2625	1	RMS	2621	-25.41	-10	Pass	5
2625	2626	1	RMS	2625.008	-40.11	-13	Pass	601
2626	2645	1	RMS	2638.888	-40.14	-25	Pass	601




13.6. LTE Band Edge(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2616.833	7.19	30	Pass	601
2620	2621	0.1	RMS	2620.003	-25.36	-10	Pass	601
2621	2625	1	RMS	2621	-26.85	-10	Pass	5
2625	2626	1	RMS	2625.945	-31.93	-13	Pass	601
2626	2645	1	RMS	2626.918	-31.79	-25	Pass	601




13.7. LTE Band Edge(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.642	20.6	30	Pass	601
2620	2621	0.1	RMS	2620.003	-16.02	-10	Pass	601
2621	2625	1	RMS	2621	-26.42	-10	Pass	5
2625	2626	1	RMS	2625.028	-40.42	-13	Pass	601
2626	2645	1	RMS	2638.793	-40.23	-25	Pass	601




13.8. LTE Band Edge(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2618.983	6.17	30	Pass	601
2620	2621	0.1	RMS	2620.002	-26.42	-10	Pass	601
2621	2625	1	RMS	2621	-25.85	-10	Pass	5
2625	2626	1	RMS	2625.018	-31.03	-13	Pass	601
2626	2645	1	RMS	2626.032	-32.19	-25	Pass	601




13.9. LTE Band Edge(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2551.375	-41.09	-25	Pass	601
2560	2565	1	RMS	2561.758	-34.71	-13	Pass	601
2565	2569	1	RMS	2569	-29.17	-10	Pass	5
2569	2570	0.2	RMS	2570	-20.99	-10	Pass	601
2570	2580	0.1	RMS	2570.583	21.55	30	Pass	601




13.10. LTE Band Edge(NTNV)(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2555.475	-34.05	-25	Pass	601
2560	2565	1	RMS	2564.983	-25.27	-13	Pass	601
2565	2569	1	RMS	2569	-26.06	-10	Pass	5
2569	2570	0.2	RMS	2570	-27.85	-10	Pass	601
2570	2580	0.1	RMS	2574.267	4.21	30	Pass	601




13.11. LTE Band Edge(NTNV)(Subtest:11, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2551.325	-41.4	-25	Pass	601
2560	2565	1	RMS	2561.775	-35.71	-13	Pass	601
2565	2569	1	RMS	2569	-30.5	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-21.53	-10	Pass	601
2570	2580	0.1	RMS	2570.567	20.78	30	Pass	601




13.12. LTE Band Edge(NTNV)(Subtest:12, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.975	-34.18	-25	Pass	601
2560	2565	1	RMS	2564.983	-26.26	-13	Pass	601
2565	2569	1	RMS	2566	-26.64	-10	Pass	5
2569	2570	0.2	RMS	2570	-29.4	-10	Pass	601
2570	2580	0.1	RMS	2573.817	3.2	30	Pass	601




13.13. LTE Band Edge(NTNV)(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.417	21.75	30	Pass	601
2620	2621	0.1	RMS	2620.003	-25.23	-10	Pass	601
2621	2625	1	RMS	2621	-29.84	-10	Pass	5
2625	2630	1	RMS	2628.275	-36.93	-13	Pass	601
2630	2645	1	RMS	2638.65	-40.18	-25	Pass	601




13.14. LTE Band Edge(NTNV)(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2613.833	4.28	30	Pass	601
2620	2621	0.2	RMS	2620.007	-28.78	-10	Pass	601
2621	2625	1	RMS	2625	-25.84	-10	Pass	5
2625	2630	1	RMS	2625.017	-25	-13	Pass	601
2630	2645	1	RMS	2634.4	-34.9	-25	Pass	601




13.15. LTE Band Edge(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.4	20.6	30	Pass	601
2620	2621	0.2	RMS	2620	-22.15	-10	Pass	601
2621	2625	1	RMS	2621	-30.95	-10	Pass	5
2625	2630	1	RMS	2628.208	-38.15	-13	Pass	601
2630	2645	1	RMS	2638.7	-40.53	-25	Pass	601




13.16. LTE Band Edge(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2613.233	3.15	30	Pass	601
2620	2621	0.2	RMS	2620.002	-29.05	-10	Pass	601
2621	2625	1	RMS	2621	-25.99	-10	Pass	5
2625	2630	1	RMS	2625.017	-26.08	-13	Pass	601
2630	2645	1	RMS	2630	-34.66	-25	Pass	601




13.17. LTE Band Edge(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2551.583	-40.8	-25	Pass	601
2555	2565	1	RMS	2564.3	-36.04	-13	Pass	601
2565	2569	1	RMS	2569	-29.55	-10	Pass	5
2569	2570	0.3	RMS	2569.997	-20.61	-10	Pass	601
2570	2585	0.1	RMS	2570.875	21.22	30	Pass	601




13.18. LTE Band Edge(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2548.15	-34.95	-25	Pass	601
2555	2565	1	RMS	2563.683	-24.4	-13	Pass	601
2565	2569	1	RMS	2569	-24.13	-10	Pass	5
2569	2570	0.3	RMS	2569.985	-27.94	-10	Pass	601
2570	2585	0.1	RMS	2576.375	2.36	30	Pass	601




13.19. LTE Band Edge(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2551.633	-41.1	-25	Pass	601
2555	2565	1	RMS	2564.233	-36.43	-13	Pass	601
2565	2569	1	RMS	2569	-29.2	-10	Pass	5
2569	2570	0.3	RMS	2569.998	-20.96	-10	Pass	601
2570	2585	0.1	RMS	2570.85	20.37	30	Pass	601




13.20. LTE Band Edge(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.983	-34.67	-25	Pass	601
2555	2565	1	RMS	2563.95	-25.49	-13	Pass	601
2565	2569	1	RMS	2569	-24.96	-10	Pass	5
2569	2570	0.3	RMS	2569.075	-28.84	-10	Pass	601
2570	2585	0.1	RMS	2576.475	1.58	30	Pass	601




13.21. LTE Band Edge(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	21.22	30	Pass	601
2620	2621	0.3	RMS	2620.002	-20.92	-10	Pass	601
2621	2625	1	RMS	2621	-29.48	-10	Pass	5
2625	2635	1	RMS	2625.7	-37.77	-13	Pass	601
2635	2645	1	RMS	2638.283	-39.76	-25	Pass	601




13.22. LTE Band Edge(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2609.675	2.41	30	Pass	601
2620	2621	0.3	RMS	2620.028	-28.17	-10	Pass	601
2621	2625	1	RMS	2623	-24.09	-10	Pass	5
2625	2635	1	RMS	2626.217	-23.59	-13	Pass	601
2635	2645	1	RMS	2639.367	-35.71	-25	Pass	601




13.23. LTE Band Edge(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.15	20.35	30	Pass	601
2620	2621	0.3	RMS	2620.002	-21.98	-10	Pass	601
2621	2625	1	RMS	2621	-32.05	-10	Pass	5
2625	2635	1	RMS	2632.567	-39.29	-13	Pass	601
2635	2645	1	RMS	2638.317	-40.35	-25	Pass	601




13.24. LTE Band Edge(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2610.4	1.64	30	Pass	601
2620	2621	0.3	RMS	2620.048	-28.51	-10	Pass	601
2621	2625	1	RMS	2623	-25.05	-10	Pass	5
2625	2635	1	RMS	2625.483	-24.46	-13	Pass	601
2635	2645	1	RMS	2635.017	-35.3	-25	Pass	601




13.25. LTE Band Edge(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.292	-43.2	-25	Pass	601
2550	2565	1	RMS	2565	-38.55	-13	Pass	601
2565	2569	1	RMS	2569	-30.54	-10	Pass	5
2569	2570	0.51	RMS	2569.998	-19.68	-10	Pass	601
2570	2590	0.1	RMS	2571.1	21.4	30	Pass	601




13.26. LTE Band Edge(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2545.275	-37.02	-25	Pass	601
2550	2565	1	RMS	2564.95	-27.27	-13	Pass	601
2565	2569	1	RMS	2569	-27.59	-10	Pass	5
2569	2570	0.51	RMS	2569.992	-28.26	-10	Pass	601
2570	2590	0.1	RMS	2578.967	1.37	30	Pass	601




13.27. LTE Band Edge(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.758	-43.14	-25	Pass	601
2550	2565	1	RMS	2564.975	-38.08	-13	Pass	601
2565	2569	1	RMS	2569	-29.99	-10	Pass	5
2569	2570	0.51	RMS	2570	-19.2	-10	Pass	601
2570	2590	0.1	RMS	2571.133	20.07	30	Pass	601




13.28. LTE Band Edge(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.983	-36.62	-25	Pass	601
2550	2565	1	RMS	2564.85	-27.45	-13	Pass	601
2565	2569	1	RMS	2569	-27.74	-10	Pass	5
2569	2570	0.51	RMS	2570	-28.7	-10	Pass	601
2570	2590	0.1	RMS	2583.5	0.26	30	Pass	601




13.29. LTE Band Edge(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	21.47	30	Pass	601
2620	2621	0.51	RMS	2620.003	-20.12	-10	Pass	601
2621	2625	1	RMS	2621	-30.86	-10	Pass	5
2625	2640	1	RMS	2625.05	-38.56	-13	Pass	601
2640	2645	1	RMS	2640.542	-42.24	-25	Pass	601




13.30. LTE Band Edge(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2606.233	1.21	30	Pass	601
2620	2621	0.51	RMS	2620.008	-26.16	-10	Pass	601
2621	2625	1	RMS	2621	-25.32	-10	Pass	5
2625	2640	1	RMS	2625	-25.64	-13	Pass	601
2640	2645	1	RMS	2644.792	-37.82	-25	Pass	601




13.31. LTE Band Edge(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.933	20.25	30	Pass	601
2620	2621	0.51	RMS	2620.002	-20.08	-10	Pass	601
2621	2625	1	RMS	2621	-30.66	-10	Pass	5
2625	2640	1	RMS	2625.05	-38.4	-13	Pass	601
2640	2645	1	RMS	2640.65	-42.28	-25	Pass	601



13.32. LTE Band Edge(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2604.667	0.24	30	Pass	601
2620	2621	0.51	RMS	2620.008	-26.94	-10	Pass	601
2621	2625	1	RMS	2621	-25.9	-10	Pass	5
2625	2640	1	RMS	2625.025	-26.17	-13	Pass	601
2640	2645	1	RMS	2640.033	-37.32	-25	Pass	601



14. LTE_Band41 100M


14.1. LTE Band Edge(NTNV)(Subtest:1, Channel:40265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2549	1	RMS	2536.175	-40.77	-25	Pass	601
2549	2550	1	RMS	2549.995	-38.86	-13	Pass	601
2550	2554	1	RMS	2554	-26.93	-10	Pass	5
2554	2555	0.1	RMS	2554.998	-16.12	-10	Pass	601
2555	2560	0.1	RMS	2555.35	21.58	30	Pass	601




14.2. LTE Band Edge(NTNV)(Subtest:2, Channel:40265, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2549	1	RMS	2547.923	-31.41	-25	Pass	601
2549	2550	1	RMS	2549.013	-31.62	-13	Pass	601
2550	2554	1	RMS	2554	-26.1	-10	Pass	5
2554	2555	0.1	RMS	2554.998	-24.62	-10	Pass	601
2555	2560	0.1	RMS	2556.683	7.22	30	Pass	601




14.3. LTE Band Edge(NTNV)(Subtest:3, Channel:40265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2549	1	RMS	2536.175	-41.06	-25	Pass	601
2549	2550	1	RMS	2549.992	-39.41	-13	Pass	601
2550	2554	1	RMS	2554	-27.5	-10	Pass	5
2554	2555	0.1	RMS	2555	-16.62	-10	Pass	601
2555	2560	0.1	RMS	2555.333	20.84	30	Pass	601




14.4. LTE Band Edge(NTNV)(Subtest:4, Channel:40265, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2549	1	RMS	2549	-31.57	-25	Pass	601
2549	2550	1	RMS	2550	-30.53	-13	Pass	601
2550	2554	1	RMS	2554	-26.51	-10	Pass	5
2554	2555	0.1	RMS	2554.998	-26.25	-10	Pass	601
2555	2560	0.1	RMS	2558.325	6.36	30	Pass	601




14.5. LTE Band Edge(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2655	0.1	RMS	2654.658	21.72	30	Pass	601
2655	2656	0.1	RMS	2655.002	-15.59	-10	Pass	601
2656	2660	1	RMS	2656	-25.43	-10	Pass	5
2660	2661	1	RMS	2660.002	-38.95	-13	Pass	601
2661	2680	1	RMS	2673.888	-40.24	-25	Pass	601




14.6. LTE Band Edge(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2655	0.1	RMS	2651.833	7.28	30	Pass	601
2655	2656	0.1	RMS	2655.002	-25.14	-10	Pass	601
2656	2660	1	RMS	2656	-26.29	-10	Pass	5
2660	2661	1	RMS	2660.043	-32.25	-13	Pass	601
2661	2680	1	RMS	2662.077	-32.24	-25	Pass	601




14.7. LTE Band Edge(NTNV)(Subtest:7, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2655	0.1	RMS	2654.658	21.11	30	Pass	601
2655	2656	0.1	RMS	2655.002	-15.7	-10	Pass	601
2656	2660	1	RMS	2656	-26.55	-10	Pass	5
2660	2661	1	RMS	2660.015	-39.06	-13	Pass	601
2661	2680	1	RMS	2673.698	-40.59	-25	Pass	601




14.8. LTE Band Edge(NTNV)(Subtest:8, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2655	0.1	RMS	2653.983	6.1	30	Pass	601
2655	2656	0.1	RMS	2655.003	-26.52	-10	Pass	601
2656	2660	1	RMS	2656	-26.97	-10	Pass	5
2660	2661	1	RMS	2660.017	-31.58	-13	Pass	601
2661	2680	1	RMS	2661.032	-32.54	-25	Pass	601




14.9. LTE Band Edge(NTNV)(Subtest:9, Channel:40290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2545	1	RMS	2536.375	-40.8	-25	Pass	601
2545	2550	1	RMS	2546.758	-33.37	-13	Pass	601
2550	2554	1	RMS	2554	-28.93	-10	Pass	5
2554	2555	0.2	RMS	2554.997	-20.42	-10	Pass	601
2555	2565	0.1	RMS	2555.567	21.52	30	Pass	601




14.10. LTE Band Edge(NTNV)(Subtest:10, Channel:40290, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2545	1	RMS	2540.3	-33.77	-25	Pass	601
2545	2550	1	RMS	2549.933	-25.56	-13	Pass	601
2550	2554	1	RMS	2554	-25.64	-10	Pass	5
2554	2555	0.2	RMS	2554.998	-27.3	-10	Pass	601
2555	2565	0.1	RMS	2559.25	4.06	30	Pass	601




14.11. LTE Band Edge(NTNV)(Subtest:11, Channel:40290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2545	1	RMS	2536.45	-41.05	-25	Pass	601
2545	2550	1	RMS	2546.758	-34.57	-13	Pass	601
2550	2554	1	RMS	2554	-30.28	-10	Pass	5
2554	2555	0.2	RMS	2554.997	-21.11	-10	Pass	601
2555	2565	0.1	RMS	2555.583	20.76	30	Pass	601




14.12. LTE Band Edge(NTNV)(Subtest:12, Channel:40290, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2545	1	RMS	2544.975	-33.86	-25	Pass	601
2545	2550	1	RMS	2549.983	-26.55	-13	Pass	601
2550	2554	1	RMS	2554	-26.66	-10	Pass	5
2554	2555	0.2	RMS	2554.998	-29.05	-10	Pass	601
2555	2565	0.1	RMS	2558.817	3.23	30	Pass	601




14.13. LTE Band Edge(NTNV)(Subtest:13, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2645	2655	0.1	RMS	2654.4	21.77	30	Pass	601
2655	2656	0.2	RMS	2655	-19.93	-10	Pass	601
2656	2660	1	RMS	2656	-29.63	-10	Pass	5
2660	2665	1	RMS	2663.175	-35.61	-13	Pass	601
2665	2680	1	RMS	2673.525	-40.61	-25	Pass	601




14.14. LTE Band Edge(NTNV)(Subtest:14, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2645	2655	0.1	RMS	2648.833	4.4	30	Pass	601
2655	2656	0.2	RMS	2655.002	-28.03	-10	Pass	601
2656	2660	1	RMS	2656	-25.11	-10	Pass	5
2660	2665	1	RMS	2660.008	-24.18	-13	Pass	601
2665	2680	1	RMS	2669.675	-35.38	-25	Pass	601




14.15. LTE Band Edge(NTNV)(Subtest:15, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2645	2655	0.1	RMS	2654.4	20.81	30	Pass	601
2655	2656	0.2	RMS	2655	-21.07	-10	Pass	601
2656	2660	1	RMS	2656	-30.68	-10	Pass	5
2660	2665	1	RMS	2663.183	-36.87	-13	Pass	601
2665	2680	1	RMS	2673.675	-40.88	-25	Pass	601




14.16. LTE Band Edge(NTNV)(Subtest:16, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2645	2655	0.1	RMS	2648.25	3.39	30	Pass	601
2655	2656	0.2	RMS	2655.005	-29.21	-10	Pass	601
2656	2660	1	RMS	2656	-26.15	-10	Pass	5
2660	2665	1	RMS	2660.017	-25.77	-13	Pass	601
2665	2680	1	RMS	2665.025	-35.03	-25	Pass	601




14.17. LTE Band Edge(NTNV)(Subtest:17, Channel:40315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2540	1	RMS	2536.517	-40.4	-25	Pass	601
2540	2550	1	RMS	2549.133	-35.84	-13	Pass	601
2550	2554	1	RMS	2554	-29.32	-10	Pass	5
2554	2555	0.3	RMS	2554.997	-19.89	-10	Pass	601
2555	2570	0.1	RMS	2555.825	21.25	30	Pass	601




14.18. LTE Band Edge(NTNV)(Subtest:18, Channel:40315, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2540	1	RMS	2533.017	-34.45	-25	Pass	601
2540	2550	1	RMS	2548.883	-24.47	-13	Pass	601
2550	2554	1	RMS	2554	-23.92	-10	Pass	5
2554	2555	0.3	RMS	2554.98	-27.52	-10	Pass	601
2555	2570	0.1	RMS	2561.375	2.53	30	Pass	601




14.19. LTE Band Edge(NTNV)(Subtest:19, Channel:40315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2540	1	RMS	2536.783	-40.66	-25	Pass	601
2540	2550	1	RMS	2549.283	-36.01	-13	Pass	601
2550	2554	1	RMS	2554	-29.01	-10	Pass	5
2554	2555	0.3	RMS	2555	-20.78	-10	Pass	601
2555	2570	0.1	RMS	2555.85	20.21	30	Pass	601




14.20. LTE Band Edge(NTNV)(Subtest:20, Channel:40315, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2540	1	RMS	2540	-34.48	-25	Pass	601
2540	2550	1	RMS	2549.3	-25.71	-13	Pass	601
2550	2554	1	RMS	2554	-25.03	-10	Pass	5
2554	2555	0.3	RMS	2554.995	-28.67	-10	Pass	601
2555	2570	0.1	RMS	2561.475	1.63	30	Pass	601




14.21. LTE Band Edge(NTNV)(Subtest:21, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2640	2655	0.1	RMS	2654.175	21.73	30	Pass	601
2655	2656	0.3	RMS	2655.003	-19.86	-10	Pass	601
2656	2660	1	RMS	2656	-29.12	-10	Pass	5
2660	2670	1	RMS	2667.333	-36.5	-13	Pass	601
2670	2680	1	RMS	2673.3	-40.44	-25	Pass	601




14.22. LTE Band Edge(NTNV)(Subtest:22, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2640	2655	0.1	RMS	2646.175	2.67	30	Pass	601
2655	2656	0.3	RMS	2655.06	-26.43	-10	Pass	601
2656	2660	1	RMS	2658	-22.53	-10	Pass	5
2660	2670	1	RMS	2661.267	-21.93	-13	Pass	601
2670	2680	1	RMS	2674.233	-36.56	-25	Pass	601




14.23. LTE Band Edge(NTNV)(Subtest:23, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2640	2655	0.1	RMS	2654.125	20.45	30	Pass	601
2655	2656	0.3	RMS	2655.003	-20.97	-10	Pass	601
2656	2660	1	RMS	2656	-31.68	-10	Pass	5
2660	2670	1	RMS	2667.483	-37.76	-13	Pass	601
2670	2680	1	RMS	2673.2	-41.03	-25	Pass	601




14.24. LTE Band Edge(NTNV)(Subtest:24, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2640	2655	0.1	RMS	2645.375	1.78	30	Pass	601
2655	2656	0.3	RMS	2655	-28.21	-10	Pass	601
2656	2660	1	RMS	2658	-24.6	-10	Pass	5
2660	2670	1	RMS	2660.917	-24.29	-13	Pass	601
2670	2680	1	RMS	2670.067	-36	-25	Pass	601




14.25. LTE Band Edge(NTNV)(Subtest:25, Channel:40340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2535	1	RMS	2534.708	-43.06	-25	Pass	601
2535	2550	1	RMS	2538.4	-37.5	-13	Pass	601
2550	2554	1	RMS	2554	-30.57	-10	Pass	5
2554	2555	0.51	RMS	2555	-20.01	-10	Pass	601
2555	2575	0.1	RMS	2556.067	21.25	30	Pass	601




14.26. LTE Band Edge(NTNV)(Subtest:26, Channel:40340, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2535	1	RMS	2530.2	-36.81	-25	Pass	601
2535	2550	1	RMS	2550	-26.93	-13	Pass	601
2550	2554	1	RMS	2554	-27.29	-10	Pass	5
2554	2555	0.51	RMS	2554.953	-27.85	-10	Pass	601
2555	2575	0.1	RMS	2562.867	1.36	30	Pass	601




14.27. LTE Band Edge(NTNV)(Subtest:27, Channel:40340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2535	1	RMS	2534.925	-42.96	-25	Pass	601
2535	2550	1	RMS	2549.95	-37.94	-13	Pass	601
2550	2554	1	RMS	2554	-30.03	-10	Pass	5
2554	2555	0.51	RMS	2554.998	-19.18	-10	Pass	601
2555	2575	0.1	RMS	2556.133	20.13	30	Pass	601




14.28. LTE Band Edge(NTNV)(Subtest:28, Channel:40340, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2535	1	RMS	2534.917	-36.12	-25	Pass	601
2535	2550	1	RMS	2549.975	-27.42	-13	Pass	601
2550	2554	1	RMS	2554	-27.96	-10	Pass	5
2554	2555	0.51	RMS	2554.992	-28.89	-10	Pass	601
2555	2575	0.1	RMS	2568.067	0.49	30	Pass	601




14.29. LTE Band Edge(NTNV)(Subtest:29, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2635	2655	0.1	RMS	2653.9	21.96	30	Pass	601
2655	2656	0.51	RMS	2655.003	-19.21	-10	Pass	601
2656	2660	1	RMS	2656	-30.49	-10	Pass	5
2660	2675	1	RMS	2660.025	-38.22	-13	Pass	601
2675	2680	1	RMS	2675.258	-42.35	-25	Pass	601




14.30. LTE Band Edge(NTNV)(Subtest:30, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2635	2655	0.1	RMS	2641.233	1.55	30	Pass	601
2655	2656	0.51	RMS	2655.028	-26.69	-10	Pass	601
2656	2660	1	RMS	2656	-25.91	-10	Pass	5
2660	2675	1	RMS	2660.1	-26.12	-13	Pass	601
2675	2680	1	RMS	2676.683	-39.2	-25	Pass	601




14.31. LTE Band Edge(NTNV)(Subtest:31, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2635	2655	0.1	RMS	2653.967	20.17	30	Pass	601
2655	2656	0.51	RMS	2655	-19.7	-10	Pass	601
2656	2660	1	RMS	2656	-30.44	-10	Pass	5
2660	2675	1	RMS	2660.125	-38	-13	Pass	601
2675	2680	1	RMS	2675.008	-42.41	-25	Pass	601



14.32. LTE Band Edge(NTNV)(Subtest:32, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2635	2655	0.1	RMS	2638.267	0.55	30	Pass	601
2655	2656	0.51	RMS	2655	-27.72	-10	Pass	601
2656	2660	1	RMS	2656	-26.94	-10	Pass	5
2660	2675	1	RMS	2660.9	-27.02	-13	Pass	601
2675	2680	1	RMS	2675.058	-38.23	-25	Pass	601



END