



19.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.26	-25	Pass	2986
30	1000	0.1	RMS	938.2	-57.96	-25	Pass	9701
1000	2545	1	RMS	2536	-43.51	-25	Pass	1546
2545	2665	1	RMS	2602.9	21.51	60	Pass	401
2665	3000	1	RMS	2665.838	-42.7	-25	Pass	401
3000	12000	1	RMS	7808	-58.71	-25	Pass	9001
12000	27000	1	RMS	25014	-38.71	-25	Pass	15001




19.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.35	-25	Pass	2986
30	1000	0.1	RMS	927.4	-58.08	-25	Pass	9701
1000	2545	1	RMS	2538	-43.55	-25	Pass	1546
2545	2665	1	RMS	2650.3	22.41	60	Pass	401
2665	3000	1	RMS	2667.513	-42.48	-25	Pass	401
3000	12000	1	RMS	5300	-53.79	-25	Pass	9001
12000	27000	1	RMS	25010	-38.86	-25	Pass	15001




19.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.93	-25	Pass	2986
30	1000	0.1	RMS	941.8	-58.03	-25	Pass	9701
1000	2545	1	RMS	2544	-43.58	-25	Pass	1546
2545	2665	1	RMS	2650.3	22.25	60	Pass	401
2665	3000	1	RMS	2665	-42.38	-25	Pass	401
3000	12000	1	RMS	7952	-57.78	-25	Pass	9001
12000	27000	1	RMS	25014	-38.78	-25	Pass	15001




19.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.25	-25	Pass	2986
30	1000	0.1	RMS	991.6	-58.05	-25	Pass	9701
1000	2545	1	RMS	2545	-43.02	-25	Pass	1546
2545	2665	1	RMS	2555.5	23.45	60	Pass	401
2665	3000	1	RMS	2665.838	-42.67	-25	Pass	401
3000	12000	1	RMS	5111	-59.32	-25	Pass	9001
12000	27000	1	RMS	25013	-38.8	-25	Pass	15001




19.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.56	-25	Pass	2986
30	1000	0.1	RMS	977.7	-58.11	-25	Pass	9701
1000	2545	1	RMS	2545	-42.75	-25	Pass	1546
2545	2665	1	RMS	2555.8	22.36	60	Pass	401
2665	3000	1	RMS	2665	-42.67	-25	Pass	401
3000	12000	1	RMS	7667	-59.8	-25	Pass	9001
12000	27000	1	RMS	25012	-38.7	-25	Pass	15001



19.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.09	-25	Pass	2986
30	1000	0.1	RMS	988.6	-58.06	-25	Pass	9701
1000	2545	1	RMS	2544	-43.41	-25	Pass	1546
2545	2665	1	RMS	2600.8	22.7	60	Pass	401
2665	3000	1	RMS	2665	-42.63	-25	Pass	401
3000	12000	1	RMS	7802	-54.94	-25	Pass	9001
12000	27000	1	RMS	25012	-38.84	-25	Pass	15001



19.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.83	-25	Pass	2986
30	1000	0.1	RMS	935.4	-58.02	-25	Pass	9701
1000	2545	1	RMS	2530	-43.58	-25	Pass	1546
2545	2665	1	RMS	2600.5	21.43	60	Pass	401
2665	3000	1	RMS	2665	-42.58	-25	Pass	401
3000	12000	1	RMS	5201	-56.34	-25	Pass	9001
12000	27000	1	RMS	25010	-38.86	-25	Pass	15001



19.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.56	-25	Pass	2986
30	1000	0.1	RMS	979.5	-57.99	-25	Pass	9701
1000	2545	1	RMS	2520	-43.6	-25	Pass	1546
2545	2665	1	RMS	2645.8	22.49	60	Pass	401
2665	3000	1	RMS	2665	-42.5	-25	Pass	401
3000	12000	1	RMS	5291	-53.57	-25	Pass	9001
12000	27000	1	RMS	25014	-38.81	-25	Pass	15001



19.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.86	-25	Pass	2986
30	1000	0.1	RMS	931.5	-57.98	-25	Pass	9701
1000	2545	1	RMS	2543	-43.44	-25	Pass	1546
2545	2665	1	RMS	2645.5	21.02	60	Pass	401
2665	3000	1	RMS	2665	-42.33	-25	Pass	401
3000	12000	1	RMS	5291	-51.73	-25	Pass	9001
12000	27000	1	RMS	25014	-38.78	-25	Pass	15001



19.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.8	-25	Pass	2986
30	1000	0.1	RMS	970.4	-57.95	-25	Pass	9701
1000	2545	1	RMS	2543	-39.5	-25	Pass	1546
2545	2665	1	RMS	2555.8	23.41	60	Pass	401
2665	3000	1	RMS	3000	-42.65	-25	Pass	401
3000	12000	1	RMS	11848	-59.9	-25	Pass	9001
12000	27000	1	RMS	25016	-38.85	-25	Pass	15001



19.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.52	-25	Pass	2986
30	1000	0.1	RMS	948.5	-57.87	-25	Pass	9701
1000	2545	1	RMS	2544	-39.64	-25	Pass	1546
2545	2665	1	RMS	2556.1	21.79	60	Pass	401
2665	3000	1	RMS	2667.513	-42.7	-25	Pass	401
3000	12000	1	RMS	11853	-60.05	-25	Pass	9001
12000	27000	1	RMS	25013	-38.78	-25	Pass	15001



19.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40740, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.38	-25	Pass	2986
30	1000	0.1	RMS	929.1	-58.05	-25	Pass	9701
1000	2545	1	RMS	2542	-43.53	-25	Pass	1546
2545	2665	1	RMS	2598.4	22.24	60	Pass	401
2665	3000	1	RMS	2665	-42.63	-25	Pass	401
3000	12000	1	RMS	11851	-60	-25	Pass	9001
12000	27000	1	RMS	25011	-38.79	-25	Pass	15001



19.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40740, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.12	-25	Pass	2986
30	1000	0.1	RMS	936.9	-57.78	-25	Pass	9701
1000	2545	1	RMS	2522	-43.48	-25	Pass	1546
2545	2665	1	RMS	2598.1	21.43	60	Pass	401
2665	3000	1	RMS	3000	-42.66	-25	Pass	401
3000	12000	1	RMS	11853	-60.02	-25	Pass	9001
12000	27000	1	RMS	25014	-38.78	-25	Pass	15001



19.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.49	-25	Pass	2986
30	1000	0.1	RMS	987.1	-57.9	-25	Pass	9701
1000	2545	1	RMS	2542	-43.51	-25	Pass	1546
2545	2665	1	RMS	2640.7	22.44	60	Pass	401
2665	3000	1	RMS	2667.513	-41.69	-25	Pass	401
3000	12000	1	RMS	5281	-54.08	-25	Pass	9001
12000	27000	1	RMS	25011	-38.87	-25	Pass	15001



19.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.09	-25	Pass	2986
30	1000	0.1	RMS	933.8	-58.04	-25	Pass	9701
1000	2545	1	RMS	2542	-43.48	-25	Pass	1546
2545	2665	1	RMS	2641	20.91	60	Pass	401
2665	3000	1	RMS	2667.513	-41.64	-25	Pass	401
3000	12000	1	RMS	7922	-58.69	-25	Pass	9001
12000	27000	1	RMS	25014	-38.77	-25	Pass	15001



19.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.7	-25	Pass	2986
30	1000	0.1	RMS	991.7	-58.09	-25	Pass	9701
1000	2545	1	RMS	2539	-39.23	-25	Pass	1546
2545	2665	1	RMS	2556.1	23.21	60	Pass	401
2665	3000	1	RMS	2667.513	-42.66	-25	Pass	401
3000	12000	1	RMS	11847	-60.04	-25	Pass	9001
12000	27000	1	RMS	25010	-38.79	-25	Pass	15001



19.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.21	-25	Pass	2986
30	1000	0.1	RMS	947.9	-58.06	-25	Pass	9701
1000	2545	1	RMS	2538	-37.95	-25	Pass	1546
2545	2665	1	RMS	2556.1	22.97	60	Pass	401
2665	3000	1	RMS	2999.163	-42.69	-25	Pass	401
3000	12000	1	RMS	11842	-60	-25	Pass	9001
12000	27000	1	RMS	25007	-38.91	-25	Pass	15001



19.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40740, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.76	-25	Pass	2986
30	1000	0.1	RMS	971.1	-57.98	-25	Pass	9701
1000	2545	1	RMS	2545	-43.46	-25	Pass	1546
2545	2665	1	RMS	2596.3	22.92	60	Pass	401
2665	3000	1	RMS	2665	-42.64	-25	Pass	401
3000	12000	1	RMS	7788	-55.88	-25	Pass	9001
12000	27000	1	RMS	25014	-38.85	-25	Pass	15001



19.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40740, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.06	-25	Pass	2986
30	1000	0.1	RMS	986.5	-57.96	-25	Pass	9701
1000	2545	1	RMS	2545	-43.52	-25	Pass	1546
2545	2665	1	RMS	2596	22.39	60	Pass	401
2665	3000	1	RMS	2665.838	-42.63	-25	Pass	401
3000	12000	1	RMS	5192	-57.81	-25	Pass	9001
12000	27000	1	RMS	25011	-38.64	-25	Pass	15001



19.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.8	-25	Pass	2986
30	1000	0.1	RMS	938.1	-58.04	-25	Pass	9701
1000	2545	1	RMS	2544	-43.44	-25	Pass	1546
2545	2665	1	RMS	2635.9	22.91	60	Pass	401
2665	3000	1	RMS	2671.7	-42.19	-25	Pass	401
3000	12000	1	RMS	7908	-58.44	-25	Pass	9001
12000	27000	1	RMS	25013	-38.69	-25	Pass	15001



19.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.8	-25	Pass	2986
30	1000	0.1	RMS	943.7	-58.05	-25	Pass	9701
1000	2545	1	RMS	2545	-43.57	-25	Pass	1546
2545	2665	1	RMS	2636.2	22.11	60	Pass	401
2665	3000	1	RMS	2671.7	-42.38	-25	Pass	401
3000	12000	1	RMS	5272	-52.3	-25	Pass	9001
12000	27000	1	RMS	25016	-38.74	-25	Pass	15001



20. LTE_Band66


20.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.33	-13	Pass	2986
30	1000	0.1	RMS	997.1	-61.7	-13	Pass	9701
1000	1700	1	RMS	1700	-50.69	-13	Pass	701
1700	1790	1	RMS	1710.35	21.27	60	Pass	401
1790	3000	1	RMS	2648	-46.37	-13	Pass	1211
3000	12000	1	RMS	11854	-40.11	-13	Pass	9001
12000	20000	1	RMS	19997	-28.25	-13	Pass	8001




20.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.6	-13	Pass	2986
30	1000	0.1	RMS	943.6	-62.04	-13	Pass	9701
1000	1700	1	RMS	1700	-50.81	-13	Pass	701
1700	1790	1	RMS	1710.35	20.17	60	Pass	401
1790	3000	1	RMS	2659	-46.38	-13	Pass	1211
3000	12000	1	RMS	11852	-40.14	-13	Pass	9001
12000	20000	1	RMS	19999	-28.19	-13	Pass	8001




20.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.36	-13	Pass	2986
30	1000	0.1	RMS	949.6	-61.99	-13	Pass	9701
1000	1700	1	RMS	1681	-50.86	-13	Pass	701
1700	1790	1	RMS	1744.55	21.75	60	Pass	401
1790	3000	1	RMS	2648	-46.36	-13	Pass	1211
3000	12000	1	RMS	11849	-39.99	-13	Pass	9001
12000	20000	1	RMS	19996	-28.24	-13	Pass	8001




20.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.02	-13	Pass	2986
30	1000	0.1	RMS	999.5	-62.03	-13	Pass	9701
1000	1700	1	RMS	1695	-50.84	-13	Pass	701
1700	1790	1	RMS	1744.55	20.71	60	Pass	401
1790	3000	1	RMS	2647	-46.37	-13	Pass	1211
3000	12000	1	RMS	11849	-40.12	-13	Pass	9001
12000	20000	1	RMS	19995	-28.26	-13	Pass	8001




20.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.7	-13	Pass	2986
30	1000	0.1	RMS	952.7	-61.96	-13	Pass	9701
1000	1700	1	RMS	1695	-50.88	-13	Pass	701
1700	1790	1	RMS	1778.75	21.93	60	Pass	401
1790	3000	1	RMS	2656	-46.35	-13	Pass	1211
3000	12000	1	RMS	11857	-40.1	-13	Pass	9001
12000	20000	1	RMS	19999	-28.24	-13	Pass	8001




20.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.46	-13	Pass	2986
30	1000	0.1	RMS	924.7	-61.95	-13	Pass	9701
1000	1700	1	RMS	1697	-50.86	-13	Pass	701
1700	1790	1	RMS	1778.75	21.08	60	Pass	401
1790	3000	1	RMS	2647	-46.36	-13	Pass	1211
3000	12000	1	RMS	11852	-40.14	-13	Pass	9001
12000	20000	1	RMS	19998	-28.29	-13	Pass	8001




20.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.03	-13	Pass	2986
30	1000	0.1	RMS	962.5	-62	-13	Pass	9701
1000	1700	1	RMS	1700	-50.68	-13	Pass	701
1700	1790	1	RMS	1710.125	21.38	60	Pass	401
1790	3000	1	RMS	2645	-46.36	-13	Pass	1211
3000	12000	1	RMS	11850	-40.03	-13	Pass	9001
12000	20000	1	RMS	19998	-28.19	-13	Pass	8001




20.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53	-13	Pass	2986
30	1000	0.1	RMS	995.4	-62.05	-13	Pass	9701
1000	1700	1	RMS	1700	-50.77	-13	Pass	701
1700	1790	1	RMS	1710.125	20.76	60	Pass	401
1790	3000	1	RMS	2645	-46.36	-13	Pass	1211
3000	12000	1	RMS	11852	-40.07	-13	Pass	9001
12000	20000	1	RMS	19998	-28.26	-13	Pass	8001



20.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.99	-13	Pass	2986
30	1000	0.1	RMS	961.9	-61.93	-13	Pass	9701
1000	1700	1	RMS	1593	-50.87	-13	Pass	701
1700	1790	1	RMS	1743.65	21.67	60	Pass	401
1790	3000	1	RMS	2642	-46.35	-13	Pass	1211
3000	12000	1	RMS	11849	-40.11	-13	Pass	9001
12000	20000	1	RMS	19994	-28.27	-13	Pass	8001



20.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.49	-13	Pass	2986
30	1000	0.1	RMS	950.6	-61.87	-13	Pass	9701
1000	1700	1	RMS	1603	-50.87	-13	Pass	701
1700	1790	1	RMS	1743.65	20.63	60	Pass	401
1790	3000	1	RMS	2649	-46.33	-13	Pass	1211
3000	12000	1	RMS	11849	-40.11	-13	Pass	9001
12000	20000	1	RMS	19999	-28.27	-13	Pass	8001



20.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.9	-13	Pass	2986
30	1000	0.1	RMS	963.4	-62.02	-13	Pass	9701
1000	1700	1	RMS	1700	-50.51	-13	Pass	701
1700	1790	1	RMS	1777.175	22.3	60	Pass	401
1790	3000	1	RMS	2655	-46.36	-13	Pass	1211
3000	12000	1	RMS	11856	-40.12	-13	Pass	9001
12000	20000	1	RMS	19998	-28.19	-13	Pass	8001



20.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.22	-13	Pass	2986
30	1000	0.1	RMS	979.5	-62.01	-13	Pass	9701
1000	1700	1	RMS	1700	-50.53	-13	Pass	701
1700	1790	1	RMS	1777.175	21.28	60	Pass	401
1790	3000	1	RMS	2650	-46.36	-13	Pass	1211
3000	12000	1	RMS	11852	-40.06	-13	Pass	9001
12000	20000	1	RMS	20000	-28.25	-13	Pass	8001



20.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.17	-13	Pass	2986
30	1000	0.1	RMS	969.2	-61.96	-13	Pass	9701
1000	1700	1	RMS	1700	-50.69	-13	Pass	701
1700	1790	1	RMS	1710.35	21.6	60	Pass	401
1790	3000	1	RMS	2650	-46.3	-13	Pass	1211
3000	12000	1	RMS	11848	-40.02	-13	Pass	9001
12000	20000	1	RMS	19998	-28.23	-13	Pass	8001



20.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.45	-13	Pass	2986
30	1000	0.1	RMS	981.6	-61.99	-13	Pass	9701
1000	1700	1	RMS	1700	-50.78	-13	Pass	701
1700	1790	1	RMS	1710.35	20.69	60	Pass	401
1790	3000	1	RMS	2644	-46.35	-13	Pass	1211
3000	12000	1	RMS	11841	-40.09	-13	Pass	9001
12000	20000	1	RMS	19996	-28.31	-13	Pass	8001



20.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.18	-13	Pass	2986
30	1000	0.1	RMS	928.4	-62.06	-13	Pass	9701
1000	1700	1	RMS	1680	-50.81	-13	Pass	701
1700	1790	1	RMS	1742.75	21.77	60	Pass	401
1790	3000	1	RMS	2642	-46.3	-13	Pass	1211
3000	12000	1	RMS	11853	-40.09	-13	Pass	9001
12000	20000	1	RMS	19999	-28.23	-13	Pass	8001



20.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.39	-13	Pass	2986
30	1000	0.1	RMS	942.3	-61.92	-13	Pass	9701
1000	1700	1	RMS	1678	-50.87	-13	Pass	701
1700	1790	1	RMS	1742.75	20.98	60	Pass	401
1790	3000	1	RMS	2646	-46.37	-13	Pass	1211
3000	12000	1	RMS	11846	-40.06	-13	Pass	9001
12000	20000	1	RMS	19998	-28.23	-13	Pass	8001



20.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.05	-13	Pass	2986
30	1000	0.1	RMS	980.6	-61.93	-13	Pass	9701
1000	1700	1	RMS	1699	-50.64	-13	Pass	701
1700	1790	1	RMS	1775.375	22.1	60	Pass	401
1790	3000	1	RMS	2654	-46.34	-13	Pass	1211
3000	12000	1	RMS	11848	-40.13	-13	Pass	9001
12000	20000	1	RMS	19999	-28.2	-13	Pass	8001



20.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.75	-13	Pass	2986
30	1000	0.1	RMS	916.5	-62.03	-13	Pass	9701
1000	1700	1	RMS	1699	-50.77	-13	Pass	701
1700	1790	1	RMS	1775.375	21.38	60	Pass	401
1790	3000	1	RMS	2653	-46.34	-13	Pass	1211
3000	12000	1	RMS	11849	-40.05	-13	Pass	9001
12000	20000	1	RMS	19999	-28.27	-13	Pass	8001



20.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.34	-13	Pass	2986
30	1000	0.1	RMS	980.6	-62.04	-13	Pass	9701
1000	1700	1	RMS	1700	-50.74	-13	Pass	701
1700	1790	1	RMS	1710.575	20.92	60	Pass	401
1790	3000	1	RMS	2653	-46.36	-13	Pass	1211
3000	12000	1	RMS	11851	-40.13	-13	Pass	9001
12000	20000	1	RMS	20000	-28.18	-13	Pass	8001



20.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.15	-13	Pass	2986
30	1000	0.1	RMS	932.9	-62.01	-13	Pass	9701
1000	1700	1	RMS	1700	-50.74	-13	Pass	701
1700	1790	1	RMS	1710.575	20.03	60	Pass	401
1790	3000	1	RMS	2646	-46.28	-13	Pass	1211
3000	12000	1	RMS	11853	-40.15	-13	Pass	9001
12000	20000	1	RMS	19998	-28.23	-13	Pass	8001



20.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.28	-13	Pass	401
0.15	30	0.01	RMS	0.17	-52.99	-13	Pass	2986
30	1000	0.1	RMS	973.2	-61.87	-13	Pass	9701
1000	1700	1	RMS	1614	-50.87	-13	Pass	701
1700	1790	1	RMS	1740.5	21.04	60	Pass	401
1790	3000	1	RMS	2650	-46.36	-13	Pass	1211
3000	12000	1	RMS	11853	-40.06	-13	Pass	9001
12000	20000	1	RMS	19993	-28.26	-13	Pass	8001



20.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.45	-13	Pass	2986
30	1000	0.1	RMS	966.6	-61.88	-13	Pass	9701
1000	1700	1	RMS	1599	-50.86	-13	Pass	701
1700	1790	1	RMS	1740.5	20.11	60	Pass	401
1790	3000	1	RMS	2660	-46.32	-13	Pass	1211
3000	12000	1	RMS	11843	-40.13	-13	Pass	9001
12000	20000	1	RMS	20000	-28.26	-13	Pass	8001



20.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.42	-13	Pass	2986
30	1000	0.1	RMS	965.1	-61.96	-13	Pass	9701
1000	1700	1	RMS	1594	-50.86	-13	Pass	701
1700	1790	1	RMS	1770.65	21.42	60	Pass	401
1790	3000	1	RMS	2654	-46.35	-13	Pass	1211
3000	12000	1	RMS	11849	-40.11	-13	Pass	9001
12000	20000	1	RMS	19999	-28.24	-13	Pass	8001



20.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.28	-13	Pass	2986
30	1000	0.1	RMS	990.9	-61.98	-13	Pass	9701
1000	1700	1	RMS	1572	-50.83	-13	Pass	701
1700	1790	1	RMS	1770.65	20.48	60	Pass	401
1790	3000	1	RMS	2649	-46.36	-13	Pass	1211
3000	12000	1	RMS	11857	-40.11	-13	Pass	9001
12000	20000	1	RMS	19999	-28.25	-13	Pass	8001



20.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.21	-13	Pass	2986
30	1000	0.1	RMS	960.5	-61.98	-13	Pass	9701
1000	1700	1	RMS	1698	-48.2	-13	Pass	701
1700	1790	1	RMS	1710.8	21.63	60	Pass	401
1790	3000	1	RMS	2645	-46.35	-13	Pass	1211
3000	12000	1	RMS	11843	-40.15	-13	Pass	9001
12000	20000	1	RMS	19998	-28.23	-13	Pass	8001



20.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.61	-13	Pass	2986
30	1000	0.1	RMS	983.2	-61.91	-13	Pass	9701
1000	1700	1	RMS	1698	-49.56	-13	Pass	701
1700	1790	1	RMS	1710.8	20.8	60	Pass	401
1790	3000	1	RMS	2649	-46.34	-13	Pass	1211
3000	12000	1	RMS	11849	-40.08	-13	Pass	9001
12000	20000	1	RMS	19998	-28.29	-13	Pass	8001



20.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.33	-13	Pass	2986
30	1000	0.1	RMS	935.8	-62.01	-13	Pass	9701
1000	1700	1	RMS	1700	-50.75	-13	Pass	701
1700	1790	1	RMS	1738.25	21.78	60	Pass	401
1790	3000	1	RMS	2652	-46.31	-13	Pass	1211
3000	12000	1	RMS	11851	-40.06	-13	Pass	9001
12000	20000	1	RMS	19999	-28.26	-13	Pass	8001



20.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.02	-13	Pass	2986
30	1000	0.1	RMS	923.7	-62.06	-13	Pass	9701
1000	1700	1	RMS	1700	-50.85	-13	Pass	701
1700	1790	1	RMS	1738.25	20.89	60	Pass	401
1790	3000	1	RMS	2646	-46.39	-13	Pass	1211
3000	12000	1	RMS	11851	-40.09	-13	Pass	9001
12000	20000	1	RMS	19998	-28.21	-13	Pass	8001



20.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.97	-13	Pass	2986
30	1000	0.1	RMS	981.9	-61.95	-13	Pass	9701
1000	1700	1	RMS	1693	-50.85	-13	Pass	701
1700	1790	1	RMS	1765.925	21.96	60	Pass	401
1790	3000	1	RMS	2648	-46.33	-13	Pass	1211
3000	12000	1	RMS	11844	-40.14	-13	Pass	9001
12000	20000	1	RMS	19996	-28.19	-13	Pass	8001



20.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.06	-13	Pass	2986
30	1000	0.1	RMS	897.9	-62.05	-13	Pass	9701
1000	1700	1	RMS	1697	-50.85	-13	Pass	701
1700	1790	1	RMS	1765.925	21.18	60	Pass	401
1790	3000	1	RMS	2654	-46.35	-13	Pass	1211
3000	12000	1	RMS	11853	-40.14	-13	Pass	9001
12000	20000	1	RMS	19995	-28.22	-13	Pass	8001



20.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.09	-13	Pass	2986
30	1000	0.1	RMS	942.8	-62.06	-13	Pass	9701
1000	1700	1	RMS	1693	-49.91	-13	Pass	701
1700	1790	1	RMS	1711.025	21.04	60	Pass	401
1790	3000	1	RMS	2650	-46.31	-13	Pass	1211
3000	12000	1	RMS	11859	-40.12	-13	Pass	9001
12000	20000	1	RMS	20000	-28.27	-13	Pass	8001



20.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.6	-13	Pass	2986
30	1000	0.1	RMS	929.3	-61.9	-13	Pass	9701
1000	1700	1	RMS	1693	-50.2	-13	Pass	701
1700	1790	1	RMS	1711.025	20.15	60	Pass	401
1790	3000	1	RMS	2656	-46.37	-13	Pass	1211
3000	12000	1	RMS	11851	-40.14	-13	Pass	9001
12000	20000	1	RMS	19996	-28.27	-13	Pass	8001



20.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.58	-13	Pass	2986
30	1000	0.1	RMS	971.2	-61.96	-13	Pass	9701
1000	1700	1	RMS	1700	-50.82	-13	Pass	701
1700	1790	1	RMS	1736	21.39	60	Pass	401
1790	3000	1	RMS	2649	-46.36	-13	Pass	1211
3000	12000	1	RMS	11860	-40.09	-13	Pass	9001
12000	20000	1	RMS	19998	-28.19	-13	Pass	8001



20.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.17	-13	Pass	2986
30	1000	0.1	RMS	986.2	-62	-13	Pass	9701
1000	1700	1	RMS	1700	-50.76	-13	Pass	701
1700	1790	1	RMS	1736	20.42	60	Pass	401
1790	3000	1	RMS	2640	-46.32	-13	Pass	1211
3000	12000	1	RMS	11848	-40.07	-13	Pass	9001
12000	20000	1	RMS	20000	-28.18	-13	Pass	8001



20.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.97	-13	Pass	2986
30	1000	0.1	RMS	995.9	-61.96	-13	Pass	9701
1000	1700	1	RMS	1698	-50.83	-13	Pass	701
1700	1790	1	RMS	1760.975	21.55	60	Pass	401
1790	3000	1	RMS	2651	-46.34	-13	Pass	1211
3000	12000	1	RMS	11838	-40.12	-13	Pass	9001
12000	20000	1	RMS	20000	-28.19	-13	Pass	8001



20.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.52	-13	Pass	2986
30	1000	0.1	RMS	924.7	-61.91	-13	Pass	9701
1000	1700	1	RMS	1690	-50.86	-13	Pass	701
1700	1790	1	RMS	1761.2	20.55	60	Pass	401
1790	3000	1	RMS	2647	-46.35	-13	Pass	1211
3000	12000	1	RMS	11850	-40.04	-13	Pass	9001
12000	20000	1	RMS	19999	-28.23	-13	Pass	8001



21. LTE_Band71


21.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.39	-13	Pass	2986
30	653	0.1	RMS	651.4	-63.45	-13	Pass	6231
653	709	0.1	RMS	663.3	20.12	60	Pass	561
709	1000	0.1	RMS	948.6	-61.76	-13	Pass	2911
1000	3000	1	RMS	2653	-46.46	-13	Pass	2001
3000	10000	1	RMS	7739	-42.53	-13	Pass	7001




21.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.48	-13	Pass	2986
30	653	0.1	RMS	499.8	-63.46	-13	Pass	6231
653	709	0.1	RMS	663.3	19.04	60	Pass	561
709	1000	0.1	RMS	944.4	-62	-13	Pass	2911
1000	3000	1	RMS	2648	-46.48	-13	Pass	2001
3000	10000	1	RMS	7725	-42.52	-13	Pass	7001




21.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.32	-13	Pass	2986
30	653	0.1	RMS	489.7	-63.5	-13	Pass	6231
653	709	0.1	RMS	678.3	20	60	Pass	561
709	1000	0.1	RMS	972.7	-62.07	-13	Pass	2911
1000	3000	1	RMS	2645	-46.5	-13	Pass	2001
3000	10000	1	RMS	7744	-42.51	-13	Pass	7001




21.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.95	-13	Pass	2986
30	653	0.1	RMS	515	-63.51	-13	Pass	6231
653	709	0.1	RMS	678.3	19.37	60	Pass	561
709	1000	0.1	RMS	987.6	-62.07	-13	Pass	2911
1000	3000	1	RMS	2645	-46.5	-13	Pass	2001
3000	10000	1	RMS	7744	-42.49	-13	Pass	7001




21.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.64	-13	Pass	2986
30	653	0.1	RMS	501.4	-63.42	-13	Pass	6231
653	709	0.1	RMS	693.3	20.18	60	Pass	561
709	1000	0.1	RMS	712.5	-60.37	-13	Pass	2911
1000	3000	1	RMS	2651	-46.46	-13	Pass	2001
3000	10000	1	RMS	7740	-42.53	-13	Pass	7001




21.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52	-13	Pass	2986
30	653	0.1	RMS	502.8	-63.48	-13	Pass	6231
653	709	0.1	RMS	693.3	19.46	60	Pass	561
709	1000	0.1	RMS	712.6	-61.93	-13	Pass	2911
1000	3000	1	RMS	2644	-46.47	-13	Pass	2001
3000	10000	1	RMS	7733	-42.53	-13	Pass	7001




21.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.88	-13	Pass	2986
30	653	0.1	RMS	653	-63.42	-13	Pass	6231
653	709	0.1	RMS	663.6	19.72	60	Pass	561
709	1000	0.1	RMS	971.7	-62.16	-13	Pass	2911
1000	3000	1	RMS	2640	-46.5	-13	Pass	2001
3000	10000	1	RMS	7721	-42.52	-13	Pass	7001




21.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.52	-13	Pass	2986
30	653	0.1	RMS	648.7	-63.56	-13	Pass	6231
653	709	0.1	RMS	663.6	19.03	60	Pass	561
709	1000	0.1	RMS	989.2	-61.82	-13	Pass	2911
1000	3000	1	RMS	2653	-46.49	-13	Pass	2001
3000	10000	1	RMS	7731	-42.48	-13	Pass	7001



21.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.9	-13	Pass	2986
30	653	0.1	RMS	643.7	-63.51	-13	Pass	6231
653	709	0.1	RMS	676.1	19.67	60	Pass	561
709	1000	0.1	RMS	938.6	-62.1	-13	Pass	2911
1000	3000	1	RMS	2655	-46.46	-13	Pass	2001
3000	10000	1	RMS	7729	-42.5	-13	Pass	7001



21.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:133297, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.87	-13	Pass	2986
30	653	0.1	RMS	520.2	-63.61	-13	Pass	6231
653	709	0.1	RMS	676.1	18.61	60	Pass	561
709	1000	0.1	RMS	974.6	-62.09	-13	Pass	2911
1000	3000	1	RMS	2646	-46.5	-13	Pass	2001
3000	10000	1	RMS	7730	-42.5	-13	Pass	7001



21.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.03	-13	Pass	2986
30	653	0.1	RMS	651	-63.5	-13	Pass	6231
653	709	0.1	RMS	688.6	19.53	60	Pass	561
709	1000	0.1	RMS	993.3	-62.04	-13	Pass	2911
1000	3000	1	RMS	2651	-46.44	-13	Pass	2001
3000	10000	1	RMS	7729	-42.52	-13	Pass	7001



21.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.52	-13	Pass	2986
30	653	0.1	RMS	651.7	-63.49	-13	Pass	6231
653	709	0.1	RMS	688.6	18.63	60	Pass	561
709	1000	0.1	RMS	920.6	-62.16	-13	Pass	2911
1000	3000	1	RMS	2648	-46.46	-13	Pass	2001
3000	10000	1	RMS	7728	-42.51	-13	Pass	7001



21.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.77	-13	Pass	2986
30	653	0.1	RMS	651.5	-63.47	-13	Pass	6231
653	709	0.1	RMS	663.8	19.85	60	Pass	561
709	1000	0.1	RMS	709	-61.88	-13	Pass	2911
1000	3000	1	RMS	2650	-46.41	-13	Pass	2001
3000	10000	1	RMS	7727	-42.5	-13	Pass	7001



21.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.36	-13	Pass	2986
30	653	0.1	RMS	652.7	-63.47	-13	Pass	6231
653	709	0.1	RMS	663.8	18.9	60	Pass	561
709	1000	0.1	RMS	709	-61.49	-13	Pass	2911
1000	3000	1	RMS	2659	-46.5	-13	Pass	2001
3000	10000	1	RMS	7721	-42.51	-13	Pass	7001



21.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.17	-13	Pass	2986
30	653	0.1	RMS	652.6	-63.46	-13	Pass	6231
653	709	0.1	RMS	673.8	19.58	60	Pass	561
709	1000	0.1	RMS	969.5	-62	-13	Pass	2911
1000	3000	1	RMS	2647	-46.42	-13	Pass	2001
3000	10000	1	RMS	7722	-42.53	-13	Pass	7001



21.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:133297, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.25	-13	Pass	2986
30	653	0.1	RMS	492.1	-63.47	-13	Pass	6231
653	709	0.1	RMS	673.8	18.46	60	Pass	561
709	1000	0.1	RMS	919.9	-62.08	-13	Pass	2911
1000	3000	1	RMS	2642	-46.46	-13	Pass	2001
3000	10000	1	RMS	7731	-42.43	-13	Pass	7001



21.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.7	-13	Pass	2986
30	653	0.1	RMS	467.1	-63.41	-13	Pass	6231
653	709	0.1	RMS	683.8	19.58	60	Pass	561
709	1000	0.1	RMS	710.5	-52.84	-13	Pass	2911
1000	3000	1	RMS	2654	-46.45	-13	Pass	2001
3000	10000	1	RMS	7727	-42.41	-13	Pass	7001



21.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.21	-13	Pass	2986
30	653	0.1	RMS	642.9	-63.48	-13	Pass	6231
653	709	0.1	RMS	683.8	19.04	60	Pass	561
709	1000	0.1	RMS	710.5	-53.34	-13	Pass	2911
1000	3000	1	RMS	2647	-46.46	-13	Pass	2001
3000	10000	1	RMS	7742	-42.49	-13	Pass	7001



21.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.37	-13	Pass	2986
30	653	0.1	RMS	652.8	-63.54	-13	Pass	6231
653	709	0.1	RMS	664.1	19.57	60	Pass	561
709	1000	0.1	RMS	711.4	-52.63	-13	Pass	2911
1000	3000	1	RMS	2644	-46.48	-13	Pass	2001
3000	10000	1	RMS	7743	-42.51	-13	Pass	7001



21.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.43	-13	Pass	2986
30	653	0.1	RMS	507.8	-63.61	-13	Pass	6231
653	709	0.1	RMS	664.1	18.63	60	Pass	561
709	1000	0.1	RMS	711.4	-52.49	-13	Pass	2911
1000	3000	1	RMS	2646	-46.46	-13	Pass	2001
3000	10000	1	RMS	7726	-42.5	-13	Pass	7001



21.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.73	-13	Pass	2986
30	653	0.1	RMS	430.9	-63.42	-13	Pass	6231
653	709	0.1	RMS	674.1	19.35	60	Pass	561
709	1000	0.1	RMS	709.7	-49.18	-13	Pass	2911
1000	3000	1	RMS	2648	-46.47	-13	Pass	2001
3000	10000	1	RMS	7729	-42.48	-13	Pass	7001



21.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.37	-13	Pass	2986
30	653	0.1	RMS	518.2	-63.5	-13	Pass	6231
653	709	0.1	RMS	674.1	18.32	60	Pass	561
709	1000	0.1	RMS	709.7	-50.53	-13	Pass	2911
1000	3000	1	RMS	2638	-46.52	-13	Pass	2001
3000	10000	1	RMS	7718	-42.55	-13	Pass	7001



21.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.16	-13	Pass	2986
30	653	0.1	RMS	417.6	-63.57	-13	Pass	6231
653	709	0.1	RMS	679.1	19.54	60	Pass	561
709	1000	0.1	RMS	967	-62.01	-13	Pass	2911
1000	3000	1	RMS	2650	-46.5	-13	Pass	2001
3000	10000	1	RMS	7721	-42.43	-13	Pass	7001



21.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.63	-13	Pass	2986
30	653	0.1	RMS	509.9	-63.56	-13	Pass	6231
653	709	0.1	RMS	679.1	18.37	60	Pass	561
709	1000	0.1	RMS	917.4	-62	-13	Pass	2911
1000	3000	1	RMS	2649	-46.47	-13	Pass	2001
3000	10000	1	RMS	7730	-42.47	-13	Pass	7001



--BLANK BELOW--