



CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China
Tel: +86-755-27521059 Fax: +86-755-27521011 Http://www.sz-ctc.org.cn

Appendix for LTE Band 26 (824.7~848.3MHz)

**Applicant: HONGKONG UCLOUDLINK NETWORK TECHNOLOGY
LIMITED**

**Address: Suite 603, 6/F, Laws Commercial Plaza, 788 Cheung
Sha Wan Road, Kowloon, Hong Kong**

Product Name: 4G Wireless Data Terminal

Model: GLMG21A01

FCC ID: 2AC88-GLMG21A01

TABLE OF CONTENTS

1	Summary of Test Results Data and Graph	3
1.1.	Appendix A: Conducted Power Output Data	3
1.2.	Appendix B: Peak-to-Average Ratio(CCDF)	9
1.3.	Appendix C: 26dB Bandwidth and Occupied Bandwidth	31
1.4.	Appendix D: Band Edge	42
1.5.	Appendix E: Conducted Spurious Emission	64
1.6.	Appendix F: Frequency Stability	86

1 Summary of Test Results Data and Graph

1.1. Appendix A: Conducted Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band26	1.4MHz	QPSK	26797	1RB#0	23.62	PASS
Band26	1.4MHz	QPSK	26797	1RB#2	23.44	PASS
Band26	1.4MHz	QPSK	26797	1RB#5	23.60	PASS
Band26	1.4MHz	QPSK	26797	3RB#0	23.41	PASS
Band26	1.4MHz	QPSK	26797	3RB#1	23.42	PASS
Band26	1.4MHz	QPSK	26797	3RB#3	23.33	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	22.47	PASS
Band26	1.4MHz	QPSK	26915	1RB#0	23.50	PASS
Band26	1.4MHz	QPSK	26915	1RB#2	23.39	PASS
Band26	1.4MHz	QPSK	26915	1RB#5	23.49	PASS
Band26	1.4MHz	QPSK	26915	3RB#0	23.56	PASS
Band26	1.4MHz	QPSK	26915	3RB#1	23.53	PASS
Band26	1.4MHz	QPSK	26915	3RB#3	23.52	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	22.58	PASS
Band26	1.4MHz	QPSK	27033	1RB#0	23.60	PASS
Band26	1.4MHz	QPSK	27033	1RB#2	23.77	PASS
Band26	1.4MHz	QPSK	27033	1RB#5	23.79	PASS
Band26	1.4MHz	QPSK	27033	3RB#0	23.66	PASS
Band26	1.4MHz	QPSK	27033	3RB#1	23.64	PASS
Band26	1.4MHz	QPSK	27033	3RB#3	23.62	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	22.57	PASS
Band26	1.4MHz	16QAM	26797	1RB#0	22.78	PASS
Band26	1.4MHz	16QAM	26797	1RB#2	22.86	PASS
Band26	1.4MHz	16QAM	26797	1RB#5	22.73	PASS
Band26	1.4MHz	16QAM	26797	3RB#0	22.20	PASS
Band26	1.4MHz	16QAM	26797	3RB#1	22.19	PASS
Band26	1.4MHz	16QAM	26797	3RB#3	22.12	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	21.56	PASS
Band26	1.4MHz	16QAM	26915	1RB#0	22.26	PASS
Band26	1.4MHz	16QAM	26915	1RB#2	22.28	PASS
Band26	1.4MHz	16QAM	26915	1RB#5	22.29	PASS
Band26	1.4MHz	16QAM	26915	3RB#0	22.58	PASS
Band26	1.4MHz	16QAM	26915	3RB#1	22.32	PASS

Band26	1.4MHz	16QAM	26915	3RB#3	22.65	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	21.33	PASS
Band26	1.4MHz	16QAM	27033	1RB#0	22.56	PASS
Band26	1.4MHz	16QAM	27033	1RB#2	22.57	PASS
Band26	1.4MHz	16QAM	27033	1RB#5	22.53	PASS
Band26	1.4MHz	16QAM	27033	3RB#0	22.50	PASS
Band26	1.4MHz	16QAM	27033	3RB#1	22.59	PASS
Band26	1.4MHz	16QAM	27033	3RB#3	22.73	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	21.41	PASS
Band26	3MHz	QPSK	26805	1RB#0	23.28	PASS
Band26	3MHz	QPSK	26805	1RB#8	23.35	PASS
Band26	3MHz	QPSK	26805	1RB#14	23.41	PASS
Band26	3MHz	QPSK	26805	8RB#0	22.44	PASS
Band26	3MHz	QPSK	26805	8RB#4	22.48	PASS
Band26	3MHz	QPSK	26805	8RB#7	22.41	PASS
Band26	3MHz	QPSK	26805	15RB#0	22.44	PASS
Band26	3MHz	QPSK	26915	1RB#0	23.53	PASS
Band26	3MHz	QPSK	26915	1RB#8	23.51	PASS
Band26	3MHz	QPSK	26915	1RB#14	23.61	PASS
Band26	3MHz	QPSK	26915	8RB#0	22.62	PASS
Band26	3MHz	QPSK	26915	8RB#4	22.50	PASS
Band26	3MHz	QPSK	26915	8RB#7	22.55	PASS
Band26	3MHz	QPSK	26915	15RB#0	22.48	PASS
Band26	3MHz	QPSK	27025	1RB#0	23.53	PASS
Band26	3MHz	QPSK	27025	1RB#8	23.59	PASS
Band26	3MHz	QPSK	27025	1RB#14	23.53	PASS
Band26	3MHz	QPSK	27025	8RB#0	22.81	PASS
Band26	3MHz	QPSK	27025	8RB#4	22.74	PASS
Band26	3MHz	QPSK	27025	8RB#7	22.63	PASS
Band26	3MHz	QPSK	27025	15RB#0	22.72	PASS
Band26	3MHz	16QAM	26805	1RB#0	22.31	PASS
Band26	3MHz	16QAM	26805	1RB#8	22.25	PASS
Band26	3MHz	16QAM	26805	1RB#14	22.29	PASS
Band26	3MHz	16QAM	26805	8RB#0	21.63	PASS
Band26	3MHz	16QAM	26805	8RB#4	21.54	PASS
Band26	3MHz	16QAM	26805	8RB#7	21.47	PASS
Band26	3MHz	16QAM	26805	15RB#0	21.48	PASS
Band26	3MHz	16QAM	26915	1RB#0	22.74	PASS

Band26	3MHz	16QAM	26915	1RB#8	22.67	PASS
Band26	3MHz	16QAM	26915	1RB#14	22.44	PASS
Band26	3MHz	16QAM	26915	8RB#0	21.50	PASS
Band26	3MHz	16QAM	26915	8RB#4	21.60	PASS
Band26	3MHz	16QAM	26915	8RB#7	21.50	PASS
Band26	3MHz	16QAM	26915	15RB#0	21.43	PASS
Band26	3MHz	16QAM	27025	1RB#0	22.55	PASS
Band26	3MHz	16QAM	27025	1RB#8	22.74	PASS
Band26	3MHz	16QAM	27025	1RB#14	22.52	PASS
Band26	3MHz	16QAM	27025	8RB#0	21.86	PASS
Band26	3MHz	16QAM	27025	8RB#4	21.81	PASS
Band26	3MHz	16QAM	27025	8RB#7	21.92	PASS
Band26	3MHz	16QAM	27025	15RB#0	21.80	PASS
Band26	5MHz	QPSK	26815	1RB#0	23.48	PASS
Band26	5MHz	QPSK	26815	1RB#12	23.61	PASS
Band26	5MHz	QPSK	26815	1RB#24	23.38	PASS
Band26	5MHz	QPSK	26815	12RB#0	22.45	PASS
Band26	5MHz	QPSK	26815	12RB#6	22.46	PASS
Band26	5MHz	QPSK	26815	12RB#13	22.40	PASS
Band26	5MHz	QPSK	26815	25RB#0	22.42	PASS
Band26	5MHz	QPSK	26915	1RB#0	23.49	PASS
Band26	5MHz	QPSK	26915	1RB#12	23.44	PASS
Band26	5MHz	QPSK	26915	1RB#24	23.42	PASS
Band26	5MHz	QPSK	26915	12RB#0	22.54	PASS
Band26	5MHz	QPSK	26915	12RB#6	22.47	PASS
Band26	5MHz	QPSK	26915	12RB#13	22.53	PASS
Band26	5MHz	QPSK	26915	25RB#0	22.55	PASS
Band26	5MHz	QPSK	27015	1RB#0	23.70	PASS
Band26	5MHz	QPSK	27015	1RB#12	23.85	PASS
Band26	5MHz	QPSK	27015	1RB#24	23.53	PASS
Band26	5MHz	QPSK	27015	12RB#0	22.77	PASS
Band26	5MHz	QPSK	27015	12RB#6	22.58	PASS
Band26	5MHz	QPSK	27015	12RB#13	22.64	PASS
Band26	5MHz	QPSK	27015	25RB#0	22.65	PASS
Band26	5MHz	16QAM	26815	1RB#0	22.53	PASS
Band26	5MHz	16QAM	26815	1RB#12	22.40	PASS
Band26	5MHz	16QAM	26815	1RB#24	22.43	PASS
Band26	5MHz	16QAM	26815	12RB#0	21.62	PASS

Band26	5MHz	16QAM	26815	12RB#6	21.61	PASS
Band26	5MHz	16QAM	26815	12RB#13	21.44	PASS
Band26	5MHz	16QAM	26815	25RB#0	21.49	PASS
Band26	5MHz	16QAM	26915	1RB#0	22.70	PASS
Band26	5MHz	16QAM	26915	1RB#12	22.61	PASS
Band26	5MHz	16QAM	26915	1RB#24	22.48	PASS
Band26	5MHz	16QAM	26915	12RB#0	21.33	PASS
Band26	5MHz	16QAM	26915	12RB#6	21.73	PASS
Band26	5MHz	16QAM	26915	12RB#13	21.52	PASS
Band26	5MHz	16QAM	26915	25RB#0	21.75	PASS
Band26	5MHz	16QAM	27015	1RB#0	22.39	PASS
Band26	5MHz	16QAM	27015	1RB#12	22.60	PASS
Band26	5MHz	16QAM	27015	1RB#24	22.63	PASS
Band26	5MHz	16QAM	27015	12RB#0	21.61	PASS
Band26	5MHz	16QAM	27015	12RB#6	21.75	PASS
Band26	5MHz	16QAM	27015	12RB#13	21.68	PASS
Band26	5MHz	16QAM	27015	25RB#0	21.83	PASS
Band26	10MHz	QPSK	26840	1RB#0	23.39	PASS
Band26	10MHz	QPSK	26840	1RB#24	23.88	PASS
Band26	10MHz	QPSK	26840	1RB#49	23.40	PASS
Band26	10MHz	QPSK	26840	25RB#0	22.42	PASS
Band26	10MHz	QPSK	26840	25RB#12	22.41	PASS
Band26	10MHz	QPSK	26840	25RB#25	22.55	PASS
Band26	10MHz	QPSK	26840	50RB#0	22.43	PASS
Band26	10MHz	QPSK	26915	1RB#0	23.67	PASS
Band26	10MHz	QPSK	26915	1RB#24	23.82	PASS
Band26	10MHz	QPSK	26915	1RB#49	23.56	PASS
Band26	10MHz	QPSK	26915	25RB#0	22.57	PASS
Band26	10MHz	QPSK	26915	25RB#12	22.59	PASS
Band26	10MHz	QPSK	26915	25RB#25	22.54	PASS
Band26	10MHz	QPSK	26915	50RB#0	22.59	PASS
Band26	10MHz	QPSK	26990	1RB#0	23.45	PASS
Band26	10MHz	QPSK	26990	1RB#24	23.77	PASS
Band26	10MHz	QPSK	26990	1RB#49	23.55	PASS
Band26	10MHz	QPSK	26990	25RB#0	22.74	PASS
Band26	10MHz	QPSK	26990	25RB#12	22.60	PASS
Band26	10MHz	QPSK	26990	25RB#25	22.63	PASS
Band26	10MHz	QPSK	26990	50RB#0	22.77	PASS

Band26	10MHz	16QAM	26840	1RB#0	22.33	PASS
Band26	10MHz	16QAM	26840	1RB#24	22.79	PASS
Band26	10MHz	16QAM	26840	1RB#49	22.61	PASS
Band26	10MHz	16QAM	26840	25RB#0	21.61	PASS
Band26	10MHz	16QAM	26840	25RB#12	21.70	PASS
Band26	10MHz	16QAM	26840	25RB#25	21.67	PASS
Band26	10MHz	16QAM	26840	50RB#0	21.54	PASS
Band26	10MHz	16QAM	26915	1RB#0	23.22	PASS
Band26	10MHz	16QAM	26915	1RB#24	22.87	PASS
Band26	10MHz	16QAM	26915	1RB#49	22.57	PASS
Band26	10MHz	16QAM	26915	25RB#0	21.86	PASS
Band26	10MHz	16QAM	26915	25RB#12	21.67	PASS
Band26	10MHz	16QAM	26915	25RB#25	21.72	PASS
Band26	10MHz	16QAM	26915	50RB#0	21.65	PASS
Band26	10MHz	16QAM	26990	1RB#0	22.53	PASS
Band26	10MHz	16QAM	26990	1RB#24	22.79	PASS
Band26	10MHz	16QAM	26990	1RB#49	22.64	PASS
Band26	10MHz	16QAM	26990	25RB#0	21.71	PASS
Band26	10MHz	16QAM	26990	25RB#12	21.73	PASS
Band26	10MHz	16QAM	26990	25RB#25	21.65	PASS
Band26	10MHz	16QAM	26990	50RB#0	21.77	PASS
Band26	15MHz	QPSK	26865	1RB#0	23.22	PASS
Band26	15MHz	QPSK	26865	1RB#38	23.40	PASS
Band26	15MHz	QPSK	26865	1RB#74	23.28	PASS
Band26	15MHz	QPSK	26865	38RB#0	22.39	PASS
Band26	15MHz	QPSK	26865	38RB#18	22.38	PASS
Band26	15MHz	QPSK	26865	38RB#37	21.78	PASS
Band26	15MHz	QPSK	26865	75RB#0	22.45	PASS
Band26	15MHz	QPSK	26915	1RB#0	23.57	PASS
Band26	15MHz	QPSK	26915	1RB#38	23.64	PASS
Band26	15MHz	QPSK	26915	1RB#74	23.38	PASS
Band26	15MHz	QPSK	26915	38RB#0	23.17	PASS
Band26	15MHz	QPSK	26915	38RB#18	23.48	PASS
Band26	15MHz	QPSK	26915	38RB#37	23.32	PASS
Band26	15MHz	QPSK	26915	75RB#0	22.61	PASS
Band26	15MHz	QPSK	26965	1RB#0	23.42	PASS
Band26	15MHz	QPSK	26965	1RB#38	23.66	PASS
Band26	15MHz	QPSK	26965	1RB#74	23.45	PASS

Band26	15MHz	QPSK	26965	38RB#0	22.87	PASS
Band26	15MHz	QPSK	26965	38RB#18	22.92	PASS
Band26	15MHz	QPSK	26965	38RB#37	22.50	PASS
Band26	15MHz	QPSK	26965	75RB#0	22.69	PASS
Band26	15MHz	16QAM	26865	1RB#0	22.57	PASS
Band26	15MHz	16QAM	26865	1RB#38	22.32	PASS
Band26	15MHz	16QAM	26865	1RB#74	22.50	PASS
Band26	15MHz	16QAM	26865	38RB#0	22.34	PASS
Band26	15MHz	16QAM	26865	38RB#18	22.38	PASS
Band26	15MHz	16QAM	26865	38RB#37	22.30	PASS
Band26	15MHz	16QAM	26865	75RB#0	21.62	PASS
Band26	15MHz	16QAM	26915	1RB#0	23.16	PASS
Band26	15MHz	16QAM	26915	1RB#38	23.20	PASS
Band26	15MHz	16QAM	26915	1RB#74	23.20	PASS
Band26	15MHz	16QAM	26915	38RB#0	23.10	PASS
Band26	15MHz	16QAM	26915	38RB#18	23.51	PASS
Band26	15MHz	16QAM	26915	38RB#37	23.36	PASS
Band26	15MHz	16QAM	26915	75RB#0	21.57	PASS
Band26	15MHz	16QAM	26965	1RB#0	22.53	PASS
Band26	15MHz	16QAM	26965	1RB#38	22.57	PASS
Band26	15MHz	16QAM	26965	1RB#74	22.62	PASS
Band26	15MHz	16QAM	26965	38RB#0	22.89	PASS
Band26	15MHz	16QAM	26965	38RB#18	22.94	PASS
Band26	15MHz	16QAM	26965	38RB#37	22.55	PASS
Band26	15MHz	16QAM	26965	75RB#0	21.67	PASS


1.2. Appendix B: Peak-to-Average Ratio(CCDF)

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band26	1.4MHz	QPSK	26797	1RB#0	4.58	13	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	5.19	13	PASS
Band26	1.4MHz	QPSK	26915	1RB#0	4.35	13	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	4.99	13	PASS
Band26	1.4MHz	QPSK	27033	1RB#0	4.20	13	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	4.78	13	PASS
Band26	1.4MHz	16QAM	26797	1RB#0	5.62	13	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	6.06	13	PASS
Band26	1.4MHz	16QAM	26915	1RB#0	5.39	13	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	5.88	13	PASS
Band26	1.4MHz	16QAM	27033	1RB#0	5.28	13	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	5.57	13	PASS
Band26	3MHz	QPSK	26805	1RB#0	4.61	13	PASS
Band26	3MHz	QPSK	26805	15RB#0	5.22	13	PASS
Band26	3MHz	QPSK	26915	1RB#0	4.35	13	PASS
Band26	3MHz	QPSK	26915	15RB#0	5.01	13	PASS
Band26	3MHz	QPSK	27025	1RB#0	4.29	13	PASS
Band26	3MHz	QPSK	27025	15RB#0	4.87	13	PASS
Band26	3MHz	16QAM	26805	1RB#0	5.54	13	PASS
Band26	3MHz	16QAM	26805	15RB#0	6.06	13	PASS
Band26	3MHz	16QAM	26915	1RB#0	5.33	13	PASS
Band26	3MHz	16QAM	26915	15RB#0	5.86	13	PASS
Band26	3MHz	16QAM	27025	1RB#0	5.22	13	PASS
Band26	3MHz	16QAM	27025	15RB#0	5.86	13	PASS
Band26	5MHz	QPSK	26815	1RB#0	4.55	13	PASS
Band26	5MHz	QPSK	26815	25RB#0	5.19	13	PASS
Band26	5MHz	QPSK	26915	1RB#0	4.38	13	PASS
Band26	5MHz	QPSK	26915	25RB#0	4.99	13	PASS
Band26	5MHz	QPSK	27015	1RB#0	4.26	13	PASS
Band26	5MHz	QPSK	27015	25RB#0	4.96	13	PASS
Band26	5MHz	16QAM	26815	1RB#0	5.51	13	PASS
Band26	5MHz	16QAM	26815	25RB#0	6.00	13	PASS
Band26	5MHz	16QAM	26915	1RB#0	5.25	13	PASS
Band26	5MHz	16QAM	26915	25RB#0	5.83	13	PASS

Band26	5MHz	16QAM	27015	1RB#0	5.13	13	PASS
Band26	5MHz	16QAM	27015	25RB#0	5.77	13	PASS
Band26	10MHz	QPSK	26840	1RB#0	4.52	13	PASS
Band26	10MHz	QPSK	26840	50RB#0	5.16	13	PASS
Band26	10MHz	QPSK	26915	1RB#0	4.41	13	PASS
Band26	10MHz	QPSK	26915	50RB#0	4.93	13	PASS
Band26	10MHz	QPSK	26990	1RB#0	4.23	13	PASS
Band26	10MHz	QPSK	26990	50RB#0	4.96	13	PASS
Band26	10MHz	16QAM	26840	1RB#0	5.45	13	PASS
Band26	10MHz	16QAM	26840	50RB#0	5.94	13	PASS
Band26	10MHz	16QAM	26915	1RB#0	5.39	13	PASS
Band26	10MHz	16QAM	26915	50RB#0	5.88	13	PASS
Band26	10MHz	16QAM	26990	1RB#0	5.04	13	PASS
Band26	10MHz	16QAM	26990	50RB#0	5.83	13	PASS
Band26	15MHz	QPSK	26865	1RB#0	4.49	13	PASS
Band26	15MHz	QPSK	26865	75RB#0	5.25	13	PASS
Band26	15MHz	QPSK	26915	1RB#0	4.46	13	PASS
Band26	15MHz	QPSK	26915	75RB#0	5.13	13	PASS
Band26	15MHz	QPSK	26965	1RB#0	4.26	13	PASS
Band26	15MHz	QPSK	26965	75RB#0	5.07	13	PASS
Band26	15MHz	16QAM	26865	1RB#0	5.45	13	PASS
Band26	15MHz	16QAM	26865	75RB#0	6.00	13	PASS
Band26	15MHz	16QAM	26915	1RB#0	5.42	13	PASS
Band26	15MHz	16QAM	26915	75RB#0	5.91	13	PASS
Band26	15MHz	16QAM	26965	1RB#0	5.30	13	PASS
Band26	15MHz	16QAM	26965	75RB#0	5.88	13	PASS


Test Graphs




Band26-1.4MHz-QPSK-26797-1RB#0




Band26-1.4MHz-QPSK-26797-6RB#0




Band26-1.4MHz-QPSK-26915-1RB#0




Band26-1.4MHz-QPSK-26915-6RB#0




Band26-1.4MHz-QPSK-27033-1RB#0




Band26-1.4MHz-QPSK-27033-6RB#0




Band26-1.4MHz-16QAM-26797-1RB#0




Band26-1.4MHz-16QAM-26797-6RB#0




Band26-1.4MHz-16QAM-26915-1RB#0




Band26-1.4MHz-16QAM-26915-6RB#0



Band26-1.4MHz-16QAM-27033-1RB#0




Band26-1.4MHz-16QAM-27033-6RB#0




Band26-3MHz-QPSK-26805-1RB#0




Band26-3MHz-QPSK-26805-15RB#0




Band26-3MHz-QPSK-26915-1RB#0




Band26-3MHz-QPSK-26915-15RB#0




Band26-3MHz-QPSK-27025-1RB#0




Band26-3MHz-QPSK-27025-15RB#0




Band26-3MHz-16QAM-26805-1RB#0




Band26-3MHz-16QAM-26805-15RB#0




Band26-3MHz-16QAM-26915-1RB#0




Band26-3MHz-16QAM-26915-15RB#0




Band26-3MHz-16QAM-27025-1RB#0




Band26-3MHz-16QAM-27025-15RB#0




Band26-5MHz-QPSK-26815-1RB#0




Band26-5MHz-QPSK-26815-25RB#0




Band26-5MHz-QPSK-26915-1RB#0



Band26-5MHz-QPSK-26915-25RB#0




Band26-5MHz-QPSK-27015-1RB#0




Band26-5MHz-QPSK-27015-25RB#0




Band26-5MHz-16QAM-26815-1RB#0




Band26-5MHz-16QAM-26815-25RB#0




Band26-5MHz-16QAM-26915-1RB#0




Band26-5MHz-16QAM-26915-25RB#0




Band26-5MHz-16QAM-27015-1RB#0




Band26-5MHz-16QAM-27015-25RB#0




Band26-10MHz-QPSK-26840-1RB#0



Band26-10MHz-QPSK-26840-50RB#0




Band26-10MHz-QPSK-26915-1RB#0




Date: 30.MAY.2022 17:49:12

Band26-10MHz-QPSK-26915-50RB#0




Date: 30.MAY.2022 17:49:35

Band26-10MHz-QPSK-26990-1RB#0




Date: 30.MAY.2022 17:49:56


Band26-10MHz-QPSK-26990-50RB#0



Band26-10MHz-16QAM-26840-1RB#0




Band26-10MHz-16QAM-26840-50RB#0




Band26-10MHz-16QAM-26915-1RB#0



Band26-10MHz-16QAM-26915-50RB#0




Band26-10MHz-16QAM-26990-1RB#0




Band26-10MHz-16QAM-26990-50RB#0




Band26-15MHz-QPSK-26865-1RB#0




Band26-15MHz-QPSK-26865-75RB#0




Band26-15MHz-QPSK-26915-1RB#0



Band26-15MHz-QPSK-26915-75RB#0




Band26-15MHz-QPSK-26965-1RB#0




Band26-15MHz-QPSK-26965-75RB#0




Band26-15MHz-16QAM-26865-1RB#0




Band26-15MHz-16QAM-26865-75RB#0




Band26-15MHz-16QAM-26915-1RB#0



Band26-15MHz-16QAM-26915-75RB#0



Band26-15MHz-16QAM-26965-1RB#0




Band26-15MHz-16QAM-26965-75RB#0

1.3. Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band26	1.4MHz	QPSK	26797	6RB#0	1.096	1.226	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	1.096	1.221	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	1.091	1.226	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	1.091	1.226	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	1.091	1.216	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	1.087	1.245	PASS
Band26	3MHz	QPSK	26805	15RB#0	2.692	2.865	PASS
Band26	3MHz	QPSK	26915	15RB#0	2.712	2.865	PASS
Band26	3MHz	QPSK	27025	15RB#0	2.702	2.865	PASS
Band26	3MHz	16QAM	26805	15RB#0	2.692	2.865	PASS
Band26	3MHz	16QAM	26915	15RB#0	2.712	2.865	PASS
Band26	3MHz	16QAM	27025	15RB#0	2.692	2.865	PASS
Band26	5MHz	QPSK	26815	25RB#0	4.504	4.768	PASS
Band26	5MHz	QPSK	26915	25RB#0	4.504	4.768	PASS
Band26	5MHz	QPSK	27015	25RB#0	4.496	4.784	PASS
Band26	5MHz	16QAM	26815	25RB#0	4.512	4.800	PASS
Band26	5MHz	16QAM	26915	25RB#0	4.504	4.792	PASS
Band26	5MHz	16QAM	27015	25RB#0	4.512	4.776	PASS
Band26	10MHz	QPSK	26840	50RB#0	9.006	9.679	PASS
Band26	10MHz	QPSK	26915	50RB#0	8.974	9.647	PASS
Band26	10MHz	QPSK	26990	50RB#0	8.942	9.647	PASS
Band26	10MHz	16QAM	26840	50RB#0	8.974	9.679	PASS
Band26	10MHz	16QAM	26915	50RB#0	8.974	9.615	PASS
Band26	10MHz	16QAM	26990	50RB#0	8.974	9.647	PASS
Band26	15MHz	QPSK	26865	75RB#0	13.462	14.471	PASS
Band26	15MHz	QPSK	26915	75RB#0	13.462	14.471	PASS
Band26	15MHz	QPSK	26965	75RB#0	13.462	14.471	PASS
Band26	15MHz	16QAM	26865	75RB#0	13.462	14.423	PASS
Band26	15MHz	16QAM	26915	75RB#0	13.462	14.471	PASS
Band26	15MHz	16QAM	26965	75RB#0	13.462	14.471	PASS

Test Graphs




Date: 23.MAY.2022 12:43:08

Band26-1.4MHz-QPSK-26797-6RB#0-1.096




Date: 23.MAY.2022 12:44:01

Band26-1.4MHz-QPSK-26915-6RB#0-1.096




Date: 23.MAY.2022 12:44:54


Band26-1.4MHz-QPSK-27033-6RB#0-1.091




Band26-1.4MHz-16QAM-26797-6RB#0-1.091




Band26-1.4MHz-16QAM-26915-6RB#0-1.091




Band26-1.4MHz-16QAM-27033-6RB#0-1.087




Band26-3MHz-QPSK-26805-15RB#0-2.692




Band26-3MHz-QPSK-26915-15RB#0-2.712




Band26-3MHz-QPSK-27025-15RB#0-2.702




Band26-3MHz-16QAM-26805-15RB#0-2.692




Band26-3MHz-16QAM-26915-15RB#0-2.712




Band26-3MHz-16QAM-27025-15RB#0-2.692




Band26-5MHz-QPSK-26815-25RB#0-4.504




Band26-5MHz-QPSK-26915-25RB#0-4.504




Band26-5MHz-QPSK-27015-25RB#0-4.496




Band26-5MHz-16QAM-26815-25RB#0-4.512




Band26-5MHz-16QAM-26915-25RB#0-4.504




Band26-5MHz-16QAM-27015-25RB#0-4.512




Band26-10MHz-QPSK-26840-50RB#0-9.006




Band26-10MHz-QPSK-26915-50RB#0-8.974




Band26-10MHz-QPSK-26990-50RB#0-8.942




Band26-10MHz-16QAM-26840-50RB#0-8.974




Band26-10MHz-16QAM-26915-50RB#0-8.974




Band26-10MHz-16QAM-26990-50RB#0-8.974




Band26-15MHz-QPSK-26865-75RB#0-13.462




Band26-15MHz-QPSK-26915-75RB#0-13.462




Band26-15MHz-QPSK-26965-75RB#0-13.462



Band26-15MHz-16QAM-26865-75RB#0-13.462



Band26-15MHz-16QAM-26915-75RB#0-13.462



Band26-15MHz-16QAM-26965-75RB#0-13.462


1.4. Appendix D: Band Edge

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band26	1.4MHz	QPSK	26797	1RB#0	-24.18	PASS
Band26	1.4MHz	QPSK	26797	1RB#5	-43.68	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	-29.54	PASS
Band26	1.4MHz	QPSK	27033	1RB#0	-43.89	PASS
Band26	1.4MHz	QPSK	27033	1RB#5	-23.70	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	-28.87	PASS
Band26	1.4MHz	16QAM	26797	1RB#0	-24.01	PASS
Band26	1.4MHz	16QAM	26797	1RB#5	-44.14	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	-31.14	PASS
Band26	1.4MHz	16QAM	27033	1RB#0	-47.99	PASS
Band26	1.4MHz	16QAM	27033	1RB#5	-25.37	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	-30.19	PASS
Band26	3MHz	QPSK	26805	1RB#0	-22.07	PASS
Band26	3MHz	QPSK	26805	1RB#14	-43.28	PASS
Band26	3MHz	QPSK	26805	15RB#0	-27.67	PASS
Band26	3MHz	QPSK	27025	1RB#0	-44.40	PASS
Band26	3MHz	QPSK	27025	1RB#14	-20.02	PASS
Band26	3MHz	QPSK	27025	15RB#0	-29.09	PASS
Band26	3MHz	16QAM	26805	1RB#0	-22.90	PASS
Band26	3MHz	16QAM	26805	1RB#14	-44.29	PASS
Band26	3MHz	16QAM	26805	15RB#0	-28.71	PASS
Band26	3MHz	16QAM	27025	1RB#0	-44.16	PASS
Band26	3MHz	16QAM	27025	1RB#14	-21.15	PASS
Band26	3MHz	16QAM	27025	15RB#0	-29.27	PASS
Band26	5MHz	QPSK	26815	1RB#0	-22.96	PASS
Band26	5MHz	QPSK	26815	1RB#24	-47.99	PASS
Band26	5MHz	QPSK	26815	25RB#0	-29.09	PASS
Band26	5MHz	QPSK	27015	1RB#0	-48.42	PASS
Band26	5MHz	QPSK	27015	1RB#24	-22.82	PASS
Band26	5MHz	QPSK	27015	25RB#0	-29.19	PASS
Band26	5MHz	16QAM	26815	1RB#0	-24.81	PASS
Band26	5MHz	16QAM	26815	1RB#24	-48.23	PASS
Band26	5MHz	16QAM	26815	25RB#0	-30.32	PASS

Band26	5MHz	16QAM	27015	1RB#0	-48.63	PASS
Band26	5MHz	16QAM	27015	1RB#24	-22.59	PASS
Band26	5MHz	16QAM	27015	25RB#0	-30.26	PASS
Band26	10MHz	QPSK	26840	1RB#0	-17.36	PASS
Band26	10MHz	QPSK	26840	1RB#49	-46.18	PASS
Band26	10MHz	QPSK	26840	50RB#0	-30.30	PASS
Band26	10MHz	QPSK	26990	1RB#0	-46.55	PASS
Band26	10MHz	QPSK	26990	1RB#49	-13.20	PASS
Band26	10MHz	QPSK	26990	50RB#0	-28.66	PASS
Band26	10MHz	16QAM	26840	1RB#0	-18.22	PASS
Band26	10MHz	16QAM	26840	1RB#49	-46.70	PASS
Band26	10MHz	16QAM	26840	50RB#0	-31.70	PASS
Band26	10MHz	16QAM	26990	1RB#0	-47.00	PASS
Band26	10MHz	16QAM	26990	1RB#49	-13.54	PASS
Band26	10MHz	16QAM	26990	50RB#0	-29.28	PASS
Band26	15MHz	QPSK	26865	1RB#0	-16.69	PASS
Band26	15MHz	QPSK	26865	1RB#74	-46.44	PASS
Band26	15MHz	QPSK	26865	75RB#0	-30.23	PASS
Band26	15MHz	QPSK	26965	1RB#0	-46.55	PASS
Band26	15MHz	QPSK	26965	1RB#74	-12.32	FAIL
Band26	15MHz	QPSK	26965	75RB#0	-28.20	PASS
Band26	15MHz	16QAM	26865	1RB#0	-17.77	PASS
Band26	15MHz	16QAM	26865	1RB#74	-46.55	PASS
Band26	15MHz	16QAM	26865	75RB#0	-32.35	PASS
Band26	15MHz	16QAM	26965	1RB#0	-47.14	PASS
Band26	15MHz	16QAM	26965	1RB#74	-13.20	PASS
Band26	15MHz	16QAM	26965	75RB#0	-29.81	PASS


Test Graphs




Band26-1.4MHz-QPSK-26797-1RB#0




Band26-1.4MHz-QPSK-26797-1RB#5




Band26-1.4MHz-QPSK-26797-6RB#0




Band26-1.4MHz-QPSK-27033-1RB#0



Band26-1.4MHz-QPSK-27033-1RB#5




Band26-1.4MHz-QPSK-27033-6RB#0




Date: 23.MAY.2022 12:48:03

Band26-1.4MHz-16QAM-26797-1RB#0




Date: 23.MAY.2022 12:48:25

Band26-1.4MHz-16QAM-26797-1RB#5




Date: 23.MAY.2022 12:48:46


Band26-1.4MHz-16QAM-26797-6RB#0




Band26-1.4MHz-16QAM-27033-1RB#0



Band26-1.4MHz-16QAM-27033-1RB#5




Band26-1.4MHz-16QAM-27033-6RB#0




Date: 23.MAY.2022 13:08:21

Band26-3MHz-QPSK-26805-1RB#0




Date: 23.MAY.2022 13:08:42

Band26-3MHz-QPSK-26805-1RB#14




Date: 23.MAY.2022 13:09:03


Band26-3MHz-QPSK-26805-15RB#0




Band26-3MHz-QPSK-27025-1RB#0



Band26-3MHz-QPSK-27025-1RB#14




Band26-3MHz-QPSK-27025-15RB#0




Date: 23.MAY.2022 13:08:31

Band26-3MHz-16QAM-26805-1RB#0




Date: 23.MAY.2022 13:08:52

Band26-3MHz-16QAM-26805-1RB#14




Date: 23.MAY.2022 13:09:13


Band26-3MHz-16QAM-26805-15RB#0




Band26-3MHz-16QAM-27025-1RB#0



Band26-3MHz-16QAM-27025-1RB#14




Band26-3MHz-16QAM-27025-15RB#0




Date: 23.MAY.2022 13:26:05

Band26-5MHz-QPSK-26815-1RB#0




Date: 23.MAY.2022 13:26:26

Band26-5MHz-QPSK-26815-1RB#24




Date: 23.MAY.2022 13:26:47

Band26-5MHz-QPSK-26815-25RB#0




Date: 23.MAY.2022 13:27:22

Band26-5MHz-QPSK-27015-1RB#0




Date: 23.MAY.2022 13:27:44

Band26-5MHz-QPSK-27015-1RB#24




Date: 23.MAY.2022 13:28:05

Band26-5MHz-QPSK-27015-25RB#0




Date: 23.MAY.2022 13:26:15

Band26-5MHz-16QAM-26815-1RB#0




Date: 23.MAY.2022 13:26:37

Band26-5MHz-16QAM-26815-1RB#24




Date: 23.MAY.2022 13:26:58

Band26-5MHz-16QAM-26815-25RB#0




Date: 23.MAY.2022 13:27:33

Band26-5MHz-16QAM-27015-1RB#0




Date: 23.MAY.2022 13:27:55

Band26-5MHz-16QAM-27015-1RB#24




Date: 23.MAY.2022 13:28:16

Band26-5MHz-16QAM-27015-25RB#0




Date: 23.MAY.2022 13:43:20

Band26-10MHz-QPSK-26840-1RB#0




Date: 23.MAY.2022 13:43:41

Band26-10MHz-QPSK-26840-1RB#49




Date: 23.MAY.2022 13:44:03

Band26-10MHz-QPSK-26840-50RB#0




Date: 23.MAY.2022 13:44:38

Band26-10MHz-QPSK-26990-1RB#0




Date: 23.MAY.2022 13:45:00

Band26-10MHz-QPSK-26990-1RB#49




Date: 23.MAY.2022 13:45:21

Band26-10MHz-QPSK-26990-50RB#0




Date: 23.MAY.2022 13:43:31

Band26-10MHz-16QAM-26840-1RB#0




Date: 23.MAY.2022 13:43:52

Band26-10MHz-16QAM-26840-1RB#49




Date: 23.MAY.2022 13:44:14

Band26-10MHz-16QAM-26840-50RB#0




Date: 23.MAY.2022 13:44:49

Band26-10MHz-16QAM-26990-1RB#0




Date: 23.MAY.2022 13:45:10

Band26-10MHz-16QAM-26990-1RB#49




Date: 23.MAY.2022 13:45:32


Band26-10MHz-16QAM-26990-50RB#0




Band26-15MHz-QPSK-26865-1RB#0



Band26-15MHz-QPSK-26865-1RB#74




Band26-15MHz-QPSK-26865-75RB#0




Date: 23.MAY.2022 14:02:32

Band26-15MHz-QPSK-26965-1RB#0




Date: 23.MAY.2022 14:02:34

Band26-15MHz-QPSK-26965-1RB#74




Date: 23.MAY.2022 14:02:55

Band26-15MHz-QPSK-26965-75RB#0




Date: 23.MAY.2022 14:01:05

Band26-15MHz-16QAM-26865-1RB#0




Date: 23.MAY.2022 14:01:26

Band26-15MHz-16QAM-26865-1RB#74




Date: 23.MAY.2022 14:01:48

Band26-15MHz-16QAM-26865-75RB#0




Date: 23.MAY.2022 14:02:23

Band26-15MHz-16QAM-26965-1RB#0



Date: 23.MAY.2022 14:02:44

Band26-15MHz-16QAM-26965-1RB#74



Date: 23.MAY.2022 14:03:06

Band26-15MHz-16QAM-26965-75RB#0


1.5. Appendix E: Conducted Spurious Emission

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band26	1.4MHz	QPSK	26797	1RB#0	Range1:30~1000MHz	-40.9	PASS
Band26	1.4MHz	QPSK	26797	1RB#0	Range2:1000~10000MHz	-32.32	PASS
Band26	1.4MHz	QPSK	26915	1RB#0	Range1:30~1000MHz	-41.5	PASS
Band26	1.4MHz	QPSK	26915	1RB#0	Range2:1000~10000MHz	-31.35	PASS
Band26	1.4MHz	QPSK	27033	1RB#0	Range1:30~1000MHz	-41.15	PASS
Band26	1.4MHz	QPSK	27033	1RB#0	Range2:1000~10000MHz	-32.88	PASS
Band26	1.4MHz	16QAM	26797	1RB#0	Range1:30~1000MHz	-40.35	PASS
Band26	1.4MHz	16QAM	26797	1RB#0	Range2:1000~10000MHz	-35.34	PASS
Band26	1.4MHz	16QAM	26915	1RB#0	Range1:30~1000MHz	-41.29	PASS
Band26	1.4MHz	16QAM	26915	1RB#0	Range2:1000~10000MHz	-32.71	PASS
Band26	1.4MHz	16QAM	27033	1RB#0	Range1:30~1000MHz	-41.25	PASS
Band26	1.4MHz	16QAM	27033	1RB#0	Range2:1000~10000MHz	-35.91	PASS
Band26	3MHz	QPSK	26805	1RB#0	Range1:30~1000MHz	-41.32	PASS
Band26	3MHz	QPSK	26805	1RB#0	Range2:1000~10000MHz	-33.2	PASS
Band26	3MHz	QPSK	26915	1RB#0	Range1:30~1000MHz	-41.25	PASS
Band26	3MHz	QPSK	26915	1RB#0	Range2:1000~10000MHz	-31.5	PASS
Band26	3MHz	QPSK	27025	1RB#0	Range1:30~1000MHz	-41.43	PASS
Band26	3MHz	QPSK	27025	1RB#0	Range2:1000~10000MHz	-31.53	PASS
Band26	3MHz	16QAM	26805	1RB#0	Range1:30~1000MHz	-41.03	PASS
Band26	3MHz	16QAM	26805	1RB#0	Range2:1000~10000MHz	-33.89	PASS
Band26	3MHz	16QAM	26915	1RB#0	Range1:30~1000MHz	-41.12	PASS
Band26	3MHz	16QAM	26915	1RB#0	Range2:1000~10000MHz	-30.76	PASS
Band26	3MHz	16QAM	27025	1RB#0	Range1:30~1000MHz	-41.36	PASS
Band26	3MHz	16QAM	27025	1RB#0	Range2:1000~10000MHz	-33.54	PASS
Band26	5MHz	QPSK	26815	1RB#0	Range1:30~1000MHz	-40.91	PASS
Band26	5MHz	QPSK	26815	1RB#0	Range2:1000~10000MHz	-33.49	PASS
Band26	5MHz	QPSK	26915	1RB#0	Range1:30~1000MHz	-41.41	PASS
Band26	5MHz	QPSK	26915	1RB#0	Range2:1000~10000MHz	-31.37	PASS
Band26	5MHz	QPSK	27015	1RB#0	Range1:30~1000MHz	-41.11	PASS
Band26	5MHz	QPSK	27015	1RB#0	Range2:1000~10000MHz	-35.3	PASS
Band26	5MHz	16QAM	26815	1RB#0	Range1:30~1000MHz	-40.55	PASS
Band26	5MHz	16QAM	26815	1RB#0	Range2:1000~10000MHz	-32.6	PASS
Band26	5MHz	16QAM	26915	1RB#0	Range1:30~1000MHz	-41.2	PASS

Band26	5MHz	16QAM	26915	1RB#0	Range2:1000~10000MHz	-33.73	PASS
Band26	5MHz	16QAM	27015	1RB#0	Range1:30~1000MHz	-41.05	PASS
Band26	5MHz	16QAM	27015	1RB#0	Range2:1000~10000MHz	-33.75	PASS
Band26	10MHz	QPSK	26840	1RB#0	Range1:30~1000MHz	-40.7	PASS
Band26	10MHz	QPSK	26840	1RB#0	Range2:1000~10000MHz	-32.63	PASS
Band26	10MHz	QPSK	26915	1RB#0	Range1:30~1000MHz	-41.02	PASS
Band26	10MHz	QPSK	26915	1RB#0	Range2:1000~10000MHz	-32.56	PASS
Band26	10MHz	QPSK	26990	1RB#0	Range1:30~1000MHz	-41.2	PASS
Band26	10MHz	QPSK	26990	1RB#0	Range2:1000~10000MHz	-33.75	PASS
Band26	10MHz	16QAM	26840	1RB#0	Range1:30~1000MHz	-40.61	PASS
Band26	10MHz	16QAM	26840	1RB#0	Range2:1000~10000MHz	-30.68	PASS
Band26	10MHz	16QAM	26915	1RB#0	Range1:30~1000MHz	-41.33	PASS
Band26	10MHz	16QAM	26915	1RB#0	Range2:1000~10000MHz	-31.88	PASS
Band26	10MHz	16QAM	26990	1RB#0	Range1:30~1000MHz	-41.32	PASS
Band26	10MHz	16QAM	26990	1RB#0	Range2:1000~10000MHz	-32.24	PASS
Band26	15MHz	QPSK	26865	1RB#0	Range1:30~1000MHz	-40.52	PASS
Band26	15MHz	QPSK	26865	1RB#0	Range2:1000~10000MHz	-32.44	PASS
Band26	15MHz	QPSK	26915	1RB#0	Range1:30~1000MHz	-40.65	PASS
Band26	15MHz	QPSK	26915	1RB#0	Range2:1000~10000MHz	-31.85	PASS
Band26	15MHz	QPSK	26965	1RB#0	Range1:30~1000MHz	-40.76	PASS
Band26	15MHz	QPSK	26965	1RB#0	Range2:1000~10000MHz	-32.61	PASS
Band26	15MHz	16QAM	26865	1RB#0	Range1:30~1000MHz	-41.27	PASS
Band26	15MHz	16QAM	26865	1RB#0	Range2:1000~10000MHz	-30.29	PASS
Band26	15MHz	16QAM	26915	1RB#0	Range1:30~1000MHz	-40.86	PASS
Band26	15MHz	16QAM	26915	1RB#0	Range2:1000~10000MHz	-33.06	PASS
Band26	15MHz	16QAM	26965	1RB#0	Range1:30~1000MHz	-41.03	PASS
Band26	15MHz	16QAM	26965	1RB#0	Range2:1000~10000MHz	-32.24	PASS


Test Graphs




Band26-1.4MHz-QPSK-26797-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-QPSK-26797-1RB#0-Range2:1000~10000MHz




Band26-1.4MHz-QPSK-26915-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-QPSK-26915-1RB#0-Range2:1000~10000MHz




Band26-1.4MHz-QPSK-27033-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-QPSK-27033-1RB#0-Range2:1000~10000MHz




Band26-1.4MHz-16QAM-26797-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-16QAM-26797-1RB#0-Range2:1000~10000MHz




Band26-1.4MHz-16QAM-26915-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-16QAM-26915-1RB#0-Range2:1000~10000MHz



Band26-1.4MHz-16QAM-27033-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-16QAM-27033-1RB#0-Range2:1000~10000MHz




Date: 23.MAY.2022 13:10:44

Band26-3MHz-QPSK-26805-1RB#0-Range1:30~1000MHz




Date: 23.MAY.2022 13:10:54

Band26-3MHz-QPSK-26805-1RB#0-Range2:1000~10000MHz




Date: 23.MAY.2022 13:11:31


Band26-3MHz-QPSK-26915-1RB#0-Range1:30~1000MHz




Band26-3MHz-QPSK-26915-1RB#0-Range2:1000~10000MHz



Band26-3MHz-QPSK-27025-1RB#0-Range1:30~1000MHz




Band26-3MHz-QPSK-27025-1RB#0-Range2:1000~10000MHz




Date: 23.MAY.2022 13:11:06

Band26-3MHz-16QAM-26805-1RB#0-Range1:30~1000MHz




Date: 23.MAY.2022 13:11:16

Band26-3MHz-16QAM-26805-1RB#0-Range2:1000~10000MHz




Date: 23.MAY.2022 13:11:54


Band26-3MHz-16QAM-26915-1RB#0-Range1:30~1000MHz




Band26-3MHz-16QAM-26915-1RB#0-Range2:1000~10000MHz




Band26-3MHz-16QAM-27025-1RB#0-Range1:30~1000MHz




Band26-3MHz-16QAM-27025-1RB#0-Range2:1000~10000MHz




Band26-5MHz-QPSK-26815-1RB#0-Range1:30~1000MHz




Band26-5MHz-QPSK-26815-1RB#0-Range2:1000~10000MHz




Band26-5MHz-QPSK-26915-1RB#0-Range1:30~1000MHz




Band26-5MHz-QPSK-26915-1RB#0-Range2:1000~10000MHz



Band26-5MHz-QPSK-27015-1RB#0-Range1:30~1000MHz




Band26-5MHz-QPSK-27015-1RB#0-Range2:1000~10000MHz




Date: 23.MAY.2022 13:28:53

Band26-5MHz-16QAM-26815-1RB#0-Range1:30~1000MHz




Date: 23.MAY.2022 13:29:03

Band26-5MHz-16QAM-26815-1RB#0-Range2:1000~10000MHz




Date: 23.MAY.2022 13:29:40


Band26-5MHz-16QAM-26915-1RB#0-Range1:30~1000MHz




Band26-5MHz-16QAM-26915-1RB#0-Range2:1000~10000MHz



Band26-5MHz-16QAM-27015-1RB#0-Range1:30~1000MHz




Band26-5MHz-16QAM-27015-1RB#0-Range2:1000~10000MHz




Date: 23.MAY.2022 13:45:47

Band26-10MHz-QPSK-26840-1RB#0-Range1:30~1000MHz




Date: 23.MAY.2022 13:45:57

Band26-10MHz-QPSK-26840-1RB#0-Range2:1000~10000MHz




Date: 23.MAY.2022 13:46:34


Band26-10MHz-QPSK-26915-1RB#0-Range1:30~1000MHz




Band26-10MHz-QPSK-26915-1RB#0-Range2:1000~10000MHz



Band26-10MHz-QPSK-26990-1RB#0-Range1:30~1000MHz




Band26-10MHz-QPSK-26990-1RB#0-Range2:1000~10000MHz




Date: 23.MAY.2022 13:46:09

Band26-10MHz-16QAM-26840-1RB#0-Range1:30~1000MHz




Date: 23.MAY.2022 13:46:19

Band26-10MHz-16QAM-26840-1RB#0-Range2:1000~10000MHz




Date: 23.MAY.2022 13:46:57


Band26-10MHz-16QAM-26915-1RB#0-Range1:30~1000MHz




Band26-10MHz-16QAM-26915-1RB#0-Range2:1000~10000MHz




Band26-10MHz-16QAM-26990-1RB#0-Range1:30~1000MHz




Band26-10MHz-16QAM-26990-1RB#0-Range2:1000~10000MHz




Band26-15MHz-QPSK-26865-1RB#0-Range1:30~1000MHz



Band26-15MHz-QPSK-26865-1RB#0-Range2:1000~10000MHz




Band26-15MHz-QPSK-26915-1RB#0-Range1:30~1000MHz




Date: 23.MAY.2022 14:04:18

Band26-15MHz-QPSK-26915-1RB#0-Range2:1000~10000MHz




Date: 23.MAY.2022 14:04:55

Band26-15MHz-QPSK-26965-1RB#0-Range1:30~1000MHz




Date: 23.MAY.2022 14:05:06

Band26-15MHz-QPSK-26965-1RB#0-Range2:1000~10000MHz




Date: 23.MAY.2022 14:03:43

Band26-15MHz-16QAM-26865-1RB#0-Range1:30~1000MHz




Date: 23.MAY.2022 14:03:53

Band26-15MHz-16QAM-26865-1RB#0-Range2:1000~10000MHz




Date: 23.MAY.2022 14:04:30


Band26-15MHz-16QAM-26915-1RB#0-Range1:30~1000MHz



Band26-15MHz-16QAM-26915-1RB#0-Range2:1000~10000MHz



Band26-15MHz-16QAM-26965-1RB#0-Range1:30~1000MHz



Band26-15MHz-16QAM-26965-1RB#0-Range2:1000~10000MHz

1.6. Appendix F: Frequency Stability

Test Result

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band26	1.4MHz	QPSK	26797	6RB#0	VL	NT	-3.88	-0.004705	±2.5	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	VN	NT	-4.09	-0.004959	±2.5	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	VH	NT	-5.34	-0.006475	±2.5	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	VL	NT	-2.66	-0.003180	±2.5	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	VN	NT	-1.66	-0.001984	±2.5	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	VH	NT	2.57	0.003072	±2.5	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	VL	NT	-2.69	-0.003171	±2.5	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	VN	NT	-2.53	-0.002982	±2.5	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	VH	NT	-2.26	-0.002664	±2.5	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	VL	NT	-1.24	-0.001504	±2.5	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	VN	NT	-2.10	-0.002546	±2.5	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	VH	NT	-2.89	-0.003504	±2.5	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	VL	NT	3.29	0.003933	±2.5	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	VN	NT	3.86	0.004614	±2.5	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	VH	NT	-1.73	-0.002068	±2.5	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	VL	NT	-2.16	-0.002546	±2.5	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	VN	NT	-2.63	-0.003100	±2.5	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	VH	NT	-3.65	-0.004303	±2.5	PASS
Band26	3MHz	QPSK	26805	15RB#0	VL	NT	4.19	0.005076	±2.5	PASS
Band26	3MHz	QPSK	26805	15RB#0	VN	NT	3.26	0.003949	±2.5	PASS
Band26	3MHz	QPSK	26805	15RB#0	VH	NT	-3.76	-0.004555	±2.5	PASS
Band26	3MHz	QPSK	26915	15RB#0	VL	NT	-3.46	-0.004136	±2.5	PASS
Band26	3MHz	QPSK	26915	15RB#0	VN	NT	-2.75	-0.003288	±2.5	PASS
Band26	3MHz	QPSK	26915	15RB#0	VH	NT	-2.70	-0.003228	±2.5	PASS
Band26	3MHz	QPSK	27025	15RB#0	VL	NT	-3.62	-0.004271	±2.5	PASS
Band26	3MHz	QPSK	27025	15RB#0	VN	NT	-3.69	-0.004354	±2.5	PASS
Band26	3MHz	QPSK	27025	15RB#0	VH	NT	-3.58	-0.004224	±2.5	PASS
Band26	3MHz	16QAM	26805	15RB#0	VL	NT	3.32	0.004022	±2.5	PASS
Band26	3MHz	16QAM	26805	15RB#0	VN	NT	-4.01	-0.004858	±2.5	PASS
Band26	3MHz	16QAM	26805	15RB#0	VH	NT	2.76	0.003343	±2.5	PASS
Band26	3MHz	16QAM	26915	15RB#0	VL	NT	-3.13	-0.003742	±2.5	PASS
Band26	3MHz	16QAM	26915	15RB#0	VN	NT	2.19	0.002618	±2.5	PASS

Band26	3MHz	16QAM	26915	15RB#0	VH	NT	-2.50	-0.002989	±2.5	PASS
Band26	3MHz	16QAM	27025	15RB#0	VL	NT	-3.08	-0.003634	±2.5	PASS
Band26	3MHz	16QAM	27025	15RB#0	VN	NT	-3.20	-0.003776	±2.5	PASS
Band26	3MHz	16QAM	27025	15RB#0	VH	NT	-3.30	-0.003894	±2.5	PASS
Band26	5MHz	QPSK	26815	25RB#0	VL	NT	-2.02	-0.002444	±2.5	PASS
Band26	5MHz	QPSK	26815	25RB#0	VN	NT	-3.36	-0.004065	±2.5	PASS
Band26	5MHz	QPSK	26815	25RB#0	VH	NT	-2.03	-0.002456	±2.5	PASS
Band26	5MHz	QPSK	26915	25RB#0	VL	NT	1.83	0.002188	±2.5	PASS
Band26	5MHz	QPSK	26915	25RB#0	VN	NT	1.96	0.002343	±2.5	PASS
Band26	5MHz	QPSK	26915	25RB#0	VH	NT	-3.23	-0.003861	±2.5	PASS
Band26	5MHz	QPSK	27015	25RB#0	VL	NT	-3.32	-0.003922	±2.5	PASS
Band26	5MHz	QPSK	27015	25RB#0	VN	NT	-3.52	-0.004158	±2.5	PASS
Band26	5MHz	QPSK	27015	25RB#0	VH	NT	2.80	0.003308	±2.5	PASS
Band26	5MHz	16QAM	26815	25RB#0	VL	NT	-4.12	-0.004985	±2.5	PASS
Band26	5MHz	16QAM	26815	25RB#0	VN	NT	-2.80	-0.003388	±2.5	PASS
Band26	5MHz	16QAM	26815	25RB#0	VH	NT	-4.22	-0.005106	±2.5	PASS
Band26	5MHz	16QAM	26915	25RB#0	VL	NT	-2.15	-0.002570	±2.5	PASS
Band26	5MHz	16QAM	26915	25RB#0	VN	NT	-2.95	-0.003527	±2.5	PASS
Band26	5MHz	16QAM	26915	25RB#0	VH	NT	-3.58	-0.004280	±2.5	PASS
Band26	5MHz	16QAM	27015	25RB#0	VL	NT	2.00	0.002363	±2.5	PASS
Band26	5MHz	16QAM	27015	25RB#0	VN	NT	3.05	0.003603	±2.5	PASS
Band26	5MHz	16QAM	27015	25RB#0	VH	NT	-2.98	-0.003520	±2.5	PASS
Band26	10MHz	QPSK	26840	50RB#0	VL	NT	-2.13	-0.002569	±2.5	PASS
Band26	10MHz	QPSK	26840	50RB#0	VN	NT	-3.58	-0.004318	±2.5	PASS
Band26	10MHz	QPSK	26840	50RB#0	VH	NT	3.08	0.003715	±2.5	PASS
Band26	10MHz	QPSK	26915	50RB#0	VL	NT	-5.15	-0.006157	±2.5	PASS
Band26	10MHz	QPSK	26915	50RB#0	VN	NT	-2.09	-0.002499	±2.5	PASS
Band26	10MHz	QPSK	26915	50RB#0	VH	NT	-2.75	-0.003288	±2.5	PASS
Band26	10MHz	QPSK	26990	50RB#0	VL	NT	-2.00	-0.002370	±2.5	PASS
Band26	10MHz	QPSK	26990	50RB#0	VN	NT	-3.25	-0.003851	±2.5	PASS
Band26	10MHz	QPSK	26990	50RB#0	VH	NT	1.85	0.002192	±2.5	PASS
Band26	10MHz	16QAM	26840	50RB#0	VL	NT	-3.79	-0.004572	±2.5	PASS
Band26	10MHz	16QAM	26840	50RB#0	VN	NT	3.46	0.004174	±2.5	PASS
Band26	10MHz	16QAM	26840	50RB#0	VH	NT	-2.83	-0.003414	±2.5	PASS
Band26	10MHz	16QAM	26915	50RB#0	VL	NT	-3.98	-0.004758	±2.5	PASS
Band26	10MHz	16QAM	26915	50RB#0	VN	NT	-2.85	-0.003407	±2.5	PASS
Band26	10MHz	16QAM	26915	50RB#0	VH	NT	-2.16	-0.002582	±2.5	PASS
Band26	10MHz	16QAM	26990	50RB#0	VL	NT	-2.56	-0.003033	±2.5	PASS

Band26	10MHz	16QAM	26990	50RB#0	VN	NT	-2.46	-0.002915	±2.5	PASS
Band26	10MHz	16QAM	26990	50RB#0	VH	NT	3.52	0.004171	±2.5	PASS
Band26	15MHz	QPSK	26865	75RB#0	VL	NT	-4.55	-0.005472	±2.5	PASS
Band26	15MHz	QPSK	26865	75RB#0	VN	NT	-2.16	-0.002598	±2.5	PASS
Band26	15MHz	QPSK	26865	75RB#0	VH	NT	2.46	0.002959	±2.5	PASS
Band26	15MHz	QPSK	26915	75RB#0	VL	NT	-3.05	-0.003646	±2.5	PASS
Band26	15MHz	QPSK	26915	75RB#0	VN	NT	-1.83	-0.002188	±2.5	PASS
Band26	15MHz	QPSK	26915	75RB#0	VH	NT	-2.40	-0.002869	±2.5	PASS
Band26	15MHz	QPSK	26965	75RB#0	VL	NT	-3.98	-0.004730	±2.5	PASS
Band26	15MHz	QPSK	26965	75RB#0	VN	NT	-2.72	-0.003232	±2.5	PASS
Band26	15MHz	QPSK	26965	75RB#0	VH	NT	-2.92	-0.003470	±2.5	PASS
Band26	15MHz	16QAM	26865	75RB#0	VL	NT	-2.07	-0.002489	±2.5	PASS
Band26	15MHz	16QAM	26865	75RB#0	VN	NT	2.73	0.003283	±2.5	PASS
Band26	15MHz	16QAM	26865	75RB#0	VH	NT	-2.10	-0.002526	±2.5	PASS
Band26	15MHz	16QAM	26915	75RB#0	VL	NT	-2.40	-0.002869	±2.5	PASS
Band26	15MHz	16QAM	26915	75RB#0	VN	NT	-2.88	-0.003443	±2.5	PASS
Band26	15MHz	16QAM	26915	75RB#0	VH	NT	-2.49	-0.002977	±2.5	PASS
Band26	15MHz	16QAM	26965	75RB#0	VL	NT	-2.70	-0.003209	±2.5	PASS
Band26	15MHz	16QAM	26965	75RB#0	VN	NT	-3.50	-0.004159	±2.5	PASS
Band26	15MHz	16QAM	26965	75RB#0	VH	NT	-3.00	-0.003565	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band26	1.4MHz	QPSK	26797	6RB#0	NV	0	-3.55	-0.004305	±2.5	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	NV	10	-2.80	-0.003395	±2.5	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	NV	20	-3.39	-0.004111	±2.5	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	NV	30	-3.69	-0.004474	±2.5	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	NV	40	-3.93	-0.004765	±2.5	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	NV	45	-2.76	-0.003347	±2.5	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	NV	0	2.52	0.003013	±2.5	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	NV	10	2.30	0.002750	±2.5	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	NV	20	2.36	0.002821	±2.5	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	NV	30	-2.57	-0.003072	±2.5	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	NV	40	-3.28	-0.003921	±2.5	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	NV	45	-2.56	-0.003060	±2.5	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	NV	0	-2.92	-0.003442	±2.5	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	NV	10	2.39	0.002817	±2.5	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	NV	20	2.06	0.002428	±2.5	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	NV	30	3.52	0.004149	±2.5	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	NV	40	3.15	0.003713	±2.5	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	NV	45	-3.06	-0.003607	±2.5	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	NV	0	-2.60	-0.003153	±2.5	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	NV	10	-2.10	-0.002546	±2.5	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	NV	20	-3.16	-0.003832	±2.5	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	NV	30	2.37	0.002874	±2.5	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	NV	40	1.37	0.001661	±2.5	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	NV	45	-1.77	-0.002146	±2.5	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	NV	0	-1.89	-0.002259	±2.5	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	NV	10	1.92	0.002295	±2.5	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	NV	20	-1.93	-0.002307	±2.5	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	NV	30	-2.66	-0.003180	±2.5	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	NV	40	-2.50	-0.002989	±2.5	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	NV	45	-2.76	-0.003299	±2.5	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	NV	0	4.33	0.005104	±2.5	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	NV	10	3.56	0.004197	±2.5	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	NV	20	2.78	0.003277	±2.5	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	NV	30	-1.69	-0.001992	±2.5	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	NV	40	-2.65	-0.003124	±2.5	PASS

Band26	1.4MHz	16QAM	27033	6RB#0	NV	45	-3.36	-0.003961	±2.5	PASS
Band26	3MHz	QPSK	26805	15RB#0	NV	0	-2.15	-0.002604	±2.5	PASS
Band26	3MHz	QPSK	26805	15RB#0	NV	10	3.81	0.004615	±2.5	PASS
Band26	3MHz	QPSK	26805	15RB#0	NV	20	-1.79	-0.002168	±2.5	PASS
Band26	3MHz	QPSK	26805	15RB#0	NV	30	-2.60	-0.003150	±2.5	PASS
Band26	3MHz	QPSK	26805	15RB#0	NV	40	-2.68	-0.003247	±2.5	PASS
Band26	3MHz	QPSK	26805	15RB#0	NV	45	2.98	0.003610	±2.5	PASS
Band26	3MHz	QPSK	26915	15RB#0	NV	0	2.60	0.003108	±2.5	PASS
Band26	3MHz	QPSK	26915	15RB#0	NV	10	-2.65	-0.003168	±2.5	PASS
Band26	3MHz	QPSK	26915	15RB#0	NV	20	1.23	0.001470	±2.5	PASS
Band26	3MHz	QPSK	26915	15RB#0	NV	30	-2.82	-0.003371	±2.5	PASS
Band26	3MHz	QPSK	26915	15RB#0	NV	40	-2.59	-0.003096	±2.5	PASS
Band26	3MHz	QPSK	26915	15RB#0	NV	45	-2.53	-0.003025	±2.5	PASS
Band26	3MHz	QPSK	27025	15RB#0	NV	0	-3.85	-0.004543	±2.5	PASS
Band26	3MHz	QPSK	27025	15RB#0	NV	10	-2.66	-0.003139	±2.5	PASS
Band26	3MHz	QPSK	27025	15RB#0	NV	20	-4.66	-0.005499	±2.5	PASS
Band26	3MHz	QPSK	27025	15RB#0	NV	30	-3.78	-0.004460	±2.5	PASS
Band26	3MHz	QPSK	27025	15RB#0	NV	40	-4.39	-0.005180	±2.5	PASS
Band26	3MHz	QPSK	27025	15RB#0	NV	45	-2.52	-0.002973	±2.5	PASS
Band26	3MHz	16QAM	26805	15RB#0	NV	0	-2.27	-0.002750	±2.5	PASS
Band26	3MHz	16QAM	26805	15RB#0	NV	10	2.10	0.002544	±2.5	PASS
Band26	3MHz	16QAM	26805	15RB#0	NV	20	-3.49	-0.004228	±2.5	PASS
Band26	3MHz	16QAM	26805	15RB#0	NV	30	-3.18	-0.003852	±2.5	PASS
Band26	3MHz	16QAM	26805	15RB#0	NV	40	2.52	0.003053	±2.5	PASS
Band26	3MHz	16QAM	26805	15RB#0	NV	45	2.10	0.002544	±2.5	PASS
Band26	3MHz	16QAM	26915	15RB#0	NV	0	3.40	0.004065	±2.5	PASS
Band26	3MHz	16QAM	26915	15RB#0	NV	10	-2.32	-0.002773	±2.5	PASS
Band26	3MHz	16QAM	26915	15RB#0	NV	20	-2.52	-0.003013	±2.5	PASS
Band26	3MHz	16QAM	26915	15RB#0	NV	30	2.37	0.002833	±2.5	PASS
Band26	3MHz	16QAM	26915	15RB#0	NV	40	3.68	0.004399	±2.5	PASS
Band26	3MHz	16QAM	26915	15RB#0	NV	45	-2.15	-0.002570	±2.5	PASS
Band26	3MHz	16QAM	27025	15RB#0	NV	0	-4.58	-0.005404	±2.5	PASS
Band26	3MHz	16QAM	27025	15RB#0	NV	10	-2.82	-0.003327	±2.5	PASS
Band26	3MHz	16QAM	27025	15RB#0	NV	20	-3.43	-0.004047	±2.5	PASS
Band26	3MHz	16QAM	27025	15RB#0	NV	30	-4.98	-0.005876	±2.5	PASS
Band26	3MHz	16QAM	27025	15RB#0	NV	40	-4.56	-0.005381	±2.5	PASS
Band26	3MHz	16QAM	27025	15RB#0	NV	45	-3.40	-0.004012	±2.5	PASS
Band26	5MHz	QPSK	26815	25RB#0	NV	0	-2.33	-0.002819	±2.5	PASS

Band26	5MHz	QPSK	26815	25RB#0	NV	10	-3.20	-0.003872	±2.5	PASS
Band26	5MHz	QPSK	26815	25RB#0	NV	20	-4.16	-0.005033	±2.5	PASS
Band26	5MHz	QPSK	26815	25RB#0	NV	30	-3.52	-0.004259	±2.5	PASS
Band26	5MHz	QPSK	26815	25RB#0	NV	40	1.36	0.001645	±2.5	PASS
Band26	5MHz	QPSK	26815	25RB#0	NV	45	-4.51	-0.005457	±2.5	PASS
Band26	5MHz	QPSK	26915	25RB#0	NV	0	-1.66	-0.001984	±2.5	PASS
Band26	5MHz	QPSK	26915	25RB#0	NV	10	-3.29	-0.003933	±2.5	PASS
Band26	5MHz	QPSK	26915	25RB#0	NV	20	-2.13	-0.002546	±2.5	PASS
Band26	5MHz	QPSK	26915	25RB#0	NV	30	-2.12	-0.002534	±2.5	PASS
Band26	5MHz	QPSK	26915	25RB#0	NV	40	2.92	0.003491	±2.5	PASS
Band26	5MHz	QPSK	26915	25RB#0	NV	45	-3.10	-0.003706	±2.5	PASS
Band26	5MHz	QPSK	27015	25RB#0	NV	0	2.83	0.003343	±2.5	PASS
Band26	5MHz	QPSK	27015	25RB#0	NV	10	3.35	0.003957	±2.5	PASS
Band26	5MHz	QPSK	27015	25RB#0	NV	20	2.20	0.002599	±2.5	PASS
Band26	5MHz	QPSK	27015	25RB#0	NV	30	-3.36	-0.003969	±2.5	PASS
Band26	5MHz	QPSK	27015	25RB#0	NV	40	-5.44	-0.006426	±2.5	PASS
Band26	5MHz	QPSK	27015	25RB#0	NV	45	-1.83	-0.002162	±2.5	PASS
Band26	5MHz	16QAM	26815	25RB#0	NV	0	-3.82	-0.004622	±2.5	PASS
Band26	5MHz	16QAM	26815	25RB#0	NV	10	-2.60	-0.003146	±2.5	PASS
Band26	5MHz	16QAM	26815	25RB#0	NV	20	-3.03	-0.003666	±2.5	PASS
Band26	5MHz	16QAM	26815	25RB#0	NV	30	-4.05	-0.004900	±2.5	PASS
Band26	5MHz	16QAM	26815	25RB#0	NV	40	-3.55	-0.004295	±2.5	PASS
Band26	5MHz	16QAM	26815	25RB#0	NV	45	-5.12	-0.006195	±2.5	PASS
Band26	5MHz	16QAM	26915	25RB#0	NV	0	-3.53	-0.004220	±2.5	PASS
Band26	5MHz	16QAM	26915	25RB#0	NV	10	-3.39	-0.004053	±2.5	PASS
Band26	5MHz	16QAM	26915	25RB#0	NV	20	-4.12	-0.004925	±2.5	PASS
Band26	5MHz	16QAM	26915	25RB#0	NV	30	-3.78	-0.004519	±2.5	PASS
Band26	5MHz	16QAM	26915	25RB#0	NV	40	-6.27	-0.007496	±2.5	PASS
Band26	5MHz	16QAM	26915	25RB#0	NV	45	2.55	0.003048	±2.5	PASS
Band26	5MHz	16QAM	27015	25RB#0	NV	0	2.83	0.003343	±2.5	PASS
Band26	5MHz	16QAM	27015	25RB#0	NV	10	-3.06	-0.003615	±2.5	PASS
Band26	5MHz	16QAM	27015	25RB#0	NV	20	2.68	0.003166	±2.5	PASS
Band26	5MHz	16QAM	27015	25RB#0	NV	30	-3.06	-0.003615	±2.5	PASS
Band26	5MHz	16QAM	27015	25RB#0	NV	40	2.66	0.003142	±2.5	PASS
Band26	5MHz	16QAM	27015	25RB#0	NV	45	-3.06	-0.003615	±2.5	PASS
Band26	10MHz	QPSK	26840	50RB#0	NV	0	-3.40	-0.004101	±2.5	PASS
Band26	10MHz	QPSK	26840	50RB#0	NV	10	-2.56	-0.003088	±2.5	PASS
Band26	10MHz	QPSK	26840	50RB#0	NV	20	3.13	0.003776	±2.5	PASS

Band26	10MHz	QPSK	26840	50RB#0	NV	30	-3.72	-0.004487	±2.5	PASS
Band26	10MHz	QPSK	26840	50RB#0	NV	40	-2.79	-0.003366	±2.5	PASS
Band26	10MHz	QPSK	26840	50RB#0	NV	45	2.79	0.003366	±2.5	PASS
Band26	10MHz	QPSK	26915	50RB#0	NV	0	-2.92	-0.003491	±2.5	PASS
Band26	10MHz	QPSK	26915	50RB#0	NV	10	2.56	0.003060	±2.5	PASS
Band26	10MHz	QPSK	26915	50RB#0	NV	20	3.32	0.003969	±2.5	PASS
Band26	10MHz	QPSK	26915	50RB#0	NV	30	-2.10	-0.002510	±2.5	PASS
Band26	10MHz	QPSK	26915	50RB#0	NV	40	-2.65	-0.003168	±2.5	PASS
Band26	10MHz	QPSK	26915	50RB#0	NV	45	-2.76	-0.003299	±2.5	PASS
Band26	10MHz	QPSK	26990	50RB#0	NV	0	-4.28	-0.005071	±2.5	PASS
Band26	10MHz	QPSK	26990	50RB#0	NV	10	2.72	0.003223	±2.5	PASS
Band26	10MHz	QPSK	26990	50RB#0	NV	20	-3.82	-0.004526	±2.5	PASS
Band26	10MHz	QPSK	26990	50RB#0	NV	30	-3.58	-0.004242	±2.5	PASS
Band26	10MHz	QPSK	26990	50RB#0	NV	40	-2.37	-0.002808	±2.5	PASS
Band26	10MHz	QPSK	26990	50RB#0	NV	45	-3.56	-0.004218	±2.5	PASS
Band26	10MHz	16QAM	26840	50RB#0	NV	0	3.33	0.004017	±2.5	PASS
Band26	10MHz	16QAM	26840	50RB#0	NV	10	-3.25	-0.003920	±2.5	PASS
Band26	10MHz	16QAM	26840	50RB#0	NV	20	1.79	0.002159	±2.5	PASS
Band26	10MHz	16QAM	26840	50RB#0	NV	30	-2.09	-0.002521	±2.5	PASS
Band26	10MHz	16QAM	26840	50RB#0	NV	40	-3.06	-0.003691	±2.5	PASS
Band26	10MHz	16QAM	26840	50RB#0	NV	45	-2.99	-0.003607	±2.5	PASS
Band26	10MHz	16QAM	26915	50RB#0	NV	0	-2.99	-0.003574	±2.5	PASS
Band26	10MHz	16QAM	26915	50RB#0	NV	10	-2.65	-0.003168	±2.5	PASS
Band26	10MHz	16QAM	26915	50RB#0	NV	20	2.37	0.002833	±2.5	PASS
Band26	10MHz	16QAM	26915	50RB#0	NV	30	3.20	0.003825	±2.5	PASS
Band26	10MHz	16QAM	26915	50RB#0	NV	40	3.43	0.004100	±2.5	PASS
Band26	10MHz	16QAM	26915	50RB#0	NV	45	-2.07	-0.002475	±2.5	PASS
Band26	10MHz	16QAM	26990	50RB#0	NV	0	-4.06	-0.004810	±2.5	PASS
Band26	10MHz	16QAM	26990	50RB#0	NV	10	-2.65	-0.003140	±2.5	PASS
Band26	10MHz	16QAM	26990	50RB#0	NV	20	-5.12	-0.006066	±2.5	PASS
Band26	10MHz	16QAM	26990	50RB#0	NV	30	-2.90	-0.003436	±2.5	PASS
Band26	10MHz	16QAM	26990	50RB#0	NV	40	-3.36	-0.003981	±2.5	PASS
Band26	10MHz	16QAM	26990	50RB#0	NV	45	2.53	0.002998	±2.5	PASS
Band26	15MHz	QPSK	26865	75RB#0	NV	0	-2.42	-0.002910	±2.5	PASS
Band26	15MHz	QPSK	26865	75RB#0	NV	10	-1.40	-0.001684	±2.5	PASS
Band26	15MHz	QPSK	26865	75RB#0	NV	20	-2.03	-0.002441	±2.5	PASS
Band26	15MHz	QPSK	26865	75RB#0	NV	30	2.63	0.003163	±2.5	PASS
Band26	15MHz	QPSK	26865	75RB#0	NV	40	-3.91	-0.004702	±2.5	PASS

Band26	15MHz	QPSK	26865	75RB#0	NV	45	-3.05	-0.003668	±2.5	PASS
Band26	15MHz	QPSK	26915	75RB#0	NV	0	2.46	0.002941	±2.5	PASS
Band26	15MHz	QPSK	26915	75RB#0	NV	10	-2.89	-0.003455	±2.5	PASS
Band26	15MHz	QPSK	26915	75RB#0	NV	20	1.60	0.001913	±2.5	PASS
Band26	15MHz	QPSK	26915	75RB#0	NV	30	-2.66	-0.003180	±2.5	PASS
Band26	15MHz	QPSK	26915	75RB#0	NV	40	2.13	0.002546	±2.5	PASS
Band26	15MHz	QPSK	26915	75RB#0	NV	45	-2.92	-0.003491	±2.5	PASS
Band26	15MHz	QPSK	26965	75RB#0	NV	0	-3.20	-0.003803	±2.5	PASS
Band26	15MHz	QPSK	26965	75RB#0	NV	10	-2.46	-0.002923	±2.5	PASS
Band26	15MHz	QPSK	26965	75RB#0	NV	20	1.22	0.001450	±2.5	PASS
Band26	15MHz	QPSK	26965	75RB#0	NV	30	3.63	0.004314	±2.5	PASS
Band26	15MHz	QPSK	26965	75RB#0	NV	40	-3.42	-0.004064	±2.5	PASS
Band26	15MHz	QPSK	26965	75RB#0	NV	45	-3.48	-0.004135	±2.5	PASS
Band26	15MHz	16QAM	26865	75RB#0	NV	0	2.06	0.002477	±2.5	PASS
Band26	15MHz	16QAM	26865	75RB#0	NV	10	-4.52	-0.005436	±2.5	PASS
Band26	15MHz	16QAM	26865	75RB#0	NV	20	-2.60	-0.003127	±2.5	PASS
Band26	15MHz	16QAM	26865	75RB#0	NV	30	-4.28	-0.005147	±2.5	PASS
Band26	15MHz	16QAM	26865	75RB#0	NV	40	-3.16	-0.003800	±2.5	PASS
Band26	15MHz	16QAM	26865	75RB#0	NV	45	-4.33	-0.005207	±2.5	PASS
Band26	15MHz	16QAM	26915	75RB#0	NV	0	4.01	0.004794	±2.5	PASS
Band26	15MHz	16QAM	26915	75RB#0	NV	10	2.32	0.002773	±2.5	PASS
Band26	15MHz	16QAM	26915	75RB#0	NV	20	2.09	0.002499	±2.5	PASS
Band26	15MHz	16QAM	26915	75RB#0	NV	30	-5.26	-0.006288	±2.5	PASS
Band26	15MHz	16QAM	26915	75RB#0	NV	40	-1.54	-0.001841	±2.5	PASS
Band26	15MHz	16QAM	26915	75RB#0	NV	45	-3.78	-0.004519	±2.5	PASS
Band26	15MHz	16QAM	26965	75RB#0	NV	0	-2.47	-0.002935	±2.5	PASS
Band26	15MHz	16QAM	26965	75RB#0	NV	10	-4.38	-0.005205	±2.5	PASS
Band26	15MHz	16QAM	26965	75RB#0	NV	20	-5.41	-0.006429	±2.5	PASS
Band26	15MHz	16QAM	26965	75RB#0	NV	30	-2.22	-0.002638	±2.5	PASS
Band26	15MHz	16QAM	26965	75RB#0	NV	40	-1.87	-0.002222	±2.5	PASS
Band26	15MHz	16QAM	26965	75RB#0	NV	45	-4.49	-0.005336	±2.5	PASS

-----END-----