



CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China
Tel: +86-755-27521059 Fax: +86-755-27521011 [Http://www.sz-ctc.org.cn](http://www.sz-ctc.org.cn)

Appendix for LTE Band 26 (824.7~848.3MHz)

**Applicant: HONGKONG UCLOUDLINK NETWORK TECHNOLOGY
LIMITED**

**Address: Suite 603, 6/F, Laws Commercial Plaza, 788 Cheung
Sha Wan Road, Kowloon, Hong Kong**

Product Name: 4G Wireless Data Terminal

Model: GLMU21A03

FCC ID: 2AC88-GLMU21A03

TABLE OF CONTENTS

1	Summary of Test Results Data and Graph	3
1.1.	Appendix A: Conducted Power Output Data	3
1.2.	Appendix B: Peak-to-Average Ratio(CCDF)	9
1.3.	Appendix C: 26dB Bandwidth and Occupied Bandwidth	31
1.4.	Appendix D: Band Edge	42
1.5.	Appendix E: Conducted Spurious Emission	64
1.6.	Appendix F: Frequency Stability	86

1 Summary of Test Results Data and Graph

1.1. Appendix A: Conducted Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band26	1.4MHz	QPSK	26797	1RB#0	25.47	PASS
Band26	1.4MHz	QPSK	26797	1RB#2	25.45	PASS
Band26	1.4MHz	QPSK	26797	1RB#5	25.40	PASS
Band26	1.4MHz	QPSK	26797	3RB#0	25.35	PASS
Band26	1.4MHz	QPSK	26797	3RB#1	25.36	PASS
Band26	1.4MHz	QPSK	26797	3RB#3	25.44	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	24.34	PASS
Band26	1.4MHz	QPSK	26915	1RB#0	25.22	PASS
Band26	1.4MHz	QPSK	26915	1RB#2	25.24	PASS
Band26	1.4MHz	QPSK	26915	1RB#5	25.26	PASS
Band26	1.4MHz	QPSK	26915	3RB#0	25.36	PASS
Band26	1.4MHz	QPSK	26915	3RB#1	25.33	PASS
Band26	1.4MHz	QPSK	26915	3RB#3	25.30	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	24.36	PASS
Band26	1.4MHz	QPSK	27033	1RB#0	25.12	PASS
Band26	1.4MHz	QPSK	27033	1RB#2	25.17	PASS
Band26	1.4MHz	QPSK	27033	1RB#5	25.16	PASS
Band26	1.4MHz	QPSK	27033	3RB#0	25.18	PASS
Band26	1.4MHz	QPSK	27033	3RB#1	25.13	PASS
Band26	1.4MHz	QPSK	27033	3RB#3	25.14	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	24.14	PASS
Band26	1.4MHz	16QAM	26797	1RB#0	24.19	PASS
Band26	1.4MHz	16QAM	26797	1RB#2	24.03	PASS
Band26	1.4MHz	16QAM	26797	1RB#5	24.14	PASS
Band26	1.4MHz	16QAM	26797	3RB#0	25.33	PASS
Band26	1.4MHz	16QAM	26797	3RB#1	25.38	PASS
Band26	1.4MHz	16QAM	26797	3RB#3	25.43	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	23.52	PASS
Band26	1.4MHz	16QAM	26915	1RB#0	24.43	PASS
Band26	1.4MHz	16QAM	26915	1RB#2	24.45	PASS
Band26	1.4MHz	16QAM	26915	1RB#5	24.42	PASS
Band26	1.4MHz	16QAM	26915	3RB#0	25.34	PASS
Band26	1.4MHz	16QAM	26915	3RB#1	25.33	PASS

Band26	1.4MHz	16QAM	26915	3RB#3	25.29	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	23.35	PASS
Band26	1.4MHz	16QAM	27033	1RB#0	24.23	PASS
Band26	1.4MHz	16QAM	27033	1RB#2	24.26	PASS
Band26	1.4MHz	16QAM	27033	1RB#5	24.20	PASS
Band26	1.4MHz	16QAM	27033	3RB#0	25.16	PASS
Band26	1.4MHz	16QAM	27033	3RB#1	25.15	PASS
Band26	1.4MHz	16QAM	27033	3RB#3	25.13	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	23.13	PASS
Band26	3MHz	QPSK	26805	1RB#0	25.39	PASS
Band26	3MHz	QPSK	26805	1RB#8	25.43	PASS
Band26	3MHz	QPSK	26805	1RB#14	25.40	PASS
Band26	3MHz	QPSK	26805	8RB#0	24.08	PASS
Band26	3MHz	QPSK	26805	8RB#4	24.11	PASS
Band26	3MHz	QPSK	26805	8RB#7	24.11	PASS
Band26	3MHz	QPSK	26805	15RB#0	24.31	PASS
Band26	3MHz	QPSK	26915	1RB#0	25.24	PASS
Band26	3MHz	QPSK	26915	1RB#8	25.25	PASS
Band26	3MHz	QPSK	26915	1RB#14	25.34	PASS
Band26	3MHz	QPSK	26915	8RB#0	24.78	PASS
Band26	3MHz	QPSK	26915	8RB#4	24.88	PASS
Band26	3MHz	QPSK	26915	8RB#7	24.81	PASS
Band26	3MHz	QPSK	26915	15RB#0	24.26	PASS
Band26	3MHz	QPSK	27025	1RB#0	25.18	PASS
Band26	3MHz	QPSK	27025	1RB#8	25.16	PASS
Band26	3MHz	QPSK	27025	1RB#14	24.97	PASS
Band26	3MHz	QPSK	27025	8RB#0	24.13	PASS
Band26	3MHz	QPSK	27025	8RB#4	24.11	PASS
Band26	3MHz	QPSK	27025	8RB#7	24.05	PASS
Band26	3MHz	QPSK	27025	15RB#0	24.18	PASS
Band26	3MHz	16QAM	26805	1RB#0	24.14	PASS
Band26	3MHz	16QAM	26805	1RB#8	24.09	PASS
Band26	3MHz	16QAM	26805	1RB#14	24.08	PASS
Band26	3MHz	16QAM	26805	8RB#0	24.14	PASS
Band26	3MHz	16QAM	26805	8RB#4	24.10	PASS
Band26	3MHz	16QAM	26805	8RB#7	24.10	PASS
Band26	3MHz	16QAM	26805	15RB#0	23.12	PASS
Band26	3MHz	16QAM	26915	1RB#0	24.79	PASS

Band26	3MHz	16QAM	26915	1RB#8	24.88	PASS
Band26	3MHz	16QAM	26915	1RB#14	24.82	PASS
Band26	3MHz	16QAM	26915	8RB#0	24.78	PASS
Band26	3MHz	16QAM	26915	8RB#4	24.88	PASS
Band26	3MHz	16QAM	26915	8RB#7	24.81	PASS
Band26	3MHz	16QAM	26915	15RB#0	23.45	PASS
Band26	3MHz	16QAM	27025	1RB#0	24.16	PASS
Band26	3MHz	16QAM	27025	1RB#8	24.09	PASS
Band26	3MHz	16QAM	27025	1RB#14	24.06	PASS
Band26	3MHz	16QAM	27025	8RB#0	24.12	PASS
Band26	3MHz	16QAM	27025	8RB#4	24.10	PASS
Band26	3MHz	16QAM	27025	8RB#7	24.04	PASS
Band26	3MHz	16QAM	27025	15RB#0	23.12	PASS
Band26	5MHz	QPSK	26815	1RB#0	25.43	PASS
Band26	5MHz	QPSK	26815	1RB#12	25.36	PASS
Band26	5MHz	QPSK	26815	1RB#24	25.43	PASS
Band26	5MHz	QPSK	26815	12RB#0	24.27	PASS
Band26	5MHz	QPSK	26815	12RB#6	24.28	PASS
Band26	5MHz	QPSK	26815	12RB#13	24.20	PASS
Band26	5MHz	QPSK	26815	25RB#0	24.38	PASS
Band26	5MHz	QPSK	26915	1RB#0	25.48	PASS
Band26	5MHz	QPSK	26915	1RB#12	25.45	PASS
Band26	5MHz	QPSK	26915	1RB#24	25.49	PASS
Band26	5MHz	QPSK	26915	12RB#0	24.44	PASS
Band26	5MHz	QPSK	26915	12RB#6	24.43	PASS
Band26	5MHz	QPSK	26915	12RB#13	24.38	PASS
Band26	5MHz	QPSK	26915	25RB#0	24.43	PASS
Band26	5MHz	QPSK	27015	1RB#0	25.39	PASS
Band26	5MHz	QPSK	27015	1RB#12	25.31	PASS
Band26	5MHz	QPSK	27015	1RB#24	25.31	PASS
Band26	5MHz	QPSK	27015	12RB#0	24.23	PASS
Band26	5MHz	QPSK	27015	12RB#6	24.23	PASS
Band26	5MHz	QPSK	27015	12RB#13	24.14	PASS
Band26	5MHz	QPSK	27015	25RB#0	24.27	PASS
Band26	5MHz	16QAM	26815	1RB#0	24.04	PASS
Band26	5MHz	16QAM	26815	1RB#12	24.03	PASS
Band26	5MHz	16QAM	26815	1RB#24	24.04	PASS
Band26	5MHz	16QAM	26815	12RB#0	24.27	PASS

Band26	5MHz	16QAM	26815	12RB#6	24.28	PASS
Band26	5MHz	16QAM	26815	12RB#13	24.32	PASS
Band26	5MHz	16QAM	26815	25RB#0	23.24	PASS
Band26	5MHz	16QAM	26915	1RB#0	24.13	PASS
Band26	5MHz	16QAM	26915	1RB#12	24.24	PASS
Band26	5MHz	16QAM	26915	1RB#24	24.22	PASS
Band26	5MHz	16QAM	26915	12RB#0	24.44	PASS
Band26	5MHz	16QAM	26915	12RB#6	24.44	PASS
Band26	5MHz	16QAM	26915	12RB#13	24.38	PASS
Band26	5MHz	16QAM	26915	25RB#0	23.36	PASS
Band26	5MHz	16QAM	27015	1RB#0	23.71	PASS
Band26	5MHz	16QAM	27015	1RB#12	23.67	PASS
Band26	5MHz	16QAM	27015	1RB#24	23.59	PASS
Band26	5MHz	16QAM	27015	12RB#0	24.23	PASS
Band26	5MHz	16QAM	27015	12RB#6	24.23	PASS
Band26	5MHz	16QAM	27015	12RB#13	24.27	PASS
Band26	5MHz	16QAM	27015	25RB#0	23.26	PASS
Band26	10MHz	QPSK	26840	1RB#0	25.34	PASS
Band26	10MHz	QPSK	26840	1RB#24	25.32	PASS
Band26	10MHz	QPSK	26840	1RB#49	25.36	PASS
Band26	10MHz	QPSK	26840	25RB#0	24.45	PASS
Band26	10MHz	QPSK	26840	25RB#12	24.44	PASS
Band26	10MHz	QPSK	26840	25RB#25	24.25	PASS
Band26	10MHz	QPSK	26840	50RB#0	24.19	PASS
Band26	10MHz	QPSK	26915	1RB#0	25.47	PASS
Band26	10MHz	QPSK	26915	1RB#24	25.47	PASS
Band26	10MHz	QPSK	26915	1RB#49	25.40	PASS
Band26	10MHz	QPSK	26915	25RB#0	24.32	PASS
Band26	10MHz	QPSK	26915	25RB#12	24.31	PASS
Band26	10MHz	QPSK	26915	25RB#25	24.43	PASS
Band26	10MHz	QPSK	26915	50RB#0	24.37	PASS
Band26	10MHz	QPSK	26990	1RB#0	25.29	PASS
Band26	10MHz	QPSK	26990	1RB#24	25.23	PASS
Band26	10MHz	QPSK	26990	1RB#49	25.07	PASS
Band26	10MHz	QPSK	26990	25RB#0	24.15	PASS
Band26	10MHz	QPSK	26990	25RB#12	24.16	PASS
Band26	10MHz	QPSK	26990	25RB#25	24.24	PASS
Band26	10MHz	QPSK	26990	50RB#0	24.21	PASS

Band26	10MHz	16QAM	26840	1RB#0	23.67	PASS
Band26	10MHz	16QAM	26840	1RB#24	23.78	PASS
Band26	10MHz	16QAM	26840	1RB#49	23.66	PASS
Band26	10MHz	16QAM	26840	25RB#0	24.44	PASS
Band26	10MHz	16QAM	26840	25RB#12	24.44	PASS
Band26	10MHz	16QAM	26840	25RB#25	24.24	PASS
Band26	10MHz	16QAM	26840	50RB#0	23.33	PASS
Band26	10MHz	16QAM	26915	1RB#0	24.14	PASS
Band26	10MHz	16QAM	26915	1RB#24	24.14	PASS
Band26	10MHz	16QAM	26915	1RB#49	24.19	PASS
Band26	10MHz	16QAM	26915	25RB#0	24.31	PASS
Band26	10MHz	16QAM	26915	25RB#12	24.30	PASS
Band26	10MHz	16QAM	26915	25RB#25	24.43	PASS
Band26	10MHz	16QAM	26915	50RB#0	23.38	PASS
Band26	10MHz	16QAM	26990	1RB#0	23.98	PASS
Band26	10MHz	16QAM	26990	1RB#24	23.98	PASS
Band26	10MHz	16QAM	26990	1RB#49	23.94	PASS
Band26	10MHz	16QAM	26990	25RB#0	24.16	PASS
Band26	10MHz	16QAM	26990	25RB#12	24.16	PASS
Band26	10MHz	16QAM	26990	25RB#25	24.24	PASS
Band26	10MHz	16QAM	26990	50RB#0	23.27	PASS
Band26	15MHz	QPSK	26865	1RB#0	25.37	PASS
Band26	15MHz	QPSK	26865	1RB#38	25.35	PASS
Band26	15MHz	QPSK	26865	1RB#74	25.35	PASS
Band26	15MHz	QPSK	26865	38RB#0	24.47	PASS
Band26	15MHz	QPSK	26865	38RB#18	24.45	PASS
Band26	15MHz	QPSK	26865	38RB#37	24.49	PASS
Band26	15MHz	QPSK	26865	75RB#0	24.24	PASS
Band26	15MHz	QPSK	26915	1RB#0	25.44	PASS
Band26	15MHz	QPSK	26915	1RB#38	25.43	PASS
Band26	15MHz	QPSK	26915	1RB#74	25.33	PASS
Band26	15MHz	QPSK	26915	38RB#0	24.10	PASS
Band26	15MHz	QPSK	26915	38RB#18	24.17	PASS
Band26	15MHz	QPSK	26915	38RB#37	24.13	PASS
Band26	15MHz	QPSK	26915	75RB#0	24.42	PASS
Band26	15MHz	QPSK	26965	1RB#0	25.31	PASS
Band26	15MHz	QPSK	26965	1RB#38	25.32	PASS
Band26	15MHz	QPSK	26965	1RB#74	25.07	PASS

Band26	15MHz	QPSK	26965	38RB#0	24.04	PASS
Band26	15MHz	QPSK	26965	38RB#18	24.09	PASS
Band26	15MHz	QPSK	26965	38RB#37	23.91	PASS
Band26	15MHz	QPSK	26965	75RB#0	24.45	PASS
Band26	15MHz	16QAM	26865	1RB#0	24.45	PASS
Band26	15MHz	16QAM	26865	1RB#38	24.45	PASS
Band26	15MHz	16QAM	26865	1RB#74	24.41	PASS
Band26	15MHz	16QAM	26865	38RB#0	24.42	PASS
Band26	15MHz	16QAM	26865	38RB#18	24.41	PASS
Band26	15MHz	16QAM	26865	38RB#37	24.45	PASS
Band26	15MHz	16QAM	26865	75RB#0	23.39	PASS
Band26	15MHz	16QAM	26915	1RB#0	24.09	PASS
Band26	15MHz	16QAM	26915	1RB#38	24.17	PASS
Band26	15MHz	16QAM	26915	1RB#74	24.11	PASS
Band26	15MHz	16QAM	26915	38RB#0	24.13	PASS
Band26	15MHz	16QAM	26915	38RB#18	24.18	PASS
Band26	15MHz	16QAM	26915	38RB#37	24.09	PASS
Band26	15MHz	16QAM	26915	75RB#0	23.42	PASS
Band26	15MHz	16QAM	26965	1RB#0	24.04	PASS
Band26	15MHz	16QAM	26965	1RB#38	24.06	PASS
Band26	15MHz	16QAM	26965	1RB#74	23.89	PASS
Band26	15MHz	16QAM	26965	38RB#0	24.03	PASS
Band26	15MHz	16QAM	26965	38RB#18	24.08	PASS
Band26	15MHz	16QAM	26965	38RB#37	23.92	PASS
Band26	15MHz	16QAM	26965	75RB#0	23.33	PASS


1.2. Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band26	1.4MHz	QPSK	26797	1RB#0	4.46	13	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	4.96	13	PASS
Band26	1.4MHz	QPSK	26915	1RB#0	4.49	13	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	5.13	13	PASS
Band26	1.4MHz	QPSK	27033	1RB#0	3.25	13	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	4.09	13	PASS
Band26	1.4MHz	16QAM	26797	1RB#0	4.99	13	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	5.91	13	PASS
Band26	1.4MHz	16QAM	26915	1RB#0	5.19	13	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	5.77	13	PASS
Band26	1.4MHz	16QAM	27033	1RB#0	4.32	13	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	4.90	13	PASS
Band26	3MHz	QPSK	26805	1RB#0	4.46	13	PASS
Band26	3MHz	QPSK	26805	15RB#0	5.10	13	PASS
Band26	3MHz	QPSK	26915	1RB#0	4.46	13	PASS
Band26	3MHz	QPSK	26915	15RB#0	5.10	13	PASS
Band26	3MHz	QPSK	27025	1RB#0	3.39	13	PASS
Band26	3MHz	QPSK	27025	15RB#0	4.20	13	PASS
Band26	3MHz	16QAM	26805	1RB#0	5.28	13	PASS
Band26	3MHz	16QAM	26805	15RB#0	5.91	13	PASS
Band26	3MHz	16QAM	26915	1RB#0	5.42	13	PASS
Band26	3MHz	16QAM	26915	15RB#0	5.94	13	PASS
Band26	3MHz	16QAM	27025	1RB#0	3.83	13	PASS
Band26	3MHz	16QAM	27025	15RB#0	5.01	13	PASS
Band26	5MHz	QPSK	26815	1RB#0	4.35	13	PASS
Band26	5MHz	QPSK	26815	25RB#0	5.04	13	PASS
Band26	5MHz	QPSK	26915	1RB#0	4.49	13	PASS
Band26	5MHz	QPSK	26915	25RB#0	5.04	13	PASS
Band26	5MHz	QPSK	27015	1RB#0	3.36	13	PASS
Band26	5MHz	QPSK	27015	25RB#0	4.55	13	PASS
Band26	5MHz	16QAM	26815	1RB#0	5.48	13	PASS
Band26	5MHz	16QAM	26815	25RB#0	5.83	13	PASS
Band26	5MHz	16QAM	26915	1RB#0	5.54	13	PASS
Band26	5MHz	16QAM	26915	25RB#0	5.91	13	PASS

Band26	5MHz	16QAM	27015	1RB#0	4.52	13	PASS
Band26	5MHz	16QAM	27015	25RB#0	5.28	13	PASS
Band26	10MHz	QPSK	26840	1RB#0	4.32	13	PASS
Band26	10MHz	QPSK	26840	50RB#0	5.16	13	PASS
Band26	10MHz	QPSK	26915	1RB#0	4.55	13	PASS
Band26	10MHz	QPSK	26915	50RB#0	5.07	13	PASS
Band26	10MHz	QPSK	26990	1RB#0	4.09	13	PASS
Band26	10MHz	QPSK	26990	50RB#0	4.84	13	PASS
Band26	10MHz	16QAM	26840	1RB#0	5.39	13	PASS
Band26	10MHz	16QAM	26840	50RB#0	6.00	13	PASS
Band26	10MHz	16QAM	26915	1RB#0	5.71	13	PASS
Band26	10MHz	16QAM	26915	50RB#0	5.91	13	PASS
Band26	10MHz	16QAM	26990	1RB#0	5.28	13	PASS
Band26	10MHz	16QAM	26990	50RB#0	5.68	13	PASS
Band26	15MHz	QPSK	26865	1RB#0	4.38	13	PASS
Band26	15MHz	QPSK	26865	75RB#0	5.36	13	PASS
Band26	15MHz	QPSK	26915	1RB#0	4.52	13	PASS
Band26	15MHz	QPSK	26915	75RB#0	5.28	13	PASS
Band26	15MHz	QPSK	26965	1RB#0	4.38	13	PASS
Band26	15MHz	QPSK	26965	75RB#0	5.25	13	PASS
Band26	15MHz	16QAM	26865	1RB#0	5.45	13	PASS
Band26	15MHz	16QAM	26865	75RB#0	6.00	13	PASS
Band26	15MHz	16QAM	26915	1RB#0	5.54	13	PASS
Band26	15MHz	16QAM	26915	75RB#0	5.94	13	PASS
Band26	15MHz	16QAM	26965	1RB#0	5.65	13	PASS
Band26	15MHz	16QAM	26965	75RB#0	5.86	13	PASS


Test Graphs




Band26-1.4MHz-QPSK-26797-1RB#0




Band26-1.4MHz-QPSK-26797-6RB#0




Band26-1.4MHz-QPSK-26915-1RB#0



Band26-1.4MHz-QPSK-26915-6RB#0



Band26-1.4MHz-QPSK-27033-1RB#0



Band26-1.4MHz-QPSK-27033-6RB#0




Band26-1.4MHz-16QAM-26797-1RB#0




Band26-1.4MHz-16QAM-26797-6RB#0



Band26-1.4MHz-16QAM-26915-1RB#0




Band26-1.4MHz-16QAM-26915-6RB#0



Band26-1.4MHz-16QAM-27033-1RB#0



Band26-1.4MHz-16QAM-27033-6RB#0



Band26-3MHz-QPSK-26805-1RB#0




Band26-3MHz-QPSK-26805-15RB#0




Band26-3MHz-QPSK-26915-1RB#0




Band26-3MHz-QPSK-26915-15RB#0



Band26-3MHz-QPSK-27025-1RB#0



Band26-3MHz-QPSK-27025-15RB#0



Band26-3MHz-16QAM-26805-1RB#0



Band26-3MHz-16QAM-26805-15RB#0



Band26-3MHz-16QAM-26915-1RB#0



Band26-3MHz-16QAM-26915-15RB#0



Band26-3MHz-16QAM-27025-1RB#0




Band26-3MHz-16QAM-27025-15RB#0




Band26-5MHz-QPSK-26815-1RB#0




Band26-5MHz-QPSK-26815-25RB#0




Band26-5MHz-QPSK-26915-1RB#0



Band26-5MHz-QPSK-26915-25RB#0




Band26-5MHz-QPSK-27015-1RB#0




Band26-5MHz-QPSK-27015-25RB#0




Band26-5MHz-16QAM-26815-1RB#0




Band26-5MHz-16QAM-26815-25RB#0




Band26-5MHz-16QAM-26915-1RB#0




Band26-5MHz-16QAM-26915-25RB#0



Band26-5MHz-16QAM-27015-1RB#0




Band26-5MHz-16QAM-27015-25RB#0



Band26-10MHz-QPSK-26840-1RB#0




Band26-10MHz-QPSK-26840-50RB#0



Band26-10MHz-QPSK-26915-1RB#0



Band26-10MHz-QPSK-26915-50RB#0



Band26-10MHz-QPSK-26990-1RB#0




Band26-10MHz-QPSK-26990-50RB#0




Date: 26.MAR.2022 22:24:03

Band26-10MHz-16QAM-26840-1RB#0



Date: 26.MAR.2022 22:24:53

Band26-10MHz-16QAM-26840-50RB#0



Date: 26.MAR.2022 22:24:46

Band26-10MHz-16QAM-26915-1RB#0



Band26-10MHz-16QAM-26915-50RB#0




Band26-10MHz-16QAM-26990-1RB#0




Band26-10MHz-16QAM-26990-50RB#0




Band26-15MHz-QPSK-26865-1RB#0




Band26-15MHz-QPSK-26865-75RB#0




Band26-15MHz-QPSK-26915-1RB#0



Band26-15MHz-QPSK-26915-75RB#0



Band26-15MHz-QPSK-26965-1RB#0



Band26-15MHz-QPSK-26965-75RB#0



Band26-15MHz-16QAM-26865-1RB#0



Band26-15MHz-16QAM-26865-75RB#0




Band26-15MHz-16QAM-26915-1RB#0



Band26-15MHz-16QAM-26915-75RB#0



Band26-15MHz-16QAM-26965-1RB#0




Band26-15MHz-16QAM-26965-75RB#0

1.3. Appendix C: 26dB Bandwidth and Occupied Bandwidth


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band26	1.4MHz	QPSK	26797	6RB#0	1.088	1.225	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	1.088	1.215	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	1.093	1.230	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	1.093	1.215	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	1.088	1.230	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	1.088	1.230	PASS
Band26	3MHz	QPSK	26805	15RB#0	2.696	2.900	PASS
Band26	3MHz	QPSK	26915	15RB#0	2.696	2.940	PASS
Band26	3MHz	QPSK	27025	15RB#0	2.696	2.880	PASS
Band26	3MHz	16QAM	26805	15RB#0	2.696	2.910	PASS
Band26	3MHz	16QAM	26915	15RB#0	2.696	2.890	PASS
Band26	3MHz	16QAM	27025	15RB#0	2.686	2.910	PASS
Band26	5MHz	QPSK	26815	25RB#0	4.505	4.790	PASS
Band26	5MHz	QPSK	26915	25RB#0	4.496	4.800	PASS
Band26	5MHz	QPSK	27015	25RB#0	4.496	4.810	PASS
Band26	5MHz	16QAM	26815	25RB#0	4.496	4.790	PASS
Band26	5MHz	16QAM	26915	25RB#0	4.496	4.780	PASS
Band26	5MHz	16QAM	27015	25RB#0	4.505	4.790	PASS
Band26	10MHz	QPSK	26840	50RB#0	8.985	9.533	PASS
Band26	10MHz	QPSK	26915	50RB#0	8.985	9.533	PASS
Band26	10MHz	QPSK	26990	50RB#0	8.952	9.567	PASS
Band26	10MHz	16QAM	26840	50RB#0	8.985	9.533	PASS
Band26	10MHz	16QAM	26915	50RB#0	8.952	9.533	PASS
Band26	10MHz	16QAM	26990	50RB#0	8.952	9.567	PASS
Band26	15MHz	QPSK	26865	75RB#0	13.478	14.300	PASS
Band26	15MHz	QPSK	26915	75RB#0	13.478	14.300	PASS
Band26	15MHz	QPSK	26965	75RB#0	13.428	14.300	PASS
Band26	15MHz	16QAM	26865	75RB#0	13.478	14.300	PASS
Band26	15MHz	16QAM	26915	75RB#0	13.478	14.300	PASS
Band26	15MHz	16QAM	26965	75RB#0	13.428	14.300	PASS


Test Graphs




Band26-1.4MHz-QPSK-26797-6RB#0-1.088




Band26-1.4MHz-QPSK-26915-6RB#0-1.088




Band26-1.4MHz-QPSK-27033-6RB#0-1.093




Band26-1.4MHz-16QAM-26797-6RB#0-1.093



Band26-1.4MHz-16QAM-26915-6RB#0-1.088




Band26-1.4MHz-16QAM-27033-6RB#0-1.088




Date: 26.MAR.2022 20:46:33

Band26-3MHz-QPSK-26805-15RB#0-2.696




Date: 26.MAR.2022 20:46:58

Band26-3MHz-QPSK-26915-15RB#0-2.696




Date: 26.MAR.2022 20:47:23


Band26-3MHz-QPSK-27025-15RB#0-2.696




Band26-3MHz-16QAM-26805-15RB#0-2.696




Band26-3MHz-16QAM-26915-15RB#0-2.696




Band26-3MHz-16QAM-27025-15RB#0-2.686




Band26-5MHz-QPSK-26815-25RB#0-4.505




Band26-5MHz-QPSK-26915-25RB#0-4.496




Band26-5MHz-QPSK-27015-25RB#0-4.496




Band26-5MHz-16QAM-26815-25RB#0-4.496




Band26-5MHz-16QAM-26915-25RB#0-4.496




Band26-5MHz-16QAM-27015-25RB#0-4.505




Band26-10MHz-QPSK-26840-50RB#0-8.985




Band26-10MHz-QPSK-26915-50RB#0-8.985




Band26-10MHz-QPSK-26990-50RB#0-8.952




Band26-10MHz-16QAM-26840-50RB#0-8.985




Band26-10MHz-16QAM-26915-50RB#0-8.952




Band26-10MHz-16QAM-26990-50RB#0-8.952




Band26-15MHz-QPSK-26865-75RB#0-13.478



Band26-15MHz-QPSK-26915-75RB#0-13.478




Band26-15MHz-QPSK-26965-75RB#0-13.428




Date: 26.MAR.2022 21:26:19

Band26-15MHz-16QAM-26865-75RB#0-13.478



Date: 26.MAR.2022 21:26:44

Band26-15MHz-16QAM-26915-75RB#0-13.478



Date: 28.MAR.2022 21:27:00

Band26-15MHz-16QAM-26965-75RB#0-13.428


1.4. Appendix D: Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band26	1.4MHz	QPSK	26797	1RB#0	-26.70	PASS
Band26	1.4MHz	QPSK	26797	1RB#5	-31.91	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	-29.72	PASS
Band26	1.4MHz	QPSK	27033	1RB#0	-34.82	PASS
Band26	1.4MHz	QPSK	27033	1RB#5	-19.76	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	-21.79	PASS
Band26	1.4MHz	16QAM	26797	1RB#0	-27.04	PASS
Band26	1.4MHz	16QAM	26797	1RB#5	-31.95	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	-31.58	PASS
Band26	1.4MHz	16QAM	27033	1RB#0	-37.43	PASS
Band26	1.4MHz	16QAM	27033	1RB#5	-24.04	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	-23.28	PASS
Band26	3MHz	QPSK	26805	1RB#0	-19.70	PASS
Band26	3MHz	QPSK	26805	1RB#14	-33.89	PASS
Band26	3MHz	QPSK	26805	15RB#0	-28.85	PASS
Band26	3MHz	QPSK	27025	1RB#0	-35.66	PASS
Band26	3MHz	QPSK	27025	1RB#14	-17.60	PASS
Band26	3MHz	QPSK	27025	15RB#0	-26.20	PASS
Band26	3MHz	16QAM	26805	1RB#0	-20.93	PASS
Band26	3MHz	16QAM	26805	1RB#14	-34.67	PASS
Band26	3MHz	16QAM	26805	15RB#0	-30.29	PASS
Band26	3MHz	16QAM	27025	1RB#0	-37.41	PASS
Band26	3MHz	16QAM	27025	1RB#14	-20.90	PASS
Band26	3MHz	16QAM	27025	15RB#0	-29.44	PASS
Band26	5MHz	QPSK	26815	1RB#0	-19.01	PASS
Band26	5MHz	QPSK	26815	1RB#24	-38.00	PASS
Band26	5MHz	QPSK	26815	25RB#0	-26.05	PASS
Band26	5MHz	QPSK	27015	1RB#0	-39.19	PASS
Band26	5MHz	QPSK	27015	1RB#24	-18.05	PASS
Band26	5MHz	QPSK	27015	25RB#0	-23.02	PASS
Band26	5MHz	16QAM	26815	1RB#0	-22.00	PASS
Band26	5MHz	16QAM	26815	1RB#24	-39.30	PASS
Band26	5MHz	16QAM	26815	25RB#0	-29.12	PASS

Band26	5MHz	16QAM	27015	1RB#0	-40.33	PASS
Band26	5MHz	16QAM	27015	1RB#24	-19.47	PASS
Band26	5MHz	16QAM	27015	25RB#0	-25.12	PASS
Band26	10MHz	QPSK	26840	1RB#0	-24.55	PASS
Band26	10MHz	QPSK	26840	1RB#49	-42.45	PASS
Band26	10MHz	QPSK	26840	50RB#0	-28.33	PASS
Band26	10MHz	QPSK	26990	1RB#0	-44.22	PASS
Band26	10MHz	QPSK	26990	1RB#49	-23.85	PASS
Band26	10MHz	QPSK	26990	50RB#0	-24.72	PASS
Band26	10MHz	16QAM	26840	1RB#0	-25.91	PASS
Band26	10MHz	16QAM	26840	1RB#49	-43.34	PASS
Band26	10MHz	16QAM	26840	50RB#0	-30.43	PASS
Band26	10MHz	16QAM	26990	1RB#0	-44.61	PASS
Band26	10MHz	16QAM	26990	1RB#49	-26.21	PASS
Band26	10MHz	16QAM	26990	50RB#0	-27.11	PASS
Band26	15MHz	QPSK	26865	1RB#0	-26.49	PASS
Band26	15MHz	QPSK	26865	1RB#74	-44.73	PASS
Band26	15MHz	QPSK	26865	75RB#0	-27.10	PASS
Band26	15MHz	QPSK	26965	1RB#0	-45.72	PASS
Band26	15MHz	QPSK	26965	1RB#74	-26.10	PASS
Band26	15MHz	QPSK	26965	75RB#0	-26.10	PASS
Band26	15MHz	16QAM	26865	1RB#0	-27.90	PASS
Band26	15MHz	16QAM	26865	1RB#74	-45.20	PASS
Band26	15MHz	16QAM	26865	75RB#0	-30.31	PASS
Band26	15MHz	16QAM	26965	1RB#0	-46.47	PASS
Band26	15MHz	16QAM	26965	1RB#74	-27.31	PASS
Band26	15MHz	16QAM	26965	75RB#0	-28.15	PASS


Test Graphs



Band26-1.4MHz-QPSK-26797-1RB#0




Band26-1.4MHz-QPSK-26797-1RB#5



Band26-1.4MHz-QPSK-26797-6RB#0




Band26-1.4MHz-QPSK-27033-1RB#0



Band26-1.4MHz-QPSK-27033-1RB#5




Band26-1.4MHz-QPSK-27033-6RB#0



Band26-1.4MHz-16QAM-26797-1RB#0




Band26-1.4MHz-16QAM-26797-1RB#5



Band26-1.4MHz-16QAM-26797-6RB#0




Band26-1.4MHz-16QAM-27033-1RB#0




Band26-1.4MHz-16QAM-27033-1RB#5




Band26-1.4MHz-16QAM-27033-6RB#0




Band26-3MHz-QPSK-26805-1RB#0



Band26-3MHz-QPSK-26805-1RB#14



Band26-3MHz-QPSK-26805-15RB#0



Band26-3MHz-QPSK-27025-1RB#0



Band26-3MHz-QPSK-27025-1RB#14




Band26-3MHz-QPSK-27025-15RB#0




Band26-3MHz-16QAM-26805-1RB#0



Band26-3MHz-16QAM-26805-1RB#14




Band26-3MHz-16QAM-26805-15RB#0



Band26-3MHz-16QAM-27025-1RB#0



Band26-3MHz-16QAM-27025-1RB#14



Band26-3MHz-16QAM-27025-15RB#0



Band26-5MHz-QPSK-26815-1RB#0



Band26-5MHz-QPSK-26815-1RB#24



Band26-5MHz-QPSK-26815-25RB#0



Band26-5MHz-QPSK-27015-1RB#0



Band26-5MHz-QPSK-27015-1RB#24




Band26-5MHz-QPSK-27015-25RB#0




Band26-5MHz-16QAM-26815-1RB#0




Band26-5MHz-16QAM-26815-1RB#24



Band26-5MHz-16QAM-26815-25RB#0



Band26-5MHz-16QAM-27015-1RB#0



Band26-5MHz-16QAM-27015-1RB#24




Band26-5MHz-16QAM-27015-25RB#0



Band26-10MHz-QPSK-26840-1RB#0



Band26-10MHz-QPSK-26840-1RB#49



Band26-10MHz-QPSK-26840-50RB#0



Band26-10MHz-QPSK-26990-1RB#0



Band26-10MHz-QPSK-26990-1RB#49




Band26-10MHz-QPSK-26990-50RB#0



Band26-10MHz-16QAM-26840-1RB#0



Band26-10MHz-16QAM-26840-1RB#49




Band26-10MHz-16QAM-26840-50RB#0



Band26-10MHz-16QAM-26990-1RB#0




Band26-10MHz-16QAM-26990-1RB#49




Band26-10MHz-16QAM-26990-50RB#0



Band26-15MHz-QPSK-26865-1RB#0



Band26-15MHz-QPSK-26865-1RB#74



Band26-15MHz-QPSK-26865-75RB#0



Band26-15MHz-QPSK-26965-1RB#0



Band26-15MHz-QPSK-26965-1RB#74




Band26-15MHz-QPSK-26965-75RB#0



Band26-15MHz-16QAM-26865-1RB#0




Band26-15MHz-16QAM-26865-1RB#74



Band26-15MHz-16QAM-26865-75RB#0



Band26-15MHz-16QAM-26965-1RB#0



Band26-15MHz-16QAM-26965-1RB#74



Band26-15MHz-16QAM-26965-75RB#0


1.5. Appendix E: Conducted Spurious Emission

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band26	1.4MHz	QPSK	26797	1RB#0	Range1:30~1000MHz	-47.25	PASS
Band26	1.4MHz	QPSK	26797	1RB#0	Range2:1000~10000MHz	-26.23	PASS
Band26	1.4MHz	QPSK	26915	1RB#0	Range1:30~1000MHz	-47.67	PASS
Band26	1.4MHz	QPSK	26915	1RB#0	Range2:1000~10000MHz	-26.24	PASS
Band26	1.4MHz	QPSK	27033	1RB#0	Range1:30~1000MHz	-47.6	PASS
Band26	1.4MHz	QPSK	27033	1RB#0	Range2:1000~10000MHz	-27.02	PASS
Band26	1.4MHz	16QAM	26797	1RB#0	Range1:30~1000MHz	-47.42	PASS
Band26	1.4MHz	16QAM	26797	1RB#0	Range2:1000~10000MHz	-27.24	PASS
Band26	1.4MHz	16QAM	26915	1RB#0	Range1:30~1000MHz	-47.47	PASS
Band26	1.4MHz	16QAM	26915	1RB#0	Range2:1000~10000MHz	-27.55	PASS
Band26	1.4MHz	16QAM	27033	1RB#0	Range1:30~1000MHz	-47.59	PASS
Band26	1.4MHz	16QAM	27033	1RB#0	Range2:1000~10000MHz	-26.8	PASS
Band26	3MHz	QPSK	26805	1RB#0	Range1:30~1000MHz	-47.35	PASS
Band26	3MHz	QPSK	26805	1RB#0	Range2:1000~10000MHz	-26.62	PASS
Band26	3MHz	QPSK	26915	1RB#0	Range1:30~1000MHz	-47.8	PASS
Band26	3MHz	QPSK	26915	1RB#0	Range2:1000~10000MHz	-26.68	PASS
Band26	3MHz	QPSK	27025	1RB#0	Range1:30~1000MHz	-47.96	PASS
Band26	3MHz	QPSK	27025	1RB#0	Range2:1000~10000MHz	-27.48	PASS
Band26	3MHz	16QAM	26805	1RB#0	Range1:30~1000MHz	-47.35	PASS
Band26	3MHz	16QAM	26805	1RB#0	Range2:1000~10000MHz	-26.56	PASS
Band26	3MHz	16QAM	26915	1RB#0	Range1:30~1000MHz	-48.06	PASS
Band26	3MHz	16QAM	26915	1RB#0	Range2:1000~10000MHz	-26.86	PASS
Band26	3MHz	16QAM	27025	1RB#0	Range1:30~1000MHz	-47.45	PASS
Band26	3MHz	16QAM	27025	1RB#0	Range2:1000~10000MHz	-27.15	PASS
Band26	5MHz	QPSK	26815	1RB#0	Range1:30~1000MHz	-47.41	PASS
Band26	5MHz	QPSK	26815	1RB#0	Range2:1000~10000MHz	-26.96	PASS
Band26	5MHz	QPSK	26915	1RB#0	Range1:30~1000MHz	-47.73	PASS
Band26	5MHz	QPSK	26915	1RB#0	Range2:1000~10000MHz	-26.94	PASS
Band26	5MHz	QPSK	27015	1RB#0	Range1:30~1000MHz	-48.05	PASS
Band26	5MHz	QPSK	27015	1RB#0	Range2:1000~10000MHz	-27.33	PASS
Band26	5MHz	16QAM	26815	1RB#0	Range1:30~1000MHz	-47.57	PASS
Band26	5MHz	16QAM	26815	1RB#0	Range2:1000~10000MHz	-27.64	PASS
Band26	5MHz	16QAM	26915	1RB#0	Range1:30~1000MHz	-47.1	PASS

Band26	5MHz	16QAM	26915	1RB#0	Range2:1000~10000MHz	-26.85	PASS
Band26	5MHz	16QAM	27015	1RB#0	Range1:30~1000MHz	-47.93	PASS
Band26	5MHz	16QAM	27015	1RB#0	Range2:1000~10000MHz	-26.51	PASS
Band26	10MHz	QPSK	26840	1RB#0	Range1:30~1000MHz	-46.94	PASS
Band26	10MHz	QPSK	26840	1RB#0	Range2:1000~10000MHz	-26.83	PASS
Band26	10MHz	QPSK	26915	1RB#0	Range1:30~1000MHz	-48.21	PASS
Band26	10MHz	QPSK	26915	1RB#0	Range2:1000~10000MHz	-26.91	PASS
Band26	10MHz	QPSK	26990	1RB#0	Range1:30~1000MHz	-47.96	PASS
Band26	10MHz	QPSK	26990	1RB#0	Range2:1000~10000MHz	-27.79	PASS
Band26	10MHz	16QAM	26840	1RB#0	Range1:30~1000MHz	-47.07	PASS
Band26	10MHz	16QAM	26840	1RB#0	Range2:1000~10000MHz	-27.4	PASS
Band26	10MHz	16QAM	26915	1RB#0	Range1:30~1000MHz	-47.75	PASS
Band26	10MHz	16QAM	26915	1RB#0	Range2:1000~10000MHz	-26.8	PASS
Band26	10MHz	16QAM	26990	1RB#0	Range1:30~1000MHz	-47.24	PASS
Band26	10MHz	16QAM	26990	1RB#0	Range2:1000~10000MHz	-27.88	PASS
Band26	15MHz	QPSK	26865	1RB#0	Range1:30~1000MHz	-47.44	PASS
Band26	15MHz	QPSK	26865	1RB#0	Range2:1000~10000MHz	-26.68	PASS
Band26	15MHz	QPSK	26915	1RB#0	Range1:30~1000MHz	-47.46	PASS
Band26	15MHz	QPSK	26915	1RB#0	Range2:1000~10000MHz	-27.66	PASS
Band26	15MHz	QPSK	26965	1RB#0	Range1:30~1000MHz	-47.53	PASS
Band26	15MHz	QPSK	26965	1RB#0	Range2:1000~10000MHz	-27.55	PASS
Band26	15MHz	16QAM	26865	1RB#0	Range1:30~1000MHz	-47.63	PASS
Band26	15MHz	16QAM	26865	1RB#0	Range2:1000~10000MHz	-25.57	PASS
Band26	15MHz	16QAM	26915	1RB#0	Range1:30~1000MHz	-47.46	PASS
Band26	15MHz	16QAM	26915	1RB#0	Range2:1000~10000MHz	-26.83	PASS
Band26	15MHz	16QAM	26965	1RB#0	Range1:30~1000MHz	-47.12	PASS
Band26	15MHz	16QAM	26965	1RB#0	Range2:1000~10000MHz	-27.22	PASS


Test Graphs




Band26-1.4MHz-QPSK-26797-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-QPSK-26797-1RB#0-Range2:1000~10000MHz




Band26-1.4MHz-QPSK-26915-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-QPSK-26915-1RB#0-Range2:1000~10000MHz




Band26-1.4MHz-QPSK-27033-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-QPSK-27033-1RB#0-Range2:1000~10000MHz




Band26-1.4MHz-16QAM-26797-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-16QAM-26797-1RB#0-Range2:1000~10000MHz




Band26-1.4MHz-16QAM-26915-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-16QAM-26915-1RB#0-Range2:1000~10000MHz




Band26-1.4MHz-16QAM-27033-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-16QAM-27033-1RB#0-Range2:1000~10000MHz




Band26-3MHz-QPSK-26805-1RB#0-Range1:30~1000MHz




Band26-3MHz-QPSK-26805-1RB#0-Range2:1000~10000MHz




Band26-3MHz-QPSK-26915-1RB#0-Range1:30~1000MHz




Band26-3MHz-QPSK-26915-1RB#0-Range2:1000~10000MHz




Band26-3MHz-QPSK-27025-1RB#0-Range1:30~1000MHz




Band26-3MHz-QPSK-27025-1RB#0-Range2:1000~10000MHz




Band26-3MHz-16QAM-26805-1RB#0-Range1:30~1000MHz




Band26-3MHz-16QAM-26805-1RB#0-Range2:1000~10000MHz




Band26-3MHz-16QAM-26915-1RB#0-Range1:30~1000MHz




Band26-3MHz-16QAM-26915-1RB#0-Range2:1000~10000MHz




Band26-3MHz-16QAM-27025-1RB#0-Range1:30~1000MHz




Band26-3MHz-16QAM-27025-1RB#0-Range2:1000~10000MHz




Band26-5MHz-QPSK-26815-1RB#0-Range1:30~1000MHz




Band26-5MHz-QPSK-26815-1RB#0-Range2:1000~10000MHz




Band26-5MHz-QPSK-26915-1RB#0-Range1:30~1000MHz




Band26-5MHz-QPSK-26915-1RB#0-Range2:1000~10000MHz




Band26-5MHz-QPSK-27015-1RB#0-Range1:30~1000MHz




Band26-5MHz-QPSK-27015-1RB#0-Range2:1000~10000MHz




Band26-5MHz-16QAM-26815-1RB#0-Range1:30~1000MHz




Band26-5MHz-16QAM-26815-1RB#0-Range2:1000~10000MHz




Band26-5MHz-16QAM-26915-1RB#0-Range1:30~1000MHz




Band26-5MHz-16QAM-26915-1RB#0-Range2:1000~10000MHz




Band26-5MHz-16QAM-27015-1RB#0-Range1:30~1000MHz




Band26-5MHz-16QAM-27015-1RB#0-Range2:1000~10000MHz




Band26-10MHz-QPSK-26840-1RB#0-Range1:30~1000MHz




Band26-10MHz-QPSK-26840-1RB#0-Range2:1000~10000MHz




Band26-10MHz-QPSK-26915-1RB#0-Range1:30~1000MHz




Band26-10MHz-QPSK-26915-1RB#0-Range2:1000~10000MHz




Band26-10MHz-QPSK-26990-1RB#0-Range1:30~1000MHz




Band26-10MHz-QPSK-26990-1RB#0-Range2:1000~10000MHz




Band26-10MHz-16QAM-26840-1RB#0-Range1:30~1000MHz




Band26-10MHz-16QAM-26840-1RB#0-Range2:1000~10000MHz




Band26-10MHz-16QAM-26915-1RB#0-Range1:30~1000MHz




Band26-10MHz-16QAM-26915-1RB#0-Range2:1000~10000MHz




Band26-10MHz-16QAM-26990-1RB#0-Range1:30~1000MHz




Band26-10MHz-16QAM-26990-1RB#0-Range2:1000~10000MHz




Band26-15MHz-QPSK-26865-1RB#0-Range1:30~1000MHz




Band26-15MHz-QPSK-26865-1RB#0-Range2:1000~10000MHz




Band26-15MHz-QPSK-26915-1RB#0-Range1:30~1000MHz




Band26-15MHz-QPSK-26915-1RB#0-Range2:1000~10000MHz




Band26-15MHz-QPSK-26965-1RB#0-Range1:30~1000MHz




Band26-15MHz-QPSK-26965-1RB#0-Range2:1000~10000MHz




Band26-15MHz-16QAM-26865-1RB#0-Range1:30~1000MHz




Band26-15MHz-16QAM-26865-1RB#0-Range2:1000~10000MHz




Band26-15MHz-16QAM-26915-1RB#0-Range1:30~1000MHz



Band26-15MHz-16QAM-26915-1RB#0-Range2:1000~10000MHz



Band26-15MHz-16QAM-26965-1RB#0-Range1:30~1000MHz



Band26-15MHz-16QAM-26965-1RB#0-Range2:1000~10000MHz

1.6. Appendix F: Frequency Stability

Test Result

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band26	1.4MHz	QPSK	26797	6RB#0	VL	NT	22.14	0.026846	±2.5	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	VN	NT	18.32	0.022214	±2.5	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	VH	NT	15.99	0.019389	±2.5	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	VL	NT	14.38	0.017191	±2.5	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	VN	NT	11.56	0.013819	±2.5	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	VH	NT	-3.81	-0.004555	±2.5	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	VL	NT	14.88	0.017541	±2.5	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	VN	NT	19.18	0.022610	±2.5	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	VH	NT	-9.64	-0.011364	±2.5	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	VL	NT	-42.46	-0.051485	±2.5	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	VN	NT	-40.54	-0.049157	±2.5	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	VH	NT	-45.05	-0.054626	±2.5	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	VL	NT	-16.26	-0.019438	±2.5	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	VN	NT	-11.53	-0.013784	±2.5	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	VH	NT	-14.63	-0.017490	±2.5	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	VL	NT	-8.14	-0.009596	±2.5	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	VN	NT	-2.66	-0.003136	±2.5	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	VH	NT	-9.31	-0.010975	±2.5	PASS
Band26	3MHz	QPSK	26805	15RB#0	VL	NT	26.12	0.031641	±2.5	PASS
Band26	3MHz	QPSK	26805	15RB#0	VN	NT	23.12	0.028007	±2.5	PASS
Band26	3MHz	QPSK	26805	15RB#0	VH	NT	26.02	0.031520	±2.5	PASS
Band26	3MHz	QPSK	26915	15RB#0	VL	NT	13.60	0.016258	±2.5	PASS
Band26	3MHz	QPSK	26915	15RB#0	VN	NT	12.42	0.014848	±2.5	PASS
Band26	3MHz	QPSK	26915	15RB#0	VH	NT	4.39	0.005248	±2.5	PASS
Band26	3MHz	QPSK	27025	15RB#0	VL	NT	17.24	0.020342	±2.5	PASS
Band26	3MHz	QPSK	27025	15RB#0	VN	NT	14.25	0.016814	±2.5	PASS
Band26	3MHz	QPSK	27025	15RB#0	VH	NT	2.76	0.003257	±2.5	PASS
Band26	3MHz	16QAM	26805	15RB#0	VL	NT	21.77	0.026372	±2.5	PASS
Band26	3MHz	16QAM	26805	15RB#0	VN	NT	18.32	0.022193	±2.5	PASS
Band26	3MHz	16QAM	26805	15RB#0	VH	NT	27.69	0.033543	±2.5	PASS
Band26	3MHz	16QAM	26915	15RB#0	VL	NT	-5.45	-0.006515	±2.5	PASS
Band26	3MHz	16QAM	26915	15RB#0	VN	NT	-5.52	-0.006599	±2.5	PASS

Band26	3MHz	16QAM	26915	15RB#0	VH	NT	2.60	0.003108	±2.5	PASS
Band26	3MHz	16QAM	27025	15RB#0	VL	NT	-25.38	-0.029947	±2.5	PASS
Band26	3MHz	16QAM	27025	15RB#0	VN	NT	-24.20	-0.028555	±2.5	PASS
Band26	3MHz	16QAM	27025	15RB#0	VH	NT	-22.44	-0.026478	±2.5	PASS
Band26	5MHz	QPSK	26815	25RB#0	VL	NT	16.38	0.019819	±2.5	PASS
Band26	5MHz	QPSK	26815	25RB#0	VN	NT	18.37	0.022226	±2.5	PASS
Band26	5MHz	QPSK	26815	25RB#0	VH	NT	13.56	0.016407	±2.5	PASS
Band26	5MHz	QPSK	26915	25RB#0	VL	NT	14.96	0.017884	±2.5	PASS
Band26	5MHz	QPSK	26915	25RB#0	VN	NT	13.82	0.016521	±2.5	PASS
Band26	5MHz	QPSK	26915	25RB#0	VH	NT	9.48	0.011333	±2.5	PASS
Band26	5MHz	QPSK	27015	25RB#0	VL	NT	16.15	0.019079	±2.5	PASS
Band26	5MHz	QPSK	27015	25RB#0	VN	NT	17.32	0.020461	±2.5	PASS
Band26	5MHz	QPSK	27015	25RB#0	VH	NT	10.37	0.012250	±2.5	PASS
Band26	5MHz	16QAM	26815	25RB#0	VL	NT	-3.72	-0.004501	±2.5	PASS
Band26	5MHz	16QAM	26815	25RB#0	VN	NT	-4.69	-0.005675	±2.5	PASS
Band26	5MHz	16QAM	26815	25RB#0	VH	NT	4.11	0.004973	±2.5	PASS
Band26	5MHz	16QAM	26915	25RB#0	VL	NT	-33.29	-0.039797	±2.5	PASS
Band26	5MHz	16QAM	26915	25RB#0	VN	NT	-34.56	-0.041315	±2.5	PASS
Band26	5MHz	16QAM	26915	25RB#0	VH	NT	-31.29	-0.037406	±2.5	PASS
Band26	5MHz	16QAM	27015	25RB#0	VL	NT	-33.04	-0.039031	±2.5	PASS
Band26	5MHz	16QAM	27015	25RB#0	VN	NT	-34.36	-0.040591	±2.5	PASS
Band26	5MHz	16QAM	27015	25RB#0	VH	NT	-28.64	-0.033833	±2.5	PASS
Band26	10MHz	QPSK	26840	50RB#0	VL	NT	20.38	0.024584	±2.5	PASS
Band26	10MHz	QPSK	26840	50RB#0	VN	NT	19.08	0.023016	±2.5	PASS
Band26	10MHz	QPSK	26840	50RB#0	VH	NT	14.28	0.017226	±2.5	PASS
Band26	10MHz	QPSK	26915	50RB#0	VL	NT	19.68	0.023527	±2.5	PASS
Band26	10MHz	QPSK	26915	50RB#0	VN	NT	16.04	0.019175	±2.5	PASS
Band26	10MHz	QPSK	26915	50RB#0	VH	NT	17.27	0.020646	±2.5	PASS
Band26	10MHz	QPSK	26990	50RB#0	VL	NT	11.49	0.013614	±2.5	PASS
Band26	10MHz	QPSK	26990	50RB#0	VN	NT	14.82	0.017559	±2.5	PASS
Band26	10MHz	QPSK	26990	50RB#0	VH	NT	2.62	0.003104	±2.5	PASS
Band26	10MHz	16QAM	26840	50RB#0	VL	NT	39.04	0.047093	±2.5	PASS
Band26	10MHz	16QAM	26840	50RB#0	VN	NT	31.69	0.038227	±2.5	PASS
Band26	10MHz	16QAM	26840	50RB#0	VH	NT	48.18	0.058118	±2.5	PASS
Band26	10MHz	16QAM	26915	50RB#0	VL	NT	11.52	0.013772	±2.5	PASS
Band26	10MHz	16QAM	26915	50RB#0	VN	NT	10.63	0.012708	±2.5	PASS
Band26	10MHz	16QAM	26915	50RB#0	VH	NT	12.30	0.014704	±2.5	PASS
Band26	10MHz	16QAM	26990	50RB#0	VL	NT	-10.03	-0.011884	±2.5	PASS

Band26	10MHz	16QAM	26990	50RB#0	VN	NT	-18.73	-0.022192	±2.5	PASS
Band26	10MHz	16QAM	26990	50RB#0	VH	NT	-1.80	-0.002133	±2.5	PASS
Band26	15MHz	QPSK	26865	75RB#0	VL	NT	18.35	0.022069	±2.5	PASS
Band26	15MHz	QPSK	26865	75RB#0	VN	NT	19.61	0.023584	±2.5	PASS
Band26	15MHz	QPSK	26865	75RB#0	VH	NT	17.25	0.020746	±2.5	PASS
Band26	15MHz	QPSK	26915	75RB#0	VL	NT	16.14	0.019295	±2.5	PASS
Band26	15MHz	QPSK	26915	75RB#0	VN	NT	14.63	0.017490	±2.5	PASS
Band26	15MHz	QPSK	26915	75RB#0	VH	NT	11.70	0.013987	±2.5	PASS
Band26	15MHz	QPSK	26965	75RB#0	VL	NT	10.20	0.012121	±2.5	PASS
Band26	15MHz	QPSK	26965	75RB#0	VN	NT	9.66	0.011480	±2.5	PASS
Band26	15MHz	QPSK	26965	75RB#0	VH	NT	4.66	0.005538	±2.5	PASS
Band26	15MHz	16QAM	26865	75RB#0	VL	NT	14.76	0.017751	±2.5	PASS
Band26	15MHz	16QAM	26865	75RB#0	VN	NT	14.42	0.017342	±2.5	PASS
Band26	15MHz	16QAM	26865	75RB#0	VH	NT	17.97	0.021612	±2.5	PASS
Band26	15MHz	16QAM	26915	75RB#0	VL	NT	-7.95	-0.009504	±2.5	PASS
Band26	15MHz	16QAM	26915	75RB#0	VN	NT	-10.91	-0.013042	±2.5	PASS
Band26	15MHz	16QAM	26915	75RB#0	VH	NT	-6.08	-0.007268	±2.5	PASS
Band26	15MHz	16QAM	26965	75RB#0	VL	NT	-19.50	-0.023173	±2.5	PASS
Band26	15MHz	16QAM	26965	75RB#0	VN	NT	-21.14	-0.025122	±2.5	PASS
Band26	15MHz	16QAM	26965	75RB#0	VH	NT	-15.74	-0.018705	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band26	1.4MHz	QPSK	26797	6RB#0	NV	0	-7.17	-0.008694	±2.5	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	NV	10	-11.76	-0.014260	±2.5	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	NV	20	-18.21	-0.022081	±2.5	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	NV	30	-23.10	-0.028010	±2.5	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	NV	40	-26.58	-0.032230	±2.5	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	NV	45	-32.37	-0.039251	±2.5	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	NV	0	3.52	0.004208	±2.5	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	NV	10	-14.55	-0.017394	±2.5	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	NV	20	-24.33	-0.029085	±2.5	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	NV	30	-33.16	-0.039641	±2.5	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	NV	40	-42.47	-0.050771	±2.5	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	NV	45	2.80	0.003347	±2.5	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	NV	0	-36.49	-0.043015	±2.5	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	NV	10	-51.21	-0.060368	±2.5	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	NV	20	-7.82	-0.009218	±2.5	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	NV	30	-20.13	-0.023730	±2.5	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	NV	40	-29.31	-0.034551	±2.5	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	NV	45	-42.96	-0.050642	±2.5	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	NV	0	-45.98	-0.055754	±2.5	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	NV	10	-47.26	-0.057306	±2.5	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	NV	20	4.31	0.005226	±2.5	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	NV	30	-2.53	-0.003068	±2.5	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	NV	40	-7.54	-0.009143	±2.5	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	NV	45	-11.09	-0.013447	±2.5	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	NV	0	-17.85	-0.021339	±2.5	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	NV	10	-20.77	-0.024830	±2.5	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	NV	20	-24.25	-0.028990	±2.5	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	NV	30	-27.04	-0.032325	±2.5	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	NV	40	-29.43	-0.035182	±2.5	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	NV	45	-30.47	-0.036426	±2.5	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	NV	0	-16.68	-0.019663	±2.5	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	NV	10	-23.37	-0.027549	±2.5	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	NV	20	-19.84	-0.023388	±2.5	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	NV	30	-23.85	-0.028115	±2.5	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	NV	40	-21.82	-0.025722	±2.5	PASS

Band26	1.4MHz	16QAM	27033	6RB#0	NV	45	-22.72	-0.026783	±2.5	PASS
Band26	3MHz	QPSK	26805	15RB#0	NV	0	22.76	0.027571	±2.5	PASS
Band26	3MHz	QPSK	26805	15RB#0	NV	10	21.26	0.025754	±2.5	PASS
Band26	3MHz	QPSK	26805	15RB#0	NV	20	23.00	0.027862	±2.5	PASS
Band26	3MHz	QPSK	26805	15RB#0	NV	30	22.23	0.026929	±2.5	PASS
Band26	3MHz	QPSK	26805	15RB#0	NV	40	20.59	0.024942	±2.5	PASS
Band26	3MHz	QPSK	26805	15RB#0	NV	45	20.91	0.025330	±2.5	PASS
Band26	3MHz	QPSK	26915	15RB#0	NV	0	-26.51	-0.031692	±2.5	PASS
Band26	3MHz	QPSK	26915	15RB#0	NV	10	-33.19	-0.039677	±2.5	PASS
Band26	3MHz	QPSK	26915	15RB#0	NV	20	-39.41	-0.047113	±2.5	PASS
Band26	3MHz	QPSK	26915	15RB#0	NV	30	-43.34	-0.051811	±2.5	PASS
Band26	3MHz	QPSK	26915	15RB#0	NV	40	4.31	0.005152	±2.5	PASS
Band26	3MHz	QPSK	26915	15RB#0	NV	45	-2.62	-0.003132	±2.5	PASS
Band26	3MHz	QPSK	27025	15RB#0	NV	0	-34.36	-0.040543	±2.5	PASS
Band26	3MHz	QPSK	27025	15RB#0	NV	10	-43.57	-0.051410	±2.5	PASS
Band26	3MHz	QPSK	27025	15RB#0	NV	20	-47.41	-0.055941	±2.5	PASS
Band26	3MHz	QPSK	27025	15RB#0	NV	30	-8.41	-0.009923	±2.5	PASS
Band26	3MHz	QPSK	27025	15RB#0	NV	40	-15.99	-0.018867	±2.5	PASS
Band26	3MHz	QPSK	27025	15RB#0	NV	45	-18.65	-0.022006	±2.5	PASS
Band26	3MHz	16QAM	26805	15RB#0	NV	0	39.53	0.047886	±2.5	PASS
Band26	3MHz	16QAM	26805	15RB#0	NV	10	40.01	0.048468	±2.5	PASS
Band26	3MHz	16QAM	26805	15RB#0	NV	20	43.85	0.053119	±2.5	PASS
Band26	3MHz	16QAM	26805	15RB#0	NV	30	44.12	0.053446	±2.5	PASS
Band26	3MHz	16QAM	26805	15RB#0	NV	40	44.35	0.053725	±2.5	PASS
Band26	3MHz	16QAM	26805	15RB#0	NV	45	45.19	0.054743	±2.5	PASS
Band26	3MHz	16QAM	26915	15RB#0	NV	0	8.04	0.009611	±2.5	PASS
Band26	3MHz	16QAM	26915	15RB#0	NV	10	10.63	0.012708	±2.5	PASS
Band26	3MHz	16QAM	26915	15RB#0	NV	20	11.99	0.014334	±2.5	PASS
Band26	3MHz	16QAM	26915	15RB#0	NV	30	12.56	0.015015	±2.5	PASS
Band26	3MHz	16QAM	26915	15RB#0	NV	40	11.20	0.013389	±2.5	PASS
Band26	3MHz	16QAM	26915	15RB#0	NV	45	12.79	0.015290	±2.5	PASS
Band26	3MHz	16QAM	27025	15RB#0	NV	0	-17.29	-0.020401	±2.5	PASS
Band26	3MHz	16QAM	27025	15RB#0	NV	10	-19.61	-0.023139	±2.5	PASS
Band26	3MHz	16QAM	27025	15RB#0	NV	20	-17.82	-0.021027	±2.5	PASS
Band26	3MHz	16QAM	27025	15RB#0	NV	30	-15.98	-0.018855	±2.5	PASS
Band26	3MHz	16QAM	27025	15RB#0	NV	40	-15.05	-0.017758	±2.5	PASS
Band26	3MHz	16QAM	27025	15RB#0	NV	45	-13.82	-0.016307	±2.5	PASS
Band26	5MHz	QPSK	26815	25RB#0	NV	0	7.62	0.009220	±2.5	PASS

Band26	5MHz	QPSK	26815	25RB#0	NV	10	5.41	0.006546	±2.5	PASS
Band26	5MHz	QPSK	26815	25RB#0	NV	20	2.85	0.003448	±2.5	PASS
Band26	5MHz	QPSK	26815	25RB#0	NV	30	2.63	0.003182	±2.5	PASS
Band26	5MHz	QPSK	26815	25RB#0	NV	40	3.86	0.004670	±2.5	PASS
Band26	5MHz	QPSK	26815	25RB#0	NV	45	2.40	0.002904	±2.5	PASS
Band26	5MHz	QPSK	26915	25RB#0	NV	0	-16.24	-0.019414	±2.5	PASS
Band26	5MHz	QPSK	26915	25RB#0	NV	10	-20.37	-0.024351	±2.5	PASS
Band26	5MHz	QPSK	26915	25RB#0	NV	20	-24.96	-0.029839	±2.5	PASS
Band26	5MHz	QPSK	26915	25RB#0	NV	30	-27.89	-0.033341	±2.5	PASS
Band26	5MHz	QPSK	26915	25RB#0	NV	40	-32.14	-0.038422	±2.5	PASS
Band26	5MHz	QPSK	26915	25RB#0	NV	45	-32.89	-0.039319	±2.5	PASS
Band26	5MHz	QPSK	27015	25RB#0	NV	0	-15.55	-0.018370	±2.5	PASS
Band26	5MHz	QPSK	27015	25RB#0	NV	10	-20.60	-0.024335	±2.5	PASS
Band26	5MHz	QPSK	27015	25RB#0	NV	20	-22.69	-0.026804	±2.5	PASS
Band26	5MHz	QPSK	27015	25RB#0	NV	30	-26.06	-0.030786	±2.5	PASS
Band26	5MHz	QPSK	27015	25RB#0	NV	40	-27.68	-0.032699	±2.5	PASS
Band26	5MHz	QPSK	27015	25RB#0	NV	45	-30.91	-0.036515	±2.5	PASS
Band26	5MHz	16QAM	26815	25RB#0	NV	0	16.15	0.019540	±2.5	PASS
Band26	5MHz	16QAM	26815	25RB#0	NV	10	19.35	0.023412	±2.5	PASS
Band26	5MHz	16QAM	26815	25RB#0	NV	20	20.04	0.024247	±2.5	PASS
Band26	5MHz	16QAM	26815	25RB#0	NV	30	21.04	0.025457	±2.5	PASS
Band26	5MHz	16QAM	26815	25RB#0	NV	40	23.26	0.028143	±2.5	PASS
Band26	5MHz	16QAM	26815	25RB#0	NV	45	22.19	0.026848	±2.5	PASS
Band26	5MHz	16QAM	26915	25RB#0	NV	0	-22.62	-0.027041	±2.5	PASS
Band26	5MHz	16QAM	26915	25RB#0	NV	10	-22.73	-0.027173	±2.5	PASS
Band26	5MHz	16QAM	26915	25RB#0	NV	20	-20.94	-0.025033	±2.5	PASS
Band26	5MHz	16QAM	26915	25RB#0	NV	30	-19.76	-0.023622	±2.5	PASS
Band26	5MHz	16QAM	26915	25RB#0	NV	40	-19.47	-0.023276	±2.5	PASS
Band26	5MHz	16QAM	26915	25RB#0	NV	45	-20.08	-0.024005	±2.5	PASS
Band26	5MHz	16QAM	27015	25RB#0	NV	0	-20.53	-0.024253	±2.5	PASS
Band26	5MHz	16QAM	27015	25RB#0	NV	10	-19.18	-0.022658	±2.5	PASS
Band26	5MHz	16QAM	27015	25RB#0	NV	20	-20.03	-0.023662	±2.5	PASS
Band26	5MHz	16QAM	27015	25RB#0	NV	30	-18.71	-0.022103	±2.5	PASS
Band26	5MHz	16QAM	27015	25RB#0	NV	40	-17.02	-0.020106	±2.5	PASS
Band26	5MHz	16QAM	27015	25RB#0	NV	45	-17.27	-0.020402	±2.5	PASS
Band26	10MHz	QPSK	26840	50RB#0	NV	0	11.53	0.013908	±2.5	PASS
Band26	10MHz	QPSK	26840	50RB#0	NV	10	11.62	0.014017	±2.5	PASS
Band26	10MHz	QPSK	26840	50RB#0	NV	20	14.75	0.017793	±2.5	PASS

Band26	10MHz	QPSK	26840	50RB#0	NV	30	19.80	0.023884	±2.5	PASS
Band26	10MHz	QPSK	26840	50RB#0	NV	40	20.06	0.024198	±2.5	PASS
Band26	10MHz	QPSK	26840	50RB#0	NV	45	25.55	0.030820	±2.5	PASS
Band26	10MHz	QPSK	26915	50RB#0	NV	0	12.66	0.015134	±2.5	PASS
Band26	10MHz	QPSK	26915	50RB#0	NV	10	12.27	0.014668	±2.5	PASS
Band26	10MHz	QPSK	26915	50RB#0	NV	20	12.30	0.014704	±2.5	PASS
Band26	10MHz	QPSK	26915	50RB#0	NV	30	13.09	0.015649	±2.5	PASS
Band26	10MHz	QPSK	26915	50RB#0	NV	40	12.02	0.014369	±2.5	PASS
Band26	10MHz	QPSK	26915	50RB#0	NV	45	10.69	0.012779	±2.5	PASS
Band26	10MHz	QPSK	26990	50RB#0	NV	0	-20.23	-0.023969	±2.5	PASS
Band26	10MHz	QPSK	26990	50RB#0	NV	10	-24.48	-0.029005	±2.5	PASS
Band26	10MHz	QPSK	26990	50RB#0	NV	20	-25.29	-0.029964	±2.5	PASS
Band26	10MHz	QPSK	26990	50RB#0	NV	30	-25.08	-0.029716	±2.5	PASS
Band26	10MHz	QPSK	26990	50RB#0	NV	40	-22.19	-0.026291	±2.5	PASS
Band26	10MHz	QPSK	26990	50RB#0	NV	45	-18.80	-0.022275	±2.5	PASS
Band26	10MHz	16QAM	26840	50RB#0	NV	0	24.52	0.029578	±2.5	PASS
Band26	10MHz	16QAM	26840	50RB#0	NV	10	30.46	0.036743	±2.5	PASS
Band26	10MHz	16QAM	26840	50RB#0	NV	20	36.72	0.044294	±2.5	PASS
Band26	10MHz	16QAM	26840	50RB#0	NV	30	42.09	0.050772	±2.5	PASS
Band26	10MHz	16QAM	26840	50RB#0	NV	40	45.55	0.054946	±2.5	PASS
Band26	10MHz	16QAM	26840	50RB#0	NV	45	7.84	0.009457	±2.5	PASS
Band26	10MHz	16QAM	26915	50RB#0	NV	0	2.66	0.003180	±2.5	PASS
Band26	10MHz	16QAM	26915	50RB#0	NV	10	-3.83	-0.004579	±2.5	PASS
Band26	10MHz	16QAM	26915	50RB#0	NV	20	-4.69	-0.005607	±2.5	PASS
Band26	10MHz	16QAM	26915	50RB#0	NV	30	-6.31	-0.007543	±2.5	PASS
Band26	10MHz	16QAM	26915	50RB#0	NV	40	-10.14	-0.012122	±2.5	PASS
Band26	10MHz	16QAM	26915	50RB#0	NV	45	-11.90	-0.014226	±2.5	PASS
Band26	10MHz	16QAM	26990	50RB#0	NV	0	23.90	0.028318	±2.5	PASS
Band26	10MHz	16QAM	26990	50RB#0	NV	10	30.33	0.035936	±2.5	PASS
Band26	10MHz	16QAM	26990	50RB#0	NV	20	34.75	0.041173	±2.5	PASS
Band26	10MHz	16QAM	26990	50RB#0	NV	30	39.24	0.046493	±2.5	PASS
Band26	10MHz	16QAM	26990	50RB#0	NV	40	42.74	0.050640	±2.5	PASS
Band26	10MHz	16QAM	26990	50RB#0	NV	45	46.21	0.054751	±2.5	PASS
Band26	15MHz	QPSK	26865	75RB#0	NV	0	15.45	0.018581	±2.5	PASS
Band26	15MHz	QPSK	26865	75RB#0	NV	10	14.59	0.017547	±2.5	PASS
Band26	15MHz	QPSK	26865	75RB#0	NV	20	13.70	0.016476	±2.5	PASS
Band26	15MHz	QPSK	26865	75RB#0	NV	30	14.08	0.016933	±2.5	PASS
Band26	15MHz	QPSK	26865	75RB#0	NV	40	12.50	0.015033	±2.5	PASS

Band26	15MHz	QPSK	26865	75RB#0	NV	45	13.69	0.016464	±2.5	PASS
Band26	15MHz	QPSK	26915	75RB#0	NV	0	3.55	0.004244	±2.5	PASS
Band26	15MHz	QPSK	26915	75RB#0	NV	10	2.43	0.002905	±2.5	PASS
Band26	15MHz	QPSK	26915	75RB#0	NV	20	-3.85	-0.004603	±2.5	PASS
Band26	15MHz	QPSK	26915	75RB#0	NV	30	-5.42	-0.006479	±2.5	PASS
Band26	15MHz	QPSK	26915	75RB#0	NV	40	-6.62	-0.007914	±2.5	PASS
Band26	15MHz	QPSK	26915	75RB#0	NV	45	-9.54	-0.011405	±2.5	PASS
Band26	15MHz	QPSK	26965	75RB#0	NV	0	-12.73	-0.015128	±2.5	PASS
Band26	15MHz	QPSK	26965	75RB#0	NV	10	-13.99	-0.016625	±2.5	PASS
Band26	15MHz	QPSK	26965	75RB#0	NV	20	-15.08	-0.017920	±2.5	PASS
Band26	15MHz	QPSK	26965	75RB#0	NV	30	-17.32	-0.020582	±2.5	PASS
Band26	15MHz	QPSK	26965	75RB#0	NV	40	-17.91	-0.021283	±2.5	PASS
Band26	15MHz	QPSK	26965	75RB#0	NV	45	-20.43	-0.024278	±2.5	PASS
Band26	15MHz	16QAM	26865	75RB#0	NV	0	29.77	0.035803	±2.5	PASS
Band26	15MHz	16QAM	26865	75RB#0	NV	10	30.44	0.036609	±2.5	PASS
Band26	15MHz	16QAM	26865	75RB#0	NV	20	32.06	0.038557	±2.5	PASS
Band26	15MHz	16QAM	26865	75RB#0	NV	30	34.60	0.041612	±2.5	PASS
Band26	15MHz	16QAM	26865	75RB#0	NV	40	33.70	0.040529	±2.5	PASS
Band26	15MHz	16QAM	26865	75RB#0	NV	45	37.04	0.044546	±2.5	PASS
Band26	15MHz	16QAM	26915	75RB#0	NV	0	3.49	0.004172	±2.5	PASS
Band26	15MHz	16QAM	26915	75RB#0	NV	10	4.22	0.005045	±2.5	PASS
Band26	15MHz	16QAM	26915	75RB#0	NV	20	6.41	0.007663	±2.5	PASS
Band26	15MHz	16QAM	26915	75RB#0	NV	30	7.94	0.009492	±2.5	PASS
Band26	15MHz	16QAM	26915	75RB#0	NV	40	8.84	0.010568	±2.5	PASS
Band26	15MHz	16QAM	26915	75RB#0	NV	45	11.79	0.014094	±2.5	PASS
Band26	15MHz	16QAM	26965	75RB#0	NV	0	-8.97	-0.010660	±2.5	PASS
Band26	15MHz	16QAM	26965	75RB#0	NV	10	-7.93	-0.009424	±2.5	PASS
Band26	15MHz	16QAM	26965	75RB#0	NV	20	-8.00	-0.009507	±2.5	PASS
Band26	15MHz	16QAM	26965	75RB#0	NV	30	-5.99	-0.007118	±2.5	PASS
Band26	15MHz	16QAM	26965	75RB#0	NV	40	-6.12	-0.007273	±2.5	PASS
Band26	15MHz	16QAM	26965	75RB#0	NV	45	-4.41	-0.005241	±2.5	PASS

-----END-----