



TEST REPORT

No. I23Z60839-WMD04

for

TCL Communication Ltd.

GSM/UMTS/LTE/NR Mobile phone

Model Name: T609L

FCC ID: 2ACCJH168

with

Hardware Version: 04

Software Version: WES0

Issued Date: 2023-06-06

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504

Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn



REPORT HISTORY

Report Number	Revision	Description	Issue Date
I23Z60839-WMD04	Rev.0	1 st edition	2023-05-25
I23Z60839-WMD04	Rev.1	Modified Chapter 6 description	2023-06-06

Note: the latest revision of the test report supersedes all previous version.

CONTENTS

1. TEST LABORATORY	4
1.1. INTRODUCTION & ACCREDITATION	4
1.2. TESTING LOCATION	4
1.3. TESTING ENVIRONMENT	5
1.4. PROJECT DATA	5
1.5. SIGNATURE	5
2. CLIENT INFORMATION	6
2.1. APPLICANT INFORMATION	6
2.2. MANUFACTURER INFORMATION	6
3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE)	7
3.1. ABOUT EUT	7
3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST	7
3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST	7
4. REFERENCE DOCUMENTS	8
4.1. DOCUMENTS SUPPLIED BY APPLICANT	8
4.2. REFERENCE DOCUMENTS FOR TESTING	8
5. SUMMARY OF TEST RESULT	9
6. TEST EQUIPMENT UTILIZED	13
ANNEX A: MEASUREMENT RESULTS	14
A.1 OUTPUT POWER	14
A.2 FREQUENCY STABILITY	179
A.3 OCCUPIED BANDWIDTH	185
A.4 EMISSION BANDWIDTH	247
A.5 BAND EDGE COMPLIANCE	309
A.6 CONDUCTED SPURIOUS EMISSION	351
A.7 PEAK-TO-AVERAGE POWER RATIO	358
ANNEX B: ACCREDITATION CERTIFICATE	360



1. Test Laboratory

1.1. Introduction & Accreditation

Telecommunication Technology Labs, CAICT is an ISO/IEC 17025:2017 accredited test laboratory under NATIONAL VOLUNTARY LABORATORY ACCREDITATION PROGRAM (NVLAP) with lab code 600118-0 and is also an FCC accredited test laboratory (CN5017), and ISED accredited test laboratory (ISED#: 24849). The detail accreditation scope can be found on NVLAP website.

1.2. Testing Location

Location 1: CTTL (huayuan North Road)

Address: No. 52, Huayuan North Road, Haidian District, Beijing,
P. R. China 100191

1.3. Testing Environment

Normal Temperature: 15-35°C
Relative Humidity: 20-75%

1.4. Project Data

Testing Start Date: 2022-09-16
Testing End Date: 2023-05-21

1.5. Signature



Dong Yuan
(Prepared this test report)



Zhou Yu
(Reviewed this test report)



Zhao Hui Lin
Deputy Director of the laboratory
(Approved this test report)



2. Client Information

2.1. Applicant Information

Company Name: TCL Communication Ltd.
Address /Post: 5/F, Building 22E, 22 Science Park East Avenue, Hong Kong Science
Park, Shatin, NT, Hong Kong
Contact: Annie Jiang
Email: nianxiang.jiang@tcl.com
Telephone: +86 755 3661 1621
Fax: +86 755 3661 2000-81722

2.2. Manufacturer Information

Company Name: TCL Communication Ltd.
Address /Post: 5/F, Building 22E, 22 Science Park East Avenue, Hong Kong Science
Park, Shatin, NT, Hong Kong
Contact: Annie Jiang
Email: nianxiang.jiang@tcl.com
Telephone: +86 755 3661 1621
Fax: +86 755 3661 2000-81722

3. Equipment Under Test (EUT) and Ancillary Equipment (AE)

3.1. About EUT

Description	GSM/UMTS/LTE/NR Mobile phone
Model Name	T609L
FCC ID	2ACCJH168
Antenna	Embedded
Extreme vol. Limits	3.6VDC to 4.4VDC (nominal: 3.85VDC)
Extreme temp. Tolerance	-10°C to +55°C

Note: Components list, please refer to documents of the manufacturer; it is also included in the original test record of CTTL.

3.2. Internal Identification of EUT used during the test

EUT ID*	IMEI	HW Version	SW Version	Date of receipt
UT22a	016447000002381	04	WES0	2023-05-04

*EUT ID: is used to identify the test sample in the lab internally.

3.3. Internal Identification of AE used during the test

AE ID*	Description
AE1	Battery
AE1	
Model	TLp048D7
Manufacturer	VEKEN
Capacitance	5000mAh

*AE ID: is used to identify the test sample in the lab internally.

4. Reference Documents

4.1. Documents supplied by applicant

EUT parameters are supplied by the customer, which are the bases of testing. CAICT is not responsible for the accuracy of customer supplied technical information that may affect the test results (for example, antenna gain and loss of customer supplied cable).

4.2. Reference Documents for testing

The following documents listed in this section are referred for testing.

Reference	Title	Version
FCC Part 22	PUBLIC MOBILE SERVICES	10-1-21 Edition
FCC Part 24	PERSONAL COMMUNICATIONS SERVICES	10-1-21 Edition
FCC Part 27	MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES	10-1-21 Edition
FCC Part 96	CITIZENS BROADBAND RADIO SERVICE	10-1-21 Edition
ANSI/TIA-603-E	Land Mobile FM or PM Communications Equipment Measurement and Performance Standards	2016
ANSI C63.26	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services	2015
KDB 971168 D01	MEASUREMENT GUIDANCE FOR CERTIFICATION OF LICENSED DIGITAL TRANSMITTERS	v03r01
KDB 940660 D01	CERTIFICATION AND TEST PROCEDURES FOR CITIZENS BROADBAND RADIO SERVICE DEVICES AUTHORIZED UNDER PART 96	v03

5. Summary Of Test Result

n5

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	22.913	P
2	Frequency Stability	2.1055	P
3	Occupied Bandwidth	2.1049	P
4	Emission Bandwidth	22.917	P
5	Band Edge Compliance	22.917	P
6	Conducted Spurious Emission	22.917	P

n12

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Frequency Stability	2.1055	P
3	Occupied Bandwidth	2.1049	P
4	Emission Bandwidth	27.53	P
5	Band Edge Compliance	27.53	P
6	Conducted Spurious Emission	27.53	P
7	Peak-to-Average Power Ratio	27.50	P

n25 (2)

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	24.232	BR
2	Frequency Stability	2.1055	BR
3	Occupied Bandwidth	2.1049	BR
4	Emission Bandwidth	24.238	BR
5	Band Edge Compliance	24.238	BR
6	Conducted Spurious Emission	24.238	BR
7	Peak-to-Average Power Ratio	24.232	BR

n41

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	BR
2	Frequency Stability	2.1055	BR
3	Occupied Bandwidth	2.1049	BR
4	Emission Bandwidth	27.53	BR
5	Band Edge Compliance	27.53	BR
6	Conducted Spurious Emission	27.53	BR
7	Peak-to-Average Power Ratio	27.50	BR

n48

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	96.41	P
2	Frequency Stability	2.1055	P
3	Occupied Bandwidth	2.1049	P
4	Emission Bandwidth	96.41	P
5	Band Edge Compliance	96.41	P
6	Conducted Spurious Emission	96.41	P
7	Peak-to-Average Power Ratio	96.41	P

n66

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	BR
2	Frequency Stability	2.1055	BR
3	Occupied Bandwidth	2.1049	BR
4	Emission Bandwidth	27.53	BR
5	Band Edge Compliance	27.53	BR
6	Conducted Spurious Emission	27.53	BR
7	Peak-to-Average Power Ratio	27.50	BR

n71

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	BR
2	Frequency Stability	2.1055	BR
3	Occupied Bandwidth	2.1049	BR
4	Emission Bandwidth	27.53	BR
5	Band Edge Compliance	27.53	BR
6	Conducted Spurious Emission	27.53	BR
7	Peak-to-Average Power Ratio	27.50	BR

n77L

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	BR
2	Frequency Stability	2.1055	BR
3	Occupied Bandwidth	2.1049	BR
4	Emission Bandwidth	27.53	BR
5	Band Edge Compliance	27.53	BR
6	Conducted Spurious Emission	27.53	BR
7	Peak-to-Average Power Ratio	27.50	BR

n77H

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	BR
2	Frequency Stability	2.1055	BR
3	Occupied Bandwidth	2.1049	BR
4	Emission Bandwidth	27.53	BR
5	Band Edge Compliance	27.53	BR
6	Conducted Spurious Emission	27.53	BR
7	Peak-to-Average Power Ratio	27.50	BR

Terms used in Verdict column

P	Pass. The EUT complies with the essential requirements in the standard.
NP	Not Performed. The test was not performed by CTTL.
NA	Not Applicable. The test was not applicable.
BR	Re-use test data from basic model report.
F	Fail. The EUT does not comply with the essential requirements in the standard.

All the test results are based on normal power.

n77L: 3450MHz-3550MHz

n77H: 3700MHz-3980MHz

n41 n77L and n77H are tested by power class 2.

Explanation of worst-case configuration

NR modulation: DFT-s-OFDM pi/2 BPSK; QPSK; 16QAM; 64QAM; 256QAM

CP-OFDM QPSK; 16QAM; 64QAM; 256QAM

NR BW:

5/10/15MHz for n12,

10/15/20/30/40/50/60/70/80/90/100MHz for n41,

10/15/20/40/50/60/70/80/90/100MHz for n48,

5/10/15/20/30/40MHz for n66,

10/15/20/40/50/60/80/90MHz for n77L,

10/15/20/40/50/60/80/90/100MHz for n77H,

and 5/10/15/20MHz for other NR bands.

The EUT supports n2, n5, n12, n25, n41, n48, n66, n71, n77L, n77H, B5/12/13/66-n2, B2/66-n5, B2/66-n12, B12-n25, B2/5/12/66-n41, B5-n48, B2/5/12/13-n66, B2/66-n71, B2/5/12/66-n77L, B2/5/12/66-n77H.

The test results provided in this report represent the worst case configuration.

For all the NSA cases, LTE Bands are set under the 10MHz bandwidth, middle channel, 50RB and QPSK modulation.

For all the NSA combinations and SA mode of the same NR band, output powers are pretested under the maximum bandwidth and mid channel so that the modes with the maximum output power values are chosen out, which are n2, n5, n12, n25, n41, n48, n66, n71, n77L and n77H. Only the results of the modes chosen by the max values are presented in the report. Then all the conducted test cases under the modes chosen out are performed.

NR Band 25 overlaps the entire frequency range of NR Band 2. Therefore, test data provided in this report covers NR Band 2 as well as NR Band 25.

The Equipment Under Test (EUT) model T609L (FCC ID: 2ACCJH168) is a variant product of T609DL (FCC ID: 2ACCJH168), according to the declaration of changes provided by the applicant and FCC KDB publication 178919 D01, only n5, n12 and n48 were tested, and the other test results are derived from test report No. I22Z61606-WMD04.

For detail differences between two models please refer the Declaration of Changes document

6. Test Equipment Utilized

Description	Type	Series Number	Manufacture	Cal Due Date	Calibration Interval
Radio Communication Test Station	MT8000A	6262093285	Anritsu	2024-01-11	1 year
Radio Communication Analyzer	MT8821C	6201763159	Anritsu	2023-08-02	1 year
Signal&Spectrum Analyzer	FSW	104038	R&S	2023-06-20	1 year
PXA Signal Analyzer	N9030A	MY54490239	Keysight	2023-08-31	1 year
Climate chamber	SH-242	93008556	ESPEC	2023-12-23	3 years

Annex A: Measurement Results

A.1 Output Power

A.1.1 Summary

During the process of testing, the EUT was controlled via communication tester to ensure max power transmission and proper modulation.

In all cases, output power is within the specified limits.

A.1.2 Method of Measurements

The EUT was set up for the max output power with pseudo random data modulation.

These measurements were done at 3 frequencies (bottom, middle and top of operational frequency range) for each bandwidth.

The results below include a correction factor for cable loss that is provided by the customer.

A.1.3 Measurement Result

n5

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	23.59
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.96
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.08
n5	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	23.16
n5	5	15	826.5	DFT	QPSK	Inner_Full	23.64
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Left	22.42
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Right	22.57
n5	5	15	826.5	DFT	QPSK	Outer_Full	22.58
n5	5	15	826.5	DFT	16QAM	Inner_Full	22.67
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Left	21.43
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Right	21.60
n5	5	15	826.5	DFT	16QAM	Outer_Full	21.68
n5	5	15	826.5	DFT	64QAM	Inner_Full	21.19
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Left	20.84
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Right	20.97
n5	5	15	826.5	DFT	64QAM	Outer_Full	21.10
n5	5	15	826.5	DFT	256QAM	Inner_Full	19.16
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Left	19.32
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Right	19.44
n5	5	15	826.5	DFT	256QAM	Outer_Full	19.25
n5	5	15	826.5	CP	QPSK	Inner_Full	22.09
n5	5	15	826.5	CP	QPSK	Edge_1RB_Left	20.53
n5	5	15	826.5	CP	QPSK	Edge_1RB_Right	20.56
n5	5	15	826.5	CP	QPSK	Outer_Full	20.60

n5	5	15	826.5	CP	16QAM	Inner_Full	21.58
n5	5	15	826.5	CP	16QAM	Edge_1RB_Left	20.60
n5	5	15	826.5	CP	16QAM	Edge_1RB_Right	20.68
n5	5	15	826.5	CP	16QAM	Outer_Full	20.55
n5	5	15	826.5	CP	64QAM	Inner_Full	20.05
n5	5	15	826.5	CP	64QAM	Edge_1RB_Left	20.14
n5	5	15	826.5	CP	64QAM	Edge_1RB_Right	20.15
n5	5	15	826.5	CP	64QAM	Outer_Full	20.12
n5	5	15	826.5	CP	256QAM	Inner_Full	17.17
n5	5	15	826.5	CP	256QAM	Edge_1RB_Left	17.35
n5	5	15	826.5	CP	256QAM	Edge_1RB_Right	17.45
n5	5	15	826.5	CP	256QAM	Outer_Full	17.18
n5	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.62
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.17
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.12
n5	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.15
n5	5	15	836.5	DFT	QPSK	Inner_Full	23.65
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Left	22.52
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Right	22.54
n5	5	15	836.5	DFT	QPSK	Outer_Full	22.63
n5	5	15	836.5	DFT	16QAM	Inner_Full	22.77
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Left	21.62
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Right	21.59
n5	5	15	836.5	DFT	16QAM	Outer_Full	21.63
n5	5	15	836.5	DFT	64QAM	Inner_Full	21.19
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Left	21.05
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Right	20.93
n5	5	15	836.5	DFT	64QAM	Outer_Full	21.17
n5	5	15	836.5	DFT	256QAM	Inner_Full	19.18
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Left	19.44
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Right	19.38
n5	5	15	836.5	DFT	256QAM	Outer_Full	19.25
n5	5	15	836.5	CP	QPSK	Inner_Full	22.07
n5	5	15	836.5	CP	QPSK	Edge_1RB_Left	20.61
n5	5	15	836.5	CP	QPSK	Edge_1RB_Right	20.53
n5	5	15	836.5	CP	QPSK	Outer_Full	20.64
n5	5	15	836.5	CP	16QAM	Inner_Full	21.62
n5	5	15	836.5	CP	16QAM	Edge_1RB_Left	20.74
n5	5	15	836.5	CP	16QAM	Edge_1RB_Right	20.67
n5	5	15	836.5	CP	16QAM	Outer_Full	20.60
n5	5	15	836.5	CP	64QAM	Inner_Full	20.12

n5	5	15	836.5	CP	64QAM	Edge_1RB_Left	20.28
n5	5	15	836.5	CP	64QAM	Edge_1RB_Right	20.16
n5	5	15	836.5	CP	64QAM	Outer_Full	20.10
n5	5	15	836.5	CP	256QAM	Inner_Full	17.18
n5	5	15	836.5	CP	256QAM	Edge_1RB_Left	17.49
n5	5	15	836.5	CP	256QAM	Edge_1RB_Right	17.43
n5	5	15	836.5	CP	256QAM	Outer_Full	17.22
n5	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	23.57
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.06
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.05
n5	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	23.17
n5	5	15	846.5	DFT	QPSK	Inner_Full	23.67
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Left	22.54
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Right	22.46
n5	5	15	846.5	DFT	QPSK	Outer_Full	22.65
n5	5	15	846.5	DFT	16QAM	Inner_Full	22.71
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Left	21.55
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Right	21.61
n5	5	15	846.5	DFT	16QAM	Outer_Full	21.65
n5	5	15	846.5	DFT	64QAM	Inner_Full	21.19
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Left	20.89
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Right	20.88
n5	5	15	846.5	DFT	64QAM	Outer_Full	21.16
n5	5	15	846.5	DFT	256QAM	Inner_Full	19.17
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Left	19.41
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Right	18.84
n5	5	15	846.5	DFT	256QAM	Outer_Full	19.27
n5	5	15	846.5	CP	QPSK	Inner_Full	22.05
n5	5	15	846.5	CP	QPSK	Edge_1RB_Left	20.72
n5	5	15	846.5	CP	QPSK	Edge_1RB_Right	20.71
n5	5	15	846.5	CP	QPSK	Outer_Full	20.64
n5	5	15	846.5	CP	16QAM	Inner_Full	21.65
n5	5	15	846.5	CP	16QAM	Edge_1RB_Left	20.70
n5	5	15	846.5	CP	16QAM	Edge_1RB_Right	20.62
n5	5	15	846.5	CP	16QAM	Outer_Full	20.60
n5	5	15	846.5	CP	64QAM	Inner_Full	20.09
n5	5	15	846.5	CP	64QAM	Edge_1RB_Left	20.24
n5	5	15	846.5	CP	64QAM	Edge_1RB_Right	20.21
n5	5	15	846.5	CP	64QAM	Outer_Full	20.16
n5	5	15	846.5	CP	256QAM	Inner_Full	17.28
n5	5	15	846.5	CP	256QAM	Edge_1RB_Left	17.45

n5	5	15	846.5	CP	256QAM	Edge_1RB_Right	17.38
n5	5	15	846.5	CP	256QAM	Outer_Full	17.23
n5	10	15	829	DFT	pi/2 BPSK	Inner_Full	23.45
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	22.75
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	22.93
n5	10	15	829	DFT	pi/2 BPSK	Outer_Full	22.98
n5	10	15	829	DFT	QPSK	Inner_Full	23.48
n5	10	15	829	DFT	QPSK	Edge_1RB_Left	22.23
n5	10	15	829	DFT	QPSK	Edge_1RB_Right	22.35
n5	10	15	829	DFT	QPSK	Outer_Full	22.52
n5	10	15	829	DFT	16QAM	Inner_Full	22.47
n5	10	15	829	DFT	16QAM	Edge_1RB_Left	21.29
n5	10	15	829	DFT	16QAM	Edge_1RB_Right	21.46
n5	10	15	829	DFT	16QAM	Outer_Full	21.44
n5	10	15	829	DFT	64QAM	Inner_Full	21.04
n5	10	15	829	DFT	64QAM	Edge_1RB_Left	20.58
n5	10	15	829	DFT	64QAM	Edge_1RB_Right	20.82
n5	10	15	829	DFT	64QAM	Outer_Full	20.93
n5	10	15	829	DFT	256QAM	Inner_Full	19.04
n5	10	15	829	DFT	256QAM	Edge_1RB_Left	19.11
n5	10	15	829	DFT	256QAM	Edge_1RB_Right	19.25
n5	10	15	829	DFT	256QAM	Outer_Full	19.08
n5	10	15	829	CP	QPSK	Inner_Full	21.93
n5	10	15	829	CP	QPSK	Edge_1RB_Left	20.30
n5	10	15	829	CP	QPSK	Edge_1RB_Right	20.48
n5	10	15	829	CP	QPSK	Outer_Full	20.45
n5	10	15	829	CP	16QAM	Inner_Full	21.46
n5	10	15	829	CP	16QAM	Edge_1RB_Left	20.37
n5	10	15	829	CP	16QAM	Edge_1RB_Right	20.58
n5	10	15	829	CP	16QAM	Outer_Full	20.54
n5	10	15	829	CP	64QAM	Inner_Full	19.96
n5	10	15	829	CP	64QAM	Edge_1RB_Left	19.97
n5	10	15	829	CP	64QAM	Edge_1RB_Right	20.12
n5	10	15	829	CP	64QAM	Outer_Full	19.99
n5	10	15	829	CP	256QAM	Inner_Full	17.13
n5	10	15	829	CP	256QAM	Edge_1RB_Left	17.13
n5	10	15	829	CP	256QAM	Edge_1RB_Right	17.36
n5	10	15	829	CP	256QAM	Outer_Full	17.08
n5	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.45
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.02
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.90

n5	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.92
n5	10	15	836.5	DFT	QPSK	Inner_Full	23.50
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Left	22.42
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Right	22.30
n5	10	15	836.5	DFT	QPSK	Outer_Full	22.44
n5	10	15	836.5	DFT	16QAM	Inner_Full	22.49
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Left	21.51
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Right	21.43
n5	10	15	836.5	DFT	16QAM	Outer_Full	21.46
n5	10	15	836.5	DFT	64QAM	Inner_Full	21.00
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Left	20.86
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Right	20.73
n5	10	15	836.5	DFT	64QAM	Outer_Full	20.93
n5	10	15	836.5	DFT	256QAM	Inner_Full	19.06
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Left	19.35
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Right	19.23
n5	10	15	836.5	DFT	256QAM	Outer_Full	19.02
n5	10	15	836.5	CP	QPSK	Inner_Full	21.94
n5	10	15	836.5	CP	QPSK	Edge_1RB_Left	20.49
n5	10	15	836.5	CP	QPSK	Edge_1RB_Right	20.50
n5	10	15	836.5	CP	QPSK	Outer_Full	20.40
n5	10	15	836.5	CP	16QAM	Inner_Full	21.45
n5	10	15	836.5	CP	16QAM	Edge_1RB_Left	20.61
n5	10	15	836.5	CP	16QAM	Edge_1RB_Right	20.55
n5	10	15	836.5	CP	16QAM	Outer_Full	20.46
n5	10	15	836.5	CP	64QAM	Inner_Full	19.95
n5	10	15	836.5	CP	64QAM	Edge_1RB_Left	20.11
n5	10	15	836.5	CP	64QAM	Edge_1RB_Right	20.08
n5	10	15	836.5	CP	64QAM	Outer_Full	19.92
n5	10	15	836.5	CP	256QAM	Inner_Full	17.12
n5	10	15	836.5	CP	256QAM	Edge_1RB_Left	17.35
n5	10	15	836.5	CP	256QAM	Edge_1RB_Right	17.31
n5	10	15	836.5	CP	256QAM	Outer_Full	16.91
n5	10	15	844	DFT	pi/2 BPSK	Inner_Full	23.36
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	22.88
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	22.81
n5	10	15	844	DFT	pi/2 BPSK	Outer_Full	22.95
n5	10	15	844	DFT	QPSK	Inner_Full	23.35
n5	10	15	844	DFT	QPSK	Edge_1RB_Left	22.23
n5	10	15	844	DFT	QPSK	Edge_1RB_Right	22.24
n5	10	15	844	DFT	QPSK	Outer_Full	22.45

n5	10	15	844	DFT	16QAM	Inner_Full	22.41
n5	10	15	844	DFT	16QAM	Edge_1RB_Left	21.31
n5	10	15	844	DFT	16QAM	Edge_1RB_Right	21.35
n5	10	15	844	DFT	16QAM	Outer_Full	21.39
n5	10	15	844	DFT	64QAM	Inner_Full	20.91
n5	10	15	844	DFT	64QAM	Edge_1RB_Left	20.70
n5	10	15	844	DFT	64QAM	Edge_1RB_Right	20.59
n5	10	15	844	DFT	64QAM	Outer_Full	20.90
n5	10	15	844	DFT	256QAM	Inner_Full	18.98
n5	10	15	844	DFT	256QAM	Edge_1RB_Left	19.16
n5	10	15	844	DFT	256QAM	Edge_1RB_Right	19.18
n5	10	15	844	DFT	256QAM	Outer_Full	19.06
n5	10	15	844	CP	QPSK	Inner_Full	21.86
n5	10	15	844	CP	QPSK	Edge_1RB_Left	20.43
n5	10	15	844	CP	QPSK	Edge_1RB_Right	20.46
n5	10	15	844	CP	QPSK	Outer_Full	20.38
n5	10	15	844	CP	16QAM	Inner_Full	21.39
n5	10	15	844	CP	16QAM	Edge_1RB_Left	20.49
n5	10	15	844	CP	16QAM	Edge_1RB_Right	19.96
n5	10	15	844	CP	16QAM	Outer_Full	20.47
n5	10	15	844	CP	64QAM	Inner_Full	19.89
n5	10	15	844	CP	64QAM	Edge_1RB_Left	19.99
n5	10	15	844	CP	64QAM	Edge_1RB_Right	20.12
n5	10	15	844	CP	64QAM	Outer_Full	19.83
n5	10	15	844	CP	256QAM	Inner_Full	17.05
n5	10	15	844	CP	256QAM	Edge_1RB_Left	17.18
n5	10	15	844	CP	256QAM	Edge_1RB_Right	17.26
n5	10	15	844	CP	256QAM	Outer_Full	16.91
n5	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	23.60
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.88
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.91
n5	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	23.11
n5	15	15	831.5	DFT	QPSK	Inner_Full	23.63
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Left	22.36
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Right	22.46
n5	15	15	831.5	DFT	QPSK	Outer_Full	22.63
n5	15	15	831.5	DFT	16QAM	Inner_Full	22.68
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Left	21.42
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Right	21.53
n5	15	15	831.5	DFT	16QAM	Outer_Full	21.59
n5	15	15	831.5	DFT	64QAM	Inner_Full	21.12

n5	15	15	831.5	DFT	64QAM	Edge_1RB_Left	20.66
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Right	20.83
n5	15	15	831.5	DFT	64QAM	Outer_Full	21.11
n5	15	15	831.5	DFT	256QAM	Inner_Full	19.27
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Left	19.24
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Right	19.31
n5	15	15	831.5	DFT	256QAM	Outer_Full	19.22
n5	15	15	831.5	CP	QPSK	Inner_Full	22.14
n5	15	15	831.5	CP	QPSK	Edge_1RB_Left	20.35
n5	15	15	831.5	CP	QPSK	Edge_1RB_Right	20.39
n5	15	15	831.5	CP	QPSK	Outer_Full	20.65
n5	15	15	831.5	CP	16QAM	Inner_Full	21.63
n5	15	15	831.5	CP	16QAM	Edge_1RB_Left	20.49
n5	15	15	831.5	CP	16QAM	Edge_1RB_Right	20.56
n5	15	15	831.5	CP	16QAM	Outer_Full	20.64
n5	15	15	831.5	CP	64QAM	Inner_Full	20.17
n5	15	15	831.5	CP	64QAM	Edge_1RB_Left	19.98
n5	15	15	831.5	CP	64QAM	Edge_1RB_Right	20.11
n5	15	15	831.5	CP	64QAM	Outer_Full	20.17
n5	15	15	831.5	CP	256QAM	Inner_Full	17.22
n5	15	15	831.5	CP	256QAM	Edge_1RB_Left	17.16
n5	15	15	831.5	CP	256QAM	Edge_1RB_Right	17.28
n5	15	15	831.5	CP	256QAM	Outer_Full	17.21
n5	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.65
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.06
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.99
n5	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.10
n5	15	15	836.5	DFT	QPSK	Inner_Full	23.70
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Left	22.51
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Right	22.46
n5	15	15	836.5	DFT	QPSK	Outer_Full	22.64
n5	15	15	836.5	DFT	16QAM	Inner_Full	22.75
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Left	21.56
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Right	21.53
n5	15	15	836.5	DFT	16QAM	Outer_Full	21.62
n5	15	15	836.5	DFT	64QAM	Inner_Full	21.16
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Left	20.90
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Right	20.81
n5	15	15	836.5	DFT	64QAM	Outer_Full	21.13
n5	15	15	836.5	DFT	256QAM	Inner_Full	19.32
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Left	18.83

n5	15	15	836.5	DFT	256QAM	Edge_1RB_Right	19.32
n5	15	15	836.5	DFT	256QAM	Outer_Full	19.24
n5	15	15	836.5	CP	QPSK	Inner_Full	22.15
n5	15	15	836.5	CP	QPSK	Edge_1RB_Left	20.60
n5	15	15	836.5	CP	QPSK	Edge_1RB_Right	20.48
n5	15	15	836.5	CP	QPSK	Outer_Full	20.62
n5	15	15	836.5	CP	16QAM	Inner_Full	21.73
n5	15	15	836.5	CP	16QAM	Edge_1RB_Left	20.65
n5	15	15	836.5	CP	16QAM	Edge_1RB_Right	20.50
n5	15	15	836.5	CP	16QAM	Outer_Full	20.61
n5	15	15	836.5	CP	64QAM	Inner_Full	20.18
n5	15	15	836.5	CP	64QAM	Edge_1RB_Left	20.21
n5	15	15	836.5	CP	64QAM	Edge_1RB_Right	20.07
n5	15	15	836.5	CP	64QAM	Outer_Full	20.12
n5	15	15	836.5	CP	256QAM	Inner_Full	17.24
n5	15	15	836.5	CP	256QAM	Edge_1RB_Left	16.80
n5	15	15	836.5	CP	256QAM	Edge_1RB_Right	17.27
n5	15	15	836.5	CP	256QAM	Outer_Full	17.12
n5	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	23.61
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.07
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.99
n5	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	23.04
n5	15	15	841.5	DFT	QPSK	Inner_Full	23.62
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Left	22.39
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Right	22.39
n5	15	15	841.5	DFT	QPSK	Outer_Full	22.56
n5	15	15	841.5	DFT	16QAM	Inner_Full	22.66
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Left	21.57
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Right	21.46
n5	15	15	841.5	DFT	16QAM	Outer_Full	21.51
n5	15	15	841.5	DFT	64QAM	Inner_Full	21.03
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Left	20.80
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Right	20.78
n5	15	15	841.5	DFT	64QAM	Outer_Full	21.02
n5	15	15	841.5	DFT	256QAM	Inner_Full	19.24
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Left	18.88
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Right	19.31
n5	15	15	841.5	DFT	256QAM	Outer_Full	19.15
n5	15	15	841.5	CP	QPSK	Inner_Full	22.03
n5	15	15	841.5	CP	QPSK	Edge_1RB_Left	20.49
n5	15	15	841.5	CP	QPSK	Edge_1RB_Right	20.40

n5	15	15	841.5	CP	QPSK	Outer_Full	20.54
n5	15	15	841.5	CP	16QAM	Inner_Full	21.62
n5	15	15	841.5	CP	16QAM	Edge_1RB_Left	20.62
n5	15	15	841.5	CP	16QAM	Edge_1RB_Right	20.55
n5	15	15	841.5	CP	16QAM	Outer_Full	20.56
n5	15	15	841.5	CP	64QAM	Inner_Full	20.13
n5	15	15	841.5	CP	64QAM	Edge_1RB_Left	20.27
n5	15	15	841.5	CP	64QAM	Edge_1RB_Right	20.13
n5	15	15	841.5	CP	64QAM	Outer_Full	20.05
n5	15	15	841.5	CP	256QAM	Inner_Full	17.17
n5	15	15	841.5	CP	256QAM	Edge_1RB_Left	17.33
n5	15	15	841.5	CP	256QAM	Edge_1RB_Right	17.25
n5	15	15	841.5	CP	256QAM	Outer_Full	17.12
n5	20	15	834	DFT	pi/2 BPSK	Inner_Full	23.63
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	22.91
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	22.91
n5	20	15	834	DFT	pi/2 BPSK	Outer_Full	23.10
n5	20	15	834	DFT	QPSK	Inner_Full	23.60
n5	20	15	834	DFT	QPSK	Edge_1RB_Left	22.28
n5	20	15	834	DFT	QPSK	Edge_1RB_Right	22.30
n5	20	15	834	DFT	QPSK	Outer_Full	22.59
n5	20	15	834	DFT	16QAM	Inner_Full	22.59
n5	20	15	834	DFT	16QAM	Edge_1RB_Left	21.37
n5	20	15	834	DFT	16QAM	Edge_1RB_Right	21.35
n5	20	15	834	DFT	16QAM	Outer_Full	21.52
n5	20	15	834	DFT	64QAM	Inner_Full	21.16
n5	20	15	834	DFT	64QAM	Edge_1RB_Left	20.67
n5	20	15	834	DFT	64QAM	Edge_1RB_Right	20.94
n5	20	15	834	DFT	64QAM	Outer_Full	21.08
n5	20	15	834	DFT	256QAM	Inner_Full	19.16
n5	20	15	834	DFT	256QAM	Edge_1RB_Left	19.14
n5	20	15	834	DFT	256QAM	Edge_1RB_Right	18.66
n5	20	15	834	DFT	256QAM	Outer_Full	19.18
n5	20	15	834	CP	QPSK	Inner_Full	22.05
n5	20	15	834	CP	QPSK	Edge_1RB_Left	20.39
n5	20	15	834	CP	QPSK	Edge_1RB_Right	20.28
n5	20	15	834	CP	QPSK	Outer_Full	20.53
n5	20	15	834	CP	16QAM	Inner_Full	21.57
n5	20	15	834	CP	16QAM	Edge_1RB_Left	20.45
n5	20	15	834	CP	16QAM	Edge_1RB_Right	20.44
n5	20	15	834	CP	16QAM	Outer_Full	20.56

n5	20	15	834	CP	64QAM	Inner_Full	20.07
n5	20	15	834	CP	64QAM	Edge_1RB_Left	19.88
n5	20	15	834	CP	64QAM	Edge_1RB_Right	19.96
n5	20	15	834	CP	64QAM	Outer_Full	20.02
n5	20	15	834	CP	256QAM	Inner_Full	17.14
n5	20	15	834	CP	256QAM	Edge_1RB_Left	17.15
n5	20	15	834	CP	256QAM	Edge_1RB_Right	17.14
n5	20	15	834	CP	256QAM	Outer_Full	17.09
n5	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.57
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.88
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.89
n5	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.00
n5	20	15	836.5	DFT	QPSK	Inner_Full	23.64
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Left	22.32
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Right	22.34
n5	20	15	836.5	DFT	QPSK	Outer_Full	22.53
n5	20	15	836.5	DFT	16QAM	Inner_Full	22.62
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Left	21.29
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Right	21.31
n5	20	15	836.5	DFT	16QAM	Outer_Full	21.45
n5	20	15	836.5	DFT	64QAM	Inner_Full	21.00
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Left	21.06
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Right	21.19
n5	20	15	836.5	DFT	64QAM	Outer_Full	20.94
n5	20	15	836.5	DFT	256QAM	Inner_Full	19.14
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Left	19.13
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Right	19.16
n5	20	15	836.5	DFT	256QAM	Outer_Full	19.10
n5	20	15	836.5	CP	QPSK	Inner_Full	22.06
n5	20	15	836.5	CP	QPSK	Edge_1RB_Left	20.50
n5	20	15	836.5	CP	QPSK	Edge_1RB_Right	20.56
n5	20	15	836.5	CP	QPSK	Outer_Full	20.44
n5	20	15	836.5	CP	16QAM	Inner_Full	21.62
n5	20	15	836.5	CP	16QAM	Edge_1RB_Left	20.29
n5	20	15	836.5	CP	16QAM	Edge_1RB_Right	20.37
n5	20	15	836.5	CP	16QAM	Outer_Full	20.49
n5	20	15	836.5	CP	64QAM	Inner_Full	20.09
n5	20	15	836.5	CP	64QAM	Edge_1RB_Left	19.50
n5	20	15	836.5	CP	64QAM	Edge_1RB_Right	19.49
n5	20	15	836.5	CP	64QAM	Outer_Full	19.94
n5	20	15	836.5	CP	256QAM	Inner_Full	17.18

n5	20	15	836.5	CP	256QAM	Edge_1RB_Left	17.11
n5	20	15	836.5	CP	256QAM	Edge_1RB_Right	17.14
n5	20	15	836.5	CP	256QAM	Outer_Full	17.03
n5	20	15	839	DFT	pi/2 BPSK	Inner_Full	23.62
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	22.93
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	22.84
n5	20	15	839	DFT	pi/2 BPSK	Outer_Full	23.01
n5	20	15	839	DFT	QPSK	Inner_Full	23.63
n5	20	15	839	DFT	QPSK	Edge_1RB_Left	22.45
n5	20	15	839	DFT	QPSK	Edge_1RB_Right	22.32
n5	20	15	839	DFT	QPSK	Outer_Full	22.54
n5	20	15	839	DFT	16QAM	Inner_Full	22.62
n5	20	15	839	DFT	16QAM	Edge_1RB_Left	21.50
n5	20	15	839	DFT	16QAM	Edge_1RB_Right	21.48
n5	20	15	839	DFT	16QAM	Outer_Full	21.47
n5	20	15	839	DFT	64QAM	Inner_Full	21.10
n5	20	15	839	DFT	64QAM	Edge_1RB_Left	20.81
n5	20	15	839	DFT	64QAM	Edge_1RB_Right	21.05
n5	20	15	839	DFT	64QAM	Outer_Full	21.08
n5	20	15	839	DFT	256QAM	Inner_Full	19.20
n5	20	15	839	DFT	256QAM	Edge_1RB_Left	19.31
n5	20	15	839	DFT	256QAM	Edge_1RB_Right	19.32
n5	20	15	839	DFT	256QAM	Outer_Full	19.11
n5	20	15	839	CP	QPSK	Inner_Full	22.04
n5	20	15	839	CP	QPSK	Edge_1RB_Left	20.43
n5	20	15	839	CP	QPSK	Edge_1RB_Right	20.35
n5	20	15	839	CP	QPSK	Outer_Full	20.45
n5	20	15	839	CP	16QAM	Inner_Full	21.61
n5	20	15	839	CP	16QAM	Edge_1RB_Left	20.59
n5	20	15	839	CP	16QAM	Edge_1RB_Right	20.46
n5	20	15	839	CP	16QAM	Outer_Full	20.47
n5	20	15	839	CP	64QAM	Inner_Full	19.98
n5	20	15	839	CP	64QAM	Edge_1RB_Left	20.08
n5	20	15	839	CP	64QAM	Edge_1RB_Right	20.13
n5	20	15	839	CP	64QAM	Outer_Full	19.89
n5	20	15	839	CP	256QAM	Inner_Full	17.17
n5	20	15	839	CP	256QAM	Edge_1RB_Left	16.69
n5	20	15	839	CP	256QAM	Edge_1RB_Right	17.23
n5	20	15	839	CP	256QAM	Outer_Full	17.04

n12

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n12	5	15	701.5	DFT	pi/2 BPSK	Inner_Full	23.48
n12	5	15	701.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.98
n12	5	15	701.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.01
n12	5	15	701.5	DFT	pi/2 BPSK	Outer_Full	23.08
n12	5	15	701.5	DFT	QPSK	Inner_Full	23.57
n12	5	15	701.5	DFT	QPSK	Edge_1RB_Left	22.39
n12	5	15	701.5	DFT	QPSK	Edge_1RB_Right	22.41
n12	5	15	701.5	DFT	QPSK	Outer_Full	22.49
n12	5	15	701.5	DFT	16QAM	Inner_Full	22.64
n12	5	15	701.5	DFT	16QAM	Edge_1RB_Left	21.65
n12	5	15	701.5	DFT	16QAM	Edge_1RB_Right	21.65
n12	5	15	701.5	DFT	16QAM	Outer_Full	21.72
n12	5	15	701.5	DFT	64QAM	Inner_Full	21.28
n12	5	15	701.5	DFT	64QAM	Edge_1RB_Left	20.90
n12	5	15	701.5	DFT	64QAM	Edge_1RB_Right	20.94
n12	5	15	701.5	DFT	64QAM	Outer_Full	21.20
n12	5	15	701.5	DFT	256QAM	Inner_Full	19.12
n12	5	15	701.5	DFT	256QAM	Edge_1RB_Left	19.30
n12	5	15	701.5	DFT	256QAM	Edge_1RB_Right	19.30
n12	5	15	701.5	DFT	256QAM	Outer_Full	19.23
n12	5	15	701.5	CP	QPSK	Inner_Full	21.98
n12	5	15	701.5	CP	QPSK	Edge_1RB_Left	20.67
n12	5	15	701.5	CP	QPSK	Edge_1RB_Right	20.74
n12	5	15	701.5	CP	QPSK	Outer_Full	20.67
n12	5	15	701.5	CP	16QAM	Inner_Full	21.74
n12	5	15	701.5	CP	16QAM	Edge_1RB_Left	20.69
n12	5	15	701.5	CP	16QAM	Edge_1RB_Right	20.74
n12	5	15	701.5	CP	16QAM	Outer_Full	20.69
n12	5	15	701.5	CP	64QAM	Inner_Full	20.20
n12	5	15	701.5	CP	64QAM	Edge_1RB_Left	20.30
n12	5	15	701.5	CP	64QAM	Edge_1RB_Right	20.34
n12	5	15	701.5	CP	64QAM	Outer_Full	20.25
n12	5	15	701.5	CP	256QAM	Inner_Full	17.01
n12	5	15	701.5	CP	256QAM	Edge_1RB_Left	17.30
n12	5	15	701.5	CP	256QAM	Edge_1RB_Right	17.30
n12	5	15	701.5	CP	256QAM	Outer_Full	17.13
n12	5	15	707.5	DFT	pi/2 BPSK	Inner_Full	23.40
n12	5	15	707.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.02
n12	5	15	707.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.96

n12	5	15	707.5	DFT	pi/2 BPSK	Outer_Full	22.92
n12	5	15	707.5	DFT	QPSK	Inner_Full	23.50
n12	5	15	707.5	DFT	QPSK	Edge_1RB_Left	22.42
n12	5	15	707.5	DFT	QPSK	Edge_1RB_Right	22.41
n12	5	15	707.5	DFT	QPSK	Outer_Full	22.44
n12	5	15	707.5	DFT	16QAM	Inner_Full	22.60
n12	5	15	707.5	DFT	16QAM	Edge_1RB_Left	21.62
n12	5	15	707.5	DFT	16QAM	Edge_1RB_Right	21.65
n12	5	15	707.5	DFT	16QAM	Outer_Full	21.67
n12	5	15	707.5	DFT	64QAM	Inner_Full	21.18
n12	5	15	707.5	DFT	64QAM	Edge_1RB_Left	21.21
n12	5	15	707.5	DFT	64QAM	Edge_1RB_Right	20.89
n12	5	15	707.5	DFT	64QAM	Outer_Full	21.10
n12	5	15	707.5	DFT	256QAM	Inner_Full	18.98
n12	5	15	707.5	DFT	256QAM	Edge_1RB_Left	19.31
n12	5	15	707.5	DFT	256QAM	Edge_1RB_Right	19.28
n12	5	15	707.5	DFT	256QAM	Outer_Full	19.08
n12	5	15	707.5	CP	QPSK	Inner_Full	21.94
n12	5	15	707.5	CP	QPSK	Edge_1RB_Left	20.78
n12	5	15	707.5	CP	QPSK	Edge_1RB_Right	20.76
n12	5	15	707.5	CP	QPSK	Outer_Full	20.57
n12	5	15	707.5	CP	16QAM	Inner_Full	21.68
n12	5	15	707.5	CP	16QAM	Edge_1RB_Left	20.72
n12	5	15	707.5	CP	16QAM	Edge_1RB_Right	20.70
n12	5	15	707.5	CP	16QAM	Outer_Full	20.62
n12	5	15	707.5	CP	64QAM	Inner_Full	20.11
n12	5	15	707.5	CP	64QAM	Edge_1RB_Left	20.31
n12	5	15	707.5	CP	64QAM	Edge_1RB_Right	20.43
n12	5	15	707.5	CP	64QAM	Outer_Full	20.15
n12	5	15	707.5	CP	256QAM	Inner_Full	16.96
n12	5	15	707.5	CP	256QAM	Edge_1RB_Left	16.70
n12	5	15	707.5	CP	256QAM	Edge_1RB_Right	17.27
n12	5	15	707.5	CP	256QAM	Outer_Full	17.02
n12	5	15	713.5	DFT	pi/2 BPSK	Inner_Full	23.29
n12	5	15	713.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.79
n12	5	15	713.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.89
n12	5	15	713.5	DFT	pi/2 BPSK	Outer_Full	22.86
n12	5	15	713.5	DFT	QPSK	Inner_Full	23.44
n12	5	15	713.5	DFT	QPSK	Edge_1RB_Left	22.24
n12	5	15	713.5	DFT	QPSK	Edge_1RB_Right	22.27
n12	5	15	713.5	DFT	QPSK	Outer_Full	22.29

n12	5	15	713.5	DFT	16QAM	Inner_Full	22.61
n12	5	15	713.5	DFT	16QAM	Edge_1RB_Left	21.45
n12	5	15	713.5	DFT	16QAM	Edge_1RB_Right	21.59
n12	5	15	713.5	DFT	16QAM	Outer_Full	21.54
n12	5	15	713.5	DFT	64QAM	Inner_Full	21.11
n12	5	15	713.5	DFT	64QAM	Edge_1RB_Left	20.75
n12	5	15	713.5	DFT	64QAM	Edge_1RB_Right	20.81
n12	5	15	713.5	DFT	64QAM	Outer_Full	21.04
n12	5	15	713.5	DFT	256QAM	Inner_Full	18.98
n12	5	15	713.5	DFT	256QAM	Edge_1RB_Left	19.14
n12	5	15	713.5	DFT	256QAM	Edge_1RB_Right	19.21
n12	5	15	713.5	DFT	256QAM	Outer_Full	18.98
n12	5	15	713.5	CP	QPSK	Inner_Full	21.80
n12	5	15	713.5	CP	QPSK	Edge_1RB_Left	20.51
n12	5	15	713.5	CP	QPSK	Edge_1RB_Right	20.57
n12	5	15	713.5	CP	QPSK	Outer_Full	20.49
n12	5	15	713.5	CP	16QAM	Inner_Full	21.57
n12	5	15	713.5	CP	16QAM	Edge_1RB_Left	20.54
n12	5	15	713.5	CP	16QAM	Edge_1RB_Right	20.59
n12	5	15	713.5	CP	16QAM	Outer_Full	20.48
n12	5	15	713.5	CP	64QAM	Inner_Full	20.07
n12	5	15	713.5	CP	64QAM	Edge_1RB_Left	20.19
n12	5	15	713.5	CP	64QAM	Edge_1RB_Right	20.21
n12	5	15	713.5	CP	64QAM	Outer_Full	20.08
n12	5	15	713.5	CP	256QAM	Inner_Full	16.90
n12	5	15	713.5	CP	256QAM	Edge_1RB_Left	17.13
n12	5	15	713.5	CP	256QAM	Edge_1RB_Right	17.16
n12	5	15	713.5	CP	256QAM	Outer_Full	16.96
n12	10	15	704	DFT	pi/2 BPSK	Inner_Full	23.26
n12	10	15	704	DFT	pi/2 BPSK	Edge_1RB_Left	22.78
n12	10	15	704	DFT	pi/2 BPSK	Edge_1RB_Right	22.67
n12	10	15	704	DFT	pi/2 BPSK	Outer_Full	22.81
n12	10	15	704	DFT	QPSK	Inner_Full	23.30
n12	10	15	704	DFT	QPSK	Edge_1RB_Left	22.16
n12	10	15	704	DFT	QPSK	Edge_1RB_Right	22.02
n12	10	15	704	DFT	QPSK	Outer_Full	22.35
n12	10	15	704	DFT	16QAM	Inner_Full	22.37
n12	10	15	704	DFT	16QAM	Edge_1RB_Left	21.43
n12	10	15	704	DFT	16QAM	Edge_1RB_Right	21.34
n12	10	15	704	DFT	16QAM	Outer_Full	21.47
n12	10	15	704	DFT	64QAM	Inner_Full	21.04

n12	10	15	704	DFT	64QAM	Edge_1RB_Left	20.60
n12	10	15	704	DFT	64QAM	Edge_1RB_Right	20.62
n12	10	15	704	DFT	64QAM	Outer_Full	20.93
n12	10	15	704	DFT	256QAM	Inner_Full	18.93
n12	10	15	704	DFT	256QAM	Edge_1RB_Left	18.55
n12	10	15	704	DFT	256QAM	Edge_1RB_Right	19.00
n12	10	15	704	DFT	256QAM	Outer_Full	18.97
n12	10	15	704	CP	QPSK	Inner_Full	21.75
n12	10	15	704	CP	QPSK	Edge_1RB_Left	20.45
n12	10	15	704	CP	QPSK	Edge_1RB_Right	20.41
n12	10	15	704	CP	QPSK	Outer_Full	20.44
n12	10	15	704	CP	16QAM	Inner_Full	21.46
n12	10	15	704	CP	16QAM	Edge_1RB_Left	20.41
n12	10	15	704	CP	16QAM	Edge_1RB_Right	20.40
n12	10	15	704	CP	16QAM	Outer_Full	20.45
n12	10	15	704	CP	64QAM	Inner_Full	19.99
n12	10	15	704	CP	64QAM	Edge_1RB_Left	20.06
n12	10	15	704	CP	64QAM	Edge_1RB_Right	20.20
n12	10	15	704	CP	64QAM	Outer_Full	19.98
n12	10	15	704	CP	256QAM	Inner_Full	16.95
n12	10	15	704	CP	256QAM	Edge_1RB_Left	17.05
n12	10	15	704	CP	256QAM	Edge_1RB_Right	17.08
n12	10	15	704	CP	256QAM	Outer_Full	16.87
n12	10	15	707.5	DFT	pi/2 BPSK	Inner_Full	23.29
n12	10	15	707.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.88
n12	10	15	707.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.63
n12	10	15	707.5	DFT	pi/2 BPSK	Outer_Full	22.78
n12	10	15	707.5	DFT	QPSK	Inner_Full	23.26
n12	10	15	707.5	DFT	QPSK	Edge_1RB_Left	22.26
n12	10	15	707.5	DFT	QPSK	Edge_1RB_Right	22.03
n12	10	15	707.5	DFT	QPSK	Outer_Full	22.31
n12	10	15	707.5	DFT	16QAM	Inner_Full	22.34
n12	10	15	707.5	DFT	16QAM	Edge_1RB_Left	21.55
n12	10	15	707.5	DFT	16QAM	Edge_1RB_Right	21.36
n12	10	15	707.5	DFT	16QAM	Outer_Full	21.42
n12	10	15	707.5	DFT	64QAM	Inner_Full	20.98
n12	10	15	707.5	DFT	64QAM	Edge_1RB_Left	20.78
n12	10	15	707.5	DFT	64QAM	Edge_1RB_Right	20.61
n12	10	15	707.5	DFT	64QAM	Outer_Full	20.95
n12	10	15	707.5	DFT	256QAM	Inner_Full	18.90
n12	10	15	707.5	DFT	256QAM	Edge_1RB_Left	19.17

n12	10	15	707.5	DFT	256QAM	Edge_1RB_Right	18.93
n12	10	15	707.5	DFT	256QAM	Outer_Full	18.87
n12	10	15	707.5	CP	QPSK	Inner_Full	21.74
n12	10	15	707.5	CP	QPSK	Edge_1RB_Left	20.53
n12	10	15	707.5	CP	QPSK	Edge_1RB_Right	20.23
n12	10	15	707.5	CP	QPSK	Outer_Full	20.40
n12	10	15	707.5	CP	16QAM	Inner_Full	21.47
n12	10	15	707.5	CP	16QAM	Edge_1RB_Left	20.57
n12	10	15	707.5	CP	16QAM	Edge_1RB_Right	20.38
n12	10	15	707.5	CP	16QAM	Outer_Full	20.46
n12	10	15	707.5	CP	64QAM	Inner_Full	19.97
n12	10	15	707.5	CP	64QAM	Edge_1RB_Left	20.11
n12	10	15	707.5	CP	64QAM	Edge_1RB_Right	20.18
n12	10	15	707.5	CP	64QAM	Outer_Full	19.93
n12	10	15	707.5	CP	256QAM	Inner_Full	16.93
n12	10	15	707.5	CP	256QAM	Edge_1RB_Left	17.15
n12	10	15	707.5	CP	256QAM	Edge_1RB_Right	16.47
n12	10	15	707.5	CP	256QAM	Outer_Full	16.77
n12	10	15	711	DFT	pi/2 BPSK	Inner_Full	23.21
n12	10	15	711	DFT	pi/2 BPSK	Edge_1RB_Left	22.65
n12	10	15	711	DFT	pi/2 BPSK	Edge_1RB_Right	22.75
n12	10	15	711	DFT	pi/2 BPSK	Outer_Full	22.66
n12	10	15	711	DFT	QPSK	Inner_Full	23.15
n12	10	15	711	DFT	QPSK	Edge_1RB_Left	22.12
n12	10	15	711	DFT	QPSK	Edge_1RB_Right	22.10
n12	10	15	711	DFT	QPSK	Outer_Full	22.20
n12	10	15	711	DFT	16QAM	Inner_Full	22.26
n12	10	15	711	DFT	16QAM	Edge_1RB_Left	21.45
n12	10	15	711	DFT	16QAM	Edge_1RB_Right	21.37
n12	10	15	711	DFT	16QAM	Outer_Full	21.28
n12	10	15	711	DFT	64QAM	Inner_Full	20.92
n12	10	15	711	DFT	64QAM	Edge_1RB_Left	20.68
n12	10	15	711	DFT	64QAM	Edge_1RB_Right	20.63
n12	10	15	711	DFT	64QAM	Outer_Full	20.76
n12	10	15	711	DFT	256QAM	Inner_Full	18.89
n12	10	15	711	DFT	256QAM	Edge_1RB_Left	18.60
n12	10	15	711	DFT	256QAM	Edge_1RB_Right	18.56
n12	10	15	711	DFT	256QAM	Outer_Full	18.79
n12	10	15	711	CP	QPSK	Inner_Full	21.62
n12	10	15	711	CP	QPSK	Edge_1RB_Left	20.31
n12	10	15	711	CP	QPSK	Edge_1RB_Right	20.30

n12	10	15	711	CP	QPSK	Outer_Full	20.22
n12	10	15	711	CP	16QAM	Inner_Full	21.37
n12	10	15	711	CP	16QAM	Edge_1RB_Left	20.33
n12	10	15	711	CP	16QAM	Edge_1RB_Right	20.37
n12	10	15	711	CP	16QAM	Outer_Full	20.31
n12	10	15	711	CP	64QAM	Inner_Full	19.87
n12	10	15	711	CP	64QAM	Edge_1RB_Left	20.17
n12	10	15	711	CP	64QAM	Edge_1RB_Right	20.13
n12	10	15	711	CP	64QAM	Outer_Full	19.80
n12	10	15	711	CP	256QAM	Inner_Full	16.83
n12	10	15	711	CP	256QAM	Edge_1RB_Left	17.11
n12	10	15	711	CP	256QAM	Edge_1RB_Right	17.07
n12	10	15	711	CP	256QAM	Outer_Full	16.65
n12	15	15	706.5	DFT	pi/2 BPSK	Inner_Full	23.46
n12	15	15	706.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.92
n12	15	15	706.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.81
n12	15	15	706.5	DFT	pi/2 BPSK	Outer_Full	23.01
n12	15	15	706.5	DFT	QPSK	Inner_Full	23.54
n12	15	15	706.5	DFT	QPSK	Edge_1RB_Left	22.36
n12	15	15	706.5	DFT	QPSK	Edge_1RB_Right	22.20
n12	15	15	706.5	DFT	QPSK	Outer_Full	22.55
n12	15	15	706.5	DFT	16QAM	Inner_Full	22.62
n12	15	15	706.5	DFT	16QAM	Edge_1RB_Left	21.63
n12	15	15	706.5	DFT	16QAM	Edge_1RB_Right	21.54
n12	15	15	706.5	DFT	16QAM	Outer_Full	21.72
n12	15	15	706.5	DFT	64QAM	Inner_Full	21.20
n12	15	15	706.5	DFT	64QAM	Edge_1RB_Left	21.14
n12	15	15	706.5	DFT	64QAM	Edge_1RB_Right	20.78
n12	15	15	706.5	DFT	64QAM	Outer_Full	21.16
n12	15	15	706.5	DFT	256QAM	Inner_Full	19.19
n12	15	15	706.5	DFT	256QAM	Edge_1RB_Left	19.25
n12	15	15	706.5	DFT	256QAM	Edge_1RB_Right	19.14
n12	15	15	706.5	DFT	256QAM	Outer_Full	19.10
n12	15	15	706.5	CP	QPSK	Inner_Full	21.99
n12	15	15	706.5	CP	QPSK	Edge_1RB_Left	20.62
n12	15	15	706.5	CP	QPSK	Edge_1RB_Right	20.57
n12	15	15	706.5	CP	QPSK	Outer_Full	20.63
n12	15	15	706.5	CP	16QAM	Inner_Full	21.71
n12	15	15	706.5	CP	16QAM	Edge_1RB_Left	20.70
n12	15	15	706.5	CP	16QAM	Edge_1RB_Right	20.57
n12	15	15	706.5	CP	16QAM	Outer_Full	20.61

n12	15	15	706.5	CP	64QAM	Inner_Full	20.23
n12	15	15	706.5	CP	64QAM	Edge_1RB_Left	20.28
n12	15	15	706.5	CP	64QAM	Edge_1RB_Right	20.31
n12	15	15	706.5	CP	64QAM	Outer_Full	20.22
n12	15	15	706.5	CP	256QAM	Inner_Full	17.11
n12	15	15	706.5	CP	256QAM	Edge_1RB_Left	17.21
n12	15	15	706.5	CP	256QAM	Edge_1RB_Right	17.10
n12	15	15	706.5	CP	256QAM	Outer_Full	17.05
n12	15	15	707.5	DFT	pi/2 BPSK	Inner_Full	23.39
n12	15	15	707.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.87
n12	15	15	707.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.75
n12	15	15	707.5	DFT	pi/2 BPSK	Outer_Full	22.89
n12	15	15	707.5	DFT	QPSK	Inner_Full	23.48
n12	15	15	707.5	DFT	QPSK	Edge_1RB_Left	22.30
n12	15	15	707.5	DFT	QPSK	Edge_1RB_Right	22.13
n12	15	15	707.5	DFT	QPSK	Outer_Full	22.43
n12	15	15	707.5	DFT	16QAM	Inner_Full	22.45
n12	15	15	707.5	DFT	16QAM	Edge_1RB_Left	21.42
n12	15	15	707.5	DFT	16QAM	Edge_1RB_Right	21.34
n12	15	15	707.5	DFT	16QAM	Outer_Full	21.55
n12	15	15	707.5	DFT	64QAM	Inner_Full	21.10
n12	15	15	707.5	DFT	64QAM	Edge_1RB_Left	21.22
n12	15	15	707.5	DFT	64QAM	Edge_1RB_Right	21.03
n12	15	15	707.5	DFT	64QAM	Outer_Full	21.06
n12	15	15	707.5	DFT	256QAM	Inner_Full	19.02
n12	15	15	707.5	DFT	256QAM	Edge_1RB_Left	18.95
n12	15	15	707.5	DFT	256QAM	Edge_1RB_Right	19.04
n12	15	15	707.5	DFT	256QAM	Outer_Full	19.00
n12	15	15	707.5	CP	QPSK	Inner_Full	21.98
n12	15	15	707.5	CP	QPSK	Edge_1RB_Left	20.93
n12	15	15	707.5	CP	QPSK	Edge_1RB_Right	20.85
n12	15	15	707.5	CP	QPSK	Outer_Full	20.56
n12	15	15	707.5	CP	16QAM	Inner_Full	21.59
n12	15	15	707.5	CP	16QAM	Edge_1RB_Left	20.49
n12	15	15	707.5	CP	16QAM	Edge_1RB_Right	20.42
n12	15	15	707.5	CP	16QAM	Outer_Full	20.60
n12	15	15	707.5	CP	64QAM	Inner_Full	20.03
n12	15	15	707.5	CP	64QAM	Edge_1RB_Left	19.65
n12	15	15	707.5	CP	64QAM	Edge_1RB_Right	19.63
n12	15	15	707.5	CP	64QAM	Outer_Full	20.07
n12	15	15	707.5	CP	256QAM	Inner_Full	17.03

n12	15	15	707.5	CP	256QAM	Edge_1RB_Left	17.20
n12	15	15	707.5	CP	256QAM	Edge_1RB_Right	17.07
n12	15	15	707.5	CP	256QAM	Outer_Full	16.97
n12	15	15	708.5	DFT	pi/2 BPSK	Inner_Full	23.41
n12	15	15	708.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.97
n12	15	15	708.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.84
n12	15	15	708.5	DFT	pi/2 BPSK	Outer_Full	22.92
n12	15	15	708.5	DFT	QPSK	Inner_Full	23.48
n12	15	15	708.5	DFT	QPSK	Edge_1RB_Left	22.36
n12	15	15	708.5	DFT	QPSK	Edge_1RB_Right	22.29
n12	15	15	708.5	DFT	QPSK	Outer_Full	22.45
n12	15	15	708.5	DFT	16QAM	Inner_Full	22.56
n12	15	15	708.5	DFT	16QAM	Edge_1RB_Left	21.63
n12	15	15	708.5	DFT	16QAM	Edge_1RB_Right	21.54
n12	15	15	708.5	DFT	16QAM	Outer_Full	21.67
n12	15	15	708.5	DFT	64QAM	Inner_Full	21.15
n12	15	15	708.5	DFT	64QAM	Edge_1RB_Left	20.87
n12	15	15	708.5	DFT	64QAM	Edge_1RB_Right	20.78
n12	15	15	708.5	DFT	64QAM	Outer_Full	21.08
n12	15	15	708.5	DFT	256QAM	Inner_Full	19.14
n12	15	15	708.5	DFT	256QAM	Edge_1RB_Left	19.24
n12	15	15	708.5	DFT	256QAM	Edge_1RB_Right	19.21
n12	15	15	708.5	DFT	256QAM	Outer_Full	19.03
n12	15	15	708.5	CP	QPSK	Inner_Full	21.99
n12	15	15	708.5	CP	QPSK	Edge_1RB_Left	20.67
n12	15	15	708.5	CP	QPSK	Edge_1RB_Right	20.51
n12	15	15	708.5	CP	QPSK	Outer_Full	20.58
n12	15	15	708.5	CP	16QAM	Inner_Full	21.63
n12	15	15	708.5	CP	16QAM	Edge_1RB_Left	20.68
n12	15	15	708.5	CP	16QAM	Edge_1RB_Right	20.55
n12	15	15	708.5	CP	16QAM	Outer_Full	20.53
n12	15	15	708.5	CP	64QAM	Inner_Full	20.10
n12	15	15	708.5	CP	64QAM	Edge_1RB_Left	20.36
n12	15	15	708.5	CP	64QAM	Edge_1RB_Right	20.17
n12	15	15	708.5	CP	64QAM	Outer_Full	20.04
n12	15	15	708.5	CP	256QAM	Inner_Full	17.02
n12	15	15	708.5	CP	256QAM	Edge_1RB_Left	17.22
n12	15	15	708.5	CP	256QAM	Edge_1RB_Right	17.14
n12	15	15	708.5	CP	256QAM	Outer_Full	16.94

n25

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n25	5	15	1852.5	DFT	pi/2 BPSK	Inner_Full	22.96
n25	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.35
n25	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.42
n25	5	15	1852.5	DFT	pi/2 BPSK	Outer_Full	22.43
n25	5	15	1852.5	DFT	QPSK	Inner_Full	22.95
n25	5	15	1852.5	DFT	QPSK	Edge_1RB_Left	21.86
n25	5	15	1852.5	DFT	QPSK	Edge_1RB_Right	21.93
n25	5	15	1852.5	DFT	QPSK	Outer_Full	21.97
n25	5	15	1852.5	DFT	16QAM	Inner_Full	21.98
n25	5	15	1852.5	DFT	16QAM	Edge_1RB_Left	21.16
n25	5	15	1852.5	DFT	16QAM	Edge_1RB_Right	21.24
n25	5	15	1852.5	DFT	16QAM	Outer_Full	20.99
n25	5	15	1852.5	DFT	64QAM	Inner_Full	20.47
n25	5	15	1852.5	DFT	64QAM	Edge_1RB_Left	20.38
n25	5	15	1852.5	DFT	64QAM	Edge_1RB_Right	20.51
n25	5	15	1852.5	DFT	64QAM	Outer_Full	20.48
n25	5	15	1852.5	DFT	256QAM	Inner_Full	18.52
n25	5	15	1852.5	DFT	256QAM	Edge_1RB_Left	18.36
n25	5	15	1852.5	DFT	256QAM	Edge_1RB_Right	18.52
n25	5	15	1852.5	DFT	256QAM	Outer_Full	18.37
n25	5	15	1852.5	CP	QPSK	Inner_Full	21.34
n25	5	15	1852.5	CP	QPSK	Edge_1RB_Left	19.96
n25	5	15	1852.5	CP	QPSK	Edge_1RB_Right	20.07
n25	5	15	1852.5	CP	QPSK	Outer_Full	19.91
n25	5	15	1852.5	CP	16QAM	Inner_Full	20.97
n25	5	15	1852.5	CP	16QAM	Edge_1RB_Left	20.28
n25	5	15	1852.5	CP	16QAM	Edge_1RB_Right	20.32
n25	5	15	1852.5	CP	16QAM	Outer_Full	19.94
n25	5	15	1852.5	CP	64QAM	Inner_Full	19.40
n25	5	15	1852.5	CP	64QAM	Edge_1RB_Left	19.36
n25	5	15	1852.5	CP	64QAM	Edge_1RB_Right	19.37
n25	5	15	1852.5	CP	64QAM	Outer_Full	19.36
n25	5	15	1852.5	CP	256QAM	Inner_Full	16.48
n25	5	15	1852.5	CP	256QAM	Edge_1RB_Left	16.53
n25	5	15	1852.5	CP	256QAM	Edge_1RB_Right	16.67
n25	5	15	1852.5	CP	256QAM	Outer_Full	16.52
n25	5	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.59
n25	5	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.05
n25	5	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.12

n25	5	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.14
n25	5	15	1882.5	DFT	QPSK	Inner_Full	23.60
n25	5	15	1882.5	DFT	QPSK	Edge_1RB_Left	22.57
n25	5	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.56
n25	5	15	1882.5	DFT	QPSK	Outer_Full	22.68
n25	5	15	1882.5	DFT	16QAM	Inner_Full	22.65
n25	5	15	1882.5	DFT	16QAM	Edge_1RB_Left	21.86
n25	5	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.89
n25	5	15	1882.5	DFT	16QAM	Outer_Full	21.64
n25	5	15	1882.5	DFT	64QAM	Inner_Full	21.19
n25	5	15	1882.5	DFT	64QAM	Edge_1RB_Left	21.08
n25	5	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.14
n25	5	15	1882.5	DFT	64QAM	Outer_Full	21.20
n25	5	15	1882.5	DFT	256QAM	Inner_Full	19.23
n25	5	15	1882.5	DFT	256QAM	Edge_1RB_Left	19.15
n25	5	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.15
n25	5	15	1882.5	DFT	256QAM	Outer_Full	19.09
n25	5	15	1882.5	CP	QPSK	Inner_Full	22.05
n25	5	15	1882.5	CP	QPSK	Edge_1RB_Left	20.58
n25	5	15	1882.5	CP	QPSK	Edge_1RB_Right	20.63
n25	5	15	1882.5	CP	QPSK	Outer_Full	20.64
n25	5	15	1882.5	CP	16QAM	Inner_Full	21.66
n25	5	15	1882.5	CP	16QAM	Edge_1RB_Left	20.97
n25	5	15	1882.5	CP	16QAM	Edge_1RB_Right	21.00
n25	5	15	1882.5	CP	16QAM	Outer_Full	20.68
n25	5	15	1882.5	CP	64QAM	Inner_Full	20.09
n25	5	15	1882.5	CP	64QAM	Edge_1RB_Left	20.25
n25	5	15	1882.5	CP	64QAM	Edge_1RB_Right	20.15
n25	5	15	1882.5	CP	64QAM	Outer_Full	20.12
n25	5	15	1882.5	CP	256QAM	Inner_Full	17.20
n25	5	15	1882.5	CP	256QAM	Edge_1RB_Left	17.26
n25	5	15	1882.5	CP	256QAM	Edge_1RB_Right	17.29
n25	5	15	1882.5	CP	256QAM	Outer_Full	17.18
n25	5	15	1912.5	DFT	pi/2 BPSK	Inner_Full	23.58
n25	5	15	1912.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.02
n25	5	15	1912.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.98
n25	5	15	1912.5	DFT	pi/2 BPSK	Outer_Full	23.11
n25	5	15	1912.5	DFT	QPSK	Inner_Full	23.66
n25	5	15	1912.5	DFT	QPSK	Edge_1RB_Left	22.50
n25	5	15	1912.5	DFT	QPSK	Edge_1RB_Right	22.57
n25	5	15	1912.5	DFT	QPSK	Outer_Full	22.61

n25	5	15	1912.5	DFT	16QAM	Inner_Full	22.69
n25	5	15	1912.5	DFT	16QAM	Edge_1RB_Left	21.89
n25	5	15	1912.5	DFT	16QAM	Edge_1RB_Right	21.84
n25	5	15	1912.5	DFT	16QAM	Outer_Full	21.66
n25	5	15	1912.5	DFT	64QAM	Inner_Full	21.22
n25	5	15	1912.5	DFT	64QAM	Edge_1RB_Left	21.06
n25	5	15	1912.5	DFT	64QAM	Edge_1RB_Right	21.10
n25	5	15	1912.5	DFT	64QAM	Outer_Full	21.18
n25	5	15	1912.5	DFT	256QAM	Inner_Full	19.19
n25	5	15	1912.5	DFT	256QAM	Edge_1RB_Left	19.16
n25	5	15	1912.5	DFT	256QAM	Edge_1RB_Right	19.12
n25	5	15	1912.5	DFT	256QAM	Outer_Full	19.03
n25	5	15	1912.5	CP	QPSK	Inner_Full	22.05
n25	5	15	1912.5	CP	QPSK	Edge_1RB_Left	20.63
n25	5	15	1912.5	CP	QPSK	Edge_1RB_Right	20.53
n25	5	15	1912.5	CP	QPSK	Outer_Full	20.56
n25	5	15	1912.5	CP	16QAM	Inner_Full	21.69
n25	5	15	1912.5	CP	16QAM	Edge_1RB_Left	20.98
n25	5	15	1912.5	CP	16QAM	Edge_1RB_Right	20.85
n25	5	15	1912.5	CP	16QAM	Outer_Full	20.58
n25	5	15	1912.5	CP	64QAM	Inner_Full	20.12
n25	5	15	1912.5	CP	64QAM	Edge_1RB_Left	20.01
n25	5	15	1912.5	CP	64QAM	Edge_1RB_Right	19.95
n25	5	15	1912.5	CP	64QAM	Outer_Full	20.05
n25	5	15	1912.5	CP	256QAM	Inner_Full	17.25
n25	5	15	1912.5	CP	256QAM	Edge_1RB_Left	17.28
n25	5	15	1912.5	CP	256QAM	Edge_1RB_Right	17.26
n25	5	15	1912.5	CP	256QAM	Outer_Full	17.18
n25	10	15	1855	DFT	pi/2 BPSK	Inner_Full	22.98
n25	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Left	22.56
n25	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Right	22.51
n25	10	15	1855	DFT	pi/2 BPSK	Outer_Full	22.43
n25	10	15	1855	DFT	QPSK	Inner_Full	22.97
n25	10	15	1855	DFT	QPSK	Edge_1RB_Left	21.80
n25	10	15	1855	DFT	QPSK	Edge_1RB_Right	22.02
n25	10	15	1855	DFT	QPSK	Outer_Full	21.96
n25	10	15	1855	DFT	16QAM	Inner_Full	22.00
n25	10	15	1855	DFT	16QAM	Edge_1RB_Left	21.02
n25	10	15	1855	DFT	16QAM	Edge_1RB_Right	21.31
n25	10	15	1855	DFT	16QAM	Outer_Full	21.05
n25	10	15	1855	DFT	64QAM	Inner_Full	20.53

n25	10	15	1855	DFT	64QAM	Edge_1RB_Left	20.32
n25	10	15	1855	DFT	64QAM	Edge_1RB_Right	20.57
n25	10	15	1855	DFT	64QAM	Outer_Full	20.53
n25	10	15	1855	DFT	256QAM	Inner_Full	18.36
n25	10	15	1855	DFT	256QAM	Edge_1RB_Left	18.39
n25	10	15	1855	DFT	256QAM	Edge_1RB_Right	18.60
n25	10	15	1855	DFT	256QAM	Outer_Full	18.43
n25	10	15	1855	CP	QPSK	Inner_Full	21.40
n25	10	15	1855	CP	QPSK	Edge_1RB_Left	19.85
n25	10	15	1855	CP	QPSK	Edge_1RB_Right	20.20
n25	10	15	1855	CP	QPSK	Outer_Full	19.96
n25	10	15	1855	CP	16QAM	Inner_Full	20.99
n25	10	15	1855	CP	16QAM	Edge_1RB_Left	20.12
n25	10	15	1855	CP	16QAM	Edge_1RB_Right	20.42
n25	10	15	1855	CP	16QAM	Outer_Full	19.84
n25	10	15	1855	CP	64QAM	Inner_Full	19.34
n25	10	15	1855	CP	64QAM	Edge_1RB_Left	19.34
n25	10	15	1855	CP	64QAM	Edge_1RB_Right	19.62
n25	10	15	1855	CP	64QAM	Outer_Full	19.42
n25	10	15	1855	CP	256QAM	Inner_Full	16.53
n25	10	15	1855	CP	256QAM	Edge_1RB_Left	16.47
n25	10	15	1855	CP	256QAM	Edge_1RB_Right	16.74
n25	10	15	1855	CP	256QAM	Outer_Full	16.60
n25	10	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.47
n25	10	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.81
n25	10	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.84
n25	10	15	1882.5	DFT	pi/2 BPSK	Outer_Full	22.95
n25	10	15	1882.5	DFT	QPSK	Inner_Full	23.49
n25	10	15	1882.5	DFT	QPSK	Edge_1RB_Left	22.32
n25	10	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.35
n25	10	15	1882.5	DFT	QPSK	Outer_Full	22.49
n25	10	15	1882.5	DFT	16QAM	Inner_Full	22.47
n25	10	15	1882.5	DFT	16QAM	Edge_1RB_Left	21.60
n25	10	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.65
n25	10	15	1882.5	DFT	16QAM	Outer_Full	21.60
n25	10	15	1882.5	DFT	64QAM	Inner_Full	21.00
n25	10	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.90
n25	10	15	1882.5	DFT	64QAM	Edge_1RB_Right	20.93
n25	10	15	1882.5	DFT	64QAM	Outer_Full	21.02
n25	10	15	1882.5	DFT	256QAM	Inner_Full	18.94
n25	10	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.89

n25	10	15	1882.5	DFT	256QAM	Edge_1RB_Right	18.96
n25	10	15	1882.5	DFT	256QAM	Outer_Full	18.95
n25	10	15	1882.5	CP	QPSK	Inner_Full	21.99
n25	10	15	1882.5	CP	QPSK	Edge_1RB_Left	20.40
n25	10	15	1882.5	CP	QPSK	Edge_1RB_Right	20.56
n25	10	15	1882.5	CP	QPSK	Outer_Full	20.43
n25	10	15	1882.5	CP	16QAM	Inner_Full	21.51
n25	10	15	1882.5	CP	16QAM	Edge_1RB_Left	20.69
n25	10	15	1882.5	CP	16QAM	Edge_1RB_Right	20.87
n25	10	15	1882.5	CP	16QAM	Outer_Full	20.41
n25	10	15	1882.5	CP	64QAM	Inner_Full	19.93
n25	10	15	1882.5	CP	64QAM	Edge_1RB_Left	19.80
n25	10	15	1882.5	CP	64QAM	Edge_1RB_Right	19.87
n25	10	15	1882.5	CP	64QAM	Outer_Full	19.91
n25	10	15	1882.5	CP	256QAM	Inner_Full	17.10
n25	10	15	1882.5	CP	256QAM	Edge_1RB_Left	17.04
n25	10	15	1882.5	CP	256QAM	Edge_1RB_Right	17.18
n25	10	15	1882.5	CP	256QAM	Outer_Full	17.10
n25	10	15	1910	DFT	pi/2 BPSK	Inner_Full	23.50
n25	10	15	1910	DFT	pi/2 BPSK	Edge_1RB_Left	22.96
n25	10	15	1910	DFT	pi/2 BPSK	Edge_1RB_Right	22.87
n25	10	15	1910	DFT	pi/2 BPSK	Outer_Full	23.04
n25	10	15	1910	DFT	QPSK	Inner_Full	23.56
n25	10	15	1910	DFT	QPSK	Edge_1RB_Left	22.50
n25	10	15	1910	DFT	QPSK	Edge_1RB_Right	22.37
n25	10	15	1910	DFT	QPSK	Outer_Full	22.57
n25	10	15	1910	DFT	16QAM	Inner_Full	22.55
n25	10	15	1910	DFT	16QAM	Edge_1RB_Left	21.74
n25	10	15	1910	DFT	16QAM	Edge_1RB_Right	21.72
n25	10	15	1910	DFT	16QAM	Outer_Full	21.57
n25	10	15	1910	DFT	64QAM	Inner_Full	21.08
n25	10	15	1910	DFT	64QAM	Edge_1RB_Left	20.93
n25	10	15	1910	DFT	64QAM	Edge_1RB_Right	20.96
n25	10	15	1910	DFT	64QAM	Outer_Full	21.07
n25	10	15	1910	DFT	256QAM	Inner_Full	18.96
n25	10	15	1910	DFT	256QAM	Edge_1RB_Left	19.07
n25	10	15	1910	DFT	256QAM	Edge_1RB_Right	19.06
n25	10	15	1910	DFT	256QAM	Outer_Full	18.98
n25	10	15	1910	CP	QPSK	Inner_Full	22.01
n25	10	15	1910	CP	QPSK	Edge_1RB_Left	20.57
n25	10	15	1910	CP	QPSK	Edge_1RB_Right	20.50

n25	10	15	1910	CP	QPSK	Outer_Full	20.45
n25	10	15	1910	CP	16QAM	Inner_Full	21.52
n25	10	15	1910	CP	16QAM	Edge_1RB_Left	20.88
n25	10	15	1910	CP	16QAM	Edge_1RB_Right	20.84
n25	10	15	1910	CP	16QAM	Outer_Full	20.43
n25	10	15	1910	CP	64QAM	Inner_Full	19.97
n25	10	15	1910	CP	64QAM	Edge_1RB_Left	19.98
n25	10	15	1910	CP	64QAM	Edge_1RB_Right	19.91
n25	10	15	1910	CP	64QAM	Outer_Full	19.93
n25	10	15	1910	CP	256QAM	Inner_Full	17.12
n25	10	15	1910	CP	256QAM	Edge_1RB_Left	17.16
n25	10	15	1910	CP	256QAM	Edge_1RB_Right	17.18
n25	10	15	1910	CP	256QAM	Outer_Full	17.12
n25	15	15	1857.5	DFT	pi/2 BPSK	Inner_Full	23.17
n25	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.39
n25	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.74
n25	15	15	1857.5	DFT	pi/2 BPSK	Outer_Full	22.73
n25	15	15	1857.5	DFT	QPSK	Inner_Full	23.20
n25	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	21.82
n25	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	22.27
n25	15	15	1857.5	DFT	QPSK	Outer_Full	22.26
n25	15	15	1857.5	DFT	16QAM	Inner_Full	22.22
n25	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	21.14
n25	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	21.54
n25	15	15	1857.5	DFT	16QAM	Outer_Full	21.25
n25	15	15	1857.5	DFT	64QAM	Inner_Full	20.61
n25	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	20.42
n25	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	20.78
n25	15	15	1857.5	DFT	64QAM	Outer_Full	20.74
n25	15	15	1857.5	DFT	256QAM	Inner_Full	18.64
n25	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	18.47
n25	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	18.52
n25	15	15	1857.5	DFT	256QAM	Outer_Full	18.68
n25	15	15	1857.5	CP	QPSK	Inner_Full	21.65
n25	15	15	1857.5	CP	QPSK	Edge_1RB_Left	19.88
n25	15	15	1857.5	CP	QPSK	Edge_1RB_Right	20.34
n25	15	15	1857.5	CP	QPSK	Outer_Full	20.16
n25	15	15	1857.5	CP	16QAM	Inner_Full	21.21
n25	15	15	1857.5	CP	16QAM	Edge_1RB_Left	20.21
n25	15	15	1857.5	CP	16QAM	Edge_1RB_Right	20.65
n25	15	15	1857.5	CP	16QAM	Outer_Full	20.21

n25	15	15	1857.5	CP	64QAM	Inner_Full	19.68
n25	15	15	1857.5	CP	64QAM	Edge_1RB_Left	19.32
n25	15	15	1857.5	CP	64QAM	Edge_1RB_Right	19.95
n25	15	15	1857.5	CP	64QAM	Outer_Full	19.71
n25	15	15	1857.5	CP	256QAM	Inner_Full	16.75
n25	15	15	1857.5	CP	256QAM	Edge_1RB_Left	16.57
n25	15	15	1857.5	CP	256QAM	Edge_1RB_Right	16.88
n25	15	15	1857.5	CP	256QAM	Outer_Full	16.73
n25	15	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.65
n25	15	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.96
n25	15	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.04
n25	15	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.16
n25	15	15	1882.5	DFT	QPSK	Inner_Full	23.69
n25	15	15	1882.5	DFT	QPSK	Edge_1RB_Left	22.46
n25	15	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.47
n25	15	15	1882.5	DFT	QPSK	Outer_Full	22.66
n25	15	15	1882.5	DFT	16QAM	Inner_Full	22.67
n25	15	15	1882.5	DFT	16QAM	Edge_1RB_Left	21.78
n25	15	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.80
n25	15	15	1882.5	DFT	16QAM	Outer_Full	21.73
n25	15	15	1882.5	DFT	64QAM	Inner_Full	21.12
n25	15	15	1882.5	DFT	64QAM	Edge_1RB_Left	21.04
n25	15	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.04
n25	15	15	1882.5	DFT	64QAM	Outer_Full	21.15
n25	15	15	1882.5	DFT	256QAM	Inner_Full	19.11
n25	15	15	1882.5	DFT	256QAM	Edge_1RB_Left	19.06
n25	15	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.08
n25	15	15	1882.5	DFT	256QAM	Outer_Full	19.09
n25	15	15	1882.5	CP	QPSK	Inner_Full	22.08
n25	15	15	1882.5	CP	QPSK	Edge_1RB_Left	20.54
n25	15	15	1882.5	CP	QPSK	Edge_1RB_Right	20.57
n25	15	15	1882.5	CP	QPSK	Outer_Full	20.64
n25	15	15	1882.5	CP	16QAM	Inner_Full	21.70
n25	15	15	1882.5	CP	16QAM	Edge_1RB_Left	20.82
n25	15	15	1882.5	CP	16QAM	Edge_1RB_Right	20.88
n25	15	15	1882.5	CP	16QAM	Outer_Full	20.73
n25	15	15	1882.5	CP	64QAM	Inner_Full	20.22
n25	15	15	1882.5	CP	64QAM	Edge_1RB_Left	19.95
n25	15	15	1882.5	CP	64QAM	Edge_1RB_Right	19.92
n25	15	15	1882.5	CP	64QAM	Outer_Full	20.12
n25	15	15	1882.5	CP	256QAM	Inner_Full	17.26

n25	15	15	1882.5	CP	256QAM	Edge_1RB_Left	17.20
n25	15	15	1882.5	CP	256QAM	Edge_1RB_Right	17.23
n25	15	15	1882.5	CP	256QAM	Outer_Full	17.22
n25	15	15	1907.5	DFT	pi/2 BPSK	Inner_Full	23.78
n25	15	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.09
n25	15	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.97
n25	15	15	1907.5	DFT	pi/2 BPSK	Outer_Full	23.30
n25	15	15	1907.5	DFT	QPSK	Inner_Full	23.82
n25	15	15	1907.5	DFT	QPSK	Edge_1RB_Left	22.61
n25	15	15	1907.5	DFT	QPSK	Edge_1RB_Right	22.56
n25	15	15	1907.5	DFT	QPSK	Outer_Full	22.77
n25	15	15	1907.5	DFT	16QAM	Inner_Full	22.79
n25	15	15	1907.5	DFT	16QAM	Edge_1RB_Left	21.93
n25	15	15	1907.5	DFT	16QAM	Edge_1RB_Right	21.82
n25	15	15	1907.5	DFT	16QAM	Outer_Full	21.89
n25	15	15	1907.5	DFT	64QAM	Inner_Full	21.27
n25	15	15	1907.5	DFT	64QAM	Edge_1RB_Left	21.17
n25	15	15	1907.5	DFT	64QAM	Edge_1RB_Right	21.07
n25	15	15	1907.5	DFT	64QAM	Outer_Full	21.30
n25	15	15	1907.5	DFT	256QAM	Inner_Full	19.21
n25	15	15	1907.5	DFT	256QAM	Edge_1RB_Left	19.17
n25	15	15	1907.5	DFT	256QAM	Edge_1RB_Right	19.13
n25	15	15	1907.5	DFT	256QAM	Outer_Full	19.27
n25	15	15	1907.5	CP	QPSK	Inner_Full	22.22
n25	15	15	1907.5	CP	QPSK	Edge_1RB_Left	20.65
n25	15	15	1907.5	CP	QPSK	Edge_1RB_Right	20.56
n25	15	15	1907.5	CP	QPSK	Outer_Full	20.76
n25	15	15	1907.5	CP	16QAM	Inner_Full	21.78
n25	15	15	1907.5	CP	16QAM	Edge_1RB_Left	20.99
n25	15	15	1907.5	CP	16QAM	Edge_1RB_Right	20.88
n25	15	15	1907.5	CP	16QAM	Outer_Full	20.82
n25	15	15	1907.5	CP	64QAM	Inner_Full	20.21
n25	15	15	1907.5	CP	64QAM	Edge_1RB_Left	20.15
n25	15	15	1907.5	CP	64QAM	Edge_1RB_Right	20.02
n25	15	15	1907.5	CP	64QAM	Outer_Full	20.24
n25	15	15	1907.5	CP	256QAM	Inner_Full	17.41
n25	15	15	1907.5	CP	256QAM	Edge_1RB_Left	17.30
n25	15	15	1907.5	CP	256QAM	Edge_1RB_Right	17.26
n25	15	15	1907.5	CP	256QAM	Outer_Full	17.34
n25	20	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.30
n25	20	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.55

n25	20	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.84
n25	20	15	1882.5	DFT	pi/2 BPSK	Outer_Full	22.75
n25	20	15	1882.5	DFT	QPSK	Inner_Full	23.32
n25	20	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.97
n25	20	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.34
n25	20	15	1882.5	DFT	QPSK	Outer_Full	22.32
n25	20	15	1882.5	DFT	16QAM	Inner_Full	22.38
n25	20	15	1882.5	DFT	16QAM	Edge_1RB_Left	21.06
n25	20	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.65
n25	20	15	1882.5	DFT	16QAM	Outer_Full	21.32
n25	20	15	1882.5	DFT	64QAM	Inner_Full	20.77
n25	20	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.36
n25	20	15	1882.5	DFT	64QAM	Edge_1RB_Right	20.78
n25	20	15	1882.5	DFT	64QAM	Outer_Full	20.81
n25	20	15	1882.5	DFT	256QAM	Inner_Full	18.69
n25	20	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.40
n25	20	15	1882.5	DFT	256QAM	Edge_1RB_Right	18.63
n25	20	15	1882.5	DFT	256QAM	Outer_Full	18.70
n25	20	15	1882.5	CP	QPSK	Inner_Full	21.73
n25	20	15	1882.5	CP	QPSK	Edge_1RB_Left	19.85
n25	20	15	1882.5	CP	QPSK	Edge_1RB_Right	20.36
n25	20	15	1882.5	CP	QPSK	Outer_Full	20.24
n25	20	15	1882.5	CP	16QAM	Inner_Full	21.23
n25	20	15	1882.5	CP	16QAM	Edge_1RB_Left	20.10
n25	20	15	1882.5	CP	16QAM	Edge_1RB_Right	20.67
n25	20	15	1882.5	CP	16QAM	Outer_Full	20.27
n25	20	15	1882.5	CP	64QAM	Inner_Full	19.71
n25	20	15	1882.5	CP	64QAM	Edge_1RB_Left	19.31
n25	20	15	1882.5	CP	64QAM	Edge_1RB_Right	19.71
n25	20	15	1882.5	CP	64QAM	Outer_Full	19.73
n25	20	15	1882.5	CP	256QAM	Inner_Full	16.87
n25	20	15	1882.5	CP	256QAM	Edge_1RB_Left	16.43
n25	20	15	1882.5	CP	256QAM	Edge_1RB_Right	17.04
n25	20	15	1882.5	CP	256QAM	Outer_Full	16.82
n25	20	15	1860	DFT	pi/2 BPSK	Inner_Full	23.49
n25	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	22.80
n25	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	22.75
n25	20	15	1860	DFT	pi/2 BPSK	Outer_Full	22.94
n25	20	15	1860	DFT	QPSK	Inner_Full	23.54
n25	20	15	1860	DFT	QPSK	Edge_1RB_Left	22.20
n25	20	15	1860	DFT	QPSK	Edge_1RB_Right	22.24

n25	20	15	1860	DFT	QPSK	Outer_Full	22.54
n25	20	15	1860	DFT	16QAM	Inner_Full	22.48
n25	20	15	1860	DFT	16QAM	Edge_1RB_Left	20.98
n25	20	15	1860	DFT	16QAM	Edge_1RB_Right	21.03
n25	20	15	1860	DFT	16QAM	Outer_Full	21.46
n25	20	15	1860	DFT	64QAM	Inner_Full	20.99
n25	20	15	1860	DFT	64QAM	Edge_1RB_Left	20.99
n25	20	15	1860	DFT	64QAM	Edge_1RB_Right	21.04
n25	20	15	1860	DFT	64QAM	Outer_Full	20.99
n25	20	15	1860	DFT	256QAM	Inner_Full	18.93
n25	20	15	1860	DFT	256QAM	Edge_1RB_Left	18.67
n25	20	15	1860	DFT	256QAM	Edge_1RB_Right	19.08
n25	20	15	1860	DFT	256QAM	Outer_Full	18.92
n25	20	15	1860	CP	QPSK	Inner_Full	21.94
n25	20	15	1860	CP	QPSK	Edge_1RB_Left	21.08
n25	20	15	1860	CP	QPSK	Edge_1RB_Right	20.79
n25	20	15	1860	CP	QPSK	Outer_Full	20.43
n25	20	15	1860	CP	16QAM	Inner_Full	21.45
n25	20	15	1860	CP	16QAM	Edge_1RB_Left	20.01
n25	20	15	1860	CP	16QAM	Edge_1RB_Right	20.06
n25	20	15	1860	CP	16QAM	Outer_Full	20.39
n25	20	15	1860	CP	64QAM	Inner_Full	19.87
n25	20	15	1860	CP	64QAM	Edge_1RB_Left	19.79
n25	20	15	1860	CP	64QAM	Edge_1RB_Right	19.79
n25	20	15	1860	CP	64QAM	Outer_Full	19.93
n25	20	15	1860	CP	256QAM	Inner_Full	17.08
n25	20	15	1860	CP	256QAM	Edge_1RB_Left	16.84
n25	20	15	1860	CP	256QAM	Edge_1RB_Right	16.82
n25	20	15	1860	CP	256QAM	Outer_Full	16.97
n25	20	15	1905	DFT	pi/2 BPSK	Inner_Full	23.80
n25	20	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	23.13
n25	20	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	22.98
n25	20	15	1905	DFT	pi/2 BPSK	Outer_Full	23.37
n25	20	15	1905	DFT	QPSK	Inner_Full	23.85
n25	20	15	1905	DFT	QPSK	Edge_1RB_Left	22.57
n25	20	15	1905	DFT	QPSK	Edge_1RB_Right	22.47
n25	20	15	1905	DFT	QPSK	Outer_Full	22.87
n25	20	15	1905	DFT	16QAM	Inner_Full	22.93
n25	20	15	1905	DFT	16QAM	Edge_1RB_Left	21.88
n25	20	15	1905	DFT	16QAM	Edge_1RB_Right	21.82
n25	20	15	1905	DFT	16QAM	Outer_Full	21.91

n25	20	15	1905	DFT	64QAM	Inner_Full	21.39
n25	20	15	1905	DFT	64QAM	Edge_1RB_Left	21.09
n25	20	15	1905	DFT	64QAM	Edge_1RB_Right	21.02
n25	20	15	1905	DFT	64QAM	Outer_Full	21.40
n25	20	15	1905	DFT	256QAM	Inner_Full	19.24
n25	20	15	1905	DFT	256QAM	Edge_1RB_Left	19.23
n25	20	15	1905	DFT	256QAM	Edge_1RB_Right	19.10
n25	20	15	1905	DFT	256QAM	Outer_Full	19.34
n25	20	15	1905	CP	QPSK	Inner_Full	22.27
n25	20	15	1905	CP	QPSK	Edge_1RB_Left	20.61
n25	20	15	1905	CP	QPSK	Edge_1RB_Right	20.41
n25	20	15	1905	CP	QPSK	Outer_Full	20.85
n25	20	15	1905	CP	16QAM	Inner_Full	21.84
n25	20	15	1905	CP	16QAM	Edge_1RB_Left	20.92
n25	20	15	1905	CP	16QAM	Edge_1RB_Right	20.79
n25	20	15	1905	CP	16QAM	Outer_Full	20.77
n25	20	15	1905	CP	64QAM	Inner_Full	20.25
n25	20	15	1905	CP	64QAM	Edge_1RB_Left	20.09
n25	20	15	1905	CP	64QAM	Edge_1RB_Right	19.91
n25	20	15	1905	CP	64QAM	Outer_Full	20.32
n25	20	15	1905	CP	256QAM	Inner_Full	17.42
n25	20	15	1905	CP	256QAM	Edge_1RB_Left	17.28
n25	20	15	1905	CP	256QAM	Edge_1RB_Right	17.15
n25	20	15	1905	CP	256QAM	Outer_Full	17.40

n41

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	10	30	2501.01	DFT	pi/2 BPSK	Inner_Full	26.11
n41	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.49
n41	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.58
n41	10	30	2501.01	DFT	pi/2 BPSK	Outer_Full	25.61
n41	10	30	2501.01	DFT	QPSK	Inner_Full	26.14
n41	10	30	2501.01	DFT	QPSK	Edge_1RB_Left	22.56
n41	10	30	2501.01	DFT	QPSK	Edge_1RB_Right	22.50
n41	10	30	2501.01	DFT	QPSK	Outer_Full	25.09
n41	10	30	2501.01	DFT	16QAM	Inner_Full	25.08
n41	10	30	2501.01	DFT	16QAM	Edge_1RB_Left	22.66
n41	10	30	2501.01	DFT	16QAM	Edge_1RB_Right	22.64
n41	10	30	2501.01	DFT	16QAM	Outer_Full	24.20
n41	10	30	2501.01	DFT	64QAM	Inner_Full	23.68
n41	10	30	2501.01	DFT	64QAM	Edge_1RB_Left	22.40
n41	10	30	2501.01	DFT	64QAM	Edge_1RB_Right	22.63
n41	10	30	2501.01	DFT	64QAM	Outer_Full	23.67
n41	10	30	2501.01	DFT	256QAM	Inner_Full	21.55
n41	10	30	2501.01	DFT	256QAM	Edge_1RB_Left	21.65
n41	10	30	2501.01	DFT	256QAM	Edge_1RB_Right	21.35
n41	10	30	2501.01	DFT	256QAM	Outer_Full	21.63
n41	10	30	2501.01	CP	QPSK	Inner_Full	24.53
n41	10	30	2501.01	CP	QPSK	Edge_1RB_Left	22.28
n41	10	30	2501.01	CP	QPSK	Edge_1RB_Right	22.41
n41	10	30	2501.01	CP	QPSK	Outer_Full	23.10
n41	10	30	2501.01	CP	16QAM	Inner_Full	24.24
n41	10	30	2501.01	CP	16QAM	Edge_1RB_Left	22.20
n41	10	30	2501.01	CP	16QAM	Edge_1RB_Right	22.57
n41	10	30	2501.01	CP	16QAM	Outer_Full	23.14
n41	10	30	2501.01	CP	64QAM	Inner_Full	22.58
n41	10	30	2501.01	CP	64QAM	Edge_1RB_Left	22.59
n41	10	30	2501.01	CP	64QAM	Edge_1RB_Right	22.62
n41	10	30	2501.01	CP	64QAM	Outer_Full	22.63
n41	10	30	2501.01	CP	256QAM	Inner_Full	19.72
n41	10	30	2501.01	CP	256QAM	Edge_1RB_Left	19.71
n41	10	30	2501.01	CP	256QAM	Edge_1RB_Right	19.74
n41	10	30	2501.01	CP	256QAM	Outer_Full	19.72
n41	10	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.11
n41	10	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.57
n41	10	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.50

n41	10	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.65
n41	10	30	2592.99	DFT	QPSK	Inner_Full	26.13
n41	10	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.68
n41	10	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.50
n41	10	30	2592.99	DFT	QPSK	Outer_Full	25.26
n41	10	30	2592.99	DFT	16QAM	Inner_Full	25.12
n41	10	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.49
n41	10	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.42
n41	10	30	2592.99	DFT	16QAM	Outer_Full	24.21
n41	10	30	2592.99	DFT	64QAM	Inner_Full	23.72
n41	10	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.94
n41	10	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.55
n41	10	30	2592.99	DFT	64QAM	Outer_Full	23.87
n41	10	30	2592.99	DFT	256QAM	Inner_Full	21.98
n41	10	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.91
n41	10	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.89
n41	10	30	2592.99	DFT	256QAM	Outer_Full	22.00
n41	10	30	2592.99	CP	QPSK	Inner_Full	24.80
n41	10	30	2592.99	CP	QPSK	Edge_1RB_Left	22.88
n41	10	30	2592.99	CP	QPSK	Edge_1RB_Right	22.67
n41	10	30	2592.99	CP	QPSK	Outer_Full	23.30
n41	10	30	2592.99	CP	16QAM	Inner_Full	24.28
n41	10	30	2592.99	CP	16QAM	Edge_1RB_Left	22.62
n41	10	30	2592.99	CP	16QAM	Edge_1RB_Right	22.73
n41	10	30	2592.99	CP	16QAM	Outer_Full	23.24
n41	10	30	2592.99	CP	64QAM	Inner_Full	22.85
n41	10	30	2592.99	CP	64QAM	Edge_1RB_Left	22.74
n41	10	30	2592.99	CP	64QAM	Edge_1RB_Right	22.57
n41	10	30	2592.99	CP	64QAM	Outer_Full	22.88
n41	10	30	2592.99	CP	256QAM	Inner_Full	19.88
n41	10	30	2592.99	CP	256QAM	Edge_1RB_Left	19.91
n41	10	30	2592.99	CP	256QAM	Edge_1RB_Right	19.93
n41	10	30	2592.99	CP	256QAM	Outer_Full	19.89
n41	10	30	2685	DFT	pi/2 BPSK	Inner_Full	26.07
n41	10	30	2685	DFT	pi/2 BPSK	Edge_1RB_Left	22.57
n41	10	30	2685	DFT	pi/2 BPSK	Edge_1RB_Right	22.59
n41	10	30	2685	DFT	pi/2 BPSK	Outer_Full	25.74
n41	10	30	2685	DFT	QPSK	Inner_Full	26.18
n41	10	30	2685	DFT	QPSK	Edge_1RB_Left	22.46
n41	10	30	2685	DFT	QPSK	Edge_1RB_Right	22.53
n41	10	30	2685	DFT	QPSK	Outer_Full	25.23

n41	10	30	2685	DFT	16QAM	Inner_Full	25.08
n41	10	30	2685	DFT	16QAM	Edge_1RB_Left	22.59
n41	10	30	2685	DFT	16QAM	Edge_1RB_Right	22.72
n41	10	30	2685	DFT	16QAM	Outer_Full	24.21
n41	10	30	2685	DFT	64QAM	Inner_Full	23.74
n41	10	30	2685	DFT	64QAM	Edge_1RB_Left	22.50
n41	10	30	2685	DFT	64QAM	Edge_1RB_Right	22.50
n41	10	30	2685	DFT	64QAM	Outer_Full	23.67
n41	10	30	2685	DFT	256QAM	Inner_Full	21.82
n41	10	30	2685	DFT	256QAM	Edge_1RB_Left	21.88
n41	10	30	2685	DFT	256QAM	Edge_1RB_Right	21.99
n41	10	30	2685	DFT	256QAM	Outer_Full	21.93
n41	10	30	2685	CP	QPSK	Inner_Full	24.62
n41	10	30	2685	CP	QPSK	Edge_1RB_Left	22.29
n41	10	30	2685	CP	QPSK	Edge_1RB_Right	22.41
n41	10	30	2685	CP	QPSK	Outer_Full	23.24
n41	10	30	2685	CP	16QAM	Inner_Full	24.07
n41	10	30	2685	CP	16QAM	Edge_1RB_Left	22.49
n41	10	30	2685	CP	16QAM	Edge_1RB_Right	22.57
n41	10	30	2685	CP	16QAM	Outer_Full	23.24
n41	10	30	2685	CP	64QAM	Inner_Full	22.60
n41	10	30	2685	CP	64QAM	Edge_1RB_Left	22.47
n41	10	30	2685	CP	64QAM	Edge_1RB_Right	22.51
n41	10	30	2685	CP	64QAM	Outer_Full	22.64
n41	10	30	2685	CP	256QAM	Inner_Full	19.84
n41	10	30	2685	CP	256QAM	Edge_1RB_Left	19.82
n41	10	30	2685	CP	256QAM	Edge_1RB_Right	19.74
n41	10	30	2685	CP	256QAM	Outer_Full	19.82
n41	15	30	2503.5	DFT	pi/2 BPSK	Inner_Full	26.25
n41	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.56
n41	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.68
n41	15	30	2503.5	DFT	pi/2 BPSK	Outer_Full	25.81
n41	15	30	2503.5	DFT	QPSK	Inner_Full	26.31
n41	15	30	2503.5	DFT	QPSK	Edge_1RB_Left	22.62
n41	15	30	2503.5	DFT	QPSK	Edge_1RB_Right	22.70
n41	15	30	2503.5	DFT	QPSK	Outer_Full	25.32
n41	15	30	2503.5	DFT	16QAM	Inner_Full	25.31
n41	15	30	2503.5	DFT	16QAM	Edge_1RB_Left	22.71
n41	15	30	2503.5	DFT	16QAM	Edge_1RB_Right	22.66
n41	15	30	2503.5	DFT	16QAM	Outer_Full	24.28
n41	15	30	2503.5	DFT	64QAM	Inner_Full	23.83

n41	15	30	2503.5	DFT	64QAM	Edge_1RB_Left	22.65
n41	15	30	2503.5	DFT	64QAM	Edge_1RB_Right	22.71
n41	15	30	2503.5	DFT	64QAM	Outer_Full	23.78
n41	15	30	2503.5	DFT	256QAM	Inner_Full	21.78
n41	15	30	2503.5	DFT	256QAM	Edge_1RB_Left	21.66
n41	15	30	2503.5	DFT	256QAM	Edge_1RB_Right	21.99
n41	15	30	2503.5	DFT	256QAM	Outer_Full	21.78
n41	15	30	2503.5	CP	QPSK	Inner_Full	24.88
n41	15	30	2503.5	CP	QPSK	Edge_1RB_Left	22.50
n41	15	30	2503.5	CP	QPSK	Edge_1RB_Right	22.70
n41	15	30	2503.5	CP	QPSK	Outer_Full	23.32
n41	15	30	2503.5	CP	16QAM	Inner_Full	24.38
n41	15	30	2503.5	CP	16QAM	Edge_1RB_Left	22.49
n41	15	30	2503.5	CP	16QAM	Edge_1RB_Right	22.76
n41	15	30	2503.5	CP	16QAM	Outer_Full	23.34
n41	15	30	2503.5	CP	64QAM	Inner_Full	22.77
n41	15	30	2503.5	CP	64QAM	Edge_1RB_Left	22.66
n41	15	30	2503.5	CP	64QAM	Edge_1RB_Right	22.86
n41	15	30	2503.5	CP	64QAM	Outer_Full	22.82
n41	15	30	2503.5	CP	256QAM	Inner_Full	19.98
n41	15	30	2503.5	CP	256QAM	Edge_1RB_Left	19.90
n41	15	30	2503.5	CP	256QAM	Edge_1RB_Right	19.89
n41	15	30	2503.5	CP	256QAM	Outer_Full	19.95
n41	15	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.33
n41	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.80
n41	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.53
n41	15	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.90
n41	15	30	2592.99	DFT	QPSK	Inner_Full	26.38
n41	15	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.72
n41	15	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.50
n41	15	30	2592.99	DFT	QPSK	Outer_Full	25.39
n41	15	30	2592.99	DFT	16QAM	Inner_Full	25.36
n41	15	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.47
n41	15	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.62
n41	15	30	2592.99	DFT	16QAM	Outer_Full	24.46
n41	15	30	2592.99	DFT	64QAM	Inner_Full	23.91
n41	15	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.66
n41	15	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.82
n41	15	30	2592.99	DFT	64QAM	Outer_Full	23.89
n41	15	30	2592.99	DFT	256QAM	Inner_Full	21.93
n41	15	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.91

n41	15	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.79
n41	15	30	2592.99	DFT	256QAM	Outer_Full	21.89
n41	15	30	2592.99	CP	QPSK	Inner_Full	24.76
n41	15	30	2592.99	CP	QPSK	Edge_1RB_Left	22.67
n41	15	30	2592.99	CP	QPSK	Edge_1RB_Right	22.69
n41	15	30	2592.99	CP	QPSK	Outer_Full	23.27
n41	15	30	2592.99	CP	16QAM	Inner_Full	24.29
n41	15	30	2592.99	CP	16QAM	Edge_1RB_Left	22.40
n41	15	30	2592.99	CP	16QAM	Edge_1RB_Right	22.27
n41	15	30	2592.99	CP	16QAM	Outer_Full	23.32
n41	15	30	2592.99	CP	64QAM	Inner_Full	22.90
n41	15	30	2592.99	CP	64QAM	Edge_1RB_Left	22.78
n41	15	30	2592.99	CP	64QAM	Edge_1RB_Right	22.38
n41	15	30	2592.99	CP	64QAM	Outer_Full	22.85
n41	15	30	2592.99	CP	256QAM	Inner_Full	19.98
n41	15	30	2592.99	CP	256QAM	Edge_1RB_Left	19.71
n41	15	30	2592.99	CP	256QAM	Edge_1RB_Right	19.96
n41	15	30	2592.99	CP	256QAM	Outer_Full	19.89
n41	15	30	2682.48	DFT	pi/2 BPSK	Inner_Full	26.23
n41	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Left	22.53
n41	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Right	22.63
n41	15	30	2682.48	DFT	pi/2 BPSK	Outer_Full	25.74
n41	15	30	2682.48	DFT	QPSK	Inner_Full	26.28
n41	15	30	2682.48	DFT	QPSK	Edge_1RB_Left	22.60
n41	15	30	2682.48	DFT	QPSK	Edge_1RB_Right	22.62
n41	15	30	2682.48	DFT	QPSK	Outer_Full	25.35
n41	15	30	2682.48	DFT	16QAM	Inner_Full	25.26
n41	15	30	2682.48	DFT	16QAM	Edge_1RB_Left	22.50
n41	15	30	2682.48	DFT	16QAM	Edge_1RB_Right	22.79
n41	15	30	2682.48	DFT	16QAM	Outer_Full	24.31
n41	15	30	2682.48	DFT	64QAM	Inner_Full	23.80
n41	15	30	2682.48	DFT	64QAM	Edge_1RB_Left	22.60
n41	15	30	2682.48	DFT	64QAM	Edge_1RB_Right	22.59
n41	15	30	2682.48	DFT	64QAM	Outer_Full	23.79
n41	15	30	2682.48	DFT	256QAM	Inner_Full	21.89
n41	15	30	2682.48	DFT	256QAM	Edge_1RB_Left	21.91
n41	15	30	2682.48	DFT	256QAM	Edge_1RB_Right	21.93
n41	15	30	2682.48	DFT	256QAM	Outer_Full	21.92
n41	15	30	2682.48	CP	QPSK	Inner_Full	24.75
n41	15	30	2682.48	CP	QPSK	Edge_1RB_Left	22.42
n41	15	30	2682.48	CP	QPSK	Edge_1RB_Right	22.52

n41	15	30	2682.48	CP	QPSK	Outer_Full	23.29
n41	15	30	2682.48	CP	16QAM	Inner_Full	24.25
n41	15	30	2682.48	CP	16QAM	Edge_1RB_Left	22.45
n41	15	30	2682.48	CP	16QAM	Edge_1RB_Right	22.60
n41	15	30	2682.48	CP	16QAM	Outer_Full	23.25
n41	15	30	2682.48	CP	64QAM	Inner_Full	22.83
n41	15	30	2682.48	CP	64QAM	Edge_1RB_Left	22.58
n41	15	30	2682.48	CP	64QAM	Edge_1RB_Right	22.67
n41	15	30	2682.48	CP	64QAM	Outer_Full	22.77
n41	15	30	2682.48	CP	256QAM	Inner_Full	19.93
n41	15	30	2682.48	CP	256QAM	Edge_1RB_Left	19.86
n41	15	30	2682.48	CP	256QAM	Edge_1RB_Right	19.58
n41	15	30	2682.48	CP	256QAM	Outer_Full	19.90
n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	26.18
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.47
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.66
n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	25.65
n41	20	30	2506.02	DFT	QPSK	Inner_Full	26.24
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	22.50
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	22.65
n41	20	30	2506.02	DFT	QPSK	Outer_Full	25.26
n41	20	30	2506.02	DFT	16QAM	Inner_Full	25.27
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	22.66
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	22.45
n41	20	30	2506.02	DFT	16QAM	Outer_Full	24.28
n41	20	30	2506.02	DFT	64QAM	Inner_Full	23.70
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	22.24
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	22.58
n41	20	30	2506.02	DFT	64QAM	Outer_Full	23.73
n41	20	30	2506.02	DFT	256QAM	Inner_Full	21.78
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Left	21.60
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Right	21.87
n41	20	30	2506.02	DFT	256QAM	Outer_Full	21.70
n41	20	30	2506.02	CP	QPSK	Inner_Full	24.72
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Left	22.39
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Right	22.51
n41	20	30	2506.02	CP	QPSK	Outer_Full	23.24
n41	20	30	2506.02	CP	16QAM	Inner_Full	24.24
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Left	22.16
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Right	22.61
n41	20	30	2506.02	CP	16QAM	Outer_Full	23.19

n41	20	30	2506.02	CP	64QAM	Inner_Full	22.67
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Left	22.45
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Right	22.66
n41	20	30	2506.02	CP	64QAM	Outer_Full	22.64
n41	20	30	2506.02	CP	256QAM	Inner_Full	19.87
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Left	19.64
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Right	19.56
n41	20	30	2506.02	CP	256QAM	Outer_Full	19.83
n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.36
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.62
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.39
n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.83
n41	20	30	2592.99	DFT	QPSK	Inner_Full	26.45
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.62
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.45
n41	20	30	2592.99	DFT	QPSK	Outer_Full	25.31
n41	20	30	2592.99	DFT	16QAM	Inner_Full	25.35
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.52
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.42
n41	20	30	2592.99	DFT	16QAM	Outer_Full	24.35
n41	20	30	2592.99	DFT	64QAM	Inner_Full	23.92
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.94
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.54
n41	20	30	2592.99	DFT	64QAM	Outer_Full	23.90
n41	20	30	2592.99	DFT	256QAM	Inner_Full	21.99
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.74
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Right	22.00
n41	20	30	2592.99	DFT	256QAM	Outer_Full	21.97
n41	20	30	2592.99	CP	QPSK	Inner_Full	24.83
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Left	22.58
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Right	22.58
n41	20	30	2592.99	CP	QPSK	Outer_Full	23.27
n41	20	30	2592.99	CP	16QAM	Inner_Full	24.30
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Left	22.23
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Right	22.41
n41	20	30	2592.99	CP	16QAM	Outer_Full	23.31
n41	20	30	2592.99	CP	64QAM	Inner_Full	22.84
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Left	22.41
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Right	22.38
n41	20	30	2592.99	CP	64QAM	Outer_Full	22.75
n41	20	30	2592.99	CP	256QAM	Inner_Full	19.81

n41	20	30	2592.99	CP	256QAM	Edge_1RB_Left	19.69
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Right	19.84
n41	20	30	2592.99	CP	256QAM	Outer_Full	19.97
n41	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	26.16
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.41
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.51
n41	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	25.69
n41	20	30	2679.99	DFT	QPSK	Inner_Full	26.26
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	22.45
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	22.53
n41	20	30	2679.99	DFT	QPSK	Outer_Full	25.23
n41	20	30	2679.99	DFT	16QAM	Inner_Full	25.32
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	22.44
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	22.79
n41	20	30	2679.99	DFT	16QAM	Outer_Full	24.28
n41	20	30	2679.99	DFT	64QAM	Inner_Full	23.75
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	22.47
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	22.60
n41	20	30	2679.99	DFT	64QAM	Outer_Full	23.73
n41	20	30	2679.99	DFT	256QAM	Inner_Full	21.85
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Left	21.86
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Right	21.94
n41	20	30	2679.99	DFT	256QAM	Outer_Full	21.90
n41	20	30	2679.99	CP	QPSK	Inner_Full	24.65
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Left	22.46
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Right	22.46
n41	20	30	2679.99	CP	QPSK	Outer_Full	23.15
n41	20	30	2679.99	CP	16QAM	Inner_Full	24.17
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Left	22.38
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Right	22.33
n41	20	30	2679.99	CP	16QAM	Outer_Full	23.15
n41	20	30	2679.99	CP	64QAM	Inner_Full	22.69
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Left	22.56
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Right	22.63
n41	20	30	2679.99	CP	64QAM	Outer_Full	22.67
n41	20	30	2679.99	CP	256QAM	Inner_Full	19.84
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Left	19.97
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Right	19.77
n41	20	30	2679.99	CP	256QAM	Outer_Full	19.87
n41	30	30	2511	DFT	pi/2 BPSK	Inner_Full	26.25
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Left	22.37

n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Right	22.37
n41	30	30	2511	DFT	pi/2 BPSK	Outer_Full	25.65
n41	30	30	2511	DFT	QPSK	Inner_Full	26.31
n41	30	30	2511	DFT	QPSK	Edge_1RB_Left	22.31
n41	30	30	2511	DFT	QPSK	Edge_1RB_Right	22.42
n41	30	30	2511	DFT	QPSK	Outer_Full	25.22
n41	30	30	2511	DFT	16QAM	Inner_Full	25.24
n41	30	30	2511	DFT	16QAM	Edge_1RB_Left	22.31
n41	30	30	2511	DFT	16QAM	Edge_1RB_Right	22.49
n41	30	30	2511	DFT	16QAM	Outer_Full	24.18
n41	30	30	2511	DFT	64QAM	Inner_Full	23.76
n41	30	30	2511	DFT	64QAM	Edge_1RB_Left	22.31
n41	30	30	2511	DFT	64QAM	Edge_1RB_Right	22.27
n41	30	30	2511	DFT	64QAM	Outer_Full	23.67
n41	30	30	2511	DFT	256QAM	Inner_Full	21.92
n41	30	30	2511	DFT	256QAM	Edge_1RB_Left	21.60
n41	30	30	2511	DFT	256QAM	Edge_1RB_Right	21.71
n41	30	30	2511	DFT	256QAM	Outer_Full	21.80
n41	30	30	2511	CP	QPSK	Inner_Full	24.76
n41	30	30	2511	CP	QPSK	Edge_1RB_Left	22.22
n41	30	30	2511	CP	QPSK	Edge_1RB_Right	22.43
n41	30	30	2511	CP	QPSK	Outer_Full	23.15
n41	30	30	2511	CP	16QAM	Inner_Full	24.26
n41	30	30	2511	CP	16QAM	Edge_1RB_Left	22.15
n41	30	30	2511	CP	16QAM	Edge_1RB_Right	22.57
n41	30	30	2511	CP	16QAM	Outer_Full	23.17
n41	30	30	2511	CP	64QAM	Inner_Full	22.70
n41	30	30	2511	CP	64QAM	Edge_1RB_Left	22.16
n41	30	30	2511	CP	64QAM	Edge_1RB_Right	22.40
n41	30	30	2511	CP	64QAM	Outer_Full	22.65
n41	30	30	2511	CP	256QAM	Inner_Full	19.87
n41	30	30	2511	CP	256QAM	Edge_1RB_Left	19.68
n41	30	30	2511	CP	256QAM	Edge_1RB_Right	19.57
n41	30	30	2511	CP	256QAM	Outer_Full	19.75
n41	30	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.27
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.31
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.16
n41	30	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.72
n41	30	30	2592.99	DFT	QPSK	Inner_Full	26.45
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.31
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.30

n41	30	30	2592.99	DFT	QPSK	Outer_Full	25.27
n41	30	30	2592.99	DFT	16QAM	Inner_Full	25.29
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.24
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.12
n41	30	30	2592.99	DFT	16QAM	Outer_Full	24.19
n41	30	30	2592.99	DFT	64QAM	Inner_Full	23.88
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.45
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.31
n41	30	30	2592.99	DFT	64QAM	Outer_Full	23.77
n41	30	30	2592.99	DFT	256QAM	Inner_Full	21.91
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.54
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.69
n41	30	30	2592.99	DFT	256QAM	Outer_Full	21.83
n41	30	30	2592.99	CP	QPSK	Inner_Full	24.79
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Left	22.32
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Right	22.21
n41	30	30	2592.99	CP	QPSK	Outer_Full	23.15
n41	30	30	2592.99	CP	16QAM	Inner_Full	24.24
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Left	22.31
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Right	21.94
n41	30	30	2592.99	CP	16QAM	Outer_Full	23.15
n41	30	30	2592.99	CP	64QAM	Inner_Full	22.72
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Left	22.34
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Right	22.03
n41	30	30	2592.99	CP	64QAM	Outer_Full	22.73
n41	30	30	2592.99	CP	256QAM	Inner_Full	19.99
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Left	19.65
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Right	19.36
n41	30	30	2592.99	CP	256QAM	Outer_Full	19.79
n41	30	30	2674.98	DFT	pi/2 BPSK	Inner_Full	26.22
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.60
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.55
n41	30	30	2674.98	DFT	pi/2 BPSK	Outer_Full	25.65
n41	30	30	2674.98	DFT	QPSK	Inner_Full	26.26
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Left	22.58
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Right	22.56
n41	30	30	2674.98	DFT	QPSK	Outer_Full	25.26
n41	30	30	2674.98	DFT	16QAM	Inner_Full	25.25
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Left	22.48
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Right	22.65
n41	30	30	2674.98	DFT	16QAM	Outer_Full	24.22

n41	30	30	2674.98	DFT	64QAM	Inner_Full	23.77
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Left	22.51
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Right	22.43
n41	30	30	2674.98	DFT	64QAM	Outer_Full	23.65
n41	30	30	2674.98	DFT	256QAM	Inner_Full	21.97
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Left	21.73
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Right	21.70
n41	30	30	2674.98	DFT	256QAM	Outer_Full	21.85
n41	30	30	2674.98	CP	QPSK	Inner_Full	24.75
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Left	22.42
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Right	22.36
n41	30	30	2674.98	CP	QPSK	Outer_Full	23.16
n41	30	30	2674.98	CP	16QAM	Inner_Full	24.25
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Left	22.49
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Right	22.42
n41	30	30	2674.98	CP	16QAM	Outer_Full	23.16
n41	30	30	2674.98	CP	64QAM	Inner_Full	22.76
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Left	22.44
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Right	22.46
n41	30	30	2674.98	CP	64QAM	Outer_Full	22.66
n41	30	30	2674.98	CP	256QAM	Inner_Full	19.91
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Left	19.80
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Right	19.70
n41	30	30	2674.98	CP	256QAM	Outer_Full	19.78
n41	40	30	2516.01	DFT	pi/2 BPSK	Inner_Full	26.15
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.91
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.00
n41	40	30	2516.01	DFT	pi/2 BPSK	Outer_Full	25.50
n41	40	30	2516.01	DFT	QPSK	Inner_Full	26.20
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	21.97
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	21.96
n41	40	30	2516.01	DFT	QPSK	Outer_Full	25.06
n41	40	30	2516.01	DFT	16QAM	Inner_Full	25.22
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	21.94
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	21.82
n41	40	30	2516.01	DFT	16QAM	Outer_Full	23.98
n41	40	30	2516.01	DFT	64QAM	Inner_Full	23.72
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	22.04
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	21.95
n41	40	30	2516.01	DFT	64QAM	Outer_Full	23.52
n41	40	30	2516.01	DFT	256QAM	Inner_Full	21.82

n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Left	21.30
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Right	21.23
n41	40	30	2516.01	DFT	256QAM	Outer_Full	21.65
n41	40	30	2516.01	CP	QPSK	Inner_Full	24.65
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Left	21.82
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Right	21.91
n41	40	30	2516.01	CP	QPSK	Outer_Full	22.95
n41	40	30	2516.01	CP	16QAM	Inner_Full	24.19
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Left	21.98
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Right	22.09
n41	40	30	2516.01	CP	16QAM	Outer_Full	22.96
n41	40	30	2516.01	CP	64QAM	Inner_Full	22.59
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Left	21.99
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Right	22.02
n41	40	30	2516.01	CP	64QAM	Outer_Full	22.53
n41	40	30	2516.01	CP	256QAM	Inner_Full	19.75
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Left	19.11
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Right	19.42
n41	40	30	2516.01	CP	256QAM	Outer_Full	19.57
n41	40	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.31
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.90
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.95
n41	40	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.56
n41	40	30	2592.99	DFT	QPSK	Inner_Full	26.24
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.95
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.90
n41	40	30	2592.99	DFT	QPSK	Outer_Full	25.16
n41	40	30	2592.99	DFT	16QAM	Inner_Full	25.30
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.52
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.67
n41	40	30	2592.99	DFT	16QAM	Outer_Full	24.13
n41	40	30	2592.99	DFT	64QAM	Inner_Full	23.71
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.03
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.02
n41	40	30	2592.99	DFT	64QAM	Outer_Full	23.63
n41	40	30	2592.99	DFT	256QAM	Inner_Full	21.86
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.55
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.27
n41	40	30	2592.99	DFT	256QAM	Outer_Full	21.81
n41	40	30	2592.99	CP	QPSK	Inner_Full	24.70
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Left	21.86

n41	40	30	2592.99	CP	QPSK	Edge_1RB_Right	21.95
n41	40	30	2592.99	CP	QPSK	Outer_Full	23.09
n41	40	30	2592.99	CP	16QAM	Inner_Full	24.29
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Left	21.81
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Right	21.81
n41	40	30	2592.99	CP	16QAM	Outer_Full	23.03
n41	40	30	2592.99	CP	64QAM	Inner_Full	22.75
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Left	21.74
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Right	21.79
n41	40	30	2592.99	CP	64QAM	Outer_Full	22.57
n41	40	30	2592.99	CP	256QAM	Inner_Full	19.92
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Left	19.07
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Right	19.10
n41	40	30	2592.99	CP	256QAM	Outer_Full	19.73
n41	40	30	2670	DFT	pi/2 BPSK	Inner_Full	26.10
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	22.43
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	22.31
n41	40	30	2670	DFT	pi/2 BPSK	Outer_Full	25.56
n41	40	30	2670	DFT	QPSK	Inner_Full	26.17
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	22.38
n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	22.31
n41	40	30	2670	DFT	QPSK	Outer_Full	25.13
n41	40	30	2670	DFT	16QAM	Inner_Full	25.24
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	22.27
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	22.19
n41	40	30	2670	DFT	16QAM	Outer_Full	24.14
n41	40	30	2670	DFT	64QAM	Inner_Full	23.72
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	22.33
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	22.26
n41	40	30	2670	DFT	64QAM	Outer_Full	23.60
n41	40	30	2670	DFT	256QAM	Inner_Full	21.81
n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	21.57
n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	21.45
n41	40	30	2670	DFT	256QAM	Outer_Full	21.74
n41	40	30	2670	CP	QPSK	Inner_Full	24.57
n41	40	30	2670	CP	QPSK	Edge_1RB_Left	22.36
n41	40	30	2670	CP	QPSK	Edge_1RB_Right	21.96
n41	40	30	2670	CP	QPSK	Outer_Full	23.05
n41	40	30	2670	CP	16QAM	Inner_Full	24.22
n41	40	30	2670	CP	16QAM	Edge_1RB_Left	22.28
n41	40	30	2670	CP	16QAM	Edge_1RB_Right	21.98

n41	40	30	2670	CP	16QAM	Outer_Full	23.01
n41	40	30	2670	CP	64QAM	Inner_Full	22.52
n41	40	30	2670	CP	64QAM	Edge_1RB_Left	22.36
n41	40	30	2670	CP	64QAM	Edge_1RB_Right	22.45
n41	40	30	2670	CP	64QAM	Outer_Full	22.53
n41	40	30	2670	CP	256QAM	Inner_Full	19.80
n41	40	30	2670	CP	256QAM	Edge_1RB_Left	19.31
n41	40	30	2670	CP	256QAM	Edge_1RB_Right	19.34
n41	40	30	2670	CP	256QAM	Outer_Full	19.66
n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	26.23
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.25
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.27
n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	25.65
n41	50	30	2521.02	DFT	QPSK	Inner_Full	26.27
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	22.22
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	22.32
n41	50	30	2521.02	DFT	QPSK	Outer_Full	25.10
n41	50	30	2521.02	DFT	16QAM	Inner_Full	25.26
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	22.42
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	22.18
n41	50	30	2521.02	DFT	16QAM	Outer_Full	24.15
n41	50	30	2521.02	DFT	64QAM	Inner_Full	23.87
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	22.15
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	22.37
n41	50	30	2521.02	DFT	64QAM	Outer_Full	23.60
n41	50	30	2521.02	DFT	256QAM	Inner_Full	21.91
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Left	21.51
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Right	21.28
n41	50	30	2521.02	DFT	256QAM	Outer_Full	21.76
n41	50	30	2521.02	CP	QPSK	Inner_Full	24.67
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Left	22.40
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Right	22.39
n41	50	30	2521.02	CP	QPSK	Outer_Full	23.13
n41	50	30	2521.02	CP	16QAM	Inner_Full	24.24
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Left	22.38
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Right	22.49
n41	50	30	2521.02	CP	16QAM	Outer_Full	23.09
n41	50	30	2521.02	CP	64QAM	Inner_Full	22.78
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Left	22.45
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Right	22.51
n41	50	30	2521.02	CP	64QAM	Outer_Full	22.60

n41	50	30	2521.02	CP	256QAM	Inner_Full	19.89
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Left	19.32
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Right	19.36
n41	50	30	2521.02	CP	256QAM	Outer_Full	19.69
n41	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.24
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.15
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.19
n41	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.67
n41	50	30	2592.99	DFT	QPSK	Inner_Full	26.26
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.18
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.13
n41	50	30	2592.99	DFT	QPSK	Outer_Full	25.15
n41	50	30	2592.99	DFT	16QAM	Inner_Full	25.34
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.24
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.04
n41	50	30	2592.99	DFT	16QAM	Outer_Full	24.12
n41	50	30	2592.99	DFT	64QAM	Inner_Full	23.78
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.25
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.58
n41	50	30	2592.99	DFT	64QAM	Outer_Full	23.65
n41	50	30	2592.99	DFT	256QAM	Inner_Full	21.94
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.50
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.82
n41	50	30	2592.99	DFT	256QAM	Outer_Full	21.77
n41	50	30	2592.99	CP	QPSK	Inner_Full	24.73
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Left	22.19
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Right	22.27
n41	50	30	2592.99	CP	QPSK	Outer_Full	23.16
n41	50	30	2592.99	CP	16QAM	Inner_Full	24.22
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Left	21.92
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Right	21.98
n41	50	30	2592.99	CP	16QAM	Outer_Full	23.01
n41	50	30	2592.99	CP	64QAM	Inner_Full	22.74
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Left	22.07
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Right	22.01
n41	50	30	2592.99	CP	64QAM	Outer_Full	22.60
n41	50	30	2592.99	CP	256QAM	Inner_Full	19.93
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Left	19.46
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Right	19.69
n41	50	30	2592.99	CP	256QAM	Outer_Full	19.78
n41	50	30	2664.99	DFT	pi/2 BPSK	Inner_Full	26.30

n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.51
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.47
n41	50	30	2664.99	DFT	pi/2 BPSK	Outer_Full	25.77
n41	50	30	2664.99	DFT	QPSK	Inner_Full	26.33
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	22.50
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	22.48
n41	50	30	2664.99	DFT	QPSK	Outer_Full	25.30
n41	50	30	2664.99	DFT	16QAM	Inner_Full	25.42
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	22.39
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	22.42
n41	50	30	2664.99	DFT	16QAM	Outer_Full	24.27
n41	50	30	2664.99	DFT	64QAM	Inner_Full	23.88
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	22.61
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	22.68
n41	50	30	2664.99	DFT	64QAM	Outer_Full	23.77
n41	50	30	2664.99	DFT	256QAM	Inner_Full	21.88
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Left	21.48
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Right	21.46
n41	50	30	2664.99	DFT	256QAM	Outer_Full	21.95
n41	50	30	2664.99	CP	QPSK	Inner_Full	24.85
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Left	22.59
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Right	22.59
n41	50	30	2664.99	CP	QPSK	Outer_Full	23.29
n41	50	30	2664.99	CP	16QAM	Inner_Full	24.27
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Left	22.64
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Right	22.50
n41	50	30	2664.99	CP	16QAM	Outer_Full	23.25
n41	50	30	2664.99	CP	64QAM	Inner_Full	22.87
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Left	22.59
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Right	22.62
n41	50	30	2664.99	CP	64QAM	Outer_Full	22.77
n41	50	30	2664.99	CP	256QAM	Inner_Full	19.99
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Left	19.61
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Right	19.48
n41	50	30	2664.99	CP	256QAM	Outer_Full	19.89
n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	26.14
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	22.12
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	22.20
n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	25.56
n41	60	30	2526	DFT	QPSK	Inner_Full	26.14
n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	22.15

n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	22.12
n41	60	30	2526	DFT	QPSK	Outer_Full	25.07
n41	60	30	2526	DFT	16QAM	Inner_Full	25.11
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	22.07
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	22.15
n41	60	30	2526	DFT	16QAM	Outer_Full	24.04
n41	60	30	2526	DFT	64QAM	Inner_Full	23.72
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	22.13
n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	22.21
n41	60	30	2526	DFT	64QAM	Outer_Full	23.60
n41	60	30	2526	DFT	256QAM	Inner_Full	21.77
n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	21.49
n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	21.56
n41	60	30	2526	DFT	256QAM	Outer_Full	21.74
n41	60	30	2526	CP	QPSK	Inner_Full	24.59
n41	60	30	2526	CP	QPSK	Edge_1RB_Left	22.03
n41	60	30	2526	CP	QPSK	Edge_1RB_Right	22.12
n41	60	30	2526	CP	QPSK	Outer_Full	23.02
n41	60	30	2526	CP	16QAM	Inner_Full	24.11
n41	60	30	2526	CP	16QAM	Edge_1RB_Left	21.88
n41	60	30	2526	CP	16QAM	Edge_1RB_Right	22.23
n41	60	30	2526	CP	16QAM	Outer_Full	22.99
n41	60	30	2526	CP	64QAM	Inner_Full	22.65
n41	60	30	2526	CP	64QAM	Edge_1RB_Left	22.20
n41	60	30	2526	CP	64QAM	Edge_1RB_Right	22.03
n41	60	30	2526	CP	64QAM	Outer_Full	22.50
n41	60	30	2526	CP	256QAM	Inner_Full	19.74
n41	60	30	2526	CP	256QAM	Edge_1RB_Left	19.42
n41	60	30	2526	CP	256QAM	Edge_1RB_Right	19.75
n41	60	30	2526	CP	256QAM	Outer_Full	19.64
n41	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.19
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.02
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.02
n41	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.59
n41	60	30	2592.99	DFT	QPSK	Inner_Full	26.16
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.05
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.02
n41	60	30	2592.99	DFT	QPSK	Outer_Full	25.10
n41	60	30	2592.99	DFT	16QAM	Inner_Full	25.28
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.76
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.83

n41	60	30	2592.99	DFT	16QAM	Outer_Full	24.06
n41	60	30	2592.99	DFT	64QAM	Inner_Full	23.70
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.10
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.47
n41	60	30	2592.99	DFT	64QAM	Outer_Full	23.61
n41	60	30	2592.99	DFT	256QAM	Inner_Full	21.85
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.49
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.61
n41	60	30	2592.99	DFT	256QAM	Outer_Full	21.72
n41	60	30	2592.99	CP	QPSK	Inner_Full	24.72
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Left	21.92
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Right	22.13
n41	60	30	2592.99	CP	QPSK	Outer_Full	23.06
n41	60	30	2592.99	CP	16QAM	Inner_Full	24.26
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Left	21.88
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Right	21.97
n41	60	30	2592.99	CP	16QAM	Outer_Full	23.09
n41	60	30	2592.99	CP	64QAM	Inner_Full	22.77
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Left	21.82
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Right	22.02
n41	60	30	2592.99	CP	64QAM	Outer_Full	22.55
n41	60	30	2592.99	CP	256QAM	Inner_Full	19.89
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Left	19.51
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Right	19.30
n41	60	30	2592.99	CP	256QAM	Outer_Full	19.65
n41	60	30	2659.98	DFT	pi/2 BPSK	Inner_Full	26.23
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.25
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.21
n41	60	30	2659.98	DFT	pi/2 BPSK	Outer_Full	25.63
n41	60	30	2659.98	DFT	QPSK	Inner_Full	26.29
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	22.21
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	22.26
n41	60	30	2659.98	DFT	QPSK	Outer_Full	25.21
n41	60	30	2659.98	DFT	16QAM	Inner_Full	25.23
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	22.27
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	22.54
n41	60	30	2659.98	DFT	16QAM	Outer_Full	24.18
n41	60	30	2659.98	DFT	64QAM	Inner_Full	23.83
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	22.19
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	22.23
n41	60	30	2659.98	DFT	64QAM	Outer_Full	23.76

n41	60	30	2659.98	DFT	256QAM	Inner_Full	21.81
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Left	21.81
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Right	21.67
n41	60	30	2659.98	DFT	256QAM	Outer_Full	21.84
n41	60	30	2659.98	CP	QPSK	Inner_Full	24.81
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Left	21.96
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Right	22.14
n41	60	30	2659.98	CP	QPSK	Outer_Full	23.13
n41	60	30	2659.98	CP	16QAM	Inner_Full	24.34
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Left	22.08
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Right	22.09
n41	60	30	2659.98	CP	16QAM	Outer_Full	23.10
n41	60	30	2659.98	CP	64QAM	Inner_Full	22.76
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Left	22.32
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Right	22.38
n41	60	30	2659.98	CP	64QAM	Outer_Full	22.65
n41	60	30	2659.98	CP	256QAM	Inner_Full	19.92
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Left	19.54
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Right	19.61
n41	60	30	2659.98	CP	256QAM	Outer_Full	19.80
n41	70	30	2531.01	DFT	pi/2 BPSK	Inner_Full	26.25
n41	70	30	2531.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.14
n41	70	30	2531.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.26
n41	70	30	2531.01	DFT	pi/2 BPSK	Outer_Full	25.67
n41	70	30	2531.01	DFT	QPSK	Inner_Full	26.30
n41	70	30	2531.01	DFT	QPSK	Edge_1RB_Left	22.19
n41	70	30	2531.01	DFT	QPSK	Edge_1RB_Right	22.30
n41	70	30	2531.01	DFT	QPSK	Outer_Full	25.25
n41	70	30	2531.01	DFT	16QAM	Inner_Full	25.29
n41	70	30	2531.01	DFT	16QAM	Edge_1RB_Left	22.02
n41	70	30	2531.01	DFT	16QAM	Edge_1RB_Right	22.19
n41	70	30	2531.01	DFT	16QAM	Outer_Full	24.23
n41	70	30	2531.01	DFT	64QAM	Inner_Full	23.79
n41	70	30	2531.01	DFT	64QAM	Edge_1RB_Left	22.13
n41	70	30	2531.01	DFT	64QAM	Edge_1RB_Right	22.21
n41	70	30	2531.01	DFT	64QAM	Outer_Full	23.75
n41	70	30	2531.01	DFT	256QAM	Inner_Full	21.95
n41	70	30	2531.01	DFT	256QAM	Edge_1RB_Left	21.22
n41	70	30	2531.01	DFT	256QAM	Edge_1RB_Right	21.86
n41	70	30	2531.01	DFT	256QAM	Outer_Full	21.90
n41	70	30	2531.01	CP	QPSK	Inner_Full	24.84

n41	70	30	2531.01	CP	QPSK	Edge_1RB_Left	22.10
n41	70	30	2531.01	CP	QPSK	Edge_1RB_Right	22.19
n41	70	30	2531.01	CP	QPSK	Outer_Full	23.21
n41	70	30	2531.01	CP	16QAM	Inner_Full	24.33
n41	70	30	2531.01	CP	16QAM	Edge_1RB_Left	22.11
n41	70	30	2531.01	CP	16QAM	Edge_1RB_Right	22.08
n41	70	30	2531.01	CP	16QAM	Outer_Full	23.20
n41	70	30	2531.01	CP	64QAM	Inner_Full	22.79
n41	70	30	2531.01	CP	64QAM	Edge_1RB_Left	22.08
n41	70	30	2531.01	CP	64QAM	Edge_1RB_Right	22.29
n41	70	30	2531.01	CP	64QAM	Outer_Full	22.71
n41	70	30	2531.01	CP	256QAM	Inner_Full	19.98
n41	70	30	2531.01	CP	256QAM	Edge_1RB_Left	19.34
n41	70	30	2531.01	CP	256QAM	Edge_1RB_Right	19.32
n41	70	30	2531.01	CP	256QAM	Outer_Full	19.79
n41	70	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.32
n41	70	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.00
n41	70	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.03
n41	70	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.59
n41	70	30	2592.99	DFT	QPSK	Inner_Full	26.26
n41	70	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.98
n41	70	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.04
n41	70	30	2592.99	DFT	QPSK	Outer_Full	25.09
n41	70	30	2592.99	DFT	16QAM	Inner_Full	25.32
n41	70	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.86
n41	70	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.73
n41	70	30	2592.99	DFT	16QAM	Outer_Full	24.09
n41	70	30	2592.99	DFT	64QAM	Inner_Full	23.83
n41	70	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.09
n41	70	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.14
n41	70	30	2592.99	DFT	64QAM	Outer_Full	23.60
n41	70	30	2592.99	DFT	256QAM	Inner_Full	22.00
n41	70	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.40
n41	70	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.68
n41	70	30	2592.99	DFT	256QAM	Outer_Full	21.79
n41	70	30	2592.99	CP	QPSK	Inner_Full	24.76
n41	70	30	2592.99	CP	QPSK	Edge_1RB_Left	22.01
n41	70	30	2592.99	CP	QPSK	Edge_1RB_Right	21.98
n41	70	30	2592.99	CP	QPSK	Outer_Full	22.94
n41	70	30	2592.99	CP	16QAM	Inner_Full	24.19
n41	70	30	2592.99	CP	16QAM	Edge_1RB_Left	21.97

n41	70	30	2592.99	CP	16QAM	Edge_1RB_Right	22.08
n41	70	30	2592.99	CP	16QAM	Outer_Full	23.00
n41	70	30	2592.99	CP	64QAM	Inner_Full	22.76
n41	70	30	2592.99	CP	64QAM	Edge_1RB_Left	21.75
n41	70	30	2592.99	CP	64QAM	Edge_1RB_Right	21.97
n41	70	30	2592.99	CP	64QAM	Outer_Full	22.58
n41	70	30	2592.99	CP	256QAM	Inner_Full	19.96
n41	70	30	2592.99	CP	256QAM	Edge_1RB_Left	19.56
n41	70	30	2592.99	CP	256QAM	Edge_1RB_Right	19.48
n41	70	30	2592.99	CP	256QAM	Outer_Full	19.71
n41	70	30	2655	DFT	pi/2 BPSK	Inner_Full	26.27
n41	70	30	2655	DFT	pi/2 BPSK	Edge_1RB_Left	22.24
n41	70	30	2655	DFT	pi/2 BPSK	Edge_1RB_Right	22.23
n41	70	30	2655	DFT	pi/2 BPSK	Outer_Full	25.71
n41	70	30	2655	DFT	QPSK	Inner_Full	26.29
n41	70	30	2655	DFT	QPSK	Edge_1RB_Left	22.26
n41	70	30	2655	DFT	QPSK	Edge_1RB_Right	22.25
n41	70	30	2655	DFT	QPSK	Outer_Full	25.24
n41	70	30	2655	DFT	16QAM	Inner_Full	25.34
n41	70	30	2655	DFT	16QAM	Edge_1RB_Left	22.09
n41	70	30	2655	DFT	16QAM	Edge_1RB_Right	22.16
n41	70	30	2655	DFT	16QAM	Outer_Full	24.22
n41	70	30	2655	DFT	64QAM	Inner_Full	23.83
n41	70	30	2655	DFT	64QAM	Edge_1RB_Left	22.22
n41	70	30	2655	DFT	64QAM	Edge_1RB_Right	21.98
n41	70	30	2655	DFT	64QAM	Outer_Full	23.69
n41	70	30	2655	DFT	256QAM	Inner_Full	21.99
n41	70	30	2655	DFT	256QAM	Edge_1RB_Left	21.60
n41	70	30	2655	DFT	256QAM	Edge_1RB_Right	21.80
n41	70	30	2655	DFT	256QAM	Outer_Full	21.88
n41	70	30	2655	CP	QPSK	Inner_Full	24.71
n41	70	30	2655	CP	QPSK	Edge_1RB_Left	22.05
n41	70	30	2655	CP	QPSK	Edge_1RB_Right	21.89
n41	70	30	2655	CP	QPSK	Outer_Full	23.21
n41	70	30	2655	CP	16QAM	Inner_Full	24.31
n41	70	30	2655	CP	16QAM	Edge_1RB_Left	21.78
n41	70	30	2655	CP	16QAM	Edge_1RB_Right	22.07
n41	70	30	2655	CP	16QAM	Outer_Full	23.11
n41	70	30	2655	CP	64QAM	Inner_Full	22.83
n41	70	30	2655	CP	64QAM	Edge_1RB_Left	22.05
n41	70	30	2655	CP	64QAM	Edge_1RB_Right	22.19

n41	70	30	2655	CP	64QAM	Outer_Full	22.65
n41	70	30	2655	CP	256QAM	Inner_Full	19.98
n41	70	30	2655	CP	256QAM	Edge_1RB_Left	19.57
n41	70	30	2655	CP	256QAM	Edge_1RB_Right	19.43
n41	70	30	2655	CP	256QAM	Outer_Full	19.82
n41	80	30	2536.02	DFT	pi/2 BPSK	Inner_Full	26.20
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.96
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.24
n41	80	30	2536.02	DFT	pi/2 BPSK	Outer_Full	25.55
n41	80	30	2536.02	DFT	QPSK	Inner_Full	26.26
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	22.02
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	22.30
n41	80	30	2536.02	DFT	QPSK	Outer_Full	25.10
n41	80	30	2536.02	DFT	16QAM	Inner_Full	25.29
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	21.79
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	21.93
n41	80	30	2536.02	DFT	16QAM	Outer_Full	24.17
n41	80	30	2536.02	DFT	64QAM	Inner_Full	23.71
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	22.07
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	22.24
n41	80	30	2536.02	DFT	64QAM	Outer_Full	23.63
n41	80	30	2536.02	DFT	256QAM	Inner_Full	21.91
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Left	21.14
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Right	21.65
n41	80	30	2536.02	DFT	256QAM	Outer_Full	21.84
n41	80	30	2536.02	CP	QPSK	Inner_Full	24.73
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Left	21.93
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Right	22.11
n41	80	30	2536.02	CP	QPSK	Outer_Full	23.08
n41	80	30	2536.02	CP	16QAM	Inner_Full	24.20
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Left	21.97
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Right	22.09
n41	80	30	2536.02	CP	16QAM	Outer_Full	23.08
n41	80	30	2536.02	CP	64QAM	Inner_Full	22.73
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Left	21.92
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Right	21.99
n41	80	30	2536.02	CP	64QAM	Outer_Full	22.62
n41	80	30	2536.02	CP	256QAM	Inner_Full	19.89
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Left	19.28
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Right	19.41
n41	80	30	2536.02	CP	256QAM	Outer_Full	19.73

n41	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.24
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.85
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.90
n41	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.51
n41	80	30	2592.99	DFT	QPSK	Inner_Full	26.28
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.88
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.91
n41	80	30	2592.99	DFT	QPSK	Outer_Full	25.04
n41	80	30	2592.99	DFT	16QAM	Inner_Full	25.29
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.93
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.92
n41	80	30	2592.99	DFT	16QAM	Outer_Full	24.02
n41	80	30	2592.99	DFT	64QAM	Inner_Full	23.75
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.95
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.01
n41	80	30	2592.99	DFT	64QAM	Outer_Full	23.52
n41	80	30	2592.99	DFT	256QAM	Inner_Full	21.94
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.58
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.42
n41	80	30	2592.99	DFT	256QAM	Outer_Full	21.73
n41	80	30	2592.99	CP	QPSK	Inner_Full	24.70
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Left	21.84
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Right	21.91
n41	80	30	2592.99	CP	QPSK	Outer_Full	22.94
n41	80	30	2592.99	CP	16QAM	Inner_Full	24.23
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Left	21.81
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Right	21.91
n41	80	30	2592.99	CP	16QAM	Outer_Full	23.06
n41	80	30	2592.99	CP	64QAM	Inner_Full	22.80
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Left	21.76
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Right	21.83
n41	80	30	2592.99	CP	64QAM	Outer_Full	22.55
n41	80	30	2592.99	CP	256QAM	Inner_Full	19.92
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Left	19.32
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Right	19.40
n41	80	30	2592.99	CP	256QAM	Outer_Full	19.68
n41	80	30	2649.99	DFT	pi/2 BPSK	Inner_Full	26.35
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.03
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.12
n41	80	30	2649.99	DFT	pi/2 BPSK	Outer_Full	25.60
n41	80	30	2649.99	DFT	QPSK	Inner_Full	26.36

n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	22.15
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	22.15
n41	80	30	2649.99	DFT	QPSK	Outer_Full	25.18
n41	80	30	2649.99	DFT	16QAM	Inner_Full	25.39
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	22.02
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	21.90
n41	80	30	2649.99	DFT	16QAM	Outer_Full	24.18
n41	80	30	2649.99	DFT	64QAM	Inner_Full	23.90
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	21.77
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	22.15
n41	80	30	2649.99	DFT	64QAM	Outer_Full	23.69
n41	80	30	2649.99	DFT	256QAM	Inner_Full	21.95
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Left	21.47
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Right	21.53
n41	80	30	2649.99	DFT	256QAM	Outer_Full	21.78
n41	80	30	2649.99	CP	QPSK	Inner_Full	24.80
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Left	21.90
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Right	22.04
n41	80	30	2649.99	CP	QPSK	Outer_Full	23.10
n41	80	30	2649.99	CP	16QAM	Inner_Full	24.29
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Left	21.77
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Right	21.70
n41	80	30	2649.99	CP	16QAM	Outer_Full	23.10
n41	80	30	2649.99	CP	64QAM	Inner_Full	22.87
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Left	21.95
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Right	21.81
n41	80	30	2649.99	CP	64QAM	Outer_Full	22.67
n41	80	30	2649.99	CP	256QAM	Inner_Full	19.98
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Left	19.17
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Right	19.25
n41	80	30	2649.99	CP	256QAM	Outer_Full	19.81
n41	90	30	2541	DFT	pi/2 BPSK	Inner_Full	26.19
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	21.91
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	22.39
n41	90	30	2541	DFT	pi/2 BPSK	Outer_Full	25.66
n41	90	30	2541	DFT	QPSK	Inner_Full	26.24
n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	21.87
n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	22.26
n41	90	30	2541	DFT	QPSK	Outer_Full	25.22
n41	90	30	2541	DFT	16QAM	Inner_Full	25.29
n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	21.80

n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	22.28
n41	90	30	2541	DFT	16QAM	Outer_Full	24.15
n41	90	30	2541	DFT	64QAM	Inner_Full	23.78
n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	21.89
n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	22.28
n41	90	30	2541	DFT	64QAM	Outer_Full	23.72
n41	90	30	2541	DFT	256QAM	Inner_Full	21.97
n41	90	30	2541	DFT	256QAM	Edge_1RB_Left	20.93
n41	90	30	2541	DFT	256QAM	Edge_1RB_Right	21.98
n41	90	30	2541	DFT	256QAM	Outer_Full	21.87
n41	90	30	2541	CP	QPSK	Inner_Full	24.66
n41	90	30	2541	CP	QPSK	Edge_1RB_Left	21.78
n41	90	30	2541	CP	QPSK	Edge_1RB_Right	22.20
n41	90	30	2541	CP	QPSK	Outer_Full	23.13
n41	90	30	2541	CP	16QAM	Inner_Full	24.23
n41	90	30	2541	CP	16QAM	Edge_1RB_Left	21.72
n41	90	30	2541	CP	16QAM	Edge_1RB_Right	22.18
n41	90	30	2541	CP	16QAM	Outer_Full	23.13
n41	90	30	2541	CP	64QAM	Inner_Full	22.72
n41	90	30	2541	CP	64QAM	Edge_1RB_Left	21.69
n41	90	30	2541	CP	64QAM	Edge_1RB_Right	22.16
n41	90	30	2541	CP	64QAM	Outer_Full	22.64
n41	90	30	2541	CP	256QAM	Inner_Full	19.89
n41	90	30	2541	CP	256QAM	Edge_1RB_Left	19.28
n41	90	30	2541	CP	256QAM	Edge_1RB_Right	19.73
n41	90	30	2541	CP	256QAM	Outer_Full	19.82
n41	90	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.21
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.75
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.76
n41	90	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.47
n41	90	30	2592.99	DFT	QPSK	Inner_Full	26.16
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.75
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.70
n41	90	30	2592.99	DFT	QPSK	Outer_Full	24.95
n41	90	30	2592.99	DFT	16QAM	Inner_Full	25.31
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.72
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.51
n41	90	30	2592.99	DFT	16QAM	Outer_Full	23.99
n41	90	30	2592.99	DFT	64QAM	Inner_Full	23.68
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.97
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.72

n41	90	30	2592.99	DFT	64QAM	Outer_Full	23.53
n41	90	30	2592.99	DFT	256QAM	Inner_Full	21.87
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.11
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.33
n41	90	30	2592.99	DFT	256QAM	Outer_Full	21.74
n41	90	30	2592.99	CP	QPSK	Inner_Full	24.73
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Left	21.78
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Right	21.80
n41	90	30	2592.99	CP	QPSK	Outer_Full	22.93
n41	90	30	2592.99	CP	16QAM	Inner_Full	24.19
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Left	21.64
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Right	21.81
n41	90	30	2592.99	CP	16QAM	Outer_Full	22.96
n41	90	30	2592.99	CP	64QAM	Inner_Full	22.68
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Left	21.91
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Right	21.73
n41	90	30	2592.99	CP	64QAM	Outer_Full	22.45
n41	90	30	2592.99	CP	256QAM	Inner_Full	19.88
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Left	19.25
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Right	19.38
n41	90	30	2592.99	CP	256QAM	Outer_Full	19.63
n41	90	30	2644.98	DFT	pi/2 BPSK	Inner_Full	26.37
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.99
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.96
n41	90	30	2644.98	DFT	pi/2 BPSK	Outer_Full	25.66
n41	90	30	2644.98	DFT	QPSK	Inner_Full	26.41
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	22.00
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	21.88
n41	90	30	2644.98	DFT	QPSK	Outer_Full	25.22
n41	90	30	2644.98	DFT	16QAM	Inner_Full	25.36
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	21.91
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	21.92
n41	90	30	2644.98	DFT	16QAM	Outer_Full	24.21
n41	90	30	2644.98	DFT	64QAM	Inner_Full	23.89
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	21.95
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	21.93
n41	90	30	2644.98	DFT	64QAM	Outer_Full	23.69
n41	90	30	2644.98	DFT	256QAM	Inner_Full	21.88
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Left	21.67
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Right	21.43
n41	90	30	2644.98	DFT	256QAM	Outer_Full	21.92

n41	90	30	2644.98	CP	QPSK	Inner_Full	24.79
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Left	21.83
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Right	21.82
n41	90	30	2644.98	CP	QPSK	Outer_Full	23.23
n41	90	30	2644.98	CP	16QAM	Inner_Full	24.35
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Left	22.05
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Right	21.76
n41	90	30	2644.98	CP	16QAM	Outer_Full	23.17
n41	90	30	2644.98	CP	64QAM	Inner_Full	22.87
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Left	21.82
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Right	22.06
n41	90	30	2644.98	CP	64QAM	Outer_Full	22.66
n41	90	30	2644.98	CP	256QAM	Inner_Full	19.87
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Left	19.37
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Right	19.36
n41	90	30	2644.98	CP	256QAM	Outer_Full	19.83
n41	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.16
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.64
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.05
n41	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.56
n41	100	30	2592.99	DFT	QPSK	Inner_Full	26.16
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.64
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.04
n41	100	30	2592.99	DFT	QPSK	Outer_Full	25.05
n41	100	30	2592.99	DFT	16QAM	Inner_Full	25.19
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.95
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.01
n41	100	30	2592.99	DFT	16QAM	Outer_Full	24.07
n41	100	30	2592.99	DFT	64QAM	Inner_Full	23.63
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.75
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.11
n41	100	30	2592.99	DFT	64QAM	Outer_Full	23.55
n41	100	30	2592.99	DFT	256QAM	Inner_Full	21.72
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.09
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.52
n41	100	30	2592.99	DFT	256QAM	Outer_Full	21.75
n41	100	30	2592.99	CP	QPSK	Inner_Full	24.63
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	21.65
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	21.91
n41	100	30	2592.99	CP	QPSK	Outer_Full	22.93
n41	100	30	2592.99	CP	16QAM	Inner_Full	24.13

n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	21.72
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	22.14
n41	100	30	2592.99	CP	16QAM	Outer_Full	23.05
n41	100	30	2592.99	CP	64QAM	Inner_Full	22.70
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	21.54
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	21.92
n41	100	30	2592.99	CP	64QAM	Outer_Full	22.49
n41	100	30	2592.99	CP	256QAM	Inner_Full	19.82
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Left	19.10
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Right	19.71
n41	100	30	2592.99	CP	256QAM	Outer_Full	19.72
n41	100	30	2546.01	DFT	pi/2 BPSK	Inner_Full	26.01
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.48
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.69
n41	100	30	2546.01	DFT	pi/2 BPSK	Outer_Full	25.29
n41	100	30	2546.01	DFT	QPSK	Inner_Full	26.03
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	21.48
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	21.65
n41	100	30	2546.01	DFT	QPSK	Outer_Full	24.81
n41	100	30	2546.01	DFT	16QAM	Inner_Full	25.01
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	21.52
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	21.56
n41	100	30	2546.01	DFT	16QAM	Outer_Full	23.76
n41	100	30	2546.01	DFT	64QAM	Inner_Full	23.61
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	21.62
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	21.83
n41	100	30	2546.01	DFT	64QAM	Outer_Full	23.32
n41	100	30	2546.01	DFT	256QAM	Inner_Full	21.72
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Left	21.15
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Right	21.19
n41	100	30	2546.01	DFT	256QAM	Outer_Full	21.51
n41	100	30	2546.01	CP	QPSK	Inner_Full	24.56
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Left	21.53
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Right	21.82
n41	100	30	2546.01	CP	QPSK	Outer_Full	22.74
n41	100	30	2546.01	CP	16QAM	Inner_Full	24.01
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Left	21.25
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Right	21.42
n41	100	30	2546.01	CP	16QAM	Outer_Full	22.75
n41	100	30	2546.01	CP	64QAM	Inner_Full	22.54
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Left	21.29

n41	100	30	2546.01	CP	64QAM	Edge_1RB_Right	21.63
n41	100	30	2546.01	CP	64QAM	Outer_Full	22.28
n41	100	30	2546.01	CP	256QAM	Inner_Full	19.63
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Left	19.09
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Right	19.27
n41	100	30	2546.01	CP	256QAM	Outer_Full	19.49
n41	100	30	2640	DFT	pi/2 BPSK	Inner_Full	26.27
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	22.02
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	21.85
n41	100	30	2640	DFT	pi/2 BPSK	Outer_Full	25.46
n41	100	30	2640	DFT	QPSK	Inner_Full	26.24
n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	22.19
n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	21.80
n41	100	30	2640	DFT	QPSK	Outer_Full	25.03
n41	100	30	2640	DFT	16QAM	Inner_Full	25.30
n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	22.16
n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	22.00
n41	100	30	2640	DFT	16QAM	Outer_Full	24.13
n41	100	30	2640	DFT	64QAM	Inner_Full	23.76
n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	22.08
n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	21.81
n41	100	30	2640	DFT	64QAM	Outer_Full	23.63
n41	100	30	2640	DFT	256QAM	Inner_Full	21.93
n41	100	30	2640	DFT	256QAM	Edge_1RB_Left	21.75
n41	100	30	2640	DFT	256QAM	Edge_1RB_Right	21.51
n41	100	30	2640	DFT	256QAM	Outer_Full	21.81
n41	100	30	2640	CP	QPSK	Inner_Full	24.76
n41	100	30	2640	CP	QPSK	Edge_1RB_Left	21.94
n41	100	30	2640	CP	QPSK	Edge_1RB_Right	21.70
n41	100	30	2640	CP	QPSK	Outer_Full	23.11
n41	100	30	2640	CP	16QAM	Inner_Full	24.19
n41	100	30	2640	CP	16QAM	Edge_1RB_Left	21.70
n41	100	30	2640	CP	16QAM	Edge_1RB_Right	21.79
n41	100	30	2640	CP	16QAM	Outer_Full	23.09
n41	100	30	2640	CP	64QAM	Inner_Full	22.75
n41	100	30	2640	CP	64QAM	Edge_1RB_Left	22.06
n41	100	30	2640	CP	64QAM	Edge_1RB_Right	21.89
n41	100	30	2640	CP	64QAM	Outer_Full	22.52
n41	100	30	2640	CP	256QAM	Inner_Full	19.91
n41	100	30	2640	CP	256QAM	Edge_1RB_Left	19.41
n41	100	30	2640	CP	256QAM	Edge_1RB_Right	19.24



No. I23Z60839-WMD04

n41	100	30	2640	CP	256QAM	Outer_Full	19.75
-----	-----	----	------	----	--------	------------	-------

n48

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n48	10	30	3555	DFT	pi/2 BPSK	Inner_Full	22.27
n48	10	30	3555	DFT	pi/2 BPSK	Edge_1RB_Left	21.91
n48	10	30	3555	DFT	pi/2 BPSK	Edge_1RB_Right	21.87
n48	10	30	3555	DFT	pi/2 BPSK	Outer_Full	21.78
n48	10	30	3555	DFT	QPSK	Inner_Full	22.27
n48	10	30	3555	DFT	QPSK	Edge_1RB_Left	21.21
n48	10	30	3555	DFT	QPSK	Edge_1RB_Right	21.13
n48	10	30	3555	DFT	QPSK	Outer_Full	21.30
n48	10	30	3555	DFT	16QAM	Inner_Full	21.32
n48	10	30	3555	DFT	16QAM	Edge_1RB_Left	20.24
n48	10	30	3555	DFT	16QAM	Edge_1RB_Right	20.19
n48	10	30	3555	DFT	16QAM	Outer_Full	20.26
n48	10	30	3555	DFT	64QAM	Inner_Full	19.82
n48	10	30	3555	DFT	64QAM	Edge_1RB_Left	19.85
n48	10	30	3555	DFT	64QAM	Edge_1RB_Right	20.02
n48	10	30	3555	DFT	64QAM	Outer_Full	19.83
n48	10	30	3555	DFT	256QAM	Inner_Full	17.83
n48	10	30	3555	DFT	256QAM	Edge_1RB_Left	17.94
n48	10	30	3555	DFT	256QAM	Edge_1RB_Right	17.68
n48	10	30	3555	DFT	256QAM	Outer_Full	17.91
n48	10	30	3555	CP	QPSK	Inner_Full	20.72
n48	10	30	3555	CP	QPSK	Edge_1RB_Left	19.38
n48	10	30	3555	CP	QPSK	Edge_1RB_Right	19.37
n48	10	30	3555	CP	QPSK	Outer_Full	19.43
n48	10	30	3555	CP	16QAM	Inner_Full	20.25
n48	10	30	3555	CP	16QAM	Edge_1RB_Left	19.39
n48	10	30	3555	CP	16QAM	Edge_1RB_Right	19.29
n48	10	30	3555	CP	16QAM	Outer_Full	19.36
n48	10	30	3555	CP	64QAM	Inner_Full	18.91
n48	10	30	3555	CP	64QAM	Edge_1RB_Left	18.90
n48	10	30	3555	CP	64QAM	Edge_1RB_Right	19.02
n48	10	30	3555	CP	64QAM	Outer_Full	18.93
n48	10	30	3555	CP	256QAM	Inner_Full	15.81
n48	10	30	3555	CP	256QAM	Edge_1RB_Left	15.76
n48	10	30	3555	CP	256QAM	Edge_1RB_Right	16.11
n48	10	30	3555	CP	256QAM	Outer_Full	15.89
n48	10	30	3624.99	DFT	pi/2 BPSK	Inner_Full	21.93
n48	10	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.62
n48	10	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.69

n48	10	30	3624.99	DFT	pi/2 BPSK	Outer_Full	21.70
n48	10	30	3624.99	DFT	QPSK	Inner_Full	21.94
n48	10	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.07
n48	10	30	3624.99	DFT	QPSK	Edge_1RB_Right	21.97
n48	10	30	3624.99	DFT	QPSK	Outer_Full	21.20
n48	10	30	3624.99	DFT	16QAM	Inner_Full	21.04
n48	10	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.10
n48	10	30	3624.99	DFT	16QAM	Edge_1RB_Right	21.16
n48	10	30	3624.99	DFT	16QAM	Outer_Full	20.17
n48	10	30	3624.99	DFT	64QAM	Inner_Full	19.82
n48	10	30	3624.99	DFT	64QAM	Edge_1RB_Left	20.04
n48	10	30	3624.99	DFT	64QAM	Edge_1RB_Right	20.66
n48	10	30	3624.99	DFT	64QAM	Outer_Full	19.94
n48	10	30	3624.99	DFT	256QAM	Inner_Full	17.58
n48	10	30	3624.99	DFT	256QAM	Edge_1RB_Left	17.84
n48	10	30	3624.99	DFT	256QAM	Edge_1RB_Right	18.72
n48	10	30	3624.99	DFT	256QAM	Outer_Full	17.79
n48	10	30	3624.99	CP	QPSK	Inner_Full	20.41
n48	10	30	3624.99	CP	QPSK	Edge_1RB_Left	19.28
n48	10	30	3624.99	CP	QPSK	Edge_1RB_Right	19.97
n48	10	30	3624.99	CP	QPSK	Outer_Full	19.39
n48	10	30	3624.99	CP	16QAM	Inner_Full	20.00
n48	10	30	3624.99	CP	16QAM	Edge_1RB_Left	19.27
n48	10	30	3624.99	CP	16QAM	Edge_1RB_Right	20.08
n48	10	30	3624.99	CP	16QAM	Outer_Full	19.39
n48	10	30	3624.99	CP	64QAM	Inner_Full	18.78
n48	10	30	3624.99	CP	64QAM	Edge_1RB_Left	18.98
n48	10	30	3624.99	CP	64QAM	Edge_1RB_Right	19.88
n48	10	30	3624.99	CP	64QAM	Outer_Full	18.83
n48	10	30	3624.99	CP	256QAM	Inner_Full	15.63
n48	10	30	3624.99	CP	256QAM	Edge_1RB_Left	15.90
n48	10	30	3624.99	CP	256QAM	Edge_1RB_Right	16.83
n48	10	30	3624.99	CP	256QAM	Outer_Full	15.82
n48	10	30	3694.98	DFT	pi/2 BPSK	Inner_Full	22.02
n48	10	30	3694.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.56
n48	10	30	3694.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.44
n48	10	30	3694.98	DFT	pi/2 BPSK	Outer_Full	21.62
n48	10	30	3694.98	DFT	QPSK	Inner_Full	22.08
n48	10	30	3694.98	DFT	QPSK	Edge_1RB_Left	20.92
n48	10	30	3694.98	DFT	QPSK	Edge_1RB_Right	20.90
n48	10	30	3694.98	DFT	QPSK	Outer_Full	21.07

n48	10	30	3694.98	DFT	16QAM	Inner_Full	21.04
n48	10	30	3694.98	DFT	16QAM	Edge_1RB_Left	20.05
n48	10	30	3694.98	DFT	16QAM	Edge_1RB_Right	19.84
n48	10	30	3694.98	DFT	16QAM	Outer_Full	20.03
n48	10	30	3694.98	DFT	64QAM	Inner_Full	19.49
n48	10	30	3694.98	DFT	64QAM	Edge_1RB_Left	19.60
n48	10	30	3694.98	DFT	64QAM	Edge_1RB_Right	19.74
n48	10	30	3694.98	DFT	64QAM	Outer_Full	19.56
n48	10	30	3694.98	DFT	256QAM	Inner_Full	17.70
n48	10	30	3694.98	DFT	256QAM	Edge_1RB_Left	17.41
n48	10	30	3694.98	DFT	256QAM	Edge_1RB_Right	17.34
n48	10	30	3694.98	DFT	256QAM	Outer_Full	17.68
n48	10	30	3694.98	CP	QPSK	Inner_Full	20.48
n48	10	30	3694.98	CP	QPSK	Edge_1RB_Left	19.02
n48	10	30	3694.98	CP	QPSK	Edge_1RB_Right	18.91
n48	10	30	3694.98	CP	QPSK	Outer_Full	19.09
n48	10	30	3694.98	CP	16QAM	Inner_Full	19.96
n48	10	30	3694.98	CP	16QAM	Edge_1RB_Left	19.19
n48	10	30	3694.98	CP	16QAM	Edge_1RB_Right	19.09
n48	10	30	3694.98	CP	16QAM	Outer_Full	19.05
n48	10	30	3694.98	CP	64QAM	Inner_Full	18.68
n48	10	30	3694.98	CP	64QAM	Edge_1RB_Left	18.86
n48	10	30	3694.98	CP	64QAM	Edge_1RB_Right	18.54
n48	10	30	3694.98	CP	64QAM	Outer_Full	18.72
n48	10	30	3694.98	CP	256QAM	Inner_Full	15.70
n48	10	30	3694.98	CP	256QAM	Edge_1RB_Left	15.90
n48	10	30	3694.98	CP	256QAM	Edge_1RB_Right	15.72
n48	10	30	3694.98	CP	256QAM	Outer_Full	15.59
n48	15	30	3557.52	DFT	pi/2 BPSK	Inner_Full	22.34
n48	15	30	3557.52	DFT	pi/2 BPSK	Edge_1RB_Left	21.72
n48	15	30	3557.52	DFT	pi/2 BPSK	Edge_1RB_Right	21.79
n48	15	30	3557.52	DFT	pi/2 BPSK	Outer_Full	21.90
n48	15	30	3557.52	DFT	QPSK	Inner_Full	22.38
n48	15	30	3557.52	DFT	QPSK	Edge_1RB_Left	21.24
n48	15	30	3557.52	DFT	QPSK	Edge_1RB_Right	21.14
n48	15	30	3557.52	DFT	QPSK	Outer_Full	21.37
n48	15	30	3557.52	DFT	16QAM	Inner_Full	21.40
n48	15	30	3557.52	DFT	16QAM	Edge_1RB_Left	20.22
n48	15	30	3557.52	DFT	16QAM	Edge_1RB_Right	20.09
n48	15	30	3557.52	DFT	16QAM	Outer_Full	20.37
n48	15	30	3557.52	DFT	64QAM	Inner_Full	19.80

n48	15	30	3557.52	DFT	64QAM	Edge_1RB_Left	19.74
n48	15	30	3557.52	DFT	64QAM	Edge_1RB_Right	19.95
n48	15	30	3557.52	DFT	64QAM	Outer_Full	19.87
n48	15	30	3557.52	DFT	256QAM	Inner_Full	17.97
n48	15	30	3557.52	DFT	256QAM	Edge_1RB_Left	17.73
n48	15	30	3557.52	DFT	256QAM	Edge_1RB_Right	17.62
n48	15	30	3557.52	DFT	256QAM	Outer_Full	17.98
n48	15	30	3557.52	CP	QPSK	Inner_Full	20.79
n48	15	30	3557.52	CP	QPSK	Edge_1RB_Left	19.34
n48	15	30	3557.52	CP	QPSK	Edge_1RB_Right	19.39
n48	15	30	3557.52	CP	QPSK	Outer_Full	19.48
n48	15	30	3557.52	CP	16QAM	Inner_Full	20.37
n48	15	30	3557.52	CP	16QAM	Edge_1RB_Left	19.30
n48	15	30	3557.52	CP	16QAM	Edge_1RB_Right	19.42
n48	15	30	3557.52	CP	16QAM	Outer_Full	19.53
n48	15	30	3557.52	CP	64QAM	Inner_Full	19.02
n48	15	30	3557.52	CP	64QAM	Edge_1RB_Left	18.98
n48	15	30	3557.52	CP	64QAM	Edge_1RB_Right	18.99
n48	15	30	3557.52	CP	64QAM	Outer_Full	19.02
n48	15	30	3557.52	CP	256QAM	Inner_Full	15.92
n48	15	30	3557.52	CP	256QAM	Edge_1RB_Left	15.66
n48	15	30	3557.52	CP	256QAM	Edge_1RB_Right	15.78
n48	15	30	3557.52	CP	256QAM	Outer_Full	15.84
n48	15	30	3624.99	DFT	pi/2 BPSK	Inner_Full	22.20
n48	15	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.87
n48	15	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.74
n48	15	30	3624.99	DFT	pi/2 BPSK	Outer_Full	21.94
n48	15	30	3624.99	DFT	QPSK	Inner_Full	22.14
n48	15	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.25
n48	15	30	3624.99	DFT	QPSK	Edge_1RB_Right	22.12
n48	15	30	3624.99	DFT	QPSK	Outer_Full	21.43
n48	15	30	3624.99	DFT	16QAM	Inner_Full	21.22
n48	15	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.26
n48	15	30	3624.99	DFT	16QAM	Edge_1RB_Right	21.05
n48	15	30	3624.99	DFT	16QAM	Outer_Full	20.39
n48	15	30	3624.99	DFT	64QAM	Inner_Full	19.78
n48	15	30	3624.99	DFT	64QAM	Edge_1RB_Left	19.99
n48	15	30	3624.99	DFT	64QAM	Edge_1RB_Right	20.87
n48	15	30	3624.99	DFT	64QAM	Outer_Full	19.96
n48	15	30	3624.99	DFT	256QAM	Inner_Full	17.82
n48	15	30	3624.99	DFT	256QAM	Edge_1RB_Left	17.66

n48	15	30	3624.99	DFT	256QAM	Edge_1RB_Right	18.81
n48	15	30	3624.99	DFT	256QAM	Outer_Full	18.13
n48	15	30	3624.99	CP	QPSK	Inner_Full	20.66
n48	15	30	3624.99	CP	QPSK	Edge_1RB_Left	19.45
n48	15	30	3624.99	CP	QPSK	Edge_1RB_Right	20.15
n48	15	30	3624.99	CP	QPSK	Outer_Full	19.59
n48	15	30	3624.99	CP	16QAM	Inner_Full	20.21
n48	15	30	3624.99	CP	16QAM	Edge_1RB_Left	19.38
n48	15	30	3624.99	CP	16QAM	Edge_1RB_Right	20.21
n48	15	30	3624.99	CP	16QAM	Outer_Full	19.67
n48	15	30	3624.99	CP	64QAM	Inner_Full	18.80
n48	15	30	3624.99	CP	64QAM	Edge_1RB_Left	18.92
n48	15	30	3624.99	CP	64QAM	Edge_1RB_Right	19.88
n48	15	30	3624.99	CP	64QAM	Outer_Full	19.21
n48	15	30	3624.99	CP	256QAM	Inner_Full	15.79
n48	15	30	3624.99	CP	256QAM	Edge_1RB_Left	16.04
n48	15	30	3624.99	CP	256QAM	Edge_1RB_Right	16.86
n48	15	30	3624.99	CP	256QAM	Outer_Full	15.96
n48	15	30	3692.49	DFT	pi/2 BPSK	Inner_Full	22.09
n48	15	30	3692.49	DFT	pi/2 BPSK	Edge_1RB_Left	21.62
n48	15	30	3692.49	DFT	pi/2 BPSK	Edge_1RB_Right	21.29
n48	15	30	3692.49	DFT	pi/2 BPSK	Outer_Full	21.61
n48	15	30	3692.49	DFT	QPSK	Inner_Full	22.08
n48	15	30	3692.49	DFT	QPSK	Edge_1RB_Left	21.10
n48	15	30	3692.49	DFT	QPSK	Edge_1RB_Right	20.85
n48	15	30	3692.49	DFT	QPSK	Outer_Full	21.13
n48	15	30	3692.49	DFT	16QAM	Inner_Full	20.98
n48	15	30	3692.49	DFT	16QAM	Edge_1RB_Left	20.08
n48	15	30	3692.49	DFT	16QAM	Edge_1RB_Right	19.87
n48	15	30	3692.49	DFT	16QAM	Outer_Full	20.18
n48	15	30	3692.49	DFT	64QAM	Inner_Full	19.55
n48	15	30	3692.49	DFT	64QAM	Edge_1RB_Left	19.85
n48	15	30	3692.49	DFT	64QAM	Edge_1RB_Right	19.31
n48	15	30	3692.49	DFT	64QAM	Outer_Full	19.58
n48	15	30	3692.49	DFT	256QAM	Inner_Full	17.73
n48	15	30	3692.49	DFT	256QAM	Edge_1RB_Left	17.49
n48	15	30	3692.49	DFT	256QAM	Edge_1RB_Right	17.36
n48	15	30	3692.49	DFT	256QAM	Outer_Full	17.80
n48	15	30	3692.49	CP	QPSK	Inner_Full	20.61
n48	15	30	3692.49	CP	QPSK	Edge_1RB_Left	19.02
n48	15	30	3692.49	CP	QPSK	Edge_1RB_Right	18.81

n48	15	30	3692.49	CP	QPSK	Outer_Full	19.11
n48	15	30	3692.49	CP	16QAM	Inner_Full	20.11
n48	15	30	3692.49	CP	16QAM	Edge_1RB_Left	19.06
n48	15	30	3692.49	CP	16QAM	Edge_1RB_Right	18.76
n48	15	30	3692.49	CP	16QAM	Outer_Full	19.11
n48	15	30	3692.49	CP	64QAM	Inner_Full	18.68
n48	15	30	3692.49	CP	64QAM	Edge_1RB_Left	18.81
n48	15	30	3692.49	CP	64QAM	Edge_1RB_Right	18.69
n48	15	30	3692.49	CP	64QAM	Outer_Full	18.81
n48	15	30	3692.49	CP	256QAM	Inner_Full	15.66
n48	15	30	3692.49	CP	256QAM	Edge_1RB_Left	15.53
n48	15	30	3692.49	CP	256QAM	Edge_1RB_Right	15.32
n48	15	30	3692.49	CP	256QAM	Outer_Full	15.65
n48	20	30	3560.01	DFT	pi/2 BPSK	Inner_Full	22.42
n48	20	30	3560.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.89
n48	20	30	3560.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.82
n48	20	30	3560.01	DFT	pi/2 BPSK	Outer_Full	21.88
n48	20	30	3560.01	DFT	QPSK	Inner_Full	22.45
n48	20	30	3560.01	DFT	QPSK	Edge_1RB_Left	21.31
n48	20	30	3560.01	DFT	QPSK	Edge_1RB_Right	21.36
n48	20	30	3560.01	DFT	QPSK	Outer_Full	21.44
n48	20	30	3560.01	DFT	16QAM	Inner_Full	21.48
n48	20	30	3560.01	DFT	16QAM	Edge_1RB_Left	20.37
n48	20	30	3560.01	DFT	16QAM	Edge_1RB_Right	20.36
n48	20	30	3560.01	DFT	16QAM	Outer_Full	20.40
n48	20	30	3560.01	DFT	64QAM	Inner_Full	19.93
n48	20	30	3560.01	DFT	64QAM	Edge_1RB_Left	19.91
n48	20	30	3560.01	DFT	64QAM	Edge_1RB_Right	20.21
n48	20	30	3560.01	DFT	64QAM	Outer_Full	19.98
n48	20	30	3560.01	DFT	256QAM	Inner_Full	18.10
n48	20	30	3560.01	DFT	256QAM	Edge_1RB_Left	17.93
n48	20	30	3560.01	DFT	256QAM	Edge_1RB_Right	17.73
n48	20	30	3560.01	DFT	256QAM	Outer_Full	18.05
n48	20	30	3560.01	CP	QPSK	Inner_Full	20.87
n48	20	30	3560.01	CP	QPSK	Edge_1RB_Left	19.48
n48	20	30	3560.01	CP	QPSK	Edge_1RB_Right	19.48
n48	20	30	3560.01	CP	QPSK	Outer_Full	19.53
n48	20	30	3560.01	CP	16QAM	Inner_Full	20.42
n48	20	30	3560.01	CP	16QAM	Edge_1RB_Left	19.23
n48	20	30	3560.01	CP	16QAM	Edge_1RB_Right	19.25
n48	20	30	3560.01	CP	16QAM	Outer_Full	19.58

n48	20	30	3560.01	CP	64QAM	Inner_Full	19.02
n48	20	30	3560.01	CP	64QAM	Edge_1RB_Left	18.98
n48	20	30	3560.01	CP	64QAM	Edge_1RB_Right	19.06
n48	20	30	3560.01	CP	64QAM	Outer_Full	19.09
n48	20	30	3560.01	CP	256QAM	Inner_Full	16.01
n48	20	30	3560.01	CP	256QAM	Edge_1RB_Left	15.92
n48	20	30	3560.01	CP	256QAM	Edge_1RB_Right	15.97
n48	20	30	3560.01	CP	256QAM	Outer_Full	16.06
n48	20	30	3624.99	DFT	pi/2 BPSK	Inner_Full	22.30
n48	20	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.32
n48	20	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.71
n48	20	30	3624.99	DFT	pi/2 BPSK	Outer_Full	22.09
n48	20	30	3624.99	DFT	QPSK	Inner_Full	22.34
n48	20	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.50
n48	20	30	3624.99	DFT	QPSK	Edge_1RB_Right	22.08
n48	20	30	3624.99	DFT	QPSK	Outer_Full	21.67
n48	20	30	3624.99	DFT	16QAM	Inner_Full	21.33
n48	20	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.46
n48	20	30	3624.99	DFT	16QAM	Edge_1RB_Right	21.02
n48	20	30	3624.99	DFT	16QAM	Outer_Full	20.57
n48	20	30	3624.99	DFT	64QAM	Inner_Full	19.92
n48	20	30	3624.99	DFT	64QAM	Edge_1RB_Left	20.27
n48	20	30	3624.99	DFT	64QAM	Edge_1RB_Right	20.62
n48	20	30	3624.99	DFT	64QAM	Outer_Full	20.04
n48	20	30	3624.99	DFT	256QAM	Inner_Full	17.99
n48	20	30	3624.99	DFT	256QAM	Edge_1RB_Left	18.15
n48	20	30	3624.99	DFT	256QAM	Edge_1RB_Right	18.50
n48	20	30	3624.99	DFT	256QAM	Outer_Full	18.14
n48	20	30	3624.99	CP	QPSK	Inner_Full	20.74
n48	20	30	3624.99	CP	QPSK	Edge_1RB_Left	19.62
n48	20	30	3624.99	CP	QPSK	Edge_1RB_Right	20.32
n48	20	30	3624.99	CP	QPSK	Outer_Full	19.77
n48	20	30	3624.99	CP	16QAM	Inner_Full	20.31
n48	20	30	3624.99	CP	16QAM	Edge_1RB_Left	19.53
n48	20	30	3624.99	CP	16QAM	Edge_1RB_Right	20.49
n48	20	30	3624.99	CP	16QAM	Outer_Full	19.70
n48	20	30	3624.99	CP	64QAM	Inner_Full	18.91
n48	20	30	3624.99	CP	64QAM	Edge_1RB_Left	19.17
n48	20	30	3624.99	CP	64QAM	Edge_1RB_Right	19.96
n48	20	30	3624.99	CP	64QAM	Outer_Full	19.24
n48	20	30	3624.99	CP	256QAM	Inner_Full	15.90

n48	20	30	3624.99	CP	256QAM	Edge_1RB_Left	16.16
n48	20	30	3624.99	CP	256QAM	Edge_1RB_Right	16.78
n48	20	30	3624.99	CP	256QAM	Outer_Full	16.13
n48	20	30	3690	DFT	pi/2 BPSK	Inner_Full	22.14
n48	20	30	3690	DFT	pi/2 BPSK	Edge_1RB_Left	21.74
n48	20	30	3690	DFT	pi/2 BPSK	Edge_1RB_Right	21.29
n48	20	30	3690	DFT	pi/2 BPSK	Outer_Full	21.64
n48	20	30	3690	DFT	QPSK	Inner_Full	22.17
n48	20	30	3690	DFT	QPSK	Edge_1RB_Left	21.24
n48	20	30	3690	DFT	QPSK	Edge_1RB_Right	20.67
n48	20	30	3690	DFT	QPSK	Outer_Full	21.16
n48	20	30	3690	DFT	16QAM	Inner_Full	21.20
n48	20	30	3690	DFT	16QAM	Edge_1RB_Left	20.03
n48	20	30	3690	DFT	16QAM	Edge_1RB_Right	19.92
n48	20	30	3690	DFT	16QAM	Outer_Full	20.13
n48	20	30	3690	DFT	64QAM	Inner_Full	19.66
n48	20	30	3690	DFT	64QAM	Edge_1RB_Left	19.67
n48	20	30	3690	DFT	64QAM	Edge_1RB_Right	18.98
n48	20	30	3690	DFT	64QAM	Outer_Full	19.62
n48	20	30	3690	DFT	256QAM	Inner_Full	17.77
n48	20	30	3690	DFT	256QAM	Edge_1RB_Left	17.75
n48	20	30	3690	DFT	256QAM	Edge_1RB_Right	17.34
n48	20	30	3690	DFT	256QAM	Outer_Full	17.83
n48	20	30	3690	CP	QPSK	Inner_Full	20.62
n48	20	30	3690	CP	QPSK	Edge_1RB_Left	19.26
n48	20	30	3690	CP	QPSK	Edge_1RB_Right	18.94
n48	20	30	3690	CP	QPSK	Outer_Full	19.12
n48	20	30	3690	CP	16QAM	Inner_Full	20.11
n48	20	30	3690	CP	16QAM	Edge_1RB_Left	19.25
n48	20	30	3690	CP	16QAM	Edge_1RB_Right	19.28
n48	20	30	3690	CP	16QAM	Outer_Full	19.14
n48	20	30	3690	CP	64QAM	Inner_Full	18.79
n48	20	30	3690	CP	64QAM	Edge_1RB_Left	18.91
n48	20	30	3690	CP	64QAM	Edge_1RB_Right	18.51
n48	20	30	3690	CP	64QAM	Outer_Full	18.81
n48	20	30	3690	CP	256QAM	Inner_Full	15.72
n48	20	30	3690	CP	256QAM	Edge_1RB_Left	15.83
n48	20	30	3690	CP	256QAM	Edge_1RB_Right	15.45
n48	20	30	3690	CP	256QAM	Outer_Full	15.71
n48	40	30	3570	DFT	pi/2 BPSK	Inner_Full	22.51
n48	40	30	3570	DFT	pi/2 BPSK	Edge_1RB_Left	21.40

n48	40	30	3570	DFT	pi/2 BPSK	Edge_1RB_Right	21.75
n48	40	30	3570	DFT	pi/2 BPSK	Outer_Full	21.97
n48	40	30	3570	DFT	QPSK	Inner_Full	22.53
n48	40	30	3570	DFT	QPSK	Edge_1RB_Left	20.92
n48	40	30	3570	DFT	QPSK	Edge_1RB_Right	21.18
n48	40	30	3570	DFT	QPSK	Outer_Full	21.51
n48	40	30	3570	DFT	16QAM	Inner_Full	21.52
n48	40	30	3570	DFT	16QAM	Edge_1RB_Left	19.95
n48	40	30	3570	DFT	16QAM	Edge_1RB_Right	20.15
n48	40	30	3570	DFT	16QAM	Outer_Full	20.49
n48	40	30	3570	DFT	64QAM	Inner_Full	20.04
n48	40	30	3570	DFT	64QAM	Edge_1RB_Left	19.20
n48	40	30	3570	DFT	64QAM	Edge_1RB_Right	19.51
n48	40	30	3570	DFT	64QAM	Outer_Full	19.97
n48	40	30	3570	DFT	256QAM	Inner_Full	18.13
n48	40	30	3570	DFT	256QAM	Edge_1RB_Left	17.40
n48	40	30	3570	DFT	256QAM	Edge_1RB_Right	17.60
n48	40	30	3570	DFT	256QAM	Outer_Full	18.06
n48	40	30	3570	CP	QPSK	Inner_Full	21.12
n48	40	30	3570	CP	QPSK	Edge_1RB_Left	19.03
n48	40	30	3570	CP	QPSK	Edge_1RB_Right	19.24
n48	40	30	3570	CP	QPSK	Outer_Full	19.57
n48	40	30	3570	CP	16QAM	Inner_Full	20.57
n48	40	30	3570	CP	16QAM	Edge_1RB_Left	18.87
n48	40	30	3570	CP	16QAM	Edge_1RB_Right	19.18
n48	40	30	3570	CP	16QAM	Outer_Full	19.53
n48	40	30	3570	CP	64QAM	Inner_Full	19.14
n48	40	30	3570	CP	64QAM	Edge_1RB_Left	18.70
n48	40	30	3570	CP	64QAM	Edge_1RB_Right	19.20
n48	40	30	3570	CP	64QAM	Outer_Full	18.98
n48	40	30	3570	CP	256QAM	Inner_Full	16.11
n48	40	30	3570	CP	256QAM	Edge_1RB_Left	15.42
n48	40	30	3570	CP	256QAM	Edge_1RB_Right	15.85
n48	40	30	3570	CP	256QAM	Outer_Full	16.08
n48	40	30	3624.99	DFT	pi/2 BPSK	Inner_Full	22.53
n48	40	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.77
n48	40	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.84
n48	40	30	3624.99	DFT	pi/2 BPSK	Outer_Full	22.21
n48	40	30	3624.99	DFT	QPSK	Inner_Full	22.63
n48	40	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.21
n48	40	30	3624.99	DFT	QPSK	Edge_1RB_Right	21.32

n48	40	30	3624.99	DFT	QPSK	Outer_Full	21.78
n48	40	30	3624.99	DFT	16QAM	Inner_Full	21.59
n48	40	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.34
n48	40	30	3624.99	DFT	16QAM	Edge_1RB_Right	20.43
n48	40	30	3624.99	DFT	16QAM	Outer_Full	20.73
n48	40	30	3624.99	DFT	64QAM	Inner_Full	20.15
n48	40	30	3624.99	DFT	64QAM	Edge_1RB_Left	20.14
n48	40	30	3624.99	DFT	64QAM	Edge_1RB_Right	20.00
n48	40	30	3624.99	DFT	64QAM	Outer_Full	20.34
n48	40	30	3624.99	DFT	256QAM	Inner_Full	18.16
n48	40	30	3624.99	DFT	256QAM	Edge_1RB_Left	17.95
n48	40	30	3624.99	DFT	256QAM	Edge_1RB_Right	18.02
n48	40	30	3624.99	DFT	256QAM	Outer_Full	18.41
n48	40	30	3624.99	CP	QPSK	Inner_Full	21.08
n48	40	30	3624.99	CP	QPSK	Edge_1RB_Left	19.27
n48	40	30	3624.99	CP	QPSK	Edge_1RB_Right	19.42
n48	40	30	3624.99	CP	QPSK	Outer_Full	19.83
n48	40	30	3624.99	CP	16QAM	Inner_Full	20.61
n48	40	30	3624.99	CP	16QAM	Edge_1RB_Left	19.21
n48	40	30	3624.99	CP	16QAM	Edge_1RB_Right	19.50
n48	40	30	3624.99	CP	16QAM	Outer_Full	19.82
n48	40	30	3624.99	CP	64QAM	Inner_Full	19.24
n48	40	30	3624.99	CP	64QAM	Edge_1RB_Left	19.05
n48	40	30	3624.99	CP	64QAM	Edge_1RB_Right	19.15
n48	40	30	3624.99	CP	64QAM	Outer_Full	19.32
n48	40	30	3624.99	CP	256QAM	Inner_Full	16.24
n48	40	30	3624.99	CP	256QAM	Edge_1RB_Left	16.01
n48	40	30	3624.99	CP	256QAM	Edge_1RB_Right	16.15
n48	40	30	3624.99	CP	256QAM	Outer_Full	16.24
n48	40	30	3679.98	DFT	pi/2 BPSK	Inner_Full	22.26
n48	40	30	3679.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.17
n48	40	30	3679.98	DFT	pi/2 BPSK	Edge_1RB_Right	20.88
n48	40	30	3679.98	DFT	pi/2 BPSK	Outer_Full	21.61
n48	40	30	3679.98	DFT	QPSK	Inner_Full	22.26
n48	40	30	3679.98	DFT	QPSK	Edge_1RB_Left	20.62
n48	40	30	3679.98	DFT	QPSK	Edge_1RB_Right	20.41
n48	40	30	3679.98	DFT	QPSK	Outer_Full	21.15
n48	40	30	3679.98	DFT	16QAM	Inner_Full	21.29
n48	40	30	3679.98	DFT	16QAM	Edge_1RB_Left	19.60
n48	40	30	3679.98	DFT	16QAM	Edge_1RB_Right	19.44
n48	40	30	3679.98	DFT	16QAM	Outer_Full	20.14

n48	40	30	3679.98	DFT	64QAM	Inner_Full	19.78
n48	40	30	3679.98	DFT	64QAM	Edge_1RB_Left	19.26
n48	40	30	3679.98	DFT	64QAM	Edge_1RB_Right	19.22
n48	40	30	3679.98	DFT	64QAM	Outer_Full	19.61
n48	40	30	3679.98	DFT	256QAM	Inner_Full	17.85
n48	40	30	3679.98	DFT	256QAM	Edge_1RB_Left	17.08
n48	40	30	3679.98	DFT	256QAM	Edge_1RB_Right	16.82
n48	40	30	3679.98	DFT	256QAM	Outer_Full	17.76
n48	40	30	3679.98	CP	QPSK	Inner_Full	20.76
n48	40	30	3679.98	CP	QPSK	Edge_1RB_Left	18.69
n48	40	30	3679.98	CP	QPSK	Edge_1RB_Right	18.44
n48	40	30	3679.98	CP	QPSK	Outer_Full	19.11
n48	40	30	3679.98	CP	16QAM	Inner_Full	20.19
n48	40	30	3679.98	CP	16QAM	Edge_1RB_Left	18.51
n48	40	30	3679.98	CP	16QAM	Edge_1RB_Right	18.35
n48	40	30	3679.98	CP	16QAM	Outer_Full	19.11
n48	40	30	3679.98	CP	64QAM	Inner_Full	18.86
n48	40	30	3679.98	CP	64QAM	Edge_1RB_Left	18.26
n48	40	30	3679.98	CP	64QAM	Edge_1RB_Right	18.16
n48	40	30	3679.98	CP	64QAM	Outer_Full	18.67
n48	40	30	3679.98	CP	256QAM	Inner_Full	15.83
n48	40	30	3679.98	CP	256QAM	Edge_1RB_Left	15.38
n48	40	30	3679.98	CP	256QAM	Edge_1RB_Right	15.13
n48	40	30	3679.98	CP	256QAM	Outer_Full	15.69
n48	50	30	3575.01	DFT	pi/2 BPSK	Inner_Full	22.60
n48	50	30	3575.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.61
n48	50	30	3575.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.83
n48	50	30	3575.01	DFT	pi/2 BPSK	Outer_Full	22.01
n48	50	30	3575.01	DFT	QPSK	Inner_Full	22.60
n48	50	30	3575.01	DFT	QPSK	Edge_1RB_Left	21.08
n48	50	30	3575.01	DFT	QPSK	Edge_1RB_Right	21.30
n48	50	30	3575.01	DFT	QPSK	Outer_Full	21.52
n48	50	30	3575.01	DFT	16QAM	Inner_Full	21.60
n48	50	30	3575.01	DFT	16QAM	Edge_1RB_Left	20.05
n48	50	30	3575.01	DFT	16QAM	Edge_1RB_Right	20.28
n48	50	30	3575.01	DFT	16QAM	Outer_Full	20.49
n48	50	30	3575.01	DFT	64QAM	Inner_Full	20.07
n48	50	30	3575.01	DFT	64QAM	Edge_1RB_Left	19.60
n48	50	30	3575.01	DFT	64QAM	Edge_1RB_Right	19.86
n48	50	30	3575.01	DFT	64QAM	Outer_Full	20.04
n48	50	30	3575.01	DFT	256QAM	Inner_Full	18.19

n48	50	30	3575.01	DFT	256QAM	Edge_1RB_Left	17.50
n48	50	30	3575.01	DFT	256QAM	Edge_1RB_Right	17.78
n48	50	30	3575.01	DFT	256QAM	Outer_Full	18.07
n48	50	30	3575.01	CP	QPSK	Inner_Full	21.07
n48	50	30	3575.01	CP	QPSK	Edge_1RB_Left	19.27
n48	50	30	3575.01	CP	QPSK	Edge_1RB_Right	19.36
n48	50	30	3575.01	CP	QPSK	Outer_Full	19.41
n48	50	30	3575.01	CP	16QAM	Inner_Full	20.57
n48	50	30	3575.01	CP	16QAM	Edge_1RB_Left	19.38
n48	50	30	3575.01	CP	16QAM	Edge_1RB_Right	19.42
n48	50	30	3575.01	CP	16QAM	Outer_Full	19.53
n48	50	30	3575.01	CP	64QAM	Inner_Full	19.19
n48	50	30	3575.01	CP	64QAM	Edge_1RB_Left	19.04
n48	50	30	3575.01	CP	64QAM	Edge_1RB_Right	19.29
n48	50	30	3575.01	CP	64QAM	Outer_Full	19.09
n48	50	30	3575.01	CP	256QAM	Inner_Full	16.17
n48	50	30	3575.01	CP	256QAM	Edge_1RB_Left	15.56
n48	50	30	3575.01	CP	256QAM	Edge_1RB_Right	15.80
n48	50	30	3575.01	CP	256QAM	Outer_Full	16.06
n48	50	30	3624.99	DFT	pi/2 BPSK	Inner_Full	22.71
n48	50	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.83
n48	50	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.84
n48	50	30	3624.99	DFT	pi/2 BPSK	Outer_Full	22.32
n48	50	30	3624.99	DFT	QPSK	Inner_Full	22.75
n48	50	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.36
n48	50	30	3624.99	DFT	QPSK	Edge_1RB_Right	21.29
n48	50	30	3624.99	DFT	QPSK	Outer_Full	21.78
n48	50	30	3624.99	DFT	16QAM	Inner_Full	21.75
n48	50	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.38
n48	50	30	3624.99	DFT	16QAM	Edge_1RB_Right	20.21
n48	50	30	3624.99	DFT	16QAM	Outer_Full	20.82
n48	50	30	3624.99	DFT	64QAM	Inner_Full	20.24
n48	50	30	3624.99	DFT	64QAM	Edge_1RB_Left	19.86
n48	50	30	3624.99	DFT	64QAM	Edge_1RB_Right	20.01
n48	50	30	3624.99	DFT	64QAM	Outer_Full	20.27
n48	50	30	3624.99	DFT	256QAM	Inner_Full	18.30
n48	50	30	3624.99	DFT	256QAM	Edge_1RB_Left	17.87
n48	50	30	3624.99	DFT	256QAM	Edge_1RB_Right	18.04
n48	50	30	3624.99	DFT	256QAM	Outer_Full	18.41
n48	50	30	3624.99	CP	QPSK	Inner_Full	21.23
n48	50	30	3624.99	CP	QPSK	Edge_1RB_Left	19.40

n48	50	30	3624.99	CP	QPSK	Edge_1RB_Right	19.35
n48	50	30	3624.99	CP	QPSK	Outer_Full	19.78
n48	50	30	3624.99	CP	16QAM	Inner_Full	20.78
n48	50	30	3624.99	CP	16QAM	Edge_1RB_Left	19.28
n48	50	30	3624.99	CP	16QAM	Edge_1RB_Right	19.39
n48	50	30	3624.99	CP	16QAM	Outer_Full	19.78
n48	50	30	3624.99	CP	64QAM	Inner_Full	19.40
n48	50	30	3624.99	CP	64QAM	Edge_1RB_Left	19.30
n48	50	30	3624.99	CP	64QAM	Edge_1RB_Right	19.25
n48	50	30	3624.99	CP	64QAM	Outer_Full	19.41
n48	50	30	3624.99	CP	256QAM	Inner_Full	16.34
n48	50	30	3624.99	CP	256QAM	Edge_1RB_Left	15.90
n48	50	30	3624.99	CP	256QAM	Edge_1RB_Right	15.80
n48	50	30	3624.99	CP	256QAM	Outer_Full	16.38
n48	50	30	3675	DFT	pi/2 BPSK	Inner_Full	22.26
n48	50	30	3675	DFT	pi/2 BPSK	Edge_1RB_Left	21.62
n48	50	30	3675	DFT	pi/2 BPSK	Edge_1RB_Right	21.09
n48	50	30	3675	DFT	pi/2 BPSK	Outer_Full	21.63
n48	50	30	3675	DFT	QPSK	Inner_Full	22.27
n48	50	30	3675	DFT	QPSK	Edge_1RB_Left	21.00
n48	50	30	3675	DFT	QPSK	Edge_1RB_Right	20.52
n48	50	30	3675	DFT	QPSK	Outer_Full	21.12
n48	50	30	3675	DFT	16QAM	Inner_Full	21.26
n48	50	30	3675	DFT	16QAM	Edge_1RB_Left	19.98
n48	50	30	3675	DFT	16QAM	Edge_1RB_Right	19.49
n48	50	30	3675	DFT	16QAM	Outer_Full	20.16
n48	50	30	3675	DFT	64QAM	Inner_Full	19.73
n48	50	30	3675	DFT	64QAM	Edge_1RB_Left	19.71
n48	50	30	3675	DFT	64QAM	Edge_1RB_Right	19.26
n48	50	30	3675	DFT	64QAM	Outer_Full	19.63
n48	50	30	3675	DFT	256QAM	Inner_Full	17.85
n48	50	30	3675	DFT	256QAM	Edge_1RB_Left	17.79
n48	50	30	3675	DFT	256QAM	Edge_1RB_Right	17.14
n48	50	30	3675	DFT	256QAM	Outer_Full	17.74
n48	50	30	3675	CP	QPSK	Inner_Full	20.81
n48	50	30	3675	CP	QPSK	Edge_1RB_Left	19.05
n48	50	30	3675	CP	QPSK	Edge_1RB_Right	18.52
n48	50	30	3675	CP	QPSK	Outer_Full	19.09
n48	50	30	3675	CP	16QAM	Inner_Full	20.23
n48	50	30	3675	CP	16QAM	Edge_1RB_Left	19.16
n48	50	30	3675	CP	16QAM	Edge_1RB_Right	18.58

n48	50	30	3675	CP	16QAM	Outer_Full	19.16
n48	50	30	3675	CP	64QAM	Inner_Full	18.86
n48	50	30	3675	CP	64QAM	Edge_1RB_Left	18.95
n48	50	30	3675	CP	64QAM	Edge_1RB_Right	18.34
n48	50	30	3675	CP	64QAM	Outer_Full	18.75
n48	50	30	3675	CP	256QAM	Inner_Full	15.84
n48	50	30	3675	CP	256QAM	Edge_1RB_Left	15.53
n48	50	30	3675	CP	256QAM	Edge_1RB_Right	15.08
n48	50	30	3675	CP	256QAM	Outer_Full	15.71
n48	60	30	3580.02	DFT	pi/2 BPSK	Inner_Full	22.65
n48	60	30	3580.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.60
n48	60	30	3580.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.15
n48	60	30	3580.02	DFT	pi/2 BPSK	Outer_Full	22.03
n48	60	30	3580.02	DFT	QPSK	Inner_Full	22.68
n48	60	30	3580.02	DFT	QPSK	Edge_1RB_Left	20.93
n48	60	30	3580.02	DFT	QPSK	Edge_1RB_Right	21.55
n48	60	30	3580.02	DFT	QPSK	Outer_Full	21.56
n48	60	30	3580.02	DFT	16QAM	Inner_Full	21.67
n48	60	30	3580.02	DFT	16QAM	Edge_1RB_Left	20.01
n48	60	30	3580.02	DFT	16QAM	Edge_1RB_Right	20.48
n48	60	30	3580.02	DFT	16QAM	Outer_Full	20.56
n48	60	30	3580.02	DFT	64QAM	Inner_Full	20.15
n48	60	30	3580.02	DFT	64QAM	Edge_1RB_Left	19.70
n48	60	30	3580.02	DFT	64QAM	Edge_1RB_Right	20.24
n48	60	30	3580.02	DFT	64QAM	Outer_Full	19.98
n48	60	30	3580.02	DFT	256QAM	Inner_Full	18.29
n48	60	30	3580.02	DFT	256QAM	Edge_1RB_Left	17.53
n48	60	30	3580.02	DFT	256QAM	Edge_1RB_Right	17.97
n48	60	30	3580.02	DFT	256QAM	Outer_Full	18.16
n48	60	30	3580.02	CP	QPSK	Inner_Full	21.11
n48	60	30	3580.02	CP	QPSK	Edge_1RB_Left	19.07
n48	60	30	3580.02	CP	QPSK	Edge_1RB_Right	19.56
n48	60	30	3580.02	CP	QPSK	Outer_Full	19.51
n48	60	30	3580.02	CP	16QAM	Inner_Full	20.59
n48	60	30	3580.02	CP	16QAM	Edge_1RB_Left	19.40
n48	60	30	3580.02	CP	16QAM	Edge_1RB_Right	19.83
n48	60	30	3580.02	CP	16QAM	Outer_Full	19.49
n48	60	30	3580.02	CP	64QAM	Inner_Full	19.27
n48	60	30	3580.02	CP	64QAM	Edge_1RB_Left	18.96
n48	60	30	3580.02	CP	64QAM	Edge_1RB_Right	19.48
n48	60	30	3580.02	CP	64QAM	Outer_Full	19.17

n48	60	30	3580.02	CP	256QAM	Inner_Full	16.23
n48	60	30	3580.02	CP	256QAM	Edge_1RB_Left	15.59
n48	60	30	3580.02	CP	256QAM	Edge_1RB_Right	16.02
n48	60	30	3580.02	CP	256QAM	Outer_Full	16.05
n48	60	30	3624.99	DFT	pi/2 BPSK	Inner_Full	22.80
n48	60	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.75
n48	60	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.46
n48	60	30	3624.99	DFT	pi/2 BPSK	Outer_Full	22.24
n48	60	30	3624.99	DFT	QPSK	Inner_Full	22.83
n48	60	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.23
n48	60	30	3624.99	DFT	QPSK	Edge_1RB_Right	20.86
n48	60	30	3624.99	DFT	QPSK	Outer_Full	21.72
n48	60	30	3624.99	DFT	16QAM	Inner_Full	21.83
n48	60	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.20
n48	60	30	3624.99	DFT	16QAM	Edge_1RB_Right	19.96
n48	60	30	3624.99	DFT	16QAM	Outer_Full	20.74
n48	60	30	3624.99	DFT	64QAM	Inner_Full	20.30
n48	60	30	3624.99	DFT	64QAM	Edge_1RB_Left	19.76
n48	60	30	3624.99	DFT	64QAM	Edge_1RB_Right	19.70
n48	60	30	3624.99	DFT	64QAM	Outer_Full	20.23
n48	60	30	3624.99	DFT	256QAM	Inner_Full	18.42
n48	60	30	3624.99	DFT	256QAM	Edge_1RB_Left	17.80
n48	60	30	3624.99	DFT	256QAM	Edge_1RB_Right	17.70
n48	60	30	3624.99	DFT	256QAM	Outer_Full	18.33
n48	60	30	3624.99	CP	QPSK	Inner_Full	21.35
n48	60	30	3624.99	CP	QPSK	Edge_1RB_Left	19.15
n48	60	30	3624.99	CP	QPSK	Edge_1RB_Right	18.92
n48	60	30	3624.99	CP	QPSK	Outer_Full	19.67
n48	60	30	3624.99	CP	16QAM	Inner_Full	20.81
n48	60	30	3624.99	CP	16QAM	Edge_1RB_Left	19.19
n48	60	30	3624.99	CP	16QAM	Edge_1RB_Right	18.95
n48	60	30	3624.99	CP	16QAM	Outer_Full	19.70
n48	60	30	3624.99	CP	64QAM	Inner_Full	19.42
n48	60	30	3624.99	CP	64QAM	Edge_1RB_Left	19.01
n48	60	30	3624.99	CP	64QAM	Edge_1RB_Right	18.74
n48	60	30	3624.99	CP	64QAM	Outer_Full	19.30
n48	60	30	3624.99	CP	256QAM	Inner_Full	16.35
n48	60	30	3624.99	CP	256QAM	Edge_1RB_Left	15.80
n48	60	30	3624.99	CP	256QAM	Edge_1RB_Right	15.76
n48	60	30	3624.99	CP	256QAM	Outer_Full	16.28
n48	60	30	3669.99	DFT	pi/2 BPSK	Inner_Full	22.38

n48	60	30	3669.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.08
n48	60	30	3669.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.02
n48	60	30	3669.99	DFT	pi/2 BPSK	Outer_Full	21.75
n48	60	30	3669.99	DFT	QPSK	Inner_Full	22.31
n48	60	30	3669.99	DFT	QPSK	Edge_1RB_Left	21.45
n48	60	30	3669.99	DFT	QPSK	Edge_1RB_Right	20.42
n48	60	30	3669.99	DFT	QPSK	Outer_Full	21.26
n48	60	30	3669.99	DFT	16QAM	Inner_Full	21.32
n48	60	30	3669.99	DFT	16QAM	Edge_1RB_Left	20.51
n48	60	30	3669.99	DFT	16QAM	Edge_1RB_Right	19.46
n48	60	30	3669.99	DFT	16QAM	Outer_Full	20.23
n48	60	30	3669.99	DFT	64QAM	Inner_Full	19.82
n48	60	30	3669.99	DFT	64QAM	Edge_1RB_Left	20.31
n48	60	30	3669.99	DFT	64QAM	Edge_1RB_Right	19.30
n48	60	30	3669.99	DFT	64QAM	Outer_Full	19.70
n48	60	30	3669.99	DFT	256QAM	Inner_Full	17.91
n48	60	30	3669.99	DFT	256QAM	Edge_1RB_Left	18.13
n48	60	30	3669.99	DFT	256QAM	Edge_1RB_Right	17.04
n48	60	30	3669.99	DFT	256QAM	Outer_Full	17.82
n48	60	30	3669.99	CP	QPSK	Inner_Full	20.80
n48	60	30	3669.99	CP	QPSK	Edge_1RB_Left	19.52
n48	60	30	3669.99	CP	QPSK	Edge_1RB_Right	18.66
n48	60	30	3669.99	CP	QPSK	Outer_Full	19.16
n48	60	30	3669.99	CP	16QAM	Inner_Full	20.28
n48	60	30	3669.99	CP	16QAM	Edge_1RB_Left	19.75
n48	60	30	3669.99	CP	16QAM	Edge_1RB_Right	18.61
n48	60	30	3669.99	CP	16QAM	Outer_Full	19.16
n48	60	30	3669.99	CP	64QAM	Inner_Full	18.92
n48	60	30	3669.99	CP	64QAM	Edge_1RB_Left	19.37
n48	60	30	3669.99	CP	64QAM	Edge_1RB_Right	18.33
n48	60	30	3669.99	CP	64QAM	Outer_Full	18.83
n48	60	30	3669.99	CP	256QAM	Inner_Full	15.81
n48	60	30	3669.99	CP	256QAM	Edge_1RB_Left	16.08
n48	60	30	3669.99	CP	256QAM	Edge_1RB_Right	15.10
n48	60	30	3669.99	CP	256QAM	Outer_Full	15.75
n48	70	30	3585	DFT	pi/2 BPSK	Inner_Full	22.61
n48	70	30	3585	DFT	pi/2 BPSK	Edge_1RB_Left	21.50
n48	70	30	3585	DFT	pi/2 BPSK	Edge_1RB_Right	21.30
n48	70	30	3585	DFT	pi/2 BPSK	Outer_Full	22.01
n48	70	30	3585	DFT	QPSK	Inner_Full	22.62
n48	70	30	3585	DFT	QPSK	Edge_1RB_Left	20.97

n48	70	30	3585	DFT	QPSK	Edge_1RB_Right	20.81
n48	70	30	3585	DFT	QPSK	Outer_Full	21.55
n48	70	30	3585	DFT	16QAM	Inner_Full	21.59
n48	70	30	3585	DFT	16QAM	Edge_1RB_Left	19.96
n48	70	30	3585	DFT	16QAM	Edge_1RB_Right	19.71
n48	70	30	3585	DFT	16QAM	Outer_Full	20.57
n48	70	30	3585	DFT	64QAM	Inner_Full	20.13
n48	70	30	3585	DFT	64QAM	Edge_1RB_Left	19.24
n48	70	30	3585	DFT	64QAM	Edge_1RB_Right	19.14
n48	70	30	3585	DFT	64QAM	Outer_Full	20.05
n48	70	30	3585	DFT	256QAM	Inner_Full	18.19
n48	70	30	3585	DFT	256QAM	Edge_1RB_Left	17.41
n48	70	30	3585	DFT	256QAM	Edge_1RB_Right	17.52
n48	70	30	3585	DFT	256QAM	Outer_Full	18.17
n48	70	30	3585	CP	QPSK	Inner_Full	21.08
n48	70	30	3585	CP	QPSK	Edge_1RB_Left	19.16
n48	70	30	3585	CP	QPSK	Edge_1RB_Right	18.97
n48	70	30	3585	CP	QPSK	Outer_Full	19.39
n48	70	30	3585	CP	16QAM	Inner_Full	20.60
n48	70	30	3585	CP	16QAM	Edge_1RB_Left	19.15
n48	70	30	3585	CP	16QAM	Edge_1RB_Right	18.97
n48	70	30	3585	CP	16QAM	Outer_Full	19.46
n48	70	30	3585	CP	64QAM	Inner_Full	19.19
n48	70	30	3585	CP	64QAM	Edge_1RB_Left	18.88
n48	70	30	3585	CP	64QAM	Edge_1RB_Right	18.67
n48	70	30	3585	CP	64QAM	Outer_Full	19.16
n48	70	30	3585	CP	256QAM	Inner_Full	16.22
n48	70	30	3585	CP	256QAM	Edge_1RB_Left	15.31
n48	70	30	3585	CP	256QAM	Edge_1RB_Right	15.25
n48	70	30	3585	CP	256QAM	Outer_Full	16.13
n48	70	30	3624.99	DFT	pi/2 BPSK	Inner_Full	22.85
n48	70	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.63
n48	70	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.27
n48	70	30	3624.99	DFT	pi/2 BPSK	Outer_Full	22.22
n48	70	30	3624.99	DFT	QPSK	Inner_Full	22.87
n48	70	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.07
n48	70	30	3624.99	DFT	QPSK	Edge_1RB_Right	20.74
n48	70	30	3624.99	DFT	QPSK	Outer_Full	21.72
n48	70	30	3624.99	DFT	16QAM	Inner_Full	21.82
n48	70	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.04
n48	70	30	3624.99	DFT	16QAM	Edge_1RB_Right	19.71

n48	70	30	3624.99	DFT	16QAM	Outer_Full	20.74
n48	70	30	3624.99	DFT	64QAM	Inner_Full	20.29
n48	70	30	3624.99	DFT	64QAM	Edge_1RB_Left	19.39
n48	70	30	3624.99	DFT	64QAM	Edge_1RB_Right	19.19
n48	70	30	3624.99	DFT	64QAM	Outer_Full	20.22
n48	70	30	3624.99	DFT	256QAM	Inner_Full	18.41
n48	70	30	3624.99	DFT	256QAM	Edge_1RB_Left	17.57
n48	70	30	3624.99	DFT	256QAM	Edge_1RB_Right	17.54
n48	70	30	3624.99	DFT	256QAM	Outer_Full	18.35
n48	70	30	3624.99	CP	QPSK	Inner_Full	21.37
n48	70	30	3624.99	CP	QPSK	Edge_1RB_Left	18.91
n48	70	30	3624.99	CP	QPSK	Edge_1RB_Right	18.68
n48	70	30	3624.99	CP	QPSK	Outer_Full	19.67
n48	70	30	3624.99	CP	16QAM	Inner_Full	20.86
n48	70	30	3624.99	CP	16QAM	Edge_1RB_Left	19.10
n48	70	30	3624.99	CP	16QAM	Edge_1RB_Right	18.75
n48	70	30	3624.99	CP	16QAM	Outer_Full	19.67
n48	70	30	3624.99	CP	64QAM	Inner_Full	19.48
n48	70	30	3624.99	CP	64QAM	Edge_1RB_Left	18.90
n48	70	30	3624.99	CP	64QAM	Edge_1RB_Right	18.34
n48	70	30	3624.99	CP	64QAM	Outer_Full	19.31
n48	70	30	3624.99	CP	256QAM	Inner_Full	16.39
n48	70	30	3624.99	CP	256QAM	Edge_1RB_Left	15.71
n48	70	30	3624.99	CP	256QAM	Edge_1RB_Right	15.22
n48	70	30	3624.99	CP	256QAM	Outer_Full	16.24
n48	70	30	3664.98	DFT	pi/2 BPSK	Inner_Full	22.41
n48	70	30	3664.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.22
n48	70	30	3664.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.06
n48	70	30	3664.98	DFT	pi/2 BPSK	Outer_Full	21.97
n48	70	30	3664.98	DFT	QPSK	Inner_Full	22.47
n48	70	30	3664.98	DFT	QPSK	Edge_1RB_Left	21.72
n48	70	30	3664.98	DFT	QPSK	Edge_1RB_Right	20.51
n48	70	30	3664.98	DFT	QPSK	Outer_Full	21.50
n48	70	30	3664.98	DFT	16QAM	Inner_Full	21.40
n48	70	30	3664.98	DFT	16QAM	Edge_1RB_Left	20.64
n48	70	30	3664.98	DFT	16QAM	Edge_1RB_Right	19.44
n48	70	30	3664.98	DFT	16QAM	Outer_Full	20.52
n48	70	30	3664.98	DFT	64QAM	Inner_Full	19.93
n48	70	30	3664.98	DFT	64QAM	Edge_1RB_Left	20.33
n48	70	30	3664.98	DFT	64QAM	Edge_1RB_Right	19.14
n48	70	30	3664.98	DFT	64QAM	Outer_Full	19.92

n48	70	30	3664.98	DFT	256QAM	Inner_Full	18.04
n48	70	30	3664.98	DFT	256QAM	Edge_1RB_Left	18.47
n48	70	30	3664.98	DFT	256QAM	Edge_1RB_Right	16.95
n48	70	30	3664.98	DFT	256QAM	Outer_Full	18.14
n48	70	30	3664.98	CP	QPSK	Inner_Full	20.88
n48	70	30	3664.98	CP	QPSK	Edge_1RB_Left	19.65
n48	70	30	3664.98	CP	QPSK	Edge_1RB_Right	18.39
n48	70	30	3664.98	CP	QPSK	Outer_Full	19.38
n48	70	30	3664.98	CP	16QAM	Inner_Full	20.41
n48	70	30	3664.98	CP	16QAM	Edge_1RB_Left	19.61
n48	70	30	3664.98	CP	16QAM	Edge_1RB_Right	18.38
n48	70	30	3664.98	CP	16QAM	Outer_Full	19.41
n48	70	30	3664.98	CP	64QAM	Inner_Full	19.07
n48	70	30	3664.98	CP	64QAM	Edge_1RB_Left	19.55
n48	70	30	3664.98	CP	64QAM	Edge_1RB_Right	18.31
n48	70	30	3664.98	CP	64QAM	Outer_Full	19.02
n48	70	30	3664.98	CP	256QAM	Inner_Full	16.01
n48	70	30	3664.98	CP	256QAM	Edge_1RB_Left	16.17
n48	70	30	3664.98	CP	256QAM	Edge_1RB_Right	14.97
n48	70	30	3664.98	CP	256QAM	Outer_Full	16.00
n48	80	30	3590.01	DFT	pi/2 BPSK	Inner_Full	22.73
n48	80	30	3590.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.33
n48	80	30	3590.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.98
n48	80	30	3590.01	DFT	pi/2 BPSK	Outer_Full	22.02
n48	80	30	3590.01	DFT	QPSK	Inner_Full	22.74
n48	80	30	3590.01	DFT	QPSK	Edge_1RB_Left	20.79
n48	80	30	3590.01	DFT	QPSK	Edge_1RB_Right	21.43
n48	80	30	3590.01	DFT	QPSK	Outer_Full	21.51
n48	80	30	3590.01	DFT	16QAM	Inner_Full	21.76
n48	80	30	3590.01	DFT	16QAM	Edge_1RB_Left	19.73
n48	80	30	3590.01	DFT	16QAM	Edge_1RB_Right	20.50
n48	80	30	3590.01	DFT	16QAM	Outer_Full	20.53
n48	80	30	3590.01	DFT	64QAM	Inner_Full	20.28
n48	80	30	3590.01	DFT	64QAM	Edge_1RB_Left	19.44
n48	80	30	3590.01	DFT	64QAM	Edge_1RB_Right	20.18
n48	80	30	3590.01	DFT	64QAM	Outer_Full	19.94
n48	80	30	3590.01	DFT	256QAM	Inner_Full	18.33
n48	80	30	3590.01	DFT	256QAM	Edge_1RB_Left	17.38
n48	80	30	3590.01	DFT	256QAM	Edge_1RB_Right	18.04
n48	80	30	3590.01	DFT	256QAM	Outer_Full	18.15
n48	80	30	3590.01	CP	QPSK	Inner_Full	21.24

n48	80	30	3590.01	CP	QPSK	Edge_1RB_Left	19.00
n48	80	30	3590.01	CP	QPSK	Edge_1RB_Right	19.33
n48	80	30	3590.01	CP	QPSK	Outer_Full	19.44
n48	80	30	3590.01	CP	16QAM	Inner_Full	20.68
n48	80	30	3590.01	CP	16QAM	Edge_1RB_Left	18.95
n48	80	30	3590.01	CP	16QAM	Edge_1RB_Right	19.40
n48	80	30	3590.01	CP	16QAM	Outer_Full	19.48
n48	80	30	3590.01	CP	64QAM	Inner_Full	19.31
n48	80	30	3590.01	CP	64QAM	Edge_1RB_Left	18.75
n48	80	30	3590.01	CP	64QAM	Edge_1RB_Right	19.26
n48	80	30	3590.01	CP	64QAM	Outer_Full	19.15
n48	80	30	3590.01	CP	256QAM	Inner_Full	16.27
n48	80	30	3590.01	CP	256QAM	Edge_1RB_Left	15.29
n48	80	30	3590.01	CP	256QAM	Edge_1RB_Right	16.13
n48	80	30	3590.01	CP	256QAM	Outer_Full	16.13
n48	80	30	3624.99	DFT	pi/2 BPSK	Inner_Full	22.91
n48	80	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.47
n48	80	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.19
n48	80	30	3624.99	DFT	pi/2 BPSK	Outer_Full	22.12
n48	80	30	3624.99	DFT	QPSK	Inner_Full	22.96
n48	80	30	3624.99	DFT	QPSK	Edge_1RB_Left	20.98
n48	80	30	3624.99	DFT	QPSK	Edge_1RB_Right	20.61
n48	80	30	3624.99	DFT	QPSK	Outer_Full	21.62
n48	80	30	3624.99	DFT	16QAM	Inner_Full	21.92
n48	80	30	3624.99	DFT	16QAM	Edge_1RB_Left	19.89
n48	80	30	3624.99	DFT	16QAM	Edge_1RB_Right	19.63
n48	80	30	3624.99	DFT	16QAM	Outer_Full	20.65
n48	80	30	3624.99	DFT	64QAM	Inner_Full	20.43
n48	80	30	3624.99	DFT	64QAM	Edge_1RB_Left	19.57
n48	80	30	3624.99	DFT	64QAM	Edge_1RB_Right	19.29
n48	80	30	3624.99	DFT	64QAM	Outer_Full	20.07
n48	80	30	3624.99	DFT	256QAM	Inner_Full	18.46
n48	80	30	3624.99	DFT	256QAM	Edge_1RB_Left	17.46
n48	80	30	3624.99	DFT	256QAM	Edge_1RB_Right	17.34
n48	80	30	3624.99	DFT	256QAM	Outer_Full	18.26
n48	80	30	3624.99	CP	QPSK	Inner_Full	21.39
n48	80	30	3624.99	CP	QPSK	Edge_1RB_Left	18.87
n48	80	30	3624.99	CP	QPSK	Edge_1RB_Right	18.56
n48	80	30	3624.99	CP	QPSK	Outer_Full	19.58
n48	80	30	3624.99	CP	16QAM	Inner_Full	20.83
n48	80	30	3624.99	CP	16QAM	Edge_1RB_Left	18.94

n48	80	30	3624.99	CP	16QAM	Edge_1RB_Right	18.55
n48	80	30	3624.99	CP	16QAM	Outer_Full	19.58
n48	80	30	3624.99	CP	64QAM	Inner_Full	19.54
n48	80	30	3624.99	CP	64QAM	Edge_1RB_Left	18.90
n48	80	30	3624.99	CP	64QAM	Edge_1RB_Right	18.61
n48	80	30	3624.99	CP	64QAM	Outer_Full	19.28
n48	80	30	3624.99	CP	256QAM	Inner_Full	16.50
n48	80	30	3624.99	CP	256QAM	Edge_1RB_Left	15.77
n48	80	30	3624.99	CP	256QAM	Edge_1RB_Right	15.36
n48	80	30	3624.99	CP	256QAM	Outer_Full	16.21
n48	80	30	3660	DFT	pi/2 BPSK	Inner_Full	22.42
n48	80	30	3660	DFT	pi/2 BPSK	Edge_1RB_Left	20.97
n48	80	30	3660	DFT	pi/2 BPSK	Edge_1RB_Right	20.85
n48	80	30	3660	DFT	pi/2 BPSK	Outer_Full	21.84
n48	80	30	3660	DFT	QPSK	Inner_Full	22.49
n48	80	30	3660	DFT	QPSK	Edge_1RB_Left	20.46
n48	80	30	3660	DFT	QPSK	Edge_1RB_Right	20.29
n48	80	30	3660	DFT	QPSK	Outer_Full	21.33
n48	80	30	3660	DFT	16QAM	Inner_Full	21.49
n48	80	30	3660	DFT	16QAM	Edge_1RB_Left	19.37
n48	80	30	3660	DFT	16QAM	Edge_1RB_Right	19.23
n48	80	30	3660	DFT	16QAM	Outer_Full	20.38
n48	80	30	3660	DFT	64QAM	Inner_Full	19.95
n48	80	30	3660	DFT	64QAM	Edge_1RB_Left	19.48
n48	80	30	3660	DFT	64QAM	Edge_1RB_Right	18.71
n48	80	30	3660	DFT	64QAM	Outer_Full	19.79
n48	80	30	3660	DFT	256QAM	Inner_Full	18.09
n48	80	30	3660	DFT	256QAM	Edge_1RB_Left	16.98
n48	80	30	3660	DFT	256QAM	Edge_1RB_Right	16.82
n48	80	30	3660	DFT	256QAM	Outer_Full	17.99
n48	80	30	3660	CP	QPSK	Inner_Full	20.93
n48	80	30	3660	CP	QPSK	Edge_1RB_Left	18.72
n48	80	30	3660	CP	QPSK	Edge_1RB_Right	18.23
n48	80	30	3660	CP	QPSK	Outer_Full	19.32
n48	80	30	3660	CP	16QAM	Inner_Full	20.43
n48	80	30	3660	CP	16QAM	Edge_1RB_Left	18.65
n48	80	30	3660	CP	16QAM	Edge_1RB_Right	18.30
n48	80	30	3660	CP	16QAM	Outer_Full	19.23
n48	80	30	3660	CP	64QAM	Inner_Full	19.11
n48	80	30	3660	CP	64QAM	Edge_1RB_Left	18.40
n48	80	30	3660	CP	64QAM	Edge_1RB_Right	18.25

n48	80	30	3660	CP	64QAM	Outer_Full	19.00
n48	80	30	3660	CP	256QAM	Inner_Full	16.05
n48	80	30	3660	CP	256QAM	Edge_1RB_Left	14.99
n48	80	30	3660	CP	256QAM	Edge_1RB_Right	14.79
n48	80	30	3660	CP	256QAM	Outer_Full	15.86
n48	90	30	3595.02	DFT	pi/2 BPSK	Inner_Full	22.64
n48	90	30	3595.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.10
n48	90	30	3595.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.87
n48	90	30	3595.02	DFT	pi/2 BPSK	Outer_Full	21.89
n48	90	30	3595.02	DFT	QPSK	Inner_Full	22.68
n48	90	30	3595.02	DFT	QPSK	Edge_1RB_Left	20.60
n48	90	30	3595.02	DFT	QPSK	Edge_1RB_Right	21.26
n48	90	30	3595.02	DFT	QPSK	Outer_Full	21.43
n48	90	30	3595.02	DFT	16QAM	Inner_Full	21.70
n48	90	30	3595.02	DFT	16QAM	Edge_1RB_Left	19.56
n48	90	30	3595.02	DFT	16QAM	Edge_1RB_Right	20.24
n48	90	30	3595.02	DFT	16QAM	Outer_Full	20.43
n48	90	30	3595.02	DFT	64QAM	Inner_Full	20.11
n48	90	30	3595.02	DFT	64QAM	Edge_1RB_Left	19.35
n48	90	30	3595.02	DFT	64QAM	Edge_1RB_Right	20.02
n48	90	30	3595.02	DFT	64QAM	Outer_Full	19.97
n48	90	30	3595.02	DFT	256QAM	Inner_Full	18.23
n48	90	30	3595.02	DFT	256QAM	Edge_1RB_Left	17.20
n48	90	30	3595.02	DFT	256QAM	Edge_1RB_Right	17.92
n48	90	30	3595.02	DFT	256QAM	Outer_Full	18.08
n48	90	30	3595.02	CP	QPSK	Inner_Full	21.09
n48	90	30	3595.02	CP	QPSK	Edge_1RB_Left	18.92
n48	90	30	3595.02	CP	QPSK	Edge_1RB_Right	19.23
n48	90	30	3595.02	CP	QPSK	Outer_Full	19.40
n48	90	30	3595.02	CP	16QAM	Inner_Full	20.59
n48	90	30	3595.02	CP	16QAM	Edge_1RB_Left	18.89
n48	90	30	3595.02	CP	16QAM	Edge_1RB_Right	19.26
n48	90	30	3595.02	CP	16QAM	Outer_Full	19.39
n48	90	30	3595.02	CP	64QAM	Inner_Full	19.22
n48	90	30	3595.02	CP	64QAM	Edge_1RB_Left	18.58
n48	90	30	3595.02	CP	64QAM	Edge_1RB_Right	19.23
n48	90	30	3595.02	CP	64QAM	Outer_Full	19.12
n48	90	30	3595.02	CP	256QAM	Inner_Full	16.21
n48	90	30	3595.02	CP	256QAM	Edge_1RB_Left	15.19
n48	90	30	3595.02	CP	256QAM	Edge_1RB_Right	15.80
n48	90	30	3595.02	CP	256QAM	Outer_Full	16.06

n48	90	30	3624.99	DFT	pi/2 BPSK	Inner_Full	22.84
n48	90	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.31
n48	90	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.05
n48	90	30	3624.99	DFT	pi/2 BPSK	Outer_Full	22.07
n48	90	30	3624.99	DFT	QPSK	Inner_Full	22.88
n48	90	30	3624.99	DFT	QPSK	Edge_1RB_Left	20.68
n48	90	30	3624.99	DFT	QPSK	Edge_1RB_Right	20.48
n48	90	30	3624.99	DFT	QPSK	Outer_Full	21.52
n48	90	30	3624.99	DFT	16QAM	Inner_Full	21.85
n48	90	30	3624.99	DFT	16QAM	Edge_1RB_Left	19.69
n48	90	30	3624.99	DFT	16QAM	Edge_1RB_Right	19.42
n48	90	30	3624.99	DFT	16QAM	Outer_Full	20.54
n48	90	30	3624.99	DFT	64QAM	Inner_Full	20.36
n48	90	30	3624.99	DFT	64QAM	Edge_1RB_Left	19.23
n48	90	30	3624.99	DFT	64QAM	Edge_1RB_Right	19.01
n48	90	30	3624.99	DFT	64QAM	Outer_Full	20.04
n48	90	30	3624.99	DFT	256QAM	Inner_Full	18.41
n48	90	30	3624.99	DFT	256QAM	Edge_1RB_Left	17.31
n48	90	30	3624.99	DFT	256QAM	Edge_1RB_Right	17.05
n48	90	30	3624.99	DFT	256QAM	Outer_Full	18.19
n48	90	30	3624.99	CP	QPSK	Inner_Full	21.35
n48	90	30	3624.99	CP	QPSK	Edge_1RB_Left	18.66
n48	90	30	3624.99	CP	QPSK	Edge_1RB_Right	18.43
n48	90	30	3624.99	CP	QPSK	Outer_Full	19.55
n48	90	30	3624.99	CP	16QAM	Inner_Full	20.78
n48	90	30	3624.99	CP	16QAM	Edge_1RB_Left	18.78
n48	90	30	3624.99	CP	16QAM	Edge_1RB_Right	18.45
n48	90	30	3624.99	CP	16QAM	Outer_Full	19.47
n48	90	30	3624.99	CP	64QAM	Inner_Full	19.45
n48	90	30	3624.99	CP	64QAM	Edge_1RB_Left	18.68
n48	90	30	3624.99	CP	64QAM	Edge_1RB_Right	17.98
n48	90	30	3624.99	CP	64QAM	Outer_Full	19.20
n48	90	30	3624.99	CP	256QAM	Inner_Full	16.34
n48	90	30	3624.99	CP	256QAM	Edge_1RB_Left	15.53
n48	90	30	3624.99	CP	256QAM	Edge_1RB_Right	15.23
n48	90	30	3624.99	CP	256QAM	Outer_Full	16.13
n48	90	30	3654.99	DFT	pi/2 BPSK	Inner_Full	22.72
n48	90	30	3654.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.55
n48	90	30	3654.99	DFT	pi/2 BPSK	Edge_1RB_Right	20.70
n48	90	30	3654.99	DFT	pi/2 BPSK	Outer_Full	21.87
n48	90	30	3654.99	DFT	QPSK	Inner_Full	22.67

n48	90	30	3654.99	DFT	QPSK	Edge_1RB_Left	20.94
n48	90	30	3654.99	DFT	QPSK	Edge_1RB_Right	20.08
n48	90	30	3654.99	DFT	QPSK	Outer_Full	21.34
n48	90	30	3654.99	DFT	16QAM	Inner_Full	21.63
n48	90	30	3654.99	DFT	16QAM	Edge_1RB_Left	19.95
n48	90	30	3654.99	DFT	16QAM	Edge_1RB_Right	19.05
n48	90	30	3654.99	DFT	16QAM	Outer_Full	20.39
n48	90	30	3654.99	DFT	64QAM	Inner_Full	20.08
n48	90	30	3654.99	DFT	64QAM	Edge_1RB_Left	19.67
n48	90	30	3654.99	DFT	64QAM	Edge_1RB_Right	18.79
n48	90	30	3654.99	DFT	64QAM	Outer_Full	19.79
n48	90	30	3654.99	DFT	256QAM	Inner_Full	18.25
n48	90	30	3654.99	DFT	256QAM	Edge_1RB_Left	17.52
n48	90	30	3654.99	DFT	256QAM	Edge_1RB_Right	16.70
n48	90	30	3654.99	DFT	256QAM	Outer_Full	18.00
n48	90	30	3654.99	CP	QPSK	Inner_Full	21.09
n48	90	30	3654.99	CP	QPSK	Edge_1RB_Left	18.84
n48	90	30	3654.99	CP	QPSK	Edge_1RB_Right	18.05
n48	90	30	3654.99	CP	QPSK	Outer_Full	19.31
n48	90	30	3654.99	CP	16QAM	Inner_Full	20.55
n48	90	30	3654.99	CP	16QAM	Edge_1RB_Left	18.86
n48	90	30	3654.99	CP	16QAM	Edge_1RB_Right	18.01
n48	90	30	3654.99	CP	16QAM	Outer_Full	19.30
n48	90	30	3654.99	CP	64QAM	Inner_Full	19.20
n48	90	30	3654.99	CP	64QAM	Edge_1RB_Left	18.86
n48	90	30	3654.99	CP	64QAM	Edge_1RB_Right	18.07
n48	90	30	3654.99	CP	64QAM	Outer_Full	18.99
n48	90	30	3654.99	CP	256QAM	Inner_Full	16.17
n48	90	30	3654.99	CP	256QAM	Edge_1RB_Left	15.82
n48	90	30	3654.99	CP	256QAM	Edge_1RB_Right	14.96
n48	90	30	3654.99	CP	256QAM	Outer_Full	15.98
n48	100	30	3600	DFT	pi/2 BPSK	Inner_Full	22.81
n48	100	30	3600	DFT	pi/2 BPSK	Edge_1RB_Left	20.86
n48	100	30	3600	DFT	pi/2 BPSK	Edge_1RB_Right	20.73
n48	100	30	3600	DFT	pi/2 BPSK	Outer_Full	21.83
n48	100	30	3600	DFT	QPSK	Inner_Full	22.86
n48	100	30	3600	DFT	QPSK	Edge_1RB_Left	20.37
n48	100	30	3600	DFT	QPSK	Edge_1RB_Right	20.27
n48	100	30	3600	DFT	QPSK	Outer_Full	21.34
n48	100	30	3600	DFT	16QAM	Inner_Full	21.72
n48	100	30	3600	DFT	16QAM	Edge_1RB_Left	19.16

n48	100	30	3600	DFT	16QAM	Edge_1RB_Right	18.98
n48	100	30	3600	DFT	16QAM	Outer_Full	20.32
n48	100	30	3600	DFT	64QAM	Inner_Full	20.24
n48	100	30	3600	DFT	64QAM	Edge_1RB_Left	18.77
n48	100	30	3600	DFT	64QAM	Edge_1RB_Right	18.76
n48	100	30	3600	DFT	64QAM	Outer_Full	19.84
n48	100	30	3600	DFT	256QAM	Inner_Full	18.35
n48	100	30	3600	DFT	256QAM	Edge_1RB_Left	17.27
n48	100	30	3600	DFT	256QAM	Edge_1RB_Right	17.18
n48	100	30	3600	DFT	256QAM	Outer_Full	18.07
n48	100	30	3600	CP	QPSK	Inner_Full	21.21
n48	100	30	3600	CP	QPSK	Edge_1RB_Left	18.30
n48	100	30	3600	CP	QPSK	Edge_1RB_Right	18.28
n48	100	30	3600	CP	QPSK	Outer_Full	19.28
n48	100	30	3600	CP	16QAM	Inner_Full	20.74
n48	100	30	3600	CP	16QAM	Edge_1RB_Left	18.08
n48	100	30	3600	CP	16QAM	Edge_1RB_Right	18.15
n48	100	30	3600	CP	16QAM	Outer_Full	19.28
n48	100	30	3600	CP	64QAM	Inner_Full	19.44
n48	100	30	3600	CP	64QAM	Edge_1RB_Left	18.21
n48	100	30	3600	CP	64QAM	Edge_1RB_Right	17.94
n48	100	30	3600	CP	64QAM	Outer_Full	19.08
n48	100	30	3600	CP	256QAM	Inner_Full	16.29
n48	100	30	3600	CP	256QAM	Edge_1RB_Left	15.19
n48	100	30	3600	CP	256QAM	Edge_1RB_Right	15.17
n48	100	30	3600	CP	256QAM	Outer_Full	16.03
n48	100	30	3624.99	DFT	pi/2 BPSK	Inner_Full	22.49
n48	100	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	20.80
n48	100	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	20.96
n48	100	30	3624.99	DFT	pi/2 BPSK	Outer_Full	21.86
n48	100	30	3624.99	DFT	QPSK	Inner_Full	22.51
n48	100	30	3624.99	DFT	QPSK	Edge_1RB_Left	20.34
n48	100	30	3624.99	DFT	QPSK	Edge_1RB_Right	20.52
n48	100	30	3624.99	DFT	QPSK	Outer_Full	21.33
n48	100	30	3624.99	DFT	16QAM	Inner_Full	21.60
n48	100	30	3624.99	DFT	16QAM	Edge_1RB_Left	19.46
n48	100	30	3624.99	DFT	16QAM	Edge_1RB_Right	19.50
n48	100	30	3624.99	DFT	16QAM	Outer_Full	20.33
n48	100	30	3624.99	DFT	64QAM	Inner_Full	20.00
n48	100	30	3624.99	DFT	64QAM	Edge_1RB_Left	18.71
n48	100	30	3624.99	DFT	64QAM	Edge_1RB_Right	18.94

n48	100	30	3624.99	DFT	64QAM	Outer_Full	19.84
n48	100	30	3624.99	DFT	256QAM	Inner_Full	18.14
n48	100	30	3624.99	DFT	256QAM	Edge_1RB_Left	17.13
n48	100	30	3624.99	DFT	256QAM	Edge_1RB_Right	17.30
n48	100	30	3624.99	DFT	256QAM	Outer_Full	18.03
n48	100	30	3624.99	CP	QPSK	Inner_Full	21.02
n48	100	30	3624.99	CP	QPSK	Edge_1RB_Left	18.59
n48	100	30	3624.99	CP	QPSK	Edge_1RB_Right	18.56
n48	100	30	3624.99	CP	QPSK	Outer_Full	19.30
n48	100	30	3624.99	CP	16QAM	Inner_Full	20.53
n48	100	30	3624.99	CP	16QAM	Edge_1RB_Left	18.54
n48	100	30	3624.99	CP	16QAM	Edge_1RB_Right	18.44
n48	100	30	3624.99	CP	16QAM	Outer_Full	19.30
n48	100	30	3624.99	CP	64QAM	Inner_Full	19.18
n48	100	30	3624.99	CP	64QAM	Edge_1RB_Left	18.17
n48	100	30	3624.99	CP	64QAM	Edge_1RB_Right	18.06
n48	100	30	3624.99	CP	64QAM	Outer_Full	19.05
n48	100	30	3624.99	CP	256QAM	Inner_Full	16.11
n48	100	30	3624.99	CP	256QAM	Edge_1RB_Left	15.17
n48	100	30	3624.99	CP	256QAM	Edge_1RB_Right	15.47
n48	100	30	3624.99	CP	256QAM	Outer_Full	15.93
n48	100	30	3649.98	DFT	pi/2 BPSK	Inner_Full	22.54
n48	100	30	3649.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.09
n48	100	30	3649.98	DFT	pi/2 BPSK	Edge_1RB_Right	20.35
n48	100	30	3649.98	DFT	pi/2 BPSK	Outer_Full	21.73
n48	100	30	3649.98	DFT	QPSK	Inner_Full	22.53
n48	100	30	3649.98	DFT	QPSK	Edge_1RB_Left	20.58
n48	100	30	3649.98	DFT	QPSK	Edge_1RB_Right	19.86
n48	100	30	3649.98	DFT	QPSK	Outer_Full	21.20
n48	100	30	3649.98	DFT	16QAM	Inner_Full	21.54
n48	100	30	3649.98	DFT	16QAM	Edge_1RB_Left	19.45
n48	100	30	3649.98	DFT	16QAM	Edge_1RB_Right	18.57
n48	100	30	3649.98	DFT	16QAM	Outer_Full	20.21
n48	100	30	3649.98	DFT	64QAM	Inner_Full	20.06
n48	100	30	3649.98	DFT	64QAM	Edge_1RB_Left	19.01
n48	100	30	3649.98	DFT	64QAM	Edge_1RB_Right	18.28
n48	100	30	3649.98	DFT	64QAM	Outer_Full	19.72
n48	100	30	3649.98	DFT	256QAM	Inner_Full	18.15
n48	100	30	3649.98	DFT	256QAM	Edge_1RB_Left	17.40
n48	100	30	3649.98	DFT	256QAM	Edge_1RB_Right	16.90
n48	100	30	3649.98	DFT	256QAM	Outer_Full	17.92

n48	100	30	3649.98	CP	QPSK	Inner_Full	20.97
n48	100	30	3649.98	CP	QPSK	Edge_1RB_Left	18.46
n48	100	30	3649.98	CP	QPSK	Edge_1RB_Right	17.83
n48	100	30	3649.98	CP	QPSK	Outer_Full	19.12
n48	100	30	3649.98	CP	16QAM	Inner_Full	20.54
n48	100	30	3649.98	CP	16QAM	Edge_1RB_Left	18.46
n48	100	30	3649.98	CP	16QAM	Edge_1RB_Right	17.70
n48	100	30	3649.98	CP	16QAM	Outer_Full	19.18
n48	100	30	3649.98	CP	64QAM	Inner_Full	19.21
n48	100	30	3649.98	CP	64QAM	Edge_1RB_Left	18.32
n48	100	30	3649.98	CP	64QAM	Edge_1RB_Right	17.77
n48	100	30	3649.98	CP	64QAM	Outer_Full	18.86
n48	100	30	3649.98	CP	256QAM	Inner_Full	16.08
n48	100	30	3649.98	CP	256QAM	Edge_1RB_Left	15.58
n48	100	30	3649.98	CP	256QAM	Edge_1RB_Right	14.84
n48	100	30	3649.98	CP	256QAM	Outer_Full	15.76

n66

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	23.06
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.44
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.56
n66	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	22.62
n66	5	15	1712.5	DFT	QPSK	Inner_Full	23.12
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	21.97
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	22.09
n66	5	15	1712.5	DFT	QPSK	Outer_Full	22.14
n66	5	15	1712.5	DFT	16QAM	Inner_Full	22.13
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	21.31
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	21.43
n66	5	15	1712.5	DFT	16QAM	Outer_Full	21.15
n66	5	15	1712.5	DFT	64QAM	Inner_Full	20.65
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	20.55
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	20.59
n66	5	15	1712.5	DFT	64QAM	Outer_Full	20.63
n66	5	15	1712.5	DFT	256QAM	Inner_Full	18.71
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Left	18.65
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Right	18.72
n66	5	15	1712.5	DFT	256QAM	Outer_Full	18.51
n66	5	15	1712.5	CP	QPSK	Inner_Full	21.54
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Left	20.06
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Right	20.21
n66	5	15	1712.5	CP	QPSK	Outer_Full	20.10
n66	5	15	1712.5	CP	16QAM	Inner_Full	21.14
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Left	20.37
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Right	20.46
n66	5	15	1712.5	CP	16QAM	Outer_Full	20.12
n66	5	15	1712.5	CP	64QAM	Inner_Full	19.54
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Left	19.70
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Right	19.56
n66	5	15	1712.5	CP	64QAM	Outer_Full	19.55
n66	5	15	1712.5	CP	256QAM	Inner_Full	16.65
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Left	16.81
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Right	16.81
n66	5	15	1712.5	CP	256QAM	Outer_Full	16.70
n66	5	15	1745	DFT	pi/2 BPSK	Inner_Full	23.44
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.86
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.85

n66	5	15	1745	DFT	pi/2 BPSK	Outer_Full	22.90
n66	5	15	1745	DFT	QPSK	Inner_Full	23.48
n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	22.38
n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	22.32
n66	5	15	1745	DFT	QPSK	Outer_Full	22.46
n66	5	15	1745	DFT	16QAM	Inner_Full	22.50
n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	21.70
n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	21.70
n66	5	15	1745	DFT	16QAM	Outer_Full	21.48
n66	5	15	1745	DFT	64QAM	Inner_Full	21.05
n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	20.95
n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	20.93
n66	5	15	1745	DFT	64QAM	Outer_Full	20.95
n66	5	15	1745	DFT	256QAM	Inner_Full	19.01
n66	5	15	1745	DFT	256QAM	Edge_1RB_Left	19.04
n66	5	15	1745	DFT	256QAM	Edge_1RB_Right	19.07
n66	5	15	1745	DFT	256QAM	Outer_Full	18.82
n66	5	15	1745	CP	QPSK	Inner_Full	21.84
n66	5	15	1745	CP	QPSK	Edge_1RB_Left	20.50
n66	5	15	1745	CP	QPSK	Edge_1RB_Right	20.46
n66	5	15	1745	CP	QPSK	Outer_Full	20.43
n66	5	15	1745	CP	16QAM	Inner_Full	21.43
n66	5	15	1745	CP	16QAM	Edge_1RB_Left	20.83
n66	5	15	1745	CP	16QAM	Edge_1RB_Right	20.82
n66	5	15	1745	CP	16QAM	Outer_Full	20.44
n66	5	15	1745	CP	64QAM	Inner_Full	19.85
n66	5	15	1745	CP	64QAM	Edge_1RB_Left	19.94
n66	5	15	1745	CP	64QAM	Edge_1RB_Right	19.81
n66	5	15	1745	CP	64QAM	Outer_Full	19.86
n66	5	15	1745	CP	256QAM	Inner_Full	16.96
n66	5	15	1745	CP	256QAM	Edge_1RB_Left	17.20
n66	5	15	1745	CP	256QAM	Edge_1RB_Right	17.12
n66	5	15	1745	CP	256QAM	Outer_Full	16.96
n66	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	23.01
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.46
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.43
n66	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	22.51
n66	5	15	1777.5	DFT	QPSK	Inner_Full	23.05
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	21.96
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	21.91
n66	5	15	1777.5	DFT	QPSK	Outer_Full	22.04

n66	5	15	1777.5	DFT	16QAM	Inner_Full	22.07
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	21.09
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	21.28
n66	5	15	1777.5	DFT	16QAM	Outer_Full	21.07
n66	5	15	1777.5	DFT	64QAM	Inner_Full	20.59
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	20.54
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	20.50
n66	5	15	1777.5	DFT	64QAM	Outer_Full	20.55
n66	5	15	1777.5	DFT	256QAM	Inner_Full	18.58
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Left	18.63
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Right	18.51
n66	5	15	1777.5	DFT	256QAM	Outer_Full	18.40
n66	5	15	1777.5	CP	QPSK	Inner_Full	21.41
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Left	20.10
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Right	19.96
n66	5	15	1777.5	CP	QPSK	Outer_Full	20.01
n66	5	15	1777.5	CP	16QAM	Inner_Full	21.04
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Left	20.32
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Right	20.33
n66	5	15	1777.5	CP	16QAM	Outer_Full	20.03
n66	5	15	1777.5	CP	64QAM	Inner_Full	19.44
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Left	19.46
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Right	19.45
n66	5	15	1777.5	CP	64QAM	Outer_Full	19.47
n66	5	15	1777.5	CP	256QAM	Inner_Full	16.60
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Left	16.73
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Right	16.64
n66	5	15	1777.5	CP	256QAM	Outer_Full	16.58
n66	10	15	1715	DFT	pi/2 BPSK	Inner_Full	23.02
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	22.33
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	22.50
n66	10	15	1715	DFT	pi/2 BPSK	Outer_Full	22.56
n66	10	15	1715	DFT	QPSK	Inner_Full	23.08
n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	21.83
n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	22.01
n66	10	15	1715	DFT	QPSK	Outer_Full	22.07
n66	10	15	1715	DFT	16QAM	Inner_Full	22.10
n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	21.18
n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	21.35
n66	10	15	1715	DFT	16QAM	Outer_Full	21.07
n66	10	15	1715	DFT	64QAM	Inner_Full	20.60

n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	20.47
n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	20.59
n66	10	15	1715	DFT	64QAM	Outer_Full	20.56
n66	10	15	1715	DFT	256QAM	Inner_Full	18.46
n66	10	15	1715	DFT	256QAM	Edge_1RB_Left	18.56
n66	10	15	1715	DFT	256QAM	Edge_1RB_Right	18.27
n66	10	15	1715	DFT	256QAM	Outer_Full	18.51
n66	10	15	1715	CP	QPSK	Inner_Full	21.57
n66	10	15	1715	CP	QPSK	Edge_1RB_Left	20.00
n66	10	15	1715	CP	QPSK	Edge_1RB_Right	20.19
n66	10	15	1715	CP	QPSK	Outer_Full	20.08
n66	10	15	1715	CP	16QAM	Inner_Full	21.10
n66	10	15	1715	CP	16QAM	Edge_1RB_Left	20.29
n66	10	15	1715	CP	16QAM	Edge_1RB_Right	20.51
n66	10	15	1715	CP	16QAM	Outer_Full	19.98
n66	10	15	1715	CP	64QAM	Inner_Full	19.49
n66	10	15	1715	CP	64QAM	Edge_1RB_Left	19.40
n66	10	15	1715	CP	64QAM	Edge_1RB_Right	19.63
n66	10	15	1715	CP	64QAM	Outer_Full	19.51
n66	10	15	1715	CP	256QAM	Inner_Full	16.64
n66	10	15	1715	CP	256QAM	Edge_1RB_Left	16.62
n66	10	15	1715	CP	256QAM	Edge_1RB_Right	16.85
n66	10	15	1715	CP	256QAM	Outer_Full	16.70
n66	10	15	1745	DFT	pi/2 BPSK	Inner_Full	23.31
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.70
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.59
n66	10	15	1745	DFT	pi/2 BPSK	Outer_Full	22.76
n66	10	15	1745	DFT	QPSK	Inner_Full	23.32
n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	22.18
n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	22.12
n66	10	15	1745	DFT	QPSK	Outer_Full	22.30
n66	10	15	1745	DFT	16QAM	Inner_Full	22.31
n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	21.51
n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	21.20
n66	10	15	1745	DFT	16QAM	Outer_Full	21.38
n66	10	15	1745	DFT	64QAM	Inner_Full	20.83
n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	20.77
n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	20.63
n66	10	15	1745	DFT	64QAM	Outer_Full	20.80
n66	10	15	1745	DFT	256QAM	Inner_Full	18.73
n66	10	15	1745	DFT	256QAM	Edge_1RB_Left	18.55

n66	10	15	1745	DFT	256QAM	Edge_1RB_Right	18.71
n66	10	15	1745	DFT	256QAM	Outer_Full	18.74
n66	10	15	1745	CP	QPSK	Inner_Full	21.77
n66	10	15	1745	CP	QPSK	Edge_1RB_Left	20.33
n66	10	15	1745	CP	QPSK	Edge_1RB_Right	20.27
n66	10	15	1745	CP	QPSK	Outer_Full	20.25
n66	10	15	1745	CP	16QAM	Inner_Full	21.33
n66	10	15	1745	CP	16QAM	Edge_1RB_Left	20.61
n66	10	15	1745	CP	16QAM	Edge_1RB_Right	20.55
n66	10	15	1745	CP	16QAM	Outer_Full	20.17
n66	10	15	1745	CP	64QAM	Inner_Full	19.68
n66	10	15	1745	CP	64QAM	Edge_1RB_Left	19.67
n66	10	15	1745	CP	64QAM	Edge_1RB_Right	19.69
n66	10	15	1745	CP	64QAM	Outer_Full	19.67
n66	10	15	1745	CP	256QAM	Inner_Full	16.90
n66	10	15	1745	CP	256QAM	Edge_1RB_Left	17.01
n66	10	15	1745	CP	256QAM	Edge_1RB_Right	16.97
n66	10	15	1745	CP	256QAM	Outer_Full	16.90
n66	10	15	1775	DFT	pi/2 BPSK	Inner_Full	22.85
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	22.36
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	22.21
n66	10	15	1775	DFT	pi/2 BPSK	Outer_Full	22.33
n66	10	15	1775	DFT	QPSK	Inner_Full	22.88
n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	21.85
n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	21.72
n66	10	15	1775	DFT	QPSK	Outer_Full	21.89
n66	10	15	1775	DFT	16QAM	Inner_Full	21.96
n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	21.17
n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	21.03
n66	10	15	1775	DFT	16QAM	Outer_Full	20.96
n66	10	15	1775	DFT	64QAM	Inner_Full	20.44
n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	20.40
n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	20.30
n66	10	15	1775	DFT	64QAM	Outer_Full	20.43
n66	10	15	1775	DFT	256QAM	Inner_Full	18.26
n66	10	15	1775	DFT	256QAM	Edge_1RB_Left	18.47
n66	10	15	1775	DFT	256QAM	Edge_1RB_Right	18.37
n66	10	15	1775	DFT	256QAM	Outer_Full	18.35
n66	10	15	1775	CP	QPSK	Inner_Full	21.27
n66	10	15	1775	CP	QPSK	Edge_1RB_Left	19.88
n66	10	15	1775	CP	QPSK	Edge_1RB_Right	19.86

n66	10	15	1775	CP	QPSK	Outer_Full	19.84
n66	10	15	1775	CP	16QAM	Inner_Full	20.84
n66	10	15	1775	CP	16QAM	Edge_1RB_Left	20.00
n66	10	15	1775	CP	16QAM	Edge_1RB_Right	19.85
n66	10	15	1775	CP	16QAM	Outer_Full	19.81
n66	10	15	1775	CP	64QAM	Inner_Full	19.33
n66	10	15	1775	CP	64QAM	Edge_1RB_Left	19.12
n66	10	15	1775	CP	64QAM	Edge_1RB_Right	19.07
n66	10	15	1775	CP	64QAM	Outer_Full	19.31
n66	10	15	1775	CP	256QAM	Inner_Full	16.42
n66	10	15	1775	CP	256QAM	Edge_1RB_Left	16.94
n66	10	15	1775	CP	256QAM	Edge_1RB_Right	16.88
n66	10	15	1775	CP	256QAM	Outer_Full	16.39
n66	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	23.20
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.47
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.72
n66	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	22.70
n66	15	15	1717.5	DFT	QPSK	Inner_Full	23.19
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	21.87
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	22.04
n66	15	15	1717.5	DFT	QPSK	Outer_Full	22.22
n66	15	15	1717.5	DFT	16QAM	Inner_Full	22.18
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	20.82
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	21.02
n66	15	15	1717.5	DFT	16QAM	Outer_Full	21.23
n66	15	15	1717.5	DFT	64QAM	Inner_Full	20.65
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	20.30
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	20.49
n66	15	15	1717.5	DFT	64QAM	Outer_Full	20.65
n66	15	15	1717.5	DFT	256QAM	Inner_Full	18.60
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Left	18.66
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Right	18.86
n66	15	15	1717.5	DFT	256QAM	Outer_Full	18.61
n66	15	15	1717.5	CP	QPSK	Inner_Full	21.73
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Left	19.97
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Right	20.13
n66	15	15	1717.5	CP	QPSK	Outer_Full	20.21
n66	15	15	1717.5	CP	16QAM	Inner_Full	21.17
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Left	19.70
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Right	20.29
n66	15	15	1717.5	CP	16QAM	Outer_Full	20.19

n66	15	15	1717.5	CP	64QAM	Inner_Full	19.69
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Left	19.24
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Right	19.42
n66	15	15	1717.5	CP	64QAM	Outer_Full	19.73
n66	15	15	1717.5	CP	256QAM	Inner_Full	16.85
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Left	17.06
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Right	17.23
n66	15	15	1717.5	CP	256QAM	Outer_Full	16.71
n66	15	15	1745	DFT	pi/2 BPSK	Inner_Full	23.37
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.86
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.78
n66	15	15	1745	DFT	pi/2 BPSK	Outer_Full	22.90
n66	15	15	1745	DFT	QPSK	Inner_Full	23.42
n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	22.29
n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	22.13
n66	15	15	1745	DFT	QPSK	Outer_Full	22.41
n66	15	15	1745	DFT	16QAM	Inner_Full	22.46
n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	21.47
n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	21.31
n66	15	15	1745	DFT	16QAM	Outer_Full	21.38
n66	15	15	1745	DFT	64QAM	Inner_Full	20.88
n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	20.66
n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	20.49
n66	15	15	1745	DFT	64QAM	Outer_Full	20.91
n66	15	15	1745	DFT	256QAM	Inner_Full	18.82
n66	15	15	1745	DFT	256QAM	Edge_1RB_Left	19.07
n66	15	15	1745	DFT	256QAM	Edge_1RB_Right	18.89
n66	15	15	1745	DFT	256QAM	Outer_Full	18.83
n66	15	15	1745	CP	QPSK	Inner_Full	21.98
n66	15	15	1745	CP	QPSK	Edge_1RB_Left	20.37
n66	15	15	1745	CP	QPSK	Edge_1RB_Right	20.23
n66	15	15	1745	CP	QPSK	Outer_Full	20.38
n66	15	15	1745	CP	16QAM	Inner_Full	21.42
n66	15	15	1745	CP	16QAM	Edge_1RB_Left	20.46
n66	15	15	1745	CP	16QAM	Edge_1RB_Right	20.27
n66	15	15	1745	CP	16QAM	Outer_Full	20.34
n66	15	15	1745	CP	64QAM	Inner_Full	19.90
n66	15	15	1745	CP	64QAM	Edge_1RB_Left	19.59
n66	15	15	1745	CP	64QAM	Edge_1RB_Right	19.43
n66	15	15	1745	CP	64QAM	Outer_Full	19.88
n66	15	15	1745	CP	256QAM	Inner_Full	17.02

n66	15	15	1745	CP	256QAM	Edge_1RB_Left	17.43
n66	15	15	1745	CP	256QAM	Edge_1RB_Right	17.26
n66	15	15	1745	CP	256QAM	Outer_Full	17.02
n66	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	23.04
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.39
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.30
n66	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	22.46
n66	15	15	1772.5	DFT	QPSK	Inner_Full	23.06
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	21.89
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	21.68
n66	15	15	1772.5	DFT	QPSK	Outer_Full	22.01
n66	15	15	1772.5	DFT	16QAM	Inner_Full	22.05
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	21.09
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	20.91
n66	15	15	1772.5	DFT	16QAM	Outer_Full	20.95
n66	15	15	1772.5	DFT	64QAM	Inner_Full	20.48
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	20.27
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	20.35
n66	15	15	1772.5	DFT	64QAM	Outer_Full	20.48
n66	15	15	1772.5	DFT	256QAM	Inner_Full	18.41
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	18.64
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	18.48
n66	15	15	1772.5	DFT	256QAM	Outer_Full	18.43
n66	15	15	1772.5	CP	QPSK	Inner_Full	21.58
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Left	19.99
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Right	19.79
n66	15	15	1772.5	CP	QPSK	Outer_Full	19.95
n66	15	15	1772.5	CP	16QAM	Inner_Full	21.00
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Left	20.09
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Right	19.82
n66	15	15	1772.5	CP	16QAM	Outer_Full	19.97
n66	15	15	1772.5	CP	64QAM	Inner_Full	19.44
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Left	19.22
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Right	19.02
n66	15	15	1772.5	CP	64QAM	Outer_Full	19.46
n66	15	15	1772.5	CP	256QAM	Inner_Full	16.60
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Left	17.05
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Right	16.82
n66	15	15	1772.5	CP	256QAM	Outer_Full	16.51
n66	20	15	1720	DFT	pi/2 BPSK	Inner_Full	23.20
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	22.39

n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	22.61
n66	20	15	1720	DFT	pi/2 BPSK	Outer_Full	22.70
n66	20	15	1720	DFT	QPSK	Inner_Full	23.27
n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	21.90
n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	22.09
n66	20	15	1720	DFT	QPSK	Outer_Full	22.18
n66	20	15	1720	DFT	16QAM	Inner_Full	22.26
n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	20.98
n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	21.22
n66	20	15	1720	DFT	16QAM	Outer_Full	21.15
n66	20	15	1720	DFT	64QAM	Inner_Full	20.77
n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	20.17
n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	20.46
n66	20	15	1720	DFT	64QAM	Outer_Full	20.71
n66	20	15	1720	DFT	256QAM	Inner_Full	18.67
n66	20	15	1720	DFT	256QAM	Edge_1RB_Left	18.64
n66	20	15	1720	DFT	256QAM	Edge_1RB_Right	18.83
n66	20	15	1720	DFT	256QAM	Outer_Full	18.61
n66	20	15	1720	CP	QPSK	Inner_Full	21.72
n66	20	15	1720	CP	QPSK	Edge_1RB_Left	19.90
n66	20	15	1720	CP	QPSK	Edge_1RB_Right	20.12
n66	20	15	1720	CP	QPSK	Outer_Full	20.12
n66	20	15	1720	CP	16QAM	Inner_Full	21.18
n66	20	15	1720	CP	16QAM	Edge_1RB_Left	19.95
n66	20	15	1720	CP	16QAM	Edge_1RB_Right	20.18
n66	20	15	1720	CP	16QAM	Outer_Full	20.16
n66	20	15	1720	CP	64QAM	Inner_Full	19.63
n66	20	15	1720	CP	64QAM	Edge_1RB_Left	19.13
n66	20	15	1720	CP	64QAM	Edge_1RB_Right	19.40
n66	20	15	1720	CP	64QAM	Outer_Full	19.62
n66	20	15	1720	CP	256QAM	Inner_Full	16.76
n66	20	15	1720	CP	256QAM	Edge_1RB_Left	17.03
n66	20	15	1720	CP	256QAM	Edge_1RB_Right	17.19
n66	20	15	1720	CP	256QAM	Outer_Full	16.75
n66	20	15	1745	DFT	pi/2 BPSK	Inner_Full	23.40
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.79
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.67
n66	20	15	1745	DFT	pi/2 BPSK	Outer_Full	22.86
n66	20	15	1745	DFT	QPSK	Inner_Full	23.45
n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	22.20
n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	22.05

n66	20	15	1745	DFT	QPSK	Outer_Full	22.39
n66	20	15	1745	DFT	16QAM	Inner_Full	22.45
n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	21.37
n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	21.25
n66	20	15	1745	DFT	16QAM	Outer_Full	21.42
n66	20	15	1745	DFT	64QAM	Inner_Full	20.99
n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	20.60
n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	20.48
n66	20	15	1745	DFT	64QAM	Outer_Full	20.92
n66	20	15	1745	DFT	256QAM	Inner_Full	18.85
n66	20	15	1745	DFT	256QAM	Edge_1RB_Left	19.00
n66	20	15	1745	DFT	256QAM	Edge_1RB_Right	18.87
n66	20	15	1745	DFT	256QAM	Outer_Full	18.86
n66	20	15	1745	CP	QPSK	Inner_Full	21.92
n66	20	15	1745	CP	QPSK	Edge_1RB_Left	20.36
n66	20	15	1745	CP	QPSK	Edge_1RB_Right	20.13
n66	20	15	1745	CP	QPSK	Outer_Full	20.36
n66	20	15	1745	CP	16QAM	Inner_Full	21.43
n66	20	15	1745	CP	16QAM	Edge_1RB_Left	20.37
n66	20	15	1745	CP	16QAM	Edge_1RB_Right	19.84
n66	20	15	1745	CP	16QAM	Outer_Full	20.38
n66	20	15	1745	CP	64QAM	Inner_Full	19.82
n66	20	15	1745	CP	64QAM	Edge_1RB_Left	19.55
n66	20	15	1745	CP	64QAM	Edge_1RB_Right	19.34
n66	20	15	1745	CP	64QAM	Outer_Full	19.81
n66	20	15	1745	CP	256QAM	Inner_Full	17.03
n66	20	15	1745	CP	256QAM	Edge_1RB_Left	17.34
n66	20	15	1745	CP	256QAM	Edge_1RB_Right	17.14
n66	20	15	1745	CP	256QAM	Outer_Full	16.97
n66	20	15	1770	DFT	pi/2 BPSK	Inner_Full	23.07
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	22.54
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	22.33
n66	20	15	1770	DFT	pi/2 BPSK	Outer_Full	22.55
n66	20	15	1770	DFT	QPSK	Inner_Full	23.08
n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	21.93
n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	21.65
n66	20	15	1770	DFT	QPSK	Outer_Full	22.07
n66	20	15	1770	DFT	16QAM	Inner_Full	22.13
n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	21.13
n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	20.89
n66	20	15	1770	DFT	16QAM	Outer_Full	21.07

n66	20	15	1770	DFT	64QAM	Inner_Full	20.62
n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	20.33
n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	20.09
n66	20	15	1770	DFT	64QAM	Outer_Full	20.65
n66	20	15	1770	DFT	256QAM	Inner_Full	18.57
n66	20	15	1770	DFT	256QAM	Edge_1RB_Left	18.69
n66	20	15	1770	DFT	256QAM	Edge_1RB_Right	18.40
n66	20	15	1770	DFT	256QAM	Outer_Full	18.50
n66	20	15	1770	CP	QPSK	Inner_Full	21.55
n66	20	15	1770	CP	QPSK	Edge_1RB_Left	20.07
n66	20	15	1770	CP	QPSK	Edge_1RB_Right	19.73
n66	20	15	1770	CP	QPSK	Outer_Full	20.00
n66	20	15	1770	CP	16QAM	Inner_Full	21.01
n66	20	15	1770	CP	16QAM	Edge_1RB_Left	20.08
n66	20	15	1770	CP	16QAM	Edge_1RB_Right	19.74
n66	20	15	1770	CP	16QAM	Outer_Full	20.02
n66	20	15	1770	CP	64QAM	Inner_Full	19.51
n66	20	15	1770	CP	64QAM	Edge_1RB_Left	19.25
n66	20	15	1770	CP	64QAM	Edge_1RB_Right	18.97
n66	20	15	1770	CP	64QAM	Outer_Full	19.50
n66	20	15	1770	CP	256QAM	Inner_Full	16.63
n66	20	15	1770	CP	256QAM	Edge_1RB_Left	17.06
n66	20	15	1770	CP	256QAM	Edge_1RB_Right	16.77
n66	20	15	1770	CP	256QAM	Outer_Full	16.59
n66	30	15	1725	DFT	pi/2 BPSK	Inner_Full	23.33
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Left	22.30
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Right	22.68
n66	30	15	1725	DFT	pi/2 BPSK	Outer_Full	22.72
n66	30	15	1725	DFT	QPSK	Inner_Full	23.36
n66	30	15	1725	DFT	QPSK	Edge_1RB_Left	21.71
n66	30	15	1725	DFT	QPSK	Edge_1RB_Right	22.02
n66	30	15	1725	DFT	QPSK	Outer_Full	22.22
n66	30	15	1725	DFT	16QAM	Inner_Full	22.39
n66	30	15	1725	DFT	16QAM	Edge_1RB_Left	20.89
n66	30	15	1725	DFT	16QAM	Edge_1RB_Right	21.16
n66	30	15	1725	DFT	16QAM	Outer_Full	21.28
n66	30	15	1725	DFT	64QAM	Inner_Full	20.90
n66	30	15	1725	DFT	64QAM	Edge_1RB_Left	20.09
n66	30	15	1725	DFT	64QAM	Edge_1RB_Right	20.42
n66	30	15	1725	DFT	64QAM	Outer_Full	20.80
n66	30	15	1725	DFT	256QAM	Inner_Full	18.73

n66	30	15	1725	DFT	256QAM	Edge_1RB_Left	18.49
n66	30	15	1725	DFT	256QAM	Edge_1RB_Right	18.82
n66	30	15	1725	DFT	256QAM	Outer_Full	18.69
n66	30	15	1725	CP	QPSK	Inner_Full	21.82
n66	30	15	1725	CP	QPSK	Edge_1RB_Left	19.86
n66	30	15	1725	CP	QPSK	Edge_1RB_Right	20.17
n66	30	15	1725	CP	QPSK	Outer_Full	20.22
n66	30	15	1725	CP	16QAM	Inner_Full	21.33
n66	30	15	1725	CP	16QAM	Edge_1RB_Left	19.90
n66	30	15	1725	CP	16QAM	Edge_1RB_Right	20.19
n66	30	15	1725	CP	16QAM	Outer_Full	20.23
n66	30	15	1725	CP	64QAM	Inner_Full	19.84
n66	30	15	1725	CP	64QAM	Edge_1RB_Left	19.10
n66	30	15	1725	CP	64QAM	Edge_1RB_Right	19.34
n66	30	15	1725	CP	64QAM	Outer_Full	19.75
n66	30	15	1725	CP	256QAM	Inner_Full	16.87
n66	30	15	1725	CP	256QAM	Edge_1RB_Left	16.93
n66	30	15	1725	CP	256QAM	Edge_1RB_Right	17.16
n66	30	15	1725	CP	256QAM	Outer_Full	16.79
n66	30	15	1745	DFT	pi/2 BPSK	Inner_Full	23.42
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.54
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.48
n66	30	15	1745	DFT	pi/2 BPSK	Outer_Full	22.84
n66	30	15	1745	DFT	QPSK	Inner_Full	23.45
n66	30	15	1745	DFT	QPSK	Edge_1RB_Left	22.02
n66	30	15	1745	DFT	QPSK	Edge_1RB_Right	21.85
n66	30	15	1745	DFT	QPSK	Outer_Full	22.35
n66	30	15	1745	DFT	16QAM	Inner_Full	22.49
n66	30	15	1745	DFT	16QAM	Edge_1RB_Left	21.17
n66	30	15	1745	DFT	16QAM	Edge_1RB_Right	21.01
n66	30	15	1745	DFT	16QAM	Outer_Full	21.39
n66	30	15	1745	DFT	64QAM	Inner_Full	20.96
n66	30	15	1745	DFT	64QAM	Edge_1RB_Left	20.42
n66	30	15	1745	DFT	64QAM	Edge_1RB_Right	20.19
n66	30	15	1745	DFT	64QAM	Outer_Full	20.84
n66	30	15	1745	DFT	256QAM	Inner_Full	18.84
n66	30	15	1745	DFT	256QAM	Edge_1RB_Left	18.76
n66	30	15	1745	DFT	256QAM	Edge_1RB_Right	18.65
n66	30	15	1745	DFT	256QAM	Outer_Full	18.84
n66	30	15	1745	CP	QPSK	Inner_Full	21.91
n66	30	15	1745	CP	QPSK	Edge_1RB_Left	20.11

n66	30	15	1745	CP	QPSK	Edge_1RB_Right	19.99
n66	30	15	1745	CP	QPSK	Outer_Full	20.30
n66	30	15	1745	CP	16QAM	Inner_Full	21.48
n66	30	15	1745	CP	16QAM	Edge_1RB_Left	20.17
n66	30	15	1745	CP	16QAM	Edge_1RB_Right	20.08
n66	30	15	1745	CP	16QAM	Outer_Full	20.37
n66	30	15	1745	CP	64QAM	Inner_Full	19.92
n66	30	15	1745	CP	64QAM	Edge_1RB_Left	19.34
n66	30	15	1745	CP	64QAM	Edge_1RB_Right	19.20
n66	30	15	1745	CP	64QAM	Outer_Full	19.82
n66	30	15	1745	CP	256QAM	Inner_Full	17.00
n66	30	15	1745	CP	256QAM	Edge_1RB_Left	17.19
n66	30	15	1745	CP	256QAM	Edge_1RB_Right	17.03
n66	30	15	1745	CP	256QAM	Outer_Full	16.87
n66	30	15	1765	DFT	pi/2 BPSK	Inner_Full	23.21
n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Left	22.48
n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Right	22.21
n66	30	15	1765	DFT	pi/2 BPSK	Outer_Full	22.64
n66	30	15	1765	DFT	QPSK	Inner_Full	23.20
n66	30	15	1765	DFT	QPSK	Edge_1RB_Left	21.96
n66	30	15	1765	DFT	QPSK	Edge_1RB_Right	21.56
n66	30	15	1765	DFT	QPSK	Outer_Full	22.12
n66	30	15	1765	DFT	16QAM	Inner_Full	22.26
n66	30	15	1765	DFT	16QAM	Edge_1RB_Left	21.08
n66	30	15	1765	DFT	16QAM	Edge_1RB_Right	20.70
n66	30	15	1765	DFT	16QAM	Outer_Full	21.15
n66	30	15	1765	DFT	64QAM	Inner_Full	20.73
n66	30	15	1765	DFT	64QAM	Edge_1RB_Left	20.36
n66	30	15	1765	DFT	64QAM	Edge_1RB_Right	19.99
n66	30	15	1765	DFT	64QAM	Outer_Full	20.68
n66	30	15	1765	DFT	256QAM	Inner_Full	18.62
n66	30	15	1765	DFT	256QAM	Edge_1RB_Left	18.73
n66	30	15	1765	DFT	256QAM	Edge_1RB_Right	18.28
n66	30	15	1765	DFT	256QAM	Outer_Full	18.57
n66	30	15	1765	CP	QPSK	Inner_Full	21.65
n66	30	15	1765	CP	QPSK	Edge_1RB_Left	20.08
n66	30	15	1765	CP	QPSK	Edge_1RB_Right	19.79
n66	30	15	1765	CP	QPSK	Outer_Full	20.10
n66	30	15	1765	CP	16QAM	Inner_Full	21.18
n66	30	15	1765	CP	16QAM	Edge_1RB_Left	20.16
n66	30	15	1765	CP	16QAM	Edge_1RB_Right	19.79

n66	30	15	1765	CP	16QAM	Outer_Full	20.06
n66	30	15	1765	CP	64QAM	Inner_Full	19.67
n66	30	15	1765	CP	64QAM	Edge_1RB_Left	19.31
n66	30	15	1765	CP	64QAM	Edge_1RB_Right	18.90
n66	30	15	1765	CP	64QAM	Outer_Full	19.62
n66	30	15	1765	CP	256QAM	Inner_Full	16.69
n66	30	15	1765	CP	256QAM	Edge_1RB_Left	17.08
n66	30	15	1765	CP	256QAM	Edge_1RB_Right	16.72
n66	30	15	1765	CP	256QAM	Outer_Full	16.70
n66	40	15	1745	DFT	pi/2 BPSK	Inner_Full	23.38
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.03
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.21
n66	40	15	1745	DFT	pi/2 BPSK	Outer_Full	22.71
n66	40	15	1745	DFT	QPSK	Inner_Full	23.37
n66	40	15	1745	DFT	QPSK	Edge_1RB_Left	21.37
n66	40	15	1745	DFT	QPSK	Edge_1RB_Right	21.61
n66	40	15	1745	DFT	QPSK	Outer_Full	22.20
n66	40	15	1745	DFT	16QAM	Inner_Full	22.38
n66	40	15	1745	DFT	16QAM	Edge_1RB_Left	20.54
n66	40	15	1745	DFT	16QAM	Edge_1RB_Right	20.85
n66	40	15	1745	DFT	16QAM	Outer_Full	21.24
n66	40	15	1745	DFT	64QAM	Inner_Full	20.84
n66	40	15	1745	DFT	64QAM	Edge_1RB_Left	20.09
n66	40	15	1745	DFT	64QAM	Edge_1RB_Right	20.03
n66	40	15	1745	DFT	64QAM	Outer_Full	20.69
n66	40	15	1745	DFT	256QAM	Inner_Full	18.78
n66	40	15	1745	DFT	256QAM	Edge_1RB_Left	18.14
n66	40	15	1745	DFT	256QAM	Edge_1RB_Right	18.43
n66	40	15	1745	DFT	256QAM	Outer_Full	18.73
n66	40	15	1745	CP	QPSK	Inner_Full	21.80
n66	40	15	1745	CP	QPSK	Edge_1RB_Left	19.63
n66	40	15	1745	CP	QPSK	Edge_1RB_Right	19.70
n66	40	15	1745	CP	QPSK	Outer_Full	20.18
n66	40	15	1745	CP	16QAM	Inner_Full	21.34
n66	40	15	1745	CP	16QAM	Edge_1RB_Left	19.59
n66	40	15	1745	CP	16QAM	Edge_1RB_Right	19.82
n66	40	15	1745	CP	16QAM	Outer_Full	20.17
n66	40	15	1745	CP	64QAM	Inner_Full	19.80
n66	40	15	1745	CP	64QAM	Edge_1RB_Left	18.72
n66	40	15	1745	CP	64QAM	Edge_1RB_Right	18.95
n66	40	15	1745	CP	64QAM	Outer_Full	19.67

n66	40	15	1745	CP	256QAM	Inner_Full	16.95
n66	40	15	1745	CP	256QAM	Edge_1RB_Left	16.64
n66	40	15	1745	CP	256QAM	Edge_1RB_Right	16.81
n66	40	15	1745	CP	256QAM	Outer_Full	16.81
n66	40	15	1730	DFT	pi/2 BPSK	Inner_Full	23.26
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Left	22.06
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Right	21.85
n66	40	15	1730	DFT	pi/2 BPSK	Outer_Full	22.63
n66	40	15	1730	DFT	QPSK	Inner_Full	23.33
n66	40	15	1730	DFT	QPSK	Edge_1RB_Left	21.53
n66	40	15	1730	DFT	QPSK	Edge_1RB_Right	21.34
n66	40	15	1730	DFT	QPSK	Outer_Full	22.12
n66	40	15	1730	DFT	16QAM	Inner_Full	22.30
n66	40	15	1730	DFT	16QAM	Edge_1RB_Left	20.35
n66	40	15	1730	DFT	16QAM	Edge_1RB_Right	20.07
n66	40	15	1730	DFT	16QAM	Outer_Full	21.16
n66	40	15	1730	DFT	64QAM	Inner_Full	20.84
n66	40	15	1730	DFT	64QAM	Edge_1RB_Left	19.96
n66	40	15	1730	DFT	64QAM	Edge_1RB_Right	20.12
n66	40	15	1730	DFT	64QAM	Outer_Full	20.66
n66	40	15	1730	DFT	256QAM	Inner_Full	18.71
n66	40	15	1730	DFT	256QAM	Edge_1RB_Left	18.11
n66	40	15	1730	DFT	256QAM	Edge_1RB_Right	17.91
n66	40	15	1730	DFT	256QAM	Outer_Full	18.60
n66	40	15	1730	CP	QPSK	Inner_Full	21.80
n66	40	15	1730	CP	QPSK	Edge_1RB_Left	19.89
n66	40	15	1730	CP	QPSK	Edge_1RB_Right	19.58
n66	40	15	1730	CP	QPSK	Outer_Full	20.11
n66	40	15	1730	CP	16QAM	Inner_Full	21.32
n66	40	15	1730	CP	16QAM	Edge_1RB_Left	19.46
n66	40	15	1730	CP	16QAM	Edge_1RB_Right	19.22
n66	40	15	1730	CP	16QAM	Outer_Full	20.08
n66	40	15	1730	CP	64QAM	Inner_Full	19.72
n66	40	15	1730	CP	64QAM	Edge_1RB_Left	19.23
n66	40	15	1730	CP	64QAM	Edge_1RB_Right	18.99
n66	40	15	1730	CP	64QAM	Outer_Full	19.59
n66	40	15	1730	CP	256QAM	Inner_Full	16.86
n66	40	15	1730	CP	256QAM	Edge_1RB_Left	16.21
n66	40	15	1730	CP	256QAM	Edge_1RB_Right	15.96
n66	40	15	1730	CP	256QAM	Outer_Full	16.69
n66	40	15	1760	DFT	pi/2 BPSK	Inner_Full	23.21

n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Left	22.35
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Right	21.89
n66	40	15	1760	DFT	pi/2 BPSK	Outer_Full	22.51
n66	40	15	1760	DFT	QPSK	Inner_Full	23.23
n66	40	15	1760	DFT	QPSK	Edge_1RB_Left	21.72
n66	40	15	1760	DFT	QPSK	Edge_1RB_Right	21.26
n66	40	15	1760	DFT	QPSK	Outer_Full	22.06
n66	40	15	1760	DFT	16QAM	Inner_Full	22.28
n66	40	15	1760	DFT	16QAM	Edge_1RB_Left	20.93
n66	40	15	1760	DFT	16QAM	Edge_1RB_Right	20.43
n66	40	15	1760	DFT	16QAM	Outer_Full	21.04
n66	40	15	1760	DFT	64QAM	Inner_Full	20.75
n66	40	15	1760	DFT	64QAM	Edge_1RB_Left	20.10
n66	40	15	1760	DFT	64QAM	Edge_1RB_Right	19.62
n66	40	15	1760	DFT	64QAM	Outer_Full	20.55
n66	40	15	1760	DFT	256QAM	Inner_Full	18.64
n66	40	15	1760	DFT	256QAM	Edge_1RB_Left	18.58
n66	40	15	1760	DFT	256QAM	Edge_1RB_Right	18.04
n66	40	15	1760	DFT	256QAM	Outer_Full	18.54
n66	40	15	1760	CP	QPSK	Inner_Full	21.67
n66	40	15	1760	CP	QPSK	Edge_1RB_Left	19.91
n66	40	15	1760	CP	QPSK	Edge_1RB_Right	19.36
n66	40	15	1760	CP	QPSK	Outer_Full	20.01
n66	40	15	1760	CP	16QAM	Inner_Full	21.18
n66	40	15	1760	CP	16QAM	Edge_1RB_Left	19.88
n66	40	15	1760	CP	16QAM	Edge_1RB_Right	19.48
n66	40	15	1760	CP	16QAM	Outer_Full	20.03
n66	40	15	1760	CP	64QAM	Inner_Full	19.72
n66	40	15	1760	CP	64QAM	Edge_1RB_Left	19.07
n66	40	15	1760	CP	64QAM	Edge_1RB_Right	18.65
n66	40	15	1760	CP	64QAM	Outer_Full	19.54
n66	40	15	1760	CP	256QAM	Inner_Full	16.76
n66	40	15	1760	CP	256QAM	Edge_1RB_Left	16.92
n66	40	15	1760	CP	256QAM	Edge_1RB_Right	16.44
n66	40	15	1760	CP	256QAM	Outer_Full	16.61

n71

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n71	5	15	665.5	DFT	pi/2 BPSK	Inner_Full	23.58
n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.15
n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.25
n71	5	15	665.5	DFT	pi/2 BPSK	Outer_Full	23.09
n71	5	15	665.5	DFT	QPSK	Inner_Full	23.63
n71	5	15	665.5	DFT	QPSK	Edge_1RB_Left	22.81
n71	5	15	665.5	DFT	QPSK	Edge_1RB_Right	22.65
n71	5	15	665.5	DFT	QPSK	Outer_Full	22.61
n71	5	15	665.5	DFT	16QAM	Inner_Full	22.79
n71	5	15	665.5	DFT	16QAM	Edge_1RB_Left	21.88
n71	5	15	665.5	DFT	16QAM	Edge_1RB_Right	21.96
n71	5	15	665.5	DFT	16QAM	Outer_Full	21.65
n71	5	15	665.5	DFT	64QAM	Inner_Full	21.28
n71	5	15	665.5	DFT	64QAM	Edge_1RB_Left	21.10
n71	5	15	665.5	DFT	64QAM	Edge_1RB_Right	21.01
n71	5	15	665.5	DFT	64QAM	Outer_Full	21.18
n71	5	15	665.5	DFT	256QAM	Inner_Full	19.33
n71	5	15	665.5	DFT	256QAM	Edge_1RB_Left	19.15
n71	5	15	665.5	DFT	256QAM	Edge_1RB_Right	19.13
n71	5	15	665.5	DFT	256QAM	Outer_Full	19.16
n71	5	15	665.5	CP	QPSK	Inner_Full	22.11
n71	5	15	665.5	CP	QPSK	Edge_1RB_Left	20.73
n71	5	15	665.5	CP	QPSK	Edge_1RB_Right	20.72
n71	5	15	665.5	CP	QPSK	Outer_Full	20.73
n71	5	15	665.5	CP	16QAM	Inner_Full	21.76
n71	5	15	665.5	CP	16QAM	Edge_1RB_Left	20.87
n71	5	15	665.5	CP	16QAM	Edge_1RB_Right	20.85
n71	5	15	665.5	CP	16QAM	Outer_Full	20.67
n71	5	15	665.5	CP	64QAM	Inner_Full	20.26
n71	5	15	665.5	CP	64QAM	Edge_1RB_Left	20.09
n71	5	15	665.5	CP	64QAM	Edge_1RB_Right	19.99
n71	5	15	665.5	CP	64QAM	Outer_Full	20.26
n71	5	15	665.5	CP	256QAM	Inner_Full	17.22
n71	5	15	665.5	CP	256QAM	Edge_1RB_Left	17.75
n71	5	15	665.5	CP	256QAM	Edge_1RB_Right	17.15
n71	5	15	665.5	CP	256QAM	Outer_Full	17.06
n71	5	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.45
n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.04
n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.06

n71	5	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.98
n71	5	15	680.5	DFT	QPSK	Inner_Full	23.51
n71	5	15	680.5	DFT	QPSK	Edge_1RB_Left	22.61
n71	5	15	680.5	DFT	QPSK	Edge_1RB_Right	22.70
n71	5	15	680.5	DFT	QPSK	Outer_Full	22.50
n71	5	15	680.5	DFT	16QAM	Inner_Full	22.69
n71	5	15	680.5	DFT	16QAM	Edge_1RB_Left	21.80
n71	5	15	680.5	DFT	16QAM	Edge_1RB_Right	21.63
n71	5	15	680.5	DFT	16QAM	Outer_Full	21.62
n71	5	15	680.5	DFT	64QAM	Inner_Full	21.21
n71	5	15	680.5	DFT	64QAM	Edge_1RB_Left	21.16
n71	5	15	680.5	DFT	64QAM	Edge_1RB_Right	20.89
n71	5	15	680.5	DFT	64QAM	Outer_Full	21.04
n71	5	15	680.5	DFT	256QAM	Inner_Full	19.21
n71	5	15	680.5	DFT	256QAM	Edge_1RB_Left	18.99
n71	5	15	680.5	DFT	256QAM	Edge_1RB_Right	18.99
n71	5	15	680.5	DFT	256QAM	Outer_Full	19.08
n71	5	15	680.5	CP	QPSK	Inner_Full	22.03
n71	5	15	680.5	CP	QPSK	Edge_1RB_Left	20.62
n71	5	15	680.5	CP	QPSK	Edge_1RB_Right	20.59
n71	5	15	680.5	CP	QPSK	Outer_Full	20.66
n71	5	15	680.5	CP	16QAM	Inner_Full	21.65
n71	5	15	680.5	CP	16QAM	Edge_1RB_Left	20.77
n71	5	15	680.5	CP	16QAM	Edge_1RB_Right	20.78
n71	5	15	680.5	CP	16QAM	Outer_Full	20.56
n71	5	15	680.5	CP	64QAM	Inner_Full	20.11
n71	5	15	680.5	CP	64QAM	Edge_1RB_Left	20.06
n71	5	15	680.5	CP	64QAM	Edge_1RB_Right	19.90
n71	5	15	680.5	CP	64QAM	Outer_Full	20.15
n71	5	15	680.5	CP	256QAM	Inner_Full	17.11
n71	5	15	680.5	CP	256QAM	Edge_1RB_Left	16.93
n71	5	15	680.5	CP	256QAM	Edge_1RB_Right	17.14
n71	5	15	680.5	CP	256QAM	Outer_Full	17.04
n71	5	15	695.5	DFT	pi/2 BPSK	Inner_Full	23.73
n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.23
n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.29
n71	5	15	695.5	DFT	pi/2 BPSK	Outer_Full	23.25
n71	5	15	695.5	DFT	QPSK	Inner_Full	23.75
n71	5	15	695.5	DFT	QPSK	Edge_1RB_Left	22.74
n71	5	15	695.5	DFT	QPSK	Edge_1RB_Right	22.77
n71	5	15	695.5	DFT	QPSK	Outer_Full	22.77

n71	5	15	695.5	DFT	16QAM	Inner_Full	22.81
n71	5	15	695.5	DFT	16QAM	Edge_1RB_Left	21.92
n71	5	15	695.5	DFT	16QAM	Edge_1RB_Right	21.92
n71	5	15	695.5	DFT	16QAM	Outer_Full	21.90
n71	5	15	695.5	DFT	64QAM	Inner_Full	21.38
n71	5	15	695.5	DFT	64QAM	Edge_1RB_Left	21.08
n71	5	15	695.5	DFT	64QAM	Edge_1RB_Right	21.12
n71	5	15	695.5	DFT	64QAM	Outer_Full	21.29
n71	5	15	695.5	DFT	256QAM	Inner_Full	19.44
n71	5	15	695.5	DFT	256QAM	Edge_1RB_Left	19.12
n71	5	15	695.5	DFT	256QAM	Edge_1RB_Right	19.15
n71	5	15	695.5	DFT	256QAM	Outer_Full	19.28
n71	5	15	695.5	CP	QPSK	Inner_Full	22.21
n71	5	15	695.5	CP	QPSK	Edge_1RB_Left	20.82
n71	5	15	695.5	CP	QPSK	Edge_1RB_Right	20.89
n71	5	15	695.5	CP	QPSK	Outer_Full	20.83
n71	5	15	695.5	CP	16QAM	Inner_Full	21.85
n71	5	15	695.5	CP	16QAM	Edge_1RB_Left	21.02
n71	5	15	695.5	CP	16QAM	Edge_1RB_Right	21.04
n71	5	15	695.5	CP	16QAM	Outer_Full	20.81
n71	5	15	695.5	CP	64QAM	Inner_Full	20.34
n71	5	15	695.5	CP	64QAM	Edge_1RB_Left	20.17
n71	5	15	695.5	CP	64QAM	Edge_1RB_Right	20.05
n71	5	15	695.5	CP	64QAM	Outer_Full	20.37
n71	5	15	695.5	CP	256QAM	Inner_Full	17.34
n71	5	15	695.5	CP	256QAM	Edge_1RB_Left	17.32
n71	5	15	695.5	CP	256QAM	Edge_1RB_Right	17.15
n71	5	15	695.5	CP	256QAM	Outer_Full	17.24
n71	10	15	668	DFT	pi/2 BPSK	Inner_Full	23.40
n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Left	23.03
n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Right	22.94
n71	10	15	668	DFT	pi/2 BPSK	Outer_Full	22.87
n71	10	15	668	DFT	QPSK	Inner_Full	23.43
n71	10	15	668	DFT	QPSK	Edge_1RB_Left	22.77
n71	10	15	668	DFT	QPSK	Edge_1RB_Right	22.62
n71	10	15	668	DFT	QPSK	Outer_Full	22.39
n71	10	15	668	DFT	16QAM	Inner_Full	22.50
n71	10	15	668	DFT	16QAM	Edge_1RB_Left	21.80
n71	10	15	668	DFT	16QAM	Edge_1RB_Right	21.72
n71	10	15	668	DFT	16QAM	Outer_Full	21.52
n71	10	15	668	DFT	64QAM	Inner_Full	21.01

n71	10	15	668	DFT	64QAM	Edge_1RB_Left	20.93
n71	10	15	668	DFT	64QAM	Edge_1RB_Right	20.87
n71	10	15	668	DFT	64QAM	Outer_Full	21.00
n71	10	15	668	DFT	256QAM	Inner_Full	18.99
n71	10	15	668	DFT	256QAM	Edge_1RB_Left	19.16
n71	10	15	668	DFT	256QAM	Edge_1RB_Right	19.07
n71	10	15	668	DFT	256QAM	Outer_Full	18.95
n71	10	15	668	CP	QPSK	Inner_Full	21.94
n71	10	15	668	CP	QPSK	Edge_1RB_Left	20.58
n71	10	15	668	CP	QPSK	Edge_1RB_Right	20.61
n71	10	15	668	CP	QPSK	Outer_Full	20.46
n71	10	15	668	CP	16QAM	Inner_Full	21.59
n71	10	15	668	CP	16QAM	Edge_1RB_Left	20.81
n71	10	15	668	CP	16QAM	Edge_1RB_Right	20.92
n71	10	15	668	CP	16QAM	Outer_Full	20.45
n71	10	15	668	CP	64QAM	Inner_Full	20.03
n71	10	15	668	CP	64QAM	Edge_1RB_Left	19.97
n71	10	15	668	CP	64QAM	Edge_1RB_Right	19.88
n71	10	15	668	CP	64QAM	Outer_Full	19.94
n71	10	15	668	CP	256QAM	Inner_Full	16.92
n71	10	15	668	CP	256QAM	Edge_1RB_Left	17.23
n71	10	15	668	CP	256QAM	Edge_1RB_Right	17.38
n71	10	15	668	CP	256QAM	Outer_Full	17.04
n71	10	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.35
n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.89
n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.17
n71	10	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.80
n71	10	15	680.5	DFT	QPSK	Inner_Full	23.39
n71	10	15	680.5	DFT	QPSK	Edge_1RB_Left	22.54
n71	10	15	680.5	DFT	QPSK	Edge_1RB_Right	22.40
n71	10	15	680.5	DFT	QPSK	Outer_Full	22.32
n71	10	15	680.5	DFT	16QAM	Inner_Full	22.40
n71	10	15	680.5	DFT	16QAM	Edge_1RB_Left	21.57
n71	10	15	680.5	DFT	16QAM	Edge_1RB_Right	21.61
n71	10	15	680.5	DFT	16QAM	Outer_Full	21.42
n71	10	15	680.5	DFT	64QAM	Inner_Full	20.81
n71	10	15	680.5	DFT	64QAM	Edge_1RB_Left	20.72
n71	10	15	680.5	DFT	64QAM	Edge_1RB_Right	20.63
n71	10	15	680.5	DFT	64QAM	Outer_Full	20.92
n71	10	15	680.5	DFT	256QAM	Inner_Full	18.94
n71	10	15	680.5	DFT	256QAM	Edge_1RB_Left	18.93

n71	10	15	680.5	DFT	256QAM	Edge_1RB_Right	18.82
n71	10	15	680.5	DFT	256QAM	Outer_Full	18.91
n71	10	15	680.5	CP	QPSK	Inner_Full	21.81
n71	10	15	680.5	CP	QPSK	Edge_1RB_Left	20.46
n71	10	15	680.5	CP	QPSK	Edge_1RB_Right	20.49
n71	10	15	680.5	CP	QPSK	Outer_Full	20.40
n71	10	15	680.5	CP	16QAM	Inner_Full	21.46
n71	10	15	680.5	CP	16QAM	Edge_1RB_Left	20.70
n71	10	15	680.5	CP	16QAM	Edge_1RB_Right	20.67
n71	10	15	680.5	CP	16QAM	Outer_Full	20.38
n71	10	15	680.5	CP	64QAM	Inner_Full	19.92
n71	10	15	680.5	CP	64QAM	Edge_1RB_Left	19.64
n71	10	15	680.5	CP	64QAM	Edge_1RB_Right	19.82
n71	10	15	680.5	CP	64QAM	Outer_Full	19.81
n71	10	15	680.5	CP	256QAM	Inner_Full	16.85
n71	10	15	680.5	CP	256QAM	Edge_1RB_Left	16.97
n71	10	15	680.5	CP	256QAM	Edge_1RB_Right	17.02
n71	10	15	680.5	CP	256QAM	Outer_Full	16.81
n71	10	15	693	DFT	pi/2 BPSK	Inner_Full	23.46
n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Left	22.97
n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Right	23.01
n71	10	15	693	DFT	pi/2 BPSK	Outer_Full	22.95
n71	10	15	693	DFT	QPSK	Inner_Full	23.48
n71	10	15	693	DFT	QPSK	Edge_1RB_Left	22.50
n71	10	15	693	DFT	QPSK	Edge_1RB_Right	22.60
n71	10	15	693	DFT	QPSK	Outer_Full	22.54
n71	10	15	693	DFT	16QAM	Inner_Full	22.58
n71	10	15	693	DFT	16QAM	Edge_1RB_Left	21.69
n71	10	15	693	DFT	16QAM	Edge_1RB_Right	21.67
n71	10	15	693	DFT	16QAM	Outer_Full	21.56
n71	10	15	693	DFT	64QAM	Inner_Full	21.04
n71	10	15	693	DFT	64QAM	Edge_1RB_Left	20.87
n71	10	15	693	DFT	64QAM	Edge_1RB_Right	20.94
n71	10	15	693	DFT	64QAM	Outer_Full	21.12
n71	10	15	693	DFT	256QAM	Inner_Full	19.05
n71	10	15	693	DFT	256QAM	Edge_1RB_Left	19.06
n71	10	15	693	DFT	256QAM	Edge_1RB_Right	19.12
n71	10	15	693	DFT	256QAM	Outer_Full	19.06
n71	10	15	693	CP	QPSK	Inner_Full	22.02
n71	10	15	693	CP	QPSK	Edge_1RB_Left	20.63
n71	10	15	693	CP	QPSK	Edge_1RB_Right	20.65

n71	10	15	693	CP	QPSK	Outer_Full	20.59
n71	10	15	693	CP	16QAM	Inner_Full	21.63
n71	10	15	693	CP	16QAM	Edge_1RB_Left	20.81
n71	10	15	693	CP	16QAM	Edge_1RB_Right	20.76
n71	10	15	693	CP	16QAM	Outer_Full	20.61
n71	10	15	693	CP	64QAM	Inner_Full	20.12
n71	10	15	693	CP	64QAM	Edge_1RB_Left	19.81
n71	10	15	693	CP	64QAM	Edge_1RB_Right	19.95
n71	10	15	693	CP	64QAM	Outer_Full	20.04
n71	10	15	693	CP	256QAM	Inner_Full	17.01
n71	10	15	693	CP	256QAM	Edge_1RB_Left	17.25
n71	10	15	693	CP	256QAM	Edge_1RB_Right	17.34
n71	10	15	693	CP	256QAM	Outer_Full	17.01
n71	15	15	670.5	DFT	pi/2 BPSK	Inner_Full	23.52
n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.00
n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.08
n71	15	15	670.5	DFT	pi/2 BPSK	Outer_Full	23.03
n71	15	15	670.5	DFT	QPSK	Inner_Full	23.62
n71	15	15	670.5	DFT	QPSK	Edge_1RB_Left	22.56
n71	15	15	670.5	DFT	QPSK	Edge_1RB_Right	22.55
n71	15	15	670.5	DFT	QPSK	Outer_Full	22.63
n71	15	15	670.5	DFT	16QAM	Inner_Full	22.39
n71	15	15	670.5	DFT	16QAM	Edge_1RB_Left	21.77
n71	15	15	670.5	DFT	16QAM	Edge_1RB_Right	21.76
n71	15	15	670.5	DFT	16QAM	Outer_Full	21.66
n71	15	15	670.5	DFT	64QAM	Inner_Full	21.16
n71	15	15	670.5	DFT	64QAM	Edge_1RB_Left	20.96
n71	15	15	670.5	DFT	64QAM	Edge_1RB_Right	21.04
n71	15	15	670.5	DFT	64QAM	Outer_Full	21.10
n71	15	15	670.5	DFT	256QAM	Inner_Full	19.13
n71	15	15	670.5	DFT	256QAM	Edge_1RB_Left	19.09
n71	15	15	670.5	DFT	256QAM	Edge_1RB_Right	19.00
n71	15	15	670.5	DFT	256QAM	Outer_Full	19.13
n71	15	15	670.5	CP	QPSK	Inner_Full	22.07
n71	15	15	670.5	CP	QPSK	Edge_1RB_Left	20.69
n71	15	15	670.5	CP	QPSK	Edge_1RB_Right	20.62
n71	15	15	670.5	CP	QPSK	Outer_Full	20.61
n71	15	15	670.5	CP	16QAM	Inner_Full	21.64
n71	15	15	670.5	CP	16QAM	Edge_1RB_Left	20.82
n71	15	15	670.5	CP	16QAM	Edge_1RB_Right	20.88
n71	15	15	670.5	CP	16QAM	Outer_Full	20.64

n71	15	15	670.5	CP	64QAM	Inner_Full	20.02
n71	15	15	670.5	CP	64QAM	Edge_1RB_Left	19.98
n71	15	15	670.5	CP	64QAM	Edge_1RB_Right	19.78
n71	15	15	670.5	CP	64QAM	Outer_Full	20.12
n71	15	15	670.5	CP	256QAM	Inner_Full	17.13
n71	15	15	670.5	CP	256QAM	Edge_1RB_Left	17.07
n71	15	15	670.5	CP	256QAM	Edge_1RB_Right	17.01
n71	15	15	670.5	CP	256QAM	Outer_Full	17.09
n71	15	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.43
n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.01
n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.02
n71	15	15	680.5	DFT	pi/2 BPSK	Outer_Full	23.05
n71	15	15	680.5	DFT	QPSK	Inner_Full	23.51
n71	15	15	680.5	DFT	QPSK	Edge_1RB_Left	22.65
n71	15	15	680.5	DFT	QPSK	Edge_1RB_Right	22.52
n71	15	15	680.5	DFT	QPSK	Outer_Full	22.44
n71	15	15	680.5	DFT	16QAM	Inner_Full	22.46
n71	15	15	680.5	DFT	16QAM	Edge_1RB_Left	21.74
n71	15	15	680.5	DFT	16QAM	Edge_1RB_Right	21.75
n71	15	15	680.5	DFT	16QAM	Outer_Full	21.60
n71	15	15	680.5	DFT	64QAM	Inner_Full	21.12
n71	15	15	680.5	DFT	64QAM	Edge_1RB_Left	20.91
n71	15	15	680.5	DFT	64QAM	Edge_1RB_Right	20.86
n71	15	15	680.5	DFT	64QAM	Outer_Full	21.08
n71	15	15	680.5	DFT	256QAM	Inner_Full	19.02
n71	15	15	680.5	DFT	256QAM	Edge_1RB_Left	18.91
n71	15	15	680.5	DFT	256QAM	Edge_1RB_Right	18.95
n71	15	15	680.5	DFT	256QAM	Outer_Full	19.09
n71	15	15	680.5	CP	QPSK	Inner_Full	21.90
n71	15	15	680.5	CP	QPSK	Edge_1RB_Left	20.58
n71	15	15	680.5	CP	QPSK	Edge_1RB_Right	20.55
n71	15	15	680.5	CP	QPSK	Outer_Full	20.54
n71	15	15	680.5	CP	16QAM	Inner_Full	21.58
n71	15	15	680.5	CP	16QAM	Edge_1RB_Left	20.79
n71	15	15	680.5	CP	16QAM	Edge_1RB_Right	20.80
n71	15	15	680.5	CP	16QAM	Outer_Full	20.57
n71	15	15	680.5	CP	64QAM	Inner_Full	19.95
n71	15	15	680.5	CP	64QAM	Edge_1RB_Left	19.83
n71	15	15	680.5	CP	64QAM	Edge_1RB_Right	19.82
n71	15	15	680.5	CP	64QAM	Outer_Full	20.07
n71	15	15	680.5	CP	256QAM	Inner_Full	17.09

n71	15	15	680.5	CP	256QAM	Edge_1RB_Left	16.89
n71	15	15	680.5	CP	256QAM	Edge_1RB_Right	16.84
n71	15	15	680.5	CP	256QAM	Outer_Full	17.05
n71	15	15	690.5	DFT	pi/2 BPSK	Inner_Full	23.58
n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.91
n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.10
n71	15	15	690.5	DFT	pi/2 BPSK	Outer_Full	23.18
n71	15	15	690.5	DFT	QPSK	Inner_Full	23.60
n71	15	15	690.5	DFT	QPSK	Edge_1RB_Left	22.60
n71	15	15	690.5	DFT	QPSK	Edge_1RB_Right	22.66
n71	15	15	690.5	DFT	QPSK	Outer_Full	22.70
n71	15	15	690.5	DFT	16QAM	Inner_Full	22.59
n71	15	15	690.5	DFT	16QAM	Edge_1RB_Left	21.77
n71	15	15	690.5	DFT	16QAM	Edge_1RB_Right	21.90
n71	15	15	690.5	DFT	16QAM	Outer_Full	21.79
n71	15	15	690.5	DFT	64QAM	Inner_Full	21.24
n71	15	15	690.5	DFT	64QAM	Edge_1RB_Left	20.90
n71	15	15	690.5	DFT	64QAM	Edge_1RB_Right	21.03
n71	15	15	690.5	DFT	64QAM	Outer_Full	21.22
n71	15	15	690.5	DFT	256QAM	Inner_Full	19.16
n71	15	15	690.5	DFT	256QAM	Edge_1RB_Left	18.91
n71	15	15	690.5	DFT	256QAM	Edge_1RB_Right	19.06
n71	15	15	690.5	DFT	256QAM	Outer_Full	19.26
n71	15	15	690.5	CP	QPSK	Inner_Full	22.09
n71	15	15	690.5	CP	QPSK	Edge_1RB_Left	20.59
n71	15	15	690.5	CP	QPSK	Edge_1RB_Right	20.73
n71	15	15	690.5	CP	QPSK	Outer_Full	20.76
n71	15	15	690.5	CP	16QAM	Inner_Full	21.69
n71	15	15	690.5	CP	16QAM	Edge_1RB_Left	20.78
n71	15	15	690.5	CP	16QAM	Edge_1RB_Right	20.96
n71	15	15	690.5	CP	16QAM	Outer_Full	20.83
n71	15	15	690.5	CP	64QAM	Inner_Full	20.13
n71	15	15	690.5	CP	64QAM	Edge_1RB_Left	19.82
n71	15	15	690.5	CP	64QAM	Edge_1RB_Right	19.95
n71	15	15	690.5	CP	64QAM	Outer_Full	20.27
n71	15	15	690.5	CP	256QAM	Inner_Full	17.22
n71	15	15	690.5	CP	256QAM	Edge_1RB_Left	17.51
n71	15	15	690.5	CP	256QAM	Edge_1RB_Right	17.09
n71	15	15	690.5	CP	256QAM	Outer_Full	17.24
n71	20	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.50
n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.09

n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.12
n71	20	15	680.5	DFT	pi/2 BPSK	Outer_Full	23.07
n71	20	15	680.5	DFT	QPSK	Inner_Full	23.66
n71	20	15	680.5	DFT	QPSK	Edge_1RB_Left	22.65
n71	20	15	680.5	DFT	QPSK	Edge_1RB_Right	22.81
n71	20	15	680.5	DFT	QPSK	Outer_Full	22.57
n71	20	15	680.5	DFT	16QAM	Inner_Full	22.57
n71	20	15	680.5	DFT	16QAM	Edge_1RB_Left	21.78
n71	20	15	680.5	DFT	16QAM	Edge_1RB_Right	21.66
n71	20	15	680.5	DFT	16QAM	Outer_Full	21.69
n71	20	15	680.5	DFT	64QAM	Inner_Full	21.15
n71	20	15	680.5	DFT	64QAM	Edge_1RB_Left	21.07
n71	20	15	680.5	DFT	64QAM	Edge_1RB_Right	20.86
n71	20	15	680.5	DFT	64QAM	Outer_Full	21.17
n71	20	15	680.5	DFT	256QAM	Inner_Full	19.08
n71	20	15	680.5	DFT	256QAM	Edge_1RB_Left	19.16
n71	20	15	680.5	DFT	256QAM	Edge_1RB_Right	18.99
n71	20	15	680.5	DFT	256QAM	Outer_Full	19.12
n71	20	15	680.5	CP	QPSK	Inner_Full	22.04
n71	20	15	680.5	CP	QPSK	Edge_1RB_Left	20.67
n71	20	15	680.5	CP	QPSK	Edge_1RB_Right	20.49
n71	20	15	680.5	CP	QPSK	Outer_Full	20.64
n71	20	15	680.5	CP	16QAM	Inner_Full	21.56
n71	20	15	680.5	CP	16QAM	Edge_1RB_Left	20.87
n71	20	15	680.5	CP	16QAM	Edge_1RB_Right	20.78
n71	20	15	680.5	CP	16QAM	Outer_Full	20.65
n71	20	15	680.5	CP	64QAM	Inner_Full	20.11
n71	20	15	680.5	CP	64QAM	Edge_1RB_Left	19.96
n71	20	15	680.5	CP	64QAM	Edge_1RB_Right	19.80
n71	20	15	680.5	CP	64QAM	Outer_Full	20.16
n71	20	15	680.5	CP	256QAM	Inner_Full	17.09
n71	20	15	680.5	CP	256QAM	Edge_1RB_Left	17.12
n71	20	15	680.5	CP	256QAM	Edge_1RB_Right	17.02
n71	20	15	680.5	CP	256QAM	Outer_Full	17.10
n71	20	15	673	DFT	pi/2 BPSK	Inner_Full	23.45
n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Left	22.85
n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Right	23.17
n71	20	15	673	DFT	pi/2 BPSK	Outer_Full	22.81
n71	20	15	673	DFT	QPSK	Inner_Full	23.38
n71	20	15	673	DFT	QPSK	Edge_1RB_Left	22.28
n71	20	15	673	DFT	QPSK	Edge_1RB_Right	22.61

n71	20	15	673	DFT	QPSK	Outer_Full	22.26
n71	20	15	673	DFT	16QAM	Inner_Full	22.39
n71	20	15	673	DFT	16QAM	Edge_1RB_Left	21.46
n71	20	15	673	DFT	16QAM	Edge_1RB_Right	21.85
n71	20	15	673	DFT	16QAM	Outer_Full	21.34
n71	20	15	673	DFT	64QAM	Inner_Full	21.11
n71	20	15	673	DFT	64QAM	Edge_1RB_Left	20.90
n71	20	15	673	DFT	64QAM	Edge_1RB_Right	21.39
n71	20	15	673	DFT	64QAM	Outer_Full	20.74
n71	20	15	673	DFT	256QAM	Inner_Full	18.88
n71	20	15	673	DFT	256QAM	Edge_1RB_Left	19.53
n71	20	15	673	DFT	256QAM	Edge_1RB_Right	19.50
n71	20	15	673	DFT	256QAM	Outer_Full	18.87
n71	20	15	673	CP	QPSK	Inner_Full	21.84
n71	20	15	673	CP	QPSK	Edge_1RB_Left	20.48
n71	20	15	673	CP	QPSK	Edge_1RB_Right	20.54
n71	20	15	673	CP	QPSK	Outer_Full	20.34
n71	20	15	673	CP	16QAM	Inner_Full	21.43
n71	20	15	673	CP	16QAM	Edge_1RB_Left	20.74
n71	20	15	673	CP	16QAM	Edge_1RB_Right	20.82
n71	20	15	673	CP	16QAM	Outer_Full	20.28
n71	20	15	673	CP	64QAM	Inner_Full	19.93
n71	20	15	673	CP	64QAM	Edge_1RB_Left	19.84
n71	20	15	673	CP	64QAM	Edge_1RB_Right	19.81
n71	20	15	673	CP	64QAM	Outer_Full	19.85
n71	20	15	673	CP	256QAM	Inner_Full	16.92
n71	20	15	673	CP	256QAM	Edge_1RB_Left	17.49
n71	20	15	673	CP	256QAM	Edge_1RB_Right	17.51
n71	20	15	673	CP	256QAM	Outer_Full	16.85
n71	20	15	688	DFT	pi/2 BPSK	Inner_Full	23.63
n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Left	23.12
n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Right	23.23
n71	20	15	688	DFT	pi/2 BPSK	Outer_Full	23.19
n71	20	15	688	DFT	QPSK	Inner_Full	23.70
n71	20	15	688	DFT	QPSK	Edge_1RB_Left	22.62
n71	20	15	688	DFT	QPSK	Edge_1RB_Right	22.81
n71	20	15	688	DFT	QPSK	Outer_Full	22.72
n71	20	15	688	DFT	16QAM	Inner_Full	22.67
n71	20	15	688	DFT	16QAM	Edge_1RB_Left	21.71
n71	20	15	688	DFT	16QAM	Edge_1RB_Right	21.84
n71	20	15	688	DFT	16QAM	Outer_Full	21.76

n71	20	15	688	DFT	64QAM	Inner_Full	21.32
n71	20	15	688	DFT	64QAM	Edge_1RB_Left	20.83
n71	20	15	688	DFT	64QAM	Edge_1RB_Right	21.01
n71	20	15	688	DFT	64QAM	Outer_Full	21.32
n71	20	15	688	DFT	256QAM	Inner_Full	19.18
n71	20	15	688	DFT	256QAM	Edge_1RB_Left	19.05
n71	20	15	688	DFT	256QAM	Edge_1RB_Right	19.14
n71	20	15	688	DFT	256QAM	Outer_Full	19.22
n71	20	15	688	CP	QPSK	Inner_Full	22.11
n71	20	15	688	CP	QPSK	Edge_1RB_Left	20.58
n71	20	15	688	CP	QPSK	Edge_1RB_Right	20.68
n71	20	15	688	CP	QPSK	Outer_Full	20.72
n71	20	15	688	CP	16QAM	Inner_Full	21.68
n71	20	15	688	CP	16QAM	Edge_1RB_Left	20.74
n71	20	15	688	CP	16QAM	Edge_1RB_Right	20.85
n71	20	15	688	CP	16QAM	Outer_Full	20.78
n71	20	15	688	CP	64QAM	Inner_Full	20.22
n71	20	15	688	CP	64QAM	Edge_1RB_Left	19.71
n71	20	15	688	CP	64QAM	Edge_1RB_Right	19.87
n71	20	15	688	CP	64QAM	Outer_Full	20.26
n71	20	15	688	CP	256QAM	Inner_Full	17.25
n71	20	15	688	CP	256QAM	Edge_1RB_Left	17.05
n71	20	15	688	CP	256QAM	Edge_1RB_Right	17.68
n71	20	15	688	CP	256QAM	Outer_Full	17.33

n77L

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	10	30	3455.01	DFT	pi/2 BPSK	Inner_Full	27.12
n77L	10	30	3455.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.50
n77L	10	30	3455.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.42
n77L	10	30	3455.01	DFT	pi/2 BPSK	Outer_Full	26.65
n77L	10	30	3455.01	DFT	QPSK	Inner_Full	27.18
n77L	10	30	3455.01	DFT	QPSK	Edge_1RB_Left	23.59
n77L	10	30	3455.01	DFT	QPSK	Edge_1RB_Right	23.46
n77L	10	30	3455.01	DFT	QPSK	Outer_Full	26.07
n77L	10	30	3455.01	DFT	16QAM	Inner_Full	26.01
n77L	10	30	3455.01	DFT	16QAM	Edge_1RB_Left	23.12
n77L	10	30	3455.01	DFT	16QAM	Edge_1RB_Right	23.04
n77L	10	30	3455.01	DFT	16QAM	Outer_Full	25.05
n77L	10	30	3455.01	DFT	64QAM	Inner_Full	24.52
n77L	10	30	3455.01	DFT	64QAM	Edge_1RB_Left	23.44
n77L	10	30	3455.01	DFT	64QAM	Edge_1RB_Right	23.33
n77L	10	30	3455.01	DFT	64QAM	Outer_Full	24.56
n77L	10	30	3455.01	DFT	256QAM	Inner_Full	22.48
n77L	10	30	3455.01	DFT	256QAM	Edge_1RB_Left	22.66
n77L	10	30	3455.01	DFT	256QAM	Edge_1RB_Right	22.46
n77L	10	30	3455.01	DFT	256QAM	Outer_Full	22.50
n77L	10	30	3455.01	CP	QPSK	Inner_Full	25.42
n77L	10	30	3455.01	CP	QPSK	Edge_1RB_Left	23.34
n77L	10	30	3455.01	CP	QPSK	Edge_1RB_Right	23.35
n77L	10	30	3455.01	CP	QPSK	Outer_Full	24.06
n77L	10	30	3455.01	CP	16QAM	Inner_Full	24.95
n77L	10	30	3455.01	CP	16QAM	Edge_1RB_Left	23.45
n77L	10	30	3455.01	CP	16QAM	Edge_1RB_Right	23.26
n77L	10	30	3455.01	CP	16QAM	Outer_Full	24.00
n77L	10	30	3455.01	CP	64QAM	Inner_Full	23.51
n77L	10	30	3455.01	CP	64QAM	Edge_1RB_Left	23.38
n77L	10	30	3455.01	CP	64QAM	Edge_1RB_Right	23.25
n77L	10	30	3455.01	CP	64QAM	Outer_Full	23.49
n77L	10	30	3455.01	CP	256QAM	Inner_Full	20.58
n77L	10	30	3455.01	CP	256QAM	Edge_1RB_Left	20.44
n77L	10	30	3455.01	CP	256QAM	Edge_1RB_Right	20.39
n77L	10	30	3455.01	CP	256QAM	Outer_Full	20.59
n77L	10	30	3500.01	DFT	pi/2 BPSK	Inner_Full	26.92
n77L	10	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.29
n77L	10	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.28

n77L	10	30	3500.01	DFT	pi/2 BPSK	Outer_Full	26.43
n77L	10	30	3500.01	DFT	QPSK	Inner_Full	27.03
n77L	10	30	3500.01	DFT	QPSK	Edge_1RB_Left	23.32
n77L	10	30	3500.01	DFT	QPSK	Edge_1RB_Right	23.34
n77L	10	30	3500.01	DFT	QPSK	Outer_Full	26.04
n77L	10	30	3500.01	DFT	16QAM	Inner_Full	26.00
n77L	10	30	3500.01	DFT	16QAM	Edge_1RB_Left	23.17
n77L	10	30	3500.01	DFT	16QAM	Edge_1RB_Right	23.24
n77L	10	30	3500.01	DFT	16QAM	Outer_Full	24.99
n77L	10	30	3500.01	DFT	64QAM	Inner_Full	24.50
n77L	10	30	3500.01	DFT	64QAM	Edge_1RB_Left	23.34
n77L	10	30	3500.01	DFT	64QAM	Edge_1RB_Right	23.44
n77L	10	30	3500.01	DFT	64QAM	Outer_Full	24.56
n77L	10	30	3500.01	DFT	256QAM	Inner_Full	22.44
n77L	10	30	3500.01	DFT	256QAM	Edge_1RB_Left	22.46
n77L	10	30	3500.01	DFT	256QAM	Edge_1RB_Right	22.66
n77L	10	30	3500.01	DFT	256QAM	Outer_Full	22.47
n77L	10	30	3500.01	CP	QPSK	Inner_Full	25.34
n77L	10	30	3500.01	CP	QPSK	Edge_1RB_Left	23.32
n77L	10	30	3500.01	CP	QPSK	Edge_1RB_Right	23.28
n77L	10	30	3500.01	CP	QPSK	Outer_Full	23.89
n77L	10	30	3500.01	CP	16QAM	Inner_Full	24.85
n77L	10	30	3500.01	CP	16QAM	Edge_1RB_Left	23.18
n77L	10	30	3500.01	CP	16QAM	Edge_1RB_Right	23.35
n77L	10	30	3500.01	CP	16QAM	Outer_Full	23.90
n77L	10	30	3500.01	CP	64QAM	Inner_Full	23.54
n77L	10	30	3500.01	CP	64QAM	Edge_1RB_Left	23.21
n77L	10	30	3500.01	CP	64QAM	Edge_1RB_Right	23.08
n77L	10	30	3500.01	CP	64QAM	Outer_Full	23.36
n77L	10	30	3500.01	CP	256QAM	Inner_Full	20.44
n77L	10	30	3500.01	CP	256QAM	Edge_1RB_Left	20.28
n77L	10	30	3500.01	CP	256QAM	Edge_1RB_Right	20.36
n77L	10	30	3500.01	CP	256QAM	Outer_Full	20.39
n77L	10	30	3544.98	DFT	pi/2 BPSK	Inner_Full	26.92
n77L	10	30	3544.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.14
n77L	10	30	3544.98	DFT	pi/2 BPSK	Edge_1RB_Right	23.42
n77L	10	30	3544.98	DFT	pi/2 BPSK	Outer_Full	26.40
n77L	10	30	3544.98	DFT	QPSK	Inner_Full	26.97
n77L	10	30	3544.98	DFT	QPSK	Edge_1RB_Left	23.26
n77L	10	30	3544.98	DFT	QPSK	Edge_1RB_Right	23.50
n77L	10	30	3544.98	DFT	QPSK	Outer_Full	26.04

n77L	10	30	3544.98	DFT	16QAM	Inner_Full	25.98
n77L	10	30	3544.98	DFT	16QAM	Edge_1RB_Left	23.05
n77L	10	30	3544.98	DFT	16QAM	Edge_1RB_Right	23.33
n77L	10	30	3544.98	DFT	16QAM	Outer_Full	24.98
n77L	10	30	3544.98	DFT	64QAM	Inner_Full	24.56
n77L	10	30	3544.98	DFT	64QAM	Edge_1RB_Left	23.52
n77L	10	30	3544.98	DFT	64QAM	Edge_1RB_Right	23.69
n77L	10	30	3544.98	DFT	64QAM	Outer_Full	24.41
n77L	10	30	3544.98	DFT	256QAM	Inner_Full	22.44
n77L	10	30	3544.98	DFT	256QAM	Edge_1RB_Left	22.03
n77L	10	30	3544.98	DFT	256QAM	Edge_1RB_Right	22.31
n77L	10	30	3544.98	DFT	256QAM	Outer_Full	22.39
n77L	10	30	3544.98	CP	QPSK	Inner_Full	25.40
n77L	10	30	3544.98	CP	QPSK	Edge_1RB_Left	23.24
n77L	10	30	3544.98	CP	QPSK	Edge_1RB_Right	23.41
n77L	10	30	3544.98	CP	QPSK	Outer_Full	23.96
n77L	10	30	3544.98	CP	16QAM	Inner_Full	24.88
n77L	10	30	3544.98	CP	16QAM	Edge_1RB_Left	23.29
n77L	10	30	3544.98	CP	16QAM	Edge_1RB_Right	23.54
n77L	10	30	3544.98	CP	16QAM	Outer_Full	23.90
n77L	10	30	3544.98	CP	64QAM	Inner_Full	23.47
n77L	10	30	3544.98	CP	64QAM	Edge_1RB_Left	23.16
n77L	10	30	3544.98	CP	64QAM	Edge_1RB_Right	23.38
n77L	10	30	3544.98	CP	64QAM	Outer_Full	23.44
n77L	10	30	3544.98	CP	256QAM	Inner_Full	20.33
n77L	10	30	3544.98	CP	256QAM	Edge_1RB_Left	19.98
n77L	10	30	3544.98	CP	256QAM	Edge_1RB_Right	20.25
n77L	10	30	3544.98	CP	256QAM	Outer_Full	20.35
n77L	15	30	3457.5	DFT	pi/2 BPSK	Inner_Full	27.01
n77L	15	30	3457.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.43
n77L	15	30	3457.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.17
n77L	15	30	3457.5	DFT	pi/2 BPSK	Outer_Full	26.62
n77L	15	30	3457.5	DFT	QPSK	Inner_Full	27.02
n77L	15	30	3457.5	DFT	QPSK	Edge_1RB_Left	23.43
n77L	15	30	3457.5	DFT	QPSK	Edge_1RB_Right	23.33
n77L	15	30	3457.5	DFT	QPSK	Outer_Full	26.04
n77L	15	30	3457.5	DFT	16QAM	Inner_Full	26.15
n77L	15	30	3457.5	DFT	16QAM	Edge_1RB_Left	23.16
n77L	15	30	3457.5	DFT	16QAM	Edge_1RB_Right	22.98
n77L	15	30	3457.5	DFT	16QAM	Outer_Full	25.05
n77L	15	30	3457.5	DFT	64QAM	Inner_Full	24.56

n77L	15	30	3457.5	DFT	64QAM	Edge_1RB_Left	23.59
n77L	15	30	3457.5	DFT	64QAM	Edge_1RB_Right	23.29
n77L	15	30	3457.5	DFT	64QAM	Outer_Full	24.58
n77L	15	30	3457.5	DFT	256QAM	Inner_Full	22.55
n77L	15	30	3457.5	DFT	256QAM	Edge_1RB_Left	22.52
n77L	15	30	3457.5	DFT	256QAM	Edge_1RB_Right	22.61
n77L	15	30	3457.5	DFT	256QAM	Outer_Full	22.55
n77L	15	30	3457.5	CP	QPSK	Inner_Full	25.48
n77L	15	30	3457.5	CP	QPSK	Edge_1RB_Left	23.41
n77L	15	30	3457.5	CP	QPSK	Edge_1RB_Right	23.29
n77L	15	30	3457.5	CP	QPSK	Outer_Full	24.00
n77L	15	30	3457.5	CP	16QAM	Inner_Full	24.98
n77L	15	30	3457.5	CP	16QAM	Edge_1RB_Left	23.09
n77L	15	30	3457.5	CP	16QAM	Edge_1RB_Right	23.18
n77L	15	30	3457.5	CP	16QAM	Outer_Full	23.97
n77L	15	30	3457.5	CP	64QAM	Inner_Full	23.56
n77L	15	30	3457.5	CP	64QAM	Edge_1RB_Left	23.42
n77L	15	30	3457.5	CP	64QAM	Edge_1RB_Right	23.12
n77L	15	30	3457.5	CP	64QAM	Outer_Full	23.50
n77L	15	30	3457.5	CP	256QAM	Inner_Full	20.49
n77L	15	30	3457.5	CP	256QAM	Edge_1RB_Left	20.54
n77L	15	30	3457.5	CP	256QAM	Edge_1RB_Right	20.29
n77L	15	30	3457.5	CP	256QAM	Outer_Full	20.41
n77L	15	30	3500.01	DFT	pi/2 BPSK	Inner_Full	26.99
n77L	15	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.27
n77L	15	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.30
n77L	15	30	3500.01	DFT	pi/2 BPSK	Outer_Full	26.48
n77L	15	30	3500.01	DFT	QPSK	Inner_Full	26.99
n77L	15	30	3500.01	DFT	QPSK	Edge_1RB_Left	23.27
n77L	15	30	3500.01	DFT	QPSK	Edge_1RB_Right	23.35
n77L	15	30	3500.01	DFT	QPSK	Outer_Full	25.99
n77L	15	30	3500.01	DFT	16QAM	Inner_Full	26.08
n77L	15	30	3500.01	DFT	16QAM	Edge_1RB_Left	23.18
n77L	15	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.96
n77L	15	30	3500.01	DFT	16QAM	Outer_Full	25.01
n77L	15	30	3500.01	DFT	64QAM	Inner_Full	24.49
n77L	15	30	3500.01	DFT	64QAM	Edge_1RB_Left	23.31
n77L	15	30	3500.01	DFT	64QAM	Edge_1RB_Right	23.32
n77L	15	30	3500.01	DFT	64QAM	Outer_Full	24.53
n77L	15	30	3500.01	DFT	256QAM	Inner_Full	22.50
n77L	15	30	3500.01	DFT	256QAM	Edge_1RB_Left	22.48

n77L	15	30	3500.01	DFT	256QAM	Edge_1RB_Right	22.50
n77L	15	30	3500.01	DFT	256QAM	Outer_Full	22.42
n77L	15	30	3500.01	CP	QPSK	Inner_Full	25.35
n77L	15	30	3500.01	CP	QPSK	Edge_1RB_Left	23.24
n77L	15	30	3500.01	CP	QPSK	Edge_1RB_Right	23.29
n77L	15	30	3500.01	CP	QPSK	Outer_Full	23.95
n77L	15	30	3500.01	CP	16QAM	Inner_Full	24.93
n77L	15	30	3500.01	CP	16QAM	Edge_1RB_Left	22.94
n77L	15	30	3500.01	CP	16QAM	Edge_1RB_Right	22.98
n77L	15	30	3500.01	CP	16QAM	Outer_Full	23.93
n77L	15	30	3500.01	CP	64QAM	Inner_Full	23.49
n77L	15	30	3500.01	CP	64QAM	Edge_1RB_Left	22.97
n77L	15	30	3500.01	CP	64QAM	Edge_1RB_Right	23.14
n77L	15	30	3500.01	CP	64QAM	Outer_Full	23.40
n77L	15	30	3500.01	CP	256QAM	Inner_Full	20.42
n77L	15	30	3500.01	CP	256QAM	Edge_1RB_Left	20.18
n77L	15	30	3500.01	CP	256QAM	Edge_1RB_Right	20.57
n77L	15	30	3500.01	CP	256QAM	Outer_Full	20.37
n77L	15	30	3542.49	DFT	pi/2 BPSK	Inner_Full	26.77
n77L	15	30	3542.49	DFT	pi/2 BPSK	Edge_1RB_Left	22.96
n77L	15	30	3542.49	DFT	pi/2 BPSK	Edge_1RB_Right	23.40
n77L	15	30	3542.49	DFT	pi/2 BPSK	Outer_Full	26.32
n77L	15	30	3542.49	DFT	QPSK	Inner_Full	26.78
n77L	15	30	3542.49	DFT	QPSK	Edge_1RB_Left	22.96
n77L	15	30	3542.49	DFT	QPSK	Edge_1RB_Right	23.43
n77L	15	30	3542.49	DFT	QPSK	Outer_Full	25.81
n77L	15	30	3542.49	DFT	16QAM	Inner_Full	25.92
n77L	15	30	3542.49	DFT	16QAM	Edge_1RB_Left	22.93
n77L	15	30	3542.49	DFT	16QAM	Edge_1RB_Right	23.41
n77L	15	30	3542.49	DFT	16QAM	Outer_Full	24.92
n77L	15	30	3542.49	DFT	64QAM	Inner_Full	24.32
n77L	15	30	3542.49	DFT	64QAM	Edge_1RB_Left	23.20
n77L	15	30	3542.49	DFT	64QAM	Edge_1RB_Right	23.42
n77L	15	30	3542.49	DFT	64QAM	Outer_Full	24.38
n77L	15	30	3542.49	DFT	256QAM	Inner_Full	22.34
n77L	15	30	3542.49	DFT	256QAM	Edge_1RB_Left	22.37
n77L	15	30	3542.49	DFT	256QAM	Edge_1RB_Right	22.62
n77L	15	30	3542.49	DFT	256QAM	Outer_Full	22.30
n77L	15	30	3542.49	CP	QPSK	Inner_Full	25.18
n77L	15	30	3542.49	CP	QPSK	Edge_1RB_Left	22.86
n77L	15	30	3542.49	CP	QPSK	Edge_1RB_Right	23.47

n77L	15	30	3542.49	CP	QPSK	Outer_Full	23.86
n77L	15	30	3542.49	CP	16QAM	Inner_Full	24.79
n77L	15	30	3542.49	CP	16QAM	Edge_1RB_Left	22.79
n77L	15	30	3542.49	CP	16QAM	Edge_1RB_Right	23.16
n77L	15	30	3542.49	CP	16QAM	Outer_Full	23.80
n77L	15	30	3542.49	CP	64QAM	Inner_Full	23.31
n77L	15	30	3542.49	CP	64QAM	Edge_1RB_Left	22.63
n77L	15	30	3542.49	CP	64QAM	Edge_1RB_Right	23.21
n77L	15	30	3542.49	CP	64QAM	Outer_Full	23.30
n77L	15	30	3542.49	CP	256QAM	Inner_Full	20.34
n77L	15	30	3542.49	CP	256QAM	Edge_1RB_Left	19.86
n77L	15	30	3542.49	CP	256QAM	Edge_1RB_Right	20.39
n77L	15	30	3542.49	CP	256QAM	Outer_Full	20.18
n77L	20	30	3460.02	DFT	pi/2 BPSK	Inner_Full	27.03
n77L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.29
n77L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.16
n77L	20	30	3460.02	DFT	pi/2 BPSK	Outer_Full	26.46
n77L	20	30	3460.02	DFT	QPSK	Inner_Full	27.06
n77L	20	30	3460.02	DFT	QPSK	Edge_1RB_Left	23.40
n77L	20	30	3460.02	DFT	QPSK	Edge_1RB_Right	23.17
n77L	20	30	3460.02	DFT	QPSK	Outer_Full	26.06
n77L	20	30	3460.02	DFT	16QAM	Inner_Full	26.04
n77L	20	30	3460.02	DFT	16QAM	Edge_1RB_Left	23.14
n77L	20	30	3460.02	DFT	16QAM	Edge_1RB_Right	23.03
n77L	20	30	3460.02	DFT	16QAM	Outer_Full	25.05
n77L	20	30	3460.02	DFT	64QAM	Inner_Full	24.55
n77L	20	30	3460.02	DFT	64QAM	Edge_1RB_Left	23.39
n77L	20	30	3460.02	DFT	64QAM	Edge_1RB_Right	23.14
n77L	20	30	3460.02	DFT	64QAM	Outer_Full	24.57
n77L	20	30	3460.02	DFT	256QAM	Inner_Full	22.55
n77L	20	30	3460.02	DFT	256QAM	Edge_1RB_Left	22.67
n77L	20	30	3460.02	DFT	256QAM	Edge_1RB_Right	22.59
n77L	20	30	3460.02	DFT	256QAM	Outer_Full	22.47
n77L	20	30	3460.02	CP	QPSK	Inner_Full	25.50
n77L	20	30	3460.02	CP	QPSK	Edge_1RB_Left	23.39
n77L	20	30	3460.02	CP	QPSK	Edge_1RB_Right	23.25
n77L	20	30	3460.02	CP	QPSK	Outer_Full	23.97
n77L	20	30	3460.02	CP	16QAM	Inner_Full	24.92
n77L	20	30	3460.02	CP	16QAM	Edge_1RB_Left	23.58
n77L	20	30	3460.02	CP	16QAM	Edge_1RB_Right	23.47
n77L	20	30	3460.02	CP	16QAM	Outer_Full	23.95

n77L	20	30	3460.02	CP	64QAM	Inner_Full	23.46
n77L	20	30	3460.02	CP	64QAM	Edge_1RB_Left	23.51
n77L	20	30	3460.02	CP	64QAM	Edge_1RB_Right	23.44
n77L	20	30	3460.02	CP	64QAM	Outer_Full	23.45
n77L	20	30	3460.02	CP	256QAM	Inner_Full	20.49
n77L	20	30	3460.02	CP	256QAM	Edge_1RB_Left	20.35
n77L	20	30	3460.02	CP	256QAM	Edge_1RB_Right	20.29
n77L	20	30	3460.02	CP	256QAM	Outer_Full	20.39
n77L	20	30	3500.01	DFT	pi/2 BPSK	Inner_Full	26.99
n77L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.23
n77L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.19
n77L	20	30	3500.01	DFT	pi/2 BPSK	Outer_Full	26.40
n77L	20	30	3500.01	DFT	QPSK	Inner_Full	27.03
n77L	20	30	3500.01	DFT	QPSK	Edge_1RB_Left	23.27
n77L	20	30	3500.01	DFT	QPSK	Edge_1RB_Right	23.22
n77L	20	30	3500.01	DFT	QPSK	Outer_Full	25.96
n77L	20	30	3500.01	DFT	16QAM	Inner_Full	25.99
n77L	20	30	3500.01	DFT	16QAM	Edge_1RB_Left	23.07
n77L	20	30	3500.01	DFT	16QAM	Edge_1RB_Right	23.21
n77L	20	30	3500.01	DFT	16QAM	Outer_Full	25.02
n77L	20	30	3500.01	DFT	64QAM	Inner_Full	24.49
n77L	20	30	3500.01	DFT	64QAM	Edge_1RB_Left	23.45
n77L	20	30	3500.01	DFT	64QAM	Edge_1RB_Right	23.14
n77L	20	30	3500.01	DFT	64QAM	Outer_Full	24.50
n77L	20	30	3500.01	DFT	256QAM	Inner_Full	22.48
n77L	20	30	3500.01	DFT	256QAM	Edge_1RB_Left	22.06
n77L	20	30	3500.01	DFT	256QAM	Edge_1RB_Right	22.39
n77L	20	30	3500.01	DFT	256QAM	Outer_Full	22.43
n77L	20	30	3500.01	CP	QPSK	Inner_Full	25.43
n77L	20	30	3500.01	CP	QPSK	Edge_1RB_Left	23.20
n77L	20	30	3500.01	CP	QPSK	Edge_1RB_Right	23.26
n77L	20	30	3500.01	CP	QPSK	Outer_Full	23.92
n77L	20	30	3500.01	CP	16QAM	Inner_Full	24.94
n77L	20	30	3500.01	CP	16QAM	Edge_1RB_Left	23.15
n77L	20	30	3500.01	CP	16QAM	Edge_1RB_Right	23.29
n77L	20	30	3500.01	CP	16QAM	Outer_Full	23.90
n77L	20	30	3500.01	CP	64QAM	Inner_Full	23.41
n77L	20	30	3500.01	CP	64QAM	Edge_1RB_Left	23.02
n77L	20	30	3500.01	CP	64QAM	Edge_1RB_Right	22.97
n77L	20	30	3500.01	CP	64QAM	Outer_Full	23.41
n77L	20	30	3500.01	CP	256QAM	Inner_Full	20.45

n77L	20	30	3500.01	CP	256QAM	Edge_1RB_Left	20.11
n77L	20	30	3500.01	CP	256QAM	Edge_1RB_Right	20.16
n77L	20	30	3500.01	CP	256QAM	Outer_Full	20.36
n77L	20	30	3540	DFT	pi/2 BPSK	Inner_Full	26.66
n77L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Left	22.71
n77L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Right	23.26
n77L	20	30	3540	DFT	pi/2 BPSK	Outer_Full	26.21
n77L	20	30	3540	DFT	QPSK	Inner_Full	26.69
n77L	20	30	3540	DFT	QPSK	Edge_1RB_Left	22.72
n77L	20	30	3540	DFT	QPSK	Edge_1RB_Right	23.30
n77L	20	30	3540	DFT	QPSK	Outer_Full	25.74
n77L	20	30	3540	DFT	16QAM	Inner_Full	25.72
n77L	20	30	3540	DFT	16QAM	Edge_1RB_Left	22.60
n77L	20	30	3540	DFT	16QAM	Edge_1RB_Right	23.31
n77L	20	30	3540	DFT	16QAM	Outer_Full	24.83
n77L	20	30	3540	DFT	64QAM	Inner_Full	24.21
n77L	20	30	3540	DFT	64QAM	Edge_1RB_Left	22.85
n77L	20	30	3540	DFT	64QAM	Edge_1RB_Right	23.28
n77L	20	30	3540	DFT	64QAM	Outer_Full	24.26
n77L	20	30	3540	DFT	256QAM	Inner_Full	22.23
n77L	20	30	3540	DFT	256QAM	Edge_1RB_Left	21.94
n77L	20	30	3540	DFT	256QAM	Edge_1RB_Right	22.47
n77L	20	30	3540	DFT	256QAM	Outer_Full	22.18
n77L	20	30	3540	CP	QPSK	Inner_Full	25.13
n77L	20	30	3540	CP	QPSK	Edge_1RB_Left	22.64
n77L	20	30	3540	CP	QPSK	Edge_1RB_Right	23.38
n77L	20	30	3540	CP	QPSK	Outer_Full	23.73
n77L	20	30	3540	CP	16QAM	Inner_Full	24.59
n77L	20	30	3540	CP	16QAM	Edge_1RB_Left	22.67
n77L	20	30	3540	CP	16QAM	Edge_1RB_Right	23.25
n77L	20	30	3540	CP	16QAM	Outer_Full	23.71
n77L	20	30	3540	CP	64QAM	Inner_Full	23.12
n77L	20	30	3540	CP	64QAM	Edge_1RB_Left	22.52
n77L	20	30	3540	CP	64QAM	Edge_1RB_Right	23.12
n77L	20	30	3540	CP	64QAM	Outer_Full	23.16
n77L	20	30	3540	CP	256QAM	Inner_Full	20.13
n77L	20	30	3540	CP	256QAM	Edge_1RB_Left	19.66
n77L	20	30	3540	CP	256QAM	Edge_1RB_Right	20.34
n77L	20	30	3540	CP	256QAM	Outer_Full	20.12
n77L	40	30	3470.01	DFT	pi/2 BPSK	Inner_Full	26.87
n77L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.12

n77L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.82
n77L	40	30	3470.01	DFT	pi/2 BPSK	Outer_Full	26.30
n77L	40	30	3470.01	DFT	QPSK	Inner_Full	26.88
n77L	40	30	3470.01	DFT	QPSK	Edge_1RB_Left	23.08
n77L	40	30	3470.01	DFT	QPSK	Edge_1RB_Right	22.75
n77L	40	30	3470.01	DFT	QPSK	Outer_Full	25.83
n77L	40	30	3470.01	DFT	16QAM	Inner_Full	25.98
n77L	40	30	3470.01	DFT	16QAM	Edge_1RB_Left	23.30
n77L	40	30	3470.01	DFT	16QAM	Edge_1RB_Right	22.63
n77L	40	30	3470.01	DFT	16QAM	Outer_Full	24.85
n77L	40	30	3470.01	DFT	64QAM	Inner_Full	24.41
n77L	40	30	3470.01	DFT	64QAM	Edge_1RB_Left	23.13
n77L	40	30	3470.01	DFT	64QAM	Edge_1RB_Right	22.87
n77L	40	30	3470.01	DFT	64QAM	Outer_Full	24.40
n77L	40	30	3470.01	DFT	256QAM	Inner_Full	22.36
n77L	40	30	3470.01	DFT	256QAM	Edge_1RB_Left	22.10
n77L	40	30	3470.01	DFT	256QAM	Edge_1RB_Right	22.13
n77L	40	30	3470.01	DFT	256QAM	Outer_Full	22.30
n77L	40	30	3470.01	CP	QPSK	Inner_Full	25.35
n77L	40	30	3470.01	CP	QPSK	Edge_1RB_Left	23.05
n77L	40	30	3470.01	CP	QPSK	Edge_1RB_Right	22.73
n77L	40	30	3470.01	CP	QPSK	Outer_Full	23.80
n77L	40	30	3470.01	CP	16QAM	Inner_Full	24.86
n77L	40	30	3470.01	CP	16QAM	Edge_1RB_Left	22.95
n77L	40	30	3470.01	CP	16QAM	Edge_1RB_Right	22.85
n77L	40	30	3470.01	CP	16QAM	Outer_Full	23.81
n77L	40	30	3470.01	CP	64QAM	Inner_Full	23.34
n77L	40	30	3470.01	CP	64QAM	Edge_1RB_Left	23.01
n77L	40	30	3470.01	CP	64QAM	Edge_1RB_Right	22.88
n77L	40	30	3470.01	CP	64QAM	Outer_Full	23.34
n77L	40	30	3470.01	CP	256QAM	Inner_Full	20.48
n77L	40	30	3470.01	CP	256QAM	Edge_1RB_Left	20.50
n77L	40	30	3470.01	CP	256QAM	Edge_1RB_Right	19.65
n77L	40	30	3470.01	CP	256QAM	Outer_Full	20.28
n77L	40	30	3500.01	DFT	pi/2 BPSK	Inner_Full	26.91
n77L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.80
n77L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.53
n77L	40	30	3500.01	DFT	pi/2 BPSK	Outer_Full	26.27
n77L	40	30	3500.01	DFT	QPSK	Inner_Full	26.93
n77L	40	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.81
n77L	40	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.50

n77L	40	30	3500.01	DFT	QPSK	Outer_Full	25.78
n77L	40	30	3500.01	DFT	16QAM	Inner_Full	26.02
n77L	40	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.91
n77L	40	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.61
n77L	40	30	3500.01	DFT	16QAM	Outer_Full	24.80
n77L	40	30	3500.01	DFT	64QAM	Inner_Full	24.45
n77L	40	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.74
n77L	40	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.62
n77L	40	30	3500.01	DFT	64QAM	Outer_Full	24.32
n77L	40	30	3500.01	DFT	256QAM	Inner_Full	22.41
n77L	40	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.84
n77L	40	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.83
n77L	40	30	3500.01	DFT	256QAM	Outer_Full	22.29
n77L	40	30	3500.01	CP	QPSK	Inner_Full	25.46
n77L	40	30	3500.01	CP	QPSK	Edge_1RB_Left	22.81
n77L	40	30	3500.01	CP	QPSK	Edge_1RB_Right	22.63
n77L	40	30	3500.01	CP	QPSK	Outer_Full	23.75
n77L	40	30	3500.01	CP	16QAM	Inner_Full	24.92
n77L	40	30	3500.01	CP	16QAM	Edge_1RB_Left	22.64
n77L	40	30	3500.01	CP	16QAM	Edge_1RB_Right	22.57
n77L	40	30	3500.01	CP	16QAM	Outer_Full	23.74
n77L	40	30	3500.01	CP	64QAM	Inner_Full	23.41
n77L	40	30	3500.01	CP	64QAM	Edge_1RB_Left	22.74
n77L	40	30	3500.01	CP	64QAM	Edge_1RB_Right	22.44
n77L	40	30	3500.01	CP	64QAM	Outer_Full	23.29
n77L	40	30	3500.01	CP	256QAM	Inner_Full	20.36
n77L	40	30	3500.01	CP	256QAM	Edge_1RB_Left	19.79
n77L	40	30	3500.01	CP	256QAM	Edge_1RB_Right	19.69
n77L	40	30	3500.01	CP	256QAM	Outer_Full	20.21
n77L	40	30	3529.98	DFT	pi/2 BPSK	Inner_Full	26.50
n77L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.88
n77L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Right	23.04
n77L	40	30	3529.98	DFT	pi/2 BPSK	Outer_Full	26.02
n77L	40	30	3529.98	DFT	QPSK	Inner_Full	26.51
n77L	40	30	3529.98	DFT	QPSK	Edge_1RB_Left	22.80
n77L	40	30	3529.98	DFT	QPSK	Edge_1RB_Right	22.98
n77L	40	30	3529.98	DFT	QPSK	Outer_Full	25.57
n77L	40	30	3529.98	DFT	16QAM	Inner_Full	25.57
n77L	40	30	3529.98	DFT	16QAM	Edge_1RB_Left	22.73
n77L	40	30	3529.98	DFT	16QAM	Edge_1RB_Right	22.79
n77L	40	30	3529.98	DFT	16QAM	Outer_Full	24.58

n77L	40	30	3529.98	DFT	64QAM	Inner_Full	24.04
n77L	40	30	3529.98	DFT	64QAM	Edge_1RB_Left	22.78
n77L	40	30	3529.98	DFT	64QAM	Edge_1RB_Right	22.75
n77L	40	30	3529.98	DFT	64QAM	Outer_Full	24.12
n77L	40	30	3529.98	DFT	256QAM	Inner_Full	22.03
n77L	40	30	3529.98	DFT	256QAM	Edge_1RB_Left	21.94
n77L	40	30	3529.98	DFT	256QAM	Edge_1RB_Right	22.08
n77L	40	30	3529.98	DFT	256QAM	Outer_Full	22.07
n77L	40	30	3529.98	CP	QPSK	Inner_Full	25.06
n77L	40	30	3529.98	CP	QPSK	Edge_1RB_Left	22.72
n77L	40	30	3529.98	CP	QPSK	Edge_1RB_Right	23.12
n77L	40	30	3529.98	CP	QPSK	Outer_Full	23.59
n77L	40	30	3529.98	CP	16QAM	Inner_Full	24.57
n77L	40	30	3529.98	CP	16QAM	Edge_1RB_Left	22.76
n77L	40	30	3529.98	CP	16QAM	Edge_1RB_Right	22.95
n77L	40	30	3529.98	CP	16QAM	Outer_Full	23.61
n77L	40	30	3529.98	CP	64QAM	Inner_Full	22.96
n77L	40	30	3529.98	CP	64QAM	Edge_1RB_Left	22.79
n77L	40	30	3529.98	CP	64QAM	Edge_1RB_Right	22.93
n77L	40	30	3529.98	CP	64QAM	Outer_Full	23.12
n77L	40	30	3529.98	CP	256QAM	Inner_Full	19.98
n77L	40	30	3529.98	CP	256QAM	Edge_1RB_Left	20.00
n77L	40	30	3529.98	CP	256QAM	Edge_1RB_Right	19.94
n77L	40	30	3529.98	CP	256QAM	Outer_Full	19.97
n77L	50	30	3475.02	DFT	pi/2 BPSK	Inner_Full	26.80
n77L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.26
n77L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.06
n77L	50	30	3475.02	DFT	pi/2 BPSK	Outer_Full	26.27
n77L	50	30	3475.02	DFT	QPSK	Inner_Full	26.89
n77L	50	30	3475.02	DFT	QPSK	Edge_1RB_Left	23.32
n77L	50	30	3475.02	DFT	QPSK	Edge_1RB_Right	23.08
n77L	50	30	3475.02	DFT	QPSK	Outer_Full	25.80
n77L	50	30	3475.02	DFT	16QAM	Inner_Full	25.87
n77L	50	30	3475.02	DFT	16QAM	Edge_1RB_Left	23.47
n77L	50	30	3475.02	DFT	16QAM	Edge_1RB_Right	23.17
n77L	50	30	3475.02	DFT	16QAM	Outer_Full	24.82
n77L	50	30	3475.02	DFT	64QAM	Inner_Full	24.36
n77L	50	30	3475.02	DFT	64QAM	Edge_1RB_Left	23.36
n77L	50	30	3475.02	DFT	64QAM	Edge_1RB_Right	23.10
n77L	50	30	3475.02	DFT	64QAM	Outer_Full	24.32
n77L	50	30	3475.02	DFT	256QAM	Inner_Full	22.32

n77L	50	30	3475.02	DFT	256QAM	Edge_1RB_Left	22.15
n77L	50	30	3475.02	DFT	256QAM	Edge_1RB_Right	21.87
n77L	50	30	3475.02	DFT	256QAM	Outer_Full	22.31
n77L	50	30	3475.02	CP	QPSK	Inner_Full	25.26
n77L	50	30	3475.02	CP	QPSK	Edge_1RB_Left	23.37
n77L	50	30	3475.02	CP	QPSK	Edge_1RB_Right	23.12
n77L	50	30	3475.02	CP	QPSK	Outer_Full	23.82
n77L	50	30	3475.02	CP	16QAM	Inner_Full	24.82
n77L	50	30	3475.02	CP	16QAM	Edge_1RB_Left	23.13
n77L	50	30	3475.02	CP	16QAM	Edge_1RB_Right	22.92
n77L	50	30	3475.02	CP	16QAM	Outer_Full	23.81
n77L	50	30	3475.02	CP	64QAM	Inner_Full	23.31
n77L	50	30	3475.02	CP	64QAM	Edge_1RB_Left	23.40
n77L	50	30	3475.02	CP	64QAM	Edge_1RB_Right	23.12
n77L	50	30	3475.02	CP	64QAM	Outer_Full	23.28
n77L	50	30	3475.02	CP	256QAM	Inner_Full	20.32
n77L	50	30	3475.02	CP	256QAM	Edge_1RB_Left	20.21
n77L	50	30	3475.02	CP	256QAM	Edge_1RB_Right	20.11
n77L	50	30	3475.02	CP	256QAM	Outer_Full	20.27
n77L	50	30	3500.01	DFT	pi/2 BPSK	Inner_Full	26.93
n77L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.12
n77L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.68
n77L	50	30	3500.01	DFT	pi/2 BPSK	Outer_Full	26.29
n77L	50	30	3500.01	DFT	QPSK	Inner_Full	26.94
n77L	50	30	3500.01	DFT	QPSK	Edge_1RB_Left	23.08
n77L	50	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.69
n77L	50	30	3500.01	DFT	QPSK	Outer_Full	25.79
n77L	50	30	3500.01	DFT	16QAM	Inner_Full	25.97
n77L	50	30	3500.01	DFT	16QAM	Edge_1RB_Left	23.13
n77L	50	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.78
n77L	50	30	3500.01	DFT	16QAM	Outer_Full	24.78
n77L	50	30	3500.01	DFT	64QAM	Inner_Full	24.46
n77L	50	30	3500.01	DFT	64QAM	Edge_1RB_Left	23.16
n77L	50	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.84
n77L	50	30	3500.01	DFT	64QAM	Outer_Full	24.32
n77L	50	30	3500.01	DFT	256QAM	Inner_Full	22.45
n77L	50	30	3500.01	DFT	256QAM	Edge_1RB_Left	22.16
n77L	50	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.55
n77L	50	30	3500.01	DFT	256QAM	Outer_Full	22.33
n77L	50	30	3500.01	CP	QPSK	Inner_Full	25.35
n77L	50	30	3500.01	CP	QPSK	Edge_1RB_Left	23.00

n77L	50	30	3500.01	CP	QPSK	Edge_1RB_Right	22.85
n77L	50	30	3500.01	CP	QPSK	Outer_Full	23.79
n77L	50	30	3500.01	CP	16QAM	Inner_Full	24.93
n77L	50	30	3500.01	CP	16QAM	Edge_1RB_Left	23.07
n77L	50	30	3500.01	CP	16QAM	Edge_1RB_Right	22.54
n77L	50	30	3500.01	CP	16QAM	Outer_Full	23.79
n77L	50	30	3500.01	CP	64QAM	Inner_Full	23.49
n77L	50	30	3500.01	CP	64QAM	Edge_1RB_Left	23.17
n77L	50	30	3500.01	CP	64QAM	Edge_1RB_Right	22.91
n77L	50	30	3500.01	CP	64QAM	Outer_Full	23.29
n77L	50	30	3500.01	CP	256QAM	Inner_Full	20.41
n77L	50	30	3500.01	CP	256QAM	Edge_1RB_Left	19.82
n77L	50	30	3500.01	CP	256QAM	Edge_1RB_Right	19.78
n77L	50	30	3500.01	CP	256QAM	Outer_Full	20.23
n77L	50	30	3525	DFT	pi/2 BPSK	Inner_Full	26.52
n77L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Left	23.12
n77L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Right	23.07
n77L	50	30	3525	DFT	pi/2 BPSK	Outer_Full	26.04
n77L	50	30	3525	DFT	QPSK	Inner_Full	26.53
n77L	50	30	3525	DFT	QPSK	Edge_1RB_Left	23.10
n77L	50	30	3525	DFT	QPSK	Edge_1RB_Right	23.20
n77L	50	30	3525	DFT	QPSK	Outer_Full	25.59
n77L	50	30	3525	DFT	16QAM	Inner_Full	25.58
n77L	50	30	3525	DFT	16QAM	Edge_1RB_Left	22.96
n77L	50	30	3525	DFT	16QAM	Edge_1RB_Right	23.12
n77L	50	30	3525	DFT	16QAM	Outer_Full	24.62
n77L	50	30	3525	DFT	64QAM	Inner_Full	24.11
n77L	50	30	3525	DFT	64QAM	Edge_1RB_Left	23.18
n77L	50	30	3525	DFT	64QAM	Edge_1RB_Right	22.92
n77L	50	30	3525	DFT	64QAM	Outer_Full	24.12
n77L	50	30	3525	DFT	256QAM	Inner_Full	22.05
n77L	50	30	3525	DFT	256QAM	Edge_1RB_Left	21.97
n77L	50	30	3525	DFT	256QAM	Edge_1RB_Right	22.02
n77L	50	30	3525	DFT	256QAM	Outer_Full	22.11
n77L	50	30	3525	CP	QPSK	Inner_Full	24.98
n77L	50	30	3525	CP	QPSK	Edge_1RB_Left	23.16
n77L	50	30	3525	CP	QPSK	Edge_1RB_Right	23.29
n77L	50	30	3525	CP	QPSK	Outer_Full	23.63
n77L	50	30	3525	CP	16QAM	Inner_Full	24.53
n77L	50	30	3525	CP	16QAM	Edge_1RB_Left	23.25
n77L	50	30	3525	CP	16QAM	Edge_1RB_Right	23.03

n77L	50	30	3525	CP	16QAM	Outer_Full	23.61
n77L	50	30	3525	CP	64QAM	Inner_Full	23.05
n77L	50	30	3525	CP	64QAM	Edge_1RB_Left	23.21
n77L	50	30	3525	CP	64QAM	Edge_1RB_Right	23.31
n77L	50	30	3525	CP	64QAM	Outer_Full	23.10
n77L	50	30	3525	CP	256QAM	Inner_Full	20.03
n77L	50	30	3525	CP	256QAM	Edge_1RB_Left	19.81
n77L	50	30	3525	CP	256QAM	Edge_1RB_Right	20.17
n77L	50	30	3525	CP	256QAM	Outer_Full	20.08
n77L	60	30	3480	DFT	pi/2 BPSK	Inner_Full	26.86
n77L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Left	23.16
n77L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Right	22.95
n77L	60	30	3480	DFT	pi/2 BPSK	Outer_Full	26.35
n77L	60	30	3480	DFT	QPSK	Inner_Full	26.92
n77L	60	30	3480	DFT	QPSK	Edge_1RB_Left	23.19
n77L	60	30	3480	DFT	QPSK	Edge_1RB_Right	22.95
n77L	60	30	3480	DFT	QPSK	Outer_Full	25.87
n77L	60	30	3480	DFT	16QAM	Inner_Full	25.90
n77L	60	30	3480	DFT	16QAM	Edge_1RB_Left	23.02
n77L	60	30	3480	DFT	16QAM	Edge_1RB_Right	22.86
n77L	60	30	3480	DFT	16QAM	Outer_Full	24.87
n77L	60	30	3480	DFT	64QAM	Inner_Full	24.37
n77L	60	30	3480	DFT	64QAM	Edge_1RB_Left	23.26
n77L	60	30	3480	DFT	64QAM	Edge_1RB_Right	23.03
n77L	60	30	3480	DFT	64QAM	Outer_Full	24.43
n77L	60	30	3480	DFT	256QAM	Inner_Full	22.38
n77L	60	30	3480	DFT	256QAM	Edge_1RB_Left	22.03
n77L	60	30	3480	DFT	256QAM	Edge_1RB_Right	21.74
n77L	60	30	3480	DFT	256QAM	Outer_Full	22.35
n77L	60	30	3480	CP	QPSK	Inner_Full	25.32
n77L	60	30	3480	CP	QPSK	Edge_1RB_Left	23.18
n77L	60	30	3480	CP	QPSK	Edge_1RB_Right	23.10
n77L	60	30	3480	CP	QPSK	Outer_Full	23.85
n77L	60	30	3480	CP	16QAM	Inner_Full	24.81
n77L	60	30	3480	CP	16QAM	Edge_1RB_Left	23.32
n77L	60	30	3480	CP	16QAM	Edge_1RB_Right	22.97
n77L	60	30	3480	CP	16QAM	Outer_Full	23.81
n77L	60	30	3480	CP	64QAM	Inner_Full	23.35
n77L	60	30	3480	CP	64QAM	Edge_1RB_Left	23.14
n77L	60	30	3480	CP	64QAM	Edge_1RB_Right	23.12
n77L	60	30	3480	CP	64QAM	Outer_Full	23.34

n77L	60	30	3480	CP	256QAM	Inner_Full	20.31
n77L	60	30	3480	CP	256QAM	Edge_1RB_Left	20.23
n77L	60	30	3480	CP	256QAM	Edge_1RB_Right	19.88
n77L	60	30	3480	CP	256QAM	Outer_Full	20.32
n77L	60	30	3500.01	DFT	pi/2 BPSK	Inner_Full	26.90
n77L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.99
n77L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.58
n77L	60	30	3500.01	DFT	pi/2 BPSK	Outer_Full	26.23
n77L	60	30	3500.01	DFT	QPSK	Inner_Full	26.94
n77L	60	30	3500.01	DFT	QPSK	Edge_1RB_Left	23.01
n77L	60	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.55
n77L	60	30	3500.01	DFT	QPSK	Outer_Full	25.76
n77L	60	30	3500.01	DFT	16QAM	Inner_Full	25.96
n77L	60	30	3500.01	DFT	16QAM	Edge_1RB_Left	23.09
n77L	60	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.60
n77L	60	30	3500.01	DFT	16QAM	Outer_Full	24.77
n77L	60	30	3500.01	DFT	64QAM	Inner_Full	24.42
n77L	60	30	3500.01	DFT	64QAM	Edge_1RB_Left	23.04
n77L	60	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.70
n77L	60	30	3500.01	DFT	64QAM	Outer_Full	24.30
n77L	60	30	3500.01	DFT	256QAM	Inner_Full	22.42
n77L	60	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.81
n77L	60	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.40
n77L	60	30	3500.01	DFT	256QAM	Outer_Full	22.24
n77L	60	30	3500.01	CP	QPSK	Inner_Full	25.38
n77L	60	30	3500.01	CP	QPSK	Edge_1RB_Left	22.95
n77L	60	30	3500.01	CP	QPSK	Edge_1RB_Right	22.76
n77L	60	30	3500.01	CP	QPSK	Outer_Full	23.77
n77L	60	30	3500.01	CP	16QAM	Inner_Full	24.88
n77L	60	30	3500.01	CP	16QAM	Edge_1RB_Left	22.75
n77L	60	30	3500.01	CP	16QAM	Edge_1RB_Right	22.46
n77L	60	30	3500.01	CP	16QAM	Outer_Full	23.67
n77L	60	30	3500.01	CP	64QAM	Inner_Full	23.41
n77L	60	30	3500.01	CP	64QAM	Edge_1RB_Left	23.03
n77L	60	30	3500.01	CP	64QAM	Edge_1RB_Right	22.81
n77L	60	30	3500.01	CP	64QAM	Outer_Full	23.25
n77L	60	30	3500.01	CP	256QAM	Inner_Full	20.35
n77L	60	30	3500.01	CP	256QAM	Edge_1RB_Left	19.75
n77L	60	30	3500.01	CP	256QAM	Edge_1RB_Right	19.40
n77L	60	30	3500.01	CP	256QAM	Outer_Full	20.21
n77L	60	30	3519.99	DFT	pi/2 BPSK	Inner_Full	26.67

n77L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.95
n77L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.06
n77L	60	30	3519.99	DFT	pi/2 BPSK	Outer_Full	26.18
n77L	60	30	3519.99	DFT	QPSK	Inner_Full	26.66
n77L	60	30	3519.99	DFT	QPSK	Edge_1RB_Left	22.94
n77L	60	30	3519.99	DFT	QPSK	Edge_1RB_Right	23.07
n77L	60	30	3519.99	DFT	QPSK	Outer_Full	25.73
n77L	60	30	3519.99	DFT	16QAM	Inner_Full	25.69
n77L	60	30	3519.99	DFT	16QAM	Edge_1RB_Left	23.09
n77L	60	30	3519.99	DFT	16QAM	Edge_1RB_Right	23.20
n77L	60	30	3519.99	DFT	16QAM	Outer_Full	24.72
n77L	60	30	3519.99	DFT	64QAM	Inner_Full	24.19
n77L	60	30	3519.99	DFT	64QAM	Edge_1RB_Left	22.97
n77L	60	30	3519.99	DFT	64QAM	Edge_1RB_Right	23.13
n77L	60	30	3519.99	DFT	64QAM	Outer_Full	24.22
n77L	60	30	3519.99	DFT	256QAM	Inner_Full	22.17
n77L	60	30	3519.99	DFT	256QAM	Edge_1RB_Left	21.82
n77L	60	30	3519.99	DFT	256QAM	Edge_1RB_Right	21.95
n77L	60	30	3519.99	DFT	256QAM	Outer_Full	22.19
n77L	60	30	3519.99	CP	QPSK	Inner_Full	25.16
n77L	60	30	3519.99	CP	QPSK	Edge_1RB_Left	22.94
n77L	60	30	3519.99	CP	QPSK	Edge_1RB_Right	23.22
n77L	60	30	3519.99	CP	QPSK	Outer_Full	23.67
n77L	60	30	3519.99	CP	16QAM	Inner_Full	24.63
n77L	60	30	3519.99	CP	16QAM	Edge_1RB_Left	22.89
n77L	60	30	3519.99	CP	16QAM	Edge_1RB_Right	23.16
n77L	60	30	3519.99	CP	16QAM	Outer_Full	23.63
n77L	60	30	3519.99	CP	64QAM	Inner_Full	23.17
n77L	60	30	3519.99	CP	64QAM	Edge_1RB_Left	23.11
n77L	60	30	3519.99	CP	64QAM	Edge_1RB_Right	23.34
n77L	60	30	3519.99	CP	64QAM	Outer_Full	23.19
n77L	60	30	3519.99	CP	256QAM	Inner_Full	20.15
n77L	60	30	3519.99	CP	256QAM	Edge_1RB_Left	19.92
n77L	60	30	3519.99	CP	256QAM	Edge_1RB_Right	20.12
n77L	60	30	3519.99	CP	256QAM	Outer_Full	20.17
n77L	70	30	3485.01	DFT	pi/2 BPSK	Inner_Full	26.84
n77L	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.13
n77L	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.58
n77L	70	30	3485.01	DFT	pi/2 BPSK	Outer_Full	26.36
n77L	70	30	3485.01	DFT	QPSK	Inner_Full	26.89
n77L	70	30	3485.01	DFT	QPSK	Edge_1RB_Left	23.14

n77L	70	30	3485.01	DFT	QPSK	Edge_1RB_Right	22.61
n77L	70	30	3485.01	DFT	QPSK	Outer_Full	25.85
n77L	70	30	3485.01	DFT	16QAM	Inner_Full	25.90
n77L	70	30	3485.01	DFT	16QAM	Edge_1RB_Left	23.05
n77L	70	30	3485.01	DFT	16QAM	Edge_1RB_Right	22.36
n77L	70	30	3485.01	DFT	16QAM	Outer_Full	24.89
n77L	70	30	3485.01	DFT	64QAM	Inner_Full	24.39
n77L	70	30	3485.01	DFT	64QAM	Edge_1RB_Left	23.18
n77L	70	30	3485.01	DFT	64QAM	Edge_1RB_Right	22.57
n77L	70	30	3485.01	DFT	64QAM	Outer_Full	24.38
n77L	70	30	3485.01	DFT	256QAM	Inner_Full	22.31
n77L	70	30	3485.01	DFT	256QAM	Edge_1RB_Left	22.50
n77L	70	30	3485.01	DFT	256QAM	Edge_1RB_Right	21.84
n77L	70	30	3485.01	DFT	256QAM	Outer_Full	22.37
n77L	70	30	3485.01	CP	QPSK	Inner_Full	25.30
n77L	70	30	3485.01	CP	QPSK	Edge_1RB_Left	23.14
n77L	70	30	3485.01	CP	QPSK	Edge_1RB_Right	22.59
n77L	70	30	3485.01	CP	QPSK	Outer_Full	23.81
n77L	70	30	3485.01	CP	16QAM	Inner_Full	24.95
n77L	70	30	3485.01	CP	16QAM	Edge_1RB_Left	22.87
n77L	70	30	3485.01	CP	16QAM	Edge_1RB_Right	22.30
n77L	70	30	3485.01	CP	16QAM	Outer_Full	23.78
n77L	70	30	3485.01	CP	64QAM	Inner_Full	23.39
n77L	70	30	3485.01	CP	64QAM	Edge_1RB_Left	22.97
n77L	70	30	3485.01	CP	64QAM	Edge_1RB_Right	22.35
n77L	70	30	3485.01	CP	64QAM	Outer_Full	23.29
n77L	70	30	3485.01	CP	256QAM	Inner_Full	20.29
n77L	70	30	3485.01	CP	256QAM	Edge_1RB_Left	20.41
n77L	70	30	3485.01	CP	256QAM	Edge_1RB_Right	19.68
n77L	70	30	3485.01	CP	256QAM	Outer_Full	20.20
n77L	70	30	3500.01	DFT	pi/2 BPSK	Inner_Full	26.94
n77L	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.91
n77L	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.56
n77L	70	30	3500.01	DFT	pi/2 BPSK	Outer_Full	26.29
n77L	70	30	3500.01	DFT	QPSK	Inner_Full	26.94
n77L	70	30	3500.01	DFT	QPSK	Edge_1RB_Left	23.00
n77L	70	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.60
n77L	70	30	3500.01	DFT	QPSK	Outer_Full	25.79
n77L	70	30	3500.01	DFT	16QAM	Inner_Full	25.98
n77L	70	30	3500.01	DFT	16QAM	Edge_1RB_Left	23.03
n77L	70	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.73

n77L	70	30	3500.01	DFT	16QAM	Outer_Full	24.81
n77L	70	30	3500.01	DFT	64QAM	Inner_Full	24.41
n77L	70	30	3500.01	DFT	64QAM	Edge_1RB_Left	23.00
n77L	70	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.63
n77L	70	30	3500.01	DFT	64QAM	Outer_Full	24.33
n77L	70	30	3500.01	DFT	256QAM	Inner_Full	22.41
n77L	70	30	3500.01	DFT	256QAM	Edge_1RB_Left	22.04
n77L	70	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.88
n77L	70	30	3500.01	DFT	256QAM	Outer_Full	22.31
n77L	70	30	3500.01	CP	QPSK	Inner_Full	25.44
n77L	70	30	3500.01	CP	QPSK	Edge_1RB_Left	22.87
n77L	70	30	3500.01	CP	QPSK	Edge_1RB_Right	22.66
n77L	70	30	3500.01	CP	QPSK	Outer_Full	23.83
n77L	70	30	3500.01	CP	16QAM	Inner_Full	25.00
n77L	70	30	3500.01	CP	16QAM	Edge_1RB_Left	22.94
n77L	70	30	3500.01	CP	16QAM	Edge_1RB_Right	22.61
n77L	70	30	3500.01	CP	16QAM	Outer_Full	23.75
n77L	70	30	3500.01	CP	64QAM	Inner_Full	23.43
n77L	70	30	3500.01	CP	64QAM	Edge_1RB_Left	22.73
n77L	70	30	3500.01	CP	64QAM	Edge_1RB_Right	22.65
n77L	70	30	3500.01	CP	64QAM	Outer_Full	23.27
n77L	70	30	3500.01	CP	256QAM	Inner_Full	20.41
n77L	70	30	3500.01	CP	256QAM	Edge_1RB_Left	19.77
n77L	70	30	3500.01	CP	256QAM	Edge_1RB_Right	19.51
n77L	70	30	3500.01	CP	256QAM	Outer_Full	20.16
n77L	70	30	3514.98	DFT	pi/2 BPSK	Inner_Full	26.88
n77L	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.87
n77L	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Right	23.12
n77L	70	30	3514.98	DFT	pi/2 BPSK	Outer_Full	26.26
n77L	70	30	3514.98	DFT	QPSK	Inner_Full	26.88
n77L	70	30	3514.98	DFT	QPSK	Edge_1RB_Left	22.87
n77L	70	30	3514.98	DFT	QPSK	Edge_1RB_Right	23.15
n77L	70	30	3514.98	DFT	QPSK	Outer_Full	25.78
n77L	70	30	3514.98	DFT	16QAM	Inner_Full	25.88
n77L	70	30	3514.98	DFT	16QAM	Edge_1RB_Left	23.04
n77L	70	30	3514.98	DFT	16QAM	Edge_1RB_Right	22.95
n77L	70	30	3514.98	DFT	16QAM	Outer_Full	24.83
n77L	70	30	3514.98	DFT	64QAM	Inner_Full	24.35
n77L	70	30	3514.98	DFT	64QAM	Edge_1RB_Left	22.91
n77L	70	30	3514.98	DFT	64QAM	Edge_1RB_Right	23.14
n77L	70	30	3514.98	DFT	64QAM	Outer_Full	24.34

n77L	70	30	3514.98	DFT	256QAM	Inner_Full	22.39
n77L	70	30	3514.98	DFT	256QAM	Edge_1RB_Left	22.18
n77L	70	30	3514.98	DFT	256QAM	Edge_1RB_Right	22.43
n77L	70	30	3514.98	DFT	256QAM	Outer_Full	22.28
n77L	70	30	3514.98	CP	QPSK	Inner_Full	25.29
n77L	70	30	3514.98	CP	QPSK	Edge_1RB_Left	22.87
n77L	70	30	3514.98	CP	QPSK	Edge_1RB_Right	23.02
n77L	70	30	3514.98	CP	QPSK	Outer_Full	23.83
n77L	70	30	3514.98	CP	16QAM	Inner_Full	24.89
n77L	70	30	3514.98	CP	16QAM	Edge_1RB_Left	22.64
n77L	70	30	3514.98	CP	16QAM	Edge_1RB_Right	23.08
n77L	70	30	3514.98	CP	16QAM	Outer_Full	23.78
n77L	70	30	3514.98	CP	64QAM	Inner_Full	23.39
n77L	70	30	3514.98	CP	64QAM	Edge_1RB_Left	22.88
n77L	70	30	3514.98	CP	64QAM	Edge_1RB_Right	23.07
n77L	70	30	3514.98	CP	64QAM	Outer_Full	23.30
n77L	70	30	3514.98	CP	256QAM	Inner_Full	20.37
n77L	70	30	3514.98	CP	256QAM	Edge_1RB_Left	19.97
n77L	70	30	3514.98	CP	256QAM	Edge_1RB_Right	20.22
n77L	70	30	3514.98	CP	256QAM	Outer_Full	20.19
n77L	80	30	3490.02	DFT	pi/2 BPSK	Inner_Full	26.97
n77L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.99
n77L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.34
n77L	80	30	3490.02	DFT	pi/2 BPSK	Outer_Full	26.22
n77L	80	30	3490.02	DFT	QPSK	Inner_Full	26.96
n77L	80	30	3490.02	DFT	QPSK	Edge_1RB_Left	23.01
n77L	80	30	3490.02	DFT	QPSK	Edge_1RB_Right	22.40
n77L	80	30	3490.02	DFT	QPSK	Outer_Full	25.78
n77L	80	30	3490.02	DFT	16QAM	Inner_Full	25.93
n77L	80	30	3490.02	DFT	16QAM	Edge_1RB_Left	22.84
n77L	80	30	3490.02	DFT	16QAM	Edge_1RB_Right	22.49
n77L	80	30	3490.02	DFT	16QAM	Outer_Full	24.78
n77L	80	30	3490.02	DFT	64QAM	Inner_Full	24.40
n77L	80	30	3490.02	DFT	64QAM	Edge_1RB_Left	22.96
n77L	80	30	3490.02	DFT	64QAM	Edge_1RB_Right	22.33
n77L	80	30	3490.02	DFT	64QAM	Outer_Full	24.29
n77L	80	30	3490.02	DFT	256QAM	Inner_Full	22.45
n77L	80	30	3490.02	DFT	256QAM	Edge_1RB_Left	22.14
n77L	80	30	3490.02	DFT	256QAM	Edge_1RB_Right	21.43
n77L	80	30	3490.02	DFT	256QAM	Outer_Full	22.21
n77L	80	30	3490.02	CP	QPSK	Inner_Full	25.41

n77L	80	30	3490.02	CP	QPSK	Edge_1RB_Left	22.89
n77L	80	30	3490.02	CP	QPSK	Edge_1RB_Right	22.24
n77L	80	30	3490.02	CP	QPSK	Outer_Full	23.69
n77L	80	30	3490.02	CP	16QAM	Inner_Full	24.91
n77L	80	30	3490.02	CP	16QAM	Edge_1RB_Left	22.79
n77L	80	30	3490.02	CP	16QAM	Edge_1RB_Right	22.35
n77L	80	30	3490.02	CP	16QAM	Outer_Full	23.78
n77L	80	30	3490.02	CP	64QAM	Inner_Full	23.36
n77L	80	30	3490.02	CP	64QAM	Edge_1RB_Left	22.90
n77L	80	30	3490.02	CP	64QAM	Edge_1RB_Right	22.28
n77L	80	30	3490.02	CP	64QAM	Outer_Full	23.23
n77L	80	30	3490.02	CP	256QAM	Inner_Full	20.34
n77L	80	30	3490.02	CP	256QAM	Edge_1RB_Left	20.25
n77L	80	30	3490.02	CP	256QAM	Edge_1RB_Right	19.46
n77L	80	30	3490.02	CP	256QAM	Outer_Full	20.18
n77L	80	30	3500.01	DFT	pi/2 BPSK	Inner_Full	26.88
n77L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.92
n77L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.58
n77L	80	30	3500.01	DFT	pi/2 BPSK	Outer_Full	26.17
n77L	80	30	3500.01	DFT	QPSK	Inner_Full	26.96
n77L	80	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.93
n77L	80	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.56
n77L	80	30	3500.01	DFT	QPSK	Outer_Full	25.73
n77L	80	30	3500.01	DFT	16QAM	Inner_Full	25.97
n77L	80	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.81
n77L	80	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.41
n77L	80	30	3500.01	DFT	16QAM	Outer_Full	24.73
n77L	80	30	3500.01	DFT	64QAM	Inner_Full	24.43
n77L	80	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.91
n77L	80	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.58
n77L	80	30	3500.01	DFT	64QAM	Outer_Full	24.24
n77L	80	30	3500.01	DFT	256QAM	Inner_Full	22.40
n77L	80	30	3500.01	DFT	256QAM	Edge_1RB_Left	22.25
n77L	80	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.69
n77L	80	30	3500.01	DFT	256QAM	Outer_Full	22.23
n77L	80	30	3500.01	CP	QPSK	Inner_Full	25.43
n77L	80	30	3500.01	CP	QPSK	Edge_1RB_Left	22.84
n77L	80	30	3500.01	CP	QPSK	Edge_1RB_Right	22.62
n77L	80	30	3500.01	CP	QPSK	Outer_Full	23.65
n77L	80	30	3500.01	CP	16QAM	Inner_Full	24.87
n77L	80	30	3500.01	CP	16QAM	Edge_1RB_Left	22.87

n77L	80	30	3500.01	CP	16QAM	Edge_1RB_Right	22.49
n77L	80	30	3500.01	CP	16QAM	Outer_Full	23.73
n77L	80	30	3500.01	CP	64QAM	Inner_Full	23.39
n77L	80	30	3500.01	CP	64QAM	Edge_1RB_Left	22.80
n77L	80	30	3500.01	CP	64QAM	Edge_1RB_Right	22.55
n77L	80	30	3500.01	CP	64QAM	Outer_Full	23.20
n77L	80	30	3500.01	CP	256QAM	Inner_Full	20.36
n77L	80	30	3500.01	CP	256QAM	Edge_1RB_Left	20.04
n77L	80	30	3500.01	CP	256QAM	Edge_1RB_Right	19.66
n77L	80	30	3500.01	CP	256QAM	Outer_Full	20.13
n77L	80	30	3510	DFT	pi/2 BPSK	Inner_Full	26.88
n77L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Left	22.75
n77L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Right	22.88
n77L	80	30	3510	DFT	pi/2 BPSK	Outer_Full	26.18
n77L	80	30	3510	DFT	QPSK	Inner_Full	26.85
n77L	80	30	3510	DFT	QPSK	Edge_1RB_Left	22.72
n77L	80	30	3510	DFT	QPSK	Edge_1RB_Right	22.92
n77L	80	30	3510	DFT	QPSK	Outer_Full	25.75
n77L	80	30	3510	DFT	16QAM	Inner_Full	25.87
n77L	80	30	3510	DFT	16QAM	Edge_1RB_Left	22.96
n77L	80	30	3510	DFT	16QAM	Edge_1RB_Right	22.75
n77L	80	30	3510	DFT	16QAM	Outer_Full	24.74
n77L	80	30	3510	DFT	64QAM	Inner_Full	24.34
n77L	80	30	3510	DFT	64QAM	Edge_1RB_Left	22.75
n77L	80	30	3510	DFT	64QAM	Edge_1RB_Right	22.89
n77L	80	30	3510	DFT	64QAM	Outer_Full	24.23
n77L	80	30	3510	DFT	256QAM	Inner_Full	22.30
n77L	80	30	3510	DFT	256QAM	Edge_1RB_Left	22.11
n77L	80	30	3510	DFT	256QAM	Edge_1RB_Right	22.02
n77L	80	30	3510	DFT	256QAM	Outer_Full	22.23
n77L	80	30	3510	CP	QPSK	Inner_Full	25.31
n77L	80	30	3510	CP	QPSK	Edge_1RB_Left	22.75
n77L	80	30	3510	CP	QPSK	Edge_1RB_Right	22.78
n77L	80	30	3510	CP	QPSK	Outer_Full	23.70
n77L	80	30	3510	CP	16QAM	Inner_Full	24.79
n77L	80	30	3510	CP	16QAM	Edge_1RB_Left	22.74
n77L	80	30	3510	CP	16QAM	Edge_1RB_Right	22.92
n77L	80	30	3510	CP	16QAM	Outer_Full	23.71
n77L	80	30	3510	CP	64QAM	Inner_Full	23.34
n77L	80	30	3510	CP	64QAM	Edge_1RB_Left	22.75
n77L	80	30	3510	CP	64QAM	Edge_1RB_Right	22.71

n77L	80	30	3510	CP	64QAM	Outer_Full	23.23
n77L	80	30	3510	CP	256QAM	Inner_Full	20.24
n77L	80	30	3510	CP	256QAM	Edge_1RB_Left	19.56
n77L	80	30	3510	CP	256QAM	Edge_1RB_Right	19.81
n77L	80	30	3510	CP	256QAM	Outer_Full	20.14
n77L	90	30	3500.01	DFT	pi/2 BPSK	Inner_Full	26.81
n77L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.86
n77L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.41
n77L	90	30	3500.01	DFT	pi/2 BPSK	Outer_Full	26.14
n77L	90	30	3500.01	DFT	QPSK	Inner_Full	26.81
n77L	90	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.83
n77L	90	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.37
n77L	90	30	3500.01	DFT	QPSK	Outer_Full	25.68
n77L	90	30	3500.01	DFT	16QAM	Inner_Full	25.85
n77L	90	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.75
n77L	90	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.57
n77L	90	30	3500.01	DFT	16QAM	Outer_Full	24.67
n77L	90	30	3500.01	DFT	64QAM	Inner_Full	24.33
n77L	90	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.85
n77L	90	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.37
n77L	90	30	3500.01	DFT	64QAM	Outer_Full	24.19
n77L	90	30	3500.01	DFT	256QAM	Inner_Full	22.29
n77L	90	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.94
n77L	90	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.45
n77L	90	30	3500.01	DFT	256QAM	Outer_Full	22.19
n77L	90	30	3500.01	CP	QPSK	Inner_Full	25.30
n77L	90	30	3500.01	CP	QPSK	Edge_1RB_Left	22.77
n77L	90	30	3500.01	CP	QPSK	Edge_1RB_Right	22.37
n77L	90	30	3500.01	CP	QPSK	Outer_Full	23.67
n77L	90	30	3500.01	CP	16QAM	Inner_Full	24.76
n77L	90	30	3500.01	CP	16QAM	Edge_1RB_Left	22.89
n77L	90	30	3500.01	CP	16QAM	Edge_1RB_Right	22.45
n77L	90	30	3500.01	CP	16QAM	Outer_Full	23.64
n77L	90	30	3500.01	CP	64QAM	Inner_Full	23.25
n77L	90	30	3500.01	CP	64QAM	Edge_1RB_Left	22.67
n77L	90	30	3500.01	CP	64QAM	Edge_1RB_Right	22.30
n77L	90	30	3500.01	CP	64QAM	Outer_Full	23.15
n77L	90	30	3500.01	CP	256QAM	Inner_Full	20.27
n77L	90	30	3500.01	CP	256QAM	Edge_1RB_Left	20.21
n77L	90	30	3500.01	CP	256QAM	Edge_1RB_Right	19.48
n77L	90	30	3500.01	CP	256QAM	Outer_Full	20.09

n77L	90	30	3495	DFT	pi/2 BPSK	Inner_Full	26.31
n77L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Left	22.16
n77L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Right	22.05
n77L	90	30	3495	DFT	pi/2 BPSK	Outer_Full	25.64
n77L	90	30	3495	DFT	QPSK	Inner_Full	26.33
n77L	90	30	3495	DFT	QPSK	Edge_1RB_Left	22.18
n77L	90	30	3495	DFT	QPSK	Edge_1RB_Right	22.08
n77L	90	30	3495	DFT	QPSK	Outer_Full	25.14
n77L	90	30	3495	DFT	16QAM	Inner_Full	25.32
n77L	90	30	3495	DFT	16QAM	Edge_1RB_Left	22.48
n77L	90	30	3495	DFT	16QAM	Edge_1RB_Right	22.12
n77L	90	30	3495	DFT	16QAM	Outer_Full	24.13
n77L	90	30	3495	DFT	64QAM	Inner_Full	23.83
n77L	90	30	3495	DFT	64QAM	Edge_1RB_Left	22.04
n77L	90	30	3495	DFT	64QAM	Edge_1RB_Right	21.75
n77L	90	30	3495	DFT	64QAM	Outer_Full	23.65
n77L	90	30	3495	DFT	256QAM	Inner_Full	21.79
n77L	90	30	3495	DFT	256QAM	Edge_1RB_Left	20.98
n77L	90	30	3495	DFT	256QAM	Edge_1RB_Right	21.10
n77L	90	30	3495	DFT	256QAM	Outer_Full	21.59
n77L	90	30	3495	CP	QPSK	Inner_Full	24.73
n77L	90	30	3495	CP	QPSK	Edge_1RB_Left	22.13
n77L	90	30	3495	CP	QPSK	Edge_1RB_Right	22.05
n77L	90	30	3495	CP	QPSK	Outer_Full	23.10
n77L	90	30	3495	CP	16QAM	Inner_Full	24.24
n77L	90	30	3495	CP	16QAM	Edge_1RB_Left	22.09
n77L	90	30	3495	CP	16QAM	Edge_1RB_Right	22.40
n77L	90	30	3495	CP	16QAM	Outer_Full	23.11
n77L	90	30	3495	CP	64QAM	Inner_Full	22.70
n77L	90	30	3495	CP	64QAM	Edge_1RB_Left	22.02
n77L	90	30	3495	CP	64QAM	Edge_1RB_Right	21.95
n77L	90	30	3495	CP	64QAM	Outer_Full	22.64
n77L	90	30	3495	CP	256QAM	Inner_Full	19.70
n77L	90	30	3495	CP	256QAM	Edge_1RB_Left	19.05
n77L	90	30	3495	CP	256QAM	Edge_1RB_Right	18.89
n77L	90	30	3495	CP	256QAM	Outer_Full	19.54
n77L	90	30	3504.99	DFT	pi/2 BPSK	Inner_Full	26.89
n77L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.73
n77L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.77
n77L	90	30	3504.99	DFT	pi/2 BPSK	Outer_Full	26.27
n77L	90	30	3504.99	DFT	QPSK	Inner_Full	26.90

n77L	90	30	3504.99	DFT	QPSK	Edge_1RB_Left	22.75
n77L	90	30	3504.99	DFT	QPSK	Edge_1RB_Right	22.75
n77L	90	30	3504.99	DFT	QPSK	Outer_Full	25.77
n77L	90	30	3504.99	DFT	16QAM	Inner_Full	25.93
n77L	90	30	3504.99	DFT	16QAM	Edge_1RB_Left	23.00
n77L	90	30	3504.99	DFT	16QAM	Edge_1RB_Right	22.82
n77L	90	30	3504.99	DFT	16QAM	Outer_Full	24.77
n77L	90	30	3504.99	DFT	64QAM	Inner_Full	24.42
n77L	90	30	3504.99	DFT	64QAM	Edge_1RB_Left	22.80
n77L	90	30	3504.99	DFT	64QAM	Edge_1RB_Right	22.81
n77L	90	30	3504.99	DFT	64QAM	Outer_Full	24.28
n77L	90	30	3504.99	DFT	256QAM	Inner_Full	22.40
n77L	90	30	3504.99	DFT	256QAM	Edge_1RB_Left	21.84
n77L	90	30	3504.99	DFT	256QAM	Edge_1RB_Right	22.10
n77L	90	30	3504.99	DFT	256QAM	Outer_Full	22.25
n77L	90	30	3504.99	CP	QPSK	Inner_Full	25.42
n77L	90	30	3504.99	CP	QPSK	Edge_1RB_Left	22.68
n77L	90	30	3504.99	CP	QPSK	Edge_1RB_Right	22.65
n77L	90	30	3504.99	CP	QPSK	Outer_Full	23.74
n77L	90	30	3504.99	CP	16QAM	Inner_Full	24.89
n77L	90	30	3504.99	CP	16QAM	Edge_1RB_Left	22.82
n77L	90	30	3504.99	CP	16QAM	Edge_1RB_Right	22.81
n77L	90	30	3504.99	CP	16QAM	Outer_Full	23.71
n77L	90	30	3504.99	CP	64QAM	Inner_Full	23.37
n77L	90	30	3504.99	CP	64QAM	Edge_1RB_Left	22.77
n77L	90	30	3504.99	CP	64QAM	Edge_1RB_Right	22.78
n77L	90	30	3504.99	CP	64QAM	Outer_Full	23.22
n77L	90	30	3504.99	CP	256QAM	Inner_Full	20.34
n77L	90	30	3504.99	CP	256QAM	Edge_1RB_Left	19.69
n77L	90	30	3504.99	CP	256QAM	Edge_1RB_Right	19.81
n77L	90	30	3504.99	CP	256QAM	Outer_Full	20.19

n77H

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	10	30	3705	DFT	pi/2 BPSK	Inner_Full	25.52
n77H	10	30	3705	DFT	pi/2 BPSK	Edge_1RB_Left	21.98
n77H	10	30	3705	DFT	pi/2 BPSK	Edge_1RB_Right	21.82
n77H	10	30	3705	DFT	pi/2 BPSK	Outer_Full	25.00
n77H	10	30	3705	DFT	QPSK	Inner_Full	25.56
n77H	10	30	3705	DFT	QPSK	Edge_1RB_Left	21.91
n77H	10	30	3705	DFT	QPSK	Edge_1RB_Right	21.80
n77H	10	30	3705	DFT	QPSK	Outer_Full	24.56
n77H	10	30	3705	DFT	16QAM	Inner_Full	24.59
n77H	10	30	3705	DFT	16QAM	Edge_1RB_Left	22.04
n77H	10	30	3705	DFT	16QAM	Edge_1RB_Right	21.93
n77H	10	30	3705	DFT	16QAM	Outer_Full	23.60
n77H	10	30	3705	DFT	64QAM	Inner_Full	22.98
n77H	10	30	3705	DFT	64QAM	Edge_1RB_Left	21.99
n77H	10	30	3705	DFT	64QAM	Edge_1RB_Right	21.91
n77H	10	30	3705	DFT	64QAM	Outer_Full	23.02
n77H	10	30	3705	DFT	256QAM	Inner_Full	21.09
n77H	10	30	3705	DFT	256QAM	Edge_1RB_Left	21.07
n77H	10	30	3705	DFT	256QAM	Edge_1RB_Right	21.11
n77H	10	30	3705	DFT	256QAM	Outer_Full	20.96
n77H	10	30	3705	CP	QPSK	Inner_Full	24.01
n77H	10	30	3705	CP	QPSK	Edge_1RB_Left	22.08
n77H	10	30	3705	CP	QPSK	Edge_1RB_Right	21.98
n77H	10	30	3705	CP	QPSK	Outer_Full	22.55
n77H	10	30	3705	CP	16QAM	Inner_Full	23.54
n77H	10	30	3705	CP	16QAM	Edge_1RB_Left	22.05
n77H	10	30	3705	CP	16QAM	Edge_1RB_Right	21.91
n77H	10	30	3705	CP	16QAM	Outer_Full	22.51
n77H	10	30	3705	CP	64QAM	Inner_Full	22.05
n77H	10	30	3705	CP	64QAM	Edge_1RB_Left	21.83
n77H	10	30	3705	CP	64QAM	Edge_1RB_Right	21.86
n77H	10	30	3705	CP	64QAM	Outer_Full	22.02
n77H	10	30	3705	CP	256QAM	Inner_Full	18.98
n77H	10	30	3705	CP	256QAM	Edge_1RB_Left	18.97
n77H	10	30	3705	CP	256QAM	Edge_1RB_Right	18.76
n77H	10	30	3705	CP	256QAM	Outer_Full	18.91
n77H	10	30	3840	DFT	pi/2 BPSK	Inner_Full	27.02
n77H	10	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	23.40
n77H	10	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.35

n77H	10	30	3840	DFT	pi/2 BPSK	Outer_Full	26.53
n77H	10	30	3840	DFT	QPSK	Inner_Full	27.08
n77H	10	30	3840	DFT	QPSK	Edge_1RB_Left	23.46
n77H	10	30	3840	DFT	QPSK	Edge_1RB_Right	23.40
n77H	10	30	3840	DFT	QPSK	Outer_Full	26.06
n77H	10	30	3840	DFT	16QAM	Inner_Full	26.07
n77H	10	30	3840	DFT	16QAM	Edge_1RB_Left	23.35
n77H	10	30	3840	DFT	16QAM	Edge_1RB_Right	23.34
n77H	10	30	3840	DFT	16QAM	Outer_Full	25.05
n77H	10	30	3840	DFT	64QAM	Inner_Full	24.52
n77H	10	30	3840	DFT	64QAM	Edge_1RB_Left	23.36
n77H	10	30	3840	DFT	64QAM	Edge_1RB_Right	23.42
n77H	10	30	3840	DFT	64QAM	Outer_Full	24.60
n77H	10	30	3840	DFT	256QAM	Inner_Full	22.56
n77H	10	30	3840	DFT	256QAM	Edge_1RB_Left	22.57
n77H	10	30	3840	DFT	256QAM	Edge_1RB_Right	22.29
n77H	10	30	3840	DFT	256QAM	Outer_Full	22.64
n77H	10	30	3840	CP	QPSK	Inner_Full	25.67
n77H	10	30	3840	CP	QPSK	Edge_1RB_Left	23.43
n77H	10	30	3840	CP	QPSK	Edge_1RB_Right	23.41
n77H	10	30	3840	CP	QPSK	Outer_Full	24.03
n77H	10	30	3840	CP	16QAM	Inner_Full	25.21
n77H	10	30	3840	CP	16QAM	Edge_1RB_Left	23.40
n77H	10	30	3840	CP	16QAM	Edge_1RB_Right	23.45
n77H	10	30	3840	CP	16QAM	Outer_Full	24.06
n77H	10	30	3840	CP	64QAM	Inner_Full	23.56
n77H	10	30	3840	CP	64QAM	Edge_1RB_Left	23.16
n77H	10	30	3840	CP	64QAM	Edge_1RB_Right	23.27
n77H	10	30	3840	CP	64QAM	Outer_Full	23.54
n77H	10	30	3840	CP	256QAM	Inner_Full	20.49
n77H	10	30	3840	CP	256QAM	Edge_1RB_Left	20.41
n77H	10	30	3840	CP	256QAM	Edge_1RB_Right	20.41
n77H	10	30	3840	CP	256QAM	Outer_Full	20.48
n77H	10	30	3975	DFT	pi/2 BPSK	Inner_Full	26.66
n77H	10	30	3975	DFT	pi/2 BPSK	Edge_1RB_Left	23.13
n77H	10	30	3975	DFT	pi/2 BPSK	Edge_1RB_Right	22.86
n77H	10	30	3975	DFT	pi/2 BPSK	Outer_Full	26.23
n77H	10	30	3975	DFT	QPSK	Inner_Full	26.66
n77H	10	30	3975	DFT	QPSK	Edge_1RB_Left	23.24
n77H	10	30	3975	DFT	QPSK	Edge_1RB_Right	22.92
n77H	10	30	3975	DFT	QPSK	Outer_Full	25.69

n77H	10	30	3975	DFT	16QAM	Inner_Full	25.76
n77H	10	30	3975	DFT	16QAM	Edge_1RB_Left	23.07
n77H	10	30	3975	DFT	16QAM	Edge_1RB_Right	22.97
n77H	10	30	3975	DFT	16QAM	Outer_Full	24.71
n77H	10	30	3975	DFT	64QAM	Inner_Full	24.11
n77H	10	30	3975	DFT	64QAM	Edge_1RB_Left	23.31
n77H	10	30	3975	DFT	64QAM	Edge_1RB_Right	23.19
n77H	10	30	3975	DFT	64QAM	Outer_Full	24.15
n77H	10	30	3975	DFT	256QAM	Inner_Full	22.12
n77H	10	30	3975	DFT	256QAM	Edge_1RB_Left	22.21
n77H	10	30	3975	DFT	256QAM	Edge_1RB_Right	22.09
n77H	10	30	3975	DFT	256QAM	Outer_Full	22.26
n77H	10	30	3975	CP	QPSK	Inner_Full	25.26
n77H	10	30	3975	CP	QPSK	Edge_1RB_Left	23.27
n77H	10	30	3975	CP	QPSK	Edge_1RB_Right	22.97
n77H	10	30	3975	CP	QPSK	Outer_Full	23.73
n77H	10	30	3975	CP	16QAM	Inner_Full	24.73
n77H	10	30	3975	CP	16QAM	Edge_1RB_Left	23.07
n77H	10	30	3975	CP	16QAM	Edge_1RB_Right	22.95
n77H	10	30	3975	CP	16QAM	Outer_Full	23.71
n77H	10	30	3975	CP	64QAM	Inner_Full	23.14
n77H	10	30	3975	CP	64QAM	Edge_1RB_Left	23.10
n77H	10	30	3975	CP	64QAM	Edge_1RB_Right	22.60
n77H	10	30	3975	CP	64QAM	Outer_Full	23.14
n77H	10	30	3975	CP	256QAM	Inner_Full	20.12
n77H	10	30	3975	CP	256QAM	Edge_1RB_Left	20.13
n77H	10	30	3975	CP	256QAM	Edge_1RB_Right	20.00
n77H	10	30	3975	CP	256QAM	Outer_Full	20.02
n77H	15	30	3707.52	DFT	pi/2 BPSK	Inner_Full	25.51
n77H	15	30	3707.52	DFT	pi/2 BPSK	Edge_1RB_Left	21.98
n77H	15	30	3707.52	DFT	pi/2 BPSK	Edge_1RB_Right	21.77
n77H	15	30	3707.52	DFT	pi/2 BPSK	Outer_Full	25.09
n77H	15	30	3707.52	DFT	QPSK	Inner_Full	25.60
n77H	15	30	3707.52	DFT	QPSK	Edge_1RB_Left	22.09
n77H	15	30	3707.52	DFT	QPSK	Edge_1RB_Right	21.77
n77H	15	30	3707.52	DFT	QPSK	Outer_Full	24.58
n77H	15	30	3707.52	DFT	16QAM	Inner_Full	24.49
n77H	15	30	3707.52	DFT	16QAM	Edge_1RB_Left	22.03
n77H	15	30	3707.52	DFT	16QAM	Edge_1RB_Right	21.93
n77H	15	30	3707.52	DFT	16QAM	Outer_Full	23.59
n77H	15	30	3707.52	DFT	64QAM	Inner_Full	23.03

n77H	15	30	3707.52	DFT	64QAM	Edge_1RB_Left	22.01
n77H	15	30	3707.52	DFT	64QAM	Edge_1RB_Right	21.80
n77H	15	30	3707.52	DFT	64QAM	Outer_Full	22.99
n77H	15	30	3707.52	DFT	256QAM	Inner_Full	20.92
n77H	15	30	3707.52	DFT	256QAM	Edge_1RB_Left	20.88
n77H	15	30	3707.52	DFT	256QAM	Edge_1RB_Right	20.85
n77H	15	30	3707.52	DFT	256QAM	Outer_Full	21.00
n77H	15	30	3707.52	CP	QPSK	Inner_Full	24.03
n77H	15	30	3707.52	CP	QPSK	Edge_1RB_Left	22.04
n77H	15	30	3707.52	CP	QPSK	Edge_1RB_Right	21.80
n77H	15	30	3707.52	CP	QPSK	Outer_Full	22.52
n77H	15	30	3707.52	CP	16QAM	Inner_Full	23.62
n77H	15	30	3707.52	CP	16QAM	Edge_1RB_Left	21.94
n77H	15	30	3707.52	CP	16QAM	Edge_1RB_Right	21.89
n77H	15	30	3707.52	CP	16QAM	Outer_Full	22.52
n77H	15	30	3707.52	CP	64QAM	Inner_Full	21.96
n77H	15	30	3707.52	CP	64QAM	Edge_1RB_Left	21.67
n77H	15	30	3707.52	CP	64QAM	Edge_1RB_Right	21.75
n77H	15	30	3707.52	CP	64QAM	Outer_Full	22.01
n77H	15	30	3707.52	CP	256QAM	Inner_Full	18.98
n77H	15	30	3707.52	CP	256QAM	Edge_1RB_Left	18.96
n77H	15	30	3707.52	CP	256QAM	Edge_1RB_Right	18.80
n77H	15	30	3707.52	CP	256QAM	Outer_Full	18.86
n77H	15	30	3840	DFT	pi/2 BPSK	Inner_Full	27.04
n77H	15	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	23.39
n77H	15	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.24
n77H	15	30	3840	DFT	pi/2 BPSK	Outer_Full	26.51
n77H	15	30	3840	DFT	QPSK	Inner_Full	27.12
n77H	15	30	3840	DFT	QPSK	Edge_1RB_Left	23.43
n77H	15	30	3840	DFT	QPSK	Edge_1RB_Right	23.28
n77H	15	30	3840	DFT	QPSK	Outer_Full	26.05
n77H	15	30	3840	DFT	16QAM	Inner_Full	26.03
n77H	15	30	3840	DFT	16QAM	Edge_1RB_Left	23.38
n77H	15	30	3840	DFT	16QAM	Edge_1RB_Right	23.34
n77H	15	30	3840	DFT	16QAM	Outer_Full	25.07
n77H	15	30	3840	DFT	64QAM	Inner_Full	24.57
n77H	15	30	3840	DFT	64QAM	Edge_1RB_Left	23.40
n77H	15	30	3840	DFT	64QAM	Edge_1RB_Right	23.39
n77H	15	30	3840	DFT	64QAM	Outer_Full	24.46
n77H	15	30	3840	DFT	256QAM	Inner_Full	22.44
n77H	15	30	3840	DFT	256QAM	Edge_1RB_Left	22.42

n77H	15	30	3840	DFT	256QAM	Edge_1RB_Right	22.28
n77H	15	30	3840	DFT	256QAM	Outer_Full	22.44
n77H	15	30	3840	CP	QPSK	Inner_Full	25.58
n77H	15	30	3840	CP	QPSK	Edge_1RB_Left	23.41
n77H	15	30	3840	CP	QPSK	Edge_1RB_Right	23.39
n77H	15	30	3840	CP	QPSK	Outer_Full	24.05
n77H	15	30	3840	CP	16QAM	Inner_Full	25.01
n77H	15	30	3840	CP	16QAM	Edge_1RB_Left	23.40
n77H	15	30	3840	CP	16QAM	Edge_1RB_Right	23.37
n77H	15	30	3840	CP	16QAM	Outer_Full	24.00
n77H	15	30	3840	CP	64QAM	Inner_Full	23.55
n77H	15	30	3840	CP	64QAM	Edge_1RB_Left	23.09
n77H	15	30	3840	CP	64QAM	Edge_1RB_Right	23.00
n77H	15	30	3840	CP	64QAM	Outer_Full	23.51
n77H	15	30	3840	CP	256QAM	Inner_Full	20.54
n77H	15	30	3840	CP	256QAM	Edge_1RB_Left	20.45
n77H	15	30	3840	CP	256QAM	Edge_1RB_Right	20.35
n77H	15	30	3840	CP	256QAM	Outer_Full	20.41
n77H	15	30	3972.48	DFT	pi/2 BPSK	Inner_Full	26.84
n77H	15	30	3972.48	DFT	pi/2 BPSK	Edge_1RB_Left	23.34
n77H	15	30	3972.48	DFT	pi/2 BPSK	Edge_1RB_Right	22.97
n77H	15	30	3972.48	DFT	pi/2 BPSK	Outer_Full	26.35
n77H	15	30	3972.48	DFT	QPSK	Inner_Full	26.91
n77H	15	30	3972.48	DFT	QPSK	Edge_1RB_Left	23.40
n77H	15	30	3972.48	DFT	QPSK	Edge_1RB_Right	23.02
n77H	15	30	3972.48	DFT	QPSK	Outer_Full	25.90
n77H	15	30	3972.48	DFT	16QAM	Inner_Full	25.82
n77H	15	30	3972.48	DFT	16QAM	Edge_1RB_Left	23.35
n77H	15	30	3972.48	DFT	16QAM	Edge_1RB_Right	22.94
n77H	15	30	3972.48	DFT	16QAM	Outer_Full	24.93
n77H	15	30	3972.48	DFT	64QAM	Inner_Full	24.32
n77H	15	30	3972.48	DFT	64QAM	Edge_1RB_Left	23.27
n77H	15	30	3972.48	DFT	64QAM	Edge_1RB_Right	23.18
n77H	15	30	3972.48	DFT	64QAM	Outer_Full	24.27
n77H	15	30	3972.48	DFT	256QAM	Inner_Full	22.23
n77H	15	30	3972.48	DFT	256QAM	Edge_1RB_Left	22.34
n77H	15	30	3972.48	DFT	256QAM	Edge_1RB_Right	22.04
n77H	15	30	3972.48	DFT	256QAM	Outer_Full	22.29
n77H	15	30	3972.48	CP	QPSK	Inner_Full	25.34
n77H	15	30	3972.48	CP	QPSK	Edge_1RB_Left	23.28
n77H	15	30	3972.48	CP	QPSK	Edge_1RB_Right	23.16

n77H	15	30	3972.48	CP	QPSK	Outer_Full	23.83
n77H	15	30	3972.48	CP	16QAM	Inner_Full	24.84
n77H	15	30	3972.48	CP	16QAM	Edge_1RB_Left	23.34
n77H	15	30	3972.48	CP	16QAM	Edge_1RB_Right	22.98
n77H	15	30	3972.48	CP	16QAM	Outer_Full	23.78
n77H	15	30	3972.48	CP	64QAM	Inner_Full	23.35
n77H	15	30	3972.48	CP	64QAM	Edge_1RB_Left	22.85
n77H	15	30	3972.48	CP	64QAM	Edge_1RB_Right	22.84
n77H	15	30	3972.48	CP	64QAM	Outer_Full	23.30
n77H	15	30	3972.48	CP	256QAM	Inner_Full	20.29
n77H	15	30	3972.48	CP	256QAM	Edge_1RB_Left	20.25
n77H	15	30	3972.48	CP	256QAM	Edge_1RB_Right	20.15
n77H	15	30	3972.48	CP	256QAM	Outer_Full	20.19
n77H	20	30	3710.01	DFT	pi/2 BPSK	Inner_Full	25.56
n77H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.99
n77H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.67
n77H	20	30	3710.01	DFT	pi/2 BPSK	Outer_Full	25.01
n77H	20	30	3710.01	DFT	QPSK	Inner_Full	25.55
n77H	20	30	3710.01	DFT	QPSK	Edge_1RB_Left	22.08
n77H	20	30	3710.01	DFT	QPSK	Edge_1RB_Right	21.80
n77H	20	30	3710.01	DFT	QPSK	Outer_Full	24.52
n77H	20	30	3710.01	DFT	16QAM	Inner_Full	24.59
n77H	20	30	3710.01	DFT	16QAM	Edge_1RB_Left	22.01
n77H	20	30	3710.01	DFT	16QAM	Edge_1RB_Right	21.72
n77H	20	30	3710.01	DFT	16QAM	Outer_Full	23.49
n77H	20	30	3710.01	DFT	64QAM	Inner_Full	23.01
n77H	20	30	3710.01	DFT	64QAM	Edge_1RB_Left	22.28
n77H	20	30	3710.01	DFT	64QAM	Edge_1RB_Right	21.67
n77H	20	30	3710.01	DFT	64QAM	Outer_Full	22.98
n77H	20	30	3710.01	DFT	256QAM	Inner_Full	20.95
n77H	20	30	3710.01	DFT	256QAM	Edge_1RB_Left	21.09
n77H	20	30	3710.01	DFT	256QAM	Edge_1RB_Right	20.70
n77H	20	30	3710.01	DFT	256QAM	Outer_Full	20.95
n77H	20	30	3710.01	CP	QPSK	Inner_Full	24.00
n77H	20	30	3710.01	CP	QPSK	Edge_1RB_Left	21.96
n77H	20	30	3710.01	CP	QPSK	Edge_1RB_Right	21.72
n77H	20	30	3710.01	CP	QPSK	Outer_Full	22.44
n77H	20	30	3710.01	CP	16QAM	Inner_Full	23.50
n77H	20	30	3710.01	CP	16QAM	Edge_1RB_Left	21.87
n77H	20	30	3710.01	CP	16QAM	Edge_1RB_Right	21.75
n77H	20	30	3710.01	CP	16QAM	Outer_Full	22.48

n77H	20	30	3710.01	CP	64QAM	Inner_Full	21.99
n77H	20	30	3710.01	CP	64QAM	Edge_1RB_Left	21.61
n77H	20	30	3710.01	CP	64QAM	Edge_1RB_Right	21.66
n77H	20	30	3710.01	CP	64QAM	Outer_Full	21.90
n77H	20	30	3710.01	CP	256QAM	Inner_Full	18.91
n77H	20	30	3710.01	CP	256QAM	Edge_1RB_Left	19.06
n77H	20	30	3710.01	CP	256QAM	Edge_1RB_Right	18.83
n77H	20	30	3710.01	CP	256QAM	Outer_Full	18.81
n77H	20	30	3840	DFT	pi/2 BPSK	Inner_Full	27.06
n77H	20	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	23.27
n77H	20	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.13
n77H	20	30	3840	DFT	pi/2 BPSK	Outer_Full	26.50
n77H	20	30	3840	DFT	QPSK	Inner_Full	27.05
n77H	20	30	3840	DFT	QPSK	Edge_1RB_Left	23.33
n77H	20	30	3840	DFT	QPSK	Edge_1RB_Right	23.14
n77H	20	30	3840	DFT	QPSK	Outer_Full	25.97
n77H	20	30	3840	DFT	16QAM	Inner_Full	25.96
n77H	20	30	3840	DFT	16QAM	Edge_1RB_Left	23.32
n77H	20	30	3840	DFT	16QAM	Edge_1RB_Right	23.02
n77H	20	30	3840	DFT	16QAM	Outer_Full	25.05
n77H	20	30	3840	DFT	64QAM	Inner_Full	24.52
n77H	20	30	3840	DFT	64QAM	Edge_1RB_Left	23.56
n77H	20	30	3840	DFT	64QAM	Edge_1RB_Right	23.33
n77H	20	30	3840	DFT	64QAM	Outer_Full	24.52
n77H	20	30	3840	DFT	256QAM	Inner_Full	22.46
n77H	20	30	3840	DFT	256QAM	Edge_1RB_Left	22.43
n77H	20	30	3840	DFT	256QAM	Edge_1RB_Right	22.19
n77H	20	30	3840	DFT	256QAM	Outer_Full	22.48
n77H	20	30	3840	CP	QPSK	Inner_Full	25.49
n77H	20	30	3840	CP	QPSK	Edge_1RB_Left	23.31
n77H	20	30	3840	CP	QPSK	Edge_1RB_Right	23.26
n77H	20	30	3840	CP	QPSK	Outer_Full	23.95
n77H	20	30	3840	CP	16QAM	Inner_Full	25.04
n77H	20	30	3840	CP	16QAM	Edge_1RB_Left	23.24
n77H	20	30	3840	CP	16QAM	Edge_1RB_Right	23.26
n77H	20	30	3840	CP	16QAM	Outer_Full	23.96
n77H	20	30	3840	CP	64QAM	Inner_Full	23.56
n77H	20	30	3840	CP	64QAM	Edge_1RB_Left	22.89
n77H	20	30	3840	CP	64QAM	Edge_1RB_Right	23.01
n77H	20	30	3840	CP	64QAM	Outer_Full	23.42
n77H	20	30	3840	CP	256QAM	Inner_Full	20.44

n77H	20	30	3840	CP	256QAM	Edge_1RB_Left	20.25
n77H	20	30	3840	CP	256QAM	Edge_1RB_Right	20.26
n77H	20	30	3840	CP	256QAM	Outer_Full	20.34
n77H	20	30	3969.99	DFT	pi/2 BPSK	Inner_Full	26.82
n77H	20	30	3969.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.26
n77H	20	30	3969.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.93
n77H	20	30	3969.99	DFT	pi/2 BPSK	Outer_Full	26.31
n77H	20	30	3969.99	DFT	QPSK	Inner_Full	26.86
n77H	20	30	3969.99	DFT	QPSK	Edge_1RB_Left	23.28
n77H	20	30	3969.99	DFT	QPSK	Edge_1RB_Right	22.84
n77H	20	30	3969.99	DFT	QPSK	Outer_Full	25.85
n77H	20	30	3969.99	DFT	16QAM	Inner_Full	25.86
n77H	20	30	3969.99	DFT	16QAM	Edge_1RB_Left	23.40
n77H	20	30	3969.99	DFT	16QAM	Edge_1RB_Right	22.93
n77H	20	30	3969.99	DFT	16QAM	Outer_Full	24.85
n77H	20	30	3969.99	DFT	64QAM	Inner_Full	24.34
n77H	20	30	3969.99	DFT	64QAM	Edge_1RB_Left	23.43
n77H	20	30	3969.99	DFT	64QAM	Edge_1RB_Right	22.77
n77H	20	30	3969.99	DFT	64QAM	Outer_Full	24.28
n77H	20	30	3969.99	DFT	256QAM	Inner_Full	22.32
n77H	20	30	3969.99	DFT	256QAM	Edge_1RB_Left	22.55
n77H	20	30	3969.99	DFT	256QAM	Edge_1RB_Right	22.08
n77H	20	30	3969.99	DFT	256QAM	Outer_Full	22.29
n77H	20	30	3969.99	CP	QPSK	Inner_Full	25.31
n77H	20	30	3969.99	CP	QPSK	Edge_1RB_Left	23.40
n77H	20	30	3969.99	CP	QPSK	Edge_1RB_Right	22.99
n77H	20	30	3969.99	CP	QPSK	Outer_Full	23.76
n77H	20	30	3969.99	CP	16QAM	Inner_Full	24.84
n77H	20	30	3969.99	CP	16QAM	Edge_1RB_Left	23.26
n77H	20	30	3969.99	CP	16QAM	Edge_1RB_Right	22.86
n77H	20	30	3969.99	CP	16QAM	Outer_Full	23.83
n77H	20	30	3969.99	CP	64QAM	Inner_Full	23.25
n77H	20	30	3969.99	CP	64QAM	Edge_1RB_Left	23.14
n77H	20	30	3969.99	CP	64QAM	Edge_1RB_Right	22.89
n77H	20	30	3969.99	CP	64QAM	Outer_Full	23.24
n77H	20	30	3969.99	CP	256QAM	Inner_Full	20.21
n77H	20	30	3969.99	CP	256QAM	Edge_1RB_Left	20.41
n77H	20	30	3969.99	CP	256QAM	Edge_1RB_Right	20.22
n77H	20	30	3969.99	CP	256QAM	Outer_Full	20.24
n77H	40	30	3720	DFT	pi/2 BPSK	Inner_Full	25.43
n77H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Left	21.47

n77H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Right	21.94
n77H	40	30	3720	DFT	pi/2 BPSK	Outer_Full	24.96
n77H	40	30	3720	DFT	QPSK	Inner_Full	25.40
n77H	40	30	3720	DFT	QPSK	Edge_1RB_Left	21.53
n77H	40	30	3720	DFT	QPSK	Edge_1RB_Right	21.95
n77H	40	30	3720	DFT	QPSK	Outer_Full	24.43
n77H	40	30	3720	DFT	16QAM	Inner_Full	24.38
n77H	40	30	3720	DFT	16QAM	Edge_1RB_Left	21.50
n77H	40	30	3720	DFT	16QAM	Edge_1RB_Right	21.91
n77H	40	30	3720	DFT	16QAM	Outer_Full	23.51
n77H	40	30	3720	DFT	64QAM	Inner_Full	22.93
n77H	40	30	3720	DFT	64QAM	Edge_1RB_Left	21.47
n77H	40	30	3720	DFT	64QAM	Edge_1RB_Right	21.97
n77H	40	30	3720	DFT	64QAM	Outer_Full	22.96
n77H	40	30	3720	DFT	256QAM	Inner_Full	20.91
n77H	40	30	3720	DFT	256QAM	Edge_1RB_Left	20.69
n77H	40	30	3720	DFT	256QAM	Edge_1RB_Right	21.12
n77H	40	30	3720	DFT	256QAM	Outer_Full	20.92
n77H	40	30	3720	CP	QPSK	Inner_Full	23.87
n77H	40	30	3720	CP	QPSK	Edge_1RB_Left	21.70
n77H	40	30	3720	CP	QPSK	Edge_1RB_Right	22.17
n77H	40	30	3720	CP	QPSK	Outer_Full	22.44
n77H	40	30	3720	CP	16QAM	Inner_Full	23.44
n77H	40	30	3720	CP	16QAM	Edge_1RB_Left	21.64
n77H	40	30	3720	CP	16QAM	Edge_1RB_Right	22.02
n77H	40	30	3720	CP	16QAM	Outer_Full	22.44
n77H	40	30	3720	CP	64QAM	Inner_Full	21.92
n77H	40	30	3720	CP	64QAM	Edge_1RB_Left	21.59
n77H	40	30	3720	CP	64QAM	Edge_1RB_Right	22.11
n77H	40	30	3720	CP	64QAM	Outer_Full	21.96
n77H	40	30	3720	CP	256QAM	Inner_Full	18.84
n77H	40	30	3720	CP	256QAM	Edge_1RB_Left	18.62
n77H	40	30	3720	CP	256QAM	Edge_1RB_Right	19.16
n77H	40	30	3720	CP	256QAM	Outer_Full	18.91
n77H	40	30	3840	DFT	pi/2 BPSK	Inner_Full	26.94
n77H	40	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.70
n77H	40	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.67
n77H	40	30	3840	DFT	pi/2 BPSK	Outer_Full	26.30
n77H	40	30	3840	DFT	QPSK	Inner_Full	26.95
n77H	40	30	3840	DFT	QPSK	Edge_1RB_Left	22.69
n77H	40	30	3840	DFT	QPSK	Edge_1RB_Right	22.67

n77H	40	30	3840	DFT	QPSK	Outer_Full	25.82
n77H	40	30	3840	DFT	16QAM	Inner_Full	26.00
n77H	40	30	3840	DFT	16QAM	Edge_1RB_Left	22.68
n77H	40	30	3840	DFT	16QAM	Edge_1RB_Right	22.67
n77H	40	30	3840	DFT	16QAM	Outer_Full	24.83
n77H	40	30	3840	DFT	64QAM	Inner_Full	24.48
n77H	40	30	3840	DFT	64QAM	Edge_1RB_Left	22.58
n77H	40	30	3840	DFT	64QAM	Edge_1RB_Right	22.69
n77H	40	30	3840	DFT	64QAM	Outer_Full	24.23
n77H	40	30	3840	DFT	256QAM	Inner_Full	22.52
n77H	40	30	3840	DFT	256QAM	Edge_1RB_Left	22.05
n77H	40	30	3840	DFT	256QAM	Edge_1RB_Right	21.87
n77H	40	30	3840	DFT	256QAM	Outer_Full	22.31
n77H	40	30	3840	CP	QPSK	Inner_Full	25.39
n77H	40	30	3840	CP	QPSK	Edge_1RB_Left	22.72
n77H	40	30	3840	CP	QPSK	Edge_1RB_Right	22.65
n77H	40	30	3840	CP	QPSK	Outer_Full	23.84
n77H	40	30	3840	CP	16QAM	Inner_Full	24.96
n77H	40	30	3840	CP	16QAM	Edge_1RB_Left	22.64
n77H	40	30	3840	CP	16QAM	Edge_1RB_Right	22.60
n77H	40	30	3840	CP	16QAM	Outer_Full	23.80
n77H	40	30	3840	CP	64QAM	Inner_Full	23.44
n77H	40	30	3840	CP	64QAM	Edge_1RB_Left	22.56
n77H	40	30	3840	CP	64QAM	Edge_1RB_Right	22.66
n77H	40	30	3840	CP	64QAM	Outer_Full	23.22
n77H	40	30	3840	CP	256QAM	Inner_Full	20.43
n77H	40	30	3840	CP	256QAM	Edge_1RB_Left	19.90
n77H	40	30	3840	CP	256QAM	Edge_1RB_Right	19.91
n77H	40	30	3840	CP	256QAM	Outer_Full	20.16
n77H	40	30	3960	DFT	pi/2 BPSK	Inner_Full	27.00
n77H	40	30	3960	DFT	pi/2 BPSK	Edge_1RB_Left	23.40
n77H	40	30	3960	DFT	pi/2 BPSK	Edge_1RB_Right	22.52
n77H	40	30	3960	DFT	pi/2 BPSK	Outer_Full	26.47
n77H	40	30	3960	DFT	QPSK	Inner_Full	27.08
n77H	40	30	3960	DFT	QPSK	Edge_1RB_Left	23.29
n77H	40	30	3960	DFT	QPSK	Edge_1RB_Right	22.43
n77H	40	30	3960	DFT	QPSK	Outer_Full	25.96
n77H	40	30	3960	DFT	16QAM	Inner_Full	26.01
n77H	40	30	3960	DFT	16QAM	Edge_1RB_Left	23.45
n77H	40	30	3960	DFT	16QAM	Edge_1RB_Right	22.48
n77H	40	30	3960	DFT	16QAM	Outer_Full	24.94

n77H	40	30	3960	DFT	64QAM	Inner_Full	24.55
n77H	40	30	3960	DFT	64QAM	Edge_1RB_Left	23.46
n77H	40	30	3960	DFT	64QAM	Edge_1RB_Right	22.53
n77H	40	30	3960	DFT	64QAM	Outer_Full	24.36
n77H	40	30	3960	DFT	256QAM	Inner_Full	22.52
n77H	40	30	3960	DFT	256QAM	Edge_1RB_Left	22.65
n77H	40	30	3960	DFT	256QAM	Edge_1RB_Right	21.67
n77H	40	30	3960	DFT	256QAM	Outer_Full	22.44
n77H	40	30	3960	CP	QPSK	Inner_Full	25.43
n77H	40	30	3960	CP	QPSK	Edge_1RB_Left	23.36
n77H	40	30	3960	CP	QPSK	Edge_1RB_Right	22.56
n77H	40	30	3960	CP	QPSK	Outer_Full	23.86
n77H	40	30	3960	CP	16QAM	Inner_Full	25.00
n77H	40	30	3960	CP	16QAM	Edge_1RB_Left	23.44
n77H	40	30	3960	CP	16QAM	Edge_1RB_Right	22.41
n77H	40	30	3960	CP	16QAM	Outer_Full	23.87
n77H	40	30	3960	CP	64QAM	Inner_Full	23.44
n77H	40	30	3960	CP	64QAM	Edge_1RB_Left	23.28
n77H	40	30	3960	CP	64QAM	Edge_1RB_Right	22.67
n77H	40	30	3960	CP	64QAM	Outer_Full	23.39
n77H	40	30	3960	CP	256QAM	Inner_Full	20.42
n77H	40	30	3960	CP	256QAM	Edge_1RB_Left	20.55
n77H	40	30	3960	CP	256QAM	Edge_1RB_Right	19.71
n77H	40	30	3960	CP	256QAM	Outer_Full	20.29
n77H	50	30	3725.01	DFT	pi/2 BPSK	Inner_Full	25.47
n77H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.73
n77H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.52
n77H	50	30	3725.01	DFT	pi/2 BPSK	Outer_Full	25.07
n77H	50	30	3725.01	DFT	QPSK	Inner_Full	25.49
n77H	50	30	3725.01	DFT	QPSK	Edge_1RB_Left	21.66
n77H	50	30	3725.01	DFT	QPSK	Edge_1RB_Right	22.46
n77H	50	30	3725.01	DFT	QPSK	Outer_Full	24.62
n77H	50	30	3725.01	DFT	16QAM	Inner_Full	24.50
n77H	50	30	3725.01	DFT	16QAM	Edge_1RB_Left	21.86
n77H	50	30	3725.01	DFT	16QAM	Edge_1RB_Right	22.58
n77H	50	30	3725.01	DFT	16QAM	Outer_Full	23.61
n77H	50	30	3725.01	DFT	64QAM	Inner_Full	22.98
n77H	50	30	3725.01	DFT	64QAM	Edge_1RB_Left	21.74
n77H	50	30	3725.01	DFT	64QAM	Edge_1RB_Right	22.46
n77H	50	30	3725.01	DFT	64QAM	Outer_Full	23.08
n77H	50	30	3725.01	DFT	256QAM	Inner_Full	20.99

n77H	50	30	3725.01	DFT	256QAM	Edge_1RB_Left	20.94
n77H	50	30	3725.01	DFT	256QAM	Edge_1RB_Right	21.60
n77H	50	30	3725.01	DFT	256QAM	Outer_Full	21.11
n77H	50	30	3725.01	CP	QPSK	Inner_Full	24.00
n77H	50	30	3725.01	CP	QPSK	Edge_1RB_Left	21.81
n77H	50	30	3725.01	CP	QPSK	Edge_1RB_Right	22.64
n77H	50	30	3725.01	CP	QPSK	Outer_Full	22.57
n77H	50	30	3725.01	CP	16QAM	Inner_Full	23.43
n77H	50	30	3725.01	CP	16QAM	Edge_1RB_Left	21.83
n77H	50	30	3725.01	CP	16QAM	Edge_1RB_Right	22.44
n77H	50	30	3725.01	CP	16QAM	Outer_Full	22.60
n77H	50	30	3725.01	CP	64QAM	Inner_Full	22.02
n77H	50	30	3725.01	CP	64QAM	Edge_1RB_Left	21.82
n77H	50	30	3725.01	CP	64QAM	Edge_1RB_Right	22.53
n77H	50	30	3725.01	CP	64QAM	Outer_Full	22.11
n77H	50	30	3725.01	CP	256QAM	Inner_Full	18.89
n77H	50	30	3725.01	CP	256QAM	Edge_1RB_Left	18.83
n77H	50	30	3725.01	CP	256QAM	Edge_1RB_Right	19.75
n77H	50	30	3725.01	CP	256QAM	Outer_Full	18.99
n77H	50	30	3840	DFT	pi/2 BPSK	Inner_Full	27.00
n77H	50	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	23.06
n77H	50	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.03
n77H	50	30	3840	DFT	pi/2 BPSK	Outer_Full	26.37
n77H	50	30	3840	DFT	QPSK	Inner_Full	27.01
n77H	50	30	3840	DFT	QPSK	Edge_1RB_Left	22.97
n77H	50	30	3840	DFT	QPSK	Edge_1RB_Right	23.03
n77H	50	30	3840	DFT	QPSK	Outer_Full	25.81
n77H	50	30	3840	DFT	16QAM	Inner_Full	26.00
n77H	50	30	3840	DFT	16QAM	Edge_1RB_Left	22.96
n77H	50	30	3840	DFT	16QAM	Edge_1RB_Right	23.02
n77H	50	30	3840	DFT	16QAM	Outer_Full	24.82
n77H	50	30	3840	DFT	64QAM	Inner_Full	24.57
n77H	50	30	3840	DFT	64QAM	Edge_1RB_Left	22.90
n77H	50	30	3840	DFT	64QAM	Edge_1RB_Right	23.05
n77H	50	30	3840	DFT	64QAM	Outer_Full	24.34
n77H	50	30	3840	DFT	256QAM	Inner_Full	22.53
n77H	50	30	3840	DFT	256QAM	Edge_1RB_Left	22.25
n77H	50	30	3840	DFT	256QAM	Edge_1RB_Right	22.30
n77H	50	30	3840	DFT	256QAM	Outer_Full	22.29
n77H	50	30	3840	CP	QPSK	Inner_Full	25.43
n77H	50	30	3840	CP	QPSK	Edge_1RB_Left	23.08

n77H	50	30	3840	CP	QPSK	Edge_1RB_Right	23.12
n77H	50	30	3840	CP	QPSK	Outer_Full	23.84
n77H	50	30	3840	CP	16QAM	Inner_Full	24.92
n77H	50	30	3840	CP	16QAM	Edge_1RB_Left	23.09
n77H	50	30	3840	CP	16QAM	Edge_1RB_Right	23.17
n77H	50	30	3840	CP	16QAM	Outer_Full	23.85
n77H	50	30	3840	CP	64QAM	Inner_Full	23.47
n77H	50	30	3840	CP	64QAM	Edge_1RB_Left	23.06
n77H	50	30	3840	CP	64QAM	Edge_1RB_Right	22.98
n77H	50	30	3840	CP	64QAM	Outer_Full	23.31
n77H	50	30	3840	CP	256QAM	Inner_Full	20.40
n77H	50	30	3840	CP	256QAM	Edge_1RB_Left	20.26
n77H	50	30	3840	CP	256QAM	Edge_1RB_Right	20.29
n77H	50	30	3840	CP	256QAM	Outer_Full	20.25
n77H	50	30	3954.48	DFT	pi/2 BPSK	Inner_Full	27.19
n77H	50	30	3954.48	DFT	pi/2 BPSK	Edge_1RB_Left	23.74
n77H	50	30	3954.48	DFT	pi/2 BPSK	Edge_1RB_Right	22.76
n77H	50	30	3954.48	DFT	pi/2 BPSK	Outer_Full	26.65
n77H	50	30	3954.48	DFT	QPSK	Inner_Full	27.13
n77H	50	30	3954.48	DFT	QPSK	Edge_1RB_Left	23.69
n77H	50	30	3954.48	DFT	QPSK	Edge_1RB_Right	22.70
n77H	50	30	3954.48	DFT	QPSK	Outer_Full	26.19
n77H	50	30	3954.48	DFT	16QAM	Inner_Full	26.23
n77H	50	30	3954.48	DFT	16QAM	Edge_1RB_Left	23.84
n77H	50	30	3954.48	DFT	16QAM	Edge_1RB_Right	22.85
n77H	50	30	3954.48	DFT	16QAM	Outer_Full	25.19
n77H	50	30	3954.48	DFT	64QAM	Inner_Full	24.78
n77H	50	30	3954.48	DFT	64QAM	Edge_1RB_Left	23.55
n77H	50	30	3954.48	DFT	64QAM	Edge_1RB_Right	22.78
n77H	50	30	3954.48	DFT	64QAM	Outer_Full	24.65
n77H	50	30	3954.48	DFT	256QAM	Inner_Full	22.77
n77H	50	30	3954.48	DFT	256QAM	Edge_1RB_Left	22.97
n77H	50	30	3954.48	DFT	256QAM	Edge_1RB_Right	21.99
n77H	50	30	3954.48	DFT	256QAM	Outer_Full	22.67
n77H	50	30	3954.48	CP	QPSK	Inner_Full	25.69
n77H	50	30	3954.48	CP	QPSK	Edge_1RB_Left	23.88
n77H	50	30	3954.48	CP	QPSK	Edge_1RB_Right	22.94
n77H	50	30	3954.48	CP	QPSK	Outer_Full	24.11
n77H	50	30	3954.48	CP	16QAM	Inner_Full	25.15
n77H	50	30	3954.48	CP	16QAM	Edge_1RB_Left	23.85
n77H	50	30	3954.48	CP	16QAM	Edge_1RB_Right	22.94

n77H	50	30	3954.48	CP	16QAM	Outer_Full	24.12
n77H	50	30	3954.48	CP	64QAM	Inner_Full	23.67
n77H	50	30	3954.48	CP	64QAM	Edge_1RB_Left	23.73
n77H	50	30	3954.48	CP	64QAM	Edge_1RB_Right	22.71
n77H	50	30	3954.48	CP	64QAM	Outer_Full	23.55
n77H	50	30	3954.48	CP	256QAM	Inner_Full	20.66
n77H	50	30	3954.48	CP	256QAM	Edge_1RB_Left	20.98
n77H	50	30	3954.48	CP	256QAM	Edge_1RB_Right	20.05
n77H	50	30	3954.48	CP	256QAM	Outer_Full	20.59
n77H	60	30	3730.02	DFT	pi/2 BPSK	Inner_Full	25.68
n77H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.69
n77H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.54
n77H	60	30	3730.02	DFT	pi/2 BPSK	Outer_Full	25.27
n77H	60	30	3730.02	DFT	QPSK	Inner_Full	25.75
n77H	60	30	3730.02	DFT	QPSK	Edge_1RB_Left	21.71
n77H	60	30	3730.02	DFT	QPSK	Edge_1RB_Right	22.58
n77H	60	30	3730.02	DFT	QPSK	Outer_Full	24.81
n77H	60	30	3730.02	DFT	16QAM	Inner_Full	24.73
n77H	60	30	3730.02	DFT	16QAM	Edge_1RB_Left	21.79
n77H	60	30	3730.02	DFT	16QAM	Edge_1RB_Right	22.64
n77H	60	30	3730.02	DFT	16QAM	Outer_Full	23.81
n77H	60	30	3730.02	DFT	64QAM	Inner_Full	23.20
n77H	60	30	3730.02	DFT	64QAM	Edge_1RB_Left	21.53
n77H	60	30	3730.02	DFT	64QAM	Edge_1RB_Right	22.61
n77H	60	30	3730.02	DFT	64QAM	Outer_Full	23.23
n77H	60	30	3730.02	DFT	256QAM	Inner_Full	21.18
n77H	60	30	3730.02	DFT	256QAM	Edge_1RB_Left	20.90
n77H	60	30	3730.02	DFT	256QAM	Edge_1RB_Right	21.76
n77H	60	30	3730.02	DFT	256QAM	Outer_Full	21.29
n77H	60	30	3730.02	CP	QPSK	Inner_Full	24.25
n77H	60	30	3730.02	CP	QPSK	Edge_1RB_Left	21.69
n77H	60	30	3730.02	CP	QPSK	Edge_1RB_Right	22.67
n77H	60	30	3730.02	CP	QPSK	Outer_Full	22.76
n77H	60	30	3730.02	CP	16QAM	Inner_Full	23.73
n77H	60	30	3730.02	CP	16QAM	Edge_1RB_Left	21.72
n77H	60	30	3730.02	CP	16QAM	Edge_1RB_Right	22.74
n77H	60	30	3730.02	CP	16QAM	Outer_Full	22.71
n77H	60	30	3730.02	CP	64QAM	Inner_Full	22.23
n77H	60	30	3730.02	CP	64QAM	Edge_1RB_Left	21.77
n77H	60	30	3730.02	CP	64QAM	Edge_1RB_Right	22.83
n77H	60	30	3730.02	CP	64QAM	Outer_Full	22.30

n77H	60	30	3730.02	CP	256QAM	Inner_Full	19.16
n77H	60	30	3730.02	CP	256QAM	Edge_1RB_Left	18.86
n77H	60	30	3730.02	CP	256QAM	Edge_1RB_Right	19.85
n77H	60	30	3730.02	CP	256QAM	Outer_Full	19.13
n77H	60	30	3840	DFT	pi/2 BPSK	Inner_Full	26.90
n77H	60	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	23.04
n77H	60	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.03
n77H	60	30	3840	DFT	pi/2 BPSK	Outer_Full	26.32
n77H	60	30	3840	DFT	QPSK	Inner_Full	26.97
n77H	60	30	3840	DFT	QPSK	Edge_1RB_Left	23.08
n77H	60	30	3840	DFT	QPSK	Edge_1RB_Right	23.03
n77H	60	30	3840	DFT	QPSK	Outer_Full	25.81
n77H	60	30	3840	DFT	16QAM	Inner_Full	25.97
n77H	60	30	3840	DFT	16QAM	Edge_1RB_Left	23.02
n77H	60	30	3840	DFT	16QAM	Edge_1RB_Right	23.05
n77H	60	30	3840	DFT	16QAM	Outer_Full	24.89
n77H	60	30	3840	DFT	64QAM	Inner_Full	24.43
n77H	60	30	3840	DFT	64QAM	Edge_1RB_Left	23.02
n77H	60	30	3840	DFT	64QAM	Edge_1RB_Right	23.14
n77H	60	30	3840	DFT	64QAM	Outer_Full	24.32
n77H	60	30	3840	DFT	256QAM	Inner_Full	22.40
n77H	60	30	3840	DFT	256QAM	Edge_1RB_Left	22.14
n77H	60	30	3840	DFT	256QAM	Edge_1RB_Right	22.24
n77H	60	30	3840	DFT	256QAM	Outer_Full	22.33
n77H	60	30	3840	CP	QPSK	Inner_Full	25.39
n77H	60	30	3840	CP	QPSK	Edge_1RB_Left	23.09
n77H	60	30	3840	CP	QPSK	Edge_1RB_Right	23.14
n77H	60	30	3840	CP	QPSK	Outer_Full	23.81
n77H	60	30	3840	CP	16QAM	Inner_Full	24.88
n77H	60	30	3840	CP	16QAM	Edge_1RB_Left	23.06
n77H	60	30	3840	CP	16QAM	Edge_1RB_Right	23.15
n77H	60	30	3840	CP	16QAM	Outer_Full	23.81
n77H	60	30	3840	CP	64QAM	Inner_Full	23.42
n77H	60	30	3840	CP	64QAM	Edge_1RB_Left	22.88
n77H	60	30	3840	CP	64QAM	Edge_1RB_Right	23.11
n77H	60	30	3840	CP	64QAM	Outer_Full	23.39
n77H	60	30	3840	CP	256QAM	Inner_Full	20.40
n77H	60	30	3840	CP	256QAM	Edge_1RB_Left	20.01
n77H	60	30	3840	CP	256QAM	Edge_1RB_Right	20.18
n77H	60	30	3840	CP	256QAM	Outer_Full	20.28
n77H	60	30	3949.98	DFT	pi/2 BPSK	Inner_Full	27.16

n77H	60	30	3949.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.37
n77H	60	30	3949.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.65
n77H	60	30	3949.98	DFT	pi/2 BPSK	Outer_Full	26.62
n77H	60	30	3949.98	DFT	QPSK	Inner_Full	27.17
n77H	60	30	3949.98	DFT	QPSK	Edge_1RB_Left	23.35
n77H	60	30	3949.98	DFT	QPSK	Edge_1RB_Right	22.58
n77H	60	30	3949.98	DFT	QPSK	Outer_Full	26.11
n77H	60	30	3949.98	DFT	16QAM	Inner_Full	26.26
n77H	60	30	3949.98	DFT	16QAM	Edge_1RB_Left	23.58
n77H	60	30	3949.98	DFT	16QAM	Edge_1RB_Right	22.74
n77H	60	30	3949.98	DFT	16QAM	Outer_Full	25.14
n77H	60	30	3949.98	DFT	64QAM	Inner_Full	24.80
n77H	60	30	3949.98	DFT	64QAM	Edge_1RB_Left	23.40
n77H	60	30	3949.98	DFT	64QAM	Edge_1RB_Right	22.62
n77H	60	30	3949.98	DFT	64QAM	Outer_Full	24.56
n77H	60	30	3949.98	DFT	256QAM	Inner_Full	22.73
n77H	60	30	3949.98	DFT	256QAM	Edge_1RB_Left	22.60
n77H	60	30	3949.98	DFT	256QAM	Edge_1RB_Right	21.90
n77H	60	30	3949.98	DFT	256QAM	Outer_Full	22.63
n77H	60	30	3949.98	CP	QPSK	Inner_Full	25.67
n77H	60	30	3949.98	CP	QPSK	Edge_1RB_Left	23.37
n77H	60	30	3949.98	CP	QPSK	Edge_1RB_Right	22.71
n77H	60	30	3949.98	CP	QPSK	Outer_Full	24.11
n77H	60	30	3949.98	CP	16QAM	Inner_Full	25.22
n77H	60	30	3949.98	CP	16QAM	Edge_1RB_Left	23.34
n77H	60	30	3949.98	CP	16QAM	Edge_1RB_Right	22.77
n77H	60	30	3949.98	CP	16QAM	Outer_Full	24.11
n77H	60	30	3949.98	CP	64QAM	Inner_Full	23.73
n77H	60	30	3949.98	CP	64QAM	Edge_1RB_Left	23.33
n77H	60	30	3949.98	CP	64QAM	Edge_1RB_Right	22.60
n77H	60	30	3949.98	CP	64QAM	Outer_Full	23.63
n77H	60	30	3949.98	CP	256QAM	Inner_Full	20.69
n77H	60	30	3949.98	CP	256QAM	Edge_1RB_Left	20.52
n77H	60	30	3949.98	CP	256QAM	Edge_1RB_Right	20.03
n77H	60	30	3949.98	CP	256QAM	Outer_Full	20.51
n77H	70	30	3735	DFT	pi/2 BPSK	Inner_Full	25.76
n77H	70	30	3735	DFT	pi/2 BPSK	Edge_1RB_Left	21.52
n77H	70	30	3735	DFT	pi/2 BPSK	Edge_1RB_Right	22.95
n77H	70	30	3735	DFT	pi/2 BPSK	Outer_Full	25.29
n77H	70	30	3735	DFT	QPSK	Inner_Full	25.81
n77H	70	30	3735	DFT	QPSK	Edge_1RB_Left	21.47

n77H	70	30	3735	DFT	QPSK	Edge_1RB_Right	23.00
n77H	70	30	3735	DFT	QPSK	Outer_Full	24.81
n77H	70	30	3735	DFT	16QAM	Inner_Full	24.86
n77H	70	30	3735	DFT	16QAM	Edge_1RB_Left	21.58
n77H	70	30	3735	DFT	16QAM	Edge_1RB_Right	22.88
n77H	70	30	3735	DFT	16QAM	Outer_Full	23.88
n77H	70	30	3735	DFT	64QAM	Inner_Full	23.33
n77H	70	30	3735	DFT	64QAM	Edge_1RB_Left	21.49
n77H	70	30	3735	DFT	64QAM	Edge_1RB_Right	22.91
n77H	70	30	3735	DFT	64QAM	Outer_Full	23.35
n77H	70	30	3735	DFT	256QAM	Inner_Full	21.26
n77H	70	30	3735	DFT	256QAM	Edge_1RB_Left	20.53
n77H	70	30	3735	DFT	256QAM	Edge_1RB_Right	22.06
n77H	70	30	3735	DFT	256QAM	Outer_Full	21.30
n77H	70	30	3735	CP	QPSK	Inner_Full	24.33
n77H	70	30	3735	CP	QPSK	Edge_1RB_Left	21.56
n77H	70	30	3735	CP	QPSK	Edge_1RB_Right	23.05
n77H	70	30	3735	CP	QPSK	Outer_Full	22.78
n77H	70	30	3735	CP	16QAM	Inner_Full	23.87
n77H	70	30	3735	CP	16QAM	Edge_1RB_Left	21.54
n77H	70	30	3735	CP	16QAM	Edge_1RB_Right	23.01
n77H	70	30	3735	CP	16QAM	Outer_Full	22.78
n77H	70	30	3735	CP	64QAM	Inner_Full	22.33
n77H	70	30	3735	CP	64QAM	Edge_1RB_Left	21.52
n77H	70	30	3735	CP	64QAM	Edge_1RB_Right	22.90
n77H	70	30	3735	CP	64QAM	Outer_Full	22.34
n77H	70	30	3735	CP	256QAM	Inner_Full	19.25
n77H	70	30	3735	CP	256QAM	Edge_1RB_Left	18.35
n77H	70	30	3735	CP	256QAM	Edge_1RB_Right	19.82
n77H	70	30	3735	CP	256QAM	Outer_Full	19.15
n77H	70	30	3840	DFT	pi/2 BPSK	Inner_Full	26.92
n77H	70	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	23.10
n77H	70	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.00
n77H	70	30	3840	DFT	pi/2 BPSK	Outer_Full	26.31
n77H	70	30	3840	DFT	QPSK	Inner_Full	26.94
n77H	70	30	3840	DFT	QPSK	Edge_1RB_Left	23.11
n77H	70	30	3840	DFT	QPSK	Edge_1RB_Right	23.00
n77H	70	30	3840	DFT	QPSK	Outer_Full	25.79
n77H	70	30	3840	DFT	16QAM	Inner_Full	26.00
n77H	70	30	3840	DFT	16QAM	Edge_1RB_Left	23.09
n77H	70	30	3840	DFT	16QAM	Edge_1RB_Right	23.03

n77H	70	30	3840	DFT	16QAM	Outer_Full	24.80
n77H	70	30	3840	DFT	64QAM	Inner_Full	24.49
n77H	70	30	3840	DFT	64QAM	Edge_1RB_Left	23.08
n77H	70	30	3840	DFT	64QAM	Edge_1RB_Right	22.82
n77H	70	30	3840	DFT	64QAM	Outer_Full	24.32
n77H	70	30	3840	DFT	256QAM	Inner_Full	22.44
n77H	70	30	3840	DFT	256QAM	Edge_1RB_Left	22.27
n77H	70	30	3840	DFT	256QAM	Edge_1RB_Right	22.29
n77H	70	30	3840	DFT	256QAM	Outer_Full	22.32
n77H	70	30	3840	CP	QPSK	Inner_Full	25.40
n77H	70	30	3840	CP	QPSK	Edge_1RB_Left	23.21
n77H	70	30	3840	CP	QPSK	Edge_1RB_Right	23.08
n77H	70	30	3840	CP	QPSK	Outer_Full	23.77
n77H	70	30	3840	CP	16QAM	Inner_Full	24.90
n77H	70	30	3840	CP	16QAM	Edge_1RB_Left	23.15
n77H	70	30	3840	CP	16QAM	Edge_1RB_Right	23.17
n77H	70	30	3840	CP	16QAM	Outer_Full	23.74
n77H	70	30	3840	CP	64QAM	Inner_Full	23.47
n77H	70	30	3840	CP	64QAM	Edge_1RB_Left	23.08
n77H	70	30	3840	CP	64QAM	Edge_1RB_Right	23.06
n77H	70	30	3840	CP	64QAM	Outer_Full	23.38
n77H	70	30	3840	CP	256QAM	Inner_Full	20.32
n77H	70	30	3840	CP	256QAM	Edge_1RB_Left	19.88
n77H	70	30	3840	CP	256QAM	Edge_1RB_Right	19.88
n77H	70	30	3840	CP	256QAM	Outer_Full	20.24
n77H	70	30	3945	DFT	pi/2 BPSK	Inner_Full	27.15
n77H	70	30	3945	DFT	pi/2 BPSK	Edge_1RB_Left	22.92
n77H	70	30	3945	DFT	pi/2 BPSK	Edge_1RB_Right	22.54
n77H	70	30	3945	DFT	pi/2 BPSK	Outer_Full	26.58
n77H	70	30	3945	DFT	QPSK	Inner_Full	27.13
n77H	70	30	3945	DFT	QPSK	Edge_1RB_Left	22.94
n77H	70	30	3945	DFT	QPSK	Edge_1RB_Right	22.53
n77H	70	30	3945	DFT	QPSK	Outer_Full	26.11
n77H	70	30	3945	DFT	16QAM	Inner_Full	26.44
n77H	70	30	3945	DFT	16QAM	Edge_1RB_Left	22.95
n77H	70	30	3945	DFT	16QAM	Edge_1RB_Right	22.56
n77H	70	30	3945	DFT	16QAM	Outer_Full	25.19
n77H	70	30	3945	DFT	64QAM	Inner_Full	24.89
n77H	70	30	3945	DFT	64QAM	Edge_1RB_Left	23.11
n77H	70	30	3945	DFT	64QAM	Edge_1RB_Right	22.70
n77H	70	30	3945	DFT	64QAM	Outer_Full	24.59

n77H	70	30	3945	DFT	256QAM	Inner_Full	22.81
n77H	70	30	3945	DFT	256QAM	Edge_1RB_Left	21.90
n77H	70	30	3945	DFT	256QAM	Edge_1RB_Right	21.64
n77H	70	30	3945	DFT	256QAM	Outer_Full	22.53
n77H	70	30	3945	CP	QPSK	Inner_Full	25.72
n77H	70	30	3945	CP	QPSK	Edge_1RB_Left	23.03
n77H	70	30	3945	CP	QPSK	Edge_1RB_Right	22.71
n77H	70	30	3945	CP	QPSK	Outer_Full	24.02
n77H	70	30	3945	CP	16QAM	Inner_Full	25.41
n77H	70	30	3945	CP	16QAM	Edge_1RB_Left	22.99
n77H	70	30	3945	CP	16QAM	Edge_1RB_Right	22.67
n77H	70	30	3945	CP	16QAM	Outer_Full	24.08
n77H	70	30	3945	CP	64QAM	Inner_Full	23.78
n77H	70	30	3945	CP	64QAM	Edge_1RB_Left	22.71
n77H	70	30	3945	CP	64QAM	Edge_1RB_Right	22.40
n77H	70	30	3945	CP	64QAM	Outer_Full	23.52
n77H	70	30	3945	CP	256QAM	Inner_Full	20.71
n77H	70	30	3945	CP	256QAM	Edge_1RB_Left	20.02
n77H	70	30	3945	CP	256QAM	Edge_1RB_Right	19.70
n77H	70	30	3945	CP	256QAM	Outer_Full	20.42
n77H	80	30	3740.01	DFT	pi/2 BPSK	Inner_Full	26.04
n77H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.37
n77H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.11
n77H	80	30	3740.01	DFT	pi/2 BPSK	Outer_Full	25.48
n77H	80	30	3740.01	DFT	QPSK	Inner_Full	26.04
n77H	80	30	3740.01	DFT	QPSK	Edge_1RB_Left	21.42
n77H	80	30	3740.01	DFT	QPSK	Edge_1RB_Right	23.22
n77H	80	30	3740.01	DFT	QPSK	Outer_Full	25.04
n77H	80	30	3740.01	DFT	16QAM	Inner_Full	25.04
n77H	80	30	3740.01	DFT	16QAM	Edge_1RB_Left	21.36
n77H	80	30	3740.01	DFT	16QAM	Edge_1RB_Right	23.20
n77H	80	30	3740.01	DFT	16QAM	Outer_Full	24.06
n77H	80	30	3740.01	DFT	64QAM	Inner_Full	23.52
n77H	80	30	3740.01	DFT	64QAM	Edge_1RB_Left	21.39
n77H	80	30	3740.01	DFT	64QAM	Edge_1RB_Right	23.15
n77H	80	30	3740.01	DFT	64QAM	Outer_Full	23.54
n77H	80	30	3740.01	DFT	256QAM	Inner_Full	21.51
n77H	80	30	3740.01	DFT	256QAM	Edge_1RB_Left	20.43
n77H	80	30	3740.01	DFT	256QAM	Edge_1RB_Right	22.22
n77H	80	30	3740.01	DFT	256QAM	Outer_Full	21.58
n77H	80	30	3740.01	CP	QPSK	Inner_Full	24.53

n77H	80	30	3740.01	CP	QPSK	Edge_1RB_Left	21.53
n77H	80	30	3740.01	CP	QPSK	Edge_1RB_Right	23.27
n77H	80	30	3740.01	CP	QPSK	Outer_Full	23.03
n77H	80	30	3740.01	CP	16QAM	Inner_Full	24.05
n77H	80	30	3740.01	CP	16QAM	Edge_1RB_Left	21.41
n77H	80	30	3740.01	CP	16QAM	Edge_1RB_Right	23.26
n77H	80	30	3740.01	CP	16QAM	Outer_Full	22.97
n77H	80	30	3740.01	CP	64QAM	Inner_Full	22.51
n77H	80	30	3740.01	CP	64QAM	Edge_1RB_Left	21.39
n77H	80	30	3740.01	CP	64QAM	Edge_1RB_Right	23.14
n77H	80	30	3740.01	CP	64QAM	Outer_Full	22.48
n77H	80	30	3740.01	CP	256QAM	Inner_Full	19.47
n77H	80	30	3740.01	CP	256QAM	Edge_1RB_Left	18.35
n77H	80	30	3740.01	CP	256QAM	Edge_1RB_Right	19.83
n77H	80	30	3740.01	CP	256QAM	Outer_Full	19.40
n77H	80	30	3840	DFT	pi/2 BPSK	Inner_Full	26.90
n77H	80	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	23.06
n77H	80	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.88
n77H	80	30	3840	DFT	pi/2 BPSK	Outer_Full	26.28
n77H	80	30	3840	DFT	QPSK	Inner_Full	26.84
n77H	80	30	3840	DFT	QPSK	Edge_1RB_Left	23.06
n77H	80	30	3840	DFT	QPSK	Edge_1RB_Right	22.84
n77H	80	30	3840	DFT	QPSK	Outer_Full	25.84
n77H	80	30	3840	DFT	16QAM	Inner_Full	25.93
n77H	80	30	3840	DFT	16QAM	Edge_1RB_Left	23.13
n77H	80	30	3840	DFT	16QAM	Edge_1RB_Right	22.95
n77H	80	30	3840	DFT	16QAM	Outer_Full	24.82
n77H	80	30	3840	DFT	64QAM	Inner_Full	24.44
n77H	80	30	3840	DFT	64QAM	Edge_1RB_Left	23.15
n77H	80	30	3840	DFT	64QAM	Edge_1RB_Right	22.93
n77H	80	30	3840	DFT	64QAM	Outer_Full	24.31
n77H	80	30	3840	DFT	256QAM	Inner_Full	22.39
n77H	80	30	3840	DFT	256QAM	Edge_1RB_Left	22.16
n77H	80	30	3840	DFT	256QAM	Edge_1RB_Right	22.12
n77H	80	30	3840	DFT	256QAM	Outer_Full	22.27
n77H	80	30	3840	CP	QPSK	Inner_Full	25.36
n77H	80	30	3840	CP	QPSK	Edge_1RB_Left	23.24
n77H	80	30	3840	CP	QPSK	Edge_1RB_Right	22.98
n77H	80	30	3840	CP	QPSK	Outer_Full	23.82
n77H	80	30	3840	CP	16QAM	Inner_Full	24.94
n77H	80	30	3840	CP	16QAM	Edge_1RB_Left	23.00

n77H	80	30	3840	CP	16QAM	Edge_1RB_Right	23.02
n77H	80	30	3840	CP	16QAM	Outer_Full	23.71
n77H	80	30	3840	CP	64QAM	Inner_Full	23.42
n77H	80	30	3840	CP	64QAM	Edge_1RB_Left	22.97
n77H	80	30	3840	CP	64QAM	Edge_1RB_Right	22.76
n77H	80	30	3840	CP	64QAM	Outer_Full	23.24
n77H	80	30	3840	CP	256QAM	Inner_Full	20.39
n77H	80	30	3840	CP	256QAM	Edge_1RB_Left	19.97
n77H	80	30	3840	CP	256QAM	Edge_1RB_Right	19.70
n77H	80	30	3840	CP	256QAM	Outer_Full	20.19
n77H	80	30	3939.99	DFT	pi/2 BPSK	Inner_Full	27.19
n77H	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.63
n77H	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.36
n77H	80	30	3939.99	DFT	pi/2 BPSK	Outer_Full	26.49
n77H	80	30	3939.99	DFT	QPSK	Inner_Full	27.17
n77H	80	30	3939.99	DFT	QPSK	Edge_1RB_Left	22.61
n77H	80	30	3939.99	DFT	QPSK	Edge_1RB_Right	22.33
n77H	80	30	3939.99	DFT	QPSK	Outer_Full	26.02
n77H	80	30	3939.99	DFT	16QAM	Inner_Full	26.48
n77H	80	30	3939.99	DFT	16QAM	Edge_1RB_Left	22.66
n77H	80	30	3939.99	DFT	16QAM	Edge_1RB_Right	22.49
n77H	80	30	3939.99	DFT	16QAM	Outer_Full	25.04
n77H	80	30	3939.99	DFT	64QAM	Inner_Full	24.88
n77H	80	30	3939.99	DFT	64QAM	Edge_1RB_Left	22.72
n77H	80	30	3939.99	DFT	64QAM	Edge_1RB_Right	22.49
n77H	80	30	3939.99	DFT	64QAM	Outer_Full	24.57
n77H	80	30	3939.99	DFT	256QAM	Inner_Full	22.90
n77H	80	30	3939.99	DFT	256QAM	Edge_1RB_Left	21.78
n77H	80	30	3939.99	DFT	256QAM	Edge_1RB_Right	21.44
n77H	80	30	3939.99	DFT	256QAM	Outer_Full	22.56
n77H	80	30	3939.99	CP	QPSK	Inner_Full	25.84
n77H	80	30	3939.99	CP	QPSK	Edge_1RB_Left	22.70
n77H	80	30	3939.99	CP	QPSK	Edge_1RB_Right	22.48
n77H	80	30	3939.99	CP	QPSK	Outer_Full	24.08
n77H	80	30	3939.99	CP	16QAM	Inner_Full	25.37
n77H	80	30	3939.99	CP	16QAM	Edge_1RB_Left	22.70
n77H	80	30	3939.99	CP	16QAM	Edge_1RB_Right	22.44
n77H	80	30	3939.99	CP	16QAM	Outer_Full	24.00
n77H	80	30	3939.99	CP	64QAM	Inner_Full	23.87
n77H	80	30	3939.99	CP	64QAM	Edge_1RB_Left	22.58
n77H	80	30	3939.99	CP	64QAM	Edge_1RB_Right	22.28

n77H	80	30	3939.99	CP	64QAM	Outer_Full	23.50
n77H	80	30	3939.99	CP	256QAM	Inner_Full	20.83
n77H	80	30	3939.99	CP	256QAM	Edge_1RB_Left	19.69
n77H	80	30	3939.99	CP	256QAM	Edge_1RB_Right	19.43
n77H	80	30	3939.99	CP	256QAM	Outer_Full	20.39
n77H	90	30	3745.02	DFT	pi/2 BPSK	Inner_Full	26.10
n77H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.20
n77H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.09
n77H	90	30	3745.02	DFT	pi/2 BPSK	Outer_Full	25.54
n77H	90	30	3745.02	DFT	QPSK	Inner_Full	26.15
n77H	90	30	3745.02	DFT	QPSK	Edge_1RB_Left	21.22
n77H	90	30	3745.02	DFT	QPSK	Edge_1RB_Right	23.09
n77H	90	30	3745.02	DFT	QPSK	Outer_Full	25.08
n77H	90	30	3745.02	DFT	16QAM	Inner_Full	25.17
n77H	90	30	3745.02	DFT	16QAM	Edge_1RB_Left	21.25
n77H	90	30	3745.02	DFT	16QAM	Edge_1RB_Right	23.18
n77H	90	30	3745.02	DFT	16QAM	Outer_Full	24.09
n77H	90	30	3745.02	DFT	64QAM	Inner_Full	23.68
n77H	90	30	3745.02	DFT	64QAM	Edge_1RB_Left	21.29
n77H	90	30	3745.02	DFT	64QAM	Edge_1RB_Right	22.99
n77H	90	30	3745.02	DFT	64QAM	Outer_Full	23.54
n77H	90	30	3745.02	DFT	256QAM	Inner_Full	21.64
n77H	90	30	3745.02	DFT	256QAM	Edge_1RB_Left	20.46
n77H	90	30	3745.02	DFT	256QAM	Edge_1RB_Right	22.24
n77H	90	30	3745.02	DFT	256QAM	Outer_Full	21.58
n77H	90	30	3745.02	CP	QPSK	Inner_Full	24.59
n77H	90	30	3745.02	CP	QPSK	Edge_1RB_Left	21.33
n77H	90	30	3745.02	CP	QPSK	Edge_1RB_Right	23.15
n77H	90	30	3745.02	CP	QPSK	Outer_Full	23.07
n77H	90	30	3745.02	CP	16QAM	Inner_Full	24.14
n77H	90	30	3745.02	CP	16QAM	Edge_1RB_Left	21.26
n77H	90	30	3745.02	CP	16QAM	Edge_1RB_Right	23.14
n77H	90	30	3745.02	CP	16QAM	Outer_Full	23.09
n77H	90	30	3745.02	CP	64QAM	Inner_Full	22.56
n77H	90	30	3745.02	CP	64QAM	Edge_1RB_Left	21.26
n77H	90	30	3745.02	CP	64QAM	Edge_1RB_Right	23.04
n77H	90	30	3745.02	CP	64QAM	Outer_Full	22.56
n77H	90	30	3745.02	CP	256QAM	Inner_Full	19.54
n77H	90	30	3745.02	CP	256QAM	Edge_1RB_Left	18.40
n77H	90	30	3745.02	CP	256QAM	Edge_1RB_Right	20.26
n77H	90	30	3745.02	CP	256QAM	Outer_Full	19.47

n77H	90	30	3840	DFT	pi/2 BPSK	Inner_Full	26.87
n77H	90	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.97
n77H	90	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.67
n77H	90	30	3840	DFT	pi/2 BPSK	Outer_Full	26.28
n77H	90	30	3840	DFT	QPSK	Inner_Full	26.82
n77H	90	30	3840	DFT	QPSK	Edge_1RB_Left	22.93
n77H	90	30	3840	DFT	QPSK	Edge_1RB_Right	22.60
n77H	90	30	3840	DFT	QPSK	Outer_Full	25.82
n77H	90	30	3840	DFT	16QAM	Inner_Full	25.88
n77H	90	30	3840	DFT	16QAM	Edge_1RB_Left	22.89
n77H	90	30	3840	DFT	16QAM	Edge_1RB_Right	22.67
n77H	90	30	3840	DFT	16QAM	Outer_Full	24.85
n77H	90	30	3840	DFT	64QAM	Inner_Full	24.37
n77H	90	30	3840	DFT	64QAM	Edge_1RB_Left	22.99
n77H	90	30	3840	DFT	64QAM	Edge_1RB_Right	22.63
n77H	90	30	3840	DFT	64QAM	Outer_Full	24.29
n77H	90	30	3840	DFT	256QAM	Inner_Full	22.38
n77H	90	30	3840	DFT	256QAM	Edge_1RB_Left	22.10
n77H	90	30	3840	DFT	256QAM	Edge_1RB_Right	21.91
n77H	90	30	3840	DFT	256QAM	Outer_Full	22.27
n77H	90	30	3840	CP	QPSK	Inner_Full	25.29
n77H	90	30	3840	CP	QPSK	Edge_1RB_Left	23.04
n77H	90	30	3840	CP	QPSK	Edge_1RB_Right	22.79
n77H	90	30	3840	CP	QPSK	Outer_Full	23.76
n77H	90	30	3840	CP	16QAM	Inner_Full	24.93
n77H	90	30	3840	CP	16QAM	Edge_1RB_Left	22.97
n77H	90	30	3840	CP	16QAM	Edge_1RB_Right	22.62
n77H	90	30	3840	CP	16QAM	Outer_Full	23.81
n77H	90	30	3840	CP	64QAM	Inner_Full	23.35
n77H	90	30	3840	CP	64QAM	Edge_1RB_Left	22.82
n77H	90	30	3840	CP	64QAM	Edge_1RB_Right	22.79
n77H	90	30	3840	CP	64QAM	Outer_Full	23.29
n77H	90	30	3840	CP	256QAM	Inner_Full	20.28
n77H	90	30	3840	CP	256QAM	Edge_1RB_Left	20.14
n77H	90	30	3840	CP	256QAM	Edge_1RB_Right	19.55
n77H	90	30	3840	CP	256QAM	Outer_Full	20.24
n77H	90	30	3934.98	DFT	pi/2 BPSK	Inner_Full	27.18
n77H	90	30	3934.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.53
n77H	90	30	3934.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.16
n77H	90	30	3934.98	DFT	pi/2 BPSK	Outer_Full	26.53
n77H	90	30	3934.98	DFT	QPSK	Inner_Full	27.14

n77H	90	30	3934.98	DFT	QPSK	Edge_1RB_Left	22.50
n77H	90	30	3934.98	DFT	QPSK	Edge_1RB_Right	22.10
n77H	90	30	3934.98	DFT	QPSK	Outer_Full	26.04
n77H	90	30	3934.98	DFT	16QAM	Inner_Full	26.40
n77H	90	30	3934.98	DFT	16QAM	Edge_1RB_Left	22.59
n77H	90	30	3934.98	DFT	16QAM	Edge_1RB_Right	22.12
n77H	90	30	3934.98	DFT	16QAM	Outer_Full	25.01
n77H	90	30	3934.98	DFT	64QAM	Inner_Full	24.98
n77H	90	30	3934.98	DFT	64QAM	Edge_1RB_Left	22.53
n77H	90	30	3934.98	DFT	64QAM	Edge_1RB_Right	22.21
n77H	90	30	3934.98	DFT	64QAM	Outer_Full	24.49
n77H	90	30	3934.98	DFT	256QAM	Inner_Full	22.91
n77H	90	30	3934.98	DFT	256QAM	Edge_1RB_Left	21.78
n77H	90	30	3934.98	DFT	256QAM	Edge_1RB_Right	21.14
n77H	90	30	3934.98	DFT	256QAM	Outer_Full	22.50
n77H	90	30	3934.98	CP	QPSK	Inner_Full	25.87
n77H	90	30	3934.98	CP	QPSK	Edge_1RB_Left	22.64
n77H	90	30	3934.98	CP	QPSK	Edge_1RB_Right	22.21
n77H	90	30	3934.98	CP	QPSK	Outer_Full	23.97
n77H	90	30	3934.98	CP	16QAM	Inner_Full	25.42
n77H	90	30	3934.98	CP	16QAM	Edge_1RB_Left	22.52
n77H	90	30	3934.98	CP	16QAM	Edge_1RB_Right	22.25
n77H	90	30	3934.98	CP	16QAM	Outer_Full	24.00
n77H	90	30	3934.98	CP	64QAM	Inner_Full	23.86
n77H	90	30	3934.98	CP	64QAM	Edge_1RB_Left	22.48
n77H	90	30	3934.98	CP	64QAM	Edge_1RB_Right	22.14
n77H	90	30	3934.98	CP	64QAM	Outer_Full	23.51
n77H	90	30	3934.98	CP	256QAM	Inner_Full	20.86
n77H	90	30	3934.98	CP	256QAM	Edge_1RB_Left	19.64
n77H	90	30	3934.98	CP	256QAM	Edge_1RB_Right	19.19
n77H	90	30	3934.98	CP	256QAM	Outer_Full	20.42
n77H	100	30	3840	DFT	pi/2 BPSK	Inner_Full	26.84
n77H	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.78
n77H	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.34
n77H	100	30	3840	DFT	pi/2 BPSK	Outer_Full	26.25
n77H	100	30	3840	DFT	QPSK	Inner_Full	26.84
n77H	100	30	3840	DFT	QPSK	Edge_1RB_Left	22.79
n77H	100	30	3840	DFT	QPSK	Edge_1RB_Right	22.45
n77H	100	30	3840	DFT	QPSK	Outer_Full	25.75
n77H	100	30	3840	DFT	16QAM	Inner_Full	25.87
n77H	100	30	3840	DFT	16QAM	Edge_1RB_Left	22.69

n77H	100	30	3840	DFT	16QAM	Edge_1RB_Right	22.47
n77H	100	30	3840	DFT	16QAM	Outer_Full	24.75
n77H	100	30	3840	DFT	64QAM	Inner_Full	24.34
n77H	100	30	3840	DFT	64QAM	Edge_1RB_Left	22.78
n77H	100	30	3840	DFT	64QAM	Edge_1RB_Right	22.50
n77H	100	30	3840	DFT	64QAM	Outer_Full	24.22
n77H	100	30	3840	DFT	256QAM	Inner_Full	22.39
n77H	100	30	3840	DFT	256QAM	Edge_1RB_Left	21.87
n77H	100	30	3840	DFT	256QAM	Edge_1RB_Right	21.41
n77H	100	30	3840	DFT	256QAM	Outer_Full	22.26
n77H	100	30	3840	CP	QPSK	Inner_Full	25.32
n77H	100	30	3840	CP	QPSK	Edge_1RB_Left	22.90
n77H	100	30	3840	CP	QPSK	Edge_1RB_Right	22.43
n77H	100	30	3840	CP	QPSK	Outer_Full	23.72
n77H	100	30	3840	CP	16QAM	Inner_Full	24.80
n77H	100	30	3840	CP	16QAM	Edge_1RB_Left	22.97
n77H	100	30	3840	CP	16QAM	Edge_1RB_Right	22.52
n77H	100	30	3840	CP	16QAM	Outer_Full	23.72
n77H	100	30	3840	CP	64QAM	Inner_Full	23.30
n77H	100	30	3840	CP	64QAM	Edge_1RB_Left	22.78
n77H	100	30	3840	CP	64QAM	Edge_1RB_Right	22.38
n77H	100	30	3840	CP	64QAM	Outer_Full	23.20
n77H	100	30	3840	CP	256QAM	Inner_Full	20.34
n77H	100	30	3840	CP	256QAM	Edge_1RB_Left	19.92
n77H	100	30	3840	CP	256QAM	Edge_1RB_Right	19.65
n77H	100	30	3840	CP	256QAM	Outer_Full	20.13
n77H	100	30	3750	DFT	pi/2 BPSK	Inner_Full	26.35
n77H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.24
n77H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	22.84
n77H	100	30	3750	DFT	pi/2 BPSK	Outer_Full	25.70
n77H	100	30	3750	DFT	QPSK	Inner_Full	26.34
n77H	100	30	3750	DFT	QPSK	Edge_1RB_Left	21.23
n77H	100	30	3750	DFT	QPSK	Edge_1RB_Right	22.89
n77H	100	30	3750	DFT	QPSK	Outer_Full	25.18
n77H	100	30	3750	DFT	16QAM	Inner_Full	25.38
n77H	100	30	3750	DFT	16QAM	Edge_1RB_Left	21.25
n77H	100	30	3750	DFT	16QAM	Edge_1RB_Right	22.77
n77H	100	30	3750	DFT	16QAM	Outer_Full	24.24
n77H	100	30	3750	DFT	64QAM	Inner_Full	23.84
n77H	100	30	3750	DFT	64QAM	Edge_1RB_Left	21.24
n77H	100	30	3750	DFT	64QAM	Edge_1RB_Right	22.68

n77H	100	30	3750	DFT	64QAM	Outer_Full	23.64
n77H	100	30	3750	DFT	256QAM	Inner_Full	21.84
n77H	100	30	3750	DFT	256QAM	Edge_1RB_Left	20.22
n77H	100	30	3750	DFT	256QAM	Edge_1RB_Right	21.96
n77H	100	30	3750	DFT	256QAM	Outer_Full	21.66
n77H	100	30	3750	CP	QPSK	Inner_Full	24.85
n77H	100	30	3750	CP	QPSK	Edge_1RB_Left	21.26
n77H	100	30	3750	CP	QPSK	Edge_1RB_Right	23.01
n77H	100	30	3750	CP	QPSK	Outer_Full	23.15
n77H	100	30	3750	CP	16QAM	Inner_Full	24.39
n77H	100	30	3750	CP	16QAM	Edge_1RB_Left	21.29
n77H	100	30	3750	CP	16QAM	Edge_1RB_Right	22.92
n77H	100	30	3750	CP	16QAM	Outer_Full	23.13
n77H	100	30	3750	CP	64QAM	Inner_Full	22.86
n77H	100	30	3750	CP	64QAM	Edge_1RB_Left	21.27
n77H	100	30	3750	CP	64QAM	Edge_1RB_Right	22.82
n77H	100	30	3750	CP	64QAM	Outer_Full	22.66
n77H	100	30	3750	CP	256QAM	Inner_Full	19.76
n77H	100	30	3750	CP	256QAM	Edge_1RB_Left	19.25
n77H	100	30	3750	CP	256QAM	Edge_1RB_Right	19.80
n77H	100	30	3750	CP	256QAM	Outer_Full	19.51
n77H	100	30	3930	DFT	pi/2 BPSK	Inner_Full	27.19
n77H	100	30	3930	DFT	pi/2 BPSK	Edge_1RB_Left	22.50
n77H	100	30	3930	DFT	pi/2 BPSK	Edge_1RB_Right	21.99
n77H	100	30	3930	DFT	pi/2 BPSK	Outer_Full	26.42
n77H	100	30	3930	DFT	QPSK	Inner_Full	27.13
n77H	100	30	3930	DFT	QPSK	Edge_1RB_Left	22.45
n77H	100	30	3930	DFT	QPSK	Edge_1RB_Right	22.00
n77H	100	30	3930	DFT	QPSK	Outer_Full	25.95
n77H	100	30	3930	DFT	16QAM	Inner_Full	26.36
n77H	100	30	3930	DFT	16QAM	Edge_1RB_Left	22.60
n77H	100	30	3930	DFT	16QAM	Edge_1RB_Right	22.05
n77H	100	30	3930	DFT	16QAM	Outer_Full	24.96
n77H	100	30	3930	DFT	64QAM	Inner_Full	24.86
n77H	100	30	3930	DFT	64QAM	Edge_1RB_Left	22.30
n77H	100	30	3930	DFT	64QAM	Edge_1RB_Right	22.07
n77H	100	30	3930	DFT	64QAM	Outer_Full	24.34
n77H	100	30	3930	DFT	256QAM	Inner_Full	22.81
n77H	100	30	3930	DFT	256QAM	Edge_1RB_Left	21.78
n77H	100	30	3930	DFT	256QAM	Edge_1RB_Right	21.21
n77H	100	30	3930	DFT	256QAM	Outer_Full	22.42

n77H	100	30	3930	CP	QPSK	Inner_Full	25.79
n77H	100	30	3930	CP	QPSK	Edge_1RB_Left	22.45
n77H	100	30	3930	CP	QPSK	Edge_1RB_Right	22.18
n77H	100	30	3930	CP	QPSK	Outer_Full	23.87
n77H	100	30	3930	CP	16QAM	Inner_Full	25.35
n77H	100	30	3930	CP	16QAM	Edge_1RB_Left	22.50
n77H	100	30	3930	CP	16QAM	Edge_1RB_Right	22.17
n77H	100	30	3930	CP	16QAM	Outer_Full	23.91
n77H	100	30	3930	CP	64QAM	Inner_Full	23.82
n77H	100	30	3930	CP	64QAM	Edge_1RB_Left	22.52
n77H	100	30	3930	CP	64QAM	Edge_1RB_Right	22.04
n77H	100	30	3930	CP	64QAM	Outer_Full	23.33
n77H	100	30	3930	CP	256QAM	Inner_Full	20.78
n77H	100	30	3930	CP	256QAM	Edge_1RB_Left	19.71
n77H	100	30	3930	CP	256QAM	Edge_1RB_Right	19.31
n77H	100	30	3930	CP	256QAM	Outer_Full	20.27

Note: The maximum value of expanded measurement uncertainty for this test item is $U = 0.764$ dB, $k = 2$.

A.2 Frequency Stability

A.2.1 Method of Measurement

Frequency stability is a measure of the frequency drift due to temperature and supply voltage variations, with reference to the frequency measured at +20 °C and rated supply voltage. Two reference points are established at the applicable unwanted emissions limit using a RBW equal to the RBW required by the unwanted emissions specification of the applicable regulatory standard. These reference points measured using the lowest and highest channel of operation shall be identified as F_L and F_H respectively.

In order to measure the carrier frequency under the condition of AFC lock, it is necessary to make measurements with the EUT in a "call mode". This is accomplished with the use of MT8000A.

1. Measure the carrier frequency at room temperature.
2. Subject the EUT to overnight soak at -30°C.
3. With the EUT, powered via nominal voltage, connected to the MT8000A, and in a simulated call on middle channel for each NR band, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
4. Repeat the above measurements at 10°C increments from -30°C to +50°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
5. Re-measure carrier frequency at room temperature with nominal voltage. Vary supply voltage from minimum voltage to maximum voltage, in 0.1Volt increments re-measuring carrier frequency at each voltage. Pause at nominal voltage for 1.5 hours unpowered, to allow any self-heating to stabilize, before continuing.
6. Subject the EUT to overnight soak at +50°C.
7. With the EUT, powered via nominal voltage, connected to the MT8000A and in a simulated call on the center channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
8. Repeat the above measurements at 10 °C decrements from +50°C to -30°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
9. At all temperature levels hold the temperature to +/- 0.5°C during the measurement procedure.

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. As this transceiver is considered "Hand carried, battery powered equipment" Section 2.1055(d)(2) applies. This requires that the lower voltage for frequency stability testing be specified by the manufacturer. This transceiver is specified to operate with an input voltage of the lower, higher and nominal voltage. Operation above or below these voltage limits is prohibited by transceiver software in order to prevent improper operation as well as to protect components from overstress.

A.3.2 Measurement results

n5

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	824.272	847.624	1.80	0.0022
50					
40					
30					
10					
0					
-10					
-20					
-30					

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	824.272	847.624	3.10	0.0037
4.4				5.30	0.0063

n12

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	699.192	715.072	2.20	0.0031
50					
40					
30					
10					
0					
-10					
-20					
-30					

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	699.192	715.072	-2.80	0.0040
4.4				0.30	0.0004