



# TEST REPORT

## No. I22Z62424-EMC03

for

**TCL Communication Ltd.**

**UMTS/LTE /NR Mobile phone**

**Model Name: T609J**

**With**

**FCC ID: 2ACCJH174**

**Hardware Version: 03**

**Software Version: LUS7**

**Issued Date: 2023-02-02**

**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

**Test Laboratory:**

**CTTL, Telecommunication Technology Labs, CAICT**

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504

Email: [ctl\\_terminals@caict.ac.cn](mailto:ctl_terminals@caict.ac.cn), website: [www.caict.ac.cn](http://www.caict.ac.cn)



## **REPORT HISTORY**

<b>Report Number</b>	<b>Revision</b>	<b>Description</b>	<b>Issue Date</b>
I22Z62424-EMC03	Rev.0	1 <sup>st</sup> edition	2023-01-20
I22Z62424-EMC03	Rev.1	2 <sup>nd</sup> edition	2023-02-02

Note: the latest revision of the test report supersedes all previous version.

## **CONTENTS**

1. Test Laboratory .....	4
1.1. Introduction & Accreditation .....	4
1.2. Testing Location .....	4
1.3. Testing Environment .....	4
1.4. Project Data .....	4
1.5. Signature .....	4
2. Client Information .....	5
2.1. Applicant Information .....	5
2.2. Manufacturer Information .....	5
3. Equipment Under Test (EUT) and Ancillary Equipment (AE) .....	6
3.1. About EUT .....	6
3.2. Internal Identification of EUT used during the test .....	6
3.3. Internal Identification of AE used during the test .....	6
3.4. General Description .....	6
4. Reference Documents .....	7
5. Laboratory Environment .....	8
6. Summary Of Test Result .....	9
7. Measurement Uncertainty .....	11
8. Test Equipment Utilized .....	11
Annex A: Measurement Results-Emission Limit .....	12
A.1 Output Power .....	12
A.2 Emission Limit .....	223
Annex B: Accreditation Certificate .....	235

## 1. Test Laboratory

### 1.1. Introduction & Accreditation

Telecommunication Technology Labs, CAICT is an ISO/IEC 17025:2005 accredited test laboratory under NATIONAL VOLUNTARY LABORATORY ACCREDITATION PROGRAM (NVLAP) with lab code 600118-0 and is also an FCC accredited test laboratory (CN5017), and ISED accredited test laboratory (CN0066). The detail accreditation scope can be found on NVLAP website.

### 1.2. Testing Location

CTTL(BDA)

Address: No.18A, Kangding Street, Beijing Economic-Technology Development Area,  
Beijing, P. R. China 100176

### 1.3. Testing Environment

Normal Temperature: 15-35°C

Relative Humidity: 20-75%

### 1.4. Project Data

Testing Start Date: 2022-12-26

Testing End Date: 2023-01-13

### 1.5. Signature



---

Wang Xue

(Prepared this test report)



---

Zhang Ying

(Reviewed this test report)



---

Zhang Xia

(Approved this test report)



## **2. Client Information**

### **2.1. Applicant Information**

Company Name: TCL Communication Ltd.  
Address /Post: 5/F, Building 22E, 22 Science Park East Avenue, Hong Kong Science Park, Shatin, NT, Hong Kong  
Contact: nianxiang.jiang  
Email: nianxiang.jiang@tcl.com  
Telephone: +86 755 36611621  
Fax: +86 755 3661 2000-81722

### **2.2. Manufacturer Information**

Company Name: TCL Communication Ltd.  
Address /Post: 5/F, Building 22E, 22 Science Park East Avenue, Hong Kong Science Park, Shatin, NT, Hong Kong  
Contact: nianxiang.jiang  
Email: nianxiang.jiang@tcl.com  
Telephone: +86 755 36611621  
Fax: +86 755 3661 2000-81722

### 3. Equipment Under Test (EUT) and Ancillary Equipment (AE)

#### 3.1. About EUT

Description	UMTS/LTE /NR Mobile phone
Model Name	T609J
FCC ID	2ACCJH174
Antenna	Embedded
Output power	24.66dBm maximum EIRP measured for NR Band n77L

Note: Components list, please refer to documents of the manufacturer; it is also included in the original test record of CTTL.

#### 3.2. Internal Identification of EUT used during the test

EUT ID*	SN or IMEI	HW Version	SW Version
EUT1	016388000200031	03	LUS7

\*EUT ID: is used to identify the test sample in the lab internally.

#### 3.3. Internal Identification of AE used during the test

AE ID*	Description	Model	Manufacturer
AE1	Adapter	CBA0064BGTC5	PUAN
AE2	USB Cable	CDA0000198C1	JUWEI
AE3	Battery	CAC4850009CA	TMB

\*AE ID: is used to identify the test sample in the lab internally.

#### 3.4. General Description

Test combination

EUT set-up No.	Combination of EUT and AE	Remarks
Set.1	EUT1 + AE3	/

※Note: The T609J is a variant model of T609DL(FCC ID: 2ACCJH168), according to the declaration of changes , compared with T609DL,T609J adds the following UL bands:  
 DC 7A\_n2A; DC 7A\_n5A; DC 4A\_n41A; DC 12A\_n41A; DC 25A\_n41A; DC 26A\_n41A; DC 25A\_n66A; DC 7A\_n71A; DC 7A\_n77A; DC 25A\_n77A; DC\_2A\_n78A; DC\_5A\_n78A; DC\_7A\_n78A;DC\_12A\_n78A;DC\_66A\_n78A; SA n2;n5;n7

All the frequency bands above have been tested , only the worst cases have been reported. Other results are derived from initial model report, and the worst cases have been tested for variant model.

#### 4. Reference Documents

The following documents listed in this section are referred for testing.

<b>Reference</b>	<b>Title</b>	<b>Version</b>
FCC Part 22	PUBLIC MOBILE SERVICES	10-1-20 Edition
FCC Part 24	PERSONAL COMMUNICATIONS SERVICES	10-1-20 Edition
FCC Part 27	MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES	10-1-20 Edition (10-1-202
FCC Part 90	PRIVATE LAND MOBILE RADIO SERVICES	1 Edition)
FCC Part 96	CITIZENS BROADBAND RADIO SERVICE	10-1-21 Edition
ANSI/TIA-603-E	Land Mobile FM or PM Communications Equipment Measurement and Performance Standards	2016
ANSI C63.26	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services	2015
KDB 971168 D01	MEASUREMENT GUIDANCE FOR CERTIFICATION OF LICENSED DIGITAL TRANSMITTERS	v03r01
KDB 940660 D01	CERTIFICATION AND TEST PROCEDURES FOR CITIZENS BROADBAND RADIO SERVICE DEVICES AUTHORIZED UNDER PART 96	v03

## 5. Laboratory Environment

**Semi-anechoic chamber** did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 15 %, Max. = 75 %
Shielding effectiveness	0.014MHz - 1MHz, >60dB; 1MHz - 1000MHz, >90dB.
Electrical insulation	> 2 M
Ground system resistance	< 4
Site voltage standing-wave ratio ( $S_{VSWR}$ )	Between 0 and 6 dB, from 1GHz to 18GHz
Uniformity of field strength	Between 0 and 6 dB, from 80 to 4000 MHz



## 6. Summary Of Test Result

### 5G NR n5

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	22.913	P
2	Emission Limit	2.1051/22.917	P

### 5G NR n7

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P

### 5G NR n25

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	24.232	P
2	Emission Limit	2.1051/27.53	BR

### 5G NR n41

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P

### 5G NR n66

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P

### 5G NR n71

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	BR

### 5G NR n77L

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	NA

### 5G NR n77H

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	NA

**5G NR n78L**

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	NA

**5G NR n78H**

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	NA

Terms used in Verdict column

P	Pass. The EUT complies with the essential requirements in the standard.
NP	Not Performed. The test was not performed by CTTL.
NA	Not Applicable. The test was not applicable.
BR	Re-use test data from basic model report.
F	Fail. The EUT does not comply with the essential requirements in the standard.

NR Band 25 overlaps the entire frequency range of Band 2; NR Band 41 overlaps the entire frequency range of Band 38; NR Band 77 overlaps the entire frequency range of Band 78; Therefore, test data provided in this report covers all the bands described above.

Explanation of worst-case configuration

NR modulation: DFT-s-OFDM pi/2 BPSK; QPSK; 16QAM; 64QAM; 256QAM

CP-OFDM QPSK; 16QAM; 64QAM; 256QAM

NR BW: 5/10/20MHz/100MHz

The test results provided in this report represent the worst case configuration.

## 7. Measurement Uncertainty

### Emission Limit (k=2)

Frequency Range	Uncertainty(dB)
9kHz-30MHz	/
$30\text{MHz} \leq f \leq 1\text{GHz}$	5.76
$1\text{GHz} \leq f \leq 18\text{GHz}$	4.69
$18\text{GHz} \leq f \leq 40\text{GHz}$	3.78

## 8. Test Equipment Utilized

Description	Type	Series Number	Manufacture	Cal Due Date	Calibration Interval
Test Receiver	E4440A	MY48250642	Agilent	2023-03-10	1 year
EMI Antenna	VULB9163	9163-235	Schwarzbeck	2023-04-19	1 year
EMI Antenna	LB-7180-NF	J203001300005	A-INFO	2023-02-23	1 year
EMI Antenna	3115	00146404	ETS-Lindgren	2023-02-23	1 year
Signal Generator	N5183A	MY49060052	Agilent	2023-07-19	1 year
Universal Radio Communication Tester	MT8821C	6262257899	Anritsu	2023-05-15	1 year
Universal Radio Communication Tester	MT8000A	6262261933	Anritsu	2023-05-15	1 year

## **Annex A: Measurement Results-Emission Limit**

### **A.1 Output Power**

#### **A.1.1 Summary**

During the process of testing, the EUT was controlled via communication tester to ensure max power transmission and proper modulation.

In all cases, output power is within the specified limits.

According to declaration change from T609DL(FCC ID: 2ACCJH168) to T609J, a spot check measurement was performed on LTE Band 66, which is considered worst case in this situation.

#### **A.1.2 Radiated**

##### **A.1.2.1 Description**

Rule Part 24.232(b) specifies, "Mobile/portable stations are limited to 2 watts e.i.r.p. Peak power" and 24.232(c) specifies that "Peak transmit power must be measured over any interval of continuous transmission using instrumentation calibrated in terms of an rms-equivalent voltage."

Rule Part 22.913(a) specifies "The ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 Watts." Rule Part 27.50(d) specifies "Fixed, mobile, and portable (handheld) stations operating in the 1710–1755 MHz band are limited to 1 watt EIRP".


Rule Part 27.50(h)(2) specifies "Mobile stations are limited to 2.0 watts EIRP".

Rule Part 27.50(c) specifies "Portable stations (hand-held de-vices) are limited to 3 watts ERP".


Rule Part 90.635(b) specifies "The maximum output power of the transmitter for mobile stations is 100 watts (20 dBw)."

##### **A.1.2.2 Method of Measurement for initial model**

1. For radiated emissions measurements performed at frequencies less than or equal to 1 GHz, EUT was placed on a 80 cm high non-conductive stand at a 3 meter test distance from the receive antenna. For radiated measurements performed at frequencies above 1 GHz, EUT was placed on a 1.5 meter high non-conductive stand at a 3 meter test distance from the receive antenna. Receiving antenna was placed on the antenna mast 3 meters from the EUT. For emission measurements. The receiving antenna shall be varied from 1 m to 4 m in height above the reference ground in a search for the relative positioning that produces the maximum radiated signal level. The test setup refers to figure below. Detected emissions were maximized at each frequency by rotating the EUT through 360° and adjusting the receiving antenna polarization. The radiated emission measurements of all transmit frequencies in three channels (High, Middle, Low) were measured with peak detector.



2. The EUT is then put into continuously transmitting mode at its maximum power level during the test. And the maximum value of the receiver should be recorded as ( $P_r$ ).
3. The EUT shall be replaced by a substitution antenna. The test setup refers to figure below.



In the chamber, a substitution antenna for the frequency band of interest is placed at the reference point of the chamber. An RF signal source for the frequency band of interest is connected to the substitution antenna with a cable that has been constructed to not interfere with the radiation pattern of the antenna. A power ( $P_{Mea}$ ) is applied to the input of the substitution antenna and adjusts the level of the signal generator output until the value of the receiver reaches the previously recorded ( $P_r$ ). The power of signal source ( $P_{Mea}$ ) is recorded. The test should be performed by rotating the test item and adjusting the receiving antenna polarization.

4. An amplifier should be connected to the Signal Source output port. And the cable should be connected between the amplifier and the substitution antenna. The cable loss ( $P_{cl}$ ), the substitution Antenna Gain(dBi) ( $G_a$ ) and the amplifier Gain ( $P_{Ag}$ ) should be recorded after test.

The measurement results are obtained as described below:

$$\text{Power (EIRP)} = P_{Mea} - P_{Ag} - P_{cl} + G_a$$

5. This value is EIRP since the measurement is calibrated using an antenna of known gain (unit dBi) and known input power.
6. ERP can be calculated from EIRP by subtracting the gain of the dipole,  $ERP = EIRP - 2.15\text{dB}$ .



DC_5A_n2A	5	15	1852.5	CP	16QAM	Outer_Full	20.87	21.14
DC_5A_n2A	5	15	1852.5	CP	64QAM	Inner_Full	20.24	20.51
DC_5A_n2A	5	15	1852.5	CP	64QAM	Edge_1RB_Left	20.64	20.91
DC_5A_n2A	5	15	1852.5	CP	64QAM	Edge_1RB_Right	20.63	20.90
DC_5A_n2A	5	15	1852.5	CP	64QAM	Outer_Full	20.34	20.61
DC_5A_n2A	5	15	1852.5	CP	256QAM	Inner_Full	17.35	17.62
DC_5A_n2A	5	15	1852.5	CP	256QAM	Edge_1RB_Left	16.98	17.25
DC_5A_n2A	5	15	1852.5	CP	256QAM	Edge_1RB_Right	17.08	17.35
DC_5A_n2A	5	15	1852.5	CP	256QAM	Outer_Full	17.36	17.63
DC_5A_n2A	5	15	1880	DFT	pi/2 BPSK	Inner_Full	24.02	24.29
DC_5A_n2A	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	23.54	23.81
DC_5A_n2A	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	23.58	23.85
DC_5A_n2A	5	15	1880	DFT	pi/2 BPSK	Outer_Full	23.47	23.74
DC_5A_n2A	5	15	1880	DFT	QPSK	Inner_Full	24.05	24.32
DC_5A_n2A	5	15	1880	DFT	QPSK	Edge_1RB_Left	23.05	23.32
DC_5A_n2A	5	15	1880	DFT	QPSK	Edge_1RB_Right	23.05	23.32
DC_5A_n2A	5	15	1880	DFT	QPSK	Outer_Full	23.09	23.36
DC_5A_n2A	5	15	1880	DFT	16QAM	Inner_Full	23.07	23.34
DC_5A_n2A	5	15	1880	DFT	16QAM	Edge_1RB_Left	22.20	22.47
DC_5A_n2A	5	15	1880	DFT	16QAM	Edge_1RB_Right	22.19	22.46
DC_5A_n2A	5	15	1880	DFT	16QAM	Outer_Full	22.01	22.28
DC_5A_n2A	5	15	1880	DFT	64QAM	Inner_Full	21.51	21.78
DC_5A_n2A	5	15	1880	DFT	64QAM	Edge_1RB_Left	21.70	21.97
DC_5A_n2A	5	15	1880	DFT	64QAM	Edge_1RB_Right	21.65	21.92
DC_5A_n2A	5	15	1880	DFT	64QAM	Outer_Full	21.50	21.77
DC_5A_n2A	5	15	1880	DFT	256QAM	Inner_Full	19.37	19.64
DC_5A_n2A	5	15	1880	DFT	256QAM	Edge_1RB_Left	19.20	19.47
DC_5A_n2A	5	15	1880	DFT	256QAM	Edge_1RB_Right	19.11	19.38
DC_5A_n2A	5	15	1880	DFT	256QAM	Outer_Full	19.48	19.75
DC_5A_n2A	5	15	1880	CP	QPSK	Inner_Full	22.41	22.68
DC_5A_n2A	5	15	1880	CP	QPSK	Edge_1RB_Left	21.07	21.34
DC_5A_n2A	5	15	1880	CP	QPSK	Edge_1RB_Right	21.16	21.43
DC_5A_n2A	5	15	1880	CP	QPSK	Outer_Full	20.97	21.24
DC_5A_n2A	5	15	1880	CP	16QAM	Inner_Full	21.95	22.22
DC_5A_n2A	5	15	1880	CP	16QAM	Edge_1RB_Left	21.13	21.40
DC_5A_n2A	5	15	1880	CP	16QAM	Edge_1RB_Right	21.18	21.45
DC_5A_n2A	5	15	1880	CP	16QAM	Outer_Full	21.06	21.33
DC_5A_n2A	5	15	1880	CP	64QAM	Inner_Full	20.36	20.63
DC_5A_n2A	5	15	1880	CP	64QAM	Edge_1RB_Left	20.90	21.17
DC_5A_n2A	5	15	1880	CP	64QAM	Edge_1RB_Right	20.99	21.26
DC_5A_n2A	5	15	1880	CP	64QAM	Outer_Full	20.46	20.73

DC_5A_n2A	5	15	1880	CP	256QAM	Inner_Full	17.45	17.72
DC_5A_n2A	5	15	1880	CP	256QAM	Edge_1RB_Left	17.16	17.43
DC_5A_n2A	5	15	1880	CP	256QAM	Edge_1RB_Right	17.17	17.44
DC_5A_n2A	5	15	1880	CP	256QAM	Outer_Full	17.57	17.84
DC_5A_n2A	5	15	1907.5	DFT	pi/2 BPSK	Inner_Full	23.90	24.17
DC_5A_n2A	5	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.45	23.72
DC_5A_n2A	5	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.43	23.70
DC_5A_n2A	5	15	1907.5	DFT	pi/2 BPSK	Outer_Full	23.40	23.67
DC_5A_n2A	5	15	1907.5	DFT	QPSK	Inner_Full	23.98	24.25
DC_5A_n2A	5	15	1907.5	DFT	QPSK	Edge_1RB_Left	22.87	23.14
DC_5A_n2A	5	15	1907.5	DFT	QPSK	Edge_1RB_Right	22.82	23.09
DC_5A_n2A	5	15	1907.5	DFT	QPSK	Outer_Full	22.92	23.19
DC_5A_n2A	5	15	1907.5	DFT	16QAM	Inner_Full	23.01	23.28
DC_5A_n2A	5	15	1907.5	DFT	16QAM	Edge_1RB_Left	22.13	22.40
DC_5A_n2A	5	15	1907.5	DFT	16QAM	Edge_1RB_Right	22.09	22.36
DC_5A_n2A	5	15	1907.5	DFT	16QAM	Outer_Full	21.97	22.24
DC_5A_n2A	5	15	1907.5	DFT	64QAM	Inner_Full	21.43	21.70
DC_5A_n2A	5	15	1907.5	DFT	64QAM	Edge_1RB_Left	21.60	21.87
DC_5A_n2A	5	15	1907.5	DFT	64QAM	Edge_1RB_Right	21.52	21.79
DC_5A_n2A	5	15	1907.5	DFT	64QAM	Outer_Full	21.44	21.71
DC_5A_n2A	5	15	1907.5	DFT	256QAM	Inner_Full	19.25	19.52
DC_5A_n2A	5	15	1907.5	DFT	256QAM	Edge_1RB_Left	18.98	19.25
DC_5A_n2A	5	15	1907.5	DFT	256QAM	Edge_1RB_Right	19.02	19.29
DC_5A_n2A	5	15	1907.5	DFT	256QAM	Outer_Full	19.44	19.71
DC_5A_n2A	5	15	1907.5	CP	QPSK	Inner_Full	22.39	22.66
DC_5A_n2A	5	15	1907.5	CP	QPSK	Edge_1RB_Left	20.92	21.19
DC_5A_n2A	5	15	1907.5	CP	QPSK	Edge_1RB_Right	21.06	21.33
DC_5A_n2A	5	15	1907.5	CP	QPSK	Outer_Full	20.88	21.15
DC_5A_n2A	5	15	1907.5	CP	16QAM	Inner_Full	21.93	22.20
DC_5A_n2A	5	15	1907.5	CP	16QAM	Edge_1RB_Left	21.01	21.28
DC_5A_n2A	5	15	1907.5	CP	16QAM	Edge_1RB_Right	21.05	21.32
DC_5A_n2A	5	15	1907.5	CP	16QAM	Outer_Full	20.96	21.23
DC_5A_n2A	5	15	1907.5	CP	64QAM	Inner_Full	20.32	20.59
DC_5A_n2A	5	15	1907.5	CP	64QAM	Edge_1RB_Left	21.02	21.29
DC_5A_n2A	5	15	1907.5	CP	64QAM	Edge_1RB_Right	20.94	21.21
DC_5A_n2A	5	15	1907.5	CP	64QAM	Outer_Full	20.43	20.70
DC_5A_n2A	5	15	1907.5	CP	256QAM	Inner_Full	17.42	17.69
DC_5A_n2A	5	15	1907.5	CP	256QAM	Edge_1RB_Left	17.05	17.32
DC_5A_n2A	5	15	1907.5	CP	256QAM	Edge_1RB_Right	17.09	17.36
DC_5A_n2A	5	15	1907.5	CP	256QAM	Outer_Full	17.45	17.72
DC_5A_n2A	10	15	1855	DFT	pi/2 BPSK	Inner_Full	23.72	23.99



DC_5A_n2A	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Left	23.20	23.47
DC_5A_n2A	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Right	23.30	23.57
DC_5A_n2A	10	15	1855	DFT	pi/2 BPSK	Outer_Full	23.23	23.50
DC_5A_n2A	10	15	1855	DFT	QPSK	Inner_Full	23.77	24.04
DC_5A_n2A	10	15	1855	DFT	QPSK	Edge_1RB_Left	22.72	22.99
DC_5A_n2A	10	15	1855	DFT	QPSK	Edge_1RB_Right	22.81	23.08
DC_5A_n2A	10	15	1855	DFT	QPSK	Outer_Full	22.79	23.06
DC_5A_n2A	10	15	1855	DFT	16QAM	Inner_Full	22.81	23.08
DC_5A_n2A	10	15	1855	DFT	16QAM	Edge_1RB_Left	21.97	22.24
DC_5A_n2A	10	15	1855	DFT	16QAM	Edge_1RB_Right	21.93	22.20
DC_5A_n2A	10	15	1855	DFT	16QAM	Outer_Full	21.77	22.04
DC_5A_n2A	10	15	1855	DFT	64QAM	Inner_Full	21.22	21.49
DC_5A_n2A	10	15	1855	DFT	64QAM	Edge_1RB_Left	21.43	21.70
DC_5A_n2A	10	15	1855	DFT	64QAM	Edge_1RB_Right	21.32	21.59
DC_5A_n2A	10	15	1855	DFT	64QAM	Outer_Full	21.20	21.47
DC_5A_n2A	10	15	1855	DFT	256QAM	Inner_Full	19.18	19.45
DC_5A_n2A	10	15	1855	DFT	256QAM	Edge_1RB_Left	19.00	19.27
DC_5A_n2A	10	15	1855	DFT	256QAM	Edge_1RB_Right	18.91	19.18
DC_5A_n2A	10	15	1855	DFT	256QAM	Outer_Full	19.18	19.45
DC_5A_n2A	10	15	1855	CP	QPSK	Inner_Full	22.18	22.45
DC_5A_n2A	10	15	1855	CP	QPSK	Edge_1RB_Left	20.76	21.03
DC_5A_n2A	10	15	1855	CP	QPSK	Edge_1RB_Right	20.75	21.02
DC_5A_n2A	10	15	1855	CP	QPSK	Outer_Full	20.70	20.97
DC_5A_n2A	10	15	1855	CP	16QAM	Inner_Full	21.75	22.02
DC_5A_n2A	10	15	1855	CP	16QAM	Edge_1RB_Left	20.72	20.99
DC_5A_n2A	10	15	1855	CP	16QAM	Edge_1RB_Right	20.82	21.09
DC_5A_n2A	10	15	1855	CP	16QAM	Outer_Full	20.70	20.97
DC_5A_n2A	10	15	1855	CP	64QAM	Inner_Full	20.26	20.53
DC_5A_n2A	10	15	1855	CP	64QAM	Edge_1RB_Left	20.41	20.68
DC_5A_n2A	10	15	1855	CP	64QAM	Edge_1RB_Right	20.52	20.79
DC_5A_n2A	10	15	1855	CP	64QAM	Outer_Full	20.20	20.47
DC_5A_n2A	10	15	1855	CP	256QAM	Inner_Full	17.21	17.48
DC_5A_n2A	10	15	1855	CP	256QAM	Edge_1RB_Left	16.82	17.09
DC_5A_n2A	10	15	1855	CP	256QAM	Edge_1RB_Right	16.87	17.14
DC_5A_n2A	10	15	1855	CP	256QAM	Outer_Full	17.27	17.54
DC_5A_n2A	10	15	1880	DFT	pi/2 BPSK	Inner_Full	23.81	24.08
DC_5A_n2A	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	23.38	23.65
DC_5A_n2A	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	23.33	23.60
DC_5A_n2A	10	15	1880	DFT	pi/2 BPSK	Outer_Full	23.32	23.59
DC_5A_n2A	10	15	1880	DFT	QPSK	Inner_Full	23.88	24.15
DC_5A_n2A	10	15	1880	DFT	QPSK	Edge_1RB_Left	22.87	23.14

DC_5A_n2A	10	15	1880	DFT	QPSK	Edge_1RB_Right	22.88	23.15
DC_5A_n2A	10	15	1880	DFT	QPSK	Outer_Full	22.85	23.12
DC_5A_n2A	10	15	1880	DFT	16QAM	Inner_Full	22.88	23.15
DC_5A_n2A	10	15	1880	DFT	16QAM	Edge_1RB_Left	21.90	22.17
DC_5A_n2A	10	15	1880	DFT	16QAM	Edge_1RB_Right	21.88	22.15
DC_5A_n2A	10	15	1880	DFT	16QAM	Outer_Full	21.81	22.08
DC_5A_n2A	10	15	1880	DFT	64QAM	Inner_Full	21.40	21.67
DC_5A_n2A	10	15	1880	DFT	64QAM	Edge_1RB_Left	21.53	21.80
DC_5A_n2A	10	15	1880	DFT	64QAM	Edge_1RB_Right	21.52	21.79
DC_5A_n2A	10	15	1880	DFT	64QAM	Outer_Full	21.33	21.60
DC_5A_n2A	10	15	1880	DFT	256QAM	Inner_Full	19.31	19.58
DC_5A_n2A	10	15	1880	DFT	256QAM	Edge_1RB_Left	19.03	19.30
DC_5A_n2A	10	15	1880	DFT	256QAM	Edge_1RB_Right	19.17	19.44
DC_5A_n2A	10	15	1880	DFT	256QAM	Outer_Full	19.36	19.63
DC_5A_n2A	10	15	1880	CP	QPSK	Inner_Full	22.32	22.59
DC_5A_n2A	10	15	1880	CP	QPSK	Edge_1RB_Left	20.96	21.23
DC_5A_n2A	10	15	1880	CP	QPSK	Edge_1RB_Right	21.01	21.28
DC_5A_n2A	10	15	1880	CP	QPSK	Outer_Full	20.82	21.09
DC_5A_n2A	10	15	1880	CP	16QAM	Inner_Full	21.87	22.14
DC_5A_n2A	10	15	1880	CP	16QAM	Edge_1RB_Left	20.99	21.26
DC_5A_n2A	10	15	1880	CP	16QAM	Edge_1RB_Right	20.96	21.23
DC_5A_n2A	10	15	1880	CP	16QAM	Outer_Full	20.82	21.09
DC_5A_n2A	10	15	1880	CP	64QAM	Inner_Full	20.39	20.66
DC_5A_n2A	10	15	1880	CP	64QAM	Edge_1RB_Left	20.72	20.99
DC_5A_n2A	10	15	1880	CP	64QAM	Edge_1RB_Right	20.69	20.96
DC_5A_n2A	10	15	1880	CP	64QAM	Outer_Full	20.34	20.61
DC_5A_n2A	10	15	1880	CP	256QAM	Inner_Full	17.32	17.59
DC_5A_n2A	10	15	1880	CP	256QAM	Edge_1RB_Left	16.98	17.25
DC_5A_n2A	10	15	1880	CP	256QAM	Edge_1RB_Right	16.95	17.22
DC_5A_n2A	10	15	1880	CP	256QAM	Outer_Full	17.39	17.66
DC_5A_n2A	10	15	1905	DFT	pi/2 BPSK	Inner_Full	23.72	23.99
DC_5A_n2A	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	23.21	23.48
DC_5A_n2A	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	23.26	23.53
DC_5A_n2A	10	15	1905	DFT	pi/2 BPSK	Outer_Full	23.17	23.44
DC_5A_n2A	10	15	1905	DFT	QPSK	Inner_Full	23.78	24.05
DC_5A_n2A	10	15	1905	DFT	QPSK	Edge_1RB_Left	22.75	23.02
DC_5A_n2A	10	15	1905	DFT	QPSK	Edge_1RB_Right	22.73	23.00
DC_5A_n2A	10	15	1905	DFT	QPSK	Outer_Full	22.70	22.97
DC_5A_n2A	10	15	1905	DFT	16QAM	Inner_Full	22.80	23.07
DC_5A_n2A	10	15	1905	DFT	16QAM	Edge_1RB_Left	21.92	22.19
DC_5A_n2A	10	15	1905	DFT	16QAM	Edge_1RB_Right	21.84	22.11

DC_5A_n2A	10	15	1905	DFT	16QAM	Outer_Full	21.71	21.98
DC_5A_n2A	10	15	1905	DFT	64QAM	Inner_Full	21.30	21.57
DC_5A_n2A	10	15	1905	DFT	64QAM	Edge_1RB_Left	21.35	21.62
DC_5A_n2A	10	15	1905	DFT	64QAM	Edge_1RB_Right	21.39	21.66
DC_5A_n2A	10	15	1905	DFT	64QAM	Outer_Full	21.15	21.42
DC_5A_n2A	10	15	1905	DFT	256QAM	Inner_Full	19.27	19.54
DC_5A_n2A	10	15	1905	DFT	256QAM	Edge_1RB_Left	18.84	19.11
DC_5A_n2A	10	15	1905	DFT	256QAM	Edge_1RB_Right	19.09	19.36
DC_5A_n2A	10	15	1905	DFT	256QAM	Outer_Full	19.22	19.49
DC_5A_n2A	10	15	1905	CP	QPSK	Inner_Full	22.22	22.49
DC_5A_n2A	10	15	1905	CP	QPSK	Edge_1RB_Left	20.87	21.14
DC_5A_n2A	10	15	1905	CP	QPSK	Edge_1RB_Right	20.92	21.19
DC_5A_n2A	10	15	1905	CP	QPSK	Outer_Full	20.69	20.96
DC_5A_n2A	10	15	1905	CP	16QAM	Inner_Full	21.81	22.08
DC_5A_n2A	10	15	1905	CP	16QAM	Edge_1RB_Left	20.85	21.12
DC_5A_n2A	10	15	1905	CP	16QAM	Edge_1RB_Right	20.85	21.12
DC_5A_n2A	10	15	1905	CP	16QAM	Outer_Full	20.69	20.96
DC_5A_n2A	10	15	1905	CP	64QAM	Inner_Full	20.28	20.55
DC_5A_n2A	10	15	1905	CP	64QAM	Edge_1RB_Left	20.75	21.02
DC_5A_n2A	10	15	1905	CP	64QAM	Edge_1RB_Right	20.77	21.04
DC_5A_n2A	10	15	1905	CP	64QAM	Outer_Full	20.21	20.48
DC_5A_n2A	10	15	1905	CP	256QAM	Inner_Full	17.25	17.52
DC_5A_n2A	10	15	1905	CP	256QAM	Edge_1RB_Left	17.00	17.27
DC_5A_n2A	10	15	1905	CP	256QAM	Edge_1RB_Right	16.96	17.23
DC_5A_n2A	10	15	1905	CP	256QAM	Outer_Full	17.29	17.56
DC_5A_n2A	15	15	1857.5	DFT	pi/2 BPSK	Inner_Full	23.90	24.17
DC_5A_n2A	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.28	23.55
DC_5A_n2A	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.30	23.57
DC_5A_n2A	15	15	1857.5	DFT	pi/2 BPSK	Outer_Full	23.42	23.69
DC_5A_n2A	15	15	1857.5	DFT	QPSK	Inner_Full	23.94	24.21
DC_5A_n2A	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	22.82	23.09
DC_5A_n2A	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	22.80	23.07
DC_5A_n2A	15	15	1857.5	DFT	QPSK	Outer_Full	22.94	23.21
DC_5A_n2A	15	15	1857.5	DFT	16QAM	Inner_Full	22.98	23.25
DC_5A_n2A	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	21.96	22.23
DC_5A_n2A	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	22.01	22.28
DC_5A_n2A	15	15	1857.5	DFT	16QAM	Outer_Full	21.90	22.17
DC_5A_n2A	15	15	1857.5	DFT	64QAM	Inner_Full	21.42	21.69
DC_5A_n2A	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	20.95	21.22
DC_5A_n2A	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	21.39	21.66
DC_5A_n2A	15	15	1857.5	DFT	64QAM	Outer_Full	21.39	21.66

DC_5A_n2A	15	15	1857.5	DFT	256QAM	Inner_Full	19.38	19.65
DC_5A_n2A	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	18.78	19.05
DC_5A_n2A	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	18.78	19.05
DC_5A_n2A	15	15	1857.5	DFT	256QAM	Outer_Full	19.46	19.73
DC_5A_n2A	15	15	1857.5	CP	QPSK	Inner_Full	22.37	22.64
DC_5A_n2A	15	15	1857.5	CP	QPSK	Edge_1RB_Left	20.92	21.19
DC_5A_n2A	15	15	1857.5	CP	QPSK	Edge_1RB_Right	20.85	21.12
DC_5A_n2A	15	15	1857.5	CP	QPSK	Outer_Full	20.88	21.15
DC_5A_n2A	15	15	1857.5	CP	16QAM	Inner_Full	21.94	22.21
DC_5A_n2A	15	15	1857.5	CP	16QAM	Edge_1RB_Left	20.89	21.16
DC_5A_n2A	15	15	1857.5	CP	16QAM	Edge_1RB_Right	20.92	21.19
DC_5A_n2A	15	15	1857.5	CP	16QAM	Outer_Full	20.91	21.18
DC_5A_n2A	15	15	1857.5	CP	64QAM	Inner_Full	20.41	20.68
DC_5A_n2A	15	15	1857.5	CP	64QAM	Edge_1RB_Left	20.65	20.92
DC_5A_n2A	15	15	1857.5	CP	64QAM	Edge_1RB_Right	20.55	20.82
DC_5A_n2A	15	15	1857.5	CP	64QAM	Outer_Full	20.35	20.62
DC_5A_n2A	15	15	1857.5	CP	256QAM	Inner_Full	17.39	17.66
DC_5A_n2A	15	15	1857.5	CP	256QAM	Edge_1RB_Left	16.94	17.21
DC_5A_n2A	15	15	1857.5	CP	256QAM	Edge_1RB_Right	16.95	17.22
DC_5A_n2A	15	15	1857.5	CP	256QAM	Outer_Full	17.51	17.78
DC_5A_n2A	15	15	1880	DFT	pi/2 BPSK	Inner_Full	23.97	24.24
DC_5A_n2A	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	23.44	23.71
DC_5A_n2A	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	23.44	23.71
DC_5A_n2A	15	15	1880	DFT	pi/2 BPSK	Outer_Full	23.49	23.76
DC_5A_n2A	15	15	1880	DFT	QPSK	Inner_Full	24.04	24.31
DC_5A_n2A	15	15	1880	DFT	QPSK	Edge_1RB_Left	22.91	23.18
DC_5A_n2A	15	15	1880	DFT	QPSK	Edge_1RB_Right	22.98	23.25
DC_5A_n2A	15	15	1880	DFT	QPSK	Outer_Full	23.02	23.29
DC_5A_n2A	15	15	1880	DFT	16QAM	Inner_Full	23.08	23.35
DC_5A_n2A	15	15	1880	DFT	16QAM	Edge_1RB_Left	21.57	21.84
DC_5A_n2A	15	15	1880	DFT	16QAM	Edge_1RB_Right	22.10	22.37
DC_5A_n2A	15	15	1880	DFT	16QAM	Outer_Full	22.02	22.29
DC_5A_n2A	15	15	1880	DFT	64QAM	Inner_Full	21.49	21.76
DC_5A_n2A	15	15	1880	DFT	64QAM	Edge_1RB_Left	21.03	21.30
DC_5A_n2A	15	15	1880	DFT	64QAM	Edge_1RB_Right	21.01	21.28
DC_5A_n2A	15	15	1880	DFT	64QAM	Outer_Full	21.49	21.76
DC_5A_n2A	15	15	1880	DFT	256QAM	Inner_Full	19.48	19.75
DC_5A_n2A	15	15	1880	DFT	256QAM	Edge_1RB_Left	19.15	19.42
DC_5A_n2A	15	15	1880	DFT	256QAM	Edge_1RB_Right	19.01	19.28
DC_5A_n2A	15	15	1880	DFT	256QAM	Outer_Full	19.47	19.74
DC_5A_n2A	15	15	1880	CP	QPSK	Inner_Full	22.49	22.76

DC_5A_n2A	15	15	1880	CP	QPSK	Edge_1RB_Left	20.96	21.23
DC_5A_n2A	15	15	1880	CP	QPSK	Edge_1RB_Right	21.00	21.27
DC_5A_n2A	15	15	1880	CP	QPSK	Outer_Full	20.98	21.25
DC_5A_n2A	15	15	1880	CP	16QAM	Inner_Full	22.08	22.35
DC_5A_n2A	15	15	1880	CP	16QAM	Edge_1RB_Left	20.96	21.23
DC_5A_n2A	15	15	1880	CP	16QAM	Edge_1RB_Right	21.03	21.30
DC_5A_n2A	15	15	1880	CP	16QAM	Outer_Full	20.99	21.26
DC_5A_n2A	15	15	1880	CP	64QAM	Inner_Full	20.53	20.80
DC_5A_n2A	15	15	1880	CP	64QAM	Edge_1RB_Left	20.65	20.92
DC_5A_n2A	15	15	1880	CP	64QAM	Edge_1RB_Right	20.75	21.02
DC_5A_n2A	15	15	1880	CP	64QAM	Outer_Full	20.46	20.73
DC_5A_n2A	15	15	1880	CP	256QAM	Inner_Full	17.54	17.81
DC_5A_n2A	15	15	1880	CP	256QAM	Edge_1RB_Left	17.03	17.30
DC_5A_n2A	15	15	1880	CP	256QAM	Edge_1RB_Right	17.10	17.37
DC_5A_n2A	15	15	1880	CP	256QAM	Outer_Full	17.57	17.84
DC_5A_n2A	15	15	1902.5	DFT	pi/2 BPSK	Inner_Full	23.91	24.18
DC_5A_n2A	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.36	23.63
DC_5A_n2A	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.37	23.64
DC_5A_n2A	15	15	1902.5	DFT	pi/2 BPSK	Outer_Full	23.48	23.75
DC_5A_n2A	15	15	1902.5	DFT	QPSK	Inner_Full	23.94	24.21
DC_5A_n2A	15	15	1902.5	DFT	QPSK	Edge_1RB_Left	22.37	22.64
DC_5A_n2A	15	15	1902.5	DFT	QPSK	Edge_1RB_Right	22.79	23.06
DC_5A_n2A	15	15	1902.5	DFT	QPSK	Outer_Full	22.92	23.19
DC_5A_n2A	15	15	1902.5	DFT	16QAM	Inner_Full	22.99	23.26
DC_5A_n2A	15	15	1902.5	DFT	16QAM	Edge_1RB_Left	21.43	21.70
DC_5A_n2A	15	15	1902.5	DFT	16QAM	Edge_1RB_Right	21.51	21.78
DC_5A_n2A	15	15	1902.5	DFT	16QAM	Outer_Full	21.91	22.18
DC_5A_n2A	15	15	1902.5	DFT	64QAM	Inner_Full	21.47	21.74
DC_5A_n2A	15	15	1902.5	DFT	64QAM	Edge_1RB_Left	20.90	21.17
DC_5A_n2A	15	15	1902.5	DFT	64QAM	Edge_1RB_Right	20.99	21.26
DC_5A_n2A	15	15	1902.5	DFT	64QAM	Outer_Full	21.40	21.67
DC_5A_n2A	15	15	1902.5	DFT	256QAM	Inner_Full	19.41	19.68
DC_5A_n2A	15	15	1902.5	DFT	256QAM	Edge_1RB_Left	19.10	19.37
DC_5A_n2A	15	15	1902.5	DFT	256QAM	Edge_1RB_Right	18.98	19.25
DC_5A_n2A	15	15	1902.5	DFT	256QAM	Outer_Full	19.36	19.63
DC_5A_n2A	15	15	1902.5	CP	QPSK	Inner_Full	22.40	22.67
DC_5A_n2A	15	15	1902.5	CP	QPSK	Edge_1RB_Left	20.94	21.21
DC_5A_n2A	15	15	1902.5	CP	QPSK	Edge_1RB_Right	21.00	21.27
DC_5A_n2A	15	15	1902.5	CP	QPSK	Outer_Full	20.91	21.18
DC_5A_n2A	15	15	1902.5	CP	16QAM	Inner_Full	21.95	22.22
DC_5A_n2A	15	15	1902.5	CP	16QAM	Edge_1RB_Left	20.98	21.25

DC_5A_n2A	15	15	1902.5	CP	16QAM	Edge_1RB_Right	20.42	20.69
DC_5A_n2A	15	15	1902.5	CP	16QAM	Outer_Full	20.87	21.14
DC_5A_n2A	15	15	1902.5	CP	64QAM	Inner_Full	20.43	20.70
DC_5A_n2A	15	15	1902.5	CP	64QAM	Edge_1RB_Left	20.14	20.41
DC_5A_n2A	15	15	1902.5	CP	64QAM	Edge_1RB_Right	20.85	21.12
DC_5A_n2A	15	15	1902.5	CP	64QAM	Outer_Full	20.33	20.60
DC_5A_n2A	15	15	1902.5	CP	256QAM	Inner_Full	17.43	17.70
DC_5A_n2A	15	15	1902.5	CP	256QAM	Edge_1RB_Left	16.99	17.26
DC_5A_n2A	15	15	1902.5	CP	256QAM	Edge_1RB_Right	17.21	17.48
DC_5A_n2A	15	15	1902.5	CP	256QAM	Outer_Full	17.48	17.75
DC_5A_n2A	20	15	1860	DFT	pi/2 BPSK	Inner_Full	23.96	24.23
DC_5A_n2A	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	23.26	23.53
DC_5A_n2A	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	23.40	23.67
DC_5A_n2A	20	15	1860	DFT	pi/2 BPSK	Outer_Full	23.46	23.73
DC_5A_n2A	20	15	1860	DFT	QPSK	Inner_Full	23.98	24.25
DC_5A_n2A	20	15	1860	DFT	QPSK	Edge_1RB_Left	22.83	23.10
DC_5A_n2A	20	15	1860	DFT	QPSK	Edge_1RB_Right	22.86	23.13
DC_5A_n2A	20	15	1860	DFT	QPSK	Outer_Full	23.01	23.28
DC_5A_n2A	20	15	1860	DFT	16QAM	Inner_Full	22.96	23.23
DC_5A_n2A	20	15	1860	DFT	16QAM	Edge_1RB_Left	22.01	22.28
DC_5A_n2A	20	15	1860	DFT	16QAM	Edge_1RB_Right	21.49	21.76
DC_5A_n2A	20	15	1860	DFT	16QAM	Outer_Full	22.02	22.29
DC_5A_n2A	20	15	1860	DFT	64QAM	Inner_Full	21.44	21.71
DC_5A_n2A	20	15	1860	DFT	64QAM	Edge_1RB_Left	20.95	21.22
DC_5A_n2A	20	15	1860	DFT	64QAM	Edge_1RB_Right	21.09	21.36
DC_5A_n2A	20	15	1860	DFT	64QAM	Outer_Full	21.56	21.83
DC_5A_n2A	20	15	1860	DFT	256QAM	Inner_Full	19.42	19.69
DC_5A_n2A	20	15	1860	DFT	256QAM	Edge_1RB_Left	18.88	19.15
DC_5A_n2A	20	15	1860	DFT	256QAM	Edge_1RB_Right	19.02	19.29
DC_5A_n2A	20	15	1860	DFT	256QAM	Outer_Full	19.49	19.76
DC_5A_n2A	20	15	1860	CP	QPSK	Inner_Full	22.45	22.72
DC_5A_n2A	20	15	1860	CP	QPSK	Edge_1RB_Left	20.90	21.17
DC_5A_n2A	20	15	1860	CP	QPSK	Edge_1RB_Right	20.96	21.23
DC_5A_n2A	20	15	1860	CP	QPSK	Outer_Full	20.98	21.25
DC_5A_n2A	20	15	1860	CP	16QAM	Inner_Full	21.92	22.19
DC_5A_n2A	20	15	1860	CP	16QAM	Edge_1RB_Left	20.70	20.97
DC_5A_n2A	20	15	1860	CP	16QAM	Edge_1RB_Right	21.06	21.33
DC_5A_n2A	20	15	1860	CP	16QAM	Outer_Full	20.95	21.22
DC_5A_n2A	20	15	1860	CP	64QAM	Inner_Full	20.34	20.61
DC_5A_n2A	20	15	1860	CP	64QAM	Edge_1RB_Left	20.07	20.34
DC_5A_n2A	20	15	1860	CP	64QAM	Edge_1RB_Right	20.08	20.35

DC_5A_n2A	20	15	1860	CP	64QAM	Outer_Full	20.48	20.75
DC_5A_n2A	20	15	1860	CP	256QAM	Inner_Full	17.54	17.81
DC_5A_n2A	20	15	1860	CP	256QAM	Edge_1RB_Left	17.16	17.43
DC_5A_n2A	20	15	1860	CP	256QAM	Edge_1RB_Right	16.99	17.26
DC_5A_n2A	20	15	1860	CP	256QAM	Outer_Full	17.57	17.84
DC_5A_n2A	20	15	1880	DFT	pi/2 BPSK	Inner_Full	24.02	24.29
DC_5A_n2A	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	23.40	23.67
DC_5A_n2A	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	23.49	23.76
DC_5A_n2A	20	15	1880	DFT	pi/2 BPSK	Outer_Full	23.43	23.70
DC_5A_n2A	20	15	1880	DFT	QPSK	Inner_Full	24.03	24.30
DC_5A_n2A	20	15	1880	DFT	QPSK	Edge_1RB_Left	22.87	23.14
DC_5A_n2A	20	15	1880	DFT	QPSK	Edge_1RB_Right	23.02	23.29
DC_5A_n2A	20	15	1880	DFT	QPSK	Outer_Full	22.98	23.25
DC_5A_n2A	20	15	1880	DFT	16QAM	Inner_Full	23.05	23.32
DC_5A_n2A	20	15	1880	DFT	16QAM	Edge_1RB_Left	21.54	21.81
DC_5A_n2A	20	15	1880	DFT	16QAM	Edge_1RB_Right	21.68	21.95
DC_5A_n2A	20	15	1880	DFT	16QAM	Outer_Full	22.03	22.30
DC_5A_n2A	20	15	1880	DFT	64QAM	Inner_Full	21.53	21.80
DC_5A_n2A	20	15	1880	DFT	64QAM	Edge_1RB_Left	20.98	21.25
DC_5A_n2A	20	15	1880	DFT	64QAM	Edge_1RB_Right	21.11	21.38
DC_5A_n2A	20	15	1880	DFT	64QAM	Outer_Full	21.48	21.75
DC_5A_n2A	20	15	1880	DFT	256QAM	Inner_Full	19.51	19.78
DC_5A_n2A	20	15	1880	DFT	256QAM	Edge_1RB_Left	18.88	19.15
DC_5A_n2A	20	15	1880	DFT	256QAM	Edge_1RB_Right	19.21	19.48
DC_5A_n2A	20	15	1880	DFT	256QAM	Outer_Full	19.43	19.70
DC_5A_n2A	20	15	1880	CP	QPSK	Inner_Full	22.47	22.74
DC_5A_n2A	20	15	1880	CP	QPSK	Edge_1RB_Left	20.87	21.14
DC_5A_n2A	20	15	1880	CP	QPSK	Edge_1RB_Right	21.06	21.33
DC_5A_n2A	20	15	1880	CP	QPSK	Outer_Full	20.85	21.12
DC_5A_n2A	20	15	1880	CP	16QAM	Inner_Full	21.98	22.25
DC_5A_n2A	20	15	1880	CP	16QAM	Edge_1RB_Left	21.01	21.28
DC_5A_n2A	20	15	1880	CP	16QAM	Edge_1RB_Right	21.06	21.33
DC_5A_n2A	20	15	1880	CP	16QAM	Outer_Full	20.85	21.12
DC_5A_n2A	20	15	1880	CP	64QAM	Inner_Full	20.41	20.68
DC_5A_n2A	20	15	1880	CP	64QAM	Edge_1RB_Left	20.10	20.37
DC_5A_n2A	20	15	1880	CP	64QAM	Edge_1RB_Right	20.25	20.52
DC_5A_n2A	20	15	1880	CP	64QAM	Outer_Full	20.38	20.65
DC_5A_n2A	20	15	1880	CP	256QAM	Inner_Full	17.61	17.88
DC_5A_n2A	20	15	1880	CP	256QAM	Edge_1RB_Left	17.04	17.31
DC_5A_n2A	20	15	1880	CP	256QAM	Edge_1RB_Right	17.19	17.46
DC_5A_n2A	20	15	1880	CP	256QAM	Outer_Full	17.50	17.77

DC_5A_n2A	20	15	1900	DFT	pi/2 BPSK	Inner_Full	23.96	24.23
DC_5A_n2A	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Left	23.41	23.68
DC_5A_n2A	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Right	23.42	23.69
DC_5A_n2A	20	15	1900	DFT	pi/2 BPSK	Outer_Full	23.51	23.78
DC_5A_n2A	20	15	1900	DFT	QPSK	Inner_Full	23.98	24.25
DC_5A_n2A	20	15	1900	DFT	QPSK	Edge_1RB_Left	22.89	23.16
DC_5A_n2A	20	15	1900	DFT	QPSK	Edge_1RB_Right	22.37	22.64
DC_5A_n2A	20	15	1900	DFT	QPSK	Outer_Full	23.03	23.30
DC_5A_n2A	20	15	1900	DFT	16QAM	Inner_Full	23.04	23.31
DC_5A_n2A	20	15	1900	DFT	16QAM	Edge_1RB_Left	21.56	21.83
DC_5A_n2A	20	15	1900	DFT	16QAM	Edge_1RB_Right	22.05	22.32
DC_5A_n2A	20	15	1900	DFT	16QAM	Outer_Full	22.07	22.34
DC_5A_n2A	20	15	1900	DFT	64QAM	Inner_Full	21.56	21.83
DC_5A_n2A	20	15	1900	DFT	64QAM	Edge_1RB_Left	21.09	21.36
DC_5A_n2A	20	15	1900	DFT	64QAM	Edge_1RB_Right	21.07	21.34
DC_5A_n2A	20	15	1900	DFT	64QAM	Outer_Full	21.57	21.84
DC_5A_n2A	20	15	1900	DFT	256QAM	Inner_Full	19.46	19.73
DC_5A_n2A	20	15	1900	DFT	256QAM	Edge_1RB_Left	18.93	19.20
DC_5A_n2A	20	15	1900	DFT	256QAM	Edge_1RB_Right	19.01	19.28
DC_5A_n2A	20	15	1900	DFT	256QAM	Outer_Full	19.50	19.77
DC_5A_n2A	20	15	1900	CP	QPSK	Inner_Full	22.48	22.75
DC_5A_n2A	20	15	1900	CP	QPSK	Edge_1RB_Left	20.87	21.14
DC_5A_n2A	20	15	1900	CP	QPSK	Edge_1RB_Right	21.06	21.33
DC_5A_n2A	20	15	1900	CP	QPSK	Outer_Full	21.00	21.27
DC_5A_n2A	20	15	1900	CP	16QAM	Inner_Full	21.96	22.23
DC_5A_n2A	20	15	1900	CP	16QAM	Edge_1RB_Left	21.01	21.28
DC_5A_n2A	20	15	1900	CP	16QAM	Edge_1RB_Right	20.44	20.71
DC_5A_n2A	20	15	1900	CP	16QAM	Outer_Full	20.97	21.24
DC_5A_n2A	20	15	1900	CP	64QAM	Inner_Full	20.41	20.68
DC_5A_n2A	20	15	1900	CP	64QAM	Edge_1RB_Left	20.60	20.87
DC_5A_n2A	20	15	1900	CP	64QAM	Edge_1RB_Right	20.34	20.61
DC_5A_n2A	20	15	1900	CP	64QAM	Outer_Full	20.46	20.73
DC_5A_n2A	20	15	1900	CP	256QAM	Inner_Full	17.61	17.88
DC_5A_n2A	20	15	1900	CP	256QAM	Edge_1RB_Left	17.22	17.49
DC_5A_n2A	20	15	1900	CP	256QAM	Edge_1RB_Right	16.97	17.24
DC_5A_n2A	20	15	1900	CP	256QAM	Outer_Full	17.58	17.85

Maximum EIRP = 24.32dBm.



**DC 66A\_n5A- ERP**
**Limits: ≤38.45dBm (7W)**

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP(dBm) (Gt-Lc=-1.94)
DC_66A_n5A	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	23.81	19.72
DC_66A_n5A	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.30	19.21
DC_66A_n5A	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.43	19.34
DC_66A_n5A	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	23.38	19.29
DC_66A_n5A	5	15	826.5	DFT	QPSK	Inner_Full	23.89	19.80
DC_66A_n5A	5	15	826.5	DFT	QPSK	Edge_1RB_Left	22.69	18.60
DC_66A_n5A	5	15	826.5	DFT	QPSK	Edge_1RB_Right	22.81	18.72
DC_66A_n5A	5	15	826.5	DFT	QPSK	Outer_Full	22.92	18.83
DC_66A_n5A	5	15	826.5	DFT	16QAM	Inner_Full	22.88	18.79
DC_66A_n5A	5	15	826.5	DFT	16QAM	Edge_1RB_Left	21.76	17.67
DC_66A_n5A	5	15	826.5	DFT	16QAM	Edge_1RB_Right	21.86	17.77
DC_66A_n5A	5	15	826.5	DFT	16QAM	Outer_Full	21.88	17.79
DC_66A_n5A	5	15	826.5	DFT	64QAM	Inner_Full	21.46	17.37
DC_66A_n5A	5	15	826.5	DFT	64QAM	Edge_1RB_Left	21.25	17.16
DC_66A_n5A	5	15	826.5	DFT	64QAM	Edge_1RB_Right	21.33	17.24
DC_66A_n5A	5	15	826.5	DFT	64QAM	Outer_Full	21.49	17.40
DC_66A_n5A	5	15	826.5	DFT	256QAM	Inner_Full	19.50	15.41
DC_66A_n5A	5	15	826.5	DFT	256QAM	Edge_1RB_Left	19.30	15.21
DC_66A_n5A	5	15	826.5	DFT	256QAM	Edge_1RB_Right	19.45	15.36
DC_66A_n5A	5	15	826.5	DFT	256QAM	Outer_Full	19.54	15.45
DC_66A_n5A	5	15	826.5	CP	QPSK	Inner_Full	22.28	18.19
DC_66A_n5A	5	15	826.5	CP	QPSK	Edge_1RB_Left	20.74	16.65
DC_66A_n5A	5	15	826.5	CP	QPSK	Edge_1RB_Right	20.92	16.83
DC_66A_n5A	5	15	826.5	CP	QPSK	Outer_Full	20.94	16.85
DC_66A_n5A	5	15	826.5	CP	16QAM	Inner_Full	21.77	17.68
DC_66A_n5A	5	15	826.5	CP	16QAM	Edge_1RB_Left	20.99	16.90
DC_66A_n5A	5	15	826.5	CP	16QAM	Edge_1RB_Right	21.06	16.97
DC_66A_n5A	5	15	826.5	CP	16QAM	Outer_Full	20.91	16.82
DC_66A_n5A	5	15	826.5	CP	64QAM	Inner_Full	20.40	16.31
DC_66A_n5A	5	15	826.5	CP	64QAM	Edge_1RB_Left	20.48	16.39
DC_66A_n5A	5	15	826.5	CP	64QAM	Edge_1RB_Right	20.62	16.53
DC_66A_n5A	5	15	826.5	CP	64QAM	Outer_Full	20.43	16.34
DC_66A_n5A	5	15	826.5	CP	256QAM	Inner_Full	17.44	13.35
DC_66A_n5A	5	15	826.5	CP	256QAM	Edge_1RB_Left	17.33	13.24
DC_66A_n5A	5	15	826.5	CP	256QAM	Edge_1RB_Right	17.46	13.37
DC_66A_n5A	5	15	826.5	CP	256QAM	Outer_Full	17.43	13.34
DC_66A_n5A	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.63	19.54

DC_66A_n5A	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.38	19.29
DC_66A_n5A	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.03	18.94
DC_66A_n5A	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.10	19.01
DC_66A_n5A	5	15	836.5	DFT	QPSK	Inner_Full	23.72	19.63
DC_66A_n5A	5	15	836.5	DFT	QPSK	Edge_1RB_Left	22.66	18.57
DC_66A_n5A	5	15	836.5	DFT	QPSK	Edge_1RB_Right	22.38	18.29
DC_66A_n5A	5	15	836.5	DFT	QPSK	Outer_Full	22.68	18.59
DC_66A_n5A	5	15	836.5	DFT	16QAM	Inner_Full	22.61	18.52
DC_66A_n5A	5	15	836.5	DFT	16QAM	Edge_1RB_Left	21.80	17.71
DC_66A_n5A	5	15	836.5	DFT	16QAM	Edge_1RB_Right	21.47	17.38
DC_66A_n5A	5	15	836.5	DFT	16QAM	Outer_Full	21.66	17.57
DC_66A_n5A	5	15	836.5	DFT	64QAM	Inner_Full	21.26	17.17
DC_66A_n5A	5	15	836.5	DFT	64QAM	Edge_1RB_Left	21.29	17.20
DC_66A_n5A	5	15	836.5	DFT	64QAM	Edge_1RB_Right	20.98	16.89
DC_66A_n5A	5	15	836.5	DFT	64QAM	Outer_Full	21.26	17.17
DC_66A_n5A	5	15	836.5	DFT	256QAM	Inner_Full	19.35	15.26
DC_66A_n5A	5	15	836.5	DFT	256QAM	Edge_1RB_Left	19.29	15.20
DC_66A_n5A	5	15	836.5	DFT	256QAM	Edge_1RB_Right	19.14	15.05
DC_66A_n5A	5	15	836.5	DFT	256QAM	Outer_Full	19.26	15.17
DC_66A_n5A	5	15	836.5	CP	QPSK	Inner_Full	22.08	17.99
DC_66A_n5A	5	15	836.5	CP	QPSK	Edge_1RB_Left	20.76	16.67
DC_66A_n5A	5	15	836.5	CP	QPSK	Edge_1RB_Right	20.43	16.34
DC_66A_n5A	5	15	836.5	CP	QPSK	Outer_Full	20.71	16.62
DC_66A_n5A	5	15	836.5	CP	16QAM	Inner_Full	21.54	17.45
DC_66A_n5A	5	15	836.5	CP	16QAM	Edge_1RB_Left	20.94	16.85
DC_66A_n5A	5	15	836.5	CP	16QAM	Edge_1RB_Right	20.64	16.55
DC_66A_n5A	5	15	836.5	CP	16QAM	Outer_Full	20.69	16.60
DC_66A_n5A	5	15	836.5	CP	64QAM	Inner_Full	20.20	16.11
DC_66A_n5A	5	15	836.5	CP	64QAM	Edge_1RB_Left	20.46	16.37
DC_66A_n5A	5	15	836.5	CP	64QAM	Edge_1RB_Right	20.20	16.11
DC_66A_n5A	5	15	836.5	CP	64QAM	Outer_Full	20.13	16.04
DC_66A_n5A	5	15	836.5	CP	256QAM	Inner_Full	17.20	13.11
DC_66A_n5A	5	15	836.5	CP	256QAM	Edge_1RB_Left	17.33	13.24
DC_66A_n5A	5	15	836.5	CP	256QAM	Edge_1RB_Right	17.05	12.96
DC_66A_n5A	5	15	836.5	CP	256QAM	Outer_Full	17.15	13.06
DC_66A_n5A	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	23.19	19.10
DC_66A_n5A	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.75	18.66
DC_66A_n5A	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.71	18.62
DC_66A_n5A	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	22.74	18.65
DC_66A_n5A	5	15	846.5	DFT	QPSK	Inner_Full	23.22	19.13
DC_66A_n5A	5	15	846.5	DFT	QPSK	Edge_1RB_Left	22.16	18.07

DC_66A_n5A	5	15	846.5	DFT	QPSK	Edge_1RB_Right	22.00	17.91
DC_66A_n5A	5	15	846.5	DFT	QPSK	Outer_Full	22.32	18.23
DC_66A_n5A	5	15	846.5	DFT	16QAM	Inner_Full	22.21	18.12
DC_66A_n5A	5	15	846.5	DFT	16QAM	Edge_1RB_Left	21.19	17.10
DC_66A_n5A	5	15	846.5	DFT	16QAM	Edge_1RB_Right	21.19	17.10
DC_66A_n5A	5	15	846.5	DFT	16QAM	Outer_Full	21.24	17.15
DC_66A_n5A	5	15	846.5	DFT	64QAM	Inner_Full	20.74	16.65
DC_66A_n5A	5	15	846.5	DFT	64QAM	Edge_1RB_Left	20.66	16.57
DC_66A_n5A	5	15	846.5	DFT	64QAM	Edge_1RB_Right	20.63	16.54
DC_66A_n5A	5	15	846.5	DFT	64QAM	Outer_Full	20.83	16.74
DC_66A_n5A	5	15	846.5	DFT	256QAM	Inner_Full	18.83	14.74
DC_66A_n5A	5	15	846.5	DFT	256QAM	Edge_1RB_Left	18.70	14.61
DC_66A_n5A	5	15	846.5	DFT	256QAM	Edge_1RB_Right	18.67	14.58
DC_66A_n5A	5	15	846.5	DFT	256QAM	Outer_Full	18.80	14.71
DC_66A_n5A	5	15	846.5	CP	QPSK	Inner_Full	21.60	17.51
DC_66A_n5A	5	15	846.5	CP	QPSK	Edge_1RB_Left	20.23	16.14
DC_66A_n5A	5	15	846.5	CP	QPSK	Edge_1RB_Right	20.09	16.00
DC_66A_n5A	5	15	846.5	CP	QPSK	Outer_Full	20.29	16.20
DC_66A_n5A	5	15	846.5	CP	16QAM	Inner_Full	21.05	16.96
DC_66A_n5A	5	15	846.5	CP	16QAM	Edge_1RB_Left	20.31	16.22
DC_66A_n5A	5	15	846.5	CP	16QAM	Edge_1RB_Right	20.29	16.20
DC_66A_n5A	5	15	846.5	CP	16QAM	Outer_Full	20.27	16.18
DC_66A_n5A	5	15	846.5	CP	64QAM	Inner_Full	19.73	15.64
DC_66A_n5A	5	15	846.5	CP	64QAM	Edge_1RB_Left	19.90	15.81
DC_66A_n5A	5	15	846.5	CP	64QAM	Edge_1RB_Right	19.88	15.79
DC_66A_n5A	5	15	846.5	CP	64QAM	Outer_Full	19.74	15.65
DC_66A_n5A	5	15	846.5	CP	256QAM	Inner_Full	16.74	12.65
DC_66A_n5A	5	15	846.5	CP	256QAM	Edge_1RB_Left	16.76	12.67
DC_66A_n5A	5	15	846.5	CP	256QAM	Edge_1RB_Right	16.81	12.72
DC_66A_n5A	5	15	846.5	CP	256QAM	Outer_Full	16.74	12.65
DC_66A_n5A	10	15	829	DFT	pi/2 BPSK	Inner_Full	23.76	19.67
DC_66A_n5A	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	23.21	19.12
DC_66A_n5A	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	23.20	19.11
DC_66A_n5A	10	15	829	DFT	pi/2 BPSK	Outer_Full	23.29	19.20
DC_66A_n5A	10	15	829	DFT	QPSK	Inner_Full	23.85	19.76
DC_66A_n5A	10	15	829	DFT	QPSK	Edge_1RB_Left	22.60	18.51
DC_66A_n5A	10	15	829	DFT	QPSK	Edge_1RB_Right	22.61	18.52
DC_66A_n5A	10	15	829	DFT	QPSK	Outer_Full	22.82	18.73
DC_66A_n5A	10	15	829	DFT	16QAM	Inner_Full	22.74	18.65
DC_66A_n5A	10	15	829	DFT	16QAM	Edge_1RB_Left	21.66	17.57
DC_66A_n5A	10	15	829	DFT	16QAM	Edge_1RB_Right	21.80	17.71

DC_66A_n5A	10	15	829	DFT	16QAM	Outer_Full	21.86	17.77
DC_66A_n5A	10	15	829	DFT	64QAM	Inner_Full	21.33	17.24
DC_66A_n5A	10	15	829	DFT	64QAM	Edge_1RB_Left	21.23	17.14
DC_66A_n5A	10	15	829	DFT	64QAM	Edge_1RB_Right	21.10	17.01
DC_66A_n5A	10	15	829	DFT	64QAM	Outer_Full	21.36	17.27
DC_66A_n5A	10	15	829	DFT	256QAM	Inner_Full	19.35	15.26
DC_66A_n5A	10	15	829	DFT	256QAM	Edge_1RB_Left	19.19	15.10
DC_66A_n5A	10	15	829	DFT	256QAM	Edge_1RB_Right	19.15	15.06
DC_66A_n5A	10	15	829	DFT	256QAM	Outer_Full	19.35	15.26
DC_66A_n5A	10	15	829	CP	QPSK	Inner_Full	22.22	18.13
DC_66A_n5A	10	15	829	CP	QPSK	Edge_1RB_Left	20.78	16.69
DC_66A_n5A	10	15	829	CP	QPSK	Edge_1RB_Right	20.72	16.63
DC_66A_n5A	10	15	829	CP	QPSK	Outer_Full	20.79	16.70
DC_66A_n5A	10	15	829	CP	16QAM	Inner_Full	21.72	17.63
DC_66A_n5A	10	15	829	CP	16QAM	Edge_1RB_Left	20.81	16.72
DC_66A_n5A	10	15	829	CP	16QAM	Edge_1RB_Right	20.84	16.75
DC_66A_n5A	10	15	829	CP	16QAM	Outer_Full	20.78	16.69
DC_66A_n5A	10	15	829	CP	64QAM	Inner_Full	20.28	16.19
DC_66A_n5A	10	15	829	CP	64QAM	Edge_1RB_Left	20.31	16.22
DC_66A_n5A	10	15	829	CP	64QAM	Edge_1RB_Right	20.45	16.36
DC_66A_n5A	10	15	829	CP	64QAM	Outer_Full	20.28	16.19
DC_66A_n5A	10	15	829	CP	256QAM	Inner_Full	17.33	13.24
DC_66A_n5A	10	15	829	CP	256QAM	Edge_1RB_Left	17.26	13.17
DC_66A_n5A	10	15	829	CP	256QAM	Edge_1RB_Right	17.27	13.18
DC_66A_n5A	10	15	829	CP	256QAM	Outer_Full	17.31	13.22
DC_66A_n5A	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.47	19.38
DC_66A_n5A	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.31	19.22
DC_66A_n5A	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.72	18.63
DC_66A_n5A	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.93	18.84
DC_66A_n5A	10	15	836.5	DFT	QPSK	Inner_Full	23.56	19.47
DC_66A_n5A	10	15	836.5	DFT	QPSK	Edge_1RB_Left	22.62	18.53
DC_66A_n5A	10	15	836.5	DFT	QPSK	Edge_1RB_Right	22.04	17.95
DC_66A_n5A	10	15	836.5	DFT	QPSK	Outer_Full	22.44	18.35
DC_66A_n5A	10	15	836.5	DFT	16QAM	Inner_Full	22.56	18.47
DC_66A_n5A	10	15	836.5	DFT	16QAM	Edge_1RB_Left	21.80	17.71
DC_66A_n5A	10	15	836.5	DFT	16QAM	Edge_1RB_Right	21.19	17.10
DC_66A_n5A	10	15	836.5	DFT	16QAM	Outer_Full	21.50	17.41
DC_66A_n5A	10	15	836.5	DFT	64QAM	Inner_Full	21.06	16.97
DC_66A_n5A	10	15	836.5	DFT	64QAM	Edge_1RB_Left	21.22	17.13
DC_66A_n5A	10	15	836.5	DFT	64QAM	Edge_1RB_Right	20.65	16.56
DC_66A_n5A	10	15	836.5	DFT	64QAM	Outer_Full	20.98	16.89

DC_66A_n5A	10	15	836.5	DFT	256QAM	Inner_Full	19.06	14.97
DC_66A_n5A	10	15	836.5	DFT	256QAM	Edge_1RB_Left	19.30	15.21
DC_66A_n5A	10	15	836.5	DFT	256QAM	Edge_1RB_Right	18.72	14.63
DC_66A_n5A	10	15	836.5	DFT	256QAM	Outer_Full	18.99	14.90
DC_66A_n5A	10	15	836.5	CP	QPSK	Inner_Full	21.94	17.85
DC_66A_n5A	10	15	836.5	CP	QPSK	Edge_1RB_Left	20.77	16.68
DC_66A_n5A	10	15	836.5	CP	QPSK	Edge_1RB_Right	20.17	16.08
DC_66A_n5A	10	15	836.5	CP	QPSK	Outer_Full	20.39	16.30
DC_66A_n5A	10	15	836.5	CP	16QAM	Inner_Full	21.44	17.35
DC_66A_n5A	10	15	836.5	CP	16QAM	Edge_1RB_Left	20.95	16.86
DC_66A_n5A	10	15	836.5	CP	16QAM	Edge_1RB_Right	20.39	16.30
DC_66A_n5A	10	15	836.5	CP	16QAM	Outer_Full	20.45	16.36
DC_66A_n5A	10	15	836.5	CP	64QAM	Inner_Full	20.05	15.96
DC_66A_n5A	10	15	836.5	CP	64QAM	Edge_1RB_Left	20.52	16.43
DC_66A_n5A	10	15	836.5	CP	64QAM	Edge_1RB_Right	19.87	15.78
DC_66A_n5A	10	15	836.5	CP	64QAM	Outer_Full	19.92	15.83
DC_66A_n5A	10	15	836.5	CP	256QAM	Inner_Full	17.02	12.93
DC_66A_n5A	10	15	836.5	CP	256QAM	Edge_1RB_Left	17.32	13.23
DC_66A_n5A	10	15	836.5	CP	256QAM	Edge_1RB_Right	16.80	12.71
DC_66A_n5A	10	15	836.5	CP	256QAM	Outer_Full	16.99	12.90
DC_66A_n5A	10	15	844	DFT	pi/2 BPSK	Inner_Full	23.12	19.03
DC_66A_n5A	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	22.87	18.78
DC_66A_n5A	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	22.60	18.51
DC_66A_n5A	10	15	844	DFT	pi/2 BPSK	Outer_Full	22.62	18.53
DC_66A_n5A	10	15	844	DFT	QPSK	Inner_Full	23.16	19.07
DC_66A_n5A	10	15	844	DFT	QPSK	Edge_1RB_Left	22.18	18.09
DC_66A_n5A	10	15	844	DFT	QPSK	Edge_1RB_Right	21.90	17.81
DC_66A_n5A	10	15	844	DFT	QPSK	Outer_Full	22.19	18.10
DC_66A_n5A	10	15	844	DFT	16QAM	Inner_Full	22.11	18.02
DC_66A_n5A	10	15	844	DFT	16QAM	Edge_1RB_Left	21.23	17.14
DC_66A_n5A	10	15	844	DFT	16QAM	Edge_1RB_Right	21.10	17.01
DC_66A_n5A	10	15	844	DFT	16QAM	Outer_Full	21.20	17.11
DC_66A_n5A	10	15	844	DFT	64QAM	Inner_Full	20.66	16.57
DC_66A_n5A	10	15	844	DFT	64QAM	Edge_1RB_Left	20.79	16.70
DC_66A_n5A	10	15	844	DFT	64QAM	Edge_1RB_Right	20.51	16.42
DC_66A_n5A	10	15	844	DFT	64QAM	Outer_Full	20.71	16.62
DC_66A_n5A	10	15	844	DFT	256QAM	Inner_Full	18.71	14.62
DC_66A_n5A	10	15	844	DFT	256QAM	Edge_1RB_Left	18.82	14.73
DC_66A_n5A	10	15	844	DFT	256QAM	Edge_1RB_Right	18.49	14.40
DC_66A_n5A	10	15	844	DFT	256QAM	Outer_Full	18.75	14.66
DC_66A_n5A	10	15	844	CP	QPSK	Inner_Full	21.57	17.48

DC_66A_n5A	10	15	844	CP	QPSK	Edge_1RB_Left	20.29	16.20
DC_66A_n5A	10	15	844	CP	QPSK	Edge_1RB_Right	19.93	15.84
DC_66A_n5A	10	15	844	CP	QPSK	Outer_Full	20.16	16.07
DC_66A_n5A	10	15	844	CP	16QAM	Inner_Full	21.07	16.98
DC_66A_n5A	10	15	844	CP	16QAM	Edge_1RB_Left	20.54	16.45
DC_66A_n5A	10	15	844	CP	16QAM	Edge_1RB_Right	20.24	16.15
DC_66A_n5A	10	15	844	CP	16QAM	Outer_Full	20.15	16.06
DC_66A_n5A	10	15	844	CP	64QAM	Inner_Full	19.64	15.55
DC_66A_n5A	10	15	844	CP	64QAM	Edge_1RB_Left	20.08	15.99
DC_66A_n5A	10	15	844	CP	64QAM	Edge_1RB_Right	19.76	15.67
DC_66A_n5A	10	15	844	CP	64QAM	Outer_Full	19.63	15.54
DC_66A_n5A	10	15	844	CP	256QAM	Inner_Full	16.68	12.59
DC_66A_n5A	10	15	844	CP	256QAM	Edge_1RB_Left	16.88	12.79
DC_66A_n5A	10	15	844	CP	256QAM	Edge_1RB_Right	16.58	12.49
DC_66A_n5A	10	15	844	CP	256QAM	Outer_Full	16.69	12.60
DC_66A_n5A	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	23.88	19.79
DC_66A_n5A	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.19	19.10
DC_66A_n5A	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.00	18.91
DC_66A_n5A	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	23.42	19.33
DC_66A_n5A	15	15	831.5	DFT	QPSK	Inner_Full	23.91	19.82
DC_66A_n5A	15	15	831.5	DFT	QPSK	Edge_1RB_Left	22.61	18.52
DC_66A_n5A	15	15	831.5	DFT	QPSK	Edge_1RB_Right	22.29	18.20
DC_66A_n5A	15	15	831.5	DFT	QPSK	Outer_Full	22.96	18.87
DC_66A_n5A	15	15	831.5	DFT	16QAM	Inner_Full	22.92	18.83
DC_66A_n5A	15	15	831.5	DFT	16QAM	Edge_1RB_Left	21.74	17.65
DC_66A_n5A	15	15	831.5	DFT	16QAM	Edge_1RB_Right	21.46	17.37
DC_66A_n5A	15	15	831.5	DFT	16QAM	Outer_Full	21.94	17.85
DC_66A_n5A	15	15	831.5	DFT	64QAM	Inner_Full	21.38	17.29
DC_66A_n5A	15	15	831.5	DFT	64QAM	Edge_1RB_Left	21.15	17.06
DC_66A_n5A	15	15	831.5	DFT	64QAM	Edge_1RB_Right	20.93	16.84
DC_66A_n5A	15	15	831.5	DFT	64QAM	Outer_Full	21.45	17.36
DC_66A_n5A	15	15	831.5	DFT	256QAM	Inner_Full	19.44	15.35
DC_66A_n5A	15	15	831.5	DFT	256QAM	Edge_1RB_Left	19.20	15.11
DC_66A_n5A	15	15	831.5	DFT	256QAM	Edge_1RB_Right	18.93	14.84
DC_66A_n5A	15	15	831.5	DFT	256QAM	Outer_Full	19.47	15.38
DC_66A_n5A	15	15	831.5	CP	QPSK	Inner_Full	22.32	18.23
DC_66A_n5A	15	15	831.5	CP	QPSK	Edge_1RB_Left	20.62	16.53
DC_66A_n5A	15	15	831.5	CP	QPSK	Edge_1RB_Right	20.26	16.17
DC_66A_n5A	15	15	831.5	CP	QPSK	Outer_Full	20.92	16.83
DC_66A_n5A	15	15	831.5	CP	16QAM	Inner_Full	21.89	17.80
DC_66A_n5A	15	15	831.5	CP	16QAM	Edge_1RB_Left	20.78	16.69

DC_66A_n5A	15	15	831.5	CP	16QAM	Edge_1RB_Right	20.57	16.48
DC_66A_n5A	15	15	831.5	CP	16QAM	Outer_Full	20.92	16.83
DC_66A_n5A	15	15	831.5	CP	64QAM	Inner_Full	20.36	16.27
DC_66A_n5A	15	15	831.5	CP	64QAM	Edge_1RB_Left	20.28	16.19
DC_66A_n5A	15	15	831.5	CP	64QAM	Edge_1RB_Right	19.89	15.80
DC_66A_n5A	15	15	831.5	CP	64QAM	Outer_Full	20.35	16.26
DC_66A_n5A	15	15	831.5	CP	256QAM	Inner_Full	17.46	13.37
DC_66A_n5A	15	15	831.5	CP	256QAM	Edge_1RB_Left	17.28	13.19
DC_66A_n5A	15	15	831.5	CP	256QAM	Edge_1RB_Right	17.10	13.01
DC_66A_n5A	15	15	831.5	CP	256QAM	Outer_Full	17.48	13.39
DC_66A_n5A	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.66	19.57
DC_66A_n5A	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.34	19.25
DC_66A_n5A	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.69	18.60
DC_66A_n5A	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.05	18.96
DC_66A_n5A	15	15	836.5	DFT	QPSK	Inner_Full	23.71	19.62
DC_66A_n5A	15	15	836.5	DFT	QPSK	Edge_1RB_Left	22.69	18.60
DC_66A_n5A	15	15	836.5	DFT	QPSK	Edge_1RB_Right	22.08	17.99
DC_66A_n5A	15	15	836.5	DFT	QPSK	Outer_Full	22.62	18.53
DC_66A_n5A	15	15	836.5	DFT	16QAM	Inner_Full	22.70	18.61
DC_66A_n5A	15	15	836.5	DFT	16QAM	Edge_1RB_Left	21.77	17.68
DC_66A_n5A	15	15	836.5	DFT	16QAM	Edge_1RB_Right	21.22	17.13
DC_66A_n5A	15	15	836.5	DFT	16QAM	Outer_Full	21.63	17.54
DC_66A_n5A	15	15	836.5	DFT	64QAM	Inner_Full	21.16	17.07
DC_66A_n5A	15	15	836.5	DFT	64QAM	Edge_1RB_Left	21.28	17.19
DC_66A_n5A	15	15	836.5	DFT	64QAM	Edge_1RB_Right	20.59	16.50
DC_66A_n5A	15	15	836.5	DFT	64QAM	Outer_Full	21.12	17.03
DC_66A_n5A	15	15	836.5	DFT	256QAM	Inner_Full	19.20	15.11
DC_66A_n5A	15	15	836.5	DFT	256QAM	Edge_1RB_Left	19.31	15.22
DC_66A_n5A	15	15	836.5	DFT	256QAM	Edge_1RB_Right	18.78	14.69
DC_66A_n5A	15	15	836.5	DFT	256QAM	Outer_Full	19.15	15.06
DC_66A_n5A	15	15	836.5	CP	QPSK	Inner_Full	22.15	18.06
DC_66A_n5A	15	15	836.5	CP	QPSK	Edge_1RB_Left	20.74	16.65
DC_66A_n5A	15	15	836.5	CP	QPSK	Edge_1RB_Right	20.05	15.96
DC_66A_n5A	15	15	836.5	CP	QPSK	Outer_Full	20.60	16.51
DC_66A_n5A	15	15	836.5	CP	16QAM	Inner_Full	21.72	17.63
DC_66A_n5A	15	15	836.5	CP	16QAM	Edge_1RB_Left	20.89	16.80
DC_66A_n5A	15	15	836.5	CP	16QAM	Edge_1RB_Right	20.24	16.15
DC_66A_n5A	15	15	836.5	CP	16QAM	Outer_Full	20.57	16.48
DC_66A_n5A	15	15	836.5	CP	64QAM	Inner_Full	20.12	16.03
DC_66A_n5A	15	15	836.5	CP	64QAM	Edge_1RB_Left	20.33	16.24
DC_66A_n5A	15	15	836.5	CP	64QAM	Edge_1RB_Right	19.57	15.48

DC_66A_n5A	15	15	836.5	CP	64QAM	Outer_Full	20.03	15.94
DC_66A_n5A	15	15	836.5	CP	256QAM	Inner_Full	17.26	13.17
DC_66A_n5A	15	15	836.5	CP	256QAM	Edge_1RB_Left	17.35	13.26
DC_66A_n5A	15	15	836.5	CP	256QAM	Edge_1RB_Right	16.69	12.60
DC_66A_n5A	15	15	836.5	CP	256QAM	Outer_Full	17.13	13.04
DC_66A_n5A	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	23.37	19.28
DC_66A_n5A	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.27	19.18
DC_66A_n5A	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.64	18.55
DC_66A_n5A	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	22.83	18.74
DC_66A_n5A	15	15	841.5	DFT	QPSK	Inner_Full	23.42	19.33
DC_66A_n5A	15	15	841.5	DFT	QPSK	Edge_1RB_Left	22.61	18.52
DC_66A_n5A	15	15	841.5	DFT	QPSK	Edge_1RB_Right	21.91	17.82
DC_66A_n5A	15	15	841.5	DFT	QPSK	Outer_Full	22.41	18.32
DC_66A_n5A	15	15	841.5	DFT	16QAM	Inner_Full	22.47	18.38
DC_66A_n5A	15	15	841.5	DFT	16QAM	Edge_1RB_Left	21.70	17.61
DC_66A_n5A	15	15	841.5	DFT	16QAM	Edge_1RB_Right	21.14	17.05
DC_66A_n5A	15	15	841.5	DFT	16QAM	Outer_Full	21.42	17.33
DC_66A_n5A	15	15	841.5	DFT	64QAM	Inner_Full	20.90	16.81
DC_66A_n5A	15	15	841.5	DFT	64QAM	Edge_1RB_Left	21.20	17.11
DC_66A_n5A	15	15	841.5	DFT	64QAM	Edge_1RB_Right	20.57	16.48
DC_66A_n5A	15	15	841.5	DFT	64QAM	Outer_Full	20.89	16.80
DC_66A_n5A	15	15	841.5	DFT	256QAM	Inner_Full	18.92	14.83
DC_66A_n5A	15	15	841.5	DFT	256QAM	Edge_1RB_Left	19.18	15.09
DC_66A_n5A	15	15	841.5	DFT	256QAM	Edge_1RB_Right	18.58	14.49
DC_66A_n5A	15	15	841.5	DFT	256QAM	Outer_Full	18.92	14.83
DC_66A_n5A	15	15	841.5	CP	QPSK	Inner_Full	21.84	17.75
DC_66A_n5A	15	15	841.5	CP	QPSK	Edge_1RB_Left	20.66	16.57
DC_66A_n5A	15	15	841.5	CP	QPSK	Edge_1RB_Right	19.89	15.80
DC_66A_n5A	15	15	841.5	CP	QPSK	Outer_Full	20.38	16.29
DC_66A_n5A	15	15	841.5	CP	16QAM	Inner_Full	21.40	17.31
DC_66A_n5A	15	15	841.5	CP	16QAM	Edge_1RB_Left	20.84	16.75
DC_66A_n5A	15	15	841.5	CP	16QAM	Edge_1RB_Right	20.15	16.06
DC_66A_n5A	15	15	841.5	CP	16QAM	Outer_Full	20.34	16.25
DC_66A_n5A	15	15	841.5	CP	64QAM	Inner_Full	19.90	15.81
DC_66A_n5A	15	15	841.5	CP	64QAM	Edge_1RB_Left	20.38	16.29
DC_66A_n5A	15	15	841.5	CP	64QAM	Edge_1RB_Right	19.65	15.56
DC_66A_n5A	15	15	841.5	CP	64QAM	Outer_Full	19.72	15.63
DC_66A_n5A	15	15	841.5	CP	256QAM	Inner_Full	16.91	12.82
DC_66A_n5A	15	15	841.5	CP	256QAM	Edge_1RB_Left	17.25	13.16
DC_66A_n5A	15	15	841.5	CP	256QAM	Edge_1RB_Right	16.75	12.66
DC_66A_n5A	15	15	841.5	CP	256QAM	Outer_Full	16.88	12.79



DC_66A_n5A	20	15	834	DFT	pi/2 BPSK	Inner_Full	23.79	19.70
DC_66A_n5A	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	23.24	19.15
DC_66A_n5A	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	22.68	18.59
DC_66A_n5A	20	15	834	DFT	pi/2 BPSK	Outer_Full	23.26	19.17
DC_66A_n5A	20	15	834	DFT	QPSK	Inner_Full	23.78	19.69
DC_66A_n5A	20	15	834	DFT	QPSK	Edge_1RB_Left	22.64	18.55
DC_66A_n5A	20	15	834	DFT	QPSK	Edge_1RB_Right	22.10	18.01
DC_66A_n5A	20	15	834	DFT	QPSK	Outer_Full	22.82	18.73
DC_66A_n5A	20	15	834	DFT	16QAM	Inner_Full	22.85	18.76
DC_66A_n5A	20	15	834	DFT	16QAM	Edge_1RB_Left	21.80	17.71
DC_66A_n5A	20	15	834	DFT	16QAM	Edge_1RB_Right	21.28	17.19
DC_66A_n5A	20	15	834	DFT	16QAM	Outer_Full	21.81	17.72
DC_66A_n5A	20	15	834	DFT	64QAM	Inner_Full	21.30	17.21
DC_66A_n5A	20	15	834	DFT	64QAM	Edge_1RB_Left	21.26	17.17
DC_66A_n5A	20	15	834	DFT	64QAM	Edge_1RB_Right	20.76	16.67
DC_66A_n5A	20	15	834	DFT	64QAM	Outer_Full	21.33	17.24
DC_66A_n5A	20	15	834	DFT	256QAM	Inner_Full	19.31	15.22
DC_66A_n5A	20	15	834	DFT	256QAM	Edge_1RB_Left	19.27	15.18
DC_66A_n5A	20	15	834	DFT	256QAM	Edge_1RB_Right	18.69	14.60
DC_66A_n5A	20	15	834	DFT	256QAM	Outer_Full	19.35	15.26
DC_66A_n5A	20	15	834	CP	QPSK	Inner_Full	22.28	18.19
DC_66A_n5A	20	15	834	CP	QPSK	Edge_1RB_Left	20.82	16.73
DC_66A_n5A	20	15	834	CP	QPSK	Edge_1RB_Right	20.28	16.19
DC_66A_n5A	20	15	834	CP	QPSK	Outer_Full	20.80	16.71
DC_66A_n5A	20	15	834	CP	16QAM	Inner_Full	21.85	17.76
DC_66A_n5A	20	15	834	CP	16QAM	Edge_1RB_Left	20.97	16.88
DC_66A_n5A	20	15	834	CP	16QAM	Edge_1RB_Right	20.41	16.32
DC_66A_n5A	20	15	834	CP	16QAM	Outer_Full	20.72	16.63
DC_66A_n5A	20	15	834	CP	64QAM	Inner_Full	20.30	16.21
DC_66A_n5A	20	15	834	CP	64QAM	Edge_1RB_Left	20.64	16.55
DC_66A_n5A	20	15	834	CP	64QAM	Edge_1RB_Right	20.11	16.02
DC_66A_n5A	20	15	834	CP	64QAM	Outer_Full	20.26	16.17
DC_66A_n5A	20	15	834	CP	256QAM	Inner_Full	17.34	13.25
DC_66A_n5A	20	15	834	CP	256QAM	Edge_1RB_Left	17.28	13.19
DC_66A_n5A	20	15	834	CP	256QAM	Edge_1RB_Right	16.90	12.81
DC_66A_n5A	20	15	834	CP	256QAM	Outer_Full	17.29	13.20
DC_66A_n5A	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.68	19.59
DC_66A_n5A	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.40	19.31
DC_66A_n5A	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.73	18.64
DC_66A_n5A	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.02	18.93
DC_66A_n5A	20	15	836.5	DFT	QPSK	Inner_Full	23.67	19.58

DC_66A_n5A	20	15	836.5	DFT	QPSK	Edge_1RB_Left	22.74	18.65
DC_66A_n5A	20	15	836.5	DFT	QPSK	Edge_1RB_Right	22.14	18.05
DC_66A_n5A	20	15	836.5	DFT	QPSK	Outer_Full	22.54	18.45
DC_66A_n5A	20	15	836.5	DFT	16QAM	Inner_Full	22.73	18.64
DC_66A_n5A	20	15	836.5	DFT	16QAM	Edge_1RB_Left	21.92	17.83
DC_66A_n5A	20	15	836.5	DFT	16QAM	Edge_1RB_Right	21.30	17.21
DC_66A_n5A	20	15	836.5	DFT	16QAM	Outer_Full	21.51	17.42
DC_66A_n5A	20	15	836.5	DFT	64QAM	Inner_Full	21.17	17.08
DC_66A_n5A	20	15	836.5	DFT	64QAM	Edge_1RB_Left	21.36	17.27
DC_66A_n5A	20	15	836.5	DFT	64QAM	Edge_1RB_Right	20.71	16.62
DC_66A_n5A	20	15	836.5	DFT	64QAM	Outer_Full	21.10	17.01
DC_66A_n5A	20	15	836.5	DFT	256QAM	Inner_Full	19.21	15.12
DC_66A_n5A	20	15	836.5	DFT	256QAM	Edge_1RB_Left	19.27	15.18
DC_66A_n5A	20	15	836.5	DFT	256QAM	Edge_1RB_Right	18.69	14.60
DC_66A_n5A	20	15	836.5	DFT	256QAM	Outer_Full	19.13	15.04
DC_66A_n5A	20	15	836.5	CP	QPSK	Inner_Full	22.14	18.05
DC_66A_n5A	20	15	836.5	CP	QPSK	Edge_1RB_Left	20.89	16.80
DC_66A_n5A	20	15	836.5	CP	QPSK	Edge_1RB_Right	20.27	16.18
DC_66A_n5A	20	15	836.5	CP	QPSK	Outer_Full	20.50	16.41
DC_66A_n5A	20	15	836.5	CP	16QAM	Inner_Full	21.71	17.62
DC_66A_n5A	20	15	836.5	CP	16QAM	Edge_1RB_Left	21.03	16.94
DC_66A_n5A	20	15	836.5	CP	16QAM	Edge_1RB_Right	20.45	16.36
DC_66A_n5A	20	15	836.5	CP	16QAM	Outer_Full	20.49	16.40
DC_66A_n5A	20	15	836.5	CP	64QAM	Inner_Full	20.20	16.11
DC_66A_n5A	20	15	836.5	CP	64QAM	Edge_1RB_Left	20.48	16.39
DC_66A_n5A	20	15	836.5	CP	64QAM	Edge_1RB_Right	20.02	15.93
DC_66A_n5A	20	15	836.5	CP	64QAM	Outer_Full	20.00	15.91
DC_66A_n5A	20	15	836.5	CP	256QAM	Inner_Full	17.24	13.15
DC_66A_n5A	20	15	836.5	CP	256QAM	Edge_1RB_Left	17.29	13.20
DC_66A_n5A	20	15	836.5	CP	256QAM	Edge_1RB_Right	16.83	12.74
DC_66A_n5A	20	15	836.5	CP	256QAM	Outer_Full	16.95	12.86
DC_66A_n5A	20	15	839	DFT	pi/2 BPSK	Inner_Full	23.49	19.40
DC_66A_n5A	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	23.34	19.25
DC_66A_n5A	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	22.63	18.54
DC_66A_n5A	20	15	839	DFT	pi/2 BPSK	Outer_Full	22.77	18.68
DC_66A_n5A	20	15	839	DFT	QPSK	Inner_Full	23.52	19.43
DC_66A_n5A	20	15	839	DFT	QPSK	Edge_1RB_Left	22.78	18.69
DC_66A_n5A	20	15	839	DFT	QPSK	Edge_1RB_Right	21.98	17.89
DC_66A_n5A	20	15	839	DFT	QPSK	Outer_Full	22.35	18.26
DC_66A_n5A	20	15	839	DFT	16QAM	Inner_Full	22.57	18.48
DC_66A_n5A	20	15	839	DFT	16QAM	Edge_1RB_Left	21.86	17.77

DC_66A_n5A	20	15	839	DFT	16QAM	Edge_1RB_Right	21.24	17.15
DC_66A_n5A	20	15	839	DFT	16QAM	Outer_Full	21.34	17.25
DC_66A_n5A	20	15	839	DFT	64QAM	Inner_Full	21.01	16.92
DC_66A_n5A	20	15	839	DFT	64QAM	Edge_1RB_Left	21.35	17.26
DC_66A_n5A	20	15	839	DFT	64QAM	Edge_1RB_Right	20.55	16.46
DC_66A_n5A	20	15	839	DFT	64QAM	Outer_Full	20.83	16.74
DC_66A_n5A	20	15	839	DFT	256QAM	Inner_Full	19.03	14.94
DC_66A_n5A	20	15	839	DFT	256QAM	Edge_1RB_Left	19.35	15.26
DC_66A_n5A	20	15	839	DFT	256QAM	Edge_1RB_Right	18.51	14.42
DC_66A_n5A	20	15	839	DFT	256QAM	Outer_Full	18.89	14.80
DC_66A_n5A	20	15	839	CP	QPSK	Inner_Full	21.96	17.87
DC_66A_n5A	20	15	839	CP	QPSK	Edge_1RB_Left	21.05	16.96
DC_66A_n5A	20	15	839	CP	QPSK	Edge_1RB_Right	20.20	16.11
DC_66A_n5A	20	15	839	CP	QPSK	Outer_Full	20.33	16.24
DC_66A_n5A	20	15	839	CP	16QAM	Inner_Full	21.50	17.41
DC_66A_n5A	20	15	839	CP	16QAM	Edge_1RB_Left	21.13	17.04
DC_66A_n5A	20	15	839	CP	16QAM	Edge_1RB_Right	20.43	16.34
DC_66A_n5A	20	15	839	CP	16QAM	Outer_Full	20.30	16.21
DC_66A_n5A	20	15	839	CP	64QAM	Inner_Full	19.98	15.89
DC_66A_n5A	20	15	839	CP	64QAM	Edge_1RB_Left	20.79	16.70
DC_66A_n5A	20	15	839	CP	64QAM	Edge_1RB_Right	19.90	15.81
DC_66A_n5A	20	15	839	CP	64QAM	Outer_Full	19.83	15.74
DC_66A_n5A	20	15	839	CP	256QAM	Inner_Full	17.04	12.95
DC_66A_n5A	20	15	839	CP	256QAM	Edge_1RB_Left	17.52	13.43
DC_66A_n5A	20	15	839	CP	256QAM	Edge_1RB_Right	16.74	12.65
DC_66A_n5A	20	15	839	CP	256QAM	Outer_Full	16.80	12.71

Maximum ERP = 19.82dBm.

### NR n7

Limits: ≤33dBm(2W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm) (Gt-Lc=-0.61)
n7	5	15	2502.5	DFT	pi/2 BPSK	Inner_Full	22.85	22.24
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.34	21.73
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.50	21.89
n7	5	15	2502.5	DFT	pi/2 BPSK	Outer_Full	22.43	21.82
n7	5	15	2502.5	DFT	QPSK	Inner_Full	22.96	22.35
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Left	21.83	21.22
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Right	21.89	21.28
n7	5	15	2502.5	DFT	QPSK	Outer_Full	22.01	21.40
n7	5	15	2502.5	DFT	16QAM	Inner_Full	22.00	21.39
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Left	21.09	20.48

n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Right	21.14	20.53
n7	5	15	2502.5	DFT	16QAM	Outer_Full	21.14	20.53
n7	5	15	2502.5	DFT	64QAM	Inner_Full	20.66	20.05
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Left	20.49	19.88
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Right	20.59	19.98
n7	5	15	2502.5	DFT	64QAM	Outer_Full	20.77	20.16
n7	5	15	2502.5	DFT	256QAM	Inner_Full	18.64	18.03
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Left	18.59	17.98
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Right	18.52	17.91
n7	5	15	2502.5	DFT	256QAM	Outer_Full	18.57	17.96
n7	5	15	2502.5	CP	QPSK	Inner_Full	21.40	20.79
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Left	19.97	19.36
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Right	20.04	19.43
n7	5	15	2502.5	CP	QPSK	Outer_Full	20.20	19.59
n7	5	15	2502.5	CP	16QAM	Inner_Full	21.07	20.46
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Left	20.15	19.54
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Right	20.20	19.59
n7	5	15	2502.5	CP	16QAM	Outer_Full	20.18	19.57
n7	5	15	2502.5	CP	64QAM	Inner_Full	19.73	19.12
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Left	19.74	19.13
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Right	19.79	19.18
n7	5	15	2502.5	CP	64QAM	Outer_Full	19.68	19.07
n7	5	15	2502.5	CP	256QAM	Inner_Full	16.57	15.96
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Left	16.63	16.02
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Right	16.76	16.15
n7	5	15	2502.5	CP	256QAM	Outer_Full	16.58	15.97
n7	5	15	2535	DFT	pi/2 BPSK	Inner_Full	23.04	22.43
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.66	22.05
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.67	22.06
n7	5	15	2535	DFT	pi/2 BPSK	Outer_Full	22.69	22.08
n7	5	15	2535	DFT	QPSK	Inner_Full	23.26	22.65
n7	5	15	2535	DFT	QPSK	Edge_1RB_Left	22.14	21.53
n7	5	15	2535	DFT	QPSK	Edge_1RB_Right	22.10	21.49
n7	5	15	2535	DFT	QPSK	Outer_Full	22.31	21.70
n7	5	15	2535	DFT	16QAM	Inner_Full	22.24	21.63
n7	5	15	2535	DFT	16QAM	Edge_1RB_Left	21.40	20.79
n7	5	15	2535	DFT	16QAM	Edge_1RB_Right	21.25	20.64
n7	5	15	2535	DFT	16QAM	Outer_Full	21.41	20.80
n7	5	15	2535	DFT	64QAM	Inner_Full	20.94	20.33
n7	5	15	2535	DFT	64QAM	Edge_1RB_Left	20.85	20.24
n7	5	15	2535	DFT	64QAM	Edge_1RB_Right	20.83	20.22

n7	5	15	2535	DFT	64QAM	Outer_Full	20.99	20.38
n7	5	15	2535	DFT	256QAM	Inner_Full	18.80	18.19
n7	5	15	2535	DFT	256QAM	Edge_1RB_Left	18.69	18.08
n7	5	15	2535	DFT	256QAM	Edge_1RB_Right	18.73	18.12
n7	5	15	2535	DFT	256QAM	Outer_Full	18.83	18.22
n7	5	15	2535	CP	QPSK	Inner_Full	21.58	20.97
n7	5	15	2535	CP	QPSK	Edge_1RB_Left	20.28	19.67
n7	5	15	2535	CP	QPSK	Edge_1RB_Right	20.29	19.68
n7	5	15	2535	CP	QPSK	Outer_Full	20.36	19.75
n7	5	15	2535	CP	16QAM	Inner_Full	21.21	20.60
n7	5	15	2535	CP	16QAM	Edge_1RB_Left	20.42	19.81
n7	5	15	2535	CP	16QAM	Edge_1RB_Right	20.41	19.80
n7	5	15	2535	CP	16QAM	Outer_Full	20.38	19.77
n7	5	15	2535	CP	64QAM	Inner_Full	19.91	19.30
n7	5	15	2535	CP	64QAM	Edge_1RB_Left	20.05	19.44
n7	5	15	2535	CP	64QAM	Edge_1RB_Right	20.00	19.39
n7	5	15	2535	CP	64QAM	Outer_Full	19.86	19.25
n7	5	15	2535	CP	256QAM	Inner_Full	16.73	16.12
n7	5	15	2535	CP	256QAM	Edge_1RB_Left	16.87	16.26
n7	5	15	2535	CP	256QAM	Edge_1RB_Right	16.83	16.22
n7	5	15	2535	CP	256QAM	Outer_Full	16.79	16.18
n7	5	15	2567.5	DFT	pi/2 BPSK	Inner_Full	22.95	22.34
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.57	21.96
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.57	21.96
n7	5	15	2567.5	DFT	pi/2 BPSK	Outer_Full	22.51	21.90
n7	5	15	2567.5	DFT	QPSK	Inner_Full	23.06	22.45
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Left	21.97	21.36
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Right	22.11	21.50
n7	5	15	2567.5	DFT	QPSK	Outer_Full	22.09	21.48
n7	5	15	2567.5	DFT	16QAM	Inner_Full	22.10	21.49
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Left	20.71	20.10
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Right	20.71	20.10
n7	5	15	2567.5	DFT	16QAM	Outer_Full	21.22	20.61
n7	5	15	2567.5	DFT	64QAM	Inner_Full	20.81	20.20
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Left	20.18	19.57
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Right	20.16	19.55
n7	5	15	2567.5	DFT	64QAM	Outer_Full	20.83	20.22
n7	5	15	2567.5	DFT	256QAM	Inner_Full	18.72	18.11
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Left	18.69	18.08
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Right	18.72	18.11
n7	5	15	2567.5	DFT	256QAM	Outer_Full	18.71	18.10

n7	5	15	2567.5	CP	QPSK	Inner_Full	21.40	20.79
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Left	20.10	19.49
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Right	20.14	19.53
n7	5	15	2567.5	CP	QPSK	Outer_Full	20.23	19.62
n7	5	15	2567.5	CP	16QAM	Inner_Full	21.06	20.45
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Left	20.29	19.68
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Right	20.20	19.59
n7	5	15	2567.5	CP	16QAM	Outer_Full	20.24	19.63
n7	5	15	2567.5	CP	64QAM	Inner_Full	19.75	19.14
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Left	19.42	18.81
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Right	19.36	18.75
n7	5	15	2567.5	CP	64QAM	Outer_Full	19.71	19.10
n7	5	15	2567.5	CP	256QAM	Inner_Full	16.62	16.01
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Left	16.79	16.18
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Right	16.83	16.22
n7	5	15	2567.5	CP	256QAM	Outer_Full	16.63	16.02
n7	10	15	2505	DFT	pi/2 BPSK	Inner_Full	22.79	22.18
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Left	22.42	21.81
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Right	22.53	21.92
n7	10	15	2505	DFT	pi/2 BPSK	Outer_Full	22.40	21.79
n7	10	15	2505	DFT	QPSK	Inner_Full	22.97	22.36
n7	10	15	2505	DFT	QPSK	Edge_1RB_Left	21.89	21.28
n7	10	15	2505	DFT	QPSK	Edge_1RB_Right	22.02	21.41
n7	10	15	2505	DFT	QPSK	Outer_Full	21.94	21.33
n7	10	15	2505	DFT	16QAM	Inner_Full	21.95	21.34
n7	10	15	2505	DFT	16QAM	Edge_1RB_Left	20.53	19.92
n7	10	15	2505	DFT	16QAM	Edge_1RB_Right	20.65	20.04
n7	10	15	2505	DFT	16QAM	Outer_Full	21.12	20.51
n7	10	15	2505	DFT	64QAM	Inner_Full	20.66	20.05
n7	10	15	2505	DFT	64QAM	Edge_1RB_Left	19.96	19.35
n7	10	15	2505	DFT	64QAM	Edge_1RB_Right	20.07	19.46
n7	10	15	2505	DFT	64QAM	Outer_Full	20.62	20.01
n7	10	15	2505	DFT	256QAM	Inner_Full	18.47	17.86
n7	10	15	2505	DFT	256QAM	Edge_1RB_Left	18.40	17.79
n7	10	15	2505	DFT	256QAM	Edge_1RB_Right	18.52	17.91
n7	10	15	2505	DFT	256QAM	Outer_Full	18.53	17.92
n7	10	15	2505	CP	QPSK	Inner_Full	21.38	20.77
n7	10	15	2505	CP	QPSK	Edge_1RB_Left	19.75	19.14
n7	10	15	2505	CP	QPSK	Edge_1RB_Right	19.92	19.31
n7	10	15	2505	CP	QPSK	Outer_Full	19.99	19.38
n7	10	15	2505	CP	16QAM	Inner_Full	20.93	20.32

n7	10	15	2505	CP	16QAM	Edge_1RB_Left	20.03	19.42
n7	10	15	2505	CP	16QAM	Edge_1RB_Right	20.11	19.50
n7	10	15	2505	CP	16QAM	Outer_Full	20.06	19.45
n7	10	15	2505	CP	64QAM	Inner_Full	19.67	19.06
n7	10	15	2505	CP	64QAM	Edge_1RB_Left	19.46	18.85
n7	10	15	2505	CP	64QAM	Edge_1RB_Right	19.55	18.94
n7	10	15	2505	CP	64QAM	Outer_Full	19.53	18.92
n7	10	15	2505	CP	256QAM	Inner_Full	16.55	15.94
n7	10	15	2505	CP	256QAM	Edge_1RB_Left	16.65	16.04
n7	10	15	2505	CP	256QAM	Edge_1RB_Right	16.66	16.05
n7	10	15	2505	CP	256QAM	Outer_Full	16.47	15.86
n7	10	15	2535	DFT	pi/2 BPSK	Inner_Full	22.97	22.36
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.65	22.04
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.64	22.03
n7	10	15	2535	DFT	pi/2 BPSK	Outer_Full	22.60	21.99
n7	10	15	2535	DFT	QPSK	Inner_Full	23.13	22.52
n7	10	15	2535	DFT	QPSK	Edge_1RB_Left	22.09	21.48
n7	10	15	2535	DFT	QPSK	Edge_1RB_Right	21.89	21.28
n7	10	15	2535	DFT	QPSK	Outer_Full	22.11	21.50
n7	10	15	2535	DFT	16QAM	Inner_Full	22.12	21.51
n7	10	15	2535	DFT	16QAM	Edge_1RB_Left	20.81	20.20
n7	10	15	2535	DFT	16QAM	Edge_1RB_Right	20.71	20.10
n7	10	15	2535	DFT	16QAM	Outer_Full	21.32	20.71
n7	10	15	2535	DFT	64QAM	Inner_Full	20.82	20.21
n7	10	15	2535	DFT	64QAM	Edge_1RB_Left	20.27	19.66
n7	10	15	2535	DFT	64QAM	Edge_1RB_Right	20.21	19.60
n7	10	15	2535	DFT	64QAM	Outer_Full	20.81	20.20
n7	10	15	2535	DFT	256QAM	Inner_Full	18.60	17.99
n7	10	15	2535	DFT	256QAM	Edge_1RB_Left	18.68	18.07
n7	10	15	2535	DFT	256QAM	Edge_1RB_Right	18.55	17.94
n7	10	15	2535	DFT	256QAM	Outer_Full	18.64	18.03
n7	10	15	2535	CP	QPSK	Inner_Full	21.55	20.94
n7	10	15	2535	CP	QPSK	Edge_1RB_Left	20.08	19.47
n7	10	15	2535	CP	QPSK	Edge_1RB_Right	20.04	19.43
n7	10	15	2535	CP	QPSK	Outer_Full	20.16	19.55
n7	10	15	2535	CP	16QAM	Inner_Full	21.14	20.53
n7	10	15	2535	CP	16QAM	Edge_1RB_Left	20.33	19.72
n7	10	15	2535	CP	16QAM	Edge_1RB_Right	20.23	19.62
n7	10	15	2535	CP	16QAM	Outer_Full	20.22	19.61
n7	10	15	2535	CP	64QAM	Inner_Full	19.76	19.15
n7	10	15	2535	CP	64QAM	Edge_1RB_Left	19.54	18.93

n7	10	15	2535	CP	64QAM	Edge_1RB_Right	19.66	19.05
n7	10	15	2535	CP	64QAM	Outer_Full	19.72	19.11
n7	10	15	2535	CP	256QAM	Inner_Full	16.68	16.07
n7	10	15	2535	CP	256QAM	Edge_1RB_Left	16.84	16.23
n7	10	15	2535	CP	256QAM	Edge_1RB_Right	16.77	16.16
n7	10	15	2535	CP	256QAM	Outer_Full	16.66	16.05
n7	10	15	2565	DFT	pi/2 BPSK	Inner_Full	22.80	22.19
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Left	22.54	21.93
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Right	22.49	21.88
n7	10	15	2565	DFT	pi/2 BPSK	Outer_Full	22.46	21.85
n7	10	15	2565	DFT	QPSK	Inner_Full	22.96	22.35
n7	10	15	2565	DFT	QPSK	Edge_1RB_Left	21.97	21.36
n7	10	15	2565	DFT	QPSK	Edge_1RB_Right	21.60	20.99
n7	10	15	2565	DFT	QPSK	Outer_Full	21.98	21.37
n7	10	15	2565	DFT	16QAM	Inner_Full	21.98	21.37
n7	10	15	2565	DFT	16QAM	Edge_1RB_Left	20.72	20.11
n7	10	15	2565	DFT	16QAM	Edge_1RB_Right	20.61	20.00
n7	10	15	2565	DFT	16QAM	Outer_Full	21.18	20.57
n7	10	15	2565	DFT	64QAM	Inner_Full	20.67	20.06
n7	10	15	2565	DFT	64QAM	Edge_1RB_Left	20.05	19.44
n7	10	15	2565	DFT	64QAM	Edge_1RB_Right	20.02	19.41
n7	10	15	2565	DFT	64QAM	Outer_Full	20.64	20.03
n7	10	15	2565	DFT	256QAM	Inner_Full	18.46	17.85
n7	10	15	2565	DFT	256QAM	Edge_1RB_Left	18.56	17.95
n7	10	15	2565	DFT	256QAM	Edge_1RB_Right	18.47	17.86
n7	10	15	2565	DFT	256QAM	Outer_Full	18.56	17.95
n7	10	15	2565	CP	QPSK	Inner_Full	21.39	20.78
n7	10	15	2565	CP	QPSK	Edge_1RB_Left	19.94	19.33
n7	10	15	2565	CP	QPSK	Edge_1RB_Right	19.88	19.27
n7	10	15	2565	CP	QPSK	Outer_Full	20.04	19.43
n7	10	15	2565	CP	16QAM	Inner_Full	21.03	20.42
n7	10	15	2565	CP	16QAM	Edge_1RB_Left	19.83	19.22
n7	10	15	2565	CP	16QAM	Edge_1RB_Right	19.77	19.16
n7	10	15	2565	CP	16QAM	Outer_Full	20.10	19.49
n7	10	15	2565	CP	64QAM	Inner_Full	19.61	19.00
n7	10	15	2565	CP	64QAM	Edge_1RB_Left	19.43	18.82
n7	10	15	2565	CP	64QAM	Edge_1RB_Right	19.29	18.68
n7	10	15	2565	CP	64QAM	Outer_Full	19.59	18.98
n7	10	15	2565	CP	256QAM	Inner_Full	16.50	15.89
n7	10	15	2565	CP	256QAM	Edge_1RB_Left	16.79	16.18
n7	10	15	2565	CP	256QAM	Edge_1RB_Right	16.60	15.99



n7	10	15	2565	CP	256QAM	Outer_Full	16.56	15.95
n7	15	15	2507.5	DFT	pi/2 BPSK	Inner_Full	23.00	22.39
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.41	21.80
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.52	21.91
n7	15	15	2507.5	DFT	pi/2 BPSK	Outer_Full	22.54	21.93
n7	15	15	2507.5	DFT	QPSK	Inner_Full	23.16	22.55
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Left	21.53	20.92
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Right	21.97	21.36
n7	15	15	2507.5	DFT	QPSK	Outer_Full	22.16	21.55
n7	15	15	2507.5	DFT	16QAM	Inner_Full	22.16	21.55
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Left	20.61	20.00
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Right	20.69	20.08
n7	15	15	2507.5	DFT	16QAM	Outer_Full	21.26	20.65
n7	15	15	2507.5	DFT	64QAM	Inner_Full	20.74	20.13
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Left	20.05	19.44
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Right	20.04	19.43
n7	15	15	2507.5	DFT	64QAM	Outer_Full	20.77	20.16
n7	15	15	2507.5	DFT	256QAM	Inner_Full	18.60	17.99
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Left	18.45	17.84
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Right	18.51	17.90
n7	15	15	2507.5	DFT	256QAM	Outer_Full	18.65	18.04
n7	15	15	2507.5	CP	QPSK	Inner_Full	21.54	20.93
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Left	19.96	19.35
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Right	20.04	19.43
n7	15	15	2507.5	CP	QPSK	Outer_Full	20.14	19.53
n7	15	15	2507.5	CP	16QAM	Inner_Full	21.27	20.66
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Left	20.10	19.49
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Right	20.10	19.49
n7	15	15	2507.5	CP	16QAM	Outer_Full	20.23	19.62
n7	15	15	2507.5	CP	64QAM	Inner_Full	19.77	19.16
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Left	19.34	18.73
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Right	19.54	18.93
n7	15	15	2507.5	CP	64QAM	Outer_Full	19.68	19.07
n7	15	15	2507.5	CP	256QAM	Inner_Full	16.69	16.08
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Left	16.58	15.97
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Right	16.64	16.03
n7	15	15	2507.5	CP	256QAM	Outer_Full	16.61	16.00
n7	15	15	2535	DFT	pi/2 BPSK	Inner_Full	23.13	22.52
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.59	21.98
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.62	22.01
n7	15	15	2535	DFT	pi/2 BPSK	Outer_Full	22.76	22.15

n7	15	15	2535	DFT	QPSK	Inner_Full	23.33	22.72
n7	15	15	2535	DFT	QPSK	Edge_1RB_Left	22.09	21.48
n7	15	15	2535	DFT	QPSK	Edge_1RB_Right	21.96	21.35
n7	15	15	2535	DFT	QPSK	Outer_Full	22.37	21.76
n7	15	15	2535	DFT	16QAM	Inner_Full	22.36	21.75
n7	15	15	2535	DFT	16QAM	Edge_1RB_Left	20.80	20.19
n7	15	15	2535	DFT	16QAM	Edge_1RB_Right	20.79	20.18
n7	15	15	2535	DFT	16QAM	Outer_Full	21.45	20.84
n7	15	15	2535	DFT	64QAM	Inner_Full	20.94	20.33
n7	15	15	2535	DFT	64QAM	Edge_1RB_Left	20.25	19.64
n7	15	15	2535	DFT	64QAM	Edge_1RB_Right	20.29	19.68
n7	15	15	2535	DFT	64QAM	Outer_Full	20.97	20.36
n7	15	15	2535	DFT	256QAM	Inner_Full	18.72	18.11
n7	15	15	2535	DFT	256QAM	Edge_1RB_Left	18.67	18.06
n7	15	15	2535	DFT	256QAM	Edge_1RB_Right	18.66	18.05
n7	15	15	2535	DFT	256QAM	Outer_Full	18.83	18.22
n7	15	15	2535	CP	QPSK	Inner_Full	21.66	21.05
n7	15	15	2535	CP	QPSK	Edge_1RB_Left	20.17	19.56
n7	15	15	2535	CP	QPSK	Edge_1RB_Right	20.21	19.60
n7	15	15	2535	CP	QPSK	Outer_Full	20.37	19.76
n7	15	15	2535	CP	16QAM	Inner_Full	21.40	20.79
n7	15	15	2535	CP	16QAM	Edge_1RB_Left	20.16	19.55
n7	15	15	2535	CP	16QAM	Edge_1RB_Right	20.28	19.67
n7	15	15	2535	CP	16QAM	Outer_Full	20.41	19.80
n7	15	15	2535	CP	64QAM	Inner_Full	19.93	19.32
n7	15	15	2535	CP	64QAM	Edge_1RB_Left	19.57	18.96
n7	15	15	2535	CP	64QAM	Edge_1RB_Right	19.39	18.78
n7	15	15	2535	CP	64QAM	Outer_Full	19.91	19.30
n7	15	15	2535	CP	256QAM	Inner_Full	16.89	16.28
n7	15	15	2535	CP	256QAM	Edge_1RB_Left	16.74	16.13
n7	15	15	2535	CP	256QAM	Edge_1RB_Right	16.88	16.27
n7	15	15	2535	CP	256QAM	Outer_Full	16.83	16.22
n7	15	15	2562.5	DFT	pi/2 BPSK	Inner_Full	23.04	22.43
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.48	21.87
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.53	21.92
n7	15	15	2562.5	DFT	pi/2 BPSK	Outer_Full	22.66	22.05
n7	15	15	2562.5	DFT	QPSK	Inner_Full	23.18	22.57
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Left	21.74	21.13
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Right	21.64	21.03
n7	15	15	2562.5	DFT	QPSK	Outer_Full	22.24	21.63
n7	15	15	2562.5	DFT	16QAM	Inner_Full	22.20	21.59

n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Left	20.75	20.14
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Right	20.65	20.04
n7	15	15	2562.5	DFT	16QAM	Outer_Full	21.35	20.74
n7	15	15	2562.5	DFT	64QAM	Inner_Full	20.85	20.24
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Left	20.19	19.58
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Right	20.15	19.54
n7	15	15	2562.5	DFT	64QAM	Outer_Full	20.92	20.31
n7	15	15	2562.5	DFT	256QAM	Inner_Full	18.67	18.06
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Left	18.68	18.07
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Right	18.71	18.10
n7	15	15	2562.5	DFT	256QAM	Outer_Full	18.79	18.18
n7	15	15	2562.5	CP	QPSK	Inner_Full	21.60	20.99
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Left	20.05	19.44
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Right	20.03	19.42
n7	15	15	2562.5	CP	QPSK	Outer_Full	20.29	19.68
n7	15	15	2562.5	CP	16QAM	Inner_Full	21.29	20.68
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Left	19.86	19.25
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Right	19.69	19.08
n7	15	15	2562.5	CP	16QAM	Outer_Full	20.34	19.73
n7	15	15	2562.5	CP	64QAM	Inner_Full	19.81	19.20
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Left	19.30	18.69
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Right	19.09	18.48
n7	15	15	2562.5	CP	64QAM	Outer_Full	19.81	19.20
n7	15	15	2562.5	CP	256QAM	Inner_Full	16.74	16.13
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Left	16.63	16.02
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Right	16.74	16.13
n7	15	15	2562.5	CP	256QAM	Outer_Full	16.77	16.16
n7	20	15	2510	DFT	pi/2 BPSK	Inner_Full	22.98	22.37
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Left	22.51	21.90
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Right	22.73	22.12
n7	20	15	2510	DFT	pi/2 BPSK	Outer_Full	22.54	21.93
n7	20	15	2510	DFT	QPSK	Inner_Full	23.17	22.56
n7	20	15	2510	DFT	QPSK	Edge_1RB_Left	21.98	21.37
n7	20	15	2510	DFT	QPSK	Edge_1RB_Right	21.72	21.11
n7	20	15	2510	DFT	QPSK	Outer_Full	22.15	21.54
n7	20	15	2510	DFT	16QAM	Inner_Full	22.24	21.63
n7	20	15	2510	DFT	16QAM	Edge_1RB_Left	20.61	20.00
n7	20	15	2510	DFT	16QAM	Edge_1RB_Right	20.79	20.18
n7	20	15	2510	DFT	16QAM	Outer_Full	21.24	20.63
n7	20	15	2510	DFT	64QAM	Inner_Full	20.89	20.28
n7	20	15	2510	DFT	64QAM	Edge_1RB_Left	20.08	19.47

n7	20	15	2510	DFT	64QAM	Edge_1RB_Right	20.22	19.61
n7	20	15	2510	DFT	64QAM	Outer_Full	20.77	20.16
n7	20	15	2510	DFT	256QAM	Inner_Full	18.67	18.06
n7	20	15	2510	DFT	256QAM	Edge_1RB_Left	18.44	17.83
n7	20	15	2510	DFT	256QAM	Edge_1RB_Right	18.67	18.06
n7	20	15	2510	DFT	256QAM	Outer_Full	18.64	18.03
n7	20	15	2510	CP	QPSK	Inner_Full	21.55	20.94
n7	20	15	2510	CP	QPSK	Edge_1RB_Left	19.93	19.32
n7	20	15	2510	CP	QPSK	Edge_1RB_Right	20.19	19.58
n7	20	15	2510	CP	QPSK	Outer_Full	20.13	19.52
n7	20	15	2510	CP	16QAM	Inner_Full	21.24	20.63
n7	20	15	2510	CP	16QAM	Edge_1RB_Left	20.03	19.42
n7	20	15	2510	CP	16QAM	Edge_1RB_Right	20.24	19.63
n7	20	15	2510	CP	16QAM	Outer_Full	20.15	19.54
n7	20	15	2510	CP	64QAM	Inner_Full	19.79	19.18
n7	20	15	2510	CP	64QAM	Edge_1RB_Left	19.19	18.58
n7	20	15	2510	CP	64QAM	Edge_1RB_Right	19.64	19.03
n7	20	15	2510	CP	64QAM	Outer_Full	19.65	19.04
n7	20	15	2510	CP	256QAM	Inner_Full	16.71	16.10
n7	20	15	2510	CP	256QAM	Edge_1RB_Left	16.63	16.02
n7	20	15	2510	CP	256QAM	Edge_1RB_Right	16.84	16.23
n7	20	15	2510	CP	256QAM	Outer_Full	16.51	15.90
n7	20	15	2535	DFT	pi/2 BPSK	Inner_Full	23.12	22.51
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.65	22.04
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.73	22.12
n7	20	15	2535	DFT	pi/2 BPSK	Outer_Full	22.77	22.16
n7	20	15	2535	DFT	QPSK	Inner_Full	23.30	22.69
n7	20	15	2535	DFT	QPSK	Edge_1RB_Left	22.15	21.54
n7	20	15	2535	DFT	QPSK	Edge_1RB_Right	22.22	21.61
n7	20	15	2535	DFT	QPSK	Outer_Full	22.38	21.77
n7	20	15	2535	DFT	16QAM	Inner_Full	22.34	21.73
n7	20	15	2535	DFT	16QAM	Edge_1RB_Left	20.86	20.25
n7	20	15	2535	DFT	16QAM	Edge_1RB_Right	20.83	20.22
n7	20	15	2535	DFT	16QAM	Outer_Full	21.48	20.87
n7	20	15	2535	DFT	64QAM	Inner_Full	20.93	20.32
n7	20	15	2535	DFT	64QAM	Edge_1RB_Left	20.21	19.60
n7	20	15	2535	DFT	64QAM	Edge_1RB_Right	20.16	19.55
n7	20	15	2535	DFT	64QAM	Outer_Full	20.98	20.37
n7	20	15	2535	DFT	256QAM	Inner_Full	18.74	18.13
n7	20	15	2535	DFT	256QAM	Edge_1RB_Left	18.50	17.89
n7	20	15	2535	DFT	256QAM	Edge_1RB_Right	18.77	18.16

n7	20	15	2535	DFT	256QAM	Outer_Full	18.87	18.26
n7	20	15	2535	CP	QPSK	Inner_Full	21.63	21.02
n7	20	15	2535	CP	QPSK	Edge_1RB_Left	20.14	19.53
n7	20	15	2535	CP	QPSK	Edge_1RB_Right	20.21	19.60
n7	20	15	2535	CP	QPSK	Outer_Full	20.40	19.79
n7	20	15	2535	CP	16QAM	Inner_Full	21.40	20.79
n7	20	15	2535	CP	16QAM	Edge_1RB_Left	20.33	19.72
n7	20	15	2535	CP	16QAM	Edge_1RB_Right	20.21	19.60
n7	20	15	2535	CP	16QAM	Outer_Full	20.40	19.79
n7	20	15	2535	CP	64QAM	Inner_Full	19.95	19.34
n7	20	15	2535	CP	64QAM	Edge_1RB_Left	19.58	18.97
n7	20	15	2535	CP	64QAM	Edge_1RB_Right	19.62	19.01
n7	20	15	2535	CP	64QAM	Outer_Full	19.90	19.29
n7	20	15	2535	CP	256QAM	Inner_Full	16.85	16.24
n7	20	15	2535	CP	256QAM	Edge_1RB_Left	16.70	16.09
n7	20	15	2535	CP	256QAM	Edge_1RB_Right	16.88	16.27
n7	20	15	2535	CP	256QAM	Outer_Full	16.78	16.17
n7	20	15	2560	DFT	pi/2 BPSK	Inner_Full	23.02	22.41
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Left	22.66	22.05
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Right	22.63	22.02
n7	20	15	2560	DFT	pi/2 BPSK	Outer_Full	22.73	22.12
n7	20	15	2560	DFT	QPSK	Inner_Full	23.18	22.57
n7	20	15	2560	DFT	QPSK	Edge_1RB_Left	21.64	21.03
n7	20	15	2560	DFT	QPSK	Edge_1RB_Right	21.70	21.09
n7	20	15	2560	DFT	QPSK	Outer_Full	22.32	21.71
n7	20	15	2560	DFT	16QAM	Inner_Full	22.29	21.68
n7	20	15	2560	DFT	16QAM	Edge_1RB_Left	20.83	20.22
n7	20	15	2560	DFT	16QAM	Edge_1RB_Right	20.74	20.13
n7	20	15	2560	DFT	16QAM	Outer_Full	21.45	20.84
n7	20	15	2560	DFT	64QAM	Inner_Full	20.87	20.26
n7	20	15	2560	DFT	64QAM	Edge_1RB_Left	20.21	19.60
n7	20	15	2560	DFT	64QAM	Edge_1RB_Right	20.14	19.53
n7	20	15	2560	DFT	64QAM	Outer_Full	20.95	20.34
n7	20	15	2560	DFT	256QAM	Inner_Full	18.68	18.07
n7	20	15	2560	DFT	256QAM	Edge_1RB_Left	18.72	18.11
n7	20	15	2560	DFT	256QAM	Edge_1RB_Right	18.81	18.20
n7	20	15	2560	DFT	256QAM	Outer_Full	18.84	18.23
n7	20	15	2560	CP	QPSK	Inner_Full	21.59	20.98
n7	20	15	2560	CP	QPSK	Edge_1RB_Left	20.15	19.54
n7	20	15	2560	CP	QPSK	Edge_1RB_Right	20.16	19.55
n7	20	15	2560	CP	QPSK	Outer_Full	20.38	19.77

n7	20	15	2560	CP	16QAM	Inner_Full	21.35	20.74
n7	20	15	2560	CP	16QAM	Edge_1RB_Left	19.82	19.21
n7	20	15	2560	CP	16QAM	Edge_1RB_Right	19.78	19.17
n7	20	15	2560	CP	16QAM	Outer_Full	20.40	19.79
n7	20	15	2560	CP	64QAM	Inner_Full	19.84	19.23
n7	20	15	2560	CP	64QAM	Edge_1RB_Left	19.37	18.76
n7	20	15	2560	CP	64QAM	Edge_1RB_Right	19.25	18.64
n7	20	15	2560	CP	64QAM	Outer_Full	19.90	19.29
n7	20	15	2560	CP	256QAM	Inner_Full	16.75	16.14
n7	20	15	2560	CP	256QAM	Edge_1RB_Left	16.91	16.30
n7	20	15	2560	CP	256QAM	Edge_1RB_Right	16.89	16.28
n7	20	15	2560	CP	256QAM	Outer_Full	16.79	16.18

Maximum EIRP = 22.72dBm.

### n25- EIRP

Limits: ≤33dBm (2W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm) (Gt-Lc=0.27)
n25	5	15	1852.5	DFT	pi/2 BPSK	Inner_Full	23.89	24.16
n25	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.46	23.73
n25	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.43	23.70
n25	5	15	1852.5	DFT	pi/2 BPSK	Outer_Full	23.43	23.70
n25	5	15	1852.5	DFT	QPSK	Inner_Full	23.96	24.23
n25	5	15	1852.5	DFT	QPSK	Edge_1RB_Left	22.92	23.19
n25	5	15	1852.5	DFT	QPSK	Edge_1RB_Right	22.94	23.21
n25	5	15	1852.5	DFT	QPSK	Outer_Full	22.97	23.24
n25	5	15	1852.5	DFT	16QAM	Inner_Full	22.97	23.24
n25	5	15	1852.5	DFT	16QAM	Edge_1RB_Left	21.56	21.83
n25	5	15	1852.5	DFT	16QAM	Edge_1RB_Right	22.10	22.37
n25	5	15	1852.5	DFT	16QAM	Outer_Full	22.02	22.29
n25	5	15	1852.5	DFT	64QAM	Inner_Full	21.43	21.70
n25	5	15	1852.5	DFT	64QAM	Edge_1RB_Left	21.03	21.30
n25	5	15	1852.5	DFT	64QAM	Edge_1RB_Right	21.07	21.34
n25	5	15	1852.5	DFT	64QAM	Outer_Full	21.48	21.75
n25	5	15	1852.5	DFT	256QAM	Inner_Full	19.36	19.63
n25	5	15	1852.5	DFT	256QAM	Edge_1RB_Left	18.95	19.22
n25	5	15	1852.5	DFT	256QAM	Edge_1RB_Right	18.91	19.18
n25	5	15	1852.5	DFT	256QAM	Outer_Full	19.47	19.74
n25	5	15	1852.5	CP	QPSK	Inner_Full	22.38	22.65
n25	5	15	1852.5	CP	QPSK	Edge_1RB_Left	20.97	21.24
n25	5	15	1852.5	CP	QPSK	Edge_1RB_Right	20.99	21.26

n25	5	15	1852.5	CP	QPSK	Outer_Full	20.92	21.19
n25	5	15	1852.5	CP	16QAM	Inner_Full	21.90	22.17
n25	5	15	1852.5	CP	16QAM	Edge_1RB_Left	21.02	21.29
n25	5	15	1852.5	CP	16QAM	Edge_1RB_Right	21.05	21.32
n25	5	15	1852.5	CP	16QAM	Outer_Full	20.91	21.18
n25	5	15	1852.5	CP	64QAM	Inner_Full	20.32	20.59
n25	5	15	1852.5	CP	64QAM	Edge_1RB_Left	20.80	21.07
n25	5	15	1852.5	CP	64QAM	Edge_1RB_Right	20.37	20.64
n25	5	15	1852.5	CP	64QAM	Outer_Full	20.35	20.62
n25	5	15	1852.5	CP	256QAM	Inner_Full	17.40	17.67
n25	5	15	1852.5	CP	256QAM	Edge_1RB_Left	17.07	17.34
n25	5	15	1852.5	CP	256QAM	Edge_1RB_Right	17.09	17.36
n25	5	15	1852.5	CP	256QAM	Outer_Full	17.44	17.71
n25	5	15	1882.5	DFT	pi/2 BPSK	Inner_Full	24.00	24.27
n25	5	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.53	23.80
n25	5	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.55	23.82
n25	5	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.54	23.81
n25	5	15	1882.5	DFT	QPSK	Inner_Full	24.07	24.34
n25	5	15	1882.5	DFT	QPSK	Edge_1RB_Left	22.96	23.23
n25	5	15	1882.5	DFT	QPSK	Edge_1RB_Right	23.02	23.29
n25	5	15	1882.5	DFT	QPSK	Outer_Full	23.08	23.35
n25	5	15	1882.5	DFT	16QAM	Inner_Full	23.09	23.36
n25	5	15	1882.5	DFT	16QAM	Edge_1RB_Left	22.18	22.45
n25	5	15	1882.5	DFT	16QAM	Edge_1RB_Right	22.12	22.39
n25	5	15	1882.5	DFT	16QAM	Outer_Full	22.12	22.39
n25	5	15	1882.5	DFT	64QAM	Inner_Full	21.46	21.73
n25	5	15	1882.5	DFT	64QAM	Edge_1RB_Left	21.64	21.91
n25	5	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.24	21.51
n25	5	15	1882.5	DFT	64QAM	Outer_Full	21.63	21.90
n25	5	15	1882.5	DFT	256QAM	Inner_Full	19.39	19.66
n25	5	15	1882.5	DFT	256QAM	Edge_1RB_Left	19.12	19.39
n25	5	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.05	19.32
n25	5	15	1882.5	DFT	256QAM	Outer_Full	19.49	19.76
n25	5	15	1882.5	CP	QPSK	Inner_Full	22.43	22.70
n25	5	15	1882.5	CP	QPSK	Edge_1RB_Left	21.10	21.37
n25	5	15	1882.5	CP	QPSK	Edge_1RB_Right	21.17	21.44
n25	5	15	1882.5	CP	QPSK	Outer_Full	21.00	21.27
n25	5	15	1882.5	CP	16QAM	Inner_Full	21.99	22.26
n25	5	15	1882.5	CP	16QAM	Edge_1RB_Left	21.16	21.43
n25	5	15	1882.5	CP	16QAM	Edge_1RB_Right	21.10	21.37
n25	5	15	1882.5	CP	16QAM	Outer_Full	21.08	21.35

n25	5	15	1882.5	CP	64QAM	Inner_Full	20.38	20.65
n25	5	15	1882.5	CP	64QAM	Edge_1RB_Left	21.10	21.37
n25	5	15	1882.5	CP	64QAM	Edge_1RB_Right	21.03	21.30
n25	5	15	1882.5	CP	64QAM	Outer_Full	20.53	20.80
n25	5	15	1882.5	CP	256QAM	Inner_Full	17.48	17.75
n25	5	15	1882.5	CP	256QAM	Edge_1RB_Left	17.29	17.56
n25	5	15	1882.5	CP	256QAM	Edge_1RB_Right	17.15	17.42
n25	5	15	1882.5	CP	256QAM	Outer_Full	17.58	17.85
n25	5	15	1912.5	DFT	pi/2 BPSK	Inner_Full	23.94	24.21
n25	5	15	1912.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.41	23.68
n25	5	15	1912.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.52	23.79
n25	5	15	1912.5	DFT	pi/2 BPSK	Outer_Full	23.48	23.75
n25	5	15	1912.5	DFT	QPSK	Inner_Full	24.00	24.27
n25	5	15	1912.5	DFT	QPSK	Edge_1RB_Left	22.88	23.15
n25	5	15	1912.5	DFT	QPSK	Edge_1RB_Right	22.94	23.21
n25	5	15	1912.5	DFT	QPSK	Outer_Full	23.05	23.32
n25	5	15	1912.5	DFT	16QAM	Inner_Full	23.06	23.33
n25	5	15	1912.5	DFT	16QAM	Edge_1RB_Left	22.17	22.44
n25	5	15	1912.5	DFT	16QAM	Edge_1RB_Right	22.20	22.47
n25	5	15	1912.5	DFT	16QAM	Outer_Full	22.09	22.36
n25	5	15	1912.5	DFT	64QAM	Inner_Full	21.48	21.75
n25	5	15	1912.5	DFT	64QAM	Edge_1RB_Left	21.08	21.35
n25	5	15	1912.5	DFT	64QAM	Edge_1RB_Right	21.64	21.91
n25	5	15	1912.5	DFT	64QAM	Outer_Full	21.57	21.84
n25	5	15	1912.5	DFT	256QAM	Inner_Full	19.32	19.59
n25	5	15	1912.5	DFT	256QAM	Edge_1RB_Left	18.90	19.17
n25	5	15	1912.5	DFT	256QAM	Edge_1RB_Right	18.93	19.20
n25	5	15	1912.5	DFT	256QAM	Outer_Full	19.51	19.78
n25	5	15	1912.5	CP	QPSK	Inner_Full	22.37	22.64
n25	5	15	1912.5	CP	QPSK	Edge_1RB_Left	21.04	21.31
n25	5	15	1912.5	CP	QPSK	Edge_1RB_Right	21.10	21.37
n25	5	15	1912.5	CP	QPSK	Outer_Full	20.98	21.25
n25	5	15	1912.5	CP	16QAM	Inner_Full	21.93	22.20
n25	5	15	1912.5	CP	16QAM	Edge_1RB_Left	20.97	21.24
n25	5	15	1912.5	CP	16QAM	Edge_1RB_Right	21.12	21.39
n25	5	15	1912.5	CP	16QAM	Outer_Full	21.10	21.37
n25	5	15	1912.5	CP	64QAM	Inner_Full	20.44	20.71
n25	5	15	1912.5	CP	64QAM	Edge_1RB_Left	20.94	21.21
n25	5	15	1912.5	CP	64QAM	Edge_1RB_Right	21.06	21.33
n25	5	15	1912.5	CP	64QAM	Outer_Full	20.55	20.82
n25	5	15	1912.5	CP	256QAM	Inner_Full	17.44	17.71



n25	5	15	1912.5	CP	256QAM	Edge_1RB_Left	17.06	17.33
n25	5	15	1912.5	CP	256QAM	Edge_1RB_Right	17.20	17.47
n25	5	15	1912.5	CP	256QAM	Outer_Full	17.56	17.83
n25	10	15	1855	DFT	pi/2 BPSK	Inner_Full	23.77	24.04
n25	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Left	23.27	23.54
n25	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Right	23.28	23.55
n25	10	15	1855	DFT	pi/2 BPSK	Outer_Full	23.27	23.54
n25	10	15	1855	DFT	QPSK	Inner_Full	23.82	24.09
n25	10	15	1855	DFT	QPSK	Edge_1RB_Left	22.81	23.08
n25	10	15	1855	DFT	QPSK	Edge_1RB_Right	22.79	23.06
n25	10	15	1855	DFT	QPSK	Outer_Full	22.82	23.09
n25	10	15	1855	DFT	16QAM	Inner_Full	22.85	23.12
n25	10	15	1855	DFT	16QAM	Edge_1RB_Left	22.00	22.27
n25	10	15	1855	DFT	16QAM	Edge_1RB_Right	21.54	21.81
n25	10	15	1855	DFT	16QAM	Outer_Full	21.76	22.03
n25	10	15	1855	DFT	64QAM	Inner_Full	21.32	21.59
n25	10	15	1855	DFT	64QAM	Edge_1RB_Left	20.88	21.15
n25	10	15	1855	DFT	64QAM	Edge_1RB_Right	21.00	21.27
n25	10	15	1855	DFT	64QAM	Outer_Full	21.26	21.53
n25	10	15	1855	DFT	256QAM	Inner_Full	19.32	19.59
n25	10	15	1855	DFT	256QAM	Edge_1RB_Left	18.83	19.10
n25	10	15	1855	DFT	256QAM	Edge_1RB_Right	18.79	19.06
n25	10	15	1855	DFT	256QAM	Outer_Full	19.28	19.55
n25	10	15	1855	CP	QPSK	Inner_Full	22.27	22.54
n25	10	15	1855	CP	QPSK	Edge_1RB_Left	20.88	21.15
n25	10	15	1855	CP	QPSK	Edge_1RB_Right	20.92	21.19
n25	10	15	1855	CP	QPSK	Outer_Full	20.77	21.04
n25	10	15	1855	CP	16QAM	Inner_Full	21.77	22.04
n25	10	15	1855	CP	16QAM	Edge_1RB_Left	20.83	21.10
n25	10	15	1855	CP	16QAM	Edge_1RB_Right	20.93	21.20
n25	10	15	1855	CP	16QAM	Outer_Full	20.78	21.05
n25	10	15	1855	CP	64QAM	Inner_Full	20.30	20.57
n25	10	15	1855	CP	64QAM	Edge_1RB_Left	20.49	20.76
n25	10	15	1855	CP	64QAM	Edge_1RB_Right	20.05	20.32
n25	10	15	1855	CP	64QAM	Outer_Full	20.28	20.55
n25	10	15	1855	CP	256QAM	Inner_Full	17.22	17.49
n25	10	15	1855	CP	256QAM	Edge_1RB_Left	16.99	17.26
n25	10	15	1855	CP	256QAM	Edge_1RB_Right	16.88	17.15
n25	10	15	1855	CP	256QAM	Outer_Full	17.35	17.62
n25	10	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.89	24.16
n25	10	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.43	23.70

n25	10	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.33	23.60
n25	10	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.30	23.57
n25	10	15	1882.5	DFT	QPSK	Inner_Full	23.90	24.17
n25	10	15	1882.5	DFT	QPSK	Edge_1RB_Left	22.82	23.09
n25	10	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.90	23.17
n25	10	15	1882.5	DFT	QPSK	Outer_Full	22.86	23.13
n25	10	15	1882.5	DFT	16QAM	Inner_Full	22.92	23.19
n25	10	15	1882.5	DFT	16QAM	Edge_1RB_Left	22.05	22.32
n25	10	15	1882.5	DFT	16QAM	Edge_1RB_Right	22.03	22.30
n25	10	15	1882.5	DFT	16QAM	Outer_Full	21.86	22.13
n25	10	15	1882.5	DFT	64QAM	Inner_Full	21.36	21.63
n25	10	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.95	21.22
n25	10	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.60	21.87
n25	10	15	1882.5	DFT	64QAM	Outer_Full	21.31	21.58
n25	10	15	1882.5	DFT	256QAM	Inner_Full	19.34	19.61
n25	10	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.86	19.13
n25	10	15	1882.5	DFT	256QAM	Edge_1RB_Right	18.91	19.18
n25	10	15	1882.5	DFT	256QAM	Outer_Full	19.23	19.50
n25	10	15	1882.5	CP	QPSK	Inner_Full	22.34	22.61
n25	10	15	1882.5	CP	QPSK	Edge_1RB_Left	21.01	21.28
n25	10	15	1882.5	CP	QPSK	Edge_1RB_Right	20.90	21.17
n25	10	15	1882.5	CP	QPSK	Outer_Full	20.78	21.05
n25	10	15	1882.5	CP	16QAM	Inner_Full	21.94	22.21
n25	10	15	1882.5	CP	16QAM	Edge_1RB_Left	21.07	21.34
n25	10	15	1882.5	CP	16QAM	Edge_1RB_Right	20.89	21.16
n25	10	15	1882.5	CP	16QAM	Outer_Full	20.78	21.05
n25	10	15	1882.5	CP	64QAM	Inner_Full	20.42	20.69
n25	10	15	1882.5	CP	64QAM	Edge_1RB_Left	20.65	20.92
n25	10	15	1882.5	CP	64QAM	Edge_1RB_Right	20.71	20.98
n25	10	15	1882.5	CP	64QAM	Outer_Full	20.33	20.60
n25	10	15	1882.5	CP	256QAM	Inner_Full	17.35	17.62
n25	10	15	1882.5	CP	256QAM	Edge_1RB_Left	16.99	17.26
n25	10	15	1882.5	CP	256QAM	Edge_1RB_Right	17.01	17.28
n25	10	15	1882.5	CP	256QAM	Outer_Full	17.40	17.67
n25	10	15	1910	DFT	pi/2 BPSK	Inner_Full	23.79	24.06
n25	10	15	1910	DFT	pi/2 BPSK	Edge_1RB_Left	23.22	23.49
n25	10	15	1910	DFT	pi/2 BPSK	Edge_1RB_Right	23.32	23.59
n25	10	15	1910	DFT	pi/2 BPSK	Outer_Full	23.26	23.53
n25	10	15	1910	DFT	QPSK	Inner_Full	23.89	24.16
n25	10	15	1910	DFT	QPSK	Edge_1RB_Left	22.68	22.95
n25	10	15	1910	DFT	QPSK	Edge_1RB_Right	22.83	23.10

n25	10	15	1910	DFT	QPSK	Outer_Full	22.82	23.09
n25	10	15	1910	DFT	16QAM	Inner_Full	22.87	23.14
n25	10	15	1910	DFT	16QAM	Edge_1RB_Left	21.90	22.17
n25	10	15	1910	DFT	16QAM	Edge_1RB_Right	21.99	22.26
n25	10	15	1910	DFT	16QAM	Outer_Full	21.75	22.02
n25	10	15	1910	DFT	64QAM	Inner_Full	21.33	21.60
n25	10	15	1910	DFT	64QAM	Edge_1RB_Left	21.36	21.63
n25	10	15	1910	DFT	64QAM	Edge_1RB_Right	21.46	21.73
n25	10	15	1910	DFT	64QAM	Outer_Full	21.22	21.49
n25	10	15	1910	DFT	256QAM	Inner_Full	19.26	19.53
n25	10	15	1910	DFT	256QAM	Edge_1RB_Left	18.81	19.08
n25	10	15	1910	DFT	256QAM	Edge_1RB_Right	18.93	19.20
n25	10	15	1910	DFT	256QAM	Outer_Full	19.28	19.55
n25	10	15	1910	CP	QPSK	Inner_Full	22.25	22.52
n25	10	15	1910	CP	QPSK	Edge_1RB_Left	20.82	21.09
n25	10	15	1910	CP	QPSK	Edge_1RB_Right	20.84	21.11
n25	10	15	1910	CP	QPSK	Outer_Full	20.74	21.01
n25	10	15	1910	CP	16QAM	Inner_Full	21.89	22.16
n25	10	15	1910	CP	16QAM	Edge_1RB_Left	20.83	21.10
n25	10	15	1910	CP	16QAM	Edge_1RB_Right	20.89	21.16
n25	10	15	1910	CP	16QAM	Outer_Full	20.74	21.01
n25	10	15	1910	CP	64QAM	Inner_Full	20.33	20.60
n25	10	15	1910	CP	64QAM	Edge_1RB_Left	21.03	21.30
n25	10	15	1910	CP	64QAM	Edge_1RB_Right	20.77	21.04
n25	10	15	1910	CP	64QAM	Outer_Full	20.32	20.59
n25	10	15	1910	CP	256QAM	Inner_Full	17.26	17.53
n25	10	15	1910	CP	256QAM	Edge_1RB_Left	17.08	17.35
n25	10	15	1910	CP	256QAM	Edge_1RB_Right	16.98	17.25
n25	10	15	1910	CP	256QAM	Outer_Full	17.32	17.59
n25	15	15	1857.5	DFT	pi/2 BPSK	Inner_Full	23.96	24.23
n25	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.34	23.61
n25	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.37	23.64
n25	15	15	1857.5	DFT	pi/2 BPSK	Outer_Full	23.44	23.71
n25	15	15	1857.5	DFT	QPSK	Inner_Full	23.96	24.23
n25	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	22.88	23.15
n25	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	22.92	23.19
n25	15	15	1857.5	DFT	QPSK	Outer_Full	23.01	23.28
n25	15	15	1857.5	DFT	16QAM	Inner_Full	22.98	23.25
n25	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	21.52	21.79
n25	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	22.12	22.39
n25	15	15	1857.5	DFT	16QAM	Outer_Full	21.98	22.25

n25	15	15	1857.5	DFT	64QAM	Inner_Full	21.43	21.70
n25	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	21.00	21.27
n25	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	21.00	21.27
n25	15	15	1857.5	DFT	64QAM	Outer_Full	21.50	21.77
n25	15	15	1857.5	DFT	256QAM	Inner_Full	19.40	19.67
n25	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	18.81	19.08
n25	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	18.93	19.20
n25	15	15	1857.5	DFT	256QAM	Outer_Full	19.45	19.72
n25	15	15	1857.5	CP	QPSK	Inner_Full	22.43	22.70
n25	15	15	1857.5	CP	QPSK	Edge_1RB_Left	20.91	21.18
n25	15	15	1857.5	CP	QPSK	Edge_1RB_Right	20.99	21.26
n25	15	15	1857.5	CP	QPSK	Outer_Full	20.92	21.19
n25	15	15	1857.5	CP	16QAM	Inner_Full	22.00	22.27
n25	15	15	1857.5	CP	16QAM	Edge_1RB_Left	20.46	20.73
n25	15	15	1857.5	CP	16QAM	Edge_1RB_Right	20.97	21.24
n25	15	15	1857.5	CP	16QAM	Outer_Full	20.96	21.23
n25	15	15	1857.5	CP	64QAM	Inner_Full	20.45	20.72
n25	15	15	1857.5	CP	64QAM	Edge_1RB_Left	20.62	20.89
n25	15	15	1857.5	CP	64QAM	Edge_1RB_Right	20.11	20.38
n25	15	15	1857.5	CP	64QAM	Outer_Full	20.41	20.68
n25	15	15	1857.5	CP	256QAM	Inner_Full	17.48	17.75
n25	15	15	1857.5	CP	256QAM	Edge_1RB_Left	16.98	17.25
n25	15	15	1857.5	CP	256QAM	Edge_1RB_Right	17.04	17.31
n25	15	15	1857.5	CP	256QAM	Outer_Full	17.53	17.80
n25	15	15	1882.5	DFT	pi/2 BPSK	Inner_Full	24.00	24.27
n25	15	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.49	23.76
n25	15	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.48	23.75
n25	15	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.48	23.75
n25	15	15	1882.5	DFT	QPSK	Inner_Full	24.07	24.34
n25	15	15	1882.5	DFT	QPSK	Edge_1RB_Left	22.92	23.19
n25	15	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.92	23.19
n25	15	15	1882.5	DFT	QPSK	Outer_Full	22.99	23.26
n25	15	15	1882.5	DFT	16QAM	Inner_Full	23.09	23.36
n25	15	15	1882.5	DFT	16QAM	Edge_1RB_Left	22.08	22.35
n25	15	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.63	21.90
n25	15	15	1882.5	DFT	16QAM	Outer_Full	21.99	22.26
n25	15	15	1882.5	DFT	64QAM	Inner_Full	21.55	21.82
n25	15	15	1882.5	DFT	64QAM	Edge_1RB_Left	21.06	21.33
n25	15	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.63	21.90
n25	15	15	1882.5	DFT	64QAM	Outer_Full	21.48	21.75
n25	15	15	1882.5	DFT	256QAM	Inner_Full	19.48	19.75

n25	15	15	1882.5	DFT	256QAM	Edge_1RB_Left	19.01	19.28
n25	15	15	1882.5	DFT	256QAM	Edge_1RB_Right	18.91	19.18
n25	15	15	1882.5	DFT	256QAM	Outer_Full	19.50	19.77
n25	15	15	1882.5	CP	QPSK	Inner_Full	22.51	22.78
n25	15	15	1882.5	CP	QPSK	Edge_1RB_Left	20.94	21.21
n25	15	15	1882.5	CP	QPSK	Edge_1RB_Right	21.00	21.27
n25	15	15	1882.5	CP	QPSK	Outer_Full	20.95	21.22
n25	15	15	1882.5	CP	16QAM	Inner_Full	22.08	22.35
n25	15	15	1882.5	CP	16QAM	Edge_1RB_Left	20.96	21.23
n25	15	15	1882.5	CP	16QAM	Edge_1RB_Right	21.02	21.29
n25	15	15	1882.5	CP	16QAM	Outer_Full	21.01	21.28
n25	15	15	1882.5	CP	64QAM	Inner_Full	20.47	20.74
n25	15	15	1882.5	CP	64QAM	Edge_1RB_Left	20.73	21.00
n25	15	15	1882.5	CP	64QAM	Edge_1RB_Right	20.16	20.43
n25	15	15	1882.5	CP	64QAM	Outer_Full	20.41	20.68
n25	15	15	1882.5	CP	256QAM	Inner_Full	17.55	17.82
n25	15	15	1882.5	CP	256QAM	Edge_1RB_Left	17.07	17.34
n25	15	15	1882.5	CP	256QAM	Edge_1RB_Right	17.07	17.34
n25	15	15	1882.5	CP	256QAM	Outer_Full	17.57	17.84
n25	15	15	1907.5	DFT	pi/2 BPSK	Inner_Full	23.95	24.22
n25	15	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.34	23.61
n25	15	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.44	23.71
n25	15	15	1907.5	DFT	pi/2 BPSK	Outer_Full	23.35	23.62
n25	15	15	1907.5	DFT	QPSK	Inner_Full	24.05	24.32
n25	15	15	1907.5	DFT	QPSK	Edge_1RB_Left	22.82	23.09
n25	15	15	1907.5	DFT	QPSK	Edge_1RB_Right	22.86	23.13
n25	15	15	1907.5	DFT	QPSK	Outer_Full	22.85	23.12
n25	15	15	1907.5	DFT	16QAM	Inner_Full	23.08	23.35
n25	15	15	1907.5	DFT	16QAM	Edge_1RB_Left	21.97	22.24
n25	15	15	1907.5	DFT	16QAM	Edge_1RB_Right	21.59	21.86
n25	15	15	1907.5	DFT	16QAM	Outer_Full	21.91	22.18
n25	15	15	1907.5	DFT	64QAM	Inner_Full	21.55	21.82
n25	15	15	1907.5	DFT	64QAM	Edge_1RB_Left	21.04	21.31
n25	15	15	1907.5	DFT	64QAM	Edge_1RB_Right	21.07	21.34
n25	15	15	1907.5	DFT	64QAM	Outer_Full	21.38	21.65
n25	15	15	1907.5	DFT	256QAM	Inner_Full	19.46	19.73
n25	15	15	1907.5	DFT	256QAM	Edge_1RB_Left	19.09	19.36
n25	15	15	1907.5	DFT	256QAM	Edge_1RB_Right	18.98	19.25
n25	15	15	1907.5	DFT	256QAM	Outer_Full	19.36	19.63
n25	15	15	1907.5	CP	QPSK	Inner_Full	22.45	22.72
n25	15	15	1907.5	CP	QPSK	Edge_1RB_Left	20.98	21.25

n25	15	15	1907.5	CP	QPSK	Edge_1RB_Right	20.93	21.20
n25	15	15	1907.5	CP	QPSK	Outer_Full	20.83	21.10
n25	15	15	1907.5	CP	16QAM	Inner_Full	22.03	22.30
n25	15	15	1907.5	CP	16QAM	Edge_1RB_Left	20.94	21.21
n25	15	15	1907.5	CP	16QAM	Edge_1RB_Right	20.92	21.19
n25	15	15	1907.5	CP	16QAM	Outer_Full	20.87	21.14
n25	15	15	1907.5	CP	64QAM	Inner_Full	20.45	20.72
n25	15	15	1907.5	CP	64QAM	Edge_1RB_Left	20.25	20.52
n25	15	15	1907.5	CP	64QAM	Edge_1RB_Right	20.47	20.74
n25	15	15	1907.5	CP	64QAM	Outer_Full	20.30	20.57
n25	15	15	1907.5	CP	256QAM	Inner_Full	17.47	17.74
n25	15	15	1907.5	CP	256QAM	Edge_1RB_Left	16.98	17.25
n25	15	15	1907.5	CP	256QAM	Edge_1RB_Right	17.03	17.30
n25	15	15	1907.5	CP	256QAM	Outer_Full	17.41	17.68
n25	20	15	1860	DFT	pi/2 BPSK	Inner_Full	23.93	24.20
n25	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	23.29	23.56
n25	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	23.43	23.70
n25	20	15	1860	DFT	pi/2 BPSK	Outer_Full	23.52	23.79
n25	20	15	1860	DFT	QPSK	Inner_Full	24.01	24.28
n25	20	15	1860	DFT	QPSK	Edge_1RB_Left	22.86	23.13
n25	20	15	1860	DFT	QPSK	Edge_1RB_Right	22.46	22.73
n25	20	15	1860	DFT	QPSK	Outer_Full	23.06	23.33
n25	20	15	1860	DFT	16QAM	Inner_Full	23.01	23.28
n25	20	15	1860	DFT	16QAM	Edge_1RB_Left	21.54	21.81
n25	20	15	1860	DFT	16QAM	Edge_1RB_Right	21.61	21.88
n25	20	15	1860	DFT	16QAM	Outer_Full	22.05	22.32
n25	20	15	1860	DFT	64QAM	Inner_Full	21.48	21.75
n25	20	15	1860	DFT	64QAM	Edge_1RB_Left	20.98	21.25
n25	20	15	1860	DFT	64QAM	Edge_1RB_Right	21.14	21.41
n25	20	15	1860	DFT	64QAM	Outer_Full	21.57	21.84
n25	20	15	1860	DFT	256QAM	Inner_Full	19.44	19.71
n25	20	15	1860	DFT	256QAM	Edge_1RB_Left	19.11	19.38
n25	20	15	1860	DFT	256QAM	Edge_1RB_Right	19.07	19.34
n25	20	15	1860	DFT	256QAM	Outer_Full	19.51	19.78
n25	20	15	1860	CP	QPSK	Inner_Full	22.40	22.67
n25	20	15	1860	CP	QPSK	Edge_1RB_Left	20.88	21.15
n25	20	15	1860	CP	QPSK	Edge_1RB_Right	20.99	21.26
n25	20	15	1860	CP	QPSK	Outer_Full	20.98	21.25
n25	20	15	1860	CP	16QAM	Inner_Full	21.93	22.20
n25	20	15	1860	CP	16QAM	Edge_1RB_Left	20.95	21.22
n25	20	15	1860	CP	16QAM	Edge_1RB_Right	20.99	21.26

n25	20	15	1860	CP	16QAM	Outer_Full	20.97	21.24
n25	20	15	1860	CP	64QAM	Inner_Full	20.38	20.65
n25	20	15	1860	CP	64QAM	Edge_1RB_Left	20.16	20.43
n25	20	15	1860	CP	64QAM	Edge_1RB_Right	20.88	21.15
n25	20	15	1860	CP	64QAM	Outer_Full	20.47	20.74
n25	20	15	1860	CP	256QAM	Inner_Full	17.50	17.77
n25	20	15	1860	CP	256QAM	Edge_1RB_Left	16.87	17.14
n25	20	15	1860	CP	256QAM	Edge_1RB_Right	17.10	17.37
n25	20	15	1860	CP	256QAM	Outer_Full	17.59	17.86
n25	20	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.99	24.26
n25	20	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.44	23.71
n25	20	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.42	23.69
n25	20	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.40	23.67
n25	20	15	1882.5	DFT	QPSK	Inner_Full	24.00	24.27
n25	20	15	1882.5	DFT	QPSK	Edge_1RB_Left	22.91	23.18
n25	20	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.92	23.19
n25	20	15	1882.5	DFT	QPSK	Outer_Full	22.93	23.20
n25	20	15	1882.5	DFT	16QAM	Inner_Full	23.05	23.32
n25	20	15	1882.5	DFT	16QAM	Edge_1RB_Left	22.14	22.41
n25	20	15	1882.5	DFT	16QAM	Edge_1RB_Right	22.13	22.40
n25	20	15	1882.5	DFT	16QAM	Outer_Full	21.96	22.23
n25	20	15	1882.5	DFT	64QAM	Inner_Full	21.52	21.79
n25	20	15	1882.5	DFT	64QAM	Edge_1RB_Left	21.17	21.44
n25	20	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.05	21.32
n25	20	15	1882.5	DFT	64QAM	Outer_Full	21.46	21.73
n25	20	15	1882.5	DFT	256QAM	Inner_Full	19.47	19.74
n25	20	15	1882.5	DFT	256QAM	Edge_1RB_Left	19.02	19.29
n25	20	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.12	19.39
n25	20	15	1882.5	DFT	256QAM	Outer_Full	19.36	19.63
n25	20	15	1882.5	CP	QPSK	Inner_Full	22.45	22.72
n25	20	15	1882.5	CP	QPSK	Edge_1RB_Left	21.00	21.27
n25	20	15	1882.5	CP	QPSK	Edge_1RB_Right	21.07	21.34
n25	20	15	1882.5	CP	QPSK	Outer_Full	20.86	21.13
n25	20	15	1882.5	CP	16QAM	Inner_Full	21.94	22.21
n25	20	15	1882.5	CP	16QAM	Edge_1RB_Left	21.07	21.34
n25	20	15	1882.5	CP	16QAM	Edge_1RB_Right	20.99	21.26
n25	20	15	1882.5	CP	16QAM	Outer_Full	20.82	21.09
n25	20	15	1882.5	CP	64QAM	Inner_Full	20.44	20.71
n25	20	15	1882.5	CP	64QAM	Edge_1RB_Left	20.67	20.94
n25	20	15	1882.5	CP	64QAM	Edge_1RB_Right	20.29	20.56
n25	20	15	1882.5	CP	64QAM	Outer_Full	20.34	20.61



n25	20	15	1882.5	CP	256QAM	Inner_Full	17.58	17.85
n25	20	15	1882.5	CP	256QAM	Edge_1RB_Left	17.04	17.31
n25	20	15	1882.5	CP	256QAM	Edge_1RB_Right	17.29	17.56
n25	20	15	1882.5	CP	256QAM	Outer_Full	17.43	17.70
n25	20	15	1905	DFT	pi/2 BPSK	Inner_Full	23.91	24.18
n25	20	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	23.41	23.68
n25	20	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	23.45	23.72
n25	20	15	1905	DFT	pi/2 BPSK	Outer_Full	23.25	23.52
n25	20	15	1905	DFT	QPSK	Inner_Full	23.95	24.22
n25	20	15	1905	DFT	QPSK	Edge_1RB_Left	22.89	23.16
n25	20	15	1905	DFT	QPSK	Edge_1RB_Right	22.89	23.16
n25	20	15	1905	DFT	QPSK	Outer_Full	22.81	23.08
n25	20	15	1905	DFT	16QAM	Inner_Full	22.97	23.24
n25	20	15	1905	DFT	16QAM	Edge_1RB_Left	22.10	22.37
n25	20	15	1905	DFT	16QAM	Edge_1RB_Right	21.55	21.82
n25	20	15	1905	DFT	16QAM	Outer_Full	21.82	22.09
n25	20	15	1905	DFT	64QAM	Inner_Full	21.48	21.75
n25	20	15	1905	DFT	64QAM	Edge_1RB_Left	20.99	21.26
n25	20	15	1905	DFT	64QAM	Edge_1RB_Right	21.05	21.32
n25	20	15	1905	DFT	64QAM	Outer_Full	21.33	21.60
n25	20	15	1905	DFT	256QAM	Inner_Full	19.39	19.66
n25	20	15	1905	DFT	256QAM	Edge_1RB_Left	19.07	19.34
n25	20	15	1905	DFT	256QAM	Edge_1RB_Right	19.18	19.45
n25	20	15	1905	DFT	256QAM	Outer_Full	19.21	19.48
n25	20	15	1905	CP	QPSK	Inner_Full	22.38	22.65
n25	20	15	1905	CP	QPSK	Edge_1RB_Left	20.83	21.10
n25	20	15	1905	CP	QPSK	Edge_1RB_Right	20.95	21.22
n25	20	15	1905	CP	QPSK	Outer_Full	20.71	20.98
n25	20	15	1905	CP	16QAM	Inner_Full	21.89	22.16
n25	20	15	1905	CP	16QAM	Edge_1RB_Left	20.56	20.83
n25	20	15	1905	CP	16QAM	Edge_1RB_Right	20.97	21.24
n25	20	15	1905	CP	16QAM	Outer_Full	20.72	20.99
n25	20	15	1905	CP	64QAM	Inner_Full	20.37	20.64
n25	20	15	1905	CP	64QAM	Edge_1RB_Left	20.72	20.99
n25	20	15	1905	CP	64QAM	Edge_1RB_Right	20.29	20.56
n25	20	15	1905	CP	64QAM	Outer_Full	20.21	20.48
n25	20	15	1905	CP	256QAM	Inner_Full	17.55	17.82
n25	20	15	1905	CP	256QAM	Edge_1RB_Left	16.93	17.20
n25	20	15	1905	CP	256QAM	Edge_1RB_Right	17.27	17.54
n25	20	15	1905	CP	256QAM	Outer_Full	17.28	17.55

Maximum EIRP = 24.34dBm.



**n38- EIRP**
**Limits:** ≤33dBm (2W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	EIRP(dBm) (Gt-Lc=-0.68)
n38	10	30	2575	DFT	pi/2 BPSK	Inner_Full	22.77	22.09
n38	10	30	2575	DFT	pi/2 BPSK	Edge_1RB_Left	22.35	21.67
n38	10	30	2575	DFT	pi/2 BPSK	Edge_1RB_Right	22.38	21.70
n38	10	30	2575	DFT	pi/2 BPSK	Outer_Full	22.36	21.68
n38	10	30	2575	DFT	QPSK	Inner_Full	22.84	22.16
n38	10	30	2575	DFT	QPSK	Edge_1RB_Left	21.79	21.11
n38	10	30	2575	DFT	QPSK	Edge_1RB_Right	21.87	21.19
n38	10	30	2575	DFT	QPSK	Outer_Full	21.96	21.28
n38	10	30	2575	DFT	16QAM	Inner_Full	21.83	21.15
n38	10	30	2575	DFT	16QAM	Edge_1RB_Left	20.85	20.17
n38	10	30	2575	DFT	16QAM	Edge_1RB_Right	20.81	20.13
n38	10	30	2575	DFT	16QAM	Outer_Full	21.03	20.35
n38	10	30	2575	DFT	64QAM	Inner_Full	20.41	19.73
n38	10	30	2575	DFT	64QAM	Edge_1RB_Left	20.45	19.77
n38	10	30	2575	DFT	64QAM	Edge_1RB_Right	20.42	19.74
n38	10	30	2575	DFT	64QAM	Outer_Full	20.44	19.76
n38	10	30	2575	DFT	256QAM	Inner_Full	18.38	17.70
n38	10	30	2575	DFT	256QAM	Edge_1RB_Left	18.35	17.67
n38	10	30	2575	DFT	256QAM	Edge_1RB_Right	18.27	17.59
n38	10	30	2575	DFT	256QAM	Outer_Full	18.46	17.78
n38	10	30	2575	CP	QPSK	Inner_Full	21.38	20.70
n38	10	30	2575	CP	QPSK	Edge_1RB_Left	19.85	19.17
n38	10	30	2575	CP	QPSK	Edge_1RB_Right	19.91	19.23
n38	10	30	2575	CP	QPSK	Outer_Full	19.93	19.25
n38	10	30	2575	CP	16QAM	Inner_Full	20.84	20.16
n38	10	30	2575	CP	16QAM	Edge_1RB_Left	19.99	19.31
n38	10	30	2575	CP	16QAM	Edge_1RB_Right	19.95	19.27
n38	10	30	2575	CP	16QAM	Outer_Full	19.94	19.26
n38	10	30	2575	CP	64QAM	Inner_Full	19.33	18.65
n38	10	30	2575	CP	64QAM	Edge_1RB_Left	19.26	18.58
n38	10	30	2575	CP	64QAM	Edge_1RB_Right	19.28	18.60
n38	10	30	2575	CP	64QAM	Outer_Full	19.45	18.77
n38	10	30	2575	CP	256QAM	Inner_Full	16.43	15.75
n38	10	30	2575	CP	256QAM	Edge_1RB_Left	16.46	15.78
n38	10	30	2575	CP	256QAM	Edge_1RB_Right	16.59	15.91
n38	10	30	2575	CP	256QAM	Outer_Full	16.43	15.75
n38	10	30	2595	DFT	pi/2 BPSK	Inner_Full	22.70	22.02

n38	10	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	22.31	21.63
n38	10	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	22.36	21.68
n38	10	30	2595	DFT	pi/2 BPSK	Outer_Full	22.27	21.59
n38	10	30	2595	DFT	QPSK	Inner_Full	22.77	22.09
n38	10	30	2595	DFT	QPSK	Edge_1RB_Left	21.92	21.24
n38	10	30	2595	DFT	QPSK	Edge_1RB_Right	21.72	21.04
n38	10	30	2595	DFT	QPSK	Outer_Full	21.81	21.13
n38	10	30	2595	DFT	16QAM	Inner_Full	21.85	21.17
n38	10	30	2595	DFT	16QAM	Edge_1RB_Left	20.83	20.15
n38	10	30	2595	DFT	16QAM	Edge_1RB_Right	20.87	20.19
n38	10	30	2595	DFT	16QAM	Outer_Full	20.91	20.23
n38	10	30	2595	DFT	64QAM	Inner_Full	20.37	19.69
n38	10	30	2595	DFT	64QAM	Edge_1RB_Left	20.36	19.68
n38	10	30	2595	DFT	64QAM	Edge_1RB_Right	20.38	19.70
n38	10	30	2595	DFT	64QAM	Outer_Full	20.36	19.68
n38	10	30	2595	DFT	256QAM	Inner_Full	18.28	17.60
n38	10	30	2595	DFT	256QAM	Edge_1RB_Left	18.25	17.57
n38	10	30	2595	DFT	256QAM	Edge_1RB_Right	18.27	17.59
n38	10	30	2595	DFT	256QAM	Outer_Full	18.36	17.68
n38	10	30	2595	CP	QPSK	Inner_Full	21.34	20.66
n38	10	30	2595	CP	QPSK	Edge_1RB_Left	19.81	19.13
n38	10	30	2595	CP	QPSK	Edge_1RB_Right	19.86	19.18
n38	10	30	2595	CP	QPSK	Outer_Full	19.83	19.15
n38	10	30	2595	CP	16QAM	Inner_Full	20.80	20.12
n38	10	30	2595	CP	16QAM	Edge_1RB_Left	19.93	19.25
n38	10	30	2595	CP	16QAM	Edge_1RB_Right	19.95	19.27
n38	10	30	2595	CP	16QAM	Outer_Full	19.84	19.16
n38	10	30	2595	CP	64QAM	Inner_Full	19.30	18.62
n38	10	30	2595	CP	64QAM	Edge_1RB_Left	19.12	18.44
n38	10	30	2595	CP	64QAM	Edge_1RB_Right	19.15	18.47
n38	10	30	2595	CP	64QAM	Outer_Full	19.35	18.67
n38	10	30	2595	CP	256QAM	Inner_Full	16.38	15.70
n38	10	30	2595	CP	256QAM	Edge_1RB_Left	16.43	15.75
n38	10	30	2595	CP	256QAM	Edge_1RB_Right	16.45	15.77
n38	10	30	2595	CP	256QAM	Outer_Full	16.26	15.58
n38	10	30	2615	DFT	pi/2 BPSK	Inner_Full	22.63	21.95
n38	10	30	2615	DFT	pi/2 BPSK	Edge_1RB_Left	22.15	21.47
n38	10	30	2615	DFT	pi/2 BPSK	Edge_1RB_Right	22.14	21.46
n38	10	30	2615	DFT	pi/2 BPSK	Outer_Full	22.08	21.40
n38	10	30	2615	DFT	QPSK	Inner_Full	22.66	21.98
n38	10	30	2615	DFT	QPSK	Edge_1RB_Left	21.57	20.89

n38	10	30	2615	DFT	QPSK	Edge_1RB_Right	21.69	21.01
n38	10	30	2615	DFT	QPSK	Outer_Full	21.67	20.99
n38	10	30	2615	DFT	16QAM	Inner_Full	21.69	21.01
n38	10	30	2615	DFT	16QAM	Edge_1RB_Left	20.63	19.95
n38	10	30	2615	DFT	16QAM	Edge_1RB_Right	20.74	20.06
n38	10	30	2615	DFT	16QAM	Outer_Full	20.81	20.13
n38	10	30	2615	DFT	64QAM	Inner_Full	20.26	19.58
n38	10	30	2615	DFT	64QAM	Edge_1RB_Left	20.24	19.56
n38	10	30	2615	DFT	64QAM	Edge_1RB_Right	20.34	19.66
n38	10	30	2615	DFT	64QAM	Outer_Full	20.29	19.61
n38	10	30	2615	DFT	256QAM	Inner_Full	18.28	17.60
n38	10	30	2615	DFT	256QAM	Edge_1RB_Left	18.12	17.44
n38	10	30	2615	DFT	256QAM	Edge_1RB_Right	18.18	17.50
n38	10	30	2615	DFT	256QAM	Outer_Full	18.25	17.57
n38	10	30	2615	CP	QPSK	Inner_Full	21.25	20.57
n38	10	30	2615	CP	QPSK	Edge_1RB_Left	19.62	18.94
n38	10	30	2615	CP	QPSK	Edge_1RB_Right	19.72	19.04
n38	10	30	2615	CP	QPSK	Outer_Full	19.75	19.07
n38	10	30	2615	CP	16QAM	Inner_Full	20.78	20.10
n38	10	30	2615	CP	16QAM	Edge_1RB_Left	19.61	18.93
n38	10	30	2615	CP	16QAM	Edge_1RB_Right	19.89	19.21
n38	10	30	2615	CP	16QAM	Outer_Full	19.85	19.17
n38	10	30	2615	CP	64QAM	Inner_Full	19.23	18.55
n38	10	30	2615	CP	64QAM	Edge_1RB_Left	19.39	18.71
n38	10	30	2615	CP	64QAM	Edge_1RB_Right	19.11	18.43
n38	10	30	2615	CP	64QAM	Outer_Full	19.32	18.64
n38	10	30	2615	CP	256QAM	Inner_Full	16.23	15.55
n38	10	30	2615	CP	256QAM	Edge_1RB_Left	16.10	15.42
n38	10	30	2615	CP	256QAM	Edge_1RB_Right	16.18	15.50
n38	10	30	2615	CP	256QAM	Outer_Full	16.33	15.65
n38	15	30	2577.5	DFT	pi/2 BPSK	Inner_Full	22.73	22.05
n38	15	30	2577.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.17	21.49
n38	15	30	2577.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.17	21.49
n38	15	30	2577.5	DFT	pi/2 BPSK	Outer_Full	22.22	21.54
n38	15	30	2577.5	DFT	QPSK	Inner_Full	22.80	22.12
n38	15	30	2577.5	DFT	QPSK	Edge_1RB_Left	21.57	20.89
n38	15	30	2577.5	DFT	QPSK	Edge_1RB_Right	21.58	20.90
n38	15	30	2577.5	DFT	QPSK	Outer_Full	21.79	21.11
n38	15	30	2577.5	DFT	16QAM	Inner_Full	21.79	21.11
n38	15	30	2577.5	DFT	16QAM	Edge_1RB_Left	20.72	20.04
n38	15	30	2577.5	DFT	16QAM	Edge_1RB_Right	20.69	20.01

n38	15	30	2577.5	DFT	16QAM	Outer_Full	20.87	20.19
n38	15	30	2577.5	DFT	64QAM	Inner_Full	20.38	19.70
n38	15	30	2577.5	DFT	64QAM	Edge_1RB_Left	20.32	19.64
n38	15	30	2577.5	DFT	64QAM	Edge_1RB_Right	20.25	19.57
n38	15	30	2577.5	DFT	64QAM	Outer_Full	20.38	19.70
n38	15	30	2577.5	DFT	256QAM	Inner_Full	18.33	17.65
n38	15	30	2577.5	DFT	256QAM	Edge_1RB_Left	18.09	17.41
n38	15	30	2577.5	DFT	256QAM	Edge_1RB_Right	18.16	17.48
n38	15	30	2577.5	DFT	256QAM	Outer_Full	18.34	17.66
n38	15	30	2577.5	CP	QPSK	Inner_Full	21.31	20.63
n38	15	30	2577.5	CP	QPSK	Edge_1RB_Left	19.75	19.07
n38	15	30	2577.5	CP	QPSK	Edge_1RB_Right	19.78	19.10
n38	15	30	2577.5	CP	QPSK	Outer_Full	19.87	19.19
n38	15	30	2577.5	CP	16QAM	Inner_Full	20.81	20.13
n38	15	30	2577.5	CP	16QAM	Edge_1RB_Left	19.69	19.01
n38	15	30	2577.5	CP	16QAM	Edge_1RB_Right	19.64	18.96
n38	15	30	2577.5	CP	16QAM	Outer_Full	19.92	19.24
n38	15	30	2577.5	CP	64QAM	Inner_Full	19.29	18.61
n38	15	30	2577.5	CP	64QAM	Edge_1RB_Left	19.40	18.72
n38	15	30	2577.5	CP	64QAM	Edge_1RB_Right	19.38	18.70
n38	15	30	2577.5	CP	64QAM	Outer_Full	19.30	18.62
n38	15	30	2577.5	CP	256QAM	Inner_Full	16.34	15.66
n38	15	30	2577.5	CP	256QAM	Edge_1RB_Left	16.19	15.51
n38	15	30	2577.5	CP	256QAM	Edge_1RB_Right	16.23	15.55
n38	15	30	2577.5	CP	256QAM	Outer_Full	16.34	15.66
n38	15	30	2595	DFT	pi/2 BPSK	Inner_Full	22.65	21.97
n38	15	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	22.08	21.40
n38	15	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	22.22	21.54
n38	15	30	2595	DFT	pi/2 BPSK	Outer_Full	22.17	21.49
n38	15	30	2595	DFT	QPSK	Inner_Full	22.71	22.03
n38	15	30	2595	DFT	QPSK	Edge_1RB_Left	21.63	20.95
n38	15	30	2595	DFT	QPSK	Edge_1RB_Right	21.62	20.94
n38	15	30	2595	DFT	QPSK	Outer_Full	21.71	21.03
n38	15	30	2595	DFT	16QAM	Inner_Full	21.68	21.00
n38	15	30	2595	DFT	16QAM	Edge_1RB_Left	20.69	20.01
n38	15	30	2595	DFT	16QAM	Edge_1RB_Right	20.72	20.04
n38	15	30	2595	DFT	16QAM	Outer_Full	20.84	20.16
n38	15	30	2595	DFT	64QAM	Inner_Full	20.32	19.64
n38	15	30	2595	DFT	64QAM	Edge_1RB_Left	20.29	19.61
n38	15	30	2595	DFT	64QAM	Edge_1RB_Right	20.33	19.65
n38	15	30	2595	DFT	64QAM	Outer_Full	20.36	19.68

n38	15	30	2595	DFT	256QAM	Inner_Full	18.32	17.64
n38	15	30	2595	DFT	256QAM	Edge_1RB_Left	18.26	17.58
n38	15	30	2595	DFT	256QAM	Edge_1RB_Right	18.19	17.51
n38	15	30	2595	DFT	256QAM	Outer_Full	18.33	17.65
n38	15	30	2595	CP	QPSK	Inner_Full	21.34	20.66
n38	15	30	2595	CP	QPSK	Edge_1RB_Left	19.77	19.09
n38	15	30	2595	CP	QPSK	Edge_1RB_Right	19.76	19.08
n38	15	30	2595	CP	QPSK	Outer_Full	19.79	19.11
n38	15	30	2595	CP	16QAM	Inner_Full	20.81	20.13
n38	15	30	2595	CP	16QAM	Edge_1RB_Left	19.85	19.17
n38	15	30	2595	CP	16QAM	Edge_1RB_Right	19.86	19.18
n38	15	30	2595	CP	16QAM	Outer_Full	19.82	19.14
n38	15	30	2595	CP	64QAM	Inner_Full	19.32	18.64
n38	15	30	2595	CP	64QAM	Edge_1RB_Left	19.13	18.45
n38	15	30	2595	CP	64QAM	Edge_1RB_Right	19.12	18.44
n38	15	30	2595	CP	64QAM	Outer_Full	19.26	18.58
n38	15	30	2595	CP	256QAM	Inner_Full	16.28	15.60
n38	15	30	2595	CP	256QAM	Edge_1RB_Left	16.32	15.64
n38	15	30	2595	CP	256QAM	Edge_1RB_Right	16.41	15.73
n38	15	30	2595	CP	256QAM	Outer_Full	16.31	15.63
n38	15	30	2612.5	DFT	pi/2 BPSK	Inner_Full	22.53	21.85
n38	15	30	2612.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.06	21.38
n38	15	30	2612.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.08	21.40
n38	15	30	2612.5	DFT	pi/2 BPSK	Outer_Full	22.11	21.43
n38	15	30	2612.5	DFT	QPSK	Inner_Full	22.63	21.95
n38	15	30	2612.5	DFT	QPSK	Edge_1RB_Left	21.54	20.86
n38	15	30	2612.5	DFT	QPSK	Edge_1RB_Right	21.50	20.82
n38	15	30	2612.5	DFT	QPSK	Outer_Full	21.67	20.99
n38	15	30	2612.5	DFT	16QAM	Inner_Full	21.60	20.92
n38	15	30	2612.5	DFT	16QAM	Edge_1RB_Left	20.64	19.96
n38	15	30	2612.5	DFT	16QAM	Edge_1RB_Right	20.69	20.01
n38	15	30	2612.5	DFT	16QAM	Outer_Full	20.78	20.10
n38	15	30	2612.5	DFT	64QAM	Inner_Full	20.27	19.59
n38	15	30	2612.5	DFT	64QAM	Edge_1RB_Left	20.19	19.51
n38	15	30	2612.5	DFT	64QAM	Edge_1RB_Right	20.20	19.52
n38	15	30	2612.5	DFT	64QAM	Outer_Full	20.21	19.53
n38	15	30	2612.5	DFT	256QAM	Inner_Full	18.16	17.48
n38	15	30	2612.5	DFT	256QAM	Edge_1RB_Left	17.97	17.29
n38	15	30	2612.5	DFT	256QAM	Edge_1RB_Right	18.21	17.53
n38	15	30	2612.5	DFT	256QAM	Outer_Full	18.24	17.56
n38	15	30	2612.5	CP	QPSK	Inner_Full	21.19	20.51

n38	15	30	2612.5	CP	QPSK	Edge_1RB_Left	19.63	18.95
n38	15	30	2612.5	CP	QPSK	Edge_1RB_Right	19.66	18.98
n38	15	30	2612.5	CP	QPSK	Outer_Full	19.73	19.05
n38	15	30	2612.5	CP	16QAM	Inner_Full	20.69	20.01
n38	15	30	2612.5	CP	16QAM	Edge_1RB_Left	19.59	18.91
n38	15	30	2612.5	CP	16QAM	Edge_1RB_Right	19.61	18.93
n38	15	30	2612.5	CP	16QAM	Outer_Full	19.74	19.06
n38	15	30	2612.5	CP	64QAM	Inner_Full	19.15	18.47
n38	15	30	2612.5	CP	64QAM	Edge_1RB_Left	19.34	18.66
n38	15	30	2612.5	CP	64QAM	Edge_1RB_Right	19.44	18.76
n38	15	30	2612.5	CP	64QAM	Outer_Full	19.19	18.51
n38	15	30	2612.5	CP	256QAM	Inner_Full	16.17	15.49
n38	15	30	2612.5	CP	256QAM	Edge_1RB_Left	16.18	15.50
n38	15	30	2612.5	CP	256QAM	Edge_1RB_Right	16.13	15.45
n38	15	30	2612.5	CP	256QAM	Outer_Full	16.17	15.49
n38	20	30	2580	DFT	pi/2 BPSK	Inner_Full	22.69	22.01
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Left	22.25	21.57
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Right	22.14	21.46
n38	20	30	2580	DFT	pi/2 BPSK	Outer_Full	22.19	21.51
n38	20	30	2580	DFT	QPSK	Inner_Full	22.72	22.04
n38	20	30	2580	DFT	QPSK	Edge_1RB_Left	21.69	21.01
n38	20	30	2580	DFT	QPSK	Edge_1RB_Right	21.70	21.02
n38	20	30	2580	DFT	QPSK	Outer_Full	21.82	21.14
n38	20	30	2580	DFT	16QAM	Inner_Full	21.71	21.03
n38	20	30	2580	DFT	16QAM	Edge_1RB_Left	20.74	20.06
n38	20	30	2580	DFT	16QAM	Edge_1RB_Right	20.65	19.97
n38	20	30	2580	DFT	16QAM	Outer_Full	20.90	20.22
n38	20	30	2580	DFT	64QAM	Inner_Full	20.38	19.70
n38	20	30	2580	DFT	64QAM	Edge_1RB_Left	20.35	19.67
n38	20	30	2580	DFT	64QAM	Edge_1RB_Right	20.28	19.60
n38	20	30	2580	DFT	64QAM	Outer_Full	20.36	19.68
n38	20	30	2580	DFT	256QAM	Inner_Full	18.29	17.61
n38	20	30	2580	DFT	256QAM	Edge_1RB_Left	18.21	17.53
n38	20	30	2580	DFT	256QAM	Edge_1RB_Right	18.18	17.50
n38	20	30	2580	DFT	256QAM	Outer_Full	18.33	17.65
n38	20	30	2580	CP	QPSK	Inner_Full	21.35	20.67
n38	20	30	2580	CP	QPSK	Edge_1RB_Left	19.74	19.06
n38	20	30	2580	CP	QPSK	Edge_1RB_Right	19.83	19.15
n38	20	30	2580	CP	QPSK	Outer_Full	19.83	19.15
n38	20	30	2580	CP	16QAM	Inner_Full	20.90	20.22
n38	20	30	2580	CP	16QAM	Edge_1RB_Left	19.66	18.98

n38	20	30	2580	CP	16QAM	Edge_1RB_Right	19.76	19.08
n38	20	30	2580	CP	16QAM	Outer_Full	19.79	19.11
n38	20	30	2580	CP	64QAM	Inner_Full	19.35	18.67
n38	20	30	2580	CP	64QAM	Edge_1RB_Left	19.48	18.80
n38	20	30	2580	CP	64QAM	Edge_1RB_Right	19.16	18.48
n38	20	30	2580	CP	64QAM	Outer_Full	19.34	18.66
n38	20	30	2580	CP	256QAM	Inner_Full	16.26	15.58
n38	20	30	2580	CP	256QAM	Edge_1RB_Left	16.06	15.38
n38	20	30	2580	CP	256QAM	Edge_1RB_Right	16.11	15.43
n38	20	30	2580	CP	256QAM	Outer_Full	16.35	15.67
n38	20	30	2595	DFT	pi/2 BPSK	Inner_Full	22.64	21.96
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	22.32	21.64
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	22.29	21.61
n38	20	30	2595	DFT	pi/2 BPSK	Outer_Full	22.16	21.48
n38	20	30	2595	DFT	QPSK	Inner_Full	22.69	22.01
n38	20	30	2595	DFT	QPSK	Edge_1RB_Left	21.80	21.12
n38	20	30	2595	DFT	QPSK	Edge_1RB_Right	21.75	21.07
n38	20	30	2595	DFT	QPSK	Outer_Full	21.69	21.01
n38	20	30	2595	DFT	16QAM	Inner_Full	21.72	21.04
n38	20	30	2595	DFT	16QAM	Edge_1RB_Left	20.71	20.03
n38	20	30	2595	DFT	16QAM	Edge_1RB_Right	20.77	20.09
n38	20	30	2595	DFT	16QAM	Outer_Full	20.86	20.18
n38	20	30	2595	DFT	64QAM	Inner_Full	20.33	19.65
n38	20	30	2595	DFT	64QAM	Edge_1RB_Left	20.31	19.63
n38	20	30	2595	DFT	64QAM	Edge_1RB_Right	20.33	19.65
n38	20	30	2595	DFT	64QAM	Outer_Full	20.31	19.63
n38	20	30	2595	DFT	256QAM	Inner_Full	18.31	17.63
n38	20	30	2595	DFT	256QAM	Edge_1RB_Left	18.23	17.55
n38	20	30	2595	DFT	256QAM	Edge_1RB_Right	18.41	17.73
n38	20	30	2595	DFT	256QAM	Outer_Full	18.28	17.60
n38	20	30	2595	CP	QPSK	Inner_Full	21.26	20.58
n38	20	30	2595	CP	QPSK	Edge_1RB_Left	19.72	19.04
n38	20	30	2595	CP	QPSK	Edge_1RB_Right	19.88	19.20
n38	20	30	2595	CP	QPSK	Outer_Full	19.77	19.09
n38	20	30	2595	CP	16QAM	Inner_Full	20.83	20.15
n38	20	30	2595	CP	16QAM	Edge_1RB_Left	19.74	19.06
n38	20	30	2595	CP	16QAM	Edge_1RB_Right	19.77	19.09
n38	20	30	2595	CP	16QAM	Outer_Full	19.77	19.09
n38	20	30	2595	CP	64QAM	Inner_Full	19.34	18.66
n38	20	30	2595	CP	64QAM	Edge_1RB_Left	19.14	18.46
n38	20	30	2595	CP	64QAM	Edge_1RB_Right	19.24	18.56

n38	20	30	2595	CP	64QAM	Outer_Full	19.26	18.58
n38	20	30	2595	CP	256QAM	Inner_Full	16.26	15.58
n38	20	30	2595	CP	256QAM	Edge_1RB_Left	16.45	15.77
n38	20	30	2595	CP	256QAM	Edge_1RB_Right	16.63	15.95
n38	20	30	2595	CP	256QAM	Outer_Full	16.27	15.59
n38	20	30	2610	DFT	pi/2 BPSK	Inner_Full	22.60	21.92
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Left	22.22	21.54
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Right	22.22	21.54
n38	20	30	2610	DFT	pi/2 BPSK	Outer_Full	22.12	21.44
n38	20	30	2610	DFT	QPSK	Inner_Full	22.68	22.00
n38	20	30	2610	DFT	QPSK	Edge_1RB_Left	21.63	20.95
n38	20	30	2610	DFT	QPSK	Edge_1RB_Right	21.64	20.96
n38	20	30	2610	DFT	QPSK	Outer_Full	21.64	20.96
n38	20	30	2610	DFT	16QAM	Inner_Full	21.62	20.94
n38	20	30	2610	DFT	16QAM	Edge_1RB_Left	20.53	19.85
n38	20	30	2610	DFT	16QAM	Edge_1RB_Right	20.66	19.98
n38	20	30	2610	DFT	16QAM	Outer_Full	20.80	20.12
n38	20	30	2610	DFT	64QAM	Inner_Full	20.31	19.63
n38	20	30	2610	DFT	64QAM	Edge_1RB_Left	20.13	19.45
n38	20	30	2610	DFT	64QAM	Edge_1RB_Right	20.24	19.56
n38	20	30	2610	DFT	64QAM	Outer_Full	20.27	19.59
n38	20	30	2610	DFT	256QAM	Inner_Full	18.17	17.49
n38	20	30	2610	DFT	256QAM	Edge_1RB_Left	18.25	17.57
n38	20	30	2610	DFT	256QAM	Edge_1RB_Right	18.31	17.63
n38	20	30	2610	DFT	256QAM	Outer_Full	18.23	17.55
n38	20	30	2610	CP	QPSK	Inner_Full	21.28	20.60
n38	20	30	2610	CP	QPSK	Edge_1RB_Left	19.72	19.04
n38	20	30	2610	CP	QPSK	Edge_1RB_Right	19.75	19.07
n38	20	30	2610	CP	QPSK	Outer_Full	19.74	19.06
n38	20	30	2610	CP	16QAM	Inner_Full	20.77	20.09
n38	20	30	2610	CP	16QAM	Edge_1RB_Left	19.71	19.03
n38	20	30	2610	CP	16QAM	Edge_1RB_Right	19.88	19.20
n38	20	30	2610	CP	16QAM	Outer_Full	19.72	19.04
n38	20	30	2610	CP	64QAM	Inner_Full	19.26	18.58
n38	20	30	2610	CP	64QAM	Edge_1RB_Left	19.27	18.59
n38	20	30	2610	CP	64QAM	Edge_1RB_Right	19.26	18.58
n38	20	30	2610	CP	64QAM	Outer_Full	19.24	18.56
n38	20	30	2610	CP	256QAM	Inner_Full	16.18	15.50
n38	20	30	2610	CP	256QAM	Edge_1RB_Left	16.18	15.50
n38	20	30	2610	CP	256QAM	Edge_1RB_Right	16.25	15.57
n38	20	30	2610	CP	256QAM	Outer_Full	16.18	15.50





Maximum EIRP = 22.16dBm.

**DC 66A\_n41A- EIRP**

**Limits:** ≤33dBm (2W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	EIRP(dBm) (Gt-Lc=-0.61)
DC_66A_n41A	10	30	2501.01	DFT	pi/2 BPSK	Inner_Full	22.82	22.21
DC_66A_n41A	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.42	21.81
DC_66A_n41A	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.43	21.82
DC_66A_n41A	10	30	2501.01	DFT	pi/2 BPSK	Outer_Full	22.41	21.80
DC_66A_n41A	10	30	2501.01	DFT	QPSK	Inner_Full	22.88	22.27
DC_66A_n41A	10	30	2501.01	DFT	QPSK	Edge_1RB_Left	21.87	21.26
DC_66A_n41A	10	30	2501.01	DFT	QPSK	Edge_1RB_Right	21.92	21.31
DC_66A_n41A	10	30	2501.01	DFT	QPSK	Outer_Full	21.94	21.33
DC_66A_n41A	10	30	2501.01	DFT	16QAM	Inner_Full	21.89	21.28
DC_66A_n41A	10	30	2501.01	DFT	16QAM	Edge_1RB_Left	20.93	20.32
DC_66A_n41A	10	30	2501.01	DFT	16QAM	Edge_1RB_Right	20.92	20.31
DC_66A_n41A	10	30	2501.01	DFT	16QAM	Outer_Full	21.06	20.45
DC_66A_n41A	10	30	2501.01	DFT	64QAM	Inner_Full	20.49	19.88
DC_66A_n41A	10	30	2501.01	DFT	64QAM	Edge_1RB_Left	20.50	19.89
DC_66A_n41A	10	30	2501.01	DFT	64QAM	Edge_1RB_Right	20.56	19.95
DC_66A_n41A	10	30	2501.01	DFT	64QAM	Outer_Full	20.54	19.93
DC_66A_n41A	10	30	2501.01	DFT	256QAM	Inner_Full	18.50	17.89
DC_66A_n41A	10	30	2501.01	DFT	256QAM	Edge_1RB_Left	18.48	17.87
DC_66A_n41A	10	30	2501.01	DFT	256QAM	Edge_1RB_Right	18.48	17.87
DC_66A_n41A	10	30	2501.01	DFT	256QAM	Outer_Full	18.54	17.93
DC_66A_n41A	10	30	2501.01	CP	QPSK	Inner_Full	21.40	20.79
DC_66A_n41A	10	30	2501.01	CP	QPSK	Edge_1RB_Left	19.95	19.34
DC_66A_n41A	10	30	2501.01	CP	QPSK	Edge_1RB_Right	19.99	19.38
DC_66A_n41A	10	30	2501.01	CP	QPSK	Outer_Full	19.99	19.38
DC_66A_n41A	10	30	2501.01	CP	16QAM	Inner_Full	21.01	20.40
DC_66A_n41A	10	30	2501.01	CP	16QAM	Edge_1RB_Left	19.85	19.24
DC_66A_n41A	10	30	2501.01	CP	16QAM	Edge_1RB_Right	19.84	19.23
DC_66A_n41A	10	30	2501.01	CP	16QAM	Outer_Full	20.00	19.39
DC_66A_n41A	10	30	2501.01	CP	64QAM	Inner_Full	19.53	18.92
DC_66A_n41A	10	30	2501.01	CP	64QAM	Edge_1RB_Left	19.26	18.65
DC_66A_n41A	10	30	2501.01	CP	64QAM	Edge_1RB_Right	19.30	18.69
DC_66A_n41A	10	30	2501.01	CP	64QAM	Outer_Full	19.54	18.93
DC_66A_n41A	10	30	2501.01	CP	256QAM	Inner_Full	16.50	15.89
DC_66A_n41A	10	30	2501.01	CP	256QAM	Edge_1RB_Left	16.54	15.93
DC_66A_n41A	10	30	2501.01	CP	256QAM	Edge_1RB_Right	16.55	15.94
DC_66A_n41A	10	30	2501.01	CP	256QAM	Outer_Full	16.55	15.94
DC_66A_n41A	10	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.70	22.09

DC_66A_n41A	10	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.29	21.68
DC_66A_n41A	10	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.39	21.78
DC_66A_n41A	10	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.22	21.61
DC_66A_n41A	10	30	2592.99	DFT	QPSK	Inner_Full	22.72	22.11
DC_66A_n41A	10	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.79	21.18
DC_66A_n41A	10	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.81	21.20
DC_66A_n41A	10	30	2592.99	DFT	QPSK	Outer_Full	21.77	21.16
DC_66A_n41A	10	30	2592.99	DFT	16QAM	Inner_Full	21.73	21.12
DC_66A_n41A	10	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.77	20.16
DC_66A_n41A	10	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.80	20.19
DC_66A_n41A	10	30	2592.99	DFT	16QAM	Outer_Full	20.88	20.27
DC_66A_n41A	10	30	2592.99	DFT	64QAM	Inner_Full	20.31	19.70
DC_66A_n41A	10	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.31	19.70
DC_66A_n41A	10	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.40	19.79
DC_66A_n41A	10	30	2592.99	DFT	64QAM	Outer_Full	20.41	19.80
DC_66A_n41A	10	30	2592.99	DFT	256QAM	Inner_Full	18.32	17.71
DC_66A_n41A	10	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.28	17.67
DC_66A_n41A	10	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.58	17.97
DC_66A_n41A	10	30	2592.99	DFT	256QAM	Outer_Full	18.34	17.73
DC_66A_n41A	10	30	2592.99	CP	QPSK	Inner_Full	21.36	20.75
DC_66A_n41A	10	30	2592.99	CP	QPSK	Edge_1RB_Left	19.87	19.26
DC_66A_n41A	10	30	2592.99	CP	QPSK	Edge_1RB_Right	19.86	19.25
DC_66A_n41A	10	30	2592.99	CP	QPSK	Outer_Full	19.76	19.15
DC_66A_n41A	10	30	2592.99	CP	16QAM	Inner_Full	20.80	20.19
DC_66A_n41A	10	30	2592.99	CP	16QAM	Edge_1RB_Left	19.89	19.28
DC_66A_n41A	10	30	2592.99	CP	16QAM	Edge_1RB_Right	19.83	19.22
DC_66A_n41A	10	30	2592.99	CP	16QAM	Outer_Full	19.83	19.22
DC_66A_n41A	10	30	2592.99	CP	64QAM	Inner_Full	19.36	18.75
DC_66A_n41A	10	30	2592.99	CP	64QAM	Edge_1RB_Left	19.52	18.91
DC_66A_n41A	10	30	2592.99	CP	64QAM	Edge_1RB_Right	19.47	18.86
DC_66A_n41A	10	30	2592.99	CP	64QAM	Outer_Full	19.36	18.75
DC_66A_n41A	10	30	2592.99	CP	256QAM	Inner_Full	16.24	15.63
DC_66A_n41A	10	30	2592.99	CP	256QAM	Edge_1RB_Left	16.35	15.74
DC_66A_n41A	10	30	2592.99	CP	256QAM	Edge_1RB_Right	16.24	15.63
DC_66A_n41A	10	30	2592.99	CP	256QAM	Outer_Full	16.41	15.80
DC_66A_n41A	10	30	2685	DFT	pi/2 BPSK	Inner_Full	22.71	22.10
DC_66A_n41A	10	30	2685	DFT	pi/2 BPSK	Edge_1RB_Left	22.43	21.82
DC_66A_n41A	10	30	2685	DFT	pi/2 BPSK	Edge_1RB_Right	22.33	21.72
DC_66A_n41A	10	30	2685	DFT	pi/2 BPSK	Outer_Full	22.28	21.67
DC_66A_n41A	10	30	2685	DFT	QPSK	Inner_Full	22.78	22.17
DC_66A_n41A	10	30	2685	DFT	QPSK	Edge_1RB_Left	21.61	21.00

DC_66A_n41A	10	30	2685	DFT	QPSK	Edge_1RB_Right	21.76	21.15
DC_66A_n41A	10	30	2685	DFT	QPSK	Outer_Full	21.93	21.32
DC_66A_n41A	10	30	2685	DFT	16QAM	Inner_Full	21.88	21.27
DC_66A_n41A	10	30	2685	DFT	16QAM	Edge_1RB_Left	20.76	20.15
DC_66A_n41A	10	30	2685	DFT	16QAM	Edge_1RB_Right	20.73	20.12
DC_66A_n41A	10	30	2685	DFT	16QAM	Outer_Full	20.94	20.33
DC_66A_n41A	10	30	2685	DFT	64QAM	Inner_Full	20.34	19.73
DC_66A_n41A	10	30	2685	DFT	64QAM	Edge_1RB_Left	20.25	19.64
DC_66A_n41A	10	30	2685	DFT	64QAM	Edge_1RB_Right	20.43	19.82
DC_66A_n41A	10	30	2685	DFT	64QAM	Outer_Full	20.39	19.78
DC_66A_n41A	10	30	2685	DFT	256QAM	Inner_Full	18.40	17.79
DC_66A_n41A	10	30	2685	DFT	256QAM	Edge_1RB_Left	18.14	17.53
DC_66A_n41A	10	30	2685	DFT	256QAM	Edge_1RB_Right	18.43	17.82
DC_66A_n41A	10	30	2685	DFT	256QAM	Outer_Full	18.40	17.79
DC_66A_n41A	10	30	2685	CP	QPSK	Inner_Full	21.40	20.79
DC_66A_n41A	10	30	2685	CP	QPSK	Edge_1RB_Left	19.77	19.16
DC_66A_n41A	10	30	2685	CP	QPSK	Edge_1RB_Right	19.87	19.26
DC_66A_n41A	10	30	2685	CP	QPSK	Outer_Full	19.87	19.26
DC_66A_n41A	10	30	2685	CP	16QAM	Inner_Full	20.95	20.34
DC_66A_n41A	10	30	2685	CP	16QAM	Edge_1RB_Left	19.84	19.23
DC_66A_n41A	10	30	2685	CP	16QAM	Edge_1RB_Right	19.86	19.25
DC_66A_n41A	10	30	2685	CP	16QAM	Outer_Full	19.88	19.27
DC_66A_n41A	10	30	2685	CP	64QAM	Inner_Full	19.39	18.78
DC_66A_n41A	10	30	2685	CP	64QAM	Edge_1RB_Left	19.18	18.57
DC_66A_n41A	10	30	2685	CP	64QAM	Edge_1RB_Right	19.28	18.67
DC_66A_n41A	10	30	2685	CP	64QAM	Outer_Full	19.42	18.81
DC_66A_n41A	10	30	2685	CP	256QAM	Inner_Full	16.43	15.82
DC_66A_n41A	10	30	2685	CP	256QAM	Edge_1RB_Left	16.36	15.75
DC_66A_n41A	10	30	2685	CP	256QAM	Edge_1RB_Right	16.50	15.89
DC_66A_n41A	10	30	2685	CP	256QAM	Outer_Full	16.31	15.70
DC_66A_n41A	15	30	2503.5	DFT	pi/2 BPSK	Inner_Full	22.83	22.22
DC_66A_n41A	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.29	21.68
DC_66A_n41A	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.24	21.63
DC_66A_n41A	15	30	2503.5	DFT	pi/2 BPSK	Outer_Full	22.35	21.74
DC_66A_n41A	15	30	2503.5	DFT	QPSK	Inner_Full	22.87	22.26
DC_66A_n41A	15	30	2503.5	DFT	QPSK	Edge_1RB_Left	21.76	21.15
DC_66A_n41A	15	30	2503.5	DFT	QPSK	Edge_1RB_Right	21.77	21.16
DC_66A_n41A	15	30	2503.5	DFT	QPSK	Outer_Full	21.90	21.29
DC_66A_n41A	15	30	2503.5	DFT	16QAM	Inner_Full	21.84	21.23
DC_66A_n41A	15	30	2503.5	DFT	16QAM	Edge_1RB_Left	20.89	20.28
DC_66A_n41A	15	30	2503.5	DFT	16QAM	Edge_1RB_Right	20.83	20.22

DC_66A_n41A	15	30	2503.5	DFT	16QAM	Outer_Full	21.01	20.40
DC_66A_n41A	15	30	2503.5	DFT	64QAM	Inner_Full	20.41	19.80
DC_66A_n41A	15	30	2503.5	DFT	64QAM	Edge_1RB_Left	20.45	19.84
DC_66A_n41A	15	30	2503.5	DFT	64QAM	Edge_1RB_Right	20.43	19.82
DC_66A_n41A	15	30	2503.5	DFT	64QAM	Outer_Full	20.51	19.90
DC_66A_n41A	15	30	2503.5	DFT	256QAM	Inner_Full	18.48	17.87
DC_66A_n41A	15	30	2503.5	DFT	256QAM	Edge_1RB_Left	18.53	17.92
DC_66A_n41A	15	30	2503.5	DFT	256QAM	Edge_1RB_Right	18.52	17.91
DC_66A_n41A	15	30	2503.5	DFT	256QAM	Outer_Full	18.49	17.88
DC_66A_n41A	15	30	2503.5	CP	QPSK	Inner_Full	21.33	20.72
DC_66A_n41A	15	30	2503.5	CP	QPSK	Edge_1RB_Left	19.88	19.27
DC_66A_n41A	15	30	2503.5	CP	QPSK	Edge_1RB_Right	19.89	19.28
DC_66A_n41A	15	30	2503.5	CP	QPSK	Outer_Full	19.97	19.36
DC_66A_n41A	15	30	2503.5	CP	16QAM	Inner_Full	21.00	20.39
DC_66A_n41A	15	30	2503.5	CP	16QAM	Edge_1RB_Left	19.94	19.33
DC_66A_n41A	15	30	2503.5	CP	16QAM	Edge_1RB_Right	19.91	19.30
DC_66A_n41A	15	30	2503.5	CP	16QAM	Outer_Full	19.99	19.38
DC_66A_n41A	15	30	2503.5	CP	64QAM	Inner_Full	19.44	18.83
DC_66A_n41A	15	30	2503.5	CP	64QAM	Edge_1RB_Left	19.64	19.03
DC_66A_n41A	15	30	2503.5	CP	64QAM	Edge_1RB_Right	19.26	18.65
DC_66A_n41A	15	30	2503.5	CP	64QAM	Outer_Full	19.44	18.83
DC_66A_n41A	15	30	2503.5	CP	256QAM	Inner_Full	16.38	15.77
DC_66A_n41A	15	30	2503.5	CP	256QAM	Edge_1RB_Left	16.41	15.80
DC_66A_n41A	15	30	2503.5	CP	256QAM	Edge_1RB_Right	16.37	15.76
DC_66A_n41A	15	30	2503.5	CP	256QAM	Outer_Full	16.43	15.82
DC_66A_n41A	15	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.65	22.04
DC_66A_n41A	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.24	21.63
DC_66A_n41A	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.13	21.52
DC_66A_n41A	15	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.19	21.58
DC_66A_n41A	15	30	2592.99	DFT	QPSK	Inner_Full	22.70	22.09
DC_66A_n41A	15	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.65	21.04
DC_66A_n41A	15	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.63	21.02
DC_66A_n41A	15	30	2592.99	DFT	QPSK	Outer_Full	21.79	21.18
DC_66A_n41A	15	30	2592.99	DFT	16QAM	Inner_Full	21.71	21.10
DC_66A_n41A	15	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.73	20.12
DC_66A_n41A	15	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.66	20.05
DC_66A_n41A	15	30	2592.99	DFT	16QAM	Outer_Full	20.85	20.24
DC_66A_n41A	15	30	2592.99	DFT	64QAM	Inner_Full	20.32	19.71
DC_66A_n41A	15	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.27	19.66
DC_66A_n41A	15	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.26	19.65
DC_66A_n41A	15	30	2592.99	DFT	64QAM	Outer_Full	20.36	19.75

DC_66A_n41A	15	30	2592.99	DFT	256QAM	Inner_Full	18.33	17.72
DC_66A_n41A	15	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.25	17.64
DC_66A_n41A	15	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.32	17.71
DC_66A_n41A	15	30	2592.99	DFT	256QAM	Outer_Full	18.32	17.71
DC_66A_n41A	15	30	2592.99	CP	QPSK	Inner_Full	21.29	20.68
DC_66A_n41A	15	30	2592.99	CP	QPSK	Edge_1RB_Left	19.74	19.13
DC_66A_n41A	15	30	2592.99	CP	QPSK	Edge_1RB_Right	19.69	19.08
DC_66A_n41A	15	30	2592.99	CP	QPSK	Outer_Full	19.76	19.15
DC_66A_n41A	15	30	2592.99	CP	16QAM	Inner_Full	20.79	20.18
DC_66A_n41A	15	30	2592.99	CP	16QAM	Edge_1RB_Left	19.84	19.23
DC_66A_n41A	15	30	2592.99	CP	16QAM	Edge_1RB_Right	19.80	19.19
DC_66A_n41A	15	30	2592.99	CP	16QAM	Outer_Full	19.86	19.25
DC_66A_n41A	15	30	2592.99	CP	64QAM	Inner_Full	19.30	18.69
DC_66A_n41A	15	30	2592.99	CP	64QAM	Edge_1RB_Left	19.12	18.51
DC_66A_n41A	15	30	2592.99	CP	64QAM	Edge_1RB_Right	19.09	18.48
DC_66A_n41A	15	30	2592.99	CP	64QAM	Outer_Full	19.28	18.67
DC_66A_n41A	15	30	2592.99	CP	256QAM	Inner_Full	16.16	15.55
DC_66A_n41A	15	30	2592.99	CP	256QAM	Edge_1RB_Left	16.31	15.70
DC_66A_n41A	15	30	2592.99	CP	256QAM	Edge_1RB_Right	16.28	15.67
DC_66A_n41A	15	30	2592.99	CP	256QAM	Outer_Full	16.33	15.72
DC_66A_n41A	15	30	2682.48	DFT	pi/2 BPSK	Inner_Full	22.61	22.00
DC_66A_n41A	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Left	22.05	21.44
DC_66A_n41A	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Right	22.16	21.55
DC_66A_n41A	15	30	2682.48	DFT	pi/2 BPSK	Outer_Full	22.21	21.60
DC_66A_n41A	15	30	2682.48	DFT	QPSK	Inner_Full	22.68	22.07
DC_66A_n41A	15	30	2682.48	DFT	QPSK	Edge_1RB_Left	21.57	20.96
DC_66A_n41A	15	30	2682.48	DFT	QPSK	Edge_1RB_Right	21.68	21.07
DC_66A_n41A	15	30	2682.48	DFT	QPSK	Outer_Full	21.79	21.18
DC_66A_n41A	15	30	2682.48	DFT	16QAM	Inner_Full	21.79	21.18
DC_66A_n41A	15	30	2682.48	DFT	16QAM	Edge_1RB_Left	20.56	19.95
DC_66A_n41A	15	30	2682.48	DFT	16QAM	Edge_1RB_Right	20.66	20.05
DC_66A_n41A	15	30	2682.48	DFT	16QAM	Outer_Full	20.81	20.20
DC_66A_n41A	15	30	2682.48	DFT	64QAM	Inner_Full	20.30	19.69
DC_66A_n41A	15	30	2682.48	DFT	64QAM	Edge_1RB_Left	20.18	19.57
DC_66A_n41A	15	30	2682.48	DFT	64QAM	Edge_1RB_Right	20.32	19.71
DC_66A_n41A	15	30	2682.48	DFT	64QAM	Outer_Full	20.34	19.73
DC_66A_n41A	15	30	2682.48	DFT	256QAM	Inner_Full	18.30	17.69
DC_66A_n41A	15	30	2682.48	DFT	256QAM	Edge_1RB_Left	18.11	17.50
DC_66A_n41A	15	30	2682.48	DFT	256QAM	Edge_1RB_Right	18.32	17.71
DC_66A_n41A	15	30	2682.48	DFT	256QAM	Outer_Full	18.29	17.68
DC_66A_n41A	15	30	2682.48	CP	QPSK	Inner_Full	21.26	20.65

DC_66A_n41A	15	30	2682.48	CP	QPSK	Edge_1RB_Left	19.59	18.98
DC_66A_n41A	15	30	2682.48	CP	QPSK	Edge_1RB_Right	19.76	19.15
DC_66A_n41A	15	30	2682.48	CP	QPSK	Outer_Full	19.78	19.17
DC_66A_n41A	15	30	2682.48	CP	16QAM	Inner_Full	20.80	20.19
DC_66A_n41A	15	30	2682.48	CP	16QAM	Edge_1RB_Left	19.54	18.93
DC_66A_n41A	15	30	2682.48	CP	16QAM	Edge_1RB_Right	19.62	19.01
DC_66A_n41A	15	30	2682.48	CP	16QAM	Outer_Full	19.85	19.24
DC_66A_n41A	15	30	2682.48	CP	64QAM	Inner_Full	19.19	18.58
DC_66A_n41A	15	30	2682.48	CP	64QAM	Edge_1RB_Left	19.25	18.64
DC_66A_n41A	15	30	2682.48	CP	64QAM	Edge_1RB_Right	19.47	18.86
DC_66A_n41A	15	30	2682.48	CP	64QAM	Outer_Full	19.26	18.65
DC_66A_n41A	15	30	2682.48	CP	256QAM	Inner_Full	16.20	15.59
DC_66A_n41A	15	30	2682.48	CP	256QAM	Edge_1RB_Left	16.26	15.65
DC_66A_n41A	15	30	2682.48	CP	256QAM	Edge_1RB_Right	16.17	15.56
DC_66A_n41A	15	30	2682.48	CP	256QAM	Outer_Full	16.28	15.67
DC_66A_n41A	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	22.87	22.26
DC_66A_n41A	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.46	21.85
DC_66A_n41A	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.40	21.79
DC_66A_n41A	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	22.34	21.73
DC_66A_n41A	20	30	2506.02	DFT	QPSK	Inner_Full	22.88	22.27
DC_66A_n41A	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	21.81	21.20
DC_66A_n41A	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	21.81	21.20
DC_66A_n41A	20	30	2506.02	DFT	QPSK	Outer_Full	21.88	21.27
DC_66A_n41A	20	30	2506.02	DFT	16QAM	Inner_Full	21.92	21.31
DC_66A_n41A	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	20.78	20.17
DC_66A_n41A	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	20.83	20.22
DC_66A_n41A	20	30	2506.02	DFT	16QAM	Outer_Full	21.06	20.45
DC_66A_n41A	20	30	2506.02	DFT	64QAM	Inner_Full	20.50	19.89
DC_66A_n41A	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	20.36	19.75
DC_66A_n41A	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	20.41	19.80
DC_66A_n41A	20	30	2506.02	DFT	64QAM	Outer_Full	20.54	19.93
DC_66A_n41A	20	30	2506.02	DFT	256QAM	Inner_Full	18.42	17.81
DC_66A_n41A	20	30	2506.02	DFT	256QAM	Edge_1RB_Left	18.26	17.65
DC_66A_n41A	20	30	2506.02	DFT	256QAM	Edge_1RB_Right	18.53	17.92
DC_66A_n41A	20	30	2506.02	DFT	256QAM	Outer_Full	18.49	17.88
DC_66A_n41A	20	30	2506.02	CP	QPSK	Inner_Full	21.40	20.79
DC_66A_n41A	20	30	2506.02	CP	QPSK	Edge_1RB_Left	19.80	19.19
DC_66A_n41A	20	30	2506.02	CP	QPSK	Edge_1RB_Right	19.95	19.34
DC_66A_n41A	20	30	2506.02	CP	QPSK	Outer_Full	19.98	19.37
DC_66A_n41A	20	30	2506.02	CP	16QAM	Inner_Full	21.00	20.39
DC_66A_n41A	20	30	2506.02	CP	16QAM	Edge_1RB_Left	19.81	19.20



DC_66A_n41A	20	30	2506.02	CP	16QAM	Edge_1RB_Right	19.81	19.20
DC_66A_n41A	20	30	2506.02	CP	16QAM	Outer_Full	19.93	19.32
DC_66A_n41A	20	30	2506.02	CP	64QAM	Inner_Full	19.52	18.91
DC_66A_n41A	20	30	2506.02	CP	64QAM	Edge_1RB_Left	19.61	19.00
DC_66A_n41A	20	30	2506.02	CP	64QAM	Edge_1RB_Right	19.70	19.09
DC_66A_n41A	20	30	2506.02	CP	64QAM	Outer_Full	19.46	18.85
DC_66A_n41A	20	30	2506.02	CP	256QAM	Inner_Full	16.49	15.88
DC_66A_n41A	20	30	2506.02	CP	256QAM	Edge_1RB_Left	16.70	16.09
DC_66A_n41A	20	30	2506.02	CP	256QAM	Edge_1RB_Right	16.58	15.97
DC_66A_n41A	20	30	2506.02	CP	256QAM	Outer_Full	16.43	15.82
DC_66A_n41A	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.72	22.11
DC_66A_n41A	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.30	21.69
DC_66A_n41A	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.45	21.84
DC_66A_n41A	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.21	21.60
DC_66A_n41A	20	30	2592.99	DFT	QPSK	Inner_Full	22.75	22.14
DC_66A_n41A	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.75	21.14
DC_66A_n41A	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.89	21.28
DC_66A_n41A	20	30	2592.99	DFT	QPSK	Outer_Full	21.73	21.12
DC_66A_n41A	20	30	2592.99	DFT	16QAM	Inner_Full	21.72	21.11
DC_66A_n41A	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.76	20.15
DC_66A_n41A	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.79	20.18
DC_66A_n41A	20	30	2592.99	DFT	16QAM	Outer_Full	20.90	20.29
DC_66A_n41A	20	30	2592.99	DFT	64QAM	Inner_Full	20.41	19.80
DC_66A_n41A	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.32	19.71
DC_66A_n41A	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.33	19.72
DC_66A_n41A	20	30	2592.99	DFT	64QAM	Outer_Full	20.36	19.75
DC_66A_n41A	20	30	2592.99	DFT	256QAM	Inner_Full	18.30	17.69
DC_66A_n41A	20	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.22	17.61
DC_66A_n41A	20	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.31	17.70
DC_66A_n41A	20	30	2592.99	DFT	256QAM	Outer_Full	18.30	17.69
DC_66A_n41A	20	30	2592.99	CP	QPSK	Inner_Full	21.35	20.74
DC_66A_n41A	20	30	2592.99	CP	QPSK	Edge_1RB_Left	19.76	19.15
DC_66A_n41A	20	30	2592.99	CP	QPSK	Edge_1RB_Right	19.84	19.23
DC_66A_n41A	20	30	2592.99	CP	QPSK	Outer_Full	19.81	19.20
DC_66A_n41A	20	30	2592.99	CP	16QAM	Inner_Full	20.86	20.25
DC_66A_n41A	20	30	2592.99	CP	16QAM	Edge_1RB_Left	19.70	19.09
DC_66A_n41A	20	30	2592.99	CP	16QAM	Edge_1RB_Right	19.91	19.30
DC_66A_n41A	20	30	2592.99	CP	16QAM	Outer_Full	19.75	19.14
DC_66A_n41A	20	30	2592.99	CP	64QAM	Inner_Full	19.36	18.75
DC_66A_n41A	20	30	2592.99	CP	64QAM	Edge_1RB_Left	19.46	18.85
DC_66A_n41A	20	30	2592.99	CP	64QAM	Edge_1RB_Right	19.49	18.88

DC_66A_n41A	20	30	2592.99	CP	64QAM	Outer_Full	19.28	18.67
DC_66A_n41A	20	30	2592.99	CP	256QAM	Inner_Full	16.29	15.68
DC_66A_n41A	20	30	2592.99	CP	256QAM	Edge_1RB_Left	16.35	15.74
DC_66A_n41A	20	30	2592.99	CP	256QAM	Edge_1RB_Right	16.43	15.82
DC_66A_n41A	20	30	2592.99	CP	256QAM	Outer_Full	16.22	15.61
DC_66A_n41A	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	22.65	22.04
DC_66A_n41A	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.08	21.47
DC_66A_n41A	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.31	21.70
DC_66A_n41A	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	22.22	21.61
DC_66A_n41A	20	30	2679.99	DFT	QPSK	Inner_Full	22.78	22.17
DC_66A_n41A	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	21.48	20.87
DC_66A_n41A	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	21.65	21.04
DC_66A_n41A	20	30	2679.99	DFT	QPSK	Outer_Full	21.86	21.25
DC_66A_n41A	20	30	2679.99	DFT	16QAM	Inner_Full	21.80	21.19
DC_66A_n41A	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	20.57	19.96
DC_66A_n41A	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	20.74	20.13
DC_66A_n41A	20	30	2679.99	DFT	16QAM	Outer_Full	20.85	20.24
DC_66A_n41A	20	30	2679.99	DFT	64QAM	Inner_Full	20.33	19.72
DC_66A_n41A	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	20.11	19.50
DC_66A_n41A	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	20.31	19.70
DC_66A_n41A	20	30	2679.99	DFT	64QAM	Outer_Full	20.33	19.72
DC_66A_n41A	20	30	2679.99	DFT	256QAM	Inner_Full	18.27	17.66
DC_66A_n41A	20	30	2679.99	DFT	256QAM	Edge_1RB_Left	18.25	17.64
DC_66A_n41A	20	30	2679.99	DFT	256QAM	Edge_1RB_Right	18.42	17.81
DC_66A_n41A	20	30	2679.99	DFT	256QAM	Outer_Full	18.30	17.69
DC_66A_n41A	20	30	2679.99	CP	QPSK	Inner_Full	21.32	20.71
DC_66A_n41A	20	30	2679.99	CP	QPSK	Edge_1RB_Left	19.66	19.05
DC_66A_n41A	20	30	2679.99	CP	QPSK	Edge_1RB_Right	19.85	19.24
DC_66A_n41A	20	30	2679.99	CP	QPSK	Outer_Full	19.82	19.21
DC_66A_n41A	20	30	2679.99	CP	16QAM	Inner_Full	20.82	20.21
DC_66A_n41A	20	30	2679.99	CP	16QAM	Edge_1RB_Left	19.48	18.87
DC_66A_n41A	20	30	2679.99	CP	16QAM	Edge_1RB_Right	19.70	19.09
DC_66A_n41A	20	30	2679.99	CP	16QAM	Outer_Full	19.79	19.18
DC_66A_n41A	20	30	2679.99	CP	64QAM	Inner_Full	19.31	18.70
DC_66A_n41A	20	30	2679.99	CP	64QAM	Edge_1RB_Left	18.92	18.31
DC_66A_n41A	20	30	2679.99	CP	64QAM	Edge_1RB_Right	19.38	18.77
DC_66A_n41A	20	30	2679.99	CP	64QAM	Outer_Full	19.29	18.68
DC_66A_n41A	20	30	2679.99	CP	256QAM	Inner_Full	16.24	15.63
DC_66A_n41A	20	30	2679.99	CP	256QAM	Edge_1RB_Left	16.03	15.42
DC_66A_n41A	20	30	2679.99	CP	256QAM	Edge_1RB_Right	16.64	16.03
DC_66A_n41A	20	30	2679.99	CP	256QAM	Outer_Full	16.30	15.69



DC_66A_n41A	30	30	2511	DFT	pi/2 BPSK	Inner_Full	22.83	22.22
DC_66A_n41A	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Left	22.08	21.47
DC_66A_n41A	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Right	22.01	21.40
DC_66A_n41A	30	30	2511	DFT	pi/2 BPSK	Outer_Full	22.26	21.65
DC_66A_n41A	30	30	2511	DFT	QPSK	Inner_Full	22.86	22.25
DC_66A_n41A	30	30	2511	DFT	QPSK	Edge_1RB_Left	21.52	20.91
DC_66A_n41A	30	30	2511	DFT	QPSK	Edge_1RB_Right	21.59	20.98
DC_66A_n41A	30	30	2511	DFT	QPSK	Outer_Full	21.81	21.20
DC_66A_n41A	30	30	2511	DFT	16QAM	Inner_Full	21.90	21.29
DC_66A_n41A	30	30	2511	DFT	16QAM	Edge_1RB_Left	20.60	19.99
DC_66A_n41A	30	30	2511	DFT	16QAM	Edge_1RB_Right	20.60	19.99
DC_66A_n41A	30	30	2511	DFT	16QAM	Outer_Full	20.94	20.33
DC_66A_n41A	30	30	2511	DFT	64QAM	Inner_Full	20.46	19.85
DC_66A_n41A	30	30	2511	DFT	64QAM	Edge_1RB_Left	20.16	19.55
DC_66A_n41A	30	30	2511	DFT	64QAM	Edge_1RB_Right	20.13	19.52
DC_66A_n41A	30	30	2511	DFT	64QAM	Outer_Full	20.42	19.81
DC_66A_n41A	30	30	2511	DFT	256QAM	Inner_Full	18.41	17.80
DC_66A_n41A	30	30	2511	DFT	256QAM	Edge_1RB_Left	18.21	17.60
DC_66A_n41A	30	30	2511	DFT	256QAM	Edge_1RB_Right	18.21	17.60
DC_66A_n41A	30	30	2511	DFT	256QAM	Outer_Full	18.43	17.82
DC_66A_n41A	30	30	2511	CP	QPSK	Inner_Full	21.33	20.72
DC_66A_n41A	30	30	2511	CP	QPSK	Edge_1RB_Left	19.57	18.96
DC_66A_n41A	30	30	2511	CP	QPSK	Edge_1RB_Right	19.68	19.07
DC_66A_n41A	30	30	2511	CP	QPSK	Outer_Full	19.85	19.24
DC_66A_n41A	30	30	2511	CP	16QAM	Inner_Full	20.91	20.30
DC_66A_n41A	30	30	2511	CP	16QAM	Edge_1RB_Left	19.63	19.02
DC_66A_n41A	30	30	2511	CP	16QAM	Edge_1RB_Right	19.68	19.07
DC_66A_n41A	30	30	2511	CP	16QAM	Outer_Full	19.86	19.25
DC_66A_n41A	30	30	2511	CP	64QAM	Inner_Full	19.40	18.79
DC_66A_n41A	30	30	2511	CP	64QAM	Edge_1RB_Left	19.32	18.71
DC_66A_n41A	30	30	2511	CP	64QAM	Edge_1RB_Right	19.36	18.75
DC_66A_n41A	30	30	2511	CP	64QAM	Outer_Full	19.38	18.77
DC_66A_n41A	30	30	2511	CP	256QAM	Inner_Full	16.45	15.84
DC_66A_n41A	30	30	2511	CP	256QAM	Edge_1RB_Left	16.16	15.55
DC_66A_n41A	30	30	2511	CP	256QAM	Edge_1RB_Right	16.20	15.59
DC_66A_n41A	30	30	2511	CP	256QAM	Outer_Full	16.41	15.80
DC_66A_n41A	30	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.69	22.08
DC_66A_n41A	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.88	21.27
DC_66A_n41A	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.05	21.44
DC_66A_n41A	30	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.14	21.53
DC_66A_n41A	30	30	2592.99	DFT	QPSK	Inner_Full	22.71	22.10

DC_66A_n41A	30	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.43	20.82
DC_66A_n41A	30	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.51	20.90
DC_66A_n41A	30	30	2592.99	DFT	QPSK	Outer_Full	21.69	21.08
DC_66A_n41A	30	30	2592.99	DFT	16QAM	Inner_Full	21.74	21.13
DC_66A_n41A	30	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.44	19.83
DC_66A_n41A	30	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.54	19.93
DC_66A_n41A	30	30	2592.99	DFT	16QAM	Outer_Full	20.81	20.20
DC_66A_n41A	30	30	2592.99	DFT	64QAM	Inner_Full	20.31	19.70
DC_66A_n41A	30	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.92	19.31
DC_66A_n41A	30	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.09	19.48
DC_66A_n41A	30	30	2592.99	DFT	64QAM	Outer_Full	20.26	19.65
DC_66A_n41A	30	30	2592.99	DFT	256QAM	Inner_Full	18.31	17.70
DC_66A_n41A	30	30	2592.99	DFT	256QAM	Edge_1RB_Left	17.94	17.33
DC_66A_n41A	30	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.06	17.45
DC_66A_n41A	30	30	2592.99	DFT	256QAM	Outer_Full	18.27	17.66
DC_66A_n41A	30	30	2592.99	CP	QPSK	Inner_Full	21.26	20.65
DC_66A_n41A	30	30	2592.99	CP	QPSK	Edge_1RB_Left	19.43	18.82
DC_66A_n41A	30	30	2592.99	CP	QPSK	Edge_1RB_Right	19.61	19.00
DC_66A_n41A	30	30	2592.99	CP	QPSK	Outer_Full	19.69	19.08
DC_66A_n41A	30	30	2592.99	CP	16QAM	Inner_Full	20.80	20.19
DC_66A_n41A	30	30	2592.99	CP	16QAM	Edge_1RB_Left	19.36	18.75
DC_66A_n41A	30	30	2592.99	CP	16QAM	Edge_1RB_Right	19.53	18.92
DC_66A_n41A	30	30	2592.99	CP	16QAM	Outer_Full	19.71	19.10
DC_66A_n41A	30	30	2592.99	CP	64QAM	Inner_Full	19.26	18.65
DC_66A_n41A	30	30	2592.99	CP	64QAM	Edge_1RB_Left	19.10	18.49
DC_66A_n41A	30	30	2592.99	CP	64QAM	Edge_1RB_Right	19.30	18.69
DC_66A_n41A	30	30	2592.99	CP	64QAM	Outer_Full	19.20	18.59
DC_66A_n41A	30	30	2592.99	CP	256QAM	Inner_Full	16.26	15.65
DC_66A_n41A	30	30	2592.99	CP	256QAM	Edge_1RB_Left	15.95	15.34
DC_66A_n41A	30	30	2592.99	CP	256QAM	Edge_1RB_Right	16.15	15.54
DC_66A_n41A	30	30	2592.99	CP	256QAM	Outer_Full	16.23	15.62
DC_66A_n41A	30	30	2674.98	DFT	pi/2 BPSK	Inner_Full	22.54	21.93
DC_66A_n41A	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.69	21.08
DC_66A_n41A	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.05	21.44
DC_66A_n41A	30	30	2674.98	DFT	pi/2 BPSK	Outer_Full	22.01	21.40
DC_66A_n41A	30	30	2674.98	DFT	QPSK	Inner_Full	22.62	22.01
DC_66A_n41A	30	30	2674.98	DFT	QPSK	Edge_1RB_Left	21.17	20.56
DC_66A_n41A	30	30	2674.98	DFT	QPSK	Edge_1RB_Right	21.57	20.96
DC_66A_n41A	30	30	2674.98	DFT	QPSK	Outer_Full	21.65	21.04
DC_66A_n41A	30	30	2674.98	DFT	16QAM	Inner_Full	21.70	21.09
DC_66A_n41A	30	30	2674.98	DFT	16QAM	Edge_1RB_Left	20.24	19.63

DC_66A_n41A	30	30	2674.98	DFT	16QAM	Edge_1RB_Right	20.61	20.00
DC_66A_n41A	30	30	2674.98	DFT	16QAM	Outer_Full	20.62	20.01
DC_66A_n41A	30	30	2674.98	DFT	64QAM	Inner_Full	20.23	19.62
DC_66A_n41A	30	30	2674.98	DFT	64QAM	Edge_1RB_Left	19.79	19.18
DC_66A_n41A	30	30	2674.98	DFT	64QAM	Edge_1RB_Right	20.03	19.42
DC_66A_n41A	30	30	2674.98	DFT	64QAM	Outer_Full	20.13	19.52
DC_66A_n41A	30	30	2674.98	DFT	256QAM	Inner_Full	18.16	17.55
DC_66A_n41A	30	30	2674.98	DFT	256QAM	Edge_1RB_Left	17.88	17.27
DC_66A_n41A	30	30	2674.98	DFT	256QAM	Edge_1RB_Right	18.24	17.63
DC_66A_n41A	30	30	2674.98	DFT	256QAM	Outer_Full	18.12	17.51
DC_66A_n41A	30	30	2674.98	CP	QPSK	Inner_Full	21.15	20.54
DC_66A_n41A	30	30	2674.98	CP	QPSK	Edge_1RB_Left	19.24	18.63
DC_66A_n41A	30	30	2674.98	CP	QPSK	Edge_1RB_Right	19.60	18.99
DC_66A_n41A	30	30	2674.98	CP	QPSK	Outer_Full	19.55	18.94
DC_66A_n41A	30	30	2674.98	CP	16QAM	Inner_Full	20.67	20.06
DC_66A_n41A	30	30	2674.98	CP	16QAM	Edge_1RB_Left	19.16	18.55
DC_66A_n41A	30	30	2674.98	CP	16QAM	Edge_1RB_Right	19.50	18.89
DC_66A_n41A	30	30	2674.98	CP	16QAM	Outer_Full	19.58	18.97
DC_66A_n41A	30	30	2674.98	CP	64QAM	Inner_Full	19.21	18.60
DC_66A_n41A	30	30	2674.98	CP	64QAM	Edge_1RB_Left	18.95	18.34
DC_66A_n41A	30	30	2674.98	CP	64QAM	Edge_1RB_Right	18.91	18.30
DC_66A_n41A	30	30	2674.98	CP	64QAM	Outer_Full	19.06	18.45
DC_66A_n41A	30	30	2674.98	CP	256QAM	Inner_Full	16.19	15.58
DC_66A_n41A	30	30	2674.98	CP	256QAM	Edge_1RB_Left	15.72	15.11
DC_66A_n41A	30	30	2674.98	CP	256QAM	Edge_1RB_Right	16.11	15.50
DC_66A_n41A	30	30	2674.98	CP	256QAM	Outer_Full	16.10	15.49
DC_66A_n41A	40	30	2516.01	DFT	pi/2 BPSK	Inner_Full	22.81	22.20
DC_66A_n41A	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.98	21.37
DC_66A_n41A	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.99	21.38
DC_66A_n41A	40	30	2516.01	DFT	pi/2 BPSK	Outer_Full	22.23	21.62
DC_66A_n41A	40	30	2516.01	DFT	QPSK	Inner_Full	22.85	22.24
DC_66A_n41A	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	21.48	20.87
DC_66A_n41A	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	21.40	20.79
DC_66A_n41A	40	30	2516.01	DFT	QPSK	Outer_Full	21.78	21.17
DC_66A_n41A	40	30	2516.01	DFT	16QAM	Inner_Full	21.91	21.30
DC_66A_n41A	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	20.44	19.83
DC_66A_n41A	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	20.41	19.80
DC_66A_n41A	40	30	2516.01	DFT	16QAM	Outer_Full	20.85	20.24
DC_66A_n41A	40	30	2516.01	DFT	64QAM	Inner_Full	20.42	19.81
DC_66A_n41A	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	19.89	19.28
DC_66A_n41A	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	19.89	19.28

DC_66A_n41A	40	30	2516.01	DFT	64QAM	Outer_Full	20.39	19.78
DC_66A_n41A	40	30	2516.01	DFT	256QAM	Inner_Full	18.40	17.79
DC_66A_n41A	40	30	2516.01	DFT	256QAM	Edge_1RB_Left	18.08	17.47
DC_66A_n41A	40	30	2516.01	DFT	256QAM	Edge_1RB_Right	17.88	17.27
DC_66A_n41A	40	30	2516.01	DFT	256QAM	Outer_Full	18.36	17.75
DC_66A_n41A	40	30	2516.01	CP	QPSK	Inner_Full	21.33	20.72
DC_66A_n41A	40	30	2516.01	CP	QPSK	Edge_1RB_Left	19.47	18.86
DC_66A_n41A	40	30	2516.01	CP	QPSK	Edge_1RB_Right	19.42	18.81
DC_66A_n41A	40	30	2516.01	CP	QPSK	Outer_Full	19.81	19.20
DC_66A_n41A	40	30	2516.01	CP	16QAM	Inner_Full	20.91	20.30
DC_66A_n41A	40	30	2516.01	CP	16QAM	Edge_1RB_Left	19.41	18.80
DC_66A_n41A	40	30	2516.01	CP	16QAM	Edge_1RB_Right	19.40	18.79
DC_66A_n41A	40	30	2516.01	CP	16QAM	Outer_Full	19.85	19.24
DC_66A_n41A	40	30	2516.01	CP	64QAM	Inner_Full	19.41	18.80
DC_66A_n41A	40	30	2516.01	CP	64QAM	Edge_1RB_Left	19.08	18.47
DC_66A_n41A	40	30	2516.01	CP	64QAM	Edge_1RB_Right	19.03	18.42
DC_66A_n41A	40	30	2516.01	CP	64QAM	Outer_Full	19.37	18.76
DC_66A_n41A	40	30	2516.01	CP	256QAM	Inner_Full	16.36	15.75
DC_66A_n41A	40	30	2516.01	CP	256QAM	Edge_1RB_Left	16.13	15.52
DC_66A_n41A	40	30	2516.01	CP	256QAM	Edge_1RB_Right	16.06	15.45
DC_66A_n41A	40	30	2516.01	CP	256QAM	Outer_Full	16.28	15.67
DC_66A_n41A	40	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.72	22.11
DC_66A_n41A	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.77	21.16
DC_66A_n41A	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.97	21.36
DC_66A_n41A	40	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.12	21.51
DC_66A_n41A	40	30	2592.99	DFT	QPSK	Inner_Full	22.68	22.07
DC_66A_n41A	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.35	20.74
DC_66A_n41A	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.36	20.75
DC_66A_n41A	40	30	2592.99	DFT	QPSK	Outer_Full	21.67	21.06
DC_66A_n41A	40	30	2592.99	DFT	16QAM	Inner_Full	21.73	21.12
DC_66A_n41A	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.34	19.73
DC_66A_n41A	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.36	19.75
DC_66A_n41A	40	30	2592.99	DFT	16QAM	Outer_Full	20.73	20.12
DC_66A_n41A	40	30	2592.99	DFT	64QAM	Inner_Full	20.26	19.65
DC_66A_n41A	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.76	19.15
DC_66A_n41A	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.79	19.18
DC_66A_n41A	40	30	2592.99	DFT	64QAM	Outer_Full	20.24	19.63
DC_66A_n41A	40	30	2592.99	DFT	256QAM	Inner_Full	18.26	17.65
DC_66A_n41A	40	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.03	17.42
DC_66A_n41A	40	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.03	17.42
DC_66A_n41A	40	30	2592.99	DFT	256QAM	Outer_Full	18.21	17.60

DC_66A_n41A	40	30	2592.99	CP	QPSK	Inner_Full	21.26	20.65
DC_66A_n41A	40	30	2592.99	CP	QPSK	Edge_1RB_Left	19.32	18.71
DC_66A_n41A	40	30	2592.99	CP	QPSK	Edge_1RB_Right	19.31	18.70
DC_66A_n41A	40	30	2592.99	CP	QPSK	Outer_Full	19.64	19.03
DC_66A_n41A	40	30	2592.99	CP	16QAM	Inner_Full	20.77	20.16
DC_66A_n41A	40	30	2592.99	CP	16QAM	Edge_1RB_Left	19.17	18.56
DC_66A_n41A	40	30	2592.99	CP	16QAM	Edge_1RB_Right	19.28	18.67
DC_66A_n41A	40	30	2592.99	CP	16QAM	Outer_Full	19.66	19.05
DC_66A_n41A	40	30	2592.99	CP	64QAM	Inner_Full	19.28	18.67
DC_66A_n41A	40	30	2592.99	CP	64QAM	Edge_1RB_Left	18.99	18.38
DC_66A_n41A	40	30	2592.99	CP	64QAM	Edge_1RB_Right	18.99	18.38
DC_66A_n41A	40	30	2592.99	CP	64QAM	Outer_Full	19.16	18.55
DC_66A_n41A	40	30	2592.99	CP	256QAM	Inner_Full	16.19	15.58
DC_66A_n41A	40	30	2592.99	CP	256QAM	Edge_1RB_Left	15.97	15.36
DC_66A_n41A	40	30	2592.99	CP	256QAM	Edge_1RB_Right	15.90	15.29
DC_66A_n41A	40	30	2592.99	CP	256QAM	Outer_Full	16.13	15.52
DC_66A_n41A	40	30	2670	DFT	pi/2 BPSK	Inner_Full	22.57	21.96
DC_66A_n41A	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	21.69	21.08
DC_66A_n41A	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	22.07	21.46
DC_66A_n41A	40	30	2670	DFT	pi/2 BPSK	Outer_Full	22.03	21.42
DC_66A_n41A	40	30	2670	DFT	QPSK	Inner_Full	22.58	21.97
DC_66A_n41A	40	30	2670	DFT	QPSK	Edge_1RB_Left	21.02	20.41
DC_66A_n41A	40	30	2670	DFT	QPSK	Edge_1RB_Right	21.40	20.79
DC_66A_n41A	40	30	2670	DFT	QPSK	Outer_Full	21.63	21.02
DC_66A_n41A	40	30	2670	DFT	16QAM	Inner_Full	21.76	21.15
DC_66A_n41A	40	30	2670	DFT	16QAM	Edge_1RB_Left	20.10	19.49
DC_66A_n41A	40	30	2670	DFT	16QAM	Edge_1RB_Right	20.45	19.84
DC_66A_n41A	40	30	2670	DFT	16QAM	Outer_Full	20.61	20.00
DC_66A_n41A	40	30	2670	DFT	64QAM	Inner_Full	20.20	19.59
DC_66A_n41A	40	30	2670	DFT	64QAM	Edge_1RB_Left	19.64	19.03
DC_66A_n41A	40	30	2670	DFT	64QAM	Edge_1RB_Right	20.01	19.40
DC_66A_n41A	40	30	2670	DFT	64QAM	Outer_Full	20.17	19.56
DC_66A_n41A	40	30	2670	DFT	256QAM	Inner_Full	18.17	17.56
DC_66A_n41A	40	30	2670	DFT	256QAM	Edge_1RB_Left	17.80	17.19
DC_66A_n41A	40	30	2670	DFT	256QAM	Edge_1RB_Right	18.25	17.64
DC_66A_n41A	40	30	2670	DFT	256QAM	Outer_Full	18.12	17.51
DC_66A_n41A	40	30	2670	CP	QPSK	Inner_Full	21.20	20.59
DC_66A_n41A	40	30	2670	CP	QPSK	Edge_1RB_Left	19.12	18.51
DC_66A_n41A	40	30	2670	CP	QPSK	Edge_1RB_Right	19.40	18.79
DC_66A_n41A	40	30	2670	CP	QPSK	Outer_Full	19.57	18.96
DC_66A_n41A	40	30	2670	CP	16QAM	Inner_Full	20.63	20.02

DC_66A_n41A	40	30	2670	CP	16QAM	Edge_1RB_Left	19.14	18.53
DC_66A_n41A	40	30	2670	CP	16QAM	Edge_1RB_Right	19.28	18.67
DC_66A_n41A	40	30	2670	CP	16QAM	Outer_Full	19.57	18.96
DC_66A_n41A	40	30	2670	CP	64QAM	Inner_Full	19.16	18.55
DC_66A_n41A	40	30	2670	CP	64QAM	Edge_1RB_Left	18.42	17.81
DC_66A_n41A	40	30	2670	CP	64QAM	Edge_1RB_Right	19.08	18.47
DC_66A_n41A	40	30	2670	CP	64QAM	Outer_Full	19.09	18.48
DC_66A_n41A	40	30	2670	CP	256QAM	Inner_Full	16.18	15.57
DC_66A_n41A	40	30	2670	CP	256QAM	Edge_1RB_Left	15.99	15.38
DC_66A_n41A	40	30	2670	CP	256QAM	Edge_1RB_Right	16.24	15.63
DC_66A_n41A	40	30	2670	CP	256QAM	Outer_Full	16.02	15.41
DC_66A_n41A	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	22.85	22.24
DC_66A_n41A	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.01	21.40
DC_66A_n41A	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.07	21.46
DC_66A_n41A	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	22.31	21.70
DC_66A_n41A	50	30	2521.02	DFT	QPSK	Inner_Full	22.90	22.29
DC_66A_n41A	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	21.52	20.91
DC_66A_n41A	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	21.50	20.89
DC_66A_n41A	50	30	2521.02	DFT	QPSK	Outer_Full	21.82	21.21
DC_66A_n41A	50	30	2521.02	DFT	16QAM	Inner_Full	21.88	21.27
DC_66A_n41A	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	20.59	19.98
DC_66A_n41A	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	20.66	20.05
DC_66A_n41A	50	30	2521.02	DFT	16QAM	Outer_Full	20.92	20.31
DC_66A_n41A	50	30	2521.02	DFT	64QAM	Inner_Full	20.48	19.87
DC_66A_n41A	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	20.14	19.53
DC_66A_n41A	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	20.13	19.52
DC_66A_n41A	50	30	2521.02	DFT	64QAM	Outer_Full	20.44	19.83
DC_66A_n41A	50	30	2521.02	DFT	256QAM	Inner_Full	18.43	17.82
DC_66A_n41A	50	30	2521.02	DFT	256QAM	Edge_1RB_Left	18.28	17.67
DC_66A_n41A	50	30	2521.02	DFT	256QAM	Edge_1RB_Right	18.12	17.51
DC_66A_n41A	50	30	2521.02	DFT	256QAM	Outer_Full	18.44	17.83
DC_66A_n41A	50	30	2521.02	CP	QPSK	Inner_Full	21.33	20.72
DC_66A_n41A	50	30	2521.02	CP	QPSK	Edge_1RB_Left	19.62	19.01
DC_66A_n41A	50	30	2521.02	CP	QPSK	Edge_1RB_Right	19.75	19.14
DC_66A_n41A	50	30	2521.02	CP	QPSK	Outer_Full	19.92	19.31
DC_66A_n41A	50	30	2521.02	CP	16QAM	Inner_Full	20.98	20.37
DC_66A_n41A	50	30	2521.02	CP	16QAM	Edge_1RB_Left	19.70	19.09
DC_66A_n41A	50	30	2521.02	CP	16QAM	Edge_1RB_Right	19.55	18.94
DC_66A_n41A	50	30	2521.02	CP	16QAM	Outer_Full	19.92	19.31
DC_66A_n41A	50	30	2521.02	CP	64QAM	Inner_Full	19.46	18.85
DC_66A_n41A	50	30	2521.02	CP	64QAM	Edge_1RB_Left	19.34	18.73

DC_66A_n41A	50	30	2521.02	CP	64QAM	Edge_1RB_Right	19.39	18.78
DC_66A_n41A	50	30	2521.02	CP	64QAM	Outer_Full	19.45	18.84
DC_66A_n41A	50	30	2521.02	CP	256QAM	Inner_Full	16.46	15.85
DC_66A_n41A	50	30	2521.02	CP	256QAM	Edge_1RB_Left	16.19	15.58
DC_66A_n41A	50	30	2521.02	CP	256QAM	Edge_1RB_Right	16.14	15.53
DC_66A_n41A	50	30	2521.02	CP	256QAM	Outer_Full	16.37	15.76
DC_66A_n41A	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.71	22.10
DC_66A_n41A	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.00	21.39
DC_66A_n41A	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.01	21.40
DC_66A_n41A	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.13	21.52
DC_66A_n41A	50	30	2592.99	DFT	QPSK	Inner_Full	22.72	22.11
DC_66A_n41A	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.42	20.81
DC_66A_n41A	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.44	20.83
DC_66A_n41A	50	30	2592.99	DFT	QPSK	Outer_Full	21.64	21.03
DC_66A_n41A	50	30	2592.99	DFT	16QAM	Inner_Full	21.73	21.12
DC_66A_n41A	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.50	19.89
DC_66A_n41A	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.53	19.92
DC_66A_n41A	50	30	2592.99	DFT	16QAM	Outer_Full	20.77	20.16
DC_66A_n41A	50	30	2592.99	DFT	64QAM	Inner_Full	20.31	19.70
DC_66A_n41A	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.98	19.37
DC_66A_n41A	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.05	19.44
DC_66A_n41A	50	30	2592.99	DFT	64QAM	Outer_Full	20.27	19.66
DC_66A_n41A	50	30	2592.99	DFT	256QAM	Inner_Full	18.30	17.69
DC_66A_n41A	50	30	2592.99	DFT	256QAM	Edge_1RB_Left	17.97	17.36
DC_66A_n41A	50	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.18	17.57
DC_66A_n41A	50	30	2592.99	DFT	256QAM	Outer_Full	18.25	17.64
DC_66A_n41A	50	30	2592.99	CP	QPSK	Inner_Full	21.30	20.69
DC_66A_n41A	50	30	2592.99	CP	QPSK	Edge_1RB_Left	19.52	18.91
DC_66A_n41A	50	30	2592.99	CP	QPSK	Edge_1RB_Right	19.54	18.93
DC_66A_n41A	50	30	2592.99	CP	QPSK	Outer_Full	19.72	19.11
DC_66A_n41A	50	30	2592.99	CP	16QAM	Inner_Full	20.82	20.21
DC_66A_n41A	50	30	2592.99	CP	16QAM	Edge_1RB_Left	19.41	18.80
DC_66A_n41A	50	30	2592.99	CP	16QAM	Edge_1RB_Right	19.63	19.02
DC_66A_n41A	50	30	2592.99	CP	16QAM	Outer_Full	19.70	19.09
DC_66A_n41A	50	30	2592.99	CP	64QAM	Inner_Full	19.35	18.74
DC_66A_n41A	50	30	2592.99	CP	64QAM	Edge_1RB_Left	18.88	18.27
DC_66A_n41A	50	30	2592.99	CP	64QAM	Edge_1RB_Right	19.25	18.64
DC_66A_n41A	50	30	2592.99	CP	64QAM	Outer_Full	19.24	18.63
DC_66A_n41A	50	30	2592.99	CP	256QAM	Inner_Full	16.29	15.68
DC_66A_n41A	50	30	2592.99	CP	256QAM	Edge_1RB_Left	16.10	15.49
DC_66A_n41A	50	30	2592.99	CP	256QAM	Edge_1RB_Right	16.02	15.41

DC_66A_n41A	50	30	2592.99	CP	256QAM	Outer_Full	16.16	15.55
DC_66A_n41A	50	30	2664.99	DFT	pi/2 BPSK	Inner_Full	22.52	21.91
DC_66A_n41A	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.66	21.05
DC_66A_n41A	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.00	21.39
DC_66A_n41A	50	30	2664.99	DFT	pi/2 BPSK	Outer_Full	22.00	21.39
DC_66A_n41A	50	30	2664.99	DFT	QPSK	Inner_Full	22.59	21.98
DC_66A_n41A	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	21.11	20.50
DC_66A_n41A	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	21.60	20.99
DC_66A_n41A	50	30	2664.99	DFT	QPSK	Outer_Full	21.63	21.02
DC_66A_n41A	50	30	2664.99	DFT	16QAM	Inner_Full	21.68	21.07
DC_66A_n41A	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	20.18	19.57
DC_66A_n41A	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	20.57	19.96
DC_66A_n41A	50	30	2664.99	DFT	16QAM	Outer_Full	20.64	20.03
DC_66A_n41A	50	30	2664.99	DFT	64QAM	Inner_Full	20.14	19.53
DC_66A_n41A	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	19.75	19.14
DC_66A_n41A	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	20.14	19.53
DC_66A_n41A	50	30	2664.99	DFT	64QAM	Outer_Full	20.15	19.54
DC_66A_n41A	50	30	2664.99	DFT	256QAM	Inner_Full	18.11	17.50
DC_66A_n41A	50	30	2664.99	DFT	256QAM	Edge_1RB_Left	17.64	17.03
DC_66A_n41A	50	30	2664.99	DFT	256QAM	Edge_1RB_Right	18.13	17.52
DC_66A_n41A	50	30	2664.99	DFT	256QAM	Outer_Full	18.09	17.48
DC_66A_n41A	50	30	2664.99	CP	QPSK	Inner_Full	21.13	20.52
DC_66A_n41A	50	30	2664.99	CP	QPSK	Edge_1RB_Left	19.28	18.67
DC_66A_n41A	50	30	2664.99	CP	QPSK	Edge_1RB_Right	19.66	19.05
DC_66A_n41A	50	30	2664.99	CP	QPSK	Outer_Full	19.60	18.99
DC_66A_n41A	50	30	2664.99	CP	16QAM	Inner_Full	20.65	20.04
DC_66A_n41A	50	30	2664.99	CP	16QAM	Edge_1RB_Left	19.15	18.54
DC_66A_n41A	50	30	2664.99	CP	16QAM	Edge_1RB_Right	19.64	19.03
DC_66A_n41A	50	30	2664.99	CP	16QAM	Outer_Full	19.59	18.98
DC_66A_n41A	50	30	2664.99	CP	64QAM	Inner_Full	19.18	18.57
DC_66A_n41A	50	30	2664.99	CP	64QAM	Edge_1RB_Left	18.58	17.97
DC_66A_n41A	50	30	2664.99	CP	64QAM	Edge_1RB_Right	19.39	18.78
DC_66A_n41A	50	30	2664.99	CP	64QAM	Outer_Full	19.17	18.56
DC_66A_n41A	50	30	2664.99	CP	256QAM	Inner_Full	16.14	15.53
DC_66A_n41A	50	30	2664.99	CP	256QAM	Edge_1RB_Left	15.80	15.19
DC_66A_n41A	50	30	2664.99	CP	256QAM	Edge_1RB_Right	16.17	15.56
DC_66A_n41A	50	30	2664.99	CP	256QAM	Outer_Full	16.06	15.45
DC_66A_n41A	60	30	2526	DFT	pi/2 BPSK	Inner_Full	22.83	22.22
DC_66A_n41A	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	22.01	21.40
DC_66A_n41A	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	22.02	21.41
DC_66A_n41A	60	30	2526	DFT	pi/2 BPSK	Outer_Full	22.23	21.62



DC_66A_n41A	60	30	2526	DFT	QPSK	Inner_Full	22.88	22.27
DC_66A_n41A	60	30	2526	DFT	QPSK	Edge_1RB_Left	21.42	20.81
DC_66A_n41A	60	30	2526	DFT	QPSK	Edge_1RB_Right	21.45	20.84
DC_66A_n41A	60	30	2526	DFT	QPSK	Outer_Full	21.82	21.21
DC_66A_n41A	60	30	2526	DFT	16QAM	Inner_Full	21.89	21.28
DC_66A_n41A	60	30	2526	DFT	16QAM	Edge_1RB_Left	20.56	19.95
DC_66A_n41A	60	30	2526	DFT	16QAM	Edge_1RB_Right	20.51	19.90
DC_66A_n41A	60	30	2526	DFT	16QAM	Outer_Full	20.93	20.32
DC_66A_n41A	60	30	2526	DFT	64QAM	Inner_Full	20.47	19.86
DC_66A_n41A	60	30	2526	DFT	64QAM	Edge_1RB_Left	20.03	19.42
DC_66A_n41A	60	30	2526	DFT	64QAM	Edge_1RB_Right	20.03	19.42
DC_66A_n41A	60	30	2526	DFT	64QAM	Outer_Full	20.42	19.81
DC_66A_n41A	60	30	2526	DFT	256QAM	Inner_Full	18.40	17.79
DC_66A_n41A	60	30	2526	DFT	256QAM	Edge_1RB_Left	18.18	17.57
DC_66A_n41A	60	30	2526	DFT	256QAM	Edge_1RB_Right	18.09	17.48
DC_66A_n41A	60	30	2526	DFT	256QAM	Outer_Full	18.37	17.76
DC_66A_n41A	60	30	2526	CP	QPSK	Inner_Full	21.29	20.68
DC_66A_n41A	60	30	2526	CP	QPSK	Edge_1RB_Left	19.56	18.95
DC_66A_n41A	60	30	2526	CP	QPSK	Edge_1RB_Right	19.52	18.91
DC_66A_n41A	60	30	2526	CP	QPSK	Outer_Full	19.81	19.20
DC_66A_n41A	60	30	2526	CP	16QAM	Inner_Full	20.94	20.33
DC_66A_n41A	60	30	2526	CP	16QAM	Edge_1RB_Left	19.57	18.96
DC_66A_n41A	60	30	2526	CP	16QAM	Edge_1RB_Right	19.63	19.02
DC_66A_n41A	60	30	2526	CP	16QAM	Outer_Full	19.87	19.26
DC_66A_n41A	60	30	2526	CP	64QAM	Inner_Full	19.43	18.82
DC_66A_n41A	60	30	2526	CP	64QAM	Edge_1RB_Left	18.89	18.28
DC_66A_n41A	60	30	2526	CP	64QAM	Edge_1RB_Right	18.92	18.31
DC_66A_n41A	60	30	2526	CP	64QAM	Outer_Full	19.35	18.74
DC_66A_n41A	60	30	2526	CP	256QAM	Inner_Full	16.39	15.78
DC_66A_n41A	60	30	2526	CP	256QAM	Edge_1RB_Left	16.20	15.59
DC_66A_n41A	60	30	2526	CP	256QAM	Edge_1RB_Right	16.27	15.66
DC_66A_n41A	60	30	2526	CP	256QAM	Outer_Full	16.34	15.73
DC_66A_n41A	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.67	22.06
DC_66A_n41A	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.92	21.31
DC_66A_n41A	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.97	21.36
DC_66A_n41A	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.02	21.41
DC_66A_n41A	60	30	2592.99	DFT	QPSK	Inner_Full	22.72	22.11
DC_66A_n41A	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.43	20.82
DC_66A_n41A	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.47	20.86
DC_66A_n41A	60	30	2592.99	DFT	QPSK	Outer_Full	21.58	20.97
DC_66A_n41A	60	30	2592.99	DFT	16QAM	Inner_Full	21.71	21.10

DC_66A_n41A	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.36	19.75
DC_66A_n41A	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.48	19.87
DC_66A_n41A	60	30	2592.99	DFT	16QAM	Outer_Full	20.68	20.07
DC_66A_n41A	60	30	2592.99	DFT	64QAM	Inner_Full	20.29	19.68
DC_66A_n41A	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.96	19.35
DC_66A_n41A	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.06	19.45
DC_66A_n41A	60	30	2592.99	DFT	64QAM	Outer_Full	20.20	19.59
DC_66A_n41A	60	30	2592.99	DFT	256QAM	Inner_Full	18.23	17.62
DC_66A_n41A	60	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.04	17.43
DC_66A_n41A	60	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.12	17.51
DC_66A_n41A	60	30	2592.99	DFT	256QAM	Outer_Full	18.12	17.51
DC_66A_n41A	60	30	2592.99	CP	QPSK	Inner_Full	21.25	20.64
DC_66A_n41A	60	30	2592.99	CP	QPSK	Edge_1RB_Left	19.40	18.79
DC_66A_n41A	60	30	2592.99	CP	QPSK	Edge_1RB_Right	19.53	18.92
DC_66A_n41A	60	30	2592.99	CP	QPSK	Outer_Full	19.63	19.02
DC_66A_n41A	60	30	2592.99	CP	16QAM	Inner_Full	20.79	20.18
DC_66A_n41A	60	30	2592.99	CP	16QAM	Edge_1RB_Left	19.55	18.94
DC_66A_n41A	60	30	2592.99	CP	16QAM	Edge_1RB_Right	19.55	18.94
DC_66A_n41A	60	30	2592.99	CP	16QAM	Outer_Full	19.65	19.04
DC_66A_n41A	60	30	2592.99	CP	64QAM	Inner_Full	19.26	18.65
DC_66A_n41A	60	30	2592.99	CP	64QAM	Edge_1RB_Left	18.84	18.23
DC_66A_n41A	60	30	2592.99	CP	64QAM	Edge_1RB_Right	18.88	18.27
DC_66A_n41A	60	30	2592.99	CP	64QAM	Outer_Full	19.13	18.52
DC_66A_n41A	60	30	2592.99	CP	256QAM	Inner_Full	16.19	15.58
DC_66A_n41A	60	30	2592.99	CP	256QAM	Edge_1RB_Left	16.09	15.48
DC_66A_n41A	60	30	2592.99	CP	256QAM	Edge_1RB_Right	16.15	15.54
DC_66A_n41A	60	30	2592.99	CP	256QAM	Outer_Full	16.08	15.47
DC_66A_n41A	60	30	2659.98	DFT	pi/2 BPSK	Inner_Full	22.53	21.92
DC_66A_n41A	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.51	20.90
DC_66A_n41A	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.10	21.49
DC_66A_n41A	60	30	2659.98	DFT	pi/2 BPSK	Outer_Full	22.00	21.39
DC_66A_n41A	60	30	2659.98	DFT	QPSK	Inner_Full	22.54	21.93
DC_66A_n41A	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	21.00	20.39
DC_66A_n41A	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	21.57	20.96
DC_66A_n41A	60	30	2659.98	DFT	QPSK	Outer_Full	21.64	21.03
DC_66A_n41A	60	30	2659.98	DFT	16QAM	Inner_Full	21.68	21.07
DC_66A_n41A	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	20.13	19.52
DC_66A_n41A	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	20.59	19.98
DC_66A_n41A	60	30	2659.98	DFT	16QAM	Outer_Full	20.64	20.03
DC_66A_n41A	60	30	2659.98	DFT	64QAM	Inner_Full	20.15	19.54
DC_66A_n41A	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	19.68	19.07

DC_66A_n41A	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	20.07	19.46
DC_66A_n41A	60	30	2659.98	DFT	64QAM	Outer_Full	20.12	19.51
DC_66A_n41A	60	30	2659.98	DFT	256QAM	Inner_Full	18.13	17.52
DC_66A_n41A	60	30	2659.98	DFT	256QAM	Edge_1RB_Left	17.82	17.21
DC_66A_n41A	60	30	2659.98	DFT	256QAM	Edge_1RB_Right	18.11	17.50
DC_66A_n41A	60	30	2659.98	DFT	256QAM	Outer_Full	18.10	17.49
DC_66A_n41A	60	30	2659.98	CP	QPSK	Inner_Full	21.12	20.51
DC_66A_n41A	60	30	2659.98	CP	QPSK	Edge_1RB_Left	19.09	18.48
DC_66A_n41A	60	30	2659.98	CP	QPSK	Edge_1RB_Right	19.67	19.06
DC_66A_n41A	60	30	2659.98	CP	QPSK	Outer_Full	19.57	18.96
DC_66A_n41A	60	30	2659.98	CP	16QAM	Inner_Full	20.67	20.06
DC_66A_n41A	60	30	2659.98	CP	16QAM	Edge_1RB_Left	19.21	18.60
DC_66A_n41A	60	30	2659.98	CP	16QAM	Edge_1RB_Right	19.61	19.00
DC_66A_n41A	60	30	2659.98	CP	16QAM	Outer_Full	19.57	18.96
DC_66A_n41A	60	30	2659.98	CP	64QAM	Inner_Full	19.17	18.56
DC_66A_n41A	60	30	2659.98	CP	64QAM	Edge_1RB_Left	18.83	18.22
DC_66A_n41A	60	30	2659.98	CP	64QAM	Edge_1RB_Right	19.39	18.78
DC_66A_n41A	60	30	2659.98	CP	64QAM	Outer_Full	19.13	18.52
DC_66A_n41A	60	30	2659.98	CP	256QAM	Inner_Full	16.12	15.51
DC_66A_n41A	60	30	2659.98	CP	256QAM	Edge_1RB_Left	15.85	15.24
DC_66A_n41A	60	30	2659.98	CP	256QAM	Edge_1RB_Right	16.17	15.56
DC_66A_n41A	60	30	2659.98	CP	256QAM	Outer_Full	16.07	15.46
DC_66A_n41A	80	30	2536.02	DFT	pi/2 BPSK	Inner_Full	22.80	22.19
DC_66A_n41A	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.54	20.93
DC_66A_n41A	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.55	20.94
DC_66A_n41A	80	30	2536.02	DFT	pi/2 BPSK	Outer_Full	22.15	21.54
DC_66A_n41A	80	30	2536.02	DFT	QPSK	Inner_Full	22.83	22.22
DC_66A_n41A	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	21.02	20.41
DC_66A_n41A	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	21.04	20.43
DC_66A_n41A	80	30	2536.02	DFT	QPSK	Outer_Full	21.69	21.08
DC_66A_n41A	80	30	2536.02	DFT	16QAM	Inner_Full	21.89	21.28
DC_66A_n41A	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	20.21	19.60
DC_66A_n41A	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	20.21	19.60
DC_66A_n41A	80	30	2536.02	DFT	16QAM	Outer_Full	20.84	20.23
DC_66A_n41A	80	30	2536.02	DFT	64QAM	Inner_Full	20.48	19.87
DC_66A_n41A	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	19.85	19.24
DC_66A_n41A	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	19.87	19.26
DC_66A_n41A	80	30	2536.02	DFT	64QAM	Outer_Full	20.32	19.71
DC_66A_n41A	80	30	2536.02	DFT	256QAM	Inner_Full	18.39	17.78
DC_66A_n41A	80	30	2536.02	DFT	256QAM	Edge_1RB_Left	17.89	17.28
DC_66A_n41A	80	30	2536.02	DFT	256QAM	Edge_1RB_Right	17.84	17.23

DC_66A_n41A	80	30	2536.02	DFT	256QAM	Outer_Full	18.30	17.69
DC_66A_n41A	80	30	2536.02	CP	QPSK	Inner_Full	21.22	20.61
DC_66A_n41A	80	30	2536.02	CP	QPSK	Edge_1RB_Left	19.24	18.63
DC_66A_n41A	80	30	2536.02	CP	QPSK	Edge_1RB_Right	19.25	18.64
DC_66A_n41A	80	30	2536.02	CP	QPSK	Outer_Full	19.79	19.18
DC_66A_n41A	80	30	2536.02	CP	16QAM	Inner_Full	20.94	20.33
DC_66A_n41A	80	30	2536.02	CP	16QAM	Edge_1RB_Left	19.35	18.74
DC_66A_n41A	80	30	2536.02	CP	16QAM	Edge_1RB_Right	19.36	18.75
DC_66A_n41A	80	30	2536.02	CP	16QAM	Outer_Full	19.78	19.17
DC_66A_n41A	80	30	2536.02	CP	64QAM	Inner_Full	19.46	18.85
DC_66A_n41A	80	30	2536.02	CP	64QAM	Edge_1RB_Left	18.58	17.97
DC_66A_n41A	80	30	2536.02	CP	64QAM	Edge_1RB_Right	18.56	17.95
DC_66A_n41A	80	30	2536.02	CP	64QAM	Outer_Full	19.34	18.73
DC_66A_n41A	80	30	2536.02	CP	256QAM	Inner_Full	16.40	15.79
DC_66A_n41A	80	30	2536.02	CP	256QAM	Edge_1RB_Left	15.81	15.20
DC_66A_n41A	80	30	2536.02	CP	256QAM	Edge_1RB_Right	15.81	15.20
DC_66A_n41A	80	30	2536.02	CP	256QAM	Outer_Full	16.27	15.66
DC_66A_n41A	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.59	21.98
DC_66A_n41A	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.43	20.82
DC_66A_n41A	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.52	20.91
DC_66A_n41A	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	21.98	21.37
DC_66A_n41A	80	30	2592.99	DFT	QPSK	Inner_Full	22.66	22.05
DC_66A_n41A	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	20.99	20.38
DC_66A_n41A	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.09	20.48
DC_66A_n41A	80	30	2592.99	DFT	QPSK	Outer_Full	21.50	20.89
DC_66A_n41A	80	30	2592.99	DFT	16QAM	Inner_Full	21.69	21.08
DC_66A_n41A	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.11	19.50
DC_66A_n41A	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.35	19.74
DC_66A_n41A	80	30	2592.99	DFT	16QAM	Outer_Full	20.71	20.10
DC_66A_n41A	80	30	2592.99	DFT	64QAM	Inner_Full	20.27	19.66
DC_66A_n41A	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.68	19.07
DC_66A_n41A	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.75	19.14
DC_66A_n41A	80	30	2592.99	DFT	64QAM	Outer_Full	20.16	19.55
DC_66A_n41A	80	30	2592.99	DFT	256QAM	Inner_Full	18.26	17.65
DC_66A_n41A	80	30	2592.99	DFT	256QAM	Edge_1RB_Left	17.72	17.11
DC_66A_n41A	80	30	2592.99	DFT	256QAM	Edge_1RB_Right	17.79	17.18
DC_66A_n41A	80	30	2592.99	DFT	256QAM	Outer_Full	18.16	17.55
DC_66A_n41A	80	30	2592.99	CP	QPSK	Inner_Full	21.23	20.62
DC_66A_n41A	80	30	2592.99	CP	QPSK	Edge_1RB_Left	19.16	18.55
DC_66A_n41A	80	30	2592.99	CP	QPSK	Edge_1RB_Right	19.25	18.64
DC_66A_n41A	80	30	2592.99	CP	QPSK	Outer_Full	19.64	19.03

DC_66A_n41A	80	30	2592.99	CP	16QAM	Inner_Full	20.81	20.20
DC_66A_n41A	80	30	2592.99	CP	16QAM	Edge_1RB_Left	19.22	18.61
DC_66A_n41A	80	30	2592.99	CP	16QAM	Edge_1RB_Right	19.24	18.63
DC_66A_n41A	80	30	2592.99	CP	16QAM	Outer_Full	19.62	19.01
DC_66A_n41A	80	30	2592.99	CP	64QAM	Inner_Full	19.27	18.66
DC_66A_n41A	80	30	2592.99	CP	64QAM	Edge_1RB_Left	18.44	17.83
DC_66A_n41A	80	30	2592.99	CP	64QAM	Edge_1RB_Right	18.90	18.29
DC_66A_n41A	80	30	2592.99	CP	64QAM	Outer_Full	19.21	18.60
DC_66A_n41A	80	30	2592.99	CP	256QAM	Inner_Full	16.24	15.63
DC_66A_n41A	80	30	2592.99	CP	256QAM	Edge_1RB_Left	15.68	15.07
DC_66A_n41A	80	30	2592.99	CP	256QAM	Edge_1RB_Right	15.81	15.20
DC_66A_n41A	80	30	2592.99	CP	256QAM	Outer_Full	16.04	15.43
DC_66A_n41A	80	30	2649.99	DFT	pi/2 BPSK	Inner_Full	22.58	21.97
DC_66A_n41A	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.09	20.48
DC_66A_n41A	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.70	21.09
DC_66A_n41A	80	30	2649.99	DFT	pi/2 BPSK	Outer_Full	21.95	21.34
DC_66A_n41A	80	30	2649.99	DFT	QPSK	Inner_Full	22.63	22.02
DC_66A_n41A	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	20.70	20.09
DC_66A_n41A	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	21.47	20.86
DC_66A_n41A	80	30	2649.99	DFT	QPSK	Outer_Full	21.42	20.81
DC_66A_n41A	80	30	2649.99	DFT	16QAM	Inner_Full	21.63	21.02
DC_66A_n41A	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	19.92	19.31
DC_66A_n41A	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	20.48	19.87
DC_66A_n41A	80	30	2649.99	DFT	16QAM	Outer_Full	20.68	20.07
DC_66A_n41A	80	30	2649.99	DFT	64QAM	Inner_Full	20.26	19.65
DC_66A_n41A	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	19.39	18.78
DC_66A_n41A	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	19.96	19.35
DC_66A_n41A	80	30	2649.99	DFT	64QAM	Outer_Full	20.14	19.53
DC_66A_n41A	80	30	2649.99	DFT	256QAM	Inner_Full	18.22	17.61
DC_66A_n41A	80	30	2649.99	DFT	256QAM	Edge_1RB_Left	17.30	16.69
DC_66A_n41A	80	30	2649.99	DFT	256QAM	Edge_1RB_Right	17.97	17.36
DC_66A_n41A	80	30	2649.99	DFT	256QAM	Outer_Full	18.10	17.49
DC_66A_n41A	80	30	2649.99	CP	QPSK	Inner_Full	21.22	20.61
DC_66A_n41A	80	30	2649.99	CP	QPSK	Edge_1RB_Left	18.85	18.24
DC_66A_n41A	80	30	2649.99	CP	QPSK	Edge_1RB_Right	19.42	18.81
DC_66A_n41A	80	30	2649.99	CP	QPSK	Outer_Full	19.61	19.00
DC_66A_n41A	80	30	2649.99	CP	16QAM	Inner_Full	20.74	20.13
DC_66A_n41A	80	30	2649.99	CP	16QAM	Edge_1RB_Left	18.77	18.16
DC_66A_n41A	80	30	2649.99	CP	16QAM	Edge_1RB_Right	19.22	18.61
DC_66A_n41A	80	30	2649.99	CP	16QAM	Outer_Full	19.62	19.01
DC_66A_n41A	80	30	2649.99	CP	64QAM	Inner_Full	19.22	18.61

DC_66A_n41A	80	30	2649.99	CP	64QAM	Edge_1RB_Left	18.47	17.86
DC_66A_n41A	80	30	2649.99	CP	64QAM	Edge_1RB_Right	18.73	18.12
DC_66A_n41A	80	30	2649.99	CP	64QAM	Outer_Full	19.12	18.51
DC_66A_n41A	80	30	2649.99	CP	256QAM	Inner_Full	16.20	15.59
DC_66A_n41A	80	30	2649.99	CP	256QAM	Edge_1RB_Left	15.36	14.75
DC_66A_n41A	80	30	2649.99	CP	256QAM	Edge_1RB_Right	15.89	15.28
DC_66A_n41A	80	30	2649.99	CP	256QAM	Outer_Full	16.02	15.41
DC_66A_n41A	90	30	2541	DFT	pi/2 BPSK	Inner_Full	22.77	22.16
DC_66A_n41A	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	21.42	20.81
DC_66A_n41A	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	21.35	20.74
DC_66A_n41A	90	30	2541	DFT	pi/2 BPSK	Outer_Full	22.15	21.54
DC_66A_n41A	90	30	2541	DFT	QPSK	Inner_Full	22.84	22.23
DC_66A_n41A	90	30	2541	DFT	QPSK	Edge_1RB_Left	20.92	20.31
DC_66A_n41A	90	30	2541	DFT	QPSK	Edge_1RB_Right	20.86	20.25
DC_66A_n41A	90	30	2541	DFT	QPSK	Outer_Full	21.68	21.07
DC_66A_n41A	90	30	2541	DFT	16QAM	Inner_Full	21.82	21.21
DC_66A_n41A	90	30	2541	DFT	16QAM	Edge_1RB_Left	20.19	19.58
DC_66A_n41A	90	30	2541	DFT	16QAM	Edge_1RB_Right	20.13	19.52
DC_66A_n41A	90	30	2541	DFT	16QAM	Outer_Full	20.84	20.23
DC_66A_n41A	90	30	2541	DFT	64QAM	Inner_Full	20.43	19.82
DC_66A_n41A	90	30	2541	DFT	64QAM	Edge_1RB_Left	19.70	19.09
DC_66A_n41A	90	30	2541	DFT	64QAM	Edge_1RB_Right	19.61	19.00
DC_66A_n41A	90	30	2541	DFT	64QAM	Outer_Full	20.34	19.73
DC_66A_n41A	90	30	2541	DFT	256QAM	Inner_Full	18.38	17.77
DC_66A_n41A	90	30	2541	DFT	256QAM	Edge_1RB_Left	17.75	17.14
DC_66A_n41A	90	30	2541	DFT	256QAM	Edge_1RB_Right	17.70	17.09
DC_66A_n41A	90	30	2541	DFT	256QAM	Outer_Full	18.31	17.70
DC_66A_n41A	90	30	2541	CP	QPSK	Inner_Full	21.27	20.66
DC_66A_n41A	90	30	2541	CP	QPSK	Edge_1RB_Left	19.15	18.54
DC_66A_n41A	90	30	2541	CP	QPSK	Edge_1RB_Right	19.16	18.55
DC_66A_n41A	90	30	2541	CP	QPSK	Outer_Full	19.80	19.19
DC_66A_n41A	90	30	2541	CP	16QAM	Inner_Full	20.92	20.31
DC_66A_n41A	90	30	2541	CP	16QAM	Edge_1RB_Left	19.24	18.63
DC_66A_n41A	90	30	2541	CP	16QAM	Edge_1RB_Right	19.20	18.59
DC_66A_n41A	90	30	2541	CP	16QAM	Outer_Full	19.77	19.16
DC_66A_n41A	90	30	2541	CP	64QAM	Inner_Full	19.38	18.77
DC_66A_n41A	90	30	2541	CP	64QAM	Edge_1RB_Left	18.55	17.94
DC_66A_n41A	90	30	2541	CP	64QAM	Edge_1RB_Right	18.55	17.94
DC_66A_n41A	90	30	2541	CP	64QAM	Outer_Full	19.28	18.67
DC_66A_n41A	90	30	2541	CP	256QAM	Inner_Full	16.38	15.77
DC_66A_n41A	90	30	2541	CP	256QAM	Edge_1RB_Left	15.72	15.11

DC_66A_n41A	90	30	2541	CP	256QAM	Edge_1RB_Right	15.76	15.15
DC_66A_n41A	90	30	2541	CP	256QAM	Outer_Full	16.23	15.62
DC_66A_n41A	90	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.58	21.97
DC_66A_n41A	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.28	20.67
DC_66A_n41A	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.47	20.86
DC_66A_n41A	90	30	2592.99	DFT	pi/2 BPSK	Outer_Full	21.99	21.38
DC_66A_n41A	90	30	2592.99	DFT	QPSK	Inner_Full	22.65	22.04
DC_66A_n41A	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	20.72	20.11
DC_66A_n41A	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	20.90	20.29
DC_66A_n41A	90	30	2592.99	DFT	QPSK	Outer_Full	21.52	20.91
DC_66A_n41A	90	30	2592.99	DFT	16QAM	Inner_Full	21.63	21.02
DC_66A_n41A	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.14	19.53
DC_66A_n41A	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.30	19.69
DC_66A_n41A	90	30	2592.99	DFT	16QAM	Outer_Full	20.65	20.04
DC_66A_n41A	90	30	2592.99	DFT	64QAM	Inner_Full	20.28	19.67
DC_66A_n41A	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.56	18.95
DC_66A_n41A	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.71	19.10
DC_66A_n41A	90	30	2592.99	DFT	64QAM	Outer_Full	20.15	19.54
DC_66A_n41A	90	30	2592.99	DFT	256QAM	Inner_Full	18.21	17.60
DC_66A_n41A	90	30	2592.99	DFT	256QAM	Edge_1RB_Left	17.71	17.10
DC_66A_n41A	90	30	2592.99	DFT	256QAM	Edge_1RB_Right	17.71	17.10
DC_66A_n41A	90	30	2592.99	DFT	256QAM	Outer_Full	18.15	17.54
DC_66A_n41A	90	30	2592.99	CP	QPSK	Inner_Full	21.21	20.60
DC_66A_n41A	90	30	2592.99	CP	QPSK	Edge_1RB_Left	19.09	18.48
DC_66A_n41A	90	30	2592.99	CP	QPSK	Edge_1RB_Right	19.34	18.73
DC_66A_n41A	90	30	2592.99	CP	QPSK	Outer_Full	19.61	19.00
DC_66A_n41A	90	30	2592.99	CP	16QAM	Inner_Full	20.78	20.17
DC_66A_n41A	90	30	2592.99	CP	16QAM	Edge_1RB_Left	19.12	18.51
DC_66A_n41A	90	30	2592.99	CP	16QAM	Edge_1RB_Right	19.21	18.60
DC_66A_n41A	90	30	2592.99	CP	16QAM	Outer_Full	19.58	18.97
DC_66A_n41A	90	30	2592.99	CP	64QAM	Inner_Full	19.24	18.63
DC_66A_n41A	90	30	2592.99	CP	64QAM	Edge_1RB_Left	18.78	18.17
DC_66A_n41A	90	30	2592.99	CP	64QAM	Edge_1RB_Right	18.55	17.94
DC_66A_n41A	90	30	2592.99	CP	64QAM	Outer_Full	19.11	18.50
DC_66A_n41A	90	30	2592.99	CP	256QAM	Inner_Full	16.17	15.56
DC_66A_n41A	90	30	2592.99	CP	256QAM	Edge_1RB_Left	15.56	14.95
DC_66A_n41A	90	30	2592.99	CP	256QAM	Edge_1RB_Right	15.84	15.23
DC_66A_n41A	90	30	2592.99	CP	256QAM	Outer_Full	16.02	15.41
DC_66A_n41A	90	30	2644.98	DFT	pi/2 BPSK	Inner_Full	22.52	21.91
DC_66A_n41A	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	20.94	20.33
DC_66A_n41A	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.45	20.84

DC_66A_n41A	90	30	2644.98	DFT	pi/2 BPSK	Outer_Full	21.93	21.32
DC_66A_n41A	90	30	2644.98	DFT	QPSK	Inner_Full	22.58	21.97
DC_66A_n41A	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	20.45	19.84
DC_66A_n41A	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	21.30	20.69
DC_66A_n41A	90	30	2644.98	DFT	QPSK	Outer_Full	21.48	20.87
DC_66A_n41A	90	30	2644.98	DFT	16QAM	Inner_Full	21.56	20.95
DC_66A_n41A	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	19.60	18.99
DC_66A_n41A	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	20.19	19.58
DC_66A_n41A	90	30	2644.98	DFT	16QAM	Outer_Full	20.63	20.02
DC_66A_n41A	90	30	2644.98	DFT	64QAM	Inner_Full	20.20	19.59
DC_66A_n41A	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	19.19	18.58
DC_66A_n41A	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	19.84	19.23
DC_66A_n41A	90	30	2644.98	DFT	64QAM	Outer_Full	20.12	19.51
DC_66A_n41A	90	30	2644.98	DFT	256QAM	Inner_Full	18.13	17.52
DC_66A_n41A	90	30	2644.98	DFT	256QAM	Edge_1RB_Left	17.29	16.68
DC_66A_n41A	90	30	2644.98	DFT	256QAM	Edge_1RB_Right	17.93	17.32
DC_66A_n41A	90	30	2644.98	DFT	256QAM	Outer_Full	18.12	17.51
DC_66A_n41A	90	30	2644.98	CP	QPSK	Inner_Full	21.12	20.51
DC_66A_n41A	90	30	2644.98	CP	QPSK	Edge_1RB_Left	18.74	18.13
DC_66A_n41A	90	30	2644.98	CP	QPSK	Edge_1RB_Right	19.32	18.71
DC_66A_n41A	90	30	2644.98	CP	QPSK	Outer_Full	19.58	18.97
DC_66A_n41A	90	30	2644.98	CP	16QAM	Inner_Full	20.70	20.09
DC_66A_n41A	90	30	2644.98	CP	16QAM	Edge_1RB_Left	18.61	18.00
DC_66A_n41A	90	30	2644.98	CP	16QAM	Edge_1RB_Right	19.21	18.60
DC_66A_n41A	90	30	2644.98	CP	16QAM	Outer_Full	19.56	18.95
DC_66A_n41A	90	30	2644.98	CP	64QAM	Inner_Full	19.14	18.53
DC_66A_n41A	90	30	2644.98	CP	64QAM	Edge_1RB_Left	18.39	17.78
DC_66A_n41A	90	30	2644.98	CP	64QAM	Edge_1RB_Right	19.08	18.47
DC_66A_n41A	90	30	2644.98	CP	64QAM	Outer_Full	19.10	18.49
DC_66A_n41A	90	30	2644.98	CP	256QAM	Inner_Full	16.12	15.51
DC_66A_n41A	90	30	2644.98	CP	256QAM	Edge_1RB_Left	15.38	14.77
DC_66A_n41A	90	30	2644.98	CP	256QAM	Edge_1RB_Right	15.74	15.13
DC_66A_n41A	90	30	2644.98	CP	256QAM	Outer_Full	16.05	15.44
DC_66A_n41A	100	30	2546.01	DFT	pi/2 BPSK	Inner_Full	22.76	22.15
DC_66A_n41A	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.31	20.70
DC_66A_n41A	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.19	20.58
DC_66A_n41A	100	30	2546.01	DFT	pi/2 BPSK	Outer_Full	22.05	21.44
DC_66A_n41A	100	30	2546.01	DFT	QPSK	Inner_Full	22.83	22.22
DC_66A_n41A	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	20.73	20.12
DC_66A_n41A	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	20.70	20.09
DC_66A_n41A	100	30	2546.01	DFT	QPSK	Outer_Full	21.58	20.97



DC_66A_n41A	100	30	2546.01	DFT	16QAM	Inner_Full	21.80	21.19
DC_66A_n41A	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	20.06	19.45
DC_66A_n41A	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	20.08	19.47
DC_66A_n41A	100	30	2546.01	DFT	16QAM	Outer_Full	20.76	20.15
DC_66A_n41A	100	30	2546.01	DFT	64QAM	Inner_Full	20.47	19.86
DC_66A_n41A	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	19.57	18.96
DC_66A_n41A	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	19.54	18.93
DC_66A_n41A	100	30	2546.01	DFT	64QAM	Outer_Full	20.31	19.70
DC_66A_n41A	100	30	2546.01	DFT	256QAM	Inner_Full	18.39	17.78
DC_66A_n41A	100	30	2546.01	DFT	256QAM	Edge_1RB_Left	17.73	17.12
DC_66A_n41A	100	30	2546.01	DFT	256QAM	Edge_1RB_Right	17.61	17.00
DC_66A_n41A	100	30	2546.01	DFT	256QAM	Outer_Full	18.22	17.61
DC_66A_n41A	100	30	2546.01	CP	QPSK	Inner_Full	21.29	20.68
DC_66A_n41A	100	30	2546.01	CP	QPSK	Edge_1RB_Left	19.06	18.45
DC_66A_n41A	100	30	2546.01	CP	QPSK	Edge_1RB_Right	19.02	18.41
DC_66A_n41A	100	30	2546.01	CP	QPSK	Outer_Full	19.76	19.15
DC_66A_n41A	100	30	2546.01	CP	16QAM	Inner_Full	20.93	20.32
DC_66A_n41A	100	30	2546.01	CP	16QAM	Edge_1RB_Left	19.16	18.55
DC_66A_n41A	100	30	2546.01	CP	16QAM	Edge_1RB_Right	19.07	18.46
DC_66A_n41A	100	30	2546.01	CP	16QAM	Outer_Full	19.73	19.12
DC_66A_n41A	100	30	2546.01	CP	64QAM	Inner_Full	19.46	18.85
DC_66A_n41A	100	30	2546.01	CP	64QAM	Edge_1RB_Left	18.44	17.83
DC_66A_n41A	100	30	2546.01	CP	64QAM	Edge_1RB_Right	18.44	17.83
DC_66A_n41A	100	30	2546.01	CP	64QAM	Outer_Full	19.26	18.65
DC_66A_n41A	100	30	2546.01	CP	256QAM	Inner_Full	16.41	15.80
DC_66A_n41A	100	30	2546.01	CP	256QAM	Edge_1RB_Left	15.72	15.11
DC_66A_n41A	100	30	2546.01	CP	256QAM	Edge_1RB_Right	15.60	14.99
DC_66A_n41A	100	30	2546.01	CP	256QAM	Outer_Full	16.16	15.55
DC_66A_n41A	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	22.59	21.98
DC_66A_n41A	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.11	20.50
DC_66A_n41A	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.26	20.65
DC_66A_n41A	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	21.87	21.26
DC_66A_n41A	100	30	2592.99	DFT	QPSK	Inner_Full	22.61	22.00
DC_66A_n41A	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	20.65	20.04
DC_66A_n41A	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	20.87	20.26
DC_66A_n41A	100	30	2592.99	DFT	QPSK	Outer_Full	21.41	20.80
DC_66A_n41A	100	30	2592.99	DFT	16QAM	Inner_Full	21.63	21.02
DC_66A_n41A	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	20.03	19.42
DC_66A_n41A	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.18	19.57
DC_66A_n41A	100	30	2592.99	DFT	16QAM	Outer_Full	20.55	19.94
DC_66A_n41A	100	30	2592.99	DFT	64QAM	Inner_Full	20.29	19.68

DC_66A_n41A	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	19.45	18.84
DC_66A_n41A	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.58	18.97
DC_66A_n41A	100	30	2592.99	DFT	64QAM	Outer_Full	20.05	19.44
DC_66A_n41A	100	30	2592.99	DFT	256QAM	Inner_Full	18.21	17.60
DC_66A_n41A	100	30	2592.99	DFT	256QAM	Edge_1RB_Left	17.49	16.88
DC_66A_n41A	100	30	2592.99	DFT	256QAM	Edge_1RB_Right	17.64	17.03
DC_66A_n41A	100	30	2592.99	DFT	256QAM	Outer_Full	18.03	17.42
DC_66A_n41A	100	30	2592.99	CP	QPSK	Inner_Full	21.26	20.65
DC_66A_n41A	100	30	2592.99	CP	QPSK	Edge_1RB_Left	19.01	18.40
DC_66A_n41A	100	30	2592.99	CP	QPSK	Edge_1RB_Right	19.12	18.51
DC_66A_n41A	100	30	2592.99	CP	QPSK	Outer_Full	19.53	18.92
DC_66A_n41A	100	30	2592.99	CP	16QAM	Inner_Full	20.78	20.17
DC_66A_n41A	100	30	2592.99	CP	16QAM	Edge_1RB_Left	18.98	18.37
DC_66A_n41A	100	30	2592.99	CP	16QAM	Edge_1RB_Right	19.08	18.47
DC_66A_n41A	100	30	2592.99	CP	16QAM	Outer_Full	19.51	18.90
DC_66A_n41A	100	30	2592.99	CP	64QAM	Inner_Full	19.25	18.64
DC_66A_n41A	100	30	2592.99	CP	64QAM	Edge_1RB_Left	18.55	17.94
DC_66A_n41A	100	30	2592.99	CP	64QAM	Edge_1RB_Right	18.66	18.05
DC_66A_n41A	100	30	2592.99	CP	64QAM	Outer_Full	19.05	18.44
DC_66A_n41A	100	30	2592.99	CP	256QAM	Inner_Full	16.24	15.63
DC_66A_n41A	100	30	2592.99	CP	256QAM	Edge_1RB_Left	15.39	14.78
DC_66A_n41A	100	30	2592.99	CP	256QAM	Edge_1RB_Right	15.57	14.96
DC_66A_n41A	100	30	2592.99	CP	256QAM	Outer_Full	16.01	15.40
DC_66A_n41A	100	30	2640	DFT	pi/2 BPSK	Inner_Full	22.47	21.86
DC_66A_n41A	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	20.90	20.29
DC_66A_n41A	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	21.44	20.83
DC_66A_n41A	100	30	2640	DFT	pi/2 BPSK	Outer_Full	21.86	21.25
DC_66A_n41A	100	30	2640	DFT	QPSK	Inner_Full	22.53	21.92
DC_66A_n41A	100	30	2640	DFT	QPSK	Edge_1RB_Left	20.37	19.76
DC_66A_n41A	100	30	2640	DFT	QPSK	Edge_1RB_Right	21.24	20.63
DC_66A_n41A	100	30	2640	DFT	QPSK	Outer_Full	21.39	20.78
DC_66A_n41A	100	30	2640	DFT	16QAM	Inner_Full	21.55	20.94
DC_66A_n41A	100	30	2640	DFT	16QAM	Edge_1RB_Left	19.70	19.09
DC_66A_n41A	100	30	2640	DFT	16QAM	Edge_1RB_Right	20.26	19.65
DC_66A_n41A	100	30	2640	DFT	16QAM	Outer_Full	20.56	19.95
DC_66A_n41A	100	30	2640	DFT	64QAM	Inner_Full	20.22	19.61
DC_66A_n41A	100	30	2640	DFT	64QAM	Edge_1RB_Left	19.15	18.54
DC_66A_n41A	100	30	2640	DFT	64QAM	Edge_1RB_Right	19.74	19.13
DC_66A_n41A	100	30	2640	DFT	64QAM	Outer_Full	20.12	19.51
DC_66A_n41A	100	30	2640	DFT	256QAM	Inner_Full	18.15	17.54
DC_66A_n41A	100	30	2640	DFT	256QAM	Edge_1RB_Left	17.16	16.55



DC_66A_n41A	100	30	2640	DFT	256QAM	Edge_1RB_Right	17.81	17.20
DC_66A_n41A	100	30	2640	DFT	256QAM	Outer_Full	18.03	17.42
DC_66A_n41A	100	30	2640	CP	QPSK	Inner_Full	21.17	20.56
DC_66A_n41A	100	30	2640	CP	QPSK	Edge_1RB_Left	18.70	18.09
DC_66A_n41A	100	30	2640	CP	QPSK	Edge_1RB_Right	19.28	18.67
DC_66A_n41A	100	30	2640	CP	QPSK	Outer_Full	19.53	18.92
DC_66A_n41A	100	30	2640	CP	16QAM	Inner_Full	20.71	20.10
DC_66A_n41A	100	30	2640	CP	16QAM	Edge_1RB_Left	18.66	18.05
DC_66A_n41A	100	30	2640	CP	16QAM	Edge_1RB_Right	19.22	18.61
DC_66A_n41A	100	30	2640	CP	16QAM	Outer_Full	19.55	18.94
DC_66A_n41A	100	30	2640	CP	64QAM	Inner_Full	19.19	18.58
DC_66A_n41A	100	30	2640	CP	64QAM	Edge_1RB_Left	18.23	17.62
DC_66A_n41A	100	30	2640	CP	64QAM	Edge_1RB_Right	18.87	18.26
DC_66A_n41A	100	30	2640	CP	64QAM	Outer_Full	19.06	18.45
DC_66A_n41A	100	30	2640	CP	256QAM	Inner_Full	16.10	15.49
DC_66A_n41A	100	30	2640	CP	256QAM	Edge_1RB_Left	15.06	14.45
DC_66A_n41A	100	30	2640	CP	256QAM	Edge_1RB_Right	15.66	15.05
DC_66A_n41A	100	30	2640	CP	256QAM	Outer_Full	16.03	15.42

Maximum EIRP = 22.29dBm.

**DC 12A\_n66A- EIRP**

Limits: ≤30dBm (1W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	EIRP(dBm) (Gt-Lc=-0.19)
DC_12A_n66A	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	23.40	23.21
DC_12A_n66A	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.90	22.71
DC_12A_n66A	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.98	22.79
DC_12A_n66A	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	22.96	22.77
DC_12A_n66A	5	15	1712.5	DFT	QPSK	Inner_Full	23.42	23.23
DC_12A_n66A	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	22.45	22.26
DC_12A_n66A	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	22.42	22.23
DC_12A_n66A	5	15	1712.5	DFT	QPSK	Outer_Full	22.52	22.33
DC_12A_n66A	5	15	1712.5	DFT	16QAM	Inner_Full	22.53	22.34
DC_12A_n66A	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	21.72	21.53
DC_12A_n66A	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	21.61	21.42
DC_12A_n66A	5	15	1712.5	DFT	16QAM	Outer_Full	21.56	21.37
DC_12A_n66A	5	15	1712.5	DFT	64QAM	Inner_Full	20.97	20.78
DC_12A_n66A	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	21.21	21.02
DC_12A_n66A	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	21.19	21.00
DC_12A_n66A	5	15	1712.5	DFT	64QAM	Outer_Full	20.98	20.79
DC_12A_n66A	5	15	1712.5	DFT	256QAM	Inner_Full	18.80	18.61
DC_12A_n66A	5	15	1712.5	DFT	256QAM	Edge_1RB_Left	18.51	18.32

DC_12A_n66A	5	15	1712.5	DFT	256QAM	Edge_1RB_Right	18.50	18.31
DC_12A_n66A	5	15	1712.5	DFT	256QAM	Outer_Full	18.90	18.71
DC_12A_n66A	5	15	1712.5	CP	QPSK	Inner_Full	21.84	21.65
DC_12A_n66A	5	15	1712.5	CP	QPSK	Edge_1RB_Left	20.51	20.32
DC_12A_n66A	5	15	1712.5	CP	QPSK	Edge_1RB_Right	20.50	20.31
DC_12A_n66A	5	15	1712.5	CP	QPSK	Outer_Full	20.41	20.22
DC_12A_n66A	5	15	1712.5	CP	16QAM	Inner_Full	21.43	21.24
DC_12A_n66A	5	15	1712.5	CP	16QAM	Edge_1RB_Left	20.59	20.40
DC_12A_n66A	5	15	1712.5	CP	16QAM	Edge_1RB_Right	20.58	20.39
DC_12A_n66A	5	15	1712.5	CP	16QAM	Outer_Full	20.54	20.35
DC_12A_n66A	5	15	1712.5	CP	64QAM	Inner_Full	19.84	19.65
DC_12A_n66A	5	15	1712.5	CP	64QAM	Edge_1RB_Left	20.25	20.06
DC_12A_n66A	5	15	1712.5	CP	64QAM	Edge_1RB_Right	20.29	20.10
DC_12A_n66A	5	15	1712.5	CP	64QAM	Outer_Full	19.88	19.69
DC_12A_n66A	5	15	1712.5	CP	256QAM	Inner_Full	16.92	16.73
DC_12A_n66A	5	15	1712.5	CP	256QAM	Edge_1RB_Left	16.67	16.48
DC_12A_n66A	5	15	1712.5	CP	256QAM	Edge_1RB_Right	16.64	16.45
DC_12A_n66A	5	15	1712.5	CP	256QAM	Outer_Full	17.05	16.86
DC_12A_n66A	5	15	1745	DFT	pi/2 BPSK	Inner_Full	23.35	23.16
DC_12A_n66A	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.90	22.71
DC_12A_n66A	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.93	22.74
DC_12A_n66A	5	15	1745	DFT	pi/2 BPSK	Outer_Full	22.83	22.64
DC_12A_n66A	5	15	1745	DFT	QPSK	Inner_Full	23.38	23.19
DC_12A_n66A	5	15	1745	DFT	QPSK	Edge_1RB_Left	22.43	22.24
DC_12A_n66A	5	15	1745	DFT	QPSK	Edge_1RB_Right	22.37	22.18
DC_12A_n66A	5	15	1745	DFT	QPSK	Outer_Full	22.37	22.18
DC_12A_n66A	5	15	1745	DFT	16QAM	Inner_Full	22.39	22.20
DC_12A_n66A	5	15	1745	DFT	16QAM	Edge_1RB_Left	21.57	21.38
DC_12A_n66A	5	15	1745	DFT	16QAM	Edge_1RB_Right	21.56	21.37
DC_12A_n66A	5	15	1745	DFT	16QAM	Outer_Full	21.41	21.22
DC_12A_n66A	5	15	1745	DFT	64QAM	Inner_Full	20.84	20.65
DC_12A_n66A	5	15	1745	DFT	64QAM	Edge_1RB_Left	20.97	20.78
DC_12A_n66A	5	15	1745	DFT	64QAM	Edge_1RB_Right	21.05	20.86
DC_12A_n66A	5	15	1745	DFT	64QAM	Outer_Full	20.87	20.68
DC_12A_n66A	5	15	1745	DFT	256QAM	Inner_Full	18.78	18.59
DC_12A_n66A	5	15	1745	DFT	256QAM	Edge_1RB_Left	18.44	18.25
DC_12A_n66A	5	15	1745	DFT	256QAM	Edge_1RB_Right	18.52	18.33
DC_12A_n66A	5	15	1745	DFT	256QAM	Outer_Full	18.81	18.62
DC_12A_n66A	5	15	1745	CP	QPSK	Inner_Full	21.81	21.62
DC_12A_n66A	5	15	1745	CP	QPSK	Edge_1RB_Left	20.42	20.23
DC_12A_n66A	5	15	1745	CP	QPSK	Edge_1RB_Right	20.43	20.24

DC_12A_n66A	5	15	1745	CP	QPSK	Outer_Full	20.28	20.09
DC_12A_n66A	5	15	1745	CP	16QAM	Inner_Full	21.30	21.11
DC_12A_n66A	5	15	1745	CP	16QAM	Edge_1RB_Left	20.43	20.24
DC_12A_n66A	5	15	1745	CP	16QAM	Edge_1RB_Right	20.45	20.26
DC_12A_n66A	5	15	1745	CP	16QAM	Outer_Full	20.40	20.21
DC_12A_n66A	5	15	1745	CP	64QAM	Inner_Full	19.73	19.54
DC_12A_n66A	5	15	1745	CP	64QAM	Edge_1RB_Left	20.16	19.97
DC_12A_n66A	5	15	1745	CP	64QAM	Edge_1RB_Right	20.07	19.88
DC_12A_n66A	5	15	1745	CP	64QAM	Outer_Full	19.81	19.62
DC_12A_n66A	5	15	1745	CP	256QAM	Inner_Full	16.79	16.60
DC_12A_n66A	5	15	1745	CP	256QAM	Edge_1RB_Left	16.57	16.38
DC_12A_n66A	5	15	1745	CP	256QAM	Edge_1RB_Right	16.55	16.36
DC_12A_n66A	5	15	1745	CP	256QAM	Outer_Full	16.90	16.71
DC_12A_n66A	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	23.38	23.19
DC_12A_n66A	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.73	22.54
DC_12A_n66A	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.89	22.70
DC_12A_n66A	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	22.84	22.65
DC_12A_n66A	5	15	1777.5	DFT	QPSK	Inner_Full	23.38	23.19
DC_12A_n66A	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	22.28	22.09
DC_12A_n66A	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	22.36	22.17
DC_12A_n66A	5	15	1777.5	DFT	QPSK	Outer_Full	22.41	22.22
DC_12A_n66A	5	15	1777.5	DFT	16QAM	Inner_Full	22.38	22.19
DC_12A_n66A	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	21.46	21.27
DC_12A_n66A	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	21.59	21.40
DC_12A_n66A	5	15	1777.5	DFT	16QAM	Outer_Full	21.43	21.24
DC_12A_n66A	5	15	1777.5	DFT	64QAM	Inner_Full	20.86	20.67
DC_12A_n66A	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	21.06	20.87
DC_12A_n66A	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	20.91	20.72
DC_12A_n66A	5	15	1777.5	DFT	64QAM	Outer_Full	20.88	20.69
DC_12A_n66A	5	15	1777.5	DFT	256QAM	Inner_Full	18.74	18.55
DC_12A_n66A	5	15	1777.5	DFT	256QAM	Edge_1RB_Left	18.56	18.37
DC_12A_n66A	5	15	1777.5	DFT	256QAM	Edge_1RB_Right	18.60	18.41
DC_12A_n66A	5	15	1777.5	DFT	256QAM	Outer_Full	18.78	18.59
DC_12A_n66A	5	15	1777.5	CP	QPSK	Inner_Full	21.80	21.61
DC_12A_n66A	5	15	1777.5	CP	QPSK	Edge_1RB_Left	20.35	20.16
DC_12A_n66A	5	15	1777.5	CP	QPSK	Edge_1RB_Right	20.49	20.30
DC_12A_n66A	5	15	1777.5	CP	QPSK	Outer_Full	20.36	20.17
DC_12A_n66A	5	15	1777.5	CP	16QAM	Inner_Full	21.35	21.16
DC_12A_n66A	5	15	1777.5	CP	16QAM	Edge_1RB_Left	20.44	20.25
DC_12A_n66A	5	15	1777.5	CP	16QAM	Edge_1RB_Right	20.57	20.38
DC_12A_n66A	5	15	1777.5	CP	16QAM	Outer_Full	20.40	20.21



DC_12A_n66A	5	15	1777.5	CP	64QAM	Inner_Full	19.76	19.57
DC_12A_n66A	5	15	1777.5	CP	64QAM	Edge_1RB_Left	20.07	19.88
DC_12A_n66A	5	15	1777.5	CP	64QAM	Edge_1RB_Right	20.16	19.97
DC_12A_n66A	5	15	1777.5	CP	64QAM	Outer_Full	19.83	19.64
DC_12A_n66A	5	15	1777.5	CP	256QAM	Inner_Full	16.89	16.70
DC_12A_n66A	5	15	1777.5	CP	256QAM	Edge_1RB_Left	16.45	16.26
DC_12A_n66A	5	15	1777.5	CP	256QAM	Edge_1RB_Right	16.49	16.30
DC_12A_n66A	5	15	1777.5	CP	256QAM	Outer_Full	16.97	16.78
DC_12A_n66A	10	15	1715	DFT	pi/2 BPSK	Inner_Full	23.29	23.10
DC_12A_n66A	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	22.82	22.63
DC_12A_n66A	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	22.78	22.59
DC_12A_n66A	10	15	1715	DFT	pi/2 BPSK	Outer_Full	22.84	22.65
DC_12A_n66A	10	15	1715	DFT	QPSK	Inner_Full	23.37	23.18
DC_12A_n66A	10	15	1715	DFT	QPSK	Edge_1RB_Left	22.25	22.06
DC_12A_n66A	10	15	1715	DFT	QPSK	Edge_1RB_Right	22.31	22.12
DC_12A_n66A	10	15	1715	DFT	QPSK	Outer_Full	22.36	22.17
DC_12A_n66A	10	15	1715	DFT	16QAM	Inner_Full	22.37	22.18
DC_12A_n66A	10	15	1715	DFT	16QAM	Edge_1RB_Left	21.41	21.22
DC_12A_n66A	10	15	1715	DFT	16QAM	Edge_1RB_Right	21.28	21.09
DC_12A_n66A	10	15	1715	DFT	16QAM	Outer_Full	21.37	21.18
DC_12A_n66A	10	15	1715	DFT	64QAM	Inner_Full	20.76	20.57
DC_12A_n66A	10	15	1715	DFT	64QAM	Edge_1RB_Left	20.57	20.38
DC_12A_n66A	10	15	1715	DFT	64QAM	Edge_1RB_Right	20.51	20.32
DC_12A_n66A	10	15	1715	DFT	64QAM	Outer_Full	20.81	20.62
DC_12A_n66A	10	15	1715	DFT	256QAM	Inner_Full	18.78	18.59
DC_12A_n66A	10	15	1715	DFT	256QAM	Edge_1RB_Left	18.43	18.24
DC_12A_n66A	10	15	1715	DFT	256QAM	Edge_1RB_Right	18.31	18.12
DC_12A_n66A	10	15	1715	DFT	256QAM	Outer_Full	18.84	18.65
DC_12A_n66A	10	15	1715	CP	QPSK	Inner_Full	21.81	21.62
DC_12A_n66A	10	15	1715	CP	QPSK	Edge_1RB_Left	20.38	20.19
DC_12A_n66A	10	15	1715	CP	QPSK	Edge_1RB_Right	20.29	20.10
DC_12A_n66A	10	15	1715	CP	QPSK	Outer_Full	20.31	20.12
DC_12A_n66A	10	15	1715	CP	16QAM	Inner_Full	21.30	21.11
DC_12A_n66A	10	15	1715	CP	16QAM	Edge_1RB_Left	20.45	20.26
DC_12A_n66A	10	15	1715	CP	16QAM	Edge_1RB_Right	20.48	20.29
DC_12A_n66A	10	15	1715	CP	16QAM	Outer_Full	20.23	20.04
DC_12A_n66A	10	15	1715	CP	64QAM	Inner_Full	19.87	19.68
DC_12A_n66A	10	15	1715	CP	64QAM	Edge_1RB_Left	19.54	19.35
DC_12A_n66A	10	15	1715	CP	64QAM	Edge_1RB_Right	19.41	19.22
DC_12A_n66A	10	15	1715	CP	64QAM	Outer_Full	19.86	19.67
DC_12A_n66A	10	15	1715	CP	256QAM	Inner_Full	16.76	16.57

DC_12A_n66A	10	15	1715	CP	256QAM	Edge_1RB_Left	16.48	16.29
DC_12A_n66A	10	15	1715	CP	256QAM	Edge_1RB_Right	16.57	16.38
DC_12A_n66A	10	15	1715	CP	256QAM	Outer_Full	16.91	16.72
DC_12A_n66A	10	15	1745	DFT	pi/2 BPSK	Inner_Full	23.24	23.05
DC_12A_n66A	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.68	22.49
DC_12A_n66A	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.68	22.49
DC_12A_n66A	10	15	1745	DFT	pi/2 BPSK	Outer_Full	22.70	22.51
DC_12A_n66A	10	15	1745	DFT	QPSK	Inner_Full	23.26	23.07
DC_12A_n66A	10	15	1745	DFT	QPSK	Edge_1RB_Left	22.26	22.07
DC_12A_n66A	10	15	1745	DFT	QPSK	Edge_1RB_Right	22.24	22.05
DC_12A_n66A	10	15	1745	DFT	QPSK	Outer_Full	22.22	22.03
DC_12A_n66A	10	15	1745	DFT	16QAM	Inner_Full	22.24	22.05
DC_12A_n66A	10	15	1745	DFT	16QAM	Edge_1RB_Left	20.92	20.73
DC_12A_n66A	10	15	1745	DFT	16QAM	Edge_1RB_Right	21.38	21.19
DC_12A_n66A	10	15	1745	DFT	16QAM	Outer_Full	21.20	21.01
DC_12A_n66A	10	15	1745	DFT	64QAM	Inner_Full	20.77	20.58
DC_12A_n66A	10	15	1745	DFT	64QAM	Edge_1RB_Left	20.43	20.24
DC_12A_n66A	10	15	1745	DFT	64QAM	Edge_1RB_Right	20.99	20.80
DC_12A_n66A	10	15	1745	DFT	64QAM	Outer_Full	20.65	20.46
DC_12A_n66A	10	15	1745	DFT	256QAM	Inner_Full	18.79	18.60
DC_12A_n66A	10	15	1745	DFT	256QAM	Edge_1RB_Left	18.59	18.40
DC_12A_n66A	10	15	1745	DFT	256QAM	Edge_1RB_Right	18.50	18.31
DC_12A_n66A	10	15	1745	DFT	256QAM	Outer_Full	18.64	18.45
DC_12A_n66A	10	15	1745	CP	QPSK	Inner_Full	21.68	21.49
DC_12A_n66A	10	15	1745	CP	QPSK	Edge_1RB_Left	20.22	20.03
DC_12A_n66A	10	15	1745	CP	QPSK	Edge_1RB_Right	20.13	19.94
DC_12A_n66A	10	15	1745	CP	QPSK	Outer_Full	20.09	19.90
DC_12A_n66A	10	15	1745	CP	16QAM	Inner_Full	21.22	21.03
DC_12A_n66A	10	15	1745	CP	16QAM	Edge_1RB_Left	20.25	20.06
DC_12A_n66A	10	15	1745	CP	16QAM	Edge_1RB_Right	20.23	20.04
DC_12A_n66A	10	15	1745	CP	16QAM	Outer_Full	20.20	20.01
DC_12A_n66A	10	15	1745	CP	64QAM	Inner_Full	19.74	19.55
DC_12A_n66A	10	15	1745	CP	64QAM	Edge_1RB_Left	19.85	19.66
DC_12A_n66A	10	15	1745	CP	64QAM	Edge_1RB_Right	19.85	19.66
DC_12A_n66A	10	15	1745	CP	64QAM	Outer_Full	19.61	19.42
DC_12A_n66A	10	15	1745	CP	256QAM	Inner_Full	16.65	16.46
DC_12A_n66A	10	15	1745	CP	256QAM	Edge_1RB_Left	16.40	16.21
DC_12A_n66A	10	15	1745	CP	256QAM	Edge_1RB_Right	16.33	16.14
DC_12A_n66A	10	15	1745	CP	256QAM	Outer_Full	16.76	16.57
DC_12A_n66A	10	15	1775	DFT	pi/2 BPSK	Inner_Full	23.15	22.96
DC_12A_n66A	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	22.71	22.52

DC_12A_n66A	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	22.73	22.54
DC_12A_n66A	10	15	1775	DFT	pi/2 BPSK	Outer_Full	22.63	22.44
DC_12A_n66A	10	15	1775	DFT	QPSK	Inner_Full	23.22	23.03
DC_12A_n66A	10	15	1775	DFT	QPSK	Edge_1RB_Left	22.21	22.02
DC_12A_n66A	10	15	1775	DFT	QPSK	Edge_1RB_Right	22.18	21.99
DC_12A_n66A	10	15	1775	DFT	QPSK	Outer_Full	22.18	21.99
DC_12A_n66A	10	15	1775	DFT	16QAM	Inner_Full	22.26	22.07
DC_12A_n66A	10	15	1775	DFT	16QAM	Edge_1RB_Left	21.27	21.08
DC_12A_n66A	10	15	1775	DFT	16QAM	Edge_1RB_Right	21.37	21.18
DC_12A_n66A	10	15	1775	DFT	16QAM	Outer_Full	21.19	21.00
DC_12A_n66A	10	15	1775	DFT	64QAM	Inner_Full	20.68	20.49
DC_12A_n66A	10	15	1775	DFT	64QAM	Edge_1RB_Left	20.87	20.68
DC_12A_n66A	10	15	1775	DFT	64QAM	Edge_1RB_Right	20.51	20.32
DC_12A_n66A	10	15	1775	DFT	64QAM	Outer_Full	20.61	20.42
DC_12A_n66A	10	15	1775	DFT	256QAM	Inner_Full	18.59	18.40
DC_12A_n66A	10	15	1775	DFT	256QAM	Edge_1RB_Left	18.17	17.98
DC_12A_n66A	10	15	1775	DFT	256QAM	Edge_1RB_Right	18.67	18.48
DC_12A_n66A	10	15	1775	DFT	256QAM	Outer_Full	18.63	18.44
DC_12A_n66A	10	15	1775	CP	QPSK	Inner_Full	21.59	21.40
DC_12A_n66A	10	15	1775	CP	QPSK	Edge_1RB_Left	20.28	20.09
DC_12A_n66A	10	15	1775	CP	QPSK	Edge_1RB_Right	20.27	20.08
DC_12A_n66A	10	15	1775	CP	QPSK	Outer_Full	20.14	19.95
DC_12A_n66A	10	15	1775	CP	16QAM	Inner_Full	21.20	21.01
DC_12A_n66A	10	15	1775	CP	16QAM	Edge_1RB_Left	20.22	20.03
DC_12A_n66A	10	15	1775	CP	16QAM	Edge_1RB_Right	20.29	20.10
DC_12A_n66A	10	15	1775	CP	16QAM	Outer_Full	20.06	19.87
DC_12A_n66A	10	15	1775	CP	64QAM	Inner_Full	19.72	19.53
DC_12A_n66A	10	15	1775	CP	64QAM	Edge_1RB_Left	20.07	19.88
DC_12A_n66A	10	15	1775	CP	64QAM	Edge_1RB_Right	20.00	19.81
DC_12A_n66A	10	15	1775	CP	64QAM	Outer_Full	19.64	19.45
DC_12A_n66A	10	15	1775	CP	256QAM	Inner_Full	16.65	16.46
DC_12A_n66A	10	15	1775	CP	256QAM	Edge_1RB_Left	16.36	16.17
DC_12A_n66A	10	15	1775	CP	256QAM	Edge_1RB_Right	16.61	16.42
DC_12A_n66A	10	15	1775	CP	256QAM	Outer_Full	16.72	16.53
DC_12A_n66A	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	23.38	23.19
DC_12A_n66A	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.87	22.68
DC_12A_n66A	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.87	22.68
DC_12A_n66A	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	22.94	22.75
DC_12A_n66A	15	15	1717.5	DFT	QPSK	Inner_Full	23.43	23.24
DC_12A_n66A	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	22.35	22.16
DC_12A_n66A	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	22.33	22.14



DC_12A_n66A	15	15	1717.5	DFT	QPSK	Outer_Full	22.49	22.30
DC_12A_n66A	15	15	1717.5	DFT	16QAM	Inner_Full	22.52	22.33
DC_12A_n66A	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	21.61	21.42
DC_12A_n66A	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	21.09	20.90
DC_12A_n66A	15	15	1717.5	DFT	16QAM	Outer_Full	21.49	21.30
DC_12A_n66A	15	15	1717.5	DFT	64QAM	Inner_Full	20.92	20.73
DC_12A_n66A	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	20.63	20.44
DC_12A_n66A	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	20.55	20.36
DC_12A_n66A	15	15	1717.5	DFT	64QAM	Outer_Full	20.97	20.78
DC_12A_n66A	15	15	1717.5	DFT	256QAM	Inner_Full	18.86	18.67
DC_12A_n66A	15	15	1717.5	DFT	256QAM	Edge_1RB_Left	18.47	18.28
DC_12A_n66A	15	15	1717.5	DFT	256QAM	Edge_1RB_Right	18.34	18.15
DC_12A_n66A	15	15	1717.5	DFT	256QAM	Outer_Full	19.03	18.84
DC_12A_n66A	15	15	1717.5	CP	QPSK	Inner_Full	21.90	21.71
DC_12A_n66A	15	15	1717.5	CP	QPSK	Edge_1RB_Left	20.41	20.22
DC_12A_n66A	15	15	1717.5	CP	QPSK	Edge_1RB_Right	20.48	20.29
DC_12A_n66A	15	15	1717.5	CP	QPSK	Outer_Full	20.44	20.25
DC_12A_n66A	15	15	1717.5	CP	16QAM	Inner_Full	21.49	21.30
DC_12A_n66A	15	15	1717.5	CP	16QAM	Edge_1RB_Left	20.49	20.30
DC_12A_n66A	15	15	1717.5	CP	16QAM	Edge_1RB_Right	20.41	20.22
DC_12A_n66A	15	15	1717.5	CP	16QAM	Outer_Full	20.45	20.26
DC_12A_n66A	15	15	1717.5	CP	64QAM	Inner_Full	19.95	19.76
DC_12A_n66A	15	15	1717.5	CP	64QAM	Edge_1RB_Left	19.59	19.40
DC_12A_n66A	15	15	1717.5	CP	64QAM	Edge_1RB_Right	19.63	19.44
DC_12A_n66A	15	15	1717.5	CP	64QAM	Outer_Full	19.98	19.79
DC_12A_n66A	15	15	1717.5	CP	256QAM	Inner_Full	16.96	16.77
DC_12A_n66A	15	15	1717.5	CP	256QAM	Edge_1RB_Left	16.51	16.32
DC_12A_n66A	15	15	1717.5	CP	256QAM	Edge_1RB_Right	16.59	16.40
DC_12A_n66A	15	15	1717.5	CP	256QAM	Outer_Full	17.04	16.85
DC_12A_n66A	15	15	1745	DFT	pi/2 BPSK	Inner_Full	23.32	23.13
DC_12A_n66A	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.76	22.57
DC_12A_n66A	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.79	22.60
DC_12A_n66A	15	15	1745	DFT	pi/2 BPSK	Outer_Full	22.83	22.64
DC_12A_n66A	15	15	1745	DFT	QPSK	Inner_Full	23.39	23.20
DC_12A_n66A	15	15	1745	DFT	QPSK	Edge_1RB_Left	22.27	22.08
DC_12A_n66A	15	15	1745	DFT	QPSK	Edge_1RB_Right	22.24	22.05
DC_12A_n66A	15	15	1745	DFT	QPSK	Outer_Full	22.30	22.11
DC_12A_n66A	15	15	1745	DFT	16QAM	Inner_Full	22.43	22.24
DC_12A_n66A	15	15	1745	DFT	16QAM	Edge_1RB_Left	21.01	20.82
DC_12A_n66A	15	15	1745	DFT	16QAM	Edge_1RB_Right	20.96	20.77
DC_12A_n66A	15	15	1745	DFT	16QAM	Outer_Full	21.31	21.12

DC_12A_n66A	15	15	1745	DFT	64QAM	Inner_Full	20.82	20.63
DC_12A_n66A	15	15	1745	DFT	64QAM	Edge_1RB_Left	20.35	20.16
DC_12A_n66A	15	15	1745	DFT	64QAM	Edge_1RB_Right	20.46	20.27
DC_12A_n66A	15	15	1745	DFT	64QAM	Outer_Full	20.81	20.62
DC_12A_n66A	15	15	1745	DFT	256QAM	Inner_Full	18.79	18.60
DC_12A_n66A	15	15	1745	DFT	256QAM	Edge_1RB_Left	18.47	18.28
DC_12A_n66A	15	15	1745	DFT	256QAM	Edge_1RB_Right	18.27	18.08
DC_12A_n66A	15	15	1745	DFT	256QAM	Outer_Full	18.80	18.61
DC_12A_n66A	15	15	1745	CP	QPSK	Inner_Full	21.80	21.61
DC_12A_n66A	15	15	1745	CP	QPSK	Edge_1RB_Left	20.26	20.07
DC_12A_n66A	15	15	1745	CP	QPSK	Edge_1RB_Right	20.32	20.13
DC_12A_n66A	15	15	1745	CP	QPSK	Outer_Full	20.31	20.12
DC_12A_n66A	15	15	1745	CP	16QAM	Inner_Full	21.37	21.18
DC_12A_n66A	15	15	1745	CP	16QAM	Edge_1RB_Left	20.32	20.13
DC_12A_n66A	15	15	1745	CP	16QAM	Edge_1RB_Right	20.31	20.12
DC_12A_n66A	15	15	1745	CP	16QAM	Outer_Full	20.29	20.10
DC_12A_n66A	15	15	1745	CP	64QAM	Inner_Full	19.78	19.59
DC_12A_n66A	15	15	1745	CP	64QAM	Edge_1RB_Left	19.93	19.74
DC_12A_n66A	15	15	1745	CP	64QAM	Edge_1RB_Right	19.98	19.79
DC_12A_n66A	15	15	1745	CP	64QAM	Outer_Full	19.73	19.54
DC_12A_n66A	15	15	1745	CP	256QAM	Inner_Full	16.82	16.63
DC_12A_n66A	15	15	1745	CP	256QAM	Edge_1RB_Left	16.43	16.24
DC_12A_n66A	15	15	1745	CP	256QAM	Edge_1RB_Right	16.46	16.27
DC_12A_n66A	15	15	1745	CP	256QAM	Outer_Full	16.89	16.70
DC_12A_n66A	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	23.28	23.09
DC_12A_n66A	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.78	22.59
DC_12A_n66A	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.79	22.60
DC_12A_n66A	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	22.79	22.60
DC_12A_n66A	15	15	1772.5	DFT	QPSK	Inner_Full	23.33	23.14
DC_12A_n66A	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	22.26	22.07
DC_12A_n66A	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	22.29	22.10
DC_12A_n66A	15	15	1772.5	DFT	QPSK	Outer_Full	22.30	22.11
DC_12A_n66A	15	15	1772.5	DFT	16QAM	Inner_Full	22.43	22.24
DC_12A_n66A	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	20.79	20.60
DC_12A_n66A	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	20.96	20.77
DC_12A_n66A	15	15	1772.5	DFT	16QAM	Outer_Full	21.27	21.08
DC_12A_n66A	15	15	1772.5	DFT	64QAM	Inner_Full	20.84	20.65
DC_12A_n66A	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	20.46	20.27
DC_12A_n66A	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	20.48	20.29
DC_12A_n66A	15	15	1772.5	DFT	64QAM	Outer_Full	20.81	20.62
DC_12A_n66A	15	15	1772.5	DFT	256QAM	Inner_Full	18.80	18.61

DC_12A_n66A	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	18.19	18.00
DC_12A_n66A	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	18.42	18.23
DC_12A_n66A	15	15	1772.5	DFT	256QAM	Outer_Full	18.76	18.57
DC_12A_n66A	15	15	1772.5	CP	QPSK	Inner_Full	21.75	21.56
DC_12A_n66A	15	15	1772.5	CP	QPSK	Edge_1RB_Left	20.23	20.04
DC_12A_n66A	15	15	1772.5	CP	QPSK	Edge_1RB_Right	20.33	20.14
DC_12A_n66A	15	15	1772.5	CP	QPSK	Outer_Full	20.29	20.10
DC_12A_n66A	15	15	1772.5	CP	16QAM	Inner_Full	21.40	21.21
DC_12A_n66A	15	15	1772.5	CP	16QAM	Edge_1RB_Left	20.28	20.09
DC_12A_n66A	15	15	1772.5	CP	16QAM	Edge_1RB_Right	19.88	19.69
DC_12A_n66A	15	15	1772.5	CP	16QAM	Outer_Full	20.27	20.08
DC_12A_n66A	15	15	1772.5	CP	64QAM	Inner_Full	19.84	19.65
DC_12A_n66A	15	15	1772.5	CP	64QAM	Edge_1RB_Left	19.99	19.80
DC_12A_n66A	15	15	1772.5	CP	64QAM	Edge_1RB_Right	20.02	19.83
DC_12A_n66A	15	15	1772.5	CP	64QAM	Outer_Full	19.69	19.50
DC_12A_n66A	15	15	1772.5	CP	256QAM	Inner_Full	16.82	16.63
DC_12A_n66A	15	15	1772.5	CP	256QAM	Edge_1RB_Left	16.39	16.20
DC_12A_n66A	15	15	1772.5	CP	256QAM	Edge_1RB_Right	16.41	16.22
DC_12A_n66A	15	15	1772.5	CP	256QAM	Outer_Full	16.88	16.69
DC_12A_n66A	20	15	1720	DFT	pi/2 BPSK	Inner_Full	23.43	23.24
DC_12A_n66A	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	22.85	22.66
DC_12A_n66A	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	22.82	22.63
DC_12A_n66A	20	15	1720	DFT	pi/2 BPSK	Outer_Full	23.02	22.83
DC_12A_n66A	20	15	1720	DFT	QPSK	Inner_Full	23.44	23.25
DC_12A_n66A	20	15	1720	DFT	QPSK	Edge_1RB_Left	22.36	22.17
DC_12A_n66A	20	15	1720	DFT	QPSK	Edge_1RB_Right	22.46	22.27
DC_12A_n66A	20	15	1720	DFT	QPSK	Outer_Full	22.56	22.37
DC_12A_n66A	20	15	1720	DFT	16QAM	Inner_Full	22.43	22.24
DC_12A_n66A	20	15	1720	DFT	16QAM	Edge_1RB_Left	21.40	21.21
DC_12A_n66A	20	15	1720	DFT	16QAM	Edge_1RB_Right	21.00	20.81
DC_12A_n66A	20	15	1720	DFT	16QAM	Outer_Full	21.59	21.40
DC_12A_n66A	20	15	1720	DFT	64QAM	Inner_Full	20.95	20.76
DC_12A_n66A	20	15	1720	DFT	64QAM	Edge_1RB_Left	20.65	20.46
DC_12A_n66A	20	15	1720	DFT	64QAM	Edge_1RB_Right	20.55	20.36
DC_12A_n66A	20	15	1720	DFT	64QAM	Outer_Full	21.06	20.87
DC_12A_n66A	20	15	1720	DFT	256QAM	Inner_Full	18.83	18.64
DC_12A_n66A	20	15	1720	DFT	256QAM	Edge_1RB_Left	18.68	18.49
DC_12A_n66A	20	15	1720	DFT	256QAM	Edge_1RB_Right	18.60	18.41
DC_12A_n66A	20	15	1720	DFT	256QAM	Outer_Full	19.03	18.84
DC_12A_n66A	20	15	1720	CP	QPSK	Inner_Full	21.91	21.72
DC_12A_n66A	20	15	1720	CP	QPSK	Edge_1RB_Left	20.31	20.12

DC_12A_n66A	20	15	1720	CP	QPSK	Edge_1RB_Right	20.42	20.23
DC_12A_n66A	20	15	1720	CP	QPSK	Outer_Full	20.60	20.41
DC_12A_n66A	20	15	1720	CP	16QAM	Inner_Full	21.45	21.26
DC_12A_n66A	20	15	1720	CP	16QAM	Edge_1RB_Left	20.36	20.17
DC_12A_n66A	20	15	1720	CP	16QAM	Edge_1RB_Right	19.94	19.75
DC_12A_n66A	20	15	1720	CP	16QAM	Outer_Full	20.51	20.32
DC_12A_n66A	20	15	1720	CP	64QAM	Inner_Full	19.88	19.69
DC_12A_n66A	20	15	1720	CP	64QAM	Edge_1RB_Left	19.62	19.43
DC_12A_n66A	20	15	1720	CP	64QAM	Edge_1RB_Right	19.65	19.46
DC_12A_n66A	20	15	1720	CP	64QAM	Outer_Full	20.04	19.85
DC_12A_n66A	20	15	1720	CP	256QAM	Inner_Full	17.05	16.86
DC_12A_n66A	20	15	1720	CP	256QAM	Edge_1RB_Left	16.45	16.26
DC_12A_n66A	20	15	1720	CP	256QAM	Edge_1RB_Right	16.53	16.34
DC_12A_n66A	20	15	1720	CP	256QAM	Outer_Full	17.12	16.93
DC_12A_n66A	20	15	1745	DFT	pi/2 BPSK	Inner_Full	23.34	23.15
DC_12A_n66A	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.82	22.63
DC_12A_n66A	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.80	22.61
DC_12A_n66A	20	15	1745	DFT	pi/2 BPSK	Outer_Full	22.76	22.57
DC_12A_n66A	20	15	1745	DFT	QPSK	Inner_Full	23.40	23.21
DC_12A_n66A	20	15	1745	DFT	QPSK	Edge_1RB_Left	22.30	22.11
DC_12A_n66A	20	15	1745	DFT	QPSK	Edge_1RB_Right	22.29	22.10
DC_12A_n66A	20	15	1745	DFT	QPSK	Outer_Full	22.30	22.11
DC_12A_n66A	20	15	1745	DFT	16QAM	Inner_Full	22.35	22.16
DC_12A_n66A	20	15	1745	DFT	16QAM	Edge_1RB_Left	21.07	20.88
DC_12A_n66A	20	15	1745	DFT	16QAM	Edge_1RB_Right	21.02	20.83
DC_12A_n66A	20	15	1745	DFT	16QAM	Outer_Full	21.32	21.13
DC_12A_n66A	20	15	1745	DFT	64QAM	Inner_Full	20.84	20.65
DC_12A_n66A	20	15	1745	DFT	64QAM	Edge_1RB_Left	20.55	20.36
DC_12A_n66A	20	15	1745	DFT	64QAM	Edge_1RB_Right	20.53	20.34
DC_12A_n66A	20	15	1745	DFT	64QAM	Outer_Full	20.80	20.61
DC_12A_n66A	20	15	1745	DFT	256QAM	Inner_Full	18.84	18.65
DC_12A_n66A	20	15	1745	DFT	256QAM	Edge_1RB_Left	18.59	18.40
DC_12A_n66A	20	15	1745	DFT	256QAM	Edge_1RB_Right	18.71	18.52
DC_12A_n66A	20	15	1745	DFT	256QAM	Outer_Full	18.79	18.60
DC_12A_n66A	20	15	1745	CP	QPSK	Inner_Full	21.83	21.64
DC_12A_n66A	20	15	1745	CP	QPSK	Edge_1RB_Left	20.28	20.09
DC_12A_n66A	20	15	1745	CP	QPSK	Edge_1RB_Right	20.43	20.24
DC_12A_n66A	20	15	1745	CP	QPSK	Outer_Full	20.25	20.06
DC_12A_n66A	20	15	1745	CP	16QAM	Inner_Full	21.38	21.19
DC_12A_n66A	20	15	1745	CP	16QAM	Edge_1RB_Left	20.41	20.22
DC_12A_n66A	20	15	1745	CP	16QAM	Edge_1RB_Right	20.44	20.25

DC_12A_n66A	20	15	1745	CP	16QAM	Outer_Full	20.18	19.99
DC_12A_n66A	20	15	1745	CP	64QAM	Inner_Full	19.80	19.61
DC_12A_n66A	20	15	1745	CP	64QAM	Edge_1RB_Left	20.00	19.81
DC_12A_n66A	20	15	1745	CP	64QAM	Edge_1RB_Right	20.05	19.86
DC_12A_n66A	20	15	1745	CP	64QAM	Outer_Full	19.77	19.58
DC_12A_n66A	20	15	1745	CP	256QAM	Inner_Full	16.95	16.76
DC_12A_n66A	20	15	1745	CP	256QAM	Edge_1RB_Left	16.63	16.44
DC_12A_n66A	20	15	1745	CP	256QAM	Edge_1RB_Right	16.69	16.50
DC_12A_n66A	20	15	1745	CP	256QAM	Outer_Full	16.82	16.63
DC_12A_n66A	20	15	1770	DFT	pi/2 BPSK	Inner_Full	23.38	23.19
DC_12A_n66A	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	22.80	22.61
DC_12A_n66A	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	22.85	22.66
DC_12A_n66A	20	15	1770	DFT	pi/2 BPSK	Outer_Full	22.80	22.61
DC_12A_n66A	20	15	1770	DFT	QPSK	Inner_Full	23.38	23.19
DC_12A_n66A	20	15	1770	DFT	QPSK	Edge_1RB_Left	22.24	22.05
DC_12A_n66A	20	15	1770	DFT	QPSK	Edge_1RB_Right	22.28	22.09
DC_12A_n66A	20	15	1770	DFT	QPSK	Outer_Full	22.28	22.09
DC_12A_n66A	20	15	1770	DFT	16QAM	Inner_Full	22.40	22.21
DC_12A_n66A	20	15	1770	DFT	16QAM	Edge_1RB_Left	20.91	20.72
DC_12A_n66A	20	15	1770	DFT	16QAM	Edge_1RB_Right	21.34	21.15
DC_12A_n66A	20	15	1770	DFT	16QAM	Outer_Full	21.29	21.10
DC_12A_n66A	20	15	1770	DFT	64QAM	Inner_Full	20.86	20.67
DC_12A_n66A	20	15	1770	DFT	64QAM	Edge_1RB_Left	20.42	20.23
DC_12A_n66A	20	15	1770	DFT	64QAM	Edge_1RB_Right	20.37	20.18
DC_12A_n66A	20	15	1770	DFT	64QAM	Outer_Full	20.78	20.59
DC_12A_n66A	20	15	1770	DFT	256QAM	Inner_Full	18.83	18.64
DC_12A_n66A	20	15	1770	DFT	256QAM	Edge_1RB_Left	18.60	18.41
DC_12A_n66A	20	15	1770	DFT	256QAM	Edge_1RB_Right	18.43	18.24
DC_12A_n66A	20	15	1770	DFT	256QAM	Outer_Full	18.70	18.51
DC_12A_n66A	20	15	1770	CP	QPSK	Inner_Full	21.82	21.63
DC_12A_n66A	20	15	1770	CP	QPSK	Edge_1RB_Left	20.29	20.10
DC_12A_n66A	20	15	1770	CP	QPSK	Edge_1RB_Right	20.47	20.28
DC_12A_n66A	20	15	1770	CP	QPSK	Outer_Full	20.23	20.04
DC_12A_n66A	20	15	1770	CP	16QAM	Inner_Full	21.32	21.13
DC_12A_n66A	20	15	1770	CP	16QAM	Edge_1RB_Left	20.34	20.15
DC_12A_n66A	20	15	1770	CP	16QAM	Edge_1RB_Right	20.43	20.24
DC_12A_n66A	20	15	1770	CP	16QAM	Outer_Full	20.15	19.96
DC_12A_n66A	20	15	1770	CP	64QAM	Inner_Full	19.78	19.59
DC_12A_n66A	20	15	1770	CP	64QAM	Edge_1RB_Left	19.36	19.17
DC_12A_n66A	20	15	1770	CP	64QAM	Edge_1RB_Right	19.60	19.41
DC_12A_n66A	20	15	1770	CP	64QAM	Outer_Full	19.73	19.54

DC_12A_n66A	20	15	1770	CP	256QAM	Inner_Full	16.92	16.73
DC_12A_n66A	20	15	1770	CP	256QAM	Edge_1RB_Left	16.32	16.13
DC_12A_n66A	20	15	1770	CP	256QAM	Edge_1RB_Right	16.39	16.20
DC_12A_n66A	20	15	1770	CP	256QAM	Outer_Full	16.85	16.66
DC_12A_n66A	30	15	1725	DFT	pi/2 BPSK	Inner_Full	23.33	23.14
DC_12A_n66A	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Left	22.46	22.27
DC_12A_n66A	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Right	22.51	22.32
DC_12A_n66A	30	15	1725	DFT	pi/2 BPSK	Outer_Full	22.85	22.66
DC_12A_n66A	30	15	1725	DFT	QPSK	Inner_Full	23.35	23.16
DC_12A_n66A	30	15	1725	DFT	QPSK	Edge_1RB_Left	21.90	21.71
DC_12A_n66A	30	15	1725	DFT	QPSK	Edge_1RB_Right	21.98	21.79
DC_12A_n66A	30	15	1725	DFT	QPSK	Outer_Full	22.39	22.20
DC_12A_n66A	30	15	1725	DFT	16QAM	Inner_Full	22.38	22.19
DC_12A_n66A	30	15	1725	DFT	16QAM	Edge_1RB_Left	21.02	20.83
DC_12A_n66A	30	15	1725	DFT	16QAM	Edge_1RB_Right	21.07	20.88
DC_12A_n66A	30	15	1725	DFT	16QAM	Outer_Full	21.39	21.20
DC_12A_n66A	30	15	1725	DFT	64QAM	Inner_Full	20.86	20.67
DC_12A_n66A	30	15	1725	DFT	64QAM	Edge_1RB_Left	20.49	20.30
DC_12A_n66A	30	15	1725	DFT	64QAM	Edge_1RB_Right	20.50	20.31
DC_12A_n66A	30	15	1725	DFT	64QAM	Outer_Full	20.88	20.69
DC_12A_n66A	30	15	1725	DFT	256QAM	Inner_Full	18.77	18.58
DC_12A_n66A	30	15	1725	DFT	256QAM	Edge_1RB_Left	18.46	18.27
DC_12A_n66A	30	15	1725	DFT	256QAM	Edge_1RB_Right	18.51	18.32
DC_12A_n66A	30	15	1725	DFT	256QAM	Outer_Full	18.85	18.66
DC_12A_n66A	30	15	1725	CP	QPSK	Inner_Full	21.85	21.66
DC_12A_n66A	30	15	1725	CP	QPSK	Edge_1RB_Left	20.05	19.86
DC_12A_n66A	30	15	1725	CP	QPSK	Edge_1RB_Right	20.12	19.93
DC_12A_n66A	30	15	1725	CP	QPSK	Outer_Full	20.37	20.18
DC_12A_n66A	30	15	1725	CP	16QAM	Inner_Full	21.36	21.17
DC_12A_n66A	30	15	1725	CP	16QAM	Edge_1RB_Left	20.11	19.92
DC_12A_n66A	30	15	1725	CP	16QAM	Edge_1RB_Right	20.15	19.96
DC_12A_n66A	30	15	1725	CP	16QAM	Outer_Full	20.36	20.17
DC_12A_n66A	30	15	1725	CP	64QAM	Inner_Full	19.84	19.65
DC_12A_n66A	30	15	1725	CP	64QAM	Edge_1RB_Left	19.72	19.53
DC_12A_n66A	30	15	1725	CP	64QAM	Edge_1RB_Right	19.76	19.57
DC_12A_n66A	30	15	1725	CP	64QAM	Outer_Full	19.87	19.68
DC_12A_n66A	30	15	1725	CP	256QAM	Inner_Full	16.90	16.71
DC_12A_n66A	30	15	1725	CP	256QAM	Edge_1RB_Left	16.61	16.42
DC_12A_n66A	30	15	1725	CP	256QAM	Edge_1RB_Right	16.72	16.53
DC_12A_n66A	30	15	1725	CP	256QAM	Outer_Full	16.91	16.72
DC_12A_n66A	30	15	1745	DFT	pi/2 BPSK	Inner_Full	23.32	23.13

DC_12A_n66A	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.49	22.30
DC_12A_n66A	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.52	22.33
DC_12A_n66A	30	15	1745	DFT	pi/2 BPSK	Outer_Full	22.62	22.43
DC_12A_n66A	30	15	1745	DFT	QPSK	Inner_Full	23.33	23.14
DC_12A_n66A	30	15	1745	DFT	QPSK	Edge_1RB_Left	22.10	21.91
DC_12A_n66A	30	15	1745	DFT	QPSK	Edge_1RB_Right	22.08	21.89
DC_12A_n66A	30	15	1745	DFT	QPSK	Outer_Full	22.07	21.88
DC_12A_n66A	30	15	1745	DFT	16QAM	Inner_Full	22.35	22.16
DC_12A_n66A	30	15	1745	DFT	16QAM	Edge_1RB_Left	21.22	21.03
DC_12A_n66A	30	15	1745	DFT	16QAM	Edge_1RB_Right	21.20	21.01
DC_12A_n66A	30	15	1745	DFT	16QAM	Outer_Full	21.16	20.97
DC_12A_n66A	30	15	1745	DFT	64QAM	Inner_Full	20.84	20.65
DC_12A_n66A	30	15	1745	DFT	64QAM	Edge_1RB_Left	20.82	20.63
DC_12A_n66A	30	15	1745	DFT	64QAM	Edge_1RB_Right	20.74	20.55
DC_12A_n66A	30	15	1745	DFT	64QAM	Outer_Full	20.66	20.47
DC_12A_n66A	30	15	1745	DFT	256QAM	Inner_Full	18.71	18.52
DC_12A_n66A	30	15	1745	DFT	256QAM	Edge_1RB_Left	18.14	17.95
DC_12A_n66A	30	15	1745	DFT	256QAM	Edge_1RB_Right	18.07	17.88
DC_12A_n66A	30	15	1745	DFT	256QAM	Outer_Full	18.64	18.45
DC_12A_n66A	30	15	1745	CP	QPSK	Inner_Full	21.76	21.57
DC_12A_n66A	30	15	1745	CP	QPSK	Edge_1RB_Left	20.08	19.89
DC_12A_n66A	30	15	1745	CP	QPSK	Edge_1RB_Right	20.12	19.93
DC_12A_n66A	30	15	1745	CP	QPSK	Outer_Full	20.14	19.95
DC_12A_n66A	30	15	1745	CP	16QAM	Inner_Full	21.30	21.11
DC_12A_n66A	30	15	1745	CP	16QAM	Edge_1RB_Left	20.11	19.92
DC_12A_n66A	30	15	1745	CP	16QAM	Edge_1RB_Right	20.23	20.04
DC_12A_n66A	30	15	1745	CP	16QAM	Outer_Full	20.10	19.91
DC_12A_n66A	30	15	1745	CP	64QAM	Inner_Full	19.85	19.66
DC_12A_n66A	30	15	1745	CP	64QAM	Edge_1RB_Left	19.73	19.54
DC_12A_n66A	30	15	1745	CP	64QAM	Edge_1RB_Right	19.80	19.61
DC_12A_n66A	30	15	1745	CP	64QAM	Outer_Full	19.72	19.53
DC_12A_n66A	30	15	1745	CP	256QAM	Inner_Full	16.82	16.63
DC_12A_n66A	30	15	1745	CP	256QAM	Edge_1RB_Left	16.23	16.04
DC_12A_n66A	30	15	1745	CP	256QAM	Edge_1RB_Right	16.29	16.10
DC_12A_n66A	30	15	1745	CP	256QAM	Outer_Full	16.66	16.47
DC_12A_n66A	30	15	1765	DFT	pi/2 BPSK	Inner_Full	23.41	23.22
DC_12A_n66A	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Left	22.36	22.17
DC_12A_n66A	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Right	22.56	22.37
DC_12A_n66A	30	15	1765	DFT	pi/2 BPSK	Outer_Full	22.75	22.56
DC_12A_n66A	30	15	1765	DFT	QPSK	Inner_Full	23.39	23.20
DC_12A_n66A	30	15	1765	DFT	QPSK	Edge_1RB_Left	21.95	21.76

DC_12A_n66A	30	15	1765	DFT	QPSK	Edge_1RB_Right	21.99	21.80
DC_12A_n66A	30	15	1765	DFT	QPSK	Outer_Full	22.33	22.14
DC_12A_n66A	30	15	1765	DFT	16QAM	Inner_Full	22.39	22.20
DC_12A_n66A	30	15	1765	DFT	16QAM	Edge_1RB_Left	21.14	20.95
DC_12A_n66A	30	15	1765	DFT	16QAM	Edge_1RB_Right	21.24	21.05
DC_12A_n66A	30	15	1765	DFT	16QAM	Outer_Full	21.31	21.12
DC_12A_n66A	30	15	1765	DFT	64QAM	Inner_Full	20.90	20.71
DC_12A_n66A	30	15	1765	DFT	64QAM	Edge_1RB_Left	20.05	19.86
DC_12A_n66A	30	15	1765	DFT	64QAM	Edge_1RB_Right	20.68	20.49
DC_12A_n66A	30	15	1765	DFT	64QAM	Outer_Full	20.79	20.60
DC_12A_n66A	30	15	1765	DFT	256QAM	Inner_Full	18.77	18.58
DC_12A_n66A	30	15	1765	DFT	256QAM	Edge_1RB_Left	18.11	17.92
DC_12A_n66A	30	15	1765	DFT	256QAM	Edge_1RB_Right	18.32	18.13
DC_12A_n66A	30	15	1765	DFT	256QAM	Outer_Full	18.72	18.53
DC_12A_n66A	30	15	1765	CP	QPSK	Inner_Full	21.83	21.64
DC_12A_n66A	30	15	1765	CP	QPSK	Edge_1RB_Left	19.99	19.80
DC_12A_n66A	30	15	1765	CP	QPSK	Edge_1RB_Right	20.17	19.98
DC_12A_n66A	30	15	1765	CP	QPSK	Outer_Full	20.25	20.06
DC_12A_n66A	30	15	1765	CP	16QAM	Inner_Full	21.34	21.15
DC_12A_n66A	30	15	1765	CP	16QAM	Edge_1RB_Left	20.04	19.85
DC_12A_n66A	30	15	1765	CP	16QAM	Edge_1RB_Right	20.17	19.98
DC_12A_n66A	30	15	1765	CP	16QAM	Outer_Full	20.29	20.10
DC_12A_n66A	30	15	1765	CP	64QAM	Inner_Full	19.88	19.69
DC_12A_n66A	30	15	1765	CP	64QAM	Edge_1RB_Left	19.56	19.37
DC_12A_n66A	30	15	1765	CP	64QAM	Edge_1RB_Right	19.81	19.62
DC_12A_n66A	30	15	1765	CP	64QAM	Outer_Full	19.84	19.65
DC_12A_n66A	30	15	1765	CP	256QAM	Inner_Full	16.86	16.67
DC_12A_n66A	30	15	1765	CP	256QAM	Edge_1RB_Left	16.13	15.94
DC_12A_n66A	30	15	1765	CP	256QAM	Edge_1RB_Right	16.52	16.33
DC_12A_n66A	30	15	1765	CP	256QAM	Outer_Full	16.83	16.64
DC_12A_n66A	40	15	1730	DFT	pi/2 BPSK	Inner_Full	23.39	23.20
DC_12A_n66A	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Left	22.39	22.20
DC_12A_n66A	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Right	22.42	22.23
DC_12A_n66A	40	15	1730	DFT	pi/2 BPSK	Outer_Full	22.87	22.68
DC_12A_n66A	40	15	1730	DFT	QPSK	Inner_Full	23.43	23.24
DC_12A_n66A	40	15	1730	DFT	QPSK	Edge_1RB_Left	21.88	21.69
DC_12A_n66A	40	15	1730	DFT	QPSK	Edge_1RB_Right	21.99	21.80
DC_12A_n66A	40	15	1730	DFT	QPSK	Outer_Full	22.36	22.17
DC_12A_n66A	40	15	1730	DFT	16QAM	Inner_Full	22.43	22.24
DC_12A_n66A	40	15	1730	DFT	16QAM	Edge_1RB_Left	21.02	20.83
DC_12A_n66A	40	15	1730	DFT	16QAM	Edge_1RB_Right	21.03	20.84



DC_12A_n66A	40	15	1730	DFT	16QAM	Outer_Full	21.39	21.20
DC_12A_n66A	40	15	1730	DFT	64QAM	Inner_Full	20.88	20.69
DC_12A_n66A	40	15	1730	DFT	64QAM	Edge_1RB_Left	20.64	20.45
DC_12A_n66A	40	15	1730	DFT	64QAM	Edge_1RB_Right	20.15	19.96
DC_12A_n66A	40	15	1730	DFT	64QAM	Outer_Full	20.85	20.66
DC_12A_n66A	40	15	1730	DFT	256QAM	Inner_Full	18.82	18.63
DC_12A_n66A	40	15	1730	DFT	256QAM	Edge_1RB_Left	17.99	17.80
DC_12A_n66A	40	15	1730	DFT	256QAM	Edge_1RB_Right	18.13	17.94
DC_12A_n66A	40	15	1730	DFT	256QAM	Outer_Full	18.93	18.74
DC_12A_n66A	40	15	1730	CP	QPSK	Inner_Full	21.91	21.72
DC_12A_n66A	40	15	1730	CP	QPSK	Edge_1RB_Left	19.88	19.69
DC_12A_n66A	40	15	1730	CP	QPSK	Edge_1RB_Right	20.03	19.84
DC_12A_n66A	40	15	1730	CP	QPSK	Outer_Full	20.30	20.11
DC_12A_n66A	40	15	1730	CP	16QAM	Inner_Full	21.37	21.18
DC_12A_n66A	40	15	1730	CP	16QAM	Edge_1RB_Left	19.86	19.67
DC_12A_n66A	40	15	1730	CP	16QAM	Edge_1RB_Right	19.56	19.37
DC_12A_n66A	40	15	1730	CP	16QAM	Outer_Full	20.39	20.20
DC_12A_n66A	40	15	1730	CP	64QAM	Inner_Full	19.89	19.70
DC_12A_n66A	40	15	1730	CP	64QAM	Edge_1RB_Left	19.16	18.97
DC_12A_n66A	40	15	1730	CP	64QAM	Edge_1RB_Right	19.03	18.84
DC_12A_n66A	40	15	1730	CP	64QAM	Outer_Full	19.87	19.68
DC_12A_n66A	40	15	1730	CP	256QAM	Inner_Full	16.93	16.74
DC_12A_n66A	40	15	1730	CP	256QAM	Edge_1RB_Left	16.31	16.12
DC_12A_n66A	40	15	1730	CP	256QAM	Edge_1RB_Right	16.34	16.15
DC_12A_n66A	40	15	1730	CP	256QAM	Outer_Full	16.94	16.75
DC_12A_n66A	40	15	1745	DFT	pi/2 BPSK	Inner_Full	23.34	23.15
DC_12A_n66A	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.28	22.09
DC_12A_n66A	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.47	22.28
DC_12A_n66A	40	15	1745	DFT	pi/2 BPSK	Outer_Full	22.48	22.29
DC_12A_n66A	40	15	1745	DFT	QPSK	Inner_Full	23.36	23.17
DC_12A_n66A	40	15	1745	DFT	QPSK	Edge_1RB_Left	21.91	21.72
DC_12A_n66A	40	15	1745	DFT	QPSK	Edge_1RB_Right	21.81	21.62
DC_12A_n66A	40	15	1745	DFT	QPSK	Outer_Full	22.06	21.87
DC_12A_n66A	40	15	1745	DFT	16QAM	Inner_Full	22.35	22.16
DC_12A_n66A	40	15	1745	DFT	16QAM	Edge_1RB_Left	21.04	20.85
DC_12A_n66A	40	15	1745	DFT	16QAM	Edge_1RB_Right	20.56	20.37
DC_12A_n66A	40	15	1745	DFT	16QAM	Outer_Full	21.03	20.84
DC_12A_n66A	40	15	1745	DFT	64QAM	Inner_Full	20.83	20.64
DC_12A_n66A	40	15	1745	DFT	64QAM	Edge_1RB_Left	20.04	19.85
DC_12A_n66A	40	15	1745	DFT	64QAM	Edge_1RB_Right	20.32	20.13
DC_12A_n66A	40	15	1745	DFT	64QAM	Outer_Full	20.54	20.35

DC_12A_n66A	40	15	1745	DFT	256QAM	Inner_Full	18.76	18.57
DC_12A_n66A	40	15	1745	DFT	256QAM	Edge_1RB_Left	17.86	17.67
DC_12A_n66A	40	15	1745	DFT	256QAM	Edge_1RB_Right	18.12	17.93
DC_12A_n66A	40	15	1745	DFT	256QAM	Outer_Full	18.58	18.39
DC_12A_n66A	40	15	1745	CP	QPSK	Inner_Full	21.78	21.59
DC_12A_n66A	40	15	1745	CP	QPSK	Edge_1RB_Left	20.06	19.87
DC_12A_n66A	40	15	1745	CP	QPSK	Edge_1RB_Right	20.08	19.89
DC_12A_n66A	40	15	1745	CP	QPSK	Outer_Full	20.00	19.81
DC_12A_n66A	40	15	1745	CP	16QAM	Inner_Full	21.27	21.08
DC_12A_n66A	40	15	1745	CP	16QAM	Edge_1RB_Left	19.98	19.79
DC_12A_n66A	40	15	1745	CP	16QAM	Edge_1RB_Right	19.57	19.38
DC_12A_n66A	40	15	1745	CP	16QAM	Outer_Full	20.04	19.85
DC_12A_n66A	40	15	1745	CP	64QAM	Inner_Full	19.78	19.59
DC_12A_n66A	40	15	1745	CP	64QAM	Edge_1RB_Left	19.05	18.86
DC_12A_n66A	40	15	1745	CP	64QAM	Edge_1RB_Right	19.13	18.94
DC_12A_n66A	40	15	1745	CP	64QAM	Outer_Full	19.52	19.33
DC_12A_n66A	40	15	1745	CP	256QAM	Inner_Full	16.86	16.67
DC_12A_n66A	40	15	1745	CP	256QAM	Edge_1RB_Left	16.05	15.86
DC_12A_n66A	40	15	1745	CP	256QAM	Edge_1RB_Right	16.08	15.89
DC_12A_n66A	40	15	1745	CP	256QAM	Outer_Full	16.60	16.41
DC_12A_n66A	40	15	1760	DFT	pi/2 BPSK	Inner_Full	23.30	23.11
DC_12A_n66A	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Left	22.32	22.13
DC_12A_n66A	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Right	22.42	22.23
DC_12A_n66A	40	15	1760	DFT	pi/2 BPSK	Outer_Full	22.92	22.73
DC_12A_n66A	40	15	1760	DFT	QPSK	Inner_Full	23.37	23.18
DC_12A_n66A	40	15	1760	DFT	QPSK	Edge_1RB_Left	21.82	21.63
DC_12A_n66A	40	15	1760	DFT	QPSK	Edge_1RB_Right	21.98	21.79
DC_12A_n66A	40	15	1760	DFT	QPSK	Outer_Full	22.44	22.25
DC_12A_n66A	40	15	1760	DFT	16QAM	Inner_Full	22.37	22.18
DC_12A_n66A	40	15	1760	DFT	16QAM	Edge_1RB_Left	21.13	20.94
DC_12A_n66A	40	15	1760	DFT	16QAM	Edge_1RB_Right	21.11	20.92
DC_12A_n66A	40	15	1760	DFT	16QAM	Outer_Full	21.47	21.28
DC_12A_n66A	40	15	1760	DFT	64QAM	Inner_Full	20.87	20.68
DC_12A_n66A	40	15	1760	DFT	64QAM	Edge_1RB_Left	19.91	19.72
DC_12A_n66A	40	15	1760	DFT	64QAM	Edge_1RB_Right	20.34	20.15
DC_12A_n66A	40	15	1760	DFT	64QAM	Outer_Full	20.96	20.77
DC_12A_n66A	40	15	1760	DFT	256QAM	Inner_Full	18.79	18.60
DC_12A_n66A	40	15	1760	DFT	256QAM	Edge_1RB_Left	17.82	17.63
DC_12A_n66A	40	15	1760	DFT	256QAM	Edge_1RB_Right	18.33	18.14
DC_12A_n66A	40	15	1760	DFT	256QAM	Outer_Full	18.94	18.75
DC_12A_n66A	40	15	1760	CP	QPSK	Inner_Full	21.87	21.68

DC_12A_n66A	40	15	1760	CP	QPSK	Edge_1RB_Left	19.86	19.67
DC_12A_n66A	40	15	1760	CP	QPSK	Edge_1RB_Right	20.18	19.99
DC_12A_n66A	40	15	1760	CP	QPSK	Outer_Full	20.51	20.32
DC_12A_n66A	40	15	1760	CP	16QAM	Inner_Full	21.34	21.15
DC_12A_n66A	40	15	1760	CP	16QAM	Edge_1RB_Left	19.52	19.33
DC_12A_n66A	40	15	1760	CP	16QAM	Edge_1RB_Right	20.16	19.97
DC_12A_n66A	40	15	1760	CP	16QAM	Outer_Full	20.44	20.25
DC_12A_n66A	40	15	1760	CP	64QAM	Inner_Full	19.80	19.61
DC_12A_n66A	40	15	1760	CP	64QAM	Edge_1RB_Left	19.01	18.82
DC_12A_n66A	40	15	1760	CP	64QAM	Edge_1RB_Right	19.27	19.08
DC_12A_n66A	40	15	1760	CP	64QAM	Outer_Full	20.03	19.84
DC_12A_n66A	40	15	1760	CP	256QAM	Inner_Full	16.90	16.71
DC_12A_n66A	40	15	1760	CP	256QAM	Edge_1RB_Left	15.98	15.79
DC_12A_n66A	40	15	1760	CP	256QAM	Edge_1RB_Right	16.13	15.94
DC_12A_n66A	40	15	1760	CP	256QAM	Outer_Full	17.00	16.81

Maximum EIRP = 23.25dBm.

#### n71- EIRP

Limits: ≤33dBm (2W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP(dBm) (Gt-Lc=-2.08)
n71	5	15	665.5	DFT	pi/2 BPSK	Inner_Full	23.84	19.61
n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.47	19.24
n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.41	19.18
n71	5	15	665.5	DFT	pi/2 BPSK	Outer_Full	23.39	19.16
n71	5	15	665.5	DFT	QPSK	Inner_Full	23.93	19.70
n71	5	15	665.5	DFT	QPSK	Edge_1RB_Left	22.79	18.56
n71	5	15	665.5	DFT	QPSK	Edge_1RB_Right	22.85	18.62
n71	5	15	665.5	DFT	QPSK	Outer_Full	22.98	18.75
n71	5	15	665.5	DFT	16QAM	Inner_Full	22.92	18.69
n71	5	15	665.5	DFT	16QAM	Edge_1RB_Left	22.06	17.83
n71	5	15	665.5	DFT	16QAM	Edge_1RB_Right	22.03	17.80
n71	5	15	665.5	DFT	16QAM	Outer_Full	22.04	17.81
n71	5	15	665.5	DFT	64QAM	Inner_Full	21.56	17.33
n71	5	15	665.5	DFT	64QAM	Edge_1RB_Left	21.45	17.22
n71	5	15	665.5	DFT	64QAM	Edge_1RB_Right	21.46	17.23
n71	5	15	665.5	DFT	64QAM	Outer_Full	21.62	17.39
n71	5	15	665.5	DFT	256QAM	Inner_Full	19.54	15.31
n71	5	15	665.5	DFT	256QAM	Edge_1RB_Left	19.41	15.18
n71	5	15	665.5	DFT	256QAM	Edge_1RB_Right	19.49	15.26
n71	5	15	665.5	DFT	256QAM	Outer_Full	19.52	15.29

n71	5	15	665.5	CP	QPSK	Inner_Full	22.28	18.05
n71	5	15	665.5	CP	QPSK	Edge_1RB_Left	20.79	16.56
n71	5	15	665.5	CP	QPSK	Edge_1RB_Right	20.83	16.60
n71	5	15	665.5	CP	QPSK	Outer_Full	21.11	16.88
n71	5	15	665.5	CP	16QAM	Inner_Full	21.87	17.64
n71	5	15	665.5	CP	16QAM	Edge_1RB_Left	21.18	16.95
n71	5	15	665.5	CP	16QAM	Edge_1RB_Right	21.13	16.90
n71	5	15	665.5	CP	16QAM	Outer_Full	21.02	16.79
n71	5	15	665.5	CP	64QAM	Inner_Full	20.48	16.25
n71	5	15	665.5	CP	64QAM	Edge_1RB_Left	20.57	16.34
n71	5	15	665.5	CP	64QAM	Edge_1RB_Right	20.47	16.24
n71	5	15	665.5	CP	64QAM	Outer_Full	20.52	16.29
n71	5	15	665.5	CP	256QAM	Inner_Full	17.46	13.23
n71	5	15	665.5	CP	256QAM	Edge_1RB_Left	17.47	13.24
n71	5	15	665.5	CP	256QAM	Edge_1RB_Right	17.72	13.49
n71	5	15	665.5	CP	256QAM	Outer_Full	17.44	13.21
n71	5	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.79	19.56
n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.44	19.21
n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.44	19.21
n71	5	15	680.5	DFT	pi/2 BPSK	Outer_Full	23.37	19.14
n71	5	15	680.5	DFT	QPSK	Inner_Full	23.87	19.64
n71	5	15	680.5	DFT	QPSK	Edge_1RB_Left	22.84	18.61
n71	5	15	680.5	DFT	QPSK	Edge_1RB_Right	22.83	18.60
n71	5	15	680.5	DFT	QPSK	Outer_Full	22.95	18.72
n71	5	15	680.5	DFT	16QAM	Inner_Full	22.88	18.65
n71	5	15	680.5	DFT	16QAM	Edge_1RB_Left	21.95	17.72
n71	5	15	680.5	DFT	16QAM	Edge_1RB_Right	21.88	17.65
n71	5	15	680.5	DFT	16QAM	Outer_Full	21.97	17.74
n71	5	15	680.5	DFT	64QAM	Inner_Full	21.50	17.27
n71	5	15	680.5	DFT	64QAM	Edge_1RB_Left	21.46	17.23
n71	5	15	680.5	DFT	64QAM	Edge_1RB_Right	21.32	17.09
n71	5	15	680.5	DFT	64QAM	Outer_Full	21.59	17.36
n71	5	15	680.5	DFT	256QAM	Inner_Full	19.47	15.24
n71	5	15	680.5	DFT	256QAM	Edge_1RB_Left	19.37	15.14
n71	5	15	680.5	DFT	256QAM	Edge_1RB_Right	19.34	15.11
n71	5	15	680.5	DFT	256QAM	Outer_Full	19.45	15.22
n71	5	15	680.5	CP	QPSK	Inner_Full	22.31	18.08
n71	5	15	680.5	CP	QPSK	Edge_1RB_Left	20.93	16.70
n71	5	15	680.5	CP	QPSK	Edge_1RB_Right	20.92	16.69
n71	5	15	680.5	CP	QPSK	Outer_Full	21.01	16.78
n71	5	15	680.5	CP	16QAM	Inner_Full	21.83	17.60

n71	5	15	680.5	CP	16QAM	Edge_1RB_Left	21.04	16.81
n71	5	15	680.5	CP	16QAM	Edge_1RB_Right	20.94	16.71
n71	5	15	680.5	CP	16QAM	Outer_Full	20.99	16.76
n71	5	15	680.5	CP	64QAM	Inner_Full	20.53	16.30
n71	5	15	680.5	CP	64QAM	Edge_1RB_Left	20.60	16.37
n71	5	15	680.5	CP	64QAM	Edge_1RB_Right	20.57	16.34
n71	5	15	680.5	CP	64QAM	Outer_Full	20.49	16.26
n71	5	15	680.5	CP	256QAM	Inner_Full	17.39	13.16
n71	5	15	680.5	CP	256QAM	Edge_1RB_Left	17.53	13.30
n71	5	15	680.5	CP	256QAM	Edge_1RB_Right	17.43	13.20
n71	5	15	680.5	CP	256QAM	Outer_Full	17.41	13.18
n71	5	15	695.5	DFT	pi/2 BPSK	Inner_Full	23.81	19.58
n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.40	19.17
n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.28	19.05
n71	5	15	695.5	DFT	pi/2 BPSK	Outer_Full	23.39	19.16
n71	5	15	695.5	DFT	QPSK	Inner_Full	23.84	19.61
n71	5	15	695.5	DFT	QPSK	Edge_1RB_Left	22.73	18.50
n71	5	15	695.5	DFT	QPSK	Edge_1RB_Right	22.70	18.47
n71	5	15	695.5	DFT	QPSK	Outer_Full	22.95	18.72
n71	5	15	695.5	DFT	16QAM	Inner_Full	22.91	18.68
n71	5	15	695.5	DFT	16QAM	Edge_1RB_Left	21.92	17.69
n71	5	15	695.5	DFT	16QAM	Edge_1RB_Right	21.85	17.62
n71	5	15	695.5	DFT	16QAM	Outer_Full	21.86	17.63
n71	5	15	695.5	DFT	64QAM	Inner_Full	21.51	17.28
n71	5	15	695.5	DFT	64QAM	Edge_1RB_Left	21.34	17.11
n71	5	15	695.5	DFT	64QAM	Edge_1RB_Right	21.36	17.13
n71	5	15	695.5	DFT	64QAM	Outer_Full	21.60	17.37
n71	5	15	695.5	DFT	256QAM	Inner_Full	19.49	15.26
n71	5	15	695.5	DFT	256QAM	Edge_1RB_Left	19.32	15.09
n71	5	15	695.5	DFT	256QAM	Edge_1RB_Right	19.32	15.09
n71	5	15	695.5	DFT	256QAM	Outer_Full	19.47	15.24
n71	5	15	695.5	CP	QPSK	Inner_Full	22.25	18.02
n71	5	15	695.5	CP	QPSK	Edge_1RB_Left	20.86	16.63
n71	5	15	695.5	CP	QPSK	Edge_1RB_Right	20.84	16.61
n71	5	15	695.5	CP	QPSK	Outer_Full	21.02	16.79
n71	5	15	695.5	CP	16QAM	Inner_Full	21.74	17.51
n71	5	15	695.5	CP	16QAM	Edge_1RB_Left	20.99	16.76
n71	5	15	695.5	CP	16QAM	Edge_1RB_Right	20.95	16.72
n71	5	15	695.5	CP	16QAM	Outer_Full	20.97	16.74
n71	5	15	695.5	CP	64QAM	Inner_Full	20.49	16.26
n71	5	15	695.5	CP	64QAM	Edge_1RB_Left	20.53	16.30

n71	5	15	695.5	CP	64QAM	Edge_1RB_Right	20.58	16.35
n71	5	15	695.5	CP	64QAM	Outer_Full	20.50	16.27
n71	5	15	695.5	CP	256QAM	Inner_Full	17.36	13.13
n71	5	15	695.5	CP	256QAM	Edge_1RB_Left	17.50	13.27
n71	5	15	695.5	CP	256QAM	Edge_1RB_Right	17.57	13.34
n71	5	15	695.5	CP	256QAM	Outer_Full	17.42	13.19
n71	10	15	668	DFT	pi/2 BPSK	Inner_Full	23.70	19.47
n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Left	23.30	19.07
n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Right	23.33	19.10
n71	10	15	668	DFT	pi/2 BPSK	Outer_Full	23.25	19.02
n71	10	15	668	DFT	QPSK	Inner_Full	23.81	19.58
n71	10	15	668	DFT	QPSK	Edge_1RB_Left	22.79	18.56
n71	10	15	668	DFT	QPSK	Edge_1RB_Right	22.74	18.51
n71	10	15	668	DFT	QPSK	Outer_Full	22.77	18.54
n71	10	15	668	DFT	16QAM	Inner_Full	22.76	18.53
n71	10	15	668	DFT	16QAM	Edge_1RB_Left	21.84	17.61
n71	10	15	668	DFT	16QAM	Edge_1RB_Right	21.90	17.67
n71	10	15	668	DFT	16QAM	Outer_Full	21.91	17.68
n71	10	15	668	DFT	64QAM	Inner_Full	21.47	17.24
n71	10	15	668	DFT	64QAM	Edge_1RB_Left	21.33	17.10
n71	10	15	668	DFT	64QAM	Edge_1RB_Right	21.34	17.11
n71	10	15	668	DFT	64QAM	Outer_Full	21.42	17.19
n71	10	15	668	DFT	256QAM	Inner_Full	19.33	15.10
n71	10	15	668	DFT	256QAM	Edge_1RB_Left	19.23	15.00
n71	10	15	668	DFT	256QAM	Edge_1RB_Right	19.39	15.16
n71	10	15	668	DFT	256QAM	Outer_Full	19.27	15.04
n71	10	15	668	CP	QPSK	Inner_Full	22.27	18.04
n71	10	15	668	CP	QPSK	Edge_1RB_Left	20.76	16.53
n71	10	15	668	CP	QPSK	Edge_1RB_Right	20.82	16.59
n71	10	15	668	CP	QPSK	Outer_Full	20.84	16.61
n71	10	15	668	CP	16QAM	Inner_Full	21.82	17.59
n71	10	15	668	CP	16QAM	Edge_1RB_Left	20.92	16.69
n71	10	15	668	CP	16QAM	Edge_1RB_Right	20.94	16.71
n71	10	15	668	CP	16QAM	Outer_Full	20.85	16.62
n71	10	15	668	CP	64QAM	Inner_Full	20.46	16.23
n71	10	15	668	CP	64QAM	Edge_1RB_Left	20.46	16.23
n71	10	15	668	CP	64QAM	Edge_1RB_Right	20.53	16.30
n71	10	15	668	CP	64QAM	Outer_Full	20.33	16.10
n71	10	15	668	CP	256QAM	Inner_Full	17.28	13.05
n71	10	15	668	CP	256QAM	Edge_1RB_Left	17.54	13.31
n71	10	15	668	CP	256QAM	Edge_1RB_Right	17.53	13.30

n71	10	15	668	CP	256QAM	Outer_Full	17.32	13.09
n71	10	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.61	19.38
n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.25	19.02
n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.32	19.09
n71	10	15	680.5	DFT	pi/2 BPSK	Outer_Full	23.23	19.00
n71	10	15	680.5	DFT	QPSK	Inner_Full	23.70	19.47
n71	10	15	680.5	DFT	QPSK	Edge_1RB_Left	22.78	18.55
n71	10	15	680.5	DFT	QPSK	Edge_1RB_Right	22.68	18.45
n71	10	15	680.5	DFT	QPSK	Outer_Full	22.71	18.48
n71	10	15	680.5	DFT	16QAM	Inner_Full	22.71	18.48
n71	10	15	680.5	DFT	16QAM	Edge_1RB_Left	21.76	17.53
n71	10	15	680.5	DFT	16QAM	Edge_1RB_Right	21.77	17.54
n71	10	15	680.5	DFT	16QAM	Outer_Full	21.87	17.64
n71	10	15	680.5	DFT	64QAM	Inner_Full	21.38	17.15
n71	10	15	680.5	DFT	64QAM	Edge_1RB_Left	21.24	17.01
n71	10	15	680.5	DFT	64QAM	Edge_1RB_Right	21.33	17.10
n71	10	15	680.5	DFT	64QAM	Outer_Full	21.35	17.12
n71	10	15	680.5	DFT	256QAM	Inner_Full	19.21	14.98
n71	10	15	680.5	DFT	256QAM	Edge_1RB_Left	19.23	15.00
n71	10	15	680.5	DFT	256QAM	Edge_1RB_Right	19.17	14.94
n71	10	15	680.5	DFT	256QAM	Outer_Full	19.27	15.04
n71	10	15	680.5	CP	QPSK	Inner_Full	22.15	17.92
n71	10	15	680.5	CP	QPSK	Edge_1RB_Left	20.68	16.45
n71	10	15	680.5	CP	QPSK	Edge_1RB_Right	20.75	16.52
n71	10	15	680.5	CP	QPSK	Outer_Full	20.81	16.58
n71	10	15	680.5	CP	16QAM	Inner_Full	21.76	17.53
n71	10	15	680.5	CP	16QAM	Edge_1RB_Left	20.83	16.60
n71	10	15	680.5	CP	16QAM	Edge_1RB_Right	20.83	16.60
n71	10	15	680.5	CP	16QAM	Outer_Full	20.85	16.62
n71	10	15	680.5	CP	64QAM	Inner_Full	20.36	16.13
n71	10	15	680.5	CP	64QAM	Edge_1RB_Left	20.41	16.18
n71	10	15	680.5	CP	64QAM	Edge_1RB_Right	20.36	16.13
n71	10	15	680.5	CP	64QAM	Outer_Full	20.32	16.09
n71	10	15	680.5	CP	256QAM	Inner_Full	17.19	12.96
n71	10	15	680.5	CP	256QAM	Edge_1RB_Left	17.36	13.13
n71	10	15	680.5	CP	256QAM	Edge_1RB_Right	17.39	13.16
n71	10	15	680.5	CP	256QAM	Outer_Full	17.26	13.03
n71	10	15	693	DFT	pi/2 BPSK	Inner_Full	23.63	19.40
n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Left	23.16	18.93
n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Right	23.22	18.99
n71	10	15	693	DFT	pi/2 BPSK	Outer_Full	23.25	19.02

n71	10	15	693	DFT	QPSK	Inner_Full	23.71	19.48
n71	10	15	693	DFT	QPSK	Edge_1RB_Left	22.62	18.39
n71	10	15	693	DFT	QPSK	Edge_1RB_Right	22.63	18.40
n71	10	15	693	DFT	QPSK	Outer_Full	22.73	18.50
n71	10	15	693	DFT	16QAM	Inner_Full	22.64	18.41
n71	10	15	693	DFT	16QAM	Edge_1RB_Left	21.91	17.68
n71	10	15	693	DFT	16QAM	Edge_1RB_Right	21.63	17.40
n71	10	15	693	DFT	16QAM	Outer_Full	21.82	17.59
n71	10	15	693	DFT	64QAM	Inner_Full	21.40	17.17
n71	10	15	693	DFT	64QAM	Edge_1RB_Left	21.16	16.93
n71	10	15	693	DFT	64QAM	Edge_1RB_Right	21.15	16.92
n71	10	15	693	DFT	64QAM	Outer_Full	21.39	17.16
n71	10	15	693	DFT	256QAM	Inner_Full	19.26	15.03
n71	10	15	693	DFT	256QAM	Edge_1RB_Left	19.14	14.91
n71	10	15	693	DFT	256QAM	Edge_1RB_Right	19.12	14.89
n71	10	15	693	DFT	256QAM	Outer_Full	19.25	15.02
n71	10	15	693	CP	QPSK	Inner_Full	22.16	17.93
n71	10	15	693	CP	QPSK	Edge_1RB_Left	20.61	16.38
n71	10	15	693	CP	QPSK	Edge_1RB_Right	20.58	16.35
n71	10	15	693	CP	QPSK	Outer_Full	20.81	16.58
n71	10	15	693	CP	16QAM	Inner_Full	21.63	17.40
n71	10	15	693	CP	16QAM	Edge_1RB_Left	20.84	16.61
n71	10	15	693	CP	16QAM	Edge_1RB_Right	20.78	16.55
n71	10	15	693	CP	16QAM	Outer_Full	20.87	16.64
n71	10	15	693	CP	64QAM	Inner_Full	20.30	16.07
n71	10	15	693	CP	64QAM	Edge_1RB_Left	20.34	16.11
n71	10	15	693	CP	64QAM	Edge_1RB_Right	20.38	16.15
n71	10	15	693	CP	64QAM	Outer_Full	20.34	16.11
n71	10	15	693	CP	256QAM	Inner_Full	17.22	12.99
n71	10	15	693	CP	256QAM	Edge_1RB_Left	17.40	13.17
n71	10	15	693	CP	256QAM	Edge_1RB_Right	17.17	12.94
n71	10	15	693	CP	256QAM	Outer_Full	17.31	13.08
n71	15	15	670.5	DFT	pi/2 BPSK	Inner_Full	23.84	19.61
n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.28	19.05
n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.31	19.08
n71	15	15	670.5	DFT	pi/2 BPSK	Outer_Full	23.31	19.08
n71	15	15	670.5	DFT	QPSK	Inner_Full	23.89	19.66
n71	15	15	670.5	DFT	QPSK	Edge_1RB_Left	22.62	18.39
n71	15	15	670.5	DFT	QPSK	Edge_1RB_Right	22.77	18.54
n71	15	15	670.5	DFT	QPSK	Outer_Full	22.85	18.62
n71	15	15	670.5	DFT	16QAM	Inner_Full	22.87	18.64



n71	15	15	670.5	DFT	16QAM	Edge_1RB_Left	21.92	17.69
n71	15	15	670.5	DFT	16QAM	Edge_1RB_Right	21.95	17.72
n71	15	15	670.5	DFT	16QAM	Outer_Full	22.01	17.78
n71	15	15	670.5	DFT	64QAM	Inner_Full	21.48	17.25
n71	15	15	670.5	DFT	64QAM	Edge_1RB_Left	21.32	17.09
n71	15	15	670.5	DFT	64QAM	Edge_1RB_Right	21.40	17.17
n71	15	15	670.5	DFT	64QAM	Outer_Full	21.51	17.28
n71	15	15	670.5	DFT	256QAM	Inner_Full	19.42	15.19
n71	15	15	670.5	DFT	256QAM	Edge_1RB_Left	19.27	15.04
n71	15	15	670.5	DFT	256QAM	Edge_1RB_Right	19.46	15.23
n71	15	15	670.5	DFT	256QAM	Outer_Full	19.47	15.24
n71	15	15	670.5	CP	QPSK	Inner_Full	22.32	18.09
n71	15	15	670.5	CP	QPSK	Edge_1RB_Left	20.73	16.50
n71	15	15	670.5	CP	QPSK	Edge_1RB_Right	20.81	16.58
n71	15	15	670.5	CP	QPSK	Outer_Full	20.94	16.71
n71	15	15	670.5	CP	16QAM	Inner_Full	22.01	17.78
n71	15	15	670.5	CP	16QAM	Edge_1RB_Left	20.96	16.73
n71	15	15	670.5	CP	16QAM	Edge_1RB_Right	20.95	16.72
n71	15	15	670.5	CP	16QAM	Outer_Full	20.96	16.73
n71	15	15	670.5	CP	64QAM	Inner_Full	20.48	16.25
n71	15	15	670.5	CP	64QAM	Edge_1RB_Left	20.51	16.28
n71	15	15	670.5	CP	64QAM	Edge_1RB_Right	20.49	16.26
n71	15	15	670.5	CP	64QAM	Outer_Full	20.44	16.21
n71	15	15	670.5	CP	256QAM	Inner_Full	17.46	13.23
n71	15	15	670.5	CP	256QAM	Edge_1RB_Left	17.40	13.17
n71	15	15	670.5	CP	256QAM	Edge_1RB_Right	17.50	13.27
n71	15	15	670.5	CP	256QAM	Outer_Full	17.38	13.15
n71	15	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.78	19.55
n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.26	19.03
n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.28	19.05
n71	15	15	680.5	DFT	pi/2 BPSK	Outer_Full	23.26	19.03
n71	15	15	680.5	DFT	QPSK	Inner_Full	23.82	19.59
n71	15	15	680.5	DFT	QPSK	Edge_1RB_Left	22.71	18.48
n71	15	15	680.5	DFT	QPSK	Edge_1RB_Right	22.65	18.42
n71	15	15	680.5	DFT	QPSK	Outer_Full	22.85	18.62
n71	15	15	680.5	DFT	16QAM	Inner_Full	22.86	18.63
n71	15	15	680.5	DFT	16QAM	Edge_1RB_Left	21.89	17.66
n71	15	15	680.5	DFT	16QAM	Edge_1RB_Right	21.82	17.59
n71	15	15	680.5	DFT	16QAM	Outer_Full	21.99	17.76
n71	15	15	680.5	DFT	64QAM	Inner_Full	21.42	17.19
n71	15	15	680.5	DFT	64QAM	Edge_1RB_Left	21.32	17.09

n71	15	15	680.5	DFT	64QAM	Edge_1RB_Right	21.29	17.06
n71	15	15	680.5	DFT	64QAM	Outer_Full	21.49	17.26
n71	15	15	680.5	DFT	256QAM	Inner_Full	19.36	15.13
n71	15	15	680.5	DFT	256QAM	Edge_1RB_Left	19.23	15.00
n71	15	15	680.5	DFT	256QAM	Edge_1RB_Right	19.23	15.00
n71	15	15	680.5	DFT	256QAM	Outer_Full	19.42	15.19
n71	15	15	680.5	CP	QPSK	Inner_Full	22.24	18.01
n71	15	15	680.5	CP	QPSK	Edge_1RB_Left	20.76	16.53
n71	15	15	680.5	CP	QPSK	Edge_1RB_Right	20.74	16.51
n71	15	15	680.5	CP	QPSK	Outer_Full	20.96	16.73
n71	15	15	680.5	CP	16QAM	Inner_Full	21.92	17.69
n71	15	15	680.5	CP	16QAM	Edge_1RB_Left	20.83	16.60
n71	15	15	680.5	CP	16QAM	Edge_1RB_Right	20.83	16.60
n71	15	15	680.5	CP	16QAM	Outer_Full	20.99	16.76
n71	15	15	680.5	CP	64QAM	Inner_Full	20.44	16.21
n71	15	15	680.5	CP	64QAM	Edge_1RB_Left	20.44	16.21
n71	15	15	680.5	CP	64QAM	Edge_1RB_Right	20.42	16.19
n71	15	15	680.5	CP	64QAM	Outer_Full	20.45	16.22
n71	15	15	680.5	CP	256QAM	Inner_Full	17.31	13.08
n71	15	15	680.5	CP	256QAM	Edge_1RB_Left	17.35	13.12
n71	15	15	680.5	CP	256QAM	Edge_1RB_Right	17.39	13.16
n71	15	15	680.5	CP	256QAM	Outer_Full	17.42	13.19
n71	15	15	690.5	DFT	pi/2 BPSK	Inner_Full	23.75	19.52
n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.20	18.97
n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.17	18.94
n71	15	15	690.5	DFT	pi/2 BPSK	Outer_Full	23.39	19.16
n71	15	15	690.5	DFT	QPSK	Inner_Full	23.83	19.60
n71	15	15	690.5	DFT	QPSK	Edge_1RB_Left	22.59	18.36
n71	15	15	690.5	DFT	QPSK	Edge_1RB_Right	22.58	18.35
n71	15	15	690.5	DFT	QPSK	Outer_Full	22.89	18.66
n71	15	15	690.5	DFT	16QAM	Inner_Full	22.84	18.61
n71	15	15	690.5	DFT	16QAM	Edge_1RB_Left	21.75	17.52
n71	15	15	690.5	DFT	16QAM	Edge_1RB_Right	21.67	17.44
n71	15	15	690.5	DFT	16QAM	Outer_Full	21.90	17.67
n71	15	15	690.5	DFT	64QAM	Inner_Full	21.39	17.16
n71	15	15	690.5	DFT	64QAM	Edge_1RB_Left	21.21	16.98
n71	15	15	690.5	DFT	64QAM	Edge_1RB_Right	21.21	16.98
n71	15	15	690.5	DFT	64QAM	Outer_Full	21.48	17.25
n71	15	15	690.5	DFT	256QAM	Inner_Full	19.28	15.05
n71	15	15	690.5	DFT	256QAM	Edge_1RB_Left	19.20	14.97
n71	15	15	690.5	DFT	256QAM	Edge_1RB_Right	19.15	14.92

n71	15	15	690.5	DFT	256QAM	Outer_Full	19.40	15.17
n71	15	15	690.5	CP	QPSK	Inner_Full	22.23	18.00
n71	15	15	690.5	CP	QPSK	Edge_1RB_Left	20.77	16.54
n71	15	15	690.5	CP	QPSK	Edge_1RB_Right	20.69	16.46
n71	15	15	690.5	CP	QPSK	Outer_Full	20.92	16.69
n71	15	15	690.5	CP	16QAM	Inner_Full	21.80	17.57
n71	15	15	690.5	CP	16QAM	Edge_1RB_Left	20.83	16.60
n71	15	15	690.5	CP	16QAM	Edge_1RB_Right	20.80	16.57
n71	15	15	690.5	CP	16QAM	Outer_Full	20.94	16.71
n71	15	15	690.5	CP	64QAM	Inner_Full	20.46	16.23
n71	15	15	690.5	CP	64QAM	Edge_1RB_Left	20.40	16.17
n71	15	15	690.5	CP	64QAM	Edge_1RB_Right	20.37	16.14
n71	15	15	690.5	CP	64QAM	Outer_Full	20.41	16.18
n71	15	15	690.5	CP	256QAM	Inner_Full	17.38	13.15
n71	15	15	690.5	CP	256QAM	Edge_1RB_Left	17.35	13.12
n71	15	15	690.5	CP	256QAM	Edge_1RB_Right	17.27	13.04
n71	15	15	690.5	CP	256QAM	Outer_Full	17.39	13.16
n71	20	15	673	DFT	pi/2 BPSK	Inner_Full	23.83	19.60
n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Left	23.34	19.11
n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Right	23.36	19.13
n71	20	15	673	DFT	pi/2 BPSK	Outer_Full	23.32	19.09
n71	20	15	673	DFT	QPSK	Inner_Full	23.91	19.68
n71	20	15	673	DFT	QPSK	Edge_1RB_Left	22.80	18.57
n71	20	15	673	DFT	QPSK	Edge_1RB_Right	22.71	18.48
n71	20	15	673	DFT	QPSK	Outer_Full	22.85	18.62
n71	20	15	673	DFT	16QAM	Inner_Full	22.94	18.71
n71	20	15	673	DFT	16QAM	Edge_1RB_Left	21.93	17.70
n71	20	15	673	DFT	16QAM	Edge_1RB_Right	21.91	17.68
n71	20	15	673	DFT	16QAM	Outer_Full	21.96	17.73
n71	20	15	673	DFT	64QAM	Inner_Full	21.52	17.29
n71	20	15	673	DFT	64QAM	Edge_1RB_Left	21.38	17.15
n71	20	15	673	DFT	64QAM	Edge_1RB_Right	21.31	17.08
n71	20	15	673	DFT	64QAM	Outer_Full	21.44	17.21
n71	20	15	673	DFT	256QAM	Inner_Full	19.41	15.18
n71	20	15	673	DFT	256QAM	Edge_1RB_Left	19.34	15.11
n71	20	15	673	DFT	256QAM	Edge_1RB_Right	19.26	15.03
n71	20	15	673	DFT	256QAM	Outer_Full	19.40	15.17
n71	20	15	673	CP	QPSK	Inner_Full	22.38	18.15
n71	20	15	673	CP	QPSK	Edge_1RB_Left	20.77	16.54
n71	20	15	673	CP	QPSK	Edge_1RB_Right	20.83	16.60
n71	20	15	673	CP	QPSK	Outer_Full	20.91	16.68

n71	20	15	673	CP	16QAM	Inner_Full	22.03	17.80
n71	20	15	673	CP	16QAM	Edge_1RB_Left	21.03	16.80
n71	20	15	673	CP	16QAM	Edge_1RB_Right	20.99	16.76
n71	20	15	673	CP	16QAM	Outer_Full	20.91	16.68
n71	20	15	673	CP	64QAM	Inner_Full	20.50	16.27
n71	20	15	673	CP	64QAM	Edge_1RB_Left	20.48	16.25
n71	20	15	673	CP	64QAM	Edge_1RB_Right	20.55	16.32
n71	20	15	673	CP	64QAM	Outer_Full	20.42	16.19
n71	20	15	673	CP	256QAM	Inner_Full	17.43	13.20
n71	20	15	673	CP	256QAM	Edge_1RB_Left	17.44	13.21
n71	20	15	673	CP	256QAM	Edge_1RB_Right	17.48	13.25
n71	20	15	673	CP	256QAM	Outer_Full	17.30	13.07
n71	20	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.80	19.57
n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.33	19.10
n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.35	19.12
n71	20	15	680.5	DFT	pi/2 BPSK	Outer_Full	23.35	19.12
n71	20	15	680.5	DFT	QPSK	Inner_Full	23.83	19.60
n71	20	15	680.5	DFT	QPSK	Edge_1RB_Left	22.85	18.62
n71	20	15	680.5	DFT	QPSK	Edge_1RB_Right	22.76	18.53
n71	20	15	680.5	DFT	QPSK	Outer_Full	22.90	18.67
n71	20	15	680.5	DFT	16QAM	Inner_Full	22.91	18.68
n71	20	15	680.5	DFT	16QAM	Edge_1RB_Left	21.87	17.64
n71	20	15	680.5	DFT	16QAM	Edge_1RB_Right	21.89	17.66
n71	20	15	680.5	DFT	16QAM	Outer_Full	22.00	17.77
n71	20	15	680.5	DFT	64QAM	Inner_Full	21.47	17.24
n71	20	15	680.5	DFT	64QAM	Edge_1RB_Left	21.31	17.08
n71	20	15	680.5	DFT	64QAM	Edge_1RB_Right	21.27	17.04
n71	20	15	680.5	DFT	64QAM	Outer_Full	21.52	17.29
n71	20	15	680.5	DFT	256QAM	Inner_Full	19.39	15.16
n71	20	15	680.5	DFT	256QAM	Edge_1RB_Left	19.33	15.10
n71	20	15	680.5	DFT	256QAM	Edge_1RB_Right	19.34	15.11
n71	20	15	680.5	DFT	256QAM	Outer_Full	19.45	15.22
n71	20	15	680.5	CP	QPSK	Inner_Full	22.34	18.11
n71	20	15	680.5	CP	QPSK	Edge_1RB_Left	20.79	16.56
n71	20	15	680.5	CP	QPSK	Edge_1RB_Right	20.74	16.51
n71	20	15	680.5	CP	QPSK	Outer_Full	20.95	16.72
n71	20	15	680.5	CP	16QAM	Inner_Full	21.99	17.76
n71	20	15	680.5	CP	16QAM	Edge_1RB_Left	20.98	16.75
n71	20	15	680.5	CP	16QAM	Edge_1RB_Right	20.85	16.62
n71	20	15	680.5	CP	16QAM	Outer_Full	20.95	16.72
n71	20	15	680.5	CP	64QAM	Inner_Full	20.52	16.29

n71	20	15	680.5	CP	64QAM	Edge_1RB_Left	20.34	16.11
n71	20	15	680.5	CP	64QAM	Edge_1RB_Right	20.39	16.16
n71	20	15	680.5	CP	64QAM	Outer_Full	20.43	16.20
n71	20	15	680.5	CP	256QAM	Inner_Full	17.39	13.16
n71	20	15	680.5	CP	256QAM	Edge_1RB_Left	17.57	13.34
n71	20	15	680.5	CP	256QAM	Edge_1RB_Right	17.36	13.13
n71	20	15	680.5	CP	256QAM	Outer_Full	17.37	13.14
n71	20	15	688	DFT	pi/2 BPSK	Inner_Full	23.83	19.60
n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Left	23.42	19.19
n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Right	23.34	19.11
n71	20	15	688	DFT	pi/2 BPSK	Outer_Full	23.22	18.99
n71	20	15	688	DFT	QPSK	Inner_Full	23.85	19.62
n71	20	15	688	DFT	QPSK	Edge_1RB_Left	22.84	18.61
n71	20	15	688	DFT	QPSK	Edge_1RB_Right	22.76	18.53
n71	20	15	688	DFT	QPSK	Outer_Full	22.72	18.49
n71	20	15	688	DFT	16QAM	Inner_Full	22.89	18.66
n71	20	15	688	DFT	16QAM	Edge_1RB_Left	21.91	17.68
n71	20	15	688	DFT	16QAM	Edge_1RB_Right	21.86	17.63
n71	20	15	688	DFT	16QAM	Outer_Full	21.80	17.57
n71	20	15	688	DFT	64QAM	Inner_Full	21.50	17.27
n71	20	15	688	DFT	64QAM	Edge_1RB_Left	21.33	17.10
n71	20	15	688	DFT	64QAM	Edge_1RB_Right	21.24	17.01
n71	20	15	688	DFT	64QAM	Outer_Full	21.43	17.20
n71	20	15	688	DFT	256QAM	Inner_Full	19.36	15.13
n71	20	15	688	DFT	256QAM	Edge_1RB_Left	19.32	15.09
n71	20	15	688	DFT	256QAM	Edge_1RB_Right	19.37	15.14
n71	20	15	688	DFT	256QAM	Outer_Full	19.37	15.14
n71	20	15	688	CP	QPSK	Inner_Full	22.31	18.08
n71	20	15	688	CP	QPSK	Edge_1RB_Left	20.75	16.52
n71	20	15	688	CP	QPSK	Edge_1RB_Right	20.76	16.53
n71	20	15	688	CP	QPSK	Outer_Full	20.85	16.62
n71	20	15	688	CP	16QAM	Inner_Full	21.87	17.64
n71	20	15	688	CP	16QAM	Edge_1RB_Left	20.87	16.64
n71	20	15	688	CP	16QAM	Edge_1RB_Right	20.82	16.59
n71	20	15	688	CP	16QAM	Outer_Full	20.84	16.61
n71	20	15	688	CP	64QAM	Inner_Full	20.47	16.24
n71	20	15	688	CP	64QAM	Edge_1RB_Left	20.46	16.23
n71	20	15	688	CP	64QAM	Edge_1RB_Right	20.45	16.22
n71	20	15	688	CP	64QAM	Outer_Full	20.34	16.11
n71	20	15	688	CP	256QAM	Inner_Full	17.35	13.12
n71	20	15	688	CP	256QAM	Edge_1RB_Left	17.50	13.27



n71	20	15	688	CP	256QAM	Edge_1RB_Right	17.36	13.13
n71	20	15	688	CP	256QAM	Outer_Full	17.17	12.94

Maximum ERP = 19.70dBm.

**n77L- EIRP**

**Limits:** ≤30dBm (1W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	EIRP(dBm) (Gt-Lc=0.33)
n77L	10	30	3455.01	DFT	pi/2 BPSK	Inner_Full	23.83	24.16
n77L	10	30	3455.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.26	23.59
n77L	10	30	3455.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.27	23.60
n77L	10	30	3455.01	DFT	pi/2 BPSK	Outer_Full	23.33	23.66
n77L	10	30	3455.01	DFT	QPSK	Inner_Full	23.84	24.17
n77L	10	30	3455.01	DFT	QPSK	Edge_1RB_Left	22.74	23.07
n77L	10	30	3455.01	DFT	QPSK	Edge_1RB_Right	22.68	23.01
n77L	10	30	3455.01	DFT	QPSK	Outer_Full	22.78	23.11
n77L	10	30	3455.01	DFT	16QAM	Inner_Full	22.87	23.20
n77L	10	30	3455.01	DFT	16QAM	Edge_1RB_Left	21.79	22.12
n77L	10	30	3455.01	DFT	16QAM	Edge_1RB_Right	21.76	22.09
n77L	10	30	3455.01	DFT	16QAM	Outer_Full	21.86	22.19
n77L	10	30	3455.01	DFT	64QAM	Inner_Full	21.29	21.62
n77L	10	30	3455.01	DFT	64QAM	Edge_1RB_Left	21.03	21.36
n77L	10	30	3455.01	DFT	64QAM	Edge_1RB_Right	21.00	21.33
n77L	10	30	3455.01	DFT	64QAM	Outer_Full	21.30	21.63
n77L	10	30	3455.01	DFT	256QAM	Inner_Full	19.45	19.78
n77L	10	30	3455.01	DFT	256QAM	Edge_1RB_Left	19.22	19.55
n77L	10	30	3455.01	DFT	256QAM	Edge_1RB_Right	19.49	19.82
n77L	10	30	3455.01	DFT	256QAM	Outer_Full	19.48	19.81
n77L	10	30	3455.01	CP	QPSK	Inner_Full	22.26	22.59
n77L	10	30	3455.01	CP	QPSK	Edge_1RB_Left	20.79	21.12
n77L	10	30	3455.01	CP	QPSK	Edge_1RB_Right	20.63	20.96
n77L	10	30	3455.01	CP	QPSK	Outer_Full	20.76	21.09
n77L	10	30	3455.01	CP	16QAM	Inner_Full	21.83	22.16
n77L	10	30	3455.01	CP	16QAM	Edge_1RB_Left	20.93	21.26
n77L	10	30	3455.01	CP	16QAM	Edge_1RB_Right	20.89	21.22
n77L	10	30	3455.01	CP	16QAM	Outer_Full	20.83	21.16
n77L	10	30	3455.01	CP	64QAM	Inner_Full	20.31	20.64
n77L	10	30	3455.01	CP	64QAM	Edge_1RB_Left	20.53	20.86
n77L	10	30	3455.01	CP	64QAM	Edge_1RB_Right	20.52	20.85
n77L	10	30	3455.01	CP	64QAM	Outer_Full	20.24	20.57
n77L	10	30	3455.01	CP	256QAM	Inner_Full	17.29	17.62
n77L	10	30	3455.01	CP	256QAM	Edge_1RB_Left	17.61	17.94

n77L	10	30	3455.01	CP	256QAM	Edge_1RB_Right	17.42	17.75
n77L	10	30	3455.01	CP	256QAM	Outer_Full	17.42	17.75
n77L	10	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.99	24.32
n77L	10	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.40	23.73
n77L	10	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.40	23.73
n77L	10	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.49	23.82
n77L	10	30	3500.01	DFT	QPSK	Inner_Full	24.02	24.35
n77L	10	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.93	23.26
n77L	10	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.91	23.24
n77L	10	30	3500.01	DFT	QPSK	Outer_Full	23.02	23.35
n77L	10	30	3500.01	DFT	16QAM	Inner_Full	23.00	23.33
n77L	10	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.86	22.19
n77L	10	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.75	22.08
n77L	10	30	3500.01	DFT	16QAM	Outer_Full	22.11	22.44
n77L	10	30	3500.01	DFT	64QAM	Inner_Full	21.44	21.77
n77L	10	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.25	21.58
n77L	10	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.26	21.59
n77L	10	30	3500.01	DFT	64QAM	Outer_Full	21.51	21.84
n77L	10	30	3500.01	DFT	256QAM	Inner_Full	19.34	19.67
n77L	10	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.07	19.40
n77L	10	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.11	19.44
n77L	10	30	3500.01	DFT	256QAM	Outer_Full	19.39	19.72
n77L	10	30	3500.01	CP	QPSK	Inner_Full	22.40	22.73
n77L	10	30	3500.01	CP	QPSK	Edge_1RB_Left	20.75	21.08
n77L	10	30	3500.01	CP	QPSK	Edge_1RB_Right	20.76	21.09
n77L	10	30	3500.01	CP	QPSK	Outer_Full	20.94	21.27
n77L	10	30	3500.01	CP	16QAM	Inner_Full	21.98	22.31
n77L	10	30	3500.01	CP	16QAM	Edge_1RB_Left	20.98	21.31
n77L	10	30	3500.01	CP	16QAM	Edge_1RB_Right	20.78	21.11
n77L	10	30	3500.01	CP	16QAM	Outer_Full	20.87	21.20
n77L	10	30	3500.01	CP	64QAM	Inner_Full	20.47	20.80
n77L	10	30	3500.01	CP	64QAM	Edge_1RB_Left	20.46	20.79
n77L	10	30	3500.01	CP	64QAM	Edge_1RB_Right	20.41	20.74
n77L	10	30	3500.01	CP	64QAM	Outer_Full	20.41	20.74
n77L	10	30	3500.01	CP	256QAM	Inner_Full	17.58	17.91
n77L	10	30	3500.01	CP	256QAM	Edge_1RB_Left	17.57	17.90
n77L	10	30	3500.01	CP	256QAM	Edge_1RB_Right	17.74	18.07
n77L	10	30	3500.01	CP	256QAM	Outer_Full	17.63	17.96
n77L	10	30	3544.98	DFT	pi/2 BPSK	Inner_Full	24.26	24.59
n77L	10	30	3544.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.65	23.98
n77L	10	30	3544.98	DFT	pi/2 BPSK	Edge_1RB_Right	23.69	24.02

n77L	10	30	3544.98	DFT	pi/2 BPSK	Outer_Full	23.76	24.09
n77L	10	30	3544.98	DFT	QPSK	Inner_Full	24.29	24.62
n77L	10	30	3544.98	DFT	QPSK	Edge_1RB_Left	23.21	23.54
n77L	10	30	3544.98	DFT	QPSK	Edge_1RB_Right	23.24	23.57
n77L	10	30	3544.98	DFT	QPSK	Outer_Full	23.25	23.58
n77L	10	30	3544.98	DFT	16QAM	Inner_Full	23.26	23.59
n77L	10	30	3544.98	DFT	16QAM	Edge_1RB_Left	22.03	22.36
n77L	10	30	3544.98	DFT	16QAM	Edge_1RB_Right	22.10	22.43
n77L	10	30	3544.98	DFT	16QAM	Outer_Full	22.30	22.63
n77L	10	30	3544.98	DFT	64QAM	Inner_Full	21.68	22.01
n77L	10	30	3544.98	DFT	64QAM	Edge_1RB_Left	21.55	21.88
n77L	10	30	3544.98	DFT	64QAM	Edge_1RB_Right	21.46	21.79
n77L	10	30	3544.98	DFT	64QAM	Outer_Full	21.76	22.09
n77L	10	30	3544.98	DFT	256QAM	Inner_Full	19.62	19.95
n77L	10	30	3544.98	DFT	256QAM	Edge_1RB_Left	19.68	20.01
n77L	10	30	3544.98	DFT	256QAM	Edge_1RB_Right	19.70	20.03
n77L	10	30	3544.98	DFT	256QAM	Outer_Full	19.59	19.92
n77L	10	30	3544.98	CP	QPSK	Inner_Full	22.71	23.04
n77L	10	30	3544.98	CP	QPSK	Edge_1RB_Left	21.16	21.49
n77L	10	30	3544.98	CP	QPSK	Edge_1RB_Right	21.06	21.39
n77L	10	30	3544.98	CP	QPSK	Outer_Full	21.18	21.51
n77L	10	30	3544.98	CP	16QAM	Inner_Full	22.24	22.57
n77L	10	30	3544.98	CP	16QAM	Edge_1RB_Left	21.14	21.47
n77L	10	30	3544.98	CP	16QAM	Edge_1RB_Right	21.40	21.73
n77L	10	30	3544.98	CP	16QAM	Outer_Full	21.24	21.57
n77L	10	30	3544.98	CP	64QAM	Inner_Full	20.75	21.08
n77L	10	30	3544.98	CP	64QAM	Edge_1RB_Left	20.93	21.26
n77L	10	30	3544.98	CP	64QAM	Edge_1RB_Right	20.97	21.30
n77L	10	30	3544.98	CP	64QAM	Outer_Full	20.67	21.00
n77L	10	30	3544.98	CP	256QAM	Inner_Full	17.78	18.11
n77L	10	30	3544.98	CP	256QAM	Edge_1RB_Left	17.88	18.21
n77L	10	30	3544.98	CP	256QAM	Edge_1RB_Right	18.02	18.35
n77L	10	30	3544.98	CP	256QAM	Outer_Full	17.81	18.14
n77L	15	30	3457.5	DFT	pi/2 BPSK	Inner_Full	23.81	24.14
n77L	15	30	3457.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.19	23.52
n77L	15	30	3457.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.16	23.49
n77L	15	30	3457.5	DFT	pi/2 BPSK	Outer_Full	23.29	23.62
n77L	15	30	3457.5	DFT	QPSK	Inner_Full	23.88	24.21
n77L	15	30	3457.5	DFT	QPSK	Edge_1RB_Left	22.74	23.07
n77L	15	30	3457.5	DFT	QPSK	Edge_1RB_Right	22.74	23.07
n77L	15	30	3457.5	DFT	QPSK	Outer_Full	22.86	23.19



n77L	15	30	3457.5	DFT	16QAM	Inner_Full	22.82	23.15
n77L	15	30	3457.5	DFT	16QAM	Edge_1RB_Left	21.64	21.97
n77L	15	30	3457.5	DFT	16QAM	Edge_1RB_Right	21.75	22.08
n77L	15	30	3457.5	DFT	16QAM	Outer_Full	21.78	22.11
n77L	15	30	3457.5	DFT	64QAM	Inner_Full	21.25	21.58
n77L	15	30	3457.5	DFT	64QAM	Edge_1RB_Left	20.96	21.29
n77L	15	30	3457.5	DFT	64QAM	Edge_1RB_Right	20.94	21.27
n77L	15	30	3457.5	DFT	64QAM	Outer_Full	21.27	21.60
n77L	15	30	3457.5	DFT	256QAM	Inner_Full	19.50	19.83
n77L	15	30	3457.5	DFT	256QAM	Edge_1RB_Left	19.51	19.84
n77L	15	30	3457.5	DFT	256QAM	Edge_1RB_Right	19.46	19.79
n77L	15	30	3457.5	DFT	256QAM	Outer_Full	19.49	19.82
n77L	15	30	3457.5	CP	QPSK	Inner_Full	22.38	22.71
n77L	15	30	3457.5	CP	QPSK	Edge_1RB_Left	20.60	20.93
n77L	15	30	3457.5	CP	QPSK	Edge_1RB_Right	20.60	20.93
n77L	15	30	3457.5	CP	QPSK	Outer_Full	20.83	21.16
n77L	15	30	3457.5	CP	16QAM	Inner_Full	21.90	22.23
n77L	15	30	3457.5	CP	16QAM	Edge_1RB_Left	20.86	21.19
n77L	15	30	3457.5	CP	16QAM	Edge_1RB_Right	20.84	21.17
n77L	15	30	3457.5	CP	16QAM	Outer_Full	20.79	21.12
n77L	15	30	3457.5	CP	64QAM	Inner_Full	20.24	20.57
n77L	15	30	3457.5	CP	64QAM	Edge_1RB_Left	20.43	20.76
n77L	15	30	3457.5	CP	64QAM	Edge_1RB_Right	20.38	20.71
n77L	15	30	3457.5	CP	64QAM	Outer_Full	20.10	20.43
n77L	15	30	3457.5	CP	256QAM	Inner_Full	17.44	17.77
n77L	15	30	3457.5	CP	256QAM	Edge_1RB_Left	17.23	17.56
n77L	15	30	3457.5	CP	256QAM	Edge_1RB_Right	17.36	17.69
n77L	15	30	3457.5	CP	256QAM	Outer_Full	17.41	17.74
n77L	15	30	3500.01	DFT	pi/2 BPSK	Inner_Full	24.00	24.33
n77L	15	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.35	23.68
n77L	15	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.35	23.68
n77L	15	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.52	23.85
n77L	15	30	3500.01	DFT	QPSK	Inner_Full	24.04	24.37
n77L	15	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.92	23.25
n77L	15	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.90	23.23
n77L	15	30	3500.01	DFT	QPSK	Outer_Full	23.01	23.34
n77L	15	30	3500.01	DFT	16QAM	Inner_Full	23.06	23.39
n77L	15	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.92	22.25
n77L	15	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.83	22.16
n77L	15	30	3500.01	DFT	16QAM	Outer_Full	21.98	22.31
n77L	15	30	3500.01	DFT	64QAM	Inner_Full	21.42	21.75

n77L	15	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.26	21.59
n77L	15	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.10	21.43
n77L	15	30	3500.01	DFT	64QAM	Outer_Full	21.39	21.72
n77L	15	30	3500.01	DFT	256QAM	Inner_Full	19.37	19.70
n77L	15	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.19	19.52
n77L	15	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.18	19.51
n77L	15	30	3500.01	DFT	256QAM	Outer_Full	19.38	19.71
n77L	15	30	3500.01	CP	QPSK	Inner_Full	22.49	22.82
n77L	15	30	3500.01	CP	QPSK	Edge_1RB_Left	20.88	21.21
n77L	15	30	3500.01	CP	QPSK	Edge_1RB_Right	20.74	21.07
n77L	15	30	3500.01	CP	QPSK	Outer_Full	20.96	21.29
n77L	15	30	3500.01	CP	16QAM	Inner_Full	21.97	22.30
n77L	15	30	3500.01	CP	16QAM	Edge_1RB_Left	20.76	21.09
n77L	15	30	3500.01	CP	16QAM	Edge_1RB_Right	20.98	21.31
n77L	15	30	3500.01	CP	16QAM	Outer_Full	20.96	21.29
n77L	15	30	3500.01	CP	64QAM	Inner_Full	20.45	20.78
n77L	15	30	3500.01	CP	64QAM	Edge_1RB_Left	20.55	20.88
n77L	15	30	3500.01	CP	64QAM	Edge_1RB_Right	20.61	20.94
n77L	15	30	3500.01	CP	64QAM	Outer_Full	20.40	20.73
n77L	15	30	3500.01	CP	256QAM	Inner_Full	17.58	17.91
n77L	15	30	3500.01	CP	256QAM	Edge_1RB_Left	17.60	17.93
n77L	15	30	3500.01	CP	256QAM	Edge_1RB_Right	17.58	17.91
n77L	15	30	3500.01	CP	256QAM	Outer_Full	17.60	17.93
n77L	15	30	3542.49	DFT	pi/2 BPSK	Inner_Full	24.28	24.61
n77L	15	30	3542.49	DFT	pi/2 BPSK	Edge_1RB_Left	23.66	23.99
n77L	15	30	3542.49	DFT	pi/2 BPSK	Edge_1RB_Right	23.59	23.92
n77L	15	30	3542.49	DFT	pi/2 BPSK	Outer_Full	23.78	24.11
n77L	15	30	3542.49	DFT	QPSK	Inner_Full	24.33	24.66
n77L	15	30	3542.49	DFT	QPSK	Edge_1RB_Left	23.09	23.42
n77L	15	30	3542.49	DFT	QPSK	Edge_1RB_Right	23.14	23.47
n77L	15	30	3542.49	DFT	QPSK	Outer_Full	23.26	23.59
n77L	15	30	3542.49	DFT	16QAM	Inner_Full	23.30	23.63
n77L	15	30	3542.49	DFT	16QAM	Edge_1RB_Left	22.10	22.43
n77L	15	30	3542.49	DFT	16QAM	Edge_1RB_Right	22.06	22.39
n77L	15	30	3542.49	DFT	16QAM	Outer_Full	22.31	22.64
n77L	15	30	3542.49	DFT	64QAM	Inner_Full	21.71	22.04
n77L	15	30	3542.49	DFT	64QAM	Edge_1RB_Left	21.49	21.82
n77L	15	30	3542.49	DFT	64QAM	Edge_1RB_Right	21.35	21.68
n77L	15	30	3542.49	DFT	64QAM	Outer_Full	21.70	22.03
n77L	15	30	3542.49	DFT	256QAM	Inner_Full	19.67	20.00
n77L	15	30	3542.49	DFT	256QAM	Edge_1RB_Left	19.32	19.65

n77L	15	30	3542.49	DFT	256QAM	Edge_1RB_Right	19.33	19.66
n77L	15	30	3542.49	DFT	256QAM	Outer_Full	19.64	19.97
n77L	15	30	3542.49	CP	QPSK	Inner_Full	22.77	23.10
n77L	15	30	3542.49	CP	QPSK	Edge_1RB_Left	21.10	21.43
n77L	15	30	3542.49	CP	QPSK	Edge_1RB_Right	21.15	21.48
n77L	15	30	3542.49	CP	QPSK	Outer_Full	21.30	21.63
n77L	15	30	3542.49	CP	16QAM	Inner_Full	22.30	22.63
n77L	15	30	3542.49	CP	16QAM	Edge_1RB_Left	21.13	21.46
n77L	15	30	3542.49	CP	16QAM	Edge_1RB_Right	21.12	21.45
n77L	15	30	3542.49	CP	16QAM	Outer_Full	21.21	21.54
n77L	15	30	3542.49	CP	64QAM	Inner_Full	20.63	20.96
n77L	15	30	3542.49	CP	64QAM	Edge_1RB_Left	20.83	21.16
n77L	15	30	3542.49	CP	64QAM	Edge_1RB_Right	20.87	21.20
n77L	15	30	3542.49	CP	64QAM	Outer_Full	20.67	21.00
n77L	15	30	3542.49	CP	256QAM	Inner_Full	17.81	18.14
n77L	15	30	3542.49	CP	256QAM	Edge_1RB_Left	17.86	18.19
n77L	15	30	3542.49	CP	256QAM	Edge_1RB_Right	17.63	17.96
n77L	15	30	3542.49	CP	256QAM	Outer_Full	17.83	18.16
n77L	20	30	3460.02	DFT	pi/2 BPSK	Inner_Full	23.87	24.20
n77L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.19	23.52
n77L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.15	23.48
n77L	20	30	3460.02	DFT	pi/2 BPSK	Outer_Full	23.31	23.64
n77L	20	30	3460.02	DFT	QPSK	Inner_Full	23.86	24.19
n77L	20	30	3460.02	DFT	QPSK	Edge_1RB_Left	22.66	22.99
n77L	20	30	3460.02	DFT	QPSK	Edge_1RB_Right	22.64	22.97
n77L	20	30	3460.02	DFT	QPSK	Outer_Full	22.83	23.16
n77L	20	30	3460.02	DFT	16QAM	Inner_Full	22.90	23.23
n77L	20	30	3460.02	DFT	16QAM	Edge_1RB_Left	21.62	21.95
n77L	20	30	3460.02	DFT	16QAM	Edge_1RB_Right	21.62	21.95
n77L	20	30	3460.02	DFT	16QAM	Outer_Full	21.79	22.12
n77L	20	30	3460.02	DFT	64QAM	Inner_Full	21.32	21.65
n77L	20	30	3460.02	DFT	64QAM	Edge_1RB_Left	21.06	21.39
n77L	20	30	3460.02	DFT	64QAM	Edge_1RB_Right	21.02	21.35
n77L	20	30	3460.02	DFT	64QAM	Outer_Full	21.31	21.64
n77L	20	30	3460.02	DFT	256QAM	Inner_Full	19.52	19.85
n77L	20	30	3460.02	DFT	256QAM	Edge_1RB_Left	19.25	19.58
n77L	20	30	3460.02	DFT	256QAM	Edge_1RB_Right	19.14	19.47
n77L	20	30	3460.02	DFT	256QAM	Outer_Full	19.48	19.81
n77L	20	30	3460.02	CP	QPSK	Inner_Full	22.34	22.67
n77L	20	30	3460.02	CP	QPSK	Edge_1RB_Left	20.72	21.05
n77L	20	30	3460.02	CP	QPSK	Edge_1RB_Right	20.72	21.05

n77L	20	30	3460.02	CP	QPSK	Outer_Full	20.75	21.08
n77L	20	30	3460.02	CP	16QAM	Inner_Full	21.76	22.09
n77L	20	30	3460.02	CP	16QAM	Edge_1RB_Left	20.89	21.22
n77L	20	30	3460.02	CP	16QAM	Edge_1RB_Right	20.75	21.08
n77L	20	30	3460.02	CP	16QAM	Outer_Full	20.73	21.06
n77L	20	30	3460.02	CP	64QAM	Inner_Full	20.28	20.61
n77L	20	30	3460.02	CP	64QAM	Edge_1RB_Left	20.43	20.76
n77L	20	30	3460.02	CP	64QAM	Edge_1RB_Right	20.21	20.54
n77L	20	30	3460.02	CP	64QAM	Outer_Full	20.26	20.59
n77L	20	30	3460.02	CP	256QAM	Inner_Full	17.50	17.83
n77L	20	30	3460.02	CP	256QAM	Edge_1RB_Left	17.62	17.95
n77L	20	30	3460.02	CP	256QAM	Edge_1RB_Right	17.41	17.74
n77L	20	30	3460.02	CP	256QAM	Outer_Full	17.28	17.61
n77L	20	30	3500.01	DFT	pi/2 BPSK	Inner_Full	24.02	24.35
n77L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.34	23.67
n77L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.28	23.61
n77L	20	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.47	23.80
n77L	20	30	3500.01	DFT	QPSK	Inner_Full	24.05	24.38
n77L	20	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.82	23.15
n77L	20	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.81	23.14
n77L	20	30	3500.01	DFT	QPSK	Outer_Full	22.97	23.30
n77L	20	30	3500.01	DFT	16QAM	Inner_Full	23.07	23.40
n77L	20	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.60	21.93
n77L	20	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.78	22.11
n77L	20	30	3500.01	DFT	16QAM	Outer_Full	21.94	22.27
n77L	20	30	3500.01	DFT	64QAM	Inner_Full	21.47	21.80
n77L	20	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.05	21.38
n77L	20	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.22	21.55
n77L	20	30	3500.01	DFT	64QAM	Outer_Full	21.46	21.79
n77L	20	30	3500.01	DFT	256QAM	Inner_Full	19.36	19.69
n77L	20	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.37	19.70
n77L	20	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.33	19.66
n77L	20	30	3500.01	DFT	256QAM	Outer_Full	19.40	19.73
n77L	20	30	3500.01	CP	QPSK	Inner_Full	22.48	22.81
n77L	20	30	3500.01	CP	QPSK	Edge_1RB_Left	20.82	21.15
n77L	20	30	3500.01	CP	QPSK	Edge_1RB_Right	20.76	21.09
n77L	20	30	3500.01	CP	QPSK	Outer_Full	20.92	21.25
n77L	20	30	3500.01	CP	16QAM	Inner_Full	21.91	22.24
n77L	20	30	3500.01	CP	16QAM	Edge_1RB_Left	21.03	21.36
n77L	20	30	3500.01	CP	16QAM	Edge_1RB_Right	20.92	21.25
n77L	20	30	3500.01	CP	16QAM	Outer_Full	20.86	21.19

n77L	20	30	3500.01	CP	64QAM	Inner_Full	20.41	20.74
n77L	20	30	3500.01	CP	64QAM	Edge_1RB_Left	20.52	20.85
n77L	20	30	3500.01	CP	64QAM	Edge_1RB_Right	20.64	20.97
n77L	20	30	3500.01	CP	64QAM	Outer_Full	20.39	20.72
n77L	20	30	3500.01	CP	256QAM	Inner_Full	17.54	17.87
n77L	20	30	3500.01	CP	256QAM	Edge_1RB_Left	17.58	17.91
n77L	20	30	3500.01	CP	256QAM	Edge_1RB_Right	17.52	17.85
n77L	20	30	3500.01	CP	256QAM	Outer_Full	17.55	17.88
n77L	20	30	3540	DFT	pi/2 BPSK	Inner_Full	24.23	24.56
n77L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Left	23.51	23.84
n77L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Right	23.54	23.87
n77L	20	30	3540	DFT	pi/2 BPSK	Outer_Full	23.68	24.01
n77L	20	30	3540	DFT	QPSK	Inner_Full	24.28	24.61
n77L	20	30	3540	DFT	QPSK	Edge_1RB_Left	22.99	23.32
n77L	20	30	3540	DFT	QPSK	Edge_1RB_Right	23.07	23.40
n77L	20	30	3540	DFT	QPSK	Outer_Full	23.25	23.58
n77L	20	30	3540	DFT	16QAM	Inner_Full	23.28	23.61
n77L	20	30	3540	DFT	16QAM	Edge_1RB_Left	22.04	22.37
n77L	20	30	3540	DFT	16QAM	Edge_1RB_Right	22.11	22.44
n77L	20	30	3540	DFT	16QAM	Outer_Full	22.21	22.54
n77L	20	30	3540	DFT	64QAM	Inner_Full	21.73	22.06
n77L	20	30	3540	DFT	64QAM	Edge_1RB_Left	21.32	21.65
n77L	20	30	3540	DFT	64QAM	Edge_1RB_Right	21.36	21.69
n77L	20	30	3540	DFT	64QAM	Outer_Full	21.67	22.00
n77L	20	30	3540	DFT	256QAM	Inner_Full	19.64	19.97
n77L	20	30	3540	DFT	256QAM	Edge_1RB_Left	19.21	19.54
n77L	20	30	3540	DFT	256QAM	Edge_1RB_Right	19.26	19.59
n77L	20	30	3540	DFT	256QAM	Outer_Full	19.60	19.93
n77L	20	30	3540	CP	QPSK	Inner_Full	22.74	23.07
n77L	20	30	3540	CP	QPSK	Edge_1RB_Left	20.89	21.22
n77L	20	30	3540	CP	QPSK	Edge_1RB_Right	20.86	21.19
n77L	20	30	3540	CP	QPSK	Outer_Full	21.11	21.44
n77L	20	30	3540	CP	16QAM	Inner_Full	22.16	22.49
n77L	20	30	3540	CP	16QAM	Edge_1RB_Left	21.00	21.33
n77L	20	30	3540	CP	16QAM	Edge_1RB_Right	21.26	21.59
n77L	20	30	3540	CP	16QAM	Outer_Full	21.10	21.43
n77L	20	30	3540	CP	64QAM	Inner_Full	20.68	21.01
n77L	20	30	3540	CP	64QAM	Edge_1RB_Left	20.81	21.14
n77L	20	30	3540	CP	64QAM	Edge_1RB_Right	20.86	21.19
n77L	20	30	3540	CP	64QAM	Outer_Full	20.62	20.95
n77L	20	30	3540	CP	256QAM	Inner_Full	17.79	18.12

n77L	20	30	3540	CP	256QAM	Edge_1RB_Left	17.80	18.13
n77L	20	30	3540	CP	256QAM	Edge_1RB_Right	17.90	18.23
n77L	20	30	3540	CP	256QAM	Outer_Full	17.83	18.16
n77L	40	30	3470.01	DFT	pi/2 BPSK	Inner_Full	23.87	24.20
n77L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.78	23.11
n77L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.75	23.08
n77L	40	30	3470.01	DFT	pi/2 BPSK	Outer_Full	23.25	23.58
n77L	40	30	3470.01	DFT	QPSK	Inner_Full	23.86	24.19
n77L	40	30	3470.01	DFT	QPSK	Edge_1RB_Left	22.33	22.66
n77L	40	30	3470.01	DFT	QPSK	Edge_1RB_Right	22.22	22.55
n77L	40	30	3470.01	DFT	QPSK	Outer_Full	22.73	23.06
n77L	40	30	3470.01	DFT	16QAM	Inner_Full	22.86	23.19
n77L	40	30	3470.01	DFT	16QAM	Edge_1RB_Left	21.23	21.56
n77L	40	30	3470.01	DFT	16QAM	Edge_1RB_Right	21.30	21.63
n77L	40	30	3470.01	DFT	16QAM	Outer_Full	21.72	22.05
n77L	40	30	3470.01	DFT	64QAM	Inner_Full	21.32	21.65
n77L	40	30	3470.01	DFT	64QAM	Edge_1RB_Left	20.57	20.90
n77L	40	30	3470.01	DFT	64QAM	Edge_1RB_Right	20.65	20.98
n77L	40	30	3470.01	DFT	64QAM	Outer_Full	21.19	21.52
n77L	40	30	3470.01	DFT	256QAM	Inner_Full	19.45	19.78
n77L	40	30	3470.01	DFT	256QAM	Edge_1RB_Left	19.25	19.58
n77L	40	30	3470.01	DFT	256QAM	Edge_1RB_Right	18.81	19.14
n77L	40	30	3470.01	DFT	256QAM	Outer_Full	19.38	19.71
n77L	40	30	3470.01	CP	QPSK	Inner_Full	22.39	22.72
n77L	40	30	3470.01	CP	QPSK	Edge_1RB_Left	20.23	20.56
n77L	40	30	3470.01	CP	QPSK	Edge_1RB_Right	20.08	20.41
n77L	40	30	3470.01	CP	QPSK	Outer_Full	20.65	20.98
n77L	40	30	3470.01	CP	16QAM	Inner_Full	21.83	22.16
n77L	40	30	3470.01	CP	16QAM	Edge_1RB_Left	20.26	20.59
n77L	40	30	3470.01	CP	16QAM	Edge_1RB_Right	20.24	20.57
n77L	40	30	3470.01	CP	16QAM	Outer_Full	20.69	21.02
n77L	40	30	3470.01	CP	64QAM	Inner_Full	20.29	20.62
n77L	40	30	3470.01	CP	64QAM	Edge_1RB_Left	20.08	20.41
n77L	40	30	3470.01	CP	64QAM	Edge_1RB_Right	19.98	20.31
n77L	40	30	3470.01	CP	64QAM	Outer_Full	20.15	20.48
n77L	40	30	3470.01	CP	256QAM	Inner_Full	17.39	17.72
n77L	40	30	3470.01	CP	256QAM	Edge_1RB_Left	17.12	17.45
n77L	40	30	3470.01	CP	256QAM	Edge_1RB_Right	17.02	17.35
n77L	40	30	3470.01	CP	256QAM	Outer_Full	17.30	17.63
n77L	40	30	3500.01	DFT	pi/2 BPSK	Inner_Full	24.02	24.35
n77L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.89	23.22

n77L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.96	23.29
n77L	40	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.39	23.72
n77L	40	30	3500.01	DFT	QPSK	Inner_Full	24.08	24.41
n77L	40	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.36	22.69
n77L	40	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.48	22.81
n77L	40	30	3500.01	DFT	QPSK	Outer_Full	22.92	23.25
n77L	40	30	3500.01	DFT	16QAM	Inner_Full	22.98	23.31
n77L	40	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.38	21.71
n77L	40	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.43	21.76
n77L	40	30	3500.01	DFT	16QAM	Outer_Full	21.87	22.20
n77L	40	30	3500.01	DFT	64QAM	Inner_Full	21.43	21.76
n77L	40	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.79	21.12
n77L	40	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.80	21.13
n77L	40	30	3500.01	DFT	64QAM	Outer_Full	21.39	21.72
n77L	40	30	3500.01	DFT	256QAM	Inner_Full	19.31	19.64
n77L	40	30	3500.01	DFT	256QAM	Edge_1RB_Left	18.83	19.16
n77L	40	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.05	19.38
n77L	40	30	3500.01	DFT	256QAM	Outer_Full	19.29	19.62
n77L	40	30	3500.01	CP	QPSK	Inner_Full	22.37	22.70
n77L	40	30	3500.01	CP	QPSK	Edge_1RB_Left	20.41	20.74
n77L	40	30	3500.01	CP	QPSK	Edge_1RB_Right	20.34	20.67
n77L	40	30	3500.01	CP	QPSK	Outer_Full	20.83	21.16
n77L	40	30	3500.01	CP	16QAM	Inner_Full	21.94	22.27
n77L	40	30	3500.01	CP	16QAM	Edge_1RB_Left	20.45	20.78
n77L	40	30	3500.01	CP	16QAM	Edge_1RB_Right	20.41	20.74
n77L	40	30	3500.01	CP	16QAM	Outer_Full	20.77	21.10
n77L	40	30	3500.01	CP	64QAM	Inner_Full	20.39	20.72
n77L	40	30	3500.01	CP	64QAM	Edge_1RB_Left	20.13	20.46
n77L	40	30	3500.01	CP	64QAM	Edge_1RB_Right	20.21	20.54
n77L	40	30	3500.01	CP	64QAM	Outer_Full	20.29	20.62
n77L	40	30	3500.01	CP	256QAM	Inner_Full	17.49	17.82
n77L	40	30	3500.01	CP	256QAM	Edge_1RB_Left	17.07	17.40
n77L	40	30	3500.01	CP	256QAM	Edge_1RB_Right	17.23	17.56
n77L	40	30	3500.01	CP	256QAM	Outer_Full	17.43	17.76
n77L	40	30	3529.98	DFT	pi/2 BPSK	Inner_Full	24.11	24.44
n77L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.06	23.39
n77L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Right	23.16	23.49
n77L	40	30	3529.98	DFT	pi/2 BPSK	Outer_Full	23.54	23.87
n77L	40	30	3529.98	DFT	QPSK	Inner_Full	24.21	24.54
n77L	40	30	3529.98	DFT	QPSK	Edge_1RB_Left	22.57	22.90
n77L	40	30	3529.98	DFT	QPSK	Edge_1RB_Right	22.58	22.91

n77L	40	30	3529.98	DFT	QPSK	Outer_Full	23.06	23.39
n77L	40	30	3529.98	DFT	16QAM	Inner_Full	23.17	23.50
n77L	40	30	3529.98	DFT	16QAM	Edge_1RB_Left	21.55	21.88
n77L	40	30	3529.98	DFT	16QAM	Edge_1RB_Right	21.63	21.96
n77L	40	30	3529.98	DFT	16QAM	Outer_Full	22.07	22.40
n77L	40	30	3529.98	DFT	64QAM	Inner_Full	21.61	21.94
n77L	40	30	3529.98	DFT	64QAM	Edge_1RB_Left	20.90	21.23
n77L	40	30	3529.98	DFT	64QAM	Edge_1RB_Right	21.02	21.35
n77L	40	30	3529.98	DFT	64QAM	Outer_Full	21.57	21.90
n77L	40	30	3529.98	DFT	256QAM	Inner_Full	19.48	19.81
n77L	40	30	3529.98	DFT	256QAM	Edge_1RB_Left	18.77	19.10
n77L	40	30	3529.98	DFT	256QAM	Edge_1RB_Right	18.86	19.19
n77L	40	30	3529.98	DFT	256QAM	Outer_Full	19.45	19.78
n77L	40	30	3529.98	CP	QPSK	Inner_Full	22.64	22.97
n77L	40	30	3529.98	CP	QPSK	Edge_1RB_Left	20.54	20.87
n77L	40	30	3529.98	CP	QPSK	Edge_1RB_Right	20.45	20.78
n77L	40	30	3529.98	CP	QPSK	Outer_Full	21.01	21.34
n77L	40	30	3529.98	CP	16QAM	Inner_Full	22.13	22.46
n77L	40	30	3529.98	CP	16QAM	Edge_1RB_Left	20.61	20.94
n77L	40	30	3529.98	CP	16QAM	Edge_1RB_Right	20.79	21.12
n77L	40	30	3529.98	CP	16QAM	Outer_Full	21.02	21.35
n77L	40	30	3529.98	CP	64QAM	Inner_Full	20.56	20.89
n77L	40	30	3529.98	CP	64QAM	Edge_1RB_Left	20.29	20.62
n77L	40	30	3529.98	CP	64QAM	Edge_1RB_Right	20.39	20.72
n77L	40	30	3529.98	CP	64QAM	Outer_Full	20.50	20.83
n77L	40	30	3529.98	CP	256QAM	Inner_Full	17.74	18.07
n77L	40	30	3529.98	CP	256QAM	Edge_1RB_Left	17.42	17.75
n77L	40	30	3529.98	CP	256QAM	Edge_1RB_Right	17.33	17.66
n77L	40	30	3529.98	CP	256QAM	Outer_Full	17.64	17.97
n77L	50	30	3475.02	DFT	pi/2 BPSK	Inner_Full	23.90	24.23
n77L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.00	23.33
n77L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.95	23.28
n77L	50	30	3475.02	DFT	pi/2 BPSK	Outer_Full	23.27	23.60
n77L	50	30	3475.02	DFT	QPSK	Inner_Full	23.89	24.22
n77L	50	30	3475.02	DFT	QPSK	Edge_1RB_Left	22.48	22.81
n77L	50	30	3475.02	DFT	QPSK	Edge_1RB_Right	22.52	22.85
n77L	50	30	3475.02	DFT	QPSK	Outer_Full	22.77	23.10
n77L	50	30	3475.02	DFT	16QAM	Inner_Full	22.91	23.24
n77L	50	30	3475.02	DFT	16QAM	Edge_1RB_Left	21.26	21.59
n77L	50	30	3475.02	DFT	16QAM	Edge_1RB_Right	21.30	21.63
n77L	50	30	3475.02	DFT	16QAM	Outer_Full	21.80	22.13



n77L	50	30	3475.02	DFT	64QAM	Inner_Full	21.34	21.67
n77L	50	30	3475.02	DFT	64QAM	Edge_1RB_Left	20.82	21.15
n77L	50	30	3475.02	DFT	64QAM	Edge_1RB_Right	20.87	21.20
n77L	50	30	3475.02	DFT	64QAM	Outer_Full	21.26	21.59
n77L	50	30	3475.02	DFT	256QAM	Inner_Full	19.48	19.81
n77L	50	30	3475.02	DFT	256QAM	Edge_1RB_Left	19.10	19.43
n77L	50	30	3475.02	DFT	256QAM	Edge_1RB_Right	18.99	19.32
n77L	50	30	3475.02	DFT	256QAM	Outer_Full	19.42	19.75
n77L	50	30	3475.02	CP	QPSK	Inner_Full	22.36	22.69
n77L	50	30	3475.02	CP	QPSK	Edge_1RB_Left	20.42	20.75
n77L	50	30	3475.02	CP	QPSK	Edge_1RB_Right	20.41	20.74
n77L	50	30	3475.02	CP	QPSK	Outer_Full	20.79	21.12
n77L	50	30	3475.02	CP	16QAM	Inner_Full	21.79	22.12
n77L	50	30	3475.02	CP	16QAM	Edge_1RB_Left	20.76	21.09
n77L	50	30	3475.02	CP	16QAM	Edge_1RB_Right	20.62	20.95
n77L	50	30	3475.02	CP	16QAM	Outer_Full	20.77	21.10
n77L	50	30	3475.02	CP	64QAM	Inner_Full	20.34	20.67
n77L	50	30	3475.02	CP	64QAM	Edge_1RB_Left	20.33	20.66
n77L	50	30	3475.02	CP	64QAM	Edge_1RB_Right	20.23	20.56
n77L	50	30	3475.02	CP	64QAM	Outer_Full	20.28	20.61
n77L	50	30	3475.02	CP	256QAM	Inner_Full	17.42	17.75
n77L	50	30	3475.02	CP	256QAM	Edge_1RB_Left	17.08	17.41
n77L	50	30	3475.02	CP	256QAM	Edge_1RB_Right	17.07	17.40
n77L	50	30	3475.02	CP	256QAM	Outer_Full	17.43	17.76
n77L	50	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.97	24.30
n77L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.10	23.43
n77L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.20	23.53
n77L	50	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.38	23.71
n77L	50	30	3500.01	DFT	QPSK	Inner_Full	24.01	24.34
n77L	50	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.70	23.03
n77L	50	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.72	23.05
n77L	50	30	3500.01	DFT	QPSK	Outer_Full	22.94	23.27
n77L	50	30	3500.01	DFT	16QAM	Inner_Full	23.00	23.33
n77L	50	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.60	21.93
n77L	50	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.74	22.07
n77L	50	30	3500.01	DFT	16QAM	Outer_Full	21.93	22.26
n77L	50	30	3500.01	DFT	64QAM	Inner_Full	21.41	21.74
n77L	50	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.01	21.34
n77L	50	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.91	21.24
n77L	50	30	3500.01	DFT	64QAM	Outer_Full	21.36	21.69
n77L	50	30	3500.01	DFT	256QAM	Inner_Full	19.57	19.90

n77L	50	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.14	19.47
n77L	50	30	3500.01	DFT	256QAM	Edge_1RB_Right	18.89	19.22
n77L	50	30	3500.01	DFT	256QAM	Outer_Full	19.31	19.64
n77L	50	30	3500.01	CP	QPSK	Inner_Full	22.42	22.75
n77L	50	30	3500.01	CP	QPSK	Edge_1RB_Left	20.67	21.00
n77L	50	30	3500.01	CP	QPSK	Edge_1RB_Right	20.62	20.95
n77L	50	30	3500.01	CP	QPSK	Outer_Full	20.88	21.21
n77L	50	30	3500.01	CP	16QAM	Inner_Full	21.92	22.25
n77L	50	30	3500.01	CP	16QAM	Edge_1RB_Left	20.62	20.95
n77L	50	30	3500.01	CP	16QAM	Edge_1RB_Right	20.71	21.04
n77L	50	30	3500.01	CP	16QAM	Outer_Full	20.86	21.19
n77L	50	30	3500.01	CP	64QAM	Inner_Full	20.45	20.78
n77L	50	30	3500.01	CP	64QAM	Edge_1RB_Left	20.40	20.73
n77L	50	30	3500.01	CP	64QAM	Edge_1RB_Right	20.48	20.81
n77L	50	30	3500.01	CP	64QAM	Outer_Full	20.34	20.67
n77L	50	30	3500.01	CP	256QAM	Inner_Full	17.57	17.90
n77L	50	30	3500.01	CP	256QAM	Edge_1RB_Left	17.31	17.64
n77L	50	30	3500.01	CP	256QAM	Edge_1RB_Right	17.42	17.75
n77L	50	30	3500.01	CP	256QAM	Outer_Full	17.49	17.82
n77L	50	30	3525	DFT	pi/2 BPSK	Inner_Full	24.14	24.47
n77L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Left	23.21	23.54
n77L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Right	23.32	23.65
n77L	50	30	3525	DFT	pi/2 BPSK	Outer_Full	23.49	23.82
n77L	50	30	3525	DFT	QPSK	Inner_Full	24.20	24.53
n77L	50	30	3525	DFT	QPSK	Edge_1RB_Left	22.71	23.04
n77L	50	30	3525	DFT	QPSK	Edge_1RB_Right	22.83	23.16
n77L	50	30	3525	DFT	QPSK	Outer_Full	23.06	23.39
n77L	50	30	3525	DFT	16QAM	Inner_Full	23.18	23.51
n77L	50	30	3525	DFT	16QAM	Edge_1RB_Left	21.67	22.00
n77L	50	30	3525	DFT	16QAM	Edge_1RB_Right	21.83	22.16
n77L	50	30	3525	DFT	16QAM	Outer_Full	22.02	22.35
n77L	50	30	3525	DFT	64QAM	Inner_Full	21.55	21.88
n77L	50	30	3525	DFT	64QAM	Edge_1RB_Left	21.08	21.41
n77L	50	30	3525	DFT	64QAM	Edge_1RB_Right	21.03	21.36
n77L	50	30	3525	DFT	64QAM	Outer_Full	21.50	21.83
n77L	50	30	3525	DFT	256QAM	Inner_Full	19.45	19.78
n77L	50	30	3525	DFT	256QAM	Edge_1RB_Left	19.31	19.64
n77L	50	30	3525	DFT	256QAM	Edge_1RB_Right	19.39	19.72
n77L	50	30	3525	DFT	256QAM	Outer_Full	19.47	19.80
n77L	50	30	3525	CP	QPSK	Inner_Full	22.59	22.92
n77L	50	30	3525	CP	QPSK	Edge_1RB_Left	20.73	21.06

n77L	50	30	3525	CP	QPSK	Edge_1RB_Right	20.72	21.05
n77L	50	30	3525	CP	QPSK	Outer_Full	20.98	21.31
n77L	50	30	3525	CP	16QAM	Inner_Full	22.15	22.48
n77L	50	30	3525	CP	16QAM	Edge_1RB_Left	20.63	20.96
n77L	50	30	3525	CP	16QAM	Edge_1RB_Right	20.69	21.02
n77L	50	30	3525	CP	16QAM	Outer_Full	20.99	21.32
n77L	50	30	3525	CP	64QAM	Inner_Full	20.57	20.90
n77L	50	30	3525	CP	64QAM	Edge_1RB_Left	20.44	20.77
n77L	50	30	3525	CP	64QAM	Edge_1RB_Right	20.57	20.90
n77L	50	30	3525	CP	64QAM	Outer_Full	20.47	20.80
n77L	50	30	3525	CP	256QAM	Inner_Full	17.74	18.07
n77L	50	30	3525	CP	256QAM	Edge_1RB_Left	17.37	17.70
n77L	50	30	3525	CP	256QAM	Edge_1RB_Right	17.36	17.69
n77L	50	30	3525	CP	256QAM	Outer_Full	17.60	17.93
n77L	60	30	3480	DFT	pi/2 BPSK	Inner_Full	23.88	24.21
n77L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Left	22.94	23.27
n77L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Right	22.94	23.27
n77L	60	30	3480	DFT	pi/2 BPSK	Outer_Full	23.31	23.64
n77L	60	30	3480	DFT	QPSK	Inner_Full	23.93	24.26
n77L	60	30	3480	DFT	QPSK	Edge_1RB_Left	22.49	22.82
n77L	60	30	3480	DFT	QPSK	Edge_1RB_Right	22.47	22.80
n77L	60	30	3480	DFT	QPSK	Outer_Full	22.87	23.20
n77L	60	30	3480	DFT	16QAM	Inner_Full	22.92	23.25
n77L	60	30	3480	DFT	16QAM	Edge_1RB_Left	21.51	21.84
n77L	60	30	3480	DFT	16QAM	Edge_1RB_Right	21.49	21.82
n77L	60	30	3480	DFT	16QAM	Outer_Full	21.82	22.15
n77L	60	30	3480	DFT	64QAM	Inner_Full	21.35	21.68
n77L	60	30	3480	DFT	64QAM	Edge_1RB_Left	20.76	21.09
n77L	60	30	3480	DFT	64QAM	Edge_1RB_Right	20.75	21.08
n77L	60	30	3480	DFT	64QAM	Outer_Full	21.12	21.45
n77L	60	30	3480	DFT	256QAM	Inner_Full	19.48	19.81
n77L	60	30	3480	DFT	256QAM	Edge_1RB_Left	18.97	19.30
n77L	60	30	3480	DFT	256QAM	Edge_1RB_Right	18.65	18.98
n77L	60	30	3480	DFT	256QAM	Outer_Full	19.44	19.77
n77L	60	30	3480	CP	QPSK	Inner_Full	22.33	22.66
n77L	60	30	3480	CP	QPSK	Edge_1RB_Left	20.38	20.71
n77L	60	30	3480	CP	QPSK	Edge_1RB_Right	20.40	20.73
n77L	60	30	3480	CP	QPSK	Outer_Full	20.78	21.11
n77L	60	30	3480	CP	16QAM	Inner_Full	21.81	22.14
n77L	60	30	3480	CP	16QAM	Edge_1RB_Left	20.65	20.98
n77L	60	30	3480	CP	16QAM	Edge_1RB_Right	20.67	21.00

n77L	60	30	3480	CP	16QAM	Outer_Full	20.82	21.15
n77L	60	30	3480	CP	64QAM	Inner_Full	20.37	20.70
n77L	60	30	3480	CP	64QAM	Edge_1RB_Left	20.16	20.49
n77L	60	30	3480	CP	64QAM	Edge_1RB_Right	20.16	20.49
n77L	60	30	3480	CP	64QAM	Outer_Full	20.18	20.51
n77L	60	30	3480	CP	256QAM	Inner_Full	17.44	17.77
n77L	60	30	3480	CP	256QAM	Edge_1RB_Left	16.96	17.29
n77L	60	30	3480	CP	256QAM	Edge_1RB_Right	17.02	17.35
n77L	60	30	3480	CP	256QAM	Outer_Full	17.37	17.70
n77L	60	30	3500.01	DFT	pi/2 BPSK	Inner_Full	24.00	24.33
n77L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.96	23.29
n77L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.07	23.40
n77L	60	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.36	23.69
n77L	60	30	3500.01	DFT	QPSK	Inner_Full	24.07	24.40
n77L	60	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.53	22.86
n77L	60	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.59	22.92
n77L	60	30	3500.01	DFT	QPSK	Outer_Full	22.94	23.27
n77L	60	30	3500.01	DFT	16QAM	Inner_Full	22.98	23.31
n77L	60	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.57	21.90
n77L	60	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.61	21.94
n77L	60	30	3500.01	DFT	16QAM	Outer_Full	21.88	22.21
n77L	60	30	3500.01	DFT	64QAM	Inner_Full	21.41	21.74
n77L	60	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.78	21.11
n77L	60	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.88	21.21
n77L	60	30	3500.01	DFT	64QAM	Outer_Full	21.34	21.67
n77L	60	30	3500.01	DFT	256QAM	Inner_Full	19.36	19.69
n77L	60	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.35	19.68
n77L	60	30	3500.01	DFT	256QAM	Edge_1RB_Right	18.77	19.10
n77L	60	30	3500.01	DFT	256QAM	Outer_Full	19.23	19.56
n77L	60	30	3500.01	CP	QPSK	Inner_Full	22.45	22.78
n77L	60	30	3500.01	CP	QPSK	Edge_1RB_Left	20.46	20.79
n77L	60	30	3500.01	CP	QPSK	Edge_1RB_Right	20.59	20.92
n77L	60	30	3500.01	CP	QPSK	Outer_Full	20.82	21.15
n77L	60	30	3500.01	CP	16QAM	Inner_Full	21.95	22.28
n77L	60	30	3500.01	CP	16QAM	Edge_1RB_Left	20.44	20.77
n77L	60	30	3500.01	CP	16QAM	Edge_1RB_Right	20.56	20.89
n77L	60	30	3500.01	CP	16QAM	Outer_Full	20.83	21.16
n77L	60	30	3500.01	CP	64QAM	Inner_Full	20.42	20.75
n77L	60	30	3500.01	CP	64QAM	Edge_1RB_Left	20.00	20.33
n77L	60	30	3500.01	CP	64QAM	Edge_1RB_Right	20.11	20.44
n77L	60	30	3500.01	CP	64QAM	Outer_Full	20.30	20.63

n77L	60	30	3500.01	CP	256QAM	Inner_Full	17.52	17.85
n77L	60	30	3500.01	CP	256QAM	Edge_1RB_Left	17.21	17.54
n77L	60	30	3500.01	CP	256QAM	Edge_1RB_Right	17.30	17.63
n77L	60	30	3500.01	CP	256QAM	Outer_Full	17.47	17.80
n77L	60	30	3519.99	DFT	pi/2 BPSK	Inner_Full	24.09	24.42
n77L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.01	23.34
n77L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.13	23.46
n77L	60	30	3519.99	DFT	pi/2 BPSK	Outer_Full	23.45	23.78
n77L	60	30	3519.99	DFT	QPSK	Inner_Full	24.13	24.46
n77L	60	30	3519.99	DFT	QPSK	Edge_1RB_Left	22.55	22.88
n77L	60	30	3519.99	DFT	QPSK	Edge_1RB_Right	22.64	22.97
n77L	60	30	3519.99	DFT	QPSK	Outer_Full	23.02	23.35
n77L	60	30	3519.99	DFT	16QAM	Inner_Full	23.08	23.41
n77L	60	30	3519.99	DFT	16QAM	Edge_1RB_Left	21.56	21.89
n77L	60	30	3519.99	DFT	16QAM	Edge_1RB_Right	21.69	22.02
n77L	60	30	3519.99	DFT	16QAM	Outer_Full	21.93	22.26
n77L	60	30	3519.99	DFT	64QAM	Inner_Full	21.55	21.88
n77L	60	30	3519.99	DFT	64QAM	Edge_1RB_Left	20.82	21.15
n77L	60	30	3519.99	DFT	64QAM	Edge_1RB_Right	20.91	21.24
n77L	60	30	3519.99	DFT	64QAM	Outer_Full	21.44	21.77
n77L	60	30	3519.99	DFT	256QAM	Inner_Full	19.44	19.77
n77L	60	30	3519.99	DFT	256QAM	Edge_1RB_Left	19.08	19.41
n77L	60	30	3519.99	DFT	256QAM	Edge_1RB_Right	18.85	19.18
n77L	60	30	3519.99	DFT	256QAM	Outer_Full	19.35	19.68
n77L	60	30	3519.99	CP	QPSK	Inner_Full	22.52	22.85
n77L	60	30	3519.99	CP	QPSK	Edge_1RB_Left	20.49	20.82
n77L	60	30	3519.99	CP	QPSK	Edge_1RB_Right	20.64	20.97
n77L	60	30	3519.99	CP	QPSK	Outer_Full	20.91	21.24
n77L	60	30	3519.99	CP	16QAM	Inner_Full	22.00	22.33
n77L	60	30	3519.99	CP	16QAM	Edge_1RB_Left	20.70	21.03
n77L	60	30	3519.99	CP	16QAM	Edge_1RB_Right	20.86	21.19
n77L	60	30	3519.99	CP	16QAM	Outer_Full	20.93	21.26
n77L	60	30	3519.99	CP	64QAM	Inner_Full	20.54	20.87
n77L	60	30	3519.99	CP	64QAM	Edge_1RB_Left	20.27	20.60
n77L	60	30	3519.99	CP	64QAM	Edge_1RB_Right	20.38	20.71
n77L	60	30	3519.99	CP	64QAM	Outer_Full	20.33	20.66
n77L	60	30	3519.99	CP	256QAM	Inner_Full	17.64	17.97
n77L	60	30	3519.99	CP	256QAM	Edge_1RB_Left	17.09	17.42
n77L	60	30	3519.99	CP	256QAM	Edge_1RB_Right	17.22	17.55
n77L	60	30	3519.99	CP	256QAM	Outer_Full	17.56	17.89
n77L	70	30	3485.01	DFT	pi/2 BPSK	Inner_Full	23.92	24.25

n77L	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.90	23.23
n77L	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.97	23.30
n77L	70	30	3485.01	DFT	pi/2 BPSK	Outer_Full	23.35	23.68
n77L	70	30	3485.01	DFT	QPSK	Inner_Full	23.93	24.26
n77L	70	30	3485.01	DFT	QPSK	Edge_1RB_Left	22.48	22.81
n77L	70	30	3485.01	DFT	QPSK	Edge_1RB_Right	22.55	22.88
n77L	70	30	3485.01	DFT	QPSK	Outer_Full	22.84	23.17
n77L	70	30	3485.01	DFT	16QAM	Inner_Full	22.93	23.26
n77L	70	30	3485.01	DFT	16QAM	Edge_1RB_Left	21.46	21.79
n77L	70	30	3485.01	DFT	16QAM	Edge_1RB_Right	21.59	21.92
n77L	70	30	3485.01	DFT	16QAM	Outer_Full	21.84	22.17
n77L	70	30	3485.01	DFT	64QAM	Inner_Full	21.32	21.65
n77L	70	30	3485.01	DFT	64QAM	Edge_1RB_Left	20.84	21.17
n77L	70	30	3485.01	DFT	64QAM	Edge_1RB_Right	20.71	21.04
n77L	70	30	3485.01	DFT	64QAM	Outer_Full	21.30	21.63
n77L	70	30	3485.01	DFT	256QAM	Inner_Full	19.55	19.88
n77L	70	30	3485.01	DFT	256QAM	Edge_1RB_Left	18.97	19.30
n77L	70	30	3485.01	DFT	256QAM	Edge_1RB_Right	18.61	18.94
n77L	70	30	3485.01	DFT	256QAM	Outer_Full	19.52	19.85
n77L	70	30	3485.01	CP	QPSK	Inner_Full	22.37	22.70
n77L	70	30	3485.01	CP	QPSK	Edge_1RB_Left	20.25	20.58
n77L	70	30	3485.01	CP	QPSK	Edge_1RB_Right	20.29	20.62
n77L	70	30	3485.01	CP	QPSK	Outer_Full	20.69	21.02
n77L	70	30	3485.01	CP	16QAM	Inner_Full	21.88	22.21
n77L	70	30	3485.01	CP	16QAM	Edge_1RB_Left	20.52	20.85
n77L	70	30	3485.01	CP	16QAM	Edge_1RB_Right	20.53	20.86
n77L	70	30	3485.01	CP	16QAM	Outer_Full	20.73	21.06
n77L	70	30	3485.01	CP	64QAM	Inner_Full	20.24	20.57
n77L	70	30	3485.01	CP	64QAM	Edge_1RB_Left	20.17	20.50
n77L	70	30	3485.01	CP	64QAM	Edge_1RB_Right	20.21	20.54
n77L	70	30	3485.01	CP	64QAM	Outer_Full	20.23	20.56
n77L	70	30	3485.01	CP	256QAM	Inner_Full	17.47	17.80
n77L	70	30	3485.01	CP	256QAM	Edge_1RB_Left	17.03	17.36
n77L	70	30	3485.01	CP	256QAM	Edge_1RB_Right	17.11	17.44
n77L	70	30	3485.01	CP	256QAM	Outer_Full	17.33	17.66
n77L	70	30	3500.01	DFT	pi/2 BPSK	Inner_Full	24.03	24.36
n77L	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.98	23.31
n77L	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.09	23.42
n77L	70	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.41	23.74
n77L	70	30	3500.01	DFT	QPSK	Inner_Full	24.08	24.41
n77L	70	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.50	22.83

n77L	70	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.58	22.91
n77L	70	30	3500.01	DFT	QPSK	Outer_Full	22.92	23.25
n77L	70	30	3500.01	DFT	16QAM	Inner_Full	23.04	23.37
n77L	70	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.31	21.64
n77L	70	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.35	21.68
n77L	70	30	3500.01	DFT	16QAM	Outer_Full	21.90	22.23
n77L	70	30	3500.01	DFT	64QAM	Inner_Full	21.39	21.72
n77L	70	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.89	21.22
n77L	70	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.99	21.32
n77L	70	30	3500.01	DFT	64QAM	Outer_Full	21.41	21.74
n77L	70	30	3500.01	DFT	256QAM	Inner_Full	19.43	19.76
n77L	70	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.06	19.39
n77L	70	30	3500.01	DFT	256QAM	Edge_1RB_Right	18.73	19.06
n77L	70	30	3500.01	DFT	256QAM	Outer_Full	19.23	19.56
n77L	70	30	3500.01	CP	QPSK	Inner_Full	22.52	22.85
n77L	70	30	3500.01	CP	QPSK	Edge_1RB_Left	20.35	20.68
n77L	70	30	3500.01	CP	QPSK	Edge_1RB_Right	20.41	20.74
n77L	70	30	3500.01	CP	QPSK	Outer_Full	20.87	21.20
n77L	70	30	3500.01	CP	16QAM	Inner_Full	22.02	22.35
n77L	70	30	3500.01	CP	16QAM	Edge_1RB_Left	20.50	20.83
n77L	70	30	3500.01	CP	16QAM	Edge_1RB_Right	20.70	21.03
n77L	70	30	3500.01	CP	16QAM	Outer_Full	20.86	21.19
n77L	70	30	3500.01	CP	64QAM	Inner_Full	20.39	20.72
n77L	70	30	3500.01	CP	64QAM	Edge_1RB_Left	20.22	20.55
n77L	70	30	3500.01	CP	64QAM	Edge_1RB_Right	20.22	20.55
n77L	70	30	3500.01	CP	64QAM	Outer_Full	20.32	20.65
n77L	70	30	3500.01	CP	256QAM	Inner_Full	17.57	17.90
n77L	70	30	3500.01	CP	256QAM	Edge_1RB_Left	17.14	17.47
n77L	70	30	3500.01	CP	256QAM	Edge_1RB_Right	17.35	17.68
n77L	70	30	3500.01	CP	256QAM	Outer_Full	17.51	17.84
n77L	70	30	3514.98	DFT	pi/2 BPSK	Inner_Full	24.06	24.39
n77L	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.95	23.28
n77L	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Right	23.07	23.40
n77L	70	30	3514.98	DFT	pi/2 BPSK	Outer_Full	23.45	23.78
n77L	70	30	3514.98	DFT	QPSK	Inner_Full	24.15	24.48
n77L	70	30	3514.98	DFT	QPSK	Edge_1RB_Left	22.63	22.96
n77L	70	30	3514.98	DFT	QPSK	Edge_1RB_Right	22.73	23.06
n77L	70	30	3514.98	DFT	QPSK	Outer_Full	22.95	23.28
n77L	70	30	3514.98	DFT	16QAM	Inner_Full	23.09	23.42
n77L	70	30	3514.98	DFT	16QAM	Edge_1RB_Left	21.58	21.91
n77L	70	30	3514.98	DFT	16QAM	Edge_1RB_Right	21.73	22.06

n77L	70	30	3514.98	DFT	16QAM	Outer_Full	21.96	22.29
n77L	70	30	3514.98	DFT	64QAM	Inner_Full	21.48	21.81
n77L	70	30	3514.98	DFT	64QAM	Edge_1RB_Left	20.77	21.10
n77L	70	30	3514.98	DFT	64QAM	Edge_1RB_Right	20.87	21.20
n77L	70	30	3514.98	DFT	64QAM	Outer_Full	21.46	21.79
n77L	70	30	3514.98	DFT	256QAM	Inner_Full	19.48	19.81
n77L	70	30	3514.98	DFT	256QAM	Edge_1RB_Left	19.05	19.38
n77L	70	30	3514.98	DFT	256QAM	Edge_1RB_Right	18.82	19.15
n77L	70	30	3514.98	DFT	256QAM	Outer_Full	19.32	19.65
n77L	70	30	3514.98	CP	QPSK	Inner_Full	22.60	22.93
n77L	70	30	3514.98	CP	QPSK	Edge_1RB_Left	20.47	20.80
n77L	70	30	3514.98	CP	QPSK	Edge_1RB_Right	20.44	20.77
n77L	70	30	3514.98	CP	QPSK	Outer_Full	20.90	21.23
n77L	70	30	3514.98	CP	16QAM	Inner_Full	22.09	22.42
n77L	70	30	3514.98	CP	16QAM	Edge_1RB_Left	20.63	20.96
n77L	70	30	3514.98	CP	16QAM	Edge_1RB_Right	20.92	21.25
n77L	70	30	3514.98	CP	16QAM	Outer_Full	20.87	21.20
n77L	70	30	3514.98	CP	64QAM	Inner_Full	20.46	20.79
n77L	70	30	3514.98	CP	64QAM	Edge_1RB_Left	20.23	20.56
n77L	70	30	3514.98	CP	64QAM	Edge_1RB_Right	20.31	20.64
n77L	70	30	3514.98	CP	64QAM	Outer_Full	20.32	20.65
n77L	70	30	3514.98	CP	256QAM	Inner_Full	17.67	18.00
n77L	70	30	3514.98	CP	256QAM	Edge_1RB_Left	17.05	17.38
n77L	70	30	3514.98	CP	256QAM	Edge_1RB_Right	17.10	17.43
n77L	70	30	3514.98	CP	256QAM	Outer_Full	17.59	17.92
n77L	80	30	3490.02	DFT	pi/2 BPSK	Inner_Full	23.96	24.29
n77L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.81	23.14
n77L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.83	23.16
n77L	80	30	3490.02	DFT	pi/2 BPSK	Outer_Full	23.27	23.60
n77L	80	30	3490.02	DFT	QPSK	Inner_Full	24.00	24.33
n77L	80	30	3490.02	DFT	QPSK	Edge_1RB_Left	22.39	22.72
n77L	80	30	3490.02	DFT	QPSK	Edge_1RB_Right	22.45	22.78
n77L	80	30	3490.02	DFT	QPSK	Outer_Full	22.78	23.11
n77L	80	30	3490.02	DFT	16QAM	Inner_Full	22.99	23.32
n77L	80	30	3490.02	DFT	16QAM	Edge_1RB_Left	21.33	21.66
n77L	80	30	3490.02	DFT	16QAM	Edge_1RB_Right	21.47	21.80
n77L	80	30	3490.02	DFT	16QAM	Outer_Full	21.79	22.12
n77L	80	30	3490.02	DFT	64QAM	Inner_Full	21.41	21.74
n77L	80	30	3490.02	DFT	64QAM	Edge_1RB_Left	20.55	20.88
n77L	80	30	3490.02	DFT	64QAM	Edge_1RB_Right	20.58	20.91
n77L	80	30	3490.02	DFT	64QAM	Outer_Full	21.30	21.63



n77L	80	30	3490.02	DFT	256QAM	Inner_Full	19.33	19.66
n77L	80	30	3490.02	DFT	256QAM	Edge_1RB_Left	19.05	19.38
n77L	80	30	3490.02	DFT	256QAM	Edge_1RB_Right	18.64	18.97
n77L	80	30	3490.02	DFT	256QAM	Outer_Full	19.18	19.51
n77L	80	30	3490.02	CP	QPSK	Inner_Full	22.40	22.73
n77L	80	30	3490.02	CP	QPSK	Edge_1RB_Left	20.09	20.42
n77L	80	30	3490.02	CP	QPSK	Edge_1RB_Right	20.08	20.41
n77L	80	30	3490.02	CP	QPSK	Outer_Full	20.78	21.11
n77L	80	30	3490.02	CP	16QAM	Inner_Full	21.87	22.20
n77L	80	30	3490.02	CP	16QAM	Edge_1RB_Left	20.39	20.72
n77L	80	30	3490.02	CP	16QAM	Edge_1RB_Right	20.52	20.85
n77L	80	30	3490.02	CP	16QAM	Outer_Full	20.74	21.07
n77L	80	30	3490.02	CP	64QAM	Inner_Full	20.31	20.64
n77L	80	30	3490.02	CP	64QAM	Edge_1RB_Left	19.98	20.31
n77L	80	30	3490.02	CP	64QAM	Edge_1RB_Right	20.02	20.35
n77L	80	30	3490.02	CP	64QAM	Outer_Full	20.20	20.53
n77L	80	30	3490.02	CP	256QAM	Inner_Full	17.48	17.81
n77L	80	30	3490.02	CP	256QAM	Edge_1RB_Left	16.85	17.18
n77L	80	30	3490.02	CP	256QAM	Edge_1RB_Right	16.87	17.20
n77L	80	30	3490.02	CP	256QAM	Outer_Full	17.45	17.78
n77L	80	30	3500.01	DFT	pi/2 BPSK	Inner_Full	24.00	24.33
n77L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.83	23.16
n77L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.88	23.21
n77L	80	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.36	23.69
n77L	80	30	3500.01	DFT	QPSK	Inner_Full	24.06	24.39
n77L	80	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.39	22.72
n77L	80	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.41	22.74
n77L	80	30	3500.01	DFT	QPSK	Outer_Full	22.90	23.23
n77L	80	30	3500.01	DFT	16QAM	Inner_Full	23.05	23.38
n77L	80	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.56	21.89
n77L	80	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.66	21.99
n77L	80	30	3500.01	DFT	16QAM	Outer_Full	21.86	22.19
n77L	80	30	3500.01	DFT	64QAM	Inner_Full	21.43	21.76
n77L	80	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.54	20.87
n77L	80	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.60	20.93
n77L	80	30	3500.01	DFT	64QAM	Outer_Full	21.38	21.71
n77L	80	30	3500.01	DFT	256QAM	Inner_Full	19.32	19.65
n77L	80	30	3500.01	DFT	256QAM	Edge_1RB_Left	18.92	19.25
n77L	80	30	3500.01	DFT	256QAM	Edge_1RB_Right	18.57	18.90
n77L	80	30	3500.01	DFT	256QAM	Outer_Full	19.22	19.55
n77L	80	30	3500.01	CP	QPSK	Inner_Full	22.46	22.79

n77L	80	30	3500.01	CP	QPSK	Edge_1RB_Left	20.14	20.47
n77L	80	30	3500.01	CP	QPSK	Edge_1RB_Right	20.25	20.58
n77L	80	30	3500.01	CP	QPSK	Outer_Full	20.82	21.15
n77L	80	30	3500.01	CP	16QAM	Inner_Full	21.93	22.26
n77L	80	30	3500.01	CP	16QAM	Edge_1RB_Left	20.56	20.89
n77L	80	30	3500.01	CP	16QAM	Edge_1RB_Right	20.70	21.03
n77L	80	30	3500.01	CP	16QAM	Outer_Full	20.81	21.14
n77L	80	30	3500.01	CP	64QAM	Inner_Full	20.38	20.71
n77L	80	30	3500.01	CP	64QAM	Edge_1RB_Left	20.04	20.37
n77L	80	30	3500.01	CP	64QAM	Edge_1RB_Right	20.11	20.44
n77L	80	30	3500.01	CP	64QAM	Outer_Full	20.28	20.61
n77L	80	30	3500.01	CP	256QAM	Inner_Full	17.58	17.91
n77L	80	30	3500.01	CP	256QAM	Edge_1RB_Left	16.92	17.25
n77L	80	30	3500.01	CP	256QAM	Edge_1RB_Right	16.96	17.29
n77L	80	30	3500.01	CP	256QAM	Outer_Full	17.47	17.80
n77L	80	30	3510	DFT	pi/2 BPSK	Inner_Full	24.02	24.35
n77L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Left	22.82	23.15
n77L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Right	22.94	23.27
n77L	80	30	3510	DFT	pi/2 BPSK	Outer_Full	23.40	23.73
n77L	80	30	3510	DFT	QPSK	Inner_Full	24.12	24.45
n77L	80	30	3510	DFT	QPSK	Edge_1RB_Left	22.42	22.75
n77L	80	30	3510	DFT	QPSK	Edge_1RB_Right	22.45	22.78
n77L	80	30	3510	DFT	QPSK	Outer_Full	22.84	23.17
n77L	80	30	3510	DFT	16QAM	Inner_Full	23.08	23.41
n77L	80	30	3510	DFT	16QAM	Edge_1RB_Left	21.57	21.90
n77L	80	30	3510	DFT	16QAM	Edge_1RB_Right	21.68	22.01
n77L	80	30	3510	DFT	16QAM	Outer_Full	21.88	22.21
n77L	80	30	3510	DFT	64QAM	Inner_Full	21.53	21.86
n77L	80	30	3510	DFT	64QAM	Edge_1RB_Left	20.57	20.90
n77L	80	30	3510	DFT	64QAM	Edge_1RB_Right	20.63	20.96
n77L	80	30	3510	DFT	64QAM	Outer_Full	21.38	21.71
n77L	80	30	3510	DFT	256QAM	Inner_Full	19.38	19.71
n77L	80	30	3510	DFT	256QAM	Edge_1RB_Left	18.98	19.31
n77L	80	30	3510	DFT	256QAM	Edge_1RB_Right	18.57	18.90
n77L	80	30	3510	DFT	256QAM	Outer_Full	19.25	19.58
n77L	80	30	3510	CP	QPSK	Inner_Full	22.56	22.89
n77L	80	30	3510	CP	QPSK	Edge_1RB_Left	20.28	20.61
n77L	80	30	3510	CP	QPSK	Edge_1RB_Right	20.38	20.71
n77L	80	30	3510	CP	QPSK	Outer_Full	20.85	21.18
n77L	80	30	3510	CP	16QAM	Inner_Full	22.00	22.33
n77L	80	30	3510	CP	16QAM	Edge_1RB_Left	20.22	20.55

n77L	80	30	3510	CP	16QAM	Edge_1RB_Right	20.39	20.72
n77L	80	30	3510	CP	16QAM	Outer_Full	20.85	21.18
n77L	80	30	3510	CP	64QAM	Inner_Full	20.43	20.76
n77L	80	30	3510	CP	64QAM	Edge_1RB_Left	19.85	20.18
n77L	80	30	3510	CP	64QAM	Edge_1RB_Right	19.96	20.29
n77L	80	30	3510	CP	64QAM	Outer_Full	20.37	20.70
n77L	80	30	3510	CP	256QAM	Inner_Full	17.63	17.96
n77L	80	30	3510	CP	256QAM	Edge_1RB_Left	17.15	17.48
n77L	80	30	3510	CP	256QAM	Edge_1RB_Right	17.48	17.81
n77L	80	30	3510	CP	256QAM	Outer_Full	17.49	17.82
n77L	90	30	3495	DFT	pi/2 BPSK	Inner_Full	23.97	24.30
n77L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Left	22.62	22.95
n77L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Right	22.68	23.01
n77L	90	30	3495	DFT	pi/2 BPSK	Outer_Full	23.34	23.67
n77L	90	30	3495	DFT	QPSK	Inner_Full	23.98	24.31
n77L	90	30	3495	DFT	QPSK	Edge_1RB_Left	22.16	22.49
n77L	90	30	3495	DFT	QPSK	Edge_1RB_Right	22.26	22.59
n77L	90	30	3495	DFT	QPSK	Outer_Full	22.82	23.15
n77L	90	30	3495	DFT	16QAM	Inner_Full	22.95	23.28
n77L	90	30	3495	DFT	16QAM	Edge_1RB_Left	21.11	21.44
n77L	90	30	3495	DFT	16QAM	Edge_1RB_Right	21.21	21.54
n77L	90	30	3495	DFT	16QAM	Outer_Full	21.81	22.14
n77L	90	30	3495	DFT	64QAM	Inner_Full	21.41	21.74
n77L	90	30	3495	DFT	64QAM	Edge_1RB_Left	20.42	20.75
n77L	90	30	3495	DFT	64QAM	Edge_1RB_Right	20.57	20.90
n77L	90	30	3495	DFT	64QAM	Outer_Full	21.31	21.64
n77L	90	30	3495	DFT	256QAM	Inner_Full	19.14	19.47
n77L	90	30	3495	DFT	256QAM	Edge_1RB_Left	18.81	19.14
n77L	90	30	3495	DFT	256QAM	Edge_1RB_Right	18.41	18.74
n77L	90	30	3495	DFT	256QAM	Outer_Full	19.19	19.52
n77L	90	30	3495	CP	QPSK	Inner_Full	22.36	22.69
n77L	90	30	3495	CP	QPSK	Edge_1RB_Left	20.10	20.43
n77L	90	30	3495	CP	QPSK	Edge_1RB_Right	20.15	20.48
n77L	90	30	3495	CP	QPSK	Outer_Full	20.71	21.04
n77L	90	30	3495	CP	16QAM	Inner_Full	21.81	22.14
n77L	90	30	3495	CP	16QAM	Edge_1RB_Left	20.28	20.61
n77L	90	30	3495	CP	16QAM	Edge_1RB_Right	20.41	20.74
n77L	90	30	3495	CP	16QAM	Outer_Full	20.71	21.04
n77L	90	30	3495	CP	64QAM	Inner_Full	20.29	20.62
n77L	90	30	3495	CP	64QAM	Edge_1RB_Left	19.86	20.19
n77L	90	30	3495	CP	64QAM	Edge_1RB_Right	19.94	20.27

n77L	90	30	3495	CP	64QAM	Outer_Full	20.21	20.54
n77L	90	30	3495	CP	256QAM	Inner_Full	17.52	17.85
n77L	90	30	3495	CP	256QAM	Edge_1RB_Left	16.72	17.05
n77L	90	30	3495	CP	256QAM	Edge_1RB_Right	16.84	17.17
n77L	90	30	3495	CP	256QAM	Outer_Full	17.42	17.75
n77L	90	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.98	24.31
n77L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.73	23.06
n77L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.79	23.12
n77L	90	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.39	23.72
n77L	90	30	3500.01	DFT	QPSK	Inner_Full	24.00	24.33
n77L	90	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.19	22.52
n77L	90	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.30	22.63
n77L	90	30	3500.01	DFT	QPSK	Outer_Full	22.88	23.21
n77L	90	30	3500.01	DFT	16QAM	Inner_Full	23.03	23.36
n77L	90	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.15	21.48
n77L	90	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.41	21.74
n77L	90	30	3500.01	DFT	16QAM	Outer_Full	21.85	22.18
n77L	90	30	3500.01	DFT	64QAM	Inner_Full	21.42	21.75
n77L	90	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.59	20.92
n77L	90	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.56	20.89
n77L	90	30	3500.01	DFT	64QAM	Outer_Full	21.26	21.59
n77L	90	30	3500.01	DFT	256QAM	Inner_Full	19.33	19.66
n77L	90	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.14	19.47
n77L	90	30	3500.01	DFT	256QAM	Edge_1RB_Right	18.75	19.08
n77L	90	30	3500.01	DFT	256QAM	Outer_Full	19.12	19.45
n77L	90	30	3500.01	CP	QPSK	Inner_Full	22.45	22.78
n77L	90	30	3500.01	CP	QPSK	Edge_1RB_Left	20.09	20.42
n77L	90	30	3500.01	CP	QPSK	Edge_1RB_Right	20.41	20.74
n77L	90	30	3500.01	CP	QPSK	Outer_Full	20.82	21.15
n77L	90	30	3500.01	CP	16QAM	Inner_Full	21.95	22.28
n77L	90	30	3500.01	CP	16QAM	Edge_1RB_Left	20.37	20.70
n77L	90	30	3500.01	CP	16QAM	Edge_1RB_Right	20.41	20.74
n77L	90	30	3500.01	CP	16QAM	Outer_Full	20.79	21.12
n77L	90	30	3500.01	CP	64QAM	Inner_Full	20.36	20.69
n77L	90	30	3500.01	CP	64QAM	Edge_1RB_Left	19.97	20.30
n77L	90	30	3500.01	CP	64QAM	Edge_1RB_Right	20.01	20.34
n77L	90	30	3500.01	CP	64QAM	Outer_Full	20.24	20.57
n77L	90	30	3500.01	CP	256QAM	Inner_Full	17.55	17.88
n77L	90	30	3500.01	CP	256QAM	Edge_1RB_Left	17.24	17.57
n77L	90	30	3500.01	CP	256QAM	Edge_1RB_Right	17.33	17.66
n77L	90	30	3500.01	CP	256QAM	Outer_Full	17.47	17.80

n77L	90	30	3504.99	DFT	pi/2 BPSK	Inner_Full	24.09	24.42
n77L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.68	23.01
n77L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.73	23.06
n77L	90	30	3504.99	DFT	pi/2 BPSK	Outer_Full	23.42	23.75
n77L	90	30	3504.99	DFT	QPSK	Inner_Full	24.07	24.40
n77L	90	30	3504.99	DFT	QPSK	Edge_1RB_Left	22.21	22.54
n77L	90	30	3504.99	DFT	QPSK	Edge_1RB_Right	22.25	22.58
n77L	90	30	3504.99	DFT	QPSK	Outer_Full	22.89	23.22
n77L	90	30	3504.99	DFT	16QAM	Inner_Full	23.10	23.43
n77L	90	30	3504.99	DFT	16QAM	Edge_1RB_Left	21.03	21.36
n77L	90	30	3504.99	DFT	16QAM	Edge_1RB_Right	21.13	21.46
n77L	90	30	3504.99	DFT	16QAM	Outer_Full	21.91	22.24
n77L	90	30	3504.99	DFT	64QAM	Inner_Full	21.49	21.82
n77L	90	30	3504.99	DFT	64QAM	Edge_1RB_Left	20.60	20.93
n77L	90	30	3504.99	DFT	64QAM	Edge_1RB_Right	20.60	20.93
n77L	90	30	3504.99	DFT	64QAM	Outer_Full	21.38	21.71
n77L	90	30	3504.99	DFT	256QAM	Inner_Full	19.37	19.70
n77L	90	30	3504.99	DFT	256QAM	Edge_1RB_Left	18.83	19.16
n77L	90	30	3504.99	DFT	256QAM	Edge_1RB_Right	18.43	18.76
n77L	90	30	3504.99	DFT	256QAM	Outer_Full	19.26	19.59
n77L	90	30	3504.99	CP	QPSK	Inner_Full	22.48	22.81
n77L	90	30	3504.99	CP	QPSK	Edge_1RB_Left	20.15	20.48
n77L	90	30	3504.99	CP	QPSK	Edge_1RB_Right	20.26	20.59
n77L	90	30	3504.99	CP	QPSK	Outer_Full	20.82	21.15
n77L	90	30	3504.99	CP	16QAM	Inner_Full	21.95	22.28
n77L	90	30	3504.99	CP	16QAM	Edge_1RB_Left	20.29	20.62
n77L	90	30	3504.99	CP	16QAM	Edge_1RB_Right	20.43	20.76
n77L	90	30	3504.99	CP	16QAM	Outer_Full	20.79	21.12
n77L	90	30	3504.99	CP	64QAM	Inner_Full	20.40	20.73
n77L	90	30	3504.99	CP	64QAM	Edge_1RB_Left	19.94	20.27
n77L	90	30	3504.99	CP	64QAM	Edge_1RB_Right	20.00	20.33
n77L	90	30	3504.99	CP	64QAM	Outer_Full	20.28	20.61
n77L	90	30	3504.99	CP	256QAM	Inner_Full	17.58	17.91
n77L	90	30	3504.99	CP	256QAM	Edge_1RB_Left	16.94	17.27
n77L	90	30	3504.99	CP	256QAM	Edge_1RB_Right	17.19	17.52
n77L	90	30	3504.99	CP	256QAM	Outer_Full	17.48	17.81
n77L	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.95	24.28
n77L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.56	22.89
n77L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.61	22.94
n77L	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.26	23.59
n77L	100	30	3500.01	DFT	QPSK	Inner_Full	24.01	24.34

n77L	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.03	22.36
n77L	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.09	22.42
n77L	100	30	3500.01	DFT	QPSK	Outer_Full	22.79	23.12
n77L	100	30	3500.01	DFT	16QAM	Inner_Full	22.98	23.31
n77L	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.12	21.45
n77L	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.21	21.54
n77L	100	30	3500.01	DFT	16QAM	Outer_Full	21.73	22.06
n77L	100	30	3500.01	DFT	64QAM	Inner_Full	21.44	21.77
n77L	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.29	20.62
n77L	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.37	20.70
n77L	100	30	3500.01	DFT	64QAM	Outer_Full	21.23	21.56
n77L	100	30	3500.01	DFT	256QAM	Inner_Full	19.35	19.68
n77L	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	18.77	19.10
n77L	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	18.24	18.57
n77L	100	30	3500.01	DFT	256QAM	Outer_Full	19.14	19.47
n77L	100	30	3500.01	CP	QPSK	Inner_Full	22.49	22.82
n77L	100	30	3500.01	CP	QPSK	Edge_1RB_Left	19.98	20.31
n77L	100	30	3500.01	CP	QPSK	Edge_1RB_Right	20.02	20.35
n77L	100	30	3500.01	CP	QPSK	Outer_Full	20.74	21.07
n77L	100	30	3500.01	CP	16QAM	Inner_Full	21.99	22.32
n77L	100	30	3500.01	CP	16QAM	Edge_1RB_Left	20.19	20.52
n77L	100	30	3500.01	CP	16QAM	Edge_1RB_Right	20.28	20.61
n77L	100	30	3500.01	CP	16QAM	Outer_Full	20.71	21.04
n77L	100	30	3500.01	CP	64QAM	Inner_Full	20.41	20.74
n77L	100	30	3500.01	CP	64QAM	Edge_1RB_Left	19.74	20.07
n77L	100	30	3500.01	CP	64QAM	Edge_1RB_Right	19.80	20.13
n77L	100	30	3500.01	CP	64QAM	Outer_Full	20.22	20.55
n77L	100	30	3500.01	CP	256QAM	Inner_Full	17.57	17.90
n77L	100	30	3500.01	CP	256QAM	Edge_1RB_Left	16.67	17.00
n77L	100	30	3500.01	CP	256QAM	Edge_1RB_Right	16.71	17.04
n77L	100	30	3500.01	CP	256QAM	Outer_Full	17.43	17.76
n77L	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.92	24.25
n77L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.53	22.86
n77L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.61	22.94
n77L	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.26	23.59
n77L	100	30	3500.01	DFT	QPSK	Inner_Full	24.00	24.33
n77L	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.06	22.39
n77L	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.13	22.46
n77L	100	30	3500.01	DFT	QPSK	Outer_Full	22.80	23.13
n77L	100	30	3500.01	DFT	16QAM	Inner_Full	22.98	23.31
n77L	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	20.82	21.15

n77L	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	20.87	21.20
n77L	100	30	3500.01	DFT	16QAM	Outer_Full	21.79	22.12
n77L	100	30	3500.01	DFT	64QAM	Inner_Full	21.42	21.75
n77L	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.37	20.70
n77L	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.41	20.74
n77L	100	30	3500.01	DFT	64QAM	Outer_Full	21.26	21.59
n77L	100	30	3500.01	DFT	256QAM	Inner_Full	19.37	19.70
n77L	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	18.89	19.22
n77L	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	18.42	18.75
n77L	100	30	3500.01	DFT	256QAM	Outer_Full	19.18	19.51
n77L	100	30	3500.01	CP	QPSK	Inner_Full	22.46	22.79
n77L	100	30	3500.01	CP	QPSK	Edge_1RB_Left	19.98	20.31
n77L	100	30	3500.01	CP	QPSK	Edge_1RB_Right	20.03	20.36
n77L	100	30	3500.01	CP	QPSK	Outer_Full	20.74	21.07
n77L	100	30	3500.01	CP	16QAM	Inner_Full	21.97	22.30
n77L	100	30	3500.01	CP	16QAM	Edge_1RB_Left	20.19	20.52
n77L	100	30	3500.01	CP	16QAM	Edge_1RB_Right	20.27	20.60
n77L	100	30	3500.01	CP	16QAM	Outer_Full	20.71	21.04
n77L	100	30	3500.01	CP	64QAM	Inner_Full	20.39	20.72
n77L	100	30	3500.01	CP	64QAM	Edge_1RB_Left	19.74	20.07
n77L	100	30	3500.01	CP	64QAM	Edge_1RB_Right	19.80	20.13
n77L	100	30	3500.01	CP	64QAM	Outer_Full	20.22	20.55
n77L	100	30	3500.01	CP	256QAM	Inner_Full	17.56	17.89
n77L	100	30	3500.01	CP	256QAM	Edge_1RB_Left	16.67	17.00
n77L	100	30	3500.01	CP	256QAM	Edge_1RB_Right	16.73	17.06
n77L	100	30	3500.01	CP	256QAM	Outer_Full	17.43	17.76
n77L	100	30	3499.98	DFT	pi/2 BPSK	Inner_Full	23.90	24.23
n77L	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.52	22.85
n77L	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.58	22.91
n77L	100	30	3499.98	DFT	pi/2 BPSK	Outer_Full	23.23	23.56
n77L	100	30	3499.98	DFT	QPSK	Inner_Full	24.00	24.33
n77L	100	30	3499.98	DFT	QPSK	Edge_1RB_Left	22.00	22.33
n77L	100	30	3499.98	DFT	QPSK	Edge_1RB_Right	22.04	22.37
n77L	100	30	3499.98	DFT	QPSK	Outer_Full	22.75	23.08
n77L	100	30	3499.98	DFT	16QAM	Inner_Full	22.99	23.32
n77L	100	30	3499.98	DFT	16QAM	Edge_1RB_Left	21.11	21.44
n77L	100	30	3499.98	DFT	16QAM	Edge_1RB_Right	21.18	21.51
n77L	100	30	3499.98	DFT	16QAM	Outer_Full	21.72	22.05
n77L	100	30	3499.98	DFT	64QAM	Inner_Full	21.40	21.73
n77L	100	30	3499.98	DFT	64QAM	Edge_1RB_Left	20.26	20.59
n77L	100	30	3499.98	DFT	64QAM	Edge_1RB_Right	20.30	20.63

n77L	100	30	3499.98	DFT	64QAM	Outer_Full	21.24	21.57
n77L	100	30	3499.98	DFT	256QAM	Inner_Full	19.23	19.56
n77L	100	30	3499.98	DFT	256QAM	Edge_1RB_Left	18.71	19.04
n77L	100	30	3499.98	DFT	256QAM	Edge_1RB_Right	18.27	18.60
n77L	100	30	3499.98	DFT	256QAM	Outer_Full	19.11	19.44
n77L	100	30	3499.98	CP	QPSK	Inner_Full	22.46	22.79
n77L	100	30	3499.98	CP	QPSK	Edge_1RB_Left	19.90	20.23
n77L	100	30	3499.98	CP	QPSK	Edge_1RB_Right	19.96	20.29
n77L	100	30	3499.98	CP	QPSK	Outer_Full	20.65	20.98
n77L	100	30	3499.98	CP	16QAM	Inner_Full	21.92	22.25
n77L	100	30	3499.98	CP	16QAM	Edge_1RB_Left	20.15	20.48
n77L	100	30	3499.98	CP	16QAM	Edge_1RB_Right	20.27	20.60
n77L	100	30	3499.98	CP	16QAM	Outer_Full	20.66	20.99
n77L	100	30	3499.98	CP	64QAM	Inner_Full	20.37	20.70
n77L	100	30	3499.98	CP	64QAM	Edge_1RB_Left	19.72	20.05
n77L	100	30	3499.98	CP	64QAM	Edge_1RB_Right	19.77	20.10
n77L	100	30	3499.98	CP	64QAM	Outer_Full	20.15	20.48
n77L	100	30	3499.98	CP	256QAM	Inner_Full	17.50	17.83
n77L	100	30	3499.98	CP	256QAM	Edge_1RB_Left	16.66	16.99
n77L	100	30	3499.98	CP	256QAM	Edge_1RB_Right	16.70	17.03
n77L	100	30	3499.98	CP	256QAM	Outer_Full	17.36	17.69

Maximum EIRP = 24.66dBm.

### n77H- EIRP

Limits: ≤30dBm (1W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	EIRP(dBm) (Gt-Lc=0.33)
n77H	10	30	3705	DFT	pi/2 BPSK	Inner_Full	23.01	23.34
n77H	10	30	3705	DFT	pi/2 BPSK	Edge_1RB_Left	22.45	22.78
n77H	10	30	3705	DFT	pi/2 BPSK	Edge_1RB_Right	22.39	22.72
n77H	10	30	3705	DFT	pi/2 BPSK	Outer_Full	22.51	22.84
n77H	10	30	3705	DFT	QPSK	Inner_Full	23.04	23.37
n77H	10	30	3705	DFT	QPSK	Edge_1RB_Left	21.95	22.28
n77H	10	30	3705	DFT	QPSK	Edge_1RB_Right	21.92	22.25
n77H	10	30	3705	DFT	QPSK	Outer_Full	22.00	22.33
n77H	10	30	3705	DFT	16QAM	Inner_Full	22.05	22.38
n77H	10	30	3705	DFT	16QAM	Edge_1RB_Left	20.84	21.17
n77H	10	30	3705	DFT	16QAM	Edge_1RB_Right	20.82	21.15
n77H	10	30	3705	DFT	16QAM	Outer_Full	21.07	21.40
n77H	10	30	3705	DFT	64QAM	Inner_Full	20.46	20.79
n77H	10	30	3705	DFT	64QAM	Edge_1RB_Left	20.31	20.64



n77H	10	30	3705	DFT	64QAM	Edge_1RB_Right	20.20	20.53
n77H	10	30	3705	DFT	64QAM	Outer_Full	20.46	20.79
n77H	10	30	3705	DFT	256QAM	Inner_Full	18.40	18.73
n77H	10	30	3705	DFT	256QAM	Edge_1RB_Left	18.18	18.51
n77H	10	30	3705	DFT	256QAM	Edge_1RB_Right	18.17	18.50
n77H	10	30	3705	DFT	256QAM	Outer_Full	18.34	18.67
n77H	10	30	3705	CP	QPSK	Inner_Full	21.49	21.82
n77H	10	30	3705	CP	QPSK	Edge_1RB_Left	19.94	20.27
n77H	10	30	3705	CP	QPSK	Edge_1RB_Right	19.95	20.28
n77H	10	30	3705	CP	QPSK	Outer_Full	20.02	20.35
n77H	10	30	3705	CP	16QAM	Inner_Full	20.99	21.32
n77H	10	30	3705	CP	16QAM	Edge_1RB_Left	19.87	20.20
n77H	10	30	3705	CP	16QAM	Edge_1RB_Right	19.87	20.20
n77H	10	30	3705	CP	16QAM	Outer_Full	19.89	20.22
n77H	10	30	3705	CP	64QAM	Inner_Full	19.43	19.76
n77H	10	30	3705	CP	64QAM	Edge_1RB_Left	19.50	19.83
n77H	10	30	3705	CP	64QAM	Edge_1RB_Right	19.44	19.77
n77H	10	30	3705	CP	64QAM	Outer_Full	19.45	19.78
n77H	10	30	3705	CP	256QAM	Inner_Full	16.63	16.96
n77H	10	30	3705	CP	256QAM	Edge_1RB_Left	16.61	16.94
n77H	10	30	3705	CP	256QAM	Edge_1RB_Right	16.60	16.93
n77H	10	30	3705	CP	256QAM	Outer_Full	16.64	16.97
n77H	10	30	3840	DFT	pi/2 BPSK	Inner_Full	24.31	24.64
n77H	10	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	23.72	24.05
n77H	10	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.70	24.03
n77H	10	30	3840	DFT	pi/2 BPSK	Outer_Full	23.81	24.14
n77H	10	30	3840	DFT	QPSK	Inner_Full	24.29	24.62
n77H	10	30	3840	DFT	QPSK	Edge_1RB_Left	23.26	23.59
n77H	10	30	3840	DFT	QPSK	Edge_1RB_Right	23.27	23.60
n77H	10	30	3840	DFT	QPSK	Outer_Full	23.28	23.61
n77H	10	30	3840	DFT	16QAM	Inner_Full	23.30	23.63
n77H	10	30	3840	DFT	16QAM	Edge_1RB_Left	22.09	22.42
n77H	10	30	3840	DFT	16QAM	Edge_1RB_Right	22.04	22.37
n77H	10	30	3840	DFT	16QAM	Outer_Full	22.34	22.67
n77H	10	30	3840	DFT	64QAM	Inner_Full	21.78	22.11
n77H	10	30	3840	DFT	64QAM	Edge_1RB_Left	21.58	21.91
n77H	10	30	3840	DFT	64QAM	Edge_1RB_Right	21.62	21.95
n77H	10	30	3840	DFT	64QAM	Outer_Full	21.79	22.12
n77H	10	30	3840	DFT	256QAM	Inner_Full	19.71	20.04
n77H	10	30	3840	DFT	256QAM	Edge_1RB_Left	19.46	19.79
n77H	10	30	3840	DFT	256QAM	Edge_1RB_Right	19.79	20.12

n77H	10	30	3840	DFT	256QAM	Outer_Full	19.67	20.00
n77H	10	30	3840	CP	QPSK	Inner_Full	22.75	23.08
n77H	10	30	3840	CP	QPSK	Edge_1RB_Left	21.04	21.37
n77H	10	30	3840	CP	QPSK	Edge_1RB_Right	21.12	21.45
n77H	10	30	3840	CP	QPSK	Outer_Full	21.23	21.56
n77H	10	30	3840	CP	16QAM	Inner_Full	22.33	22.66
n77H	10	30	3840	CP	16QAM	Edge_1RB_Left	21.38	21.71
n77H	10	30	3840	CP	16QAM	Edge_1RB_Right	21.21	21.54
n77H	10	30	3840	CP	16QAM	Outer_Full	21.29	21.62
n77H	10	30	3840	CP	64QAM	Inner_Full	20.76	21.09
n77H	10	30	3840	CP	64QAM	Edge_1RB_Left	20.97	21.30
n77H	10	30	3840	CP	64QAM	Edge_1RB_Right	20.99	21.32
n77H	10	30	3840	CP	64QAM	Outer_Full	20.71	21.04
n77H	10	30	3840	CP	256QAM	Inner_Full	17.62	17.95
n77H	10	30	3840	CP	256QAM	Edge_1RB_Left	17.59	17.92
n77H	10	30	3840	CP	256QAM	Edge_1RB_Right	17.61	17.94
n77H	10	30	3840	CP	256QAM	Outer_Full	17.64	17.97
n77H	10	30	3975	DFT	pi/2 BPSK	Inner_Full	23.36	23.69
n77H	10	30	3975	DFT	pi/2 BPSK	Edge_1RB_Left	22.74	23.07
n77H	10	30	3975	DFT	pi/2 BPSK	Edge_1RB_Right	22.75	23.08
n77H	10	30	3975	DFT	pi/2 BPSK	Outer_Full	22.85	23.18
n77H	10	30	3975	DFT	QPSK	Inner_Full	23.35	23.68
n77H	10	30	3975	DFT	QPSK	Edge_1RB_Left	22.23	22.56
n77H	10	30	3975	DFT	QPSK	Edge_1RB_Right	22.21	22.54
n77H	10	30	3975	DFT	QPSK	Outer_Full	22.32	22.65
n77H	10	30	3975	DFT	16QAM	Inner_Full	22.36	22.69
n77H	10	30	3975	DFT	16QAM	Edge_1RB_Left	21.26	21.59
n77H	10	30	3975	DFT	16QAM	Edge_1RB_Right	21.29	21.62
n77H	10	30	3975	DFT	16QAM	Outer_Full	21.42	21.75
n77H	10	30	3975	DFT	64QAM	Inner_Full	20.79	21.12
n77H	10	30	3975	DFT	64QAM	Edge_1RB_Left	20.49	20.82
n77H	10	30	3975	DFT	64QAM	Edge_1RB_Right	20.47	20.80
n77H	10	30	3975	DFT	64QAM	Outer_Full	20.84	21.17
n77H	10	30	3975	DFT	256QAM	Inner_Full	18.76	19.09
n77H	10	30	3975	DFT	256QAM	Edge_1RB_Left	18.45	18.78
n77H	10	30	3975	DFT	256QAM	Edge_1RB_Right	18.72	19.05
n77H	10	30	3975	DFT	256QAM	Outer_Full	18.69	19.02
n77H	10	30	3975	CP	QPSK	Inner_Full	21.80	22.13
n77H	10	30	3975	CP	QPSK	Edge_1RB_Left	20.17	20.50
n77H	10	30	3975	CP	QPSK	Edge_1RB_Right	20.18	20.51
n77H	10	30	3975	CP	QPSK	Outer_Full	20.32	20.65

n77H	10	30	3975	CP	16QAM	Inner_Full	21.36	21.69
n77H	10	30	3975	CP	16QAM	Edge_1RB_Left	20.18	20.51
n77H	10	30	3975	CP	16QAM	Edge_1RB_Right	20.19	20.52
n77H	10	30	3975	CP	16QAM	Outer_Full	20.32	20.65
n77H	10	30	3975	CP	64QAM	Inner_Full	19.88	20.21
n77H	10	30	3975	CP	64QAM	Edge_1RB_Left	20.04	20.37
n77H	10	30	3975	CP	64QAM	Edge_1RB_Right	20.05	20.38
n77H	10	30	3975	CP	64QAM	Outer_Full	19.77	20.10
n77H	10	30	3975	CP	256QAM	Inner_Full	16.97	17.30
n77H	10	30	3975	CP	256QAM	Edge_1RB_Left	16.85	17.18
n77H	10	30	3975	CP	256QAM	Edge_1RB_Right	16.84	17.17
n77H	10	30	3975	CP	256QAM	Outer_Full	16.92	17.25
n77H	15	30	3707.52	DFT	pi/2 BPSK	Inner_Full	22.99	23.32
n77H	15	30	3707.52	DFT	pi/2 BPSK	Edge_1RB_Left	22.33	22.66
n77H	15	30	3707.52	DFT	pi/2 BPSK	Edge_1RB_Right	22.35	22.68
n77H	15	30	3707.52	DFT	pi/2 BPSK	Outer_Full	22.51	22.84
n77H	15	30	3707.52	DFT	QPSK	Inner_Full	23.05	23.38
n77H	15	30	3707.52	DFT	QPSK	Edge_1RB_Left	21.85	22.18
n77H	15	30	3707.52	DFT	QPSK	Edge_1RB_Right	21.96	22.29
n77H	15	30	3707.52	DFT	QPSK	Outer_Full	22.03	22.36
n77H	15	30	3707.52	DFT	16QAM	Inner_Full	22.04	22.37
n77H	15	30	3707.52	DFT	16QAM	Edge_1RB_Left	20.75	21.08
n77H	15	30	3707.52	DFT	16QAM	Edge_1RB_Right	20.81	21.14
n77H	15	30	3707.52	DFT	16QAM	Outer_Full	21.02	21.35
n77H	15	30	3707.52	DFT	64QAM	Inner_Full	20.53	20.86
n77H	15	30	3707.52	DFT	64QAM	Edge_1RB_Left	20.23	20.56
n77H	15	30	3707.52	DFT	64QAM	Edge_1RB_Right	20.32	20.65
n77H	15	30	3707.52	DFT	64QAM	Outer_Full	20.44	20.77
n77H	15	30	3707.52	DFT	256QAM	Inner_Full	18.44	18.77
n77H	15	30	3707.52	DFT	256QAM	Edge_1RB_Left	18.49	18.82
n77H	15	30	3707.52	DFT	256QAM	Edge_1RB_Right	18.54	18.87
n77H	15	30	3707.52	DFT	256QAM	Outer_Full	18.41	18.74
n77H	15	30	3707.52	CP	QPSK	Inner_Full	21.50	21.83
n77H	15	30	3707.52	CP	QPSK	Edge_1RB_Left	19.87	20.20
n77H	15	30	3707.52	CP	QPSK	Edge_1RB_Right	19.82	20.15
n77H	15	30	3707.52	CP	QPSK	Outer_Full	20.01	20.34
n77H	15	30	3707.52	CP	16QAM	Inner_Full	21.01	21.34
n77H	15	30	3707.52	CP	16QAM	Edge_1RB_Left	20.03	20.36
n77H	15	30	3707.52	CP	16QAM	Edge_1RB_Right	19.99	20.32
n77H	15	30	3707.52	CP	16QAM	Outer_Full	19.97	20.30
n77H	15	30	3707.52	CP	64QAM	Inner_Full	19.36	19.69

n77H	15	30	3707.52	CP	64QAM	Edge_1RB_Left	19.63	19.96
n77H	15	30	3707.52	CP	64QAM	Edge_1RB_Right	19.66	19.99
n77H	15	30	3707.52	CP	64QAM	Outer_Full	19.34	19.67
n77H	15	30	3707.52	CP	256QAM	Inner_Full	16.55	16.88
n77H	15	30	3707.52	CP	256QAM	Edge_1RB_Left	16.63	16.96
n77H	15	30	3707.52	CP	256QAM	Edge_1RB_Right	16.60	16.93
n77H	15	30	3707.52	CP	256QAM	Outer_Full	16.57	16.90
n77H	15	30	3840	DFT	pi/2 BPSK	Inner_Full	24.26	24.59
n77H	15	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	23.68	24.01
n77H	15	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.78	24.11
n77H	15	30	3840	DFT	pi/2 BPSK	Outer_Full	23.83	24.16
n77H	15	30	3840	DFT	QPSK	Inner_Full	24.37	24.70
n77H	15	30	3840	DFT	QPSK	Edge_1RB_Left	23.20	23.53
n77H	15	30	3840	DFT	QPSK	Edge_1RB_Right	23.26	23.59
n77H	15	30	3840	DFT	QPSK	Outer_Full	23.32	23.65
n77H	15	30	3840	DFT	16QAM	Inner_Full	23.31	23.64
n77H	15	30	3840	DFT	16QAM	Edge_1RB_Left	22.24	22.57
n77H	15	30	3840	DFT	16QAM	Edge_1RB_Right	22.21	22.54
n77H	15	30	3840	DFT	16QAM	Outer_Full	22.33	22.66
n77H	15	30	3840	DFT	64QAM	Inner_Full	21.74	22.07
n77H	15	30	3840	DFT	64QAM	Edge_1RB_Left	21.57	21.90
n77H	15	30	3840	DFT	64QAM	Edge_1RB_Right	21.51	21.84
n77H	15	30	3840	DFT	64QAM	Outer_Full	21.81	22.14
n77H	15	30	3840	DFT	256QAM	Inner_Full	19.74	20.07
n77H	15	30	3840	DFT	256QAM	Edge_1RB_Left	19.71	20.04
n77H	15	30	3840	DFT	256QAM	Edge_1RB_Right	19.48	19.81
n77H	15	30	3840	DFT	256QAM	Outer_Full	19.81	20.14
n77H	15	30	3840	CP	QPSK	Inner_Full	22.84	23.17
n77H	15	30	3840	CP	QPSK	Edge_1RB_Left	21.13	21.46
n77H	15	30	3840	CP	QPSK	Edge_1RB_Right	21.15	21.48
n77H	15	30	3840	CP	QPSK	Outer_Full	21.33	21.66
n77H	15	30	3840	CP	16QAM	Inner_Full	22.37	22.70
n77H	15	30	3840	CP	16QAM	Edge_1RB_Left	21.28	21.61
n77H	15	30	3840	CP	16QAM	Edge_1RB_Right	21.38	21.71
n77H	15	30	3840	CP	16QAM	Outer_Full	21.30	21.63
n77H	15	30	3840	CP	64QAM	Inner_Full	20.72	21.05
n77H	15	30	3840	CP	64QAM	Edge_1RB_Left	20.96	21.29
n77H	15	30	3840	CP	64QAM	Edge_1RB_Right	21.00	21.33
n77H	15	30	3840	CP	64QAM	Outer_Full	20.64	20.97
n77H	15	30	3840	CP	256QAM	Inner_Full	17.57	17.90
n77H	15	30	3840	CP	256QAM	Edge_1RB_Left	17.41	17.74

n77H	15	30	3840	CP	256QAM	Edge_1RB_Right	17.39	17.72
n77H	15	30	3840	CP	256QAM	Outer_Full	17.66	17.99
n77H	15	30	3972.48	DFT	pi/2 BPSK	Inner_Full	23.28	23.61
n77H	15	30	3972.48	DFT	pi/2 BPSK	Edge_1RB_Left	22.60	22.93
n77H	15	30	3972.48	DFT	pi/2 BPSK	Edge_1RB_Right	22.65	22.98
n77H	15	30	3972.48	DFT	pi/2 BPSK	Outer_Full	22.77	23.10
n77H	15	30	3972.48	DFT	QPSK	Inner_Full	23.33	23.66
n77H	15	30	3972.48	DFT	QPSK	Edge_1RB_Left	22.11	22.44
n77H	15	30	3972.48	DFT	QPSK	Edge_1RB_Right	22.11	22.44
n77H	15	30	3972.48	DFT	QPSK	Outer_Full	22.28	22.61
n77H	15	30	3972.48	DFT	16QAM	Inner_Full	22.32	22.65
n77H	15	30	3972.48	DFT	16QAM	Edge_1RB_Left	21.02	21.35
n77H	15	30	3972.48	DFT	16QAM	Edge_1RB_Right	21.14	21.47
n77H	15	30	3972.48	DFT	16QAM	Outer_Full	21.31	21.64
n77H	15	30	3972.48	DFT	64QAM	Inner_Full	20.74	21.07
n77H	15	30	3972.48	DFT	64QAM	Edge_1RB_Left	20.42	20.75
n77H	15	30	3972.48	DFT	64QAM	Edge_1RB_Right	20.36	20.69
n77H	15	30	3972.48	DFT	64QAM	Outer_Full	20.80	21.13
n77H	15	30	3972.48	DFT	256QAM	Inner_Full	18.73	19.06
n77H	15	30	3972.48	DFT	256QAM	Edge_1RB_Left	18.64	18.97
n77H	15	30	3972.48	DFT	256QAM	Edge_1RB_Right	18.64	18.97
n77H	15	30	3972.48	DFT	256QAM	Outer_Full	18.75	19.08
n77H	15	30	3972.48	CP	QPSK	Inner_Full	21.79	22.12
n77H	15	30	3972.48	CP	QPSK	Edge_1RB_Left	20.02	20.35
n77H	15	30	3972.48	CP	QPSK	Edge_1RB_Right	20.03	20.36
n77H	15	30	3972.48	CP	QPSK	Outer_Full	20.26	20.59
n77H	15	30	3972.48	CP	16QAM	Inner_Full	21.34	21.67
n77H	15	30	3972.48	CP	16QAM	Edge_1RB_Left	20.22	20.55
n77H	15	30	3972.48	CP	16QAM	Edge_1RB_Right	20.13	20.46
n77H	15	30	3972.48	CP	16QAM	Outer_Full	20.27	20.60
n77H	15	30	3972.48	CP	64QAM	Inner_Full	19.63	19.96
n77H	15	30	3972.48	CP	64QAM	Edge_1RB_Left	19.69	20.02
n77H	15	30	3972.48	CP	64QAM	Edge_1RB_Right	19.74	20.07
n77H	15	30	3972.48	CP	64QAM	Outer_Full	19.78	20.11
n77H	15	30	3972.48	CP	256QAM	Inner_Full	16.90	17.23
n77H	15	30	3972.48	CP	256QAM	Edge_1RB_Left	16.85	17.18
n77H	15	30	3972.48	CP	256QAM	Edge_1RB_Right	16.93	17.26
n77H	15	30	3972.48	CP	256QAM	Outer_Full	16.87	17.20
n77H	20	30	3710.01	DFT	pi/2 BPSK	Inner_Full	23.01	23.34
n77H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.34	22.67
n77H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.36	22.69

n77H	20	30	3710.01	DFT	pi/2 BPSK	Outer_Full	22.45	22.78
n77H	20	30	3710.01	DFT	QPSK	Inner_Full	23.03	23.36
n77H	20	30	3710.01	DFT	QPSK	Edge_1RB_Left	21.77	22.10
n77H	20	30	3710.01	DFT	QPSK	Edge_1RB_Right	21.87	22.20
n77H	20	30	3710.01	DFT	QPSK	Outer_Full	21.99	22.32
n77H	20	30	3710.01	DFT	16QAM	Inner_Full	22.05	22.38
n77H	20	30	3710.01	DFT	16QAM	Edge_1RB_Left	20.56	20.89
n77H	20	30	3710.01	DFT	16QAM	Edge_1RB_Right	20.72	21.05
n77H	20	30	3710.01	DFT	16QAM	Outer_Full	21.03	21.36
n77H	20	30	3710.01	DFT	64QAM	Inner_Full	20.52	20.85
n77H	20	30	3710.01	DFT	64QAM	Edge_1RB_Left	20.19	20.52
n77H	20	30	3710.01	DFT	64QAM	Edge_1RB_Right	20.09	20.42
n77H	20	30	3710.01	DFT	64QAM	Outer_Full	20.44	20.77
n77H	20	30	3710.01	DFT	256QAM	Inner_Full	18.38	18.71
n77H	20	30	3710.01	DFT	256QAM	Edge_1RB_Left	18.35	18.68
n77H	20	30	3710.01	DFT	256QAM	Edge_1RB_Right	18.41	18.74
n77H	20	30	3710.01	DFT	256QAM	Outer_Full	18.39	18.72
n77H	20	30	3710.01	CP	QPSK	Inner_Full	21.53	21.86
n77H	20	30	3710.01	CP	QPSK	Edge_1RB_Left	19.81	20.14
n77H	20	30	3710.01	CP	QPSK	Edge_1RB_Right	19.88	20.21
n77H	20	30	3710.01	CP	QPSK	Outer_Full	19.94	20.27
n77H	20	30	3710.01	CP	16QAM	Inner_Full	21.07	21.40
n77H	20	30	3710.01	CP	16QAM	Edge_1RB_Left	19.93	20.26
n77H	20	30	3710.01	CP	16QAM	Edge_1RB_Right	20.06	20.39
n77H	20	30	3710.01	CP	16QAM	Outer_Full	19.83	20.16
n77H	20	30	3710.01	CP	64QAM	Inner_Full	19.44	19.77
n77H	20	30	3710.01	CP	64QAM	Edge_1RB_Left	19.61	19.94
n77H	20	30	3710.01	CP	64QAM	Edge_1RB_Right	19.63	19.96
n77H	20	30	3710.01	CP	64QAM	Outer_Full	19.44	19.77
n77H	20	30	3710.01	CP	256QAM	Inner_Full	16.60	16.93
n77H	20	30	3710.01	CP	256QAM	Edge_1RB_Left	16.33	16.66
n77H	20	30	3710.01	CP	256QAM	Edge_1RB_Right	16.68	17.01
n77H	20	30	3710.01	CP	256QAM	Outer_Full	16.55	16.88
n77H	20	30	3840	DFT	pi/2 BPSK	Inner_Full	24.30	24.63
n77H	20	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	23.60	23.93
n77H	20	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.69	24.02
n77H	20	30	3840	DFT	pi/2 BPSK	Outer_Full	23.77	24.10
n77H	20	30	3840	DFT	QPSK	Inner_Full	24.33	24.66
n77H	20	30	3840	DFT	QPSK	Edge_1RB_Left	23.08	23.41
n77H	20	30	3840	DFT	QPSK	Edge_1RB_Right	23.24	23.57
n77H	20	30	3840	DFT	QPSK	Outer_Full	23.29	23.62

n77H	20	30	3840	DFT	16QAM	Inner_Full	23.36	23.69
n77H	20	30	3840	DFT	16QAM	Edge_1RB_Left	22.09	22.42
n77H	20	30	3840	DFT	16QAM	Edge_1RB_Right	22.32	22.65
n77H	20	30	3840	DFT	16QAM	Outer_Full	22.32	22.65
n77H	20	30	3840	DFT	64QAM	Inner_Full	21.84	22.17
n77H	20	30	3840	DFT	64QAM	Edge_1RB_Left	21.35	21.68
n77H	20	30	3840	DFT	64QAM	Edge_1RB_Right	21.55	21.88
n77H	20	30	3840	DFT	64QAM	Outer_Full	21.77	22.10
n77H	20	30	3840	DFT	256QAM	Inner_Full	19.72	20.05
n77H	20	30	3840	DFT	256QAM	Edge_1RB_Left	19.29	19.62
n77H	20	30	3840	DFT	256QAM	Edge_1RB_Right	19.72	20.05
n77H	20	30	3840	DFT	256QAM	Outer_Full	19.68	20.01
n77H	20	30	3840	CP	QPSK	Inner_Full	22.78	23.11
n77H	20	30	3840	CP	QPSK	Edge_1RB_Left	20.94	21.27
n77H	20	30	3840	CP	QPSK	Edge_1RB_Right	21.24	21.57
n77H	20	30	3840	CP	QPSK	Outer_Full	21.26	21.59
n77H	20	30	3840	CP	16QAM	Inner_Full	22.37	22.70
n77H	20	30	3840	CP	16QAM	Edge_1RB_Left	21.06	21.39
n77H	20	30	3840	CP	16QAM	Edge_1RB_Right	21.30	21.63
n77H	20	30	3840	CP	16QAM	Outer_Full	21.18	21.51
n77H	20	30	3840	CP	64QAM	Inner_Full	20.77	21.10
n77H	20	30	3840	CP	64QAM	Edge_1RB_Left	20.80	21.13
n77H	20	30	3840	CP	64QAM	Edge_1RB_Right	21.02	21.35
n77H	20	30	3840	CP	64QAM	Outer_Full	20.73	21.06
n77H	20	30	3840	CP	256QAM	Inner_Full	17.67	18.00
n77H	20	30	3840	CP	256QAM	Edge_1RB_Left	17.46	17.79
n77H	20	30	3840	CP	256QAM	Edge_1RB_Right	17.64	17.97
n77H	20	30	3840	CP	256QAM	Outer_Full	17.61	17.94
n77H	20	30	3969.99	DFT	pi/2 BPSK	Inner_Full	23.26	23.59
n77H	20	30	3969.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.64	22.97
n77H	20	30	3969.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.62	22.95
n77H	20	30	3969.99	DFT	pi/2 BPSK	Outer_Full	22.78	23.11
n77H	20	30	3969.99	DFT	QPSK	Inner_Full	23.31	23.64
n77H	20	30	3969.99	DFT	QPSK	Edge_1RB_Left	22.20	22.53
n77H	20	30	3969.99	DFT	QPSK	Edge_1RB_Right	22.19	22.52
n77H	20	30	3969.99	DFT	QPSK	Outer_Full	22.31	22.64
n77H	20	30	3969.99	DFT	16QAM	Inner_Full	22.29	22.62
n77H	20	30	3969.99	DFT	16QAM	Edge_1RB_Left	21.05	21.38
n77H	20	30	3969.99	DFT	16QAM	Edge_1RB_Right	21.16	21.49
n77H	20	30	3969.99	DFT	16QAM	Outer_Full	21.28	21.61
n77H	20	30	3969.99	DFT	64QAM	Inner_Full	20.77	21.10

n77H	20	30	3969.99	DFT	64QAM	Edge_1RB_Left	20.54	20.87
n77H	20	30	3969.99	DFT	64QAM	Edge_1RB_Right	20.51	20.84
n77H	20	30	3969.99	DFT	64QAM	Outer_Full	20.82	21.15
n77H	20	30	3969.99	DFT	256QAM	Inner_Full	18.76	19.09
n77H	20	30	3969.99	DFT	256QAM	Edge_1RB_Left	18.32	18.65
n77H	20	30	3969.99	DFT	256QAM	Edge_1RB_Right	18.70	19.03
n77H	20	30	3969.99	DFT	256QAM	Outer_Full	18.72	19.05
n77H	20	30	3969.99	CP	QPSK	Inner_Full	21.78	22.11
n77H	20	30	3969.99	CP	QPSK	Edge_1RB_Left	20.05	20.38
n77H	20	30	3969.99	CP	QPSK	Edge_1RB_Right	20.16	20.49
n77H	20	30	3969.99	CP	QPSK	Outer_Full	20.24	20.57
n77H	20	30	3969.99	CP	16QAM	Inner_Full	21.31	21.64
n77H	20	30	3969.99	CP	16QAM	Edge_1RB_Left	19.97	20.30
n77H	20	30	3969.99	CP	16QAM	Edge_1RB_Right	19.93	20.26
n77H	20	30	3969.99	CP	16QAM	Outer_Full	20.19	20.52
n77H	20	30	3969.99	CP	64QAM	Inner_Full	19.68	20.01
n77H	20	30	3969.99	CP	64QAM	Edge_1RB_Left	19.64	19.97
n77H	20	30	3969.99	CP	64QAM	Edge_1RB_Right	19.76	20.09
n77H	20	30	3969.99	CP	64QAM	Outer_Full	19.74	20.07
n77H	20	30	3969.99	CP	256QAM	Inner_Full	16.90	17.23
n77H	20	30	3969.99	CP	256QAM	Edge_1RB_Left	16.85	17.18
n77H	20	30	3969.99	CP	256QAM	Edge_1RB_Right	16.82	17.15
n77H	20	30	3969.99	CP	256QAM	Outer_Full	16.85	17.18
n77H	40	30	3720	DFT	pi/2 BPSK	Inner_Full	23.00	23.33
n77H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Left	21.84	22.17
n77H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Right	22.08	22.41
n77H	40	30	3720	DFT	pi/2 BPSK	Outer_Full	22.39	22.72
n77H	40	30	3720	DFT	QPSK	Inner_Full	23.04	23.37
n77H	40	30	3720	DFT	QPSK	Edge_1RB_Left	21.38	21.71
n77H	40	30	3720	DFT	QPSK	Edge_1RB_Right	21.58	21.91
n77H	40	30	3720	DFT	QPSK	Outer_Full	21.93	22.26
n77H	40	30	3720	DFT	16QAM	Inner_Full	22.02	22.35
n77H	40	30	3720	DFT	16QAM	Edge_1RB_Left	20.40	20.73
n77H	40	30	3720	DFT	16QAM	Edge_1RB_Right	20.58	20.91
n77H	40	30	3720	DFT	16QAM	Outer_Full	20.92	21.25
n77H	40	30	3720	DFT	64QAM	Inner_Full	20.45	20.78
n77H	40	30	3720	DFT	64QAM	Edge_1RB_Left	19.67	20.00
n77H	40	30	3720	DFT	64QAM	Edge_1RB_Right	19.82	20.15
n77H	40	30	3720	DFT	64QAM	Outer_Full	20.41	20.74
n77H	40	30	3720	DFT	256QAM	Inner_Full	18.46	18.79
n77H	40	30	3720	DFT	256QAM	Edge_1RB_Left	17.86	18.19



n77H	40	30	3720	DFT	256QAM	Edge_1RB_Right	18.16	18.49
n77H	40	30	3720	DFT	256QAM	Outer_Full	18.34	18.67
n77H	40	30	3720	CP	QPSK	Inner_Full	21.49	21.82
n77H	40	30	3720	CP	QPSK	Edge_1RB_Left	19.23	19.56
n77H	40	30	3720	CP	QPSK	Edge_1RB_Right	19.48	19.81
n77H	40	30	3720	CP	QPSK	Outer_Full	19.85	20.18
n77H	40	30	3720	CP	16QAM	Inner_Full	21.03	21.36
n77H	40	30	3720	CP	16QAM	Edge_1RB_Left	19.31	19.64
n77H	40	30	3720	CP	16QAM	Edge_1RB_Right	19.68	20.01
n77H	40	30	3720	CP	16QAM	Outer_Full	19.81	20.14
n77H	40	30	3720	CP	64QAM	Inner_Full	19.42	19.75
n77H	40	30	3720	CP	64QAM	Edge_1RB_Left	19.03	19.36
n77H	40	30	3720	CP	64QAM	Edge_1RB_Right	19.40	19.73
n77H	40	30	3720	CP	64QAM	Outer_Full	19.34	19.67
n77H	40	30	3720	CP	256QAM	Inner_Full	16.57	16.90
n77H	40	30	3720	CP	256QAM	Edge_1RB_Left	16.14	16.47
n77H	40	30	3720	CP	256QAM	Edge_1RB_Right	16.11	16.44
n77H	40	30	3720	CP	256QAM	Outer_Full	16.49	16.82
n77H	40	30	3840	DFT	pi/2 BPSK	Inner_Full	24.31	24.64
n77H	40	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	23.09	23.42
n77H	40	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.37	23.70
n77H	40	30	3840	DFT	pi/2 BPSK	Outer_Full	23.71	24.04
n77H	40	30	3840	DFT	QPSK	Inner_Full	24.36	24.69
n77H	40	30	3840	DFT	QPSK	Edge_1RB_Left	22.62	22.95
n77H	40	30	3840	DFT	QPSK	Edge_1RB_Right	22.89	23.22
n77H	40	30	3840	DFT	QPSK	Outer_Full	23.23	23.56
n77H	40	30	3840	DFT	16QAM	Inner_Full	23.34	23.67
n77H	40	30	3840	DFT	16QAM	Edge_1RB_Left	21.55	21.88
n77H	40	30	3840	DFT	16QAM	Edge_1RB_Right	21.79	22.12
n77H	40	30	3840	DFT	16QAM	Outer_Full	22.25	22.58
n77H	40	30	3840	DFT	64QAM	Inner_Full	21.78	22.11
n77H	40	30	3840	DFT	64QAM	Edge_1RB_Left	20.95	21.28
n77H	40	30	3840	DFT	64QAM	Edge_1RB_Right	21.15	21.48
n77H	40	30	3840	DFT	64QAM	Outer_Full	21.71	22.04
n77H	40	30	3840	DFT	256QAM	Inner_Full	19.72	20.05
n77H	40	30	3840	DFT	256QAM	Edge_1RB_Left	18.84	19.17
n77H	40	30	3840	DFT	256QAM	Edge_1RB_Right	19.39	19.72
n77H	40	30	3840	DFT	256QAM	Outer_Full	19.63	19.96
n77H	40	30	3840	CP	QPSK	Inner_Full	22.76	23.09
n77H	40	30	3840	CP	QPSK	Edge_1RB_Left	20.58	20.91
n77H	40	30	3840	CP	QPSK	Edge_1RB_Right	20.74	21.07

n77H	40	30	3840	CP	QPSK	Outer_Full	21.17	21.50
n77H	40	30	3840	CP	16QAM	Inner_Full	22.29	22.62
n77H	40	30	3840	CP	16QAM	Edge_1RB_Left	20.66	20.99
n77H	40	30	3840	CP	16QAM	Edge_1RB_Right	20.87	21.20
n77H	40	30	3840	CP	16QAM	Outer_Full	21.18	21.51
n77H	40	30	3840	CP	64QAM	Inner_Full	20.74	21.07
n77H	40	30	3840	CP	64QAM	Edge_1RB_Left	20.41	20.74
n77H	40	30	3840	CP	64QAM	Edge_1RB_Right	20.61	20.94
n77H	40	30	3840	CP	64QAM	Outer_Full	20.68	21.01
n77H	40	30	3840	CP	256QAM	Inner_Full	17.66	17.99
n77H	40	30	3840	CP	256QAM	Edge_1RB_Left	17.04	17.37
n77H	40	30	3840	CP	256QAM	Edge_1RB_Right	17.26	17.59
n77H	40	30	3840	CP	256QAM	Outer_Full	17.55	17.88
n77H	40	30	3960	DFT	pi/2 BPSK	Inner_Full	23.27	23.60
n77H	40	30	3960	DFT	pi/2 BPSK	Edge_1RB_Left	22.26	22.59
n77H	40	30	3960	DFT	pi/2 BPSK	Edge_1RB_Right	22.18	22.51
n77H	40	30	3960	DFT	pi/2 BPSK	Outer_Full	22.72	23.05
n77H	40	30	3960	DFT	QPSK	Inner_Full	23.36	23.69
n77H	40	30	3960	DFT	QPSK	Edge_1RB_Left	21.69	22.02
n77H	40	30	3960	DFT	QPSK	Edge_1RB_Right	21.68	22.01
n77H	40	30	3960	DFT	QPSK	Outer_Full	22.23	22.56
n77H	40	30	3960	DFT	16QAM	Inner_Full	22.35	22.68
n77H	40	30	3960	DFT	16QAM	Edge_1RB_Left	20.62	20.95
n77H	40	30	3960	DFT	16QAM	Edge_1RB_Right	20.62	20.95
n77H	40	30	3960	DFT	16QAM	Outer_Full	21.26	21.59
n77H	40	30	3960	DFT	64QAM	Inner_Full	20.79	21.12
n77H	40	30	3960	DFT	64QAM	Edge_1RB_Left	20.12	20.45
n77H	40	30	3960	DFT	64QAM	Edge_1RB_Right	20.01	20.34
n77H	40	30	3960	DFT	64QAM	Outer_Full	20.74	21.07
n77H	40	30	3960	DFT	256QAM	Inner_Full	18.79	19.12
n77H	40	30	3960	DFT	256QAM	Edge_1RB_Left	18.35	18.68
n77H	40	30	3960	DFT	256QAM	Edge_1RB_Right	18.39	18.72
n77H	40	30	3960	DFT	256QAM	Outer_Full	18.62	18.95
n77H	40	30	3960	CP	QPSK	Inner_Full	21.76	22.09
n77H	40	30	3960	CP	QPSK	Edge_1RB_Left	19.67	20.00
n77H	40	30	3960	CP	QPSK	Edge_1RB_Right	19.58	19.91
n77H	40	30	3960	CP	QPSK	Outer_Full	20.17	20.50
n77H	40	30	3960	CP	16QAM	Inner_Full	21.26	21.59
n77H	40	30	3960	CP	16QAM	Edge_1RB_Left	19.78	20.11
n77H	40	30	3960	CP	16QAM	Edge_1RB_Right	19.78	20.11
n77H	40	30	3960	CP	16QAM	Outer_Full	20.19	20.52

n77H	40	30	3960	CP	64QAM	Inner_Full	19.76	20.09
n77H	40	30	3960	CP	64QAM	Edge_1RB_Left	19.56	19.89
n77H	40	30	3960	CP	64QAM	Edge_1RB_Right	19.44	19.77
n77H	40	30	3960	CP	64QAM	Outer_Full	19.66	19.99
n77H	40	30	3960	CP	256QAM	Inner_Full	16.87	17.20
n77H	40	30	3960	CP	256QAM	Edge_1RB_Left	16.45	16.78
n77H	40	30	3960	CP	256QAM	Edge_1RB_Right	16.45	16.78
n77H	40	30	3960	CP	256QAM	Outer_Full	16.80	17.13
n77H	50	30	3725.01	DFT	pi/2 BPSK	Inner_Full	23.07	23.40
n77H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.04	22.37
n77H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.39	22.72
n77H	50	30	3725.01	DFT	pi/2 BPSK	Outer_Full	22.48	22.81
n77H	50	30	3725.01	DFT	QPSK	Inner_Full	23.13	23.46
n77H	50	30	3725.01	DFT	QPSK	Edge_1RB_Left	21.59	21.92
n77H	50	30	3725.01	DFT	QPSK	Edge_1RB_Right	21.91	22.24
n77H	50	30	3725.01	DFT	QPSK	Outer_Full	21.98	22.31
n77H	50	30	3725.01	DFT	16QAM	Inner_Full	22.10	22.43
n77H	50	30	3725.01	DFT	16QAM	Edge_1RB_Left	20.52	20.85
n77H	50	30	3725.01	DFT	16QAM	Edge_1RB_Right	20.93	21.26
n77H	50	30	3725.01	DFT	16QAM	Outer_Full	21.00	21.33
n77H	50	30	3725.01	DFT	64QAM	Inner_Full	20.51	20.84
n77H	50	30	3725.01	DFT	64QAM	Edge_1RB_Left	19.85	20.18
n77H	50	30	3725.01	DFT	64QAM	Edge_1RB_Right	20.28	20.61
n77H	50	30	3725.01	DFT	64QAM	Outer_Full	20.45	20.78
n77H	50	30	3725.01	DFT	256QAM	Inner_Full	18.47	18.80
n77H	50	30	3725.01	DFT	256QAM	Edge_1RB_Left	17.79	18.12
n77H	50	30	3725.01	DFT	256QAM	Edge_1RB_Right	18.46	18.79
n77H	50	30	3725.01	DFT	256QAM	Outer_Full	18.39	18.72
n77H	50	30	3725.01	CP	QPSK	Inner_Full	21.53	21.86
n77H	50	30	3725.01	CP	QPSK	Edge_1RB_Left	19.48	19.81
n77H	50	30	3725.01	CP	QPSK	Edge_1RB_Right	19.90	20.23
n77H	50	30	3725.01	CP	QPSK	Outer_Full	19.99	20.32
n77H	50	30	3725.01	CP	16QAM	Inner_Full	21.02	21.35
n77H	50	30	3725.01	CP	16QAM	Edge_1RB_Left	19.51	19.84
n77H	50	30	3725.01	CP	16QAM	Edge_1RB_Right	19.99	20.32
n77H	50	30	3725.01	CP	16QAM	Outer_Full	20.01	20.34
n77H	50	30	3725.01	CP	64QAM	Inner_Full	19.55	19.88
n77H	50	30	3725.01	CP	64QAM	Edge_1RB_Left	19.40	19.73
n77H	50	30	3725.01	CP	64QAM	Edge_1RB_Right	19.77	20.10
n77H	50	30	3725.01	CP	64QAM	Outer_Full	19.48	19.81
n77H	50	30	3725.01	CP	256QAM	Inner_Full	16.65	16.98

n77H	50	30	3725.01	CP	256QAM	Edge_1RB_Left	16.36	16.69
n77H	50	30	3725.01	CP	256QAM	Edge_1RB_Right	16.71	17.04
n77H	50	30	3725.01	CP	256QAM	Outer_Full	16.65	16.98
n77H	50	30	3840	DFT	pi/2 BPSK	Inner_Full	24.38	24.71
n77H	50	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	23.33	23.66
n77H	50	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.64	23.97
n77H	50	30	3840	DFT	pi/2 BPSK	Outer_Full	23.77	24.10
n77H	50	30	3840	DFT	QPSK	Inner_Full	24.42	24.75
n77H	50	30	3840	DFT	QPSK	Edge_1RB_Left	22.81	23.14
n77H	50	30	3840	DFT	QPSK	Edge_1RB_Right	23.13	23.46
n77H	50	30	3840	DFT	QPSK	Outer_Full	23.31	23.64
n77H	50	30	3840	DFT	16QAM	Inner_Full	23.41	23.74
n77H	50	30	3840	DFT	16QAM	Edge_1RB_Left	21.90	22.23
n77H	50	30	3840	DFT	16QAM	Edge_1RB_Right	22.19	22.52
n77H	50	30	3840	DFT	16QAM	Outer_Full	22.30	22.63
n77H	50	30	3840	DFT	64QAM	Inner_Full	21.83	22.16
n77H	50	30	3840	DFT	64QAM	Edge_1RB_Left	21.22	21.55
n77H	50	30	3840	DFT	64QAM	Edge_1RB_Right	21.42	21.75
n77H	50	30	3840	DFT	64QAM	Outer_Full	21.77	22.10
n77H	50	30	3840	DFT	256QAM	Inner_Full	19.73	20.06
n77H	50	30	3840	DFT	256QAM	Edge_1RB_Left	19.37	19.70
n77H	50	30	3840	DFT	256QAM	Edge_1RB_Right	19.70	20.03
n77H	50	30	3840	DFT	256QAM	Outer_Full	19.74	20.07
n77H	50	30	3840	CP	QPSK	Inner_Full	22.82	23.15
n77H	50	30	3840	CP	QPSK	Edge_1RB_Left	20.74	21.07
n77H	50	30	3840	CP	QPSK	Edge_1RB_Right	21.19	21.52
n77H	50	30	3840	CP	QPSK	Outer_Full	21.28	21.61
n77H	50	30	3840	CP	16QAM	Inner_Full	22.36	22.69
n77H	50	30	3840	CP	16QAM	Edge_1RB_Left	20.57	20.90
n77H	50	30	3840	CP	16QAM	Edge_1RB_Right	21.14	21.47
n77H	50	30	3840	CP	16QAM	Outer_Full	21.28	21.61
n77H	50	30	3840	CP	64QAM	Inner_Full	20.79	21.12
n77H	50	30	3840	CP	64QAM	Edge_1RB_Left	20.42	20.75
n77H	50	30	3840	CP	64QAM	Edge_1RB_Right	20.73	21.06
n77H	50	30	3840	CP	64QAM	Outer_Full	20.76	21.09
n77H	50	30	3840	CP	256QAM	Inner_Full	17.75	18.08
n77H	50	30	3840	CP	256QAM	Edge_1RB_Left	17.56	17.89
n77H	50	30	3840	CP	256QAM	Edge_1RB_Right	17.75	18.08
n77H	50	30	3840	CP	256QAM	Outer_Full	17.64	17.97
n77H	50	30	3954.48	DFT	pi/2 BPSK	Inner_Full	23.29	23.62
n77H	50	30	3954.48	DFT	pi/2 BPSK	Edge_1RB_Left	22.51	22.84

n77H	50	30	3954.48	DFT	pi/2 BPSK	Edge_1RB_Right	22.41	22.74
n77H	50	30	3954.48	DFT	pi/2 BPSK	Outer_Full	22.74	23.07
n77H	50	30	3954.48	DFT	QPSK	Inner_Full	23.33	23.66
n77H	50	30	3954.48	DFT	QPSK	Edge_1RB_Left	22.12	22.45
n77H	50	30	3954.48	DFT	QPSK	Edge_1RB_Right	21.95	22.28
n77H	50	30	3954.48	DFT	QPSK	Outer_Full	22.24	22.57
n77H	50	30	3954.48	DFT	16QAM	Inner_Full	22.35	22.68
n77H	50	30	3954.48	DFT	16QAM	Edge_1RB_Left	21.14	21.47
n77H	50	30	3954.48	DFT	16QAM	Edge_1RB_Right	20.90	21.23
n77H	50	30	3954.48	DFT	16QAM	Outer_Full	21.25	21.58
n77H	50	30	3954.48	DFT	64QAM	Inner_Full	20.76	21.09
n77H	50	30	3954.48	DFT	64QAM	Edge_1RB_Left	20.44	20.77
n77H	50	30	3954.48	DFT	64QAM	Edge_1RB_Right	20.15	20.48
n77H	50	30	3954.48	DFT	64QAM	Outer_Full	20.72	21.05
n77H	50	30	3954.48	DFT	256QAM	Inner_Full	18.65	18.98
n77H	50	30	3954.48	DFT	256QAM	Edge_1RB_Left	18.62	18.95
n77H	50	30	3954.48	DFT	256QAM	Edge_1RB_Right	18.17	18.50
n77H	50	30	3954.48	DFT	256QAM	Outer_Full	18.65	18.98
n77H	50	30	3954.48	CP	QPSK	Inner_Full	21.71	22.04
n77H	50	30	3954.48	CP	QPSK	Edge_1RB_Left	19.98	20.31
n77H	50	30	3954.48	CP	QPSK	Edge_1RB_Right	20.00	20.33
n77H	50	30	3954.48	CP	QPSK	Outer_Full	20.21	20.54
n77H	50	30	3954.48	CP	16QAM	Inner_Full	21.20	21.53
n77H	50	30	3954.48	CP	16QAM	Edge_1RB_Left	20.07	20.40
n77H	50	30	3954.48	CP	16QAM	Edge_1RB_Right	20.11	20.44
n77H	50	30	3954.48	CP	16QAM	Outer_Full	20.26	20.59
n77H	50	30	3954.48	CP	64QAM	Inner_Full	19.76	20.09
n77H	50	30	3954.48	CP	64QAM	Edge_1RB_Left	19.84	20.17
n77H	50	30	3954.48	CP	64QAM	Edge_1RB_Right	19.77	20.10
n77H	50	30	3954.48	CP	64QAM	Outer_Full	19.69	20.02
n77H	50	30	3954.48	CP	256QAM	Inner_Full	16.88	17.21
n77H	50	30	3954.48	CP	256QAM	Edge_1RB_Left	16.81	17.14
n77H	50	30	3954.48	CP	256QAM	Edge_1RB_Right	16.70	17.03
n77H	50	30	3954.48	CP	256QAM	Outer_Full	16.82	17.15
n77H	60	30	3730.02	DFT	pi/2 BPSK	Inner_Full	23.09	23.42
n77H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.93	22.26
n77H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.41	22.74
n77H	60	30	3730.02	DFT	pi/2 BPSK	Outer_Full	22.49	22.82
n77H	60	30	3730.02	DFT	QPSK	Inner_Full	23.12	23.45
n77H	60	30	3730.02	DFT	QPSK	Edge_1RB_Left	21.45	21.78
n77H	60	30	3730.02	DFT	QPSK	Edge_1RB_Right	21.95	22.28

n77H	60	30	3730.02	DFT	QPSK	Outer_Full	22.04	22.37
n77H	60	30	3730.02	DFT	16QAM	Inner_Full	22.12	22.45
n77H	60	30	3730.02	DFT	16QAM	Edge_1RB_Left	20.35	20.68
n77H	60	30	3730.02	DFT	16QAM	Edge_1RB_Right	20.92	21.25
n77H	60	30	3730.02	DFT	16QAM	Outer_Full	21.05	21.38
n77H	60	30	3730.02	DFT	64QAM	Inner_Full	20.53	20.86
n77H	60	30	3730.02	DFT	64QAM	Edge_1RB_Left	19.67	20.00
n77H	60	30	3730.02	DFT	64QAM	Edge_1RB_Right	20.31	20.64
n77H	60	30	3730.02	DFT	64QAM	Outer_Full	20.49	20.82
n77H	60	30	3730.02	DFT	256QAM	Inner_Full	18.46	18.79
n77H	60	30	3730.02	DFT	256QAM	Edge_1RB_Left	17.68	18.01
n77H	60	30	3730.02	DFT	256QAM	Edge_1RB_Right	18.22	18.55
n77H	60	30	3730.02	DFT	256QAM	Outer_Full	18.42	18.75
n77H	60	30	3730.02	CP	QPSK	Inner_Full	21.56	21.89
n77H	60	30	3730.02	CP	QPSK	Edge_1RB_Left	19.35	19.68
n77H	60	30	3730.02	CP	QPSK	Edge_1RB_Right	19.98	20.31
n77H	60	30	3730.02	CP	QPSK	Outer_Full	19.95	20.28
n77H	60	30	3730.02	CP	16QAM	Inner_Full	20.99	21.32
n77H	60	30	3730.02	CP	16QAM	Edge_1RB_Left	19.50	19.83
n77H	60	30	3730.02	CP	16QAM	Edge_1RB_Right	20.12	20.45
n77H	60	30	3730.02	CP	16QAM	Outer_Full	19.97	20.30
n77H	60	30	3730.02	CP	64QAM	Inner_Full	19.52	19.85
n77H	60	30	3730.02	CP	64QAM	Edge_1RB_Left	19.21	19.54
n77H	60	30	3730.02	CP	64QAM	Edge_1RB_Right	19.76	20.09
n77H	60	30	3730.02	CP	64QAM	Outer_Full	19.40	19.73
n77H	60	30	3730.02	CP	256QAM	Inner_Full	16.62	16.95
n77H	60	30	3730.02	CP	256QAM	Edge_1RB_Left	16.01	16.34
n77H	60	30	3730.02	CP	256QAM	Edge_1RB_Right	16.82	17.15
n77H	60	30	3730.02	CP	256QAM	Outer_Full	16.59	16.92
n77H	60	30	3840	DFT	pi/2 BPSK	Inner_Full	24.39	24.72
n77H	60	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	23.07	23.40
n77H	60	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.53	23.86
n77H	60	30	3840	DFT	pi/2 BPSK	Outer_Full	23.76	24.09
n77H	60	30	3840	DFT	QPSK	Inner_Full	24.39	24.72
n77H	60	30	3840	DFT	QPSK	Edge_1RB_Left	22.56	22.89
n77H	60	30	3840	DFT	QPSK	Edge_1RB_Right	23.07	23.40
n77H	60	30	3840	DFT	QPSK	Outer_Full	23.26	23.59
n77H	60	30	3840	DFT	16QAM	Inner_Full	23.42	23.75
n77H	60	30	3840	DFT	16QAM	Edge_1RB_Left	21.44	21.77
n77H	60	30	3840	DFT	16QAM	Edge_1RB_Right	21.82	22.15
n77H	60	30	3840	DFT	16QAM	Outer_Full	22.27	22.60

n77H	60	30	3840	DFT	64QAM	Inner_Full	21.86	22.19
n77H	60	30	3840	DFT	64QAM	Edge_1RB_Left	21.05	21.38
n77H	60	30	3840	DFT	64QAM	Edge_1RB_Right	21.34	21.67
n77H	60	30	3840	DFT	64QAM	Outer_Full	21.76	22.09
n77H	60	30	3840	DFT	256QAM	Inner_Full	19.76	20.09
n77H	60	30	3840	DFT	256QAM	Edge_1RB_Left	18.94	19.27
n77H	60	30	3840	DFT	256QAM	Edge_1RB_Right	19.34	19.67
n77H	60	30	3840	DFT	256QAM	Outer_Full	19.72	20.05
n77H	60	30	3840	CP	QPSK	Inner_Full	22.82	23.15
n77H	60	30	3840	CP	QPSK	Edge_1RB_Left	20.54	20.87
n77H	60	30	3840	CP	QPSK	Edge_1RB_Right	21.09	21.42
n77H	60	30	3840	CP	QPSK	Outer_Full	21.22	21.55
n77H	60	30	3840	CP	16QAM	Inner_Full	22.31	22.64
n77H	60	30	3840	CP	16QAM	Edge_1RB_Left	20.80	21.13
n77H	60	30	3840	CP	16QAM	Edge_1RB_Right	21.26	21.59
n77H	60	30	3840	CP	16QAM	Outer_Full	21.26	21.59
n77H	60	30	3840	CP	64QAM	Inner_Full	20.85	21.18
n77H	60	30	3840	CP	64QAM	Edge_1RB_Left	20.40	20.73
n77H	60	30	3840	CP	64QAM	Edge_1RB_Right	20.88	21.21
n77H	60	30	3840	CP	64QAM	Outer_Full	20.63	20.96
n77H	60	30	3840	CP	256QAM	Inner_Full	17.68	18.01
n77H	60	30	3840	CP	256QAM	Edge_1RB_Left	16.89	17.22
n77H	60	30	3840	CP	256QAM	Edge_1RB_Right	17.49	17.82
n77H	60	30	3840	CP	256QAM	Outer_Full	17.59	17.92
n77H	60	30	3949.98	DFT	pi/2 BPSK	Inner_Full	23.31	23.64
n77H	60	30	3949.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.62	22.95
n77H	60	30	3949.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.37	22.70
n77H	60	30	3949.98	DFT	pi/2 BPSK	Outer_Full	22.78	23.11
n77H	60	30	3949.98	DFT	QPSK	Inner_Full	23.40	23.73
n77H	60	30	3949.98	DFT	QPSK	Edge_1RB_Left	22.12	22.45
n77H	60	30	3949.98	DFT	QPSK	Edge_1RB_Right	21.86	22.19
n77H	60	30	3949.98	DFT	QPSK	Outer_Full	22.33	22.66
n77H	60	30	3949.98	DFT	16QAM	Inner_Full	22.38	22.71
n77H	60	30	3949.98	DFT	16QAM	Edge_1RB_Left	21.10	21.43
n77H	60	30	3949.98	DFT	16QAM	Edge_1RB_Right	20.88	21.21
n77H	60	30	3949.98	DFT	16QAM	Outer_Full	21.34	21.67
n77H	60	30	3949.98	DFT	64QAM	Inner_Full	20.81	21.14
n77H	60	30	3949.98	DFT	64QAM	Edge_1RB_Left	20.39	20.72
n77H	60	30	3949.98	DFT	64QAM	Edge_1RB_Right	20.15	20.48
n77H	60	30	3949.98	DFT	64QAM	Outer_Full	20.79	21.12
n77H	60	30	3949.98	DFT	256QAM	Inner_Full	18.70	19.03

n77H	60	30	3949.98	DFT	256QAM	Edge_1RB_Left	18.32	18.65
n77H	60	30	3949.98	DFT	256QAM	Edge_1RB_Right	18.14	18.47
n77H	60	30	3949.98	DFT	256QAM	Outer_Full	18.74	19.07
n77H	60	30	3949.98	CP	QPSK	Inner_Full	21.77	22.10
n77H	60	30	3949.98	CP	QPSK	Edge_1RB_Left	20.08	20.41
n77H	60	30	3949.98	CP	QPSK	Edge_1RB_Right	19.81	20.14
n77H	60	30	3949.98	CP	QPSK	Outer_Full	20.26	20.59
n77H	60	30	3949.98	CP	16QAM	Inner_Full	21.27	21.60
n77H	60	30	3949.98	CP	16QAM	Edge_1RB_Left	20.08	20.41
n77H	60	30	3949.98	CP	16QAM	Edge_1RB_Right	19.92	20.25
n77H	60	30	3949.98	CP	16QAM	Outer_Full	20.25	20.58
n77H	60	30	3949.98	CP	64QAM	Inner_Full	19.79	20.12
n77H	60	30	3949.98	CP	64QAM	Edge_1RB_Left	19.84	20.17
n77H	60	30	3949.98	CP	64QAM	Edge_1RB_Right	19.66	19.99
n77H	60	30	3949.98	CP	64QAM	Outer_Full	19.72	20.05
n77H	60	30	3949.98	CP	256QAM	Inner_Full	16.89	17.22
n77H	60	30	3949.98	CP	256QAM	Edge_1RB_Left	16.89	17.22
n77H	60	30	3949.98	CP	256QAM	Edge_1RB_Right	16.63	16.96
n77H	60	30	3949.98	CP	256QAM	Outer_Full	16.88	17.21
n77H	70	30	3735	DFT	pi/2 BPSK	Inner_Full	23.21	23.54
n77H	70	30	3735	DFT	pi/2 BPSK	Edge_1RB_Left	21.96	22.29
n77H	70	30	3735	DFT	pi/2 BPSK	Edge_1RB_Right	22.72	23.05
n77H	70	30	3735	DFT	pi/2 BPSK	Outer_Full	22.62	22.95
n77H	70	30	3735	DFT	QPSK	Inner_Full	23.24	23.57
n77H	70	30	3735	DFT	QPSK	Edge_1RB_Left	21.53	21.86
n77H	70	30	3735	DFT	QPSK	Edge_1RB_Right	22.35	22.68
n77H	70	30	3735	DFT	QPSK	Outer_Full	22.12	22.45
n77H	70	30	3735	DFT	16QAM	Inner_Full	22.25	22.58
n77H	70	30	3735	DFT	16QAM	Edge_1RB_Left	20.53	20.86
n77H	70	30	3735	DFT	16QAM	Edge_1RB_Right	21.23	21.56
n77H	70	30	3735	DFT	16QAM	Outer_Full	21.16	21.49
n77H	70	30	3735	DFT	64QAM	Inner_Full	20.67	21.00
n77H	70	30	3735	DFT	64QAM	Edge_1RB_Left	19.73	20.06
n77H	70	30	3735	DFT	64QAM	Edge_1RB_Right	20.58	20.91
n77H	70	30	3735	DFT	64QAM	Outer_Full	20.60	20.93
n77H	70	30	3735	DFT	256QAM	Inner_Full	18.59	18.92
n77H	70	30	3735	DFT	256QAM	Edge_1RB_Left	17.73	18.06
n77H	70	30	3735	DFT	256QAM	Edge_1RB_Right	18.83	19.16
n77H	70	30	3735	DFT	256QAM	Outer_Full	18.49	18.82
n77H	70	30	3735	CP	QPSK	Inner_Full	21.72	22.05
n77H	70	30	3735	CP	QPSK	Edge_1RB_Left	19.29	19.62



n77H	70	30	3735	CP	QPSK	Edge_1RB_Right	20.04	20.37
n77H	70	30	3735	CP	QPSK	Outer_Full	20.11	20.44
n77H	70	30	3735	CP	16QAM	Inner_Full	21.20	21.53
n77H	70	30	3735	CP	16QAM	Edge_1RB_Left	19.28	19.61
n77H	70	30	3735	CP	16QAM	Edge_1RB_Right	20.21	20.54
n77H	70	30	3735	CP	16QAM	Outer_Full	20.03	20.36
n77H	70	30	3735	CP	64QAM	Inner_Full	19.60	19.93
n77H	70	30	3735	CP	64QAM	Edge_1RB_Left	19.29	19.62
n77H	70	30	3735	CP	64QAM	Edge_1RB_Right	19.93	20.26
n77H	70	30	3735	CP	64QAM	Outer_Full	19.57	19.90
n77H	70	30	3735	CP	256QAM	Inner_Full	16.81	17.14
n77H	70	30	3735	CP	256QAM	Edge_1RB_Left	16.11	16.44
n77H	70	30	3735	CP	256QAM	Edge_1RB_Right	16.86	17.19
n77H	70	30	3735	CP	256QAM	Outer_Full	16.75	17.08
n77H	70	30	3840	DFT	pi/2 BPSK	Inner_Full	24.35	24.68
n77H	70	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	23.02	23.35
n77H	70	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.53	23.86
n77H	70	30	3840	DFT	pi/2 BPSK	Outer_Full	23.81	24.14
n77H	70	30	3840	DFT	QPSK	Inner_Full	24.39	24.72
n77H	70	30	3840	DFT	QPSK	Edge_1RB_Left	22.61	22.94
n77H	70	30	3840	DFT	QPSK	Edge_1RB_Right	23.13	23.46
n77H	70	30	3840	DFT	QPSK	Outer_Full	23.29	23.62
n77H	70	30	3840	DFT	16QAM	Inner_Full	23.38	23.71
n77H	70	30	3840	DFT	16QAM	Edge_1RB_Left	21.64	21.97
n77H	70	30	3840	DFT	16QAM	Edge_1RB_Right	22.10	22.43
n77H	70	30	3840	DFT	16QAM	Outer_Full	22.31	22.64
n77H	70	30	3840	DFT	64QAM	Inner_Full	21.84	22.17
n77H	70	30	3840	DFT	64QAM	Edge_1RB_Left	20.73	21.06
n77H	70	30	3840	DFT	64QAM	Edge_1RB_Right	21.48	21.81
n77H	70	30	3840	DFT	64QAM	Outer_Full	21.74	22.07
n77H	70	30	3840	DFT	256QAM	Inner_Full	19.80	20.13
n77H	70	30	3840	DFT	256QAM	Edge_1RB_Left	19.02	19.35
n77H	70	30	3840	DFT	256QAM	Edge_1RB_Right	19.26	19.59
n77H	70	30	3840	DFT	256QAM	Outer_Full	19.68	20.01
n77H	70	30	3840	CP	QPSK	Inner_Full	22.88	23.21
n77H	70	30	3840	CP	QPSK	Edge_1RB_Left	20.37	20.70
n77H	70	30	3840	CP	QPSK	Edge_1RB_Right	20.90	21.23
n77H	70	30	3840	CP	QPSK	Outer_Full	21.24	21.57
n77H	70	30	3840	CP	16QAM	Inner_Full	22.40	22.73
n77H	70	30	3840	CP	16QAM	Edge_1RB_Left	20.61	20.94
n77H	70	30	3840	CP	16QAM	Edge_1RB_Right	21.20	21.53

n77H	70	30	3840	CP	16QAM	Outer_Full	21.29	21.62
n77H	70	30	3840	CP	64QAM	Inner_Full	20.79	21.12
n77H	70	30	3840	CP	64QAM	Edge_1RB_Left	20.20	20.53
n77H	70	30	3840	CP	64QAM	Edge_1RB_Right	20.90	21.23
n77H	70	30	3840	CP	64QAM	Outer_Full	20.69	21.02
n77H	70	30	3840	CP	256QAM	Inner_Full	17.67	18.00
n77H	70	30	3840	CP	256QAM	Edge_1RB_Left	16.59	16.92
n77H	70	30	3840	CP	256QAM	Edge_1RB_Right	17.22	17.55
n77H	70	30	3840	CP	256QAM	Outer_Full	17.62	17.95
n77H	70	30	3945	DFT	pi/2 BPSK	Inner_Full	23.44	23.77
n77H	70	30	3945	DFT	pi/2 BPSK	Edge_1RB_Left	22.66	22.99
n77H	70	30	3945	DFT	pi/2 BPSK	Edge_1RB_Right	22.37	22.70
n77H	70	30	3945	DFT	pi/2 BPSK	Outer_Full	22.95	23.28
n77H	70	30	3945	DFT	QPSK	Inner_Full	23.46	23.79
n77H	70	30	3945	DFT	QPSK	Edge_1RB_Left	22.32	22.65
n77H	70	30	3945	DFT	QPSK	Edge_1RB_Right	22.00	22.33
n77H	70	30	3945	DFT	QPSK	Outer_Full	22.45	22.78
n77H	70	30	3945	DFT	16QAM	Inner_Full	22.47	22.80
n77H	70	30	3945	DFT	16QAM	Edge_1RB_Left	21.26	21.59
n77H	70	30	3945	DFT	16QAM	Edge_1RB_Right	20.80	21.13
n77H	70	30	3945	DFT	16QAM	Outer_Full	21.43	21.76
n77H	70	30	3945	DFT	64QAM	Inner_Full	20.92	21.25
n77H	70	30	3945	DFT	64QAM	Edge_1RB_Left	20.47	20.80
n77H	70	30	3945	DFT	64QAM	Edge_1RB_Right	20.12	20.45
n77H	70	30	3945	DFT	64QAM	Outer_Full	20.89	21.22
n77H	70	30	3945	DFT	256QAM	Inner_Full	18.84	19.17
n77H	70	30	3945	DFT	256QAM	Edge_1RB_Left	18.69	19.02
n77H	70	30	3945	DFT	256QAM	Edge_1RB_Right	18.01	18.34
n77H	70	30	3945	DFT	256QAM	Outer_Full	18.82	19.15
n77H	70	30	3945	CP	QPSK	Inner_Full	21.90	22.23
n77H	70	30	3945	CP	QPSK	Edge_1RB_Left	20.08	20.41
n77H	70	30	3945	CP	QPSK	Edge_1RB_Right	19.77	20.10
n77H	70	30	3945	CP	QPSK	Outer_Full	20.31	20.64
n77H	70	30	3945	CP	16QAM	Inner_Full	21.45	21.78
n77H	70	30	3945	CP	16QAM	Edge_1RB_Left	20.11	20.44
n77H	70	30	3945	CP	16QAM	Edge_1RB_Right	19.78	20.11
n77H	70	30	3945	CP	16QAM	Outer_Full	20.34	20.67
n77H	70	30	3945	CP	64QAM	Inner_Full	19.80	20.13
n77H	70	30	3945	CP	64QAM	Edge_1RB_Left	19.83	20.16
n77H	70	30	3945	CP	64QAM	Edge_1RB_Right	19.57	19.90
n77H	70	30	3945	CP	64QAM	Outer_Full	19.88	20.21

n77H	70	30	3945	CP	256QAM	Inner_Full	17.02	17.35
n77H	70	30	3945	CP	256QAM	Edge_1RB_Left	17.00	17.33
n77H	70	30	3945	CP	256QAM	Edge_1RB_Right	16.59	16.92
n77H	70	30	3945	CP	256QAM	Outer_Full	17.03	17.36
n77H	80	30	3740.01	DFT	pi/2 BPSK	Inner_Full	23.23	23.56
n77H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.78	22.11
n77H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.74	23.07
n77H	80	30	3740.01	DFT	pi/2 BPSK	Outer_Full	22.61	22.94
n77H	80	30	3740.01	DFT	QPSK	Inner_Full	23.27	23.60
n77H	80	30	3740.01	DFT	QPSK	Edge_1RB_Left	21.39	21.72
n77H	80	30	3740.01	DFT	QPSK	Edge_1RB_Right	22.40	22.73
n77H	80	30	3740.01	DFT	QPSK	Outer_Full	22.13	22.46
n77H	80	30	3740.01	DFT	16QAM	Inner_Full	22.26	22.59
n77H	80	30	3740.01	DFT	16QAM	Edge_1RB_Left	20.28	20.61
n77H	80	30	3740.01	DFT	16QAM	Edge_1RB_Right	21.26	21.59
n77H	80	30	3740.01	DFT	16QAM	Outer_Full	21.14	21.47
n77H	80	30	3740.01	DFT	64QAM	Inner_Full	20.72	21.05
n77H	80	30	3740.01	DFT	64QAM	Edge_1RB_Left	19.49	19.82
n77H	80	30	3740.01	DFT	64QAM	Edge_1RB_Right	20.69	21.02
n77H	80	30	3740.01	DFT	64QAM	Outer_Full	20.63	20.96
n77H	80	30	3740.01	DFT	256QAM	Inner_Full	18.64	18.97
n77H	80	30	3740.01	DFT	256QAM	Edge_1RB_Left	17.67	18.00
n77H	80	30	3740.01	DFT	256QAM	Edge_1RB_Right	18.76	19.09
n77H	80	30	3740.01	DFT	256QAM	Outer_Full	18.53	18.86
n77H	80	30	3740.01	CP	QPSK	Inner_Full	21.66	21.99
n77H	80	30	3740.01	CP	QPSK	Edge_1RB_Left	19.18	19.51
n77H	80	30	3740.01	CP	QPSK	Edge_1RB_Right	20.17	20.50
n77H	80	30	3740.01	CP	QPSK	Outer_Full	20.07	20.40
n77H	80	30	3740.01	CP	16QAM	Inner_Full	21.17	21.50
n77H	80	30	3740.01	CP	16QAM	Edge_1RB_Left	19.30	19.63
n77H	80	30	3740.01	CP	16QAM	Edge_1RB_Right	20.32	20.65
n77H	80	30	3740.01	CP	16QAM	Outer_Full	20.10	20.43
n77H	80	30	3740.01	CP	64QAM	Inner_Full	19.63	19.96
n77H	80	30	3740.01	CP	64QAM	Edge_1RB_Left	19.10	19.43
n77H	80	30	3740.01	CP	64QAM	Edge_1RB_Right	20.06	20.39
n77H	80	30	3740.01	CP	64QAM	Outer_Full	19.60	19.93
n77H	80	30	3740.01	CP	256QAM	Inner_Full	16.80	17.13
n77H	80	30	3740.01	CP	256QAM	Edge_1RB_Left	16.12	16.45
n77H	80	30	3740.01	CP	256QAM	Edge_1RB_Right	17.12	17.45
n77H	80	30	3740.01	CP	256QAM	Outer_Full	16.77	17.10
n77H	80	30	3840	DFT	pi/2 BPSK	Inner_Full	24.38	24.71

n77H	80	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.74	23.07
n77H	80	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.37	23.70
n77H	80	30	3840	DFT	pi/2 BPSK	Outer_Full	23.71	24.04
n77H	80	30	3840	DFT	QPSK	Inner_Full	24.42	24.75
n77H	80	30	3840	DFT	QPSK	Edge_1RB_Left	22.34	22.67
n77H	80	30	3840	DFT	QPSK	Edge_1RB_Right	23.03	23.36
n77H	80	30	3840	DFT	QPSK	Outer_Full	23.24	23.57
n77H	80	30	3840	DFT	16QAM	Inner_Full	23.41	23.74
n77H	80	30	3840	DFT	16QAM	Edge_1RB_Left	21.26	21.59
n77H	80	30	3840	DFT	16QAM	Edge_1RB_Right	21.98	22.31
n77H	80	30	3840	DFT	16QAM	Outer_Full	22.22	22.55
n77H	80	30	3840	DFT	64QAM	Inner_Full	21.87	22.20
n77H	80	30	3840	DFT	64QAM	Edge_1RB_Left	20.67	21.00
n77H	80	30	3840	DFT	64QAM	Edge_1RB_Right	21.22	21.55
n77H	80	30	3840	DFT	64QAM	Outer_Full	21.77	22.10
n77H	80	30	3840	DFT	256QAM	Inner_Full	19.79	20.12
n77H	80	30	3840	DFT	256QAM	Edge_1RB_Left	18.75	19.08
n77H	80	30	3840	DFT	256QAM	Edge_1RB_Right	19.39	19.72
n77H	80	30	3840	DFT	256QAM	Outer_Full	19.64	19.97
n77H	80	30	3840	CP	QPSK	Inner_Full	22.82	23.15
n77H	80	30	3840	CP	QPSK	Edge_1RB_Left	20.11	20.44
n77H	80	30	3840	CP	QPSK	Edge_1RB_Right	20.81	21.14
n77H	80	30	3840	CP	QPSK	Outer_Full	21.21	21.54
n77H	80	30	3840	CP	16QAM	Inner_Full	22.34	22.67
n77H	80	30	3840	CP	16QAM	Edge_1RB_Left	20.33	20.66
n77H	80	30	3840	CP	16QAM	Edge_1RB_Right	20.90	21.23
n77H	80	30	3840	CP	16QAM	Outer_Full	21.22	21.55
n77H	80	30	3840	CP	64QAM	Inner_Full	20.78	21.11
n77H	80	30	3840	CP	64QAM	Edge_1RB_Left	20.02	20.35
n77H	80	30	3840	CP	64QAM	Edge_1RB_Right	20.68	21.01
n77H	80	30	3840	CP	64QAM	Outer_Full	20.71	21.04
n77H	80	30	3840	CP	256QAM	Inner_Full	17.70	18.03
n77H	80	30	3840	CP	256QAM	Edge_1RB_Left	16.62	16.95
n77H	80	30	3840	CP	256QAM	Edge_1RB_Right	17.65	17.98
n77H	80	30	3840	CP	256QAM	Outer_Full	17.53	17.86
n77H	80	30	3939.99	DFT	pi/2 BPSK	Inner_Full	23.49	23.82
n77H	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.65	22.98
n77H	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.20	22.53
n77H	80	30	3939.99	DFT	pi/2 BPSK	Outer_Full	22.85	23.18
n77H	80	30	3939.99	DFT	QPSK	Inner_Full	23.50	23.83
n77H	80	30	3939.99	DFT	QPSK	Edge_1RB_Left	22.10	22.43

n77H	80	30	3939.99	DFT	QPSK	Edge_1RB_Right	21.76	22.09
n77H	80	30	3939.99	DFT	QPSK	Outer_Full	22.41	22.74
n77H	80	30	3939.99	DFT	16QAM	Inner_Full	22.52	22.85
n77H	80	30	3939.99	DFT	16QAM	Edge_1RB_Left	21.19	21.52
n77H	80	30	3939.99	DFT	16QAM	Edge_1RB_Right	20.82	21.15
n77H	80	30	3939.99	DFT	16QAM	Outer_Full	21.38	21.71
n77H	80	30	3939.99	DFT	64QAM	Inner_Full	20.94	21.27
n77H	80	30	3939.99	DFT	64QAM	Edge_1RB_Left	20.36	20.69
n77H	80	30	3939.99	DFT	64QAM	Edge_1RB_Right	19.95	20.28
n77H	80	30	3939.99	DFT	64QAM	Outer_Full	20.86	21.19
n77H	80	30	3939.99	DFT	256QAM	Inner_Full	18.84	19.17
n77H	80	30	3939.99	DFT	256QAM	Edge_1RB_Left	18.33	18.66
n77H	80	30	3939.99	DFT	256QAM	Edge_1RB_Right	17.91	18.24
n77H	80	30	3939.99	DFT	256QAM	Outer_Full	18.75	19.08
n77H	80	30	3939.99	CP	QPSK	Inner_Full	21.90	22.23
n77H	80	30	3939.99	CP	QPSK	Edge_1RB_Left	20.00	20.33
n77H	80	30	3939.99	CP	QPSK	Edge_1RB_Right	19.63	19.96
n77H	80	30	3939.99	CP	QPSK	Outer_Full	20.33	20.66
n77H	80	30	3939.99	CP	16QAM	Inner_Full	21.37	21.70
n77H	80	30	3939.99	CP	16QAM	Edge_1RB_Left	20.35	20.68
n77H	80	30	3939.99	CP	16QAM	Edge_1RB_Right	19.95	20.28
n77H	80	30	3939.99	CP	16QAM	Outer_Full	20.29	20.62
n77H	80	30	3939.99	CP	64QAM	Inner_Full	19.87	20.20
n77H	80	30	3939.99	CP	64QAM	Edge_1RB_Left	19.85	20.18
n77H	80	30	3939.99	CP	64QAM	Edge_1RB_Right	19.44	19.77
n77H	80	30	3939.99	CP	64QAM	Outer_Full	19.78	20.11
n77H	80	30	3939.99	CP	256QAM	Inner_Full	17.04	17.37
n77H	80	30	3939.99	CP	256QAM	Edge_1RB_Left	16.09	16.42
n77H	80	30	3939.99	CP	256QAM	Edge_1RB_Right	16.22	16.55
n77H	80	30	3939.99	CP	256QAM	Outer_Full	16.98	17.31
n77H	90	30	3745.02	DFT	pi/2 BPSK	Inner_Full	23.36	23.69
n77H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.63	21.96
n77H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.85	23.18
n77H	90	30	3745.02	DFT	pi/2 BPSK	Outer_Full	22.74	23.07
n77H	90	30	3745.02	DFT	QPSK	Inner_Full	23.34	23.67
n77H	90	30	3745.02	DFT	QPSK	Edge_1RB_Left	21.19	21.52
n77H	90	30	3745.02	DFT	QPSK	Edge_1RB_Right	22.42	22.75
n77H	90	30	3745.02	DFT	QPSK	Outer_Full	22.26	22.59
n77H	90	30	3745.02	DFT	16QAM	Inner_Full	22.35	22.68
n77H	90	30	3745.02	DFT	16QAM	Edge_1RB_Left	20.15	20.48
n77H	90	30	3745.02	DFT	16QAM	Edge_1RB_Right	21.26	21.59

n77H	90	30	3745.02	DFT	16QAM	Outer_Full	21.20	21.53
n77H	90	30	3745.02	DFT	64QAM	Inner_Full	20.77	21.10
n77H	90	30	3745.02	DFT	64QAM	Edge_1RB_Left	19.44	19.77
n77H	90	30	3745.02	DFT	64QAM	Edge_1RB_Right	20.69	21.02
n77H	90	30	3745.02	DFT	64QAM	Outer_Full	20.68	21.01
n77H	90	30	3745.02	DFT	256QAM	Inner_Full	18.66	18.99
n77H	90	30	3745.02	DFT	256QAM	Edge_1RB_Left	17.68	18.01
n77H	90	30	3745.02	DFT	256QAM	Edge_1RB_Right	18.91	19.24
n77H	90	30	3745.02	DFT	256QAM	Outer_Full	18.63	18.96
n77H	90	30	3745.02	CP	QPSK	Inner_Full	21.80	22.13
n77H	90	30	3745.02	CP	QPSK	Edge_1RB_Left	19.03	19.36
n77H	90	30	3745.02	CP	QPSK	Edge_1RB_Right	20.33	20.66
n77H	90	30	3745.02	CP	QPSK	Outer_Full	20.19	20.52
n77H	90	30	3745.02	CP	16QAM	Inner_Full	21.29	21.62
n77H	90	30	3745.02	CP	16QAM	Edge_1RB_Left	19.17	19.50
n77H	90	30	3745.02	CP	16QAM	Edge_1RB_Right	20.47	20.80
n77H	90	30	3745.02	CP	16QAM	Outer_Full	20.22	20.55
n77H	90	30	3745.02	CP	64QAM	Inner_Full	19.72	20.05
n77H	90	30	3745.02	CP	64QAM	Edge_1RB_Left	18.93	19.26
n77H	90	30	3745.02	CP	64QAM	Edge_1RB_Right	20.22	20.55
n77H	90	30	3745.02	CP	64QAM	Outer_Full	19.66	19.99
n77H	90	30	3745.02	CP	256QAM	Inner_Full	16.95	17.28
n77H	90	30	3745.02	CP	256QAM	Edge_1RB_Left	15.99	16.32
n77H	90	30	3745.02	CP	256QAM	Edge_1RB_Right	17.08	17.41
n77H	90	30	3745.02	CP	256QAM	Outer_Full	16.89	17.22
n77H	90	30	3840	DFT	pi/2 BPSK	Inner_Full	24.36	24.69
n77H	90	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.44	22.77
n77H	90	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.20	23.53
n77H	90	30	3840	DFT	pi/2 BPSK	Outer_Full	23.74	24.07
n77H	90	30	3840	DFT	QPSK	Inner_Full	24.40	24.73
n77H	90	30	3840	DFT	QPSK	Edge_1RB_Left	21.95	22.28
n77H	90	30	3840	DFT	QPSK	Edge_1RB_Right	22.68	23.01
n77H	90	30	3840	DFT	QPSK	Outer_Full	23.24	23.57
n77H	90	30	3840	DFT	16QAM	Inner_Full	23.38	23.71
n77H	90	30	3840	DFT	16QAM	Edge_1RB_Left	20.72	21.05
n77H	90	30	3840	DFT	16QAM	Edge_1RB_Right	21.49	21.82
n77H	90	30	3840	DFT	16QAM	Outer_Full	22.21	22.54
n77H	90	30	3840	DFT	64QAM	Inner_Full	21.85	22.18
n77H	90	30	3840	DFT	64QAM	Edge_1RB_Left	20.23	20.56
n77H	90	30	3840	DFT	64QAM	Edge_1RB_Right	21.13	21.46
n77H	90	30	3840	DFT	64QAM	Outer_Full	21.70	22.03

n77H	90	30	3840	DFT	256QAM	Inner_Full	19.76	20.09
n77H	90	30	3840	DFT	256QAM	Edge_1RB_Left	18.51	18.84
n77H	90	30	3840	DFT	256QAM	Edge_1RB_Right	19.24	19.57
n77H	90	30	3840	DFT	256QAM	Outer_Full	19.63	19.96
n77H	90	30	3840	CP	QPSK	Inner_Full	22.84	23.17
n77H	90	30	3840	CP	QPSK	Edge_1RB_Left	19.86	20.19
n77H	90	30	3840	CP	QPSK	Edge_1RB_Right	20.77	21.10
n77H	90	30	3840	CP	QPSK	Outer_Full	21.14	21.47
n77H	90	30	3840	CP	16QAM	Inner_Full	22.31	22.64
n77H	90	30	3840	CP	16QAM	Edge_1RB_Left	20.09	20.42
n77H	90	30	3840	CP	16QAM	Edge_1RB_Right	20.83	21.16
n77H	90	30	3840	CP	16QAM	Outer_Full	21.16	21.49
n77H	90	30	3840	CP	64QAM	Inner_Full	20.75	21.08
n77H	90	30	3840	CP	64QAM	Edge_1RB_Left	19.75	20.08
n77H	90	30	3840	CP	64QAM	Edge_1RB_Right	20.50	20.83
n77H	90	30	3840	CP	64QAM	Outer_Full	20.64	20.97
n77H	90	30	3840	CP	256QAM	Inner_Full	17.69	18.02
n77H	90	30	3840	CP	256QAM	Edge_1RB_Left	16.11	16.44
n77H	90	30	3840	CP	256QAM	Edge_1RB_Right	17.05	17.38
n77H	90	30	3840	CP	256QAM	Outer_Full	17.49	17.82
n77H	90	30	3934.98	DFT	pi/2 BPSK	Inner_Full	23.43	23.76
n77H	90	30	3934.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.57	22.90
n77H	90	30	3934.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.01	22.34
n77H	90	30	3934.98	DFT	pi/2 BPSK	Outer_Full	22.86	23.19
n77H	90	30	3934.98	DFT	QPSK	Inner_Full	23.44	23.77
n77H	90	30	3934.98	DFT	QPSK	Edge_1RB_Left	22.05	22.38
n77H	90	30	3934.98	DFT	QPSK	Edge_1RB_Right	21.50	21.83
n77H	90	30	3934.98	DFT	QPSK	Outer_Full	22.36	22.69
n77H	90	30	3934.98	DFT	16QAM	Inner_Full	22.46	22.79
n77H	90	30	3934.98	DFT	16QAM	Edge_1RB_Left	20.97	21.30
n77H	90	30	3934.98	DFT	16QAM	Edge_1RB_Right	20.40	20.73
n77H	90	30	3934.98	DFT	16QAM	Outer_Full	21.34	21.67
n77H	90	30	3934.98	DFT	64QAM	Inner_Full	20.91	21.24
n77H	90	30	3934.98	DFT	64QAM	Edge_1RB_Left	20.37	20.70
n77H	90	30	3934.98	DFT	64QAM	Edge_1RB_Right	19.88	20.21
n77H	90	30	3934.98	DFT	64QAM	Outer_Full	20.80	21.13
n77H	90	30	3934.98	DFT	256QAM	Inner_Full	18.83	19.16
n77H	90	30	3934.98	DFT	256QAM	Edge_1RB_Left	18.25	18.58
n77H	90	30	3934.98	DFT	256QAM	Edge_1RB_Right	17.68	18.01
n77H	90	30	3934.98	DFT	256QAM	Outer_Full	18.75	19.08
n77H	90	30	3934.98	CP	QPSK	Inner_Full	21.85	22.18

n77H	90	30	3934.98	CP	QPSK	Edge_1RB_Left	20.00	20.33
n77H	90	30	3934.98	CP	QPSK	Edge_1RB_Right	19.48	19.81
n77H	90	30	3934.98	CP	QPSK	Outer_Full	20.26	20.59
n77H	90	30	3934.98	CP	16QAM	Inner_Full	21.36	21.69
n77H	90	30	3934.98	CP	16QAM	Edge_1RB_Left	20.22	20.55
n77H	90	30	3934.98	CP	16QAM	Edge_1RB_Right	19.68	20.01
n77H	90	30	3934.98	CP	16QAM	Outer_Full	20.29	20.62
n77H	90	30	3934.98	CP	64QAM	Inner_Full	19.80	20.13
n77H	90	30	3934.98	CP	64QAM	Edge_1RB_Left	19.77	20.10
n77H	90	30	3934.98	CP	64QAM	Edge_1RB_Right	19.25	19.58
n77H	90	30	3934.98	CP	64QAM	Outer_Full	19.74	20.07
n77H	90	30	3934.98	CP	256QAM	Inner_Full	17.00	17.33
n77H	90	30	3934.98	CP	256QAM	Edge_1RB_Left	16.00	16.33
n77H	90	30	3934.98	CP	256QAM	Edge_1RB_Right	16.07	16.40
n77H	90	30	3934.98	CP	256QAM	Outer_Full	16.93	17.26
n77H	100	30	3750	DFT	pi/2 BPSK	Inner_Full	23.31	23.64
n77H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.44	21.77
n77H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	22.89	23.22
n77H	100	30	3750	DFT	pi/2 BPSK	Outer_Full	22.75	23.08
n77H	100	30	3750	DFT	QPSK	Inner_Full	23.36	23.69
n77H	100	30	3750	DFT	QPSK	Edge_1RB_Left	20.97	21.30
n77H	100	30	3750	DFT	QPSK	Edge_1RB_Right	22.42	22.75
n77H	100	30	3750	DFT	QPSK	Outer_Full	22.24	22.57
n77H	100	30	3750	DFT	16QAM	Inner_Full	22.36	22.69
n77H	100	30	3750	DFT	16QAM	Edge_1RB_Left	19.97	20.30
n77H	100	30	3750	DFT	16QAM	Edge_1RB_Right	21.23	21.56
n77H	100	30	3750	DFT	16QAM	Outer_Full	21.25	21.58
n77H	100	30	3750	DFT	64QAM	Inner_Full	20.79	21.12
n77H	100	30	3750	DFT	64QAM	Edge_1RB_Left	19.30	19.63
n77H	100	30	3750	DFT	64QAM	Edge_1RB_Right	20.77	21.10
n77H	100	30	3750	DFT	64QAM	Outer_Full	20.72	21.05
n77H	100	30	3750	DFT	256QAM	Inner_Full	18.72	19.05
n77H	100	30	3750	DFT	256QAM	Edge_1RB_Left	17.49	17.82
n77H	100	30	3750	DFT	256QAM	Edge_1RB_Right	18.95	19.28
n77H	100	30	3750	DFT	256QAM	Outer_Full	18.63	18.96
n77H	100	30	3750	CP	QPSK	Inner_Full	21.84	22.17
n77H	100	30	3750	CP	QPSK	Edge_1RB_Left	18.91	19.24
n77H	100	30	3750	CP	QPSK	Edge_1RB_Right	20.33	20.66
n77H	100	30	3750	CP	QPSK	Outer_Full	20.14	20.47
n77H	100	30	3750	CP	16QAM	Inner_Full	21.33	21.66
n77H	100	30	3750	CP	16QAM	Edge_1RB_Left	18.96	19.29



n77H	100	30	3750	CP	16QAM	Edge_1RB_Right	20.49	20.82
n77H	100	30	3750	CP	16QAM	Outer_Full	20.15	20.48
n77H	100	30	3750	CP	64QAM	Inner_Full	19.76	20.09
n77H	100	30	3750	CP	64QAM	Edge_1RB_Left	18.74	19.07
n77H	100	30	3750	CP	64QAM	Edge_1RB_Right	20.17	20.50
n77H	100	30	3750	CP	64QAM	Outer_Full	19.66	19.99
n77H	100	30	3750	CP	256QAM	Inner_Full	16.95	17.28
n77H	100	30	3750	CP	256QAM	Edge_1RB_Left	15.75	16.08
n77H	100	30	3750	CP	256QAM	Edge_1RB_Right	16.62	16.95
n77H	100	30	3750	CP	256QAM	Outer_Full	16.87	17.20
n77H	100	30	3840	DFT	pi/2 BPSK	Inner_Full	24.32	24.65
n77H	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.19	22.52
n77H	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.01	23.34
n77H	100	30	3840	DFT	pi/2 BPSK	Outer_Full	23.62	23.95
n77H	100	30	3840	DFT	QPSK	Inner_Full	24.35	24.68
n77H	100	30	3840	DFT	QPSK	Edge_1RB_Left	21.72	22.05
n77H	100	30	3840	DFT	QPSK	Edge_1RB_Right	22.54	22.87
n77H	100	30	3840	DFT	QPSK	Outer_Full	23.12	23.45
n77H	100	30	3840	DFT	16QAM	Inner_Full	23.37	23.70
n77H	100	30	3840	DFT	16QAM	Edge_1RB_Left	20.68	21.01
n77H	100	30	3840	DFT	16QAM	Edge_1RB_Right	21.55	21.88
n77H	100	30	3840	DFT	16QAM	Outer_Full	22.11	22.44
n77H	100	30	3840	DFT	64QAM	Inner_Full	21.78	22.11
n77H	100	30	3840	DFT	64QAM	Edge_1RB_Left	20.06	20.39
n77H	100	30	3840	DFT	64QAM	Edge_1RB_Right	20.88	21.21
n77H	100	30	3840	DFT	64QAM	Outer_Full	21.61	21.94
n77H	100	30	3840	DFT	256QAM	Inner_Full	19.75	20.08
n77H	100	30	3840	DFT	256QAM	Edge_1RB_Left	18.12	18.45
n77H	100	30	3840	DFT	256QAM	Edge_1RB_Right	18.96	19.29
n77H	100	30	3840	DFT	256QAM	Outer_Full	19.54	19.87
n77H	100	30	3840	CP	QPSK	Inner_Full	22.83	23.16
n77H	100	30	3840	CP	QPSK	Edge_1RB_Left	19.60	19.93
n77H	100	30	3840	CP	QPSK	Edge_1RB_Right	20.47	20.80
n77H	100	30	3840	CP	QPSK	Outer_Full	21.08	21.41
n77H	100	30	3840	CP	16QAM	Inner_Full	22.31	22.64
n77H	100	30	3840	CP	16QAM	Edge_1RB_Left	19.75	20.08
n77H	100	30	3840	CP	16QAM	Edge_1RB_Right	20.60	20.93
n77H	100	30	3840	CP	16QAM	Outer_Full	21.06	21.39
n77H	100	30	3840	CP	64QAM	Inner_Full	20.75	21.08
n77H	100	30	3840	CP	64QAM	Edge_1RB_Left	19.46	19.79
n77H	100	30	3840	CP	64QAM	Edge_1RB_Right	20.31	20.64

n77H	100	30	3840	CP	64QAM	Outer_Full	20.53	20.86
n77H	100	30	3840	CP	256QAM	Inner_Full	17.64	17.97
n77H	100	30	3840	CP	256QAM	Edge_1RB_Left	16.46	16.79
n77H	100	30	3840	CP	256QAM	Edge_1RB_Right	16.74	17.07
n77H	100	30	3840	CP	256QAM	Outer_Full	17.43	17.76
n77H	100	30	3930	DFT	pi/2 BPSK	Inner_Full	23.44	23.77
n77H	100	30	3930	DFT	pi/2 BPSK	Edge_1RB_Left	22.49	22.82
n77H	100	30	3930	DFT	pi/2 BPSK	Edge_1RB_Right	21.82	22.15
n77H	100	30	3930	DFT	pi/2 BPSK	Outer_Full	22.84	23.17
n77H	100	30	3930	DFT	QPSK	Inner_Full	23.46	23.79
n77H	100	30	3930	DFT	QPSK	Edge_1RB_Left	21.97	22.30
n77H	100	30	3930	DFT	QPSK	Edge_1RB_Right	21.39	21.72
n77H	100	30	3930	DFT	QPSK	Outer_Full	22.33	22.66
n77H	100	30	3930	DFT	16QAM	Inner_Full	22.51	22.84
n77H	100	30	3930	DFT	16QAM	Edge_1RB_Left	21.00	21.33
n77H	100	30	3930	DFT	16QAM	Edge_1RB_Right	20.38	20.71
n77H	100	30	3930	DFT	16QAM	Outer_Full	21.35	21.68
n77H	100	30	3930	DFT	64QAM	Inner_Full	20.92	21.25
n77H	100	30	3930	DFT	64QAM	Edge_1RB_Left	20.27	20.60
n77H	100	30	3930	DFT	64QAM	Edge_1RB_Right	19.65	19.98
n77H	100	30	3930	DFT	64QAM	Outer_Full	20.81	21.14
n77H	100	30	3930	DFT	256QAM	Inner_Full	18.83	19.16
n77H	100	30	3930	DFT	256QAM	Edge_1RB_Left	18.31	18.64
n77H	100	30	3930	DFT	256QAM	Edge_1RB_Right	17.68	18.01
n77H	100	30	3930	DFT	256QAM	Outer_Full	18.74	19.07
n77H	100	30	3930	CP	QPSK	Inner_Full	21.99	22.32
n77H	100	30	3930	CP	QPSK	Edge_1RB_Left	19.94	20.27
n77H	100	30	3930	CP	QPSK	Edge_1RB_Right	19.31	19.64
n77H	100	30	3930	CP	QPSK	Outer_Full	20.27	20.60
n77H	100	30	3930	CP	16QAM	Inner_Full	21.42	21.75
n77H	100	30	3930	CP	16QAM	Edge_1RB_Left	19.97	20.30
n77H	100	30	3930	CP	16QAM	Edge_1RB_Right	19.37	19.70
n77H	100	30	3930	CP	16QAM	Outer_Full	20.29	20.62
n77H	100	30	3930	CP	64QAM	Inner_Full	19.90	20.23
n77H	100	30	3930	CP	64QAM	Edge_1RB_Left	19.73	20.06
n77H	100	30	3930	CP	64QAM	Edge_1RB_Right	19.10	19.43
n77H	100	30	3930	CP	64QAM	Outer_Full	19.74	20.07
n77H	100	30	3930	CP	256QAM	Inner_Full	17.07	17.40
n77H	100	30	3930	CP	256QAM	Edge_1RB_Left	15.94	16.27
n77H	100	30	3930	CP	256QAM	Edge_1RB_Right	15.98	16.31
n77H	100	30	3930	CP	256QAM	Outer_Full	16.98	17.31

Maximum EIRP = 24.42dBm.

**NR n78L**

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm) (Gt-Lc=0.33)
n78L	10	30	3455.01	DFT	pi/2 BPSK	Inner_Full	23.77	24.10
n78L	10	30	3455.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.18	23.51
n78L	10	30	3455.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.21	23.54
n78L	10	30	3455.01	DFT	pi/2 BPSK	Outer_Full	23.29	23.62
n78L	10	30	3455.01	DFT	QPSK	Inner_Full	23.82	24.15
n78L	10	30	3455.01	DFT	QPSK	Edge_1RB_Left	22.75	23.08
n78L	10	30	3455.01	DFT	QPSK	Edge_1RB_Right	22.68	23.01
n78L	10	30	3455.01	DFT	QPSK	Outer_Full	22.74	23.07
n78L	10	30	3455.01	DFT	16QAM	Inner_Full	22.76	23.09
n78L	10	30	3455.01	DFT	16QAM	Edge_1RB_Left	21.67	22.00
n78L	10	30	3455.01	DFT	16QAM	Edge_1RB_Right	21.53	21.86
n78L	10	30	3455.01	DFT	16QAM	Outer_Full	21.75	22.08
n78L	10	30	3455.01	DFT	64QAM	Inner_Full	21.19	21.52
n78L	10	30	3455.01	DFT	64QAM	Edge_1RB_Left	21.07	21.40
n78L	10	30	3455.01	DFT	64QAM	Edge_1RB_Right	21.01	21.34
n78L	10	30	3455.01	DFT	64QAM	Outer_Full	21.31	21.64
n78L	10	30	3455.01	DFT	256QAM	Inner_Full	19.43	19.76
n78L	10	30	3455.01	DFT	256QAM	Edge_1RB_Left	19.19	19.52
n78L	10	30	3455.01	DFT	256QAM	Edge_1RB_Right	19.12	19.45
n78L	10	30	3455.01	DFT	256QAM	Outer_Full	19.44	19.77
n78L	10	30	3455.01	CP	QPSK	Inner_Full	22.30	22.63
n78L	10	30	3455.01	CP	QPSK	Edge_1RB_Left	20.68	21.01
n78L	10	30	3455.01	CP	QPSK	Edge_1RB_Right	20.63	20.96
n78L	10	30	3455.01	CP	QPSK	Outer_Full	20.72	21.05
n78L	10	30	3455.01	CP	16QAM	Inner_Full	21.83	22.16
n78L	10	30	3455.01	CP	16QAM	Edge_1RB_Left	20.91	21.24
n78L	10	30	3455.01	CP	16QAM	Edge_1RB_Right	20.87	21.20
n78L	10	30	3455.01	CP	16QAM	Outer_Full	20.74	21.07
n78L	10	30	3455.01	CP	64QAM	Inner_Full	20.23	20.56
n78L	10	30	3455.01	CP	64QAM	Edge_1RB_Left	20.44	20.77
n78L	10	30	3455.01	CP	64QAM	Edge_1RB_Right	20.41	20.74
n78L	10	30	3455.01	CP	64QAM	Outer_Full	20.13	20.46
n78L	10	30	3455.01	CP	256QAM	Inner_Full	17.36	17.69
n78L	10	30	3455.01	CP	256QAM	Edge_1RB_Left	17.33	17.66
n78L	10	30	3455.01	CP	256QAM	Edge_1RB_Right	17.16	17.49
n78L	10	30	3455.01	CP	256QAM	Outer_Full	17.32	17.65
n78L	10	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.99	24.32

n78L	10	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.33	23.66
n78L	10	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.37	23.70
n78L	10	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.49	23.82
n78L	10	30	3500.01	DFT	QPSK	Inner_Full	24.05	24.38
n78L	10	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.92	23.25
n78L	10	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.94	23.27
n78L	10	30	3500.01	DFT	QPSK	Outer_Full	23.02	23.35
n78L	10	30	3500.01	DFT	16QAM	Inner_Full	23.01	23.34
n78L	10	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.76	22.09
n78L	10	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.79	22.12
n78L	10	30	3500.01	DFT	16QAM	Outer_Full	22.04	22.37
n78L	10	30	3500.01	DFT	64QAM	Inner_Full	21.39	21.72
n78L	10	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.12	21.45
n78L	10	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.15	21.48
n78L	10	30	3500.01	DFT	64QAM	Outer_Full	21.54	21.87
n78L	10	30	3500.01	DFT	256QAM	Inner_Full	19.40	19.73
n78L	10	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.13	19.46
n78L	10	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.08	19.41
n78L	10	30	3500.01	DFT	256QAM	Outer_Full	19.37	19.70
n78L	10	30	3500.01	CP	QPSK	Inner_Full	22.48	22.81
n78L	10	30	3500.01	CP	QPSK	Edge_1RB_Left	20.87	21.20
n78L	10	30	3500.01	CP	QPSK	Edge_1RB_Right	20.73	21.06
n78L	10	30	3500.01	CP	QPSK	Outer_Full	20.94	21.27
n78L	10	30	3500.01	CP	16QAM	Inner_Full	22.05	22.38
n78L	10	30	3500.01	CP	16QAM	Edge_1RB_Left	21.11	21.44
n78L	10	30	3500.01	CP	16QAM	Edge_1RB_Right	21.02	21.35
n78L	10	30	3500.01	CP	16QAM	Outer_Full	20.88	21.21
n78L	10	30	3500.01	CP	64QAM	Inner_Full	20.44	20.77
n78L	10	30	3500.01	CP	64QAM	Edge_1RB_Left	20.43	20.76
n78L	10	30	3500.01	CP	64QAM	Edge_1RB_Right	20.43	20.76
n78L	10	30	3500.01	CP	64QAM	Outer_Full	20.44	20.77
n78L	10	30	3500.01	CP	256QAM	Inner_Full	17.62	17.95
n78L	10	30	3500.01	CP	256QAM	Edge_1RB_Left	17.77	18.10
n78L	10	30	3500.01	CP	256QAM	Edge_1RB_Right	17.61	17.94
n78L	10	30	3500.01	CP	256QAM	Outer_Full	17.58	17.91
n78L	10	30	3544.98	DFT	pi/2 BPSK	Inner_Full	24.26	24.59
n78L	10	30	3544.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.60	23.93
n78L	10	30	3544.98	DFT	pi/2 BPSK	Edge_1RB_Right	23.65	23.98
n78L	10	30	3544.98	DFT	pi/2 BPSK	Outer_Full	23.77	24.10
n78L	10	30	3544.98	DFT	QPSK	Inner_Full	24.26	24.59
n78L	10	30	3544.98	DFT	QPSK	Edge_1RB_Left	23.09	23.42

n78L	10	30	3544.98	DFT	QPSK	Edge_1RB_Right	23.09	23.42
n78L	10	30	3544.98	DFT	QPSK	Outer_Full	23.28	23.61
n78L	10	30	3544.98	DFT	16QAM	Inner_Full	23.23	23.56
n78L	10	30	3544.98	DFT	16QAM	Edge_1RB_Left	22.15	22.48
n78L	10	30	3544.98	DFT	16QAM	Edge_1RB_Right	22.22	22.55
n78L	10	30	3544.98	DFT	16QAM	Outer_Full	22.30	22.63
n78L	10	30	3544.98	DFT	64QAM	Inner_Full	21.69	22.02
n78L	10	30	3544.98	DFT	64QAM	Edge_1RB_Left	21.43	21.76
n78L	10	30	3544.98	DFT	64QAM	Edge_1RB_Right	21.43	21.76
n78L	10	30	3544.98	DFT	64QAM	Outer_Full	21.75	22.08
n78L	10	30	3544.98	DFT	256QAM	Inner_Full	19.62	19.95
n78L	10	30	3544.98	DFT	256QAM	Edge_1RB_Left	19.35	19.68
n78L	10	30	3544.98	DFT	256QAM	Edge_1RB_Right	19.69	20.02
n78L	10	30	3544.98	DFT	256QAM	Outer_Full	19.67	20.00
n78L	10	30	3544.98	CP	QPSK	Inner_Full	22.68	23.01
n78L	10	30	3544.98	CP	QPSK	Edge_1RB_Left	21.13	21.46
n78L	10	30	3544.98	CP	QPSK	Edge_1RB_Right	21.17	21.50
n78L	10	30	3544.98	CP	QPSK	Outer_Full	21.18	21.51
n78L	10	30	3544.98	CP	16QAM	Inner_Full	22.22	22.55
n78L	10	30	3544.98	CP	16QAM	Edge_1RB_Left	21.32	21.65
n78L	10	30	3544.98	CP	16QAM	Edge_1RB_Right	21.38	21.71
n78L	10	30	3544.98	CP	16QAM	Outer_Full	21.17	21.50
n78L	10	30	3544.98	CP	64QAM	Inner_Full	20.69	21.02
n78L	10	30	3544.98	CP	64QAM	Edge_1RB_Left	20.85	21.18
n78L	10	30	3544.98	CP	64QAM	Edge_1RB_Right	20.94	21.27
n78L	10	30	3544.98	CP	64QAM	Outer_Full	20.62	20.95
n78L	10	30	3544.98	CP	256QAM	Inner_Full	17.82	18.15
n78L	10	30	3544.98	CP	256QAM	Edge_1RB_Left	17.66	17.99
n78L	10	30	3544.98	CP	256QAM	Edge_1RB_Right	17.66	17.99
n78L	10	30	3544.98	CP	256QAM	Outer_Full	17.81	18.14
n78L	15	30	3457.5	DFT	pi/2 BPSK	Inner_Full	23.77	24.10
n78L	15	30	3457.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.21	23.54
n78L	15	30	3457.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.16	23.49
n78L	15	30	3457.5	DFT	pi/2 BPSK	Outer_Full	23.34	23.67
n78L	15	30	3457.5	DFT	QPSK	Inner_Full	23.80	24.13
n78L	15	30	3457.5	DFT	QPSK	Edge_1RB_Left	22.72	23.05
n78L	15	30	3457.5	DFT	QPSK	Edge_1RB_Right	22.63	22.96
n78L	15	30	3457.5	DFT	QPSK	Outer_Full	22.81	23.14
n78L	15	30	3457.5	DFT	16QAM	Inner_Full	22.79	23.12
n78L	15	30	3457.5	DFT	16QAM	Edge_1RB_Left	21.62	21.95
n78L	15	30	3457.5	DFT	16QAM	Edge_1RB_Right	21.70	22.03

n78L	15	30	3457.5	DFT	16QAM	Outer_Full	21.81	22.14
n78L	15	30	3457.5	DFT	64QAM	Inner_Full	21.19	21.52
n78L	15	30	3457.5	DFT	64QAM	Edge_1RB_Left	20.97	21.30
n78L	15	30	3457.5	DFT	64QAM	Edge_1RB_Right	20.90	21.23
n78L	15	30	3457.5	DFT	64QAM	Outer_Full	21.27	21.60
n78L	15	30	3457.5	DFT	256QAM	Inner_Full	19.44	19.77
n78L	15	30	3457.5	DFT	256QAM	Edge_1RB_Left	19.48	19.81
n78L	15	30	3457.5	DFT	256QAM	Edge_1RB_Right	19.41	19.74
n78L	15	30	3457.5	DFT	256QAM	Outer_Full	19.57	19.90
n78L	15	30	3457.5	CP	QPSK	Inner_Full	22.33	22.66
n78L	15	30	3457.5	CP	QPSK	Edge_1RB_Left	20.70	21.03
n78L	15	30	3457.5	CP	QPSK	Edge_1RB_Right	20.66	20.99
n78L	15	30	3457.5	CP	QPSK	Outer_Full	20.84	21.17
n78L	15	30	3457.5	CP	16QAM	Inner_Full	21.90	22.23
n78L	15	30	3457.5	CP	16QAM	Edge_1RB_Left	20.87	21.20
n78L	15	30	3457.5	CP	16QAM	Edge_1RB_Right	20.78	21.11
n78L	15	30	3457.5	CP	16QAM	Outer_Full	20.79	21.12
n78L	15	30	3457.5	CP	64QAM	Inner_Full	20.22	20.55
n78L	15	30	3457.5	CP	64QAM	Edge_1RB_Left	20.39	20.72
n78L	15	30	3457.5	CP	64QAM	Edge_1RB_Right	20.39	20.72
n78L	15	30	3457.5	CP	64QAM	Outer_Full	20.18	20.51
n78L	15	30	3457.5	CP	256QAM	Inner_Full	17.44	17.77
n78L	15	30	3457.5	CP	256QAM	Edge_1RB_Left	17.41	17.74
n78L	15	30	3457.5	CP	256QAM	Edge_1RB_Right	17.37	17.70
n78L	15	30	3457.5	CP	256QAM	Outer_Full	17.39	17.72
n78L	15	30	3500.01	DFT	pi/2 BPSK	Inner_Full	24.06	24.39
n78L	15	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.40	23.73
n78L	15	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.41	23.74
n78L	15	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.50	23.83
n78L	15	30	3500.01	DFT	QPSK	Inner_Full	24.18	24.51
n78L	15	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.83	23.16
n78L	15	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.87	23.20
n78L	15	30	3500.01	DFT	QPSK	Outer_Full	23.02	23.35
n78L	15	30	3500.01	DFT	16QAM	Inner_Full	23.03	23.36
n78L	15	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.78	22.11
n78L	15	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.94	22.27
n78L	15	30	3500.01	DFT	16QAM	Outer_Full	22.09	22.42
n78L	15	30	3500.01	DFT	64QAM	Inner_Full	21.47	21.80
n78L	15	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.24	21.57
n78L	15	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.21	21.54
n78L	15	30	3500.01	DFT	64QAM	Outer_Full	21.49	21.82

n78L	15	30	3500.01	DFT	256QAM	Inner_Full	19.43	19.76
n78L	15	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.13	19.46
n78L	15	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.62	19.95
n78L	15	30	3500.01	DFT	256QAM	Outer_Full	19.39	19.72
n78L	15	30	3500.01	CP	QPSK	Inner_Full	22.51	22.84
n78L	15	30	3500.01	CP	QPSK	Edge_1RB_Left	20.96	21.29
n78L	15	30	3500.01	CP	QPSK	Edge_1RB_Right	20.76	21.09
n78L	15	30	3500.01	CP	QPSK	Outer_Full	20.94	21.27
n78L	15	30	3500.01	CP	16QAM	Inner_Full	22.05	22.38
n78L	15	30	3500.01	CP	16QAM	Edge_1RB_Left	20.80	21.13
n78L	15	30	3500.01	CP	16QAM	Edge_1RB_Right	20.76	21.09
n78L	15	30	3500.01	CP	16QAM	Outer_Full	20.99	21.32
n78L	15	30	3500.01	CP	64QAM	Inner_Full	20.42	20.75
n78L	15	30	3500.01	CP	64QAM	Edge_1RB_Left	20.39	20.72
n78L	15	30	3500.01	CP	64QAM	Edge_1RB_Right	20.39	20.72
n78L	15	30	3500.01	CP	64QAM	Outer_Full	20.51	20.84
n78L	15	30	3500.01	CP	256QAM	Inner_Full	17.65	17.98
n78L	15	30	3500.01	CP	256QAM	Edge_1RB_Left	17.60	17.93
n78L	15	30	3500.01	CP	256QAM	Edge_1RB_Right	17.47	17.80
n78L	15	30	3500.01	CP	256QAM	Outer_Full	17.61	17.94
n78L	15	30	3542.49	DFT	pi/2 BPSK	Inner_Full	24.23	24.56
n78L	15	30	3542.49	DFT	pi/2 BPSK	Edge_1RB_Left	23.61	23.94
n78L	15	30	3542.49	DFT	pi/2 BPSK	Edge_1RB_Right	23.66	23.99
n78L	15	30	3542.49	DFT	pi/2 BPSK	Outer_Full	23.72	24.05
n78L	15	30	3542.49	DFT	QPSK	Inner_Full	24.32	24.65
n78L	15	30	3542.49	DFT	QPSK	Edge_1RB_Left	23.07	23.40
n78L	15	30	3542.49	DFT	QPSK	Edge_1RB_Right	23.15	23.48
n78L	15	30	3542.49	DFT	QPSK	Outer_Full	23.23	23.56
n78L	15	30	3542.49	DFT	16QAM	Inner_Full	23.31	23.64
n78L	15	30	3542.49	DFT	16QAM	Edge_1RB_Left	22.02	22.35
n78L	15	30	3542.49	DFT	16QAM	Edge_1RB_Right	22.19	22.52
n78L	15	30	3542.49	DFT	16QAM	Outer_Full	22.25	22.58
n78L	15	30	3542.49	DFT	64QAM	Inner_Full	21.67	22.00
n78L	15	30	3542.49	DFT	64QAM	Edge_1RB_Left	21.43	21.76
n78L	15	30	3542.49	DFT	64QAM	Edge_1RB_Right	21.49	21.82
n78L	15	30	3542.49	DFT	64QAM	Outer_Full	21.69	22.02
n78L	15	30	3542.49	DFT	256QAM	Inner_Full	19.59	19.92
n78L	15	30	3542.49	DFT	256QAM	Edge_1RB_Left	19.58	19.91
n78L	15	30	3542.49	DFT	256QAM	Edge_1RB_Right	19.62	19.95
n78L	15	30	3542.49	DFT	256QAM	Outer_Full	19.61	19.94
n78L	15	30	3542.49	CP	QPSK	Inner_Full	22.75	23.08

n78L	15	30	3542.49	CP	QPSK	Edge_1RB_Left	21.06	21.39
n78L	15	30	3542.49	CP	QPSK	Edge_1RB_Right	21.19	21.52
n78L	15	30	3542.49	CP	QPSK	Outer_Full	21.21	21.54
n78L	15	30	3542.49	CP	16QAM	Inner_Full	22.23	22.56
n78L	15	30	3542.49	CP	16QAM	Edge_1RB_Left	21.31	21.64
n78L	15	30	3542.49	CP	16QAM	Edge_1RB_Right	21.24	21.57
n78L	15	30	3542.49	CP	16QAM	Outer_Full	21.24	21.57
n78L	15	30	3542.49	CP	64QAM	Inner_Full	20.60	20.93
n78L	15	30	3542.49	CP	64QAM	Edge_1RB_Left	20.88	21.21
n78L	15	30	3542.49	CP	64QAM	Edge_1RB_Right	20.89	21.22
n78L	15	30	3542.49	CP	64QAM	Outer_Full	20.61	20.94
n78L	15	30	3542.49	CP	256QAM	Inner_Full	17.81	18.14
n78L	15	30	3542.49	CP	256QAM	Edge_1RB_Left	17.73	18.06
n78L	15	30	3542.49	CP	256QAM	Edge_1RB_Right	17.77	18.10
n78L	15	30	3542.49	CP	256QAM	Outer_Full	17.83	18.16
n78L	20	30	3460.02	DFT	pi/2 BPSK	Inner_Full	23.80	24.13
n78L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.11	23.44
n78L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.15	23.48
n78L	20	30	3460.02	DFT	pi/2 BPSK	Outer_Full	23.30	23.63
n78L	20	30	3460.02	DFT	QPSK	Inner_Full	23.82	24.15
n78L	20	30	3460.02	DFT	QPSK	Edge_1RB_Left	22.67	23.00
n78L	20	30	3460.02	DFT	QPSK	Edge_1RB_Right	22.68	23.01
n78L	20	30	3460.02	DFT	QPSK	Outer_Full	22.80	23.13
n78L	20	30	3460.02	DFT	16QAM	Inner_Full	22.89	23.22
n78L	20	30	3460.02	DFT	16QAM	Edge_1RB_Left	21.59	21.92
n78L	20	30	3460.02	DFT	16QAM	Edge_1RB_Right	21.62	21.95
n78L	20	30	3460.02	DFT	16QAM	Outer_Full	21.76	22.09
n78L	20	30	3460.02	DFT	64QAM	Inner_Full	21.28	21.61
n78L	20	30	3460.02	DFT	64QAM	Edge_1RB_Left	20.89	21.22
n78L	20	30	3460.02	DFT	64QAM	Edge_1RB_Right	20.91	21.24
n78L	20	30	3460.02	DFT	64QAM	Outer_Full	21.25	21.58
n78L	20	30	3460.02	DFT	256QAM	Inner_Full	19.43	19.76
n78L	20	30	3460.02	DFT	256QAM	Edge_1RB_Left	19.53	19.86
n78L	20	30	3460.02	DFT	256QAM	Edge_1RB_Right	19.13	19.46
n78L	20	30	3460.02	DFT	256QAM	Outer_Full	19.45	19.78
n78L	20	30	3460.02	CP	QPSK	Inner_Full	22.33	22.66
n78L	20	30	3460.02	CP	QPSK	Edge_1RB_Left	20.51	20.84
n78L	20	30	3460.02	CP	QPSK	Edge_1RB_Right	20.53	20.86
n78L	20	30	3460.02	CP	QPSK	Outer_Full	20.76	21.09
n78L	20	30	3460.02	CP	16QAM	Inner_Full	21.88	22.21
n78L	20	30	3460.02	CP	16QAM	Edge_1RB_Left	20.64	20.97



n78L	20	30	3460.02	CP	16QAM	Edge_1RB_Right	20.68	21.01
n78L	20	30	3460.02	CP	16QAM	Outer_Full	20.65	20.98
n78L	20	30	3460.02	CP	64QAM	Inner_Full	20.30	20.63
n78L	20	30	3460.02	CP	64QAM	Edge_1RB_Left	20.38	20.71
n78L	20	30	3460.02	CP	64QAM	Edge_1RB_Right	20.41	20.74
n78L	20	30	3460.02	CP	64QAM	Outer_Full	20.24	20.57
n78L	20	30	3460.02	CP	256QAM	Inner_Full	17.46	17.79
n78L	20	30	3460.02	CP	256QAM	Edge_1RB_Left	17.23	17.56
n78L	20	30	3460.02	CP	256QAM	Edge_1RB_Right	17.35	17.68
n78L	20	30	3460.02	CP	256QAM	Outer_Full	17.44	17.77
n78L	20	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.99	24.32
n78L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.30	23.63
n78L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.33	23.66
n78L	20	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.43	23.76
n78L	20	30	3500.01	DFT	QPSK	Inner_Full	24.01	24.34
n78L	20	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.81	23.14
n78L	20	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.85	23.18
n78L	20	30	3500.01	DFT	QPSK	Outer_Full	23.02	23.35
n78L	20	30	3500.01	DFT	16QAM	Inner_Full	23.08	23.41
n78L	20	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.59	21.92
n78L	20	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.64	21.97
n78L	20	30	3500.01	DFT	16QAM	Outer_Full	21.96	22.29
n78L	20	30	3500.01	DFT	64QAM	Inner_Full	21.49	21.82
n78L	20	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.11	21.44
n78L	20	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.17	21.50
n78L	20	30	3500.01	DFT	64QAM	Outer_Full	21.46	21.79
n78L	20	30	3500.01	DFT	256QAM	Inner_Full	19.46	19.79
n78L	20	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.09	19.42
n78L	20	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.11	19.44
n78L	20	30	3500.01	DFT	256QAM	Outer_Full	19.38	19.71
n78L	20	30	3500.01	CP	QPSK	Inner_Full	22.54	22.87
n78L	20	30	3500.01	CP	QPSK	Edge_1RB_Left	20.76	21.09
n78L	20	30	3500.01	CP	QPSK	Edge_1RB_Right	20.79	21.12
n78L	20	30	3500.01	CP	QPSK	Outer_Full	20.94	21.27
n78L	20	30	3500.01	CP	16QAM	Inner_Full	21.99	22.32
n78L	20	30	3500.01	CP	16QAM	Edge_1RB_Left	21.01	21.34
n78L	20	30	3500.01	CP	16QAM	Edge_1RB_Right	21.08	21.41
n78L	20	30	3500.01	CP	16QAM	Outer_Full	20.92	21.25
n78L	20	30	3500.01	CP	64QAM	Inner_Full	20.42	20.75
n78L	20	30	3500.01	CP	64QAM	Edge_1RB_Left	20.46	20.79
n78L	20	30	3500.01	CP	64QAM	Edge_1RB_Right	20.55	20.88

n78L	20	30	3500.01	CP	64QAM	Outer_Full	20.41	20.74
n78L	20	30	3500.01	CP	256QAM	Inner_Full	17.60	17.93
n78L	20	30	3500.01	CP	256QAM	Edge_1RB_Left	17.38	17.71
n78L	20	30	3500.01	CP	256QAM	Edge_1RB_Right	17.36	17.69
n78L	20	30	3500.01	CP	256QAM	Outer_Full	17.65	17.98
n78L	20	30	3540	DFT	pi/2 BPSK	Inner_Full	24.24	24.57
n78L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Left	23.49	23.82
n78L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Right	23.55	23.88
n78L	20	30	3540	DFT	pi/2 BPSK	Outer_Full	23.64	23.97
n78L	20	30	3540	DFT	QPSK	Inner_Full	24.24	24.57
n78L	20	30	3540	DFT	QPSK	Edge_1RB_Left	23.01	23.34
n78L	20	30	3540	DFT	QPSK	Edge_1RB_Right	23.07	23.40
n78L	20	30	3540	DFT	QPSK	Outer_Full	23.23	23.56
n78L	20	30	3540	DFT	16QAM	Inner_Full	23.27	23.60
n78L	20	30	3540	DFT	16QAM	Edge_1RB_Left	21.96	22.29
n78L	20	30	3540	DFT	16QAM	Edge_1RB_Right	22.01	22.34
n78L	20	30	3540	DFT	16QAM	Outer_Full	22.19	22.52
n78L	20	30	3540	DFT	64QAM	Inner_Full	21.73	22.06
n78L	20	30	3540	DFT	64QAM	Edge_1RB_Left	21.23	21.56
n78L	20	30	3540	DFT	64QAM	Edge_1RB_Right	21.43	21.76
n78L	20	30	3540	DFT	64QAM	Outer_Full	21.67	22.00
n78L	20	30	3540	DFT	256QAM	Inner_Full	19.65	19.98
n78L	20	30	3540	DFT	256QAM	Edge_1RB_Left	19.21	19.54
n78L	20	30	3540	DFT	256QAM	Edge_1RB_Right	19.25	19.58
n78L	20	30	3540	DFT	256QAM	Outer_Full	19.61	19.94
n78L	20	30	3540	CP	QPSK	Inner_Full	22.74	23.07
n78L	20	30	3540	CP	QPSK	Edge_1RB_Left	20.97	21.30
n78L	20	30	3540	CP	QPSK	Edge_1RB_Right	20.97	21.30
n78L	20	30	3540	CP	QPSK	Outer_Full	21.13	21.46
n78L	20	30	3540	CP	16QAM	Inner_Full	22.14	22.47
n78L	20	30	3540	CP	16QAM	Edge_1RB_Left	21.00	21.33
n78L	20	30	3540	CP	16QAM	Edge_1RB_Right	21.28	21.61
n78L	20	30	3540	CP	16QAM	Outer_Full	21.11	21.44
n78L	20	30	3540	CP	64QAM	Inner_Full	20.65	20.98
n78L	20	30	3540	CP	64QAM	Edge_1RB_Left	20.71	21.04
n78L	20	30	3540	CP	64QAM	Edge_1RB_Right	20.84	21.17
n78L	20	30	3540	CP	64QAM	Outer_Full	20.65	20.98
n78L	20	30	3540	CP	256QAM	Inner_Full	17.78	18.11
n78L	20	30	3540	CP	256QAM	Edge_1RB_Left	17.78	18.11
n78L	20	30	3540	CP	256QAM	Edge_1RB_Right	17.83	18.16
n78L	20	30	3540	CP	256QAM	Outer_Full	17.74	18.07

n78L	40	30	3470.01	DFT	pi/2 BPSK	Inner_Full	23.81	24.14
n78L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.77	23.10
n78L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.76	23.09
n78L	40	30	3470.01	DFT	pi/2 BPSK	Outer_Full	23.23	23.56
n78L	40	30	3470.01	DFT	QPSK	Inner_Full	23.91	24.24
n78L	40	30	3470.01	DFT	QPSK	Edge_1RB_Left	22.29	22.62
n78L	40	30	3470.01	DFT	QPSK	Edge_1RB_Right	22.24	22.57
n78L	40	30	3470.01	DFT	QPSK	Outer_Full	22.77	23.10
n78L	40	30	3470.01	DFT	16QAM	Inner_Full	22.83	23.16
n78L	40	30	3470.01	DFT	16QAM	Edge_1RB_Left	21.26	21.59
n78L	40	30	3470.01	DFT	16QAM	Edge_1RB_Right	21.19	21.52
n78L	40	30	3470.01	DFT	16QAM	Outer_Full	21.74	22.07
n78L	40	30	3470.01	DFT	64QAM	Inner_Full	21.31	21.64
n78L	40	30	3470.01	DFT	64QAM	Edge_1RB_Left	20.61	20.94
n78L	40	30	3470.01	DFT	64QAM	Edge_1RB_Right	20.53	20.86
n78L	40	30	3470.01	DFT	64QAM	Outer_Full	21.25	21.58
n78L	40	30	3470.01	DFT	256QAM	Inner_Full	19.45	19.78
n78L	40	30	3470.01	DFT	256QAM	Edge_1RB_Left	19.09	19.42
n78L	40	30	3470.01	DFT	256QAM	Edge_1RB_Right	18.77	19.10
n78L	40	30	3470.01	DFT	256QAM	Outer_Full	19.36	19.69
n78L	40	30	3470.01	CP	QPSK	Inner_Full	22.25	22.58
n78L	40	30	3470.01	CP	QPSK	Edge_1RB_Left	20.16	20.49
n78L	40	30	3470.01	CP	QPSK	Edge_1RB_Right	20.11	20.44
n78L	40	30	3470.01	CP	QPSK	Outer_Full	20.67	21.00
n78L	40	30	3470.01	CP	16QAM	Inner_Full	21.84	22.17
n78L	40	30	3470.01	CP	16QAM	Edge_1RB_Left	20.44	20.77
n78L	40	30	3470.01	CP	16QAM	Edge_1RB_Right	20.10	20.43
n78L	40	30	3470.01	CP	16QAM	Outer_Full	20.69	21.02
n78L	40	30	3470.01	CP	64QAM	Inner_Full	20.23	20.56
n78L	40	30	3470.01	CP	64QAM	Edge_1RB_Left	19.83	20.16
n78L	40	30	3470.01	CP	64QAM	Edge_1RB_Right	19.79	20.12
n78L	40	30	3470.01	CP	64QAM	Outer_Full	20.16	20.49
n78L	40	30	3470.01	CP	256QAM	Inner_Full	17.39	17.72
n78L	40	30	3470.01	CP	256QAM	Edge_1RB_Left	16.99	17.32
n78L	40	30	3470.01	CP	256QAM	Edge_1RB_Right	17.10	17.43
n78L	40	30	3470.01	CP	256QAM	Outer_Full	17.34	17.67
n78L	40	30	3500.01	DFT	pi/2 BPSK	Inner_Full	24.00	24.33
n78L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.84	23.17
n78L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.90	23.23
n78L	40	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.36	23.69
n78L	40	30	3500.01	DFT	QPSK	Inner_Full	24.05	24.38

n78L	40	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.30	22.63
n78L	40	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.39	22.72
n78L	40	30	3500.01	DFT	QPSK	Outer_Full	22.90	23.23
n78L	40	30	3500.01	DFT	16QAM	Inner_Full	22.95	23.28
n78L	40	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.40	21.73
n78L	40	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.40	21.73
n78L	40	30	3500.01	DFT	16QAM	Outer_Full	21.89	22.22
n78L	40	30	3500.01	DFT	64QAM	Inner_Full	21.42	21.75
n78L	40	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.75	21.08
n78L	40	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.75	21.08
n78L	40	30	3500.01	DFT	64QAM	Outer_Full	21.35	21.68
n78L	40	30	3500.01	DFT	256QAM	Inner_Full	19.32	19.65
n78L	40	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.20	19.53
n78L	40	30	3500.01	DFT	256QAM	Edge_1RB_Right	18.91	19.24
n78L	40	30	3500.01	DFT	256QAM	Outer_Full	19.23	19.56
n78L	40	30	3500.01	CP	QPSK	Inner_Full	22.42	22.75
n78L	40	30	3500.01	CP	QPSK	Edge_1RB_Left	20.23	20.56
n78L	40	30	3500.01	CP	QPSK	Edge_1RB_Right	20.29	20.62
n78L	40	30	3500.01	CP	QPSK	Outer_Full	20.84	21.17
n78L	40	30	3500.01	CP	16QAM	Inner_Full	21.97	22.30
n78L	40	30	3500.01	CP	16QAM	Edge_1RB_Left	20.45	20.78
n78L	40	30	3500.01	CP	16QAM	Edge_1RB_Right	20.56	20.89
n78L	40	30	3500.01	CP	16QAM	Outer_Full	20.85	21.18
n78L	40	30	3500.01	CP	64QAM	Inner_Full	20.36	20.69
n78L	40	30	3500.01	CP	64QAM	Edge_1RB_Left	20.12	20.45
n78L	40	30	3500.01	CP	64QAM	Edge_1RB_Right	20.20	20.53
n78L	40	30	3500.01	CP	64QAM	Outer_Full	20.32	20.65
n78L	40	30	3500.01	CP	256QAM	Inner_Full	17.55	17.88
n78L	40	30	3500.01	CP	256QAM	Edge_1RB_Left	17.22	17.55
n78L	40	30	3500.01	CP	256QAM	Edge_1RB_Right	17.20	17.53
n78L	40	30	3500.01	CP	256QAM	Outer_Full	17.45	17.78
n78L	40	30	3529.98	DFT	pi/2 BPSK	Inner_Full	24.11	24.44
n78L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.07	23.40
n78L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Right	23.04	23.37
n78L	40	30	3529.98	DFT	pi/2 BPSK	Outer_Full	23.51	23.84
n78L	40	30	3529.98	DFT	QPSK	Inner_Full	24.14	24.47
n78L	40	30	3529.98	DFT	QPSK	Edge_1RB_Left	22.57	22.90
n78L	40	30	3529.98	DFT	QPSK	Edge_1RB_Right	22.59	22.92
n78L	40	30	3529.98	DFT	QPSK	Outer_Full	23.05	23.38
n78L	40	30	3529.98	DFT	16QAM	Inner_Full	23.13	23.46
n78L	40	30	3529.98	DFT	16QAM	Edge_1RB_Left	21.56	21.89

n78L	40	30	3529.98	DFT	16QAM	Edge_1RB_Right	21.64	21.97
n78L	40	30	3529.98	DFT	16QAM	Outer_Full	22.06	22.39
n78L	40	30	3529.98	DFT	64QAM	Inner_Full	21.55	21.88
n78L	40	30	3529.98	DFT	64QAM	Edge_1RB_Left	20.82	21.15
n78L	40	30	3529.98	DFT	64QAM	Edge_1RB_Right	21.02	21.35
n78L	40	30	3529.98	DFT	64QAM	Outer_Full	21.50	21.83
n78L	40	30	3529.98	DFT	256QAM	Inner_Full	19.48	19.81
n78L	40	30	3529.98	DFT	256QAM	Edge_1RB_Left	19.00	19.33
n78L	40	30	3529.98	DFT	256QAM	Edge_1RB_Right	18.77	19.10
n78L	40	30	3529.98	DFT	256QAM	Outer_Full	19.36	19.69
n78L	40	30	3529.98	CP	QPSK	Inner_Full	22.58	22.91
n78L	40	30	3529.98	CP	QPSK	Edge_1RB_Left	20.56	20.89
n78L	40	30	3529.98	CP	QPSK	Edge_1RB_Right	20.46	20.79
n78L	40	30	3529.98	CP	QPSK	Outer_Full	20.99	21.32
n78L	40	30	3529.98	CP	16QAM	Inner_Full	22.12	22.45
n78L	40	30	3529.98	CP	16QAM	Edge_1RB_Left	20.68	21.01
n78L	40	30	3529.98	CP	16QAM	Edge_1RB_Right	20.50	20.83
n78L	40	30	3529.98	CP	16QAM	Outer_Full	20.97	21.30
n78L	40	30	3529.98	CP	64QAM	Inner_Full	20.53	20.86
n78L	40	30	3529.98	CP	64QAM	Edge_1RB_Left	20.24	20.57
n78L	40	30	3529.98	CP	64QAM	Edge_1RB_Right	20.35	20.68
n78L	40	30	3529.98	CP	64QAM	Outer_Full	20.45	20.78
n78L	40	30	3529.98	CP	256QAM	Inner_Full	17.73	18.06
n78L	40	30	3529.98	CP	256QAM	Edge_1RB_Left	17.12	17.45
n78L	40	30	3529.98	CP	256QAM	Edge_1RB_Right	17.14	17.47
n78L	40	30	3529.98	CP	256QAM	Outer_Full	17.60	17.93
n78L	50	30	3475.02	DFT	pi/2 BPSK	Inner_Full	23.84	24.17
n78L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.04	23.37
n78L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.05	23.38
n78L	50	30	3475.02	DFT	pi/2 BPSK	Outer_Full	23.30	23.63
n78L	50	30	3475.02	DFT	QPSK	Inner_Full	23.94	24.27
n78L	50	30	3475.02	DFT	QPSK	Edge_1RB_Left	22.57	22.90
n78L	50	30	3475.02	DFT	QPSK	Edge_1RB_Right	22.54	22.87
n78L	50	30	3475.02	DFT	QPSK	Outer_Full	22.81	23.14
n78L	50	30	3475.02	DFT	16QAM	Inner_Full	22.93	23.26
n78L	50	30	3475.02	DFT	16QAM	Edge_1RB_Left	21.54	21.87
n78L	50	30	3475.02	DFT	16QAM	Edge_1RB_Right	21.54	21.87
n78L	50	30	3475.02	DFT	16QAM	Outer_Full	21.77	22.10
n78L	50	30	3475.02	DFT	64QAM	Inner_Full	21.30	21.63
n78L	50	30	3475.02	DFT	64QAM	Edge_1RB_Left	20.91	21.24
n78L	50	30	3475.02	DFT	64QAM	Edge_1RB_Right	20.72	21.05

n78L	50	30	3475.02	DFT	64QAM	Outer_Full	21.25	21.58
n78L	50	30	3475.02	DFT	256QAM	Inner_Full	19.46	19.79
n78L	50	30	3475.02	DFT	256QAM	Edge_1RB_Left	19.48	19.81
n78L	50	30	3475.02	DFT	256QAM	Edge_1RB_Right	19.15	19.48
n78L	50	30	3475.02	DFT	256QAM	Outer_Full	19.47	19.80
n78L	50	30	3475.02	CP	QPSK	Inner_Full	22.37	22.70
n78L	50	30	3475.02	CP	QPSK	Edge_1RB_Left	20.45	20.78
n78L	50	30	3475.02	CP	QPSK	Edge_1RB_Right	20.35	20.68
n78L	50	30	3475.02	CP	QPSK	Outer_Full	20.75	21.08
n78L	50	30	3475.02	CP	16QAM	Inner_Full	21.86	22.19
n78L	50	30	3475.02	CP	16QAM	Edge_1RB_Left	20.41	20.74
n78L	50	30	3475.02	CP	16QAM	Edge_1RB_Right	20.60	20.93
n78L	50	30	3475.02	CP	16QAM	Outer_Full	20.72	21.05
n78L	50	30	3475.02	CP	64QAM	Inner_Full	20.32	20.65
n78L	50	30	3475.02	CP	64QAM	Edge_1RB_Left	20.30	20.63
n78L	50	30	3475.02	CP	64QAM	Edge_1RB_Right	20.31	20.64
n78L	50	30	3475.02	CP	64QAM	Outer_Full	20.24	20.57
n78L	50	30	3475.02	CP	256QAM	Inner_Full	17.43	17.76
n78L	50	30	3475.02	CP	256QAM	Edge_1RB_Left	17.26	17.59
n78L	50	30	3475.02	CP	256QAM	Edge_1RB_Right	17.23	17.56
n78L	50	30	3475.02	CP	256QAM	Outer_Full	17.41	17.74
n78L	50	30	3500.01	DFT	pi/2 BPSK	Inner_Full	24.00	24.33
n78L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.09	23.42
n78L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.18	23.51
n78L	50	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.42	23.75
n78L	50	30	3500.01	DFT	QPSK	Inner_Full	24.10	24.43
n78L	50	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.73	23.06
n78L	50	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.70	23.03
n78L	50	30	3500.01	DFT	QPSK	Outer_Full	22.95	23.28
n78L	50	30	3500.01	DFT	16QAM	Inner_Full	23.01	23.34
n78L	50	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.59	21.92
n78L	50	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.70	22.03
n78L	50	30	3500.01	DFT	16QAM	Outer_Full	21.89	22.22
n78L	50	30	3500.01	DFT	64QAM	Inner_Full	21.42	21.75
n78L	50	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.03	21.36
n78L	50	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.04	21.37
n78L	50	30	3500.01	DFT	64QAM	Outer_Full	21.37	21.70
n78L	50	30	3500.01	DFT	256QAM	Inner_Full	19.34	19.67
n78L	50	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.12	19.45
n78L	50	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.18	19.51
n78L	50	30	3500.01	DFT	256QAM	Outer_Full	19.31	19.64

n78L	50	30	3500.01	CP	QPSK	Inner_Full	22.43	22.76
n78L	50	30	3500.01	CP	QPSK	Edge_1RB_Left	20.51	20.84
n78L	50	30	3500.01	CP	QPSK	Edge_1RB_Right	20.57	20.90
n78L	50	30	3500.01	CP	QPSK	Outer_Full	20.93	21.26
n78L	50	30	3500.01	CP	16QAM	Inner_Full	21.91	22.24
n78L	50	30	3500.01	CP	16QAM	Edge_1RB_Left	20.84	21.17
n78L	50	30	3500.01	CP	16QAM	Edge_1RB_Right	20.79	21.12
n78L	50	30	3500.01	CP	16QAM	Outer_Full	20.90	21.23
n78L	50	30	3500.01	CP	64QAM	Inner_Full	20.44	20.77
n78L	50	30	3500.01	CP	64QAM	Edge_1RB_Left	20.42	20.75
n78L	50	30	3500.01	CP	64QAM	Edge_1RB_Right	20.46	20.79
n78L	50	30	3500.01	CP	64QAM	Outer_Full	20.34	20.67
n78L	50	30	3500.01	CP	256QAM	Inner_Full	17.57	17.90
n78L	50	30	3500.01	CP	256QAM	Edge_1RB_Left	17.39	17.72
n78L	50	30	3500.01	CP	256QAM	Edge_1RB_Right	17.20	17.53
n78L	50	30	3500.01	CP	256QAM	Outer_Full	17.49	17.82
n78L	50	30	3525	DFT	pi/2 BPSK	Inner_Full	24.15	24.48
n78L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Left	23.19	23.52
n78L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Right	23.32	23.65
n78L	50	30	3525	DFT	pi/2 BPSK	Outer_Full	23.46	23.79
n78L	50	30	3525	DFT	QPSK	Inner_Full	24.15	24.48
n78L	50	30	3525	DFT	QPSK	Edge_1RB_Left	22.79	23.12
n78L	50	30	3525	DFT	QPSK	Edge_1RB_Right	22.79	23.12
n78L	50	30	3525	DFT	QPSK	Outer_Full	23.03	23.36
n78L	50	30	3525	DFT	16QAM	Inner_Full	23.12	23.45
n78L	50	30	3525	DFT	16QAM	Edge_1RB_Left	21.85	22.18
n78L	50	30	3525	DFT	16QAM	Edge_1RB_Right	21.83	22.16
n78L	50	30	3525	DFT	16QAM	Outer_Full	22.01	22.34
n78L	50	30	3525	DFT	64QAM	Inner_Full	21.54	21.87
n78L	50	30	3525	DFT	64QAM	Edge_1RB_Left	21.13	21.46
n78L	50	30	3525	DFT	64QAM	Edge_1RB_Right	21.16	21.49
n78L	50	30	3525	DFT	64QAM	Outer_Full	21.47	21.80
n78L	50	30	3525	DFT	256QAM	Inner_Full	19.49	19.82
n78L	50	30	3525	DFT	256QAM	Edge_1RB_Left	19.24	19.57
n78L	50	30	3525	DFT	256QAM	Edge_1RB_Right	19.32	19.65
n78L	50	30	3525	DFT	256QAM	Outer_Full	19.41	19.74
n78L	50	30	3525	CP	QPSK	Inner_Full	22.58	22.91
n78L	50	30	3525	CP	QPSK	Edge_1RB_Left	20.61	20.94
n78L	50	30	3525	CP	QPSK	Edge_1RB_Right	20.71	21.04
n78L	50	30	3525	CP	QPSK	Outer_Full	21.00	21.33
n78L	50	30	3525	CP	16QAM	Inner_Full	22.08	22.41

n78L	50	30	3525	CP	16QAM	Edge_1RB_Left	20.72	21.05
n78L	50	30	3525	CP	16QAM	Edge_1RB_Right	21.00	21.33
n78L	50	30	3525	CP	16QAM	Outer_Full	20.99	21.32
n78L	50	30	3525	CP	64QAM	Inner_Full	20.58	20.91
n78L	50	30	3525	CP	64QAM	Edge_1RB_Left	20.35	20.68
n78L	50	30	3525	CP	64QAM	Edge_1RB_Right	20.30	20.63
n78L	50	30	3525	CP	64QAM	Outer_Full	20.41	20.74
n78L	50	30	3525	CP	256QAM	Inner_Full	17.75	18.08
n78L	50	30	3525	CP	256QAM	Edge_1RB_Left	17.60	17.93
n78L	50	30	3525	CP	256QAM	Edge_1RB_Right	17.53	17.86
n78L	50	30	3525	CP	256QAM	Outer_Full	17.63	17.96
n78L	60	30	3480	DFT	pi/2 BPSK	Inner_Full	23.91	24.24
n78L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Left	22.98	23.31
n78L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Right	22.95	23.28
n78L	60	30	3480	DFT	pi/2 BPSK	Outer_Full	23.29	23.62
n78L	60	30	3480	DFT	QPSK	Inner_Full	23.93	24.26
n78L	60	30	3480	DFT	QPSK	Edge_1RB_Left	22.42	22.75
n78L	60	30	3480	DFT	QPSK	Edge_1RB_Right	22.44	22.77
n78L	60	30	3480	DFT	QPSK	Outer_Full	22.85	23.18
n78L	60	30	3480	DFT	16QAM	Inner_Full	22.95	23.28
n78L	60	30	3480	DFT	16QAM	Edge_1RB_Left	21.41	21.74
n78L	60	30	3480	DFT	16QAM	Edge_1RB_Right	21.37	21.70
n78L	60	30	3480	DFT	16QAM	Outer_Full	21.82	22.15
n78L	60	30	3480	DFT	64QAM	Inner_Full	21.36	21.69
n78L	60	30	3480	DFT	64QAM	Edge_1RB_Left	20.73	21.06
n78L	60	30	3480	DFT	64QAM	Edge_1RB_Right	20.74	21.07
n78L	60	30	3480	DFT	64QAM	Outer_Full	21.25	21.58
n78L	60	30	3480	DFT	256QAM	Inner_Full	19.51	19.84
n78L	60	30	3480	DFT	256QAM	Edge_1RB_Left	18.99	19.32
n78L	60	30	3480	DFT	256QAM	Edge_1RB_Right	19.03	19.36
n78L	60	30	3480	DFT	256QAM	Outer_Full	19.43	19.76
n78L	60	30	3480	CP	QPSK	Inner_Full	22.36	22.69
n78L	60	30	3480	CP	QPSK	Edge_1RB_Left	20.39	20.72
n78L	60	30	3480	CP	QPSK	Edge_1RB_Right	20.45	20.78
n78L	60	30	3480	CP	QPSK	Outer_Full	20.76	21.09
n78L	60	30	3480	CP	16QAM	Inner_Full	21.83	22.16
n78L	60	30	3480	CP	16QAM	Edge_1RB_Left	20.67	21.00
n78L	60	30	3480	CP	16QAM	Edge_1RB_Right	20.68	21.01
n78L	60	30	3480	CP	16QAM	Outer_Full	20.79	21.12
n78L	60	30	3480	CP	64QAM	Inner_Full	20.34	20.67
n78L	60	30	3480	CP	64QAM	Edge_1RB_Left	20.18	20.51



n78L	60	30	3480	CP	64QAM	Edge_1RB_Right	20.18	20.51
n78L	60	30	3480	CP	64QAM	Outer_Full	20.22	20.55
n78L	60	30	3480	CP	256QAM	Inner_Full	17.45	17.78
n78L	60	30	3480	CP	256QAM	Edge_1RB_Left	17.02	17.35
n78L	60	30	3480	CP	256QAM	Edge_1RB_Right	17.01	17.34
n78L	60	30	3480	CP	256QAM	Outer_Full	17.38	17.71
n78L	60	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.99	24.32
n78L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.01	23.34
n78L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.03	23.36
n78L	60	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.35	23.68
n78L	60	30	3500.01	DFT	QPSK	Inner_Full	24.08	24.41
n78L	60	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.58	22.91
n78L	60	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.61	22.94
n78L	60	30	3500.01	DFT	QPSK	Outer_Full	22.86	23.19
n78L	60	30	3500.01	DFT	16QAM	Inner_Full	23.08	23.41
n78L	60	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.56	21.89
n78L	60	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.58	21.91
n78L	60	30	3500.01	DFT	16QAM	Outer_Full	21.89	22.22
n78L	60	30	3500.01	DFT	64QAM	Inner_Full	21.43	21.76
n78L	60	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.80	21.13
n78L	60	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.81	21.14
n78L	60	30	3500.01	DFT	64QAM	Outer_Full	21.34	21.67
n78L	60	30	3500.01	DFT	256QAM	Inner_Full	19.34	19.67
n78L	60	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.05	19.38
n78L	60	30	3500.01	DFT	256QAM	Edge_1RB_Right	18.76	19.09
n78L	60	30	3500.01	DFT	256QAM	Outer_Full	19.25	19.58
n78L	60	30	3500.01	CP	QPSK	Inner_Full	22.54	22.87
n78L	60	30	3500.01	CP	QPSK	Edge_1RB_Left	20.39	20.72
n78L	60	30	3500.01	CP	QPSK	Edge_1RB_Right	20.60	20.93
n78L	60	30	3500.01	CP	QPSK	Outer_Full	20.81	21.14
n78L	60	30	3500.01	CP	16QAM	Inner_Full	21.96	22.29
n78L	60	30	3500.01	CP	16QAM	Edge_1RB_Left	20.63	20.96
n78L	60	30	3500.01	CP	16QAM	Edge_1RB_Right	20.72	21.05
n78L	60	30	3500.01	CP	16QAM	Outer_Full	20.82	21.15
n78L	60	30	3500.01	CP	64QAM	Inner_Full	20.43	20.76
n78L	60	30	3500.01	CP	64QAM	Edge_1RB_Left	20.31	20.64
n78L	60	30	3500.01	CP	64QAM	Edge_1RB_Right	20.35	20.68
n78L	60	30	3500.01	CP	64QAM	Outer_Full	20.28	20.61
n78L	60	30	3500.01	CP	256QAM	Inner_Full	17.57	17.90
n78L	60	30	3500.01	CP	256QAM	Edge_1RB_Left	17.31	17.64
n78L	60	30	3500.01	CP	256QAM	Edge_1RB_Right	17.17	17.50

n78L	60	30	3500.01	CP	256QAM	Outer_Full	17.45	17.78
n78L	60	30	3519.99	DFT	pi/2 BPSK	Inner_Full	24.08	24.41
n78L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.02	23.35
n78L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.09	23.42
n78L	60	30	3519.99	DFT	pi/2 BPSK	Outer_Full	23.43	23.76
n78L	60	30	3519.99	DFT	QPSK	Inner_Full	24.09	24.42
n78L	60	30	3519.99	DFT	QPSK	Edge_1RB_Left	22.55	22.88
n78L	60	30	3519.99	DFT	QPSK	Edge_1RB_Right	22.66	22.99
n78L	60	30	3519.99	DFT	QPSK	Outer_Full	22.99	23.32
n78L	60	30	3519.99	DFT	16QAM	Inner_Full	23.09	23.42
n78L	60	30	3519.99	DFT	16QAM	Edge_1RB_Left	21.51	21.84
n78L	60	30	3519.99	DFT	16QAM	Edge_1RB_Right	21.60	21.93
n78L	60	30	3519.99	DFT	16QAM	Outer_Full	21.97	22.30
n78L	60	30	3519.99	DFT	64QAM	Inner_Full	21.52	21.85
n78L	60	30	3519.99	DFT	64QAM	Edge_1RB_Left	20.81	21.14
n78L	60	30	3519.99	DFT	64QAM	Edge_1RB_Right	20.91	21.24
n78L	60	30	3519.99	DFT	64QAM	Outer_Full	21.38	21.71
n78L	60	30	3519.99	DFT	256QAM	Inner_Full	19.44	19.77
n78L	60	30	3519.99	DFT	256QAM	Edge_1RB_Left	19.24	19.57
n78L	60	30	3519.99	DFT	256QAM	Edge_1RB_Right	19.24	19.57
n78L	60	30	3519.99	DFT	256QAM	Outer_Full	19.29	19.62
n78L	60	30	3519.99	CP	QPSK	Inner_Full	22.53	22.86
n78L	60	30	3519.99	CP	QPSK	Edge_1RB_Left	20.42	20.75
n78L	60	30	3519.99	CP	QPSK	Edge_1RB_Right	20.68	21.01
n78L	60	30	3519.99	CP	QPSK	Outer_Full	20.87	21.20
n78L	60	30	3519.99	CP	16QAM	Inner_Full	22.02	22.35
n78L	60	30	3519.99	CP	16QAM	Edge_1RB_Left	20.39	20.72
n78L	60	30	3519.99	CP	16QAM	Edge_1RB_Right	20.62	20.95
n78L	60	30	3519.99	CP	16QAM	Outer_Full	20.87	21.20
n78L	60	30	3519.99	CP	64QAM	Inner_Full	20.49	20.82
n78L	60	30	3519.99	CP	64QAM	Edge_1RB_Left	20.30	20.63
n78L	60	30	3519.99	CP	64QAM	Edge_1RB_Right	20.45	20.78
n78L	60	30	3519.99	CP	64QAM	Outer_Full	20.31	20.64
n78L	60	30	3519.99	CP	256QAM	Inner_Full	17.59	17.92
n78L	60	30	3519.99	CP	256QAM	Edge_1RB_Left	17.32	17.65
n78L	60	30	3519.99	CP	256QAM	Edge_1RB_Right	17.40	17.73
n78L	60	30	3519.99	CP	256QAM	Outer_Full	17.54	17.87
n78L	70	30	3485.01	DFT	pi/2 BPSK	Inner_Full	23.87	24.20
n78L	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.80	23.13
n78L	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.98	23.31
n78L	70	30	3485.01	DFT	pi/2 BPSK	Outer_Full	23.29	23.62

n78L	70	30	3485.01	DFT	QPSK	Inner_Full	23.93	24.26
n78L	70	30	3485.01	DFT	QPSK	Edge_1RB_Left	22.48	22.81
n78L	70	30	3485.01	DFT	QPSK	Edge_1RB_Right	22.54	22.87
n78L	70	30	3485.01	DFT	QPSK	Outer_Full	22.80	23.13
n78L	70	30	3485.01	DFT	16QAM	Inner_Full	22.93	23.26
n78L	70	30	3485.01	DFT	16QAM	Edge_1RB_Left	21.40	21.73
n78L	70	30	3485.01	DFT	16QAM	Edge_1RB_Right	21.53	21.86
n78L	70	30	3485.01	DFT	16QAM	Outer_Full	21.80	22.13
n78L	70	30	3485.01	DFT	64QAM	Inner_Full	21.32	21.65
n78L	70	30	3485.01	DFT	64QAM	Edge_1RB_Left	20.63	20.96
n78L	70	30	3485.01	DFT	64QAM	Edge_1RB_Right	20.87	21.20
n78L	70	30	3485.01	DFT	64QAM	Outer_Full	21.25	21.58
n78L	70	30	3485.01	DFT	256QAM	Inner_Full	19.51	19.84
n78L	70	30	3485.01	DFT	256QAM	Edge_1RB_Left	19.23	19.56
n78L	70	30	3485.01	DFT	256QAM	Edge_1RB_Right	18.95	19.28
n78L	70	30	3485.01	DFT	256QAM	Outer_Full	19.43	19.76
n78L	70	30	3485.01	CP	QPSK	Inner_Full	22.36	22.69
n78L	70	30	3485.01	CP	QPSK	Edge_1RB_Left	20.19	20.52
n78L	70	30	3485.01	CP	QPSK	Edge_1RB_Right	20.31	20.64
n78L	70	30	3485.01	CP	QPSK	Outer_Full	20.75	21.08
n78L	70	30	3485.01	CP	16QAM	Inner_Full	21.87	22.20
n78L	70	30	3485.01	CP	16QAM	Edge_1RB_Left	20.49	20.82
n78L	70	30	3485.01	CP	16QAM	Edge_1RB_Right	20.44	20.77
n78L	70	30	3485.01	CP	16QAM	Outer_Full	20.72	21.05
n78L	70	30	3485.01	CP	64QAM	Inner_Full	20.24	20.57
n78L	70	30	3485.01	CP	64QAM	Edge_1RB_Left	20.01	20.34
n78L	70	30	3485.01	CP	64QAM	Edge_1RB_Right	20.20	20.53
n78L	70	30	3485.01	CP	64QAM	Outer_Full	20.15	20.48
n78L	70	30	3485.01	CP	256QAM	Inner_Full	17.43	17.76
n78L	70	30	3485.01	CP	256QAM	Edge_1RB_Left	16.98	17.31
n78L	70	30	3485.01	CP	256QAM	Edge_1RB_Right	17.04	17.37
n78L	70	30	3485.01	CP	256QAM	Outer_Full	17.37	17.70
n78L	70	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.95	24.28
n78L	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.92	23.25
n78L	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.05	23.38
n78L	70	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.43	23.76
n78L	70	30	3500.01	DFT	QPSK	Inner_Full	24.06	24.39
n78L	70	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.53	22.86
n78L	70	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.54	22.87
n78L	70	30	3500.01	DFT	QPSK	Outer_Full	22.92	23.25
n78L	70	30	3500.01	DFT	16QAM	Inner_Full	23.00	23.33

n78L	70	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.53	21.86
n78L	70	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.66	21.99
n78L	70	30	3500.01	DFT	16QAM	Outer_Full	21.93	22.26
n78L	70	30	3500.01	DFT	64QAM	Inner_Full	21.42	21.75
n78L	70	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.65	20.98
n78L	70	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.77	21.10
n78L	70	30	3500.01	DFT	64QAM	Outer_Full	21.34	21.67
n78L	70	30	3500.01	DFT	256QAM	Inner_Full	19.35	19.68
n78L	70	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.01	19.34
n78L	70	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.03	19.36
n78L	70	30	3500.01	DFT	256QAM	Outer_Full	19.26	19.59
n78L	70	30	3500.01	CP	QPSK	Inner_Full	22.55	22.88
n78L	70	30	3500.01	CP	QPSK	Edge_1RB_Left	20.25	20.58
n78L	70	30	3500.01	CP	QPSK	Edge_1RB_Right	20.37	20.70
n78L	70	30	3500.01	CP	QPSK	Outer_Full	20.79	21.12
n78L	70	30	3500.01	CP	16QAM	Inner_Full	22.00	22.33
n78L	70	30	3500.01	CP	16QAM	Edge_1RB_Left	20.51	20.84
n78L	70	30	3500.01	CP	16QAM	Edge_1RB_Right	20.65	20.98
n78L	70	30	3500.01	CP	16QAM	Outer_Full	20.83	21.16
n78L	70	30	3500.01	CP	64QAM	Inner_Full	20.35	20.68
n78L	70	30	3500.01	CP	64QAM	Edge_1RB_Left	20.00	20.33
n78L	70	30	3500.01	CP	64QAM	Edge_1RB_Right	20.15	20.48
n78L	70	30	3500.01	CP	64QAM	Outer_Full	20.30	20.63
n78L	70	30	3500.01	CP	256QAM	Inner_Full	17.57	17.90
n78L	70	30	3500.01	CP	256QAM	Edge_1RB_Left	17.44	17.77
n78L	70	30	3500.01	CP	256QAM	Edge_1RB_Right	17.54	17.87
n78L	70	30	3500.01	CP	256QAM	Outer_Full	17.47	17.80
n78L	70	30	3514.98	DFT	pi/2 BPSK	Inner_Full	24.08	24.41
n78L	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.91	23.24
n78L	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Right	23.05	23.38
n78L	70	30	3514.98	DFT	pi/2 BPSK	Outer_Full	23.47	23.80
n78L	70	30	3514.98	DFT	QPSK	Inner_Full	24.11	24.44
n78L	70	30	3514.98	DFT	QPSK	Edge_1RB_Left	22.48	22.81
n78L	70	30	3514.98	DFT	QPSK	Edge_1RB_Right	22.58	22.91
n78L	70	30	3514.98	DFT	QPSK	Outer_Full	23.00	23.33
n78L	70	30	3514.98	DFT	16QAM	Inner_Full	23.13	23.46
n78L	70	30	3514.98	DFT	16QAM	Edge_1RB_Left	21.57	21.90
n78L	70	30	3514.98	DFT	16QAM	Edge_1RB_Right	21.74	22.07
n78L	70	30	3514.98	DFT	16QAM	Outer_Full	21.96	22.29
n78L	70	30	3514.98	DFT	64QAM	Inner_Full	21.53	21.86
n78L	70	30	3514.98	DFT	64QAM	Edge_1RB_Left	20.65	20.98

n78L	70	30	3514.98	DFT	64QAM	Edge_1RB_Right	20.81	21.14
n78L	70	30	3514.98	DFT	64QAM	Outer_Full	21.41	21.74
n78L	70	30	3514.98	DFT	256QAM	Inner_Full	19.42	19.75
n78L	70	30	3514.98	DFT	256QAM	Edge_1RB_Left	18.99	19.32
n78L	70	30	3514.98	DFT	256QAM	Edge_1RB_Right	19.09	19.42
n78L	70	30	3514.98	DFT	256QAM	Outer_Full	19.29	19.62
n78L	70	30	3514.98	CP	QPSK	Inner_Full	22.53	22.86
n78L	70	30	3514.98	CP	QPSK	Edge_1RB_Left	20.32	20.65
n78L	70	30	3514.98	CP	QPSK	Edge_1RB_Right	20.51	20.84
n78L	70	30	3514.98	CP	QPSK	Outer_Full	20.90	21.23
n78L	70	30	3514.98	CP	16QAM	Inner_Full	22.10	22.43
n78L	70	30	3514.98	CP	16QAM	Edge_1RB_Left	20.59	20.92
n78L	70	30	3514.98	CP	16QAM	Edge_1RB_Right	20.64	20.97
n78L	70	30	3514.98	CP	16QAM	Outer_Full	20.89	21.22
n78L	70	30	3514.98	CP	64QAM	Inner_Full	20.45	20.78
n78L	70	30	3514.98	CP	64QAM	Edge_1RB_Left	20.27	20.60
n78L	70	30	3514.98	CP	64QAM	Edge_1RB_Right	20.26	20.59
n78L	70	30	3514.98	CP	64QAM	Outer_Full	20.34	20.67
n78L	70	30	3514.98	CP	256QAM	Inner_Full	17.65	17.98
n78L	70	30	3514.98	CP	256QAM	Edge_1RB_Left	17.04	17.37
n78L	70	30	3514.98	CP	256QAM	Edge_1RB_Right	17.18	17.51
n78L	70	30	3514.98	CP	256QAM	Outer_Full	17.57	17.90
n78L	80	30	3490.02	DFT	pi/2 BPSK	Inner_Full	23.90	24.23
n78L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.71	23.04
n78L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.81	23.14
n78L	80	30	3490.02	DFT	pi/2 BPSK	Outer_Full	23.29	23.62
n78L	80	30	3490.02	DFT	QPSK	Inner_Full	23.96	24.29
n78L	80	30	3490.02	DFT	QPSK	Edge_1RB_Left	22.26	22.59
n78L	80	30	3490.02	DFT	QPSK	Edge_1RB_Right	22.32	22.65
n78L	80	30	3490.02	DFT	QPSK	Outer_Full	22.76	23.09
n78L	80	30	3490.02	DFT	16QAM	Inner_Full	22.95	23.28
n78L	80	30	3490.02	DFT	16QAM	Edge_1RB_Left	21.45	21.78
n78L	80	30	3490.02	DFT	16QAM	Edge_1RB_Right	21.56	21.89
n78L	80	30	3490.02	DFT	16QAM	Outer_Full	21.75	22.08
n78L	80	30	3490.02	DFT	64QAM	Inner_Full	21.31	21.64
n78L	80	30	3490.02	DFT	64QAM	Edge_1RB_Left	20.44	20.77
n78L	80	30	3490.02	DFT	64QAM	Edge_1RB_Right	20.51	20.84
n78L	80	30	3490.02	DFT	64QAM	Outer_Full	21.25	21.58
n78L	80	30	3490.02	DFT	256QAM	Inner_Full	19.53	19.86
n78L	80	30	3490.02	DFT	256QAM	Edge_1RB_Left	18.85	19.18
n78L	80	30	3490.02	DFT	256QAM	Edge_1RB_Right	18.49	18.82

n78L	80	30	3490.02	DFT	256QAM	Outer_Full	19.48	19.81
n78L	80	30	3490.02	CP	QPSK	Inner_Full	22.37	22.70
n78L	80	30	3490.02	CP	QPSK	Edge_1RB_Left	20.07	20.40
n78L	80	30	3490.02	CP	QPSK	Edge_1RB_Right	20.21	20.54
n78L	80	30	3490.02	CP	QPSK	Outer_Full	20.73	21.06
n78L	80	30	3490.02	CP	16QAM	Inner_Full	21.89	22.22
n78L	80	30	3490.02	CP	16QAM	Edge_1RB_Left	20.45	20.78
n78L	80	30	3490.02	CP	16QAM	Edge_1RB_Right	20.64	20.97
n78L	80	30	3490.02	CP	16QAM	Outer_Full	20.71	21.04
n78L	80	30	3490.02	CP	64QAM	Inner_Full	20.29	20.62
n78L	80	30	3490.02	CP	64QAM	Edge_1RB_Left	19.90	20.23
n78L	80	30	3490.02	CP	64QAM	Edge_1RB_Right	20.02	20.35
n78L	80	30	3490.02	CP	64QAM	Outer_Full	20.15	20.48
n78L	80	30	3490.02	CP	256QAM	Inner_Full	17.52	17.85
n78L	80	30	3490.02	CP	256QAM	Edge_1RB_Left	16.76	17.09
n78L	80	30	3490.02	CP	256QAM	Edge_1RB_Right	16.80	17.13
n78L	80	30	3490.02	CP	256QAM	Outer_Full	17.49	17.82
n78L	80	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.99	24.32
n78L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.78	23.11
n78L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.90	23.23
n78L	80	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.31	23.64
n78L	80	30	3500.01	DFT	QPSK	Inner_Full	24.05	24.38
n78L	80	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.37	22.70
n78L	80	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.48	22.81
n78L	80	30	3500.01	DFT	QPSK	Outer_Full	22.88	23.21
n78L	80	30	3500.01	DFT	16QAM	Inner_Full	23.03	23.36
n78L	80	30	3500.01	DFT	16QAM	Edge_1RB_Left	20.97	21.30
n78L	80	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.13	21.46
n78L	80	30	3500.01	DFT	16QAM	Outer_Full	21.78	22.11
n78L	80	30	3500.01	DFT	64QAM	Inner_Full	21.47	21.80
n78L	80	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.54	20.87
n78L	80	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.60	20.93
n78L	80	30	3500.01	DFT	64QAM	Outer_Full	21.32	21.65
n78L	80	30	3500.01	DFT	256QAM	Inner_Full	19.39	19.72
n78L	80	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.34	19.67
n78L	80	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.01	19.34
n78L	80	30	3500.01	DFT	256QAM	Outer_Full	19.23	19.56
n78L	80	30	3500.01	CP	QPSK	Inner_Full	22.47	22.80
n78L	80	30	3500.01	CP	QPSK	Edge_1RB_Left	20.06	20.39
n78L	80	30	3500.01	CP	QPSK	Edge_1RB_Right	20.19	20.52
n78L	80	30	3500.01	CP	QPSK	Outer_Full	20.79	21.12

n78L	80	30	3500.01	CP	16QAM	Inner_Full	21.92	22.25
n78L	80	30	3500.01	CP	16QAM	Edge_1RB_Left	20.53	20.86
n78L	80	30	3500.01	CP	16QAM	Edge_1RB_Right	20.65	20.98
n78L	80	30	3500.01	CP	16QAM	Outer_Full	20.79	21.12
n78L	80	30	3500.01	CP	64QAM	Inner_Full	20.40	20.73
n78L	80	30	3500.01	CP	64QAM	Edge_1RB_Left	19.98	20.31
n78L	80	30	3500.01	CP	64QAM	Edge_1RB_Right	20.07	20.40
n78L	80	30	3500.01	CP	64QAM	Outer_Full	20.23	20.56
n78L	80	30	3500.01	CP	256QAM	Inner_Full	17.55	17.88
n78L	80	30	3500.01	CP	256QAM	Edge_1RB_Left	16.81	17.14
n78L	80	30	3500.01	CP	256QAM	Edge_1RB_Right	16.89	17.22
n78L	80	30	3500.01	CP	256QAM	Outer_Full	17.47	17.80
n78L	80	30	3510	DFT	pi/2 BPSK	Inner_Full	24.06	24.39
n78L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Left	22.77	23.10
n78L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Right	22.93	23.26
n78L	80	30	3510	DFT	pi/2 BPSK	Outer_Full	23.40	23.73
n78L	80	30	3510	DFT	QPSK	Inner_Full	24.13	24.46
n78L	80	30	3510	DFT	QPSK	Edge_1RB_Left	22.30	22.63
n78L	80	30	3510	DFT	QPSK	Edge_1RB_Right	22.46	22.79
n78L	80	30	3510	DFT	QPSK	Outer_Full	22.91	23.24
n78L	80	30	3510	DFT	16QAM	Inner_Full	23.10	23.43
n78L	80	30	3510	DFT	16QAM	Edge_1RB_Left	21.52	21.85
n78L	80	30	3510	DFT	16QAM	Edge_1RB_Right	21.67	22.00
n78L	80	30	3510	DFT	16QAM	Outer_Full	21.87	22.20
n78L	80	30	3510	DFT	64QAM	Inner_Full	21.50	21.83
n78L	80	30	3510	DFT	64QAM	Edge_1RB_Left	20.48	20.81
n78L	80	30	3510	DFT	64QAM	Edge_1RB_Right	20.66	20.99
n78L	80	30	3510	DFT	64QAM	Outer_Full	21.39	21.72
n78L	80	30	3510	DFT	256QAM	Inner_Full	19.39	19.72
n78L	80	30	3510	DFT	256QAM	Edge_1RB_Left	18.90	19.23
n78L	80	30	3510	DFT	256QAM	Edge_1RB_Right	18.70	19.03
n78L	80	30	3510	DFT	256QAM	Outer_Full	19.28	19.61
n78L	80	30	3510	CP	QPSK	Inner_Full	22.51	22.84
n78L	80	30	3510	CP	QPSK	Edge_1RB_Left	20.11	20.44
n78L	80	30	3510	CP	QPSK	Edge_1RB_Right	20.23	20.56
n78L	80	30	3510	CP	QPSK	Outer_Full	20.84	21.17
n78L	80	30	3510	CP	16QAM	Inner_Full	21.98	22.31
n78L	80	30	3510	CP	16QAM	Edge_1RB_Left	20.52	20.85
n78L	80	30	3510	CP	16QAM	Edge_1RB_Right	20.72	21.05
n78L	80	30	3510	CP	16QAM	Outer_Full	20.82	21.15
n78L	80	30	3510	CP	64QAM	Inner_Full	20.42	20.75

n78L	80	30	3510	CP	64QAM	Edge_1RB_Left	20.00	20.33
n78L	80	30	3510	CP	64QAM	Edge_1RB_Right	20.14	20.47
n78L	80	30	3510	CP	64QAM	Outer_Full	20.30	20.63
n78L	80	30	3510	CP	256QAM	Inner_Full	17.63	17.96
n78L	80	30	3510	CP	256QAM	Edge_1RB_Left	16.84	17.17
n78L	80	30	3510	CP	256QAM	Edge_1RB_Right	16.98	17.31
n78L	80	30	3510	CP	256QAM	Outer_Full	17.50	17.83
n78L	90	30	3495	DFT	pi/2 BPSK	Inner_Full	23.89	24.22
n78L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Left	22.60	22.93
n78L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Right	22.70	23.03
n78L	90	30	3495	DFT	pi/2 BPSK	Outer_Full	23.28	23.61
n78L	90	30	3495	DFT	QPSK	Inner_Full	23.94	24.27
n78L	90	30	3495	DFT	QPSK	Edge_1RB_Left	22.08	22.41
n78L	90	30	3495	DFT	QPSK	Edge_1RB_Right	22.22	22.55
n78L	90	30	3495	DFT	QPSK	Outer_Full	22.84	23.17
n78L	90	30	3495	DFT	16QAM	Inner_Full	22.94	23.27
n78L	90	30	3495	DFT	16QAM	Edge_1RB_Left	21.13	21.46
n78L	90	30	3495	DFT	16QAM	Edge_1RB_Right	21.09	21.42
n78L	90	30	3495	DFT	16QAM	Outer_Full	21.77	22.10
n78L	90	30	3495	DFT	64QAM	Inner_Full	21.33	21.66
n78L	90	30	3495	DFT	64QAM	Edge_1RB_Left	20.30	20.63
n78L	90	30	3495	DFT	64QAM	Edge_1RB_Right	20.55	20.88
n78L	90	30	3495	DFT	64QAM	Outer_Full	21.23	21.56
n78L	90	30	3495	DFT	256QAM	Inner_Full	19.25	19.58
n78L	90	30	3495	DFT	256QAM	Edge_1RB_Left	19.01	19.34
n78L	90	30	3495	DFT	256QAM	Edge_1RB_Right	18.31	18.64
n78L	90	30	3495	DFT	256QAM	Outer_Full	19.14	19.47
n78L	90	30	3495	CP	QPSK	Inner_Full	22.36	22.69
n78L	90	30	3495	CP	QPSK	Edge_1RB_Left	20.00	20.33
n78L	90	30	3495	CP	QPSK	Edge_1RB_Right	20.14	20.47
n78L	90	30	3495	CP	QPSK	Outer_Full	20.69	21.02
n78L	90	30	3495	CP	16QAM	Inner_Full	21.89	22.22
n78L	90	30	3495	CP	16QAM	Edge_1RB_Left	20.02	20.35
n78L	90	30	3495	CP	16QAM	Edge_1RB_Right	20.12	20.45
n78L	90	30	3495	CP	16QAM	Outer_Full	20.71	21.04
n78L	90	30	3495	CP	64QAM	Inner_Full	20.30	20.63
n78L	90	30	3495	CP	64QAM	Edge_1RB_Left	19.57	19.90
n78L	90	30	3495	CP	64QAM	Edge_1RB_Right	19.73	20.06
n78L	90	30	3495	CP	64QAM	Outer_Full	20.18	20.51
n78L	90	30	3495	CP	256QAM	Inner_Full	17.48	17.81
n78L	90	30	3495	CP	256QAM	Edge_1RB_Left	16.90	17.23



n78L	90	30	3495	CP	256QAM	Edge_1RB_Right	16.77	17.10
n78L	90	30	3495	CP	256QAM	Outer_Full	17.40	17.73
n78L	90	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.97	24.30
n78L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.65	22.98
n78L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.74	23.07
n78L	90	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.32	23.65
n78L	90	30	3500.01	DFT	QPSK	Inner_Full	24.00	24.33
n78L	90	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.13	22.46
n78L	90	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.20	22.53
n78L	90	30	3500.01	DFT	QPSK	Outer_Full	22.83	23.16
n78L	90	30	3500.01	DFT	16QAM	Inner_Full	23.04	23.37
n78L	90	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.06	21.39
n78L	90	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.15	21.48
n78L	90	30	3500.01	DFT	16QAM	Outer_Full	21.81	22.14
n78L	90	30	3500.01	DFT	64QAM	Inner_Full	21.47	21.80
n78L	90	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.52	20.85
n78L	90	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.62	20.95
n78L	90	30	3500.01	DFT	64QAM	Outer_Full	21.31	21.64
n78L	90	30	3500.01	DFT	256QAM	Inner_Full	19.34	19.67
n78L	90	30	3500.01	DFT	256QAM	Edge_1RB_Left	18.80	19.13
n78L	90	30	3500.01	DFT	256QAM	Edge_1RB_Right	18.69	19.02
n78L	90	30	3500.01	DFT	256QAM	Outer_Full	19.20	19.53
n78L	90	30	3500.01	CP	QPSK	Inner_Full	22.45	22.78
n78L	90	30	3500.01	CP	QPSK	Edge_1RB_Left	20.10	20.43
n78L	90	30	3500.01	CP	QPSK	Edge_1RB_Right	20.26	20.59
n78L	90	30	3500.01	CP	QPSK	Outer_Full	20.77	21.10
n78L	90	30	3500.01	CP	16QAM	Inner_Full	21.88	22.21
n78L	90	30	3500.01	CP	16QAM	Edge_1RB_Left	20.07	20.40
n78L	90	30	3500.01	CP	16QAM	Edge_1RB_Right	20.41	20.74
n78L	90	30	3500.01	CP	16QAM	Outer_Full	20.74	21.07
n78L	90	30	3500.01	CP	64QAM	Inner_Full	20.34	20.67
n78L	90	30	3500.01	CP	64QAM	Edge_1RB_Left	19.87	20.20
n78L	90	30	3500.01	CP	64QAM	Edge_1RB_Right	20.03	20.36
n78L	90	30	3500.01	CP	64QAM	Outer_Full	20.21	20.54
n78L	90	30	3500.01	CP	256QAM	Inner_Full	17.54	17.87
n78L	90	30	3500.01	CP	256QAM	Edge_1RB_Left	16.88	17.21
n78L	90	30	3500.01	CP	256QAM	Edge_1RB_Right	16.92	17.25
n78L	90	30	3500.01	CP	256QAM	Outer_Full	17.43	17.76
n78L	90	30	3504.99	DFT	pi/2 BPSK	Inner_Full	23.98	24.31
n78L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.65	22.98
n78L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.81	23.14

n78L	90	30	3504.99	DFT	pi/2 BPSK	Outer_Full	23.34	23.67
n78L	90	30	3504.99	DFT	QPSK	Inner_Full	24.08	24.41
n78L	90	30	3504.99	DFT	QPSK	Edge_1RB_Left	22.14	22.47
n78L	90	30	3504.99	DFT	QPSK	Edge_1RB_Right	22.26	22.59
n78L	90	30	3504.99	DFT	QPSK	Outer_Full	22.86	23.19
n78L	90	30	3504.99	DFT	16QAM	Inner_Full	23.06	23.39
n78L	90	30	3504.99	DFT	16QAM	Edge_1RB_Left	21.26	21.59
n78L	90	30	3504.99	DFT	16QAM	Edge_1RB_Right	21.38	21.71
n78L	90	30	3504.99	DFT	16QAM	Outer_Full	21.85	22.18
n78L	90	30	3504.99	DFT	64QAM	Inner_Full	21.44	21.77
n78L	90	30	3504.99	DFT	64QAM	Edge_1RB_Left	20.38	20.71
n78L	90	30	3504.99	DFT	64QAM	Edge_1RB_Right	20.53	20.86
n78L	90	30	3504.99	DFT	64QAM	Outer_Full	21.28	21.61
n78L	90	30	3504.99	DFT	256QAM	Inner_Full	19.37	19.70
n78L	90	30	3504.99	DFT	256QAM	Edge_1RB_Left	18.79	19.12
n78L	90	30	3504.99	DFT	256QAM	Edge_1RB_Right	18.44	18.77
n78L	90	30	3504.99	DFT	256QAM	Outer_Full	19.20	19.53
n78L	90	30	3504.99	CP	QPSK	Inner_Full	22.46	22.79
n78L	90	30	3504.99	CP	QPSK	Edge_1RB_Left	20.03	20.36
n78L	90	30	3504.99	CP	QPSK	Edge_1RB_Right	20.36	20.69
n78L	90	30	3504.99	CP	QPSK	Outer_Full	20.77	21.10
n78L	90	30	3504.99	CP	16QAM	Inner_Full	21.95	22.28
n78L	90	30	3504.99	CP	16QAM	Edge_1RB_Left	20.21	20.54
n78L	90	30	3504.99	CP	16QAM	Edge_1RB_Right	20.41	20.74
n78L	90	30	3504.99	CP	16QAM	Outer_Full	20.76	21.09
n78L	90	30	3504.99	CP	64QAM	Inner_Full	20.41	20.74
n78L	90	30	3504.99	CP	64QAM	Edge_1RB_Left	19.88	20.21
n78L	90	30	3504.99	CP	64QAM	Edge_1RB_Right	20.09	20.42
n78L	90	30	3504.99	CP	64QAM	Outer_Full	20.23	20.56
n78L	90	30	3504.99	CP	256QAM	Inner_Full	17.56	17.89
n78L	90	30	3504.99	CP	256QAM	Edge_1RB_Left	17.02	17.35
n78L	90	30	3504.99	CP	256QAM	Edge_1RB_Right	17.08	17.41
n78L	90	30	3504.99	CP	256QAM	Outer_Full	17.45	17.78
n78L	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.95	24.28
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.49	22.82
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.55	22.88
n78L	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.22	23.55
n78L	100	30	3500.01	DFT	QPSK	Inner_Full	23.97	24.30
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.93	22.26
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.00	22.33
n78L	100	30	3500.01	DFT	QPSK	Outer_Full	22.77	23.10

n78L	100	30	3500.01	DFT	16QAM	Inner_Full	22.99	23.32
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	20.91	21.24
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.02	21.35
n78L	100	30	3500.01	DFT	16QAM	Outer_Full	21.76	22.09
n78L	100	30	3500.01	DFT	64QAM	Inner_Full	21.41	21.74
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.23	20.56
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.33	20.66
n78L	100	30	3500.01	DFT	64QAM	Outer_Full	21.23	21.56
n78L	100	30	3500.01	DFT	256QAM	Inner_Full	19.28	19.61
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	18.65	18.98
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	18.28	18.61
n78L	100	30	3500.01	DFT	256QAM	Outer_Full	19.12	19.45
n78L	100	30	3500.01	CP	QPSK	Inner_Full	22.48	22.81
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Left	19.87	20.20
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Right	20.03	20.36
n78L	100	30	3500.01	CP	QPSK	Outer_Full	20.65	20.98
n78L	100	30	3500.01	CP	16QAM	Inner_Full	21.94	22.27
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Left	20.10	20.43
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Right	20.27	20.60
n78L	100	30	3500.01	CP	16QAM	Outer_Full	20.68	21.01
n78L	100	30	3500.01	CP	64QAM	Inner_Full	20.36	20.69
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Left	19.66	19.99
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Right	19.82	20.15
n78L	100	30	3500.01	CP	64QAM	Outer_Full	20.14	20.47
n78L	100	30	3500.01	CP	256QAM	Inner_Full	17.52	17.85
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Left	16.63	16.96
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Right	16.75	17.08
n78L	100	30	3500.01	CP	256QAM	Outer_Full	17.37	17.70
n78L	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.94	24.27
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.50	22.83
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.60	22.93
n78L	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.26	23.59
n78L	100	30	3500.01	DFT	QPSK	Inner_Full	23.98	24.31
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.95	22.28
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.09	22.42
n78L	100	30	3500.01	DFT	QPSK	Outer_Full	22.75	23.08
n78L	100	30	3500.01	DFT	16QAM	Inner_Full	22.99	23.32
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.06	21.39
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.23	21.56
n78L	100	30	3500.01	DFT	16QAM	Outer_Full	21.68	22.01
n78L	100	30	3500.01	DFT	64QAM	Inner_Full	21.43	21.76

n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.24	20.57
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.36	20.69
n78L	100	30	3500.01	DFT	64QAM	Outer_Full	21.23	21.56
n78L	100	30	3500.01	DFT	256QAM	Inner_Full	19.28	19.61
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	18.66	18.99
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	18.29	18.62
n78L	100	30	3500.01	DFT	256QAM	Outer_Full	19.10	19.43
n78L	100	30	3500.01	CP	QPSK	Inner_Full	22.43	22.76
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Left	19.86	20.19
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Right	20.05	20.38
n78L	100	30	3500.01	CP	QPSK	Outer_Full	20.64	20.97
n78L	100	30	3500.01	CP	16QAM	Inner_Full	21.94	22.27
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Left	20.11	20.44
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Right	20.28	20.61
n78L	100	30	3500.01	CP	16QAM	Outer_Full	20.66	20.99
n78L	100	30	3500.01	CP	64QAM	Inner_Full	20.37	20.70
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Left	19.68	20.01
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Right	19.82	20.15
n78L	100	30	3500.01	CP	64QAM	Outer_Full	20.14	20.47
n78L	100	30	3500.01	CP	256QAM	Inner_Full	17.51	17.84
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Left	16.61	16.94
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Right	16.73	17.06
n78L	100	30	3500.01	CP	256QAM	Outer_Full	17.37	17.70
n78L	100	30	3499.98	DFT	pi/2 BPSK	Inner_Full	23.91	24.24
n78L	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.42	22.75
n78L	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.52	22.85
n78L	100	30	3499.98	DFT	pi/2 BPSK	Outer_Full	23.19	23.52
n78L	100	30	3499.98	DFT	QPSK	Inner_Full	23.93	24.26
n78L	100	30	3499.98	DFT	QPSK	Edge_1RB_Left	21.94	22.27
n78L	100	30	3499.98	DFT	QPSK	Edge_1RB_Right	22.05	22.38
n78L	100	30	3499.98	DFT	QPSK	Outer_Full	22.77	23.10
n78L	100	30	3499.98	DFT	16QAM	Inner_Full	22.92	23.25
n78L	100	30	3499.98	DFT	16QAM	Edge_1RB_Left	21.02	21.35
n78L	100	30	3499.98	DFT	16QAM	Edge_1RB_Right	21.18	21.51
n78L	100	30	3499.98	DFT	16QAM	Outer_Full	21.67	22.00
n78L	100	30	3499.98	DFT	64QAM	Inner_Full	21.33	21.66
n78L	100	30	3499.98	DFT	64QAM	Edge_1RB_Left	20.21	20.54
n78L	100	30	3499.98	DFT	64QAM	Edge_1RB_Right	20.33	20.66
n78L	100	30	3499.98	DFT	64QAM	Outer_Full	21.19	21.52
n78L	100	30	3499.98	DFT	256QAM	Inner_Full	19.30	19.63
n78L	100	30	3499.98	DFT	256QAM	Edge_1RB_Left	18.76	19.09



n78L	100	30	3499.98	DFT	256QAM	Edge_1RB_Right	18.38	18.71
n78L	100	30	3499.98	DFT	256QAM	Outer_Full	19.09	19.42
n78L	100	30	3499.98	CP	QPSK	Inner_Full	22.45	22.78
n78L	100	30	3499.98	CP	QPSK	Edge_1RB_Left	19.86	20.19
n78L	100	30	3499.98	CP	QPSK	Edge_1RB_Right	20.01	20.34
n78L	100	30	3499.98	CP	QPSK	Outer_Full	20.64	20.97
n78L	100	30	3499.98	CP	16QAM	Inner_Full	21.87	22.20
n78L	100	30	3499.98	CP	16QAM	Edge_1RB_Left	20.07	20.40
n78L	100	30	3499.98	CP	16QAM	Edge_1RB_Right	20.25	20.58
n78L	100	30	3499.98	CP	16QAM	Outer_Full	20.60	20.93
n78L	100	30	3499.98	CP	64QAM	Inner_Full	20.35	20.68
n78L	100	30	3499.98	CP	64QAM	Edge_1RB_Left	19.65	19.98
n78L	100	30	3499.98	CP	64QAM	Edge_1RB_Right	19.80	20.13
n78L	100	30	3499.98	CP	64QAM	Outer_Full	20.12	20.45
n78L	100	30	3499.98	CP	256QAM	Inner_Full	17.50	17.83
n78L	100	30	3499.98	CP	256QAM	Edge_1RB_Left	16.56	16.89
n78L	100	30	3499.98	CP	256QAM	Edge_1RB_Right	16.69	17.02
n78L	100	30	3499.98	CP	256QAM	Outer_Full	17.35	17.68

Maximum ERP = 24.32dBm.

**NR n78H**

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm) (Gt-Lc=0.33)
n78H	10	30	3705	DFT	pi/2 BPSK	Inner_Full	23.15	23.48
n78H	10	30	3705	DFT	pi/2 BPSK	Edge_1RB_Left	22.51	22.84
n78H	10	30	3705	DFT	pi/2 BPSK	Edge_1RB_Right	22.50	22.83
n78H	10	30	3705	DFT	pi/2 BPSK	Outer_Full	22.62	22.95
n78H	10	30	3705	DFT	QPSK	Inner_Full	23.17	23.50
n78H	10	30	3705	DFT	QPSK	Edge_1RB_Left	22.03	22.36
n78H	10	30	3705	DFT	QPSK	Edge_1RB_Right	22.02	22.35
n78H	10	30	3705	DFT	QPSK	Outer_Full	22.09	22.42
n78H	10	30	3705	DFT	16QAM	Inner_Full	22.21	22.54
n78H	10	30	3705	DFT	16QAM	Edge_1RB_Left	20.95	21.28
n78H	10	30	3705	DFT	16QAM	Edge_1RB_Right	20.92	21.25
n78H	10	30	3705	DFT	16QAM	Outer_Full	21.16	21.49
n78H	10	30	3705	DFT	64QAM	Inner_Full	20.56	20.89
n78H	10	30	3705	DFT	64QAM	Edge_1RB_Left	20.35	20.68
n78H	10	30	3705	DFT	64QAM	Edge_1RB_Right	20.38	20.71
n78H	10	30	3705	DFT	64QAM	Outer_Full	20.54	20.87
n78H	10	30	3705	DFT	256QAM	Inner_Full	18.53	18.86
n78H	10	30	3705	DFT	256QAM	Edge_1RB_Left	18.24	18.57
n78H	10	30	3705	DFT	256QAM	Edge_1RB_Right	18.24	18.57
n78H	10	30	3705	DFT	256QAM	Outer_Full	18.45	18.78
n78H	10	30	3705	CP	QPSK	Inner_Full	21.64	21.97
n78H	10	30	3705	CP	QPSK	Edge_1RB_Left	20.00	20.33
n78H	10	30	3705	CP	QPSK	Edge_1RB_Right	20.00	20.33
n78H	10	30	3705	CP	QPSK	Outer_Full	20.07	20.40
n78H	10	30	3705	CP	16QAM	Inner_Full	21.17	21.50
n78H	10	30	3705	CP	16QAM	Edge_1RB_Left	20.13	20.46
n78H	10	30	3705	CP	16QAM	Edge_1RB_Right	20.15	20.48
n78H	10	30	3705	CP	16QAM	Outer_Full	20.06	20.39
n78H	10	30	3705	CP	64QAM	Inner_Full	19.66	19.99
n78H	10	30	3705	CP	64QAM	Edge_1RB_Left	19.75	20.08
n78H	10	30	3705	CP	64QAM	Edge_1RB_Right	19.81	20.14
n78H	10	30	3705	CP	64QAM	Outer_Full	19.56	19.89
n78H	10	30	3705	CP	256QAM	Inner_Full	16.77	17.10
n78H	10	30	3705	CP	256QAM	Edge_1RB_Left	16.46	16.79
n78H	10	30	3705	CP	256QAM	Edge_1RB_Right	16.49	16.82
n78H	10	30	3705	CP	256QAM	Outer_Full	16.69	17.02
n78H	10	30	3750	DFT	pi/2 BPSK	Inner_Full	23.50	23.83
n78H	10	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	22.83	23.16

n78H	10	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	22.98	23.31
n78H	10	30	3750	DFT	pi/2 BPSK	Outer_Full	22.99	23.32
n78H	10	30	3750	DFT	QPSK	Inner_Full	23.50	23.83
n78H	10	30	3750	DFT	QPSK	Edge_1RB_Left	22.38	22.71
n78H	10	30	3750	DFT	QPSK	Edge_1RB_Right	22.49	22.82
n78H	10	30	3750	DFT	QPSK	Outer_Full	22.48	22.81
n78H	10	30	3750	DFT	16QAM	Inner_Full	22.54	22.87
n78H	10	30	3750	DFT	16QAM	Edge_1RB_Left	21.19	21.52
n78H	10	30	3750	DFT	16QAM	Edge_1RB_Right	21.35	21.68
n78H	10	30	3750	DFT	16QAM	Outer_Full	21.59	21.92
n78H	10	30	3750	DFT	64QAM	Inner_Full	20.97	21.30
n78H	10	30	3750	DFT	64QAM	Edge_1RB_Left	20.54	20.87
n78H	10	30	3750	DFT	64QAM	Edge_1RB_Right	20.78	21.11
n78H	10	30	3750	DFT	64QAM	Outer_Full	20.98	21.31
n78H	10	30	3750	DFT	256QAM	Inner_Full	18.90	19.23
n78H	10	30	3750	DFT	256QAM	Edge_1RB_Left	18.54	18.87
n78H	10	30	3750	DFT	256QAM	Edge_1RB_Right	18.73	19.06
n78H	10	30	3750	DFT	256QAM	Outer_Full	18.96	19.29
n78H	10	30	3750	CP	QPSK	Inner_Full	21.95	22.28
n78H	10	30	3750	CP	QPSK	Edge_1RB_Left	20.26	20.59
n78H	10	30	3750	CP	QPSK	Edge_1RB_Right	20.48	20.81
n78H	10	30	3750	CP	QPSK	Outer_Full	20.42	20.75
n78H	10	30	3750	CP	16QAM	Inner_Full	21.54	21.87
n78H	10	30	3750	CP	16QAM	Edge_1RB_Left	20.41	20.74
n78H	10	30	3750	CP	16QAM	Edge_1RB_Right	20.57	20.90
n78H	10	30	3750	CP	16QAM	Outer_Full	20.55	20.88
n78H	10	30	3750	CP	64QAM	Inner_Full	19.86	20.19
n78H	10	30	3750	CP	64QAM	Edge_1RB_Left	20.04	20.37
n78H	10	30	3750	CP	64QAM	Edge_1RB_Right	20.27	20.60
n78H	10	30	3750	CP	64QAM	Outer_Full	19.91	20.24
n78H	10	30	3750	CP	256QAM	Inner_Full	17.06	17.39
n78H	10	30	3750	CP	256QAM	Edge_1RB_Left	16.98	17.31
n78H	10	30	3750	CP	256QAM	Edge_1RB_Right	17.08	17.41
n78H	10	30	3750	CP	256QAM	Outer_Full	17.08	17.41
n78H	10	30	3795	DFT	pi/2 BPSK	Inner_Full	24.33	24.66
n78H	10	30	3795	DFT	pi/2 BPSK	Edge_1RB_Left	23.66	23.99
n78H	10	30	3795	DFT	pi/2 BPSK	Edge_1RB_Right	23.82	24.15
n78H	10	30	3795	DFT	pi/2 BPSK	Outer_Full	23.85	24.18
n78H	10	30	3795	DFT	QPSK	Inner_Full	24.35	24.68
n78H	10	30	3795	DFT	QPSK	Edge_1RB_Left	23.14	23.47
n78H	10	30	3795	DFT	QPSK	Edge_1RB_Right	23.35	23.68

n78H	10	30	3795	DFT	QPSK	Outer_Full	23.31	23.64
n78H	10	30	3795	DFT	16QAM	Inner_Full	23.36	23.69
n78H	10	30	3795	DFT	16QAM	Edge_1RB_Left	22.04	22.37
n78H	10	30	3795	DFT	16QAM	Edge_1RB_Right	22.27	22.60
n78H	10	30	3795	DFT	16QAM	Outer_Full	22.35	22.68
n78H	10	30	3795	DFT	64QAM	Inner_Full	21.79	22.12
n78H	10	30	3795	DFT	64QAM	Edge_1RB_Left	21.54	21.87
n78H	10	30	3795	DFT	64QAM	Edge_1RB_Right	21.72	22.05
n78H	10	30	3795	DFT	64QAM	Outer_Full	21.84	22.17
n78H	10	30	3795	DFT	256QAM	Inner_Full	19.73	20.06
n78H	10	30	3795	DFT	256QAM	Edge_1RB_Left	19.38	19.71
n78H	10	30	3795	DFT	256QAM	Edge_1RB_Right	19.57	19.90
n78H	10	30	3795	DFT	256QAM	Outer_Full	19.75	20.08
n78H	10	30	3795	CP	QPSK	Inner_Full	22.80	23.13
n78H	10	30	3795	CP	QPSK	Edge_1RB_Left	21.01	21.34
n78H	10	30	3795	CP	QPSK	Edge_1RB_Right	21.23	21.56
n78H	10	30	3795	CP	QPSK	Outer_Full	21.23	21.56
n78H	10	30	3795	CP	16QAM	Inner_Full	22.30	22.63
n78H	10	30	3795	CP	16QAM	Edge_1RB_Left	21.10	21.43
n78H	10	30	3795	CP	16QAM	Edge_1RB_Right	21.23	21.56
n78H	10	30	3795	CP	16QAM	Outer_Full	21.28	21.61
n78H	10	30	3795	CP	64QAM	Inner_Full	20.78	21.11
n78H	10	30	3795	CP	64QAM	Edge_1RB_Left	20.70	21.03
n78H	10	30	3795	CP	64QAM	Edge_1RB_Right	20.95	21.28
n78H	10	30	3795	CP	64QAM	Outer_Full	20.79	21.12
n78H	10	30	3795	CP	256QAM	Inner_Full	17.95	18.28
n78H	10	30	3795	CP	256QAM	Edge_1RB_Left	18.09	18.42
n78H	10	30	3795	CP	256QAM	Edge_1RB_Right	18.04	18.37
n78H	10	30	3795	CP	256QAM	Outer_Full	17.96	18.29
n78H	15	30	3707.52	DFT	pi/2 BPSK	Inner_Full	23.11	23.44
n78H	15	30	3707.52	DFT	pi/2 BPSK	Edge_1RB_Left	22.45	22.78
n78H	15	30	3707.52	DFT	pi/2 BPSK	Edge_1RB_Right	22.45	22.78
n78H	15	30	3707.52	DFT	pi/2 BPSK	Outer_Full	22.64	22.97
n78H	15	30	3707.52	DFT	QPSK	Inner_Full	23.13	23.46
n78H	15	30	3707.52	DFT	QPSK	Edge_1RB_Left	21.89	22.22
n78H	15	30	3707.52	DFT	QPSK	Edge_1RB_Right	21.97	22.30
n78H	15	30	3707.52	DFT	QPSK	Outer_Full	22.14	22.47
n78H	15	30	3707.52	DFT	16QAM	Inner_Full	22.13	22.46
n78H	15	30	3707.52	DFT	16QAM	Edge_1RB_Left	20.99	21.32
n78H	15	30	3707.52	DFT	16QAM	Edge_1RB_Right	20.91	21.24
n78H	15	30	3707.52	DFT	16QAM	Outer_Full	21.17	21.50



n78H	15	30	3707.52	DFT	64QAM	Inner_Full	20.58	20.91
n78H	15	30	3707.52	DFT	64QAM	Edge_1RB_Left	20.22	20.55
n78H	15	30	3707.52	DFT	64QAM	Edge_1RB_Right	20.34	20.67
n78H	15	30	3707.52	DFT	64QAM	Outer_Full	20.59	20.92
n78H	15	30	3707.52	DFT	256QAM	Inner_Full	18.49	18.82
n78H	15	30	3707.52	DFT	256QAM	Edge_1RB_Left	18.17	18.50
n78H	15	30	3707.52	DFT	256QAM	Edge_1RB_Right	18.52	18.85
n78H	15	30	3707.52	DFT	256QAM	Outer_Full	18.53	18.86
n78H	15	30	3707.52	CP	QPSK	Inner_Full	21.62	21.95
n78H	15	30	3707.52	CP	QPSK	Edge_1RB_Left	20.00	20.33
n78H	15	30	3707.52	CP	QPSK	Edge_1RB_Right	19.81	20.14
n78H	15	30	3707.52	CP	QPSK	Outer_Full	20.11	20.44
n78H	15	30	3707.52	CP	16QAM	Inner_Full	21.15	21.48
n78H	15	30	3707.52	CP	16QAM	Edge_1RB_Left	19.90	20.23
n78H	15	30	3707.52	CP	16QAM	Edge_1RB_Right	20.11	20.44
n78H	15	30	3707.52	CP	16QAM	Outer_Full	20.06	20.39
n78H	15	30	3707.52	CP	64QAM	Inner_Full	19.45	19.78
n78H	15	30	3707.52	CP	64QAM	Edge_1RB_Left	19.70	20.03
n78H	15	30	3707.52	CP	64QAM	Edge_1RB_Right	19.73	20.06
n78H	15	30	3707.52	CP	64QAM	Outer_Full	19.43	19.76
n78H	15	30	3707.52	CP	256QAM	Inner_Full	16.65	16.98
n78H	15	30	3707.52	CP	256QAM	Edge_1RB_Left	16.38	16.71
n78H	15	30	3707.52	CP	256QAM	Edge_1RB_Right	16.48	16.81
n78H	15	30	3707.52	CP	256QAM	Outer_Full	16.71	17.04
n78H	15	30	3750	DFT	pi/2 BPSK	Inner_Full	23.47	23.80
n78H	15	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	22.73	23.06
n78H	15	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	22.97	23.30
n78H	15	30	3750	DFT	pi/2 BPSK	Outer_Full	22.98	23.31
n78H	15	30	3750	DFT	QPSK	Inner_Full	23.52	23.85
n78H	15	30	3750	DFT	QPSK	Edge_1RB_Left	22.23	22.56
n78H	15	30	3750	DFT	QPSK	Edge_1RB_Right	22.50	22.83
n78H	15	30	3750	DFT	QPSK	Outer_Full	22.55	22.88
n78H	15	30	3750	DFT	16QAM	Inner_Full	22.50	22.83
n78H	15	30	3750	DFT	16QAM	Edge_1RB_Left	21.15	21.48
n78H	15	30	3750	DFT	16QAM	Edge_1RB_Right	21.42	21.75
n78H	15	30	3750	DFT	16QAM	Outer_Full	21.51	21.84
n78H	15	30	3750	DFT	64QAM	Inner_Full	20.88	21.21
n78H	15	30	3750	DFT	64QAM	Edge_1RB_Left	20.58	20.91
n78H	15	30	3750	DFT	64QAM	Edge_1RB_Right	20.88	21.21
n78H	15	30	3750	DFT	64QAM	Outer_Full	20.93	21.26
n78H	15	30	3750	DFT	256QAM	Inner_Full	18.85	19.18

n78H	15	30	3750	DFT	256QAM	Edge_1RB_Left	18.47	18.80
n78H	15	30	3750	DFT	256QAM	Edge_1RB_Right	18.70	19.03
n78H	15	30	3750	DFT	256QAM	Outer_Full	18.92	19.25
n78H	15	30	3750	CP	QPSK	Inner_Full	21.93	22.26
n78H	15	30	3750	CP	QPSK	Edge_1RB_Left	20.13	20.46
n78H	15	30	3750	CP	QPSK	Edge_1RB_Right	20.36	20.69
n78H	15	30	3750	CP	QPSK	Outer_Full	20.47	20.80
n78H	15	30	3750	CP	16QAM	Inner_Full	21.47	21.80
n78H	15	30	3750	CP	16QAM	Edge_1RB_Left	20.17	20.50
n78H	15	30	3750	CP	16QAM	Edge_1RB_Right	20.55	20.88
n78H	15	30	3750	CP	16QAM	Outer_Full	20.44	20.77
n78H	15	30	3750	CP	64QAM	Inner_Full	19.87	20.20
n78H	15	30	3750	CP	64QAM	Edge_1RB_Left	20.01	20.34
n78H	15	30	3750	CP	64QAM	Edge_1RB_Right	20.31	20.64
n78H	15	30	3750	CP	64QAM	Outer_Full	19.90	20.23
n78H	15	30	3750	CP	256QAM	Inner_Full	17.07	17.40
n78H	15	30	3750	CP	256QAM	Edge_1RB_Left	16.95	17.28
n78H	15	30	3750	CP	256QAM	Edge_1RB_Right	16.93	17.26
n78H	15	30	3750	CP	256QAM	Outer_Full	17.08	17.41
n78H	15	30	3792.48	DFT	pi/2 BPSK	Inner_Full	24.17	24.50
n78H	15	30	3792.48	DFT	pi/2 BPSK	Edge_1RB_Left	23.44	23.77
n78H	15	30	3792.48	DFT	pi/2 BPSK	Edge_1RB_Right	23.76	24.09
n78H	15	30	3792.48	DFT	pi/2 BPSK	Outer_Full	23.69	24.02
n78H	15	30	3792.48	DFT	QPSK	Inner_Full	24.23	24.56
n78H	15	30	3792.48	DFT	QPSK	Edge_1RB_Left	22.91	23.24
n78H	15	30	3792.48	DFT	QPSK	Edge_1RB_Right	23.23	23.56
n78H	15	30	3792.48	DFT	QPSK	Outer_Full	23.20	23.53
n78H	15	30	3792.48	DFT	16QAM	Inner_Full	23.19	23.52
n78H	15	30	3792.48	DFT	16QAM	Edge_1RB_Left	21.90	22.23
n78H	15	30	3792.48	DFT	16QAM	Edge_1RB_Right	22.23	22.56
n78H	15	30	3792.48	DFT	16QAM	Outer_Full	22.18	22.51
n78H	15	30	3792.48	DFT	64QAM	Inner_Full	21.66	21.99
n78H	15	30	3792.48	DFT	64QAM	Edge_1RB_Left	21.13	21.46
n78H	15	30	3792.48	DFT	64QAM	Edge_1RB_Right	21.62	21.95
n78H	15	30	3792.48	DFT	64QAM	Outer_Full	21.67	22.00
n78H	15	30	3792.48	DFT	256QAM	Inner_Full	19.56	19.89
n78H	15	30	3792.48	DFT	256QAM	Edge_1RB_Left	19.60	19.93
n78H	15	30	3792.48	DFT	256QAM	Edge_1RB_Right	19.60	19.93
n78H	15	30	3792.48	DFT	256QAM	Outer_Full	19.60	19.93
n78H	15	30	3792.48	CP	QPSK	Inner_Full	22.70	23.03
n78H	15	30	3792.48	CP	QPSK	Edge_1RB_Left	20.84	21.17

n78H	15	30	3792.48	CP	QPSK	Edge_1RB_Right	21.25	21.58
n78H	15	30	3792.48	CP	QPSK	Outer_Full	21.17	21.50
n78H	15	30	3792.48	CP	16QAM	Inner_Full	22.19	22.52
n78H	15	30	3792.48	CP	16QAM	Edge_1RB_Left	20.63	20.96
n78H	15	30	3792.48	CP	16QAM	Edge_1RB_Right	21.15	21.48
n78H	15	30	3792.48	CP	16QAM	Outer_Full	21.16	21.49
n78H	15	30	3792.48	CP	64QAM	Inner_Full	20.62	20.95
n78H	15	30	3792.48	CP	64QAM	Edge_1RB_Left	20.48	20.81
n78H	15	30	3792.48	CP	64QAM	Edge_1RB_Right	20.83	21.16
n78H	15	30	3792.48	CP	64QAM	Outer_Full	20.67	21.00
n78H	15	30	3792.48	CP	256QAM	Inner_Full	17.80	18.13
n78H	15	30	3792.48	CP	256QAM	Edge_1RB_Left	17.66	17.99
n78H	15	30	3792.48	CP	256QAM	Edge_1RB_Right	17.64	17.97
n78H	15	30	3792.48	CP	256QAM	Outer_Full	17.80	18.13
n78H	20	30	3710.01	DFT	pi/2 BPSK	Inner_Full	23.12	23.45
n78H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.38	22.71
n78H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.45	22.78
n78H	20	30	3710.01	DFT	pi/2 BPSK	Outer_Full	22.60	22.93
n78H	20	30	3710.01	DFT	QPSK	Inner_Full	23.11	23.44
n78H	20	30	3710.01	DFT	QPSK	Edge_1RB_Left	21.98	22.31
n78H	20	30	3710.01	DFT	QPSK	Edge_1RB_Right	21.95	22.28
n78H	20	30	3710.01	DFT	QPSK	Outer_Full	22.12	22.45
n78H	20	30	3710.01	DFT	16QAM	Inner_Full	22.15	22.48
n78H	20	30	3710.01	DFT	16QAM	Edge_1RB_Left	20.85	21.18
n78H	20	30	3710.01	DFT	16QAM	Edge_1RB_Right	20.93	21.26
n78H	20	30	3710.01	DFT	16QAM	Outer_Full	21.10	21.43
n78H	20	30	3710.01	DFT	64QAM	Inner_Full	20.58	20.91
n78H	20	30	3710.01	DFT	64QAM	Edge_1RB_Left	20.26	20.59
n78H	20	30	3710.01	DFT	64QAM	Edge_1RB_Right	20.23	20.56
n78H	20	30	3710.01	DFT	64QAM	Outer_Full	20.55	20.88
n78H	20	30	3710.01	DFT	256QAM	Inner_Full	18.48	18.81
n78H	20	30	3710.01	DFT	256QAM	Edge_1RB_Left	18.39	18.72
n78H	20	30	3710.01	DFT	256QAM	Edge_1RB_Right	18.53	18.86
n78H	20	30	3710.01	DFT	256QAM	Outer_Full	18.48	18.81
n78H	20	30	3710.01	CP	QPSK	Inner_Full	21.60	21.93
n78H	20	30	3710.01	CP	QPSK	Edge_1RB_Left	19.75	20.08
n78H	20	30	3710.01	CP	QPSK	Edge_1RB_Right	19.95	20.28
n78H	20	30	3710.01	CP	QPSK	Outer_Full	20.06	20.39
n78H	20	30	3710.01	CP	16QAM	Inner_Full	21.03	21.36
n78H	20	30	3710.01	CP	16QAM	Edge_1RB_Left	19.95	20.28
n78H	20	30	3710.01	CP	16QAM	Edge_1RB_Right	20.11	20.44

n78H	20	30	3710.01	CP	16QAM	Outer_Full	20.02	20.35
n78H	20	30	3710.01	CP	64QAM	Inner_Full	19.48	19.81
n78H	20	30	3710.01	CP	64QAM	Edge_1RB_Left	19.68	20.01
n78H	20	30	3710.01	CP	64QAM	Edge_1RB_Right	19.77	20.10
n78H	20	30	3710.01	CP	64QAM	Outer_Full	19.53	19.86
n78H	20	30	3710.01	CP	256QAM	Inner_Full	16.68	17.01
n78H	20	30	3710.01	CP	256QAM	Edge_1RB_Left	16.62	16.95
n78H	20	30	3710.01	CP	256QAM	Edge_1RB_Right	16.55	16.88
n78H	20	30	3710.01	CP	256QAM	Outer_Full	16.72	17.05
n78H	20	30	3750	DFT	pi/2 BPSK	Inner_Full	23.45	23.78
n78H	20	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	22.59	22.92
n78H	20	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	22.98	23.31
n78H	20	30	3750	DFT	pi/2 BPSK	Outer_Full	22.93	23.26
n78H	20	30	3750	DFT	QPSK	Inner_Full	23.50	23.83
n78H	20	30	3750	DFT	QPSK	Edge_1RB_Left	22.16	22.49
n78H	20	30	3750	DFT	QPSK	Edge_1RB_Right	22.44	22.77
n78H	20	30	3750	DFT	QPSK	Outer_Full	22.45	22.78
n78H	20	30	3750	DFT	16QAM	Inner_Full	22.51	22.84
n78H	20	30	3750	DFT	16QAM	Edge_1RB_Left	21.09	21.42
n78H	20	30	3750	DFT	16QAM	Edge_1RB_Right	21.39	21.72
n78H	20	30	3750	DFT	16QAM	Outer_Full	21.45	21.78
n78H	20	30	3750	DFT	64QAM	Inner_Full	20.93	21.26
n78H	20	30	3750	DFT	64QAM	Edge_1RB_Left	20.47	20.80
n78H	20	30	3750	DFT	64QAM	Edge_1RB_Right	20.73	21.06
n78H	20	30	3750	DFT	64QAM	Outer_Full	20.92	21.25
n78H	20	30	3750	DFT	256QAM	Inner_Full	18.94	19.27
n78H	20	30	3750	DFT	256QAM	Edge_1RB_Left	18.66	18.99
n78H	20	30	3750	DFT	256QAM	Edge_1RB_Right	18.66	18.99
n78H	20	30	3750	DFT	256QAM	Outer_Full	18.80	19.13
n78H	20	30	3750	CP	QPSK	Inner_Full	21.96	22.29
n78H	20	30	3750	CP	QPSK	Edge_1RB_Left	20.15	20.48
n78H	20	30	3750	CP	QPSK	Edge_1RB_Right	20.49	20.82
n78H	20	30	3750	CP	QPSK	Outer_Full	20.39	20.72
n78H	20	30	3750	CP	16QAM	Inner_Full	21.40	21.73
n78H	20	30	3750	CP	16QAM	Edge_1RB_Left	20.27	20.60
n78H	20	30	3750	CP	16QAM	Edge_1RB_Right	20.49	20.82
n78H	20	30	3750	CP	16QAM	Outer_Full	20.38	20.71
n78H	20	30	3750	CP	64QAM	Inner_Full	19.89	20.22
n78H	20	30	3750	CP	64QAM	Edge_1RB_Left	19.91	20.24
n78H	20	30	3750	CP	64QAM	Edge_1RB_Right	20.23	20.56
n78H	20	30	3750	CP	64QAM	Outer_Full	19.91	20.24

n78H	20	30	3750	CP	256QAM	Inner_Full	17.02	17.35
n78H	20	30	3750	CP	256QAM	Edge_1RB_Left	16.68	17.01
n78H	20	30	3750	CP	256QAM	Edge_1RB_Right	17.06	17.39
n78H	20	30	3750	CP	256QAM	Outer_Full	17.06	17.39
n78H	20	30	3789.99	DFT	pi/2 BPSK	Inner_Full	24.18	24.51
n78H	20	30	3789.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.23	23.56
n78H	20	30	3789.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.68	24.01
n78H	20	30	3789.99	DFT	pi/2 BPSK	Outer_Full	23.67	24.00
n78H	20	30	3789.99	DFT	QPSK	Inner_Full	24.20	24.53
n78H	20	30	3789.99	DFT	QPSK	Edge_1RB_Left	22.84	23.17
n78H	20	30	3789.99	DFT	QPSK	Edge_1RB_Right	23.24	23.57
n78H	20	30	3789.99	DFT	QPSK	Outer_Full	23.18	23.51
n78H	20	30	3789.99	DFT	16QAM	Inner_Full	23.25	23.58
n78H	20	30	3789.99	DFT	16QAM	Edge_1RB_Left	21.60	21.93
n78H	20	30	3789.99	DFT	16QAM	Edge_1RB_Right	22.02	22.35
n78H	20	30	3789.99	DFT	16QAM	Outer_Full	22.20	22.53
n78H	20	30	3789.99	DFT	64QAM	Inner_Full	21.71	22.04
n78H	20	30	3789.99	DFT	64QAM	Edge_1RB_Left	21.09	21.42
n78H	20	30	3789.99	DFT	64QAM	Edge_1RB_Right	21.58	21.91
n78H	20	30	3789.99	DFT	64QAM	Outer_Full	21.66	21.99
n78H	20	30	3789.99	DFT	256QAM	Inner_Full	19.60	19.93
n78H	20	30	3789.99	DFT	256QAM	Edge_1RB_Left	19.09	19.42
n78H	20	30	3789.99	DFT	256QAM	Edge_1RB_Right	19.86	20.19
n78H	20	30	3789.99	DFT	256QAM	Outer_Full	19.55	19.88
n78H	20	30	3789.99	CP	QPSK	Inner_Full	22.70	23.03
n78H	20	30	3789.99	CP	QPSK	Edge_1RB_Left	20.65	20.98
n78H	20	30	3789.99	CP	QPSK	Edge_1RB_Right	21.17	21.50
n78H	20	30	3789.99	CP	QPSK	Outer_Full	21.11	21.44
n78H	20	30	3789.99	CP	16QAM	Inner_Full	22.24	22.57
n78H	20	30	3789.99	CP	16QAM	Edge_1RB_Left	20.88	21.21
n78H	20	30	3789.99	CP	16QAM	Edge_1RB_Right	21.41	21.74
n78H	20	30	3789.99	CP	16QAM	Outer_Full	21.05	21.38
n78H	20	30	3789.99	CP	64QAM	Inner_Full	20.61	20.94
n78H	20	30	3789.99	CP	64QAM	Edge_1RB_Left	20.51	20.84
n78H	20	30	3789.99	CP	64QAM	Edge_1RB_Right	21.01	21.34
n78H	20	30	3789.99	CP	64QAM	Outer_Full	20.64	20.97
n78H	20	30	3789.99	CP	256QAM	Inner_Full	17.74	18.07
n78H	20	30	3789.99	CP	256QAM	Edge_1RB_Left	17.39	17.72
n78H	20	30	3789.99	CP	256QAM	Edge_1RB_Right	17.69	18.02
n78H	20	30	3789.99	CP	256QAM	Outer_Full	17.68	18.01
n78H	40	30	3720	DFT	pi/2 BPSK	Inner_Full	23.06	23.39

n78H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Left	21.86	22.19
n78H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Right	22.14	22.47
n78H	40	30	3720	DFT	pi/2 BPSK	Outer_Full	22.45	22.78
n78H	40	30	3720	DFT	QPSK	Inner_Full	23.11	23.44
n78H	40	30	3720	DFT	QPSK	Edge_1RB_Left	21.40	21.73
n78H	40	30	3720	DFT	QPSK	Edge_1RB_Right	21.71	22.04
n78H	40	30	3720	DFT	QPSK	Outer_Full	21.98	22.31
n78H	40	30	3720	DFT	16QAM	Inner_Full	22.05	22.38
n78H	40	30	3720	DFT	16QAM	Edge_1RB_Left	20.42	20.75
n78H	40	30	3720	DFT	16QAM	Edge_1RB_Right	20.60	20.93
n78H	40	30	3720	DFT	16QAM	Outer_Full	20.98	21.31
n78H	40	30	3720	DFT	64QAM	Inner_Full	20.54	20.87
n78H	40	30	3720	DFT	64QAM	Edge_1RB_Left	19.62	19.95
n78H	40	30	3720	DFT	64QAM	Edge_1RB_Right	19.96	20.29
n78H	40	30	3720	DFT	64QAM	Outer_Full	20.49	20.82
n78H	40	30	3720	DFT	256QAM	Inner_Full	18.41	18.74
n78H	40	30	3720	DFT	256QAM	Edge_1RB_Left	17.56	17.89
n78H	40	30	3720	DFT	256QAM	Edge_1RB_Right	18.25	18.58
n78H	40	30	3720	DFT	256QAM	Outer_Full	18.37	18.70
n78H	40	30	3720	CP	QPSK	Inner_Full	21.55	21.88
n78H	40	30	3720	CP	QPSK	Edge_1RB_Left	19.33	19.66
n78H	40	30	3720	CP	QPSK	Edge_1RB_Right	19.59	19.92
n78H	40	30	3720	CP	QPSK	Outer_Full	19.97	20.30
n78H	40	30	3720	CP	16QAM	Inner_Full	21.04	21.37
n78H	40	30	3720	CP	16QAM	Edge_1RB_Left	19.40	19.73
n78H	40	30	3720	CP	16QAM	Edge_1RB_Right	19.69	20.02
n78H	40	30	3720	CP	16QAM	Outer_Full	19.92	20.25
n78H	40	30	3720	CP	64QAM	Inner_Full	19.48	19.81
n78H	40	30	3720	CP	64QAM	Edge_1RB_Left	19.07	19.40
n78H	40	30	3720	CP	64QAM	Edge_1RB_Right	19.41	19.74
n78H	40	30	3720	CP	64QAM	Outer_Full	19.44	19.77
n78H	40	30	3720	CP	256QAM	Inner_Full	16.66	16.99
n78H	40	30	3720	CP	256QAM	Edge_1RB_Left	15.95	16.28
n78H	40	30	3720	CP	256QAM	Edge_1RB_Right	16.36	16.69
n78H	40	30	3720	CP	256QAM	Outer_Full	16.59	16.92
n78H	40	30	3750	DFT	pi/2 BPSK	Inner_Full	23.39	23.72
n78H	40	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	22.05	22.38
n78H	40	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	22.76	23.09
n78H	40	30	3750	DFT	pi/2 BPSK	Outer_Full	22.83	23.16
n78H	40	30	3750	DFT	QPSK	Inner_Full	23.47	23.80
n78H	40	30	3750	DFT	QPSK	Edge_1RB_Left	21.55	21.88

n78H	40	30	3750	DFT	QPSK	Edge_1RB_Right	22.25	22.58
n78H	40	30	3750	DFT	QPSK	Outer_Full	22.36	22.69
n78H	40	30	3750	DFT	16QAM	Inner_Full	22.43	22.76
n78H	40	30	3750	DFT	16QAM	Edge_1RB_Left	20.58	20.91
n78H	40	30	3750	DFT	16QAM	Edge_1RB_Right	21.33	21.66
n78H	40	30	3750	DFT	16QAM	Outer_Full	21.35	21.68
n78H	40	30	3750	DFT	64QAM	Inner_Full	20.88	21.21
n78H	40	30	3750	DFT	64QAM	Edge_1RB_Left	19.95	20.28
n78H	40	30	3750	DFT	64QAM	Edge_1RB_Right	20.60	20.93
n78H	40	30	3750	DFT	64QAM	Outer_Full	20.84	21.17
n78H	40	30	3750	DFT	256QAM	Inner_Full	18.80	19.13
n78H	40	30	3750	DFT	256QAM	Edge_1RB_Left	18.09	18.42
n78H	40	30	3750	DFT	256QAM	Edge_1RB_Right	18.76	19.09
n78H	40	30	3750	DFT	256QAM	Outer_Full	18.80	19.13
n78H	40	30	3750	CP	QPSK	Inner_Full	21.87	22.20
n78H	40	30	3750	CP	QPSK	Edge_1RB_Left	19.46	19.79
n78H	40	30	3750	CP	QPSK	Edge_1RB_Right	20.23	20.56
n78H	40	30	3750	CP	QPSK	Outer_Full	20.30	20.63
n78H	40	30	3750	CP	16QAM	Inner_Full	21.39	21.72
n78H	40	30	3750	CP	16QAM	Edge_1RB_Left	19.49	19.82
n78H	40	30	3750	CP	16QAM	Edge_1RB_Right	20.33	20.66
n78H	40	30	3750	CP	16QAM	Outer_Full	20.28	20.61
n78H	40	30	3750	CP	64QAM	Inner_Full	19.83	20.16
n78H	40	30	3750	CP	64QAM	Edge_1RB_Left	19.34	19.67
n78H	40	30	3750	CP	64QAM	Edge_1RB_Right	20.05	20.38
n78H	40	30	3750	CP	64QAM	Outer_Full	19.78	20.11
n78H	40	30	3750	CP	256QAM	Inner_Full	16.99	17.32
n78H	40	30	3750	CP	256QAM	Edge_1RB_Left	16.35	16.68
n78H	40	30	3750	CP	256QAM	Edge_1RB_Right	17.12	17.45
n78H	40	30	3750	CP	256QAM	Outer_Full	16.95	17.28
n78H	40	30	3780	DFT	pi/2 BPSK	Inner_Full	23.96	24.29
n78H	40	30	3780	DFT	pi/2 BPSK	Edge_1RB_Left	22.45	22.78
n78H	40	30	3780	DFT	pi/2 BPSK	Edge_1RB_Right	23.35	23.68
n78H	40	30	3780	DFT	pi/2 BPSK	Outer_Full	23.38	23.71
n78H	40	30	3780	DFT	QPSK	Inner_Full	24.00	24.33
n78H	40	30	3780	DFT	QPSK	Edge_1RB_Left	21.98	22.31
n78H	40	30	3780	DFT	QPSK	Edge_1RB_Right	22.92	23.25
n78H	40	30	3780	DFT	QPSK	Outer_Full	22.91	23.24
n78H	40	30	3780	DFT	16QAM	Inner_Full	23.04	23.37
n78H	40	30	3780	DFT	16QAM	Edge_1RB_Left	20.74	21.07
n78H	40	30	3780	DFT	16QAM	Edge_1RB_Right	21.66	21.99

n78H	40	30	3780	DFT	16QAM	Outer_Full	21.91	22.24
n78H	40	30	3780	DFT	64QAM	Inner_Full	21.50	21.83
n78H	40	30	3780	DFT	64QAM	Edge_1RB_Left	20.38	20.71
n78H	40	30	3780	DFT	64QAM	Edge_1RB_Right	21.16	21.49
n78H	40	30	3780	DFT	64QAM	Outer_Full	21.43	21.76
n78H	40	30	3780	DFT	256QAM	Inner_Full	19.38	19.71
n78H	40	30	3780	DFT	256QAM	Edge_1RB_Left	18.50	18.83
n78H	40	30	3780	DFT	256QAM	Edge_1RB_Right	19.42	19.75
n78H	40	30	3780	DFT	256QAM	Outer_Full	19.31	19.64
n78H	40	30	3780	CP	QPSK	Inner_Full	22.42	22.75
n78H	40	30	3780	CP	QPSK	Edge_1RB_Left	19.95	20.28
n78H	40	30	3780	CP	QPSK	Edge_1RB_Right	20.83	21.16
n78H	40	30	3780	CP	QPSK	Outer_Full	20.88	21.21
n78H	40	30	3780	CP	16QAM	Inner_Full	21.98	22.31
n78H	40	30	3780	CP	16QAM	Edge_1RB_Left	20.06	20.39
n78H	40	30	3780	CP	16QAM	Edge_1RB_Right	20.83	21.16
n78H	40	30	3780	CP	16QAM	Outer_Full	20.85	21.18
n78H	40	30	3780	CP	64QAM	Inner_Full	20.44	20.77
n78H	40	30	3780	CP	64QAM	Edge_1RB_Left	19.68	20.01
n78H	40	30	3780	CP	64QAM	Edge_1RB_Right	20.62	20.95
n78H	40	30	3780	CP	64QAM	Outer_Full	20.34	20.67
n78H	40	30	3780	CP	256QAM	Inner_Full	17.50	17.83
n78H	40	30	3780	CP	256QAM	Edge_1RB_Left	16.72	17.05
n78H	40	30	3780	CP	256QAM	Edge_1RB_Right	17.15	17.48
n78H	40	30	3780	CP	256QAM	Outer_Full	17.51	17.84
n78H	50	30	3725.01	DFT	pi/2 BPSK	Inner_Full	23.15	23.48
n78H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.19	22.52
n78H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.62	22.95
n78H	50	30	3725.01	DFT	pi/2 BPSK	Outer_Full	22.61	22.94
n78H	50	30	3725.01	DFT	QPSK	Inner_Full	23.21	23.54
n78H	50	30	3725.01	DFT	QPSK	Edge_1RB_Left	21.74	22.07
n78H	50	30	3725.01	DFT	QPSK	Edge_1RB_Right	22.16	22.49
n78H	50	30	3725.01	DFT	QPSK	Outer_Full	22.13	22.46
n78H	50	30	3725.01	DFT	16QAM	Inner_Full	22.20	22.53
n78H	50	30	3725.01	DFT	16QAM	Edge_1RB_Left	20.60	20.93
n78H	50	30	3725.01	DFT	16QAM	Edge_1RB_Right	21.11	21.44
n78H	50	30	3725.01	DFT	16QAM	Outer_Full	21.15	21.48
n78H	50	30	3725.01	DFT	64QAM	Inner_Full	20.61	20.94
n78H	50	30	3725.01	DFT	64QAM	Edge_1RB_Left	20.03	20.36
n78H	50	30	3725.01	DFT	64QAM	Edge_1RB_Right	20.51	20.84
n78H	50	30	3725.01	DFT	64QAM	Outer_Full	20.63	20.96



n78H	50	30	3725.01	DFT	256QAM	Inner_Full	18.51	18.84
n78H	50	30	3725.01	DFT	256QAM	Edge_1RB_Left	18.17	18.50
n78H	50	30	3725.01	DFT	256QAM	Edge_1RB_Right	18.71	19.04
n78H	50	30	3725.01	DFT	256QAM	Outer_Full	18.55	18.88
n78H	50	30	3725.01	CP	QPSK	Inner_Full	21.63	21.96
n78H	50	30	3725.01	CP	QPSK	Edge_1RB_Left	19.65	19.98
n78H	50	30	3725.01	CP	QPSK	Edge_1RB_Right	20.21	20.54
n78H	50	30	3725.01	CP	QPSK	Outer_Full	20.09	20.42
n78H	50	30	3725.01	CP	16QAM	Inner_Full	21.11	21.44
n78H	50	30	3725.01	CP	16QAM	Edge_1RB_Left	19.80	20.13
n78H	50	30	3725.01	CP	16QAM	Edge_1RB_Right	20.34	20.67
n78H	50	30	3725.01	CP	16QAM	Outer_Full	20.10	20.43
n78H	50	30	3725.01	CP	64QAM	Inner_Full	19.63	19.96
n78H	50	30	3725.01	CP	64QAM	Edge_1RB_Left	19.40	19.73
n78H	50	30	3725.01	CP	64QAM	Edge_1RB_Right	19.91	20.24
n78H	50	30	3725.01	CP	64QAM	Outer_Full	19.59	19.92
n78H	50	30	3725.01	CP	256QAM	Inner_Full	16.79	17.12
n78H	50	30	3725.01	CP	256QAM	Edge_1RB_Left	16.34	16.67
n78H	50	30	3725.01	CP	256QAM	Edge_1RB_Right	16.74	17.07
n78H	50	30	3725.01	CP	256QAM	Outer_Full	16.72	17.05
n78H	50	30	3750	DFT	pi/2 BPSK	Inner_Full	23.47	23.80
n78H	50	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	22.25	22.58
n78H	50	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	23.13	23.46
n78H	50	30	3750	DFT	pi/2 BPSK	Outer_Full	22.90	23.23
n78H	50	30	3750	DFT	QPSK	Inner_Full	23.54	23.87
n78H	50	30	3750	DFT	QPSK	Edge_1RB_Left	21.80	22.13
n78H	50	30	3750	DFT	QPSK	Edge_1RB_Right	22.60	22.93
n78H	50	30	3750	DFT	QPSK	Outer_Full	22.41	22.74
n78H	50	30	3750	DFT	16QAM	Inner_Full	22.52	22.85
n78H	50	30	3750	DFT	16QAM	Edge_1RB_Left	20.83	21.16
n78H	50	30	3750	DFT	16QAM	Edge_1RB_Right	21.56	21.89
n78H	50	30	3750	DFT	16QAM	Outer_Full	21.44	21.77
n78H	50	30	3750	DFT	64QAM	Inner_Full	20.91	21.24
n78H	50	30	3750	DFT	64QAM	Edge_1RB_Left	20.15	20.48
n78H	50	30	3750	DFT	64QAM	Edge_1RB_Right	21.02	21.35
n78H	50	30	3750	DFT	64QAM	Outer_Full	20.90	21.23
n78H	50	30	3750	DFT	256QAM	Inner_Full	18.84	19.17
n78H	50	30	3750	DFT	256QAM	Edge_1RB_Left	18.40	18.73
n78H	50	30	3750	DFT	256QAM	Edge_1RB_Right	19.30	19.63
n78H	50	30	3750	DFT	256QAM	Outer_Full	18.85	19.18
n78H	50	30	3750	CP	QPSK	Inner_Full	21.95	22.28

n78H	50	30	3750	CP	QPSK	Edge_1RB_Left	19.79	20.12
n78H	50	30	3750	CP	QPSK	Edge_1RB_Right	20.67	21.00
n78H	50	30	3750	CP	QPSK	Outer_Full	20.37	20.70
n78H	50	30	3750	CP	16QAM	Inner_Full	21.47	21.80
n78H	50	30	3750	CP	16QAM	Edge_1RB_Left	19.52	19.85
n78H	50	30	3750	CP	16QAM	Edge_1RB_Right	20.44	20.77
n78H	50	30	3750	CP	16QAM	Outer_Full	20.37	20.70
n78H	50	30	3750	CP	64QAM	Inner_Full	19.89	20.22
n78H	50	30	3750	CP	64QAM	Edge_1RB_Left	19.47	19.80
n78H	50	30	3750	CP	64QAM	Edge_1RB_Right	20.41	20.74
n78H	50	30	3750	CP	64QAM	Outer_Full	19.90	20.23
n78H	50	30	3750	CP	256QAM	Inner_Full	17.08	17.41
n78H	50	30	3750	CP	256QAM	Edge_1RB_Left	16.52	16.85
n78H	50	30	3750	CP	256QAM	Edge_1RB_Right	17.19	17.52
n78H	50	30	3750	CP	256QAM	Outer_Full	17.05	17.38
n78H	50	30	3774.99	DFT	pi/2 BPSK	Inner_Full	23.85	24.18
n78H	50	30	3774.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.44	22.77
n78H	50	30	3774.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.62	23.95
n78H	50	30	3774.99	DFT	pi/2 BPSK	Outer_Full	23.27	23.60
n78H	50	30	3774.99	DFT	QPSK	Inner_Full	23.88	24.21
n78H	50	30	3774.99	DFT	QPSK	Edge_1RB_Left	22.01	22.34
n78H	50	30	3774.99	DFT	QPSK	Edge_1RB_Right	23.09	23.42
n78H	50	30	3774.99	DFT	QPSK	Outer_Full	22.78	23.11
n78H	50	30	3774.99	DFT	16QAM	Inner_Full	22.88	23.21
n78H	50	30	3774.99	DFT	16QAM	Edge_1RB_Left	20.93	21.26
n78H	50	30	3774.99	DFT	16QAM	Edge_1RB_Right	22.04	22.37
n78H	50	30	3774.99	DFT	16QAM	Outer_Full	21.77	22.10
n78H	50	30	3774.99	DFT	64QAM	Inner_Full	21.28	21.61
n78H	50	30	3774.99	DFT	64QAM	Edge_1RB_Left	20.39	20.72
n78H	50	30	3774.99	DFT	64QAM	Edge_1RB_Right	21.46	21.79
n78H	50	30	3774.99	DFT	64QAM	Outer_Full	21.24	21.57
n78H	50	30	3774.99	DFT	256QAM	Inner_Full	19.21	19.54
n78H	50	30	3774.99	DFT	256QAM	Edge_1RB_Left	18.48	18.81
n78H	50	30	3774.99	DFT	256QAM	Edge_1RB_Right	19.62	19.95
n78H	50	30	3774.99	DFT	256QAM	Outer_Full	19.17	19.50
n78H	50	30	3774.99	CP	QPSK	Inner_Full	22.31	22.64
n78H	50	30	3774.99	CP	QPSK	Edge_1RB_Left	19.85	20.18
n78H	50	30	3774.99	CP	QPSK	Edge_1RB_Right	21.02	21.35
n78H	50	30	3774.99	CP	QPSK	Outer_Full	20.83	21.16
n78H	50	30	3774.99	CP	16QAM	Inner_Full	21.79	22.12
n78H	50	30	3774.99	CP	16QAM	Edge_1RB_Left	20.00	20.33

n78H	50	30	3774.99	CP	16QAM	Edge_1RB_Right	21.31	21.64
n78H	50	30	3774.99	CP	16QAM	Outer_Full	20.80	21.13
n78H	50	30	3774.99	CP	64QAM	Inner_Full	20.32	20.65
n78H	50	30	3774.99	CP	64QAM	Edge_1RB_Left	19.74	20.07
n78H	50	30	3774.99	CP	64QAM	Edge_1RB_Right	20.88	21.21
n78H	50	30	3774.99	CP	64QAM	Outer_Full	20.28	20.61
n78H	50	30	3774.99	CP	256QAM	Inner_Full	17.47	17.80
n78H	50	30	3774.99	CP	256QAM	Edge_1RB_Left	16.67	17.00
n78H	50	30	3774.99	CP	256QAM	Edge_1RB_Right	17.38	17.71
n78H	50	30	3774.99	CP	256QAM	Outer_Full	17.42	17.75
n78H	60	30	3730.02	DFT	pi/2 BPSK	Inner_Full	23.18	23.51
n78H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.94	22.27
n78H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.66	22.99
n78H	60	30	3730.02	DFT	pi/2 BPSK	Outer_Full	22.60	22.93
n78H	60	30	3730.02	DFT	QPSK	Inner_Full	23.21	23.54
n78H	60	30	3730.02	DFT	QPSK	Edge_1RB_Left	21.50	21.83
n78H	60	30	3730.02	DFT	QPSK	Edge_1RB_Right	22.16	22.49
n78H	60	30	3730.02	DFT	QPSK	Outer_Full	22.14	22.47
n78H	60	30	3730.02	DFT	16QAM	Inner_Full	22.20	22.53
n78H	60	30	3730.02	DFT	16QAM	Edge_1RB_Left	20.42	20.75
n78H	60	30	3730.02	DFT	16QAM	Edge_1RB_Right	21.10	21.43
n78H	60	30	3730.02	DFT	16QAM	Outer_Full	21.14	21.47
n78H	60	30	3730.02	DFT	64QAM	Inner_Full	20.67	21.00
n78H	60	30	3730.02	DFT	64QAM	Edge_1RB_Left	19.85	20.18
n78H	60	30	3730.02	DFT	64QAM	Edge_1RB_Right	20.55	20.88
n78H	60	30	3730.02	DFT	64QAM	Outer_Full	20.61	20.94
n78H	60	30	3730.02	DFT	256QAM	Inner_Full	18.53	18.86
n78H	60	30	3730.02	DFT	256QAM	Edge_1RB_Left	17.71	18.04
n78H	60	30	3730.02	DFT	256QAM	Edge_1RB_Right	18.38	18.71
n78H	60	30	3730.02	DFT	256QAM	Outer_Full	18.53	18.86
n78H	60	30	3730.02	CP	QPSK	Inner_Full	21.66	21.99
n78H	60	30	3730.02	CP	QPSK	Edge_1RB_Left	19.48	19.81
n78H	60	30	3730.02	CP	QPSK	Edge_1RB_Right	20.21	20.54
n78H	60	30	3730.02	CP	QPSK	Outer_Full	20.08	20.41
n78H	60	30	3730.02	CP	16QAM	Inner_Full	21.13	21.46
n78H	60	30	3730.02	CP	16QAM	Edge_1RB_Left	19.48	19.81
n78H	60	30	3730.02	CP	16QAM	Edge_1RB_Right	20.21	20.54
n78H	60	30	3730.02	CP	16QAM	Outer_Full	20.07	20.40
n78H	60	30	3730.02	CP	64QAM	Inner_Full	19.63	19.96
n78H	60	30	3730.02	CP	64QAM	Edge_1RB_Left	19.27	19.60
n78H	60	30	3730.02	CP	64QAM	Edge_1RB_Right	19.94	20.27

n78H	60	30	3730.02	CP	64QAM	Outer_Full	19.54	19.87
n78H	60	30	3730.02	CP	256QAM	Inner_Full	16.77	17.10
n78H	60	30	3730.02	CP	256QAM	Edge_1RB_Left	16.41	16.74
n78H	60	30	3730.02	CP	256QAM	Edge_1RB_Right	17.09	17.42
n78H	60	30	3730.02	CP	256QAM	Outer_Full	16.72	17.05
n78H	60	30	3750	DFT	pi/2 BPSK	Inner_Full	23.47	23.80
n78H	60	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	22.04	22.37
n78H	60	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	23.11	23.44
n78H	60	30	3750	DFT	pi/2 BPSK	Outer_Full	22.89	23.22
n78H	60	30	3750	DFT	QPSK	Inner_Full	23.49	23.82
n78H	60	30	3750	DFT	QPSK	Edge_1RB_Left	21.57	21.90
n78H	60	30	3750	DFT	QPSK	Edge_1RB_Right	22.67	23.00
n78H	60	30	3750	DFT	QPSK	Outer_Full	22.41	22.74
n78H	60	30	3750	DFT	16QAM	Inner_Full	22.49	22.82
n78H	60	30	3750	DFT	16QAM	Edge_1RB_Left	20.56	20.89
n78H	60	30	3750	DFT	16QAM	Edge_1RB_Right	21.55	21.88
n78H	60	30	3750	DFT	16QAM	Outer_Full	21.38	21.71
n78H	60	30	3750	DFT	64QAM	Inner_Full	20.96	21.29
n78H	60	30	3750	DFT	64QAM	Edge_1RB_Left	19.89	20.22
n78H	60	30	3750	DFT	64QAM	Edge_1RB_Right	20.96	21.29
n78H	60	30	3750	DFT	64QAM	Outer_Full	20.87	21.20
n78H	60	30	3750	DFT	256QAM	Inner_Full	18.86	19.19
n78H	60	30	3750	DFT	256QAM	Edge_1RB_Left	17.78	18.11
n78H	60	30	3750	DFT	256QAM	Edge_1RB_Right	19.17	19.50
n78H	60	30	3750	DFT	256QAM	Outer_Full	18.78	19.11
n78H	60	30	3750	CP	QPSK	Inner_Full	21.94	22.27
n78H	60	30	3750	CP	QPSK	Edge_1RB_Left	19.45	19.78
n78H	60	30	3750	CP	QPSK	Edge_1RB_Right	20.62	20.95
n78H	60	30	3750	CP	QPSK	Outer_Full	20.34	20.67
n78H	60	30	3750	CP	16QAM	Inner_Full	21.39	21.72
n78H	60	30	3750	CP	16QAM	Edge_1RB_Left	19.53	19.86
n78H	60	30	3750	CP	16QAM	Edge_1RB_Right	20.82	21.15
n78H	60	30	3750	CP	16QAM	Outer_Full	20.34	20.67
n78H	60	30	3750	CP	64QAM	Inner_Full	19.92	20.25
n78H	60	30	3750	CP	64QAM	Edge_1RB_Left	19.38	19.71
n78H	60	30	3750	CP	64QAM	Edge_1RB_Right	20.39	20.72
n78H	60	30	3750	CP	64QAM	Outer_Full	19.76	20.09
n78H	60	30	3750	CP	256QAM	Inner_Full	17.04	17.37
n78H	60	30	3750	CP	256QAM	Edge_1RB_Left	16.34	16.67
n78H	60	30	3750	CP	256QAM	Edge_1RB_Right	17.35	17.68
n78H	60	30	3750	CP	256QAM	Outer_Full	16.96	17.29

n78H	60	30	3769.98	DFT	pi/2 BPSK	Inner_Full	23.76	24.09
n78H	60	30	3769.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.16	22.49
n78H	60	30	3769.98	DFT	pi/2 BPSK	Edge_1RB_Right	23.51	23.84
n78H	60	30	3769.98	DFT	pi/2 BPSK	Outer_Full	23.20	23.53
n78H	60	30	3769.98	DFT	QPSK	Inner_Full	23.77	24.10
n78H	60	30	3769.98	DFT	QPSK	Edge_1RB_Left	21.67	22.00
n78H	60	30	3769.98	DFT	QPSK	Edge_1RB_Right	23.00	23.33
n78H	60	30	3769.98	DFT	QPSK	Outer_Full	22.70	23.03
n78H	60	30	3769.98	DFT	16QAM	Inner_Full	22.77	23.10
n78H	60	30	3769.98	DFT	16QAM	Edge_1RB_Left	20.71	21.04
n78H	60	30	3769.98	DFT	16QAM	Edge_1RB_Right	21.96	22.29
n78H	60	30	3769.98	DFT	16QAM	Outer_Full	21.70	22.03
n78H	60	30	3769.98	DFT	64QAM	Inner_Full	21.24	21.57
n78H	60	30	3769.98	DFT	64QAM	Edge_1RB_Left	19.95	20.28
n78H	60	30	3769.98	DFT	64QAM	Edge_1RB_Right	21.27	21.60
n78H	60	30	3769.98	DFT	64QAM	Outer_Full	21.18	21.51
n78H	60	30	3769.98	DFT	256QAM	Inner_Full	19.16	19.49
n78H	60	30	3769.98	DFT	256QAM	Edge_1RB_Left	18.22	18.55
n78H	60	30	3769.98	DFT	256QAM	Edge_1RB_Right	19.57	19.90
n78H	60	30	3769.98	DFT	256QAM	Outer_Full	19.11	19.44
n78H	60	30	3769.98	CP	QPSK	Inner_Full	22.23	22.56
n78H	60	30	3769.98	CP	QPSK	Edge_1RB_Left	19.69	20.02
n78H	60	30	3769.98	CP	QPSK	Edge_1RB_Right	20.91	21.24
n78H	60	30	3769.98	CP	QPSK	Outer_Full	20.63	20.96
n78H	60	30	3769.98	CP	16QAM	Inner_Full	21.67	22.00
n78H	60	30	3769.98	CP	16QAM	Edge_1RB_Left	19.71	20.04
n78H	60	30	3769.98	CP	16QAM	Edge_1RB_Right	21.03	21.36
n78H	60	30	3769.98	CP	16QAM	Outer_Full	20.66	20.99
n78H	60	30	3769.98	CP	64QAM	Inner_Full	20.19	20.52
n78H	60	30	3769.98	CP	64QAM	Edge_1RB_Left	19.44	19.77
n78H	60	30	3769.98	CP	64QAM	Edge_1RB_Right	20.79	21.12
n78H	60	30	3769.98	CP	64QAM	Outer_Full	20.09	20.42
n78H	60	30	3769.98	CP	256QAM	Inner_Full	17.29	17.62
n78H	60	30	3769.98	CP	256QAM	Edge_1RB_Left	16.41	16.74
n78H	60	30	3769.98	CP	256QAM	Edge_1RB_Right	17.44	17.77
n78H	60	30	3769.98	CP	256QAM	Outer_Full	17.27	17.60
n78H	70	30	3735	DFT	pi/2 BPSK	Inner_Full	23.23	23.56
n78H	70	30	3735	DFT	pi/2 BPSK	Edge_1RB_Left	21.99	22.32
n78H	70	30	3735	DFT	pi/2 BPSK	Edge_1RB_Right	22.92	23.25
n78H	70	30	3735	DFT	pi/2 BPSK	Outer_Full	22.72	23.05
n78H	70	30	3735	DFT	QPSK	Inner_Full	23.26	23.59

n78H	70	30	3735	DFT	QPSK	Edge_1RB_Left	21.57	21.90
n78H	70	30	3735	DFT	QPSK	Edge_1RB_Right	22.49	22.82
n78H	70	30	3735	DFT	QPSK	Outer_Full	22.24	22.57
n78H	70	30	3735	DFT	16QAM	Inner_Full	22.28	22.61
n78H	70	30	3735	DFT	16QAM	Edge_1RB_Left	20.37	20.70
n78H	70	30	3735	DFT	16QAM	Edge_1RB_Right	21.21	21.54
n78H	70	30	3735	DFT	16QAM	Outer_Full	21.22	21.55
n78H	70	30	3735	DFT	64QAM	Inner_Full	20.68	21.01
n78H	70	30	3735	DFT	64QAM	Edge_1RB_Left	19.91	20.24
n78H	70	30	3735	DFT	64QAM	Edge_1RB_Right	20.68	21.01
n78H	70	30	3735	DFT	64QAM	Outer_Full	20.71	21.04
n78H	70	30	3735	DFT	256QAM	Inner_Full	18.68	19.01
n78H	70	30	3735	DFT	256QAM	Edge_1RB_Left	18.15	18.48
n78H	70	30	3735	DFT	256QAM	Edge_1RB_Right	18.72	19.05
n78H	70	30	3735	DFT	256QAM	Outer_Full	18.58	18.91
n78H	70	30	3735	CP	QPSK	Inner_Full	21.76	22.09
n78H	70	30	3735	CP	QPSK	Edge_1RB_Left	19.38	19.71
n78H	70	30	3735	CP	QPSK	Edge_1RB_Right	20.35	20.68
n78H	70	30	3735	CP	QPSK	Outer_Full	20.21	20.54
n78H	70	30	3735	CP	16QAM	Inner_Full	21.31	21.64
n78H	70	30	3735	CP	16QAM	Edge_1RB_Left	19.42	19.75
n78H	70	30	3735	CP	16QAM	Edge_1RB_Right	20.48	20.81
n78H	70	30	3735	CP	16QAM	Outer_Full	20.20	20.53
n78H	70	30	3735	CP	64QAM	Inner_Full	19.66	19.99
n78H	70	30	3735	CP	64QAM	Edge_1RB_Left	19.18	19.51
n78H	70	30	3735	CP	64QAM	Edge_1RB_Right	20.15	20.48
n78H	70	30	3735	CP	64QAM	Outer_Full	19.63	19.96
n78H	70	30	3735	CP	256QAM	Inner_Full	16.85	17.18
n78H	70	30	3735	CP	256QAM	Edge_1RB_Left	16.28	16.61
n78H	70	30	3735	CP	256QAM	Edge_1RB_Right	16.98	17.31
n78H	70	30	3735	CP	256QAM	Outer_Full	16.85	17.18
n78H	70	30	3750	DFT	pi/2 BPSK	Inner_Full	23.43	23.76
n78H	70	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	22.02	22.35
n78H	70	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	23.21	23.54
n78H	70	30	3750	DFT	pi/2 BPSK	Outer_Full	22.92	23.25
n78H	70	30	3750	DFT	QPSK	Inner_Full	23.51	23.84
n78H	70	30	3750	DFT	QPSK	Edge_1RB_Left	21.61	21.94
n78H	70	30	3750	DFT	QPSK	Edge_1RB_Right	22.79	23.12
n78H	70	30	3750	DFT	QPSK	Outer_Full	22.41	22.74
n78H	70	30	3750	DFT	16QAM	Inner_Full	22.49	22.82
n78H	70	30	3750	DFT	16QAM	Edge_1RB_Left	20.55	20.88

n78H	70	30	3750	DFT	16QAM	Edge_1RB_Right	21.68	22.01
n78H	70	30	3750	DFT	16QAM	Outer_Full	21.42	21.75
n78H	70	30	3750	DFT	64QAM	Inner_Full	20.90	21.23
n78H	70	30	3750	DFT	64QAM	Edge_1RB_Left	19.78	20.11
n78H	70	30	3750	DFT	64QAM	Edge_1RB_Right	20.92	21.25
n78H	70	30	3750	DFT	64QAM	Outer_Full	20.84	21.17
n78H	70	30	3750	DFT	256QAM	Inner_Full	18.79	19.12
n78H	70	30	3750	DFT	256QAM	Edge_1RB_Left	17.98	18.31
n78H	70	30	3750	DFT	256QAM	Edge_1RB_Right	18.89	19.22
n78H	70	30	3750	DFT	256QAM	Outer_Full	18.78	19.11
n78H	70	30	3750	CP	QPSK	Inner_Full	21.98	22.31
n78H	70	30	3750	CP	QPSK	Edge_1RB_Left	19.42	19.75
n78H	70	30	3750	CP	QPSK	Edge_1RB_Right	20.62	20.95
n78H	70	30	3750	CP	QPSK	Outer_Full	20.32	20.65
n78H	70	30	3750	CP	16QAM	Inner_Full	21.53	21.86
n78H	70	30	3750	CP	16QAM	Edge_1RB_Left	19.60	19.93
n78H	70	30	3750	CP	16QAM	Edge_1RB_Right	20.77	21.10
n78H	70	30	3750	CP	16QAM	Outer_Full	20.29	20.62
n78H	70	30	3750	CP	64QAM	Inner_Full	19.89	20.22
n78H	70	30	3750	CP	64QAM	Edge_1RB_Left	19.36	19.69
n78H	70	30	3750	CP	64QAM	Edge_1RB_Right	20.36	20.69
n78H	70	30	3750	CP	64QAM	Outer_Full	19.83	20.16
n78H	70	30	3750	CP	256QAM	Inner_Full	17.06	17.39
n78H	70	30	3750	CP	256QAM	Edge_1RB_Left	16.32	16.65
n78H	70	30	3750	CP	256QAM	Edge_1RB_Right	17.25	17.58
n78H	70	30	3750	CP	256QAM	Outer_Full	16.96	17.29
n78H	70	30	3765	DFT	pi/2 BPSK	Inner_Full	23.68	24.01
n78H	70	30	3765	DFT	pi/2 BPSK	Edge_1RB_Left	22.07	22.40
n78H	70	30	3765	DFT	pi/2 BPSK	Edge_1RB_Right	23.47	23.80
n78H	70	30	3765	DFT	pi/2 BPSK	Outer_Full	23.13	23.46
n78H	70	30	3765	DFT	QPSK	Inner_Full	23.70	24.03
n78H	70	30	3765	DFT	QPSK	Edge_1RB_Left	21.65	21.98
n78H	70	30	3765	DFT	QPSK	Edge_1RB_Right	23.12	23.45
n78H	70	30	3765	DFT	QPSK	Outer_Full	22.66	22.99
n78H	70	30	3765	DFT	16QAM	Inner_Full	22.72	23.05
n78H	70	30	3765	DFT	16QAM	Edge_1RB_Left	20.68	21.01
n78H	70	30	3765	DFT	16QAM	Edge_1RB_Right	22.07	22.40
n78H	70	30	3765	DFT	16QAM	Outer_Full	21.65	21.98
n78H	70	30	3765	DFT	64QAM	Inner_Full	21.16	21.49
n78H	70	30	3765	DFT	64QAM	Edge_1RB_Left	19.81	20.14
n78H	70	30	3765	DFT	64QAM	Edge_1RB_Right	21.43	21.76

n78H	70	30	3765	DFT	64QAM	Outer_Full	21.08	21.41
n78H	70	30	3765	DFT	256QAM	Inner_Full	19.08	19.41
n78H	70	30	3765	DFT	256QAM	Edge_1RB_Left	18.03	18.36
n78H	70	30	3765	DFT	256QAM	Edge_1RB_Right	19.19	19.52
n78H	70	30	3765	DFT	256QAM	Outer_Full	19.00	19.33
n78H	70	30	3765	CP	QPSK	Inner_Full	22.17	22.50
n78H	70	30	3765	CP	QPSK	Edge_1RB_Left	19.51	19.84
n78H	70	30	3765	CP	QPSK	Edge_1RB_Right	20.83	21.16
n78H	70	30	3765	CP	QPSK	Outer_Full	20.56	20.89
n78H	70	30	3765	CP	16QAM	Inner_Full	21.74	22.07
n78H	70	30	3765	CP	16QAM	Edge_1RB_Left	19.34	19.67
n78H	70	30	3765	CP	16QAM	Edge_1RB_Right	20.92	21.25
n78H	70	30	3765	CP	16QAM	Outer_Full	20.56	20.89
n78H	70	30	3765	CP	64QAM	Inner_Full	20.10	20.43
n78H	70	30	3765	CP	64QAM	Edge_1RB_Left	19.09	19.42
n78H	70	30	3765	CP	64QAM	Edge_1RB_Right	20.49	20.82
n78H	70	30	3765	CP	64QAM	Outer_Full	20.14	20.47
n78H	70	30	3765	CP	256QAM	Inner_Full	17.28	17.61
n78H	70	30	3765	CP	256QAM	Edge_1RB_Left	16.38	16.71
n78H	70	30	3765	CP	256QAM	Edge_1RB_Right	17.59	17.92
n78H	70	30	3765	CP	256QAM	Outer_Full	17.22	17.55
n78H	80	30	3740.01	DFT	pi/2 BPSK	Inner_Full	23.31	23.64
n78H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.84	22.17
n78H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.93	23.26
n78H	80	30	3740.01	DFT	pi/2 BPSK	Outer_Full	22.70	23.03
n78H	80	30	3740.01	DFT	QPSK	Inner_Full	23.32	23.65
n78H	80	30	3740.01	DFT	QPSK	Edge_1RB_Left	21.35	21.68
n78H	80	30	3740.01	DFT	QPSK	Edge_1RB_Right	22.53	22.86
n78H	80	30	3740.01	DFT	QPSK	Outer_Full	22.23	22.56
n78H	80	30	3740.01	DFT	16QAM	Inner_Full	22.30	22.63
n78H	80	30	3740.01	DFT	16QAM	Edge_1RB_Left	20.51	20.84
n78H	80	30	3740.01	DFT	16QAM	Edge_1RB_Right	21.43	21.76
n78H	80	30	3740.01	DFT	16QAM	Outer_Full	21.23	21.56
n78H	80	30	3740.01	DFT	64QAM	Inner_Full	20.79	21.12
n78H	80	30	3740.01	DFT	64QAM	Edge_1RB_Left	19.58	19.91
n78H	80	30	3740.01	DFT	64QAM	Edge_1RB_Right	20.83	21.16
n78H	80	30	3740.01	DFT	64QAM	Outer_Full	20.72	21.05
n78H	80	30	3740.01	DFT	256QAM	Inner_Full	18.68	19.01
n78H	80	30	3740.01	DFT	256QAM	Edge_1RB_Left	17.79	18.12
n78H	80	30	3740.01	DFT	256QAM	Edge_1RB_Right	18.87	19.20
n78H	80	30	3740.01	DFT	256QAM	Outer_Full	18.63	18.96



n78H	80	30	3740.01	CP	QPSK	Inner_Full	21.74	22.07
n78H	80	30	3740.01	CP	QPSK	Edge_1RB_Left	19.20	19.53
n78H	80	30	3740.01	CP	QPSK	Edge_1RB_Right	20.30	20.63
n78H	80	30	3740.01	CP	QPSK	Outer_Full	20.18	20.51
n78H	80	30	3740.01	CP	16QAM	Inner_Full	21.20	21.53
n78H	80	30	3740.01	CP	16QAM	Edge_1RB_Left	19.23	19.56
n78H	80	30	3740.01	CP	16QAM	Edge_1RB_Right	20.46	20.79
n78H	80	30	3740.01	CP	16QAM	Outer_Full	20.19	20.52
n78H	80	30	3740.01	CP	64QAM	Inner_Full	19.69	20.02
n78H	80	30	3740.01	CP	64QAM	Edge_1RB_Left	19.09	19.42
n78H	80	30	3740.01	CP	64QAM	Edge_1RB_Right	20.09	20.42
n78H	80	30	3740.01	CP	64QAM	Outer_Full	19.66	19.99
n78H	80	30	3740.01	CP	256QAM	Inner_Full	16.87	17.20
n78H	80	30	3740.01	CP	256QAM	Edge_1RB_Left	15.99	16.32
n78H	80	30	3740.01	CP	256QAM	Edge_1RB_Right	17.09	17.42
n78H	80	30	3740.01	CP	256QAM	Outer_Full	16.87	17.20
n78H	80	30	3750	DFT	pi/2 BPSK	Inner_Full	23.52	23.85
n78H	80	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.87	22.20
n78H	80	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	23.17	23.50
n78H	80	30	3750	DFT	pi/2 BPSK	Outer_Full	22.87	23.20
n78H	80	30	3750	DFT	QPSK	Inner_Full	23.50	23.83
n78H	80	30	3750	DFT	QPSK	Edge_1RB_Left	21.44	21.77
n78H	80	30	3750	DFT	QPSK	Edge_1RB_Right	22.80	23.13
n78H	80	30	3750	DFT	QPSK	Outer_Full	22.41	22.74
n78H	80	30	3750	DFT	16QAM	Inner_Full	22.49	22.82
n78H	80	30	3750	DFT	16QAM	Edge_1RB_Left	20.43	20.76
n78H	80	30	3750	DFT	16QAM	Edge_1RB_Right	21.83	22.16
n78H	80	30	3750	DFT	16QAM	Outer_Full	21.39	21.72
n78H	80	30	3750	DFT	64QAM	Inner_Full	20.96	21.29
n78H	80	30	3750	DFT	64QAM	Edge_1RB_Left	19.79	20.12
n78H	80	30	3750	DFT	64QAM	Edge_1RB_Right	21.09	21.42
n78H	80	30	3750	DFT	64QAM	Outer_Full	20.90	21.23
n78H	80	30	3750	DFT	256QAM	Inner_Full	18.85	19.18
n78H	80	30	3750	DFT	256QAM	Edge_1RB_Left	17.82	18.15
n78H	80	30	3750	DFT	256QAM	Edge_1RB_Right	19.12	19.45
n78H	80	30	3750	DFT	256QAM	Outer_Full	18.78	19.11
n78H	80	30	3750	CP	QPSK	Inner_Full	21.93	22.26
n78H	80	30	3750	CP	QPSK	Edge_1RB_Left	19.24	19.57
n78H	80	30	3750	CP	QPSK	Edge_1RB_Right	20.57	20.90
n78H	80	30	3750	CP	QPSK	Outer_Full	20.37	20.70
n78H	80	30	3750	CP	16QAM	Inner_Full	21.42	21.75

n78H	80	30	3750	CP	16QAM	Edge_1RB_Left	19.37	19.70
n78H	80	30	3750	CP	16QAM	Edge_1RB_Right	20.76	21.09
n78H	80	30	3750	CP	16QAM	Outer_Full	20.37	20.70
n78H	80	30	3750	CP	64QAM	Inner_Full	19.90	20.23
n78H	80	30	3750	CP	64QAM	Edge_1RB_Left	19.18	19.51
n78H	80	30	3750	CP	64QAM	Edge_1RB_Right	20.50	20.83
n78H	80	30	3750	CP	64QAM	Outer_Full	19.87	20.20
n78H	80	30	3750	CP	256QAM	Inner_Full	17.06	17.39
n78H	80	30	3750	CP	256QAM	Edge_1RB_Left	15.97	16.30
n78H	80	30	3750	CP	256QAM	Edge_1RB_Right	17.35	17.68
n78H	80	30	3750	CP	256QAM	Outer_Full	17.03	17.36
n78H	80	30	3759.99	DFT	pi/2 BPSK	Inner_Full	23.66	23.99
n78H	80	30	3759.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.83	22.16
n78H	80	30	3759.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.38	23.71
n78H	80	30	3759.99	DFT	pi/2 BPSK	Outer_Full	23.02	23.35
n78H	80	30	3759.99	DFT	QPSK	Inner_Full	23.64	23.97
n78H	80	30	3759.99	DFT	QPSK	Edge_1RB_Left	21.38	21.71
n78H	80	30	3759.99	DFT	QPSK	Edge_1RB_Right	22.81	23.14
n78H	80	30	3759.99	DFT	QPSK	Outer_Full	22.51	22.84
n78H	80	30	3759.99	DFT	16QAM	Inner_Full	22.63	22.96
n78H	80	30	3759.99	DFT	16QAM	Edge_1RB_Left	20.09	20.42
n78H	80	30	3759.99	DFT	16QAM	Edge_1RB_Right	21.58	21.91
n78H	80	30	3759.99	DFT	16QAM	Outer_Full	21.48	21.81
n78H	80	30	3759.99	DFT	64QAM	Inner_Full	21.11	21.44
n78H	80	30	3759.99	DFT	64QAM	Edge_1RB_Left	19.78	20.11
n78H	80	30	3759.99	DFT	64QAM	Edge_1RB_Right	21.13	21.46
n78H	80	30	3759.99	DFT	64QAM	Outer_Full	20.99	21.32
n78H	80	30	3759.99	DFT	256QAM	Inner_Full	19.06	19.39
n78H	80	30	3759.99	DFT	256QAM	Edge_1RB_Left	17.60	17.93
n78H	80	30	3759.99	DFT	256QAM	Edge_1RB_Right	19.09	19.42
n78H	80	30	3759.99	DFT	256QAM	Outer_Full	18.93	19.26
n78H	80	30	3759.99	CP	QPSK	Inner_Full	22.04	22.37
n78H	80	30	3759.99	CP	QPSK	Edge_1RB_Left	19.25	19.58
n78H	80	30	3759.99	CP	QPSK	Edge_1RB_Right	20.74	21.07
n78H	80	30	3759.99	CP	QPSK	Outer_Full	20.47	20.80
n78H	80	30	3759.99	CP	16QAM	Inner_Full	21.59	21.92
n78H	80	30	3759.99	CP	16QAM	Edge_1RB_Left	19.34	19.67
n78H	80	30	3759.99	CP	16QAM	Edge_1RB_Right	20.95	21.28
n78H	80	30	3759.99	CP	16QAM	Outer_Full	20.43	20.76
n78H	80	30	3759.99	CP	64QAM	Inner_Full	20.05	20.38
n78H	80	30	3759.99	CP	64QAM	Edge_1RB_Left	19.19	19.52

n78H	80	30	3759.99	CP	64QAM	Edge_1RB_Right	20.66	20.99
n78H	80	30	3759.99	CP	64QAM	Outer_Full	19.97	20.30
n78H	80	30	3759.99	CP	256QAM	Inner_Full	17.21	17.54
n78H	80	30	3759.99	CP	256QAM	Edge_1RB_Left	15.98	16.31
n78H	80	30	3759.99	CP	256QAM	Edge_1RB_Right	17.18	17.51
n78H	80	30	3759.99	CP	256QAM	Outer_Full	17.12	17.45
n78H	90	30	3745.02	DFT	pi/2 BPSK	Inner_Full	23.40	23.73
n78H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.65	21.98
n78H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.08	23.41
n78H	90	30	3745.02	DFT	pi/2 BPSK	Outer_Full	22.82	23.15
n78H	90	30	3745.02	DFT	QPSK	Inner_Full	23.42	23.75
n78H	90	30	3745.02	DFT	QPSK	Edge_1RB_Left	21.24	21.57
n78H	90	30	3745.02	DFT	QPSK	Edge_1RB_Right	22.58	22.91
n78H	90	30	3745.02	DFT	QPSK	Outer_Full	22.35	22.68
n78H	90	30	3745.02	DFT	16QAM	Inner_Full	22.45	22.78
n78H	90	30	3745.02	DFT	16QAM	Edge_1RB_Left	20.20	20.53
n78H	90	30	3745.02	DFT	16QAM	Edge_1RB_Right	21.65	21.98
n78H	90	30	3745.02	DFT	16QAM	Outer_Full	21.31	21.64
n78H	90	30	3745.02	DFT	64QAM	Inner_Full	20.86	21.19
n78H	90	30	3745.02	DFT	64QAM	Edge_1RB_Left	19.51	19.84
n78H	90	30	3745.02	DFT	64QAM	Edge_1RB_Right	20.81	21.14
n78H	90	30	3745.02	DFT	64QAM	Outer_Full	20.78	21.11
n78H	90	30	3745.02	DFT	256QAM	Inner_Full	18.78	19.11
n78H	90	30	3745.02	DFT	256QAM	Edge_1RB_Left	17.68	18.01
n78H	90	30	3745.02	DFT	256QAM	Edge_1RB_Right	19.04	19.37
n78H	90	30	3745.02	DFT	256QAM	Outer_Full	18.72	19.05
n78H	90	30	3745.02	CP	QPSK	Inner_Full	21.81	22.14
n78H	90	30	3745.02	CP	QPSK	Edge_1RB_Left	19.23	19.56
n78H	90	30	3745.02	CP	QPSK	Edge_1RB_Right	20.49	20.82
n78H	90	30	3745.02	CP	QPSK	Outer_Full	20.29	20.62
n78H	90	30	3745.02	CP	16QAM	Inner_Full	21.36	21.69
n78H	90	30	3745.02	CP	16QAM	Edge_1RB_Left	19.26	19.59
n78H	90	30	3745.02	CP	16QAM	Edge_1RB_Right	20.67	21.00
n78H	90	30	3745.02	CP	16QAM	Outer_Full	20.26	20.59
n78H	90	30	3745.02	CP	64QAM	Inner_Full	19.79	20.12
n78H	90	30	3745.02	CP	64QAM	Edge_1RB_Left	18.96	19.29
n78H	90	30	3745.02	CP	64QAM	Edge_1RB_Right	20.34	20.67
n78H	90	30	3745.02	CP	64QAM	Outer_Full	19.73	20.06
n78H	90	30	3745.02	CP	256QAM	Inner_Full	17.01	17.34
n78H	90	30	3745.02	CP	256QAM	Edge_1RB_Left	16.08	16.41
n78H	90	30	3745.02	CP	256QAM	Edge_1RB_Right	17.39	17.72

n78H	90	30	3745.02	CP	256QAM	Outer_Full	16.97	17.30
n78H	90	30	3750	DFT	pi/2 BPSK	Inner_Full	23.46	23.79
n78H	90	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.64	21.97
n78H	90	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	23.17	23.50
n78H	90	30	3750	DFT	pi/2 BPSK	Outer_Full	22.88	23.21
n78H	90	30	3750	DFT	QPSK	Inner_Full	23.50	23.83
n78H	90	30	3750	DFT	QPSK	Edge_1RB_Left	21.19	21.52
n78H	90	30	3750	DFT	QPSK	Edge_1RB_Right	22.68	23.01
n78H	90	30	3750	DFT	QPSK	Outer_Full	22.40	22.73
n78H	90	30	3750	DFT	16QAM	Inner_Full	22.50	22.83
n78H	90	30	3750	DFT	16QAM	Edge_1RB_Left	20.11	20.44
n78H	90	30	3750	DFT	16QAM	Edge_1RB_Right	21.65	21.98
n78H	90	30	3750	DFT	16QAM	Outer_Full	21.40	21.73
n78H	90	30	3750	DFT	64QAM	Inner_Full	20.95	21.28
n78H	90	30	3750	DFT	64QAM	Edge_1RB_Left	19.58	19.91
n78H	90	30	3750	DFT	64QAM	Edge_1RB_Right	20.93	21.26
n78H	90	30	3750	DFT	64QAM	Outer_Full	20.84	21.17
n78H	90	30	3750	DFT	256QAM	Inner_Full	18.85	19.18
n78H	90	30	3750	DFT	256QAM	Edge_1RB_Left	17.43	17.76
n78H	90	30	3750	DFT	256QAM	Edge_1RB_Right	19.35	19.68
n78H	90	30	3750	DFT	256QAM	Outer_Full	18.75	19.08
n78H	90	30	3750	CP	QPSK	Inner_Full	21.92	22.25
n78H	90	30	3750	CP	QPSK	Edge_1RB_Left	19.07	19.40
n78H	90	30	3750	CP	QPSK	Edge_1RB_Right	20.59	20.92
n78H	90	30	3750	CP	QPSK	Outer_Full	20.34	20.67
n78H	90	30	3750	CP	16QAM	Inner_Full	21.45	21.78
n78H	90	30	3750	CP	16QAM	Edge_1RB_Left	18.90	19.23
n78H	90	30	3750	CP	16QAM	Edge_1RB_Right	20.59	20.92
n78H	90	30	3750	CP	16QAM	Outer_Full	20.36	20.69
n78H	90	30	3750	CP	64QAM	Inner_Full	19.81	20.14
n78H	90	30	3750	CP	64QAM	Edge_1RB_Left	18.73	19.06
n78H	90	30	3750	CP	64QAM	Edge_1RB_Right	20.23	20.56
n78H	90	30	3750	CP	64QAM	Outer_Full	19.82	20.15
n78H	90	30	3750	CP	256QAM	Inner_Full	17.05	17.38
n78H	90	30	3750	CP	256QAM	Edge_1RB_Left	16.06	16.39
n78H	90	30	3750	CP	256QAM	Edge_1RB_Right	17.51	17.84
n78H	90	30	3750	CP	256QAM	Outer_Full	17.02	17.35
n78H	90	30	3754.98	DFT	pi/2 BPSK	Inner_Full	23.48	23.81
n78H	90	30	3754.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.63	21.96
n78H	90	30	3754.98	DFT	pi/2 BPSK	Edge_1RB_Right	23.20	23.53
n78H	90	30	3754.98	DFT	pi/2 BPSK	Outer_Full	22.89	23.22

n78H	90	30	3754.98	DFT	QPSK	Inner_Full	23.53	23.86
n78H	90	30	3754.98	DFT	QPSK	Edge_1RB_Left	21.18	21.51
n78H	90	30	3754.98	DFT	QPSK	Edge_1RB_Right	22.70	23.03
n78H	90	30	3754.98	DFT	QPSK	Outer_Full	22.42	22.75
n78H	90	30	3754.98	DFT	16QAM	Inner_Full	22.53	22.86
n78H	90	30	3754.98	DFT	16QAM	Edge_1RB_Left	20.08	20.41
n78H	90	30	3754.98	DFT	16QAM	Edge_1RB_Right	21.58	21.91
n78H	90	30	3754.98	DFT	16QAM	Outer_Full	21.37	21.70
n78H	90	30	3754.98	DFT	64QAM	Inner_Full	20.97	21.30
n78H	90	30	3754.98	DFT	64QAM	Edge_1RB_Left	19.53	19.86
n78H	90	30	3754.98	DFT	64QAM	Edge_1RB_Right	20.96	21.29
n78H	90	30	3754.98	DFT	64QAM	Outer_Full	20.84	21.17
n78H	90	30	3754.98	DFT	256QAM	Inner_Full	18.84	19.17
n78H	90	30	3754.98	DFT	256QAM	Edge_1RB_Left	17.66	17.99
n78H	90	30	3754.98	DFT	256QAM	Edge_1RB_Right	18.90	19.23
n78H	90	30	3754.98	DFT	256QAM	Outer_Full	18.75	19.08
n78H	90	30	3754.98	CP	QPSK	Inner_Full	21.92	22.25
n78H	90	30	3754.98	CP	QPSK	Edge_1RB_Left	19.07	19.40
n78H	90	30	3754.98	CP	QPSK	Edge_1RB_Right	20.61	20.94
n78H	90	30	3754.98	CP	QPSK	Outer_Full	20.38	20.71
n78H	90	30	3754.98	CP	16QAM	Inner_Full	21.44	21.77
n78H	90	30	3754.98	CP	16QAM	Edge_1RB_Left	19.10	19.43
n78H	90	30	3754.98	CP	16QAM	Edge_1RB_Right	20.74	21.07
n78H	90	30	3754.98	CP	16QAM	Outer_Full	20.34	20.67
n78H	90	30	3754.98	CP	64QAM	Inner_Full	19.90	20.23
n78H	90	30	3754.98	CP	64QAM	Edge_1RB_Left	18.87	19.20
n78H	90	30	3754.98	CP	64QAM	Edge_1RB_Right	20.49	20.82
n78H	90	30	3754.98	CP	64QAM	Outer_Full	19.87	20.20
n78H	90	30	3754.98	CP	256QAM	Inner_Full	17.11	17.44
n78H	90	30	3754.98	CP	256QAM	Edge_1RB_Left	15.99	16.32
n78H	90	30	3754.98	CP	256QAM	Edge_1RB_Right	16.85	17.18
n78H	90	30	3754.98	CP	256QAM	Outer_Full	17.02	17.35
n78H	100	30	3750	DFT	pi/2 BPSK	Inner_Full	23.45	23.78
n78H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.48	21.81
n78H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	23.08	23.41
n78H	100	30	3750	DFT	pi/2 BPSK	Outer_Full	22.83	23.16
n78H	100	30	3750	DFT	QPSK	Inner_Full	23.49	23.82
n78H	100	30	3750	DFT	QPSK	Edge_1RB_Left	21.03	21.36
n78H	100	30	3750	DFT	QPSK	Edge_1RB_Right	22.58	22.91
n78H	100	30	3750	DFT	QPSK	Outer_Full	22.34	22.67
n78H	100	30	3750	DFT	16QAM	Inner_Full	22.46	22.79

n78H	100	30	3750	DFT	16QAM	Edge_1RB_Left	20.00	20.33
n78H	100	30	3750	DFT	16QAM	Edge_1RB_Right	21.61	21.94
n78H	100	30	3750	DFT	16QAM	Outer_Full	21.27	21.60
n78H	100	30	3750	DFT	64QAM	Inner_Full	20.89	21.22
n78H	100	30	3750	DFT	64QAM	Edge_1RB_Left	19.34	19.67
n78H	100	30	3750	DFT	64QAM	Edge_1RB_Right	20.92	21.25
n78H	100	30	3750	DFT	64QAM	Outer_Full	20.77	21.10
n78H	100	30	3750	DFT	256QAM	Inner_Full	18.84	19.17
n78H	100	30	3750	DFT	256QAM	Edge_1RB_Left	17.42	17.75
n78H	100	30	3750	DFT	256QAM	Edge_1RB_Right	19.01	19.34
n78H	100	30	3750	DFT	256QAM	Outer_Full	18.72	19.05
n78H	100	30	3750	CP	QPSK	Inner_Full	21.96	22.29
n78H	100	30	3750	CP	QPSK	Edge_1RB_Left	18.94	19.27
n78H	100	30	3750	CP	QPSK	Edge_1RB_Right	20.55	20.88
n78H	100	30	3750	CP	QPSK	Outer_Full	20.28	20.61
n78H	100	30	3750	CP	16QAM	Inner_Full	21.40	21.73
n78H	100	30	3750	CP	16QAM	Edge_1RB_Left	18.99	19.32
n78H	100	30	3750	CP	16QAM	Edge_1RB_Right	20.66	20.99
n78H	100	30	3750	CP	16QAM	Outer_Full	20.27	20.60
n78H	100	30	3750	CP	64QAM	Inner_Full	19.85	20.18
n78H	100	30	3750	CP	64QAM	Edge_1RB_Left	18.76	19.09
n78H	100	30	3750	CP	64QAM	Edge_1RB_Right	20.28	20.61
n78H	100	30	3750	CP	64QAM	Outer_Full	19.78	20.11
n78H	100	30	3750	CP	256QAM	Inner_Full	17.06	17.39
n78H	100	30	3750	CP	256QAM	Edge_1RB_Left	15.99	16.32
n78H	100	30	3750	CP	256QAM	Edge_1RB_Right	17.14	17.47
n78H	100	30	3750	CP	256QAM	Outer_Full	17.00	17.33

Maximum EIRP = 24.35dBm.

## **A.2 Emission Limit**


### **A.2.1 Measurement Method**

The measurements procedures in TIA-603E-2016 are used. This measurement is carried out in fully anechoic chamber.


The spectrum was scanned from 30 MHz to the 10th harmonic of the highest frequency generated within the equipment, which is the transmitted carrier. The resolution bandwidth is set 1MHz. The spectrum was scanned with the mobile station transmitting at carrier frequencies that pertain to low, mid and high channels of each NR Band.

#### **The procedure of radiated spurious emissions is as follows:**

1. EUT was placed on a 1.5-meter-high non-conductive stand at a 3-meter test distance from the receive antenna. A receiving antenna was placed on the antenna mast 3 meters from the EUT for emission measurements. The height of receiving antenna is 1.5m. The test setup refers to figure below. Detected emissions were maximized at each frequency by rotating the EUT through 360 and adjusting the receiving antenna polarization. The radiated emission measurements of all non-harmonic and harmonics of the transmit frequency through the 10th harmonic were measured with peak detector.



2. The EUT is then put into continuously transmitting mode at its maximum power level during the test. And the maximum value of the receiver should be recorded as ( $P_r$ ).
3. The EUT shall be replaced by a substitution antenna. The test setup refers to figure below.



In the chamber, a substitution antenna for the frequency band of interest is placed at the reference point of the chamber. An RF Signal source for the frequency band of interest is connected to the substitution antenna with a cable that has been constructed to not interfere with the radiation pattern of the antenna. A power ( $P_{Mea}$ ) is applied to the input of the

substitution antenna. Adjust the level of the signal generator output until the value of the receiver reaches the previously recorded ( $P_r$ ). The power of signal source ( $P_{Mea}$ ) is recorded. The test should be performed by rotating the test item and adjusting the receiving antenna polarization.

4. The Path loss ( $P_{pl}$ ) between the Signal Source with the Substitution Antenna and the Substitution Antenna Gain ( $G_a$ ) should be recorded after test.

An amplifier should be connected in for the test.

The Path loss ( $P_{pl}$ ) is the summation of the cable loss and the gain of the amplifier.

The measurement results are obtained as described below:

$$\text{Power (EIRP)} = P_{Mea} - P_{pl} + G_a$$

5. This value is EIRP since the measurement is calibrated using an antenna of known gain (unit: dBi) and known input power.
6. ERP can be calculated from EIRP by subtracting the gain of the dipole,  $ERP = EIRP - 2.15\text{dB}$ .

### A.2.2 Measurement Limit

NR n2/25: Part 24.238 specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power ( $P$ ) by a factor of at least  $43 + 10 \log(P)$  dB.

NR n5: Part 22.917 specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power ( $P$ ) by a factor of at least  $43 + 10 \log(P)$  dB.

NR n12/71: Part 27.53(g) states for operations in the 600 MHz band and the 698–746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power ( $P$ ) within the licensed band(s) of operation, measured in watts, by at least  $43 + 10 \log(P)$  dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

NR n7/38/41: Part 27.53(m) specifies for mobile digital stations, the attenuation factor shall be not less than  $40 + 10 \log(P)$  dB on all frequencies between the channel edge and 5 megahertz from the channel edge,  $43 + 10 \log(P)$  dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and  $55 + 10 \log(P)$  dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than  $43 + 10 \log(P)$  dB on all frequencies between 2490.5 MHz and 2496 MHz and  $55 + 10 \log(P)$  dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

NR n4/66: Part 27.53(h) specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power ( $P$ ) by a factor of at least  $43 + 10 \log(P)$  dB.



### A.2.3 Measurement Results

Radiated emissions measurements were made only at the upper, middle, and lower carrier frequencies of each NR Band. It was decided that measurements at these three carrier frequencies would be sufficient to demonstrate compliance with emissions limits because it was seen that all the significant spurs occur well outside the band and no radiation was seen from a carrier in one block of each NR Band into any of the other blocks. The equipment must still, however, meet emissions requirements with the carrier at all frequencies over which it is capable of operating and it is the manufacturer's responsibility to verify this. The range of evaluated frequency is from 30MHz to 26GHz.

#### Reference measurement results from initial model T609DL n25, 5MHz, DFT-OFDM, Pi/2 BPSK

Channel:	Frequency (MHz)	Ppm(dBm)	Path loss	Ga Antenna Gain(dBi)	EIRP(dBm)	limit	Polarization
370500	2780.4	-61.08	1.00	10.70	-51.38	-13.00	H
	4086	-61.10	1.30	12.40	-50.00	-13.00	H
	6378.8	-55.80	1.60	13.10	-44.30	-13.00	H
	7985.6	-65.51	1.90	11.30	-56.11	-13.00	V
	11692.6	-58.96	2.60	11.00	-50.56	-13.00	V
	14912.3	-55.83	2.70	11.20	-47.33	-13.00	H
376500	3054.4	-61.50	1.10	11.50	-51.10	-13.00	H
	4520.4	-59.70	1.20	12.50	-48.40	-13.00	H
	6371.6	-55.93	1.60	13.10	-44.43	-13.00	H
	8136.3	-65.75	1.80	11.30	-56.25	-13.00	V
	11687.1	-58.94	2.60	11.00	-50.54	-13.00	V
	14819.9	-55.62	2.50	11.20	-46.92	-13.00	H
382500	2785.6	-61.08	1.00	10.70	-51.38	-13.00	V
	3570	-61.19	1.20	12.20	-50.19	-13.00	H
	6018.8	-57.03	1.50	13.10	-45.43	-13.00	H
	8058.2	-65.16	2.00	11.30	-55.86	-13.00	H
	11793.8	-58.63	2.60	11.00	-50.23	-13.00	V
	14828.7	-55.79	2.70	11.20	-47.29	-13.00	H

#### n41, 5MHz, DFT-OFDM, Pi/2 BPSK

Channel:	Frequency (MHz)	Ppm(dBm)	Path loss	Ga Antenna Gain(dBi)	EIRP(dBm)	limit	Polarization
500202	2642	-62.11	1.00	10.70	-52.41	-25.00	V
	3824	-73.36	1.20	12.20	-62.36	-25.00	H
	6082.8	-70.27	1.60	13.10	-58.77	-25.00	H
	9829.2	-62.16	2.30	11.20	-53.26	-25.00	V
	12799.2	-60.55	2.70	13.80	-49.45	-25.00	V
	14690.1	-55.05	2.50	11.20	-46.35	-25.00	V
518598	2675.2	-62.26	1.00	10.70	-52.56	-25.00	V

	3596.8	-74.57	1.10	12.20	-63.47	-25.00	H
	5169.6	-71.81	1.60	12.50	-60.91	-25.00	H
	8091.2	-65.38	1.80	11.30	-55.88	-25.00	H
	14647.2	-46.19	2.60	11.20	-37.59	-25.00	H
	17836.1	-53.81	3.60	12.80	-44.61	-25.00	H
537000	2605.2	-62.73	0.90	10.70	-52.93	-25.00	H
	4887.2	-72.26	1.40	12.50	-61.16	-25.00	V
	6007.6	-71.13	1.50	13.10	-59.53	-25.00	V
	9840.2	-62.33	2.30	11.20	-53.43	-25.00	V
	14773.7	-55.91	2.50	11.20	-47.21	-25.00	V
	17830.6	-54.15	3.60	12.80	-44.95	-25.00	H

**N66, 5MHz, DFT-OFDM, Pi/2 BPSK**

Channel:	Frequency (MHz)	Ppm(dBm)	Path loss	Ga Antenna Gain(dBi)	EIRP(dBm)	limit	Polarization
342500	2819.6	-60.90	1.00	10.70	-51.20	-13.00	H
	3547.2	-74.02	1.20	12.20	-63.02	-13.00	H
	5122	-72.47	1.30	12.50	-61.27	-13.00	H
	7812.9	-65.90	1.80	11.30	-56.40	-13.00	H
	12313	-60.00	2.60	12.60	-50.00	-13.00	V
	14812.2	-56.46	2.50	11.20	-47.76	-13.00	H
349000	2763.6	-61.24	1.00	10.70	-51.54	-13.00	V
	3548	-73.92	1.20	12.20	-62.92	-13.00	V
	6090.4	-70.34	1.60	13.10	-58.84	-13.00	H
	8141.8	-65.12	1.80	11.30	-55.62	-13.00	V
	12809.1	-60.40	2.70	13.80	-49.30	-13.00	V
	14835.3	-55.31	2.70	11.20	-46.81	-13.00	H
355500	2785.6	-61.35	1.00	10.70	-51.65	-13.00	H
	3807.6	-73.70	1.20	12.20	-62.70	-13.00	V
	5000.4	-71.17	1.30	12.50	-59.97	-13.00	H
	7276.1	-66.47	1.90	12.00	-56.37	-13.00	V
	12833.3	-60.50	2.70	13.80	-49.40	-13.00	V
	14753.9	-55.86	2.50	11.20	-47.16	-13.00	V

**n71, 5MHz, DFT-OFDM, Pi/2 BPSK**

Channel:	Frequency (MHz)	Ppm(dBm)	Path loss	Ga Antenna Gain(dBi)	EIRP(dBm)	limit	Polarization
133100	1400	-62.54	0.70	6.00	-59.39	-13.00	V
	1911.6	-64.02	0.80	8.10	-58.87	-13.00	V
	2788.4	-61.27	1.00	10.70	-53.72	-13.00	V
	3326	-73.61	1.10	11.50	-65.36	-13.00	H
	4881.2	-72.21	1.40	12.50	-63.26	-13.00	H
	6080.4	-71.22	1.60	13.10	-61.87	-13.00	H

136100	1407.2	-62.56	0.70	6.00	-59.41	-13.00	V
	2007.6	-64.82	0.80	9.80	-57.97	-13.00	H
	2782.8	-61.09	1.00	10.70	-53.54	-13.00	V
	3369.6	-73.52	1.10	11.50	-65.27	-13.00	V
	4538.8	-71.84	1.30	12.50	-62.79	-13.00	H
	5674	-71.07	1.30	13.10	-61.42	-13.00	H
139100	1404.8	-62.50	0.70	6.00	-59.35	-13.00	V
	2006.8	-64.77	0.80	9.80	-57.92	-13.00	H
	2787.2	-61.05	1.00	10.70	-53.50	-13.00	V
	3578.8	-74.51	1.10	12.20	-65.56	-13.00	H
	4532.4	-73.19	1.20	12.50	-64.04	-13.00	V
	5542.8	-71.95	1.40	13.10	-62.40	-13.00	H

**DC\_5A\_n2A, 5MHz, DFT-OFDM, Pi/2 BPSK**

Channel:	Frequency (MHz)	Ppm(dBm)	Path loss	Ga Antenna Gain(dBi)	EIRP(dBm)	limit	Polarization
500500	1042.4	-45.90	0.60	6.00	-40.50	-13.00	V
	1666.4	-41.21	0.80	8.10	-33.91	-13.00	V
	2499.6	-57.11	0.90	9.80	-48.21	-13.00	V
	2709.2	-45.83	1.00	10.70	-36.13	-13.00	V
	7255.2	-65.96	1.90	12.00	-55.86	-13.00	H
	14763.8	-55.96	2.50	11.20	-47.26	-13.00	H

**DC\_66A\_n5A, 5MHz, DFT-OFDM, Pi/2 BPSK**

Channel:	Frequency (MHz)	Ppm(dBm)	Path loss	Ga Antenna Gain(dBi)	EIRP(dBm)	limit	Polarization
167300	2508.8	-60.25	0.90	10.70	-50.45	-13.00	V
	2964.4	-61.87	1.00	10.70	-52.17	-13.00	H
	3397.6	-75.46	1.10	11.50	-65.06	-13.00	H
	4481.6	-74.67	1.20	12.40	-63.47	-13.00	H
	5636.8	-74.04	1.30	13.10	-62.24	-13.00	H
	7302.4	-67.87	1.90	12.00	-57.77	-13.00	H

**DC\_12A\_n25A, 5MHz, DFT-OFDM, Pi/2 BPSK**

Channel:	Frequency (MHz)	Ppm(dBm)	Path loss	Ga Antenna Gain(dBi)	EIRP(dBm)	limit	Polarization
372000	2587.2	-58.82	1.00	10.70	-49.12	-13.00	H
	2948.8	-61.54	1.00	10.70	-51.84	-13.00	H
	3203.6	-72.85	1.10	11.50	-62.45	-13.00	H
	4531.6	-72.84	1.20	12.50	-61.54	-13.00	H
	7295.9	-66.18	1.90	12.00	-56.08	-13.00	H
	14806.7	-55.88	2.50	11.20	-47.18	-13.00	V

**DC\_66A\_n30A, 5MHz, DFT-OFDM, Pi/2 BPSK**

Channel:	Frequency (MHz)	Ppm(dBm)	Path loss	Ga Antenna Gain(dBi)	EIRP(dBm)	limit	Polarization
462000	2785.6	-61.31	1.00	10.70	-51.61	-40.00	H
	3405.2	-73.39	1.20	11.50	-63.09	-40.00	H
	4932.4	-71.78	1.30	12.50	-60.58	-40.00	H
	7278.3	-66.73	1.90	12.00	-56.63	-40.00	H
	12788.2	-60.51	2.70	13.80	-49.41	-40.00	H
	14811.1	-55.88	2.50	11.20	-47.18	-40.00	V

**Measurement results from variant model**
**DC 7A\_n5, QPSK , CH165300**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1653.01	-54.60	3.57	5.22	-55.10	-13.00	42.10	H
2491.00	-47.06	4.61	6.07	-47.75	-13.00	34.75	H
3317.59	-61.54	5.29	7.76	-61.22	-13.00	48.22	V
4137.29	-56.71	6.06	9.04	-55.88	-13.00	42.88	V
4948.62	-56.65	6.69	9.85	-55.64	-13.00	42.64	V
5775.98	-56.69	7.23	10.54	-55.53	-13.00	42.53	H

**DC 7A\_n5, QPSK , CH167300**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1658.01	-54.75	3.57	5.22	-55.25	-13.00	42.25	H
2520.50	-46.47	4.65	6.14	-47.13	-13.00	34.13	H
3354.50	-60.08	5.32	7.85	-59.70	-13.00	46.70	V
4182.55	-56.48	6.17	9.08	-55.72	-13.00	42.72	H
5019.66	-56.89	6.57	9.93	-55.68	-13.00	42.68	V
5853.98	-56.12	7.25	10.53	-54.99	-13.00	41.99	V

**DC 7A\_n5, QPSK , CH169300**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1684.51	-54.83	3.59	5.17	-55.40	-13.00	42.40	H
3400.47	-61.16	5.36	7.96	-60.71	-13.00	47.71	V
4227.82	-57.03	6.26	9.13	-56.31	-13.00	43.31	H
5092.09	-56.41	6.75	10.03	-55.28	-13.00	42.28	V
5922.92	-56.28	7.47	10.52	-55.38	-13.00	42.38	V
6772.57	-52.17	7.93	11.33	-50.92	-13.00	37.92	V

**DC 7A\_n2, QPSK , CH370500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3718.01	-60.59	6.39	8.51	-58.47	-13.00	45.47	V
5553.01	-57.91	7.18	10.59	-54.50	-13.00	41.50	H
7407.01	-53.47	8.14	12.09	-49.52	-13.00	36.52	V
9241.01	-51.91	9.02	13.24	-47.69	-13.00	34.69	V
11105.00	-49.52	9.81	13.18	-46.15	-13.00	33.15	V
12977.00	-46.75	10.48	13.49	-43.74	-13.00	30.74	H

**DC 7A\_n2, QPSK , CH376000**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3752.01	-59.12	6.29	8.55	-56.86	-13.00	43.86	V
5624.01	-57.14	7.26	10.58	-53.82	-13.00	40.82	V
7509.01	-53.48	8.36	12.21	-49.63	-13.00	36.63	V
9372.01	-52.82	9.07	13.32	-48.57	-13.00	35.57	H
11256.00	-49.05	9.73	13.15	-45.63	-13.00	32.63	V
13167.00	-44.19	10.64	13.73	-41.10	-13.00	28.10	V

**DC 7A\_n2, QPSK , CH381500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3792.01	-60.95	6.16	8.61	-58.50	-13.00	45.50	V
5697.01	-58.05	7.29	10.56	-54.78	-13.00	41.78	V
7605.01	-54.24	8.00	12.28	-49.96	-13.00	36.96	V
9522.01	-53.22	9.46	13.38	-49.30	-13.00	36.30	H
11445.00	-48.81	9.95	13.11	-45.65	-13.00	32.65	V
13337.00	-44.05	10.58	13.97	-40.66	-13.00	27.66	V

**DC 25A\_n66, QPSK , CH342500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3425.01	-70.01	5.38	8.02	-67.37	-13.00	54.37	V
5153.01	-69.42	6.89	10.11	-66.20	-13.00	53.20	H
6853.01	-63.92	7.82	11.42	-60.32	-13.00	47.32	V
8573.01	-63.79	8.54	13.01	-59.32	-13.00	46.32	V
10284.01	-61.20	9.59	13.01	-57.78	-13.00	44.78	V
11999.00	-57.79	10.06	13.00	-54.85	-13.00	41.85	V

**DC 25A\_n66, QPSK , CH347500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3465.01	-71.74	5.46	8.12	-69.08	-13.00	56.08	H
5203.01	-69.59	6.96	10.18	-66.37	-13.00	53.37	H
6969.01	-64.81	8.06	11.56	-61.31	-13.00	48.31	V
8673.01	-64.42	8.40	13.03	-59.79	-13.00	46.79	V
10441.01	-60.39	9.74	13.08	-57.05	-13.00	44.05	V
12170.00	-58.40	10.15	13.07	-55.48	-13.00	42.48	V

**DC 25A\_n66, QPSK , CH352500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3544.01	-70.38	5.76	8.26	-67.88	-13.00	54.88	V
5304.01	-70.11	6.99	10.33	-66.77	-13.00	53.77	V
7036.01	-64.28	8.25	11.64	-60.89	-13.00	47.89	V
8800.01	-63.57	8.66	13.06	-59.17	-13.00	46.17	V
10594.00	-61.54	9.30	13.12	-57.72	-13.00	44.72	V
12327.00	-58.25	10.12	13.13	-55.24	-13.00	42.24	V

**DC 4A\_n41, QPSK , CH500202**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
5027.01	-59.32	6.57	9.94	-55.95	-25.00	30.95	V
7474.01	-52.24	8.32	12.17	-48.39	-25.00	23.39	V
10023.01	-52.61	9.25	12.91	-48.95	-25.00	23.95	V
12532.00	-47.90	10.27	13.22	-44.95	-25.00	19.95	V
15000.00	-43.48	11.22	14.00	-40.70	-25.00	15.70	H
17532.00	-39.19	12.85	14.94	-37.10	-25.00	12.10	H

**DC 4A\_n41, QPSK , CH518598**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
5201.01	-35.49	6.96	10.18	-32.27	-25.00	7.27	V
7775.01	-54.54	8.32	12.42	-50.44	-25.00	25.44	V
10369.01	-49.75	9.75	13.05	-46.45	-25.00	21.45	V
12967.00	-46.66	10.48	13.48	-43.66	-25.00	18.66	V
15532.00	-42.86	11.52	13.70	-40.68	-25.00	15.68	H
16879.00	-39.44	12.02	13.75	-37.71	-25.00	12.71	H

**DC 4A\_n41, QPSK , CH537000**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
5354.01	-59.95	6.93	10.40	-56.48	-25.00	31.48	V
8031.01	-54.28	8.32	12.62	-49.98	-25.00	24.98	V
10724.00	-50.00	9.36	13.14	-46.22	-25.00	21.22	V
13434.00	-43.48	10.59	14.11	-39.96	-25.00	14.96	H
16126.00	-41.88	11.82	13.67	-40.03	-25.00	15.03	H
17431.00	-37.47	12.57	14.75	-35.29	-25.00	10.29	H

**SA n5, QPSK , CH165300**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1645.26	-54.97	3.56	5.24	-55.44	-13.00	42.44	H
2479.50	-32.44	4.60	6.04	-33.15	-13.00	20.15	V
3306.11	-62.35	5.29	7.73	-62.06	-13.00	49.06	V
4130.17	-57.87	6.05	9.03	-57.04	-13.00	44.04	V
4946.27	-57.66	6.70	9.85	-56.66	-13.00	43.66	V
5796.11	-57.17	7.20	10.54	-55.98	-13.00	42.98	H

**SA n5, QPSK , CH167300**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1672.76	-55.30	3.58	5.19	-55.84	-13.00	42.84	H
2509.75	-25.77	4.63	6.12	-26.43	-13.00	13.43	V
3345.49	-58.53	5.31	7.83	-58.16	-13.00	45.16	V
4172.36	-57.72	6.14	9.07	-56.94	-13.00	43.94	V
5007.20	-58.36	6.59	9.91	-57.19	-13.00	44.19	H
5863.14	-57.36	7.28	10.53	-56.26	-13.00	43.26	V

**SA n5, QPSK , CH169300**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1692.01	-55.60	3.59	5.15	-56.19	-13.00	43.19	V
2539.25	-19.73	4.66	6.17	-20.37	-13.00	7.37	V
3386.27	-57.85	5.35	7.93	-57.42	-13.00	44.42	V
4233.77	-57.56	6.25	9.13	-56.83	-13.00	43.83	H
5068.61	-57.49	6.68	10.00	-56.32	-13.00	43.32	H
5919.39	-56.72	7.46	10.52	-55.81	-13.00	42.81	V



**SA n7, QPSK , CH500500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
4992.66	-60.06	6.62	9.89	-56.79	-25.00	31.79	V
7507.04	-52.50	8.36	12.21	-48.65	-25.00	23.65	H
10010.16	-52.83	9.21	12.90	-49.14	-25.00	24.14	H
12512.82	-46.88	10.21	13.21	-43.88	-25.00	18.88	H
15009.85	-43.52	11.23	13.99	-40.76	-25.00	15.76	H
17497.03	-40.04	12.72	14.89	-37.87	-25.00	12.87	H

**SA n7, QPSK , CH507000**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
5093.91	-58.91	6.76	10.03	-55.64	-25.00	30.64	V
7605.01	-51.03	8.00	12.28	-46.75	-25.00	21.75	V
10139.07	-53.65	9.40	12.96	-50.09	-25.00	25.09	H
12674.53	-46.64	10.34	13.30	-43.68	-25.00	18.68	V
15227.35	-44.82	11.37	13.86	-42.33	-25.00	17.33	V
17715.94	-41.06	12.27	15.20	-38.13	-25.00	13.13	V

**SA n7, QPSK , CH513500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
7752.66	-55.17	8.35	12.40	-51.12	-25.00	26.12	H
9080.16	-53.27	8.99	13.15	-49.11	-25.00	24.11	V
10376.72	-51.39	9.76	13.05	-48.10	-25.00	23.10	V
11640.47	-50.50	9.72	13.07	-47.15	-25.00	22.15	V
14286.56	-44.44	10.96	14.44	-40.96	-25.00	15.96	H
16875.00	-40.37	12.03	13.75	-38.65	-25.00	13.65	V

**SA n41, QPSK , CH500202**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
9103.01	-53.54	8.93	13.16	-49.31	-25.00	24.31	V
10381.01	-51.38	9.77	13.05	-48.10	-25.00	23.10	V
11681.00	-49.77	9.65	13.06	-46.36	-25.00	21.36	H
12953.00	-47.54	10.49	13.47	-44.56	-25.00	19.56	H
14239.00	-44.88	10.91	14.45	-41.34	-25.00	16.34	V
15530.00	-43.85	11.52	13.70	-41.67	-25.00	16.67	H

**SA n41, QPSK , CH518598**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
7786.01	-55.64	8.31	12.43	-51.52	-25.00	26.52	V
9083.01	-53.57	8.98	13.15	-49.40	-25.00	24.40	V
10366.01	-50.59	9.75	13.05	-47.29	-25.00	22.29	V
11661.00	-49.72	9.68	13.07	-46.33	-25.00	21.33	H
14254.00	-45.07	10.93	14.45	-41.55	-25.00	16.55	V
15581.00	-43.74	11.49	13.70	-41.53	-25.00	16.53	H

**SA n41, QPSK , CH537000**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
9074.01	-53.54	9.00	13.14	-49.40	-25.00	24.40	V
10365.01	-50.48	9.75	13.05	-47.18	-25.00	22.18	V
11685.00	-49.83	9.64	13.06	-46.41	-25.00	21.41	V
12950.00	-48.06	10.49	13.47	-45.08	-25.00	20.08	H
14243.00	-44.15	10.92	14.45	-40.62	-25.00	15.62	V
15564.00	-44.26	11.50	13.70	-42.06	-25.00	17.06	H

## Annex B: Accreditation Certificate

<p>United States Department of Commerce National Institute of Standards and Technology</p>  	
<hr/> <h3>Certificate of Accreditation to ISO/IEC 17025:2017</h3> <hr/>	
<p>NVLAP LAB CODE: 600118-0</p>	
<p><b>Telecommunication Technology Labs, CAICT</b> Beijing China</p>	
<p><i>is accredited by the National Voluntary Laboratory Accreditation Program for specific services, listed on the Scope of Accreditation, for:</i></p>	
<p><b>Electromagnetic Compatibility &amp; Telecommunications</b></p>	
<p><i>This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communique dated January 2009).</i></p>	
<hr/> <p>2020-09-29 through 2021-09-30 <i>Effective Dates</i></p>	 <hr/>  <i>For the National Voluntary Laboratory Accreditation Program</i>

\*\*\*END OF REPORT\*\*\*