



TEST REPORT

No. I21Z60711-WMD01

for

TCL Communication Ltd.

5G NR/LTE/WCDMA/GSM mobile phone

Model Name: T810S

FCC ID: 2ACCJN050

with

Hardware Version: 03

Software Version: v3.0.3CG3

Issued Date: 2021-05-31

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504

Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn



REPORT HISTORY

Report Number	Revision	Description	Issue Date
I21Z60711-WMD01	Rev.0	1 st edition	2021-05-31

Note: the latest revision of the test report supersedes all previous version.



CONTENTS

1. TEST LABORATORY	4
1.1. INTRODUCTION & ACCREDITATION.....	4
1.2. TESTING LOCATION	4
1.3. TESTING ENVIRONMENT	5
1.4. PROJECT DATA	5
1.5. SIGNATURE.....	5
2. CLIENT INFORMATION.....	6
2.1. APPLICANT INFORMATION.....	6
2.2. MANUFACTURER INFORMATION.....	6
3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE)	7
3.1. ABOUT EUT	7
3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST	7
3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST	7
4. REFERENCE DOCUMENTS.....	8
4.1. DOCUMENTS SUPPLIED BY APPLICANT	8
4.2. REFERENCE DOCUMENTS FOR TESTING	8
5. LABORATORY ENVIRONMENT.....	9
6. SUMMARY OF TEST RESULT	10
7. TEST EQUIPMENT UTILIZED	13
ANNEX A: MEASUREMENT RESULTS.....	14
A.1 OUTPUT POWER	14
A.2 EMISSION LIMIT	184
A.3 FREQUENCY STABILITY	192
A.4 OCCUPIED BANDWIDTH.....	197
A.5 EMISSION BANDWIDTH.....	229
A.6 BAND EDGE COMPLIANCE.....	261
A.7 CONDUCTED SPURIOUS EMISSION	290
A.8 PEAK-TO-AVERAGE POWER RATIO	295
ANNEX B: ACCREDITATION CERTIFICATE.....	296



1. Test Laboratory

1.1. Introduction & Accreditation

Telecommunication Technology Labs, CAICT is an ISO/IEC 17025:2005 accredited test laboratory under NATIONAL VOLUNTARY LABORATORY ACCREDITATION PROGRAM (NVLAP) with lab code 600118-0 and is also an FCC accredited test laboratory (CN5017), and ISED accredited test laboratory (CN0066). The detail accreditation scope can be found on NVLAP website.

1.2. Testing Location

Location 1: CTTL (huayuan North Road)

Address: No. 52, Huayuan North Road, Haidian District, Beijing,
P. R. China 100191

Location 2: CTTL (Shouxiang)

Address: No. 51 Shouxiang Science Building, Xueyuan Road,
Haidian District, Beijing, P. R. China 100191

1.3. Testing Environment

Normal Temperature: 15-35°C
Relative Humidity: 20-75%

1.4. Project Data

Testing Start Date: 2020-12-26
Testing End Date: 2021-05-19

1.5. Signature



Dong Yuan
(Prepared this test report)



Zhou Yu
(Reviewed this test report)



Zhao Hui Lin
Deputy Director of the laboratory
(Approved this test report)



2. Client Information

2.1. Applicant Information

Company Name: TCL Communication Ltd.
Address /Post: 5/F, Building 22E, 22 Science Park East Avenue, Hong Kong Science
Park, Shatin, NT, Hong Kong
Contact: Gong Zhizhou
Email: zhizhou.gong@tcl.com
Telephone: 0086-755-36611722
Fax: 0086-755-36612000-81722

2.2. Manufacturer Information

Company Name: TCL Communication Ltd.
Address /Post: 5/F, Building 22E, 22 Science Park East Avenue, Hong Kong Science
Park, Shatin, NT, Hong Kong
Contact: Gong Zhizhou
Email: zhizhou.gong@tcl.com
Telephone: 0086-755-36611722
Fax: 0086-755-36612000-81722

3. Equipment Under Test (EUT) and Ancillary Equipment (AE)

3.1. About EUT

Description	5G NR/LTE/WCDMA/GSM mobile phone
Model Name	T810S
FCC ID	2ACCJN050
Antenna	Embedded
Output power	21.38dBm maximum EIRP measured for NR 12-n2
Extreme vol. Limits	3.5VDC to 4.4VDC (nominal: 3.85VDC)
Extreme temp. Tolerance	-10°C to +55°C

Note: Components list, please refer to documents of the manufacturer; it is also included in the original test record of CTTL.

3.2. Internal Identification of EUT used during the test

EUT ID*	IMEI	HW Version	SW Version	Date of receipt
UT18a	015920000210643	03	v3.0.3CG3	2021-04-28

*EUT ID: is used to identify the test sample in the lab internally.

3.3. Internal Identification of AE used during the test

AE ID*	Description
AE1	Battery
AE2	Battery
AE1	
Model	TLp043D1
Manufacturer	BYD
Capacitance	4360mAh
AE2	
Model	TLp043D7
Manufacturer	VEKEN
Capacitance	4360mAh

*AE ID: is used to identify the test sample in the lab internally.

4. Reference Documents

4.1. Documents supplied by applicant

EUT parameters, referring to Annex A for detailed information, is supplied by the client or manufacturer, which is the basis of testing.

4.2. Reference Documents for testing

The following documents listed in this section are referred for testing.

Reference	Title	Version
FCC Part 22	PUBLIC MOBILE SERVICES	10-1-19 Edition
FCC Part 24	PERSONAL COMMUNICATIONS SERVICES	10-1-19 Edition
FCC Part 27	MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES	10-1-19 Edition
ANSI/TIA-603-E	Land Mobile FM or PM Communications Equipment Measurement and Performance Standards	2016
ANSI C63.26	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services	2015
KDB 971168 D01	MEASUREMENT GUIDANCE FOR CERTIFICATION OF LICENSED DIGITAL TRANSMITTERS	v03r01

5. Laboratory Environment

Control room / conducted chamber did not exceed following limits along the radiated testing:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. =20 %, Max. = 80 %
Shielding effectiveness	> 110 dB
Electrical insulation	>2 MΩ
Ground system resistance	< 0.5 Ω

Fully-anechoic chamber 2 (8.6 meters×6.1 meters×3.85 meters) did not exceed following limits along the radiated testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 35 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	>2 MΩ
Ground system resistance	< 1 Ω
Site voltage standing-wave ratio (S_{VSWR})	Between 0 and 6 dB, from 1GHz to 18GHz

6. Summary Of Test Result

n2

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	24.232	BR
2	Emission Limit	2.1051/24.238	BR
3	Frequency Stability	2.1055	BR
4	Occupied Bandwidth	2.1049	BR
5	Emission Bandwidth	24.238	BR
6	Band Edge Compliance	24.238	BR
7	Conducted Spurious Emission	24.238	BR
8	Peak-to-Average Power Ratio	24.232	BR

n5

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	22.913	BR
2	Emission Limit	2.1051/22.917	BR
3	Frequency Stability	2.1055	BR
4	Occupied Bandwidth	2.1049	BR
5	Emission Bandwidth	22.917	BR
6	Band Edge Compliance	22.917	BR
7	Conducted Spurious Emission	22.917	BR

n7

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	BR
2	Emission Limit	2.1051/27.53	BR
3	Frequency Stability	2.1055	BR
4	Occupied Bandwidth	2.1049	BR
5	Emission Bandwidth	27.53	BR
6	Band Edge Compliance	27.53	BR
7	Conducted Spurious Emission	27.53	BR
8	Peak-to-Average Power Ratio	27.50	BR

n41

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	BR
2	Emission Limit	2.1051/27.53	BR
3	Frequency Stability	2.1055	BR
4	Occupied Bandwidth	2.1049	BR
5	Emission Bandwidth	27.53	BR
6	Band Edge Compliance	27.53	BR
7	Conducted Spurious Emission	27.53	BR
8	Peak-to-Average Power Ratio	27.50	BR

n66

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	BR
2	Emission Limit	2.1051/27.53	BR
3	Frequency Stability	2.1055	BR
4	Occupied Bandwidth	2.1049	BR
5	Emission Bandwidth	27.53	BR
6	Band Edge Compliance	27.53	BR
7	Conducted Spurious Emission	27.53	BR
8	Peak-to-Average Power Ratio	27.50	BR

n71

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	BR
2	Emission Limit	2.1051/27.53	BR
3	Frequency Stability	2.1055	BR
4	Occupied Bandwidth	2.1049	BR
5	Emission Bandwidth	27.53	BR
6	Band Edge Compliance	27.53	BR
7	Conducted Spurious Emission	27.53	BR
8	Peak-to-Average Power Ratio	27.50	BR

n77

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	NA
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

Terms used in Verdict column

P	Pass. The EUT complies with the essential requirements in the standard.
NP	Not Performed. The test was not performed by CTTL.
NA	Not Applicable. The test was not applicable.
BR	Re-use test data from basic model report.
F	Fail. The EUT does not comply with the essential requirements in the standard.

n41 is tested by power class 3.

Explanation of worst-case configuration

NR modulation: DFT-s-OFDM pi/2 BPSK; QPSK; 16QAM; 64QAM; 256QAM

CP-OFDM QPSK; 16QAM; 64QAM; 256QAM

NR BW: 20/40/60/100MHz for n41 and 20/40/50/60/80/90/100MHz for n77 and 5/10/15/20MHz for other NR bands

The test results provided in this report represent the worst case configuration.

The EUT supports SA n66, n71 and NSA B5/12/30/66-n2, B2/7/30/66-n5, B66-n7, B2/66-n41, B2/5/7/12/13/30-n66, B2/7/66-n71, B2/5/66-n77.

For all the NSA cases, LTE Bands are set under the 10MHz bandwidth, middle channel, 50RB and QPSK modulation.

For all the ENDC combinations and SA mode of the same NR band, output powers of NR bands are tested under the maximum bandwidth and middle channel so that the mode with the worst value is chosen out: B12-n2, B66-n5, B66-n7, B66-n41, B5-n66, B2-n71, B66-n77, however, only the results of the mode with the worst value are presented in the report. Then the other output powers and other test cases of the mode which has the worst value are tested.

The Equipment Under Test (EUT) model T810S (FCC ID: 2ACCJN050) is a variant product of T810S (FCC ID: 2ACCJN050), according to the declaration of changes provided by the applicant and FCC KDB publication 178919 D01, only n77 measurements were performed on this device, the other test results are derived from test report No. I20Z62335-WMD05.

For detail differences between two models please refer the Declaration of Changes document.

7. Test Equipment Utilized

Description	Type	Series Number	Manufacture	Cal Due Date	Calibration Interval
Radio Communication Test Station	MT8000A	6262093285	Anritsu	2022-01-04	1 year
Radio Communication Analyzer	MT8821C	6201763159	Anritsu	2021-08-12	1 year
Spectrum Analyzer	FSU	200030	R&S	2021-06-01	1 year
Signal&Spectrum Analyzer	FSW	104038	R&S	2021-06-30	1 year
Climate chamber	SH-242	93008556	ESPEC	2023-12-23	3 years
EMI Antenna	9117	167	Schwarzbeck	2021-08-19	3 years
EMI Antenna	3117	00119021	ETS-Lindgren	2021-02-06	1 year
EMI Antenna	3117	00119024	ETS-Lindgren	2021-05-08	1 year
Signal Generator	N5183A	MY49060052	Agilent	2021-07-01	1 year
Test Receiver	E4440A	MY48250642	Agilent	2021-03-12	1 year
EMI Antenna	VULB9163	9163-301	Schwarzbeck	2021-08-04	1 year
Power Amplifier	5S1G4	0341863	AR	/	
UXM 5G Wireless Test Platform	E7515B	MY59020630	Keysight	2021-03-02	1 year
EMI Antenna	9117	167	Schwarzbeck	2021-08-19	3 years

Note:

The EMI Antenna which series number are 00119021 and 00119024 were in CAL DUE DATE when the EUT was tested.

The Test Receiver which series number is MY48250642 was in CAL DUE DATE when the EUT was tested.

The UXM 5G Wireless Test Platform which series number is MY59020630 was in CAL DUE DATE when the EUT was tested.

Annex A: Measurement Results

A.1 Output Power

A.1.1 Summary

During the process of testing, the EUT was controlled via communication tester to ensure max power transmission and proper modulation.

In all cases, output power is within the specified limits.

A.1.2 Conducted

LTE Band 12+NR n2

BAND	BW	SCS	FREQ	OFDM	MODULATON	RB ALLOCATION	TOTAL POWER(dBm)
12-n2	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	InnerFull	23.04
12-n2	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.70
12-n2	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.66
12-n2	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	OuterFull	22.69
12-n2	5MHz	15kHz	1852.5MHz	DFT	QPSK	InnerFull	23.08
12-n2	5MHz	15kHz	1852.5MHz	DFT	QPSK	Edge1RBLeft	22.15
12-n2	5MHz	15kHz	1852.5MHz	DFT	QPSK	Edge1RBRight	22.09
12-n2	5MHz	15kHz	1852.5MHz	DFT	QPSK	OuterFull	22.20
12-n2	5MHz	15kHz	1852.5MHz	DFT	16QAM	InnerFull	22.19
12-n2	5MHz	15kHz	1852.5MHz	DFT	16QAM	Edge1RBLeft	21.23
12-n2	5MHz	15kHz	1852.5MHz	DFT	16QAM	Edge1RBRight	21.17
12-n2	5MHz	15kHz	1852.5MHz	DFT	16QAM	OuterFull	21.24
12-n2	5MHz	15kHz	1852.5MHz	DFT	64QAM	InnerFull	20.77
12-n2	5MHz	15kHz	1852.5MHz	DFT	64QAM	Edge1RBLeft	20.53
12-n2	5MHz	15kHz	1852.5MHz	DFT	64QAM	Edge1RBRight	20.56
12-n2	5MHz	15kHz	1852.5MHz	DFT	64QAM	OuterFull	20.79
12-n2	5MHz	15kHz	1852.5MHz	DFT	256QAM	InnerFull	18.71
12-n2	5MHz	15kHz	1852.5MHz	DFT	256QAM	Edge1RBLeft	18.36
12-n2	5MHz	15kHz	1852.5MHz	DFT	256QAM	Edge1RBRight	18.23
12-n2	5MHz	15kHz	1852.5MHz	DFT	256QAM	OuterFull	18.90
12-n2	5MHz	15kHz	1852.5MHz	CP	QPSK	InnerFull	21.63
12-n2	5MHz	15kHz	1852.5MHz	CP	QPSK	Edge1RBLeft	20.32
12-n2	5MHz	15kHz	1852.5MHz	CP	QPSK	Edge1RBRight	20.35
12-n2	5MHz	15kHz	1852.5MHz	CP	QPSK	OuterFull	20.20
12-n2	5MHz	15kHz	1852.5MHz	CP	16QAM	InnerFull	21.17
12-n2	5MHz	15kHz	1852.5MHz	CP	16QAM	Edge1RBLeft	20.32
12-n2	5MHz	15kHz	1852.5MHz	CP	16QAM	Edge1RBRight	20.29
12-n2	5MHz	15kHz	1852.5MHz	CP	16QAM	OuterFull	20.30

12-n2	5MHz	15kHz	1852.5MHz	CP	64QAM	InnerFull	19.80
12-n2	5MHz	15kHz	1852.5MHz	CP	64QAM	Edge1RBLeft	19.47
12-n2	5MHz	15kHz	1852.5MHz	CP	64QAM	Edge1RBRight	19.44
12-n2	5MHz	15kHz	1852.5MHz	CP	64QAM	OuterFull	19.73
12-n2	5MHz	15kHz	1852.5MHz	CP	256QAM	InnerFull	16.76
12-n2	5MHz	15kHz	1852.5MHz	CP	256QAM	Edge1RBLeft	16.26
12-n2	5MHz	15kHz	1852.5MHz	CP	256QAM	Edge1RBRight	16.22
12-n2	5MHz	15kHz	1852.5MHz	CP	256QAM	OuterFull	16.71
12-n2	5MHz	15kHz	1880MHz	DFT	pi/2 BPSK	InnerFull	22.76
12-n2	5MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.44
12-n2	5MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBRight	22.34
12-n2	5MHz	15kHz	1880MHz	DFT	pi/2 BPSK	OuterFull	22.49
12-n2	5MHz	15kHz	1880MHz	DFT	QPSK	InnerFull	22.90
12-n2	5MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBLeft	21.96
12-n2	5MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBRight	21.92
12-n2	5MHz	15kHz	1880MHz	DFT	QPSK	OuterFull	22.06
12-n2	5MHz	15kHz	1880MHz	DFT	16QAM	InnerFull	22.10
12-n2	5MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBLeft	21.05
12-n2	5MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBRight	20.94
12-n2	5MHz	15kHz	1880MHz	DFT	16QAM	OuterFull	21.04
12-n2	5MHz	15kHz	1880MHz	DFT	64QAM	InnerFull	20.60
12-n2	5MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBLeft	20.33
12-n2	5MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBRight	20.33
12-n2	5MHz	15kHz	1880MHz	DFT	64QAM	OuterFull	20.58
12-n2	5MHz	15kHz	1880MHz	DFT	256QAM	InnerFull	18.55
12-n2	5MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBLeft	17.99
12-n2	5MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBRight	17.97
12-n2	5MHz	15kHz	1880MHz	DFT	256QAM	OuterFull	18.47
12-n2	5MHz	15kHz	1880MHz	CP	QPSK	InnerFull	21.46
12-n2	5MHz	15kHz	1880MHz	CP	QPSK	Edge1RBLeft	20.18
12-n2	5MHz	15kHz	1880MHz	CP	QPSK	Edge1RBRight	20.09
12-n2	5MHz	15kHz	1880MHz	CP	QPSK	OuterFull	19.92
12-n2	5MHz	15kHz	1880MHz	CP	16QAM	InnerFull	20.91
12-n2	5MHz	15kHz	1880MHz	CP	16QAM	Edge1RBLeft	20.16
12-n2	5MHz	15kHz	1880MHz	CP	16QAM	Edge1RBRight	20.08
12-n2	5MHz	15kHz	1880MHz	CP	16QAM	OuterFull	19.96
12-n2	5MHz	15kHz	1880MHz	CP	64QAM	InnerFull	19.61
12-n2	5MHz	15kHz	1880MHz	CP	64QAM	Edge1RBLeft	19.34
12-n2	5MHz	15kHz	1880MHz	CP	64QAM	Edge1RBRight	19.24
12-n2	5MHz	15kHz	1880MHz	CP	64QAM	OuterFull	19.46
12-n2	5MHz	15kHz	1880MHz	CP	256QAM	InnerFull	16.58

12-n2	5MHz	15kHz	1880MHz	CP	256QAM	Edge1RBLeft	16.04
12-n2	5MHz	15kHz	1880MHz	CP	256QAM	Edge1RBRight	15.94
12-n2	5MHz	15kHz	1880MHz	CP	256QAM	OuterFull	16.55
12-n2	5MHz	15kHz	1907.5MHz	DFT	pi/2 BPSK	InnerFull	22.85
12-n2	5MHz	15kHz	1907.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.47
12-n2	5MHz	15kHz	1907.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.42
12-n2	5MHz	15kHz	1907.5MHz	DFT	pi/2 BPSK	OuterFull	22.39
12-n2	5MHz	15kHz	1907.5MHz	DFT	QPSK	InnerFull	22.87
12-n2	5MHz	15kHz	1907.5MHz	DFT	QPSK	Edge1RBLeft	21.94
12-n2	5MHz	15kHz	1907.5MHz	DFT	QPSK	Edge1RBRight	21.90
12-n2	5MHz	15kHz	1907.5MHz	DFT	QPSK	OuterFull	21.95
12-n2	5MHz	15kHz	1907.5MHz	DFT	16QAM	InnerFull	22.00
12-n2	5MHz	15kHz	1907.5MHz	DFT	16QAM	Edge1RBLeft	20.93
12-n2	5MHz	15kHz	1907.5MHz	DFT	16QAM	Edge1RBRight	20.98
12-n2	5MHz	15kHz	1907.5MHz	DFT	16QAM	OuterFull	21.02
12-n2	5MHz	15kHz	1907.5MHz	DFT	64QAM	InnerFull	20.52
12-n2	5MHz	15kHz	1907.5MHz	DFT	64QAM	Edge1RBLeft	20.31
12-n2	5MHz	15kHz	1907.5MHz	DFT	64QAM	Edge1RBRight	20.28
12-n2	5MHz	15kHz	1907.5MHz	DFT	64QAM	OuterFull	20.47
12-n2	5MHz	15kHz	1907.5MHz	DFT	256QAM	InnerFull	18.60
12-n2	5MHz	15kHz	1907.5MHz	DFT	256QAM	Edge1RBLeft	17.96
12-n2	5MHz	15kHz	1907.5MHz	DFT	256QAM	Edge1RBRight	18.03
12-n2	5MHz	15kHz	1907.5MHz	DFT	256QAM	OuterFull	18.45
12-n2	5MHz	15kHz	1907.5MHz	CP	QPSK	InnerFull	21.51
12-n2	5MHz	15kHz	1907.5MHz	CP	QPSK	Edge1RBLeft	20.04
12-n2	5MHz	15kHz	1907.5MHz	CP	QPSK	Edge1RBRight	20.03
12-n2	5MHz	15kHz	1907.5MHz	CP	QPSK	OuterFull	19.96
12-n2	5MHz	15kHz	1907.5MHz	CP	16QAM	InnerFull	20.90
12-n2	5MHz	15kHz	1907.5MHz	CP	16QAM	Edge1RBLeft	20.06
12-n2	5MHz	15kHz	1907.5MHz	CP	16QAM	Edge1RBRight	20.08
12-n2	5MHz	15kHz	1907.5MHz	CP	16QAM	OuterFull	19.95
12-n2	5MHz	15kHz	1907.5MHz	CP	64QAM	InnerFull	19.51
12-n2	5MHz	15kHz	1907.5MHz	CP	64QAM	Edge1RBLeft	19.24
12-n2	5MHz	15kHz	1907.5MHz	CP	64QAM	Edge1RBRight	19.18
12-n2	5MHz	15kHz	1907.5MHz	CP	64QAM	OuterFull	19.43
12-n2	5MHz	15kHz	1907.5MHz	CP	256QAM	InnerFull	16.53
12-n2	5MHz	15kHz	1907.5MHz	CP	256QAM	Edge1RBLeft	15.96
12-n2	5MHz	15kHz	1907.5MHz	CP	256QAM	Edge1RBRight	15.91
12-n2	5MHz	15kHz	1907.5MHz	CP	256QAM	OuterFull	16.45
12-n2	10MHz	15kHz	1855MHz	DFT	pi/2 BPSK	InnerFull	23.19
12-n2	10MHz	15kHz	1855MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.74

12-n2	10MHz	15kHz	1855MHz	DFT	pi/2 BPSK	Edge1RBRight	22.69
12-n2	10MHz	15kHz	1855MHz	DFT	pi/2 BPSK	OuterFull	22.85
12-n2	10MHz	15kHz	1855MHz	DFT	QPSK	InnerFull	23.28
12-n2	10MHz	15kHz	1855MHz	DFT	QPSK	Edge1RBLeft	22.18
12-n2	10MHz	15kHz	1855MHz	DFT	QPSK	Edge1RBRight	22.16
12-n2	10MHz	15kHz	1855MHz	DFT	QPSK	OuterFull	22.35
12-n2	10MHz	15kHz	1855MHz	DFT	16QAM	InnerFull	22.30
12-n2	10MHz	15kHz	1855MHz	DFT	16QAM	Edge1RBLeft	21.21
12-n2	10MHz	15kHz	1855MHz	DFT	16QAM	Edge1RBRight	21.29
12-n2	10MHz	15kHz	1855MHz	DFT	16QAM	OuterFull	21.38
12-n2	10MHz	15kHz	1855MHz	DFT	64QAM	InnerFull	20.77
12-n2	10MHz	15kHz	1855MHz	DFT	64QAM	Edge1RBLeft	20.69
12-n2	10MHz	15kHz	1855MHz	DFT	64QAM	Edge1RBRight	20.60
12-n2	10MHz	15kHz	1855MHz	DFT	64QAM	OuterFull	20.81
12-n2	10MHz	15kHz	1855MHz	DFT	256QAM	InnerFull	19.01
12-n2	10MHz	15kHz	1855MHz	DFT	256QAM	Edge1RBLeft	18.30
12-n2	10MHz	15kHz	1855MHz	DFT	256QAM	Edge1RBRight	18.25
12-n2	10MHz	15kHz	1855MHz	DFT	256QAM	OuterFull	18.95
12-n2	10MHz	15kHz	1855MHz	CP	QPSK	InnerFull	21.79
12-n2	10MHz	15kHz	1855MHz	CP	QPSK	Edge1RBLeft	20.45
12-n2	10MHz	15kHz	1855MHz	CP	QPSK	Edge1RBRight	20.25
12-n2	10MHz	15kHz	1855MHz	CP	QPSK	OuterFull	20.33
12-n2	10MHz	15kHz	1855MHz	CP	16QAM	InnerFull	21.28
12-n2	10MHz	15kHz	1855MHz	CP	16QAM	Edge1RBLeft	20.33
12-n2	10MHz	15kHz	1855MHz	CP	16QAM	Edge1RBRight	20.37
12-n2	10MHz	15kHz	1855MHz	CP	16QAM	OuterFull	20.34
12-n2	10MHz	15kHz	1855MHz	CP	64QAM	InnerFull	19.91
12-n2	10MHz	15kHz	1855MHz	CP	64QAM	Edge1RBLeft	19.65
12-n2	10MHz	15kHz	1855MHz	CP	64QAM	Edge1RBRight	19.47
12-n2	10MHz	15kHz	1855MHz	CP	64QAM	OuterFull	19.82
12-n2	10MHz	15kHz	1855MHz	CP	256QAM	InnerFull	16.86
12-n2	10MHz	15kHz	1855MHz	CP	256QAM	Edge1RBLeft	16.36
12-n2	10MHz	15kHz	1855MHz	CP	256QAM	Edge1RBRight	16.32
12-n2	10MHz	15kHz	1855MHz	CP	256QAM	OuterFull	16.91
12-n2	10MHz	15kHz	1880MHz	DFT	pi/2 BPSK	InnerFull	22.85
12-n2	10MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.46
12-n2	10MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBRight	22.37
12-n2	10MHz	15kHz	1880MHz	DFT	pi/2 BPSK	OuterFull	22.57
12-n2	10MHz	15kHz	1880MHz	DFT	QPSK	InnerFull	22.94
12-n2	10MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBLeft	21.98
12-n2	10MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBRight	21.91

12-n2	10MHz	15kHz	1880MHz	DFT	QPSK	OuterFull	22.06
12-n2	10MHz	15kHz	1880MHz	DFT	16QAM	InnerFull	22.08
12-n2	10MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBLeft	21.04
12-n2	10MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBRight	21.02
12-n2	10MHz	15kHz	1880MHz	DFT	16QAM	OuterFull	21.02
12-n2	10MHz	15kHz	1880MHz	DFT	64QAM	InnerFull	20.65
12-n2	10MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBLeft	20.34
12-n2	10MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBRight	20.31
12-n2	10MHz	15kHz	1880MHz	DFT	64QAM	OuterFull	20.58
12-n2	10MHz	15kHz	1880MHz	DFT	256QAM	InnerFull	18.44
12-n2	10MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBLeft	18.07
12-n2	10MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBRight	17.91
12-n2	10MHz	15kHz	1880MHz	DFT	256QAM	OuterFull	18.48
12-n2	10MHz	15kHz	1880MHz	CP	QPSK	InnerFull	21.45
12-n2	10MHz	15kHz	1880MHz	CP	QPSK	Edge1RBLeft	20.17
12-n2	10MHz	15kHz	1880MHz	CP	QPSK	Edge1RBRight	20.01
12-n2	10MHz	15kHz	1880MHz	CP	QPSK	OuterFull	19.99
12-n2	10MHz	15kHz	1880MHz	CP	16QAM	InnerFull	21.10
12-n2	10MHz	15kHz	1880MHz	CP	16QAM	Edge1RBLeft	20.14
12-n2	10MHz	15kHz	1880MHz	CP	16QAM	Edge1RBRight	20.10
12-n2	10MHz	15kHz	1880MHz	CP	16QAM	OuterFull	20.07
12-n2	10MHz	15kHz	1880MHz	CP	64QAM	InnerFull	19.52
12-n2	10MHz	15kHz	1880MHz	CP	64QAM	Edge1RBLeft	19.35
12-n2	10MHz	15kHz	1880MHz	CP	64QAM	Edge1RBRight	19.21
12-n2	10MHz	15kHz	1880MHz	CP	64QAM	OuterFull	19.56
12-n2	10MHz	15kHz	1880MHz	CP	256QAM	InnerFull	16.59
12-n2	10MHz	15kHz	1880MHz	CP	256QAM	Edge1RBLeft	16.10
12-n2	10MHz	15kHz	1880MHz	CP	256QAM	Edge1RBRight	16.03
12-n2	10MHz	15kHz	1880MHz	CP	256QAM	OuterFull	16.63
12-n2	10MHz	15kHz	1905MHz	DFT	pi/2 BPSK	InnerFull	22.86
12-n2	10MHz	15kHz	1905MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.29
12-n2	10MHz	15kHz	1905MHz	DFT	pi/2 BPSK	Edge1RBRight	22.41
12-n2	10MHz	15kHz	1905MHz	DFT	pi/2 BPSK	OuterFull	22.43
12-n2	10MHz	15kHz	1905MHz	DFT	QPSK	InnerFull	22.91
12-n2	10MHz	15kHz	1905MHz	DFT	QPSK	Edge1RBLeft	21.86
12-n2	10MHz	15kHz	1905MHz	DFT	QPSK	Edge1RBRight	21.90
12-n2	10MHz	15kHz	1905MHz	DFT	QPSK	OuterFull	22.03
12-n2	10MHz	15kHz	1905MHz	DFT	16QAM	InnerFull	22.04
12-n2	10MHz	15kHz	1905MHz	DFT	16QAM	Edge1RBLeft	20.93
12-n2	10MHz	15kHz	1905MHz	DFT	16QAM	Edge1RBRight	20.98
12-n2	10MHz	15kHz	1905MHz	DFT	16QAM	OuterFull	21.07

12-n2	10MHz	15kHz	1905MHz	DFT	64QAM	InnerFull	20.53
12-n2	10MHz	15kHz	1905MHz	DFT	64QAM	Edge1RBLeft	20.28
12-n2	10MHz	15kHz	1905MHz	DFT	64QAM	Edge1RBRight	20.40
12-n2	10MHz	15kHz	1905MHz	DFT	64QAM	OuterFull	20.52
12-n2	10MHz	15kHz	1905MHz	DFT	256QAM	InnerFull	18.55
12-n2	10MHz	15kHz	1905MHz	DFT	256QAM	Edge1RBLeft	17.99
12-n2	10MHz	15kHz	1905MHz	DFT	256QAM	Edge1RBRight	18.05
12-n2	10MHz	15kHz	1905MHz	DFT	256QAM	OuterFull	18.59
12-n2	10MHz	15kHz	1905MHz	CP	QPSK	InnerFull	21.56
12-n2	10MHz	15kHz	1905MHz	CP	QPSK	Edge1RBLeft	20.09
12-n2	10MHz	15kHz	1905MHz	CP	QPSK	Edge1RBRight	20.04
12-n2	10MHz	15kHz	1905MHz	CP	QPSK	OuterFull	19.96
12-n2	10MHz	15kHz	1905MHz	CP	16QAM	InnerFull	20.99
12-n2	10MHz	15kHz	1905MHz	CP	16QAM	Edge1RBLeft	20.12
12-n2	10MHz	15kHz	1905MHz	CP	16QAM	Edge1RBRight	20.11
12-n2	10MHz	15kHz	1905MHz	CP	16QAM	OuterFull	20.02
12-n2	10MHz	15kHz	1905MHz	CP	64QAM	InnerFull	19.52
12-n2	10MHz	15kHz	1905MHz	CP	64QAM	Edge1RBLeft	19.28
12-n2	10MHz	15kHz	1905MHz	CP	64QAM	Edge1RBRight	19.25
12-n2	10MHz	15kHz	1905MHz	CP	64QAM	OuterFull	19.51
12-n2	10MHz	15kHz	1905MHz	CP	256QAM	InnerFull	16.50
12-n2	10MHz	15kHz	1905MHz	CP	256QAM	Edge1RBLeft	16.06
12-n2	10MHz	15kHz	1905MHz	CP	256QAM	Edge1RBRight	15.96
12-n2	10MHz	15kHz	1905MHz	CP	256QAM	OuterFull	16.56
12-n2	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	InnerFull	23.13
12-n2	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.71
12-n2	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.73
12-n2	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	OuterFull	22.69
12-n2	15MHz	15kHz	1857.5MHz	DFT	QPSK	InnerFull	23.16
12-n2	15MHz	15kHz	1857.5MHz	DFT	QPSK	Edge1RBLeft	22.19
12-n2	15MHz	15kHz	1857.5MHz	DFT	QPSK	Edge1RBRight	22.17
12-n2	15MHz	15kHz	1857.5MHz	DFT	QPSK	OuterFull	22.23
12-n2	15MHz	15kHz	1857.5MHz	DFT	16QAM	InnerFull	22.21
12-n2	15MHz	15kHz	1857.5MHz	DFT	16QAM	Edge1RBLeft	21.22
12-n2	15MHz	15kHz	1857.5MHz	DFT	16QAM	Edge1RBRight	21.28
12-n2	15MHz	15kHz	1857.5MHz	DFT	16QAM	OuterFull	21.23
12-n2	15MHz	15kHz	1857.5MHz	DFT	64QAM	InnerFull	20.81
12-n2	15MHz	15kHz	1857.5MHz	DFT	64QAM	Edge1RBLeft	20.77
12-n2	15MHz	15kHz	1857.5MHz	DFT	64QAM	Edge1RBRight	20.60
12-n2	15MHz	15kHz	1857.5MHz	DFT	64QAM	OuterFull	20.81
12-n2	15MHz	15kHz	1857.5MHz	DFT	256QAM	InnerFull	18.65

12-n2	15MHz	15kHz	1857.5MHz	DFT	256QAM	Edge1RBLeft	18.19
12-n2	15MHz	15kHz	1857.5MHz	DFT	256QAM	Edge1RBRight	18.21
12-n2	15MHz	15kHz	1857.5MHz	DFT	256QAM	OuterFull	18.74
12-n2	15MHz	15kHz	1857.5MHz	CP	QPSK	InnerFull	21.68
12-n2	15MHz	15kHz	1857.5MHz	CP	QPSK	Edge1RBLeft	20.36
12-n2	15MHz	15kHz	1857.5MHz	CP	QPSK	Edge1RBRight	20.33
12-n2	15MHz	15kHz	1857.5MHz	CP	QPSK	OuterFull	20.16
12-n2	15MHz	15kHz	1857.5MHz	CP	16QAM	InnerFull	21.29
12-n2	15MHz	15kHz	1857.5MHz	CP	16QAM	Edge1RBLeft	20.40
12-n2	15MHz	15kHz	1857.5MHz	CP	16QAM	Edge1RBRight	20.30
12-n2	15MHz	15kHz	1857.5MHz	CP	16QAM	OuterFull	20.23
12-n2	15MHz	15kHz	1857.5MHz	CP	64QAM	InnerFull	19.79
12-n2	15MHz	15kHz	1857.5MHz	CP	64QAM	Edge1RBLeft	19.47
12-n2	15MHz	15kHz	1857.5MHz	CP	64QAM	Edge1RBRight	19.49
12-n2	15MHz	15kHz	1857.5MHz	CP	64QAM	OuterFull	19.78
12-n2	15MHz	15kHz	1857.5MHz	CP	256QAM	InnerFull	16.71
12-n2	15MHz	15kHz	1857.5MHz	CP	256QAM	Edge1RBLeft	16.29
12-n2	15MHz	15kHz	1857.5MHz	CP	256QAM	Edge1RBRight	16.24
12-n2	15MHz	15kHz	1857.5MHz	CP	256QAM	OuterFull	16.77
12-n2	15MHz	15kHz	1880MHz	DFT	pi/2 BPSK	InnerFull	22.88
12-n2	15MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.52
12-n2	15MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBRight	22.43
12-n2	15MHz	15kHz	1880MHz	DFT	pi/2 BPSK	OuterFull	22.44
12-n2	15MHz	15kHz	1880MHz	DFT	QPSK	InnerFull	22.81
12-n2	15MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBLeft	21.92
12-n2	15MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBRight	21.86
12-n2	15MHz	15kHz	1880MHz	DFT	QPSK	OuterFull	22.01
12-n2	15MHz	15kHz	1880MHz	DFT	16QAM	InnerFull	21.91
12-n2	15MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBLeft	20.96
12-n2	15MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBRight	20.95
12-n2	15MHz	15kHz	1880MHz	DFT	16QAM	OuterFull	21.00
12-n2	15MHz	15kHz	1880MHz	DFT	64QAM	InnerFull	20.53
12-n2	15MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBLeft	20.27
12-n2	15MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBRight	20.25
12-n2	15MHz	15kHz	1880MHz	DFT	64QAM	OuterFull	20.54
12-n2	15MHz	15kHz	1880MHz	DFT	256QAM	InnerFull	18.61
12-n2	15MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBLeft	18.15
12-n2	15MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBRight	18.18
12-n2	15MHz	15kHz	1880MHz	DFT	256QAM	OuterFull	18.70
12-n2	15MHz	15kHz	1880MHz	CP	QPSK	InnerFull	21.36
12-n2	15MHz	15kHz	1880MHz	CP	QPSK	Edge1RBLeft	20.18

12-n2	15MHz	15kHz	1880MHz	CP	QPSK	Edge1RBRight	20.10
12-n2	15MHz	15kHz	1880MHz	CP	QPSK	OuterFull	20.02
12-n2	15MHz	15kHz	1880MHz	CP	16QAM	InnerFull	21.01
12-n2	15MHz	15kHz	1880MHz	CP	16QAM	Edge1RBLeft	20.13
12-n2	15MHz	15kHz	1880MHz	CP	16QAM	Edge1RBRight	20.07
12-n2	15MHz	15kHz	1880MHz	CP	16QAM	OuterFull	20.02
12-n2	15MHz	15kHz	1880MHz	CP	64QAM	InnerFull	19.54
12-n2	15MHz	15kHz	1880MHz	CP	64QAM	Edge1RBLeft	19.27
12-n2	15MHz	15kHz	1880MHz	CP	64QAM	Edge1RBRight	19.25
12-n2	15MHz	15kHz	1880MHz	CP	64QAM	OuterFull	19.56
12-n2	15MHz	15kHz	1880MHz	CP	256QAM	InnerFull	16.46
12-n2	15MHz	15kHz	1880MHz	CP	256QAM	Edge1RBLeft	15.97
12-n2	15MHz	15kHz	1880MHz	CP	256QAM	Edge1RBRight	16.01
12-n2	15MHz	15kHz	1880MHz	CP	256QAM	OuterFull	16.48
12-n2	15MHz	15kHz	1902.5MHz	DFT	pi/2 BPSK	InnerFull	22.72
12-n2	15MHz	15kHz	1902.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.35
12-n2	15MHz	15kHz	1902.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.39
12-n2	15MHz	15kHz	1902.5MHz	DFT	pi/2 BPSK	OuterFull	22.42
12-n2	15MHz	15kHz	1902.5MHz	DFT	QPSK	InnerFull	22.75
12-n2	15MHz	15kHz	1902.5MHz	DFT	QPSK	Edge1RBLeft	21.76
12-n2	15MHz	15kHz	1902.5MHz	DFT	QPSK	Edge1RBRight	21.99
12-n2	15MHz	15kHz	1902.5MHz	DFT	QPSK	OuterFull	21.97
12-n2	15MHz	15kHz	1902.5MHz	DFT	16QAM	InnerFull	21.92
12-n2	15MHz	15kHz	1902.5MHz	DFT	16QAM	Edge1RBLeft	20.90
12-n2	15MHz	15kHz	1902.5MHz	DFT	16QAM	Edge1RBRight	20.95
12-n2	15MHz	15kHz	1902.5MHz	DFT	16QAM	OuterFull	20.87
12-n2	15MHz	15kHz	1902.5MHz	DFT	64QAM	InnerFull	20.45
12-n2	15MHz	15kHz	1902.5MHz	DFT	64QAM	Edge1RBLeft	20.21
12-n2	15MHz	15kHz	1902.5MHz	DFT	64QAM	Edge1RBRight	20.27
12-n2	15MHz	15kHz	1902.5MHz	DFT	64QAM	OuterFull	20.49
12-n2	15MHz	15kHz	1902.5MHz	DFT	256QAM	InnerFull	18.23
12-n2	15MHz	15kHz	1902.5MHz	DFT	256QAM	Edge1RBLeft	17.90
12-n2	15MHz	15kHz	1902.5MHz	DFT	256QAM	Edge1RBRight	18.06
12-n2	15MHz	15kHz	1902.5MHz	DFT	256QAM	OuterFull	18.40
12-n2	15MHz	15kHz	1902.5MHz	CP	QPSK	InnerFull	21.38
12-n2	15MHz	15kHz	1902.5MHz	CP	QPSK	Edge1RBLeft	20.05
12-n2	15MHz	15kHz	1902.5MHz	CP	QPSK	Edge1RBRight	20.07
12-n2	15MHz	15kHz	1902.5MHz	CP	QPSK	OuterFull	19.89
12-n2	15MHz	15kHz	1902.5MHz	CP	16QAM	InnerFull	20.92
12-n2	15MHz	15kHz	1902.5MHz	CP	16QAM	Edge1RBLeft	20.10
12-n2	15MHz	15kHz	1902.5MHz	CP	16QAM	Edge1RBRight	20.14

12-n2	15MHz	15kHz	1902.5MHz	CP	16QAM	OuterFull	19.96
12-n2	15MHz	15kHz	1902.5MHz	CP	64QAM	InnerFull	19.47
12-n2	15MHz	15kHz	1902.5MHz	CP	64QAM	Edge1RBLeft	19.16
12-n2	15MHz	15kHz	1902.5MHz	CP	64QAM	Edge1RBRight	19.24
12-n2	15MHz	15kHz	1902.5MHz	CP	64QAM	OuterFull	19.41
12-n2	15MHz	15kHz	1902.5MHz	CP	256QAM	InnerFull	16.34
12-n2	15MHz	15kHz	1902.5MHz	CP	256QAM	Edge1RBLeft	15.97
12-n2	15MHz	15kHz	1902.5MHz	CP	256QAM	Edge1RBRight	16.03
12-n2	15MHz	15kHz	1902.5MHz	CP	256QAM	OuterFull	16.49
12-n2	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	InnerFull	23.02
12-n2	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.56
12-n2	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	Edge1RBRight	22.58
12-n2	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	OuterFull	22.71
12-n2	20MHz	15kHz	1860MHz	DFT	QPSK	InnerFull	23.11
12-n2	20MHz	15kHz	1860MHz	DFT	QPSK	Edge1RBLeft	22.13
12-n2	20MHz	15kHz	1860MHz	DFT	QPSK	Edge1RBRight	22.06
12-n2	20MHz	15kHz	1860MHz	DFT	QPSK	OuterFull	22.27
12-n2	20MHz	15kHz	1860MHz	DFT	16QAM	InnerFull	22.24
12-n2	20MHz	15kHz	1860MHz	DFT	16QAM	Edge1RBLeft	21.18
12-n2	20MHz	15kHz	1860MHz	DFT	16QAM	Edge1RBRight	21.12
12-n2	20MHz	15kHz	1860MHz	DFT	16QAM	OuterFull	21.21
12-n2	20MHz	15kHz	1860MHz	DFT	64QAM	InnerFull	20.72
12-n2	20MHz	15kHz	1860MHz	DFT	64QAM	Edge1RBLeft	20.55
12-n2	20MHz	15kHz	1860MHz	DFT	64QAM	Edge1RBRight	20.42
12-n2	20MHz	15kHz	1860MHz	DFT	64QAM	OuterFull	20.80
12-n2	20MHz	15kHz	1860MHz	DFT	256QAM	InnerFull	18.71
12-n2	20MHz	15kHz	1860MHz	DFT	256QAM	Edge1RBLeft	18.20
12-n2	20MHz	15kHz	1860MHz	DFT	256QAM	Edge1RBRight	18.13
12-n2	20MHz	15kHz	1860MHz	DFT	256QAM	OuterFull	18.96
12-n2	20MHz	15kHz	1860MHz	CP	QPSK	InnerFull	21.66
12-n2	20MHz	15kHz	1860MHz	CP	QPSK	Edge1RBLeft	20.28
12-n2	20MHz	15kHz	1860MHz	CP	QPSK	Edge1RBRight	20.23
12-n2	20MHz	15kHz	1860MHz	CP	QPSK	OuterFull	20.26
12-n2	20MHz	15kHz	1860MHz	CP	16QAM	InnerFull	21.24
12-n2	20MHz	15kHz	1860MHz	CP	16QAM	Edge1RBLeft	20.31
12-n2	20MHz	15kHz	1860MHz	CP	16QAM	Edge1RBRight	20.21
12-n2	20MHz	15kHz	1860MHz	CP	16QAM	OuterFull	20.21
12-n2	20MHz	15kHz	1860MHz	CP	64QAM	InnerFull	19.72
12-n2	20MHz	15kHz	1860MHz	CP	64QAM	Edge1RBLeft	19.46
12-n2	20MHz	15kHz	1860MHz	CP	64QAM	Edge1RBRight	19.37
12-n2	20MHz	15kHz	1860MHz	CP	64QAM	OuterFull	19.72

12-n2	20MHz	15kHz	1860MHz	CP	256QAM	InnerFull	16.80
12-n2	20MHz	15kHz	1860MHz	CP	256QAM	Edge1RBLeft	16.23
12-n2	20MHz	15kHz	1860MHz	CP	256QAM	Edge1RBRight	16.10
12-n2	20MHz	15kHz	1860MHz	CP	256QAM	OuterFull	16.82
12-n2	20MHz	15kHz	1880MHz	DFT	pi/2 BPSK	InnerFull	22.88
12-n2	20MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.61
12-n2	20MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBRight	22.38
12-n2	20MHz	15kHz	1880MHz	DFT	pi/2 BPSK	OuterFull	22.62
12-n2	20MHz	15kHz	1880MHz	DFT	QPSK	InnerFull	23.05
12-n2	20MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBLeft	22.09
12-n2	20MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBRight	21.92
12-n2	20MHz	15kHz	1880MHz	DFT	QPSK	OuterFull	22.10
12-n2	20MHz	15kHz	1880MHz	DFT	16QAM	InnerFull	22.12
12-n2	20MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBLeft	21.22
12-n2	20MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBRight	20.89
12-n2	20MHz	15kHz	1880MHz	DFT	16QAM	OuterFull	21.11
12-n2	20MHz	15kHz	1880MHz	DFT	64QAM	InnerFull	20.57
12-n2	20MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBLeft	20.53
12-n2	20MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBRight	20.30
12-n2	20MHz	15kHz	1880MHz	DFT	64QAM	OuterFull	20.61
12-n2	20MHz	15kHz	1880MHz	DFT	256QAM	InnerFull	18.54
12-n2	20MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBLeft	18.20
12-n2	20MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBRight	18.01
12-n2	20MHz	15kHz	1880MHz	DFT	256QAM	OuterFull	18.60
12-n2	20MHz	15kHz	1880MHz	CP	QPSK	InnerFull	21.44
12-n2	20MHz	15kHz	1880MHz	CP	QPSK	Edge1RBLeft	20.41
12-n2	20MHz	15kHz	1880MHz	CP	QPSK	Edge1RBRight	20.14
12-n2	20MHz	15kHz	1880MHz	CP	QPSK	OuterFull	20.14
12-n2	20MHz	15kHz	1880MHz	CP	16QAM	InnerFull	21.16
12-n2	20MHz	15kHz	1880MHz	CP	16QAM	Edge1RBLeft	20.38
12-n2	20MHz	15kHz	1880MHz	CP	16QAM	Edge1RBRight	20.04
12-n2	20MHz	15kHz	1880MHz	CP	16QAM	OuterFull	20.10
12-n2	20MHz	15kHz	1880MHz	CP	64QAM	InnerFull	19.63
12-n2	20MHz	15kHz	1880MHz	CP	64QAM	Edge1RBLeft	19.45
12-n2	20MHz	15kHz	1880MHz	CP	64QAM	Edge1RBRight	19.23
12-n2	20MHz	15kHz	1880MHz	CP	64QAM	OuterFull	19.64
12-n2	20MHz	15kHz	1880MHz	CP	256QAM	InnerFull	16.69
12-n2	20MHz	15kHz	1880MHz	CP	256QAM	Edge1RBLeft	16.25
12-n2	20MHz	15kHz	1880MHz	CP	256QAM	Edge1RBRight	15.93
12-n2	20MHz	15kHz	1880MHz	CP	256QAM	OuterFull	16.62
12-n2	20MHz	15kHz	1900MHz	DFT	pi/2 BPSK	InnerFull	22.81

12-n2	20MHz	15kHz	1900MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.34
12-n2	20MHz	15kHz	1900MHz	DFT	pi/2 BPSK	Edge1RBRight	22.51
12-n2	20MHz	15kHz	1900MHz	DFT	pi/2 BPSK	OuterFull	22.50
12-n2	20MHz	15kHz	1900MHz	DFT	QPSK	InnerFull	22.90
12-n2	20MHz	15kHz	1900MHz	DFT	QPSK	Edge1RBLeft	21.73
12-n2	20MHz	15kHz	1900MHz	DFT	QPSK	Edge1RBRight	22.01
12-n2	20MHz	15kHz	1900MHz	DFT	QPSK	OuterFull	21.96
12-n2	20MHz	15kHz	1900MHz	DFT	16QAM	InnerFull	21.95
12-n2	20MHz	15kHz	1900MHz	DFT	16QAM	Edge1RBLeft	20.83
12-n2	20MHz	15kHz	1900MHz	DFT	16QAM	Edge1RBRight	21.01
12-n2	20MHz	15kHz	1900MHz	DFT	16QAM	OuterFull	20.99
12-n2	20MHz	15kHz	1900MHz	DFT	64QAM	InnerFull	20.42
12-n2	20MHz	15kHz	1900MHz	DFT	64QAM	Edge1RBLeft	20.12
12-n2	20MHz	15kHz	1900MHz	DFT	64QAM	Edge1RBRight	20.31
12-n2	20MHz	15kHz	1900MHz	DFT	64QAM	OuterFull	20.49
12-n2	20MHz	15kHz	1900MHz	DFT	256QAM	InnerFull	18.33
12-n2	20MHz	15kHz	1900MHz	DFT	256QAM	Edge1RBLeft	17.98
12-n2	20MHz	15kHz	1900MHz	DFT	256QAM	Edge1RBRight	18.01
12-n2	20MHz	15kHz	1900MHz	DFT	256QAM	OuterFull	18.47
12-n2	20MHz	15kHz	1900MHz	CP	QPSK	InnerFull	21.32
12-n2	20MHz	15kHz	1900MHz	CP	QPSK	Edge1RBLeft	20.00
12-n2	20MHz	15kHz	1900MHz	CP	QPSK	Edge1RBRight	20.14
12-n2	20MHz	15kHz	1900MHz	CP	QPSK	OuterFull	19.99
12-n2	20MHz	15kHz	1900MHz	CP	16QAM	InnerFull	20.90
12-n2	20MHz	15kHz	1900MHz	CP	16QAM	Edge1RBLeft	19.96
12-n2	20MHz	15kHz	1900MHz	CP	16QAM	Edge1RBRight	20.12
12-n2	20MHz	15kHz	1900MHz	CP	16QAM	OuterFull	19.94
12-n2	20MHz	15kHz	1900MHz	CP	64QAM	InnerFull	19.48
12-n2	20MHz	15kHz	1900MHz	CP	64QAM	Edge1RBLeft	19.13
12-n2	20MHz	15kHz	1900MHz	CP	64QAM	Edge1RBRight	19.32
12-n2	20MHz	15kHz	1900MHz	CP	64QAM	OuterFull	19.49
12-n2	20MHz	15kHz	1900MHz	CP	256QAM	InnerFull	16.51
12-n2	20MHz	15kHz	1900MHz	CP	256QAM	Edge1RBLeft	15.89
12-n2	20MHz	15kHz	1900MHz	CP	256QAM	Edge1RBRight	16.01
12-n2	20MHz	15kHz	1900MHz	CP	256QAM	OuterFull	16.50

LTE Band 66+NR n5

BAND	BW	SCS	FREQ	OFDM	MODULATON	RB ALLOCATION	TOTAL POWER(dBm)
66-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	InnerFull	23.06
66-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.78
66-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.72
66-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	OuterFull	22.77
66-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	InnerFull	23.08
66-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	Edge1RBLeft	22.23
66-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	Edge1RBRight	22.19
66-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	OuterFull	22.20
66-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	InnerFull	22.30
66-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	Edge1RBLeft	21.36
66-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	Edge1RBRight	21.22
66-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	OuterFull	21.34
66-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	InnerFull	20.76
66-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	Edge1RBLeft	20.67
66-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	Edge1RBRight	20.61
66-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	OuterFull	20.86
66-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	InnerFull	18.65
66-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	Edge1RBLeft	18.41
66-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	Edge1RBRight	18.26
66-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	OuterFull	18.72
66-n5	5MHz	15kHz	826.5MHz	CP	QPSK	InnerFull	21.69
66-n5	5MHz	15kHz	826.5MHz	CP	QPSK	Edge1RBLeft	20.48
66-n5	5MHz	15kHz	826.5MHz	CP	QPSK	Edge1RBRight	20.39
66-n5	5MHz	15kHz	826.5MHz	CP	QPSK	OuterFull	20.22
66-n5	5MHz	15kHz	826.5MHz	CP	16QAM	InnerFull	21.19
66-n5	5MHz	15kHz	826.5MHz	CP	16QAM	Edge1RBLeft	20.51
66-n5	5MHz	15kHz	826.5MHz	CP	16QAM	Edge1RBRight	20.40
66-n5	5MHz	15kHz	826.5MHz	CP	16QAM	OuterFull	20.35
66-n5	5MHz	15kHz	826.5MHz	CP	64QAM	InnerFull	19.79
66-n5	5MHz	15kHz	826.5MHz	CP	64QAM	Edge1RBLeft	19.57
66-n5	5MHz	15kHz	826.5MHz	CP	64QAM	Edge1RBRight	19.48
66-n5	5MHz	15kHz	826.5MHz	CP	64QAM	OuterFull	19.82
66-n5	5MHz	15kHz	826.5MHz	CP	256QAM	InnerFull	16.82
66-n5	5MHz	15kHz	826.5MHz	CP	256QAM	Edge1RBLeft	16.38
66-n5	5MHz	15kHz	826.5MHz	CP	256QAM	Edge1RBRight	16.31
66-n5	5MHz	15kHz	826.5MHz	CP	256QAM	OuterFull	16.80
66-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	InnerFull	22.98
66-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.61
66-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.56

66-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	OuterFull	22.62
66-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	22.89
66-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	22.08
66-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	21.97
66-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	22.08
66-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	22.13
66-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	21.12
66-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	21.08
66-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	21.11
66-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	20.67
66-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	20.50
66-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	20.48
66-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	20.64
66-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	18.68
66-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	18.17
66-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	18.04
66-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	18.60
66-n5	5MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	21.47
66-n5	5MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	20.41
66-n5	5MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	20.24
66-n5	5MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	20.03
66-n5	5MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	20.98
66-n5	5MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	20.29
66-n5	5MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	20.15
66-n5	5MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	20.09
66-n5	5MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	19.65
66-n5	5MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	19.45
66-n5	5MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	19.34
66-n5	5MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	19.52
66-n5	5MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	16.66
66-n5	5MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	16.16
66-n5	5MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	16.11
66-n5	5MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	16.62
66-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	InnerFull	23.02
66-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.59
66-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.59
66-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	OuterFull	22.60
66-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	InnerFull	22.90
66-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	Edge1RBLeft	22.09
66-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	Edge1RBRight	22.01
66-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	OuterFull	22.07

66-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	InnerFull	22.06
66-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	Edge1RBLeft	21.03
66-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	Edge1RBRight	21.04
66-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	OuterFull	21.14
66-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	InnerFull	20.60
66-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	Edge1RBLeft	20.42
66-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	Edge1RBRight	20.54
66-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	OuterFull	20.67
66-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	InnerFull	18.61
66-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	Edge1RBLeft	18.10
66-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	Edge1RBRight	18.14
66-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	OuterFull	18.47
66-n5	5MHz	15kHz	846.5MHz	CP	QPSK	InnerFull	21.52
66-n5	5MHz	15kHz	846.5MHz	CP	QPSK	Edge1RBLeft	20.31
66-n5	5MHz	15kHz	846.5MHz	CP	QPSK	Edge1RBRight	20.27
66-n5	5MHz	15kHz	846.5MHz	CP	QPSK	OuterFull	20.08
66-n5	5MHz	15kHz	846.5MHz	CP	16QAM	InnerFull	20.88
66-n5	5MHz	15kHz	846.5MHz	CP	16QAM	Edge1RBLeft	20.22
66-n5	5MHz	15kHz	846.5MHz	CP	16QAM	Edge1RBRight	20.17
66-n5	5MHz	15kHz	846.5MHz	CP	16QAM	OuterFull	20.02
66-n5	5MHz	15kHz	846.5MHz	CP	64QAM	InnerFull	19.60
66-n5	5MHz	15kHz	846.5MHz	CP	64QAM	Edge1RBLeft	19.41
66-n5	5MHz	15kHz	846.5MHz	CP	64QAM	Edge1RBRight	19.36
66-n5	5MHz	15kHz	846.5MHz	CP	64QAM	OuterFull	19.56
66-n5	5MHz	15kHz	846.5MHz	CP	256QAM	InnerFull	16.61
66-n5	5MHz	15kHz	846.5MHz	CP	256QAM	Edge1RBLeft	16.20
66-n5	5MHz	15kHz	846.5MHz	CP	256QAM	Edge1RBRight	16.04
66-n5	5MHz	15kHz	846.5MHz	CP	256QAM	OuterFull	16.59
66-n5	10MHz	15kHz	829MHz	DFT	pi/2 BPSK	InnerFull	23.14
66-n5	10MHz	15kHz	829MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.73
66-n5	10MHz	15kHz	829MHz	DFT	pi/2 BPSK	Edge1RBRight	22.58
66-n5	10MHz	15kHz	829MHz	DFT	pi/2 BPSK	OuterFull	22.79
66-n5	10MHz	15kHz	829MHz	DFT	QPSK	InnerFull	23.16
66-n5	10MHz	15kHz	829MHz	DFT	QPSK	Edge1RBLeft	22.17
66-n5	10MHz	15kHz	829MHz	DFT	QPSK	Edge1RBRight	22.06
66-n5	10MHz	15kHz	829MHz	DFT	QPSK	OuterFull	22.28
66-n5	10MHz	15kHz	829MHz	DFT	16QAM	InnerFull	22.24
66-n5	10MHz	15kHz	829MHz	DFT	16QAM	Edge1RBLeft	21.22
66-n5	10MHz	15kHz	829MHz	DFT	16QAM	Edge1RBRight	21.03
66-n5	10MHz	15kHz	829MHz	DFT	16QAM	OuterFull	21.22
66-n5	10MHz	15kHz	829MHz	DFT	64QAM	InnerFull	20.80

66-n5	10MHz	15kHz	829MHz	DFT	64QAM	Edge1RBLeft	20.70
66-n5	10MHz	15kHz	829MHz	DFT	64QAM	Edge1RBRight	20.28
66-n5	10MHz	15kHz	829MHz	DFT	64QAM	OuterFull	20.71
66-n5	10MHz	15kHz	829MHz	DFT	256QAM	InnerFull	18.70
66-n5	10MHz	15kHz	829MHz	DFT	256QAM	Edge1RBLeft	18.26
66-n5	10MHz	15kHz	829MHz	DFT	256QAM	Edge1RBRight	18.06
66-n5	10MHz	15kHz	829MHz	DFT	256QAM	OuterFull	18.73
66-n5	10MHz	15kHz	829MHz	CP	QPSK	InnerFull	21.78
66-n5	10MHz	15kHz	829MHz	CP	QPSK	Edge1RBLeft	20.43
66-n5	10MHz	15kHz	829MHz	CP	QPSK	Edge1RBRight	20.22
66-n5	10MHz	15kHz	829MHz	CP	QPSK	OuterFull	20.20
66-n5	10MHz	15kHz	829MHz	CP	16QAM	InnerFull	21.33
66-n5	10MHz	15kHz	829MHz	CP	16QAM	Edge1RBLeft	20.35
66-n5	10MHz	15kHz	829MHz	CP	16QAM	Edge1RBRight	20.14
66-n5	10MHz	15kHz	829MHz	CP	16QAM	OuterFull	20.30
66-n5	10MHz	15kHz	829MHz	CP	64QAM	InnerFull	19.80
66-n5	10MHz	15kHz	829MHz	CP	64QAM	Edge1RBLeft	19.59
66-n5	10MHz	15kHz	829MHz	CP	64QAM	Edge1RBRight	19.37
66-n5	10MHz	15kHz	829MHz	CP	64QAM	OuterFull	19.68
66-n5	10MHz	15kHz	829MHz	CP	256QAM	InnerFull	16.76
66-n5	10MHz	15kHz	829MHz	CP	256QAM	Edge1RBLeft	16.33
66-n5	10MHz	15kHz	829MHz	CP	256QAM	Edge1RBRight	16.14
66-n5	10MHz	15kHz	829MHz	CP	256QAM	OuterFull	16.81
66-n5	10MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	InnerFull	23.05
66-n5	10MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.59
66-n5	10MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.40
66-n5	10MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	OuterFull	22.68
66-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	23.05
66-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	22.08
66-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	21.92
66-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	22.17
66-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	22.18
66-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	21.06
66-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	20.98
66-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	21.11
66-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	20.69
66-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	20.21
66-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	20.42
66-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	20.65
66-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	18.57
66-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	18.09

66-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	17.98
66-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	18.59
66-n5	10MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	21.63
66-n5	10MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	20.39
66-n5	10MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	20.07
66-n5	10MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	20.10
66-n5	10MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	21.11
66-n5	10MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	20.26
66-n5	10MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	20.05
66-n5	10MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	20.07
66-n5	10MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	19.67
66-n5	10MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	19.58
66-n5	10MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	19.30
66-n5	10MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	19.62
66-n5	10MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	16.67
66-n5	10MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	16.24
66-n5	10MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	15.99
66-n5	10MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	16.73
66-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	InnerFull	22.90
66-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.40
66-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	Edge1RBRight	22.31
66-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	OuterFull	22.52
66-n5	10MHz	15kHz	844MHz	DFT	QPSK	InnerFull	22.91
66-n5	10MHz	15kHz	844MHz	DFT	QPSK	Edge1RBLeft	21.90
66-n5	10MHz	15kHz	844MHz	DFT	QPSK	Edge1RBRight	21.87
66-n5	10MHz	15kHz	844MHz	DFT	QPSK	OuterFull	22.02
66-n5	10MHz	15kHz	844MHz	DFT	16QAM	InnerFull	22.05
66-n5	10MHz	15kHz	844MHz	DFT	16QAM	Edge1RBLeft	20.87
66-n5	10MHz	15kHz	844MHz	DFT	16QAM	Edge1RBRight	20.87
66-n5	10MHz	15kHz	844MHz	DFT	16QAM	OuterFull	21.11
66-n5	10MHz	15kHz	844MHz	DFT	64QAM	InnerFull	20.53
66-n5	10MHz	15kHz	844MHz	DFT	64QAM	Edge6RBLeft	20.53
66-n5	10MHz	15kHz	844MHz	DFT	64QAM	Edge6RBRight	20.34
66-n5	10MHz	15kHz	844MHz	DFT	64QAM	OuterFull	20.60
66-n5	10MHz	15kHz	844MHz	DFT	256QAM	InnerFull	18.52
66-n5	10MHz	15kHz	844MHz	DFT	256QAM	Edge1RBLeft	17.98
66-n5	10MHz	15kHz	844MHz	DFT	256QAM	Edge1RBRight	17.96
66-n5	10MHz	15kHz	844MHz	DFT	256QAM	OuterFull	18.48
66-n5	10MHz	15kHz	844MHz	CP	QPSK	InnerFull	21.42
66-n5	10MHz	15kHz	844MHz	CP	QPSK	Edge1RBLeft	20.23
66-n5	10MHz	15kHz	844MHz	CP	QPSK	Edge1RBRight	20.09

66-n5	10MHz	15kHz	844MHz	CP	QPSK	OuterFull	19.96
66-n5	10MHz	15kHz	844MHz	CP	16QAM	InnerFull	20.93
66-n5	10MHz	15kHz	844MHz	CP	16QAM	Edge1RBLeft	20.04
66-n5	10MHz	15kHz	844MHz	CP	16QAM	Edge1RBRight	20.10
66-n5	10MHz	15kHz	844MHz	CP	16QAM	OuterFull	20.04
66-n5	10MHz	15kHz	844MHz	CP	64QAM	InnerFull	19.51
66-n5	10MHz	15kHz	844MHz	CP	64QAM	Edge1RBLeft	19.26
66-n5	10MHz	15kHz	844MHz	CP	64QAM	Edge1RBRight	19.23
66-n5	10MHz	15kHz	844MHz	CP	64QAM	OuterFull	19.54
66-n5	10MHz	15kHz	844MHz	CP	256QAM	InnerFull	16.56
66-n5	10MHz	15kHz	844MHz	CP	256QAM	Edge1RBLeft	16.02
66-n5	10MHz	15kHz	844MHz	CP	256QAM	Edge1RBRight	15.97
66-n5	10MHz	15kHz	844MHz	CP	256QAM	OuterFull	16.55
66-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	InnerFull	23.40
66-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.92
66-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.72
66-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	OuterFull	22.93
66-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	InnerFull	23.27
66-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	Edge1RBLeft	22.38
66-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	Edge1RBRight	22.18
66-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	OuterFull	22.43
66-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	InnerFull	22.36
66-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	Edge1RBLeft	21.40
66-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	Edge1RBRight	21.21
66-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	OuterFull	21.38
66-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	InnerFull	21.08
66-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	Edge1RBLeft	20.63
66-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	Edge1RBRight	20.53
66-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	OuterFull	21.08
66-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	InnerFull	18.90
66-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	Edge1RBLeft	18.08
66-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	Edge1RBRight	18.10
66-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	OuterFull	18.88
66-n5	15MHz	15kHz	831.5MHz	CP	QPSK	InnerFull	21.92
66-n5	15MHz	15kHz	831.5MHz	CP	QPSK	Edge1RBLeft	20.75
66-n5	15MHz	15kHz	831.5MHz	CP	QPSK	Edge1RBRight	20.42
66-n5	15MHz	15kHz	831.5MHz	CP	QPSK	OuterFull	20.36
66-n5	15MHz	15kHz	831.5MHz	CP	16QAM	InnerFull	21.48
66-n5	15MHz	15kHz	831.5MHz	CP	16QAM	Edge1RBLeft	20.61
66-n5	15MHz	15kHz	831.5MHz	CP	16QAM	Edge1RBRight	20.29
66-n5	15MHz	15kHz	831.5MHz	CP	16QAM	OuterFull	20.38

66-n5	15MHz	15kHz	831.5MHz	CP	64QAM	InnerFull	20.03
66-n5	15MHz	15kHz	831.5MHz	CP	64QAM	Edge1RBLeft	19.83
66-n5	15MHz	15kHz	831.5MHz	CP	64QAM	Edge1RBRight	19.50
66-n5	15MHz	15kHz	831.5MHz	CP	64QAM	OuterFull	19.91
66-n5	15MHz	15kHz	831.5MHz	CP	256QAM	InnerFull	16.93
66-n5	15MHz	15kHz	831.5MHz	CP	256QAM	Edge1RBLeft	16.33
66-n5	15MHz	15kHz	831.5MHz	CP	256QAM	Edge1RBRight	16.05
66-n5	15MHz	15kHz	831.5MHz	CP	256QAM	OuterFull	16.92
66-n5	15MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	InnerFull	23.27
66-n5	15MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.02
66-n5	15MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.70
66-n5	15MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	OuterFull	22.93
66-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	23.32
66-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	22.30
66-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	22.16
66-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	22.43
66-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	22.47
66-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	21.35
66-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	21.24
66-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	21.40
66-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	20.94
66-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	20.86
66-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	20.53
66-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	20.75
66-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	18.90
66-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	18.24
66-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	18.12
66-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	18.89
66-n5	15MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	21.87
66-n5	15MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	20.72
66-n5	15MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	20.46
66-n5	15MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	20.36
66-n5	15MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	21.47
66-n5	15MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	20.55
66-n5	15MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	20.29
66-n5	15MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	20.36
66-n5	15MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	20.00
66-n5	15MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	19.85
66-n5	15MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	19.60
66-n5	15MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	19.89
66-n5	15MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	16.93

66-n5	15MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	16.29
66-n5	15MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	16.09
66-n5	15MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	16.92
66-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	InnerFull	23.13
66-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.79
66-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.61
66-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	OuterFull	22.71
66-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	InnerFull	22.97
66-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	Edge1RBLeft	22.22
66-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	Edge1RBRight	22.08
66-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	OuterFull	22.31
66-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	InnerFull	22.31
66-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	Edge1RBLeft	21.35
66-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	Edge1RBRight	21.19
66-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	OuterFull	21.25
66-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	InnerFull	20.82
66-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	Edge1RBLeft	20.73
66-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	Edge1RBRight	21.27
66-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	OuterFull	20.71
66-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	InnerFull	18.66
66-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	Edge1RBLeft	18.12
66-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	Edge1RBRight	17.99
66-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	OuterFull	18.73
66-n5	15MHz	15kHz	841.5MHz	CP	QPSK	InnerFull	21.65
66-n5	15MHz	15kHz	841.5MHz	CP	QPSK	Edge1RBLeft	20.47
66-n5	15MHz	15kHz	841.5MHz	CP	QPSK	Edge1RBRight	20.36
66-n5	15MHz	15kHz	841.5MHz	CP	QPSK	OuterFull	20.20
66-n5	15MHz	15kHz	841.5MHz	CP	16QAM	InnerFull	21.28
66-n5	15MHz	15kHz	841.5MHz	CP	16QAM	Edge1RBLeft	20.58
66-n5	15MHz	15kHz	841.5MHz	CP	16QAM	Edge1RBRight	20.26
66-n5	15MHz	15kHz	841.5MHz	CP	16QAM	OuterFull	20.20
66-n5	15MHz	15kHz	841.5MHz	CP	64QAM	InnerFull	19.75
66-n5	15MHz	15kHz	841.5MHz	CP	64QAM	Edge1RBLeft	19.74
66-n5	15MHz	15kHz	841.5MHz	CP	64QAM	Edge1RBRight	19.45
66-n5	15MHz	15kHz	841.5MHz	CP	64QAM	OuterFull	19.75
66-n5	15MHz	15kHz	841.5MHz	CP	256QAM	InnerFull	16.78
66-n5	15MHz	15kHz	841.5MHz	CP	256QAM	Edge1RBLeft	16.14
66-n5	15MHz	15kHz	841.5MHz	CP	256QAM	Edge1RBRight	16.10
66-n5	15MHz	15kHz	841.5MHz	CP	256QAM	OuterFull	16.71
66-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	InnerFull	23.30
66-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.95

66-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	Edge1RBRight	22.69
66-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	OuterFull	22.73
66-n5	20MHz	15kHz	834MHz	DFT	QPSK	InnerFull	23.33
66-n5	20MHz	15kHz	834MHz	DFT	QPSK	Edge1RBLeft	22.36
66-n5	20MHz	15kHz	834MHz	DFT	QPSK	Edge1RBRight	22.11
66-n5	20MHz	15kHz	834MHz	DFT	QPSK	OuterFull	22.22
66-n5	20MHz	15kHz	834MHz	DFT	16QAM	InnerFull	22.39
66-n5	20MHz	15kHz	834MHz	DFT	16QAM	Edge1RBLeft	21.51
66-n5	20MHz	15kHz	834MHz	DFT	16QAM	Edge1RBRight	21.18
66-n5	20MHz	15kHz	834MHz	DFT	16QAM	OuterFull	21.27
66-n5	20MHz	15kHz	834MHz	DFT	64QAM	InnerFull	20.73
66-n5	20MHz	15kHz	834MHz	DFT	64QAM	Edge1RBLeft	20.82
66-n5	20MHz	15kHz	834MHz	DFT	64QAM	Edge1RBRight	20.48
66-n5	20MHz	15kHz	834MHz	DFT	64QAM	OuterFull	20.83
66-n5	20MHz	15kHz	834MHz	DFT	256QAM	InnerFull	18.78
66-n5	20MHz	15kHz	834MHz	DFT	256QAM	Edge1RBLeft	17.97
66-n5	20MHz	15kHz	834MHz	DFT	256QAM	Edge1RBRight	17.87
66-n5	20MHz	15kHz	834MHz	DFT	256QAM	OuterFull	18.80
66-n5	20MHz	15kHz	834MHz	CP	QPSK	InnerFull	21.86
66-n5	20MHz	15kHz	834MHz	CP	QPSK	Edge1RBLeft	20.68
66-n5	20MHz	15kHz	834MHz	CP	QPSK	Edge1RBRight	20.28
66-n5	20MHz	15kHz	834MHz	CP	QPSK	OuterFull	20.32
66-n5	20MHz	15kHz	834MHz	CP	16QAM	InnerFull	21.33
66-n5	20MHz	15kHz	834MHz	CP	16QAM	Edge1RBLeft	20.51
66-n5	20MHz	15kHz	834MHz	CP	16QAM	Edge1RBRight	20.22
66-n5	20MHz	15kHz	834MHz	CP	16QAM	OuterFull	20.25
66-n5	20MHz	15kHz	834MHz	CP	64QAM	InnerFull	19.84
66-n5	20MHz	15kHz	834MHz	CP	64QAM	Edge1RBLeft	19.80
66-n5	20MHz	15kHz	834MHz	CP	64QAM	Edge1RBRight	19.41
66-n5	20MHz	15kHz	834MHz	CP	64QAM	OuterFull	19.80
66-n5	20MHz	15kHz	834MHz	CP	256QAM	InnerFull	16.96
66-n5	20MHz	15kHz	834MHz	CP	256QAM	Edge1RBLeft	16.11
66-n5	20MHz	15kHz	834MHz	CP	256QAM	Edge1RBRight	15.73
66-n5	20MHz	15kHz	834MHz	CP	256QAM	OuterFull	16.79
66-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	InnerFull	23.33
66-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.98
66-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.64
66-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	OuterFull	22.72
66-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	23.20
66-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	22.42
66-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	22.15

66-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	22.24
66-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	22.38
66-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	21.46
66-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	21.21
66-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	21.27
66-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	20.87
66-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	20.89
66-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	20.57
66-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	20.75
66-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	18.87
66-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	18.08
66-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	17.83
66-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	18.85
66-n5	20MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	21.86
66-n5	20MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	20.82
66-n5	20MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	20.34
66-n5	20MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	20.26
66-n5	20MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	21.29
66-n5	20MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	20.60
66-n5	20MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	20.32
66-n5	20MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	20.19
66-n5	20MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	19.87
66-n5	20MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	19.83
66-n5	20MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	19.50
66-n5	20MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	19.73
66-n5	20MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	16.89
66-n5	20MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	16.10
66-n5	20MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	15.84
66-n5	20MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	16.82
66-n5	20MHz	15kHz	839MHz	DFT	pi/2 BPSK	InnerFull	23.38
66-n5	20MHz	15kHz	839MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.81
66-n5	20MHz	15kHz	839MHz	DFT	pi/2 BPSK	Edge1RBRight	22.64
66-n5	20MHz	15kHz	839MHz	DFT	pi/2 BPSK	OuterFull	22.66
66-n5	20MHz	15kHz	839MHz	DFT	QPSK	InnerFull	23.15
66-n5	20MHz	15kHz	839MHz	DFT	QPSK	Edge1RBLeft	22.27
66-n5	20MHz	15kHz	839MHz	DFT	QPSK	Edge1RBRight	22.09
66-n5	20MHz	15kHz	839MHz	DFT	QPSK	OuterFull	22.17
66-n5	20MHz	15kHz	839MHz	DFT	16QAM	InnerFull	22.34
66-n5	20MHz	15kHz	839MHz	DFT	16QAM	Edge1RBLeft	21.38
66-n5	20MHz	15kHz	839MHz	DFT	16QAM	Edge1RBRight	21.23
66-n5	20MHz	15kHz	839MHz	DFT	16QAM	OuterFull	21.39

66-n5	20MHz	15kHz	839MHz	DFT	64QAM	InnerFull	20.74
66-n5	20MHz	15kHz	839MHz	DFT	64QAM	Edge1RBLeft	20.55
66-n5	20MHz	15kHz	839MHz	DFT	64QAM	Edge1RBRight	21.49
66-n5	20MHz	15kHz	839MHz	DFT	64QAM	OuterFull	20.71
66-n5	20MHz	15kHz	839MHz	DFT	256QAM	InnerFull	18.86
66-n5	20MHz	15kHz	839MHz	DFT	256QAM	Edge1RBLeft	17.93
66-n5	20MHz	15kHz	839MHz	DFT	256QAM	Edge1RBRight	17.83
66-n5	20MHz	15kHz	839MHz	DFT	256QAM	OuterFull	18.69
66-n5	20MHz	15kHz	839MHz	CP	QPSK	InnerFull	21.80
66-n5	20MHz	15kHz	839MHz	CP	QPSK	Edge1RBLeft	20.56
66-n5	20MHz	15kHz	839MHz	CP	QPSK	Edge1RBRight	20.42
66-n5	20MHz	15kHz	839MHz	CP	QPSK	OuterFull	20.20
66-n5	20MHz	15kHz	839MHz	CP	16QAM	InnerFull	21.29
66-n5	20MHz	15kHz	839MHz	CP	16QAM	Edge1RBLeft	20.54
66-n5	20MHz	15kHz	839MHz	CP	16QAM	Edge1RBRight	20.26
66-n5	20MHz	15kHz	839MHz	CP	16QAM	OuterFull	20.16
66-n5	20MHz	15kHz	839MHz	CP	64QAM	InnerFull	19.80
66-n5	20MHz	15kHz	839MHz	CP	64QAM	Edge1RBLeft	19.73
66-n5	20MHz	15kHz	839MHz	CP	64QAM	Edge1RBRight	19.42
66-n5	20MHz	15kHz	839MHz	CP	64QAM	OuterFull	19.70
66-n5	20MHz	15kHz	839MHz	CP	256QAM	InnerFull	16.77
66-n5	20MHz	15kHz	839MHz	CP	256QAM	Edge1RBLeft	15.97
66-n5	20MHz	15kHz	839MHz	CP	256QAM	Edge1RBRight	15.82
66-n5	20MHz	15kHz	839MHz	CP	256QAM	OuterFull	16.81

LTE Band 66+NR n7

BAND	BW	SCS	FREQ	OFDM	MODULATON	RB ALLOCATION	TOTAL POWER(dBm)
66-n7	5MHz	15kHz	2502.5MHz	DFT	pi/2 BPSK	InnerFull	22.90
66-n7	5MHz	15kHz	2502.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.50
66-n7	5MHz	15kHz	2502.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.59
66-n7	5MHz	15kHz	2502.5MHz	DFT	pi/2 BPSK	OuterFull	22.50
66-n7	5MHz	15kHz	2502.5MHz	DFT	QPSK	InnerFull	22.90
66-n7	5MHz	15kHz	2502.5MHz	DFT	QPSK	Edge1RBLeft	21.93
66-n7	5MHz	15kHz	2502.5MHz	DFT	QPSK	Edge1RBRight	22.12
66-n7	5MHz	15kHz	2502.5MHz	DFT	QPSK	OuterFull	22.02
66-n7	5MHz	15kHz	2502.5MHz	DFT	16QAM	InnerFull	22.04
66-n7	5MHz	15kHz	2502.5MHz	DFT	16QAM	Edge1RBLeft	21.02
66-n7	5MHz	15kHz	2502.5MHz	DFT	16QAM	Edge1RBRight	21.11
66-n7	5MHz	15kHz	2502.5MHz	DFT	16QAM	OuterFull	21.09
66-n7	5MHz	15kHz	2502.5MHz	DFT	64QAM	InnerFull	20.66
66-n7	5MHz	15kHz	2502.5MHz	DFT	64QAM	Edge1RBLeft	20.35
66-n7	5MHz	15kHz	2502.5MHz	DFT	64QAM	Edge1RBRight	20.42
66-n7	5MHz	15kHz	2502.5MHz	DFT	64QAM	OuterFull	20.57
66-n7	5MHz	15kHz	2502.5MHz	DFT	256QAM	InnerFull	18.60
66-n7	5MHz	15kHz	2502.5MHz	DFT	256QAM	Edge1RBLeft	18.02
66-n7	5MHz	15kHz	2502.5MHz	DFT	256QAM	Edge1RBRight	18.18
66-n7	5MHz	15kHz	2502.5MHz	DFT	256QAM	OuterFull	18.44
66-n7	5MHz	15kHz	2502.5MHz	CP	QPSK	InnerFull	21.57
66-n7	5MHz	15kHz	2502.5MHz	CP	QPSK	Edge1RBLeft	20.10
66-n7	5MHz	15kHz	2502.5MHz	CP	QPSK	Edge1RBRight	20.20
66-n7	5MHz	15kHz	2502.5MHz	CP	QPSK	OuterFull	19.95
66-n7	5MHz	15kHz	2502.5MHz	CP	16QAM	InnerFull	20.97
66-n7	5MHz	15kHz	2502.5MHz	CP	16QAM	Edge1RBLeft	20.08
66-n7	5MHz	15kHz	2502.5MHz	CP	16QAM	Edge1RBRight	20.24
66-n7	5MHz	15kHz	2502.5MHz	CP	16QAM	OuterFull	20.06
66-n7	5MHz	15kHz	2502.5MHz	CP	64QAM	InnerFull	19.64
66-n7	5MHz	15kHz	2502.5MHz	CP	64QAM	Edge1RBLeft	19.31
66-n7	5MHz	15kHz	2502.5MHz	CP	64QAM	Edge1RBRight	19.39
66-n7	5MHz	15kHz	2502.5MHz	CP	64QAM	OuterFull	19.57
66-n7	5MHz	15kHz	2502.5MHz	CP	256QAM	InnerFull	16.59
66-n7	5MHz	15kHz	2502.5MHz	CP	256QAM	Edge1RBLeft	15.92
66-n7	5MHz	15kHz	2502.5MHz	CP	256QAM	Edge1RBRight	15.99
66-n7	5MHz	15kHz	2502.5MHz	CP	256QAM	OuterFull	16.56
66-n7	5MHz	15kHz	2535MHz	DFT	pi/2 BPSK	InnerFull	22.88
66-n7	5MHz	15kHz	2535MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.61
66-n7	5MHz	15kHz	2535MHz	DFT	pi/2 BPSK	Edge1RBRight	22.61

66-n7	5MHz	15kHz	2535MHz	DFT	pi/2 BPSK	OuterFull	22.66
66-n7	5MHz	15kHz	2535MHz	DFT	QPSK	InnerFull	23.08
66-n7	5MHz	15kHz	2535MHz	DFT	QPSK	Edge1RBLeft	22.08
66-n7	5MHz	15kHz	2535MHz	DFT	QPSK	Edge1RBRight	22.20
66-n7	5MHz	15kHz	2535MHz	DFT	QPSK	OuterFull	22.21
66-n7	5MHz	15kHz	2535MHz	DFT	16QAM	InnerFull	22.24
66-n7	5MHz	15kHz	2535MHz	DFT	16QAM	Edge1RBLeft	21.23
66-n7	5MHz	15kHz	2535MHz	DFT	16QAM	Edge1RBRight	21.09
66-n7	5MHz	15kHz	2535MHz	DFT	16QAM	OuterFull	21.23
66-n7	5MHz	15kHz	2535MHz	DFT	64QAM	InnerFull	20.77
66-n7	5MHz	15kHz	2535MHz	DFT	64QAM	Edge1RBLeft	20.54
66-n7	5MHz	15kHz	2535MHz	DFT	64QAM	Edge1RBRight	20.40
66-n7	5MHz	15kHz	2535MHz	DFT	64QAM	OuterFull	20.82
66-n7	5MHz	15kHz	2535MHz	DFT	256QAM	InnerFull	18.69
66-n7	5MHz	15kHz	2535MHz	DFT	256QAM	Edge1RBLeft	18.11
66-n7	5MHz	15kHz	2535MHz	DFT	256QAM	Edge1RBRight	18.14
66-n7	5MHz	15kHz	2535MHz	DFT	256QAM	OuterFull	18.59
66-n7	5MHz	15kHz	2535MHz	CP	QPSK	InnerFull	21.61
66-n7	5MHz	15kHz	2535MHz	CP	QPSK	Edge1RBLeft	20.30
66-n7	5MHz	15kHz	2535MHz	CP	QPSK	Edge1RBRight	20.17
66-n7	5MHz	15kHz	2535MHz	CP	QPSK	OuterFull	20.08
66-n7	5MHz	15kHz	2535MHz	CP	16QAM	InnerFull	21.07
66-n7	5MHz	15kHz	2535MHz	CP	16QAM	Edge1RBLeft	20.33
66-n7	5MHz	15kHz	2535MHz	CP	16QAM	Edge1RBRight	20.26
66-n7	5MHz	15kHz	2535MHz	CP	16QAM	OuterFull	20.18
66-n7	5MHz	15kHz	2535MHz	CP	64QAM	InnerFull	19.78
66-n7	5MHz	15kHz	2535MHz	CP	64QAM	Edge1RBLeft	19.47
66-n7	5MHz	15kHz	2535MHz	CP	64QAM	Edge1RBRight	19.42
66-n7	5MHz	15kHz	2535MHz	CP	64QAM	OuterFull	19.75
66-n7	5MHz	15kHz	2535MHz	CP	256QAM	InnerFull	16.78
66-n7	5MHz	15kHz	2535MHz	CP	256QAM	Edge1RBLeft	16.13
66-n7	5MHz	15kHz	2535MHz	CP	256QAM	Edge1RBRight	15.95
66-n7	5MHz	15kHz	2535MHz	CP	256QAM	OuterFull	16.71
66-n7	5MHz	15kHz	2567.5MHz	DFT	pi/2 BPSK	InnerFull	23.52
66-n7	5MHz	15kHz	2567.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.77
66-n7	5MHz	15kHz	2567.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.84
66-n7	5MHz	15kHz	2567.5MHz	DFT	pi/2 BPSK	OuterFull	22.89
66-n7	5MHz	15kHz	2567.5MHz	DFT	QPSK	InnerFull	23.24
66-n7	5MHz	15kHz	2567.5MHz	DFT	QPSK	Edge1RBLeft	22.31
66-n7	5MHz	15kHz	2567.5MHz	DFT	QPSK	Edge1RBRight	22.38
66-n7	5MHz	15kHz	2567.5MHz	DFT	QPSK	OuterFull	22.41

66-n7	5MHz	15kHz	2567.5MHz	DFT	16QAM	InnerFull	22.42
66-n7	5MHz	15kHz	2567.5MHz	DFT	16QAM	Edge1RBLeft	21.41
66-n7	5MHz	15kHz	2567.5MHz	DFT	16QAM	Edge1RBRight	21.46
66-n7	5MHz	15kHz	2567.5MHz	DFT	16QAM	OuterFull	21.49
66-n7	5MHz	15kHz	2567.5MHz	DFT	64QAM	InnerFull	20.96
66-n7	5MHz	15kHz	2567.5MHz	DFT	64QAM	Edge1RBLeft	20.78
66-n7	5MHz	15kHz	2567.5MHz	DFT	64QAM	Edge1RBRight	20.79
66-n7	5MHz	15kHz	2567.5MHz	DFT	64QAM	OuterFull	20.97
66-n7	5MHz	15kHz	2567.5MHz	DFT	256QAM	InnerFull	18.90
66-n7	5MHz	15kHz	2567.5MHz	DFT	256QAM	Edge1RBLeft	18.28
66-n7	5MHz	15kHz	2567.5MHz	DFT	256QAM	Edge1RBRight	18.31
66-n7	5MHz	15kHz	2567.5MHz	DFT	256QAM	OuterFull	18.86
66-n7	5MHz	15kHz	2567.5MHz	CP	QPSK	InnerFull	21.85
66-n7	5MHz	15kHz	2567.5MHz	CP	QPSK	Edge1RBLeft	20.49
66-n7	5MHz	15kHz	2567.5MHz	CP	QPSK	Edge1RBRight	20.60
66-n7	5MHz	15kHz	2567.5MHz	CP	QPSK	OuterFull	20.34
66-n7	5MHz	15kHz	2567.5MHz	CP	16QAM	InnerFull	21.33
66-n7	5MHz	15kHz	2567.5MHz	CP	16QAM	Edge1RBLeft	20.46
66-n7	5MHz	15kHz	2567.5MHz	CP	16QAM	Edge1RBRight	20.60
66-n7	5MHz	15kHz	2567.5MHz	CP	16QAM	OuterFull	20.51
66-n7	5MHz	15kHz	2567.5MHz	CP	64QAM	InnerFull	20.01
66-n7	5MHz	15kHz	2567.5MHz	CP	64QAM	Edge1RBLeft	19.76
66-n7	5MHz	15kHz	2567.5MHz	CP	64QAM	Edge1RBRight	19.76
66-n7	5MHz	15kHz	2567.5MHz	CP	64QAM	OuterFull	19.94
66-n7	5MHz	15kHz	2567.5MHz	CP	256QAM	InnerFull	16.95
66-n7	5MHz	15kHz	2567.5MHz	CP	256QAM	Edge1RBLeft	16.34
66-n7	5MHz	15kHz	2567.5MHz	CP	256QAM	Edge1RBRight	16.35
66-n7	5MHz	15kHz	2567.5MHz	CP	256QAM	OuterFull	16.94
66-n7	10MHz	15kHz	2505MHz	DFT	pi/2 BPSK	InnerFull	23.01
66-n7	10MHz	15kHz	2505MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.43
66-n7	10MHz	15kHz	2505MHz	DFT	pi/2 BPSK	Edge1RBRight	22.69
66-n7	10MHz	15kHz	2505MHz	DFT	pi/2 BPSK	OuterFull	22.70
66-n7	10MHz	15kHz	2505MHz	DFT	QPSK	InnerFull	23.06
66-n7	10MHz	15kHz	2505MHz	DFT	QPSK	Edge1RBLeft	21.97
66-n7	10MHz	15kHz	2505MHz	DFT	QPSK	Edge1RBRight	22.20
66-n7	10MHz	15kHz	2505MHz	DFT	QPSK	OuterFull	22.22
66-n7	10MHz	15kHz	2505MHz	DFT	16QAM	InnerFull	22.29
66-n7	10MHz	15kHz	2505MHz	DFT	16QAM	Edge1RBLeft	21.06
66-n7	10MHz	15kHz	2505MHz	DFT	16QAM	Edge1RBRight	21.35
66-n7	10MHz	15kHz	2505MHz	DFT	16QAM	OuterFull	21.26
66-n7	10MHz	15kHz	2505MHz	DFT	64QAM	InnerFull	20.74

66-n7	10MHz	15kHz	2505MHz	DFT	64QAM	Edge1RBLeft	20.46
66-n7	10MHz	15kHz	2505MHz	DFT	64QAM	Edge1RBRight	20.66
66-n7	10MHz	15kHz	2505MHz	DFT	64QAM	OuterFull	20.71
66-n7	10MHz	15kHz	2505MHz	DFT	256QAM	InnerFull	18.47
66-n7	10MHz	15kHz	2505MHz	DFT	256QAM	Edge1RBLeft	17.93
66-n7	10MHz	15kHz	2505MHz	DFT	256QAM	Edge1RBRight	18.17
66-n7	10MHz	15kHz	2505MHz	DFT	256QAM	OuterFull	18.66
66-n7	10MHz	15kHz	2505MHz	CP	QPSK	InnerFull	21.61
66-n7	10MHz	15kHz	2505MHz	CP	QPSK	Edge1RBLeft	20.19
66-n7	10MHz	15kHz	2505MHz	CP	QPSK	Edge1RBRight	20.40
66-n7	10MHz	15kHz	2505MHz	CP	QPSK	OuterFull	20.20
66-n7	10MHz	15kHz	2505MHz	CP	16QAM	InnerFull	21.19
66-n7	10MHz	15kHz	2505MHz	CP	16QAM	Edge1RBLeft	20.22
66-n7	10MHz	15kHz	2505MHz	CP	16QAM	Edge1RBRight	20.45
66-n7	10MHz	15kHz	2505MHz	CP	16QAM	OuterFull	20.24
66-n7	10MHz	15kHz	2505MHz	CP	64QAM	InnerFull	19.79
66-n7	10MHz	15kHz	2505MHz	CP	64QAM	Edge1RBLeft	19.48
66-n7	10MHz	15kHz	2505MHz	CP	64QAM	Edge1RBRight	19.60
66-n7	10MHz	15kHz	2505MHz	CP	64QAM	OuterFull	19.76
66-n7	10MHz	15kHz	2505MHz	CP	256QAM	InnerFull	16.59
66-n7	10MHz	15kHz	2505MHz	CP	256QAM	Edge1RBLeft	16.09
66-n7	10MHz	15kHz	2505MHz	CP	256QAM	Edge1RBRight	16.26
66-n7	10MHz	15kHz	2505MHz	CP	256QAM	OuterFull	16.84
66-n7	10MHz	15kHz	2535MHz	DFT	pi/2 BPSK	InnerFull	23.05
66-n7	10MHz	15kHz	2535MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.60
66-n7	10MHz	15kHz	2535MHz	DFT	pi/2 BPSK	Edge1RBRight	22.55
66-n7	10MHz	15kHz	2535MHz	DFT	pi/2 BPSK	OuterFull	22.54
66-n7	10MHz	15kHz	2535MHz	DFT	QPSK	InnerFull	23.00
66-n7	10MHz	15kHz	2535MHz	DFT	QPSK	Edge1RBLeft	22.15
66-n7	10MHz	15kHz	2535MHz	DFT	QPSK	Edge1RBRight	22.04
66-n7	10MHz	15kHz	2535MHz	DFT	QPSK	OuterFull	22.19
66-n7	10MHz	15kHz	2535MHz	DFT	16QAM	InnerFull	22.20
66-n7	10MHz	15kHz	2535MHz	DFT	16QAM	Edge1RBLeft	21.26
66-n7	10MHz	15kHz	2535MHz	DFT	16QAM	Edge1RBRight	21.15
66-n7	10MHz	15kHz	2535MHz	DFT	16QAM	OuterFull	21.13
66-n7	10MHz	15kHz	2535MHz	DFT	64QAM	InnerFull	20.77
66-n7	10MHz	15kHz	2535MHz	DFT	64QAM	Edge1RBLeft	20.57
66-n7	10MHz	15kHz	2535MHz	DFT	64QAM	Edge1RBRight	20.37
66-n7	10MHz	15kHz	2535MHz	DFT	64QAM	OuterFull	20.67
66-n7	10MHz	15kHz	2535MHz	DFT	256QAM	InnerFull	18.55
66-n7	10MHz	15kHz	2535MHz	DFT	256QAM	Edge1RBLeft	18.02

66-n7	10MHz	15kHz	2535MHz	DFT	256QAM	Edge1RBRight	17.99
66-n7	10MHz	15kHz	2535MHz	DFT	256QAM	OuterFull	18.55
66-n7	10MHz	15kHz	2535MHz	CP	QPSK	InnerFull	21.59
66-n7	10MHz	15kHz	2535MHz	CP	QPSK	Edge1RBLeft	20.29
66-n7	10MHz	15kHz	2535MHz	CP	QPSK	Edge1RBRight	20.10
66-n7	10MHz	15kHz	2535MHz	CP	QPSK	OuterFull	20.14
66-n7	10MHz	15kHz	2535MHz	CP	16QAM	InnerFull	21.15
66-n7	10MHz	15kHz	2535MHz	CP	16QAM	Edge1RBLeft	20.35
66-n7	10MHz	15kHz	2535MHz	CP	16QAM	Edge1RBRight	20.19
66-n7	10MHz	15kHz	2535MHz	CP	16QAM	OuterFull	20.17
66-n7	10MHz	15kHz	2535MHz	CP	64QAM	InnerFull	19.70
66-n7	10MHz	15kHz	2535MHz	CP	64QAM	Edge1RBLeft	19.58
66-n7	10MHz	15kHz	2535MHz	CP	64QAM	Edge1RBRight	19.34
66-n7	10MHz	15kHz	2535MHz	CP	64QAM	OuterFull	19.64
66-n7	10MHz	15kHz	2535MHz	CP	256QAM	InnerFull	16.65
66-n7	10MHz	15kHz	2535MHz	CP	256QAM	Edge1RBLeft	16.26
66-n7	10MHz	15kHz	2535MHz	CP	256QAM	Edge1RBRight	16.08
66-n7	10MHz	15kHz	2535MHz	CP	256QAM	OuterFull	16.62
66-n7	10MHz	15kHz	2565MHz	DFT	pi/2 BPSK	InnerFull	23.31
66-n7	10MHz	15kHz	2565MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.69
66-n7	10MHz	15kHz	2565MHz	DFT	pi/2 BPSK	Edge1RBRight	22.77
66-n7	10MHz	15kHz	2565MHz	DFT	pi/2 BPSK	OuterFull	22.87
66-n7	10MHz	15kHz	2565MHz	DFT	QPSK	InnerFull	23.28
66-n7	10MHz	15kHz	2565MHz	DFT	QPSK	Edge1RBLeft	22.17
66-n7	10MHz	15kHz	2565MHz	DFT	QPSK	Edge1RBRight	22.30
66-n7	10MHz	15kHz	2565MHz	DFT	QPSK	OuterFull	22.32
66-n7	10MHz	15kHz	2565MHz	DFT	16QAM	InnerFull	22.45
66-n7	10MHz	15kHz	2565MHz	DFT	16QAM	Edge1RBLeft	21.28
66-n7	10MHz	15kHz	2565MHz	DFT	16QAM	Edge1RBRight	21.38
66-n7	10MHz	15kHz	2565MHz	DFT	16QAM	OuterFull	21.39
66-n7	10MHz	15kHz	2565MHz	DFT	64QAM	InnerFull	21.00
66-n7	10MHz	15kHz	2565MHz	DFT	64QAM	Edge6RBLeft	20.62
66-n7	10MHz	15kHz	2565MHz	DFT	64QAM	Edge6RBRight	20.75
66-n7	10MHz	15kHz	2565MHz	DFT	64QAM	OuterFull	20.90
66-n7	10MHz	15kHz	2565MHz	DFT	256QAM	InnerFull	18.73
66-n7	10MHz	15kHz	2565MHz	DFT	256QAM	Edge1RBLeft	18.05
66-n7	10MHz	15kHz	2565MHz	DFT	256QAM	Edge1RBRight	18.29
66-n7	10MHz	15kHz	2565MHz	DFT	256QAM	OuterFull	18.76
66-n7	10MHz	15kHz	2565MHz	CP	QPSK	InnerFull	21.78
66-n7	10MHz	15kHz	2565MHz	CP	QPSK	Edge1RBLeft	20.49
66-n7	10MHz	15kHz	2565MHz	CP	QPSK	Edge1RBRight	20.55

66-n7	10MHz	15kHz	2565MHz	CP	QPSK	OuterFull	20.34
66-n7	10MHz	15kHz	2565MHz	CP	16QAM	InnerFull	21.28
66-n7	10MHz	15kHz	2565MHz	CP	16QAM	Edge1RBLeft	20.40
66-n7	10MHz	15kHz	2565MHz	CP	16QAM	Edge1RBRight	20.47
66-n7	10MHz	15kHz	2565MHz	CP	16QAM	OuterFull	20.42
66-n7	10MHz	15kHz	2565MHz	CP	64QAM	InnerFull	19.93
66-n7	10MHz	15kHz	2565MHz	CP	64QAM	Edge1RBLeft	19.61
66-n7	10MHz	15kHz	2565MHz	CP	64QAM	Edge1RBRight	19.70
66-n7	10MHz	15kHz	2565MHz	CP	64QAM	OuterFull	19.81
66-n7	10MHz	15kHz	2565MHz	CP	256QAM	InnerFull	16.85
66-n7	10MHz	15kHz	2565MHz	CP	256QAM	Edge1RBLeft	16.24
66-n7	10MHz	15kHz	2565MHz	CP	256QAM	Edge1RBRight	16.29
66-n7	10MHz	15kHz	2565MHz	CP	256QAM	OuterFull	16.90
66-n7	15MHz	15kHz	2507.5MHz	DFT	pi/2 BPSK	InnerFull	22.91
66-n7	15MHz	15kHz	2507.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.29
66-n7	15MHz	15kHz	2507.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.61
66-n7	15MHz	15kHz	2507.5MHz	DFT	pi/2 BPSK	OuterFull	22.54
66-n7	15MHz	15kHz	2507.5MHz	DFT	QPSK	InnerFull	22.96
66-n7	15MHz	15kHz	2507.5MHz	DFT	QPSK	Edge1RBLeft	21.85
66-n7	15MHz	15kHz	2507.5MHz	DFT	QPSK	Edge1RBRight	22.01
66-n7	15MHz	15kHz	2507.5MHz	DFT	QPSK	OuterFull	22.09
66-n7	15MHz	15kHz	2507.5MHz	DFT	16QAM	InnerFull	21.98
66-n7	15MHz	15kHz	2507.5MHz	DFT	16QAM	Edge1RBLeft	20.93
66-n7	15MHz	15kHz	2507.5MHz	DFT	16QAM	Edge1RBRight	21.18
66-n7	15MHz	15kHz	2507.5MHz	DFT	16QAM	OuterFull	21.07
66-n7	15MHz	15kHz	2507.5MHz	DFT	64QAM	InnerFull	20.63
66-n7	15MHz	15kHz	2507.5MHz	DFT	64QAM	Edge1RBLeft	20.17
66-n7	15MHz	15kHz	2507.5MHz	DFT	64QAM	Edge1RBRight	20.41
66-n7	15MHz	15kHz	2507.5MHz	DFT	64QAM	OuterFull	20.69
66-n7	15MHz	15kHz	2507.5MHz	DFT	256QAM	InnerFull	18.39
66-n7	15MHz	15kHz	2507.5MHz	DFT	256QAM	Edge1RBLeft	17.75
66-n7	15MHz	15kHz	2507.5MHz	DFT	256QAM	Edge1RBRight	18.10
66-n7	15MHz	15kHz	2507.5MHz	DFT	256QAM	OuterFull	18.56
66-n7	15MHz	15kHz	2507.5MHz	CP	QPSK	InnerFull	21.53
66-n7	15MHz	15kHz	2507.5MHz	CP	QPSK	Edge1RBLeft	19.99
66-n7	15MHz	15kHz	2507.5MHz	CP	QPSK	Edge1RBRight	20.18
66-n7	15MHz	15kHz	2507.5MHz	CP	QPSK	OuterFull	20.07
66-n7	15MHz	15kHz	2507.5MHz	CP	16QAM	InnerFull	21.15
66-n7	15MHz	15kHz	2507.5MHz	CP	16QAM	Edge1RBLeft	20.02
66-n7	15MHz	15kHz	2507.5MHz	CP	16QAM	Edge1RBRight	20.23
66-n7	15MHz	15kHz	2507.5MHz	CP	16QAM	OuterFull	20.16

66-n7	15MHz	15kHz	2507.5MHz	CP	64QAM	InnerFull	19.63
66-n7	15MHz	15kHz	2507.5MHz	CP	64QAM	Edge1RBLeft	19.20
66-n7	15MHz	15kHz	2507.5MHz	CP	64QAM	Edge1RBRight	19.44
66-n7	15MHz	15kHz	2507.5MHz	CP	64QAM	OuterFull	19.61
66-n7	15MHz	15kHz	2507.5MHz	CP	256QAM	InnerFull	16.52
66-n7	15MHz	15kHz	2507.5MHz	CP	256QAM	Edge1RBLeft	15.89
66-n7	15MHz	15kHz	2507.5MHz	CP	256QAM	Edge1RBRight	16.16
66-n7	15MHz	15kHz	2507.5MHz	CP	256QAM	OuterFull	16.65
66-n7	15MHz	15kHz	2535MHz	DFT	pi/2 BPSK	InnerFull	22.93
66-n7	15MHz	15kHz	2535MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.62
66-n7	15MHz	15kHz	2535MHz	DFT	pi/2 BPSK	Edge1RBRight	22.45
66-n7	15MHz	15kHz	2535MHz	DFT	pi/2 BPSK	OuterFull	22.61
66-n7	15MHz	15kHz	2535MHz	DFT	QPSK	InnerFull	23.10
66-n7	15MHz	15kHz	2535MHz	DFT	QPSK	Edge1RBLeft	22.09
66-n7	15MHz	15kHz	2535MHz	DFT	QPSK	Edge1RBRight	21.95
66-n7	15MHz	15kHz	2535MHz	DFT	QPSK	OuterFull	22.11
66-n7	15MHz	15kHz	2535MHz	DFT	16QAM	InnerFull	22.09
66-n7	15MHz	15kHz	2535MHz	DFT	16QAM	Edge1RBLeft	21.19
66-n7	15MHz	15kHz	2535MHz	DFT	16QAM	Edge1RBRight	21.04
66-n7	15MHz	15kHz	2535MHz	DFT	16QAM	OuterFull	21.04
66-n7	15MHz	15kHz	2535MHz	DFT	64QAM	InnerFull	20.63
66-n7	15MHz	15kHz	2535MHz	DFT	64QAM	Edge1RBLeft	20.42
66-n7	15MHz	15kHz	2535MHz	DFT	64QAM	Edge1RBRight	20.37
66-n7	15MHz	15kHz	2535MHz	DFT	64QAM	OuterFull	20.66
66-n7	15MHz	15kHz	2535MHz	DFT	256QAM	InnerFull	18.40
66-n7	15MHz	15kHz	2535MHz	DFT	256QAM	Edge1RBLeft	18.07
66-n7	15MHz	15kHz	2535MHz	DFT	256QAM	Edge1RBRight	18.04
66-n7	15MHz	15kHz	2535MHz	DFT	256QAM	OuterFull	18.63
66-n7	15MHz	15kHz	2535MHz	CP	QPSK	InnerFull	21.45
66-n7	15MHz	15kHz	2535MHz	CP	QPSK	Edge1RBLeft	20.25
66-n7	15MHz	15kHz	2535MHz	CP	QPSK	Edge1RBRight	20.14
66-n7	15MHz	15kHz	2535MHz	CP	QPSK	OuterFull	20.23
66-n7	15MHz	15kHz	2535MHz	CP	16QAM	InnerFull	21.14
66-n7	15MHz	15kHz	2535MHz	CP	16QAM	Edge1RBLeft	20.32
66-n7	15MHz	15kHz	2535MHz	CP	16QAM	Edge1RBRight	20.13
66-n7	15MHz	15kHz	2535MHz	CP	16QAM	OuterFull	20.18
66-n7	15MHz	15kHz	2535MHz	CP	64QAM	InnerFull	19.64
66-n7	15MHz	15kHz	2535MHz	CP	64QAM	Edge1RBLeft	19.52
66-n7	15MHz	15kHz	2535MHz	CP	64QAM	Edge1RBRight	19.29
66-n7	15MHz	15kHz	2535MHz	CP	64QAM	OuterFull	19.66
66-n7	15MHz	15kHz	2535MHz	CP	256QAM	InnerFull	16.57

66-n7	15MHz	15kHz	2535MHz	CP	256QAM	Edge1RBLeft	16.18
66-n7	15MHz	15kHz	2535MHz	CP	256QAM	Edge1RBRight	16.07
66-n7	15MHz	15kHz	2535MHz	CP	256QAM	OuterFull	16.62
66-n7	15MHz	15kHz	2562.5MHz	DFT	pi/2 BPSK	InnerFull	22.96
66-n7	15MHz	15kHz	2562.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.51
66-n7	15MHz	15kHz	2562.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.77
66-n7	15MHz	15kHz	2562.5MHz	DFT	pi/2 BPSK	OuterFull	22.73
66-n7	15MHz	15kHz	2562.5MHz	DFT	QPSK	InnerFull	23.17
66-n7	15MHz	15kHz	2562.5MHz	DFT	QPSK	Edge1RBLeft	22.05
66-n7	15MHz	15kHz	2562.5MHz	DFT	QPSK	Edge1RBRight	22.29
66-n7	15MHz	15kHz	2562.5MHz	DFT	QPSK	OuterFull	22.29
66-n7	15MHz	15kHz	2562.5MHz	DFT	16QAM	InnerFull	22.34
66-n7	15MHz	15kHz	2562.5MHz	DFT	16QAM	Edge1RBLeft	21.09
66-n7	15MHz	15kHz	2562.5MHz	DFT	16QAM	Edge1RBRight	21.39
66-n7	15MHz	15kHz	2562.5MHz	DFT	16QAM	OuterFull	21.31
66-n7	15MHz	15kHz	2562.5MHz	DFT	64QAM	InnerFull	20.90
66-n7	15MHz	15kHz	2562.5MHz	DFT	64QAM	Edge1RBLeft	20.40
66-n7	15MHz	15kHz	2562.5MHz	DFT	64QAM	Edge1RBRight	20.60
66-n7	15MHz	15kHz	2562.5MHz	DFT	64QAM	OuterFull	20.83
66-n7	15MHz	15kHz	2562.5MHz	DFT	256QAM	InnerFull	18.60
66-n7	15MHz	15kHz	2562.5MHz	DFT	256QAM	Edge1RBLeft	18.04
66-n7	15MHz	15kHz	2562.5MHz	DFT	256QAM	Edge1RBRight	18.37
66-n7	15MHz	15kHz	2562.5MHz	DFT	256QAM	OuterFull	18.77
66-n7	15MHz	15kHz	2562.5MHz	CP	QPSK	InnerFull	21.72
66-n7	15MHz	15kHz	2562.5MHz	CP	QPSK	Edge1RBLeft	20.22
66-n7	15MHz	15kHz	2562.5MHz	CP	QPSK	Edge1RBRight	20.40
66-n7	15MHz	15kHz	2562.5MHz	CP	QPSK	OuterFull	20.24
66-n7	15MHz	15kHz	2562.5MHz	CP	16QAM	InnerFull	21.30
66-n7	15MHz	15kHz	2562.5MHz	CP	16QAM	Edge1RBLeft	20.28
66-n7	15MHz	15kHz	2562.5MHz	CP	16QAM	Edge1RBRight	20.41
66-n7	15MHz	15kHz	2562.5MHz	CP	16QAM	OuterFull	20.26
66-n7	15MHz	15kHz	2562.5MHz	CP	64QAM	InnerFull	19.88
66-n7	15MHz	15kHz	2562.5MHz	CP	64QAM	Edge1RBLeft	19.54
66-n7	15MHz	15kHz	2562.5MHz	CP	64QAM	Edge1RBRight	19.53
66-n7	15MHz	15kHz	2562.5MHz	CP	64QAM	OuterFull	19.90
66-n7	15MHz	15kHz	2562.5MHz	CP	256QAM	InnerFull	16.71
66-n7	15MHz	15kHz	2562.5MHz	CP	256QAM	Edge1RBLeft	16.11
66-n7	15MHz	15kHz	2562.5MHz	CP	256QAM	Edge1RBRight	16.33
66-n7	15MHz	15kHz	2562.5MHz	CP	256QAM	OuterFull	16.78
66-n7	20MHz	15kHz	2510MHz	DFT	pi/2 BPSK	InnerFull	22.99
66-n7	20MHz	15kHz	2510MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.21

66-n7	20MHz	15kHz	2510MHz	DFT	pi/2 BPSK	Edge1RBRight	22.70
66-n7	20MHz	15kHz	2510MHz	DFT	pi/2 BPSK	OuterFull	22.59
66-n7	20MHz	15kHz	2510MHz	DFT	QPSK	InnerFull	23.04
66-n7	20MHz	15kHz	2510MHz	DFT	QPSK	Edge1RBLeft	21.76
66-n7	20MHz	15kHz	2510MHz	DFT	QPSK	Edge1RBRight	22.24
66-n7	20MHz	15kHz	2510MHz	DFT	QPSK	OuterFull	22.16
66-n7	20MHz	15kHz	2510MHz	DFT	16QAM	InnerFull	22.19
66-n7	20MHz	15kHz	2510MHz	DFT	16QAM	Edge1RBLeft	20.84
66-n7	20MHz	15kHz	2510MHz	DFT	16QAM	Edge1RBRight	21.35
66-n7	20MHz	15kHz	2510MHz	DFT	16QAM	OuterFull	21.17
66-n7	20MHz	15kHz	2510MHz	DFT	64QAM	InnerFull	20.64
66-n7	20MHz	15kHz	2510MHz	DFT	64QAM	Edge1RBLeft	20.16
66-n7	20MHz	15kHz	2510MHz	DFT	64QAM	Edge1RBRight	20.57
66-n7	20MHz	15kHz	2510MHz	DFT	64QAM	OuterFull	20.75
66-n7	20MHz	15kHz	2510MHz	DFT	256QAM	InnerFull	18.48
66-n7	20MHz	15kHz	2510MHz	DFT	256QAM	Edge1RBLeft	17.74
66-n7	20MHz	15kHz	2510MHz	DFT	256QAM	Edge1RBRight	18.25
66-n7	20MHz	15kHz	2510MHz	DFT	256QAM	OuterFull	18.66
66-n7	20MHz	15kHz	2510MHz	CP	QPSK	InnerFull	21.58
66-n7	20MHz	15kHz	2510MHz	CP	QPSK	Edge1RBLeft	19.94
66-n7	20MHz	15kHz	2510MHz	CP	QPSK	Edge1RBRight	20.35
66-n7	20MHz	15kHz	2510MHz	CP	QPSK	OuterFull	20.20
66-n7	20MHz	15kHz	2510MHz	CP	16QAM	InnerFull	21.19
66-n7	20MHz	15kHz	2510MHz	CP	16QAM	Edge1RBLeft	19.97
66-n7	20MHz	15kHz	2510MHz	CP	16QAM	Edge1RBRight	20.44
66-n7	20MHz	15kHz	2510MHz	CP	16QAM	OuterFull	20.10
66-n7	20MHz	15kHz	2510MHz	CP	64QAM	InnerFull	19.70
66-n7	20MHz	15kHz	2510MHz	CP	64QAM	Edge1RBLeft	19.22
66-n7	20MHz	15kHz	2510MHz	CP	64QAM	Edge1RBRight	19.71
66-n7	20MHz	15kHz	2510MHz	CP	64QAM	OuterFull	19.74
66-n7	20MHz	15kHz	2510MHz	CP	256QAM	InnerFull	16.72
66-n7	20MHz	15kHz	2510MHz	CP	256QAM	Edge1RBLeft	15.86
66-n7	20MHz	15kHz	2510MHz	CP	256QAM	Edge1RBRight	16.29
66-n7	20MHz	15kHz	2510MHz	CP	256QAM	OuterFull	16.72
66-n7	20MHz	15kHz	2535MHz	DFT	pi/2 BPSK	InnerFull	23.48
66-n7	20MHz	15kHz	2535MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.12
66-n7	20MHz	15kHz	2535MHz	DFT	pi/2 BPSK	Edge1RBRight	22.90
66-n7	20MHz	15kHz	2535MHz	DFT	pi/2 BPSK	OuterFull	23.16
66-n7	20MHz	15kHz	2535MHz	DFT	QPSK	InnerFull	23.53
66-n7	20MHz	15kHz	2535MHz	DFT	QPSK	Edge1RBLeft	22.63
66-n7	20MHz	15kHz	2535MHz	DFT	QPSK	Edge1RBRight	22.39

66-n7	20MHz	15kHz	2535MHz	DFT	QPSK	OuterFull	22.75
66-n7	20MHz	15kHz	2535MHz	DFT	16QAM	InnerFull	22.65
66-n7	20MHz	15kHz	2535MHz	DFT	16QAM	Edge1RBLeft	21.73
66-n7	20MHz	15kHz	2535MHz	DFT	16QAM	Edge1RBRight	21.42
66-n7	20MHz	15kHz	2535MHz	DFT	16QAM	OuterFull	21.72
66-n7	20MHz	15kHz	2535MHz	DFT	64QAM	InnerFull	21.10
66-n7	20MHz	15kHz	2535MHz	DFT	64QAM	Edge1RBLeft	20.96
66-n7	20MHz	15kHz	2535MHz	DFT	64QAM	Edge1RBRight	20.83
66-n7	20MHz	15kHz	2535MHz	DFT	64QAM	OuterFull	21.29
66-n7	20MHz	15kHz	2535MHz	DFT	256QAM	InnerFull	19.06
66-n7	20MHz	15kHz	2535MHz	DFT	256QAM	Edge1RBLeft	18.65
66-n7	20MHz	15kHz	2535MHz	DFT	256QAM	Edge1RBRight	18.44
66-n7	20MHz	15kHz	2535MHz	DFT	256QAM	OuterFull	19.13
66-n7	20MHz	15kHz	2535MHz	CP	QPSK	InnerFull	22.11
66-n7	20MHz	15kHz	2535MHz	CP	QPSK	Edge1RBLeft	20.81
66-n7	20MHz	15kHz	2535MHz	CP	QPSK	Edge1RBRight	20.55
66-n7	20MHz	15kHz	2535MHz	CP	QPSK	OuterFull	20.75
66-n7	20MHz	15kHz	2535MHz	CP	16QAM	InnerFull	21.71
66-n7	20MHz	15kHz	2535MHz	CP	16QAM	Edge1RBLeft	20.84
66-n7	20MHz	15kHz	2535MHz	CP	16QAM	Edge1RBRight	20.61
66-n7	20MHz	15kHz	2535MHz	CP	16QAM	OuterFull	20.64
66-n7	20MHz	15kHz	2535MHz	CP	64QAM	InnerFull	20.26
66-n7	20MHz	15kHz	2535MHz	CP	64QAM	Edge1RBLeft	20.03
66-n7	20MHz	15kHz	2535MHz	CP	64QAM	Edge1RBRight	19.75
66-n7	20MHz	15kHz	2535MHz	CP	64QAM	OuterFull	20.20
66-n7	20MHz	15kHz	2535MHz	CP	256QAM	InnerFull	17.17
66-n7	20MHz	15kHz	2535MHz	CP	256QAM	Edge1RBLeft	16.70
66-n7	20MHz	15kHz	2535MHz	CP	256QAM	Edge1RBRight	16.48
66-n7	20MHz	15kHz	2535MHz	CP	256QAM	OuterFull	17.16
66-n7	20MHz	15kHz	2560MHz	DFT	pi/2 BPSK	InnerFull	22.90
66-n7	20MHz	15kHz	2560MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.35
66-n7	20MHz	15kHz	2560MHz	DFT	pi/2 BPSK	Edge1RBRight	22.69
66-n7	20MHz	15kHz	2560MHz	DFT	pi/2 BPSK	OuterFull	22.67
66-n7	20MHz	15kHz	2560MHz	DFT	QPSK	InnerFull	23.02
66-n7	20MHz	15kHz	2560MHz	DFT	QPSK	Edge1RBLeft	21.78
66-n7	20MHz	15kHz	2560MHz	DFT	QPSK	Edge1RBRight	22.27
66-n7	20MHz	15kHz	2560MHz	DFT	QPSK	OuterFull	22.14
66-n7	20MHz	15kHz	2560MHz	DFT	16QAM	InnerFull	22.18
66-n7	20MHz	15kHz	2560MHz	DFT	16QAM	Edge1RBLeft	20.95
66-n7	20MHz	15kHz	2560MHz	DFT	16QAM	Edge1RBRight	21.34
66-n7	20MHz	15kHz	2560MHz	DFT	16QAM	OuterFull	21.19

66-n7	20MHz	15kHz	2560MHz	DFT	64QAM	InnerFull	20.67
66-n7	20MHz	15kHz	2560MHz	DFT	64QAM	Edge1RBLeft	20.22
66-n7	20MHz	15kHz	2560MHz	DFT	64QAM	Edge1RBRight	20.60
66-n7	20MHz	15kHz	2560MHz	DFT	64QAM	OuterFull	20.71
66-n7	20MHz	15kHz	2560MHz	DFT	256QAM	InnerFull	18.46
66-n7	20MHz	15kHz	2560MHz	DFT	256QAM	Edge1RBLeft	17.84
66-n7	20MHz	15kHz	2560MHz	DFT	256QAM	Edge1RBRight	18.30
66-n7	20MHz	15kHz	2560MHz	DFT	256QAM	OuterFull	18.61
66-n7	20MHz	15kHz	2560MHz	CP	QPSK	InnerFull	21.68
66-n7	20MHz	15kHz	2560MHz	CP	QPSK	Edge1RBLeft	19.93
66-n7	20MHz	15kHz	2560MHz	CP	QPSK	Edge1RBRight	20.42
66-n7	20MHz	15kHz	2560MHz	CP	QPSK	OuterFull	20.21
66-n7	20MHz	15kHz	2560MHz	CP	16QAM	InnerFull	21.14
66-n7	20MHz	15kHz	2560MHz	CP	16QAM	Edge1RBLeft	20.09
66-n7	20MHz	15kHz	2560MHz	CP	16QAM	Edge1RBRight	20.43
66-n7	20MHz	15kHz	2560MHz	CP	16QAM	OuterFull	20.11
66-n7	20MHz	15kHz	2560MHz	CP	64QAM	InnerFull	19.71
66-n7	20MHz	15kHz	2560MHz	CP	64QAM	Edge1RBLeft	19.16
66-n7	20MHz	15kHz	2560MHz	CP	64QAM	Edge1RBRight	19.58
66-n7	20MHz	15kHz	2560MHz	CP	64QAM	OuterFull	19.67
66-n7	20MHz	15kHz	2560MHz	CP	256QAM	InnerFull	16.70
66-n7	20MHz	15kHz	2560MHz	CP	256QAM	Edge1RBLeft	15.92
66-n7	20MHz	15kHz	2560MHz	CP	256QAM	Edge1RBRight	16.24
66-n7	20MHz	15kHz	2560MHz	CP	256QAM	OuterFull	16.73

LTE Band 66+NR n41

BAND	BW	SCS	FREQ	OFDM	MODULATON	RB ALLOCATION	TOTAL POWER(dBm)
66-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	InnerFull	22.85
66-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.26
66-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	Edge1RBRight	22.73
66-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	OuterFull	22.58
66-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	InnerFull	22.90
66-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	Edge1RBLeft	21.69
66-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	Edge1RBRight	22.05
66-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	OuterFull	21.97
66-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	InnerFull	22.05
66-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	Edge1RBLeft	20.88
66-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	Edge1RBRight	21.26
66-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	OuterFull	21.00
66-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	InnerFull	20.58
66-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	Edge1RBLeft	20.00
66-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	Edge1RBRight	20.22
66-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	OuterFull	20.40
66-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	InnerFull	18.61
66-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	Edge1RBLeft	17.51
66-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	Edge1RBRight	17.93
66-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	OuterFull	18.60
66-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	InnerFull	21.51
66-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	Edge1RBLeft	19.76
66-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	Edge1RBRight	20.32
66-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	OuterFull	20.02
66-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	InnerFull	20.92
66-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	Edge1RBLeft	19.84
66-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	Edge1RBRight	20.42
66-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	OuterFull	20.05
66-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	InnerFull	19.50
66-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	Edge1RBLeft	19.00
66-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	Edge1RBRight	19.58
66-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	OuterFull	19.50
66-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	InnerFull	16.49
66-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	Edge1RBLeft	15.64
66-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	Edge1RBRight	16.08
66-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	OuterFull	16.46
66-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	22.99
66-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.59
66-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.53

66-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	22.55
66-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	22.91
66-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.13
66-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	21.97
66-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	22.02
66-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	22.13
66-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	20.69
66-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	20.49
66-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	21.10
66-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	20.65
66-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	20.24
66-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	20.16
66-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	20.50
66-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	18.63
66-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	17.78
66-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	17.69
66-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	18.63
66-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	21.64
66-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	20.13
66-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	20.06
66-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	19.98
66-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	21.10
66-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	20.20
66-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	20.16
66-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	20.21
66-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	19.68
66-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	19.35
66-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	19.31
66-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	19.44
66-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	16.60
66-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	15.88
66-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	15.86
66-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	16.62
66-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	InnerFull	23.01
66-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.76
66-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.63
66-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	OuterFull	22.65
66-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	InnerFull	23.00
66-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	Edge1RBLeft	22.24
66-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	Edge1RBRight	22.03
66-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	OuterFull	22.16

66-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	InnerFull	22.27
66-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	Edge1RBLeft	21.46
66-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	Edge1RBRight	21.33
66-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	OuterFull	21.18
66-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	InnerFull	20.82
66-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	Edge1RBLeft	20.43
66-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	Edge1RBRight	20.39
66-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	OuterFull	20.50
66-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	InnerFull	18.57
66-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	Edge1RBLeft	17.91
66-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	Edge1RBRight	17.77
66-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	OuterFull	18.56
66-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	InnerFull	21.65
66-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	Edge1RBLeft	20.22
66-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	Edge1RBRight	20.29
66-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	OuterFull	20.18
66-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	InnerFull	21.20
66-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	Edge1RBLeft	19.77
66-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	Edge1RBRight	19.87
66-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	OuterFull	20.19
66-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	InnerFull	19.66
66-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	Edge1RBLeft	19.58
66-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	Edge1RBRight	19.53
66-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	OuterFull	19.51
66-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	InnerFull	16.62
66-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	Edge1RBLeft	16.09
66-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	Edge1RBRight	16.10
66-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	OuterFull	16.64
66-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	InnerFull	23.45
66-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.70
66-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	Edge1RBRight	23.10
66-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	OuterFull	23.06
66-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	InnerFull	23.41
66-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	Edge1RBLeft	22.01
66-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	Edge1RBRight	22.49
66-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	OuterFull	22.51
66-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	InnerFull	22.65
66-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	Edge1RBLeft	20.92
66-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	Edge1RBRight	21.39
66-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	OuterFull	21.55
66-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	InnerFull	21.14

66-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	Edge1RBLeft	20.24
66-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	Edge1RBRight	20.64
66-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	OuterFull	21.11
66-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	InnerFull	19.03
66-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	Edge1RBLeft	17.83
66-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	Edge1RBRight	18.44
66-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	OuterFull	18.99
66-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	InnerFull	21.98
66-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	Edge1RBLeft	20.28
66-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	Edge1RBRight	20.58
66-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	OuterFull	20.44
66-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	InnerFull	21.56
66-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	Edge1RBLeft	20.28
66-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	Edge1RBRight	20.67
66-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	OuterFull	20.50
66-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	InnerFull	20.00
66-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	Edge1RBLeft	19.43
66-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	Edge1RBRight	19.98
66-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	OuterFull	19.97
66-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	InnerFull	17.10
66-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	Edge1RBLeft	16.10
66-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	Edge1RBRight	16.53
66-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	OuterFull	17.01
66-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	23.29
66-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.90
66-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.70
66-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	22.94
66-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	23.23
66-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.37
66-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.21
66-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	22.37
66-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	22.32
66-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	21.52
66-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	21.35
66-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	21.40
66-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	20.82
66-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	20.60
66-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	20.49
66-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	20.94
66-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	18.74
66-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	18.07

66-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	17.99
66-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	18.84
66-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	21.87
66-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	20.45
66-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	20.36
66-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	20.42
66-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	21.31
66-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	20.14
66-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	20.06
66-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	20.37
66-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	19.89
66-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	19.89
66-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	19.66
66-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	19.86
66-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	16.95
66-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	16.21
66-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	16.08
66-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	16.88
66-n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	InnerFull	23.25
66-n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.66
66-n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	Edge1RBRight	22.71
66-n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	OuterFull	22.78
66-n41	40MHz	30kHz	2670MHz	DFT	QPSK	InnerFull	23.21
66-n41	40MHz	30kHz	2670MHz	DFT	QPSK	Edge1RBLeft	22.20
66-n41	40MHz	30kHz	2670MHz	DFT	QPSK	Edge1RBRight	22.28
66-n41	40MHz	30kHz	2670MHz	DFT	QPSK	OuterFull	22.36
66-n41	40MHz	30kHz	2670MHz	DFT	16QAM	InnerFull	22.27
66-n41	40MHz	30kHz	2670MHz	DFT	16QAM	Edge1RBLeft	21.31
66-n41	40MHz	30kHz	2670MHz	DFT	16QAM	Edge1RBRight	21.38
66-n41	40MHz	30kHz	2670MHz	DFT	16QAM	OuterFull	21.39
66-n41	40MHz	30kHz	2670MHz	DFT	64QAM	InnerFull	20.81
66-n41	40MHz	30kHz	2670MHz	DFT	64QAM	Edge1RBLeft	20.41
66-n41	40MHz	30kHz	2670MHz	DFT	64QAM	Edge1RBRight	20.49
66-n41	40MHz	30kHz	2670MHz	DFT	64QAM	OuterFull	20.84
66-n41	40MHz	30kHz	2670MHz	DFT	256QAM	InnerFull	18.81
66-n41	40MHz	30kHz	2670MHz	DFT	256QAM	Edge1RBLeft	17.81
66-n41	40MHz	30kHz	2670MHz	DFT	256QAM	Edge1RBRight	17.92
66-n41	40MHz	30kHz	2670MHz	DFT	256QAM	OuterFull	18.81
66-n41	40MHz	30kHz	2670MHz	CP	QPSK	InnerFull	21.82
66-n41	40MHz	30kHz	2670MHz	CP	QPSK	Edge1RBLeft	20.29
66-n41	40MHz	30kHz	2670MHz	CP	QPSK	Edge1RBRight	20.31

66-n41	40MHz	30kHz	2670MHz	CP	QPSK	OuterFull	20.38
66-n41	40MHz	30kHz	2670MHz	CP	16QAM	InnerFull	21.35
66-n41	40MHz	30kHz	2670MHz	CP	16QAM	Edge1RBLeft	20.27
66-n41	40MHz	30kHz	2670MHz	CP	16QAM	Edge1RBRight	20.38
66-n41	40MHz	30kHz	2670MHz	CP	16QAM	OuterFull	20.24
66-n41	40MHz	30kHz	2670MHz	CP	64QAM	InnerFull	19.82
66-n41	40MHz	30kHz	2670MHz	CP	64QAM	Edge1RBLeft	19.46
66-n41	40MHz	30kHz	2670MHz	CP	64QAM	Edge1RBRight	19.60
66-n41	40MHz	30kHz	2670MHz	CP	64QAM	OuterFull	19.67
66-n41	40MHz	30kHz	2670MHz	CP	256QAM	InnerFull	16.91
66-n41	40MHz	30kHz	2670MHz	CP	256QAM	Edge1RBLeft	16.11
66-n41	40MHz	30kHz	2670MHz	CP	256QAM	Edge1RBRight	16.20
66-n41	40MHz	30kHz	2670MHz	CP	256QAM	OuterFull	16.86
66-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	InnerFull	22.97
66-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.24
66-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	Edge1RBRight	22.35
66-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	OuterFull	22.56
66-n41	60MHz	30kHz	2526MHz	DFT	QPSK	InnerFull	23.01
66-n41	60MHz	30kHz	2526MHz	DFT	QPSK	Edge1RBLeft	21.78
66-n41	60MHz	30kHz	2526MHz	DFT	QPSK	Edge1RBRight	21.84
66-n41	60MHz	30kHz	2526MHz	DFT	QPSK	OuterFull	22.01
66-n41	60MHz	30kHz	2526MHz	DFT	16QAM	InnerFull	22.11
66-n41	60MHz	30kHz	2526MHz	DFT	16QAM	Edge1RBLeft	20.81
66-n41	60MHz	30kHz	2526MHz	DFT	16QAM	Edge1RBRight	21.01
66-n41	60MHz	30kHz	2526MHz	DFT	16QAM	OuterFull	21.04
66-n41	60MHz	30kHz	2526MHz	DFT	64QAM	InnerFull	20.62
66-n41	60MHz	30kHz	2526MHz	DFT	64QAM	Edge1RBLeft	19.88
66-n41	60MHz	30kHz	2526MHz	DFT	64QAM	Edge1RBRight	20.04
66-n41	60MHz	30kHz	2526MHz	DFT	64QAM	OuterFull	20.57
66-n41	60MHz	30kHz	2526MHz	DFT	256QAM	InnerFull	18.62
66-n41	60MHz	30kHz	2526MHz	DFT	256QAM	Edge1RBLeft	17.51
66-n41	60MHz	30kHz	2526MHz	DFT	256QAM	Edge1RBRight	17.50
66-n41	60MHz	30kHz	2526MHz	DFT	256QAM	OuterFull	18.56
66-n41	60MHz	30kHz	2526MHz	CP	QPSK	InnerFull	21.57
66-n41	60MHz	30kHz	2526MHz	CP	QPSK	Edge1RBLeft	19.69
66-n41	60MHz	30kHz	2526MHz	CP	QPSK	Edge1RBRight	19.89
66-n41	60MHz	30kHz	2526MHz	CP	QPSK	OuterFull	20.03
66-n41	60MHz	30kHz	2526MHz	CP	16QAM	InnerFull	21.09
66-n41	60MHz	30kHz	2526MHz	CP	16QAM	Edge1RBLeft	19.03
66-n41	60MHz	30kHz	2526MHz	CP	16QAM	Edge1RBRight	19.25
66-n41	60MHz	30kHz	2526MHz	CP	16QAM	OuterFull	20.02

66-n41	60MHz	30kHz	2526MHz	CP	64QAM	InnerFull	19.65
66-n41	60MHz	30kHz	2526MHz	CP	64QAM	Edge1RBLeft	19.00
66-n41	60MHz	30kHz	2526MHz	CP	64QAM	Edge1RBRight	19.21
66-n41	60MHz	30kHz	2526MHz	CP	64QAM	OuterFull	19.55
66-n41	60MHz	30kHz	2526MHz	CP	256QAM	InnerFull	16.69
66-n41	60MHz	30kHz	2526MHz	CP	256QAM	Edge1RBLeft	15.68
66-n41	60MHz	30kHz	2526MHz	CP	256QAM	Edge1RBRight	15.82
66-n41	60MHz	30kHz	2526MHz	CP	256QAM	OuterFull	16.60
66-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	22.94
66-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.42
66-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.29
66-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	22.46
66-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	22.89
66-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	21.98
66-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	21.77
66-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	22.04
66-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	22.00
66-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	21.09
66-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	20.92
66-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	21.08
66-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	20.56
66-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	20.05
66-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	20.00
66-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	20.52
66-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	18.34
66-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	17.53
66-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	17.51
66-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	18.51
66-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	21.48
66-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	19.87
66-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	19.89
66-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	20.07
66-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	21.06
66-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	19.33
66-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	19.23
66-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	19.98
66-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	19.55
66-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	19.31
66-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	19.21
66-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	19.46
66-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	16.52

66-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	15.84
66-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	15.85
66-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	16.62
66-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	InnerFull	22.80
66-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.38
66-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	Edge1RBRight	22.26
66-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	OuterFull	22.40
66-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	InnerFull	22.84
66-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	Edge1RBLeft	21.87
66-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	Edge1RBRight	21.82
66-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	OuterFull	21.96
66-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	InnerFull	21.93
66-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	Edge1RBLeft	20.42
66-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	Edge1RBRight	20.25
66-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	OuterFull	20.89
66-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	InnerFull	20.48
66-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	Edge1RBLeft	20.07
66-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	Edge1RBRight	19.98
66-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	OuterFull	20.44
66-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	InnerFull	18.42
66-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	Edge1RBLeft	17.54
66-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	Edge1RBRight	17.52
66-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	OuterFull	18.47
66-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	InnerFull	21.38
66-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	Edge1RBLeft	19.94
66-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	Edge1RBRight	19.86
66-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	OuterFull	19.97
66-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	InnerFull	20.91
66-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	Edge1RBLeft	19.92
66-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	Edge1RBRight	19.91
66-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	OuterFull	19.87
66-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	InnerFull	19.47
66-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	Edge1RBLeft	19.11
66-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	Edge1RBRight	19.09
66-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	OuterFull	19.41
66-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	InnerFull	16.51
66-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	Edge1RBLeft	15.72
66-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	Edge1RBRight	15.72
66-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	OuterFull	16.55
66-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	InnerFull	22.69
66-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.01

66-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	Edge1RBRight	22.40
66-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	OuterFull	22.32
66-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	InnerFull	22.69
66-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	Edge1RBLeft	21.45
66-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	Edge1RBRight	21.91
66-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	OuterFull	21.88
66-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	InnerFull	21.83
66-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	Edge1RBLeft	20.37
66-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	Edge1RBRight	21.08
66-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	OuterFull	20.80
66-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	InnerFull	20.38
66-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	Edge1RBLeft	19.90
66-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	Edge1RBRight	20.07
66-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	OuterFull	20.49
66-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	InnerFull	18.34
66-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	Edge1RBLeft	17.51
66-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	Edge1RBRight	17.53
66-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	OuterFull	18.28
66-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	InnerFull	21.40
66-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	Edge1RBLeft	19.56
66-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	Edge1RBRight	19.97
66-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	OuterFull	19.84
66-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	InnerFull	20.84
66-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	Edge1RBLeft	19.08
66-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	Edge1RBRight	19.53
66-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	OuterFull	19.92
66-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	InnerFull	19.39
66-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	Edge1RBLeft	18.72
66-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	Edge1RBRight	19.19
66-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	OuterFull	19.45
66-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	InnerFull	16.42
66-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	Edge1RBLeft	15.50
66-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	Edge1RBRight	15.69
66-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	OuterFull	16.57
66-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	23.09
66-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.65
66-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.65
66-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	22.71
66-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	23.08
66-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.22
66-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.24

66-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	22.23
66-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	22.28
66-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	21.13
66-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	21.12
66-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	21.24
66-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	20.73
66-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	20.38
66-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	20.45
66-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	20.71
66-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	18.85
66-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	17.95
66-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	17.98
66-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	18.96
66-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	21.73
66-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	20.35
66-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	20.45
66-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	20.23
66-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	21.27
66-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	20.11
66-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	20.12
66-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	20.27
66-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	19.70
66-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	19.49
66-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	19.54
66-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	19.70
66-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	16.86
66-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	16.03
66-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	15.93
66-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	16.87
66-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	InnerFull	22.61
66-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.38
66-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	Edge1RBRight	22.12
66-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	OuterFull	22.23
66-n41	100MHz	30kHz	2640MHz	DFT	QPSK	InnerFull	22.56
66-n41	100MHz	30kHz	2640MHz	DFT	QPSK	Edge1RBLeft	21.92
66-n41	100MHz	30kHz	2640MHz	DFT	QPSK	Edge1RBRight	21.70
66-n41	100MHz	30kHz	2640MHz	DFT	QPSK	OuterFull	21.79
66-n41	100MHz	30kHz	2640MHz	DFT	16QAM	InnerFull	21.71
66-n41	100MHz	30kHz	2640MHz	DFT	16QAM	Edge1RBLeft	20.96
66-n41	100MHz	30kHz	2640MHz	DFT	16QAM	Edge1RBRight	20.76
66-n41	100MHz	30kHz	2640MHz	DFT	16QAM	OuterFull	20.69

66-n41	100MHz	30kHz	2640MHz	DFT	64QAM	InnerFull	20.26
66-n41	100MHz	30kHz	2640MHz	DFT	64QAM	Edge1RBLeft	20.06
66-n41	100MHz	30kHz	2640MHz	DFT	64QAM	Edge1RBRight	19.63
66-n41	100MHz	30kHz	2640MHz	DFT	64QAM	OuterFull	20.27
66-n41	100MHz	30kHz	2640MHz	DFT	256QAM	InnerFull	18.29
66-n41	100MHz	30kHz	2640MHz	DFT	256QAM	Edge1RBLeft	17.51
66-n41	100MHz	30kHz	2640MHz	DFT	256QAM	Edge1RBRight	17.52
66-n41	100MHz	30kHz	2640MHz	DFT	256QAM	OuterFull	18.41
66-n41	100MHz	30kHz	2640MHz	CP	QPSK	InnerFull	21.15
66-n41	100MHz	30kHz	2640MHz	CP	QPSK	Edge1RBLeft	19.87
66-n41	100MHz	30kHz	2640MHz	CP	QPSK	Edge1RBRight	19.60
66-n41	100MHz	30kHz	2640MHz	CP	QPSK	OuterFull	19.83
66-n41	100MHz	30kHz	2640MHz	CP	16QAM	InnerFull	20.79
66-n41	100MHz	30kHz	2640MHz	CP	16QAM	Edge1RBLeft	20.05
66-n41	100MHz	30kHz	2640MHz	CP	16QAM	Edge1RBRight	19.71
66-n41	100MHz	30kHz	2640MHz	CP	16QAM	OuterFull	19.79
66-n41	100MHz	30kHz	2640MHz	CP	64QAM	InnerFull	19.22
66-n41	100MHz	30kHz	2640MHz	CP	64QAM	Edge1RBLeft	19.17
66-n41	100MHz	30kHz	2640MHz	CP	64QAM	Edge1RBRight	18.92
66-n41	100MHz	30kHz	2640MHz	CP	64QAM	OuterFull	19.29
66-n41	100MHz	30kHz	2640MHz	CP	256QAM	InnerFull	16.30
66-n41	100MHz	30kHz	2640MHz	CP	256QAM	Edge1RBLeft	15.79
66-n41	100MHz	30kHz	2640MHz	CP	256QAM	Edge1RBRight	15.59
66-n41	100MHz	30kHz	2640MHz	CP	256QAM	OuterFull	16.45

LTE Band 5+NR n66

BAND	BW	SCS	FREQ	OFDM	MODULATON	RB ALLOCATION	TOTAL POWER(dBm)
5-n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	InnerFull	23.11
5-n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.68
5-n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.69
5-n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	OuterFull	22.68
5-n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	InnerFull	23.07
5-n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	Edge1RBLeft	22.19
5-n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	Edge1RBRight	22.24
5-n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	OuterFull	22.28
5-n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	InnerFull	22.26
5-n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	Edge1RBLeft	21.22
5-n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	Edge1RBRight	21.23
5-n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	OuterFull	21.30
5-n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	InnerFull	20.82
5-n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	Edge1RBLeft	20.58
5-n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	Edge1RBRight	20.59
5-n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	OuterFull	20.80
5-n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	InnerFull	18.75
5-n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	Edge1RBLeft	18.20
5-n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	Edge1RBRight	18.18
5-n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	OuterFull	18.78
5-n66	5MHz	15kHz	1712.5MHz	CP	QPSK	InnerFull	21.64
5-n66	5MHz	15kHz	1712.5MHz	CP	QPSK	Edge1RBLeft	20.33
5-n66	5MHz	15kHz	1712.5MHz	CP	QPSK	Edge1RBRight	20.37
5-n66	5MHz	15kHz	1712.5MHz	CP	QPSK	OuterFull	20.23
5-n66	5MHz	15kHz	1712.5MHz	CP	16QAM	InnerFull	21.12
5-n66	5MHz	15kHz	1712.5MHz	CP	16QAM	Edge1RBLeft	20.34
5-n66	5MHz	15kHz	1712.5MHz	CP	16QAM	Edge1RBRight	20.32
5-n66	5MHz	15kHz	1712.5MHz	CP	16QAM	OuterFull	20.33
5-n66	5MHz	15kHz	1712.5MHz	CP	64QAM	InnerFull	19.89
5-n66	5MHz	15kHz	1712.5MHz	CP	64QAM	Edge1RBLeft	19.60
5-n66	5MHz	15kHz	1712.5MHz	CP	64QAM	Edge1RBRight	19.51
5-n66	5MHz	15kHz	1712.5MHz	CP	64QAM	OuterFull	19.85
5-n66	5MHz	15kHz	1712.5MHz	CP	256QAM	InnerFull	16.84
5-n66	5MHz	15kHz	1712.5MHz	CP	256QAM	Edge1RBLeft	16.24
5-n66	5MHz	15kHz	1712.5MHz	CP	256QAM	Edge1RBRight	16.21
5-n66	5MHz	15kHz	1712.5MHz	CP	256QAM	OuterFull	16.78
5-n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	23.12
5-n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.50
5-n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	22.52

5-n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	22.56
5-n66	5MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	22.97
5-n66	5MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	22.02
5-n66	5MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	22.02
5-n66	5MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	22.09
5-n66	5MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	22.16
5-n66	5MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	21.05
5-n66	5MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	21.12
5-n66	5MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	21.12
5-n66	5MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	20.67
5-n66	5MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	20.48
5-n66	5MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	20.40
5-n66	5MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	20.65
5-n66	5MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	18.83
5-n66	5MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	18.08
5-n66	5MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	18.12
5-n66	5MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	18.52
5-n66	5MHz	15kHz	1745MHz	CP	QPSK	InnerFull	21.56
5-n66	5MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	20.33
5-n66	5MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	20.15
5-n66	5MHz	15kHz	1745MHz	CP	QPSK	OuterFull	20.11
5-n66	5MHz	15kHz	1745MHz	CP	16QAM	InnerFull	21.00
5-n66	5MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	20.24
5-n66	5MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	20.21
5-n66	5MHz	15kHz	1745MHz	CP	16QAM	OuterFull	20.12
5-n66	5MHz	15kHz	1745MHz	CP	64QAM	InnerFull	19.66
5-n66	5MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	19.43
5-n66	5MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	19.35
5-n66	5MHz	15kHz	1745MHz	CP	64QAM	OuterFull	19.70
5-n66	5MHz	15kHz	1745MHz	CP	256QAM	InnerFull	16.69
5-n66	5MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	16.12
5-n66	5MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	16.12
5-n66	5MHz	15kHz	1745MHz	CP	256QAM	OuterFull	16.66
5-n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	InnerFull	23.11
5-n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.68
5-n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.54
5-n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	OuterFull	22.60
5-n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	InnerFull	23.08
5-n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	Edge1RBLeft	22.03
5-n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	Edge1RBRight	22.06
5-n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	OuterFull	22.16

5-n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	InnerFull	22.18
5-n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	Edge1RBLeft	21.06
5-n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	Edge1RBRight	21.11
5-n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	OuterFull	21.20
5-n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	InnerFull	20.67
5-n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	Edge1RBLeft	20.47
5-n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	Edge1RBRight	20.48
5-n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	OuterFull	20.75
5-n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	InnerFull	18.74
5-n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	Edge1RBLeft	18.19
5-n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	Edge1RBRight	18.12
5-n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	OuterFull	18.60
5-n66	5MHz	15kHz	1777.5MHz	CP	QPSK	InnerFull	21.57
5-n66	5MHz	15kHz	1777.5MHz	CP	QPSK	Edge1RBLeft	20.24
5-n66	5MHz	15kHz	1777.5MHz	CP	QPSK	Edge1RBRight	20.18
5-n66	5MHz	15kHz	1777.5MHz	CP	QPSK	OuterFull	20.10
5-n66	5MHz	15kHz	1777.5MHz	CP	16QAM	InnerFull	21.05
5-n66	5MHz	15kHz	1777.5MHz	CP	16QAM	Edge1RBLeft	20.20
5-n66	5MHz	15kHz	1777.5MHz	CP	16QAM	Edge1RBRight	20.21
5-n66	5MHz	15kHz	1777.5MHz	CP	16QAM	OuterFull	20.15
5-n66	5MHz	15kHz	1777.5MHz	CP	64QAM	InnerFull	19.75
5-n66	5MHz	15kHz	1777.5MHz	CP	64QAM	Edge1RBLeft	19.48
5-n66	5MHz	15kHz	1777.5MHz	CP	64QAM	Edge1RBRight	19.37
5-n66	5MHz	15kHz	1777.5MHz	CP	64QAM	OuterFull	19.66
5-n66	5MHz	15kHz	1777.5MHz	CP	256QAM	InnerFull	16.73
5-n66	5MHz	15kHz	1777.5MHz	CP	256QAM	Edge1RBLeft	16.08
5-n66	5MHz	15kHz	1777.5MHz	CP	256QAM	Edge1RBRight	16.07
5-n66	5MHz	15kHz	1777.5MHz	CP	256QAM	OuterFull	16.66
5-n66	10MHz	15kHz	1715MHz	DFT	pi/2 BPSK	InnerFull	23.32
5-n66	10MHz	15kHz	1715MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.65
5-n66	10MHz	15kHz	1715MHz	DFT	pi/2 BPSK	Edge1RBRight	22.67
5-n66	10MHz	15kHz	1715MHz	DFT	pi/2 BPSK	OuterFull	22.83
5-n66	10MHz	15kHz	1715MHz	DFT	QPSK	InnerFull	23.26
5-n66	10MHz	15kHz	1715MHz	DFT	QPSK	Edge1RBLeft	22.22
5-n66	10MHz	15kHz	1715MHz	DFT	QPSK	Edge1RBRight	22.23
5-n66	10MHz	15kHz	1715MHz	DFT	QPSK	OuterFull	22.33
5-n66	10MHz	15kHz	1715MHz	DFT	16QAM	InnerFull	22.36
5-n66	10MHz	15kHz	1715MHz	DFT	16QAM	Edge1RBLeft	21.26
5-n66	10MHz	15kHz	1715MHz	DFT	16QAM	Edge1RBRight	21.27
5-n66	10MHz	15kHz	1715MHz	DFT	16QAM	OuterFull	21.39
5-n66	10MHz	15kHz	1715MHz	DFT	64QAM	InnerFull	20.90

5-n66	10MHz	15kHz	1715MHz	DFT	64QAM	Edge1RBLeft	20.57
5-n66	10MHz	15kHz	1715MHz	DFT	64QAM	Edge1RBRight	20.66
5-n66	10MHz	15kHz	1715MHz	DFT	64QAM	OuterFull	20.91
5-n66	10MHz	15kHz	1715MHz	DFT	256QAM	InnerFull	18.83
5-n66	10MHz	15kHz	1715MHz	DFT	256QAM	Edge1RBLeft	18.27
5-n66	10MHz	15kHz	1715MHz	DFT	256QAM	Edge1RBRight	18.19
5-n66	10MHz	15kHz	1715MHz	DFT	256QAM	OuterFull	18.81
5-n66	10MHz	15kHz	1715MHz	CP	QPSK	InnerFull	21.89
5-n66	10MHz	15kHz	1715MHz	CP	QPSK	Edge1RBLeft	20.36
5-n66	10MHz	15kHz	1715MHz	CP	QPSK	Edge1RBRight	20.34
5-n66	10MHz	15kHz	1715MHz	CP	QPSK	OuterFull	20.33
5-n66	10MHz	15kHz	1715MHz	CP	16QAM	InnerFull	21.35
5-n66	10MHz	15kHz	1715MHz	CP	16QAM	Edge1RBLeft	20.36
5-n66	10MHz	15kHz	1715MHz	CP	16QAM	Edge1RBRight	20.39
5-n66	10MHz	15kHz	1715MHz	CP	16QAM	OuterFull	20.34
5-n66	10MHz	15kHz	1715MHz	CP	64QAM	InnerFull	19.89
5-n66	10MHz	15kHz	1715MHz	CP	64QAM	Edge1RBLeft	19.62
5-n66	10MHz	15kHz	1715MHz	CP	64QAM	Edge1RBRight	19.65
5-n66	10MHz	15kHz	1715MHz	CP	64QAM	OuterFull	19.78
5-n66	10MHz	15kHz	1715MHz	CP	256QAM	InnerFull	16.80
5-n66	10MHz	15kHz	1715MHz	CP	256QAM	Edge1RBLeft	16.35
5-n66	10MHz	15kHz	1715MHz	CP	256QAM	Edge1RBRight	16.24
5-n66	10MHz	15kHz	1715MHz	CP	256QAM	OuterFull	16.92
5-n66	10MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	23.03
5-n66	10MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.53
5-n66	10MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	22.57
5-n66	10MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	22.57
5-n66	10MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	23.07
5-n66	10MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	21.94
5-n66	10MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	21.97
5-n66	10MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	22.11
5-n66	10MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	22.20
5-n66	10MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	21.12
5-n66	10MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	21.09
5-n66	10MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	21.17
5-n66	10MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	20.71
5-n66	10MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	20.43
5-n66	10MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	20.35
5-n66	10MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	20.71
5-n66	10MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	18.60
5-n66	10MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	18.00

5-n66	10MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	18.06
5-n66	10MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	18.57
5-n66	10MHz	15kHz	1745MHz	CP	QPSK	InnerFull	21.66
5-n66	10MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	20.20
5-n66	10MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	20.12
5-n66	10MHz	15kHz	1745MHz	CP	QPSK	OuterFull	20.11
5-n66	10MHz	15kHz	1745MHz	CP	16QAM	InnerFull	21.22
5-n66	10MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	20.22
5-n66	10MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	20.17
5-n66	10MHz	15kHz	1745MHz	CP	16QAM	OuterFull	20.20
5-n66	10MHz	15kHz	1745MHz	CP	64QAM	InnerFull	19.66
5-n66	10MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	19.41
5-n66	10MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	19.32
5-n66	10MHz	15kHz	1745MHz	CP	64QAM	OuterFull	19.66
5-n66	10MHz	15kHz	1745MHz	CP	256QAM	InnerFull	16.65
5-n66	10MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	16.18
5-n66	10MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	16.12
5-n66	10MHz	15kHz	1745MHz	CP	256QAM	OuterFull	16.78
5-n66	10MHz	15kHz	1775MHz	DFT	pi/2 BPSK	InnerFull	23.13
5-n66	10MHz	15kHz	1775MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.52
5-n66	10MHz	15kHz	1775MHz	DFT	pi/2 BPSK	Edge1RBRight	22.61
5-n66	10MHz	15kHz	1775MHz	DFT	pi/2 BPSK	OuterFull	22.69
5-n66	10MHz	15kHz	1775MHz	DFT	QPSK	InnerFull	23.02
5-n66	10MHz	15kHz	1775MHz	DFT	QPSK	Edge1RBLeft	22.00
5-n66	10MHz	15kHz	1775MHz	DFT	QPSK	Edge1RBRight	22.11
5-n66	10MHz	15kHz	1775MHz	DFT	QPSK	OuterFull	22.13
5-n66	10MHz	15kHz	1775MHz	DFT	16QAM	InnerFull	22.24
5-n66	10MHz	15kHz	1775MHz	DFT	16QAM	Edge1RBLeft	21.13
5-n66	10MHz	15kHz	1775MHz	DFT	16QAM	Edge1RBRight	21.19
5-n66	10MHz	15kHz	1775MHz	DFT	16QAM	OuterFull	21.23
5-n66	10MHz	15kHz	1775MHz	DFT	64QAM	InnerFull	20.73
5-n66	10MHz	15kHz	1775MHz	DFT	64QAM	Edge1RBLeft	20.45
5-n66	10MHz	15kHz	1775MHz	DFT	64QAM	Edge1RBRight	20.48
5-n66	10MHz	15kHz	1775MHz	DFT	64QAM	OuterFull	20.70
5-n66	10MHz	15kHz	1775MHz	DFT	256QAM	InnerFull	18.63
5-n66	10MHz	15kHz	1775MHz	DFT	256QAM	Edge1RBLeft	18.04
5-n66	10MHz	15kHz	1775MHz	DFT	256QAM	Edge1RBRight	18.15
5-n66	10MHz	15kHz	1775MHz	DFT	256QAM	OuterFull	18.69
5-n66	10MHz	15kHz	1775MHz	CP	QPSK	InnerFull	21.61
5-n66	10MHz	15kHz	1775MHz	CP	QPSK	Edge1RBLeft	20.23
5-n66	10MHz	15kHz	1775MHz	CP	QPSK	Edge1RBRight	20.24

5-n66	10MHz	15kHz	1775MHz	CP	QPSK	OuterFull	20.12
5-n66	10MHz	15kHz	1775MHz	CP	16QAM	InnerFull	21.18
5-n66	10MHz	15kHz	1775MHz	CP	16QAM	Edge1RBLeft	20.35
5-n66	10MHz	15kHz	1775MHz	CP	16QAM	Edge1RBRight	20.29
5-n66	10MHz	15kHz	1775MHz	CP	16QAM	OuterFull	20.22
5-n66	10MHz	15kHz	1775MHz	CP	64QAM	InnerFull	19.72
5-n66	10MHz	15kHz	1775MHz	CP	64QAM	Edge1RBLeft	19.48
5-n66	10MHz	15kHz	1775MHz	CP	64QAM	Edge1RBRight	19.52
5-n66	10MHz	15kHz	1775MHz	CP	64QAM	OuterFull	19.66
5-n66	10MHz	15kHz	1775MHz	CP	256QAM	InnerFull	16.75
5-n66	10MHz	15kHz	1775MHz	CP	256QAM	Edge1RBLeft	16.13
5-n66	10MHz	15kHz	1775MHz	CP	256QAM	Edge1RBRight	16.21
5-n66	10MHz	15kHz	1775MHz	CP	256QAM	OuterFull	16.74
5-n66	15MHz	15kHz	1717.5MHz	DFT	pi/2 BPSK	InnerFull	23.07
5-n66	15MHz	15kHz	1717.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.75
5-n66	15MHz	15kHz	1717.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.76
5-n66	15MHz	15kHz	1717.5MHz	DFT	pi/2 BPSK	OuterFull	22.70
5-n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	InnerFull	23.02
5-n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	Edge1RBLeft	22.11
5-n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	Edge1RBRight	22.11
5-n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	OuterFull	22.22
5-n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	InnerFull	22.19
5-n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	Edge1RBLeft	21.24
5-n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	Edge1RBRight	21.24
5-n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	OuterFull	21.18
5-n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	InnerFull	20.77
5-n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	Edge1RBLeft	20.55
5-n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	Edge1RBRight	20.52
5-n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	OuterFull	20.70
5-n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	InnerFull	18.61
5-n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	Edge1RBLeft	18.16
5-n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	Edge1RBRight	18.23
5-n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	OuterFull	18.74
5-n66	15MHz	15kHz	1717.5MHz	CP	QPSK	InnerFull	21.74
5-n66	15MHz	15kHz	1717.5MHz	CP	QPSK	Edge1RBLeft	20.45
5-n66	15MHz	15kHz	1717.5MHz	CP	QPSK	Edge1RBRight	20.38
5-n66	15MHz	15kHz	1717.5MHz	CP	QPSK	OuterFull	20.20
5-n66	15MHz	15kHz	1717.5MHz	CP	16QAM	InnerFull	21.34
5-n66	15MHz	15kHz	1717.5MHz	CP	16QAM	Edge1RBLeft	20.35
5-n66	15MHz	15kHz	1717.5MHz	CP	16QAM	Edge1RBRight	20.29
5-n66	15MHz	15kHz	1717.5MHz	CP	16QAM	OuterFull	20.28

5-n66	15MHz	15kHz	1717.5MHz	CP	64QAM	InnerFull	19.81
5-n66	15MHz	15kHz	1717.5MHz	CP	64QAM	Edge1RBLeft	19.54
5-n66	15MHz	15kHz	1717.5MHz	CP	64QAM	Edge1RBRight	19.45
5-n66	15MHz	15kHz	1717.5MHz	CP	64QAM	OuterFull	19.71
5-n66	15MHz	15kHz	1717.5MHz	CP	256QAM	InnerFull	16.67
5-n66	15MHz	15kHz	1717.5MHz	CP	256QAM	Edge1RBLeft	16.18
5-n66	15MHz	15kHz	1717.5MHz	CP	256QAM	Edge1RBRight	16.19
5-n66	15MHz	15kHz	1717.5MHz	CP	256QAM	OuterFull	16.77
5-n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	23.29
5-n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.49
5-n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	22.56
5-n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	22.79
5-n66	15MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	23.19
5-n66	15MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	21.96
5-n66	15MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	22.07
5-n66	15MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	22.31
5-n66	15MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	22.30
5-n66	15MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	21.12
5-n66	15MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	21.09
5-n66	15MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	21.26
5-n66	15MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	20.91
5-n66	15MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	20.35
5-n66	15MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	20.39
5-n66	15MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	20.84
5-n66	15MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	18.77
5-n66	15MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	17.97
5-n66	15MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	18.19
5-n66	15MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	18.73
5-n66	15MHz	15kHz	1745MHz	CP	QPSK	InnerFull	21.87
5-n66	15MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	20.11
5-n66	15MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	20.24
5-n66	15MHz	15kHz	1745MHz	CP	QPSK	OuterFull	20.26
5-n66	15MHz	15kHz	1745MHz	CP	16QAM	InnerFull	21.33
5-n66	15MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	20.23
5-n66	15MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	20.18
5-n66	15MHz	15kHz	1745MHz	CP	16QAM	OuterFull	20.32
5-n66	15MHz	15kHz	1745MHz	CP	64QAM	InnerFull	19.87
5-n66	15MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	19.38
5-n66	15MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	19.34
5-n66	15MHz	15kHz	1745MHz	CP	64QAM	OuterFull	19.75
5-n66	15MHz	15kHz	1745MHz	CP	256QAM	InnerFull	16.83

5-n66	15MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	16.10
5-n66	15MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	16.03
5-n66	15MHz	15kHz	1745MHz	CP	256QAM	OuterFull	16.71
5-n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	InnerFull	23.10
5-n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.44
5-n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.67
5-n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	OuterFull	22.73
5-n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	InnerFull	23.24
5-n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	Edge1RBLeft	21.85
5-n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	Edge1RBRight	22.05
5-n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	OuterFull	22.16
5-n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	InnerFull	22.24
5-n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	Edge1RBLeft	20.95
5-n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	Edge1RBRight	21.12
5-n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	OuterFull	21.20
5-n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	InnerFull	20.85
5-n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	Edge1RBLeft	20.25
5-n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	Edge1RBRight	20.43
5-n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	OuterFull	20.71
5-n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	InnerFull	18.71
5-n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	Edge1RBLeft	18.04
5-n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	Edge1RBRight	18.13
5-n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	OuterFull	18.78
5-n66	15MHz	15kHz	1772.5MHz	CP	QPSK	InnerFull	21.87
5-n66	15MHz	15kHz	1772.5MHz	CP	QPSK	Edge1RBLeft	20.16
5-n66	15MHz	15kHz	1772.5MHz	CP	QPSK	Edge1RBRight	20.18
5-n66	15MHz	15kHz	1772.5MHz	CP	QPSK	OuterFull	20.15
5-n66	15MHz	15kHz	1772.5MHz	CP	16QAM	InnerFull	21.44
5-n66	15MHz	15kHz	1772.5MHz	CP	16QAM	Edge1RBLeft	20.08
5-n66	15MHz	15kHz	1772.5MHz	CP	16QAM	Edge1RBRight	20.26
5-n66	15MHz	15kHz	1772.5MHz	CP	16QAM	OuterFull	20.23
5-n66	15MHz	15kHz	1772.5MHz	CP	64QAM	InnerFull	19.90
5-n66	15MHz	15kHz	1772.5MHz	CP	64QAM	Edge1RBLeft	19.17
5-n66	15MHz	15kHz	1772.5MHz	CP	64QAM	Edge1RBRight	19.52
5-n66	15MHz	15kHz	1772.5MHz	CP	64QAM	OuterFull	19.75
5-n66	15MHz	15kHz	1772.5MHz	CP	256QAM	InnerFull	16.84
5-n66	15MHz	15kHz	1772.5MHz	CP	256QAM	Edge1RBLeft	15.98
5-n66	15MHz	15kHz	1772.5MHz	CP	256QAM	Edge1RBRight	16.17
5-n66	15MHz	15kHz	1772.5MHz	CP	256QAM	OuterFull	16.69
5-n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	InnerFull	23.11
5-n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.73

5-n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	Edge1RBRight	22.67
5-n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	OuterFull	22.79
5-n66	20MHz	15kHz	1720MHz	DFT	QPSK	InnerFull	23.11
5-n66	20MHz	15kHz	1720MHz	DFT	QPSK	Edge1RBLeft	22.16
5-n66	20MHz	15kHz	1720MHz	DFT	QPSK	Edge1RBRight	22.07
5-n66	20MHz	15kHz	1720MHz	DFT	QPSK	OuterFull	22.20
5-n66	20MHz	15kHz	1720MHz	DFT	16QAM	InnerFull	22.19
5-n66	20MHz	15kHz	1720MHz	DFT	16QAM	Edge1RBLeft	21.09
5-n66	20MHz	15kHz	1720MHz	DFT	16QAM	Edge1RBRight	21.08
5-n66	20MHz	15kHz	1720MHz	DFT	16QAM	OuterFull	21.21
5-n66	20MHz	15kHz	1720MHz	DFT	64QAM	InnerFull	20.68
5-n66	20MHz	15kHz	1720MHz	DFT	64QAM	Edge1RBLeft	20.44
5-n66	20MHz	15kHz	1720MHz	DFT	64QAM	Edge1RBRight	20.41
5-n66	20MHz	15kHz	1720MHz	DFT	64QAM	OuterFull	20.67
5-n66	20MHz	15kHz	1720MHz	DFT	256QAM	InnerFull	18.66
5-n66	20MHz	15kHz	1720MHz	DFT	256QAM	Edge1RBLeft	18.22
5-n66	20MHz	15kHz	1720MHz	DFT	256QAM	Edge1RBRight	18.18
5-n66	20MHz	15kHz	1720MHz	DFT	256QAM	OuterFull	18.77
5-n66	20MHz	15kHz	1720MHz	CP	QPSK	InnerFull	21.71
5-n66	20MHz	15kHz	1720MHz	CP	QPSK	Edge1RBLeft	20.41
5-n66	20MHz	15kHz	1720MHz	CP	QPSK	Edge1RBRight	20.21
5-n66	20MHz	15kHz	1720MHz	CP	QPSK	OuterFull	20.26
5-n66	20MHz	15kHz	1720MHz	CP	16QAM	InnerFull	21.19
5-n66	20MHz	15kHz	1720MHz	CP	16QAM	Edge1RBLeft	20.31
5-n66	20MHz	15kHz	1720MHz	CP	16QAM	Edge1RBRight	20.26
5-n66	20MHz	15kHz	1720MHz	CP	16QAM	OuterFull	20.17
5-n66	20MHz	15kHz	1720MHz	CP	64QAM	InnerFull	19.70
5-n66	20MHz	15kHz	1720MHz	CP	64QAM	Edge1RBLeft	19.57
5-n66	20MHz	15kHz	1720MHz	CP	64QAM	Edge1RBRight	19.40
5-n66	20MHz	15kHz	1720MHz	CP	64QAM	OuterFull	19.69
5-n66	20MHz	15kHz	1720MHz	CP	256QAM	InnerFull	16.78
5-n66	20MHz	15kHz	1720MHz	CP	256QAM	Edge1RBLeft	16.16
5-n66	20MHz	15kHz	1720MHz	CP	256QAM	Edge1RBRight	16.07
5-n66	20MHz	15kHz	1720MHz	CP	256QAM	OuterFull	16.73
5-n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	23.25
5-n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.48
5-n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	22.27
5-n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	22.80
5-n66	20MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	23.35
5-n66	20MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	21.96
5-n66	20MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	21.78

5-n66	20MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	22.30
5-n66	20MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	22.36
5-n66	20MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	21.08
5-n66	20MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	20.89
5-n66	20MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	21.33
5-n66	20MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	20.92
5-n66	20MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	20.28
5-n66	20MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	20.20
5-n66	20MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	20.82
5-n66	20MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	18.86
5-n66	20MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	18.01
5-n66	20MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	17.86
5-n66	20MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	18.77
5-n66	20MHz	15kHz	1745MHz	CP	QPSK	InnerFull	21.92
5-n66	20MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	20.12
5-n66	20MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	19.90
5-n66	20MHz	15kHz	1745MHz	CP	QPSK	OuterFull	20.27
5-n66	20MHz	15kHz	1745MHz	CP	16QAM	InnerFull	21.42
5-n66	20MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	20.11
5-n66	20MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	19.94
5-n66	20MHz	15kHz	1745MHz	CP	16QAM	OuterFull	20.24
5-n66	20MHz	15kHz	1745MHz	CP	64QAM	InnerFull	19.93
5-n66	20MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	19.36
5-n66	20MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	19.13
5-n66	20MHz	15kHz	1745MHz	CP	64QAM	OuterFull	19.76
5-n66	20MHz	15kHz	1745MHz	CP	256QAM	InnerFull	17.02
5-n66	20MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	16.04
5-n66	20MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	15.88
5-n66	20MHz	15kHz	1745MHz	CP	256QAM	OuterFull	16.89
5-n66	20MHz	15kHz	1770MHz	DFT	pi/2 BPSK	InnerFull	23.15
5-n66	20MHz	15kHz	1770MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.28
5-n66	20MHz	15kHz	1770MHz	DFT	pi/2 BPSK	Edge1RBRight	22.40
5-n66	20MHz	15kHz	1770MHz	DFT	pi/2 BPSK	OuterFull	22.73
5-n66	20MHz	15kHz	1770MHz	DFT	QPSK	InnerFull	23.12
5-n66	20MHz	15kHz	1770MHz	DFT	QPSK	Edge1RBLeft	21.65
5-n66	20MHz	15kHz	1770MHz	DFT	QPSK	Edge1RBRight	21.80
5-n66	20MHz	15kHz	1770MHz	DFT	QPSK	OuterFull	22.15
5-n66	20MHz	15kHz	1770MHz	DFT	16QAM	InnerFull	22.23
5-n66	20MHz	15kHz	1770MHz	DFT	16QAM	Edge1RBLeft	20.77
5-n66	20MHz	15kHz	1770MHz	DFT	16QAM	Edge1RBRight	20.83
5-n66	20MHz	15kHz	1770MHz	DFT	16QAM	OuterFull	21.15

5-n66	20MHz	15kHz	1770MHz	DFT	64QAM	InnerFull	20.76
5-n66	20MHz	15kHz	1770MHz	DFT	64QAM	Edge1RBLeft	20.10
5-n66	20MHz	15kHz	1770MHz	DFT	64QAM	Edge1RBRight	20.16
5-n66	20MHz	15kHz	1770MHz	DFT	64QAM	OuterFull	20.76
5-n66	20MHz	15kHz	1770MHz	DFT	256QAM	InnerFull	18.74
5-n66	20MHz	15kHz	1770MHz	DFT	256QAM	Edge1RBLeft	17.74
5-n66	20MHz	15kHz	1770MHz	DFT	256QAM	Edge1RBRight	17.99
5-n66	20MHz	15kHz	1770MHz	DFT	256QAM	OuterFull	18.74
5-n66	20MHz	15kHz	1770MHz	CP	QPSK	InnerFull	21.82
5-n66	20MHz	15kHz	1770MHz	CP	QPSK	Edge1RBLeft	20.00
5-n66	20MHz	15kHz	1770MHz	CP	QPSK	Edge1RBRight	20.07
5-n66	20MHz	15kHz	1770MHz	CP	QPSK	OuterFull	20.27
5-n66	20MHz	15kHz	1770MHz	CP	16QAM	InnerFull	21.28
5-n66	20MHz	15kHz	1770MHz	CP	16QAM	Edge1RBLeft	19.92
5-n66	20MHz	15kHz	1770MHz	CP	16QAM	Edge1RBRight	20.11
5-n66	20MHz	15kHz	1770MHz	CP	16QAM	OuterFull	20.07
5-n66	20MHz	15kHz	1770MHz	CP	64QAM	InnerFull	19.80
5-n66	20MHz	15kHz	1770MHz	CP	64QAM	Edge1RBLeft	19.06
5-n66	20MHz	15kHz	1770MHz	CP	64QAM	Edge1RBRight	19.15
5-n66	20MHz	15kHz	1770MHz	CP	64QAM	OuterFull	19.63
5-n66	20MHz	15kHz	1770MHz	CP	256QAM	InnerFull	16.87
5-n66	20MHz	15kHz	1770MHz	CP	256QAM	Edge1RBLeft	15.75
5-n66	20MHz	15kHz	1770MHz	CP	256QAM	Edge1RBRight	15.93
5-n66	20MHz	15kHz	1770MHz	CP	256QAM	OuterFull	16.75

LTE Band 2+NR n71

BAND	BW	SCS	FREQ	OFDM	MODULATON	RB ALLOCATION	TOTAL POWER(dBm)
2-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	InnerFull	23.24
2-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.87
2-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.80
2-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	OuterFull	22.83
2-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	InnerFull	23.27
2-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	Edge1RBLeft	22.37
2-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	Edge1RBRight	22.21
2-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	OuterFull	22.29
2-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	InnerFull	22.39
2-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	Edge1RBLeft	21.42
2-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	Edge1RBRight	21.32
2-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	OuterFull	21.47
2-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	InnerFull	20.94
2-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	Edge1RBLeft	20.70
2-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	Edge1RBRight	20.71
2-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	OuterFull	20.88
2-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	InnerFull	19.03
2-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	Edge1RBLeft	18.43
2-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	Edge1RBRight	18.32
2-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	OuterFull	18.81
2-n71	5MHz	15kHz	665.5MHz	CP	QPSK	InnerFull	21.73
2-n71	5MHz	15kHz	665.5MHz	CP	QPSK	Edge1RBLeft	20.64
2-n71	5MHz	15kHz	665.5MHz	CP	QPSK	Edge1RBRight	20.47
2-n71	5MHz	15kHz	665.5MHz	CP	QPSK	OuterFull	20.34
2-n71	5MHz	15kHz	665.5MHz	CP	16QAM	InnerFull	21.23
2-n71	5MHz	15kHz	665.5MHz	CP	16QAM	Edge1RBLeft	20.61
2-n71	5MHz	15kHz	665.5MHz	CP	16QAM	Edge1RBRight	20.45
2-n71	5MHz	15kHz	665.5MHz	CP	16QAM	OuterFull	20.38
2-n71	5MHz	15kHz	665.5MHz	CP	64QAM	InnerFull	19.94
2-n71	5MHz	15kHz	665.5MHz	CP	64QAM	Edge1RBLeft	19.74
2-n71	5MHz	15kHz	665.5MHz	CP	64QAM	Edge1RBRight	19.59
2-n71	5MHz	15kHz	665.5MHz	CP	64QAM	OuterFull	19.80
2-n71	5MHz	15kHz	665.5MHz	CP	256QAM	InnerFull	16.96
2-n71	5MHz	15kHz	665.5MHz	CP	256QAM	Edge1RBLeft	16.49
2-n71	5MHz	15kHz	665.5MHz	CP	256QAM	Edge1RBRight	16.28
2-n71	5MHz	15kHz	665.5MHz	CP	256QAM	OuterFull	16.84
2-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	22.90
2-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.54
2-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.42

2-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	22.47
2-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	23.00
2-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	21.93
2-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	21.81
2-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	22.02
2-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	22.05
2-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	20.99
2-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	20.85
2-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	21.00
2-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	20.60
2-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	20.30
2-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	20.14
2-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	20.49
2-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	18.63
2-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	18.08
2-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	17.91
2-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	18.47
2-n71	5MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	21.43
2-n71	5MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	20.26
2-n71	5MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	20.03
2-n71	5MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	20.01
2-n71	5MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	20.93
2-n71	5MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	20.07
2-n71	5MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	20.03
2-n71	5MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	20.01
2-n71	5MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	19.58
2-n71	5MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	19.37
2-n71	5MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	19.22
2-n71	5MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	19.56
2-n71	5MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	16.68
2-n71	5MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	16.05
2-n71	5MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	15.96
2-n71	5MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	16.55
2-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	InnerFull	22.83
2-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.43
2-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.41
2-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	OuterFull	22.43
2-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	InnerFull	22.81
2-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	Edge1RBLeft	21.84
2-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	Edge1RBRight	21.87
2-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	OuterFull	21.99

2-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	InnerFull	21.85
2-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	Edge1RBLeft	20.84
2-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	Edge1RBRight	20.86
2-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	OuterFull	21.00
2-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	InnerFull	20.47
2-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	Edge1RBLeft	20.25
2-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	Edge1RBRight	20.25
2-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	OuterFull	20.48
2-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	InnerFull	18.61
2-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	Edge1RBLeft	17.93
2-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	Edge1RBRight	17.94
2-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	OuterFull	18.36
2-n71	5MHz	15kHz	695.5MHz	CP	QPSK	InnerFull	21.29
2-n71	5MHz	15kHz	695.5MHz	CP	QPSK	Edge1RBLeft	20.13
2-n71	5MHz	15kHz	695.5MHz	CP	QPSK	Edge1RBRight	20.02
2-n71	5MHz	15kHz	695.5MHz	CP	QPSK	OuterFull	19.87
2-n71	5MHz	15kHz	695.5MHz	CP	16QAM	InnerFull	20.83
2-n71	5MHz	15kHz	695.5MHz	CP	16QAM	Edge1RBLeft	20.10
2-n71	5MHz	15kHz	695.5MHz	CP	16QAM	Edge1RBRight	20.03
2-n71	5MHz	15kHz	695.5MHz	CP	16QAM	OuterFull	20.01
2-n71	5MHz	15kHz	695.5MHz	CP	64QAM	InnerFull	19.48
2-n71	5MHz	15kHz	695.5MHz	CP	64QAM	Edge1RBLeft	19.24
2-n71	5MHz	15kHz	695.5MHz	CP	64QAM	Edge1RBRight	19.21
2-n71	5MHz	15kHz	695.5MHz	CP	64QAM	OuterFull	19.43
2-n71	5MHz	15kHz	695.5MHz	CP	256QAM	InnerFull	16.64
2-n71	5MHz	15kHz	695.5MHz	CP	256QAM	Edge1RBLeft	16.01
2-n71	5MHz	15kHz	695.5MHz	CP	256QAM	Edge1RBRight	15.93
2-n71	5MHz	15kHz	695.5MHz	CP	256QAM	OuterFull	16.46
2-n71	10MHz	15kHz	668MHz	DFT	$\pi/2$ BPSK	InnerFull	23.25
2-n71	10MHz	15kHz	668MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.00
2-n71	10MHz	15kHz	668MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	22.60
2-n71	10MHz	15kHz	668MHz	DFT	$\pi/2$ BPSK	OuterFull	22.75
2-n71	10MHz	15kHz	668MHz	DFT	QPSK	InnerFull	23.16
2-n71	10MHz	15kHz	668MHz	DFT	QPSK	Edge1RBLeft	22.21
2-n71	10MHz	15kHz	668MHz	DFT	QPSK	Edge1RBRight	21.98
2-n71	10MHz	15kHz	668MHz	DFT	QPSK	OuterFull	22.24
2-n71	10MHz	15kHz	668MHz	DFT	16QAM	InnerFull	22.26
2-n71	10MHz	15kHz	668MHz	DFT	16QAM	Edge1RBLeft	21.24
2-n71	10MHz	15kHz	668MHz	DFT	16QAM	Edge1RBRight	21.07
2-n71	10MHz	15kHz	668MHz	DFT	16QAM	OuterFull	21.26
2-n71	10MHz	15kHz	668MHz	DFT	64QAM	InnerFull	20.80

2-n71	10MHz	15kHz	668MHz	DFT	64QAM	Edge1RBLeft	20.65
2-n71	10MHz	15kHz	668MHz	DFT	64QAM	Edge1RBRight	20.42
2-n71	10MHz	15kHz	668MHz	DFT	64QAM	OuterFull	20.72
2-n71	10MHz	15kHz	668MHz	DFT	256QAM	InnerFull	18.72
2-n71	10MHz	15kHz	668MHz	DFT	256QAM	Edge1RBLeft	18.23
2-n71	10MHz	15kHz	668MHz	DFT	256QAM	Edge1RBRight	18.06
2-n71	10MHz	15kHz	668MHz	DFT	256QAM	OuterFull	18.65
2-n71	10MHz	15kHz	668MHz	CP	QPSK	InnerFull	21.69
2-n71	10MHz	15kHz	668MHz	CP	QPSK	Edge1RBLeft	20.53
2-n71	10MHz	15kHz	668MHz	CP	QPSK	Edge1RBRight	20.24
2-n71	10MHz	15kHz	668MHz	CP	QPSK	OuterFull	20.15
2-n71	10MHz	15kHz	668MHz	CP	16QAM	InnerFull	21.29
2-n71	10MHz	15kHz	668MHz	CP	16QAM	Edge1RBLeft	20.44
2-n71	10MHz	15kHz	668MHz	CP	16QAM	Edge1RBRight	20.18
2-n71	10MHz	15kHz	668MHz	CP	16QAM	OuterFull	20.26
2-n71	10MHz	15kHz	668MHz	CP	64QAM	InnerFull	19.78
2-n71	10MHz	15kHz	668MHz	CP	64QAM	Edge1RBLeft	19.74
2-n71	10MHz	15kHz	668MHz	CP	64QAM	Edge1RBRight	19.45
2-n71	10MHz	15kHz	668MHz	CP	64QAM	OuterFull	19.67
2-n71	10MHz	15kHz	668MHz	CP	256QAM	InnerFull	16.78
2-n71	10MHz	15kHz	668MHz	CP	256QAM	Edge1RBLeft	16.37
2-n71	10MHz	15kHz	668MHz	CP	256QAM	Edge1RBRight	16.16
2-n71	10MHz	15kHz	668MHz	CP	256QAM	OuterFull	16.87
2-n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	22.92
2-n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.53
2-n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.52
2-n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	22.52
2-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	22.95
2-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	21.88
2-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	21.85
2-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	22.01
2-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	22.03
2-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	21.04
2-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	20.94
2-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	20.96
2-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	20.53
2-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	20.39
2-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	20.59
2-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	20.52
2-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	18.55
2-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	18.09

2-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	17.97
2-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	18.43
2-n71	10MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	21.50
2-n71	10MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	20.30
2-n71	10MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	20.10
2-n71	10MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	19.92
2-n71	10MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	21.06
2-n71	10MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	20.22
2-n71	10MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	20.01
2-n71	10MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	19.98
2-n71	10MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	19.50
2-n71	10MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	19.46
2-n71	10MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	19.37
2-n71	10MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	19.42
2-n71	10MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	16.57
2-n71	10MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	16.14
2-n71	10MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	15.96
2-n71	10MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	16.56
2-n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	InnerFull	22.91
2-n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.51
2-n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	Edge1RBRight	22.31
2-n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	OuterFull	22.41
2-n71	10MHz	15kHz	693MHz	DFT	QPSK	InnerFull	22.70
2-n71	10MHz	15kHz	693MHz	DFT	QPSK	Edge1RBLeft	21.83
2-n71	10MHz	15kHz	693MHz	DFT	QPSK	Edge1RBRight	21.65
2-n71	10MHz	15kHz	693MHz	DFT	QPSK	OuterFull	21.84
2-n71	10MHz	15kHz	693MHz	DFT	16QAM	InnerFull	21.87
2-n71	10MHz	15kHz	693MHz	DFT	16QAM	Edge1RBLeft	20.92
2-n71	10MHz	15kHz	693MHz	DFT	16QAM	Edge1RBRight	20.89
2-n71	10MHz	15kHz	693MHz	DFT	16QAM	OuterFull	20.90
2-n71	10MHz	15kHz	693MHz	DFT	64QAM	InnerFull	20.46
2-n71	10MHz	15kHz	693MHz	DFT	64QAM	Edge6RBLeft	20.21
2-n71	10MHz	15kHz	693MHz	DFT	64QAM	Edge6RBRight	20.12
2-n71	10MHz	15kHz	693MHz	DFT	64QAM	OuterFull	20.44
2-n71	10MHz	15kHz	693MHz	DFT	256QAM	InnerFull	18.43
2-n71	10MHz	15kHz	693MHz	DFT	256QAM	Edge1RBLeft	17.88
2-n71	10MHz	15kHz	693MHz	DFT	256QAM	Edge1RBRight	17.86
2-n71	10MHz	15kHz	693MHz	DFT	256QAM	OuterFull	18.29
2-n71	10MHz	15kHz	693MHz	CP	QPSK	InnerFull	21.47
2-n71	10MHz	15kHz	693MHz	CP	QPSK	Edge1RBLeft	20.16
2-n71	10MHz	15kHz	693MHz	CP	QPSK	Edge1RBRight	20.10

2-n71	10MHz	15kHz	693MHz	CP	QPSK	OuterFull	19.76
2-n71	10MHz	15kHz	693MHz	CP	16QAM	InnerFull	20.80
2-n71	10MHz	15kHz	693MHz	CP	16QAM	Edge1RBLeft	19.97
2-n71	10MHz	15kHz	693MHz	CP	16QAM	Edge1RBRight	19.81
2-n71	10MHz	15kHz	693MHz	CP	16QAM	OuterFull	19.89
2-n71	10MHz	15kHz	693MHz	CP	64QAM	InnerFull	19.39
2-n71	10MHz	15kHz	693MHz	CP	64QAM	Edge1RBLeft	19.15
2-n71	10MHz	15kHz	693MHz	CP	64QAM	Edge1RBRight	19.09
2-n71	10MHz	15kHz	693MHz	CP	64QAM	OuterFull	19.32
2-n71	10MHz	15kHz	693MHz	CP	256QAM	InnerFull	16.36
2-n71	10MHz	15kHz	693MHz	CP	256QAM	Edge1RBLeft	15.98
2-n71	10MHz	15kHz	693MHz	CP	256QAM	Edge1RBRight	15.81
2-n71	10MHz	15kHz	693MHz	CP	256QAM	OuterFull	16.44
2-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	InnerFull	23.07
2-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.97
2-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.53
2-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	OuterFull	22.67
2-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	InnerFull	23.09
2-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	Edge1RBLeft	22.24
2-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	Edge1RBRight	21.94
2-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	OuterFull	22.27
2-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	InnerFull	22.13
2-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	Edge1RBLeft	21.28
2-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	Edge1RBRight	20.88
2-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	OuterFull	21.18
2-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	InnerFull	20.78
2-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	Edge1RBLeft	20.52
2-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	Edge1RBRight	20.27
2-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	OuterFull	20.68
2-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	InnerFull	18.55
2-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	Edge1RBLeft	18.31
2-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	Edge1RBRight	18.08
2-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	OuterFull	18.64
2-n71	15MHz	15kHz	670.5MHz	CP	QPSK	InnerFull	21.66
2-n71	15MHz	15kHz	670.5MHz	CP	QPSK	Edge1RBLeft	20.49
2-n71	15MHz	15kHz	670.5MHz	CP	QPSK	Edge1RBRight	20.16
2-n71	15MHz	15kHz	670.5MHz	CP	QPSK	OuterFull	20.15
2-n71	15MHz	15kHz	670.5MHz	CP	16QAM	InnerFull	21.13
2-n71	15MHz	15kHz	670.5MHz	CP	16QAM	Edge1RBLeft	20.48
2-n71	15MHz	15kHz	670.5MHz	CP	16QAM	Edge1RBRight	20.06
2-n71	15MHz	15kHz	670.5MHz	CP	16QAM	OuterFull	20.16

2-n71	15MHz	15kHz	670.5MHz	CP	64QAM	InnerFull	19.75
2-n71	15MHz	15kHz	670.5MHz	CP	64QAM	Edge1RBLeft	19.63
2-n71	15MHz	15kHz	670.5MHz	CP	64QAM	Edge1RBRight	19.33
2-n71	15MHz	15kHz	670.5MHz	CP	64QAM	OuterFull	19.74
2-n71	15MHz	15kHz	670.5MHz	CP	256QAM	InnerFull	16.70
2-n71	15MHz	15kHz	670.5MHz	CP	256QAM	Edge1RBLeft	16.34
2-n71	15MHz	15kHz	670.5MHz	CP	256QAM	Edge1RBRight	16.08
2-n71	15MHz	15kHz	670.5MHz	CP	256QAM	OuterFull	16.72
2-n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	22.96
2-n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.57
2-n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.38
2-n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	22.54
2-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	22.82
2-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	21.99
2-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	21.71
2-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	22.02
2-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	21.97
2-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	21.08
2-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	20.81
2-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	20.95
2-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	20.60
2-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	20.36
2-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	20.07
2-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	20.57
2-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	18.47
2-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	18.07
2-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	17.98
2-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	18.49
2-n71	15MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	21.53
2-n71	15MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	20.10
2-n71	15MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	20.01
2-n71	15MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	19.96
2-n71	15MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	21.01
2-n71	15MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	20.23
2-n71	15MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	19.93
2-n71	15MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	19.96
2-n71	15MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	19.60
2-n71	15MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	19.43
2-n71	15MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	19.10
2-n71	15MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	19.57
2-n71	15MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	16.59

2-n71	15MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	16.19
2-n71	15MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	16.02
2-n71	15MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	16.61
2-n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	InnerFull	22.63
2-n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.48
2-n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.31
2-n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	OuterFull	22.30
2-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	InnerFull	22.73
2-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	Edge1RBLeft	21.80
2-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	Edge1RBRight	21.52
2-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	OuterFull	21.82
2-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	InnerFull	21.77
2-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	Edge1RBLeft	20.87
2-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	Edge1RBRight	20.69
2-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	OuterFull	20.77
2-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	InnerFull	20.33
2-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	Edge1RBLeft	20.13
2-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	Edge1RBRight	20.02
2-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	OuterFull	20.36
2-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	InnerFull	18.31
2-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	Edge1RBLeft	17.93
2-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	Edge1RBRight	17.92
2-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	OuterFull	18.34
2-n71	15MHz	15kHz	690.5MHz	CP	QPSK	InnerFull	21.25
2-n71	15MHz	15kHz	690.5MHz	CP	QPSK	Edge1RBLeft	20.05
2-n71	15MHz	15kHz	690.5MHz	CP	QPSK	Edge1RBRight	19.91
2-n71	15MHz	15kHz	690.5MHz	CP	QPSK	OuterFull	19.78
2-n71	15MHz	15kHz	690.5MHz	CP	16QAM	InnerFull	20.78
2-n71	15MHz	15kHz	690.5MHz	CP	16QAM	Edge1RBLeft	20.05
2-n71	15MHz	15kHz	690.5MHz	CP	16QAM	Edge1RBRight	19.77
2-n71	15MHz	15kHz	690.5MHz	CP	16QAM	OuterFull	19.78
2-n71	15MHz	15kHz	690.5MHz	CP	64QAM	InnerFull	19.39
2-n71	15MHz	15kHz	690.5MHz	CP	64QAM	Edge1RBLeft	19.23
2-n71	15MHz	15kHz	690.5MHz	CP	64QAM	Edge1RBRight	19.07
2-n71	15MHz	15kHz	690.5MHz	CP	64QAM	OuterFull	19.37
2-n71	15MHz	15kHz	690.5MHz	CP	256QAM	InnerFull	16.31
2-n71	15MHz	15kHz	690.5MHz	CP	256QAM	Edge1RBLeft	15.93
2-n71	15MHz	15kHz	690.5MHz	CP	256QAM	Edge1RBRight	15.86
2-n71	15MHz	15kHz	690.5MHz	CP	256QAM	OuterFull	16.42
2-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	InnerFull	22.98
2-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.84

2-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	Edge1RBRight	22.44
2-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	OuterFull	22.66
2-n71	20MHz	15kHz	673MHz	DFT	QPSK	InnerFull	23.05
2-n71	20MHz	15kHz	673MHz	DFT	QPSK	Edge1RBLeft	22.18
2-n71	20MHz	15kHz	673MHz	DFT	QPSK	Edge1RBRight	21.75
2-n71	20MHz	15kHz	673MHz	DFT	QPSK	OuterFull	22.06
2-n71	20MHz	15kHz	673MHz	DFT	16QAM	InnerFull	22.11
2-n71	20MHz	15kHz	673MHz	DFT	16QAM	Edge1RBLeft	21.18
2-n71	20MHz	15kHz	673MHz	DFT	16QAM	Edge1RBRight	20.81
2-n71	20MHz	15kHz	673MHz	DFT	16QAM	OuterFull	21.25
2-n71	20MHz	15kHz	673MHz	DFT	64QAM	InnerFull	20.58
2-n71	20MHz	15kHz	673MHz	DFT	64QAM	Edge1RBLeft	20.53
2-n71	20MHz	15kHz	673MHz	DFT	64QAM	Edge1RBRight	20.21
2-n71	20MHz	15kHz	673MHz	DFT	64QAM	OuterFull	20.61
2-n71	20MHz	15kHz	673MHz	DFT	256QAM	InnerFull	18.64
2-n71	20MHz	15kHz	673MHz	DFT	256QAM	Edge1RBLeft	18.22
2-n71	20MHz	15kHz	673MHz	DFT	256QAM	Edge1RBRight	17.98
2-n71	20MHz	15kHz	673MHz	DFT	256QAM	OuterFull	18.90
2-n71	20MHz	15kHz	673MHz	CP	QPSK	InnerFull	21.63
2-n71	20MHz	15kHz	673MHz	CP	QPSK	Edge1RBLeft	20.48
2-n71	20MHz	15kHz	673MHz	CP	QPSK	Edge1RBRight	20.11
2-n71	20MHz	15kHz	673MHz	CP	QPSK	OuterFull	20.17
2-n71	20MHz	15kHz	673MHz	CP	16QAM	InnerFull	21.08
2-n71	20MHz	15kHz	673MHz	CP	16QAM	Edge1RBLeft	20.38
2-n71	20MHz	15kHz	673MHz	CP	16QAM	Edge1RBRight	20.01
2-n71	20MHz	15kHz	673MHz	CP	16QAM	OuterFull	20.03
2-n71	20MHz	15kHz	673MHz	CP	64QAM	InnerFull	19.60
2-n71	20MHz	15kHz	673MHz	CP	64QAM	Edge1RBLeft	19.56
2-n71	20MHz	15kHz	673MHz	CP	64QAM	Edge1RBRight	19.19
2-n71	20MHz	15kHz	673MHz	CP	64QAM	OuterFull	19.60
2-n71	20MHz	15kHz	673MHz	CP	256QAM	InnerFull	16.67
2-n71	20MHz	15kHz	673MHz	CP	256QAM	Edge1RBLeft	16.24
2-n71	20MHz	15kHz	673MHz	CP	256QAM	Edge1RBRight	16.04
2-n71	20MHz	15kHz	673MHz	CP	256QAM	OuterFull	16.60
2-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	23.11
2-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.61
2-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.41
2-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	22.62
2-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	23.05
2-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	22.04
2-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	21.76

2-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	22.11
2-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	22.05
2-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	21.15
2-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	20.73
2-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	21.13
2-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	20.62
2-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	20.60
2-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	20.21
2-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	20.59
2-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	18.62
2-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	18.22
2-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	17.92
2-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	18.64
2-n71	20MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	21.52
2-n71	20MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	20.55
2-n71	20MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	19.97
2-n71	20MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	20.12
2-n71	20MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	21.02
2-n71	20MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	20.33
2-n71	20MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	19.82
2-n71	20MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	20.08
2-n71	20MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	19.55
2-n71	20MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	19.53
2-n71	20MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	19.10
2-n71	20MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	19.63
2-n71	20MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	16.70
2-n71	20MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	16.23
2-n71	20MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	15.93
2-n71	20MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	16.70
2-n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	InnerFull	22.72
2-n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.60
2-n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	Edge1RBRight	22.22
2-n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	OuterFull	22.43
2-n71	20MHz	15kHz	688MHz	DFT	QPSK	InnerFull	22.84
2-n71	20MHz	15kHz	688MHz	DFT	QPSK	Edge1RBLeft	21.94
2-n71	20MHz	15kHz	688MHz	DFT	QPSK	Edge1RBRight	21.50
2-n71	20MHz	15kHz	688MHz	DFT	QPSK	OuterFull	21.91
2-n71	20MHz	15kHz	688MHz	DFT	16QAM	InnerFull	21.90
2-n71	20MHz	15kHz	688MHz	DFT	16QAM	Edge1RBLeft	21.18
2-n71	20MHz	15kHz	688MHz	DFT	16QAM	Edge1RBRight	20.70
2-n71	20MHz	15kHz	688MHz	DFT	16QAM	OuterFull	20.92

2-n71	20MHz	15kHz	688MHz	DFT	64QAM	InnerFull	20.40
2-n71	20MHz	15kHz	688MHz	DFT	64QAM	Edge1RBLeft	19.84
2-n71	20MHz	15kHz	688MHz	DFT	64QAM	Edge1RBRight	20.03
2-n71	20MHz	15kHz	688MHz	DFT	64QAM	OuterFull	20.38
2-n71	20MHz	15kHz	688MHz	DFT	256QAM	InnerFull	18.43
2-n71	20MHz	15kHz	688MHz	DFT	256QAM	Edge1RBLeft	18.05
2-n71	20MHz	15kHz	688MHz	DFT	256QAM	Edge1RBRight	17.80
2-n71	20MHz	15kHz	688MHz	DFT	256QAM	OuterFull	18.52
2-n71	20MHz	15kHz	688MHz	CP	QPSK	InnerFull	21.36
2-n71	20MHz	15kHz	688MHz	CP	QPSK	Edge1RBLeft	20.27
2-n71	20MHz	15kHz	688MHz	CP	QPSK	Edge1RBRight	19.84
2-n71	20MHz	15kHz	688MHz	CP	QPSK	OuterFull	19.85
2-n71	20MHz	15kHz	688MHz	CP	16QAM	InnerFull	20.81
2-n71	20MHz	15kHz	688MHz	CP	16QAM	Edge1RBLeft	20.14
2-n71	20MHz	15kHz	688MHz	CP	16QAM	Edge1RBRight	19.69
2-n71	20MHz	15kHz	688MHz	CP	16QAM	OuterFull	19.92
2-n71	20MHz	15kHz	688MHz	CP	64QAM	InnerFull	19.41
2-n71	20MHz	15kHz	688MHz	CP	64QAM	Edge1RBLeft	19.42
2-n71	20MHz	15kHz	688MHz	CP	64QAM	Edge1RBRight	19.00
2-n71	20MHz	15kHz	688MHz	CP	64QAM	OuterFull	19.40
2-n71	20MHz	15kHz	688MHz	CP	256QAM	InnerFull	16.49
2-n71	20MHz	15kHz	688MHz	CP	256QAM	Edge1RBLeft	16.04
2-n71	20MHz	15kHz	688MHz	CP	256QAM	Edge1RBRight	15.82
2-n71	20MHz	15kHz	688MHz	CP	256QAM	OuterFull	16.44

LTE Band 66+NR n77

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATON	RB ALLOCATION	TOTAL POWER(dBm)
66-n77	20	30	3710.01	DFT	pi/2 BPSK	Inner_Full	22.63
66-n77	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.49
66-n77	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.30
66-n77	20	30	3710.01	DFT	pi/2 BPSK	Outer_Full	22.30
66-n77	20	30	3710.01	DFT	QPSK	Inner_Full	22.62
66-n77	20	30	3710.01	DFT	QPSK	Edge_1RB_Left	21.86
66-n77	20	30	3710.01	DFT	QPSK	Edge_1RB_Right	21.74
66-n77	20	30	3710.01	DFT	QPSK	Outer_Full	21.85
66-n77	20	30	3710.01	DFT	16QAM	Inner_Full	21.72
66-n77	20	30	3710.01	DFT	16QAM	Edge_1RB_Left	20.61
66-n77	20	30	3710.01	DFT	16QAM	Edge_1RB_Right	21.10
66-n77	20	30	3710.01	DFT	16QAM	Outer_Full	20.82
66-n77	20	30	3710.01	DFT	64QAM	Inner_Full	20.44
66-n77	20	30	3710.01	DFT	64QAM	Edge_1RB_Left	20.11
66-n77	20	30	3710.01	DFT	64QAM	Edge_1RB_Right	20.15
66-n77	20	30	3710.01	DFT	64QAM	Outer_Full	20.38
66-n77	20	30	3710.01	DFT	256QAM	Inner_Full	18.41
66-n77	20	30	3710.01	DFT	256QAM	Edge_1RB_Left	17.72
66-n77	20	30	3710.01	DFT	256QAM	Edge_1RB_Right	17.57
66-n77	20	30	3710.01	DFT	256QAM	Outer_Full	18.36
66-n77	20	30	3710.01	CP	QPSK	Inner_Full	21.37
66-n77	20	30	3710.01	CP	QPSK	Edge_1RB_Left	19.95
66-n77	20	30	3710.01	CP	QPSK	Edge_1RB_Right	19.80
66-n77	20	30	3710.01	CP	QPSK	Outer_Full	19.85
66-n77	20	30	3710.01	CP	16QAM	Inner_Full	20.95
66-n77	20	30	3710.01	CP	16QAM	Edge_1RB_Left	20.19
66-n77	20	30	3710.01	CP	16QAM	Edge_1RB_Right	20.21
66-n77	20	30	3710.01	CP	16QAM	Outer_Full	19.89
66-n77	20	30	3710.01	CP	64QAM	Inner_Full	19.43
66-n77	20	30	3710.01	CP	64QAM	Edge_1RB_Left	19.22
66-n77	20	30	3710.01	CP	64QAM	Edge_1RB_Right	19.06
66-n77	20	30	3710.01	CP	64QAM	Outer_Full	19.38
66-n77	20	30	3710.01	CP	256QAM	Inner_Full	16.41
66-n77	20	30	3710.01	CP	256QAM	Edge_1RB_Left	15.83
66-n77	20	30	3710.01	CP	256QAM	Edge_1RB_Right	15.80
66-n77	20	30	3710.01	CP	256QAM	Outer_Full	16.44
66-n77	20	30	3840	DFT	pi/2 BPSK	Inner_Full	23.34
66-n77	20	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.70
66-n77	20	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.36

66-n77	20	30	3840	DFT	pi/2 BPSK	Outer_Full	23.04
66-n77	20	30	3840	DFT	QPSK	Inner_Full	23.35
66-n77	20	30	3840	DFT	QPSK	Edge_1RB_Left	22.27
66-n77	20	30	3840	DFT	QPSK	Edge_1RB_Right	22.70
66-n77	20	30	3840	DFT	QPSK	Outer_Full	22.51
66-n77	20	30	3840	DFT	16QAM	Inner_Full	22.72
66-n77	20	30	3840	DFT	16QAM	Edge_1RB_Left	21.02
66-n77	20	30	3840	DFT	16QAM	Edge_1RB_Right	21.62
66-n77	20	30	3840	DFT	16QAM	Outer_Full	21.64
66-n77	20	30	3840	DFT	64QAM	Inner_Full	21.10
66-n77	20	30	3840	DFT	64QAM	Edge_1RB_Left	20.35
66-n77	20	30	3840	DFT	64QAM	Edge_1RB_Right	20.87
66-n77	20	30	3840	DFT	64QAM	Outer_Full	20.99
66-n77	20	30	3840	DFT	256QAM	Inner_Full	19.21
66-n77	20	30	3840	DFT	256QAM	Edge_1RB_Left	18.06
66-n77	20	30	3840	DFT	256QAM	Edge_1RB_Right	18.40
66-n77	20	30	3840	DFT	256QAM	Outer_Full	19.18
66-n77	20	30	3840	CP	QPSK	Inner_Full	22.00
66-n77	20	30	3840	CP	QPSK	Edge_1RB_Left	20.67
66-n77	20	30	3840	CP	QPSK	Edge_1RB_Right	20.83
66-n77	20	30	3840	CP	QPSK	Outer_Full	20.45
66-n77	20	30	3840	CP	16QAM	Inner_Full	21.46
66-n77	20	30	3840	CP	16QAM	Edge_1RB_Left	20.32
66-n77	20	30	3840	CP	16QAM	Edge_1RB_Right	20.82
66-n77	20	30	3840	CP	16QAM	Outer_Full	20.52
66-n77	20	30	3840	CP	64QAM	Inner_Full	20.05
66-n77	20	30	3840	CP	64QAM	Edge_1RB_Left	19.62
66-n77	20	30	3840	CP	64QAM	Edge_1RB_Right	20.17
66-n77	20	30	3840	CP	64QAM	Outer_Full	19.94
66-n77	20	30	3840	CP	256QAM	Inner_Full	17.02
66-n77	20	30	3840	CP	256QAM	Edge_1RB_Left	16.09
66-n77	20	30	3840	CP	256QAM	Edge_1RB_Right	16.58
66-n77	20	30	3840	CP	256QAM	Outer_Full	17.08
66-n77	20	30	3969.99	DFT	pi/2 BPSK	Inner_Full	22.64
66-n77	20	30	3969.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.38
66-n77	20	30	3969.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.23
66-n77	20	30	3969.99	DFT	pi/2 BPSK	Outer_Full	22.33
66-n77	20	30	3969.99	DFT	QPSK	Inner_Full	22.56
66-n77	20	30	3969.99	DFT	QPSK	Edge_1RB_Left	21.81
66-n77	20	30	3969.99	DFT	QPSK	Edge_1RB_Right	21.76
66-n77	20	30	3969.99	DFT	QPSK	Outer_Full	21.83

66-n77	20	30	3969.99	DFT	16QAM	Inner_Full	21.87
66-n77	20	30	3969.99	DFT	16QAM	Edge_1RB_Left	20.49
66-n77	20	30	3969.99	DFT	16QAM	Edge_1RB_Right	21.05
66-n77	20	30	3969.99	DFT	16QAM	Outer_Full	20.77
66-n77	20	30	3969.99	DFT	64QAM	Inner_Full	20.38
66-n77	20	30	3969.99	DFT	64QAM	Edge_1RB_Left	19.99
66-n77	20	30	3969.99	DFT	64QAM	Edge_1RB_Right	19.89
66-n77	20	30	3969.99	DFT	64QAM	Outer_Full	20.29
66-n77	20	30	3969.99	DFT	256QAM	Inner_Full	18.13
66-n77	20	30	3969.99	DFT	256QAM	Edge_1RB_Left	17.73
66-n77	20	30	3969.99	DFT	256QAM	Edge_1RB_Right	17.61
66-n77	20	30	3969.99	DFT	256QAM	Outer_Full	18.24
66-n77	20	30	3969.99	CP	QPSK	Inner_Full	21.32
66-n77	20	30	3969.99	CP	QPSK	Edge_1RB_Left	19.76
66-n77	20	30	3969.99	CP	QPSK	Edge_1RB_Right	19.92
66-n77	20	30	3969.99	CP	QPSK	Outer_Full	19.67
66-n77	20	30	3969.99	CP	16QAM	Inner_Full	20.86
66-n77	20	30	3969.99	CP	16QAM	Edge_1RB_Left	20.16
66-n77	20	30	3969.99	CP	16QAM	Edge_1RB_Right	20.18
66-n77	20	30	3969.99	CP	16QAM	Outer_Full	19.88
66-n77	20	30	3969.99	CP	64QAM	Inner_Full	19.30
66-n77	20	30	3969.99	CP	64QAM	Edge_1RB_Left	19.22
66-n77	20	30	3969.99	CP	64QAM	Edge_1RB_Right	19.35
66-n77	20	30	3969.99	CP	64QAM	Outer_Full	19.25
66-n77	20	30	3969.99	CP	256QAM	Inner_Full	16.23
66-n77	20	30	3969.99	CP	256QAM	Edge_1RB_Left	15.76
66-n77	20	30	3969.99	CP	256QAM	Edge_1RB_Right	15.70
66-n77	20	30	3969.99	CP	256QAM	Outer_Full	16.29
66-n77	40	30	3720	DFT	pi/2 BPSK	Inner_Full	23.04
66-n77	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Left	22.90
66-n77	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Right	22.26
66-n77	40	30	3720	DFT	pi/2 BPSK	Outer_Full	22.76
66-n77	40	30	3720	DFT	QPSK	Inner_Full	23.05
66-n77	40	30	3720	DFT	QPSK	Edge_1RB_Left	22.47
66-n77	40	30	3720	DFT	QPSK	Edge_1RB_Right	21.69
66-n77	40	30	3720	DFT	QPSK	Outer_Full	22.23
66-n77	40	30	3720	DFT	16QAM	Inner_Full	22.28
66-n77	40	30	3720	DFT	16QAM	Edge_1RB_Left	21.59
66-n77	40	30	3720	DFT	16QAM	Edge_1RB_Right	20.83
66-n77	40	30	3720	DFT	16QAM	Outer_Full	21.19
66-n77	40	30	3720	DFT	64QAM	Inner_Full	20.54

66-n77	40	30	3720	DFT	64QAM	Edge_1RB_Left	20.71
66-n77	40	30	3720	DFT	64QAM	Edge_1RB_Right	19.98
66-n77	40	30	3720	DFT	64QAM	Outer_Full	20.63
66-n77	40	30	3720	DFT	256QAM	Inner_Full	18.72
66-n77	40	30	3720	DFT	256QAM	Edge_1RB_Left	18.19
66-n77	40	30	3720	DFT	256QAM	Edge_1RB_Right	17.60
66-n77	40	30	3720	DFT	256QAM	Outer_Full	18.79
66-n77	40	30	3720	CP	QPSK	Inner_Full	21.65
66-n77	40	30	3720	CP	QPSK	Edge_1RB_Left	20.39
66-n77	40	30	3720	CP	QPSK	Edge_1RB_Right	19.66
66-n77	40	30	3720	CP	QPSK	Outer_Full	20.13
66-n77	40	30	3720	CP	16QAM	Inner_Full	21.20
66-n77	40	30	3720	CP	16QAM	Edge_1RB_Left	20.67
66-n77	40	30	3720	CP	16QAM	Edge_1RB_Right	19.91
66-n77	40	30	3720	CP	16QAM	Outer_Full	20.07
66-n77	40	30	3720	CP	64QAM	Inner_Full	19.67
66-n77	40	30	3720	CP	64QAM	Edge_1RB_Left	19.80
66-n77	40	30	3720	CP	64QAM	Edge_1RB_Right	19.05
66-n77	40	30	3720	CP	64QAM	Outer_Full	19.75
66-n77	40	30	3720	CP	256QAM	Inner_Full	16.89
66-n77	40	30	3720	CP	256QAM	Edge_1RB_Left	16.48
66-n77	40	30	3720	CP	256QAM	Edge_1RB_Right	15.73
66-n77	40	30	3720	CP	256QAM	Outer_Full	16.83
66-n77	40	30	3840	DFT	pi/2 BPSK	Inner_Full	23.70
66-n77	40	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	23.02
66-n77	40	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.73
66-n77	40	30	3840	DFT	pi/2 BPSK	Outer_Full	23.42
66-n77	40	30	3840	DFT	QPSK	Inner_Full	23.68
66-n77	40	30	3840	DFT	QPSK	Edge_1RB_Left	22.43
66-n77	40	30	3840	DFT	QPSK	Edge_1RB_Right	23.14
66-n77	40	30	3840	DFT	QPSK	Outer_Full	22.88
66-n77	40	30	3840	DFT	16QAM	Inner_Full	22.87
66-n77	40	30	3840	DFT	16QAM	Edge_1RB_Left	21.28
66-n77	40	30	3840	DFT	16QAM	Edge_1RB_Right	21.98
66-n77	40	30	3840	DFT	16QAM	Outer_Full	21.84
66-n77	40	30	3840	DFT	64QAM	Inner_Full	21.32
66-n77	40	30	3840	DFT	64QAM	Edge_1RB_Left	20.73
66-n77	40	30	3840	DFT	64QAM	Edge_1RB_Right	21.26
66-n77	40	30	3840	DFT	64QAM	Outer_Full	21.43
66-n77	40	30	3840	DFT	256QAM	Inner_Full	19.36
66-n77	40	30	3840	DFT	256QAM	Edge_1RB_Left	18.22

66-n77	40	30	3840	DFT	256QAM	Edge_1RB_Right	18.79
66-n77	40	30	3840	DFT	256QAM	Outer_Full	19.39
66-n77	40	30	3840	CP	QPSK	Inner_Full	22.31
66-n77	40	30	3840	CP	QPSK	Edge_1RB_Left	20.61
66-n77	40	30	3840	CP	QPSK	Edge_1RB_Right	21.44
66-n77	40	30	3840	CP	QPSK	Outer_Full	20.86
66-n77	40	30	3840	CP	16QAM	Inner_Full	21.85
66-n77	40	30	3840	CP	16QAM	Edge_1RB_Left	20.59
66-n77	40	30	3840	CP	16QAM	Edge_1RB_Right	21.22
66-n77	40	30	3840	CP	16QAM	Outer_Full	20.88
66-n77	40	30	3840	CP	64QAM	Inner_Full	20.34
66-n77	40	30	3840	CP	64QAM	Edge_1RB_Left	19.83
66-n77	40	30	3840	CP	64QAM	Edge_1RB_Right	20.31
66-n77	40	30	3840	CP	64QAM	Outer_Full	20.43
66-n77	40	30	3840	CP	256QAM	Inner_Full	17.38
66-n77	40	30	3840	CP	256QAM	Edge_1RB_Left	16.47
66-n77	40	30	3840	CP	256QAM	Edge_1RB_Right	17.13
66-n77	40	30	3840	CP	256QAM	Outer_Full	17.38
66-n77	40	30	3960	DFT	pi/2 BPSK	Inner_Full	23.10
66-n77	40	30	3960	DFT	pi/2 BPSK	Edge_1RB_Left	22.79
66-n77	40	30	3960	DFT	pi/2 BPSK	Edge_1RB_Right	22.65
66-n77	40	30	3960	DFT	pi/2 BPSK	Outer_Full	22.86
66-n77	40	30	3960	DFT	QPSK	Inner_Full	23.24
66-n77	40	30	3960	DFT	QPSK	Edge_1RB_Left	22.27
66-n77	40	30	3960	DFT	QPSK	Edge_1RB_Right	22.19
66-n77	40	30	3960	DFT	QPSK	Outer_Full	22.38
66-n77	40	30	3960	DFT	16QAM	Inner_Full	22.41
66-n77	40	30	3960	DFT	16QAM	Edge_1RB_Left	21.07
66-n77	40	30	3960	DFT	16QAM	Edge_1RB_Right	21.34
66-n77	40	30	3960	DFT	16QAM	Outer_Full	21.26
66-n77	40	30	3960	DFT	64QAM	Inner_Full	20.75
66-n77	40	30	3960	DFT	64QAM	Edge_1RB_Left	20.47
66-n77	40	30	3960	DFT	64QAM	Edge_1RB_Right	20.40
66-n77	40	30	3960	DFT	64QAM	Outer_Full	20.81
66-n77	40	30	3960	DFT	256QAM	Inner_Full	18.64
66-n77	40	30	3960	DFT	256QAM	Edge_1RB_Left	18.18
66-n77	40	30	3960	DFT	256QAM	Edge_1RB_Right	17.96
66-n77	40	30	3960	DFT	256QAM	Outer_Full	18.87
66-n77	40	30	3960	CP	QPSK	Inner_Full	21.66
66-n77	40	30	3960	CP	QPSK	Edge_1RB_Left	20.50
66-n77	40	30	3960	CP	QPSK	Edge_1RB_Right	20.56

66-n77	40	30	3960	CP	QPSK	Outer_Full	20.25
66-n77	40	30	3960	CP	16QAM	Inner_Full	21.22
66-n77	40	30	3960	CP	16QAM	Edge_1RB_Left	20.35
66-n77	40	30	3960	CP	16QAM	Edge_1RB_Right	20.32
66-n77	40	30	3960	CP	16QAM	Outer_Full	20.21
66-n77	40	30	3960	CP	64QAM	Inner_Full	19.77
66-n77	40	30	3960	CP	64QAM	Edge_1RB_Left	19.76
66-n77	40	30	3960	CP	64QAM	Edge_1RB_Right	19.63
66-n77	40	30	3960	CP	64QAM	Outer_Full	19.74
66-n77	40	30	3960	CP	256QAM	Inner_Full	16.77
66-n77	40	30	3960	CP	256QAM	Edge_1RB_Left	16.31
66-n77	40	30	3960	CP	256QAM	Edge_1RB_Right	16.21
66-n77	40	30	3960	CP	256QAM	Outer_Full	16.74
66-n77	50	30	3725.01	DFT	pi/2 BPSK	Inner_Full	22.30
66-n77	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.25
66-n77	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.69
66-n77	50	30	3725.01	DFT	pi/2 BPSK	Outer_Full	21.84
66-n77	50	30	3725.01	DFT	QPSK	Inner_Full	22.36
66-n77	50	30	3725.01	DFT	QPSK	Edge_1RB_Left	21.60
66-n77	50	30	3725.01	DFT	QPSK	Edge_1RB_Right	21.02
66-n77	50	30	3725.01	DFT	QPSK	Outer_Full	21.49
66-n77	50	30	3725.01	DFT	16QAM	Inner_Full	21.53
66-n77	50	30	3725.01	DFT	16QAM	Edge_1RB_Left	20.50
66-n77	50	30	3725.01	DFT	16QAM	Edge_1RB_Right	19.77
66-n77	50	30	3725.01	DFT	16QAM	Outer_Full	20.47
66-n77	50	30	3725.01	DFT	64QAM	Inner_Full	19.95
66-n77	50	30	3725.01	DFT	64QAM	Edge_1RB_Left	19.90
66-n77	50	30	3725.01	DFT	64QAM	Edge_1RB_Right	19.18
66-n77	50	30	3725.01	DFT	64QAM	Outer_Full	20.01
66-n77	50	30	3725.01	DFT	256QAM	Inner_Full	18.00
66-n77	50	30	3725.01	DFT	256QAM	Edge_1RB_Left	17.64
66-n77	50	30	3725.01	DFT	256QAM	Edge_1RB_Right	17.04
66-n77	50	30	3725.01	DFT	256QAM	Outer_Full	17.87
66-n77	50	30	3725.01	CP	QPSK	Inner_Full	20.75
66-n77	50	30	3725.01	CP	QPSK	Edge_1RB_Left	19.81
66-n77	50	30	3725.01	CP	QPSK	Edge_1RB_Right	19.29
66-n77	50	30	3725.01	CP	QPSK	Outer_Full	19.39
66-n77	50	30	3725.01	CP	16QAM	Inner_Full	20.51
66-n77	50	30	3725.01	CP	16QAM	Edge_1RB_Left	20.05
66-n77	50	30	3725.01	CP	16QAM	Edge_1RB_Right	19.51
66-n77	50	30	3725.01	CP	16QAM	Outer_Full	19.47

66-n77	50	30	3725.01	CP	64QAM	Inner_Full	18.94
66-n77	50	30	3725.01	CP	64QAM	Edge_1RB_Left	19.17
66-n77	50	30	3725.01	CP	64QAM	Edge_1RB_Right	18.62
66-n77	50	30	3725.01	CP	64QAM	Outer_Full	19.06
66-n77	50	30	3725.01	CP	256QAM	Inner_Full	16.01
66-n77	50	30	3725.01	CP	256QAM	Edge_1RB_Left	15.70
66-n77	50	30	3725.01	CP	256QAM	Edge_1RB_Right	15.14
66-n77	50	30	3725.01	CP	256QAM	Outer_Full	16.14
66-n77	50	30	3840	DFT	pi/2 BPSK	Inner_Full	23.48
66-n77	50	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.17
66-n77	50	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.20
66-n77	50	30	3840	DFT	pi/2 BPSK	Outer_Full	22.90
66-n77	50	30	3840	DFT	QPSK	Inner_Full	23.38
66-n77	50	30	3840	DFT	QPSK	Edge_1RB_Left	21.74
66-n77	50	30	3840	DFT	QPSK	Edge_1RB_Right	22.58
66-n77	50	30	3840	DFT	QPSK	Outer_Full	22.39
66-n77	50	30	3840	DFT	16QAM	Inner_Full	22.65
66-n77	50	30	3840	DFT	16QAM	Edge_1RB_Left	20.49
66-n77	50	30	3840	DFT	16QAM	Edge_1RB_Right	21.32
66-n77	50	30	3840	DFT	16QAM	Outer_Full	21.46
66-n77	50	30	3840	DFT	64QAM	Inner_Full	21.01
66-n77	50	30	3840	DFT	64QAM	Edge_1RB_Left	20.04
66-n77	50	30	3840	DFT	64QAM	Edge_1RB_Right	20.77
66-n77	50	30	3840	DFT	64QAM	Outer_Full	21.03
66-n77	50	30	3840	DFT	256QAM	Inner_Full	19.07
66-n77	50	30	3840	DFT	256QAM	Edge_1RB_Left	17.85
66-n77	50	30	3840	DFT	256QAM	Edge_1RB_Right	18.46
66-n77	50	30	3840	DFT	256QAM	Outer_Full	18.77
66-n77	50	30	3840	CP	QPSK	Inner_Full	22.01
66-n77	50	30	3840	CP	QPSK	Edge_1RB_Left	20.31
66-n77	50	30	3840	CP	QPSK	Edge_1RB_Right	20.79
66-n77	50	30	3840	CP	QPSK	Outer_Full	20.55
66-n77	50	30	3840	CP	16QAM	Inner_Full	21.49
66-n77	50	30	3840	CP	16QAM	Edge_1RB_Left	19.56
66-n77	50	30	3840	CP	16QAM	Edge_1RB_Right	20.55
66-n77	50	30	3840	CP	16QAM	Outer_Full	20.57
66-n77	50	30	3840	CP	64QAM	Inner_Full	20.01
66-n77	50	30	3840	CP	64QAM	Edge_1RB_Left	19.06
66-n77	50	30	3840	CP	64QAM	Edge_1RB_Right	20.13
66-n77	50	30	3840	CP	64QAM	Outer_Full	20.07
66-n77	50	30	3840	CP	256QAM	Inner_Full	17.06

66-n77	50	30	3840	CP	256QAM	Edge_1RB_Left	15.86
66-n77	50	30	3840	CP	256QAM	Edge_1RB_Right	16.76
66-n77	50	30	3840	CP	256QAM	Outer_Full	17.03
66-n77	50	30	3954.48	DFT	pi/2 BPSK	Inner_Full	22.56
66-n77	50	30	3954.48	DFT	pi/2 BPSK	Edge_1RB_Left	22.20
66-n77	50	30	3954.48	DFT	pi/2 BPSK	Edge_1RB_Right	22.11
66-n77	50	30	3954.48	DFT	pi/2 BPSK	Outer_Full	22.19
66-n77	50	30	3954.48	DFT	QPSK	Inner_Full	22.64
66-n77	50	30	3954.48	DFT	QPSK	Edge_1RB_Left	21.74
66-n77	50	30	3954.48	DFT	QPSK	Edge_1RB_Right	21.48
66-n77	50	30	3954.48	DFT	QPSK	Outer_Full	21.80
66-n77	50	30	3954.48	DFT	16QAM	Inner_Full	21.79
66-n77	50	30	3954.48	DFT	16QAM	Edge_1RB_Left	20.48
66-n77	50	30	3954.48	DFT	16QAM	Edge_1RB_Right	20.31
66-n77	50	30	3954.48	DFT	16QAM	Outer_Full	20.77
66-n77	50	30	3954.48	DFT	64QAM	Inner_Full	20.26
66-n77	50	30	3954.48	DFT	64QAM	Edge_1RB_Left	19.91
66-n77	50	30	3954.48	DFT	64QAM	Edge_1RB_Right	19.68
66-n77	50	30	3954.48	DFT	64QAM	Outer_Full	20.18
66-n77	50	30	3954.48	DFT	256QAM	Inner_Full	18.25
66-n77	50	30	3954.48	DFT	256QAM	Edge_1RB_Left	17.57
66-n77	50	30	3954.48	DFT	256QAM	Edge_1RB_Right	17.60
66-n77	50	30	3954.48	DFT	256QAM	Outer_Full	18.12
66-n77	50	30	3954.48	CP	QPSK	Inner_Full	21.17
66-n77	50	30	3954.48	CP	QPSK	Edge_1RB_Left	20.10
66-n77	50	30	3954.48	CP	QPSK	Edge_1RB_Right	19.97
66-n77	50	30	3954.48	CP	QPSK	Outer_Full	19.76
66-n77	50	30	3954.48	CP	16QAM	Inner_Full	20.74
66-n77	50	30	3954.48	CP	16QAM	Edge_1RB_Left	19.42
66-n77	50	30	3954.48	CP	16QAM	Edge_1RB_Right	19.33
66-n77	50	30	3954.48	CP	16QAM	Outer_Full	19.79
66-n77	50	30	3954.48	CP	64QAM	Inner_Full	19.23
66-n77	50	30	3954.48	CP	64QAM	Edge_1RB_Left	19.04
66-n77	50	30	3954.48	CP	64QAM	Edge_1RB_Right	18.86
66-n77	50	30	3954.48	CP	64QAM	Outer_Full	19.14
66-n77	50	30	3954.48	CP	256QAM	Inner_Full	16.36
66-n77	50	30	3954.48	CP	256QAM	Edge_1RB_Left	15.87
66-n77	50	30	3954.48	CP	256QAM	Edge_1RB_Right	15.64
66-n77	50	30	3954.48	CP	256QAM	Outer_Full	16.26
66-n77	60	30	3730.02	DFT	pi/2 BPSK	Inner_Full	22.19
66-n77	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.21

66-n77	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.70
66-n77	60	30	3730.02	DFT	pi/2 BPSK	Outer_Full	21.84
66-n77	60	30	3730.02	DFT	QPSK	Inner_Full	22.26
66-n77	60	30	3730.02	DFT	QPSK	Edge_1RB_Left	21.69
66-n77	60	30	3730.02	DFT	QPSK	Edge_1RB_Right	21.14
66-n77	60	30	3730.02	DFT	QPSK	Outer_Full	21.39
66-n77	60	30	3730.02	DFT	16QAM	Inner_Full	21.35
66-n77	60	30	3730.02	DFT	16QAM	Edge_1RB_Left	20.53
66-n77	60	30	3730.02	DFT	16QAM	Edge_1RB_Right	20.21
66-n77	60	30	3730.02	DFT	16QAM	Outer_Full	20.44
66-n77	60	30	3730.02	DFT	64QAM	Inner_Full	19.88
66-n77	60	30	3730.02	DFT	64QAM	Edge_1RB_Left	19.78
66-n77	60	30	3730.02	DFT	64QAM	Edge_1RB_Right	19.54
66-n77	60	30	3730.02	DFT	64QAM	Outer_Full	20.08
66-n77	60	30	3730.02	DFT	256QAM	Inner_Full	18.15
66-n77	60	30	3730.02	DFT	256QAM	Edge_1RB_Left	17.67
66-n77	60	30	3730.02	DFT	256QAM	Edge_1RB_Right	17.12
66-n77	60	30	3730.02	DFT	256QAM	Outer_Full	18.07
66-n77	60	30	3730.02	CP	QPSK	Inner_Full	20.87
66-n77	60	30	3730.02	CP	QPSK	Edge_1RB_Left	19.90
66-n77	60	30	3730.02	CP	QPSK	Edge_1RB_Right	19.22
66-n77	60	30	3730.02	CP	QPSK	Outer_Full	19.49
66-n77	60	30	3730.02	CP	16QAM	Inner_Full	20.24
66-n77	60	30	3730.02	CP	16QAM	Edge_1RB_Left	19.78
66-n77	60	30	3730.02	CP	16QAM	Edge_1RB_Right	19.13
66-n77	60	30	3730.02	CP	16QAM	Outer_Full	19.31
66-n77	60	30	3730.02	CP	64QAM	Inner_Full	18.79
66-n77	60	30	3730.02	CP	64QAM	Edge_1RB_Left	19.04
66-n77	60	30	3730.02	CP	64QAM	Edge_1RB_Right	18.60
66-n77	60	30	3730.02	CP	64QAM	Outer_Full	18.95
66-n77	60	30	3730.02	CP	256QAM	Inner_Full	15.92
66-n77	60	30	3730.02	CP	256QAM	Edge_1RB_Left	15.75
66-n77	60	30	3730.02	CP	256QAM	Edge_1RB_Right	15.32
66-n77	60	30	3730.02	CP	256QAM	Outer_Full	16.12
66-n77	60	30	3840	DFT	pi/2 BPSK	Inner_Full	23.37
66-n77	60	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.31
66-n77	60	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.87
66-n77	60	30	3840	DFT	pi/2 BPSK	Outer_Full	22.96
66-n77	60	30	3840	DFT	QPSK	Inner_Full	23.50
66-n77	60	30	3840	DFT	QPSK	Edge_1RB_Left	21.70
66-n77	60	30	3840	DFT	QPSK	Edge_1RB_Right	22.40

66-n77	60	30	3840	DFT	QPSK	Outer_Full	22.51
66-n77	60	30	3840	DFT	16QAM	Inner_Full	22.57
66-n77	60	30	3840	DFT	16QAM	Edge_1RB_Left	20.43
66-n77	60	30	3840	DFT	16QAM	Edge_1RB_Right	21.05
66-n77	60	30	3840	DFT	16QAM	Outer_Full	21.48
66-n77	60	30	3840	DFT	64QAM	Inner_Full	21.02
66-n77	60	30	3840	DFT	64QAM	Edge_1RB_Left	19.91
66-n77	60	30	3840	DFT	64QAM	Edge_1RB_Right	20.47
66-n77	60	30	3840	DFT	64QAM	Outer_Full	20.96
66-n77	60	30	3840	DFT	256QAM	Inner_Full	19.05
66-n77	60	30	3840	DFT	256QAM	Edge_1RB_Left	17.75
66-n77	60	30	3840	DFT	256QAM	Edge_1RB_Right	18.04
66-n77	60	30	3840	DFT	256QAM	Outer_Full	19.01
66-n77	60	30	3840	CP	QPSK	Inner_Full	21.96
66-n77	60	30	3840	CP	QPSK	Edge_1RB_Left	19.87
66-n77	60	30	3840	CP	QPSK	Edge_1RB_Right	20.54
66-n77	60	30	3840	CP	QPSK	Outer_Full	20.43
66-n77	60	30	3840	CP	16QAM	Inner_Full	21.41
66-n77	60	30	3840	CP	16QAM	Edge_1RB_Left	19.97
66-n77	60	30	3840	CP	16QAM	Edge_1RB_Right	20.76
66-n77	60	30	3840	CP	16QAM	Outer_Full	20.42
66-n77	60	30	3840	CP	64QAM	Inner_Full	20.03
66-n77	60	30	3840	CP	64QAM	Edge_1RB_Left	19.07
66-n77	60	30	3840	CP	64QAM	Edge_1RB_Right	19.87
66-n77	60	30	3840	CP	64QAM	Outer_Full	19.93
66-n77	60	30	3840	CP	256QAM	Inner_Full	17.04
66-n77	60	30	3840	CP	256QAM	Edge_1RB_Left	15.58
66-n77	60	30	3840	CP	256QAM	Edge_1RB_Right	16.37
66-n77	60	30	3840	CP	256QAM	Outer_Full	17.14
66-n77	60	30	3949.98	DFT	$\pi/2$ BPSK	Inner_Full	22.50
66-n77	60	30	3949.98	DFT	$\pi/2$ BPSK	Edge_1RB_Left	21.88
66-n77	60	30	3949.98	DFT	$\pi/2$ BPSK	Edge_1RB_Right	21.71
66-n77	60	30	3949.98	DFT	$\pi/2$ BPSK	Outer_Full	22.12
66-n77	60	30	3949.98	DFT	QPSK	Inner_Full	22.71
66-n77	60	30	3949.98	DFT	QPSK	Edge_1RB_Left	21.30
66-n77	60	30	3949.98	DFT	QPSK	Edge_1RB_Right	21.25
66-n77	60	30	3949.98	DFT	QPSK	Outer_Full	21.51
66-n77	60	30	3949.98	DFT	16QAM	Inner_Full	21.77
66-n77	60	30	3949.98	DFT	16QAM	Edge_1RB_Left	20.18
66-n77	60	30	3949.98	DFT	16QAM	Edge_1RB_Right	20.08
66-n77	60	30	3949.98	DFT	16QAM	Outer_Full	20.55

66-n77	60	30	3949.98	DFT	64QAM	Inner_Full	20.22
66-n77	60	30	3949.98	DFT	64QAM	Edge_1RB_Left	19.66
66-n77	60	30	3949.98	DFT	64QAM	Edge_1RB_Right	19.72
66-n77	60	30	3949.98	DFT	64QAM	Outer_Full	20.21
66-n77	60	30	3949.98	DFT	256QAM	Inner_Full	18.36
66-n77	60	30	3949.98	DFT	256QAM	Edge_1RB_Left	17.24
66-n77	60	30	3949.98	DFT	256QAM	Edge_1RB_Right	17.04
66-n77	60	30	3949.98	DFT	256QAM	Outer_Full	18.16
66-n77	60	30	3949.98	CP	QPSK	Inner_Full	21.29
66-n77	60	30	3949.98	CP	QPSK	Edge_1RB_Left	19.57
66-n77	60	30	3949.98	CP	QPSK	Edge_1RB_Right	19.52
66-n77	60	30	3949.98	CP	QPSK	Outer_Full	19.64
66-n77	60	30	3949.98	CP	16QAM	Inner_Full	20.55
66-n77	60	30	3949.98	CP	16QAM	Edge_1RB_Left	19.60
66-n77	60	30	3949.98	CP	16QAM	Edge_1RB_Right	19.31
66-n77	60	30	3949.98	CP	16QAM	Outer_Full	19.71
66-n77	60	30	3949.98	CP	64QAM	Inner_Full	19.18
66-n77	60	30	3949.98	CP	64QAM	Edge_1RB_Left	18.83
66-n77	60	30	3949.98	CP	64QAM	Edge_1RB_Right	18.86
66-n77	60	30	3949.98	CP	64QAM	Outer_Full	19.22
66-n77	60	30	3949.98	CP	256QAM	Inner_Full	16.20
66-n77	60	30	3949.98	CP	256QAM	Edge_1RB_Left	15.57
66-n77	60	30	3949.98	CP	256QAM	Edge_1RB_Right	15.25
66-n77	60	30	3949.98	CP	256QAM	Outer_Full	16.23
66-n77	80	30	3740.01	DFT	$\pi/2$ BPSK	Inner_Full	22.24
66-n77	80	30	3740.01	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.19
66-n77	80	30	3740.01	DFT	$\pi/2$ BPSK	Edge_1RB_Right	21.90
66-n77	80	30	3740.01	DFT	$\pi/2$ BPSK	Outer_Full	21.84
66-n77	80	30	3740.01	DFT	QPSK	Inner_Full	22.17
66-n77	80	30	3740.01	DFT	QPSK	Edge_1RB_Left	21.65
66-n77	80	30	3740.01	DFT	QPSK	Edge_1RB_Right	21.31
66-n77	80	30	3740.01	DFT	QPSK	Outer_Full	21.37
66-n77	80	30	3740.01	DFT	16QAM	Inner_Full	21.20
66-n77	80	30	3740.01	DFT	16QAM	Edge_1RB_Left	21.01
66-n77	80	30	3740.01	DFT	16QAM	Edge_1RB_Right	20.46
66-n77	80	30	3740.01	DFT	16QAM	Outer_Full	20.31
66-n77	80	30	3740.01	DFT	64QAM	Inner_Full	19.80
66-n77	80	30	3740.01	DFT	64QAM	Edge_1RB_Left	19.78
66-n77	80	30	3740.01	DFT	64QAM	Edge_1RB_Right	19.55
66-n77	80	30	3740.01	DFT	64QAM	Outer_Full	19.96
66-n77	80	30	3740.01	DFT	256QAM	Inner_Full	17.94

66-n77	80	30	3740.01	DFT	256QAM	Edge_1RB_Left	17.73
66-n77	80	30	3740.01	DFT	256QAM	Edge_1RB_Right	17.11
66-n77	80	30	3740.01	DFT	256QAM	Outer_Full	17.93
66-n77	80	30	3740.01	CP	QPSK	Inner_Full	20.85
66-n77	80	30	3740.01	CP	QPSK	Edge_1RB_Left	19.83
66-n77	80	30	3740.01	CP	QPSK	Edge_1RB_Right	19.36
66-n77	80	30	3740.01	CP	QPSK	Outer_Full	19.37
66-n77	80	30	3740.01	CP	16QAM	Inner_Full	20.30
66-n77	80	30	3740.01	CP	16QAM	Edge_1RB_Left	19.86
66-n77	80	30	3740.01	CP	16QAM	Edge_1RB_Right	19.40
66-n77	80	30	3740.01	CP	16QAM	Outer_Full	19.25
66-n77	80	30	3740.01	CP	64QAM	Inner_Full	18.77
66-n77	80	30	3740.01	CP	64QAM	Edge_1RB_Left	19.07
66-n77	80	30	3740.01	CP	64QAM	Edge_1RB_Right	18.58
66-n77	80	30	3740.01	CP	64QAM	Outer_Full	18.86
66-n77	80	30	3740.01	CP	256QAM	Inner_Full	15.90
66-n77	80	30	3740.01	CP	256QAM	Edge_1RB_Left	15.67
66-n77	80	30	3740.01	CP	256QAM	Edge_1RB_Right	15.28
66-n77	80	30	3740.01	CP	256QAM	Outer_Full	16.07
66-n77	80	30	3840	DFT	$\pi/2$ BPSK	Inner_Full	23.22
66-n77	80	30	3840	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.19
66-n77	80	30	3840	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.50
66-n77	80	30	3840	DFT	$\pi/2$ BPSK	Outer_Full	22.58
66-n77	80	30	3840	DFT	QPSK	Inner_Full	23.28
66-n77	80	30	3840	DFT	QPSK	Edge_1RB_Left	21.63
66-n77	80	30	3840	DFT	QPSK	Edge_1RB_Right	22.05
66-n77	80	30	3840	DFT	QPSK	Outer_Full	22.22
66-n77	80	30	3840	DFT	16QAM	Inner_Full	22.23
66-n77	80	30	3840	DFT	16QAM	Edge_1RB_Left	20.50
66-n77	80	30	3840	DFT	16QAM	Edge_1RB_Right	20.81
66-n77	80	30	3840	DFT	16QAM	Outer_Full	21.35
66-n77	80	30	3840	DFT	64QAM	Inner_Full	20.84
66-n77	80	30	3840	DFT	64QAM	Edge_1RB_Left	20.04
66-n77	80	30	3840	DFT	64QAM	Edge_1RB_Right	20.22
66-n77	80	30	3840	DFT	64QAM	Outer_Full	20.72
66-n77	80	30	3840	DFT	256QAM	Inner_Full	19.03
66-n77	80	30	3840	DFT	256QAM	Edge_1RB_Left	17.60
66-n77	80	30	3840	DFT	256QAM	Edge_1RB_Right	17.85
66-n77	80	30	3840	DFT	256QAM	Outer_Full	19.01
66-n77	80	30	3840	CP	QPSK	Inner_Full	21.88
66-n77	80	30	3840	CP	QPSK	Edge_1RB_Left	19.87

66-n77	80	30	3840	CP	QPSK	Edge_1RB_Right	20.06
66-n77	80	30	3840	CP	QPSK	Outer_Full	20.23
66-n77	80	30	3840	CP	16QAM	Inner_Full	21.34
66-n77	80	30	3840	CP	16QAM	Edge_1RB_Left	19.78
66-n77	80	30	3840	CP	16QAM	Edge_1RB_Right	20.17
66-n77	80	30	3840	CP	16QAM	Outer_Full	20.36
66-n77	80	30	3840	CP	64QAM	Inner_Full	19.91
66-n77	80	30	3840	CP	64QAM	Edge_1RB_Left	18.83
66-n77	80	30	3840	CP	64QAM	Edge_1RB_Right	19.29
66-n77	80	30	3840	CP	64QAM	Outer_Full	19.83
66-n77	80	30	3840	CP	256QAM	Inner_Full	16.98
66-n77	80	30	3840	CP	256QAM	Edge_1RB_Left	15.58
66-n77	80	30	3840	CP	256QAM	Edge_1RB_Right	15.99
66-n77	80	30	3840	CP	256QAM	Outer_Full	16.78
66-n77	80	30	3939.99	DFT	pi/2 BPSK	Inner_Full	22.65
66-n77	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.36
66-n77	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.01
66-n77	80	30	3939.99	DFT	pi/2 BPSK	Outer_Full	22.26
66-n77	80	30	3939.99	DFT	QPSK	Inner_Full	22.81
66-n77	80	30	3939.99	DFT	QPSK	Edge_1RB_Left	21.73
66-n77	80	30	3939.99	DFT	QPSK	Edge_1RB_Right	21.55
66-n77	80	30	3939.99	DFT	QPSK	Outer_Full	21.82
66-n77	80	30	3939.99	DFT	16QAM	Inner_Full	21.87
66-n77	80	30	3939.99	DFT	16QAM	Edge_1RB_Left	21.05
66-n77	80	30	3939.99	DFT	16QAM	Edge_1RB_Right	20.78
66-n77	80	30	3939.99	DFT	16QAM	Outer_Full	20.63
66-n77	80	30	3939.99	DFT	64QAM	Inner_Full	20.13
66-n77	80	30	3939.99	DFT	64QAM	Edge_1RB_Left	20.04
66-n77	80	30	3939.99	DFT	64QAM	Edge_1RB_Right	19.82
66-n77	80	30	3939.99	DFT	64QAM	Outer_Full	20.44
66-n77	80	30	3939.99	DFT	256QAM	Inner_Full	18.31
66-n77	80	30	3939.99	DFT	256QAM	Edge_1RB_Left	17.55
66-n77	80	30	3939.99	DFT	256QAM	Edge_1RB_Right	17.72
66-n77	80	30	3939.99	DFT	256QAM	Outer_Full	18.30
66-n77	80	30	3939.99	CP	QPSK	Inner_Full	21.28
66-n77	80	30	3939.99	CP	QPSK	Edge_1RB_Left	20.20
66-n77	80	30	3939.99	CP	QPSK	Edge_1RB_Right	19.98
66-n77	80	30	3939.99	CP	QPSK	Outer_Full	19.79
66-n77	80	30	3939.99	CP	16QAM	Inner_Full	20.78
66-n77	80	30	3939.99	CP	16QAM	Edge_1RB_Left	19.80
66-n77	80	30	3939.99	CP	16QAM	Edge_1RB_Right	19.82

66-n77	80	30	3939.99	CP	16QAM	Outer_Full	19.86
66-n77	80	30	3939.99	CP	64QAM	Inner_Full	19.32
66-n77	80	30	3939.99	CP	64QAM	Edge_1RB_Left	19.14
66-n77	80	30	3939.99	CP	64QAM	Edge_1RB_Right	18.81
66-n77	80	30	3939.99	CP	64QAM	Outer_Full	19.40
66-n77	80	30	3939.99	CP	256QAM	Inner_Full	16.33
66-n77	80	30	3939.99	CP	256QAM	Edge_1RB_Left	15.80
66-n77	80	30	3939.99	CP	256QAM	Edge_1RB_Right	15.56
66-n77	80	30	3939.99	CP	256QAM	Outer_Full	16.36
66-n77	90	30	3745.02	DFT	pi/2 BPSK	Inner_Full	22.04
66-n77	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.21
66-n77	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.25
66-n77	90	30	3745.02	DFT	pi/2 BPSK	Outer_Full	21.87
66-n77	90	30	3745.02	DFT	QPSK	Inner_Full	22.11
66-n77	90	30	3745.02	DFT	QPSK	Edge_1RB_Left	21.67
66-n77	90	30	3745.02	DFT	QPSK	Edge_1RB_Right	21.69
66-n77	90	30	3745.02	DFT	QPSK	Outer_Full	21.29
66-n77	90	30	3745.02	DFT	16QAM	Inner_Full	21.17
66-n77	90	30	3745.02	DFT	16QAM	Edge_1RB_Left	20.87
66-n77	90	30	3745.02	DFT	16QAM	Edge_1RB_Right	20.85
66-n77	90	30	3745.02	DFT	16QAM	Outer_Full	20.26
66-n77	90	30	3745.02	DFT	64QAM	Inner_Full	19.79
66-n77	90	30	3745.02	DFT	64QAM	Edge_1RB_Left	19.85
66-n77	90	30	3745.02	DFT	64QAM	Edge_1RB_Right	19.87
66-n77	90	30	3745.02	DFT	64QAM	Outer_Full	19.83
66-n77	90	30	3745.02	DFT	256QAM	Inner_Full	17.94
66-n77	90	30	3745.02	DFT	256QAM	Edge_1RB_Left	17.53
66-n77	90	30	3745.02	DFT	256QAM	Edge_1RB_Right	17.52
66-n77	90	30	3745.02	DFT	256QAM	Outer_Full	17.95
66-n77	90	30	3745.02	CP	QPSK	Inner_Full	20.82
66-n77	90	30	3745.02	CP	QPSK	Edge_1RB_Left	19.85
66-n77	90	30	3745.02	CP	QPSK	Edge_1RB_Right	20.07
66-n77	90	30	3745.02	CP	QPSK	Outer_Full	19.29
66-n77	90	30	3745.02	CP	16QAM	Inner_Full	20.10
66-n77	90	30	3745.02	CP	16QAM	Edge_1RB_Left	19.68
66-n77	90	30	3745.02	CP	16QAM	Edge_1RB_Right	19.82
66-n77	90	30	3745.02	CP	16QAM	Outer_Full	19.34
66-n77	90	30	3745.02	CP	64QAM	Inner_Full	18.73
66-n77	90	30	3745.02	CP	64QAM	Edge_1RB_Left	18.98
66-n77	90	30	3745.02	CP	64QAM	Edge_1RB_Right	19.02
66-n77	90	30	3745.02	CP	64QAM	Outer_Full	18.80

66-n77	90	30	3745.02	CP	256QAM	Inner_Full	15.90
66-n77	90	30	3745.02	CP	256QAM	Edge_1RB_Left	15.72
66-n77	90	30	3745.02	CP	256QAM	Edge_1RB_Right	15.78
66-n77	90	30	3745.02	CP	256QAM	Outer_Full	15.99
66-n77	90	30	3840	DFT	pi/2 BPSK	Inner_Full	23.22
66-n77	90	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.23
66-n77	90	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.64
66-n77	90	30	3840	DFT	pi/2 BPSK	Outer_Full	22.81
66-n77	90	30	3840	DFT	QPSK	Inner_Full	23.26
66-n77	90	30	3840	DFT	QPSK	Edge_1RB_Left	21.83
66-n77	90	30	3840	DFT	QPSK	Edge_1RB_Right	22.03
66-n77	90	30	3840	DFT	QPSK	Outer_Full	22.27
66-n77	90	30	3840	DFT	16QAM	Inner_Full	22.22
66-n77	90	30	3840	DFT	16QAM	Edge_1RB_Left	21.03
66-n77	90	30	3840	DFT	16QAM	Edge_1RB_Right	21.09
66-n77	90	30	3840	DFT	16QAM	Outer_Full	21.17
66-n77	90	30	3840	DFT	64QAM	Inner_Full	20.93
66-n77	90	30	3840	DFT	64QAM	Edge_1RB_Left	20.13
66-n77	90	30	3840	DFT	64QAM	Edge_1RB_Right	20.32
66-n77	90	30	3840	DFT	64QAM	Outer_Full	20.87
66-n77	90	30	3840	DFT	256QAM	Inner_Full	19.12
66-n77	90	30	3840	DFT	256QAM	Edge_1RB_Left	17.52
66-n77	90	30	3840	DFT	256QAM	Edge_1RB_Right	17.83
66-n77	90	30	3840	DFT	256QAM	Outer_Full	19.02
66-n77	90	30	3840	CP	QPSK	Inner_Full	21.84
66-n77	90	30	3840	CP	QPSK	Edge_1RB_Left	20.07
66-n77	90	30	3840	CP	QPSK	Edge_1RB_Right	20.28
66-n77	90	30	3840	CP	QPSK	Outer_Full	20.26
66-n77	90	30	3840	CP	16QAM	Inner_Full	21.24
66-n77	90	30	3840	CP	16QAM	Edge_1RB_Left	19.38
66-n77	90	30	3840	CP	16QAM	Edge_1RB_Right	19.84
66-n77	90	30	3840	CP	16QAM	Outer_Full	20.13
66-n77	90	30	3840	CP	64QAM	Inner_Full	19.86
66-n77	90	30	3840	CP	64QAM	Edge_1RB_Left	18.96
66-n77	90	30	3840	CP	64QAM	Edge_1RB_Right	19.37
66-n77	90	30	3840	CP	64QAM	Outer_Full	19.81
66-n77	90	30	3840	CP	256QAM	Inner_Full	16.87
66-n77	90	30	3840	CP	256QAM	Edge_1RB_Left	15.75
66-n77	90	30	3840	CP	256QAM	Edge_1RB_Right	16.18
66-n77	90	30	3840	CP	256QAM	Outer_Full	16.80
66-n77	90	30	3934.98	DFT	pi/2 BPSK	Inner_Full	22.81

66-n77	90	30	3934.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.46
66-n77	90	30	3934.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.23
66-n77	90	30	3934.98	DFT	pi/2 BPSK	Outer_Full	22.50
66-n77	90	30	3934.98	DFT	QPSK	Inner_Full	22.86
66-n77	90	30	3934.98	DFT	QPSK	Edge_1RB_Left	21.79
66-n77	90	30	3934.98	DFT	QPSK	Edge_1RB_Right	21.72
66-n77	90	30	3934.98	DFT	QPSK	Outer_Full	21.88
66-n77	90	30	3934.98	DFT	16QAM	Inner_Full	22.02
66-n77	90	30	3934.98	DFT	16QAM	Edge_1RB_Left	21.16
66-n77	90	30	3934.98	DFT	16QAM	Edge_1RB_Right	20.67
66-n77	90	30	3934.98	DFT	16QAM	Outer_Full	20.66
66-n77	90	30	3934.98	DFT	64QAM	Inner_Full	20.19
66-n77	90	30	3934.98	DFT	64QAM	Edge_1RB_Left	20.23
66-n77	90	30	3934.98	DFT	64QAM	Edge_1RB_Right	19.73
66-n77	90	30	3934.98	DFT	64QAM	Outer_Full	20.23
66-n77	90	30	3934.98	DFT	256QAM	Inner_Full	18.51
66-n77	90	30	3934.98	DFT	256QAM	Edge_1RB_Left	17.70
66-n77	90	30	3934.98	DFT	256QAM	Edge_1RB_Right	17.65
66-n77	90	30	3934.98	DFT	256QAM	Outer_Full	18.33
66-n77	90	30	3934.98	CP	QPSK	Inner_Full	21.52
66-n77	90	30	3934.98	CP	QPSK	Edge_1RB_Left	20.35
66-n77	90	30	3934.98	CP	QPSK	Edge_1RB_Right	20.07
66-n77	90	30	3934.98	CP	QPSK	Outer_Full	20.00
66-n77	90	30	3934.98	CP	16QAM	Inner_Full	20.82
66-n77	90	30	3934.98	CP	16QAM	Edge_1RB_Left	19.93
66-n77	90	30	3934.98	CP	16QAM	Edge_1RB_Right	19.73
66-n77	90	30	3934.98	CP	16QAM	Outer_Full	19.77
66-n77	90	30	3934.98	CP	64QAM	Inner_Full	19.39
66-n77	90	30	3934.98	CP	64QAM	Edge_1RB_Left	19.24
66-n77	90	30	3934.98	CP	64QAM	Edge_1RB_Right	19.09
66-n77	90	30	3934.98	CP	64QAM	Outer_Full	19.38
66-n77	90	30	3934.98	CP	256QAM	Inner_Full	16.39
66-n77	90	30	3934.98	CP	256QAM	Edge_1RB_Left	15.88
66-n77	90	30	3934.98	CP	256QAM	Edge_1RB_Right	15.63
66-n77	90	30	3934.98	CP	256QAM	Outer_Full	16.45
66-n77	100	30	3750	DFT	pi/2 BPSK	Inner_Full	22.11
66-n77	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	22.25
66-n77	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	22.27
66-n77	100	30	3750	DFT	pi/2 BPSK	Outer_Full	22.05
66-n77	100	30	3750	DFT	QPSK	Inner_Full	22.14
66-n77	100	30	3750	DFT	QPSK	Edge_1RB_Left	21.62

66-n77	100	30	3750	DFT	QPSK	Edge_1RB_Right	21.61
66-n77	100	30	3750	DFT	QPSK	Outer_Full	21.49
66-n77	100	30	3750	DFT	16QAM	Inner_Full	21.22
66-n77	100	30	3750	DFT	16QAM	Edge_1RB_Left	20.89
66-n77	100	30	3750	DFT	16QAM	Edge_1RB_Right	20.93
66-n77	100	30	3750	DFT	16QAM	Outer_Full	20.52
66-n77	100	30	3750	DFT	64QAM	Inner_Full	19.83
66-n77	100	30	3750	DFT	64QAM	Edge_1RB_Left	19.86
66-n77	100	30	3750	DFT	64QAM	Edge_1RB_Right	19.83
66-n77	100	30	3750	DFT	64QAM	Outer_Full	20.13
66-n77	100	30	3750	DFT	256QAM	Inner_Full	17.88
66-n77	100	30	3750	DFT	256QAM	Edge_1RB_Left	17.70
66-n77	100	30	3750	DFT	256QAM	Edge_1RB_Right	17.70
66-n77	100	30	3750	DFT	256QAM	Outer_Full	18.12
66-n77	100	30	3750	CP	QPSK	Inner_Full	20.70
66-n77	100	30	3750	CP	QPSK	Edge_1RB_Left	19.93
66-n77	100	30	3750	CP	QPSK	Edge_1RB_Right	19.65
66-n77	100	30	3750	CP	QPSK	Outer_Full	19.54
66-n77	100	30	3750	CP	16QAM	Inner_Full	20.31
66-n77	100	30	3750	CP	16QAM	Edge_1RB_Left	19.81
66-n77	100	30	3750	CP	16QAM	Edge_1RB_Right	19.75
66-n77	100	30	3750	CP	16QAM	Outer_Full	19.50
66-n77	100	30	3750	CP	64QAM	Inner_Full	18.73
66-n77	100	30	3750	CP	64QAM	Edge_1RB_Left	18.84
66-n77	100	30	3750	CP	64QAM	Edge_1RB_Right	18.97
66-n77	100	30	3750	CP	64QAM	Outer_Full	18.96
66-n77	100	30	3750	CP	256QAM	Inner_Full	15.89
66-n77	100	30	3750	CP	256QAM	Edge_1RB_Left	15.75
66-n77	100	30	3750	CP	256QAM	Edge_1RB_Right	15.61
66-n77	100	30	3750	CP	256QAM	Outer_Full	16.17
66-n77	100	30	3840	DFT	pi/2 BPSK	Inner_Full	23.24
66-n77	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.25
66-n77	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.38
66-n77	100	30	3840	DFT	pi/2 BPSK	Outer_Full	22.78
66-n77	100	30	3840	DFT	QPSK	Inner_Full	23.32
66-n77	100	30	3840	DFT	QPSK	Edge_1RB_Left	21.86
66-n77	100	30	3840	DFT	QPSK	Edge_1RB_Right	21.82
66-n77	100	30	3840	DFT	QPSK	Outer_Full	22.26
66-n77	100	30	3840	DFT	16QAM	Inner_Full	22.46
66-n77	100	30	3840	DFT	16QAM	Edge_1RB_Left	20.99
66-n77	100	30	3840	DFT	16QAM	Edge_1RB_Right	21.09

66-n77	100	30	3840	DFT	16QAM	Outer_Full	21.19
66-n77	100	30	3840	DFT	64QAM	Inner_Full	20.98
66-n77	100	30	3840	DFT	64QAM	Edge_1RB_Left	19.92
66-n77	100	30	3840	DFT	64QAM	Edge_1RB_Right	20.21
66-n77	100	30	3840	DFT	64QAM	Outer_Full	20.87
66-n77	100	30	3840	DFT	256QAM	Inner_Full	18.94
66-n77	100	30	3840	DFT	256QAM	Edge_1RB_Left	17.67
66-n77	100	30	3840	DFT	256QAM	Edge_1RB_Right	17.71
66-n77	100	30	3840	DFT	256QAM	Outer_Full	18.83
66-n77	100	30	3840	CP	QPSK	Inner_Full	21.94
66-n77	100	30	3840	CP	QPSK	Edge_1RB_Left	20.03
66-n77	100	30	3840	CP	QPSK	Edge_1RB_Right	20.04
66-n77	100	30	3840	CP	QPSK	Outer_Full	20.34
66-n77	100	30	3840	CP	16QAM	Inner_Full	21.42
66-n77	100	30	3840	CP	16QAM	Edge_1RB_Left	19.77
66-n77	100	30	3840	CP	16QAM	Edge_1RB_Right	19.96
66-n77	100	30	3840	CP	16QAM	Outer_Full	20.24
66-n77	100	30	3840	CP	64QAM	Inner_Full	19.96
66-n77	100	30	3840	CP	64QAM	Edge_1RB_Left	19.09
66-n77	100	30	3840	CP	64QAM	Edge_1RB_Right	19.26
66-n77	100	30	3840	CP	64QAM	Outer_Full	19.72
66-n77	100	30	3840	CP	256QAM	Inner_Full	16.90
66-n77	100	30	3840	CP	256QAM	Edge_1RB_Left	15.70
66-n77	100	30	3840	CP	256QAM	Edge_1RB_Right	15.83
66-n77	100	30	3840	CP	256QAM	Outer_Full	16.79
66-n77	100	30	3930	DFT	$\pi/2$ BPSK	Inner_Full	22.74
66-n77	100	30	3930	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.51
66-n77	100	30	3930	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.18
66-n77	100	30	3930	DFT	$\pi/2$ BPSK	Outer_Full	22.30
66-n77	100	30	3930	DFT	QPSK	Inner_Full	22.65
66-n77	100	30	3930	DFT	QPSK	Edge_1RB_Left	22.05
66-n77	100	30	3930	DFT	QPSK	Edge_1RB_Right	21.64
66-n77	100	30	3930	DFT	QPSK	Outer_Full	21.78
66-n77	100	30	3930	DFT	16QAM	Inner_Full	21.66
66-n77	100	30	3930	DFT	16QAM	Edge_1RB_Left	21.03
66-n77	100	30	3930	DFT	16QAM	Edge_1RB_Right	20.95
66-n77	100	30	3930	DFT	16QAM	Outer_Full	20.77
66-n77	100	30	3930	DFT	64QAM	Inner_Full	20.39
66-n77	100	30	3930	DFT	64QAM	Edge_1RB_Left	20.00
66-n77	100	30	3930	DFT	64QAM	Edge_1RB_Right	20.02
66-n77	100	30	3930	DFT	64QAM	Outer_Full	20.40

66-n77	100	30	3930	DFT	256QAM	Inner_Full	18.52
66-n77	100	30	3930	DFT	256QAM	Edge_1RB_Left	17.91
66-n77	100	30	3930	DFT	256QAM	Edge_1RB_Right	17.57
66-n77	100	30	3930	DFT	256QAM	Outer_Full	18.42
66-n77	100	30	3930	CP	QPSK	Inner_Full	21.26
66-n77	100	30	3930	CP	QPSK	Edge_1RB_Left	19.99
66-n77	100	30	3930	CP	QPSK	Edge_1RB_Right	19.60
66-n77	100	30	3930	CP	QPSK	Outer_Full	19.84
66-n77	100	30	3930	CP	16QAM	Inner_Full	20.99
66-n77	100	30	3930	CP	16QAM	Edge_1RB_Left	20.00
66-n77	100	30	3930	CP	16QAM	Edge_1RB_Right	19.63
66-n77	100	30	3930	CP	16QAM	Outer_Full	19.89
66-n77	100	30	3930	CP	64QAM	Inner_Full	19.50
66-n77	100	30	3930	CP	64QAM	Edge_1RB_Left	19.30
66-n77	100	30	3930	CP	64QAM	Edge_1RB_Right	18.87
66-n77	100	30	3930	CP	64QAM	Outer_Full	19.47
66-n77	100	30	3930	CP	256QAM	Inner_Full	16.45
66-n77	100	30	3930	CP	256QAM	Edge_1RB_Left	15.91
66-n77	100	30	3930	CP	256QAM	Edge_1RB_Right	15.71
66-n77	100	30	3930	CP	256QAM	Outer_Full	16.57

LTE Band 12+NR n2
Limits: ≤33 dBm (2W)

BAND	BW	SCS	FREQ	OFDM	MODULATION	RB ALLOCATION	TOTAL POWER(dBm)	GT (dBi)	Radiated output power (dBm)
12-n2	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	InnerFull	23.04	-1.9	21.14
12-n2	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.7	-1.9	20.8
12-n2	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.66	-1.9	20.76
12-n2	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	OuterFull	22.69	-1.9	20.79
12-n2	5MHz	15kHz	1852.5MHz	DFT	QPSK	InnerFull	23.08	-1.9	21.18
12-n2	5MHz	15kHz	1852.5MHz	DFT	QPSK	Edge1RBLeft	22.15	-1.9	20.25
12-n2	5MHz	15kHz	1852.5MHz	DFT	QPSK	Edge1RBRight	22.09	-1.9	20.19
12-n2	5MHz	15kHz	1852.5MHz	DFT	QPSK	OuterFull	22.2	-1.9	20.3
12-n2	5MHz	15kHz	1852.5MHz	DFT	16QAM	InnerFull	22.19	-1.9	20.29
12-n2	5MHz	15kHz	1852.5MHz	DFT	16QAM	Edge1RBLeft	21.23	-1.9	19.33
12-n2	5MHz	15kHz	1852.5MHz	DFT	16QAM	Edge1RBRight	21.17	-1.9	19.27
12-n2	5MHz	15kHz	1852.5MHz	DFT	16QAM	OuterFull	21.24	-1.9	19.34
12-n2	5MHz	15kHz	1852.5MHz	DFT	64QAM	InnerFull	20.77	-1.9	18.87
12-n2	5MHz	15kHz	1852.5MHz	DFT	64QAM	Edge1RBLeft	20.53	-1.9	18.63
12-n2	5MHz	15kHz	1852.5MHz	DFT	64QAM	Edge1RBRight	20.56	-1.9	18.66
12-n2	5MHz	15kHz	1852.5MHz	DFT	64QAM	OuterFull	20.79	-1.9	18.89
12-n2	5MHz	15kHz	1852.5MHz	DFT	256QAM	InnerFull	18.71	-1.9	16.81
12-n2	5MHz	15kHz	1852.5MHz	DFT	256QAM	Edge1RBLeft	18.36	-1.9	16.46
12-n2	5MHz	15kHz	1852.5MHz	DFT	256QAM	Edge1RBRight	18.23	-1.9	16.33
12-n2	5MHz	15kHz	1852.5MHz	DFT	256QAM	OuterFull	18.9	-1.9	17
12-n2	5MHz	15kHz	1852.5MHz	CP	QPSK	InnerFull	21.63	-1.9	19.73
12-n2	5MHz	15kHz	1852.5MHz	CP	QPSK	Edge1RBLeft	20.32	-1.9	18.42
12-n2	5MHz	15kHz	1852.5MHz	CP	QPSK	Edge1RBRight	20.35	-1.9	18.45
12-n2	5MHz	15kHz	1852.5MHz	CP	QPSK	OuterFull	20.2	-1.9	18.3
12-n2	5MHz	15kHz	1852.5MHz	CP	16QAM	InnerFull	21.17	-1.9	19.27
12-n2	5MHz	15kHz	1852.5MHz	CP	16QAM	Edge1RBLeft	20.32	-1.9	18.42
12-n2	5MHz	15kHz	1852.5MHz	CP	16QAM	Edge1RBRight	20.29	-1.9	18.39
12-n2	5MHz	15kHz	1852.5MHz	CP	16QAM	OuterFull	20.3	-1.9	18.4
12-n2	5MHz	15kHz	1852.5MHz	CP	64QAM	InnerFull	19.8	-1.9	17.9
12-n2	5MHz	15kHz	1852.5MHz	CP	64QAM	Edge1RBLeft	19.47	-1.9	17.57
12-n2	5MHz	15kHz	1852.5MHz	CP	64QAM	Edge1RBRight	19.44	-1.9	17.54
12-n2	5MHz	15kHz	1852.5MHz	CP	64QAM	OuterFull	19.73	-1.9	17.83
12-n2	5MHz	15kHz	1852.5MHz	CP	256QAM	InnerFull	16.76	-1.9	14.86
12-n2	5MHz	15kHz	1852.5MHz	CP	256QAM	Edge1RBLeft	16.26	-1.9	14.36
12-n2	5MHz	15kHz	1852.5MHz	CP	256QAM	Edge1RBRight	16.22	-1.9	14.32
12-n2	5MHz	15kHz	1852.5MHz	CP	256QAM	OuterFull	16.71	-1.9	14.81

12-n2	5MHz	15kHz	1880MHz	DFT	pi/2 BPSK	InnerFull	22.76	-1.9	20.86
12-n2	5MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.44	-1.9	20.54
12-n2	5MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBRight	22.34	-1.9	20.44
12-n2	5MHz	15kHz	1880MHz	DFT	pi/2 BPSK	OuterFull	22.49	-1.9	20.59
12-n2	5MHz	15kHz	1880MHz	DFT	QPSK	InnerFull	22.9	-1.9	21.0
12-n2	5MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBLeft	21.96	-1.9	20.06
12-n2	5MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBRight	21.92	-1.9	20.02
12-n2	5MHz	15kHz	1880MHz	DFT	QPSK	OuterFull	22.06	-1.9	20.16
12-n2	5MHz	15kHz	1880MHz	DFT	16QAM	InnerFull	22.1	-1.9	20.2
12-n2	5MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBLeft	21.05	-1.9	19.15
12-n2	5MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBRight	20.94	-1.9	19.04
12-n2	5MHz	15kHz	1880MHz	DFT	16QAM	OuterFull	21.04	-1.9	19.14
12-n2	5MHz	15kHz	1880MHz	DFT	64QAM	InnerFull	20.6	-1.9	18.7
12-n2	5MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBLeft	20.33	-1.9	18.43
12-n2	5MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBRight	20.33	-1.9	18.43
12-n2	5MHz	15kHz	1880MHz	DFT	64QAM	OuterFull	20.58	-1.9	18.68
12-n2	5MHz	15kHz	1880MHz	DFT	256QAM	InnerFull	18.55	-1.9	16.65
12-n2	5MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBLeft	17.99	-1.9	16.09
12-n2	5MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBRight	17.97	-1.9	16.07
12-n2	5MHz	15kHz	1880MHz	DFT	256QAM	OuterFull	18.47	-1.9	16.57
12-n2	5MHz	15kHz	1880MHz	CP	QPSK	InnerFull	21.46	-1.9	19.56
12-n2	5MHz	15kHz	1880MHz	CP	QPSK	Edge1RBLeft	20.18	-1.9	18.28
12-n2	5MHz	15kHz	1880MHz	CP	QPSK	Edge1RBRight	20.09	-1.9	18.19
12-n2	5MHz	15kHz	1880MHz	CP	QPSK	OuterFull	19.92	-1.9	18.02
12-n2	5MHz	15kHz	1880MHz	CP	16QAM	InnerFull	20.91	-1.9	19.01
12-n2	5MHz	15kHz	1880MHz	CP	16QAM	Edge1RBLeft	20.16	-1.9	18.26
12-n2	5MHz	15kHz	1880MHz	CP	16QAM	Edge1RBRight	20.08	-1.9	18.18
12-n2	5MHz	15kHz	1880MHz	CP	16QAM	OuterFull	19.96	-1.9	18.06
12-n2	5MHz	15kHz	1880MHz	CP	64QAM	InnerFull	19.61	-1.9	17.71
12-n2	5MHz	15kHz	1880MHz	CP	64QAM	Edge1RBLeft	19.34	-1.9	17.44
12-n2	5MHz	15kHz	1880MHz	CP	64QAM	Edge1RBRight	19.24	-1.9	17.34
12-n2	5MHz	15kHz	1880MHz	CP	64QAM	OuterFull	19.46	-1.9	17.56
12-n2	5MHz	15kHz	1880MHz	CP	256QAM	InnerFull	16.58	-1.9	14.68
12-n2	5MHz	15kHz	1880MHz	CP	256QAM	Edge1RBLeft	16.04	-1.9	14.14
12-n2	5MHz	15kHz	1880MHz	CP	256QAM	Edge1RBRight	15.94	-1.9	14.04
12-n2	5MHz	15kHz	1880MHz	CP	256QAM	OuterFull	16.55	-1.9	14.65
12-n2	5MHz	15kHz	1907.5MHz	DFT	pi/2 BPSK	InnerFull	22.85	-1.9	20.95
12-n2	5MHz	15kHz	1907.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.47	-1.9	20.57
12-n2	5MHz	15kHz	1907.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.42	-1.9	20.52
12-n2	5MHz	15kHz	1907.5MHz	DFT	pi/2 BPSK	OuterFull	22.39	-1.9	20.49
12-n2	5MHz	15kHz	1907.5MHz	DFT	QPSK	InnerFull	22.87	-1.9	20.97

12-n2	5MHz	15kHz	1907.5MHz	DFT	QPSK	Edge1RBLeft	21.94	-1.9	20.04
12-n2	5MHz	15kHz	1907.5MHz	DFT	QPSK	Edge1RBRight	21.9	-1.9	20.0
12-n2	5MHz	15kHz	1907.5MHz	DFT	QPSK	OuterFull	21.95	-1.9	20.05
12-n2	5MHz	15kHz	1907.5MHz	DFT	16QAM	InnerFull	22	-1.9	20.1
12-n2	5MHz	15kHz	1907.5MHz	DFT	16QAM	Edge1RBLeft	20.93	-1.9	19.03
12-n2	5MHz	15kHz	1907.5MHz	DFT	16QAM	Edge1RBRight	20.98	-1.9	19.08
12-n2	5MHz	15kHz	1907.5MHz	DFT	16QAM	OuterFull	21.02	-1.9	19.12
12-n2	5MHz	15kHz	1907.5MHz	DFT	64QAM	InnerFull	20.52	-1.9	18.62
12-n2	5MHz	15kHz	1907.5MHz	DFT	64QAM	Edge1RBLeft	20.31	-1.9	18.41
12-n2	5MHz	15kHz	1907.5MHz	DFT	64QAM	Edge1RBRight	20.28	-1.9	18.38
12-n2	5MHz	15kHz	1907.5MHz	DFT	64QAM	OuterFull	20.47	-1.9	18.57
12-n2	5MHz	15kHz	1907.5MHz	DFT	256QAM	InnerFull	18.6	-1.9	16.7
12-n2	5MHz	15kHz	1907.5MHz	DFT	256QAM	Edge1RBLeft	17.96	-1.9	16.06
12-n2	5MHz	15kHz	1907.5MHz	DFT	256QAM	Edge1RBRight	18.03	-1.9	16.13
12-n2	5MHz	15kHz	1907.5MHz	DFT	256QAM	OuterFull	18.45	-1.9	16.55
12-n2	5MHz	15kHz	1907.5MHz	CP	QPSK	InnerFull	21.51	-1.9	19.61
12-n2	5MHz	15kHz	1907.5MHz	CP	QPSK	Edge1RBLeft	20.04	-1.9	18.14
12-n2	5MHz	15kHz	1907.5MHz	CP	QPSK	Edge1RBRight	20.03	-1.9	18.13
12-n2	5MHz	15kHz	1907.5MHz	CP	QPSK	OuterFull	19.96	-1.9	18.06
12-n2	5MHz	15kHz	1907.5MHz	CP	16QAM	InnerFull	20.9	-1.9	19.0
12-n2	5MHz	15kHz	1907.5MHz	CP	16QAM	Edge1RBLeft	20.06	-1.9	18.16
12-n2	5MHz	15kHz	1907.5MHz	CP	16QAM	Edge1RBRight	20.08	-1.9	18.18
12-n2	5MHz	15kHz	1907.5MHz	CP	16QAM	OuterFull	19.95	-1.9	18.05
12-n2	5MHz	15kHz	1907.5MHz	CP	64QAM	InnerFull	19.51	-1.9	17.61
12-n2	5MHz	15kHz	1907.5MHz	CP	64QAM	Edge1RBLeft	19.24	-1.9	17.34
12-n2	5MHz	15kHz	1907.5MHz	CP	64QAM	Edge1RBRight	19.18	-1.9	17.28
12-n2	5MHz	15kHz	1907.5MHz	CP	64QAM	OuterFull	19.43	-1.9	17.53
12-n2	5MHz	15kHz	1907.5MHz	CP	256QAM	InnerFull	16.53	-1.9	14.63
12-n2	5MHz	15kHz	1907.5MHz	CP	256QAM	Edge1RBLeft	15.96	-1.9	14.06
12-n2	5MHz	15kHz	1907.5MHz	CP	256QAM	Edge1RBRight	15.91	-1.9	14.01
12-n2	5MHz	15kHz	1907.5MHz	CP	256QAM	OuterFull	16.45	-1.9	14.55
12-n2	10MHz	15kHz	1855MHz	DFT	pi/2 BPSK	InnerFull	23.19	-1.9	21.29
12-n2	10MHz	15kHz	1855MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.74	-1.9	20.84
12-n2	10MHz	15kHz	1855MHz	DFT	pi/2 BPSK	Edge1RBRight	22.69	-1.9	20.79
12-n2	10MHz	15kHz	1855MHz	DFT	pi/2 BPSK	OuterFull	22.85	-1.9	20.95
12-n2	10MHz	15kHz	1855MHz	DFT	QPSK	InnerFull	23.28	-1.9	21.38
12-n2	10MHz	15kHz	1855MHz	DFT	QPSK	Edge1RBLeft	22.18	-1.9	20.28
12-n2	10MHz	15kHz	1855MHz	DFT	QPSK	Edge1RBRight	22.16	-1.9	20.26
12-n2	10MHz	15kHz	1855MHz	DFT	QPSK	OuterFull	22.35	-1.9	20.45
12-n2	10MHz	15kHz	1855MHz	DFT	16QAM	InnerFull	22.3	-1.9	20.4
12-n2	10MHz	15kHz	1855MHz	DFT	16QAM	Edge1RBLeft	21.21	-1.9	19.31

12-n2	10MHz	15kHz	1855MHz	DFT	16QAM	Edge1RBRight	21.29	-1.9	19.39
12-n2	10MHz	15kHz	1855MHz	DFT	16QAM	OuterFull	21.38	-1.9	19.48
12-n2	10MHz	15kHz	1855MHz	DFT	64QAM	InnerFull	20.77	-1.9	18.87
12-n2	10MHz	15kHz	1855MHz	DFT	64QAM	Edge1RBLeft	20.69	-1.9	18.79
12-n2	10MHz	15kHz	1855MHz	DFT	64QAM	Edge1RBRight	20.6	-1.9	18.7
12-n2	10MHz	15kHz	1855MHz	DFT	64QAM	OuterFull	20.81	-1.9	18.91
12-n2	10MHz	15kHz	1855MHz	DFT	256QAM	InnerFull	19.01	-1.9	17.11
12-n2	10MHz	15kHz	1855MHz	DFT	256QAM	Edge1RBLeft	18.3	-1.9	16.4
12-n2	10MHz	15kHz	1855MHz	DFT	256QAM	Edge1RBRight	18.25	-1.9	16.35
12-n2	10MHz	15kHz	1855MHz	DFT	256QAM	OuterFull	18.95	-1.9	17.05
12-n2	10MHz	15kHz	1855MHz	CP	QPSK	InnerFull	21.79	-1.9	19.89
12-n2	10MHz	15kHz	1855MHz	CP	QPSK	Edge1RBLeft	20.45	-1.9	18.55
12-n2	10MHz	15kHz	1855MHz	CP	QPSK	Edge1RBRight	20.25	-1.9	18.35
12-n2	10MHz	15kHz	1855MHz	CP	QPSK	OuterFull	20.33	-1.9	18.43
12-n2	10MHz	15kHz	1855MHz	CP	16QAM	InnerFull	21.28	-1.9	19.38
12-n2	10MHz	15kHz	1855MHz	CP	16QAM	Edge1RBLeft	20.33	-1.9	18.43
12-n2	10MHz	15kHz	1855MHz	CP	16QAM	Edge1RBRight	20.37	-1.9	18.47
12-n2	10MHz	15kHz	1855MHz	CP	16QAM	OuterFull	20.34	-1.9	18.44
12-n2	10MHz	15kHz	1855MHz	CP	64QAM	InnerFull	19.91	-1.9	18.01
12-n2	10MHz	15kHz	1855MHz	CP	64QAM	Edge1RBLeft	19.65	-1.9	17.75
12-n2	10MHz	15kHz	1855MHz	CP	64QAM	Edge1RBRight	19.47	-1.9	17.57
12-n2	10MHz	15kHz	1855MHz	CP	64QAM	OuterFull	19.82	-1.9	17.92
12-n2	10MHz	15kHz	1855MHz	CP	256QAM	InnerFull	16.86	-1.9	14.96
12-n2	10MHz	15kHz	1855MHz	CP	256QAM	Edge1RBLeft	16.36	-1.9	14.46
12-n2	10MHz	15kHz	1855MHz	CP	256QAM	Edge1RBRight	16.32	-1.9	14.42
12-n2	10MHz	15kHz	1855MHz	CP	256QAM	OuterFull	16.91	-1.9	15.01
12-n2	10MHz	15kHz	1880MHz	DFT	pi/2 BPSK	InnerFull	22.85	-1.9	20.95
12-n2	10MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.46	-1.9	20.56
12-n2	10MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBRight	22.37	-1.9	20.47
12-n2	10MHz	15kHz	1880MHz	DFT	pi/2 BPSK	OuterFull	22.57	-1.9	20.67
12-n2	10MHz	15kHz	1880MHz	DFT	QPSK	InnerFull	22.94	-1.9	21.04
12-n2	10MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBLeft	21.98	-1.9	20.08
12-n2	10MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBRight	21.91	-1.9	20.01
12-n2	10MHz	15kHz	1880MHz	DFT	QPSK	OuterFull	22.06	-1.9	20.16
12-n2	10MHz	15kHz	1880MHz	DFT	16QAM	InnerFull	22.08	-1.9	20.18
12-n2	10MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBLeft	21.04	-1.9	19.14
12-n2	10MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBRight	21.02	-1.9	19.12
12-n2	10MHz	15kHz	1880MHz	DFT	16QAM	OuterFull	21.02	-1.9	19.12
12-n2	10MHz	15kHz	1880MHz	DFT	64QAM	InnerFull	20.65	-1.9	18.75
12-n2	10MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBLeft	20.34	-1.9	18.44
12-n2	10MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBRight	20.31	-1.9	18.41

12-n2	10MHz	15kHz	1880MHz	DFT	64QAM	OuterFull	20.58	-1.9	18.68
12-n2	10MHz	15kHz	1880MHz	DFT	256QAM	InnerFull	18.44	-1.9	16.54
12-n2	10MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBLeft	18.07	-1.9	16.17
12-n2	10MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBRight	17.91	-1.9	16.01
12-n2	10MHz	15kHz	1880MHz	DFT	256QAM	OuterFull	18.48	-1.9	16.58
12-n2	10MHz	15kHz	1880MHz	CP	QPSK	InnerFull	21.45	-1.9	19.55
12-n2	10MHz	15kHz	1880MHz	CP	QPSK	Edge1RBLeft	20.17	-1.9	18.27
12-n2	10MHz	15kHz	1880MHz	CP	QPSK	Edge1RBRight	20.01	-1.9	18.11
12-n2	10MHz	15kHz	1880MHz	CP	QPSK	OuterFull	19.99	-1.9	18.09
12-n2	10MHz	15kHz	1880MHz	CP	16QAM	InnerFull	21.1	-1.9	19.2
12-n2	10MHz	15kHz	1880MHz	CP	16QAM	Edge1RBLeft	20.14	-1.9	18.24
12-n2	10MHz	15kHz	1880MHz	CP	16QAM	Edge1RBRight	20.1	-1.9	18.2
12-n2	10MHz	15kHz	1880MHz	CP	16QAM	OuterFull	20.07	-1.9	18.17
12-n2	10MHz	15kHz	1880MHz	CP	64QAM	InnerFull	19.52	-1.9	17.62
12-n2	10MHz	15kHz	1880MHz	CP	64QAM	Edge1RBLeft	19.35	-1.9	17.45
12-n2	10MHz	15kHz	1880MHz	CP	64QAM	Edge1RBRight	19.21	-1.9	17.31
12-n2	10MHz	15kHz	1880MHz	CP	64QAM	OuterFull	19.56	-1.9	17.66
12-n2	10MHz	15kHz	1880MHz	CP	256QAM	InnerFull	16.59	-1.9	14.69
12-n2	10MHz	15kHz	1880MHz	CP	256QAM	Edge1RBLeft	16.1	-1.9	14.2
12-n2	10MHz	15kHz	1880MHz	CP	256QAM	Edge1RBRight	16.03	-1.9	14.13
12-n2	10MHz	15kHz	1880MHz	CP	256QAM	OuterFull	16.63	-1.9	14.73
12-n2	10MHz	15kHz	1905MHz	DFT	pi/2 BPSK	InnerFull	22.86	-1.9	20.96
12-n2	10MHz	15kHz	1905MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.29	-1.9	20.39
12-n2	10MHz	15kHz	1905MHz	DFT	pi/2 BPSK	Edge1RBRight	22.41	-1.9	20.51
12-n2	10MHz	15kHz	1905MHz	DFT	pi/2 BPSK	OuterFull	22.43	-1.9	20.53
12-n2	10MHz	15kHz	1905MHz	DFT	QPSK	InnerFull	22.91	-1.9	21.01
12-n2	10MHz	15kHz	1905MHz	DFT	QPSK	Edge1RBLeft	21.86	-1.9	19.96
12-n2	10MHz	15kHz	1905MHz	DFT	QPSK	Edge1RBRight	21.9	-1.9	20
12-n2	10MHz	15kHz	1905MHz	DFT	QPSK	OuterFull	22.03	-1.9	20.13
12-n2	10MHz	15kHz	1905MHz	DFT	16QAM	InnerFull	22.04	-1.9	20.14
12-n2	10MHz	15kHz	1905MHz	DFT	16QAM	Edge1RBLeft	20.93	-1.9	19.03
12-n2	10MHz	15kHz	1905MHz	DFT	16QAM	Edge1RBRight	20.98	-1.9	19.08
12-n2	10MHz	15kHz	1905MHz	DFT	16QAM	OuterFull	21.07	-1.9	19.17
12-n2	10MHz	15kHz	1905MHz	DFT	64QAM	InnerFull	20.53	-1.9	18.63
12-n2	10MHz	15kHz	1905MHz	DFT	64QAM	Edge1RBLeft	20.28	-1.9	18.38
12-n2	10MHz	15kHz	1905MHz	DFT	64QAM	Edge1RBRight	20.4	-1.9	18.5
12-n2	10MHz	15kHz	1905MHz	DFT	64QAM	OuterFull	20.52	-1.9	18.62
12-n2	10MHz	15kHz	1905MHz	DFT	256QAM	InnerFull	18.55	-1.9	16.65
12-n2	10MHz	15kHz	1905MHz	DFT	256QAM	Edge1RBLeft	17.99	-1.9	16.09
12-n2	10MHz	15kHz	1905MHz	DFT	256QAM	Edge1RBRight	18.05	-1.9	16.15
12-n2	10MHz	15kHz	1905MHz	DFT	256QAM	OuterFull	18.59	-1.9	16.69

12-n2	10MHz	15kHz	1905MHz	CP	QPSK	InnerFull	21.56	-1.9	19.66
12-n2	10MHz	15kHz	1905MHz	CP	QPSK	Edge1RBLeft	20.09	-1.9	18.19
12-n2	10MHz	15kHz	1905MHz	CP	QPSK	Edge1RBRight	20.04	-1.9	18.14
12-n2	10MHz	15kHz	1905MHz	CP	QPSK	OuterFull	19.96	-1.9	18.06
12-n2	10MHz	15kHz	1905MHz	CP	16QAM	InnerFull	20.99	-1.9	19.09
12-n2	10MHz	15kHz	1905MHz	CP	16QAM	Edge1RBLeft	20.12	-1.9	18.22
12-n2	10MHz	15kHz	1905MHz	CP	16QAM	Edge1RBRight	20.11	-1.9	18.21
12-n2	10MHz	15kHz	1905MHz	CP	16QAM	OuterFull	20.02	-1.9	18.12
12-n2	10MHz	15kHz	1905MHz	CP	64QAM	InnerFull	19.52	-1.9	17.62
12-n2	10MHz	15kHz	1905MHz	CP	64QAM	Edge1RBLeft	19.28	-1.9	17.38
12-n2	10MHz	15kHz	1905MHz	CP	64QAM	Edge1RBRight	19.25	-1.9	17.35
12-n2	10MHz	15kHz	1905MHz	CP	64QAM	OuterFull	19.51	-1.9	17.61
12-n2	10MHz	15kHz	1905MHz	CP	256QAM	InnerFull	16.5	-1.9	14.6
12-n2	10MHz	15kHz	1905MHz	CP	256QAM	Edge1RBLeft	16.06	-1.9	14.16
12-n2	10MHz	15kHz	1905MHz	CP	256QAM	Edge1RBRight	15.96	-1.9	14.06
12-n2	10MHz	15kHz	1905MHz	CP	256QAM	OuterFull	16.56	-1.9	14.66
12-n2	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	InnerFull	23.13	-1.9	21.23
12-n2	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.71	-1.9	20.81
12-n2	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.73	-1.9	20.83
12-n2	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	OuterFull	22.69	-1.9	20.79
12-n2	15MHz	15kHz	1857.5MHz	DFT	QPSK	InnerFull	23.16	-1.9	21.26
12-n2	15MHz	15kHz	1857.5MHz	DFT	QPSK	Edge1RBLeft	22.19	-1.9	20.29
12-n2	15MHz	15kHz	1857.5MHz	DFT	QPSK	Edge1RBRight	22.17	-1.9	20.27
12-n2	15MHz	15kHz	1857.5MHz	DFT	QPSK	OuterFull	22.23	-1.9	20.33
12-n2	15MHz	15kHz	1857.5MHz	DFT	16QAM	InnerFull	22.21	-1.9	20.31
12-n2	15MHz	15kHz	1857.5MHz	DFT	16QAM	Edge1RBLeft	21.22	-1.9	19.32
12-n2	15MHz	15kHz	1857.5MHz	DFT	16QAM	Edge1RBRight	21.28	-1.9	19.38
12-n2	15MHz	15kHz	1857.5MHz	DFT	16QAM	OuterFull	21.23	-1.9	19.33
12-n2	15MHz	15kHz	1857.5MHz	DFT	64QAM	InnerFull	20.81	-1.9	18.91
12-n2	15MHz	15kHz	1857.5MHz	DFT	64QAM	Edge1RBLeft	20.77	-1.9	18.87
12-n2	15MHz	15kHz	1857.5MHz	DFT	64QAM	Edge1RBRight	20.6	-1.9	18.7
12-n2	15MHz	15kHz	1857.5MHz	DFT	64QAM	OuterFull	20.81	-1.9	18.91
12-n2	15MHz	15kHz	1857.5MHz	DFT	256QAM	InnerFull	18.65	-1.9	16.75
12-n2	15MHz	15kHz	1857.5MHz	DFT	256QAM	Edge1RBLeft	18.19	-1.9	16.29
12-n2	15MHz	15kHz	1857.5MHz	DFT	256QAM	Edge1RBRight	18.21	-1.9	16.31
12-n2	15MHz	15kHz	1857.5MHz	DFT	256QAM	OuterFull	18.74	-1.9	16.84
12-n2	15MHz	15kHz	1857.5MHz	CP	QPSK	InnerFull	21.68	-1.9	19.78
12-n2	15MHz	15kHz	1857.5MHz	CP	QPSK	Edge1RBLeft	20.36	-1.9	18.46
12-n2	15MHz	15kHz	1857.5MHz	CP	QPSK	Edge1RBRight	20.33	-1.9	18.43
12-n2	15MHz	15kHz	1857.5MHz	CP	QPSK	OuterFull	20.16	-1.9	18.26
12-n2	15MHz	15kHz	1857.5MHz	CP	16QAM	InnerFull	21.29	-1.9	19.39

12-n2	15MHz	15kHz	1857.5MHz	CP	16QAM	Edge1RBLeft	20.4	-1.9	18.5
12-n2	15MHz	15kHz	1857.5MHz	CP	16QAM	Edge1RBRight	20.3	-1.9	18.4
12-n2	15MHz	15kHz	1857.5MHz	CP	16QAM	OuterFull	20.23	-1.9	18.33
12-n2	15MHz	15kHz	1857.5MHz	CP	64QAM	InnerFull	19.79	-1.9	17.89
12-n2	15MHz	15kHz	1857.5MHz	CP	64QAM	Edge1RBLeft	19.47	-1.9	17.57
12-n2	15MHz	15kHz	1857.5MHz	CP	64QAM	Edge1RBRight	19.49	-1.9	17.59
12-n2	15MHz	15kHz	1857.5MHz	CP	64QAM	OuterFull	19.78	-1.9	17.88
12-n2	15MHz	15kHz	1857.5MHz	CP	256QAM	InnerFull	16.71	-1.9	14.81
12-n2	15MHz	15kHz	1857.5MHz	CP	256QAM	Edge1RBLeft	16.29	-1.9	14.39
12-n2	15MHz	15kHz	1857.5MHz	CP	256QAM	Edge1RBRight	16.24	-1.9	14.34
12-n2	15MHz	15kHz	1857.5MHz	CP	256QAM	OuterFull	16.77	-1.9	14.87
12-n2	15MHz	15kHz	1880MHz	DFT	pi/2 BPSK	InnerFull	22.88	-1.9	20.98
12-n2	15MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.52	-1.9	20.62
12-n2	15MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBRight	22.43	-1.9	20.53
12-n2	15MHz	15kHz	1880MHz	DFT	pi/2 BPSK	OuterFull	22.44	-1.9	20.54
12-n2	15MHz	15kHz	1880MHz	DFT	QPSK	InnerFull	22.81	-1.9	20.91
12-n2	15MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBLeft	21.92	-1.9	20.02
12-n2	15MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBRight	21.86	-1.9	19.96
12-n2	15MHz	15kHz	1880MHz	DFT	QPSK	OuterFull	22.01	-1.9	20.11
12-n2	15MHz	15kHz	1880MHz	DFT	16QAM	InnerFull	21.91	-1.9	20.01
12-n2	15MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBLeft	20.96	-1.9	19.06
12-n2	15MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBRight	20.95	-1.9	19.05
12-n2	15MHz	15kHz	1880MHz	DFT	16QAM	OuterFull	21	-1.9	19.1
12-n2	15MHz	15kHz	1880MHz	DFT	64QAM	InnerFull	20.53	-1.9	18.63
12-n2	15MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBLeft	20.27	-1.9	18.37
12-n2	15MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBRight	20.25	-1.9	18.35
12-n2	15MHz	15kHz	1880MHz	DFT	64QAM	OuterFull	20.54	-1.9	18.64
12-n2	15MHz	15kHz	1880MHz	DFT	256QAM	InnerFull	18.61	-1.9	16.71
12-n2	15MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBLeft	18.15	-1.9	16.25
12-n2	15MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBRight	18.18	-1.9	16.28
12-n2	15MHz	15kHz	1880MHz	DFT	256QAM	OuterFull	18.7	-1.9	16.8
12-n2	15MHz	15kHz	1880MHz	CP	QPSK	InnerFull	21.36	-1.9	19.46
12-n2	15MHz	15kHz	1880MHz	CP	QPSK	Edge1RBLeft	20.18	-1.9	18.28
12-n2	15MHz	15kHz	1880MHz	CP	QPSK	Edge1RBRight	20.1	-1.9	18.2
12-n2	15MHz	15kHz	1880MHz	CP	QPSK	OuterFull	20.02	-1.9	18.12
12-n2	15MHz	15kHz	1880MHz	CP	16QAM	InnerFull	21.01	-1.9	19.11
12-n2	15MHz	15kHz	1880MHz	CP	16QAM	Edge1RBLeft	20.13	-1.9	18.23
12-n2	15MHz	15kHz	1880MHz	CP	16QAM	Edge1RBRight	20.07	-1.9	18.17
12-n2	15MHz	15kHz	1880MHz	CP	16QAM	OuterFull	20.02	-1.9	18.12
12-n2	15MHz	15kHz	1880MHz	CP	64QAM	InnerFull	19.54	-1.9	17.64
12-n2	15MHz	15kHz	1880MHz	CP	64QAM	Edge1RBLeft	19.27	-1.9	17.37

12-n2	15MHz	15kHz	1880MHz	CP	64QAM	Edge1RBRight	19.25	-1.9	17.35
12-n2	15MHz	15kHz	1880MHz	CP	64QAM	OuterFull	19.56	-1.9	17.66
12-n2	15MHz	15kHz	1880MHz	CP	256QAM	InnerFull	16.46	-1.9	14.56
12-n2	15MHz	15kHz	1880MHz	CP	256QAM	Edge1RBLeft	15.97	-1.9	14.07
12-n2	15MHz	15kHz	1880MHz	CP	256QAM	Edge1RBRight	16.01	-1.9	14.11
12-n2	15MHz	15kHz	1880MHz	CP	256QAM	OuterFull	16.48	-1.9	14.58
12-n2	15MHz	15kHz	1902.5MHz	DFT	pi/2 BPSK	InnerFull	22.72	-1.9	20.82
12-n2	15MHz	15kHz	1902.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.35	-1.9	20.45
12-n2	15MHz	15kHz	1902.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.39	-1.9	20.49
12-n2	15MHz	15kHz	1902.5MHz	DFT	pi/2 BPSK	OuterFull	22.42	-1.9	20.52
12-n2	15MHz	15kHz	1902.5MHz	DFT	QPSK	InnerFull	22.75	-1.9	20.85
12-n2	15MHz	15kHz	1902.5MHz	DFT	QPSK	Edge1RBLeft	21.76	-1.9	19.86
12-n2	15MHz	15kHz	1902.5MHz	DFT	QPSK	Edge1RBRight	21.99	-1.9	20.09
12-n2	15MHz	15kHz	1902.5MHz	DFT	QPSK	OuterFull	21.97	-1.9	20.07
12-n2	15MHz	15kHz	1902.5MHz	DFT	16QAM	InnerFull	21.92	-1.9	20.02
12-n2	15MHz	15kHz	1902.5MHz	DFT	16QAM	Edge1RBLeft	20.9	-1.9	19
12-n2	15MHz	15kHz	1902.5MHz	DFT	16QAM	Edge1RBRight	20.95	-1.9	19.05
12-n2	15MHz	15kHz	1902.5MHz	DFT	16QAM	OuterFull	20.87	-1.9	18.97
12-n2	15MHz	15kHz	1902.5MHz	DFT	64QAM	InnerFull	20.45	-1.9	18.55
12-n2	15MHz	15kHz	1902.5MHz	DFT	64QAM	Edge1RBLeft	20.21	-1.9	18.31
12-n2	15MHz	15kHz	1902.5MHz	DFT	64QAM	Edge1RBRight	20.27	-1.9	18.37
12-n2	15MHz	15kHz	1902.5MHz	DFT	64QAM	OuterFull	20.49	-1.9	18.59
12-n2	15MHz	15kHz	1902.5MHz	DFT	256QAM	InnerFull	18.23	-1.9	16.33
12-n2	15MHz	15kHz	1902.5MHz	DFT	256QAM	Edge1RBLeft	17.9	-1.9	16
12-n2	15MHz	15kHz	1902.5MHz	DFT	256QAM	Edge1RBRight	18.06	-1.9	16.16
12-n2	15MHz	15kHz	1902.5MHz	DFT	256QAM	OuterFull	18.4	-1.9	16.5
12-n2	15MHz	15kHz	1902.5MHz	CP	QPSK	InnerFull	21.38	-1.9	19.48
12-n2	15MHz	15kHz	1902.5MHz	CP	QPSK	Edge1RBLeft	20.05	-1.9	18.15
12-n2	15MHz	15kHz	1902.5MHz	CP	QPSK	Edge1RBRight	20.07	-1.9	18.17
12-n2	15MHz	15kHz	1902.5MHz	CP	QPSK	OuterFull	19.89	-1.9	17.99
12-n2	15MHz	15kHz	1902.5MHz	CP	16QAM	InnerFull	20.92	-1.9	19.02
12-n2	15MHz	15kHz	1902.5MHz	CP	16QAM	Edge1RBLeft	20.1	-1.9	18.2
12-n2	15MHz	15kHz	1902.5MHz	CP	16QAM	Edge1RBRight	20.14	-1.9	18.24
12-n2	15MHz	15kHz	1902.5MHz	CP	16QAM	OuterFull	19.96	-1.9	18.06
12-n2	15MHz	15kHz	1902.5MHz	CP	64QAM	InnerFull	19.47	-1.9	17.57
12-n2	15MHz	15kHz	1902.5MHz	CP	64QAM	Edge1RBLeft	19.16	-1.9	17.26
12-n2	15MHz	15kHz	1902.5MHz	CP	64QAM	Edge1RBRight	19.24	-1.9	17.34
12-n2	15MHz	15kHz	1902.5MHz	CP	64QAM	OuterFull	19.41	-1.9	17.51
12-n2	15MHz	15kHz	1902.5MHz	CP	256QAM	InnerFull	16.34	-1.9	14.44
12-n2	15MHz	15kHz	1902.5MHz	CP	256QAM	Edge1RBLeft	15.97	-1.9	14.07
12-n2	15MHz	15kHz	1902.5MHz	CP	256QAM	Edge1RBRight	16.03	-1.9	14.13

12-n2	15MHz	15kHz	1902.5MHz	CP	256QAM	OuterFull	16.49	-1.9	14.59
12-n2	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	InnerFull	23.02	-1.9	21.12
12-n2	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.56	-1.9	20.66
12-n2	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	Edge1RBRight	22.58	-1.9	20.68
12-n2	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	OuterFull	22.71	-1.9	20.81
12-n2	20MHz	15kHz	1860MHz	DFT	QPSK	InnerFull	23.11	-1.9	21.21
12-n2	20MHz	15kHz	1860MHz	DFT	QPSK	Edge1RBLeft	22.13	-1.9	20.23
12-n2	20MHz	15kHz	1860MHz	DFT	QPSK	Edge1RBRight	22.06	-1.9	20.16
12-n2	20MHz	15kHz	1860MHz	DFT	QPSK	OuterFull	22.27	-1.9	20.37
12-n2	20MHz	15kHz	1860MHz	DFT	16QAM	InnerFull	22.24	-1.9	20.34
12-n2	20MHz	15kHz	1860MHz	DFT	16QAM	Edge1RBLeft	21.18	-1.9	19.28
12-n2	20MHz	15kHz	1860MHz	DFT	16QAM	Edge1RBRight	21.12	-1.9	19.22
12-n2	20MHz	15kHz	1860MHz	DFT	16QAM	OuterFull	21.21	-1.9	19.31
12-n2	20MHz	15kHz	1860MHz	DFT	64QAM	InnerFull	20.72	-1.9	18.82
12-n2	20MHz	15kHz	1860MHz	DFT	64QAM	Edge1RBLeft	20.55	-1.9	18.65
12-n2	20MHz	15kHz	1860MHz	DFT	64QAM	Edge1RBRight	20.42	-1.9	18.52
12-n2	20MHz	15kHz	1860MHz	DFT	64QAM	OuterFull	20.8	-1.9	18.9
12-n2	20MHz	15kHz	1860MHz	DFT	256QAM	InnerFull	18.71	-1.9	16.81
12-n2	20MHz	15kHz	1860MHz	DFT	256QAM	Edge1RBLeft	18.2	-1.9	16.3
12-n2	20MHz	15kHz	1860MHz	DFT	256QAM	Edge1RBRight	18.13	-1.9	16.23
12-n2	20MHz	15kHz	1860MHz	DFT	256QAM	OuterFull	18.96	-1.9	17.06
12-n2	20MHz	15kHz	1860MHz	CP	QPSK	InnerFull	21.66	-1.9	19.76
12-n2	20MHz	15kHz	1860MHz	CP	QPSK	Edge1RBLeft	20.28	-1.9	18.38
12-n2	20MHz	15kHz	1860MHz	CP	QPSK	Edge1RBRight	20.23	-1.9	18.33
12-n2	20MHz	15kHz	1860MHz	CP	QPSK	OuterFull	20.26	-1.9	18.36
12-n2	20MHz	15kHz	1860MHz	CP	16QAM	InnerFull	21.24	-1.9	19.34
12-n2	20MHz	15kHz	1860MHz	CP	16QAM	Edge1RBLeft	20.31	-1.9	18.41
12-n2	20MHz	15kHz	1860MHz	CP	16QAM	Edge1RBRight	20.21	-1.9	18.31
12-n2	20MHz	15kHz	1860MHz	CP	16QAM	OuterFull	20.21	-1.9	18.31
12-n2	20MHz	15kHz	1860MHz	CP	64QAM	InnerFull	19.72	-1.9	17.82
12-n2	20MHz	15kHz	1860MHz	CP	64QAM	Edge1RBLeft	19.46	-1.9	17.56
12-n2	20MHz	15kHz	1860MHz	CP	64QAM	Edge1RBRight	19.37	-1.9	17.47
12-n2	20MHz	15kHz	1860MHz	CP	64QAM	OuterFull	19.72	-1.9	17.82
12-n2	20MHz	15kHz	1860MHz	CP	256QAM	InnerFull	16.8	-1.9	14.9
12-n2	20MHz	15kHz	1860MHz	CP	256QAM	Edge1RBLeft	16.23	-1.9	14.33
12-n2	20MHz	15kHz	1860MHz	CP	256QAM	Edge1RBRight	16.1	-1.9	14.2
12-n2	20MHz	15kHz	1860MHz	CP	256QAM	OuterFull	16.82	-1.9	14.92
12-n2	20MHz	15kHz	1880MHz	DFT	pi/2 BPSK	InnerFull	22.88	-1.9	20.98
12-n2	20MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.61	-1.9	20.71
12-n2	20MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBRight	22.38	-1.9	20.48
12-n2	20MHz	15kHz	1880MHz	DFT	pi/2 BPSK	OuterFull	22.62	-1.9	20.72

12-n2	20MHz	15kHz	1880MHz	DFT	QPSK	InnerFull	23.05	-1.9	21.15
12-n2	20MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBLeft	22.09	-1.9	20.19
12-n2	20MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBRight	21.92	-1.9	20.02
12-n2	20MHz	15kHz	1880MHz	DFT	QPSK	OuterFull	22.1	-1.9	20.2
12-n2	20MHz	15kHz	1880MHz	DFT	16QAM	InnerFull	22.12	-1.9	20.22
12-n2	20MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBLeft	21.22	-1.9	19.32
12-n2	20MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBRight	20.89	-1.9	18.99
12-n2	20MHz	15kHz	1880MHz	DFT	16QAM	OuterFull	21.11	-1.9	19.21
12-n2	20MHz	15kHz	1880MHz	DFT	64QAM	InnerFull	20.57	-1.9	18.67
12-n2	20MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBLeft	20.53	-1.9	18.63
12-n2	20MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBRight	20.3	-1.9	18.4
12-n2	20MHz	15kHz	1880MHz	DFT	64QAM	OuterFull	20.61	-1.9	18.71
12-n2	20MHz	15kHz	1880MHz	DFT	256QAM	InnerFull	18.54	-1.9	16.64
12-n2	20MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBLeft	18.2	-1.9	16.3
12-n2	20MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBRight	18.01	-1.9	16.11
12-n2	20MHz	15kHz	1880MHz	DFT	256QAM	OuterFull	18.6	-1.9	16.7
12-n2	20MHz	15kHz	1880MHz	CP	QPSK	InnerFull	21.44	-1.9	19.54
12-n2	20MHz	15kHz	1880MHz	CP	QPSK	Edge1RBLeft	20.41	-1.9	18.51
12-n2	20MHz	15kHz	1880MHz	CP	QPSK	Edge1RBRight	20.14	-1.9	18.24
12-n2	20MHz	15kHz	1880MHz	CP	QPSK	OuterFull	20.14	-1.9	18.24
12-n2	20MHz	15kHz	1880MHz	CP	16QAM	InnerFull	21.16	-1.9	19.26
12-n2	20MHz	15kHz	1880MHz	CP	16QAM	Edge1RBLeft	20.38	-1.9	18.48
12-n2	20MHz	15kHz	1880MHz	CP	16QAM	Edge1RBRight	20.04	-1.9	18.14
12-n2	20MHz	15kHz	1880MHz	CP	16QAM	OuterFull	20.1	-1.9	18.2
12-n2	20MHz	15kHz	1880MHz	CP	64QAM	InnerFull	19.63	-1.9	17.73
12-n2	20MHz	15kHz	1880MHz	CP	64QAM	Edge1RBLeft	19.45	-1.9	17.55
12-n2	20MHz	15kHz	1880MHz	CP	64QAM	Edge1RBRight	19.23	-1.9	17.33
12-n2	20MHz	15kHz	1880MHz	CP	64QAM	OuterFull	19.64	-1.9	17.74
12-n2	20MHz	15kHz	1880MHz	CP	256QAM	InnerFull	16.69	-1.9	14.79
12-n2	20MHz	15kHz	1880MHz	CP	256QAM	Edge1RBLeft	16.25	-1.9	14.35
12-n2	20MHz	15kHz	1880MHz	CP	256QAM	Edge1RBRight	15.93	-1.9	14.03
12-n2	20MHz	15kHz	1880MHz	CP	256QAM	OuterFull	16.62	-1.9	14.72
12-n2	20MHz	15kHz	1900MHz	DFT	pi/2 BPSK	InnerFull	22.81	-1.9	20.91
12-n2	20MHz	15kHz	1900MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.34	-1.9	20.44
12-n2	20MHz	15kHz	1900MHz	DFT	pi/2 BPSK	Edge1RBRight	22.51	-1.9	20.61
12-n2	20MHz	15kHz	1900MHz	DFT	pi/2 BPSK	OuterFull	22.5	-1.9	20.6
12-n2	20MHz	15kHz	1900MHz	DFT	QPSK	InnerFull	22.9	-1.9	21
12-n2	20MHz	15kHz	1900MHz	DFT	QPSK	Edge1RBLeft	21.73	-1.9	19.83
12-n2	20MHz	15kHz	1900MHz	DFT	QPSK	Edge1RBRight	22.01	-1.9	20.11
12-n2	20MHz	15kHz	1900MHz	DFT	QPSK	OuterFull	21.96	-1.9	20.06
12-n2	20MHz	15kHz	1900MHz	DFT	16QAM	InnerFull	21.95	-1.9	20.05

12-n2	20MHz	15kHz	1900MHz	DFT	16QAM	Edge1RBLeft	20.83	-1.9	18.93
12-n2	20MHz	15kHz	1900MHz	DFT	16QAM	Edge1RBRight	21.01	-1.9	19.11
12-n2	20MHz	15kHz	1900MHz	DFT	16QAM	OuterFull	20.99	-1.9	19.09
12-n2	20MHz	15kHz	1900MHz	DFT	64QAM	InnerFull	20.42	-1.9	18.52
12-n2	20MHz	15kHz	1900MHz	DFT	64QAM	Edge1RBLeft	20.12	-1.9	18.22
12-n2	20MHz	15kHz	1900MHz	DFT	64QAM	Edge1RBRight	20.31	-1.9	18.41
12-n2	20MHz	15kHz	1900MHz	DFT	64QAM	OuterFull	20.49	-1.9	18.59
12-n2	20MHz	15kHz	1900MHz	DFT	256QAM	InnerFull	18.33	-1.9	16.43
12-n2	20MHz	15kHz	1900MHz	DFT	256QAM	Edge1RBLeft	17.98	-1.9	16.08
12-n2	20MHz	15kHz	1900MHz	DFT	256QAM	Edge1RBRight	18.01	-1.9	16.11
12-n2	20MHz	15kHz	1900MHz	DFT	256QAM	OuterFull	18.47	-1.9	16.57
12-n2	20MHz	15kHz	1900MHz	CP	QPSK	InnerFull	21.32	-1.9	19.42
12-n2	20MHz	15kHz	1900MHz	CP	QPSK	Edge1RBLeft	20	-1.9	18.1
12-n2	20MHz	15kHz	1900MHz	CP	QPSK	Edge1RBRight	20.14	-1.9	18.24
12-n2	20MHz	15kHz	1900MHz	CP	QPSK	OuterFull	19.99	-1.9	18.09
12-n2	20MHz	15kHz	1900MHz	CP	16QAM	InnerFull	20.9	-1.9	19
12-n2	20MHz	15kHz	1900MHz	CP	16QAM	Edge1RBLeft	19.96	-1.9	18.06
12-n2	20MHz	15kHz	1900MHz	CP	16QAM	Edge1RBRight	20.12	-1.9	18.22
12-n2	20MHz	15kHz	1900MHz	CP	16QAM	OuterFull	19.94	-1.9	18.04
12-n2	20MHz	15kHz	1900MHz	CP	64QAM	InnerFull	19.48	-1.9	17.58
12-n2	20MHz	15kHz	1900MHz	CP	64QAM	Edge1RBLeft	19.13	-1.9	17.23
12-n2	20MHz	15kHz	1900MHz	CP	64QAM	Edge1RBRight	19.32	-1.9	17.42
12-n2	20MHz	15kHz	1900MHz	CP	64QAM	OuterFull	19.49	-1.9	17.59
12-n2	20MHz	15kHz	1900MHz	CP	256QAM	InnerFull	16.51	-1.9	14.61
12-n2	20MHz	15kHz	1900MHz	CP	256QAM	Edge1RBLeft	15.89	-1.9	13.99
12-n2	20MHz	15kHz	1900MHz	CP	256QAM	Edge1RBRight	16.01	-1.9	14.11
12-n2	20MHz	15kHz	1900MHz	CP	256QAM	OuterFull	16.5	-1.9	14.6

LTE Band 66+NR n5
Limits: ≤38.45dBm (7W)

BAND	BW	SCS	FREQ	OFDM	MODULATON	RB ALLOCATION	TOTAL POWER(dBm)	GT (dBd)	Radiated output power (dBm)
66-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	InnerFull	23.06	-5.85	17.21
66-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.78	-5.85	16.93
66-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.72	-5.85	16.87
66-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	OuterFull	22.77	-5.85	16.92
66-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	InnerFull	23.08	-5.85	17.23
66-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	Edge1RBLeft	22.23	-5.85	16.38
66-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	Edge1RBRight	22.19	-5.85	16.34
66-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	OuterFull	22.2	-5.85	16.35
66-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	InnerFull	22.3	-5.85	16.45
66-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	Edge1RBLeft	21.36	-5.85	15.51
66-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	Edge1RBRight	21.22	-5.85	15.37
66-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	OuterFull	21.34	-5.85	15.49
66-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	InnerFull	20.76	-5.85	14.91
66-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	Edge1RBLeft	20.67	-5.85	14.82
66-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	Edge1RBRight	20.61	-5.85	14.76
66-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	OuterFull	20.86	-5.85	15.01
66-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	InnerFull	18.65	-5.85	12.80
66-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	Edge1RBLeft	18.41	-5.85	12.56
66-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	Edge1RBRight	18.26	-5.85	12.41
66-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	OuterFull	18.72	-5.85	12.87
66-n5	5MHz	15kHz	826.5MHz	CP	QPSK	InnerFull	21.69	-5.85	15.84
66-n5	5MHz	15kHz	826.5MHz	CP	QPSK	Edge1RBLeft	20.48	-5.85	14.63
66-n5	5MHz	15kHz	826.5MHz	CP	QPSK	Edge1RBRight	20.39	-5.85	14.54
66-n5	5MHz	15kHz	826.5MHz	CP	QPSK	OuterFull	20.22	-5.85	14.37
66-n5	5MHz	15kHz	826.5MHz	CP	16QAM	InnerFull	21.19	-5.85	15.34
66-n5	5MHz	15kHz	826.5MHz	CP	16QAM	Edge1RBLeft	20.51	-5.85	14.66
66-n5	5MHz	15kHz	826.5MHz	CP	16QAM	Edge1RBRight	20.4	-5.85	14.55
66-n5	5MHz	15kHz	826.5MHz	CP	16QAM	OuterFull	20.35	-5.85	14.50
66-n5	5MHz	15kHz	826.5MHz	CP	64QAM	InnerFull	19.79	-5.85	13.94
66-n5	5MHz	15kHz	826.5MHz	CP	64QAM	Edge1RBLeft	19.57	-5.85	13.72
66-n5	5MHz	15kHz	826.5MHz	CP	64QAM	Edge1RBRight	19.48	-5.85	13.63
66-n5	5MHz	15kHz	826.5MHz	CP	64QAM	OuterFull	19.82	-5.85	13.97
66-n5	5MHz	15kHz	826.5MHz	CP	256QAM	InnerFull	16.82	-5.85	10.97
66-n5	5MHz	15kHz	826.5MHz	CP	256QAM	Edge1RBLeft	16.38	-5.85	10.53
66-n5	5MHz	15kHz	826.5MHz	CP	256QAM	Edge1RBRight	16.31	-5.85	10.46
66-n5	5MHz	15kHz	826.5MHz	CP	256QAM	OuterFull	16.8	-5.85	10.95

66-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	InnerFull	22.98	-5.85	17.13
66-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.61	-5.85	16.76
66-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.56	-5.85	16.71
66-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	OuterFull	22.62	-5.85	16.77
66-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	22.89	-5.85	17.04
66-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	22.08	-5.85	16.23
66-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	21.97	-5.85	16.12
66-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	22.08	-5.85	16.23
66-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	22.13	-5.85	16.28
66-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	21.12	-5.85	15.27
66-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	21.08	-5.85	15.23
66-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	21.11	-5.85	15.26
66-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	20.67	-5.85	14.82
66-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	20.5	-5.85	14.65
66-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	20.48	-5.85	14.63
66-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	20.64	-5.85	14.79
66-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	18.68	-5.85	12.83
66-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	18.17	-5.85	12.32
66-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	18.04	-5.85	12.19
66-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	18.6	-5.85	12.75
66-n5	5MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	21.47	-5.85	15.62
66-n5	5MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	20.41	-5.85	14.56
66-n5	5MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	20.24	-5.85	14.39
66-n5	5MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	20.03	-5.85	14.18
66-n5	5MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	20.98	-5.85	15.13
66-n5	5MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	20.29	-5.85	14.44
66-n5	5MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	20.15	-5.85	14.30
66-n5	5MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	20.09	-5.85	14.24
66-n5	5MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	19.65	-5.85	13.80
66-n5	5MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	19.45	-5.85	13.60
66-n5	5MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	19.34	-5.85	13.49
66-n5	5MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	19.52	-5.85	13.67
66-n5	5MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	16.66	-5.85	10.81
66-n5	5MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	16.16	-5.85	10.31
66-n5	5MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	16.11	-5.85	10.26
66-n5	5MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	16.62	-5.85	10.77
66-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	InnerFull	23.02	-5.85	17.17
66-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.59	-5.85	16.74
66-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.59	-5.85	16.74
66-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	OuterFull	22.6	-5.85	16.75
66-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	InnerFull	22.9	-5.85	17.05

66-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	Edge1RBLeft	22.09	-5.85	16.24
66-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	Edge1RBRight	22.01	-5.85	16.16
66-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	OuterFull	22.07	-5.85	16.22
66-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	InnerFull	22.06	-5.85	16.21
66-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	Edge1RBLeft	21.03	-5.85	15.18
66-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	Edge1RBRight	21.04	-5.85	15.19
66-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	OuterFull	21.14	-5.85	15.29
66-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	InnerFull	20.6	-5.85	14.75
66-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	Edge1RBLeft	20.42	-5.85	14.57
66-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	Edge1RBRight	20.54	-5.85	14.69
66-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	OuterFull	20.67	-5.85	14.82
66-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	InnerFull	18.61	-5.85	12.76
66-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	Edge1RBLeft	18.1	-5.85	12.25
66-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	Edge1RBRight	18.14	-5.85	12.29
66-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	OuterFull	18.47	-5.85	12.62
66-n5	5MHz	15kHz	846.5MHz	CP	QPSK	InnerFull	21.52	-5.85	15.67
66-n5	5MHz	15kHz	846.5MHz	CP	QPSK	Edge1RBLeft	20.31	-5.85	14.46
66-n5	5MHz	15kHz	846.5MHz	CP	QPSK	Edge1RBRight	20.27	-5.85	14.42
66-n5	5MHz	15kHz	846.5MHz	CP	QPSK	OuterFull	20.08	-5.85	14.23
66-n5	5MHz	15kHz	846.5MHz	CP	16QAM	InnerFull	20.88	-5.85	15.03
66-n5	5MHz	15kHz	846.5MHz	CP	16QAM	Edge1RBLeft	20.22	-5.85	14.37
66-n5	5MHz	15kHz	846.5MHz	CP	16QAM	Edge1RBRight	20.17	-5.85	14.32
66-n5	5MHz	15kHz	846.5MHz	CP	16QAM	OuterFull	20.02	-5.85	14.17
66-n5	5MHz	15kHz	846.5MHz	CP	64QAM	InnerFull	19.6	-5.85	13.75
66-n5	5MHz	15kHz	846.5MHz	CP	64QAM	Edge1RBLeft	19.41	-5.85	13.56
66-n5	5MHz	15kHz	846.5MHz	CP	64QAM	Edge1RBRight	19.36	-5.85	13.51
66-n5	5MHz	15kHz	846.5MHz	CP	64QAM	OuterFull	19.56	-5.85	13.71
66-n5	5MHz	15kHz	846.5MHz	CP	256QAM	InnerFull	16.61	-5.85	10.76
66-n5	5MHz	15kHz	846.5MHz	CP	256QAM	Edge1RBLeft	16.2	-5.85	10.35
66-n5	5MHz	15kHz	846.5MHz	CP	256QAM	Edge1RBRight	16.04	-5.85	10.19
66-n5	5MHz	15kHz	846.5MHz	CP	256QAM	OuterFull	16.59	-5.85	10.74
66-n5	10MHz	15kHz	829MHz	DFT	pi/2 BPSK	InnerFull	23.14	-5.85	17.29
66-n5	10MHz	15kHz	829MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.73	-5.85	16.88
66-n5	10MHz	15kHz	829MHz	DFT	pi/2 BPSK	Edge1RBRight	22.58	-5.85	16.73
66-n5	10MHz	15kHz	829MHz	DFT	pi/2 BPSK	OuterFull	22.79	-5.85	16.94
66-n5	10MHz	15kHz	829MHz	DFT	QPSK	InnerFull	23.16	-5.85	17.31
66-n5	10MHz	15kHz	829MHz	DFT	QPSK	Edge1RBLeft	22.17	-5.85	16.32
66-n5	10MHz	15kHz	829MHz	DFT	QPSK	Edge1RBRight	22.06	-5.85	16.21
66-n5	10MHz	15kHz	829MHz	DFT	QPSK	OuterFull	22.28	-5.85	16.43
66-n5	10MHz	15kHz	829MHz	DFT	16QAM	InnerFull	22.24	-5.85	16.39
66-n5	10MHz	15kHz	829MHz	DFT	16QAM	Edge1RBLeft	21.22	-5.85	15.37

66-n5	10MHz	15kHz	829MHz	DFT	16QAM	Edge1RBRight	21.03	-5.85	15.18
66-n5	10MHz	15kHz	829MHz	DFT	16QAM	OuterFull	21.22	-5.85	15.37
66-n5	10MHz	15kHz	829MHz	DFT	64QAM	InnerFull	20.8	-5.85	14.95
66-n5	10MHz	15kHz	829MHz	DFT	64QAM	Edge1RBLeft	20.7	-5.85	14.85
66-n5	10MHz	15kHz	829MHz	DFT	64QAM	Edge1RBRight	20.28	-5.85	14.43
66-n5	10MHz	15kHz	829MHz	DFT	64QAM	OuterFull	20.71	-5.85	14.86
66-n5	10MHz	15kHz	829MHz	DFT	256QAM	InnerFull	18.7	-5.85	12.85
66-n5	10MHz	15kHz	829MHz	DFT	256QAM	Edge1RBLeft	18.26	-5.85	12.41
66-n5	10MHz	15kHz	829MHz	DFT	256QAM	Edge1RBRight	18.06	-5.85	12.21
66-n5	10MHz	15kHz	829MHz	DFT	256QAM	OuterFull	18.73	-5.85	12.88
66-n5	10MHz	15kHz	829MHz	CP	QPSK	InnerFull	21.78	-5.85	15.93
66-n5	10MHz	15kHz	829MHz	CP	QPSK	Edge1RBLeft	20.43	-5.85	14.58
66-n5	10MHz	15kHz	829MHz	CP	QPSK	Edge1RBRight	20.22	-5.85	14.37
66-n5	10MHz	15kHz	829MHz	CP	QPSK	OuterFull	20.2	-5.85	14.35
66-n5	10MHz	15kHz	829MHz	CP	16QAM	InnerFull	21.33	-5.85	15.48
66-n5	10MHz	15kHz	829MHz	CP	16QAM	Edge1RBLeft	20.35	-5.85	14.50
66-n5	10MHz	15kHz	829MHz	CP	16QAM	Edge1RBRight	20.14	-5.85	14.29
66-n5	10MHz	15kHz	829MHz	CP	16QAM	OuterFull	20.3	-5.85	14.45
66-n5	10MHz	15kHz	829MHz	CP	64QAM	InnerFull	19.8	-5.85	13.95
66-n5	10MHz	15kHz	829MHz	CP	64QAM	Edge1RBLeft	19.59	-5.85	13.74
66-n5	10MHz	15kHz	829MHz	CP	64QAM	Edge1RBRight	19.37	-5.85	13.52
66-n5	10MHz	15kHz	829MHz	CP	64QAM	OuterFull	19.68	-5.85	13.83
66-n5	10MHz	15kHz	829MHz	CP	256QAM	InnerFull	16.76	-5.85	10.91
66-n5	10MHz	15kHz	829MHz	CP	256QAM	Edge1RBLeft	16.33	-5.85	10.48
66-n5	10MHz	15kHz	829MHz	CP	256QAM	Edge1RBRight	16.14	-5.85	10.29
66-n5	10MHz	15kHz	829MHz	CP	256QAM	OuterFull	16.81	-5.85	10.96
66-n5	10MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	InnerFull	23.05	-5.85	17.20
66-n5	10MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.59	-5.85	16.74
66-n5	10MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.4	-5.85	16.55
66-n5	10MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	OuterFull	22.68	-5.85	16.83
66-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	23.05	-5.85	17.20
66-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	22.08	-5.85	16.23
66-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	21.92	-5.85	16.07
66-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	22.17	-5.85	16.32
66-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	22.18	-5.85	16.33
66-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	21.06	-5.85	15.21
66-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	20.98	-5.85	15.13
66-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	21.11	-5.85	15.26
66-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	20.69	-5.85	14.84
66-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	20.21	-5.85	14.36
66-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	20.42	-5.85	14.57

66-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	20.65	-5.85	14.80
66-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	18.57	-5.85	12.72
66-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	18.09	-5.85	12.24
66-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	17.98	-5.85	12.13
66-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	18.59	-5.85	12.74
66-n5	10MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	21.63	-5.85	15.78
66-n5	10MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	20.39	-5.85	14.54
66-n5	10MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	20.07	-5.85	14.22
66-n5	10MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	20.1	-5.85	14.25
66-n5	10MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	21.11	-5.85	15.26
66-n5	10MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	20.26	-5.85	14.41
66-n5	10MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	20.05	-5.85	14.20
66-n5	10MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	20.07	-5.85	14.22
66-n5	10MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	19.67	-5.85	13.82
66-n5	10MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	19.58	-5.85	13.73
66-n5	10MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	19.3	-5.85	13.45
66-n5	10MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	19.62	-5.85	13.77
66-n5	10MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	16.67	-5.85	10.82
66-n5	10MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	16.24	-5.85	10.39
66-n5	10MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	15.99	-5.85	10.14
66-n5	10MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	16.73	-5.85	10.88
66-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	InnerFull	22.9	-5.85	17.05
66-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.4	-5.85	16.55
66-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	Edge1RBRight	22.31	-5.85	16.46
66-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	OuterFull	22.52	-5.85	16.67
66-n5	10MHz	15kHz	844MHz	DFT	QPSK	InnerFull	22.91	-5.85	17.06
66-n5	10MHz	15kHz	844MHz	DFT	QPSK	Edge1RBLeft	21.9	-5.85	16.05
66-n5	10MHz	15kHz	844MHz	DFT	QPSK	Edge1RBRight	21.87	-5.85	16.02
66-n5	10MHz	15kHz	844MHz	DFT	QPSK	OuterFull	22.02	-5.85	16.17
66-n5	10MHz	15kHz	844MHz	DFT	16QAM	InnerFull	22.05	-5.85	16.20
66-n5	10MHz	15kHz	844MHz	DFT	16QAM	Edge1RBLeft	20.87	-5.85	15.02
66-n5	10MHz	15kHz	844MHz	DFT	16QAM	Edge1RBRight	20.87	-5.85	15.02
66-n5	10MHz	15kHz	844MHz	DFT	16QAM	OuterFull	21.11	-5.85	15.26
66-n5	10MHz	15kHz	844MHz	DFT	64QAM	InnerFull	20.53	-5.85	14.68
66-n5	10MHz	15kHz	844MHz	DFT	64QAM	Edge6RBLeft	20.53	-5.85	14.68
66-n5	10MHz	15kHz	844MHz	DFT	64QAM	Edge6RBRight	20.34	-5.85	14.49
66-n5	10MHz	15kHz	844MHz	DFT	64QAM	OuterFull	20.6	-5.85	14.75
66-n5	10MHz	15kHz	844MHz	DFT	256QAM	InnerFull	18.52	-5.85	12.67
66-n5	10MHz	15kHz	844MHz	DFT	256QAM	Edge1RBLeft	17.98	-5.85	12.13
66-n5	10MHz	15kHz	844MHz	DFT	256QAM	Edge1RBRight	17.96	-5.85	12.11
66-n5	10MHz	15kHz	844MHz	DFT	256QAM	OuterFull	18.48	-5.85	12.63

66-n5	10MHz	15kHz	844MHz	CP	QPSK	InnerFull	21.42	-5.85	15.57
66-n5	10MHz	15kHz	844MHz	CP	QPSK	Edge1RBLeft	20.23	-5.85	14.38
66-n5	10MHz	15kHz	844MHz	CP	QPSK	Edge1RBRight	20.09	-5.85	14.24
66-n5	10MHz	15kHz	844MHz	CP	QPSK	OuterFull	19.96	-5.85	14.11
66-n5	10MHz	15kHz	844MHz	CP	16QAM	InnerFull	20.93	-5.85	15.08
66-n5	10MHz	15kHz	844MHz	CP	16QAM	Edge1RBLeft	20.04	-5.85	14.19
66-n5	10MHz	15kHz	844MHz	CP	16QAM	Edge1RBRight	20.1	-5.85	14.25
66-n5	10MHz	15kHz	844MHz	CP	16QAM	OuterFull	20.04	-5.85	14.19
66-n5	10MHz	15kHz	844MHz	CP	64QAM	InnerFull	19.51	-5.85	13.66
66-n5	10MHz	15kHz	844MHz	CP	64QAM	Edge1RBLeft	19.26	-5.85	13.41
66-n5	10MHz	15kHz	844MHz	CP	64QAM	Edge1RBRight	19.23	-5.85	13.38
66-n5	10MHz	15kHz	844MHz	CP	64QAM	OuterFull	19.54	-5.85	13.69
66-n5	10MHz	15kHz	844MHz	CP	256QAM	InnerFull	16.56	-5.85	10.71
66-n5	10MHz	15kHz	844MHz	CP	256QAM	Edge1RBLeft	16.02	-5.85	10.17
66-n5	10MHz	15kHz	844MHz	CP	256QAM	Edge1RBRight	15.97	-5.85	10.12
66-n5	10MHz	15kHz	844MHz	CP	256QAM	OuterFull	16.55	-5.85	10.70
66-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	InnerFull	23.4	-5.85	17.55
66-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.92	-5.85	17.07
66-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.72	-5.85	16.87
66-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	OuterFull	22.93	-5.85	17.08
66-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	InnerFull	23.27	-5.85	17.42
66-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	Edge1RBLeft	22.38	-5.85	16.53
66-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	Edge1RBRight	22.18	-5.85	16.33
66-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	OuterFull	22.43	-5.85	16.58
66-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	InnerFull	22.36	-5.85	16.51
66-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	Edge1RBLeft	21.4	-5.85	15.55
66-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	Edge1RBRight	21.21	-5.85	15.36
66-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	OuterFull	21.38	-5.85	15.53
66-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	InnerFull	21.08	-5.85	15.23
66-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	Edge1RBLeft	20.63	-5.85	14.78
66-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	Edge1RBRight	20.53	-5.85	14.68
66-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	OuterFull	21.08	-5.85	15.23
66-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	InnerFull	18.9	-5.85	13.05
66-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	Edge1RBLeft	18.08	-5.85	12.23
66-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	Edge1RBRight	18.1	-5.85	12.25
66-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	OuterFull	18.88	-5.85	13.03
66-n5	15MHz	15kHz	831.5MHz	CP	QPSK	InnerFull	21.92	-5.85	16.07
66-n5	15MHz	15kHz	831.5MHz	CP	QPSK	Edge1RBLeft	20.75	-5.85	14.90
66-n5	15MHz	15kHz	831.5MHz	CP	QPSK	Edge1RBRight	20.42	-5.85	14.57
66-n5	15MHz	15kHz	831.5MHz	CP	QPSK	OuterFull	20.36	-5.85	14.51
66-n5	15MHz	15kHz	831.5MHz	CP	16QAM	InnerFull	21.48	-5.85	15.63

66-n5	15MHz	15kHz	831.5MHz	CP	16QAM	Edge1RBLeft	20.61	-5.85	14.76
66-n5	15MHz	15kHz	831.5MHz	CP	16QAM	Edge1RBRight	20.29	-5.85	14.44
66-n5	15MHz	15kHz	831.5MHz	CP	16QAM	OuterFull	20.38	-5.85	14.53
66-n5	15MHz	15kHz	831.5MHz	CP	64QAM	InnerFull	20.03	-5.85	14.18
66-n5	15MHz	15kHz	831.5MHz	CP	64QAM	Edge1RBLeft	19.83	-5.85	13.98
66-n5	15MHz	15kHz	831.5MHz	CP	64QAM	Edge1RBRight	19.5	-5.85	13.65
66-n5	15MHz	15kHz	831.5MHz	CP	64QAM	OuterFull	19.91	-5.85	14.06
66-n5	15MHz	15kHz	831.5MHz	CP	256QAM	InnerFull	16.93	-5.85	11.08
66-n5	15MHz	15kHz	831.5MHz	CP	256QAM	Edge1RBLeft	16.33	-5.85	10.48
66-n5	15MHz	15kHz	831.5MHz	CP	256QAM	Edge1RBRight	16.05	-5.85	10.20
66-n5	15MHz	15kHz	831.5MHz	CP	256QAM	OuterFull	16.92	-5.85	11.07
66-n5	15MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	InnerFull	23.27	-5.85	17.42
66-n5	15MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.02	-5.85	17.17
66-n5	15MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.7	-5.85	16.85
66-n5	15MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	OuterFull	22.93	-5.85	17.08
66-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	23.32	-5.85	17.47
66-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	22.3	-5.85	16.45
66-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	22.16	-5.85	16.31
66-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	22.43	-5.85	16.58
66-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	22.47	-5.85	16.62
66-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	21.35	-5.85	15.50
66-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	21.24	-5.85	15.39
66-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	21.4	-5.85	15.55
66-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	20.94	-5.85	15.09
66-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	20.86	-5.85	15.01
66-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	20.53	-5.85	14.68
66-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	20.75	-5.85	14.90
66-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	18.9	-5.85	13.05
66-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	18.24	-5.85	12.39
66-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	18.12	-5.85	12.27
66-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	18.89	-5.85	13.04
66-n5	15MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	21.87	-5.85	16.02
66-n5	15MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	20.72	-5.85	14.87
66-n5	15MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	20.46	-5.85	14.61
66-n5	15MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	20.36	-5.85	14.51
66-n5	15MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	21.47	-5.85	15.62
66-n5	15MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	20.55	-5.85	14.70
66-n5	15MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	20.29	-5.85	14.44
66-n5	15MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	20.36	-5.85	14.51
66-n5	15MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	20	-5.85	14.15
66-n5	15MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	19.85	-5.85	14.00

66-n5	15MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	19.6	-5.85	13.75
66-n5	15MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	19.89	-5.85	14.04
66-n5	15MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	16.93	-5.85	11.08
66-n5	15MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	16.29	-5.85	10.44
66-n5	15MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	16.09	-5.85	10.24
66-n5	15MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	16.92	-5.85	11.07
66-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	InnerFull	23.13	-5.85	17.28
66-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.79	-5.85	16.94
66-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.61	-5.85	16.76
66-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	OuterFull	22.71	-5.85	16.86
66-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	InnerFull	22.97	-5.85	17.12
66-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	Edge1RBLeft	22.22	-5.85	16.37
66-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	Edge1RBRight	22.08	-5.85	16.23
66-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	OuterFull	22.31	-5.85	16.46
66-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	InnerFull	22.31	-5.85	16.46
66-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	Edge1RBLeft	21.35	-5.85	15.50
66-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	Edge1RBRight	21.19	-5.85	15.34
66-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	OuterFull	21.25	-5.85	15.40
66-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	InnerFull	20.82	-5.85	14.97
66-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	Edge1RBLeft	20.73	-5.85	14.88
66-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	Edge1RBRight	21.27	-5.85	15.42
66-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	OuterFull	20.71	-5.85	14.86
66-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	InnerFull	18.66	-5.85	12.81
66-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	Edge1RBLeft	18.12	-5.85	12.27
66-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	Edge1RBRight	17.99	-5.85	12.14
66-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	OuterFull	18.73	-5.85	12.88
66-n5	15MHz	15kHz	841.5MHz	CP	QPSK	InnerFull	21.65	-5.85	15.80
66-n5	15MHz	15kHz	841.5MHz	CP	QPSK	Edge1RBLeft	20.47	-5.85	14.62
66-n5	15MHz	15kHz	841.5MHz	CP	QPSK	Edge1RBRight	20.36	-5.85	14.51
66-n5	15MHz	15kHz	841.5MHz	CP	QPSK	OuterFull	20.2	-5.85	14.35
66-n5	15MHz	15kHz	841.5MHz	CP	16QAM	InnerFull	21.28	-5.85	15.43
66-n5	15MHz	15kHz	841.5MHz	CP	16QAM	Edge1RBLeft	20.58	-5.85	14.73
66-n5	15MHz	15kHz	841.5MHz	CP	16QAM	Edge1RBRight	20.26	-5.85	14.41
66-n5	15MHz	15kHz	841.5MHz	CP	16QAM	OuterFull	20.2	-5.85	14.35
66-n5	15MHz	15kHz	841.5MHz	CP	64QAM	InnerFull	19.75	-5.85	13.90
66-n5	15MHz	15kHz	841.5MHz	CP	64QAM	Edge1RBLeft	19.74	-5.85	13.89
66-n5	15MHz	15kHz	841.5MHz	CP	64QAM	Edge1RBRight	19.45	-5.85	13.60
66-n5	15MHz	15kHz	841.5MHz	CP	64QAM	OuterFull	19.75	-5.85	13.90
66-n5	15MHz	15kHz	841.5MHz	CP	256QAM	InnerFull	16.78	-5.85	10.93
66-n5	15MHz	15kHz	841.5MHz	CP	256QAM	Edge1RBLeft	16.14	-5.85	10.29
66-n5	15MHz	15kHz	841.5MHz	CP	256QAM	Edge1RBRight	16.1	-5.85	10.25

66-n5	15MHz	15kHz	841.5MHz	CP	256QAM	OuterFull	16.71	-5.85	10.86
66-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	InnerFull	23.3	-5.85	17.45
66-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.95	-5.85	17.10
66-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	Edge1RBRight	22.69	-5.85	16.84
66-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	OuterFull	22.73	-5.85	16.88
66-n5	20MHz	15kHz	834MHz	DFT	QPSK	InnerFull	23.33	-5.85	17.48
66-n5	20MHz	15kHz	834MHz	DFT	QPSK	Edge1RBLeft	22.36	-5.85	16.51
66-n5	20MHz	15kHz	834MHz	DFT	QPSK	Edge1RBRight	22.11	-5.85	16.26
66-n5	20MHz	15kHz	834MHz	DFT	QPSK	OuterFull	22.22	-5.85	16.37
66-n5	20MHz	15kHz	834MHz	DFT	16QAM	InnerFull	22.39	-5.85	16.54
66-n5	20MHz	15kHz	834MHz	DFT	16QAM	Edge1RBLeft	21.51	-5.85	15.66
66-n5	20MHz	15kHz	834MHz	DFT	16QAM	Edge1RBRight	21.18	-5.85	15.33
66-n5	20MHz	15kHz	834MHz	DFT	16QAM	OuterFull	21.27	-5.85	15.42
66-n5	20MHz	15kHz	834MHz	DFT	64QAM	InnerFull	20.73	-5.85	14.88
66-n5	20MHz	15kHz	834MHz	DFT	64QAM	Edge1RBLeft	20.82	-5.85	14.97
66-n5	20MHz	15kHz	834MHz	DFT	64QAM	Edge1RBRight	20.48	-5.85	14.63
66-n5	20MHz	15kHz	834MHz	DFT	64QAM	OuterFull	20.83	-5.85	14.98
66-n5	20MHz	15kHz	834MHz	DFT	256QAM	InnerFull	18.78	-5.85	12.93
66-n5	20MHz	15kHz	834MHz	DFT	256QAM	Edge1RBLeft	17.97	-5.85	12.12
66-n5	20MHz	15kHz	834MHz	DFT	256QAM	Edge1RBRight	17.87	-5.85	12.02
66-n5	20MHz	15kHz	834MHz	DFT	256QAM	OuterFull	18.8	-5.85	12.95
66-n5	20MHz	15kHz	834MHz	CP	QPSK	InnerFull	21.86	-5.85	16.01
66-n5	20MHz	15kHz	834MHz	CP	QPSK	Edge1RBLeft	20.68	-5.85	14.83
66-n5	20MHz	15kHz	834MHz	CP	QPSK	Edge1RBRight	20.28	-5.85	14.43
66-n5	20MHz	15kHz	834MHz	CP	QPSK	OuterFull	20.32	-5.85	14.47
66-n5	20MHz	15kHz	834MHz	CP	16QAM	InnerFull	21.33	-5.85	15.48
66-n5	20MHz	15kHz	834MHz	CP	16QAM	Edge1RBLeft	20.51	-5.85	14.66
66-n5	20MHz	15kHz	834MHz	CP	16QAM	Edge1RBRight	20.22	-5.85	14.37
66-n5	20MHz	15kHz	834MHz	CP	16QAM	OuterFull	20.25	-5.85	14.40
66-n5	20MHz	15kHz	834MHz	CP	64QAM	InnerFull	19.84	-5.85	13.99
66-n5	20MHz	15kHz	834MHz	CP	64QAM	Edge1RBLeft	19.8	-5.85	13.95
66-n5	20MHz	15kHz	834MHz	CP	64QAM	Edge1RBRight	19.41	-5.85	13.56
66-n5	20MHz	15kHz	834MHz	CP	64QAM	OuterFull	19.8	-5.85	13.95
66-n5	20MHz	15kHz	834MHz	CP	256QAM	InnerFull	16.96	-5.85	11.11
66-n5	20MHz	15kHz	834MHz	CP	256QAM	Edge1RBLeft	16.11	-5.85	10.26
66-n5	20MHz	15kHz	834MHz	CP	256QAM	Edge1RBRight	15.73	-5.85	9.88
66-n5	20MHz	15kHz	834MHz	CP	256QAM	OuterFull	16.79	-5.85	10.94
66-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	InnerFull	23.33	-5.85	17.48
66-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.98	-5.85	17.13
66-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.64	-5.85	16.79
66-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	OuterFull	22.72	-5.85	16.87

66-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	23.2	-5.85	17.35
66-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	22.42	-5.85	16.57
66-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	22.15	-5.85	16.30
66-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	22.24	-5.85	16.39
66-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	22.38	-5.85	16.53
66-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	21.46	-5.85	15.61
66-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	21.21	-5.85	15.36
66-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	21.27	-5.85	15.42
66-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	20.87	-5.85	15.02
66-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	20.89	-5.85	15.04
66-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	20.57	-5.85	14.72
66-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	20.75	-5.85	14.90
66-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	18.87	-5.85	13.02
66-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	18.08	-5.85	12.23
66-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	17.83	-5.85	11.98
66-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	18.85	-5.85	13.00
66-n5	20MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	21.86	-5.85	16.01
66-n5	20MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	20.82	-5.85	14.97
66-n5	20MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	20.34	-5.85	14.49
66-n5	20MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	20.26	-5.85	14.41
66-n5	20MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	21.29	-5.85	15.44
66-n5	20MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	20.6	-5.85	14.75
66-n5	20MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	20.32	-5.85	14.47
66-n5	20MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	20.19	-5.85	14.34
66-n5	20MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	19.87	-5.85	14.02
66-n5	20MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	19.83	-5.85	13.98
66-n5	20MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	19.5	-5.85	13.65
66-n5	20MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	19.73	-5.85	13.88
66-n5	20MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	16.89	-5.85	11.04
66-n5	20MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	16.1	-5.85	10.25
66-n5	20MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	15.84	-5.85	9.99
66-n5	20MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	16.82	-5.85	10.97
66-n5	20MHz	15kHz	839MHz	DFT	pi/2 BPSK	InnerFull	23.38	-5.85	17.53
66-n5	20MHz	15kHz	839MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.81	-5.85	16.96
66-n5	20MHz	15kHz	839MHz	DFT	pi/2 BPSK	Edge1RBRight	22.64	-5.85	16.79
66-n5	20MHz	15kHz	839MHz	DFT	pi/2 BPSK	OuterFull	22.66	-5.85	16.81
66-n5	20MHz	15kHz	839MHz	DFT	QPSK	InnerFull	23.15	-5.85	17.30
66-n5	20MHz	15kHz	839MHz	DFT	QPSK	Edge1RBLeft	22.27	-5.85	16.42
66-n5	20MHz	15kHz	839MHz	DFT	QPSK	Edge1RBRight	22.09	-5.85	16.24
66-n5	20MHz	15kHz	839MHz	DFT	QPSK	OuterFull	22.17	-5.85	16.32
66-n5	20MHz	15kHz	839MHz	DFT	16QAM	InnerFull	22.34	-5.85	16.49

66-n5	20MHz	15kHz	839MHz	DFT	16QAM	Edge1RBLeft	21.38	-5.85	15.53
66-n5	20MHz	15kHz	839MHz	DFT	16QAM	Edge1RBRight	21.23	-5.85	15.38
66-n5	20MHz	15kHz	839MHz	DFT	16QAM	OuterFull	21.39	-5.85	15.54
66-n5	20MHz	15kHz	839MHz	DFT	64QAM	InnerFull	20.74	-5.85	14.89
66-n5	20MHz	15kHz	839MHz	DFT	64QAM	Edge1RBLeft	20.55	-5.85	14.70
66-n5	20MHz	15kHz	839MHz	DFT	64QAM	Edge1RBRight	21.49	-5.85	15.64
66-n5	20MHz	15kHz	839MHz	DFT	64QAM	OuterFull	20.71	-5.85	14.86
66-n5	20MHz	15kHz	839MHz	DFT	256QAM	InnerFull	18.86	-5.85	13.01
66-n5	20MHz	15kHz	839MHz	DFT	256QAM	Edge1RBLeft	17.93	-5.85	12.08
66-n5	20MHz	15kHz	839MHz	DFT	256QAM	Edge1RBRight	17.83	-5.85	11.98
66-n5	20MHz	15kHz	839MHz	DFT	256QAM	OuterFull	18.69	-5.85	12.84
66-n5	20MHz	15kHz	839MHz	CP	QPSK	InnerFull	21.8	-5.85	15.95
66-n5	20MHz	15kHz	839MHz	CP	QPSK	Edge1RBLeft	20.56	-5.85	14.71
66-n5	20MHz	15kHz	839MHz	CP	QPSK	Edge1RBRight	20.42	-5.85	14.57
66-n5	20MHz	15kHz	839MHz	CP	QPSK	OuterFull	20.2	-5.85	14.35
66-n5	20MHz	15kHz	839MHz	CP	16QAM	InnerFull	21.29	-5.85	15.44
66-n5	20MHz	15kHz	839MHz	CP	16QAM	Edge1RBLeft	20.54	-5.85	14.69
66-n5	20MHz	15kHz	839MHz	CP	16QAM	Edge1RBRight	20.26	-5.85	14.41
66-n5	20MHz	15kHz	839MHz	CP	16QAM	OuterFull	20.16	-5.85	14.31
66-n5	20MHz	15kHz	839MHz	CP	64QAM	InnerFull	19.8	-5.85	13.95
66-n5	20MHz	15kHz	839MHz	CP	64QAM	Edge1RBLeft	19.73	-5.85	13.88
66-n5	20MHz	15kHz	839MHz	CP	64QAM	Edge1RBRight	19.42	-5.85	13.57
66-n5	20MHz	15kHz	839MHz	CP	64QAM	OuterFull	19.7	-5.85	13.85
66-n5	20MHz	15kHz	839MHz	CP	256QAM	InnerFull	16.77	-5.85	10.92
66-n5	20MHz	15kHz	839MHz	CP	256QAM	Edge1RBLeft	15.97	-5.85	10.12
66-n5	20MHz	15kHz	839MHz	CP	256QAM	Edge1RBRight	15.82	-5.85	9.97
66-n5	20MHz	15kHz	839MHz	CP	256QAM	OuterFull	16.81	-5.85	10.96

LTE Band 66+NR n7
Limits: ≤33 dBm (2W)

BAND	BW	SCS	FREQ	OFDM	MODULATON	RB ALLOCATION	TOTAL POWER (dBm)	GT (dBi)	Radiated output power (dBm)
66-n7	5MHz	15kHz	2502.5MHz	DFT	pi/2 BPSK	InnerFull	22.9	-2.5	20.40
66-n7	5MHz	15kHz	2502.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.5	-2.5	20.00
66-n7	5MHz	15kHz	2502.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.59	-2.5	20.09
66-n7	5MHz	15kHz	2502.5MHz	DFT	pi/2 BPSK	OuterFull	22.5	-2.5	20.00
66-n7	5MHz	15kHz	2502.5MHz	DFT	QPSK	InnerFull	22.9	-2.5	20.40
66-n7	5MHz	15kHz	2502.5MHz	DFT	QPSK	Edge1RBLeft	21.93	-2.5	19.43
66-n7	5MHz	15kHz	2502.5MHz	DFT	QPSK	Edge1RBRight	22.12	-2.5	19.62
66-n7	5MHz	15kHz	2502.5MHz	DFT	QPSK	OuterFull	22.02	-2.5	19.52
66-n7	5MHz	15kHz	2502.5MHz	DFT	16QAM	InnerFull	22.04	-2.5	19.54
66-n7	5MHz	15kHz	2502.5MHz	DFT	16QAM	Edge1RBLeft	21.02	-2.5	18.52
66-n7	5MHz	15kHz	2502.5MHz	DFT	16QAM	Edge1RBRight	21.11	-2.5	18.61
66-n7	5MHz	15kHz	2502.5MHz	DFT	16QAM	OuterFull	21.09	-2.5	18.59
66-n7	5MHz	15kHz	2502.5MHz	DFT	64QAM	InnerFull	20.66	-2.5	18.16
66-n7	5MHz	15kHz	2502.5MHz	DFT	64QAM	Edge1RBLeft	20.35	-2.5	17.85
66-n7	5MHz	15kHz	2502.5MHz	DFT	64QAM	Edge1RBRight	20.42	-2.5	17.92
66-n7	5MHz	15kHz	2502.5MHz	DFT	64QAM	OuterFull	20.57	-2.5	18.07
66-n7	5MHz	15kHz	2502.5MHz	DFT	256QAM	InnerFull	18.6	-2.5	16.10
66-n7	5MHz	15kHz	2502.5MHz	DFT	256QAM	Edge1RBLeft	18.02	-2.5	15.52
66-n7	5MHz	15kHz	2502.5MHz	DFT	256QAM	Edge1RBRight	18.18	-2.5	15.68
66-n7	5MHz	15kHz	2502.5MHz	DFT	256QAM	OuterFull	18.44	-2.5	15.94
66-n7	5MHz	15kHz	2502.5MHz	CP	QPSK	InnerFull	21.57	-2.5	19.07
66-n7	5MHz	15kHz	2502.5MHz	CP	QPSK	Edge1RBLeft	20.1	-2.5	17.60
66-n7	5MHz	15kHz	2502.5MHz	CP	QPSK	Edge1RBRight	20.2	-2.5	17.70
66-n7	5MHz	15kHz	2502.5MHz	CP	QPSK	OuterFull	19.95	-2.5	17.45
66-n7	5MHz	15kHz	2502.5MHz	CP	16QAM	InnerFull	20.97	-2.5	18.47
66-n7	5MHz	15kHz	2502.5MHz	CP	16QAM	Edge1RBLeft	20.08	-2.5	17.58
66-n7	5MHz	15kHz	2502.5MHz	CP	16QAM	Edge1RBRight	20.24	-2.5	17.74
66-n7	5MHz	15kHz	2502.5MHz	CP	16QAM	OuterFull	20.06	-2.5	17.56
66-n7	5MHz	15kHz	2502.5MHz	CP	64QAM	InnerFull	19.64	-2.5	17.14
66-n7	5MHz	15kHz	2502.5MHz	CP	64QAM	Edge1RBLeft	19.31	-2.5	16.81
66-n7	5MHz	15kHz	2502.5MHz	CP	64QAM	Edge1RBRight	19.39	-2.5	16.89
66-n7	5MHz	15kHz	2502.5MHz	CP	64QAM	OuterFull	19.57	-2.5	17.07
66-n7	5MHz	15kHz	2502.5MHz	CP	256QAM	InnerFull	16.59	-2.5	14.09
66-n7	5MHz	15kHz	2502.5MHz	CP	256QAM	Edge1RBLeft	15.92	-2.5	13.42
66-n7	5MHz	15kHz	2502.5MHz	CP	256QAM	Edge1RBRight	15.99	-2.5	13.49
66-n7	5MHz	15kHz	2502.5MHz	CP	256QAM	OuterFull	16.56	-2.5	14.06

66-n7	5MHz	15kHz	2535MHz	DFT	pi/2 BPSK	InnerFull	22.88	-2.5	20.38
66-n7	5MHz	15kHz	2535MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.61	-2.5	20.11
66-n7	5MHz	15kHz	2535MHz	DFT	pi/2 BPSK	Edge1RBRight	22.61	-2.5	20.11
66-n7	5MHz	15kHz	2535MHz	DFT	pi/2 BPSK	OuterFull	22.66	-2.5	20.16
66-n7	5MHz	15kHz	2535MHz	DFT	QPSK	InnerFull	23.08	-2.5	20.58
66-n7	5MHz	15kHz	2535MHz	DFT	QPSK	Edge1RBLeft	22.08	-2.5	19.58
66-n7	5MHz	15kHz	2535MHz	DFT	QPSK	Edge1RBRight	22.2	-2.5	19.70
66-n7	5MHz	15kHz	2535MHz	DFT	QPSK	OuterFull	22.21	-2.5	19.71
66-n7	5MHz	15kHz	2535MHz	DFT	16QAM	InnerFull	22.24	-2.5	19.74
66-n7	5MHz	15kHz	2535MHz	DFT	16QAM	Edge1RBLeft	21.23	-2.5	18.73
66-n7	5MHz	15kHz	2535MHz	DFT	16QAM	Edge1RBRight	21.09	-2.5	18.59
66-n7	5MHz	15kHz	2535MHz	DFT	16QAM	OuterFull	21.23	-2.5	18.73
66-n7	5MHz	15kHz	2535MHz	DFT	64QAM	InnerFull	20.77	-2.5	18.27
66-n7	5MHz	15kHz	2535MHz	DFT	64QAM	Edge1RBLeft	20.54	-2.5	18.04
66-n7	5MHz	15kHz	2535MHz	DFT	64QAM	Edge1RBRight	20.4	-2.5	17.90
66-n7	5MHz	15kHz	2535MHz	DFT	64QAM	OuterFull	20.82	-2.5	18.32
66-n7	5MHz	15kHz	2535MHz	DFT	256QAM	InnerFull	18.69	-2.5	16.19
66-n7	5MHz	15kHz	2535MHz	DFT	256QAM	Edge1RBLeft	18.11	-2.5	15.61
66-n7	5MHz	15kHz	2535MHz	DFT	256QAM	Edge1RBRight	18.14	-2.5	15.64
66-n7	5MHz	15kHz	2535MHz	DFT	256QAM	OuterFull	18.59	-2.5	16.09
66-n7	5MHz	15kHz	2535MHz	CP	QPSK	InnerFull	21.61	-2.5	19.11
66-n7	5MHz	15kHz	2535MHz	CP	QPSK	Edge1RBLeft	20.3	-2.5	17.80
66-n7	5MHz	15kHz	2535MHz	CP	QPSK	Edge1RBRight	20.17	-2.5	17.67
66-n7	5MHz	15kHz	2535MHz	CP	QPSK	OuterFull	20.08	-2.5	17.58
66-n7	5MHz	15kHz	2535MHz	CP	16QAM	InnerFull	21.07	-2.5	18.57
66-n7	5MHz	15kHz	2535MHz	CP	16QAM	Edge1RBLeft	20.33	-2.5	17.83
66-n7	5MHz	15kHz	2535MHz	CP	16QAM	Edge1RBRight	20.26	-2.5	17.76
66-n7	5MHz	15kHz	2535MHz	CP	16QAM	OuterFull	20.18	-2.5	17.68
66-n7	5MHz	15kHz	2535MHz	CP	64QAM	InnerFull	19.78	-2.5	17.28
66-n7	5MHz	15kHz	2535MHz	CP	64QAM	Edge1RBLeft	19.47	-2.5	16.97
66-n7	5MHz	15kHz	2535MHz	CP	64QAM	Edge1RBRight	19.42	-2.5	16.92
66-n7	5MHz	15kHz	2535MHz	CP	64QAM	OuterFull	19.75	-2.5	17.25
66-n7	5MHz	15kHz	2535MHz	CP	256QAM	InnerFull	16.78	-2.5	14.28
66-n7	5MHz	15kHz	2535MHz	CP	256QAM	Edge1RBLeft	16.13	-2.5	13.63
66-n7	5MHz	15kHz	2535MHz	CP	256QAM	Edge1RBRight	15.95	-2.5	13.45
66-n7	5MHz	15kHz	2535MHz	CP	256QAM	OuterFull	16.71	-2.5	14.21
66-n7	5MHz	15kHz	2567.5MHz	DFT	pi/2 BPSK	InnerFull	23.52	-2.5	21.02
66-n7	5MHz	15kHz	2567.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.77	-2.5	20.27
66-n7	5MHz	15kHz	2567.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.84	-2.5	20.34
66-n7	5MHz	15kHz	2567.5MHz	DFT	pi/2 BPSK	OuterFull	22.89	-2.5	20.39
66-n7	5MHz	15kHz	2567.5MHz	DFT	QPSK	InnerFull	23.24	-2.5	20.74

66-n7	5MHz	15kHz	2567.5MHz	DFT	QPSK	Edge1RBLeft	22.31	-2.5	19.81
66-n7	5MHz	15kHz	2567.5MHz	DFT	QPSK	Edge1RBRight	22.38	-2.5	19.88
66-n7	5MHz	15kHz	2567.5MHz	DFT	QPSK	OuterFull	22.41	-2.5	19.91
66-n7	5MHz	15kHz	2567.5MHz	DFT	16QAM	InnerFull	22.42	-2.5	19.92
66-n7	5MHz	15kHz	2567.5MHz	DFT	16QAM	Edge1RBLeft	21.41	-2.5	18.91
66-n7	5MHz	15kHz	2567.5MHz	DFT	16QAM	Edge1RBRight	21.46	-2.5	18.96
66-n7	5MHz	15kHz	2567.5MHz	DFT	16QAM	OuterFull	21.49	-2.5	18.99
66-n7	5MHz	15kHz	2567.5MHz	DFT	64QAM	InnerFull	20.96	-2.5	18.46
66-n7	5MHz	15kHz	2567.5MHz	DFT	64QAM	Edge1RBLeft	20.78	-2.5	18.28
66-n7	5MHz	15kHz	2567.5MHz	DFT	64QAM	Edge1RBRight	20.79	-2.5	18.29
66-n7	5MHz	15kHz	2567.5MHz	DFT	64QAM	OuterFull	20.97	-2.5	18.47
66-n7	5MHz	15kHz	2567.5MHz	DFT	256QAM	InnerFull	18.9	-2.5	16.40
66-n7	5MHz	15kHz	2567.5MHz	DFT	256QAM	Edge1RBLeft	18.28	-2.5	15.78
66-n7	5MHz	15kHz	2567.5MHz	DFT	256QAM	Edge1RBRight	18.31	-2.5	15.81
66-n7	5MHz	15kHz	2567.5MHz	DFT	256QAM	OuterFull	18.86	-2.5	16.36
66-n7	5MHz	15kHz	2567.5MHz	CP	QPSK	InnerFull	21.85	-2.5	19.35
66-n7	5MHz	15kHz	2567.5MHz	CP	QPSK	Edge1RBLeft	20.49	-2.5	17.99
66-n7	5MHz	15kHz	2567.5MHz	CP	QPSK	Edge1RBRight	20.6	-2.5	18.10
66-n7	5MHz	15kHz	2567.5MHz	CP	QPSK	OuterFull	20.34	-2.5	17.84
66-n7	5MHz	15kHz	2567.5MHz	CP	16QAM	InnerFull	21.33	-2.5	18.83
66-n7	5MHz	15kHz	2567.5MHz	CP	16QAM	Edge1RBLeft	20.46	-2.5	17.96
66-n7	5MHz	15kHz	2567.5MHz	CP	16QAM	Edge1RBRight	20.6	-2.5	18.10
66-n7	5MHz	15kHz	2567.5MHz	CP	16QAM	OuterFull	20.51	-2.5	18.01
66-n7	5MHz	15kHz	2567.5MHz	CP	64QAM	InnerFull	20.01	-2.5	17.51
66-n7	5MHz	15kHz	2567.5MHz	CP	64QAM	Edge1RBLeft	19.76	-2.5	17.26
66-n7	5MHz	15kHz	2567.5MHz	CP	64QAM	Edge1RBRight	19.76	-2.5	17.26
66-n7	5MHz	15kHz	2567.5MHz	CP	64QAM	OuterFull	19.94	-2.5	17.44
66-n7	5MHz	15kHz	2567.5MHz	CP	256QAM	InnerFull	16.95	-2.5	14.45
66-n7	5MHz	15kHz	2567.5MHz	CP	256QAM	Edge1RBLeft	16.34	-2.5	13.84
66-n7	5MHz	15kHz	2567.5MHz	CP	256QAM	Edge1RBRight	16.35	-2.5	13.85
66-n7	5MHz	15kHz	2567.5MHz	CP	256QAM	OuterFull	16.94	-2.5	14.44
66-n7	10MHz	15kHz	2505MHz	DFT	pi/2 BPSK	InnerFull	23.01	-2.5	20.51
66-n7	10MHz	15kHz	2505MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.43	-2.5	19.93
66-n7	10MHz	15kHz	2505MHz	DFT	pi/2 BPSK	Edge1RBRight	22.69	-2.5	20.19
66-n7	10MHz	15kHz	2505MHz	DFT	pi/2 BPSK	OuterFull	22.7	-2.5	20.20
66-n7	10MHz	15kHz	2505MHz	DFT	QPSK	InnerFull	23.06	-2.5	20.56
66-n7	10MHz	15kHz	2505MHz	DFT	QPSK	Edge1RBLeft	21.97	-2.5	19.47
66-n7	10MHz	15kHz	2505MHz	DFT	QPSK	Edge1RBRight	22.2	-2.5	19.70
66-n7	10MHz	15kHz	2505MHz	DFT	QPSK	OuterFull	22.22	-2.5	19.72
66-n7	10MHz	15kHz	2505MHz	DFT	16QAM	InnerFull	22.29	-2.5	19.79
66-n7	10MHz	15kHz	2505MHz	DFT	16QAM	Edge1RBLeft	21.06	-2.5	18.56

66-n7	10MHz	15kHz	2505MHz	DFT	16QAM	Edge1RBRight	21.35	-2.5	18.85
66-n7	10MHz	15kHz	2505MHz	DFT	16QAM	OuterFull	21.26	-2.5	18.76
66-n7	10MHz	15kHz	2505MHz	DFT	64QAM	InnerFull	20.74	-2.5	18.24
66-n7	10MHz	15kHz	2505MHz	DFT	64QAM	Edge1RBLeft	20.46	-2.5	17.96
66-n7	10MHz	15kHz	2505MHz	DFT	64QAM	Edge1RBRight	20.66	-2.5	18.16
66-n7	10MHz	15kHz	2505MHz	DFT	64QAM	OuterFull	20.71	-2.5	18.21
66-n7	10MHz	15kHz	2505MHz	DFT	256QAM	InnerFull	18.47	-2.5	15.97
66-n7	10MHz	15kHz	2505MHz	DFT	256QAM	Edge1RBLeft	17.93	-2.5	15.43
66-n7	10MHz	15kHz	2505MHz	DFT	256QAM	Edge1RBRight	18.17	-2.5	15.67
66-n7	10MHz	15kHz	2505MHz	DFT	256QAM	OuterFull	18.66	-2.5	16.16
66-n7	10MHz	15kHz	2505MHz	CP	QPSK	InnerFull	21.61	-2.5	19.11
66-n7	10MHz	15kHz	2505MHz	CP	QPSK	Edge1RBLeft	20.19	-2.5	17.69
66-n7	10MHz	15kHz	2505MHz	CP	QPSK	Edge1RBRight	20.4	-2.5	17.90
66-n7	10MHz	15kHz	2505MHz	CP	QPSK	OuterFull	20.2	-2.5	17.70
66-n7	10MHz	15kHz	2505MHz	CP	16QAM	InnerFull	21.19	-2.5	18.69
66-n7	10MHz	15kHz	2505MHz	CP	16QAM	Edge1RBLeft	20.22	-2.5	17.72
66-n7	10MHz	15kHz	2505MHz	CP	16QAM	Edge1RBRight	20.45	-2.5	17.95
66-n7	10MHz	15kHz	2505MHz	CP	16QAM	OuterFull	20.24	-2.5	17.74
66-n7	10MHz	15kHz	2505MHz	CP	64QAM	InnerFull	19.79	-2.5	17.29
66-n7	10MHz	15kHz	2505MHz	CP	64QAM	Edge1RBLeft	19.48	-2.5	16.98
66-n7	10MHz	15kHz	2505MHz	CP	64QAM	Edge1RBRight	19.6	-2.5	17.10
66-n7	10MHz	15kHz	2505MHz	CP	64QAM	OuterFull	19.76	-2.5	17.26
66-n7	10MHz	15kHz	2505MHz	CP	256QAM	InnerFull	16.59	-2.5	14.09
66-n7	10MHz	15kHz	2505MHz	CP	256QAM	Edge1RBLeft	16.09	-2.5	13.59
66-n7	10MHz	15kHz	2505MHz	CP	256QAM	Edge1RBRight	16.26	-2.5	13.76
66-n7	10MHz	15kHz	2505MHz	CP	256QAM	OuterFull	16.84	-2.5	14.34
66-n7	10MHz	15kHz	2535MHz	DFT	pi/2 BPSK	InnerFull	23.05	-2.5	20.55
66-n7	10MHz	15kHz	2535MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.6	-2.5	20.10
66-n7	10MHz	15kHz	2535MHz	DFT	pi/2 BPSK	Edge1RBRight	22.55	-2.5	20.05
66-n7	10MHz	15kHz	2535MHz	DFT	pi/2 BPSK	OuterFull	22.54	-2.5	20.04
66-n7	10MHz	15kHz	2535MHz	DFT	QPSK	InnerFull	23	-2.5	20.50
66-n7	10MHz	15kHz	2535MHz	DFT	QPSK	Edge1RBLeft	22.15	-2.5	19.65
66-n7	10MHz	15kHz	2535MHz	DFT	QPSK	Edge1RBRight	22.04	-2.5	19.54
66-n7	10MHz	15kHz	2535MHz	DFT	QPSK	OuterFull	22.19	-2.5	19.69
66-n7	10MHz	15kHz	2535MHz	DFT	16QAM	InnerFull	22.2	-2.5	19.70
66-n7	10MHz	15kHz	2535MHz	DFT	16QAM	Edge1RBLeft	21.26	-2.5	18.76
66-n7	10MHz	15kHz	2535MHz	DFT	16QAM	Edge1RBRight	21.15	-2.5	18.65
66-n7	10MHz	15kHz	2535MHz	DFT	16QAM	OuterFull	21.13	-2.5	18.63
66-n7	10MHz	15kHz	2535MHz	DFT	64QAM	InnerFull	20.77	-2.5	18.27
66-n7	10MHz	15kHz	2535MHz	DFT	64QAM	Edge1RBLeft	20.57	-2.5	18.07
66-n7	10MHz	15kHz	2535MHz	DFT	64QAM	Edge1RBRight	20.37	-2.5	17.87

66-n7	10MHz	15kHz	2535MHz	DFT	64QAM	OuterFull	20.67	-2.5	18.17
66-n7	10MHz	15kHz	2535MHz	DFT	256QAM	InnerFull	18.55	-2.5	16.05
66-n7	10MHz	15kHz	2535MHz	DFT	256QAM	Edge1RBLeft	18.02	-2.5	15.52
66-n7	10MHz	15kHz	2535MHz	DFT	256QAM	Edge1RBRight	17.99	-2.5	15.49
66-n7	10MHz	15kHz	2535MHz	DFT	256QAM	OuterFull	18.55	-2.5	16.05
66-n7	10MHz	15kHz	2535MHz	CP	QPSK	InnerFull	21.59	-2.5	19.09
66-n7	10MHz	15kHz	2535MHz	CP	QPSK	Edge1RBLeft	20.29	-2.5	17.79
66-n7	10MHz	15kHz	2535MHz	CP	QPSK	Edge1RBRight	20.1	-2.5	17.60
66-n7	10MHz	15kHz	2535MHz	CP	QPSK	OuterFull	20.14	-2.5	17.64
66-n7	10MHz	15kHz	2535MHz	CP	16QAM	InnerFull	21.15	-2.5	18.65
66-n7	10MHz	15kHz	2535MHz	CP	16QAM	Edge1RBLeft	20.35	-2.5	17.85
66-n7	10MHz	15kHz	2535MHz	CP	16QAM	Edge1RBRight	20.19	-2.5	17.69
66-n7	10MHz	15kHz	2535MHz	CP	16QAM	OuterFull	20.17	-2.5	17.67
66-n7	10MHz	15kHz	2535MHz	CP	64QAM	InnerFull	19.7	-2.5	17.20
66-n7	10MHz	15kHz	2535MHz	CP	64QAM	Edge1RBLeft	19.58	-2.5	17.08
66-n7	10MHz	15kHz	2535MHz	CP	64QAM	Edge1RBRight	19.34	-2.5	16.84
66-n7	10MHz	15kHz	2535MHz	CP	64QAM	OuterFull	19.64	-2.5	17.14
66-n7	10MHz	15kHz	2535MHz	CP	256QAM	InnerFull	16.65	-2.5	14.15
66-n7	10MHz	15kHz	2535MHz	CP	256QAM	Edge1RBLeft	16.26	-2.5	13.76
66-n7	10MHz	15kHz	2535MHz	CP	256QAM	Edge1RBRight	16.08	-2.5	13.58
66-n7	10MHz	15kHz	2535MHz	CP	256QAM	OuterFull	16.62	-2.5	14.12
66-n7	10MHz	15kHz	2565MHz	DFT	pi/2 BPSK	InnerFull	23.31	-2.5	20.81
66-n7	10MHz	15kHz	2565MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.69	-2.5	20.19
66-n7	10MHz	15kHz	2565MHz	DFT	pi/2 BPSK	Edge1RBRight	22.77	-2.5	20.27
66-n7	10MHz	15kHz	2565MHz	DFT	pi/2 BPSK	OuterFull	22.87	-2.5	20.37
66-n7	10MHz	15kHz	2565MHz	DFT	QPSK	InnerFull	23.28	-2.5	20.78
66-n7	10MHz	15kHz	2565MHz	DFT	QPSK	Edge1RBLeft	22.17	-2.5	19.67
66-n7	10MHz	15kHz	2565MHz	DFT	QPSK	Edge1RBRight	22.3	-2.5	19.80
66-n7	10MHz	15kHz	2565MHz	DFT	QPSK	OuterFull	22.32	-2.5	19.82
66-n7	10MHz	15kHz	2565MHz	DFT	16QAM	InnerFull	22.45	-2.5	19.95
66-n7	10MHz	15kHz	2565MHz	DFT	16QAM	Edge1RBLeft	21.28	-2.5	18.78
66-n7	10MHz	15kHz	2565MHz	DFT	16QAM	Edge1RBRight	21.38	-2.5	18.88
66-n7	10MHz	15kHz	2565MHz	DFT	16QAM	OuterFull	21.39	-2.5	18.89
66-n7	10MHz	15kHz	2565MHz	DFT	64QAM	InnerFull	21	-2.5	18.50
66-n7	10MHz	15kHz	2565MHz	DFT	64QAM	Edge6RBLeft	20.62	-2.5	18.12
66-n7	10MHz	15kHz	2565MHz	DFT	64QAM	Edge6RBRight	20.75	-2.5	18.25
66-n7	10MHz	15kHz	2565MHz	DFT	64QAM	OuterFull	20.9	-2.5	18.40
66-n7	10MHz	15kHz	2565MHz	DFT	256QAM	InnerFull	18.73	-2.5	16.23
66-n7	10MHz	15kHz	2565MHz	DFT	256QAM	Edge1RBLeft	18.05	-2.5	15.55
66-n7	10MHz	15kHz	2565MHz	DFT	256QAM	Edge1RBRight	18.29	-2.5	15.79
66-n7	10MHz	15kHz	2565MHz	DFT	256QAM	OuterFull	18.76	-2.5	16.26

66-n7	10MHz	15kHz	2565MHz	CP	QPSK	InnerFull	21.78	-2.5	19.28
66-n7	10MHz	15kHz	2565MHz	CP	QPSK	Edge1RBLeft	20.49	-2.5	17.99
66-n7	10MHz	15kHz	2565MHz	CP	QPSK	Edge1RBRight	20.55	-2.5	18.05
66-n7	10MHz	15kHz	2565MHz	CP	QPSK	OuterFull	20.34	-2.5	17.84
66-n7	10MHz	15kHz	2565MHz	CP	16QAM	InnerFull	21.28	-2.5	18.78
66-n7	10MHz	15kHz	2565MHz	CP	16QAM	Edge1RBLeft	20.4	-2.5	17.90
66-n7	10MHz	15kHz	2565MHz	CP	16QAM	Edge1RBRight	20.47	-2.5	17.97
66-n7	10MHz	15kHz	2565MHz	CP	16QAM	OuterFull	20.42	-2.5	17.92
66-n7	10MHz	15kHz	2565MHz	CP	64QAM	InnerFull	19.93	-2.5	17.43
66-n7	10MHz	15kHz	2565MHz	CP	64QAM	Edge1RBLeft	19.61	-2.5	17.11
66-n7	10MHz	15kHz	2565MHz	CP	64QAM	Edge1RBRight	19.7	-2.5	17.20
66-n7	10MHz	15kHz	2565MHz	CP	64QAM	OuterFull	19.81	-2.5	17.31
66-n7	10MHz	15kHz	2565MHz	CP	256QAM	InnerFull	16.85	-2.5	14.35
66-n7	10MHz	15kHz	2565MHz	CP	256QAM	Edge1RBLeft	16.24	-2.5	13.74
66-n7	10MHz	15kHz	2565MHz	CP	256QAM	Edge1RBRight	16.29	-2.5	13.79
66-n7	10MHz	15kHz	2565MHz	CP	256QAM	OuterFull	16.9	-2.5	14.40
66-n7	15MHz	15kHz	2507.5MHz	DFT	pi/2 BPSK	InnerFull	22.91	-2.5	20.41
66-n7	15MHz	15kHz	2507.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.29	-2.5	19.79
66-n7	15MHz	15kHz	2507.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.61	-2.5	20.11
66-n7	15MHz	15kHz	2507.5MHz	DFT	pi/2 BPSK	OuterFull	22.54	-2.5	20.04
66-n7	15MHz	15kHz	2507.5MHz	DFT	QPSK	InnerFull	22.96	-2.5	20.46
66-n7	15MHz	15kHz	2507.5MHz	DFT	QPSK	Edge1RBLeft	21.85	-2.5	19.35
66-n7	15MHz	15kHz	2507.5MHz	DFT	QPSK	Edge1RBRight	22.01	-2.5	19.51
66-n7	15MHz	15kHz	2507.5MHz	DFT	QPSK	OuterFull	22.09	-2.5	19.59
66-n7	15MHz	15kHz	2507.5MHz	DFT	16QAM	InnerFull	21.98	-2.5	19.48
66-n7	15MHz	15kHz	2507.5MHz	DFT	16QAM	Edge1RBLeft	20.93	-2.5	18.43
66-n7	15MHz	15kHz	2507.5MHz	DFT	16QAM	Edge1RBRight	21.18	-2.5	18.68
66-n7	15MHz	15kHz	2507.5MHz	DFT	16QAM	OuterFull	21.07	-2.5	18.57
66-n7	15MHz	15kHz	2507.5MHz	DFT	64QAM	InnerFull	20.63	-2.5	18.13
66-n7	15MHz	15kHz	2507.5MHz	DFT	64QAM	Edge1RBLeft	20.17	-2.5	17.67
66-n7	15MHz	15kHz	2507.5MHz	DFT	64QAM	Edge1RBRight	20.41	-2.5	17.91
66-n7	15MHz	15kHz	2507.5MHz	DFT	64QAM	OuterFull	20.69	-2.5	18.19
66-n7	15MHz	15kHz	2507.5MHz	DFT	256QAM	InnerFull	18.39	-2.5	15.89
66-n7	15MHz	15kHz	2507.5MHz	DFT	256QAM	Edge1RBLeft	17.75	-2.5	15.25
66-n7	15MHz	15kHz	2507.5MHz	DFT	256QAM	Edge1RBRight	18.1	-2.5	15.60
66-n7	15MHz	15kHz	2507.5MHz	DFT	256QAM	OuterFull	18.56	-2.5	16.06
66-n7	15MHz	15kHz	2507.5MHz	CP	QPSK	InnerFull	21.53	-2.5	19.03
66-n7	15MHz	15kHz	2507.5MHz	CP	QPSK	Edge1RBLeft	19.99	-2.5	17.49
66-n7	15MHz	15kHz	2507.5MHz	CP	QPSK	Edge1RBRight	20.18	-2.5	17.68
66-n7	15MHz	15kHz	2507.5MHz	CP	QPSK	OuterFull	20.07	-2.5	17.57
66-n7	15MHz	15kHz	2507.5MHz	CP	16QAM	InnerFull	21.15	-2.5	18.65

66-n7	15MHz	15kHz	2507.5MHz	CP	16QAM	Edge1RBLeft	20.02	-2.5	17.52
66-n7	15MHz	15kHz	2507.5MHz	CP	16QAM	Edge1RBRight	20.23	-2.5	17.73
66-n7	15MHz	15kHz	2507.5MHz	CP	16QAM	OuterFull	20.16	-2.5	17.66
66-n7	15MHz	15kHz	2507.5MHz	CP	64QAM	InnerFull	19.63	-2.5	17.13
66-n7	15MHz	15kHz	2507.5MHz	CP	64QAM	Edge1RBLeft	19.2	-2.5	16.70
66-n7	15MHz	15kHz	2507.5MHz	CP	64QAM	Edge1RBRight	19.44	-2.5	16.94
66-n7	15MHz	15kHz	2507.5MHz	CP	64QAM	OuterFull	19.61	-2.5	17.11
66-n7	15MHz	15kHz	2507.5MHz	CP	256QAM	InnerFull	16.52	-2.5	14.02
66-n7	15MHz	15kHz	2507.5MHz	CP	256QAM	Edge1RBLeft	15.89	-2.5	13.39
66-n7	15MHz	15kHz	2507.5MHz	CP	256QAM	Edge1RBRight	16.16	-2.5	13.66
66-n7	15MHz	15kHz	2507.5MHz	CP	256QAM	OuterFull	16.65	-2.5	14.15
66-n7	15MHz	15kHz	2535MHz	DFT	pi/2 BPSK	InnerFull	22.93	-2.5	20.43
66-n7	15MHz	15kHz	2535MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.62	-2.5	20.12
66-n7	15MHz	15kHz	2535MHz	DFT	pi/2 BPSK	Edge1RBRight	22.45	-2.5	19.95
66-n7	15MHz	15kHz	2535MHz	DFT	pi/2 BPSK	OuterFull	22.61	-2.5	20.11
66-n7	15MHz	15kHz	2535MHz	DFT	QPSK	InnerFull	23.1	-2.5	20.60
66-n7	15MHz	15kHz	2535MHz	DFT	QPSK	Edge1RBLeft	22.09	-2.5	19.59
66-n7	15MHz	15kHz	2535MHz	DFT	QPSK	Edge1RBRight	21.95	-2.5	19.45
66-n7	15MHz	15kHz	2535MHz	DFT	QPSK	OuterFull	22.11	-2.5	19.61
66-n7	15MHz	15kHz	2535MHz	DFT	16QAM	InnerFull	22.09	-2.5	19.59
66-n7	15MHz	15kHz	2535MHz	DFT	16QAM	Edge1RBLeft	21.19	-2.5	18.69
66-n7	15MHz	15kHz	2535MHz	DFT	16QAM	Edge1RBRight	21.04	-2.5	18.54
66-n7	15MHz	15kHz	2535MHz	DFT	16QAM	OuterFull	21.04	-2.5	18.54
66-n7	15MHz	15kHz	2535MHz	DFT	64QAM	InnerFull	20.63	-2.5	18.13
66-n7	15MHz	15kHz	2535MHz	DFT	64QAM	Edge1RBLeft	20.42	-2.5	17.92
66-n7	15MHz	15kHz	2535MHz	DFT	64QAM	Edge1RBRight	20.37	-2.5	17.87
66-n7	15MHz	15kHz	2535MHz	DFT	64QAM	OuterFull	20.66	-2.5	18.16
66-n7	15MHz	15kHz	2535MHz	DFT	256QAM	InnerFull	18.4	-2.5	15.90
66-n7	15MHz	15kHz	2535MHz	DFT	256QAM	Edge1RBLeft	18.07	-2.5	15.57
66-n7	15MHz	15kHz	2535MHz	DFT	256QAM	Edge1RBRight	18.04	-2.5	15.54
66-n7	15MHz	15kHz	2535MHz	DFT	256QAM	OuterFull	18.63	-2.5	16.13
66-n7	15MHz	15kHz	2535MHz	CP	QPSK	InnerFull	21.45	-2.5	18.95
66-n7	15MHz	15kHz	2535MHz	CP	QPSK	Edge1RBLeft	20.25	-2.5	17.75
66-n7	15MHz	15kHz	2535MHz	CP	QPSK	Edge1RBRight	20.14	-2.5	17.64
66-n7	15MHz	15kHz	2535MHz	CP	QPSK	OuterFull	20.23	-2.5	17.73
66-n7	15MHz	15kHz	2535MHz	CP	16QAM	InnerFull	21.14	-2.5	18.64
66-n7	15MHz	15kHz	2535MHz	CP	16QAM	Edge1RBLeft	20.32	-2.5	17.82
66-n7	15MHz	15kHz	2535MHz	CP	16QAM	Edge1RBRight	20.13	-2.5	17.63
66-n7	15MHz	15kHz	2535MHz	CP	16QAM	OuterFull	20.18	-2.5	17.68
66-n7	15MHz	15kHz	2535MHz	CP	64QAM	InnerFull	19.64	-2.5	17.14
66-n7	15MHz	15kHz	2535MHz	CP	64QAM	Edge1RBLeft	19.52	-2.5	17.02

66-n7	15MHz	15kHz	2535MHz	CP	64QAM	Edge1RBRight	19.29	-2.5	16.79
66-n7	15MHz	15kHz	2535MHz	CP	64QAM	OuterFull	19.66	-2.5	17.16
66-n7	15MHz	15kHz	2535MHz	CP	256QAM	InnerFull	16.57	-2.5	14.07
66-n7	15MHz	15kHz	2535MHz	CP	256QAM	Edge1RBLeft	16.18	-2.5	13.68
66-n7	15MHz	15kHz	2535MHz	CP	256QAM	Edge1RBRight	16.07	-2.5	13.57
66-n7	15MHz	15kHz	2535MHz	CP	256QAM	OuterFull	16.62	-2.5	14.12
66-n7	15MHz	15kHz	2562.5MHz	DFT	pi/2 BPSK	InnerFull	22.96	-2.5	20.46
66-n7	15MHz	15kHz	2562.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.51	-2.5	20.01
66-n7	15MHz	15kHz	2562.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.77	-2.5	20.27
66-n7	15MHz	15kHz	2562.5MHz	DFT	pi/2 BPSK	OuterFull	22.73	-2.5	20.23
66-n7	15MHz	15kHz	2562.5MHz	DFT	QPSK	InnerFull	23.17	-2.5	20.67
66-n7	15MHz	15kHz	2562.5MHz	DFT	QPSK	Edge1RBLeft	22.05	-2.5	19.55
66-n7	15MHz	15kHz	2562.5MHz	DFT	QPSK	Edge1RBRight	22.29	-2.5	19.79
66-n7	15MHz	15kHz	2562.5MHz	DFT	QPSK	OuterFull	22.29	-2.5	19.79
66-n7	15MHz	15kHz	2562.5MHz	DFT	16QAM	InnerFull	22.34	-2.5	19.84
66-n7	15MHz	15kHz	2562.5MHz	DFT	16QAM	Edge1RBLeft	21.09	-2.5	18.59
66-n7	15MHz	15kHz	2562.5MHz	DFT	16QAM	Edge1RBRight	21.39	-2.5	18.89
66-n7	15MHz	15kHz	2562.5MHz	DFT	16QAM	OuterFull	21.31	-2.5	18.81
66-n7	15MHz	15kHz	2562.5MHz	DFT	64QAM	InnerFull	20.9	-2.5	18.40
66-n7	15MHz	15kHz	2562.5MHz	DFT	64QAM	Edge1RBLeft	20.4	-2.5	17.90
66-n7	15MHz	15kHz	2562.5MHz	DFT	64QAM	Edge1RBRight	20.6	-2.5	18.10
66-n7	15MHz	15kHz	2562.5MHz	DFT	64QAM	OuterFull	20.83	-2.5	18.33
66-n7	15MHz	15kHz	2562.5MHz	DFT	256QAM	InnerFull	18.6	-2.5	16.10
66-n7	15MHz	15kHz	2562.5MHz	DFT	256QAM	Edge1RBLeft	18.04	-2.5	15.54
66-n7	15MHz	15kHz	2562.5MHz	DFT	256QAM	Edge1RBRight	18.37	-2.5	15.87
66-n7	15MHz	15kHz	2562.5MHz	DFT	256QAM	OuterFull	18.77	-2.5	16.27
66-n7	15MHz	15kHz	2562.5MHz	CP	QPSK	InnerFull	21.72	-2.5	19.22
66-n7	15MHz	15kHz	2562.5MHz	CP	QPSK	Edge1RBLeft	20.22	-2.5	17.72
66-n7	15MHz	15kHz	2562.5MHz	CP	QPSK	Edge1RBRight	20.4	-2.5	17.90
66-n7	15MHz	15kHz	2562.5MHz	CP	QPSK	OuterFull	20.24	-2.5	17.74
66-n7	15MHz	15kHz	2562.5MHz	CP	16QAM	InnerFull	21.3	-2.5	18.80
66-n7	15MHz	15kHz	2562.5MHz	CP	16QAM	Edge1RBLeft	20.28	-2.5	17.78
66-n7	15MHz	15kHz	2562.5MHz	CP	16QAM	Edge1RBRight	20.41	-2.5	17.91
66-n7	15MHz	15kHz	2562.5MHz	CP	16QAM	OuterFull	20.26	-2.5	17.76
66-n7	15MHz	15kHz	2562.5MHz	CP	64QAM	InnerFull	19.88	-2.5	17.38
66-n7	15MHz	15kHz	2562.5MHz	CP	64QAM	Edge1RBLeft	19.54	-2.5	17.04
66-n7	15MHz	15kHz	2562.5MHz	CP	64QAM	Edge1RBRight	19.53	-2.5	17.03
66-n7	15MHz	15kHz	2562.5MHz	CP	64QAM	OuterFull	19.9	-2.5	17.40
66-n7	15MHz	15kHz	2562.5MHz	CP	256QAM	InnerFull	16.71	-2.5	14.21
66-n7	15MHz	15kHz	2562.5MHz	CP	256QAM	Edge1RBLeft	16.11	-2.5	13.61
66-n7	15MHz	15kHz	2562.5MHz	CP	256QAM	Edge1RBRight	16.33	-2.5	13.83

66-n7	15MHz	15kHz	2562.5MHz	CP	256QAM	OuterFull	16.78	-2.5	14.28
66-n7	20MHz	15kHz	2510MHz	DFT	pi/2 BPSK	InnerFull	22.99	-2.5	20.49
66-n7	20MHz	15kHz	2510MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.21	-2.5	19.71
66-n7	20MHz	15kHz	2510MHz	DFT	pi/2 BPSK	Edge1RBRight	22.7	-2.5	20.20
66-n7	20MHz	15kHz	2510MHz	DFT	pi/2 BPSK	OuterFull	22.59	-2.5	20.09
66-n7	20MHz	15kHz	2510MHz	DFT	QPSK	InnerFull	23.04	-2.5	20.54
66-n7	20MHz	15kHz	2510MHz	DFT	QPSK	Edge1RBLeft	21.76	-2.5	19.26
66-n7	20MHz	15kHz	2510MHz	DFT	QPSK	Edge1RBRight	22.24	-2.5	19.74
66-n7	20MHz	15kHz	2510MHz	DFT	QPSK	OuterFull	22.16	-2.5	19.66
66-n7	20MHz	15kHz	2510MHz	DFT	16QAM	InnerFull	22.19	-2.5	19.69
66-n7	20MHz	15kHz	2510MHz	DFT	16QAM	Edge1RBLeft	20.84	-2.5	18.34
66-n7	20MHz	15kHz	2510MHz	DFT	16QAM	Edge1RBRight	21.35	-2.5	18.85
66-n7	20MHz	15kHz	2510MHz	DFT	16QAM	OuterFull	21.17	-2.5	18.67
66-n7	20MHz	15kHz	2510MHz	DFT	64QAM	InnerFull	20.64	-2.5	18.14
66-n7	20MHz	15kHz	2510MHz	DFT	64QAM	Edge1RBLeft	20.16	-2.5	17.66
66-n7	20MHz	15kHz	2510MHz	DFT	64QAM	Edge1RBRight	20.57	-2.5	18.07
66-n7	20MHz	15kHz	2510MHz	DFT	64QAM	OuterFull	20.75	-2.5	18.25
66-n7	20MHz	15kHz	2510MHz	DFT	256QAM	InnerFull	18.48	-2.5	15.98
66-n7	20MHz	15kHz	2510MHz	DFT	256QAM	Edge1RBLeft	17.74	-2.5	15.24
66-n7	20MHz	15kHz	2510MHz	DFT	256QAM	Edge1RBRight	18.25	-2.5	15.75
66-n7	20MHz	15kHz	2510MHz	DFT	256QAM	OuterFull	18.66	-2.5	16.16
66-n7	20MHz	15kHz	2510MHz	CP	QPSK	InnerFull	21.58	-2.5	19.08
66-n7	20MHz	15kHz	2510MHz	CP	QPSK	Edge1RBLeft	19.94	-2.5	17.44
66-n7	20MHz	15kHz	2510MHz	CP	QPSK	Edge1RBRight	20.35	-2.5	17.85
66-n7	20MHz	15kHz	2510MHz	CP	QPSK	OuterFull	20.2	-2.5	17.70
66-n7	20MHz	15kHz	2510MHz	CP	16QAM	InnerFull	21.19	-2.5	18.69
66-n7	20MHz	15kHz	2510MHz	CP	16QAM	Edge1RBLeft	19.97	-2.5	17.47
66-n7	20MHz	15kHz	2510MHz	CP	16QAM	Edge1RBRight	20.44	-2.5	17.94
66-n7	20MHz	15kHz	2510MHz	CP	16QAM	OuterFull	20.1	-2.5	17.60
66-n7	20MHz	15kHz	2510MHz	CP	64QAM	InnerFull	19.7	-2.5	17.20
66-n7	20MHz	15kHz	2510MHz	CP	64QAM	Edge1RBLeft	19.22	-2.5	16.72
66-n7	20MHz	15kHz	2510MHz	CP	64QAM	Edge1RBRight	19.71	-2.5	17.21
66-n7	20MHz	15kHz	2510MHz	CP	64QAM	OuterFull	19.74	-2.5	17.24
66-n7	20MHz	15kHz	2510MHz	CP	256QAM	InnerFull	16.72	-2.5	14.22
66-n7	20MHz	15kHz	2510MHz	CP	256QAM	Edge1RBLeft	15.86	-2.5	13.36
66-n7	20MHz	15kHz	2510MHz	CP	256QAM	Edge1RBRight	16.29	-2.5	13.79
66-n7	20MHz	15kHz	2510MHz	CP	256QAM	OuterFull	16.72	-2.5	14.22
66-n7	20MHz	15kHz	2535MHz	DFT	pi/2 BPSK	InnerFull	23.48	-2.5	20.98
66-n7	20MHz	15kHz	2535MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.12	-2.5	20.62
66-n7	20MHz	15kHz	2535MHz	DFT	pi/2 BPSK	Edge1RBRight	22.9	-2.5	20.40
66-n7	20MHz	15kHz	2535MHz	DFT	pi/2 BPSK	OuterFull	23.16	-2.5	20.66

66-n7	20MHz	15kHz	2535MHz	DFT	QPSK	InnerFull	23.53	-2.5	21.03
66-n7	20MHz	15kHz	2535MHz	DFT	QPSK	Edge1RBLeft	22.63	-2.5	20.13
66-n7	20MHz	15kHz	2535MHz	DFT	QPSK	Edge1RBRight	22.39	-2.5	19.89
66-n7	20MHz	15kHz	2535MHz	DFT	QPSK	OuterFull	22.75	-2.5	20.25
66-n7	20MHz	15kHz	2535MHz	DFT	16QAM	InnerFull	22.65	-2.5	20.15
66-n7	20MHz	15kHz	2535MHz	DFT	16QAM	Edge1RBLeft	21.73	-2.5	19.23
66-n7	20MHz	15kHz	2535MHz	DFT	16QAM	Edge1RBRight	21.42	-2.5	18.92
66-n7	20MHz	15kHz	2535MHz	DFT	16QAM	OuterFull	21.72	-2.5	19.22
66-n7	20MHz	15kHz	2535MHz	DFT	64QAM	InnerFull	21.1	-2.5	18.60
66-n7	20MHz	15kHz	2535MHz	DFT	64QAM	Edge1RBLeft	20.96	-2.5	18.46
66-n7	20MHz	15kHz	2535MHz	DFT	64QAM	Edge1RBRight	20.83	-2.5	18.33
66-n7	20MHz	15kHz	2535MHz	DFT	64QAM	OuterFull	21.29	-2.5	18.79
66-n7	20MHz	15kHz	2535MHz	DFT	256QAM	InnerFull	19.06	-2.5	16.56
66-n7	20MHz	15kHz	2535MHz	DFT	256QAM	Edge1RBLeft	18.65	-2.5	16.15
66-n7	20MHz	15kHz	2535MHz	DFT	256QAM	Edge1RBRight	18.44	-2.5	15.94
66-n7	20MHz	15kHz	2535MHz	DFT	256QAM	OuterFull	19.13	-2.5	16.63
66-n7	20MHz	15kHz	2535MHz	CP	QPSK	InnerFull	22.11	-2.5	19.61
66-n7	20MHz	15kHz	2535MHz	CP	QPSK	Edge1RBLeft	20.81	-2.5	18.31
66-n7	20MHz	15kHz	2535MHz	CP	QPSK	Edge1RBRight	20.55	-2.5	18.05
66-n7	20MHz	15kHz	2535MHz	CP	QPSK	OuterFull	20.75	-2.5	18.25
66-n7	20MHz	15kHz	2535MHz	CP	16QAM	InnerFull	21.71	-2.5	19.21
66-n7	20MHz	15kHz	2535MHz	CP	16QAM	Edge1RBLeft	20.84	-2.5	18.34
66-n7	20MHz	15kHz	2535MHz	CP	16QAM	Edge1RBRight	20.61	-2.5	18.11
66-n7	20MHz	15kHz	2535MHz	CP	16QAM	OuterFull	20.64	-2.5	18.14
66-n7	20MHz	15kHz	2535MHz	CP	64QAM	InnerFull	20.26	-2.5	17.76
66-n7	20MHz	15kHz	2535MHz	CP	64QAM	Edge1RBLeft	20.03	-2.5	17.53
66-n7	20MHz	15kHz	2535MHz	CP	64QAM	Edge1RBRight	19.75	-2.5	17.25
66-n7	20MHz	15kHz	2535MHz	CP	64QAM	OuterFull	20.2	-2.5	17.70
66-n7	20MHz	15kHz	2535MHz	CP	256QAM	InnerFull	17.17	-2.5	14.67
66-n7	20MHz	15kHz	2535MHz	CP	256QAM	Edge1RBLeft	16.7	-2.5	14.20
66-n7	20MHz	15kHz	2535MHz	CP	256QAM	Edge1RBRight	16.48	-2.5	13.98
66-n7	20MHz	15kHz	2535MHz	CP	256QAM	OuterFull	17.16	-2.5	14.66
66-n7	20MHz	15kHz	2560MHz	DFT	pi/2 BPSK	InnerFull	22.9	-2.5	20.40
66-n7	20MHz	15kHz	2560MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.35	-2.5	19.85
66-n7	20MHz	15kHz	2560MHz	DFT	pi/2 BPSK	Edge1RBRight	22.69	-2.5	20.19
66-n7	20MHz	15kHz	2560MHz	DFT	pi/2 BPSK	OuterFull	22.67	-2.5	20.17
66-n7	20MHz	15kHz	2560MHz	DFT	QPSK	InnerFull	23.02	-2.5	20.52
66-n7	20MHz	15kHz	2560MHz	DFT	QPSK	Edge1RBLeft	21.78	-2.5	19.28
66-n7	20MHz	15kHz	2560MHz	DFT	QPSK	Edge1RBRight	22.27	-2.5	19.77
66-n7	20MHz	15kHz	2560MHz	DFT	QPSK	OuterFull	22.14	-2.5	19.64
66-n7	20MHz	15kHz	2560MHz	DFT	16QAM	InnerFull	22.18	-2.5	19.68

66-n7	20MHz	15kHz	2560MHz	DFT	16QAM	Edge1RBLeft	20.95	-2.5	18.45
66-n7	20MHz	15kHz	2560MHz	DFT	16QAM	Edge1RBRight	21.34	-2.5	18.84
66-n7	20MHz	15kHz	2560MHz	DFT	16QAM	OuterFull	21.19	-2.5	18.69
66-n7	20MHz	15kHz	2560MHz	DFT	64QAM	InnerFull	20.67	-2.5	18.17
66-n7	20MHz	15kHz	2560MHz	DFT	64QAM	Edge1RBLeft	20.22	-2.5	17.72
66-n7	20MHz	15kHz	2560MHz	DFT	64QAM	Edge1RBRight	20.6	-2.5	18.10
66-n7	20MHz	15kHz	2560MHz	DFT	64QAM	OuterFull	20.71	-2.5	18.21
66-n7	20MHz	15kHz	2560MHz	DFT	256QAM	InnerFull	18.46	-2.5	15.96
66-n7	20MHz	15kHz	2560MHz	DFT	256QAM	Edge1RBLeft	17.84	-2.5	15.34
66-n7	20MHz	15kHz	2560MHz	DFT	256QAM	Edge1RBRight	18.3	-2.5	15.80
66-n7	20MHz	15kHz	2560MHz	DFT	256QAM	OuterFull	18.61	-2.5	16.11
66-n7	20MHz	15kHz	2560MHz	CP	QPSK	InnerFull	21.68	-2.5	19.18
66-n7	20MHz	15kHz	2560MHz	CP	QPSK	Edge1RBLeft	19.93	-2.5	17.43
66-n7	20MHz	15kHz	2560MHz	CP	QPSK	Edge1RBRight	20.42	-2.5	17.92
66-n7	20MHz	15kHz	2560MHz	CP	QPSK	OuterFull	20.21	-2.5	17.71
66-n7	20MHz	15kHz	2560MHz	CP	16QAM	InnerFull	21.14	-2.5	18.64
66-n7	20MHz	15kHz	2560MHz	CP	16QAM	Edge1RBLeft	20.09	-2.5	17.59
66-n7	20MHz	15kHz	2560MHz	CP	16QAM	Edge1RBRight	20.43	-2.5	17.93
66-n7	20MHz	15kHz	2560MHz	CP	16QAM	OuterFull	20.11	-2.5	17.61
66-n7	20MHz	15kHz	2560MHz	CP	64QAM	InnerFull	19.71	-2.5	17.21
66-n7	20MHz	15kHz	2560MHz	CP	64QAM	Edge1RBLeft	19.16	-2.5	16.66
66-n7	20MHz	15kHz	2560MHz	CP	64QAM	Edge1RBRight	19.58	-2.5	17.08
66-n7	20MHz	15kHz	2560MHz	CP	64QAM	OuterFull	19.67	-2.5	17.17
66-n7	20MHz	15kHz	2560MHz	CP	256QAM	InnerFull	16.7	-2.5	14.20
66-n7	20MHz	15kHz	2560MHz	CP	256QAM	Edge1RBLeft	15.92	-2.5	13.42
66-n7	20MHz	15kHz	2560MHz	CP	256QAM	Edge1RBRight	16.24	-2.5	13.74
66-n7	20MHz	15kHz	2560MHz	CP	256QAM	OuterFull	16.73	-2.5	14.23

LTE Band 66+NR n41
Limits: ≤33 dBm (2W)

BAND	BW	SCS	FREQ	OFDM	MODULATION	RB ALLOCATION	TOTAL POWER (dBm)	GT (dBi)	Radiated output power (dBm)
66-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	InnerFull	22.85	-2.3	20.55
66-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.26	-2.3	19.96
66-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	Edge1RBRight	22.73	-2.3	20.43
66-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	OuterFull	22.58	-2.3	20.28
66-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	InnerFull	22.9	-2.3	20.60
66-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	Edge1RBLeft	21.69	-2.3	19.39
66-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	Edge1RBRight	22.05	-2.3	19.75
66-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	OuterFull	21.97	-2.3	19.67
66-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	InnerFull	22.05	-2.3	19.75
66-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	Edge1RBLeft	20.88	-2.3	18.58
66-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	Edge1RBRight	21.26	-2.3	18.96
66-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	OuterFull	21	-2.3	18.70
66-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	InnerFull	20.58	-2.3	18.28
66-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	Edge1RBLeft	20	-2.3	17.70
66-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	Edge1RBRight	20.22	-2.3	17.92
66-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	OuterFull	20.4	-2.3	18.10
66-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	InnerFull	18.61	-2.3	16.31
66-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	Edge1RBLeft	17.51	-2.3	15.21
66-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	Edge1RBRight	17.93	-2.3	15.63
66-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	OuterFull	18.6	-2.3	16.30
66-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	InnerFull	21.51	-2.3	19.21
66-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	Edge1RBLeft	19.76	-2.3	17.46
66-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	Edge1RBRight	20.32	-2.3	18.02
66-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	OuterFull	20.02	-2.3	17.72
66-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	InnerFull	20.92	-2.3	18.62
66-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	Edge1RBLeft	19.84	-2.3	17.54
66-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	Edge1RBRight	20.42	-2.3	18.12
66-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	OuterFull	20.05	-2.3	17.75
66-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	InnerFull	19.5	-2.3	17.20
66-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	Edge1RBLeft	19	-2.3	16.70
66-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	Edge1RBRight	19.58	-2.3	17.28
66-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	OuterFull	19.5	-2.3	17.20
66-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	InnerFull	16.49	-2.3	14.19
66-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	Edge1RBLeft	15.64	-2.3	13.34
66-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	Edge1RBRight	16.08	-2.3	13.78
66-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	OuterFull	16.46	-2.3	14.16

66-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	22.99	-2.3	20.69
66-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.59	-2.3	20.29
66-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.53	-2.3	20.23
66-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	22.55	-2.3	20.25
66-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	22.91	-2.3	20.61
66-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.13	-2.3	19.83
66-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	21.97	-2.3	19.67
66-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	22.02	-2.3	19.72
66-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	22.13	-2.3	19.83
66-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	20.69	-2.3	18.39
66-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	20.49	-2.3	18.19
66-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	21.1	-2.3	18.80
66-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	20.65	-2.3	18.35
66-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	20.24	-2.3	17.94
66-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	20.16	-2.3	17.86
66-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	20.5	-2.3	18.20
66-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	18.63	-2.3	16.33
66-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	17.78	-2.3	15.48
66-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	17.69	-2.3	15.39
66-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	18.63	-2.3	16.33
66-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	21.64	-2.3	19.34
66-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	20.13	-2.3	17.83
66-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	20.06	-2.3	17.76
66-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	19.98	-2.3	17.68
66-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	21.1	-2.3	18.80
66-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	20.2	-2.3	17.90
66-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	20.16	-2.3	17.86
66-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	20.21	-2.3	17.91
66-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	19.68	-2.3	17.38
66-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	19.35	-2.3	17.05
66-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	19.31	-2.3	17.01
66-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	19.44	-2.3	17.14
66-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	16.6	-2.3	14.30
66-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	15.88	-2.3	13.58
66-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	15.86	-2.3	13.56
66-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	16.62	-2.3	14.32
66-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	InnerFull	23.01	-2.3	20.71
66-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.76	-2.3	20.46
66-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.63	-2.3	20.33
66-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	OuterFull	22.65	-2.3	20.35
66-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	InnerFull	23	-2.3	20.70

66-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	Edge1RBLeft	22.24	-2.3	19.94
66-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	Edge1RBRight	22.03	-2.3	19.73
66-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	OuterFull	22.16	-2.3	19.86
66-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	InnerFull	22.27	-2.3	19.97
66-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	Edge1RBLeft	21.46	-2.3	19.16
66-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	Edge1RBRight	21.33	-2.3	19.03
66-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	OuterFull	21.18	-2.3	18.88
66-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	InnerFull	20.82	-2.3	18.52
66-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	Edge1RBLeft	20.43	-2.3	18.13
66-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	Edge1RBRight	20.39	-2.3	18.09
66-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	OuterFull	20.5	-2.3	18.20
66-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	InnerFull	18.57	-2.3	16.27
66-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	Edge1RBLeft	17.91	-2.3	15.61
66-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	Edge1RBRight	17.77	-2.3	15.47
66-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	OuterFull	18.56	-2.3	16.26
66-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	InnerFull	21.65	-2.3	19.35
66-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	Edge1RBLeft	20.22	-2.3	17.92
66-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	Edge1RBRight	20.29	-2.3	17.99
66-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	OuterFull	20.18	-2.3	17.88
66-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	InnerFull	21.2	-2.3	18.90
66-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	Edge1RBLeft	19.77	-2.3	17.47
66-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	Edge1RBRight	19.87	-2.3	17.57
66-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	OuterFull	20.19	-2.3	17.89
66-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	InnerFull	19.66	-2.3	17.36
66-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	Edge1RBLeft	19.58	-2.3	17.28
66-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	Edge1RBRight	19.53	-2.3	17.23
66-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	OuterFull	19.51	-2.3	17.21
66-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	InnerFull	16.62	-2.3	14.32
66-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	Edge1RBLeft	16.09	-2.3	13.79
66-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	Edge1RBRight	16.1	-2.3	13.80
66-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	OuterFull	16.64	-2.3	14.34
66-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	InnerFull	23.45	-2.3	21.15
66-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.7	-2.3	20.40
66-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	Edge1RBRight	23.1	-2.3	20.80
66-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	OuterFull	23.06	-2.3	20.76
66-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	InnerFull	23.41	-2.3	21.11
66-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	Edge1RBLeft	22.01	-2.3	19.71
66-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	Edge1RBRight	22.49	-2.3	20.19
66-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	OuterFull	22.51	-2.3	20.21
66-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	InnerFull	22.65	-2.3	20.35
66-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	Edge1RBLeft	20.92	-2.3	18.62

66-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	Edge1RBRight	21.39	-2.3	19.09
66-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	OuterFull	21.55	-2.3	19.25
66-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	InnerFull	21.14	-2.3	18.84
66-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	Edge1RBLeft	20.24	-2.3	17.94
66-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	Edge1RBRight	20.64	-2.3	18.34
66-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	OuterFull	21.11	-2.3	18.81
66-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	InnerFull	19.03	-2.3	16.73
66-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	Edge1RBLeft	17.83	-2.3	15.53
66-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	Edge1RBRight	18.44	-2.3	16.14
66-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	OuterFull	18.99	-2.3	16.69
66-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	InnerFull	21.98	-2.3	19.68
66-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	Edge1RBLeft	20.28	-2.3	17.98
66-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	Edge1RBRight	20.58	-2.3	18.28
66-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	OuterFull	20.44	-2.3	18.14
66-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	InnerFull	21.56	-2.3	19.26
66-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	Edge1RBLeft	20.28	-2.3	17.98
66-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	Edge1RBRight	20.67	-2.3	18.37
66-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	OuterFull	20.5	-2.3	18.20
66-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	InnerFull	20	-2.3	17.70
66-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	Edge1RBLeft	19.43	-2.3	17.13
66-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	Edge1RBRight	19.98	-2.3	17.68
66-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	OuterFull	19.97	-2.3	17.67
66-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	InnerFull	17.1	-2.3	14.80
66-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	Edge1RBLeft	16.1	-2.3	13.80
66-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	Edge1RBRight	16.53	-2.3	14.23
66-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	OuterFull	17.01	-2.3	14.71
66-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	23.29	-2.3	20.99
66-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.9	-2.3	20.60
66-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.7	-2.3	20.40
66-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	22.94	-2.3	20.64
66-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	23.23	-2.3	20.93
66-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.37	-2.3	20.07
66-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.21	-2.3	19.91
66-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	22.37	-2.3	20.07
66-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	22.32	-2.3	20.02
66-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	21.52	-2.3	19.22
66-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	21.35	-2.3	19.05
66-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	21.4	-2.3	19.10
66-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	20.82	-2.3	18.52
66-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	20.6	-2.3	18.30
66-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	20.49	-2.3	18.19

66-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	20.94	-2.3	18.64
66-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	18.74	-2.3	16.44
66-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	18.07	-2.3	15.77
66-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	17.99	-2.3	15.69
66-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	18.84	-2.3	16.54
66-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	21.87	-2.3	19.57
66-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	20.45	-2.3	18.15
66-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	20.36	-2.3	18.06
66-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	20.42	-2.3	18.12
66-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	21.31	-2.3	19.01
66-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	20.14	-2.3	17.84
66-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	20.06	-2.3	17.76
66-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	20.37	-2.3	18.07
66-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	19.89	-2.3	17.59
66-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	19.89	-2.3	17.59
66-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	19.66	-2.3	17.36
66-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	19.86	-2.3	17.56
66-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	16.95	-2.3	14.65
66-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	16.21	-2.3	13.91
66-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	16.08	-2.3	13.78
66-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	16.88	-2.3	14.58
66-n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	InnerFull	23.25	-2.3	20.95
66-n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.66	-2.3	20.36
66-n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	Edge1RBRight	22.71	-2.3	20.41
66-n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	OuterFull	22.78	-2.3	20.48
66-n41	40MHz	30kHz	2670MHz	DFT	QPSK	InnerFull	23.21	-2.3	20.91
66-n41	40MHz	30kHz	2670MHz	DFT	QPSK	Edge1RBLeft	22.2	-2.3	19.90
66-n41	40MHz	30kHz	2670MHz	DFT	QPSK	Edge1RBRight	22.28	-2.3	19.98
66-n41	40MHz	30kHz	2670MHz	DFT	QPSK	OuterFull	22.36	-2.3	20.06
66-n41	40MHz	30kHz	2670MHz	DFT	16QAM	InnerFull	22.27	-2.3	19.97
66-n41	40MHz	30kHz	2670MHz	DFT	16QAM	Edge1RBLeft	21.31	-2.3	19.01
66-n41	40MHz	30kHz	2670MHz	DFT	16QAM	Edge1RBRight	21.38	-2.3	19.08
66-n41	40MHz	30kHz	2670MHz	DFT	16QAM	OuterFull	21.39	-2.3	19.09
66-n41	40MHz	30kHz	2670MHz	DFT	64QAM	InnerFull	20.81	-2.3	18.51
66-n41	40MHz	30kHz	2670MHz	DFT	64QAM	Edge1RBLeft	20.41	-2.3	18.11
66-n41	40MHz	30kHz	2670MHz	DFT	64QAM	Edge1RBRight	20.49	-2.3	18.19
66-n41	40MHz	30kHz	2670MHz	DFT	64QAM	OuterFull	20.84	-2.3	18.54
66-n41	40MHz	30kHz	2670MHz	DFT	256QAM	InnerFull	18.81	-2.3	16.51
66-n41	40MHz	30kHz	2670MHz	DFT	256QAM	Edge1RBLeft	17.81	-2.3	15.51
66-n41	40MHz	30kHz	2670MHz	DFT	256QAM	Edge1RBRight	17.92	-2.3	15.62
66-n41	40MHz	30kHz	2670MHz	DFT	256QAM	OuterFull	18.81	-2.3	16.51

66-n41	40MHz	30kHz	2670MHz	CP	QPSK	InnerFull	21.82	-2.3	19.52
66-n41	40MHz	30kHz	2670MHz	CP	QPSK	Edge1RBLeft	20.29	-2.3	17.99
66-n41	40MHz	30kHz	2670MHz	CP	QPSK	Edge1RBRight	20.31	-2.3	18.01
66-n41	40MHz	30kHz	2670MHz	CP	QPSK	OuterFull	20.38	-2.3	18.08
66-n41	40MHz	30kHz	2670MHz	CP	16QAM	InnerFull	21.35	-2.3	19.05
66-n41	40MHz	30kHz	2670MHz	CP	16QAM	Edge1RBLeft	20.27	-2.3	17.97
66-n41	40MHz	30kHz	2670MHz	CP	16QAM	Edge1RBRight	20.38	-2.3	18.08
66-n41	40MHz	30kHz	2670MHz	CP	16QAM	OuterFull	20.24	-2.3	17.94
66-n41	40MHz	30kHz	2670MHz	CP	64QAM	InnerFull	19.82	-2.3	17.52
66-n41	40MHz	30kHz	2670MHz	CP	64QAM	Edge1RBLeft	19.46	-2.3	17.16
66-n41	40MHz	30kHz	2670MHz	CP	64QAM	Edge1RBRight	19.6	-2.3	17.30
66-n41	40MHz	30kHz	2670MHz	CP	64QAM	OuterFull	19.67	-2.3	17.37
66-n41	40MHz	30kHz	2670MHz	CP	256QAM	InnerFull	16.91	-2.3	14.61
66-n41	40MHz	30kHz	2670MHz	CP	256QAM	Edge1RBLeft	16.11	-2.3	13.81
66-n41	40MHz	30kHz	2670MHz	CP	256QAM	Edge1RBRight	16.2	-2.3	13.90
66-n41	40MHz	30kHz	2670MHz	CP	256QAM	OuterFull	16.86	-2.3	14.56
66-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	InnerFull	22.97	-2.3	20.67
66-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.24	-2.3	19.94
66-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	Edge1RBRight	22.35	-2.3	20.05
66-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	OuterFull	22.56	-2.3	20.26
66-n41	60MHz	30kHz	2526MHz	DFT	QPSK	InnerFull	23.01	-2.3	20.71
66-n41	60MHz	30kHz	2526MHz	DFT	QPSK	Edge1RBLeft	21.78	-2.3	19.48
66-n41	60MHz	30kHz	2526MHz	DFT	QPSK	Edge1RBRight	21.84	-2.3	19.54
66-n41	60MHz	30kHz	2526MHz	DFT	QPSK	OuterFull	22.01	-2.3	19.71
66-n41	60MHz	30kHz	2526MHz	DFT	16QAM	InnerFull	22.11	-2.3	19.81
66-n41	60MHz	30kHz	2526MHz	DFT	16QAM	Edge1RBLeft	20.81	-2.3	18.51
66-n41	60MHz	30kHz	2526MHz	DFT	16QAM	Edge1RBRight	21.01	-2.3	18.71
66-n41	60MHz	30kHz	2526MHz	DFT	16QAM	OuterFull	21.04	-2.3	18.74
66-n41	60MHz	30kHz	2526MHz	DFT	64QAM	InnerFull	20.62	-2.3	18.32
66-n41	60MHz	30kHz	2526MHz	DFT	64QAM	Edge1RBLeft	19.88	-2.3	17.58
66-n41	60MHz	30kHz	2526MHz	DFT	64QAM	Edge1RBRight	20.04	-2.3	17.74
66-n41	60MHz	30kHz	2526MHz	DFT	64QAM	OuterFull	20.57	-2.3	18.27
66-n41	60MHz	30kHz	2526MHz	DFT	256QAM	InnerFull	18.62	-2.3	16.32
66-n41	60MHz	30kHz	2526MHz	DFT	256QAM	Edge1RBLeft	17.51	-2.3	15.21
66-n41	60MHz	30kHz	2526MHz	DFT	256QAM	Edge1RBRight	17.5	-2.3	15.20
66-n41	60MHz	30kHz	2526MHz	DFT	256QAM	OuterFull	18.56	-2.3	16.26
66-n41	60MHz	30kHz	2526MHz	CP	QPSK	InnerFull	21.57	-2.3	19.27
66-n41	60MHz	30kHz	2526MHz	CP	QPSK	Edge1RBLeft	19.69	-2.3	17.39
66-n41	60MHz	30kHz	2526MHz	CP	QPSK	Edge1RBRight	19.89	-2.3	17.59
66-n41	60MHz	30kHz	2526MHz	CP	QPSK	OuterFull	20.03	-2.3	17.73
66-n41	60MHz	30kHz	2526MHz	CP	16QAM	InnerFull	21.09	-2.3	18.79

66-n41	60MHz	30kHz	2526MHz	CP	16QAM	Edge1RBLeft	19.03	-2.3	16.73
66-n41	60MHz	30kHz	2526MHz	CP	16QAM	Edge1RBRight	19.25	-2.3	16.95
66-n41	60MHz	30kHz	2526MHz	CP	16QAM	OuterFull	20.02	-2.3	17.72
66-n41	60MHz	30kHz	2526MHz	CP	64QAM	InnerFull	19.65	-2.3	17.35
66-n41	60MHz	30kHz	2526MHz	CP	64QAM	Edge1RBLeft	19	-2.3	16.70
66-n41	60MHz	30kHz	2526MHz	CP	64QAM	Edge1RBRight	19.21	-2.3	16.91
66-n41	60MHz	30kHz	2526MHz	CP	64QAM	OuterFull	19.55	-2.3	17.25
66-n41	60MHz	30kHz	2526MHz	CP	256QAM	InnerFull	16.69	-2.3	14.39
66-n41	60MHz	30kHz	2526MHz	CP	256QAM	Edge1RBLeft	15.68	-2.3	13.38
66-n41	60MHz	30kHz	2526MHz	CP	256QAM	Edge1RBRight	15.82	-2.3	13.52
66-n41	60MHz	30kHz	2526MHz	CP	256QAM	OuterFull	16.6	-2.3	14.30
66-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	22.94	-2.3	20.64
66-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.42	-2.3	20.12
66-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.29	-2.3	19.99
66-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	22.46	-2.3	20.16
66-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	22.89	-2.3	20.59
66-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	21.98	-2.3	19.68
66-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	21.77	-2.3	19.47
66-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	22.04	-2.3	19.74
66-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	22	-2.3	19.70
66-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	21.09	-2.3	18.79
66-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	20.92	-2.3	18.62
66-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	21.08	-2.3	18.78
66-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	20.56	-2.3	18.26
66-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	20.05	-2.3	17.75
66-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	20	-2.3	17.70
66-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	20.52	-2.3	18.22
66-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	18.34	-2.3	16.04
66-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	17.53	-2.3	15.23
66-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	17.51	-2.3	15.21
66-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	18.51	-2.3	16.21
66-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	21.48	-2.3	19.18
66-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	19.87	-2.3	17.57
66-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	19.89	-2.3	17.59
66-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	20.07	-2.3	17.77
66-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	21.06	-2.3	18.76
66-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	19.33	-2.3	17.03
66-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	19.23	-2.3	16.93
66-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	19.98	-2.3	17.68
66-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	19.55	-2.3	17.25
66-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	19.31	-2.3	17.01

66-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	19.21	-2.3	16.91
66-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	19.46	-2.3	17.16
66-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	16.52	-2.3	14.22
66-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	15.84	-2.3	13.54
66-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	15.85	-2.3	13.55
66-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	16.62	-2.3	14.32
66-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	InnerFull	22.8	-2.3	20.50
66-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.38	-2.3	20.08
66-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	Edge1RBRight	22.26	-2.3	19.96
66-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	OuterFull	22.4	-2.3	20.10
66-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	InnerFull	22.84	-2.3	20.54
66-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	Edge1RBLeft	21.87	-2.3	19.57
66-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	Edge1RBRight	21.82	-2.3	19.52
66-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	OuterFull	21.96	-2.3	19.66
66-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	InnerFull	21.93	-2.3	19.63
66-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	Edge1RBLeft	20.42	-2.3	18.12
66-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	Edge1RBRight	20.25	-2.3	17.95
66-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	OuterFull	20.89	-2.3	18.59
66-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	InnerFull	20.48	-2.3	18.18
66-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	Edge1RBLeft	20.07	-2.3	17.77
66-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	Edge1RBRight	19.98	-2.3	17.68
66-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	OuterFull	20.44	-2.3	18.14
66-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	InnerFull	18.42	-2.3	16.12
66-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	Edge1RBLeft	17.54	-2.3	15.24
66-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	Edge1RBRight	17.52	-2.3	15.22
66-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	OuterFull	18.47	-2.3	16.17
66-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	InnerFull	21.38	-2.3	19.08
66-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	Edge1RBLeft	19.94	-2.3	17.64
66-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	Edge1RBRight	19.86	-2.3	17.56
66-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	OuterFull	19.97	-2.3	17.67
66-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	InnerFull	20.91	-2.3	18.61
66-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	Edge1RBLeft	19.92	-2.3	17.62
66-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	Edge1RBRight	19.91	-2.3	17.61
66-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	OuterFull	19.87	-2.3	17.57
66-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	InnerFull	19.47	-2.3	17.17
66-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	Edge1RBLeft	19.11	-2.3	16.81
66-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	Edge1RBRight	19.09	-2.3	16.79
66-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	OuterFull	19.41	-2.3	17.11
66-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	InnerFull	16.51	-2.3	14.21
66-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	Edge1RBLeft	15.72	-2.3	13.42
66-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	Edge1RBRight	15.72	-2.3	13.42

66-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	OuterFull	16.55	-2.3	14.25
66-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	InnerFull	22.69	-2.3	20.39
66-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.01	-2.3	19.71
66-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	Edge1RBRight	22.4	-2.3	20.10
66-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	OuterFull	22.32	-2.3	20.02
66-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	InnerFull	22.69	-2.3	20.39
66-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	Edge1RBLeft	21.45	-2.3	19.15
66-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	Edge1RBRight	21.91	-2.3	19.61
66-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	OuterFull	21.88	-2.3	19.58
66-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	InnerFull	21.83	-2.3	19.53
66-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	Edge1RBLeft	20.37	-2.3	18.07
66-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	Edge1RBRight	21.08	-2.3	18.78
66-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	OuterFull	20.8	-2.3	18.50
66-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	InnerFull	20.38	-2.3	18.08
66-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	Edge1RBLeft	19.9	-2.3	17.60
66-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	Edge1RBRight	20.07	-2.3	17.77
66-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	OuterFull	20.49	-2.3	18.19
66-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	InnerFull	18.34	-2.3	16.04
66-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	Edge1RBLeft	17.51	-2.3	15.21
66-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	Edge1RBRight	17.53	-2.3	15.23
66-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	OuterFull	18.28	-2.3	15.98
66-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	InnerFull	21.4	-2.3	19.10
66-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	Edge1RBLeft	19.56	-2.3	17.26
66-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	Edge1RBRight	19.97	-2.3	17.67
66-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	OuterFull	19.84	-2.3	17.54
66-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	InnerFull	20.84	-2.3	18.54
66-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	Edge1RBLeft	19.08	-2.3	16.78
66-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	Edge1RBRight	19.53	-2.3	17.23
66-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	OuterFull	19.92	-2.3	17.62
66-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	InnerFull	19.39	-2.3	17.09
66-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	Edge1RBLeft	18.72	-2.3	16.42
66-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	Edge1RBRight	19.19	-2.3	16.89
66-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	OuterFull	19.45	-2.3	17.15
66-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	InnerFull	16.42	-2.3	14.12
66-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	Edge1RBLeft	15.5	-2.3	13.20
66-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	Edge1RBRight	15.69	-2.3	13.39
66-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	OuterFull	16.57	-2.3	14.27
66-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	23.09	-2.3	20.79
66-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.65	-2.3	20.35
66-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.65	-2.3	20.35
66-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	22.71	-2.3	20.41

66-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	23.08	-2.3	20.78
66-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.22	-2.3	19.92
66-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.24	-2.3	19.94
66-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	22.23	-2.3	19.93
66-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	22.28	-2.3	19.98
66-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	21.13	-2.3	18.83
66-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	21.12	-2.3	18.82
66-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	21.24	-2.3	18.94
66-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	20.73	-2.3	18.43
66-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	20.38	-2.3	18.08
66-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	20.45	-2.3	18.15
66-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	20.71	-2.3	18.41
66-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	18.85	-2.3	16.55
66-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	17.95	-2.3	15.65
66-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	17.98	-2.3	15.68
66-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	18.96	-2.3	16.66
66-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	21.73	-2.3	19.43
66-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	20.35	-2.3	18.05
66-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	20.45	-2.3	18.15
66-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	20.23	-2.3	17.93
66-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	21.27	-2.3	18.97
66-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	20.11	-2.3	17.81
66-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	20.12	-2.3	17.82
66-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	20.27	-2.3	17.97
66-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	19.7	-2.3	17.40
66-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	19.49	-2.3	17.19
66-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	19.54	-2.3	17.24
66-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	19.7	-2.3	17.40
66-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	16.86	-2.3	14.56
66-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	16.03	-2.3	13.73
66-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	15.93	-2.3	13.63
66-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	16.87	-2.3	14.57
66-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	InnerFull	22.61	-2.3	20.31
66-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.38	-2.3	20.08
66-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	Edge1RBRight	22.12	-2.3	19.82
66-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	OuterFull	22.23	-2.3	19.93
66-n41	100MHz	30kHz	2640MHz	DFT	QPSK	InnerFull	22.56	-2.3	20.26
66-n41	100MHz	30kHz	2640MHz	DFT	QPSK	Edge1RBLeft	21.92	-2.3	19.62
66-n41	100MHz	30kHz	2640MHz	DFT	QPSK	Edge1RBRight	21.7	-2.3	19.40
66-n41	100MHz	30kHz	2640MHz	DFT	QPSK	OuterFull	21.79	-2.3	19.49
66-n41	100MHz	30kHz	2640MHz	DFT	16QAM	InnerFull	21.71	-2.3	19.41

66-n41	100MHz	30kHz	2640MHz	DFT	16QAM	Edge1RBLeft	20.96	-2.3	18.66
66-n41	100MHz	30kHz	2640MHz	DFT	16QAM	Edge1RBRight	20.76	-2.3	18.46
66-n41	100MHz	30kHz	2640MHz	DFT	16QAM	OuterFull	20.69	-2.3	18.39
66-n41	100MHz	30kHz	2640MHz	DFT	64QAM	InnerFull	20.26	-2.3	17.96
66-n41	100MHz	30kHz	2640MHz	DFT	64QAM	Edge1RBLeft	20.06	-2.3	17.76
66-n41	100MHz	30kHz	2640MHz	DFT	64QAM	Edge1RBRight	19.63	-2.3	17.33
66-n41	100MHz	30kHz	2640MHz	DFT	64QAM	OuterFull	20.27	-2.3	17.97
66-n41	100MHz	30kHz	2640MHz	DFT	256QAM	InnerFull	18.29	-2.3	15.99
66-n41	100MHz	30kHz	2640MHz	DFT	256QAM	Edge1RBLeft	17.51	-2.3	15.21
66-n41	100MHz	30kHz	2640MHz	DFT	256QAM	Edge1RBRight	17.52	-2.3	15.22
66-n41	100MHz	30kHz	2640MHz	DFT	256QAM	OuterFull	18.41	-2.3	16.11
66-n41	100MHz	30kHz	2640MHz	CP	QPSK	InnerFull	21.15	-2.3	18.85
66-n41	100MHz	30kHz	2640MHz	CP	QPSK	Edge1RBLeft	19.87	-2.3	17.57
66-n41	100MHz	30kHz	2640MHz	CP	QPSK	Edge1RBRight	19.6	-2.3	17.30
66-n41	100MHz	30kHz	2640MHz	CP	QPSK	OuterFull	19.83	-2.3	17.53
66-n41	100MHz	30kHz	2640MHz	CP	16QAM	InnerFull	20.79	-2.3	18.49
66-n41	100MHz	30kHz	2640MHz	CP	16QAM	Edge1RBLeft	20.05	-2.3	17.75
66-n41	100MHz	30kHz	2640MHz	CP	16QAM	Edge1RBRight	19.71	-2.3	17.41
66-n41	100MHz	30kHz	2640MHz	CP	16QAM	OuterFull	19.79	-2.3	17.49
66-n41	100MHz	30kHz	2640MHz	CP	64QAM	InnerFull	19.22	-2.3	16.92
66-n41	100MHz	30kHz	2640MHz	CP	64QAM	Edge1RBLeft	19.17	-2.3	16.87
66-n41	100MHz	30kHz	2640MHz	CP	64QAM	Edge1RBRight	18.92	-2.3	16.62
66-n41	100MHz	30kHz	2640MHz	CP	64QAM	OuterFull	19.29	-2.3	16.99
66-n41	100MHz	30kHz	2640MHz	CP	256QAM	InnerFull	16.3	-2.3	14.00
66-n41	100MHz	30kHz	2640MHz	CP	256QAM	Edge1RBLeft	15.79	-2.3	13.49
66-n41	100MHz	30kHz	2640MHz	CP	256QAM	Edge1RBRight	15.59	-2.3	13.29
66-n41	100MHz	30kHz	2640MHz	CP	256QAM	OuterFull	16.45	-2.3	14.15

LTE Band 5+NR n66
Limits: ≤30dBm (1W)

BAND	BW	SCS	FREQ	OFDM	MODULATION	RB ALLOCATION	TOTAL POWER(dBm)	GT (dBi)	Radiated output power (dBm)
5-n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	InnerFull	23.11	-2.3	20.81
5-n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.68	-2.3	20.38
5-n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.69	-2.3	20.39
5-n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	OuterFull	22.68	-2.3	20.38
5-n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	InnerFull	23.07	-2.3	20.77
5-n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	Edge1RBLeft	22.19	-2.3	19.89
5-n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	Edge1RBRight	22.24	-2.3	19.94
5-n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	OuterFull	22.28	-2.3	19.98
5-n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	InnerFull	22.26	-2.3	19.96
5-n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	Edge1RBLeft	21.22	-2.3	18.92
5-n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	Edge1RBRight	21.23	-2.3	18.93
5-n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	OuterFull	21.3	-2.3	19.00
5-n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	InnerFull	20.82	-2.3	18.52
5-n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	Edge1RBLeft	20.58	-2.3	18.28
5-n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	Edge1RBRight	20.59	-2.3	18.29
5-n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	OuterFull	20.8	-2.3	18.50
5-n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	InnerFull	18.75	-2.3	16.45
5-n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	Edge1RBLeft	18.2	-2.3	15.90
5-n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	Edge1RBRight	18.18	-2.3	15.88
5-n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	OuterFull	18.78	-2.3	16.48
5-n66	5MHz	15kHz	1712.5MHz	CP	QPSK	InnerFull	21.64	-2.3	19.34
5-n66	5MHz	15kHz	1712.5MHz	CP	QPSK	Edge1RBLeft	20.33	-2.3	18.03
5-n66	5MHz	15kHz	1712.5MHz	CP	QPSK	Edge1RBRight	20.37	-2.3	18.07
5-n66	5MHz	15kHz	1712.5MHz	CP	QPSK	OuterFull	20.23	-2.3	17.93
5-n66	5MHz	15kHz	1712.5MHz	CP	16QAM	InnerFull	21.12	-2.3	18.82
5-n66	5MHz	15kHz	1712.5MHz	CP	16QAM	Edge1RBLeft	20.34	-2.3	18.04
5-n66	5MHz	15kHz	1712.5MHz	CP	16QAM	Edge1RBRight	20.32	-2.3	18.02
5-n66	5MHz	15kHz	1712.5MHz	CP	16QAM	OuterFull	20.33	-2.3	18.03
5-n66	5MHz	15kHz	1712.5MHz	CP	64QAM	InnerFull	19.89	-2.3	17.59
5-n66	5MHz	15kHz	1712.5MHz	CP	64QAM	Edge1RBLeft	19.6	-2.3	17.30
5-n66	5MHz	15kHz	1712.5MHz	CP	64QAM	Edge1RBRight	19.51	-2.3	17.21
5-n66	5MHz	15kHz	1712.5MHz	CP	64QAM	OuterFull	19.85	-2.3	17.55
5-n66	5MHz	15kHz	1712.5MHz	CP	256QAM	InnerFull	16.84	-2.3	14.54
5-n66	5MHz	15kHz	1712.5MHz	CP	256QAM	Edge1RBLeft	16.24	-2.3	13.94
5-n66	5MHz	15kHz	1712.5MHz	CP	256QAM	Edge1RBRight	16.21	-2.3	13.91
5-n66	5MHz	15kHz	1712.5MHz	CP	256QAM	OuterFull	16.78	-2.3	14.48

5-n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	23.12	-2.3	20.82
5-n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.5	-2.3	20.20
5-n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	22.52	-2.3	20.22
5-n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	22.56	-2.3	20.26
5-n66	5MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	22.97	-2.3	20.67
5-n66	5MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	22.02	-2.3	19.72
5-n66	5MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	22.02	-2.3	19.72
5-n66	5MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	22.09	-2.3	19.79
5-n66	5MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	22.16	-2.3	19.86
5-n66	5MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	21.05	-2.3	18.75
5-n66	5MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	21.12	-2.3	18.82
5-n66	5MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	21.12	-2.3	18.82
5-n66	5MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	20.67	-2.3	18.37
5-n66	5MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	20.48	-2.3	18.18
5-n66	5MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	20.4	-2.3	18.10
5-n66	5MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	20.65	-2.3	18.35
5-n66	5MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	18.83	-2.3	16.53
5-n66	5MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	18.08	-2.3	15.78
5-n66	5MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	18.12	-2.3	15.82
5-n66	5MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	18.52	-2.3	16.22
5-n66	5MHz	15kHz	1745MHz	CP	QPSK	InnerFull	21.56	-2.3	19.26
5-n66	5MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	20.33	-2.3	18.03
5-n66	5MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	20.15	-2.3	17.85
5-n66	5MHz	15kHz	1745MHz	CP	QPSK	OuterFull	20.11	-2.3	17.81
5-n66	5MHz	15kHz	1745MHz	CP	16QAM	InnerFull	21	-2.3	18.70
5-n66	5MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	20.24	-2.3	17.94
5-n66	5MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	20.21	-2.3	17.91
5-n66	5MHz	15kHz	1745MHz	CP	16QAM	OuterFull	20.12	-2.3	17.82
5-n66	5MHz	15kHz	1745MHz	CP	64QAM	InnerFull	19.66	-2.3	17.36
5-n66	5MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	19.43	-2.3	17.13
5-n66	5MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	19.35	-2.3	17.05
5-n66	5MHz	15kHz	1745MHz	CP	64QAM	OuterFull	19.7	-2.3	17.40
5-n66	5MHz	15kHz	1745MHz	CP	256QAM	InnerFull	16.69	-2.3	14.39
5-n66	5MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	16.12	-2.3	13.82
5-n66	5MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	16.12	-2.3	13.82
5-n66	5MHz	15kHz	1745MHz	CP	256QAM	OuterFull	16.66	-2.3	14.36
5-n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	InnerFull	23.11	-2.3	20.81
5-n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.68	-2.3	20.38
5-n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.54	-2.3	20.24
5-n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	OuterFull	22.6	-2.3	20.30
5-n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	InnerFull	23.08	-2.3	20.78

5-n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	Edge1RBLeft	22.03	-2.3	19.73
5-n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	Edge1RBRight	22.06	-2.3	19.76
5-n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	OuterFull	22.16	-2.3	19.86
5-n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	InnerFull	22.18	-2.3	19.88
5-n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	Edge1RBLeft	21.06	-2.3	18.76
5-n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	Edge1RBRight	21.11	-2.3	18.81
5-n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	OuterFull	21.2	-2.3	18.90
5-n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	InnerFull	20.67	-2.3	18.37
5-n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	Edge1RBLeft	20.47	-2.3	18.17
5-n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	Edge1RBRight	20.48	-2.3	18.18
5-n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	OuterFull	20.75	-2.3	18.45
5-n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	InnerFull	18.74	-2.3	16.44
5-n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	Edge1RBLeft	18.19	-2.3	15.89
5-n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	Edge1RBRight	18.12	-2.3	15.82
5-n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	OuterFull	18.6	-2.3	16.30
5-n66	5MHz	15kHz	1777.5MHz	CP	QPSK	InnerFull	21.57	-2.3	19.27
5-n66	5MHz	15kHz	1777.5MHz	CP	QPSK	Edge1RBLeft	20.24	-2.3	17.94
5-n66	5MHz	15kHz	1777.5MHz	CP	QPSK	Edge1RBRight	20.18	-2.3	17.88
5-n66	5MHz	15kHz	1777.5MHz	CP	QPSK	OuterFull	20.1	-2.3	17.80
5-n66	5MHz	15kHz	1777.5MHz	CP	16QAM	InnerFull	21.05	-2.3	18.75
5-n66	5MHz	15kHz	1777.5MHz	CP	16QAM	Edge1RBLeft	20.2	-2.3	17.90
5-n66	5MHz	15kHz	1777.5MHz	CP	16QAM	Edge1RBRight	20.21	-2.3	17.91
5-n66	5MHz	15kHz	1777.5MHz	CP	16QAM	OuterFull	20.15	-2.3	17.85
5-n66	5MHz	15kHz	1777.5MHz	CP	64QAM	InnerFull	19.75	-2.3	17.45
5-n66	5MHz	15kHz	1777.5MHz	CP	64QAM	Edge1RBLeft	19.48	-2.3	17.18
5-n66	5MHz	15kHz	1777.5MHz	CP	64QAM	Edge1RBRight	19.37	-2.3	17.07
5-n66	5MHz	15kHz	1777.5MHz	CP	64QAM	OuterFull	19.66	-2.3	17.36
5-n66	5MHz	15kHz	1777.5MHz	CP	256QAM	InnerFull	16.73	-2.3	14.43
5-n66	5MHz	15kHz	1777.5MHz	CP	256QAM	Edge1RBLeft	16.08	-2.3	13.78
5-n66	5MHz	15kHz	1777.5MHz	CP	256QAM	Edge1RBRight	16.07	-2.3	13.77
5-n66	5MHz	15kHz	1777.5MHz	CP	256QAM	OuterFull	16.66	-2.3	14.36
5-n66	10MHz	15kHz	1715MHz	DFT	pi/2 BPSK	InnerFull	23.32	-2.3	21.02
5-n66	10MHz	15kHz	1715MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.65	-2.3	20.35
5-n66	10MHz	15kHz	1715MHz	DFT	pi/2 BPSK	Edge1RBRight	22.67	-2.3	20.37
5-n66	10MHz	15kHz	1715MHz	DFT	pi/2 BPSK	OuterFull	22.83	-2.3	20.53
5-n66	10MHz	15kHz	1715MHz	DFT	QPSK	InnerFull	23.26	-2.3	20.96
5-n66	10MHz	15kHz	1715MHz	DFT	QPSK	Edge1RBLeft	22.22	-2.3	19.92
5-n66	10MHz	15kHz	1715MHz	DFT	QPSK	Edge1RBRight	22.23	-2.3	19.93
5-n66	10MHz	15kHz	1715MHz	DFT	QPSK	OuterFull	22.33	-2.3	20.03
5-n66	10MHz	15kHz	1715MHz	DFT	16QAM	InnerFull	22.36	-2.3	20.06
5-n66	10MHz	15kHz	1715MHz	DFT	16QAM	Edge1RBLeft	21.26	-2.3	18.96

5-n66	10MHz	15kHz	1715MHz	DFT	16QAM	Edge1RBRight	21.27	-2.3	18.97
5-n66	10MHz	15kHz	1715MHz	DFT	16QAM	OuterFull	21.39	-2.3	19.09
5-n66	10MHz	15kHz	1715MHz	DFT	64QAM	InnerFull	20.9	-2.3	18.60
5-n66	10MHz	15kHz	1715MHz	DFT	64QAM	Edge1RBLeft	20.57	-2.3	18.27
5-n66	10MHz	15kHz	1715MHz	DFT	64QAM	Edge1RBRight	20.66	-2.3	18.36
5-n66	10MHz	15kHz	1715MHz	DFT	64QAM	OuterFull	20.91	-2.3	18.61
5-n66	10MHz	15kHz	1715MHz	DFT	256QAM	InnerFull	18.83	-2.3	16.53
5-n66	10MHz	15kHz	1715MHz	DFT	256QAM	Edge1RBLeft	18.27	-2.3	15.97
5-n66	10MHz	15kHz	1715MHz	DFT	256QAM	Edge1RBRight	18.19	-2.3	15.89
5-n66	10MHz	15kHz	1715MHz	DFT	256QAM	OuterFull	18.81	-2.3	16.51
5-n66	10MHz	15kHz	1715MHz	CP	QPSK	InnerFull	21.89	-2.3	19.59
5-n66	10MHz	15kHz	1715MHz	CP	QPSK	Edge1RBLeft	20.36	-2.3	18.06
5-n66	10MHz	15kHz	1715MHz	CP	QPSK	Edge1RBRight	20.34	-2.3	18.04
5-n66	10MHz	15kHz	1715MHz	CP	QPSK	OuterFull	20.33	-2.3	18.03
5-n66	10MHz	15kHz	1715MHz	CP	16QAM	InnerFull	21.35	-2.3	19.05
5-n66	10MHz	15kHz	1715MHz	CP	16QAM	Edge1RBLeft	20.36	-2.3	18.06
5-n66	10MHz	15kHz	1715MHz	CP	16QAM	Edge1RBRight	20.39	-2.3	18.09
5-n66	10MHz	15kHz	1715MHz	CP	16QAM	OuterFull	20.34	-2.3	18.04
5-n66	10MHz	15kHz	1715MHz	CP	64QAM	InnerFull	19.89	-2.3	17.59
5-n66	10MHz	15kHz	1715MHz	CP	64QAM	Edge1RBLeft	19.62	-2.3	17.32
5-n66	10MHz	15kHz	1715MHz	CP	64QAM	Edge1RBRight	19.65	-2.3	17.35
5-n66	10MHz	15kHz	1715MHz	CP	64QAM	OuterFull	19.78	-2.3	17.48
5-n66	10MHz	15kHz	1715MHz	CP	256QAM	InnerFull	16.8	-2.3	14.50
5-n66	10MHz	15kHz	1715MHz	CP	256QAM	Edge1RBLeft	16.35	-2.3	14.05
5-n66	10MHz	15kHz	1715MHz	CP	256QAM	Edge1RBRight	16.24	-2.3	13.94
5-n66	10MHz	15kHz	1715MHz	CP	256QAM	OuterFull	16.92	-2.3	14.62
5-n66	10MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	23.03	-2.3	20.73
5-n66	10MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.53	-2.3	20.23
5-n66	10MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	22.57	-2.3	20.27
5-n66	10MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	22.57	-2.3	20.27
5-n66	10MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	23.07	-2.3	20.77
5-n66	10MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	21.94	-2.3	19.64
5-n66	10MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	21.97	-2.3	19.67
5-n66	10MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	22.11	-2.3	19.81
5-n66	10MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	22.2	-2.3	19.90
5-n66	10MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	21.12	-2.3	18.82
5-n66	10MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	21.09	-2.3	18.79
5-n66	10MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	21.17	-2.3	18.87
5-n66	10MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	20.71	-2.3	18.41
5-n66	10MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	20.43	-2.3	18.13
5-n66	10MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	20.35	-2.3	18.05

5-n66	10MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	20.71	-2.3	18.41
5-n66	10MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	18.6	-2.3	16.30
5-n66	10MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	18	-2.3	15.70
5-n66	10MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	18.06	-2.3	15.76
5-n66	10MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	18.57	-2.3	16.27
5-n66	10MHz	15kHz	1745MHz	CP	QPSK	InnerFull	21.66	-2.3	19.36
5-n66	10MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	20.2	-2.3	17.90
5-n66	10MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	20.12	-2.3	17.82
5-n66	10MHz	15kHz	1745MHz	CP	QPSK	OuterFull	20.11	-2.3	17.81
5-n66	10MHz	15kHz	1745MHz	CP	16QAM	InnerFull	21.22	-2.3	18.92
5-n66	10MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	20.22	-2.3	17.92
5-n66	10MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	20.17	-2.3	17.87
5-n66	10MHz	15kHz	1745MHz	CP	16QAM	OuterFull	20.2	-2.3	17.90
5-n66	10MHz	15kHz	1745MHz	CP	64QAM	InnerFull	19.66	-2.3	17.36
5-n66	10MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	19.41	-2.3	17.11
5-n66	10MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	19.32	-2.3	17.02
5-n66	10MHz	15kHz	1745MHz	CP	64QAM	OuterFull	19.66	-2.3	17.36
5-n66	10MHz	15kHz	1745MHz	CP	256QAM	InnerFull	16.65	-2.3	14.35
5-n66	10MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	16.18	-2.3	13.88
5-n66	10MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	16.12	-2.3	13.82
5-n66	10MHz	15kHz	1745MHz	CP	256QAM	OuterFull	16.78	-2.3	14.48
5-n66	10MHz	15kHz	1775MHz	DFT	pi/2 BPSK	InnerFull	23.13	-2.3	20.83
5-n66	10MHz	15kHz	1775MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.52	-2.3	20.22
5-n66	10MHz	15kHz	1775MHz	DFT	pi/2 BPSK	Edge1RBRight	22.61	-2.3	20.31
5-n66	10MHz	15kHz	1775MHz	DFT	pi/2 BPSK	OuterFull	22.69	-2.3	20.39
5-n66	10MHz	15kHz	1775MHz	DFT	QPSK	InnerFull	23.02	-2.3	20.72
5-n66	10MHz	15kHz	1775MHz	DFT	QPSK	Edge1RBLeft	22	-2.3	19.70
5-n66	10MHz	15kHz	1775MHz	DFT	QPSK	Edge1RBRight	22.11	-2.3	19.81
5-n66	10MHz	15kHz	1775MHz	DFT	QPSK	OuterFull	22.13	-2.3	19.83
5-n66	10MHz	15kHz	1775MHz	DFT	16QAM	InnerFull	22.24	-2.3	19.94
5-n66	10MHz	15kHz	1775MHz	DFT	16QAM	Edge1RBLeft	21.13	-2.3	18.83
5-n66	10MHz	15kHz	1775MHz	DFT	16QAM	Edge1RBRight	21.19	-2.3	18.89
5-n66	10MHz	15kHz	1775MHz	DFT	16QAM	OuterFull	21.23	-2.3	18.93
5-n66	10MHz	15kHz	1775MHz	DFT	64QAM	InnerFull	20.73	-2.3	18.43
5-n66	10MHz	15kHz	1775MHz	DFT	64QAM	Edge1RBLeft	20.45	-2.3	18.15
5-n66	10MHz	15kHz	1775MHz	DFT	64QAM	Edge1RBRight	20.48	-2.3	18.18
5-n66	10MHz	15kHz	1775MHz	DFT	64QAM	OuterFull	20.7	-2.3	18.40
5-n66	10MHz	15kHz	1775MHz	DFT	256QAM	InnerFull	18.63	-2.3	16.33
5-n66	10MHz	15kHz	1775MHz	DFT	256QAM	Edge1RBLeft	18.04	-2.3	15.74
5-n66	10MHz	15kHz	1775MHz	DFT	256QAM	Edge1RBRight	18.15	-2.3	15.85
5-n66	10MHz	15kHz	1775MHz	DFT	256QAM	OuterFull	18.69	-2.3	16.39

5-n66	10MHz	15kHz	1775MHz	CP	QPSK	InnerFull	21.61	-2.3	19.31
5-n66	10MHz	15kHz	1775MHz	CP	QPSK	Edge1RBLeft	20.23	-2.3	17.93
5-n66	10MHz	15kHz	1775MHz	CP	QPSK	Edge1RBRight	20.24	-2.3	17.94
5-n66	10MHz	15kHz	1775MHz	CP	QPSK	OuterFull	20.12	-2.3	17.82
5-n66	10MHz	15kHz	1775MHz	CP	16QAM	InnerFull	21.18	-2.3	18.88
5-n66	10MHz	15kHz	1775MHz	CP	16QAM	Edge1RBLeft	20.35	-2.3	18.05
5-n66	10MHz	15kHz	1775MHz	CP	16QAM	Edge1RBRight	20.29	-2.3	17.99
5-n66	10MHz	15kHz	1775MHz	CP	16QAM	OuterFull	20.22	-2.3	17.92
5-n66	10MHz	15kHz	1775MHz	CP	64QAM	InnerFull	19.72	-2.3	17.42
5-n66	10MHz	15kHz	1775MHz	CP	64QAM	Edge1RBLeft	19.48	-2.3	17.18
5-n66	10MHz	15kHz	1775MHz	CP	64QAM	Edge1RBRight	19.52	-2.3	17.22
5-n66	10MHz	15kHz	1775MHz	CP	64QAM	OuterFull	19.66	-2.3	17.36
5-n66	10MHz	15kHz	1775MHz	CP	256QAM	InnerFull	16.75	-2.3	14.45
5-n66	10MHz	15kHz	1775MHz	CP	256QAM	Edge1RBLeft	16.13	-2.3	13.83
5-n66	10MHz	15kHz	1775MHz	CP	256QAM	Edge1RBRight	16.21	-2.3	13.91
5-n66	10MHz	15kHz	1775MHz	CP	256QAM	OuterFull	16.74	-2.3	14.44
5-n66	15MHz	15kHz	1717.5MHz	DFT	pi/2 BPSK	InnerFull	23.07	-2.3	20.77
5-n66	15MHz	15kHz	1717.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.75	-2.3	20.45
5-n66	15MHz	15kHz	1717.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.76	-2.3	20.46
5-n66	15MHz	15kHz	1717.5MHz	DFT	pi/2 BPSK	OuterFull	22.7	-2.3	20.40
5-n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	InnerFull	23.02	-2.3	20.72
5-n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	Edge1RBLeft	22.11	-2.3	19.81
5-n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	Edge1RBRight	22.11	-2.3	19.81
5-n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	OuterFull	22.22	-2.3	19.92
5-n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	InnerFull	22.19	-2.3	19.89
5-n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	Edge1RBLeft	21.24	-2.3	18.94
5-n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	Edge1RBRight	21.24	-2.3	18.94
5-n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	OuterFull	21.18	-2.3	18.88
5-n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	InnerFull	20.77	-2.3	18.47
5-n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	Edge1RBLeft	20.55	-2.3	18.25
5-n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	Edge1RBRight	20.52	-2.3	18.22
5-n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	OuterFull	20.7	-2.3	18.40
5-n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	InnerFull	18.61	-2.3	16.31
5-n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	Edge1RBLeft	18.16	-2.3	15.86
5-n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	Edge1RBRight	18.23	-2.3	15.93
5-n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	OuterFull	18.74	-2.3	16.44
5-n66	15MHz	15kHz	1717.5MHz	CP	QPSK	InnerFull	21.74	-2.3	19.44
5-n66	15MHz	15kHz	1717.5MHz	CP	QPSK	Edge1RBLeft	20.45	-2.3	18.15
5-n66	15MHz	15kHz	1717.5MHz	CP	QPSK	Edge1RBRight	20.38	-2.3	18.08
5-n66	15MHz	15kHz	1717.5MHz	CP	QPSK	OuterFull	20.2	-2.3	17.90
5-n66	15MHz	15kHz	1717.5MHz	CP	16QAM	InnerFull	21.34	-2.3	19.04

5-n66	15MHz	15kHz	1717.5MHz	CP	16QAM	Edge1RBLeft	20.35	-2.3	18.05
5-n66	15MHz	15kHz	1717.5MHz	CP	16QAM	Edge1RBRight	20.29	-2.3	17.99
5-n66	15MHz	15kHz	1717.5MHz	CP	16QAM	OuterFull	20.28	-2.3	17.98
5-n66	15MHz	15kHz	1717.5MHz	CP	64QAM	InnerFull	19.81	-2.3	17.51
5-n66	15MHz	15kHz	1717.5MHz	CP	64QAM	Edge1RBLeft	19.54	-2.3	17.24
5-n66	15MHz	15kHz	1717.5MHz	CP	64QAM	Edge1RBRight	19.45	-2.3	17.15
5-n66	15MHz	15kHz	1717.5MHz	CP	64QAM	OuterFull	19.71	-2.3	17.41
5-n66	15MHz	15kHz	1717.5MHz	CP	256QAM	InnerFull	16.67	-2.3	14.37
5-n66	15MHz	15kHz	1717.5MHz	CP	256QAM	Edge1RBLeft	16.18	-2.3	13.88
5-n66	15MHz	15kHz	1717.5MHz	CP	256QAM	Edge1RBRight	16.19	-2.3	13.89
5-n66	15MHz	15kHz	1717.5MHz	CP	256QAM	OuterFull	16.77	-2.3	14.47
5-n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	23.29	-2.3	20.99
5-n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.49	-2.3	20.19
5-n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	22.56	-2.3	20.26
5-n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	22.79	-2.3	20.49
5-n66	15MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	23.19	-2.3	20.89
5-n66	15MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	21.96	-2.3	19.66
5-n66	15MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	22.07	-2.3	19.77
5-n66	15MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	22.31	-2.3	20.01
5-n66	15MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	22.3	-2.3	20.00
5-n66	15MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	21.12	-2.3	18.82
5-n66	15MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	21.09	-2.3	18.79
5-n66	15MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	21.26	-2.3	18.96
5-n66	15MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	20.91	-2.3	18.61
5-n66	15MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	20.35	-2.3	18.05
5-n66	15MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	20.39	-2.3	18.09
5-n66	15MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	20.84	-2.3	18.54
5-n66	15MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	18.77	-2.3	16.47
5-n66	15MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	17.97	-2.3	15.67
5-n66	15MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	18.19	-2.3	15.89
5-n66	15MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	18.73	-2.3	16.43
5-n66	15MHz	15kHz	1745MHz	CP	QPSK	InnerFull	21.87	-2.3	19.57
5-n66	15MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	20.11	-2.3	17.81
5-n66	15MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	20.24	-2.3	17.94
5-n66	15MHz	15kHz	1745MHz	CP	QPSK	OuterFull	20.26	-2.3	17.96
5-n66	15MHz	15kHz	1745MHz	CP	16QAM	InnerFull	21.33	-2.3	19.03
5-n66	15MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	20.23	-2.3	17.93
5-n66	15MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	20.18	-2.3	17.88
5-n66	15MHz	15kHz	1745MHz	CP	16QAM	OuterFull	20.32	-2.3	18.02
5-n66	15MHz	15kHz	1745MHz	CP	64QAM	InnerFull	19.87	-2.3	17.57
5-n66	15MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	19.38	-2.3	17.08

5-n66	15MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	19.34	-2.3	17.04
5-n66	15MHz	15kHz	1745MHz	CP	64QAM	OuterFull	19.75	-2.3	17.45
5-n66	15MHz	15kHz	1745MHz	CP	256QAM	InnerFull	16.83	-2.3	14.53
5-n66	15MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	16.1	-2.3	13.80
5-n66	15MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	16.03	-2.3	13.73
5-n66	15MHz	15kHz	1745MHz	CP	256QAM	OuterFull	16.71	-2.3	14.41
5-n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	InnerFull	23.1	-2.3	20.80
5-n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.44	-2.3	20.14
5-n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.67	-2.3	20.37
5-n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	OuterFull	22.73	-2.3	20.43
5-n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	InnerFull	23.24	-2.3	20.94
5-n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	Edge1RBLeft	21.85	-2.3	19.55
5-n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	Edge1RBRight	22.05	-2.3	19.75
5-n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	OuterFull	22.16	-2.3	19.86
5-n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	InnerFull	22.24	-2.3	19.94
5-n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	Edge1RBLeft	20.95	-2.3	18.65
5-n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	Edge1RBRight	21.12	-2.3	18.82
5-n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	OuterFull	21.2	-2.3	18.90
5-n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	InnerFull	20.85	-2.3	18.55
5-n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	Edge1RBLeft	20.25	-2.3	17.95
5-n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	Edge1RBRight	20.43	-2.3	18.13
5-n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	OuterFull	20.71	-2.3	18.41
5-n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	InnerFull	18.71	-2.3	16.41
5-n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	Edge1RBLeft	18.04	-2.3	15.74
5-n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	Edge1RBRight	18.13	-2.3	15.83
5-n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	OuterFull	18.78	-2.3	16.48
5-n66	15MHz	15kHz	1772.5MHz	CP	QPSK	InnerFull	21.87	-2.3	19.57
5-n66	15MHz	15kHz	1772.5MHz	CP	QPSK	Edge1RBLeft	20.16	-2.3	17.86
5-n66	15MHz	15kHz	1772.5MHz	CP	QPSK	Edge1RBRight	20.18	-2.3	17.88
5-n66	15MHz	15kHz	1772.5MHz	CP	QPSK	OuterFull	20.15	-2.3	17.85
5-n66	15MHz	15kHz	1772.5MHz	CP	16QAM	InnerFull	21.44	-2.3	19.14
5-n66	15MHz	15kHz	1772.5MHz	CP	16QAM	Edge1RBLeft	20.08	-2.3	17.78
5-n66	15MHz	15kHz	1772.5MHz	CP	16QAM	Edge1RBRight	20.26	-2.3	17.96
5-n66	15MHz	15kHz	1772.5MHz	CP	16QAM	OuterFull	20.23	-2.3	17.93
5-n66	15MHz	15kHz	1772.5MHz	CP	64QAM	InnerFull	19.9	-2.3	17.60
5-n66	15MHz	15kHz	1772.5MHz	CP	64QAM	Edge1RBLeft	19.17	-2.3	16.87
5-n66	15MHz	15kHz	1772.5MHz	CP	64QAM	Edge1RBRight	19.52	-2.3	17.22
5-n66	15MHz	15kHz	1772.5MHz	CP	64QAM	OuterFull	19.75	-2.3	17.45
5-n66	15MHz	15kHz	1772.5MHz	CP	256QAM	InnerFull	16.84	-2.3	14.54
5-n66	15MHz	15kHz	1772.5MHz	CP	256QAM	Edge1RBLeft	15.98	-2.3	13.68
5-n66	15MHz	15kHz	1772.5MHz	CP	256QAM	Edge1RBRight	16.17	-2.3	13.87

5-n66	15MHz	15kHz	1772.5MHz	CP	256QAM	OuterFull	16.69	-2.3	14.39
5-n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	InnerFull	23.11	-2.3	20.81
5-n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.73	-2.3	20.43
5-n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	Edge1RBRight	22.67	-2.3	20.37
5-n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	OuterFull	22.79	-2.3	20.49
5-n66	20MHz	15kHz	1720MHz	DFT	QPSK	InnerFull	23.11	-2.3	20.81
5-n66	20MHz	15kHz	1720MHz	DFT	QPSK	Edge1RBLeft	22.16	-2.3	19.86
5-n66	20MHz	15kHz	1720MHz	DFT	QPSK	Edge1RBRight	22.07	-2.3	19.77
5-n66	20MHz	15kHz	1720MHz	DFT	QPSK	OuterFull	22.2	-2.3	19.90
5-n66	20MHz	15kHz	1720MHz	DFT	16QAM	InnerFull	22.19	-2.3	19.89
5-n66	20MHz	15kHz	1720MHz	DFT	16QAM	Edge1RBLeft	21.09	-2.3	18.79
5-n66	20MHz	15kHz	1720MHz	DFT	16QAM	Edge1RBRight	21.08	-2.3	18.78
5-n66	20MHz	15kHz	1720MHz	DFT	16QAM	OuterFull	21.21	-2.3	18.91
5-n66	20MHz	15kHz	1720MHz	DFT	64QAM	InnerFull	20.68	-2.3	18.38
5-n66	20MHz	15kHz	1720MHz	DFT	64QAM	Edge1RBLeft	20.44	-2.3	18.14
5-n66	20MHz	15kHz	1720MHz	DFT	64QAM	Edge1RBRight	20.41	-2.3	18.11
5-n66	20MHz	15kHz	1720MHz	DFT	64QAM	OuterFull	20.67	-2.3	18.37
5-n66	20MHz	15kHz	1720MHz	DFT	256QAM	InnerFull	18.66	-2.3	16.36
5-n66	20MHz	15kHz	1720MHz	DFT	256QAM	Edge1RBLeft	18.22	-2.3	15.92
5-n66	20MHz	15kHz	1720MHz	DFT	256QAM	Edge1RBRight	18.18	-2.3	15.88
5-n66	20MHz	15kHz	1720MHz	DFT	256QAM	OuterFull	18.77	-2.3	16.47
5-n66	20MHz	15kHz	1720MHz	CP	QPSK	InnerFull	21.71	-2.3	19.41
5-n66	20MHz	15kHz	1720MHz	CP	QPSK	Edge1RBLeft	20.41	-2.3	18.11
5-n66	20MHz	15kHz	1720MHz	CP	QPSK	Edge1RBRight	20.21	-2.3	17.91
5-n66	20MHz	15kHz	1720MHz	CP	QPSK	OuterFull	20.26	-2.3	17.96
5-n66	20MHz	15kHz	1720MHz	CP	16QAM	InnerFull	21.19	-2.3	18.89
5-n66	20MHz	15kHz	1720MHz	CP	16QAM	Edge1RBLeft	20.31	-2.3	18.01
5-n66	20MHz	15kHz	1720MHz	CP	16QAM	Edge1RBRight	20.26	-2.3	17.96
5-n66	20MHz	15kHz	1720MHz	CP	16QAM	OuterFull	20.17	-2.3	17.87
5-n66	20MHz	15kHz	1720MHz	CP	64QAM	InnerFull	19.7	-2.3	17.40
5-n66	20MHz	15kHz	1720MHz	CP	64QAM	Edge1RBLeft	19.57	-2.3	17.27
5-n66	20MHz	15kHz	1720MHz	CP	64QAM	Edge1RBRight	19.4	-2.3	17.10
5-n66	20MHz	15kHz	1720MHz	CP	64QAM	OuterFull	19.69	-2.3	17.39
5-n66	20MHz	15kHz	1720MHz	CP	256QAM	InnerFull	16.78	-2.3	14.48
5-n66	20MHz	15kHz	1720MHz	CP	256QAM	Edge1RBLeft	16.16	-2.3	13.86
5-n66	20MHz	15kHz	1720MHz	CP	256QAM	Edge1RBRight	16.07	-2.3	13.77
5-n66	20MHz	15kHz	1720MHz	CP	256QAM	OuterFull	16.73	-2.3	14.43
5-n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	23.25	-2.3	20.95
5-n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.48	-2.3	20.18
5-n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	22.27	-2.3	19.97
5-n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	22.8	-2.3	20.50

5-n66	20MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	23.35	-2.3	21.05
5-n66	20MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	21.96	-2.3	19.66
5-n66	20MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	21.78	-2.3	19.48
5-n66	20MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	22.3	-2.3	20.00
5-n66	20MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	22.36	-2.3	20.06
5-n66	20MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	21.08	-2.3	18.78
5-n66	20MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	20.89	-2.3	18.59
5-n66	20MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	21.33	-2.3	19.03
5-n66	20MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	20.92	-2.3	18.62
5-n66	20MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	20.28	-2.3	17.98
5-n66	20MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	20.2	-2.3	17.90
5-n66	20MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	20.82	-2.3	18.52
5-n66	20MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	18.86	-2.3	16.56
5-n66	20MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	18.01	-2.3	15.71
5-n66	20MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	17.86	-2.3	15.56
5-n66	20MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	18.77	-2.3	16.47
5-n66	20MHz	15kHz	1745MHz	CP	QPSK	InnerFull	21.92	-2.3	19.62
5-n66	20MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	20.12	-2.3	17.82
5-n66	20MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	19.9	-2.3	17.60
5-n66	20MHz	15kHz	1745MHz	CP	QPSK	OuterFull	20.27	-2.3	17.97
5-n66	20MHz	15kHz	1745MHz	CP	16QAM	InnerFull	21.42	-2.3	19.12
5-n66	20MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	20.11	-2.3	17.81
5-n66	20MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	19.94	-2.3	17.64
5-n66	20MHz	15kHz	1745MHz	CP	16QAM	OuterFull	20.24	-2.3	17.94
5-n66	20MHz	15kHz	1745MHz	CP	64QAM	InnerFull	19.93	-2.3	17.63
5-n66	20MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	19.36	-2.3	17.06
5-n66	20MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	19.13	-2.3	16.83
5-n66	20MHz	15kHz	1745MHz	CP	64QAM	OuterFull	19.76	-2.3	17.46
5-n66	20MHz	15kHz	1745MHz	CP	256QAM	InnerFull	17.02	-2.3	14.72
5-n66	20MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	16.04	-2.3	13.74
5-n66	20MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	15.88	-2.3	13.58
5-n66	20MHz	15kHz	1745MHz	CP	256QAM	OuterFull	16.89	-2.3	14.59
5-n66	20MHz	15kHz	1770MHz	DFT	pi/2 BPSK	InnerFull	23.15	-2.3	20.85
5-n66	20MHz	15kHz	1770MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.28	-2.3	19.98
5-n66	20MHz	15kHz	1770MHz	DFT	pi/2 BPSK	Edge1RBRight	22.4	-2.3	20.10
5-n66	20MHz	15kHz	1770MHz	DFT	pi/2 BPSK	OuterFull	22.73	-2.3	20.43
5-n66	20MHz	15kHz	1770MHz	DFT	QPSK	InnerFull	23.12	-2.3	20.82
5-n66	20MHz	15kHz	1770MHz	DFT	QPSK	Edge1RBLeft	21.65	-2.3	19.35
5-n66	20MHz	15kHz	1770MHz	DFT	QPSK	Edge1RBRight	21.8	-2.3	19.50
5-n66	20MHz	15kHz	1770MHz	DFT	QPSK	OuterFull	22.15	-2.3	19.85
5-n66	20MHz	15kHz	1770MHz	DFT	16QAM	InnerFull	22.23	-2.3	19.93

5-n66	20MHz	15kHz	1770MHz	DFT	16QAM	Edge1RBLeft	20.77	-2.3	18.47
5-n66	20MHz	15kHz	1770MHz	DFT	16QAM	Edge1RBRight	20.83	-2.3	18.53
5-n66	20MHz	15kHz	1770MHz	DFT	16QAM	OuterFull	21.15	-2.3	18.85
5-n66	20MHz	15kHz	1770MHz	DFT	64QAM	InnerFull	20.76	-2.3	18.46
5-n66	20MHz	15kHz	1770MHz	DFT	64QAM	Edge1RBLeft	20.1	-2.3	17.80
5-n66	20MHz	15kHz	1770MHz	DFT	64QAM	Edge1RBRight	20.16	-2.3	17.86
5-n66	20MHz	15kHz	1770MHz	DFT	64QAM	OuterFull	20.76	-2.3	18.46
5-n66	20MHz	15kHz	1770MHz	DFT	256QAM	InnerFull	18.74	-2.3	16.44
5-n66	20MHz	15kHz	1770MHz	DFT	256QAM	Edge1RBLeft	17.74	-2.3	15.44
5-n66	20MHz	15kHz	1770MHz	DFT	256QAM	Edge1RBRight	17.99	-2.3	15.69
5-n66	20MHz	15kHz	1770MHz	DFT	256QAM	OuterFull	18.74	-2.3	16.44
5-n66	20MHz	15kHz	1770MHz	CP	QPSK	InnerFull	21.82	-2.3	19.52
5-n66	20MHz	15kHz	1770MHz	CP	QPSK	Edge1RBLeft	20	-2.3	17.70
5-n66	20MHz	15kHz	1770MHz	CP	QPSK	Edge1RBRight	20.07	-2.3	17.77
5-n66	20MHz	15kHz	1770MHz	CP	QPSK	OuterFull	20.27	-2.3	17.97
5-n66	20MHz	15kHz	1770MHz	CP	16QAM	InnerFull	21.28	-2.3	18.98
5-n66	20MHz	15kHz	1770MHz	CP	16QAM	Edge1RBLeft	19.92	-2.3	17.62
5-n66	20MHz	15kHz	1770MHz	CP	16QAM	Edge1RBRight	20.11	-2.3	17.81
5-n66	20MHz	15kHz	1770MHz	CP	16QAM	OuterFull	20.07	-2.3	17.77
5-n66	20MHz	15kHz	1770MHz	CP	64QAM	InnerFull	19.8	-2.3	17.50
5-n66	20MHz	15kHz	1770MHz	CP	64QAM	Edge1RBLeft	19.06	-2.3	16.76
5-n66	20MHz	15kHz	1770MHz	CP	64QAM	Edge1RBRight	19.15	-2.3	16.85
5-n66	20MHz	15kHz	1770MHz	CP	64QAM	OuterFull	19.63	-2.3	17.33
5-n66	20MHz	15kHz	1770MHz	CP	256QAM	InnerFull	16.87	-2.3	14.57
5-n66	20MHz	15kHz	1770MHz	CP	256QAM	Edge1RBLeft	15.75	-2.3	13.45
5-n66	20MHz	15kHz	1770MHz	CP	256QAM	Edge1RBRight	15.93	-2.3	13.63
5-n66	20MHz	15kHz	1770MHz	CP	256QAM	OuterFull	16.75	-2.3	14.45

LTE Band 2+NR n71
Limits: ≤34.77dBm (3W)

BAND	BW	SCS	FREQ	OFDM	MODULATOR	RB ALLOCATION	TOTAL POWER(dBm)	GT (dBd)	Radiated output power (dBm)
2-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	InnerFull	23.24	-5.45	17.79
2-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.87	-5.45	17.42
2-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.8	-5.45	17.35
2-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	OuterFull	22.83	-5.45	17.38
2-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	InnerFull	23.27	-5.45	17.82
2-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	Edge1RBLeft	22.37	-5.45	16.92
2-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	Edge1RBRight	22.21	-5.45	16.76
2-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	OuterFull	22.29	-5.45	16.84
2-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	InnerFull	22.39	-5.45	16.94
2-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	Edge1RBLeft	21.42	-5.45	15.97
2-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	Edge1RBRight	21.32	-5.45	15.87
2-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	OuterFull	21.47	-5.45	16.02
2-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	InnerFull	20.94	-5.45	15.49
2-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	Edge1RBLeft	20.7	-5.45	15.25
2-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	Edge1RBRight	20.71	-5.45	15.26
2-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	OuterFull	20.88	-5.45	15.43
2-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	InnerFull	19.03	-5.45	13.58
2-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	Edge1RBLeft	18.43	-5.45	12.98
2-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	Edge1RBRight	18.32	-5.45	12.87
2-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	OuterFull	18.81	-5.45	13.36
2-n71	5MHz	15kHz	665.5MHz	CP	QPSK	InnerFull	21.73	-5.45	16.28
2-n71	5MHz	15kHz	665.5MHz	CP	QPSK	Edge1RBLeft	20.64	-5.45	15.19
2-n71	5MHz	15kHz	665.5MHz	CP	QPSK	Edge1RBRight	20.47	-5.45	15.02
2-n71	5MHz	15kHz	665.5MHz	CP	QPSK	OuterFull	20.34	-5.45	14.89
2-n71	5MHz	15kHz	665.5MHz	CP	16QAM	InnerFull	21.23	-5.45	15.78
2-n71	5MHz	15kHz	665.5MHz	CP	16QAM	Edge1RBLeft	20.61	-5.45	15.16
2-n71	5MHz	15kHz	665.5MHz	CP	16QAM	Edge1RBRight	20.45	-5.45	15.00
2-n71	5MHz	15kHz	665.5MHz	CP	16QAM	OuterFull	20.38	-5.45	14.93
2-n71	5MHz	15kHz	665.5MHz	CP	64QAM	InnerFull	19.94	-5.45	14.49
2-n71	5MHz	15kHz	665.5MHz	CP	64QAM	Edge1RBLeft	19.74	-5.45	14.29
2-n71	5MHz	15kHz	665.5MHz	CP	64QAM	Edge1RBRight	19.59	-5.45	14.14
2-n71	5MHz	15kHz	665.5MHz	CP	64QAM	OuterFull	19.8	-5.45	14.35
2-n71	5MHz	15kHz	665.5MHz	CP	256QAM	InnerFull	16.96	-5.45	11.51
2-n71	5MHz	15kHz	665.5MHz	CP	256QAM	Edge1RBLeft	16.49	-5.45	11.04
2-n71	5MHz	15kHz	665.5MHz	CP	256QAM	Edge1RBRight	16.28	-5.45	10.83
2-n71	5MHz	15kHz	665.5MHz	CP	256QAM	OuterFull	16.84	-5.45	11.39

2-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	22.9	-5.45	17.45
2-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.54	-5.45	17.09
2-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.42	-5.45	16.97
2-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	22.47	-5.45	17.02
2-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	23	-5.45	17.55
2-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	21.93	-5.45	16.48
2-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	21.81	-5.45	16.36
2-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	22.02	-5.45	16.57
2-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	22.05	-5.45	16.60
2-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	20.99	-5.45	15.54
2-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	20.85	-5.45	15.40
2-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	21	-5.45	15.55
2-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	20.6	-5.45	15.15
2-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	20.3	-5.45	14.85
2-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	20.14	-5.45	14.69
2-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	20.49	-5.45	15.04
2-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	18.63	-5.45	13.18
2-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	18.08	-5.45	12.63
2-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	17.91	-5.45	12.46
2-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	18.47	-5.45	13.02
2-n71	5MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	21.43	-5.45	15.98
2-n71	5MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	20.26	-5.45	14.81
2-n71	5MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	20.03	-5.45	14.58
2-n71	5MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	20.01	-5.45	14.56
2-n71	5MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	20.93	-5.45	15.48
2-n71	5MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	20.07	-5.45	14.62
2-n71	5MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	20.03	-5.45	14.58
2-n71	5MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	20.01	-5.45	14.56
2-n71	5MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	19.58	-5.45	14.13
2-n71	5MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	19.37	-5.45	13.92
2-n71	5MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	19.22	-5.45	13.77
2-n71	5MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	19.56	-5.45	14.11
2-n71	5MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	16.68	-5.45	11.23
2-n71	5MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	16.05	-5.45	10.60
2-n71	5MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	15.96	-5.45	10.51
2-n71	5MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	16.55	-5.45	11.10
2-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	InnerFull	22.83	-5.45	17.38
2-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.43	-5.45	16.98
2-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.41	-5.45	16.96
2-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	OuterFull	22.43	-5.45	16.98
2-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	InnerFull	22.81	-5.45	17.36

2-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	Edge1RBLeft	21.84	-5.45	16.39
2-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	Edge1RBRight	21.87	-5.45	16.42
2-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	OuterFull	21.99	-5.45	16.54
2-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	InnerFull	21.85	-5.45	16.40
2-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	Edge1RBLeft	20.84	-5.45	15.39
2-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	Edge1RBRight	20.86	-5.45	15.41
2-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	OuterFull	21	-5.45	15.55
2-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	InnerFull	20.47	-5.45	15.02
2-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	Edge1RBLeft	20.25	-5.45	14.80
2-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	Edge1RBRight	20.25	-5.45	14.80
2-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	OuterFull	20.48	-5.45	15.03
2-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	InnerFull	18.61	-5.45	13.16
2-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	Edge1RBLeft	17.93	-5.45	12.48
2-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	Edge1RBRight	17.94	-5.45	12.49
2-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	OuterFull	18.36	-5.45	12.91
2-n71	5MHz	15kHz	695.5MHz	CP	QPSK	InnerFull	21.29	-5.45	15.84
2-n71	5MHz	15kHz	695.5MHz	CP	QPSK	Edge1RBLeft	20.13	-5.45	14.68
2-n71	5MHz	15kHz	695.5MHz	CP	QPSK	Edge1RBRight	20.02	-5.45	14.57
2-n71	5MHz	15kHz	695.5MHz	CP	QPSK	OuterFull	19.87	-5.45	14.42
2-n71	5MHz	15kHz	695.5MHz	CP	16QAM	InnerFull	20.83	-5.45	15.38
2-n71	5MHz	15kHz	695.5MHz	CP	16QAM	Edge1RBLeft	20.1	-5.45	14.65
2-n71	5MHz	15kHz	695.5MHz	CP	16QAM	Edge1RBRight	20.03	-5.45	14.58
2-n71	5MHz	15kHz	695.5MHz	CP	16QAM	OuterFull	20.01	-5.45	14.56
2-n71	5MHz	15kHz	695.5MHz	CP	64QAM	InnerFull	19.48	-5.45	14.03
2-n71	5MHz	15kHz	695.5MHz	CP	64QAM	Edge1RBLeft	19.24	-5.45	13.79
2-n71	5MHz	15kHz	695.5MHz	CP	64QAM	Edge1RBRight	19.21	-5.45	13.76
2-n71	5MHz	15kHz	695.5MHz	CP	64QAM	OuterFull	19.43	-5.45	13.98
2-n71	5MHz	15kHz	695.5MHz	CP	256QAM	InnerFull	16.64	-5.45	11.19
2-n71	5MHz	15kHz	695.5MHz	CP	256QAM	Edge1RBLeft	16.01	-5.45	10.56
2-n71	5MHz	15kHz	695.5MHz	CP	256QAM	Edge1RBRight	15.93	-5.45	10.48
2-n71	5MHz	15kHz	695.5MHz	CP	256QAM	OuterFull	16.46	-5.45	11.01
2-n71	10MHz	15kHz	668MHz	DFT	pi/2 BPSK	InnerFull	23.25	-5.45	17.80
2-n71	10MHz	15kHz	668MHz	DFT	pi/2 BPSK	Edge1RBLeft	23	-5.45	17.55
2-n71	10MHz	15kHz	668MHz	DFT	pi/2 BPSK	Edge1RBRight	22.6	-5.45	17.15
2-n71	10MHz	15kHz	668MHz	DFT	pi/2 BPSK	OuterFull	22.75	-5.45	17.30
2-n71	10MHz	15kHz	668MHz	DFT	QPSK	InnerFull	23.16	-5.45	17.71
2-n71	10MHz	15kHz	668MHz	DFT	QPSK	Edge1RBLeft	22.21	-5.45	16.76
2-n71	10MHz	15kHz	668MHz	DFT	QPSK	Edge1RBRight	21.98	-5.45	16.53
2-n71	10MHz	15kHz	668MHz	DFT	QPSK	OuterFull	22.24	-5.45	16.79
2-n71	10MHz	15kHz	668MHz	DFT	16QAM	InnerFull	22.26	-5.45	16.81
2-n71	10MHz	15kHz	668MHz	DFT	16QAM	Edge1RBLeft	21.24	-5.45	15.79

2-n71	10MHz	15kHz	668MHz	DFT	16QAM	Edge1RBRight	21.07	-5.45	15.62
2-n71	10MHz	15kHz	668MHz	DFT	16QAM	OuterFull	21.26	-5.45	15.81
2-n71	10MHz	15kHz	668MHz	DFT	64QAM	InnerFull	20.8	-5.45	15.35
2-n71	10MHz	15kHz	668MHz	DFT	64QAM	Edge1RBLeft	20.65	-5.45	15.20
2-n71	10MHz	15kHz	668MHz	DFT	64QAM	Edge1RBRight	20.42	-5.45	14.97
2-n71	10MHz	15kHz	668MHz	DFT	64QAM	OuterFull	20.72	-5.45	15.27
2-n71	10MHz	15kHz	668MHz	DFT	256QAM	InnerFull	18.72	-5.45	13.27
2-n71	10MHz	15kHz	668MHz	DFT	256QAM	Edge1RBLeft	18.23	-5.45	12.78
2-n71	10MHz	15kHz	668MHz	DFT	256QAM	Edge1RBRight	18.06	-5.45	12.61
2-n71	10MHz	15kHz	668MHz	DFT	256QAM	OuterFull	18.65	-5.45	13.20
2-n71	10MHz	15kHz	668MHz	CP	QPSK	InnerFull	21.69	-5.45	16.24
2-n71	10MHz	15kHz	668MHz	CP	QPSK	Edge1RBLeft	20.53	-5.45	15.08
2-n71	10MHz	15kHz	668MHz	CP	QPSK	Edge1RBRight	20.24	-5.45	14.79
2-n71	10MHz	15kHz	668MHz	CP	QPSK	OuterFull	20.15	-5.45	14.70
2-n71	10MHz	15kHz	668MHz	CP	16QAM	InnerFull	21.29	-5.45	15.84
2-n71	10MHz	15kHz	668MHz	CP	16QAM	Edge1RBLeft	20.44	-5.45	14.99
2-n71	10MHz	15kHz	668MHz	CP	16QAM	Edge1RBRight	20.18	-5.45	14.73
2-n71	10MHz	15kHz	668MHz	CP	16QAM	OuterFull	20.26	-5.45	14.81
2-n71	10MHz	15kHz	668MHz	CP	64QAM	InnerFull	19.78	-5.45	14.33
2-n71	10MHz	15kHz	668MHz	CP	64QAM	Edge1RBLeft	19.74	-5.45	14.29
2-n71	10MHz	15kHz	668MHz	CP	64QAM	Edge1RBRight	19.45	-5.45	14.00
2-n71	10MHz	15kHz	668MHz	CP	64QAM	OuterFull	19.67	-5.45	14.22
2-n71	10MHz	15kHz	668MHz	CP	256QAM	InnerFull	16.78	-5.45	11.33
2-n71	10MHz	15kHz	668MHz	CP	256QAM	Edge1RBLeft	16.37	-5.45	10.92
2-n71	10MHz	15kHz	668MHz	CP	256QAM	Edge1RBRight	16.16	-5.45	10.71
2-n71	10MHz	15kHz	668MHz	CP	256QAM	OuterFull	16.87	-5.45	11.42
2-n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	22.92	-5.45	17.47
2-n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.53	-5.45	17.08
2-n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.52	-5.45	17.07
2-n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	22.52	-5.45	17.07
2-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	22.95	-5.45	17.50
2-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	21.88	-5.45	16.43
2-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	21.85	-5.45	16.40
2-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	22.01	-5.45	16.56
2-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	22.03	-5.45	16.58
2-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	21.04	-5.45	15.59
2-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	20.94	-5.45	15.49
2-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	20.96	-5.45	15.51
2-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	20.53	-5.45	15.08
2-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	20.39	-5.45	14.94
2-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	20.59	-5.45	15.14

2-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	20.52	-5.45	15.07
2-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	18.55	-5.45	13.10
2-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	18.09	-5.45	12.64
2-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	17.97	-5.45	12.52
2-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	18.43	-5.45	12.98
2-n71	10MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	21.5	-5.45	16.05
2-n71	10MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	20.3	-5.45	14.85
2-n71	10MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	20.1	-5.45	14.65
2-n71	10MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	19.92	-5.45	14.47
2-n71	10MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	21.06	-5.45	15.61
2-n71	10MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	20.22	-5.45	14.77
2-n71	10MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	20.01	-5.45	14.56
2-n71	10MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	19.98	-5.45	14.53
2-n71	10MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	19.5	-5.45	14.05
2-n71	10MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	19.46	-5.45	14.01
2-n71	10MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	19.37	-5.45	13.92
2-n71	10MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	19.42	-5.45	13.97
2-n71	10MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	16.57	-5.45	11.12
2-n71	10MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	16.14	-5.45	10.69
2-n71	10MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	15.96	-5.45	10.51
2-n71	10MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	16.56	-5.45	11.11
2-n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	InnerFull	22.91	-5.45	17.46
2-n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.51	-5.45	17.06
2-n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	Edge1RBRight	22.31	-5.45	16.86
2-n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	OuterFull	22.41	-5.45	16.96
2-n71	10MHz	15kHz	693MHz	DFT	QPSK	InnerFull	22.7	-5.45	17.25
2-n71	10MHz	15kHz	693MHz	DFT	QPSK	Edge1RBLeft	21.83	-5.45	16.38
2-n71	10MHz	15kHz	693MHz	DFT	QPSK	Edge1RBRight	21.65	-5.45	16.20
2-n71	10MHz	15kHz	693MHz	DFT	QPSK	OuterFull	21.84	-5.45	16.39
2-n71	10MHz	15kHz	693MHz	DFT	16QAM	InnerFull	21.87	-5.45	16.42
2-n71	10MHz	15kHz	693MHz	DFT	16QAM	Edge1RBLeft	20.92	-5.45	15.47
2-n71	10MHz	15kHz	693MHz	DFT	16QAM	Edge1RBRight	20.89	-5.45	15.44
2-n71	10MHz	15kHz	693MHz	DFT	16QAM	OuterFull	20.9	-5.45	15.45
2-n71	10MHz	15kHz	693MHz	DFT	64QAM	InnerFull	20.46	-5.45	15.01
2-n71	10MHz	15kHz	693MHz	DFT	64QAM	Edge6RBLeft	20.21	-5.45	14.76
2-n71	10MHz	15kHz	693MHz	DFT	64QAM	Edge6RBRight	20.12	-5.45	14.67
2-n71	10MHz	15kHz	693MHz	DFT	64QAM	OuterFull	20.44	-5.45	14.99
2-n71	10MHz	15kHz	693MHz	DFT	256QAM	InnerFull	18.43	-5.45	12.98
2-n71	10MHz	15kHz	693MHz	DFT	256QAM	Edge1RBLeft	17.88	-5.45	12.43
2-n71	10MHz	15kHz	693MHz	DFT	256QAM	Edge1RBRight	17.86	-5.45	12.41
2-n71	10MHz	15kHz	693MHz	DFT	256QAM	OuterFull	18.29	-5.45	12.84

2-n71	10MHz	15kHz	693MHz	CP	QPSK	InnerFull	21.47	-5.45	16.02
2-n71	10MHz	15kHz	693MHz	CP	QPSK	Edge1RBLeft	20.16	-5.45	14.71
2-n71	10MHz	15kHz	693MHz	CP	QPSK	Edge1RBRight	20.1	-5.45	14.65
2-n71	10MHz	15kHz	693MHz	CP	QPSK	OuterFull	19.76	-5.45	14.31
2-n71	10MHz	15kHz	693MHz	CP	16QAM	InnerFull	20.8	-5.45	15.35
2-n71	10MHz	15kHz	693MHz	CP	16QAM	Edge1RBLeft	19.97	-5.45	14.52
2-n71	10MHz	15kHz	693MHz	CP	16QAM	Edge1RBRight	19.81	-5.45	14.36
2-n71	10MHz	15kHz	693MHz	CP	16QAM	OuterFull	19.89	-5.45	14.44
2-n71	10MHz	15kHz	693MHz	CP	64QAM	InnerFull	19.39	-5.45	13.94
2-n71	10MHz	15kHz	693MHz	CP	64QAM	Edge1RBLeft	19.15	-5.45	13.70
2-n71	10MHz	15kHz	693MHz	CP	64QAM	Edge1RBRight	19.09	-5.45	13.64
2-n71	10MHz	15kHz	693MHz	CP	64QAM	OuterFull	19.32	-5.45	13.87
2-n71	10MHz	15kHz	693MHz	CP	256QAM	InnerFull	16.36	-5.45	10.91
2-n71	10MHz	15kHz	693MHz	CP	256QAM	Edge1RBLeft	15.98	-5.45	10.53
2-n71	10MHz	15kHz	693MHz	CP	256QAM	Edge1RBRight	15.81	-5.45	10.36
2-n71	10MHz	15kHz	693MHz	CP	256QAM	OuterFull	16.44	-5.45	10.99
2-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	InnerFull	23.07	-5.45	17.62
2-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.97	-5.45	17.52
2-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.53	-5.45	17.08
2-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	OuterFull	22.67	-5.45	17.22
2-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	InnerFull	23.09	-5.45	17.64
2-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	Edge1RBLeft	22.24	-5.45	16.79
2-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	Edge1RBRight	21.94	-5.45	16.49
2-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	OuterFull	22.27	-5.45	16.82
2-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	InnerFull	22.13	-5.45	16.68
2-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	Edge1RBLeft	21.28	-5.45	15.83
2-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	Edge1RBRight	20.88	-5.45	15.43
2-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	OuterFull	21.18	-5.45	15.73
2-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	InnerFull	20.78	-5.45	15.33
2-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	Edge1RBLeft	20.52	-5.45	15.07
2-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	Edge1RBRight	20.27	-5.45	14.82
2-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	OuterFull	20.68	-5.45	15.23
2-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	InnerFull	18.55	-5.45	13.10
2-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	Edge1RBLeft	18.31	-5.45	12.86
2-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	Edge1RBRight	18.08	-5.45	12.63
2-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	OuterFull	18.64	-5.45	13.19
2-n71	15MHz	15kHz	670.5MHz	CP	QPSK	InnerFull	21.66	-5.45	16.21
2-n71	15MHz	15kHz	670.5MHz	CP	QPSK	Edge1RBLeft	20.49	-5.45	15.04
2-n71	15MHz	15kHz	670.5MHz	CP	QPSK	Edge1RBRight	20.16	-5.45	14.71
2-n71	15MHz	15kHz	670.5MHz	CP	QPSK	OuterFull	20.15	-5.45	14.70
2-n71	15MHz	15kHz	670.5MHz	CP	16QAM	InnerFull	21.13	-5.45	15.68

2-n71	15MHz	15kHz	670.5MHz	CP	16QAM	Edge1RBLeft	20.48	-5.45	15.03
2-n71	15MHz	15kHz	670.5MHz	CP	16QAM	Edge1RBRight	20.06	-5.45	14.61
2-n71	15MHz	15kHz	670.5MHz	CP	16QAM	OuterFull	20.16	-5.45	14.71
2-n71	15MHz	15kHz	670.5MHz	CP	64QAM	InnerFull	19.75	-5.45	14.30
2-n71	15MHz	15kHz	670.5MHz	CP	64QAM	Edge1RBLeft	19.63	-5.45	14.18
2-n71	15MHz	15kHz	670.5MHz	CP	64QAM	Edge1RBRight	19.33	-5.45	13.88
2-n71	15MHz	15kHz	670.5MHz	CP	64QAM	OuterFull	19.74	-5.45	14.29
2-n71	15MHz	15kHz	670.5MHz	CP	256QAM	InnerFull	16.7	-5.45	11.25
2-n71	15MHz	15kHz	670.5MHz	CP	256QAM	Edge1RBLeft	16.34	-5.45	10.89
2-n71	15MHz	15kHz	670.5MHz	CP	256QAM	Edge1RBRight	16.08	-5.45	10.63
2-n71	15MHz	15kHz	670.5MHz	CP	256QAM	OuterFull	16.72	-5.45	11.27
2-n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	22.96	-5.45	17.51
2-n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.57	-5.45	17.12
2-n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.38	-5.45	16.93
2-n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	22.54	-5.45	17.09
2-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	22.82	-5.45	17.37
2-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	21.99	-5.45	16.54
2-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	21.71	-5.45	16.26
2-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	22.02	-5.45	16.57
2-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	21.97	-5.45	16.52
2-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	21.08	-5.45	15.63
2-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	20.81	-5.45	15.36
2-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	20.95	-5.45	15.50
2-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	20.6	-5.45	15.15
2-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	20.36	-5.45	14.91
2-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	20.07	-5.45	14.62
2-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	20.57	-5.45	15.12
2-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	18.47	-5.45	13.02
2-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	18.07	-5.45	12.62
2-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	17.98	-5.45	12.53
2-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	18.49	-5.45	13.04
2-n71	15MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	21.53	-5.45	16.08
2-n71	15MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	20.1	-5.45	14.65
2-n71	15MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	20.01	-5.45	14.56
2-n71	15MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	19.96	-5.45	14.51
2-n71	15MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	21.01	-5.45	15.56
2-n71	15MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	20.23	-5.45	14.78
2-n71	15MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	19.93	-5.45	14.48
2-n71	15MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	19.96	-5.45	14.51
2-n71	15MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	19.6	-5.45	14.15
2-n71	15MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	19.43	-5.45	13.98

2-n71	15MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	19.1	-5.45	13.65
2-n71	15MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	19.57	-5.45	14.12
2-n71	15MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	16.59	-5.45	11.14
2-n71	15MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	16.19	-5.45	10.74
2-n71	15MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	16.02	-5.45	10.57
2-n71	15MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	16.61	-5.45	11.16
2-n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	InnerFull	22.63	-5.45	17.18
2-n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.48	-5.45	17.03
2-n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.31	-5.45	16.86
2-n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	OuterFull	22.3	-5.45	16.85
2-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	InnerFull	22.73	-5.45	17.28
2-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	Edge1RBLeft	21.8	-5.45	16.35
2-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	Edge1RBRight	21.52	-5.45	16.07
2-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	OuterFull	21.82	-5.45	16.37
2-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	InnerFull	21.77	-5.45	16.32
2-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	Edge1RBLeft	20.87	-5.45	15.42
2-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	Edge1RBRight	20.69	-5.45	15.24
2-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	OuterFull	20.77	-5.45	15.32
2-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	InnerFull	20.33	-5.45	14.88
2-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	Edge1RBLeft	20.13	-5.45	14.68
2-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	Edge1RBRight	20.02	-5.45	14.57
2-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	OuterFull	20.36	-5.45	14.91
2-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	InnerFull	18.31	-5.45	12.86
2-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	Edge1RBLeft	17.93	-5.45	12.48
2-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	Edge1RBRight	17.92	-5.45	12.47
2-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	OuterFull	18.34	-5.45	12.89
2-n71	15MHz	15kHz	690.5MHz	CP	QPSK	InnerFull	21.25	-5.45	15.80
2-n71	15MHz	15kHz	690.5MHz	CP	QPSK	Edge1RBLeft	20.05	-5.45	14.60
2-n71	15MHz	15kHz	690.5MHz	CP	QPSK	Edge1RBRight	19.91	-5.45	14.46
2-n71	15MHz	15kHz	690.5MHz	CP	QPSK	OuterFull	19.78	-5.45	14.33
2-n71	15MHz	15kHz	690.5MHz	CP	16QAM	InnerFull	20.78	-5.45	15.33
2-n71	15MHz	15kHz	690.5MHz	CP	16QAM	Edge1RBLeft	20.05	-5.45	14.60
2-n71	15MHz	15kHz	690.5MHz	CP	16QAM	Edge1RBRight	19.77	-5.45	14.32
2-n71	15MHz	15kHz	690.5MHz	CP	16QAM	OuterFull	19.78	-5.45	14.33
2-n71	15MHz	15kHz	690.5MHz	CP	64QAM	InnerFull	19.39	-5.45	13.94
2-n71	15MHz	15kHz	690.5MHz	CP	64QAM	Edge1RBLeft	19.23	-5.45	13.78
2-n71	15MHz	15kHz	690.5MHz	CP	64QAM	Edge1RBRight	19.07	-5.45	13.62
2-n71	15MHz	15kHz	690.5MHz	CP	64QAM	OuterFull	19.37	-5.45	13.92
2-n71	15MHz	15kHz	690.5MHz	CP	256QAM	InnerFull	16.31	-5.45	10.86
2-n71	15MHz	15kHz	690.5MHz	CP	256QAM	Edge1RBLeft	15.93	-5.45	10.48
2-n71	15MHz	15kHz	690.5MHz	CP	256QAM	Edge1RBRight	15.86	-5.45	10.41

2-n71	15MHz	15kHz	690.5MHz	CP	256QAM	OuterFull	16.42	-5.45	10.97
2-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	InnerFull	22.98	-5.45	17.53
2-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.84	-5.45	17.39
2-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	Edge1RBRight	22.44	-5.45	16.99
2-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	OuterFull	22.66	-5.45	17.21
2-n71	20MHz	15kHz	673MHz	DFT	QPSK	InnerFull	23.05	-5.45	17.60
2-n71	20MHz	15kHz	673MHz	DFT	QPSK	Edge1RBLeft	22.18	-5.45	16.73
2-n71	20MHz	15kHz	673MHz	DFT	QPSK	Edge1RBRight	21.75	-5.45	16.30
2-n71	20MHz	15kHz	673MHz	DFT	QPSK	OuterFull	22.06	-5.45	16.61
2-n71	20MHz	15kHz	673MHz	DFT	16QAM	InnerFull	22.11	-5.45	16.66
2-n71	20MHz	15kHz	673MHz	DFT	16QAM	Edge1RBLeft	21.18	-5.45	15.73
2-n71	20MHz	15kHz	673MHz	DFT	16QAM	Edge1RBRight	20.81	-5.45	15.36
2-n71	20MHz	15kHz	673MHz	DFT	16QAM	OuterFull	21.25	-5.45	15.80
2-n71	20MHz	15kHz	673MHz	DFT	64QAM	InnerFull	20.58	-5.45	15.13
2-n71	20MHz	15kHz	673MHz	DFT	64QAM	Edge1RBLeft	20.53	-5.45	15.08
2-n71	20MHz	15kHz	673MHz	DFT	64QAM	Edge1RBRight	20.21	-5.45	14.76
2-n71	20MHz	15kHz	673MHz	DFT	64QAM	OuterFull	20.61	-5.45	15.16
2-n71	20MHz	15kHz	673MHz	DFT	256QAM	InnerFull	18.64	-5.45	13.19
2-n71	20MHz	15kHz	673MHz	DFT	256QAM	Edge1RBLeft	18.22	-5.45	12.77
2-n71	20MHz	15kHz	673MHz	DFT	256QAM	Edge1RBRight	17.98	-5.45	12.53
2-n71	20MHz	15kHz	673MHz	DFT	256QAM	OuterFull	18.9	-5.45	13.45
2-n71	20MHz	15kHz	673MHz	CP	QPSK	InnerFull	21.63	-5.45	16.18
2-n71	20MHz	15kHz	673MHz	CP	QPSK	Edge1RBLeft	20.48	-5.45	15.03
2-n71	20MHz	15kHz	673MHz	CP	QPSK	Edge1RBRight	20.11	-5.45	14.66
2-n71	20MHz	15kHz	673MHz	CP	QPSK	OuterFull	20.17	-5.45	14.72
2-n71	20MHz	15kHz	673MHz	CP	16QAM	InnerFull	21.08	-5.45	15.63
2-n71	20MHz	15kHz	673MHz	CP	16QAM	Edge1RBLeft	20.38	-5.45	14.93
2-n71	20MHz	15kHz	673MHz	CP	16QAM	Edge1RBRight	20.01	-5.45	14.56
2-n71	20MHz	15kHz	673MHz	CP	16QAM	OuterFull	20.03	-5.45	14.58
2-n71	20MHz	15kHz	673MHz	CP	64QAM	InnerFull	19.6	-5.45	14.15
2-n71	20MHz	15kHz	673MHz	CP	64QAM	Edge1RBLeft	19.56	-5.45	14.11
2-n71	20MHz	15kHz	673MHz	CP	64QAM	Edge1RBRight	19.19	-5.45	13.74
2-n71	20MHz	15kHz	673MHz	CP	64QAM	OuterFull	19.6	-5.45	14.15
2-n71	20MHz	15kHz	673MHz	CP	256QAM	InnerFull	16.67	-5.45	11.22
2-n71	20MHz	15kHz	673MHz	CP	256QAM	Edge1RBLeft	16.24	-5.45	10.79
2-n71	20MHz	15kHz	673MHz	CP	256QAM	Edge1RBRight	16.04	-5.45	10.59
2-n71	20MHz	15kHz	673MHz	CP	256QAM	OuterFull	16.6	-5.45	11.15
2-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	23.11	-5.45	17.66
2-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.61	-5.45	17.16
2-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	22.41	-5.45	16.96
2-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	22.62	-5.45	17.17

2-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	23.05	-5.45	17.60
2-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	22.04	-5.45	16.59
2-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	21.76	-5.45	16.31
2-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	22.11	-5.45	16.66
2-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	22.05	-5.45	16.60
2-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	21.15	-5.45	15.70
2-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	20.73	-5.45	15.28
2-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	21.13	-5.45	15.68
2-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	20.62	-5.45	15.17
2-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	20.6	-5.45	15.15
2-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	20.21	-5.45	14.76
2-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	20.59	-5.45	15.14
2-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	18.62	-5.45	13.17
2-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	18.22	-5.45	12.77
2-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	17.92	-5.45	12.47
2-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	18.64	-5.45	13.19
2-n71	20MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	21.52	-5.45	16.07
2-n71	20MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	20.55	-5.45	15.10
2-n71	20MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	19.97	-5.45	14.52
2-n71	20MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	20.12	-5.45	14.67
2-n71	20MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	21.02	-5.45	15.57
2-n71	20MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	20.33	-5.45	14.88
2-n71	20MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	19.82	-5.45	14.37
2-n71	20MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	20.08	-5.45	14.63
2-n71	20MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	19.55	-5.45	14.10
2-n71	20MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	19.53	-5.45	14.08
2-n71	20MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	19.1	-5.45	13.65
2-n71	20MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	19.63	-5.45	14.18
2-n71	20MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	16.7	-5.45	11.25
2-n71	20MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	16.23	-5.45	10.78
2-n71	20MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	15.93	-5.45	10.48
2-n71	20MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	16.7	-5.45	11.25
2-n71	20MHz	15kHz	688MHz	DFT	$\pi/2$ BPSK	InnerFull	22.72	-5.45	17.27
2-n71	20MHz	15kHz	688MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	22.6	-5.45	17.15
2-n71	20MHz	15kHz	688MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	22.22	-5.45	16.77
2-n71	20MHz	15kHz	688MHz	DFT	$\pi/2$ BPSK	OuterFull	22.43	-5.45	16.98
2-n71	20MHz	15kHz	688MHz	DFT	QPSK	InnerFull	22.84	-5.45	17.39
2-n71	20MHz	15kHz	688MHz	DFT	QPSK	Edge1RBLeft	21.94	-5.45	16.49
2-n71	20MHz	15kHz	688MHz	DFT	QPSK	Edge1RBRight	21.5	-5.45	16.05
2-n71	20MHz	15kHz	688MHz	DFT	QPSK	OuterFull	21.91	-5.45	16.46
2-n71	20MHz	15kHz	688MHz	DFT	16QAM	InnerFull	21.9	-5.45	16.45

2-n71	20MHz	15kHz	688MHz	DFT	16QAM	Edge1RBLeft	21.18	-5.45	15.73
2-n71	20MHz	15kHz	688MHz	DFT	16QAM	Edge1RBRight	20.7	-5.45	15.25
2-n71	20MHz	15kHz	688MHz	DFT	16QAM	OuterFull	20.92	-5.45	15.47
2-n71	20MHz	15kHz	688MHz	DFT	64QAM	InnerFull	20.4	-5.45	14.95
2-n71	20MHz	15kHz	688MHz	DFT	64QAM	Edge1RBLeft	19.84	-5.45	14.39
2-n71	20MHz	15kHz	688MHz	DFT	64QAM	Edge1RBRight	20.03	-5.45	14.58
2-n71	20MHz	15kHz	688MHz	DFT	64QAM	OuterFull	20.38	-5.45	14.93
2-n71	20MHz	15kHz	688MHz	DFT	256QAM	InnerFull	18.43	-5.45	12.98
2-n71	20MHz	15kHz	688MHz	DFT	256QAM	Edge1RBLeft	18.05	-5.45	12.60
2-n71	20MHz	15kHz	688MHz	DFT	256QAM	Edge1RBRight	17.8	-5.45	12.35
2-n71	20MHz	15kHz	688MHz	DFT	256QAM	OuterFull	18.52	-5.45	13.07
2-n71	20MHz	15kHz	688MHz	CP	QPSK	InnerFull	21.36	-5.45	15.91
2-n71	20MHz	15kHz	688MHz	CP	QPSK	Edge1RBLeft	20.27	-5.45	14.82
2-n71	20MHz	15kHz	688MHz	CP	QPSK	Edge1RBRight	19.84	-5.45	14.39
2-n71	20MHz	15kHz	688MHz	CP	QPSK	OuterFull	19.85	-5.45	14.40
2-n71	20MHz	15kHz	688MHz	CP	16QAM	InnerFull	20.81	-5.45	15.36
2-n71	20MHz	15kHz	688MHz	CP	16QAM	Edge1RBLeft	20.14	-5.45	14.69
2-n71	20MHz	15kHz	688MHz	CP	16QAM	Edge1RBRight	19.69	-5.45	14.24
2-n71	20MHz	15kHz	688MHz	CP	16QAM	OuterFull	19.92	-5.45	14.47
2-n71	20MHz	15kHz	688MHz	CP	64QAM	InnerFull	19.41	-5.45	13.96
2-n71	20MHz	15kHz	688MHz	CP	64QAM	Edge1RBLeft	19.42	-5.45	13.97
2-n71	20MHz	15kHz	688MHz	CP	64QAM	Edge1RBRight	19	-5.45	13.55
2-n71	20MHz	15kHz	688MHz	CP	64QAM	OuterFull	19.4	-5.45	13.95
2-n71	20MHz	15kHz	688MHz	CP	256QAM	InnerFull	16.49	-5.45	11.04
2-n71	20MHz	15kHz	688MHz	CP	256QAM	Edge1RBLeft	16.04	-5.45	10.59
2-n71	20MHz	15kHz	688MHz	CP	256QAM	Edge1RBRight	15.82	-5.45	10.37
2-n71	20MHz	15kHz	688MHz	CP	256QAM	OuterFull	16.44	-5.45	10.99

LTE Band 66+NR n77
Limits: ≤30dBm (1W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB ALLOCATION	TOTAL Power (dBm)	EIRP (dBm) (GT – LC = -2.3)
66-n77	20	30KHZ	3710.01	DFT	pi/2 BPSK	Inner_Full	22.63	20.33
66-n77	20	30KHZ	3710.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.49	20.19
66-n77	20	30KHZ	3710.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.30	20.00
66-n77	20	30KHZ	3710.01	DFT	pi/2 BPSK	Outer_Full	22.30	20.00
66-n77	20	30KHZ	3710.01	DFT	QPSK	Inner_Full	22.62	20.32
66-n77	20	30KHZ	3710.01	DFT	QPSK	Edge_1RB_Left	21.86	19.56
66-n77	20	30KHZ	3710.01	DFT	QPSK	Edge_1RB_Right	21.74	19.44
66-n77	20	30KHZ	3710.01	DFT	QPSK	Outer_Full	21.85	19.55
66-n77	20	30KHZ	3710.01	DFT	16QAM	Inner_Full	21.72	19.42
66-n77	20	30KHZ	3710.01	DFT	16QAM	Edge_1RB_Left	20.61	18.31
66-n77	20	30KHZ	3710.01	DFT	16QAM	Edge_1RB_Right	21.10	18.80
66-n77	20	30KHZ	3710.01	DFT	16QAM	Outer_Full	20.82	18.52
66-n77	20	30KHZ	3710.01	DFT	64QAM	Inner_Full	20.44	18.14
66-n77	20	30KHZ	3710.01	DFT	64QAM	Edge_1RB_Left	20.11	17.81
66-n77	20	30KHZ	3710.01	DFT	64QAM	Edge_1RB_Right	20.15	17.85
66-n77	20	30KHZ	3710.01	DFT	64QAM	Outer_Full	20.38	18.08
66-n77	20	30KHZ	3710.01	DFT	256QAM	Inner_Full	18.41	16.11
66-n77	20	30KHZ	3710.01	DFT	256QAM	Edge_1RB_Left	17.72	15.42
66-n77	20	30KHZ	3710.01	DFT	256QAM	Edge_1RB_Right	17.57	15.27
66-n77	20	30KHZ	3710.01	DFT	256QAM	Outer_Full	18.36	16.06
66-n77	20	30KHZ	3710.01	CP	QPSK	Inner_Full	21.37	19.07
66-n77	20	30KHZ	3710.01	CP	QPSK	Edge_1RB_Left	19.95	17.65
66-n77	20	30KHZ	3710.01	CP	QPSK	Edge_1RB_Right	19.80	17.50
66-n77	20	30KHZ	3710.01	CP	QPSK	Outer_Full	19.85	17.55
66-n77	20	30KHZ	3710.01	CP	16QAM	Inner_Full	20.95	18.65
66-n77	20	30KHZ	3710.01	CP	16QAM	Edge_1RB_Left	20.19	17.89
66-n77	20	30KHZ	3710.01	CP	16QAM	Edge_1RB_Right	20.21	17.91
66-n77	20	30KHZ	3710.01	CP	16QAM	Outer_Full	19.89	17.59
66-n77	20	30KHZ	3710.01	CP	64QAM	Inner_Full	19.43	17.13
66-n77	20	30KHZ	3710.01	CP	64QAM	Edge_1RB_Left	19.22	16.92
66-n77	20	30KHZ	3710.01	CP	64QAM	Edge_1RB_Right	19.06	16.76
66-n77	20	30KHZ	3710.01	CP	64QAM	Outer_Full	19.38	17.08
66-n77	20	30KHZ	3710.01	CP	256QAM	Inner_Full	16.41	14.11
66-n77	20	30KHZ	3710.01	CP	256QAM	Edge_1RB_Left	15.83	13.53
66-n77	20	30KHZ	3710.01	CP	256QAM	Edge_1RB_Right	15.80	13.50
66-n77	20	30KHZ	3710.01	CP	256QAM	Outer_Full	16.44	14.14
66-n77	20	30KHZ	3840	DFT	pi/2 BPSK	Inner_Full	23.34	21.04

66-n77	20	30KHZ	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.70	20.40
66-n77	20	30KHZ	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.36	21.06
66-n77	20	30KHZ	3840	DFT	pi/2 BPSK	Outer_Full	23.04	20.74
66-n77	20	30KHZ	3840	DFT	QPSK	Inner_Full	23.35	21.05
66-n77	20	30KHZ	3840	DFT	QPSK	Edge_1RB_Left	22.27	19.97
66-n77	20	30KHZ	3840	DFT	QPSK	Edge_1RB_Right	22.70	20.40
66-n77	20	30KHZ	3840	DFT	QPSK	Outer_Full	22.51	20.21
66-n77	20	30KHZ	3840	DFT	16QAM	Inner_Full	22.72	20.42
66-n77	20	30KHZ	3840	DFT	16QAM	Edge_1RB_Left	21.02	18.72
66-n77	20	30KHZ	3840	DFT	16QAM	Edge_1RB_Right	21.62	19.32
66-n77	20	30KHZ	3840	DFT	16QAM	Outer_Full	21.64	19.34
66-n77	20	30KHZ	3840	DFT	64QAM	Inner_Full	21.10	18.80
66-n77	20	30KHZ	3840	DFT	64QAM	Edge_1RB_Left	20.35	18.05
66-n77	20	30KHZ	3840	DFT	64QAM	Edge_1RB_Right	20.87	18.57
66-n77	20	30KHZ	3840	DFT	64QAM	Outer_Full	20.99	18.69
66-n77	20	30KHZ	3840	DFT	256QAM	Inner_Full	19.21	16.91
66-n77	20	30KHZ	3840	DFT	256QAM	Edge_1RB_Left	18.06	15.76
66-n77	20	30KHZ	3840	DFT	256QAM	Edge_1RB_Right	18.40	16.10
66-n77	20	30KHZ	3840	DFT	256QAM	Outer_Full	19.18	16.88
66-n77	20	30KHZ	3840	CP	QPSK	Inner_Full	22.00	19.70
66-n77	20	30KHZ	3840	CP	QPSK	Edge_1RB_Left	20.67	18.37
66-n77	20	30KHZ	3840	CP	QPSK	Edge_1RB_Right	20.83	18.53
66-n77	20	30KHZ	3840	CP	QPSK	Outer_Full	20.45	18.15
66-n77	20	30KHZ	3840	CP	16QAM	Inner_Full	21.46	19.16
66-n77	20	30KHZ	3840	CP	16QAM	Edge_1RB_Left	20.32	18.02
66-n77	20	30KHZ	3840	CP	16QAM	Edge_1RB_Right	20.82	18.52
66-n77	20	30KHZ	3840	CP	16QAM	Outer_Full	20.52	18.22
66-n77	20	30KHZ	3840	CP	64QAM	Inner_Full	20.05	17.75
66-n77	20	30KHZ	3840	CP	64QAM	Edge_1RB_Left	19.62	17.32
66-n77	20	30KHZ	3840	CP	64QAM	Edge_1RB_Right	20.17	17.87
66-n77	20	30KHZ	3840	CP	64QAM	Outer_Full	19.94	17.64
66-n77	20	30KHZ	3840	CP	256QAM	Inner_Full	17.02	14.72
66-n77	20	30KHZ	3840	CP	256QAM	Edge_1RB_Left	16.09	13.79
66-n77	20	30KHZ	3840	CP	256QAM	Edge_1RB_Right	16.58	14.28
66-n77	20	30KHZ	3840	CP	256QAM	Outer_Full	17.08	14.78
66-n77	20	30KHZ	3969.99	DFT	pi/2 BPSK	Inner_Full	22.64	20.34
66-n77	20	30KHZ	3969.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.38	20.08
66-n77	20	30KHZ	3969.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.23	19.93
66-n77	20	30KHZ	3969.99	DFT	pi/2 BPSK	Outer_Full	22.33	20.03
66-n77	20	30KHZ	3969.99	DFT	QPSK	Inner_Full	22.56	20.26
66-n77	20	30KHZ	3969.99	DFT	QPSK	Edge_1RB_Left	21.81	19.51
66-n77	20	30KHZ	3969.99	DFT	QPSK	Edge_1RB_Right	21.76	19.46
66-n77	20	30KHZ	3969.99	DFT	QPSK	Outer_Full	21.83	19.53

66-n77	20	30KHZ	3969.99	DFT	16QAM	Inner_Full	21.87	19.57
66-n77	20	30KHZ	3969.99	DFT	16QAM	Edge_1RB_Left	20.49	18.19
66-n77	20	30KHZ	3969.99	DFT	16QAM	Edge_1RB_Right	21.05	18.75
66-n77	20	30KHZ	3969.99	DFT	16QAM	Outer_Full	20.77	18.47
66-n77	20	30KHZ	3969.99	DFT	64QAM	Inner_Full	20.38	18.08
66-n77	20	30KHZ	3969.99	DFT	64QAM	Edge_1RB_Left	19.99	17.69
66-n77	20	30KHZ	3969.99	DFT	64QAM	Edge_1RB_Right	19.89	17.59
66-n77	20	30KHZ	3969.99	DFT	64QAM	Outer_Full	20.29	17.99
66-n77	20	30KHZ	3969.99	DFT	256QAM	Inner_Full	18.13	15.83
66-n77	20	30KHZ	3969.99	DFT	256QAM	Edge_1RB_Left	17.73	15.43
66-n77	20	30KHZ	3969.99	DFT	256QAM	Edge_1RB_Right	17.61	15.31
66-n77	20	30KHZ	3969.99	DFT	256QAM	Outer_Full	18.24	15.94
66-n77	20	30KHZ	3969.99	CP	QPSK	Inner_Full	21.32	19.02
66-n77	20	30KHZ	3969.99	CP	QPSK	Edge_1RB_Left	19.76	17.46
66-n77	20	30KHZ	3969.99	CP	QPSK	Edge_1RB_Right	19.92	17.62
66-n77	20	30KHZ	3969.99	CP	QPSK	Outer_Full	19.67	17.37
66-n77	20	30KHZ	3969.99	CP	16QAM	Inner_Full	20.86	18.56
66-n77	20	30KHZ	3969.99	CP	16QAM	Edge_1RB_Left	20.16	17.86
66-n77	20	30KHZ	3969.99	CP	16QAM	Edge_1RB_Right	20.18	17.88
66-n77	20	30KHZ	3969.99	CP	16QAM	Outer_Full	19.88	17.58
66-n77	20	30KHZ	3969.99	CP	64QAM	Inner_Full	19.30	17.00
66-n77	20	30KHZ	3969.99	CP	64QAM	Edge_1RB_Left	19.22	16.92
66-n77	20	30KHZ	3969.99	CP	64QAM	Edge_1RB_Right	19.35	17.05
66-n77	20	30KHZ	3969.99	CP	64QAM	Outer_Full	19.25	16.95
66-n77	20	30KHZ	3969.99	CP	256QAM	Inner_Full	16.23	13.93
66-n77	20	30KHZ	3969.99	CP	256QAM	Edge_1RB_Left	15.76	13.46
66-n77	20	30KHZ	3969.99	CP	256QAM	Edge_1RB_Right	15.70	13.40
66-n77	20	30KHZ	3969.99	CP	256QAM	Outer_Full	16.29	13.99
66-n77	40	30KHZ	3720	DFT	pi/2 BPSK	Inner_Full	23.04	20.74
66-n77	40	30KHZ	3720	DFT	pi/2 BPSK	Edge_1RB_Left	22.90	20.60
66-n77	40	30KHZ	3720	DFT	pi/2 BPSK	Edge_1RB_Right	22.26	19.96
66-n77	40	30KHZ	3720	DFT	pi/2 BPSK	Outer_Full	22.76	20.46
66-n77	40	30KHZ	3720	DFT	QPSK	Inner_Full	23.05	20.75
66-n77	40	30KHZ	3720	DFT	QPSK	Edge_1RB_Left	22.47	20.17
66-n77	40	30KHZ	3720	DFT	QPSK	Edge_1RB_Right	21.69	19.39
66-n77	40	30KHZ	3720	DFT	QPSK	Outer_Full	22.23	19.93
66-n77	40	30KHZ	3720	DFT	16QAM	Inner_Full	22.28	19.98
66-n77	40	30KHZ	3720	DFT	16QAM	Edge_1RB_Left	21.59	19.29
66-n77	40	30KHZ	3720	DFT	16QAM	Edge_1RB_Right	20.83	18.53
66-n77	40	30KHZ	3720	DFT	16QAM	Outer_Full	21.19	18.89
66-n77	40	30KHZ	3720	DFT	64QAM	Inner_Full	20.54	18.24
66-n77	40	30KHZ	3720	DFT	64QAM	Edge_1RB_Left	20.71	18.41
66-n77	40	30KHZ	3720	DFT	64QAM	Edge_1RB_Right	19.98	17.68

66-n77	40	30KHZ	3720	DFT	64QAM	Outer_Full	20.63	18.33
66-n77	40	30KHZ	3720	DFT	256QAM	Inner_Full	18.72	16.42
66-n77	40	30KHZ	3720	DFT	256QAM	Edge_1RB_Left	18.19	15.89
66-n77	40	30KHZ	3720	DFT	256QAM	Edge_1RB_Right	17.60	15.30
66-n77	40	30KHZ	3720	DFT	256QAM	Outer_Full	18.79	16.49
66-n77	40	30KHZ	3720	CP	QPSK	Inner_Full	21.65	19.35
66-n77	40	30KHZ	3720	CP	QPSK	Edge_1RB_Left	20.39	18.09
66-n77	40	30KHZ	3720	CP	QPSK	Edge_1RB_Right	19.66	17.36
66-n77	40	30KHZ	3720	CP	QPSK	Outer_Full	20.13	17.83
66-n77	40	30KHZ	3720	CP	16QAM	Inner_Full	21.20	18.90
66-n77	40	30KHZ	3720	CP	16QAM	Edge_1RB_Left	20.67	18.37
66-n77	40	30KHZ	3720	CP	16QAM	Edge_1RB_Right	19.91	17.61
66-n77	40	30KHZ	3720	CP	16QAM	Outer_Full	20.07	17.77
66-n77	40	30KHZ	3720	CP	64QAM	Inner_Full	19.67	17.37
66-n77	40	30KHZ	3720	CP	64QAM	Edge_1RB_Left	19.80	17.50
66-n77	40	30KHZ	3720	CP	64QAM	Edge_1RB_Right	19.05	16.75
66-n77	40	30KHZ	3720	CP	64QAM	Outer_Full	19.75	17.45
66-n77	40	30KHZ	3720	CP	256QAM	Inner_Full	16.89	14.59
66-n77	40	30KHZ	3720	CP	256QAM	Edge_1RB_Left	16.48	14.18
66-n77	40	30KHZ	3720	CP	256QAM	Edge_1RB_Right	15.73	13.43
66-n77	40	30KHZ	3720	CP	256QAM	Outer_Full	16.83	14.53
66-n77	40	30KHZ	3840	DFT	pi/2 BPSK	Inner_Full	23.70	21.40
66-n77	40	30KHZ	3840	DFT	pi/2 BPSK	Edge_1RB_Left	23.02	20.72
66-n77	40	30KHZ	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.73	21.43
66-n77	40	30KHZ	3840	DFT	pi/2 BPSK	Outer_Full	23.42	21.12
66-n77	40	30KHZ	3840	DFT	QPSK	Inner_Full	23.68	21.38
66-n77	40	30KHZ	3840	DFT	QPSK	Edge_1RB_Left	22.43	20.13
66-n77	40	30KHZ	3840	DFT	QPSK	Edge_1RB_Right	23.14	20.84
66-n77	40	30KHZ	3840	DFT	QPSK	Outer_Full	22.88	20.58
66-n77	40	30KHZ	3840	DFT	16QAM	Inner_Full	22.87	20.57
66-n77	40	30KHZ	3840	DFT	16QAM	Edge_1RB_Left	21.28	18.98
66-n77	40	30KHZ	3840	DFT	16QAM	Edge_1RB_Right	21.98	19.68
66-n77	40	30KHZ	3840	DFT	16QAM	Outer_Full	21.84	19.54
66-n77	40	30KHZ	3840	DFT	64QAM	Inner_Full	21.32	19.02
66-n77	40	30KHZ	3840	DFT	64QAM	Edge_1RB_Left	20.73	18.43
66-n77	40	30KHZ	3840	DFT	64QAM	Edge_1RB_Right	21.26	18.96
66-n77	40	30KHZ	3840	DFT	64QAM	Outer_Full	21.43	19.13
66-n77	40	30KHZ	3840	DFT	256QAM	Inner_Full	19.36	17.06
66-n77	40	30KHZ	3840	DFT	256QAM	Edge_1RB_Left	18.22	15.92
66-n77	40	30KHZ	3840	DFT	256QAM	Edge_1RB_Right	18.79	16.49
66-n77	40	30KHZ	3840	DFT	256QAM	Outer_Full	19.39	17.09
66-n77	40	30KHZ	3840	CP	QPSK	Inner_Full	22.31	20.01
66-n77	40	30KHZ	3840	CP	QPSK	Edge_1RB_Left	20.61	18.31

66-n77	40	30KHZ	3840	CP	QPSK	Edge_1RB_Right	21.44	19.14
66-n77	40	30KHZ	3840	CP	QPSK	Outer_Full	20.86	18.56
66-n77	40	30KHZ	3840	CP	16QAM	Inner_Full	21.85	19.55
66-n77	40	30KHZ	3840	CP	16QAM	Edge_1RB_Left	20.59	18.29
66-n77	40	30KHZ	3840	CP	16QAM	Edge_1RB_Right	21.22	18.92
66-n77	40	30KHZ	3840	CP	16QAM	Outer_Full	20.88	18.58
66-n77	40	30KHZ	3840	CP	64QAM	Inner_Full	20.34	18.04
66-n77	40	30KHZ	3840	CP	64QAM	Edge_1RB_Left	19.83	17.53
66-n77	40	30KHZ	3840	CP	64QAM	Edge_1RB_Right	20.31	18.01
66-n77	40	30KHZ	3840	CP	64QAM	Outer_Full	20.43	18.13
66-n77	40	30KHZ	3840	CP	256QAM	Inner_Full	17.38	15.08
66-n77	40	30KHZ	3840	CP	256QAM	Edge_1RB_Left	16.47	14.17
66-n77	40	30KHZ	3840	CP	256QAM	Edge_1RB_Right	17.13	14.83
66-n77	40	30KHZ	3840	CP	256QAM	Outer_Full	17.38	15.08
66-n77	40	30KHZ	3960	DFT	pi/2 BPSK	Inner_Full	23.10	20.80
66-n77	40	30KHZ	3960	DFT	pi/2 BPSK	Edge_1RB_Left	22.79	20.49
66-n77	40	30KHZ	3960	DFT	pi/2 BPSK	Edge_1RB_Right	22.65	20.35
66-n77	40	30KHZ	3960	DFT	pi/2 BPSK	Outer_Full	22.86	20.56
66-n77	40	30KHZ	3960	DFT	QPSK	Inner_Full	23.24	20.94
66-n77	40	30KHZ	3960	DFT	QPSK	Edge_1RB_Left	22.27	19.97
66-n77	40	30KHZ	3960	DFT	QPSK	Edge_1RB_Right	22.19	19.89
66-n77	40	30KHZ	3960	DFT	QPSK	Outer_Full	22.38	20.08
66-n77	40	30KHZ	3960	DFT	16QAM	Inner_Full	22.41	20.11
66-n77	40	30KHZ	3960	DFT	16QAM	Edge_1RB_Left	21.07	18.77
66-n77	40	30KHZ	3960	DFT	16QAM	Edge_1RB_Right	21.34	19.04
66-n77	40	30KHZ	3960	DFT	16QAM	Outer_Full	21.26	18.96
66-n77	40	30KHZ	3960	DFT	64QAM	Inner_Full	20.75	18.45
66-n77	40	30KHZ	3960	DFT	64QAM	Edge_1RB_Left	20.47	18.17
66-n77	40	30KHZ	3960	DFT	64QAM	Edge_1RB_Right	20.40	18.10
66-n77	40	30KHZ	3960	DFT	64QAM	Outer_Full	20.81	18.51
66-n77	40	30KHZ	3960	DFT	256QAM	Inner_Full	18.64	16.34
66-n77	40	30KHZ	3960	DFT	256QAM	Edge_1RB_Left	18.18	15.88
66-n77	40	30KHZ	3960	DFT	256QAM	Edge_1RB_Right	17.96	15.66
66-n77	40	30KHZ	3960	DFT	256QAM	Outer_Full	18.87	16.57
66-n77	40	30KHZ	3960	CP	QPSK	Inner_Full	21.66	19.36
66-n77	40	30KHZ	3960	CP	QPSK	Edge_1RB_Left	20.50	18.20
66-n77	40	30KHZ	3960	CP	QPSK	Edge_1RB_Right	20.56	18.26
66-n77	40	30KHZ	3960	CP	QPSK	Outer_Full	20.25	17.95
66-n77	40	30KHZ	3960	CP	16QAM	Inner_Full	21.22	18.92
66-n77	40	30KHZ	3960	CP	16QAM	Edge_1RB_Left	20.35	18.05
66-n77	40	30KHZ	3960	CP	16QAM	Edge_1RB_Right	20.32	18.02
66-n77	40	30KHZ	3960	CP	16QAM	Outer_Full	20.21	17.91
66-n77	40	30KHZ	3960	CP	64QAM	Inner_Full	19.77	17.47

66-n77	40	30KHZ	3960	CP	64QAM	Edge_1RB_Left	19.76	17.46
66-n77	40	30KHZ	3960	CP	64QAM	Edge_1RB_Right	19.63	17.33
66-n77	40	30KHZ	3960	CP	64QAM	Outer_Full	19.74	17.44
66-n77	40	30KHZ	3960	CP	256QAM	Inner_Full	16.77	14.47
66-n77	40	30KHZ	3960	CP	256QAM	Edge_1RB_Left	16.31	14.01
66-n77	40	30KHZ	3960	CP	256QAM	Edge_1RB_Right	16.21	13.91
66-n77	40	30KHZ	3960	CP	256QAM	Outer_Full	16.74	14.44
66-n77	50	30KHZ	3725.01	DFT	pi/2 BPSK	Inner_Full	22.30	20.00
66-n77	50	30KHZ	3725.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.25	19.95
66-n77	50	30KHZ	3725.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.69	19.39
66-n77	50	30KHZ	3725.01	DFT	pi/2 BPSK	Outer_Full	21.84	19.54
66-n77	50	30KHZ	3725.01	DFT	QPSK	Inner_Full	22.36	20.06
66-n77	50	30KHZ	3725.01	DFT	QPSK	Edge_1RB_Left	21.60	19.30
66-n77	50	30KHZ	3725.01	DFT	QPSK	Edge_1RB_Right	21.02	18.72
66-n77	50	30KHZ	3725.01	DFT	QPSK	Outer_Full	21.49	19.19
66-n77	50	30KHZ	3725.01	DFT	16QAM	Inner_Full	21.53	19.23
66-n77	50	30KHZ	3725.01	DFT	16QAM	Edge_1RB_Left	20.50	18.20
66-n77	50	30KHZ	3725.01	DFT	16QAM	Edge_1RB_Right	19.77	17.47
66-n77	50	30KHZ	3725.01	DFT	16QAM	Outer_Full	20.47	18.17
66-n77	50	30KHZ	3725.01	DFT	64QAM	Inner_Full	19.95	17.65
66-n77	50	30KHZ	3725.01	DFT	64QAM	Edge_1RB_Left	19.90	17.60
66-n77	50	30KHZ	3725.01	DFT	64QAM	Edge_1RB_Right	19.18	16.88
66-n77	50	30KHZ	3725.01	DFT	64QAM	Outer_Full	20.01	17.71
66-n77	50	30KHZ	3725.01	DFT	256QAM	Inner_Full	18.00	15.70
66-n77	50	30KHZ	3725.01	DFT	256QAM	Edge_1RB_Left	17.64	15.34
66-n77	50	30KHZ	3725.01	DFT	256QAM	Edge_1RB_Right	17.04	14.74
66-n77	50	30KHZ	3725.01	DFT	256QAM	Outer_Full	17.87	15.57
66-n77	50	30KHZ	3725.01	CP	QPSK	Inner_Full	20.75	18.45
66-n77	50	30KHZ	3725.01	CP	QPSK	Edge_1RB_Left	19.81	17.51
66-n77	50	30KHZ	3725.01	CP	QPSK	Edge_1RB_Right	19.29	16.99
66-n77	50	30KHZ	3725.01	CP	QPSK	Outer_Full	19.39	17.09
66-n77	50	30KHZ	3725.01	CP	16QAM	Inner_Full	20.51	18.21
66-n77	50	30KHZ	3725.01	CP	16QAM	Edge_1RB_Left	20.05	17.75
66-n77	50	30KHZ	3725.01	CP	16QAM	Edge_1RB_Right	19.51	17.21
66-n77	50	30KHZ	3725.01	CP	16QAM	Outer_Full	19.47	17.17
66-n77	50	30KHZ	3725.01	CP	64QAM	Inner_Full	18.94	16.64
66-n77	50	30KHZ	3725.01	CP	64QAM	Edge_1RB_Left	19.17	16.87
66-n77	50	30KHZ	3725.01	CP	64QAM	Edge_1RB_Right	18.62	16.32
66-n77	50	30KHZ	3725.01	CP	64QAM	Outer_Full	19.06	16.76
66-n77	50	30KHZ	3725.01	CP	256QAM	Inner_Full	16.01	13.71
66-n77	50	30KHZ	3725.01	CP	256QAM	Edge_1RB_Left	15.70	13.40
66-n77	50	30KHZ	3725.01	CP	256QAM	Edge_1RB_Right	15.14	12.84
66-n77	50	30KHZ	3725.01	CP	256QAM	Outer_Full	16.14	13.84

66-n77	50	30KHZ	3840	DFT	pi/2 BPSK	Inner_Full	23.48	21.18
66-n77	50	30KHZ	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.17	19.87
66-n77	50	30KHZ	3840	DFT	pi/2 BPSK	Edge_1RB_Right	23.20	20.90
66-n77	50	30KHZ	3840	DFT	pi/2 BPSK	Outer_Full	22.90	20.60
66-n77	50	30KHZ	3840	DFT	QPSK	Inner_Full	23.38	21.08
66-n77	50	30KHZ	3840	DFT	QPSK	Edge_1RB_Left	21.74	19.44
66-n77	50	30KHZ	3840	DFT	QPSK	Edge_1RB_Right	22.58	20.28
66-n77	50	30KHZ	3840	DFT	QPSK	Outer_Full	22.39	20.09
66-n77	50	30KHZ	3840	DFT	16QAM	Inner_Full	22.65	20.35
66-n77	50	30KHZ	3840	DFT	16QAM	Edge_1RB_Left	20.49	18.19
66-n77	50	30KHZ	3840	DFT	16QAM	Edge_1RB_Right	21.32	19.02
66-n77	50	30KHZ	3840	DFT	16QAM	Outer_Full	21.46	19.16
66-n77	50	30KHZ	3840	DFT	64QAM	Inner_Full	21.01	18.71
66-n77	50	30KHZ	3840	DFT	64QAM	Edge_1RB_Left	20.04	17.74
66-n77	50	30KHZ	3840	DFT	64QAM	Edge_1RB_Right	20.77	18.47
66-n77	50	30KHZ	3840	DFT	64QAM	Outer_Full	21.03	18.73
66-n77	50	30KHZ	3840	DFT	256QAM	Inner_Full	19.07	16.77
66-n77	50	30KHZ	3840	DFT	256QAM	Edge_1RB_Left	17.85	15.55
66-n77	50	30KHZ	3840	DFT	256QAM	Edge_1RB_Right	18.46	16.16
66-n77	50	30KHZ	3840	DFT	256QAM	Outer_Full	18.77	16.47
66-n77	50	30KHZ	3840	CP	QPSK	Inner_Full	22.01	19.71
66-n77	50	30KHZ	3840	CP	QPSK	Edge_1RB_Left	20.31	18.01
66-n77	50	30KHZ	3840	CP	QPSK	Edge_1RB_Right	20.79	18.49
66-n77	50	30KHZ	3840	CP	QPSK	Outer_Full	20.55	18.25
66-n77	50	30KHZ	3840	CP	16QAM	Inner_Full	21.49	19.19
66-n77	50	30KHZ	3840	CP	16QAM	Edge_1RB_Left	19.56	17.26
66-n77	50	30KHZ	3840	CP	16QAM	Edge_1RB_Right	20.55	18.25
66-n77	50	30KHZ	3840	CP	16QAM	Outer_Full	20.57	18.27
66-n77	50	30KHZ	3840	CP	64QAM	Inner_Full	20.01	17.71
66-n77	50	30KHZ	3840	CP	64QAM	Edge_1RB_Left	19.06	16.76
66-n77	50	30KHZ	3840	CP	64QAM	Edge_1RB_Right	20.13	17.83
66-n77	50	30KHZ	3840	CP	64QAM	Outer_Full	20.07	17.77
66-n77	50	30KHZ	3840	CP	256QAM	Inner_Full	17.06	14.76
66-n77	50	30KHZ	3840	CP	256QAM	Edge_1RB_Left	15.86	13.56
66-n77	50	30KHZ	3840	CP	256QAM	Edge_1RB_Right	16.76	14.46
66-n77	50	30KHZ	3840	CP	256QAM	Outer_Full	17.03	14.73
66-n77	50	30KHZ	3954.48	DFT	pi/2 BPSK	Inner_Full	22.56	20.26
66-n77	50	30KHZ	3954.48	DFT	pi/2 BPSK	Edge_1RB_Left	22.20	19.90
66-n77	50	30KHZ	3954.48	DFT	pi/2 BPSK	Edge_1RB_Right	22.11	19.81
66-n77	50	30KHZ	3954.48	DFT	pi/2 BPSK	Outer_Full	22.19	19.89
66-n77	50	30KHZ	3954.48	DFT	QPSK	Inner_Full	22.64	20.34
66-n77	50	30KHZ	3954.48	DFT	QPSK	Edge_1RB_Left	21.74	19.44
66-n77	50	30KHZ	3954.48	DFT	QPSK	Edge_1RB_Right	21.48	19.18

66-n77	50	30KHZ	3954.48	DFT	QPSK	Outer_Full	21.80	19.50
66-n77	50	30KHZ	3954.48	DFT	16QAM	Inner_Full	21.79	19.49
66-n77	50	30KHZ	3954.48	DFT	16QAM	Edge_1RB_Left	20.48	18.18
66-n77	50	30KHZ	3954.48	DFT	16QAM	Edge_1RB_Right	20.31	18.01
66-n77	50	30KHZ	3954.48	DFT	16QAM	Outer_Full	20.77	18.47
66-n77	50	30KHZ	3954.48	DFT	64QAM	Inner_Full	20.26	17.96
66-n77	50	30KHZ	3954.48	DFT	64QAM	Edge_1RB_Left	19.91	17.61
66-n77	50	30KHZ	3954.48	DFT	64QAM	Edge_1RB_Right	19.68	17.38
66-n77	50	30KHZ	3954.48	DFT	64QAM	Outer_Full	20.18	17.88
66-n77	50	30KHZ	3954.48	DFT	256QAM	Inner_Full	18.25	15.95
66-n77	50	30KHZ	3954.48	DFT	256QAM	Edge_1RB_Left	17.57	15.27
66-n77	50	30KHZ	3954.48	DFT	256QAM	Edge_1RB_Right	17.60	15.30
66-n77	50	30KHZ	3954.48	DFT	256QAM	Outer_Full	18.12	15.82
66-n77	50	30KHZ	3954.48	CP	QPSK	Inner_Full	21.17	18.87
66-n77	50	30KHZ	3954.48	CP	QPSK	Edge_1RB_Left	20.10	17.80
66-n77	50	30KHZ	3954.48	CP	QPSK	Edge_1RB_Right	19.97	17.67
66-n77	50	30KHZ	3954.48	CP	QPSK	Outer_Full	19.76	17.46
66-n77	50	30KHZ	3954.48	CP	16QAM	Inner_Full	20.74	18.44
66-n77	50	30KHZ	3954.48	CP	16QAM	Edge_1RB_Left	19.42	17.12
66-n77	50	30KHZ	3954.48	CP	16QAM	Edge_1RB_Right	19.33	17.03
66-n77	50	30KHZ	3954.48	CP	16QAM	Outer_Full	19.79	17.49
66-n77	50	30KHZ	3954.48	CP	64QAM	Inner_Full	19.23	16.93
66-n77	50	30KHZ	3954.48	CP	64QAM	Edge_1RB_Left	19.04	16.74
66-n77	50	30KHZ	3954.48	CP	64QAM	Edge_1RB_Right	18.86	16.56
66-n77	50	30KHZ	3954.48	CP	64QAM	Outer_Full	19.14	16.84
66-n77	50	30KHZ	3954.48	CP	256QAM	Inner_Full	16.36	14.06
66-n77	50	30KHZ	3954.48	CP	256QAM	Edge_1RB_Left	15.87	13.57
66-n77	50	30KHZ	3954.48	CP	256QAM	Edge_1RB_Right	15.64	13.34
66-n77	50	30KHZ	3954.48	CP	256QAM	Outer_Full	16.26	13.96
66-n77	60	30KHZ	3730.02	DFT	pi/2 BPSK	Inner_Full	22.19	19.89
66-n77	60	30KHZ	3730.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.21	19.91
66-n77	60	30KHZ	3730.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.70	19.40
66-n77	60	30KHZ	3730.02	DFT	pi/2 BPSK	Outer_Full	21.84	19.54
66-n77	60	30KHZ	3730.02	DFT	QPSK	Inner_Full	22.26	19.96
66-n77	60	30KHZ	3730.02	DFT	QPSK	Edge_1RB_Left	21.69	19.39
66-n77	60	30KHZ	3730.02	DFT	QPSK	Edge_1RB_Right	21.14	18.84
66-n77	60	30KHZ	3730.02	DFT	QPSK	Outer_Full	21.39	19.09
66-n77	60	30KHZ	3730.02	DFT	16QAM	Inner_Full	21.35	19.05
66-n77	60	30KHZ	3730.02	DFT	16QAM	Edge_1RB_Left	20.53	18.23
66-n77	60	30KHZ	3730.02	DFT	16QAM	Edge_1RB_Right	20.21	17.91
66-n77	60	30KHZ	3730.02	DFT	16QAM	Outer_Full	20.44	18.14
66-n77	60	30KHZ	3730.02	DFT	64QAM	Inner_Full	19.88	17.58
66-n77	60	30KHZ	3730.02	DFT	64QAM	Edge_1RB_Left	19.78	17.48

66-n77	60	30KHZ	3730.02	DFT	64QAM	Edge_1RB_Right	19.54	17.24
66-n77	60	30KHZ	3730.02	DFT	64QAM	Outer_Full	20.08	17.78
66-n77	60	30KHZ	3730.02	DFT	256QAM	Inner_Full	18.15	15.85
66-n77	60	30KHZ	3730.02	DFT	256QAM	Edge_1RB_Left	17.67	15.37
66-n77	60	30KHZ	3730.02	DFT	256QAM	Edge_1RB_Right	17.12	14.82
66-n77	60	30KHZ	3730.02	DFT	256QAM	Outer_Full	18.07	15.77
66-n77	60	30KHZ	3730.02	CP	QPSK	Inner_Full	20.87	18.57
66-n77	60	30KHZ	3730.02	CP	QPSK	Edge_1RB_Left	19.90	17.60
66-n77	60	30KHZ	3730.02	CP	QPSK	Edge_1RB_Right	19.22	16.92
66-n77	60	30KHZ	3730.02	CP	QPSK	Outer_Full	19.49	17.19
66-n77	60	30KHZ	3730.02	CP	16QAM	Inner_Full	20.24	17.94
66-n77	60	30KHZ	3730.02	CP	16QAM	Edge_1RB_Left	19.78	17.48
66-n77	60	30KHZ	3730.02	CP	16QAM	Edge_1RB_Right	19.13	16.83
66-n77	60	30KHZ	3730.02	CP	16QAM	Outer_Full	19.31	17.01
66-n77	60	30KHZ	3730.02	CP	64QAM	Inner_Full	18.79	16.49
66-n77	60	30KHZ	3730.02	CP	64QAM	Edge_1RB_Left	19.04	16.74
66-n77	60	30KHZ	3730.02	CP	64QAM	Edge_1RB_Right	18.60	16.30
66-n77	60	30KHZ	3730.02	CP	64QAM	Outer_Full	18.95	16.65
66-n77	60	30KHZ	3730.02	CP	256QAM	Inner_Full	15.92	13.62
66-n77	60	30KHZ	3730.02	CP	256QAM	Edge_1RB_Left	15.75	13.45
66-n77	60	30KHZ	3730.02	CP	256QAM	Edge_1RB_Right	15.32	13.02
66-n77	60	30KHZ	3730.02	CP	256QAM	Outer_Full	16.12	13.82
66-n77	60	30KHZ	3840	DFT	pi/2 BPSK	Inner_Full	23.37	21.07
66-n77	60	30KHZ	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.31	20.01
66-n77	60	30KHZ	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.87	20.57
66-n77	60	30KHZ	3840	DFT	pi/2 BPSK	Outer_Full	22.96	20.66
66-n77	60	30KHZ	3840	DFT	QPSK	Inner_Full	23.50	21.20
66-n77	60	30KHZ	3840	DFT	QPSK	Edge_1RB_Left	21.70	19.40
66-n77	60	30KHZ	3840	DFT	QPSK	Edge_1RB_Right	22.40	20.10
66-n77	60	30KHZ	3840	DFT	QPSK	Outer_Full	22.51	20.21
66-n77	60	30KHZ	3840	DFT	16QAM	Inner_Full	22.57	20.27
66-n77	60	30KHZ	3840	DFT	16QAM	Edge_1RB_Left	20.43	18.13
66-n77	60	30KHZ	3840	DFT	16QAM	Edge_1RB_Right	21.05	18.75
66-n77	60	30KHZ	3840	DFT	16QAM	Outer_Full	21.48	19.18
66-n77	60	30KHZ	3840	DFT	64QAM	Inner_Full	21.02	18.72
66-n77	60	30KHZ	3840	DFT	64QAM	Edge_1RB_Left	19.91	17.61
66-n77	60	30KHZ	3840	DFT	64QAM	Edge_1RB_Right	20.47	18.17
66-n77	60	30KHZ	3840	DFT	64QAM	Outer_Full	20.96	18.66
66-n77	60	30KHZ	3840	DFT	256QAM	Inner_Full	19.05	16.75
66-n77	60	30KHZ	3840	DFT	256QAM	Edge_1RB_Left	17.75	15.45
66-n77	60	30KHZ	3840	DFT	256QAM	Edge_1RB_Right	18.04	15.74
66-n77	60	30KHZ	3840	DFT	256QAM	Outer_Full	19.01	16.71
66-n77	60	30KHZ	3840	CP	QPSK	Inner_Full	21.96	19.66

66-n77	60	30KHZ	3840	CP	QPSK	Edge_1RB_Left	19.87	17.57
66-n77	60	30KHZ	3840	CP	QPSK	Edge_1RB_Right	20.54	18.24
66-n77	60	30KHZ	3840	CP	QPSK	Outer_Full	20.43	18.13
66-n77	60	30KHZ	3840	CP	16QAM	Inner_Full	21.41	19.11
66-n77	60	30KHZ	3840	CP	16QAM	Edge_1RB_Left	19.97	17.67
66-n77	60	30KHZ	3840	CP	16QAM	Edge_1RB_Right	20.76	18.46
66-n77	60	30KHZ	3840	CP	16QAM	Outer_Full	20.42	18.12
66-n77	60	30KHZ	3840	CP	64QAM	Inner_Full	20.03	17.73
66-n77	60	30KHZ	3840	CP	64QAM	Edge_1RB_Left	19.07	16.77
66-n77	60	30KHZ	3840	CP	64QAM	Edge_1RB_Right	19.87	17.57
66-n77	60	30KHZ	3840	CP	64QAM	Outer_Full	19.93	17.63
66-n77	60	30KHZ	3840	CP	256QAM	Inner_Full	17.04	14.74
66-n77	60	30KHZ	3840	CP	256QAM	Edge_1RB_Left	15.58	13.28
66-n77	60	30KHZ	3840	CP	256QAM	Edge_1RB_Right	16.37	14.07
66-n77	60	30KHZ	3840	CP	256QAM	Outer_Full	17.14	14.84
66-n77	60	30KHZ	3949.98	DFT	pi/2 BPSK	Inner_Full	22.50	20.20
66-n77	60	30KHZ	3949.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.88	19.58
66-n77	60	30KHZ	3949.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.71	19.41
66-n77	60	30KHZ	3949.98	DFT	pi/2 BPSK	Outer_Full	22.12	19.82
66-n77	60	30KHZ	3949.98	DFT	QPSK	Inner_Full	22.71	20.41
66-n77	60	30KHZ	3949.98	DFT	QPSK	Edge_1RB_Left	21.30	19.00
66-n77	60	30KHZ	3949.98	DFT	QPSK	Edge_1RB_Right	21.25	18.95
66-n77	60	30KHZ	3949.98	DFT	QPSK	Outer_Full	21.51	19.21
66-n77	60	30KHZ	3949.98	DFT	16QAM	Inner_Full	21.77	19.47
66-n77	60	30KHZ	3949.98	DFT	16QAM	Edge_1RB_Left	20.18	17.88
66-n77	60	30KHZ	3949.98	DFT	16QAM	Edge_1RB_Right	20.08	17.78
66-n77	60	30KHZ	3949.98	DFT	16QAM	Outer_Full	20.55	18.25
66-n77	60	30KHZ	3949.98	DFT	64QAM	Inner_Full	20.22	17.92
66-n77	60	30KHZ	3949.98	DFT	64QAM	Edge_1RB_Left	19.66	17.36
66-n77	60	30KHZ	3949.98	DFT	64QAM	Edge_1RB_Right	19.72	17.42
66-n77	60	30KHZ	3949.98	DFT	64QAM	Outer_Full	20.21	17.91
66-n77	60	30KHZ	3949.98	DFT	256QAM	Inner_Full	18.36	16.06
66-n77	60	30KHZ	3949.98	DFT	256QAM	Edge_1RB_Left	17.24	14.94
66-n77	60	30KHZ	3949.98	DFT	256QAM	Edge_1RB_Right	17.04	14.74
66-n77	60	30KHZ	3949.98	DFT	256QAM	Outer_Full	18.16	15.86
66-n77	60	30KHZ	3949.98	CP	QPSK	Inner_Full	21.29	18.99
66-n77	60	30KHZ	3949.98	CP	QPSK	Edge_1RB_Left	19.57	17.27
66-n77	60	30KHZ	3949.98	CP	QPSK	Edge_1RB_Right	19.52	17.22
66-n77	60	30KHZ	3949.98	CP	QPSK	Outer_Full	19.64	17.34
66-n77	60	30KHZ	3949.98	CP	16QAM	Inner_Full	20.55	18.25
66-n77	60	30KHZ	3949.98	CP	16QAM	Edge_1RB_Left	19.60	17.30
66-n77	60	30KHZ	3949.98	CP	16QAM	Edge_1RB_Right	19.31	17.01
66-n77	60	30KHZ	3949.98	CP	16QAM	Outer_Full	19.71	17.41

66-n77	60	30KHZ	3949.98	CP	64QAM	Inner_Full	19.18	16.88
66-n77	60	30KHZ	3949.98	CP	64QAM	Edge_1RB_Left	18.83	16.53
66-n77	60	30KHZ	3949.98	CP	64QAM	Edge_1RB_Right	18.86	16.56
66-n77	60	30KHZ	3949.98	CP	64QAM	Outer_Full	19.22	16.92
66-n77	60	30KHZ	3949.98	CP	256QAM	Inner_Full	16.20	13.90
66-n77	60	30KHZ	3949.98	CP	256QAM	Edge_1RB_Left	15.57	13.27
66-n77	60	30KHZ	3949.98	CP	256QAM	Edge_1RB_Right	15.25	12.95
66-n77	60	30KHZ	3949.98	CP	256QAM	Outer_Full	16.23	13.93
66-n77	80	30KHZ	3740.01	DFT	pi/2 BPSK	Inner_Full	22.24	19.94
66-n77	80	30KHZ	3740.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.19	19.89
66-n77	80	30KHZ	3740.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.90	19.60
66-n77	80	30KHZ	3740.01	DFT	pi/2 BPSK	Outer_Full	21.84	19.54
66-n77	80	30KHZ	3740.01	DFT	QPSK	Inner_Full	22.17	19.87
66-n77	80	30KHZ	3740.01	DFT	QPSK	Edge_1RB_Left	21.65	19.35
66-n77	80	30KHZ	3740.01	DFT	QPSK	Edge_1RB_Right	21.31	19.01
66-n77	80	30KHZ	3740.01	DFT	QPSK	Outer_Full	21.37	19.07
66-n77	80	30KHZ	3740.01	DFT	16QAM	Inner_Full	21.20	18.90
66-n77	80	30KHZ	3740.01	DFT	16QAM	Edge_1RB_Left	21.01	18.71
66-n77	80	30KHZ	3740.01	DFT	16QAM	Edge_1RB_Right	20.46	18.16
66-n77	80	30KHZ	3740.01	DFT	16QAM	Outer_Full	20.31	18.01
66-n77	80	30KHZ	3740.01	DFT	64QAM	Inner_Full	19.80	17.50
66-n77	80	30KHZ	3740.01	DFT	64QAM	Edge_1RB_Left	19.78	17.48
66-n77	80	30KHZ	3740.01	DFT	64QAM	Edge_1RB_Right	19.55	17.25
66-n77	80	30KHZ	3740.01	DFT	64QAM	Outer_Full	19.96	17.66
66-n77	80	30KHZ	3740.01	DFT	256QAM	Inner_Full	17.94	15.64
66-n77	80	30KHZ	3740.01	DFT	256QAM	Edge_1RB_Left	17.73	15.43
66-n77	80	30KHZ	3740.01	DFT	256QAM	Edge_1RB_Right	17.11	14.81
66-n77	80	30KHZ	3740.01	DFT	256QAM	Outer_Full	17.93	15.63
66-n77	80	30KHZ	3740.01	CP	QPSK	Inner_Full	20.85	18.55
66-n77	80	30KHZ	3740.01	CP	QPSK	Edge_1RB_Left	19.83	17.53
66-n77	80	30KHZ	3740.01	CP	QPSK	Edge_1RB_Right	19.36	17.06
66-n77	80	30KHZ	3740.01	CP	QPSK	Outer_Full	19.37	17.07
66-n77	80	30KHZ	3740.01	CP	16QAM	Inner_Full	20.30	18.00
66-n77	80	30KHZ	3740.01	CP	16QAM	Edge_1RB_Left	19.86	17.56
66-n77	80	30KHZ	3740.01	CP	16QAM	Edge_1RB_Right	19.40	17.10
66-n77	80	30KHZ	3740.01	CP	16QAM	Outer_Full	19.25	16.95
66-n77	80	30KHZ	3740.01	CP	64QAM	Inner_Full	18.77	16.47
66-n77	80	30KHZ	3740.01	CP	64QAM	Edge_1RB_Left	19.07	16.77
66-n77	80	30KHZ	3740.01	CP	64QAM	Edge_1RB_Right	18.58	16.28
66-n77	80	30KHZ	3740.01	CP	64QAM	Outer_Full	18.86	16.56
66-n77	80	30KHZ	3740.01	CP	256QAM	Inner_Full	15.90	13.60
66-n77	80	30KHZ	3740.01	CP	256QAM	Edge_1RB_Left	15.67	13.37
66-n77	80	30KHZ	3740.01	CP	256QAM	Edge_1RB_Right	15.28	12.98

66-n77	80	30KHZ	3740.01	CP	256QAM	Outer_Full	16.07	13.77
66-n77	80	30KHZ	3840	DFT	pi/2 BPSK	Inner_Full	23.22	20.92
66-n77	80	30KHZ	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.19	19.89
66-n77	80	30KHZ	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.50	20.20
66-n77	80	30KHZ	3840	DFT	pi/2 BPSK	Outer_Full	22.58	20.28
66-n77	80	30KHZ	3840	DFT	QPSK	Inner_Full	23.28	20.98
66-n77	80	30KHZ	3840	DFT	QPSK	Edge_1RB_Left	21.63	19.33
66-n77	80	30KHZ	3840	DFT	QPSK	Edge_1RB_Right	22.05	19.75
66-n77	80	30KHZ	3840	DFT	QPSK	Outer_Full	22.22	19.92
66-n77	80	30KHZ	3840	DFT	16QAM	Inner_Full	22.23	19.93
66-n77	80	30KHZ	3840	DFT	16QAM	Edge_1RB_Left	20.50	18.20
66-n77	80	30KHZ	3840	DFT	16QAM	Edge_1RB_Right	20.81	18.51
66-n77	80	30KHZ	3840	DFT	16QAM	Outer_Full	21.35	19.05
66-n77	80	30KHZ	3840	DFT	64QAM	Inner_Full	20.84	18.54
66-n77	80	30KHZ	3840	DFT	64QAM	Edge_1RB_Left	20.04	17.74
66-n77	80	30KHZ	3840	DFT	64QAM	Edge_1RB_Right	20.22	17.92
66-n77	80	30KHZ	3840	DFT	64QAM	Outer_Full	20.72	18.42
66-n77	80	30KHZ	3840	DFT	256QAM	Inner_Full	19.03	16.73
66-n77	80	30KHZ	3840	DFT	256QAM	Edge_1RB_Left	17.60	15.30
66-n77	80	30KHZ	3840	DFT	256QAM	Edge_1RB_Right	17.85	15.55
66-n77	80	30KHZ	3840	DFT	256QAM	Outer_Full	19.01	16.71
66-n77	80	30KHZ	3840	CP	QPSK	Inner_Full	21.88	19.58
66-n77	80	30KHZ	3840	CP	QPSK	Edge_1RB_Left	19.87	17.57
66-n77	80	30KHZ	3840	CP	QPSK	Edge_1RB_Right	20.06	17.76
66-n77	80	30KHZ	3840	CP	QPSK	Outer_Full	20.23	17.93
66-n77	80	30KHZ	3840	CP	16QAM	Inner_Full	21.34	19.04
66-n77	80	30KHZ	3840	CP	16QAM	Edge_1RB_Left	19.78	17.48
66-n77	80	30KHZ	3840	CP	16QAM	Edge_1RB_Right	20.17	17.87
66-n77	80	30KHZ	3840	CP	16QAM	Outer_Full	20.36	18.06
66-n77	80	30KHZ	3840	CP	64QAM	Inner_Full	19.91	17.61
66-n77	80	30KHZ	3840	CP	64QAM	Edge_1RB_Left	18.83	16.53
66-n77	80	30KHZ	3840	CP	64QAM	Edge_1RB_Right	19.29	16.99
66-n77	80	30KHZ	3840	CP	64QAM	Outer_Full	19.83	17.53
66-n77	80	30KHZ	3840	CP	256QAM	Inner_Full	16.98	14.68
66-n77	80	30KHZ	3840	CP	256QAM	Edge_1RB_Left	15.58	13.28
66-n77	80	30KHZ	3840	CP	256QAM	Edge_1RB_Right	15.99	13.69
66-n77	80	30KHZ	3840	CP	256QAM	Outer_Full	16.78	14.48
66-n77	80	30KHZ	3939.99	DFT	pi/2 BPSK	Inner_Full	22.65	20.35
66-n77	80	30KHZ	3939.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.36	20.06
66-n77	80	30KHZ	3939.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.01	19.71
66-n77	80	30KHZ	3939.99	DFT	pi/2 BPSK	Outer_Full	22.26	19.96
66-n77	80	30KHZ	3939.99	DFT	QPSK	Inner_Full	22.81	20.51
66-n77	80	30KHZ	3939.99	DFT	QPSK	Edge_1RB_Left	21.73	19.43

66-n77	80	30KHZ	3939.99	DFT	QPSK	Edge_1RB_Right	21.55	19.25
66-n77	80	30KHZ	3939.99	DFT	QPSK	Outer_Full	21.82	19.52
66-n77	80	30KHZ	3939.99	DFT	16QAM	Inner_Full	21.87	19.57
66-n77	80	30KHZ	3939.99	DFT	16QAM	Edge_1RB_Left	21.05	18.75
66-n77	80	30KHZ	3939.99	DFT	16QAM	Edge_1RB_Right	20.78	18.48
66-n77	80	30KHZ	3939.99	DFT	16QAM	Outer_Full	20.63	18.33
66-n77	80	30KHZ	3939.99	DFT	64QAM	Inner_Full	20.13	17.83
66-n77	80	30KHZ	3939.99	DFT	64QAM	Edge_1RB_Left	20.04	17.74
66-n77	80	30KHZ	3939.99	DFT	64QAM	Edge_1RB_Right	19.82	17.52
66-n77	80	30KHZ	3939.99	DFT	64QAM	Outer_Full	20.44	18.14
66-n77	80	30KHZ	3939.99	DFT	256QAM	Inner_Full	18.31	16.01
66-n77	80	30KHZ	3939.99	DFT	256QAM	Edge_1RB_Left	17.55	15.25
66-n77	80	30KHZ	3939.99	DFT	256QAM	Edge_1RB_Right	17.72	15.42
66-n77	80	30KHZ	3939.99	DFT	256QAM	Outer_Full	18.30	16.00
66-n77	80	30KHZ	3939.99	CP	QPSK	Inner_Full	21.28	18.98
66-n77	80	30KHZ	3939.99	CP	QPSK	Edge_1RB_Left	20.20	17.90
66-n77	80	30KHZ	3939.99	CP	QPSK	Edge_1RB_Right	19.98	17.68
66-n77	80	30KHZ	3939.99	CP	QPSK	Outer_Full	19.79	17.49
66-n77	80	30KHZ	3939.99	CP	16QAM	Inner_Full	20.78	18.48
66-n77	80	30KHZ	3939.99	CP	16QAM	Edge_1RB_Left	19.80	17.50
66-n77	80	30KHZ	3939.99	CP	16QAM	Edge_1RB_Right	19.82	17.52
66-n77	80	30KHZ	3939.99	CP	16QAM	Outer_Full	19.86	17.56
66-n77	80	30KHZ	3939.99	CP	64QAM	Inner_Full	19.32	17.02
66-n77	80	30KHZ	3939.99	CP	64QAM	Edge_1RB_Left	19.14	16.84
66-n77	80	30KHZ	3939.99	CP	64QAM	Edge_1RB_Right	18.81	16.51
66-n77	80	30KHZ	3939.99	CP	64QAM	Outer_Full	19.40	17.10
66-n77	80	30KHZ	3939.99	CP	256QAM	Inner_Full	16.33	14.03
66-n77	80	30KHZ	3939.99	CP	256QAM	Edge_1RB_Left	15.80	13.50
66-n77	80	30KHZ	3939.99	CP	256QAM	Edge_1RB_Right	15.56	13.26
66-n77	80	30KHZ	3939.99	CP	256QAM	Outer_Full	16.36	14.06
66-n77	90	30KHZ	3745.02	DFT	pi/2 BPSK	Inner_Full	22.04	19.74
66-n77	90	30KHZ	3745.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.21	19.91
66-n77	90	30KHZ	3745.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.25	19.95
66-n77	90	30KHZ	3745.02	DFT	pi/2 BPSK	Outer_Full	21.87	19.57
66-n77	90	30KHZ	3745.02	DFT	QPSK	Inner_Full	22.11	19.81
66-n77	90	30KHZ	3745.02	DFT	QPSK	Edge_1RB_Left	21.67	19.37
66-n77	90	30KHZ	3745.02	DFT	QPSK	Edge_1RB_Right	21.69	19.39
66-n77	90	30KHZ	3745.02	DFT	QPSK	Outer_Full	21.29	18.99
66-n77	90	30KHZ	3745.02	DFT	16QAM	Inner_Full	21.17	18.87
66-n77	90	30KHZ	3745.02	DFT	16QAM	Edge_1RB_Left	20.87	18.57
66-n77	90	30KHZ	3745.02	DFT	16QAM	Edge_1RB_Right	20.85	18.55
66-n77	90	30KHZ	3745.02	DFT	16QAM	Outer_Full	20.26	17.96
66-n77	90	30KHZ	3745.02	DFT	64QAM	Inner_Full	19.79	17.49

66-n77	90	30KHZ	3745.02	DFT	64QAM	Edge_1RB_Left	19.85	17.55
66-n77	90	30KHZ	3745.02	DFT	64QAM	Edge_1RB_Right	19.87	17.57
66-n77	90	30KHZ	3745.02	DFT	64QAM	Outer_Full	19.83	17.53
66-n77	90	30KHZ	3745.02	DFT	256QAM	Inner_Full	17.94	15.64
66-n77	90	30KHZ	3745.02	DFT	256QAM	Edge_1RB_Left	17.53	15.23
66-n77	90	30KHZ	3745.02	DFT	256QAM	Edge_1RB_Right	17.52	15.22
66-n77	90	30KHZ	3745.02	DFT	256QAM	Outer_Full	17.95	15.65
66-n77	90	30KHZ	3745.02	CP	QPSK	Inner_Full	20.82	18.52
66-n77	90	30KHZ	3745.02	CP	QPSK	Edge_1RB_Left	19.85	17.55
66-n77	90	30KHZ	3745.02	CP	QPSK	Edge_1RB_Right	20.07	17.77
66-n77	90	30KHZ	3745.02	CP	QPSK	Outer_Full	19.29	16.99
66-n77	90	30KHZ	3745.02	CP	16QAM	Inner_Full	20.10	17.80
66-n77	90	30KHZ	3745.02	CP	16QAM	Edge_1RB_Left	19.68	17.38
66-n77	90	30KHZ	3745.02	CP	16QAM	Edge_1RB_Right	19.82	17.52
66-n77	90	30KHZ	3745.02	CP	16QAM	Outer_Full	19.34	17.04
66-n77	90	30KHZ	3745.02	CP	64QAM	Inner_Full	18.73	16.43
66-n77	90	30KHZ	3745.02	CP	64QAM	Edge_1RB_Left	18.98	16.68
66-n77	90	30KHZ	3745.02	CP	64QAM	Edge_1RB_Right	19.02	16.72
66-n77	90	30KHZ	3745.02	CP	64QAM	Outer_Full	18.80	16.50
66-n77	90	30KHZ	3745.02	CP	256QAM	Inner_Full	15.90	13.60
66-n77	90	30KHZ	3745.02	CP	256QAM	Edge_1RB_Left	15.72	13.42
66-n77	90	30KHZ	3745.02	CP	256QAM	Edge_1RB_Right	15.78	13.48
66-n77	90	30KHZ	3745.02	CP	256QAM	Outer_Full	15.99	13.69
66-n77	90	30KHZ	3840	DFT	pi/2 BPSK	Inner_Full	23.22	20.92
66-n77	90	30KHZ	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.23	19.93
66-n77	90	30KHZ	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.64	20.34
66-n77	90	30KHZ	3840	DFT	pi/2 BPSK	Outer_Full	22.81	20.51
66-n77	90	30KHZ	3840	DFT	QPSK	Inner_Full	23.26	20.96
66-n77	90	30KHZ	3840	DFT	QPSK	Edge_1RB_Left	21.83	19.53
66-n77	90	30KHZ	3840	DFT	QPSK	Edge_1RB_Right	22.03	19.73
66-n77	90	30KHZ	3840	DFT	QPSK	Outer_Full	22.27	19.97
66-n77	90	30KHZ	3840	DFT	16QAM	Inner_Full	22.22	19.92
66-n77	90	30KHZ	3840	DFT	16QAM	Edge_1RB_Left	21.03	18.73
66-n77	90	30KHZ	3840	DFT	16QAM	Edge_1RB_Right	21.09	18.79
66-n77	90	30KHZ	3840	DFT	16QAM	Outer_Full	21.17	18.87
66-n77	90	30KHZ	3840	DFT	64QAM	Inner_Full	20.93	18.63
66-n77	90	30KHZ	3840	DFT	64QAM	Edge_1RB_Left	20.13	17.83
66-n77	90	30KHZ	3840	DFT	64QAM	Edge_1RB_Right	20.32	18.02
66-n77	90	30KHZ	3840	DFT	64QAM	Outer_Full	20.87	18.57
66-n77	90	30KHZ	3840	DFT	256QAM	Inner_Full	19.12	16.82
66-n77	90	30KHZ	3840	DFT	256QAM	Edge_1RB_Left	17.52	15.22
66-n77	90	30KHZ	3840	DFT	256QAM	Edge_1RB_Right	17.83	15.53
66-n77	90	30KHZ	3840	DFT	256QAM	Outer_Full	19.02	16.72

66-n77	90	30KHZ	3840	CP	QPSK	Inner_Full	21.84	19.54
66-n77	90	30KHZ	3840	CP	QPSK	Edge_1RB_Left	20.07	17.77
66-n77	90	30KHZ	3840	CP	QPSK	Edge_1RB_Right	20.28	17.98
66-n77	90	30KHZ	3840	CP	QPSK	Outer_Full	20.26	17.96
66-n77	90	30KHZ	3840	CP	16QAM	Inner_Full	21.24	18.94
66-n77	90	30KHZ	3840	CP	16QAM	Edge_1RB_Left	19.38	17.08
66-n77	90	30KHZ	3840	CP	16QAM	Edge_1RB_Right	19.84	17.54
66-n77	90	30KHZ	3840	CP	16QAM	Outer_Full	20.13	17.83
66-n77	90	30KHZ	3840	CP	64QAM	Inner_Full	19.86	17.56
66-n77	90	30KHZ	3840	CP	64QAM	Edge_1RB_Left	18.96	16.66
66-n77	90	30KHZ	3840	CP	64QAM	Edge_1RB_Right	19.37	17.07
66-n77	90	30KHZ	3840	CP	64QAM	Outer_Full	19.81	17.51
66-n77	90	30KHZ	3840	CP	256QAM	Inner_Full	16.87	14.57
66-n77	90	30KHZ	3840	CP	256QAM	Edge_1RB_Left	15.75	13.45
66-n77	90	30KHZ	3840	CP	256QAM	Edge_1RB_Right	16.18	13.88
66-n77	90	30KHZ	3840	CP	256QAM	Outer_Full	16.80	14.50
66-n77	90	30KHZ	3934.98	DFT	pi/2 BPSK	Inner_Full	22.81	20.51
66-n77	90	30KHZ	3934.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.46	20.16
66-n77	90	30KHZ	3934.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.23	19.93
66-n77	90	30KHZ	3934.98	DFT	pi/2 BPSK	Outer_Full	22.50	20.20
66-n77	90	30KHZ	3934.98	DFT	QPSK	Inner_Full	22.86	20.56
66-n77	90	30KHZ	3934.98	DFT	QPSK	Edge_1RB_Left	21.79	19.49
66-n77	90	30KHZ	3934.98	DFT	QPSK	Edge_1RB_Right	21.72	19.42
66-n77	90	30KHZ	3934.98	DFT	QPSK	Outer_Full	21.88	19.58
66-n77	90	30KHZ	3934.98	DFT	16QAM	Inner_Full	22.02	19.72
66-n77	90	30KHZ	3934.98	DFT	16QAM	Edge_1RB_Left	21.16	18.86
66-n77	90	30KHZ	3934.98	DFT	16QAM	Edge_1RB_Right	20.67	18.37
66-n77	90	30KHZ	3934.98	DFT	16QAM	Outer_Full	20.66	18.36
66-n77	90	30KHZ	3934.98	DFT	64QAM	Inner_Full	20.19	17.89
66-n77	90	30KHZ	3934.98	DFT	64QAM	Edge_1RB_Left	20.23	17.93
66-n77	90	30KHZ	3934.98	DFT	64QAM	Edge_1RB_Right	19.73	17.43
66-n77	90	30KHZ	3934.98	DFT	64QAM	Outer_Full	20.23	17.93
66-n77	90	30KHZ	3934.98	DFT	256QAM	Inner_Full	18.51	16.21
66-n77	90	30KHZ	3934.98	DFT	256QAM	Edge_1RB_Left	17.70	15.40
66-n77	90	30KHZ	3934.98	DFT	256QAM	Edge_1RB_Right	17.65	15.35
66-n77	90	30KHZ	3934.98	DFT	256QAM	Outer_Full	18.33	16.03
66-n77	90	30KHZ	3934.98	CP	QPSK	Inner_Full	21.52	19.22
66-n77	90	30KHZ	3934.98	CP	QPSK	Edge_1RB_Left	20.35	18.05
66-n77	90	30KHZ	3934.98	CP	QPSK	Edge_1RB_Right	20.07	17.77
66-n77	90	30KHZ	3934.98	CP	QPSK	Outer_Full	20.00	17.70
66-n77	90	30KHZ	3934.98	CP	16QAM	Inner_Full	20.82	18.52
66-n77	90	30KHZ	3934.98	CP	16QAM	Edge_1RB_Left	19.93	17.63
66-n77	90	30KHZ	3934.98	CP	16QAM	Edge_1RB_Right	19.73	17.43

66-n77	90	30KHZ	3934.98	CP	16QAM	Outer_Full	19.77	17.47
66-n77	90	30KHZ	3934.98	CP	64QAM	Inner_Full	19.39	17.09
66-n77	90	30KHZ	3934.98	CP	64QAM	Edge_1RB_Left	19.24	16.94
66-n77	90	30KHZ	3934.98	CP	64QAM	Edge_1RB_Right	19.09	16.79
66-n77	90	30KHZ	3934.98	CP	64QAM	Outer_Full	19.38	17.08
66-n77	90	30KHZ	3934.98	CP	256QAM	Inner_Full	16.39	14.09
66-n77	90	30KHZ	3934.98	CP	256QAM	Edge_1RB_Left	15.88	13.58
66-n77	90	30KHZ	3934.98	CP	256QAM	Edge_1RB_Right	15.63	13.33
66-n77	90	30KHZ	3934.98	CP	256QAM	Outer_Full	16.45	14.15
66-n77	100	30KHZ	3750	DFT	pi/2 BPSK	Inner_Full	22.11	19.81
66-n77	100	30KHZ	3750	DFT	pi/2 BPSK	Edge_1RB_Left	22.25	19.95
66-n77	100	30KHZ	3750	DFT	pi/2 BPSK	Edge_1RB_Right	22.27	19.97
66-n77	100	30KHZ	3750	DFT	pi/2 BPSK	Outer_Full	22.05	19.75
66-n77	100	30KHZ	3750	DFT	QPSK	Inner_Full	22.14	19.84
66-n77	100	30KHZ	3750	DFT	QPSK	Edge_1RB_Left	21.62	19.32
66-n77	100	30KHZ	3750	DFT	QPSK	Edge_1RB_Right	21.61	19.31
66-n77	100	30KHZ	3750	DFT	QPSK	Outer_Full	21.49	19.19
66-n77	100	30KHZ	3750	DFT	16QAM	Inner_Full	21.22	18.92
66-n77	100	30KHZ	3750	DFT	16QAM	Edge_1RB_Left	20.89	18.59
66-n77	100	30KHZ	3750	DFT	16QAM	Edge_1RB_Right	20.93	18.63
66-n77	100	30KHZ	3750	DFT	16QAM	Outer_Full	20.52	18.22
66-n77	100	30KHZ	3750	DFT	64QAM	Inner_Full	19.83	17.53
66-n77	100	30KHZ	3750	DFT	64QAM	Edge_1RB_Left	19.86	17.56
66-n77	100	30KHZ	3750	DFT	64QAM	Edge_1RB_Right	19.83	17.53
66-n77	100	30KHZ	3750	DFT	64QAM	Outer_Full	20.13	17.83
66-n77	100	30KHZ	3750	DFT	256QAM	Inner_Full	17.88	15.58
66-n77	100	30KHZ	3750	DFT	256QAM	Edge_1RB_Left	17.70	15.40
66-n77	100	30KHZ	3750	DFT	256QAM	Edge_1RB_Right	17.70	15.40
66-n77	100	30KHZ	3750	DFT	256QAM	Outer_Full	18.12	15.82
66-n77	100	30KHZ	3750	CP	QPSK	Inner_Full	20.70	18.40
66-n77	100	30KHZ	3750	CP	QPSK	Edge_1RB_Left	19.93	17.63
66-n77	100	30KHZ	3750	CP	QPSK	Edge_1RB_Right	19.65	17.35
66-n77	100	30KHZ	3750	CP	QPSK	Outer_Full	19.54	17.24
66-n77	100	30KHZ	3750	CP	16QAM	Inner_Full	20.31	18.01
66-n77	100	30KHZ	3750	CP	16QAM	Edge_1RB_Left	19.81	17.51
66-n77	100	30KHZ	3750	CP	16QAM	Edge_1RB_Right	19.75	17.45
66-n77	100	30KHZ	3750	CP	16QAM	Outer_Full	19.50	17.20
66-n77	100	30KHZ	3750	CP	64QAM	Inner_Full	18.73	16.43
66-n77	100	30KHZ	3750	CP	64QAM	Edge_1RB_Left	18.84	16.54
66-n77	100	30KHZ	3750	CP	64QAM	Edge_1RB_Right	18.97	16.67
66-n77	100	30KHZ	3750	CP	64QAM	Outer_Full	18.96	16.66
66-n77	100	30KHZ	3750	CP	256QAM	Inner_Full	15.89	13.59
66-n77	100	30KHZ	3750	CP	256QAM	Edge_1RB_Left	15.75	13.45

66-n77	100	30KHZ	3750	CP	256QAM	Edge_1RB_Right	15.61	13.31
66-n77	100	30KHZ	3750	CP	256QAM	Outer_Full	16.17	13.87
66-n77	100	30KHZ	3840	DFT	pi/2 BPSK	Inner_Full	23.24	20.94
66-n77	100	30KHZ	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.25	19.95
66-n77	100	30KHZ	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.38	20.08
66-n77	100	30KHZ	3840	DFT	pi/2 BPSK	Outer_Full	22.78	20.48
66-n77	100	30KHZ	3840	DFT	QPSK	Inner_Full	23.32	21.02
66-n77	100	30KHZ	3840	DFT	QPSK	Edge_1RB_Left	21.86	19.56
66-n77	100	30KHZ	3840	DFT	QPSK	Edge_1RB_Right	21.82	19.52
66-n77	100	30KHZ	3840	DFT	QPSK	Outer_Full	22.26	19.96
66-n77	100	30KHZ	3840	DFT	16QAM	Inner_Full	22.46	20.16
66-n77	100	30KHZ	3840	DFT	16QAM	Edge_1RB_Left	20.99	18.69
66-n77	100	30KHZ	3840	DFT	16QAM	Edge_1RB_Right	21.09	18.79
66-n77	100	30KHZ	3840	DFT	16QAM	Outer_Full	21.19	18.89
66-n77	100	30KHZ	3840	DFT	64QAM	Inner_Full	20.98	18.68
66-n77	100	30KHZ	3840	DFT	64QAM	Edge_1RB_Left	19.92	17.62
66-n77	100	30KHZ	3840	DFT	64QAM	Edge_1RB_Right	20.21	17.91
66-n77	100	30KHZ	3840	DFT	64QAM	Outer_Full	20.87	18.57
66-n77	100	30KHZ	3840	DFT	256QAM	Inner_Full	18.94	16.64
66-n77	100	30KHZ	3840	DFT	256QAM	Edge_1RB_Left	17.67	15.37
66-n77	100	30KHZ	3840	DFT	256QAM	Edge_1RB_Right	17.71	15.41
66-n77	100	30KHZ	3840	DFT	256QAM	Outer_Full	18.83	16.53
66-n77	100	30KHZ	3840	CP	QPSK	Inner_Full	21.94	19.64
66-n77	100	30KHZ	3840	CP	QPSK	Edge_1RB_Left	20.03	17.73
66-n77	100	30KHZ	3840	CP	QPSK	Edge_1RB_Right	20.04	17.74
66-n77	100	30KHZ	3840	CP	QPSK	Outer_Full	20.34	18.04
66-n77	100	30KHZ	3840	CP	16QAM	Inner_Full	21.42	19.12
66-n77	100	30KHZ	3840	CP	16QAM	Edge_1RB_Left	19.77	17.47
66-n77	100	30KHZ	3840	CP	16QAM	Edge_1RB_Right	19.96	17.66
66-n77	100	30KHZ	3840	CP	16QAM	Outer_Full	20.24	17.94
66-n77	100	30KHZ	3840	CP	64QAM	Inner_Full	19.96	17.66
66-n77	100	30KHZ	3840	CP	64QAM	Edge_1RB_Left	19.09	16.79
66-n77	100	30KHZ	3840	CP	64QAM	Edge_1RB_Right	19.26	16.96
66-n77	100	30KHZ	3840	CP	64QAM	Outer_Full	19.72	17.42
66-n77	100	30KHZ	3840	CP	256QAM	Inner_Full	16.90	14.60
66-n77	100	30KHZ	3840	CP	256QAM	Edge_1RB_Left	15.70	13.40
66-n77	100	30KHZ	3840	CP	256QAM	Edge_1RB_Right	15.83	13.53
66-n77	100	30KHZ	3840	CP	256QAM	Outer_Full	16.79	14.49
66-n77	100	30KHZ	3930	DFT	pi/2 BPSK	Inner_Full	22.74	20.44
66-n77	100	30KHZ	3930	DFT	pi/2 BPSK	Edge_1RB_Left	22.51	20.21
66-n77	100	30KHZ	3930	DFT	pi/2 BPSK	Edge_1RB_Right	22.18	19.88
66-n77	100	30KHZ	3930	DFT	pi/2 BPSK	Outer_Full	22.30	20.00
66-n77	100	30KHZ	3930	DFT	QPSK	Inner_Full	22.65	20.35

66-n77	100	30KHZ	3930	DFT	QPSK	Edge_1RB_Left	22.05	19.75
66-n77	100	30KHZ	3930	DFT	QPSK	Edge_1RB_Right	21.64	19.34
66-n77	100	30KHZ	3930	DFT	QPSK	Outer_Full	21.78	19.48
66-n77	100	30KHZ	3930	DFT	16QAM	Inner_Full	21.66	19.36
66-n77	100	30KHZ	3930	DFT	16QAM	Edge_1RB_Left	21.03	18.73
66-n77	100	30KHZ	3930	DFT	16QAM	Edge_1RB_Right	20.95	18.65
66-n77	100	30KHZ	3930	DFT	16QAM	Outer_Full	20.77	18.47
66-n77	100	30KHZ	3930	DFT	64QAM	Inner_Full	20.39	18.09
66-n77	100	30KHZ	3930	DFT	64QAM	Edge_1RB_Left	20.00	17.70
66-n77	100	30KHZ	3930	DFT	64QAM	Edge_1RB_Right	20.02	17.72
66-n77	100	30KHZ	3930	DFT	64QAM	Outer_Full	20.40	18.10
66-n77	100	30KHZ	3930	DFT	256QAM	Inner_Full	18.52	16.22
66-n77	100	30KHZ	3930	DFT	256QAM	Edge_1RB_Left	17.91	15.61
66-n77	100	30KHZ	3930	DFT	256QAM	Edge_1RB_Right	17.57	15.27
66-n77	100	30KHZ	3930	DFT	256QAM	Outer_Full	18.42	16.12
66-n77	100	30KHZ	3930	CP	QPSK	Inner_Full	21.26	18.96
66-n77	100	30KHZ	3930	CP	QPSK	Edge_1RB_Left	19.99	17.69
66-n77	100	30KHZ	3930	CP	QPSK	Edge_1RB_Right	19.60	17.30
66-n77	100	30KHZ	3930	CP	QPSK	Outer_Full	19.84	17.54
66-n77	100	30KHZ	3930	CP	16QAM	Inner_Full	20.99	18.69
66-n77	100	30KHZ	3930	CP	16QAM	Edge_1RB_Left	20.00	17.70
66-n77	100	30KHZ	3930	CP	16QAM	Edge_1RB_Right	19.63	17.33
66-n77	100	30KHZ	3930	CP	16QAM	Outer_Full	19.89	17.59
66-n77	100	30KHZ	3930	CP	64QAM	Inner_Full	19.50	17.20
66-n77	100	30KHZ	3930	CP	64QAM	Edge_1RB_Left	19.30	17.00
66-n77	100	30KHZ	3930	CP	64QAM	Edge_1RB_Right	18.87	16.57
66-n77	100	30KHZ	3930	CP	64QAM	Outer_Full	19.47	17.17
66-n77	100	30KHZ	3930	CP	256QAM	Inner_Full	16.45	14.15
66-n77	100	30KHZ	3930	CP	256QAM	Edge_1RB_Left	15.91	13.61
66-n77	100	30KHZ	3930	CP	256QAM	Edge_1RB_Right	15.71	13.41
66-n77	100	30KHZ	3930	CP	256QAM	Outer_Full	16.57	14.27

A.2 Emission Limit


A.2.1 Measurement Method

The measurement procedures in TIA-603-E-2016 are used.


The spectrum was scanned from 30 MHz to the 10th harmonic of the highest frequency generated within the equipment. The spectrum is scanned with the mobile station transmitting at carrier frequencies that pertain to low, mid and high channels.

The procedure of radiated spurious emissions is as follows:

1. EUT was placed on a 1.5-meter-high non-conductive stand at a 3-meter test distance from the receive antenna. A receiving antenna was placed on the antenna mast 3 meters from the EUT for emission measurements. The height of receiving antenna is 1.5m. The test setup refers to figure below. Detected emissions were maximized at each frequency by rotating the EUT through 360° and adjusting the receiving antenna polarization. The radiated emission measurements of all non-harmonic and harmonics of the transmit frequency through the 10th harmonic were measured with peak detector.



2. The EUT is then put into continuously transmitting mode at its maximum power level during the test. And the maximum value of the receiver should be recorded as (P_r).
3. The EUT shall be replaced by a substitution antenna. The test setup refers to figure below.



In the chamber, a substitution antenna for the frequency band of interest is placed at the reference point of the chamber. An RF Signal source for the frequency band of interest is connected to the substitution antenna with a cable that has been constructed to not interfere with the radiation pattern of the antenna. A power (P_{Mea}) is applied to the input of the substitution antenna and adjusts the level of the signal generator output until the value of the

receiver reach the previously recorded (P_r). The power of signal source (P_{Mea}) is recorded. The test should be performed by rotating the test item and adjusting the receiving antenna polarization.

4. The Path loss (P_{pl}) between the Signal Source with the Substitution Antenna and the Substitution Antenna Gain (G_a) should be recorded after test.
A amplifier should be connected in for the test.
The Path loss (P_{pl}) is the summation of the cable loss and the gain of the amplifier.
The measurement results are obtained as described below:
Power (EIRP) = $P_{Mea} + P_{pl} + G_a$
5. This value is EIRP since the measurement is calibrated using an antenna of known gain (2.15 dBi) and known input power.
6. ERP can be calculated from EIRP by subtracting the gain of the dipole, $ERP = EIRP - 2.15\text{dBi}$.

A.2.2 Measurement Limit

SA NR n5: Part 22.917 specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

SA NR n2/25: Part 24.238 specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

SA NR n41: 27.53(m) (4) specifies " For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees. "

SA NR n71: 27.53(g) specifies " For operations in the 600 MHz band and the 698-746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log (P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed ".

SA NR n66: 27.53(h) specifies " AWS emission limits—(1) General protection levels. Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10} (P)$ dB."

A.2.3 Measurement Results

Radiated emissions measurements were made only at the upper, middle, and lower carrier frequencies. It was decided that measurements at these three carrier frequencies would be sufficient to demonstrate compliance with emissions limits because it was seen that all the significant spurs occur well outside the band and no radiation was seen from a carrier in one block into any of the other blocks. The equipment must still, however, meet emissions requirements with the carrier at all frequencies over which it is capable of operating and it is the manufacturer's responsibility to verify this

LTE Band 12+NR n2 Channel 370500

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3705.00	-51.94	6.42	8.49	-49.87	-25.00	24.87	V
5558.00	-39.33	7.19	10.59	-35.93	-25.00	10.93	V
7392.00	-54.43	8.12	12.07	-50.48	-25.00	25.48	V
9236.00	-53.95	9.01	13.24	-49.72	-25.00	24.72	V
11140.00	-51.20	9.66	13.17	-47.69	-25.00	22.69	H
12965.00	-49.02	10.48	13.48	-46.02	-25.00	21.02	H

LTE Band 12+NR n2 Channel 376000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3761.00	-55.09	6.26	8.57	-52.78	-25.00	27.78	H
5640.00	-40.77	7.27	10.57	-37.47	-25.00	12.47	V
7530.00	-54.51	8.27	12.22	-50.56	-25.00	25.56	V
9420.00	-53.70	9.14	13.35	-49.49	-25.00	24.49	V
11289.00	-51.07	9.93	13.14	-47.86	-25.00	22.86	V
13141.00	-48.16	10.76	13.70	-45.22	-25.00	20.22	V

LTE Band 12+NR n2 Channel 381500

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3816.00	-49.84	6.09	8.64	-47.29	-25.00	22.29	H
5723.00	-36.00	7.30	10.56	-32.74	-25.00	7.74	V
7625.00	-54.66	8.09	12.30	-50.45	-25.00	25.45	V
9559.00	-53.17	9.33	13.34	-49.16	-25.00	24.16	H
11445.00	-50.63	9.95	13.11	-47.47	-25.00	22.47	V
13347.00	-47.63	10.57	13.99	-44.21	-25.00	19.21	V

LTE Band 66+NR n5 Mode Channel 165300

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1650.01	-60.28	3.57	5.23	2.15	-60.77	-13.00	47.77	H
2473.00	-52.50	4.60	6.02	2.15	-53.23	-13.00	40.23	V
3318.02	-54.29	5.29	7.76	2.15	-53.97	-13.00	40.97	H
4140.02	-55.23	6.07	9.04	2.15	-54.41	-13.00	41.41	V
4949.01	-54.03	6.69	9.85	2.15	-53.02	-13.00	40.02	V
5799.01	-53.56	7.19	10.54	2.15	-52.36	-13.00	39.36	H

LTE Band 66+NR n5 Mode Channel 167300

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1686.01	-59.32	3.59	5.17	2.15	-59.89	-13.00	46.89	V
2510.00	-51.84	4.63	6.12	2.15	-52.50	-13.00	39.50	V
3355.02	-54.23	5.32	7.85	2.15	-53.85	-13.00	40.85	H
4184.02	-54.63	6.17	9.08	2.15	-53.87	-13.00	40.87	V
5028.01	-54.11	6.57	9.94	2.15	-52.89	-13.00	39.89	H
5868.01	-53.61	7.29	10.53	2.15	-52.52	-13.00	39.52	V

LTE Band 66+NR n5 Mode Channel 169300

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1690.01	-59.28	3.59	5.16	2.15	-59.86	-13.00	46.86	H
2540.00	-51.83	4.66	6.17	2.15	-52.47	-13.00	39.47	V
3374.02	-54.54	5.34	7.90	2.15	-54.13	-13.00	41.13	H
4226.02	-54.47	6.26	9.13	2.15	-53.75	-13.00	40.75	V
5084.01	-53.53	6.73	10.02	2.15	-52.39	-13.00	39.39	V
5935.01	-52.87	7.47	10.51	2.15	-51.98	-13.00	38.98	H

LTE Band 66+NR n7 Mode Channel 500500

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
4977.00	-55.86	6.64	9.88	-52.62	-25.00	27.62	V
7504.00	-46.53	8.38	12.20	-42.71	-25.00	17.71	H
10039.00	-52.62	9.29	12.92	-48.99	-25.00	23.99	V
12542.00	-48.73	10.30	13.23	-45.80	-25.00	20.80	H
15044.00	-45.68	11.27	13.97	-42.98	-25.00	17.98	H
17512.00	-43.03	12.77	14.92	-40.88	-25.00	15.88	H

LTE Band 66+NR n7 Mode Channel 507000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5068.00	-55.76	6.68	10.00	-52.44	-25.00	27.44	H
7607.00	-53.18	8.00	12.29	-48.89	-25.00	23.89	V
10160.00	-52.05	9.37	12.96	-48.46	-25.00	23.46	V
12665.00	-48.77	10.36	13.30	-45.83	-25.00	20.83	H
15192.00	-44.93	11.40	13.88	-42.45	-25.00	17.45	H
17749.00	-43.89	12.45	15.25	-41.09	-25.00	16.09	H

LTE Band 66+NR n7 Mode Channel 513500

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5145.00	-55.10	6.87	10.10	-51.87	-25.00	26.87	V
7691.00	-54.53	8.39	12.35	-50.57	-25.00	25.57	V
10265.00	-51.30	9.52	13.01	-47.81	-25.00	22.81	V
12844.00	-48.60	10.65	13.41	-45.84	-25.00	20.84	V
15378.00	-44.34	11.37	13.77	-41.94	-25.00	16.94	V
17955.00	-44.15	12.89	15.54	-41.50	-25.00	16.50	V

LTE Band 66+NR n41 Mode Channel 501204

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5038.00	-55.91	6.60	9.95	-52.56	-25.00	27.56	V
7518.00	-47.01	8.32	12.21	-43.12	-25.00	18.12	H
10037.00	-52.72	9.28	12.91	-49.09	-25.00	24.09	V
12523.00	-48.69	10.24	13.21	-45.72	-25.00	20.72	V
15020.00	-45.72	11.24	13.99	-42.97	-25.00	17.97	V
17565.00	-43.95	12.97	14.99	-41.93	-25.00	16.93	H

LTE Band 66+NR n41 Mode Channel 518598

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5157.00	-55.82	6.89	10.12	-52.59	-25.00	27.59	V
7779.00	-52.01	8.32	12.42	-47.91	-25.00	22.91	H
10359.00	-51.77	9.74	13.04	-48.47	-25.00	23.47	V
12938.00	-49.03	10.49	13.46	-46.06	-25.00	21.06	V
15559.00	-43.94	11.50	13.70	-41.74	-25.00	16.74	H
16828.00	-42.07	12.08	13.73	-40.42	-25.00	15.42	H

LTE Band 66+NR n41 Mode Channel 535998

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5345.00	-56.20	6.95	10.38	-52.77	-25.00	27.77	H
8056.00	-53.70	8.32	12.64	-49.38	-25.00	24.38	H
10719.00	-51.26	9.35	13.14	-47.47	-25.00	22.47	V
13430.00	-47.83	10.59	14.10	-44.32	-25.00	19.32	H
16056.00	-43.10	11.84	13.69	-41.25	-25.00	16.25	V
17424.00	-43.62	12.55	14.73	-41.44	-25.00	16.44	H

LTE Band 5+NR n66 Mode Channel 342500

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3439.00	-44.62	5.41	8.05	-41.98	-25.00	16.98	V
5131.00	-40.09	6.85	10.08	-36.86	-25.00	11.86	V
6842.00	-52.17	7.84	11.41	-48.60	-25.00	23.60	V
8589.00	-54.46	8.51	13.02	-49.95	-25.00	24.95	V
10295.00	-51.09	9.63	13.02	-47.70	-25.00	22.70	V
12014.00	-49.58	10.09	13.01	-46.66	-25.00	21.66	V

LTE Band 5+NR n66 Mode Channel 349000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3486.00	-56.49	5.49	8.17	-53.81	-25.00	28.81	H
5228.00	-41.81	7.00	10.22	-38.59	-25.00	13.59	V
6972.00	-49.20	8.08	11.57	-45.71	-25.00	20.71	V
8749.00	-54.32	8.51	13.05	-49.78	-25.00	24.78	V
10497.00	-51.73	9.66	13.10	-48.29	-25.00	23.29	V
12220.00	-48.52	10.05	13.09	-45.48	-25.00	20.48	V

LTE Band 5+NR n66 Mode Channel 355500

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3551.00	-55.13	5.83	8.27	-52.69	-25.00	27.69	V
5326.00	-41.37	6.99	10.36	-38.00	-25.00	13.00	V
7102.00	-47.50	8.16	11.72	-43.94	-25.00	18.94	H
8900.00	-53.66	8.85	13.08	-49.43	-25.00	24.43	V
10670.00	-50.34	9.30	13.13	-46.51	-25.00	21.51	H
12447.00	-48.56	10.31	13.18	-45.69	-25.00	20.69	V

LTE Band 2+NR n71 Mode Channel 133100

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1323.01	-59.05	3.14	4.58	2.15	-59.76	-13.00	46.76	H
1997.01	-55.58	4.04	4.61	2.15	-57.16	-13.00	44.16	H
2661.00	-52.25	4.75	6.39	2.15	-52.76	-13.00	39.76	H
3329.02	-54.53	5.30	7.79	2.15	-54.19	-13.00	41.19	H
3987.02	-54.77	6.08	8.88	2.15	-54.12	-13.00	41.12	V
4667.02	-53.88	6.48	9.57	2.15	-52.94	-13.00	39.94	V

LTE Band 2+NR n71 Mode Channel 136100

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1365.01	-58.79	3.19	4.80	2.15	-59.33	-13.00	46.33	H
2035.00	-51.90	4.13	4.71	2.15	-53.47	-13.00	40.47	V
2708.00	-52.57	4.79	6.47	2.15	-53.04	-13.00	40.04	H
3391.02	-55.01	5.35	7.94	2.15	-54.57	-13.00	41.57	H
4083.02	-54.45	6.04	8.98	2.15	-53.66	-13.00	40.66	H
4749.02	-54.50	6.57	9.65	2.15	-53.57	-13.00	40.57	V

LTE Band 66+NR n71 Mode Channel 139100

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1380.01	-59.38	3.21	4.88	2.15	-59.86	-13.00	46.86	H
2080.00	-54.56	4.17	4.84	2.15	-56.04	-13.00	43.04	V
2769.00	-52.76	4.87	6.58	2.15	-53.20	-13.00	40.20	H
3490.02	-54.20	5.50	8.18	2.15	-53.67	-13.00	40.67	H
4170.02	-54.34	6.14	9.07	2.15	-53.56	-13.00	40.56	V
4877.01	-54.40	6.72	9.78	2.15	-53.49	-13.00	40.49	V

Sample: 1673.01MHz

$$\text{Power (EIRP)} = P_{\text{Mea}} + P_{\text{pl}} + G_a$$

$$\text{Power (-47.89dBm)} = P_{\text{Mea}} (-60.35\text{dBm}) + P_{\text{pl}} (-3.58\text{dB}) + G_a (5.19 \text{ dBi})$$

Note: Expanded measurement uncertainty is U = 5.16 dB, k = 2.

A.3 Frequency Stability

A.3.1 Method of Measurement

Frequency stability is a measure of the frequency drift due to temperature and supply voltage variations, with reference to the frequency measured at +20 °C and rated supply voltage. Two reference points are established at the applicable unwanted emissions limit using a RBW equal to the RBW required by the unwanted emissions specification of the applicable regulatory standard. These reference points measured using the lowest and highest channel of operation shall be identified as F_L and F_H respectively.

In order to measure the carrier frequency under the condition of AFC lock, it is necessary to make measurements with the EUT in a “call mode”. This is accomplished with the use of UXM.

1. Measure the carrier frequency at room temperature.
2. Subject the EUT to overnight soak at -30°C.
3. With the EUT, powered via nominal voltage, connected to the UXM, and in a simulated call on middle channel for each NR band, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
4. Repeat the above measurements at 10°C increments from -30°C to +50°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
5. Re-measure carrier frequency at room temperature with nominal voltage. Vary supply voltage from minimum voltage to maximum voltage, in 0.1Volt increments re-measuring carrier frequency at each voltage. Pause at nominal voltage for 1.5 hours unpowered, to allow any self-heating to stabilize, before continuing.
6. Subject the EUT to overnight soak at +50°C.
7. With the EUT, powered via nominal voltage, connected to the UXM and in a simulated call on the center channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
8. Repeat the above measurements at 10 °C increments from -30°C to +50°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
9. At all temperature levels hold the temperature to +/- 0.5°C during the measurement procedure.

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. As this transceiver is considered "Hand carried, battery powered equipment" Section 2.1055(d)(2) applies. This requires that the lower voltage for frequency stability testing be specified by the manufacturer. This transceiver is specified to operate with an input voltage of the lower, higher and nominal voltage. Operation above or below these voltage limits is prohibited by transceiver software in order to prevent improper operation as well as to protect components from overstress.

A.3.2 Measurement results

LTE Band 12+NR n2

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	1850.128	1908.814		
50				5.9	0.0031
40				4.9	0.0026
30				1.6	0.0009
10				7.3	0.0039
0				2.3	0.0012
-10				4.3	0.0023
-20				5.1	0.0027
-30				-0.4	0.0002

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
3.5	20	1850.128	1908.814	4.9	0.0026
4.4				3.2	0.0017

LTE Band 66+NR n5

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	824.288	847.590		
50				0.0	0.0000
40				-0.7	0.0008
30				1.9	0.0023
10				8.5	0.0102
0				2.5	0.0030
-10				2.7	0.0032
-20				-0.2	0.0002
-30				5.7	0.0068

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
3.5	20	824.288	847.590	4.1	0.0049
4.4				4.3	0.0051

LTE Band 66+NR n7
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	2500.588	2568.950		
50				-4.6	0.0018
40				-2.2	0.0009
30				-3.0	0.0012
10				-4.2	0.0017
0				-5.9	0.0023
-10				2.5	0.0010
-20				-5.9	0.0023
-30				-3.1	0.0012

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
3.5	20	2500.588	2568.950	-6.7	0.0026
4.4				2.0	0.0008

LTE Band 66+NR n41
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	2496.080	2688.269		
50				-14.1	0.0054
40				-22.2	0.0086
30				-10.0	0.0039
10				-24.4	0.0094
0				-11.0	0.0042
-10				-20.8	0.0080
-20				-27.8	0.0107
-30				-10.0	0.0039

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
3.5	20	2496.080	2688.269	-5.3	0.0020
4.4				-23.7	0.0091

LTE Band 5+NR n66
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	1710.032	1778.846		
50				-9.1	0.0052
40				-4.1	0.0023
30				-1.6	0.0009
10				-4.6	0.0026
0				-5.3	0.0030
-10				-8.0	0.0046
-20				-5.0	0.0029
-30				-2.0	0.0011

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
3.5	20	1710.032	1778.846	-2.6	0.0015
4.4				-7.3	0.0042

LTE Band 2+NR n71
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	663.417	696.470		
50				-2.0	0.0029
40				2.3	0.0034
30				2.5	0.0037
10				-0.5	0.0007
0				-2.0	0.0029
-10				-1.5	0.0022
-20				-2.9	0.0043
-30				-2.1	0.0031

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
3.5	20	663.417	696.470	3.5	0.0051
4.4				0.5	0.0007

LTE Band 66+NR n77
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	3700.200	3978.440		
50				-17.10	0.0045
40				-4.50	0.0012
30				-2.10	0.0005
10				-2.80	0.0007
0				-10.00	0.0026
-10				-15.00	0.0039
-20				-9.00	0.0023
-30				-2.80	0.0007

Frequency Error vs Voltage

Temperature(°C)	Voltage(V)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
3.5	20	3700.200	3978.440	1.90	0.0005
4.4				-3.20	0.0008

A.4 Occupied Bandwidth


Occupied bandwidth measurements are only provided for selected frequencies in order to reduce the amount of submitted data. Data were taken at the mid frequencies frequency. The table below lists the measured 99% BW. Spectrum analyzer plots are included on the following pages.

The measurement method is from ANSI C63.26:


- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The frequency span for the spectrum analyzer shall be set wide enough to capture all modulation products including the emission skirts.
- b) The nominal IF filter 3 dB bandwidth (RBW) shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times$ RBW.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) Set the detection mode to peak, and the trace mode to max-hold.

n2, 10MHz (99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880.0	9.038	9.038

n2, 10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 9.JAN.2021 16:15:21

n2, 10MHz Bandwidth,DFT-s-QPSK (99% BW)



Date: 9.JAN.2021 16:15:38

n2, 15MHz (99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880.0	13.486	13.486

n2, 15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 9.JAN.2021 16:16:52

n2, 15MHz Bandwidth,DFT-s-QPSK (99% BW)



Date: 9.JAN.2021 16:17:07

n2, 20MHz (99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880.0	18.077	18.173

n2, 20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)


Date: 9.JAN.2021 16:17:49


n2, 20MHz Bandwidth,DFT-s-QPSK (99% BW)


Date: 9.JAN.2021 16:18:08

LTE Band 66+NR n5
n5, 5MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	4.495	4.471

n5, 5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 9.JAN.2021 18:14:31


n5, 5MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 9.JAN.2021 18:14:47

n5, 10MHz (99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	8.990	8.990

n5, 10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 9.JAN.2021 18:15:32

n5, 10MHz Bandwidth,DFT-s-QPSK (99% BW)



Date: 9.JAN.2021 18:15:48

n5, 15MHz (99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	13.558	13.558

n5, 15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 9.JAN.2021 18:16:31

n5, 15MHz Bandwidth,DFT-s-QPSK (99% BW)



Date: 9.JAN.2021 18:16:48

n5, 20MHz (99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	17.981	17.981

n5, 20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)


Date: 9.JAN.2021 18:17:28


n5, 20MHz Bandwidth,DFT-s-QPSK (99% BW)


Date: 9.JAN.2021 18:17:43

LTE Band 66+NR n7
n7, 5MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	4.519	4.519

n7, 5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 10.JAN.2021 10:52:26


n7, 5MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 10.JAN.2021 10:52:43

n7, 15MHz (99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	13.486	13.486

n7, 15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 10.JAN.2021 10:54:54

n7, 15MHz Bandwidth,DFT-s-QPSK (99% BW)



Date: 10.JAN.2021 10:55:13

n7, 20MHz (99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	18.077	18.077

n7, 20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)


Date: 10.JAN.2021 10:56:24


n7, 20MHz Bandwidth,DFT-s-QPSK (99% BW)


Date: 10.JAN.2021 10:56:43

LTE Band 66+NR n41
n41, 20MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	18.365	18.462

n41, 20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 10.JAN.2021 15:19:26


n41, 20MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 10.JAN.2021 15:19:43

n41, 60MHz (99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	58.558	58.558

n41, 60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 10.JAN.2021 15:21:00

n41, 60MHz Bandwidth,DFT-s-QPSK (99% BW)



Date: 10.JAN.2021 15:21:13

n66, 10MHz (99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745.0	8.990	8.990

n66, 10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 10.JAN.2021 17:23:57

n66, 10MHz Bandwidth,DFT-s-QPSK (99% BW)



Date: 10.JAN.2021 17:24:16

n66, 15MHz (99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745.0	13.558	13.558

n66, 15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 10.JAN.2021 17:24:52

n66, 15MHz Bandwidth,DFT-s-QPSK (99% BW)



Date: 10.JAN.2021 17:25:12

n66, 20MHz (99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745.0	18.173	18.077

n66, 20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)


Date: 10.JAN.2021 17:25:47


n66, 20MHz Bandwidth,DFT-s-QPSK (99% BW)


Date: 10.JAN.2021 17:26:06

LTE Band 2+NR n71
n71, 5MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	4.495	4.495

n71, 5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 9.JAN.2021 20:33:31


n71, 5MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 9.JAN.2021 20:33:46

n71, 10MHz (99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	8.990	9.087

n71, 10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 9.JAN.2021 20:34:29

n71, 10MHz Bandwidth,DFT-s-QPSK (99% BW)



Date: 9.JAN.2021 20:34:46

n71, 15MHz (99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	13.486	13.486

n71, 15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 9.JAN.2021 20:35:28

n71, 15MHz Bandwidth,DFT-s-QPSK (99% BW)



Date: 9.JAN.2021 20:35:41

n71, 20MHz (99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	17.981	18.077

n71, 20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)


Date: 9.JAN.2021 20:36:37

n71, 20MHz Bandwidth,DFT-s-QPSK (99% BW)


Date: 9.JAN.2021 20:36:53

LTE Band 66+NR n77
n77,20MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	18.300	18.386

n77,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 28 APR 2021 18:50:44

n77,20MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 28 APR 2021 18:50:59

LTE Band 66+NR n77
n77,40MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	36.579	36.610

n77,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 28 APR 2021 18:52:05

n77,40MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 28 APR 2021 18:52:20


LTE Band 66+NR n77
n77,50MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	46.756	46.710

n77,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77,50MHz Bandwidth,DFT-s-QPSK (99% BW)




LTE Band 66+NR n77
n77,60MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	58.587	58.583

n77,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77,60MHz Bandwidth,DFT-s-QPSK (99% BW)




LTE Band 66+NR n77
n77,80MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	78.885	79.033

n77,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77,80MHz Bandwidth,DFT-s-QPSK (99% BW)



LTE Band 66+NR n77
n77,90MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	87.453	87.236

n77,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 28 APR 2021 18:57:28

n77,90MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 28 APR 2021 18:57:43

LTE Band 66+NR n77
n77,100MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	98.220	98.331

n77,100MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 28 APR 2021 18:58:48

n77,100MHz Bandwidth,DFT-s-QPSK (99% BW)



Date: 28 APR 2021 18:59:03

A.5 Emission Bandwidth

The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. Table below lists the measured -26dBc BW. Spectrum analyzer plots are included on the following pages.


The measurement method is from ANSI C63.26:

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be wide enough to see sufficient roll off of the signal to make the measurement.
- b) The nominal RBW shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times$ RBW.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) The dynamic range of the spectrum analyzer at the selected RBW shall be more than 10 dB below the target “-X dB” requirement, i.e., if the requirement calls for measuring the -26 dB OBW, the spectrum analyzer noise floor at the selected RBW shall be at least 36 dB below the reference level.
- e) Set spectrum analyzer detection mode to peak, and the trace mode to max hold.

LTE Band 12+NR n2
n2, 5MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880.0	5.048	5.072

n2, 5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 14.JAN.2021 12:16:00


n2, 5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 14.JAN.2021 12:16:14

n2, 10MHz (-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880.0	9.856	9.760

n2, 10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)


Date: 14.JAN.2021 12:16:50


n2, 10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


Date: 14.JAN.2021 12:17:07

n2, 15MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880.0	14.495	14.495

n2, 15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 14.JAN.2021 12:17:40

n2, 15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 14.JAN.2021 12:17:53

n2, 20MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880.0	19.519	19.519

n2, 20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 14.JAN.2021 12:18:24

n2, 20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 14.JAN.2021 12:18:38

LTE Band 66+NR n5
n5, 5MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	4.928	4.928

n5, 5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 14.JAN.2021 12:29:12

n5, 5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 14.JAN.2021 12:29:29

n5, 10MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	9.808	9.760

n5, 10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 14.JAN.2021 12:29:59

n5, 10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 14.JAN.2021 12:30:13

n5, 15MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	14.567	14.495

n5, 15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 14.JAN.2021 12:30:43


n5, 15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 14.JAN.2021 12:30:56

n5, 20MHz (-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	19.519	19.423

n5, 20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)


Date: 14.JAN.2021 12:31:27


n5, 20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


Date: 14.JAN.2021 12:31:46

LTE Band 66+NR n7
n7, 5MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	4.928	5.000

n7, 5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 10.JAN.2021 13:29:34

n7, 5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



Date: 10.JAN.2021 13:29:51

