



# TEST REPORT

## No. I21Z62337-WMD01

for

**TCL Communication Ltd.**

**5G NR/LTE/WCDMA/GSM mobile phone**

**Model Name: T779W**

**FCC ID: 2ACCJN058**

with

**Hardware Version: 03**

**Software Version: 8G32**

**Issued Date: 2022-01-26**

**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

**Test Laboratory:**

**CTTL, Telecommunication Technology Labs, CAICT**

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504

Email: [ctl\\_terminals@caict.ac.cn](mailto:ctl_terminals@caict.ac.cn), website: [www.caict.ac.cn](http://www.caict.ac.cn)



## **REPORT HISTORY**

<b>Report Number</b>	<b>Revision</b>	<b>Description</b>	<b>Issue Date</b>
I21Z62337-WMD01	Rev.0	1 <sup>st</sup> edition	2022-01-26

Note: the latest revision of the test report supersedes all previous version.

## **CONTENTS**

<b>1. TEST LABORATORY .....</b>	<b>4</b>
<b>1.1. INTRODUCTION &amp; ACCREDITATION.....</b>	<b>4</b>
<b>1.2. TESTING LOCATION .....</b>	<b>4</b>
<b>1.3. TESTING ENVIRONMENT .....</b>	<b>5</b>
<b>1.4. PROJECT DATA .....</b>	<b>5</b>
<b>1.5. SIGNATURE.....</b>	<b>5</b>
<b>2. CLIENT INFORMATION.....</b>	<b>6</b>
<b>2.1. APPLICANT INFORMATION.....</b>	<b>6</b>
<b>2.2. MANUFACTURER INFORMATION.....</b>	<b>6</b>
<b>3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE) .....</b>	<b>7</b>
<b>3.1. ABOUT EUT .....</b>	<b>7</b>
<b>3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST .....</b>	<b>8</b>
<b>3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST .....</b>	<b>8</b>
<b>4. REFERENCE DOCUMENTS.....</b>	<b>9</b>
<b>4.1. DOCUMENTS SUPPLIED BY APPLICANT .....</b>	<b>9</b>
<b>4.2. REFERENCE DOCUMENTS FOR TESTING .....</b>	<b>9</b>
<b>5. LABORATORY ENVIRONMENT .....</b>	<b>10</b>
<b>6. SUMMARY OF TEST RESULT .....</b>	<b>11</b>
<b>7. TEST EQUIPMENT UTILIZED .....</b>	<b>15</b>
<b>ANNEX A: MEASUREMENT RESULTS.....</b>	<b>16</b>
A.1 OUTPUT POWER .....	16
A.2 EMISSION LIMIT .....	337
A.3 FREQUENCY STABILITY .....	363
A.4 OCCUPIED BANDWIDTH.....	369
A.5 EMISSION BANDWIDTH.....	426
A.6 BAND EDGE COMPLIANCE .....	483
A.7 CONDUCTED SPURIOUS EMISSION .....	521
A.8 PEAK-TO-AVERAGE POWER RATIO .....	528
<b>ANNEX B: ACCREDITATION CERTIFICATE.....</b>	<b>530</b>



## **1. Test Laboratory**

### **1.1. Introduction & Accreditation**

Telecommunication Technology Labs, CAICT is an ISO/IEC 17025:2017 accredited test laboratory under NATIONAL VOLUNTARY LABORATORY ACCREDITATION PROGRAM (NVLAP) with lab code 600118-0 and is also an FCC accredited test laboratory (CN5017), and ISED accredited test laboratory (CN0066). The detail accreditation scope can be found on NVLAP website.

### **1.2. Testing Location**

Location 1: CTTL (huayuan North Road)

Address: No. 52, Huayuan North Road, Haidian District, Beijing,  
P. R. China 100191

Location 2: CTTL (BDA)

Address: No.18A, Kangding Street, Beijing Economic-Technology  
Development Area, Beijing, P. R. China 100176

### 1.3. Testing Environment

Normal Temperature: 15-35°C  
Relative Humidity: 20-75%

### 1.4. Project Data

Testing Start Date: 2021-10-18  
Testing End Date: 2022-01-25

### 1.5. Signature



---

Dong Yuan  
(Prepared this test report)



---

Zhou Yu  
(Reviewed this test report)



---

Zhao Hui Lin  
Deputy Director of the laboratory  
(Approved this test report)



## **2. Client Information**

### **2.1. Applicant Information**

Company Name: TCL Communication Ltd.  
Address /Post: 5/F, Building 22E, 22 Science Park East Avenue, Hong Kong Science  
Park, Shatin, NT, Hong Kong  
Contact: Peter Yang  
Email: peter.yang@tcl.com  
Telephone: 0086-755-36645759  
Fax: 0086-755-36612000-81722

### **2.2. Manufacturer Information**

Company Name: TCL Communication Ltd.  
Address /Post: 5/F, Building 22E, 22 Science Park East Avenue, Hong Kong Science  
Park, Shatin, NT, Hong Kong  
Contact: Peter Yang  
Email: peter.yang@tcl.com  
Telephone: 0086-755-36645759  
Fax: 0086-755-36612000-81722

### 3. Equipment Under Test (EUT) and Ancillary Equipment (AE)

#### 3.1. About EUT

Description	5G NR/LTE/WCDMA/GSM mobile phone
Model Name	T779W
FCC ID	2ACCJN058
Antenna	Embedded
Output power	24.74dBm maximum EIRP measured for NR n77H
Extreme vol. Limits	3.5VDC to 4.45VDC (nominal: 3.87VDC)
Extreme temp. Tolerance	-10°C to +55°C
NR SA Frequency Band	n2, n5, n25, n41, n66, n70, n71, n77
NR NSA Frequency Band	DC_2A_n25A,DC_12A-66A_n25A,DC_12A_n25A,DC_66A_n25A,DC_2A-66A_n25A,DC_66A_n25A-n41A,DC_66A_n25A-n71A,DC_2A_n41A-n66A ,DC_66A_n25A-n41A ,DC_2A_n41A,DC_2A-2A_n41A,DC_2A-66A_n41A,DC_66A_n41A,DC_2C_n41A,DC_2A-66A_n41C,DC_66A_n41C,DC_2A_n41C,DC_66A_n41A-n71A,DC_2A_n41A-n71A,DC_2A_n41A-n66A ,DC_2A-12A_n66A,DC_2A_n66A ,DC_12A_n66A,DC_2A_n66A-n71A,DC_66A-66A_n71A,DC_2A-71A_n71A,DC_66A-71A_n71A,DC_2A-66A_n71A,DC_66A_n71A,DC_66C_n71A,DC_2A_n71A,DC_2A_n71B,DC_66A_n71B,DC_2A-2A_n71A,DC_2C_n71A,DC_2A_n66A-n71A,DC_66A_n41A-n71A,DC_2A_n41A-n71A,DC_66A_n25A-n71A, DC_66A_n5A,DC_5A_n66A, DC_5A_n2A, DC_12A_n2A, DC_66A_n2A,DC_2A-2A_n5A, DC_2A-5A_n5A, DC_5A-66A_n5A,DC_2A-66A_n5A, DC_66A-66A_n5A, DC_2A-5A_n66A,DC_2A-2A_n66A, DC_5A-66A_n2A, DC_12A-66A_n2A,DC_66A_n66A, DC_2A_n2A, DC_2A-66A_n66A,DC_5A-66A_n66A, DC_12A-66A_n66A, DC_2A-5A_n2A,DC_2A-12A_n2A, DC_2A-66A_n2A, DC_2A_n77A, DC_5A_n77A,DC_66A_n77A, DC_12A_n77A, DC_2A-12A_n77A,DC_12A-66A_n77A, DC_2A-2A_n77A, DC_2A-5A_n77A,DC_2A-66A_n77A, DC_5A-66A_n77A, DC_66A-66A_n77A,DC_2A_n5A
NR DL CA Frequency Band	CA_n70A-n71A,CA_n66A-n70A,CA_n2A-n66A,CA_n5A-n66A,CA_n2A-n5A,CA_n2(2A),CA_n2A-n77A,CA_n5A-n77A,CA_n41A-n71A ,CA_n41(2A),CA_n25A-n71A,CA_n25A-n41A,CA_n41C,CA_n41A-n66A,CA_n66A-n71A,CA_n71B,CA_n25(2A),CA_n25A-n66A

Note: Components list, please refer to documents of the manufacturer; it is also included in the original test record of CTTL.

### **3.2. Internal Identification of EUT used during the test**

<b>EUT ID*</b>	<b>IMEI</b>	<b>HW Version</b>	<b>SW Version</b>	<b>Date of receipt</b>
UT17a	016099000010391	03	8G32	2021-12-20
UT18a	016099000010474	03	8G32	2021-12-20

\*EUT ID: is used to identify the test sample in the lab internally.

### **3.3. Internal Identification of AE used during the test**

<b>AE ID*</b>	<b>Description</b>
AE1	Battery
AE1	
Model	TLp038E1
Manufacturer	BYD
Capacitance	3880mAh

\*AE ID: is used to identify the test sample in the lab internally.



## **4. Reference Documents**

### **4.1. Documents supplied by applicant**

EUT parameters, referring to Annex A for detailed information, is supplied by the client or manufacturer, which is the basis of testing.

### **4.2. Reference Documents for testing**

The following documents listed in this section are referred for testing.

<b>Reference</b>	<b>Title</b>	<b>Version</b>
FCC Part 22	PUBLIC MOBILE SERVICES	10-1-20 Edition
FCC Part 24	PERSONAL COMMUNICATIONS SERVICES	10-1-20 Edition
FCC Part 27	MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES	10-1-20 Edition
ANSI/TIA-603-E	Land Mobile FM or PM Communications Equipment Measurement and Performance Standards	2016
ANSI C63.26	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services	2015
KDB 971168 D01	MEASUREMENT GUIDANCE FOR CERTIFICATION OF LICENSED DIGITAL TRANSMITTERS	v03r01

## 5. Laboratory Environment

**Control room / conducted chamber** did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 20 %, Max. = 80 %
Shielding effectiveness	> 110 dB
Electrical insulation	>2 MΩ
Ground system resistance	< 0.5 Ω

**Fully-anechoic chamber 2** (8.6 meters×6.1 meters×3.85 meters) did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 35 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	>2 MΩ
Ground system resistance	< 1 Ω
Site voltage standing-wave ratio ( $S_{VSWR}$ )	Between 0 and 6 dB, from 1GHz to 18GHz
Uniformity of field strength	Between 0 and 6 dB, from 80 to 6000 MHz

**Semi-anechoic chamber 2 / Fully-anechoic chamber 3** (10 meters×6.7 meters×6.15 meters) did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 35 %, Max. = 60 %
Shielding effectiveness	> 100 dB
Electrical insulation	>2 MΩ
Ground system resistance	< 0.5 Ω
Normalised site attenuation (NSA)	< ±3.5 dB, 3 m distance
Site voltage standing-wave ratio ( $S_{VSWR}$ )	Between 0 and 6 dB, from 1GHz to 18GHz
Uniformity of field strength	Between 0 and 6 dB, from 80 to 6000 MHz

## 6. Summary Of Test Result

n2

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	24.232	P
2	Emission Limit	2.1051/24.238	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	24.238	P
6	Band Edge Compliance	24.238	P
7	Conducted Spurious Emission	24.238	P
8	Peak-to-Average Power Ratio	24.232	P

n5

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	22.913	P
2	Emission Limit	2.1051/22.917	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	22.917	P
6	Band Edge Compliance	22.917	P
7	Conducted Spurious Emission	22.917	P

n25

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	24.232	P
2	Emission Limit	2.1051/24.238	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	24.238	P
6	Band Edge Compliance	24.238	P
7	Conducted Spurious Emission	24.238	P
8	Peak-to-Average Power Ratio	24.232	P

**n41**

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

**n66**

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

**n70**

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

**n71**

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

**n77L(3450MHz~3550MHz)**

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

**n77H(3700MHz~3980MHz)**

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

Terms used in Verdict column

P	Pass. The EUT complies with the essential requirements in the standard.
NP	Not Performed. The test was not performed by CTTL.
NA	Not Applicable. The test was not applicable.
BR	Re-use test data from basic model report.
F	Fail. The EUT does not comply with the essential requirements in the standard.

All the test results are based on normal power.

n77L: 3450MHz-3550MHz

n77H: 3700MHz-3980MHz

n41 n77L and n77H are tested by power class 2.

Explanation of worst-case configuration

NR modulation: DFT-s-OFDM pi/2 BPSK; QPSK; 16QAM; 64QAM; 256QAM

CP-OFDM QPSK; 16QAM; 64QAM; 256QAM

NR BW: 10/15/20/30/40/50/60/70/80/90/100MHz for n41, 10/15/20/40/50/60/80/90/100MHz for n77L and n77H, 10/15/20/30/40MHz for n66, 5/10/15MHz for n70 and 5/10/15/20MHz for other NR bands

The EUT supports n2, n5, n25, n41, n66, n70, n71, n77L, n77H, B2/5/12/66-n2, B2/66-n5, B2/12/66-n25, B2/66-n41, B2/12-n66, B2/66-n71.

The test results provided in this report represent the worst case configuration.

For all the NSA cases, LTE Bands are set under the 10MHz bandwidth, middle channel, 50RB and QPSK modulation.

For all the NSA combinations and SA mode of the same NR band, output powers of NR bands are tested under the maximum bandwidth and middle channel so that the mode with the worst value is chosen out, which are B5-n2, B2-n5, B12-n25, B66-n41, B12-n66, n70, B66-n71, n77L and n77H, and only the results of the mode with the worst value are presented in the report. Then the other output powers and other test cases of the mode which has the worst value are tested.

The Equipment Under Test (EUT) model T779W (FCC ID: 2ACCJN058) is a variant product of T779W (FCC ID: 2ACCJN058), according to the declaration of changes provided by the applicant and FCC KDB publication 178919 D01, B5-n2, B2-n5 and n70 measurements were performed on this device, other test results are derived from test report No. I21Z62045-WMD04.

For detail differences between two models please refer the Declaration of Changes document.

## 7. Test Equipment Utilized

Description	Type	Series Number	Manufacture	Cal Due Date	Calibration Interval
Radio Communication Test Station	MT8000A	6262093285	Anritsu	2023-12-13	1 year
Radio Communication Analyzer	MT8821C	6201763159	Anritsu	2022-08-09	1 year
Signal&Spectrum Analyzer	FSW	104038	R&S	2022-06-24	1 year
Spectrum Analyzer	FSU	200030	R&S	2022-06-02	1 year
PXA Signal Analyzer	N9030B	MY57142378	Keysight	2022-03-01	1 year
PXA Signal Analyzer	N9030A	MY54490239	Keysight	2022-08-29	1 year
Climate chamber	SH-242	93008556	ESPEC	2023-12-23	3 years
EMI Antenna	LB-7180-NF	2030013000041	A-info	2022-02-02	1 year
Test Receiver	E4440A	MY48250642	Agilent	2022-03-04	1 year
Universal Radio Communication Tester	MT8821C	6262257899	Anritsu	2022-05-06	1 year
Universal Radio Communication Tester	MT8000A	6262261933	Anritsu	2022-05-06	1 year
EMI Antenna	VULB9163	9163-235	Schwarzbeck	2022-04-07	1 year
Signal Generator	N5183A	MY49060052	Agilent	2022-07-11	1 year

## Annex A: Measurement Results

### A.1 Output Power

#### A.1.1 Summary

During the process of testing, the EUT was controlled via communication tester to ensure max power transmission and proper modulation.

In all cases, output power is within the specified limits.

#### A.1.2 Conducted

##### LTE Band 5+NR n2

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
B5-n2	5	15	1852.5	DFT	pi/2 BPSK	Inner_Full	22.86
B5-n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.87
B5-n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.86
B5-n2	5	15	1852.5	DFT	pi/2 BPSK	Outer_Full	22.91
B5-n2	5	15	1852.5	DFT	QPSK	Inner_Full	22.67
B5-n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Left	22.68
B5-n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Right	22.69
B5-n2	5	15	1852.5	DFT	QPSK	Outer_Full	22.64
B5-n2	5	15	1852.5	DFT	16QAM	Inner_Full	22.40
B5-n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Left	21.45
B5-n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Right	21.45
B5-n2	5	15	1852.5	DFT	16QAM	Outer_Full	21.18
B5-n2	5	15	1852.5	DFT	64QAM	Inner_Full	20.49
B5-n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Left	20.41
B5-n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Right	20.61
B5-n2	5	15	1852.5	DFT	64QAM	Outer_Full	20.19
B5-n2	5	15	1852.5	DFT	256QAM	Inner_Full	18.20
B5-n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Left	17.82
B5-n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Right	18.16
B5-n2	5	15	1852.5	DFT	256QAM	Outer_Full	18.35
B5-n2	5	15	1852.5	CP	QPSK	Inner_Full	22.14
B5-n2	5	15	1852.5	CP	QPSK	Edge_1RB_Left	19.82
B5-n2	5	15	1852.5	CP	QPSK	Edge_1RB_Right	19.72
B5-n2	5	15	1852.5	CP	QPSK	Outer_Full	19.54
B5-n2	5	15	1852.5	CP	16QAM	Inner_Full	20.80
B5-n2	5	15	1852.5	CP	16QAM	Edge_1RB_Left	20.15
B5-n2	5	15	1852.5	CP	16QAM	Edge_1RB_Right	20.10
B5-n2	5	15	1852.5	CP	16QAM	Outer_Full	19.59
B5-n2	5	15	1852.5	CP	64QAM	Inner_Full	19.11
B5-n2	5	15	1852.5	CP	64QAM	Edge_1RB_Left	19.46



B5-n2	5	15	1852.5	CP	64QAM	Edge_1RB_Right	19.43
B5-n2	5	15	1852.5	CP	64QAM	Outer_Full	19.07
B5-n2	5	15	1852.5	CP	256QAM	Inner_Full	16.15
B5-n2	5	15	1852.5	CP	256QAM	Edge_1RB_Left	16.13
B5-n2	5	15	1852.5	CP	256QAM	Edge_1RB_Right	16.05
B5-n2	5	15	1852.5	CP	256QAM	Outer_Full	16.11
B5-n2	5	15	1880	DFT	pi/2 BPSK	Inner_Full	22.35
B5-n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.33
B5-n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.22
B5-n2	5	15	1880	DFT	pi/2 BPSK	Outer_Full	22.25
B5-n2	5	15	1880	DFT	QPSK	Inner_Full	22.28
B5-n2	5	15	1880	DFT	QPSK	Edge_1RB_Left	22.68
B5-n2	5	15	1880	DFT	QPSK	Edge_1RB_Right	22.49
B5-n2	5	15	1880	DFT	QPSK	Outer_Full	22.23
B5-n2	5	15	1880	DFT	16QAM	Inner_Full	21.98
B5-n2	5	15	1880	DFT	16QAM	Edge_1RB_Left	21.24
B5-n2	5	15	1880	DFT	16QAM	Edge_1RB_Right	20.95
B5-n2	5	15	1880	DFT	16QAM	Outer_Full	21.12
B5-n2	5	15	1880	DFT	64QAM	Inner_Full	20.07
B5-n2	5	15	1880	DFT	64QAM	Edge_1RB_Left	20.01
B5-n2	5	15	1880	DFT	64QAM	Edge_1RB_Right	20.13
B5-n2	5	15	1880	DFT	64QAM	Outer_Full	20.15
B5-n2	5	15	1880	DFT	256QAM	Inner_Full	18.15
B5-n2	5	15	1880	DFT	256QAM	Edge_1RB_Left	17.66
B5-n2	5	15	1880	DFT	256QAM	Edge_1RB_Right	17.55
B5-n2	5	15	1880	DFT	256QAM	Outer_Full	18.07
B5-n2	5	15	1880	CP	QPSK	Inner_Full	21.92
B5-n2	5	15	1880	CP	QPSK	Edge_1RB_Left	19.58
B5-n2	5	15	1880	CP	QPSK	Edge_1RB_Right	19.48
B5-n2	5	15	1880	CP	QPSK	Outer_Full	19.38
B5-n2	5	15	1880	CP	16QAM	Inner_Full	20.42
B5-n2	5	15	1880	CP	16QAM	Edge_1RB_Left	19.74
B5-n2	5	15	1880	CP	16QAM	Edge_1RB_Right	19.77
B5-n2	5	15	1880	CP	16QAM	Outer_Full	19.46
B5-n2	5	15	1880	CP	64QAM	Inner_Full	18.89
B5-n2	5	15	1880	CP	64QAM	Edge_1RB_Left	19.10
B5-n2	5	15	1880	CP	64QAM	Edge_1RB_Right	19.13
B5-n2	5	15	1880	CP	64QAM	Outer_Full	19.02
B5-n2	5	15	1880	CP	256QAM	Inner_Full	15.91
B5-n2	5	15	1880	CP	256QAM	Edge_1RB_Left	15.65
B5-n2	5	15	1880	CP	256QAM	Edge_1RB_Right	15.71

B5-n2	5	15	1880	CP	256QAM	Outer_Full	16.08
B5-n2	5	15	1907.5	DFT	pi/2 BPSK	Inner_Full	22.41
B5-n2	5	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.44
B5-n2	5	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.42
B5-n2	5	15	1907.5	DFT	pi/2 BPSK	Outer_Full	22.50
B5-n2	5	15	1907.5	DFT	QPSK	Inner_Full	22.52
B5-n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Left	22.58
B5-n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Right	22.58
B5-n2	5	15	1907.5	DFT	QPSK	Outer_Full	22.46
B5-n2	5	15	1907.5	DFT	16QAM	Inner_Full	22.15
B5-n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Left	21.05
B5-n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Right	21.49
B5-n2	5	15	1907.5	DFT	16QAM	Outer_Full	21.25
B5-n2	5	15	1907.5	DFT	64QAM	Inner_Full	20.25
B5-n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Left	20.44
B5-n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Right	20.19
B5-n2	5	15	1907.5	DFT	64QAM	Outer_Full	20.24
B5-n2	5	15	1907.5	DFT	256QAM	Inner_Full	18.24
B5-n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Left	17.72
B5-n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Right	17.80
B5-n2	5	15	1907.5	DFT	256QAM	Outer_Full	18.19
B5-n2	5	15	1907.5	CP	QPSK	Inner_Full	22.13
B5-n2	5	15	1907.5	CP	QPSK	Edge_1RB_Left	19.60
B5-n2	5	15	1907.5	CP	QPSK	Edge_1RB_Right	19.54
B5-n2	5	15	1907.5	CP	QPSK	Outer_Full	19.57
B5-n2	5	15	1907.5	CP	16QAM	Inner_Full	20.77
B5-n2	5	15	1907.5	CP	16QAM	Edge_1RB_Left	19.92
B5-n2	5	15	1907.5	CP	16QAM	Edge_1RB_Right	19.83
B5-n2	5	15	1907.5	CP	16QAM	Outer_Full	19.62
B5-n2	5	15	1907.5	CP	64QAM	Inner_Full	19.09
B5-n2	5	15	1907.5	CP	64QAM	Edge_1RB_Left	19.25
B5-n2	5	15	1907.5	CP	64QAM	Edge_1RB_Right	19.13
B5-n2	5	15	1907.5	CP	64QAM	Outer_Full	19.07
B5-n2	5	15	1907.5	CP	256QAM	Inner_Full	16.18
B5-n2	5	15	1907.5	CP	256QAM	Edge_1RB_Left	15.88
B5-n2	5	15	1907.5	CP	256QAM	Edge_1RB_Right	16.09
B5-n2	5	15	1907.5	CP	256QAM	Outer_Full	16.15
B5-n2	10	15	1855	DFT	pi/2 BPSK	Inner_Full	22.62
B5-n2	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Left	22.57
B5-n2	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Right	22.55
B5-n2	10	15	1855	DFT	pi/2 BPSK	Outer_Full	22.81

B5-n2	10	15	1855	DFT	QPSK	Inner_Full	22.85
B5-n2	10	15	1855	DFT	QPSK	Edge_1RB_Left	22.65
B5-n2	10	15	1855	DFT	QPSK	Edge_1RB_Right	22.64
B5-n2	10	15	1855	DFT	QPSK	Outer_Full	22.70
B5-n2	10	15	1855	DFT	16QAM	Inner_Full	22.35
B5-n2	10	15	1855	DFT	16QAM	Edge_1RB_Left	21.66
B5-n2	10	15	1855	DFT	16QAM	Edge_1RB_Right	21.53
B5-n2	10	15	1855	DFT	16QAM	Outer_Full	21.18
B5-n2	10	15	1855	DFT	64QAM	Inner_Full	20.10
B5-n2	10	15	1855	DFT	64QAM	Edge_1RB_Left	20.43
B5-n2	10	15	1855	DFT	64QAM	Edge_1RB_Right	20.36
B5-n2	10	15	1855	DFT	64QAM	Outer_Full	20.31
B5-n2	10	15	1855	DFT	256QAM	Inner_Full	18.32
B5-n2	10	15	1855	DFT	256QAM	Edge_1RB_Left	17.66
B5-n2	10	15	1855	DFT	256QAM	Edge_1RB_Right	17.85
B5-n2	10	15	1855	DFT	256QAM	Outer_Full	18.27
B5-n2	10	15	1855	CP	QPSK	Inner_Full	22.03
B5-n2	10	15	1855	CP	QPSK	Edge_1RB_Left	19.71
B5-n2	10	15	1855	CP	QPSK	Edge_1RB_Right	19.51
B5-n2	10	15	1855	CP	QPSK	Outer_Full	19.56
B5-n2	10	15	1855	CP	16QAM	Inner_Full	20.49
B5-n2	10	15	1855	CP	16QAM	Edge_1RB_Left	20.04
B5-n2	10	15	1855	CP	16QAM	Edge_1RB_Right	19.97
B5-n2	10	15	1855	CP	16QAM	Outer_Full	19.78
B5-n2	10	15	1855	CP	64QAM	Inner_Full	19.10
B5-n2	10	15	1855	CP	64QAM	Edge_1RB_Left	19.17
B5-n2	10	15	1855	CP	64QAM	Edge_1RB_Right	19.35
B5-n2	10	15	1855	CP	64QAM	Outer_Full	19.30
B5-n2	10	15	1855	CP	256QAM	Inner_Full	16.23
B5-n2	10	15	1855	CP	256QAM	Edge_1RB_Left	15.79
B5-n2	10	15	1855	CP	256QAM	Edge_1RB_Right	16.09
B5-n2	10	15	1855	CP	256QAM	Outer_Full	16.25
B5-n2	10	15	1880	DFT	pi/2 BPSK	Inner_Full	22.13
B5-n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.06
B5-n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.14
B5-n2	10	15	1880	DFT	pi/2 BPSK	Outer_Full	22.08
B5-n2	10	15	1880	DFT	QPSK	Inner_Full	22.07
B5-n2	10	15	1880	DFT	QPSK	Edge_1RB_Left	22.46
B5-n2	10	15	1880	DFT	QPSK	Edge_1RB_Right	22.31
B5-n2	10	15	1880	DFT	QPSK	Outer_Full	22.11
B5-n2	10	15	1880	DFT	16QAM	Inner_Full	21.82

B5-n2	10	15	1880	DFT	16QAM	Edge_1RB_Left	21.37
B5-n2	10	15	1880	DFT	16QAM	Edge_1RB_Right	21.19
B5-n2	10	15	1880	DFT	16QAM	Outer_Full	20.99
B5-n2	10	15	1880	DFT	64QAM	Inner_Full	19.85
B5-n2	10	15	1880	DFT	64QAM	Edge_1RB_Left	19.90
B5-n2	10	15	1880	DFT	64QAM	Edge_1RB_Right	19.90
B5-n2	10	15	1880	DFT	64QAM	Outer_Full	19.96
B5-n2	10	15	1880	DFT	256QAM	Inner_Full	17.77
B5-n2	10	15	1880	DFT	256QAM	Edge_1RB_Left	17.72
B5-n2	10	15	1880	DFT	256QAM	Edge_1RB_Right	17.53
B5-n2	10	15	1880	DFT	256QAM	Outer_Full	17.79
B5-n2	10	15	1880	CP	QPSK	Inner_Full	21.95
B5-n2	10	15	1880	CP	QPSK	Edge_1RB_Left	19.18
B5-n2	10	15	1880	CP	QPSK	Edge_1RB_Right	19.14
B5-n2	10	15	1880	CP	QPSK	Outer_Full	19.26
B5-n2	10	15	1880	CP	16QAM	Inner_Full	20.40
B5-n2	10	15	1880	CP	16QAM	Edge_1RB_Left	19.76
B5-n2	10	15	1880	CP	16QAM	Edge_1RB_Right	19.45
B5-n2	10	15	1880	CP	16QAM	Outer_Full	19.17
B5-n2	10	15	1880	CP	64QAM	Inner_Full	18.80
B5-n2	10	15	1880	CP	64QAM	Edge_1RB_Left	19.21
B5-n2	10	15	1880	CP	64QAM	Edge_1RB_Right	18.88
B5-n2	10	15	1880	CP	64QAM	Outer_Full	18.77
B5-n2	10	15	1880	CP	256QAM	Inner_Full	15.75
B5-n2	10	15	1880	CP	256QAM	Edge_1RB_Left	15.71
B5-n2	10	15	1880	CP	256QAM	Edge_1RB_Right	15.47
B5-n2	10	15	1880	CP	256QAM	Outer_Full	15.89
B5-n2	10	15	1905	DFT	pi/2 BPSK	Inner_Full	22.37
B5-n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	22.35
B5-n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	22.29
B5-n2	10	15	1905	DFT	pi/2 BPSK	Outer_Full	22.37
B5-n2	10	15	1905	DFT	QPSK	Inner_Full	22.29
B5-n2	10	15	1905	DFT	QPSK	Edge_1RB_Left	22.33
B5-n2	10	15	1905	DFT	QPSK	Edge_1RB_Right	22.33
B5-n2	10	15	1905	DFT	QPSK	Outer_Full	22.41
B5-n2	10	15	1905	DFT	16QAM	Inner_Full	22.05
B5-n2	10	15	1905	DFT	16QAM	Edge_1RB_Left	21.23
B5-n2	10	15	1905	DFT	16QAM	Edge_1RB_Right	21.32
B5-n2	10	15	1905	DFT	16QAM	Outer_Full	21.11
B5-n2	10	15	1905	DFT	64QAM	Inner_Full	20.06
B5-n2	10	15	1905	DFT	64QAM	Edge_1RB_Left	20.03

B5-n2	10	15	1905	DFT	64QAM	Edge_1RB_Right	20.08
B5-n2	10	15	1905	DFT	64QAM	Outer_Full	20.09
B5-n2	10	15	1905	DFT	256QAM	Inner_Full	18.05
B5-n2	10	15	1905	DFT	256QAM	Edge_1RB_Left	17.69
B5-n2	10	15	1905	DFT	256QAM	Edge_1RB_Right	17.81
B5-n2	10	15	1905	DFT	256QAM	Outer_Full	18.00
B5-n2	10	15	1905	CP	QPSK	Inner_Full	22.03
B5-n2	10	15	1905	CP	QPSK	Edge_1RB_Left	19.48
B5-n2	10	15	1905	CP	QPSK	Edge_1RB_Right	19.32
B5-n2	10	15	1905	CP	QPSK	Outer_Full	19.44
B5-n2	10	15	1905	CP	16QAM	Inner_Full	20.47
B5-n2	10	15	1905	CP	16QAM	Edge_1RB_Left	19.73
B5-n2	10	15	1905	CP	16QAM	Edge_1RB_Right	19.63
B5-n2	10	15	1905	CP	16QAM	Outer_Full	19.41
B5-n2	10	15	1905	CP	64QAM	Inner_Full	19.03
B5-n2	10	15	1905	CP	64QAM	Edge_1RB_Left	19.14
B5-n2	10	15	1905	CP	64QAM	Edge_1RB_Right	19.11
B5-n2	10	15	1905	CP	64QAM	Outer_Full	19.03
B5-n2	10	15	1905	CP	256QAM	Inner_Full	15.89
B5-n2	10	15	1905	CP	256QAM	Edge_1RB_Left	15.74
B5-n2	10	15	1905	CP	256QAM	Edge_1RB_Right	15.61
B5-n2	10	15	1905	CP	256QAM	Outer_Full	15.93
B5-n2	15	15	1857.5	DFT	pi/2 BPSK	Inner_Full	22.96
B5-n2	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.88
B5-n2	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.47
B5-n2	15	15	1857.5	DFT	pi/2 BPSK	Outer_Full	22.99
B5-n2	15	15	1857.5	DFT	QPSK	Inner_Full	22.98
B5-n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	22.68
B5-n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	22.58
B5-n2	15	15	1857.5	DFT	QPSK	Outer_Full	22.63
B5-n2	15	15	1857.5	DFT	16QAM	Inner_Full	22.49
B5-n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	21.44
B5-n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	21.62
B5-n2	15	15	1857.5	DFT	16QAM	Outer_Full	21.51
B5-n2	15	15	1857.5	DFT	64QAM	Inner_Full	20.50
B5-n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	20.43
B5-n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	20.38
B5-n2	15	15	1857.5	DFT	64QAM	Outer_Full	20.45
B5-n2	15	15	1857.5	DFT	256QAM	Inner_Full	18.42
B5-n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	18.04
B5-n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	17.86

B5-n2	15	15	1857.5	DFT	256QAM	Outer_Full	18.25
B5-n2	15	15	1857.5	CP	QPSK	Inner_Full	22.16
B5-n2	15	15	1857.5	CP	QPSK	Edge_1RB_Left	19.59
B5-n2	15	15	1857.5	CP	QPSK	Edge_1RB_Right	19.59
B5-n2	15	15	1857.5	CP	QPSK	Outer_Full	19.92
B5-n2	15	15	1857.5	CP	16QAM	Inner_Full	21.00
B5-n2	15	15	1857.5	CP	16QAM	Edge_1RB_Left	20.16
B5-n2	15	15	1857.5	CP	16QAM	Edge_1RB_Right	19.92
B5-n2	15	15	1857.5	CP	16QAM	Outer_Full	19.78
B5-n2	15	15	1857.5	CP	64QAM	Inner_Full	19.52
B5-n2	15	15	1857.5	CP	64QAM	Edge_1RB_Left	19.45
B5-n2	15	15	1857.5	CP	64QAM	Edge_1RB_Right	19.25
B5-n2	15	15	1857.5	CP	64QAM	Outer_Full	19.24
B5-n2	15	15	1857.5	CP	256QAM	Inner_Full	16.34
B5-n2	15	15	1857.5	CP	256QAM	Edge_1RB_Left	15.84
B5-n2	15	15	1857.5	CP	256QAM	Edge_1RB_Right	15.87
B5-n2	15	15	1857.5	CP	256QAM	Outer_Full	16.47
B5-n2	15	15	1880	DFT	pi/2 BPSK	Inner_Full	22.37
B5-n2	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.45
B5-n2	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.24
B5-n2	15	15	1880	DFT	pi/2 BPSK	Outer_Full	22.24
B5-n2	15	15	1880	DFT	QPSK	Inner_Full	22.29
B5-n2	15	15	1880	DFT	QPSK	Edge_1RB_Left	22.47
B5-n2	15	15	1880	DFT	QPSK	Edge_1RB_Right	22.42
B5-n2	15	15	1880	DFT	QPSK	Outer_Full	22.48
B5-n2	15	15	1880	DFT	16QAM	Inner_Full	22.18
B5-n2	15	15	1880	DFT	16QAM	Edge_1RB_Left	21.29
B5-n2	15	15	1880	DFT	16QAM	Edge_1RB_Right	21.34
B5-n2	15	15	1880	DFT	16QAM	Outer_Full	21.06
B5-n2	15	15	1880	DFT	64QAM	Inner_Full	20.18
B5-n2	15	15	1880	DFT	64QAM	Edge_1RB_Left	20.29
B5-n2	15	15	1880	DFT	64QAM	Edge_1RB_Right	20.06
B5-n2	15	15	1880	DFT	64QAM	Outer_Full	20.05
B5-n2	15	15	1880	DFT	256QAM	Inner_Full	17.96
B5-n2	15	15	1880	DFT	256QAM	Edge_1RB_Left	17.98
B5-n2	15	15	1880	DFT	256QAM	Edge_1RB_Right	17.58
B5-n2	15	15	1880	DFT	256QAM	Outer_Full	18.09
B5-n2	15	15	1880	CP	QPSK	Inner_Full	22.15
B5-n2	15	15	1880	CP	QPSK	Edge_1RB_Left	19.61
B5-n2	15	15	1880	CP	QPSK	Edge_1RB_Right	19.36
B5-n2	15	15	1880	CP	QPSK	Outer_Full	19.54

B5-n2	15	15	1880	CP	16QAM	Inner_Full	20.62
B5-n2	15	15	1880	CP	16QAM	Edge_1RB_Left	19.97
B5-n2	15	15	1880	CP	16QAM	Edge_1RB_Right	19.65
B5-n2	15	15	1880	CP	16QAM	Outer_Full	19.50
B5-n2	15	15	1880	CP	64QAM	Inner_Full	18.98
B5-n2	15	15	1880	CP	64QAM	Edge_1RB_Left	19.29
B5-n2	15	15	1880	CP	64QAM	Edge_1RB_Right	18.96
B5-n2	15	15	1880	CP	64QAM	Outer_Full	18.95
B5-n2	15	15	1880	CP	256QAM	Inner_Full	15.97
B5-n2	15	15	1880	CP	256QAM	Edge_1RB_Left	15.63
B5-n2	15	15	1880	CP	256QAM	Edge_1RB_Right	15.59
B5-n2	15	15	1880	CP	256QAM	Outer_Full	16.11
B5-n2	15	15	1902.5	DFT	pi/2 BPSK	Inner_Full	22.18
B5-n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.43
B5-n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.34
B5-n2	15	15	1902.5	DFT	pi/2 BPSK	Outer_Full	22.47
B5-n2	15	15	1902.5	DFT	QPSK	Inner_Full	22.55
B5-n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Left	22.34
B5-n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Right	22.56
B5-n2	15	15	1902.5	DFT	QPSK	Outer_Full	22.40
B5-n2	15	15	1902.5	DFT	16QAM	Inner_Full	22.16
B5-n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Left	21.44
B5-n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Right	21.36
B5-n2	15	15	1902.5	DFT	16QAM	Outer_Full	21.09
B5-n2	15	15	1902.5	DFT	64QAM	Inner_Full	20.10
B5-n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Left	19.96
B5-n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Right	20.14
B5-n2	15	15	1902.5	DFT	64QAM	Outer_Full	20.21
B5-n2	15	15	1902.5	DFT	256QAM	Inner_Full	18.13
B5-n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Left	17.74
B5-n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Right	17.83
B5-n2	15	15	1902.5	DFT	256QAM	Outer_Full	18.02
B5-n2	15	15	1902.5	CP	QPSK	Inner_Full	22.06
B5-n2	15	15	1902.5	CP	QPSK	Edge_1RB_Left	19.27
B5-n2	15	15	1902.5	CP	QPSK	Edge_1RB_Right	19.37
B5-n2	15	15	1902.5	CP	QPSK	Outer_Full	19.60
B5-n2	15	15	1902.5	CP	16QAM	Inner_Full	20.65
B5-n2	15	15	1902.5	CP	16QAM	Edge_1RB_Left	19.62
B5-n2	15	15	1902.5	CP	16QAM	Edge_1RB_Right	19.79
B5-n2	15	15	1902.5	CP	16QAM	Outer_Full	19.51
B5-n2	15	15	1902.5	CP	64QAM	Inner_Full	19.22

B5-n2	15	15	1902.5	CP	64QAM	Edge_1RB_Left	19.18
B5-n2	15	15	1902.5	CP	64QAM	Edge_1RB_Right	19.14
B5-n2	15	15	1902.5	CP	64QAM	Outer_Full	18.99
B5-n2	15	15	1902.5	CP	256QAM	Inner_Full	16.09
B5-n2	15	15	1902.5	CP	256QAM	Edge_1RB_Left	15.80
B5-n2	15	15	1902.5	CP	256QAM	Edge_1RB_Right	15.72
B5-n2	15	15	1902.5	CP	256QAM	Outer_Full	16.14
B5-n2	20	15	1860	DFT	pi/2 BPSK	Inner_Full	22.55
B5-n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	22.57
B5-n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	22.40
B5-n2	20	15	1860	DFT	pi/2 BPSK	Outer_Full	22.57
B5-n2	20	15	1860	DFT	QPSK	Inner_Full	22.74
B5-n2	20	15	1860	DFT	QPSK	Edge_1RB_Left	22.67
B5-n2	20	15	1860	DFT	QPSK	Edge_1RB_Right	22.65
B5-n2	20	15	1860	DFT	QPSK	Outer_Full	22.60
B5-n2	20	15	1860	DFT	16QAM	Inner_Full	22.50
B5-n2	20	15	1860	DFT	16QAM	Edge_1RB_Left	21.64
B5-n2	20	15	1860	DFT	16QAM	Edge_1RB_Right	21.49
B5-n2	20	15	1860	DFT	16QAM	Outer_Full	21.28
B5-n2	20	15	1860	DFT	64QAM	Inner_Full	20.31
B5-n2	20	15	1860	DFT	64QAM	Edge_1RB_Left	20.39
B5-n2	20	15	1860	DFT	64QAM	Edge_1RB_Right	20.01
B5-n2	20	15	1860	DFT	64QAM	Outer_Full	20.30
B5-n2	20	15	1860	DFT	256QAM	Inner_Full	18.43
B5-n2	20	15	1860	DFT	256QAM	Edge_1RB_Left	17.79
B5-n2	20	15	1860	DFT	256QAM	Edge_1RB_Right	18.20
B5-n2	20	15	1860	DFT	256QAM	Outer_Full	18.39
B5-n2	20	15	1860	CP	QPSK	Inner_Full	22.15
B5-n2	20	15	1860	CP	QPSK	Edge_1RB_Left	19.65
B5-n2	20	15	1860	CP	QPSK	Edge_1RB_Right	19.33
B5-n2	20	15	1860	CP	QPSK	Outer_Full	19.77
B5-n2	20	15	1860	CP	16QAM	Inner_Full	20.83
B5-n2	20	15	1860	CP	16QAM	Edge_1RB_Left	20.10
B5-n2	20	15	1860	CP	16QAM	Edge_1RB_Right	19.70
B5-n2	20	15	1860	CP	16QAM	Outer_Full	19.75
B5-n2	20	15	1860	CP	64QAM	Inner_Full	19.28
B5-n2	20	15	1860	CP	64QAM	Edge_1RB_Left	19.16
B5-n2	20	15	1860	CP	64QAM	Edge_1RB_Right	19.10
B5-n2	20	15	1860	CP	64QAM	Outer_Full	19.31
B5-n2	20	15	1860	CP	256QAM	Inner_Full	16.38
B5-n2	20	15	1860	CP	256QAM	Edge_1RB_Left	15.78



B5-n2	20	15	1860	CP	256QAM	Edge_1RB_Right	15.79
B5-n2	20	15	1860	CP	256QAM	Outer_Full	16.32
B5-n2	20	15	1880	DFT	pi/2 BPSK	Inner_Full	22.42
B5-n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.35
B5-n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.03
B5-n2	20	15	1880	DFT	pi/2 BPSK	Outer_Full	22.39
B5-n2	20	15	1880	DFT	QPSK	Inner_Full	22.47
B5-n2	20	15	1880	DFT	QPSK	Edge_1RB_Left	22.10
B5-n2	20	15	1880	DFT	QPSK	Edge_1RB_Right	22.17
B5-n2	20	15	1880	DFT	QPSK	Outer_Full	22.30
B5-n2	20	15	1880	DFT	16QAM	Inner_Full	22.26
B5-n2	20	15	1880	DFT	16QAM	Edge_1RB_Left	21.15
B5-n2	20	15	1880	DFT	16QAM	Edge_1RB_Right	20.97
B5-n2	20	15	1880	DFT	16QAM	Outer_Full	21.08
B5-n2	20	15	1880	DFT	64QAM	Inner_Full	20.21
B5-n2	20	15	1880	DFT	64QAM	Edge_1RB_Left	19.63
B5-n2	20	15	1880	DFT	64QAM	Edge_1RB_Right	19.33
B5-n2	20	15	1880	DFT	64QAM	Outer_Full	20.01
B5-n2	20	15	1880	DFT	256QAM	Inner_Full	17.93
B5-n2	20	15	1880	DFT	256QAM	Edge_1RB_Left	17.91
B5-n2	20	15	1880	DFT	256QAM	Edge_1RB_Right	17.77
B5-n2	20	15	1880	DFT	256QAM	Outer_Full	18.11
B5-n2	20	15	1880	CP	QPSK	Inner_Full	22.14
B5-n2	20	15	1880	CP	QPSK	Edge_1RB_Left	19.52
B5-n2	20	15	1880	CP	QPSK	Edge_1RB_Right	19.28
B5-n2	20	15	1880	CP	QPSK	Outer_Full	19.41
B5-n2	20	15	1880	CP	16QAM	Inner_Full	20.51
B5-n2	20	15	1880	CP	16QAM	Edge_1RB_Left	19.69
B5-n2	20	15	1880	CP	16QAM	Edge_1RB_Right	19.33
B5-n2	20	15	1880	CP	16QAM	Outer_Full	19.43
B5-n2	20	15	1880	CP	64QAM	Inner_Full	18.99
B5-n2	20	15	1880	CP	64QAM	Edge_1RB_Left	18.99
B5-n2	20	15	1880	CP	64QAM	Edge_1RB_Right	18.66
B5-n2	20	15	1880	CP	64QAM	Outer_Full	18.98
B5-n2	20	15	1880	CP	256QAM	Inner_Full	15.95
B5-n2	20	15	1880	CP	256QAM	Edge_1RB_Left	16.13
B5-n2	20	15	1880	CP	256QAM	Edge_1RB_Right	15.78
B5-n2	20	15	1880	CP	256QAM	Outer_Full	16.07
B5-n2	20	15	1900	DFT	pi/2 BPSK	Inner_Full	22.29
B5-n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Left	22.25
B5-n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Right	22.30

B5-n2	20	15	1900	DFT	pi/2 BPSK	Outer_Full	22.40
B5-n2	20	15	1900	DFT	QPSK	Inner_Full	22.42
B5-n2	20	15	1900	DFT	QPSK	Edge_1RB_Left	22.20
B5-n2	20	15	1900	DFT	QPSK	Edge_1RB_Right	22.39
B5-n2	20	15	1900	DFT	QPSK	Outer_Full	22.42
B5-n2	20	15	1900	DFT	16QAM	Inner_Full	22.26
B5-n2	20	15	1900	DFT	16QAM	Edge_1RB_Left	21.35
B5-n2	20	15	1900	DFT	16QAM	Edge_1RB_Right	21.41
B5-n2	20	15	1900	DFT	16QAM	Outer_Full	21.07
B5-n2	20	15	1900	DFT	64QAM	Inner_Full	20.29
B5-n2	20	15	1900	DFT	64QAM	Edge_1RB_Left	20.11
B5-n2	20	15	1900	DFT	64QAM	Edge_1RB_Right	20.14
B5-n2	20	15	1900	DFT	64QAM	Outer_Full	19.99
B5-n2	20	15	1900	DFT	256QAM	Inner_Full	18.04
B5-n2	20	15	1900	DFT	256QAM	Edge_1RB_Left	17.58
B5-n2	20	15	1900	DFT	256QAM	Edge_1RB_Right	17.67
B5-n2	20	15	1900	DFT	256QAM	Outer_Full	18.14
B5-n2	20	15	1900	CP	QPSK	Inner_Full	22.16
B5-n2	20	15	1900	CP	QPSK	Edge_1RB_Left	19.41
B5-n2	20	15	1900	CP	QPSK	Edge_1RB_Right	19.40
B5-n2	20	15	1900	CP	QPSK	Outer_Full	19.45
B5-n2	20	15	1900	CP	16QAM	Inner_Full	20.54
B5-n2	20	15	1900	CP	16QAM	Edge_1RB_Left	19.77
B5-n2	20	15	1900	CP	16QAM	Edge_1RB_Right	19.83
B5-n2	20	15	1900	CP	16QAM	Outer_Full	19.42
B5-n2	20	15	1900	CP	64QAM	Inner_Full	18.99
B5-n2	20	15	1900	CP	64QAM	Edge_1RB_Left	19.12
B5-n2	20	15	1900	CP	64QAM	Edge_1RB_Right	19.08
B5-n2	20	15	1900	CP	64QAM	Outer_Full	19.10
B5-n2	20	15	1900	CP	256QAM	Inner_Full	16.05
B5-n2	20	15	1900	CP	256QAM	Edge_1RB_Left	15.52
B5-n2	20	15	1900	CP	256QAM	Edge_1RB_Right	15.67
B5-n2	20	15	1900	CP	256QAM	Outer_Full	16.03

**LTE Band 2+NR n5**

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
B2-n5	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	24.08
B2-n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.93
B2-n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.20
B2-n5	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	23.97
B2-n5	5	15	826.5	DFT	QPSK	Inner_Full	24.01
B2-n5	5	15	826.5	DFT	QPSK	Edge_1RB_Left	23.85
B2-n5	5	15	826.5	DFT	QPSK	Edge_1RB_Right	23.97
B2-n5	5	15	826.5	DFT	QPSK	Outer_Full	23.98
B2-n5	5	15	826.5	DFT	16QAM	Inner_Full	23.65
B2-n5	5	15	826.5	DFT	16QAM	Edge_1RB_Left	22.82
B2-n5	5	15	826.5	DFT	16QAM	Edge_1RB_Right	22.32
B2-n5	5	15	826.5	DFT	16QAM	Outer_Full	22.66
B2-n5	5	15	826.5	DFT	64QAM	Inner_Full	21.75
B2-n5	5	15	826.5	DFT	64QAM	Edge_1RB_Left	21.71
B2-n5	5	15	826.5	DFT	64QAM	Edge_1RB_Right	21.63
B2-n5	5	15	826.5	DFT	64QAM	Outer_Full	21.49
B2-n5	5	15	826.5	DFT	256QAM	Inner_Full	19.35
B2-n5	5	15	826.5	DFT	256QAM	Edge_1RB_Left	19.14
B2-n5	5	15	826.5	DFT	256QAM	Edge_1RB_Right	19.65
B2-n5	5	15	826.5	DFT	256QAM	Outer_Full	19.41
B2-n5	5	15	826.5	CP	QPSK	Inner_Full	23.46
B2-n5	5	15	826.5	CP	QPSK	Edge_1RB_Left	20.87
B2-n5	5	15	826.5	CP	QPSK	Edge_1RB_Right	20.78
B2-n5	5	15	826.5	CP	QPSK	Outer_Full	21.04
B2-n5	5	15	826.5	CP	16QAM	Inner_Full	22.17
B2-n5	5	15	826.5	CP	16QAM	Edge_1RB_Left	21.32
B2-n5	5	15	826.5	CP	16QAM	Edge_1RB_Right	21.13
B2-n5	5	15	826.5	CP	16QAM	Outer_Full	20.95
B2-n5	5	15	826.5	CP	64QAM	Inner_Full	20.56
B2-n5	5	15	826.5	CP	64QAM	Edge_1RB_Left	20.59
B2-n5	5	15	826.5	CP	64QAM	Edge_1RB_Right	20.43
B2-n5	5	15	826.5	CP	64QAM	Outer_Full	20.36
B2-n5	5	15	826.5	CP	256QAM	Inner_Full	17.63
B2-n5	5	15	826.5	CP	256QAM	Edge_1RB_Left	17.39
B2-n5	5	15	826.5	CP	256QAM	Edge_1RB_Right	17.27
B2-n5	5	15	826.5	CP	256QAM	Outer_Full	17.65
B2-n5	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.12
B2-n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.18
B2-n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.00

B2-n5	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	24.19
B2-n5	5	15	836.5	DFT	QPSK	Inner_Full	24.13
B2-n5	5	15	836.5	DFT	QPSK	Edge_1RB_Left	23.96
B2-n5	5	15	836.5	DFT	QPSK	Edge_1RB_Right	23.95
B2-n5	5	15	836.5	DFT	QPSK	Outer_Full	23.91
B2-n5	5	15	836.5	DFT	16QAM	Inner_Full	23.66
B2-n5	5	15	836.5	DFT	16QAM	Edge_1RB_Left	22.94
B2-n5	5	15	836.5	DFT	16QAM	Edge_1RB_Right	22.95
B2-n5	5	15	836.5	DFT	16QAM	Outer_Full	22.71
B2-n5	5	15	836.5	DFT	64QAM	Inner_Full	21.65
B2-n5	5	15	836.5	DFT	64QAM	Edge_1RB_Left	21.75
B2-n5	5	15	836.5	DFT	64QAM	Edge_1RB_Right	21.65
B2-n5	5	15	836.5	DFT	64QAM	Outer_Full	21.68
B2-n5	5	15	836.5	DFT	256QAM	Inner_Full	19.78
B2-n5	5	15	836.5	DFT	256QAM	Edge_1RB_Left	19.38
B2-n5	5	15	836.5	DFT	256QAM	Edge_1RB_Right	19.17
B2-n5	5	15	836.5	DFT	256QAM	Outer_Full	19.54
B2-n5	5	15	836.5	CP	QPSK	Inner_Full	23.42
B2-n5	5	15	836.5	CP	QPSK	Edge_1RB_Left	21.04
B2-n5	5	15	836.5	CP	QPSK	Edge_1RB_Right	20.80
B2-n5	5	15	836.5	CP	QPSK	Outer_Full	21.08
B2-n5	5	15	836.5	CP	16QAM	Inner_Full	22.28
B2-n5	5	15	836.5	CP	16QAM	Edge_1RB_Left	21.33
B2-n5	5	15	836.5	CP	16QAM	Edge_1RB_Right	21.20
B2-n5	5	15	836.5	CP	16QAM	Outer_Full	20.91
B2-n5	5	15	836.5	CP	64QAM	Inner_Full	20.53
B2-n5	5	15	836.5	CP	64QAM	Edge_1RB_Left	20.84
B2-n5	5	15	836.5	CP	64QAM	Edge_1RB_Right	20.50
B2-n5	5	15	836.5	CP	64QAM	Outer_Full	20.36
B2-n5	5	15	836.5	CP	256QAM	Inner_Full	17.69
B2-n5	5	15	836.5	CP	256QAM	Edge_1RB_Left	17.58
B2-n5	5	15	836.5	CP	256QAM	Edge_1RB_Right	17.30
B2-n5	5	15	836.5	CP	256QAM	Outer_Full	17.42
B2-n5	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	23.69
B2-n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.74
B2-n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.49
B2-n5	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	23.74
B2-n5	5	15	846.5	DFT	QPSK	Inner_Full	23.80
B2-n5	5	15	846.5	DFT	QPSK	Edge_1RB_Left	23.89
B2-n5	5	15	846.5	DFT	QPSK	Edge_1RB_Right	23.86
B2-n5	5	15	846.5	DFT	QPSK	Outer_Full	23.71

B2-n5	5	15	846.5	DFT	16QAM	Inner_Full	23.26
B2-n5	5	15	846.5	DFT	16QAM	Edge_1RB_Left	22.75
B2-n5	5	15	846.5	DFT	16QAM	Edge_1RB_Right	22.53
B2-n5	5	15	846.5	DFT	16QAM	Outer_Full	22.23
B2-n5	5	15	846.5	DFT	64QAM	Inner_Full	21.37
B2-n5	5	15	846.5	DFT	64QAM	Edge_1RB_Left	21.46
B2-n5	5	15	846.5	DFT	64QAM	Edge_1RB_Right	21.26
B2-n5	5	15	846.5	DFT	64QAM	Outer_Full	21.25
B2-n5	5	15	846.5	DFT	256QAM	Inner_Full	19.27
B2-n5	5	15	846.5	DFT	256QAM	Edge_1RB_Left	18.73
B2-n5	5	15	846.5	DFT	256QAM	Edge_1RB_Right	18.98
B2-n5	5	15	846.5	DFT	256QAM	Outer_Full	19.14
B2-n5	5	15	846.5	CP	QPSK	Inner_Full	23.30
B2-n5	5	15	846.5	CP	QPSK	Edge_1RB_Left	20.67
B2-n5	5	15	846.5	CP	QPSK	Edge_1RB_Right	20.46
B2-n5	5	15	846.5	CP	QPSK	Outer_Full	20.65
B2-n5	5	15	846.5	CP	16QAM	Inner_Full	21.76
B2-n5	5	15	846.5	CP	16QAM	Edge_1RB_Left	21.02
B2-n5	5	15	846.5	CP	16QAM	Edge_1RB_Right	20.78
B2-n5	5	15	846.5	CP	16QAM	Outer_Full	20.63
B2-n5	5	15	846.5	CP	64QAM	Inner_Full	20.17
B2-n5	5	15	846.5	CP	64QAM	Edge_1RB_Left	20.37
B2-n5	5	15	846.5	CP	64QAM	Edge_1RB_Right	20.08
B2-n5	5	15	846.5	CP	64QAM	Outer_Full	20.12
B2-n5	5	15	846.5	CP	256QAM	Inner_Full	17.53
B2-n5	5	15	846.5	CP	256QAM	Edge_1RB_Left	17.56
B2-n5	5	15	846.5	CP	256QAM	Edge_1RB_Right	16.92
B2-n5	5	15	846.5	CP	256QAM	Outer_Full	17.24
B2-n5	10	15	829	DFT	pi/2 BPSK	Inner_Full	23.77
B2-n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	23.87
B2-n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	24.03
B2-n5	10	15	829	DFT	pi/2 BPSK	Outer_Full	24.02
B2-n5	10	15	829	DFT	QPSK	Inner_Full	24.09
B2-n5	10	15	829	DFT	QPSK	Edge_1RB_Left	23.72
B2-n5	10	15	829	DFT	QPSK	Edge_1RB_Right	23.80
B2-n5	10	15	829	DFT	QPSK	Outer_Full	23.89
B2-n5	10	15	829	DFT	16QAM	Inner_Full	23.55
B2-n5	10	15	829	DFT	16QAM	Edge_1RB_Left	22.63
B2-n5	10	15	829	DFT	16QAM	Edge_1RB_Right	22.87
B2-n5	10	15	829	DFT	16QAM	Outer_Full	22.37
B2-n5	10	15	829	DFT	64QAM	Inner_Full	21.55

B2-n5	10	15	829	DFT	64QAM	Edge_1RB_Left	21.55
B2-n5	10	15	829	DFT	64QAM	Edge_1RB_Right	21.57
B2-n5	10	15	829	DFT	64QAM	Outer_Full	21.33
B2-n5	10	15	829	DFT	256QAM	Inner_Full	19.30
B2-n5	10	15	829	DFT	256QAM	Edge_1RB_Left	18.89
B2-n5	10	15	829	DFT	256QAM	Edge_1RB_Right	19.20
B2-n5	10	15	829	DFT	256QAM	Outer_Full	19.48
B2-n5	10	15	829	CP	QPSK	Inner_Full	23.34
B2-n5	10	15	829	CP	QPSK	Edge_1RB_Left	20.77
B2-n5	10	15	829	CP	QPSK	Edge_1RB_Right	20.82
B2-n5	10	15	829	CP	QPSK	Outer_Full	20.84
B2-n5	10	15	829	CP	16QAM	Inner_Full	21.95
B2-n5	10	15	829	CP	16QAM	Edge_1RB_Left	21.09
B2-n5	10	15	829	CP	16QAM	Edge_1RB_Right	21.20
B2-n5	10	15	829	CP	16QAM	Outer_Full	20.80
B2-n5	10	15	829	CP	64QAM	Inner_Full	20.52
B2-n5	10	15	829	CP	64QAM	Edge_1RB_Left	20.45
B2-n5	10	15	829	CP	64QAM	Edge_1RB_Right	20.58
B2-n5	10	15	829	CP	64QAM	Outer_Full	20.39
B2-n5	10	15	829	CP	256QAM	Inner_Full	17.43
B2-n5	10	15	829	CP	256QAM	Edge_1RB_Left	17.16
B2-n5	10	15	829	CP	256QAM	Edge_1RB_Right	17.32
B2-n5	10	15	829	CP	256QAM	Outer_Full	17.42
B2-n5	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.93
B2-n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.96
B2-n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.71
B2-n5	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	24.02
B2-n5	10	15	836.5	DFT	QPSK	Inner_Full	24.06
B2-n5	10	15	836.5	DFT	QPSK	Edge_1RB_Left	23.80
B2-n5	10	15	836.5	DFT	QPSK	Edge_1RB_Right	23.63
B2-n5	10	15	836.5	DFT	QPSK	Outer_Full	23.97
B2-n5	10	15	836.5	DFT	16QAM	Inner_Full	23.65
B2-n5	10	15	836.5	DFT	16QAM	Edge_1RB_Left	22.87
B2-n5	10	15	836.5	DFT	16QAM	Edge_1RB_Right	22.56
B2-n5	10	15	836.5	DFT	16QAM	Outer_Full	22.60
B2-n5	10	15	836.5	DFT	64QAM	Inner_Full	21.54
B2-n5	10	15	836.5	DFT	64QAM	Edge_1RB_Left	21.61
B2-n5	10	15	836.5	DFT	64QAM	Edge_1RB_Right	21.45
B2-n5	10	15	836.5	DFT	64QAM	Outer_Full	21.44
B2-n5	10	15	836.5	DFT	256QAM	Inner_Full	19.35
B2-n5	10	15	836.5	DFT	256QAM	Edge_1RB_Left	19.24

B2-n5	10	15	836.5	DFT	256QAM	Edge_1RB_Right	18.84
B2-n5	10	15	836.5	DFT	256QAM	Outer_Full	19.49
B2-n5	10	15	836.5	CP	QPSK	Inner_Full	23.47
B2-n5	10	15	836.5	CP	QPSK	Edge_1RB_Left	20.93
B2-n5	10	15	836.5	CP	QPSK	Edge_1RB_Right	20.59
B2-n5	10	15	836.5	CP	QPSK	Outer_Full	20.67
B2-n5	10	15	836.5	CP	16QAM	Inner_Full	21.89
B2-n5	10	15	836.5	CP	16QAM	Edge_1RB_Left	21.37
B2-n5	10	15	836.5	CP	16QAM	Edge_1RB_Right	20.93
B2-n5	10	15	836.5	CP	16QAM	Outer_Full	20.78
B2-n5	10	15	836.5	CP	64QAM	Inner_Full	20.50
B2-n5	10	15	836.5	CP	64QAM	Edge_1RB_Left	20.61
B2-n5	10	15	836.5	CP	64QAM	Edge_1RB_Right	20.26
B2-n5	10	15	836.5	CP	64QAM	Outer_Full	20.44
B2-n5	10	15	836.5	CP	256QAM	Inner_Full	17.31
B2-n5	10	15	836.5	CP	256QAM	Edge_1RB_Left	17.52
B2-n5	10	15	836.5	CP	256QAM	Edge_1RB_Right	17.03
B2-n5	10	15	836.5	CP	256QAM	Outer_Full	17.47
B2-n5	10	15	844	DFT	pi/2 BPSK	Inner_Full	23.68
B2-n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	23.70
B2-n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	23.27
B2-n5	10	15	844	DFT	pi/2 BPSK	Outer_Full	23.61
B2-n5	10	15	844	DFT	QPSK	Inner_Full	23.69
B2-n5	10	15	844	DFT	QPSK	Edge_1RB_Left	23.98
B2-n5	10	15	844	DFT	QPSK	Edge_1RB_Right	23.62
B2-n5	10	15	844	DFT	QPSK	Outer_Full	23.63
B2-n5	10	15	844	DFT	16QAM	Inner_Full	23.16
B2-n5	10	15	844	DFT	16QAM	Edge_1RB_Left	22.56
B2-n5	10	15	844	DFT	16QAM	Edge_1RB_Right	22.26
B2-n5	10	15	844	DFT	16QAM	Outer_Full	22.06
B2-n5	10	15	844	DFT	64QAM	Inner_Full	21.13
B2-n5	10	15	844	DFT	64QAM	Edge_1RB_Left	21.36
B2-n5	10	15	844	DFT	64QAM	Edge_1RB_Right	21.09
B2-n5	10	15	844	DFT	64QAM	Outer_Full	21.02
B2-n5	10	15	844	DFT	256QAM	Inner_Full	19.08
B2-n5	10	15	844	DFT	256QAM	Edge_1RB_Left	19.23
B2-n5	10	15	844	DFT	256QAM	Edge_1RB_Right	18.57
B2-n5	10	15	844	DFT	256QAM	Outer_Full	19.04
B2-n5	10	15	844	CP	QPSK	Inner_Full	23.01
B2-n5	10	15	844	CP	QPSK	Edge_1RB_Left	20.65
B2-n5	10	15	844	CP	QPSK	Edge_1RB_Right	20.27

B2-n5	10	15	844	CP	QPSK	Outer_Full	20.45
B2-n5	10	15	844	CP	16QAM	Inner_Full	21.48
B2-n5	10	15	844	CP	16QAM	Edge_1RB_Left	20.96
B2-n5	10	15	844	CP	16QAM	Edge_1RB_Right	20.57
B2-n5	10	15	844	CP	16QAM	Outer_Full	20.57
B2-n5	10	15	844	CP	64QAM	Inner_Full	20.04
B2-n5	10	15	844	CP	64QAM	Edge_1RB_Left	20.31
B2-n5	10	15	844	CP	64QAM	Edge_1RB_Right	19.68
B2-n5	10	15	844	CP	64QAM	Outer_Full	20.02
B2-n5	10	15	844	CP	256QAM	Inner_Full	17.18
B2-n5	10	15	844	CP	256QAM	Edge_1RB_Left	17.22
B2-n5	10	15	844	CP	256QAM	Edge_1RB_Right	16.85
B2-n5	10	15	844	CP	256QAM	Outer_Full	17.17
B2-n5	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	24.19
B2-n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.95
B2-n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.96
B2-n5	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	24.00
B2-n5	15	15	831.5	DFT	QPSK	Inner_Full	24.09
B2-n5	15	15	831.5	DFT	QPSK	Edge_1RB_Left	23.92
B2-n5	15	15	831.5	DFT	QPSK	Edge_1RB_Right	23.68
B2-n5	15	15	831.5	DFT	QPSK	Outer_Full	23.95
B2-n5	15	15	831.5	DFT	16QAM	Inner_Full	23.72
B2-n5	15	15	831.5	DFT	16QAM	Edge_1RB_Left	22.71
B2-n5	15	15	831.5	DFT	16QAM	Edge_1RB_Right	22.81
B2-n5	15	15	831.5	DFT	16QAM	Outer_Full	22.65
B2-n5	15	15	831.5	DFT	64QAM	Inner_Full	21.56
B2-n5	15	15	831.5	DFT	64QAM	Edge_1RB_Left	21.52
B2-n5	15	15	831.5	DFT	64QAM	Edge_1RB_Right	21.49
B2-n5	15	15	831.5	DFT	64QAM	Outer_Full	21.66
B2-n5	15	15	831.5	DFT	256QAM	Inner_Full	19.67
B2-n5	15	15	831.5	DFT	256QAM	Edge_1RB_Left	19.09
B2-n5	15	15	831.5	DFT	256QAM	Edge_1RB_Right	19.05
B2-n5	15	15	831.5	DFT	256QAM	Outer_Full	19.44
B2-n5	15	15	831.5	CP	QPSK	Inner_Full	23.48
B2-n5	15	15	831.5	CP	QPSK	Edge_1RB_Left	20.74
B2-n5	15	15	831.5	CP	QPSK	Edge_1RB_Right	20.81
B2-n5	15	15	831.5	CP	QPSK	Outer_Full	21.04
B2-n5	15	15	831.5	CP	16QAM	Inner_Full	22.20
B2-n5	15	15	831.5	CP	16QAM	Edge_1RB_Left	20.97
B2-n5	15	15	831.5	CP	16QAM	Edge_1RB_Right	21.12
B2-n5	15	15	831.5	CP	16QAM	Outer_Full	21.11



B2-n5	15	15	831.5	CP	64QAM	Inner_Full	20.65
B2-n5	15	15	831.5	CP	64QAM	Edge_1RB_Left	20.50
B2-n5	15	15	831.5	CP	64QAM	Edge_1RB_Right	20.40
B2-n5	15	15	831.5	CP	64QAM	Outer_Full	20.62
B2-n5	15	15	831.5	CP	256QAM	Inner_Full	17.86
B2-n5	15	15	831.5	CP	256QAM	Edge_1RB_Left	17.30
B2-n5	15	15	831.5	CP	256QAM	Edge_1RB_Right	17.10
B2-n5	15	15	831.5	CP	256QAM	Outer_Full	17.59
B2-n5	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.13
B2-n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.06
B2-n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.70
B2-n5	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	24.03
B2-n5	15	15	836.5	DFT	QPSK	Inner_Full	24.22
B2-n5	15	15	836.5	DFT	QPSK	Edge_1RB_Left	23.95
B2-n5	15	15	836.5	DFT	QPSK	Edge_1RB_Right	23.98
B2-n5	15	15	836.5	DFT	QPSK	Outer_Full	23.97
B2-n5	15	15	836.5	DFT	16QAM	Inner_Full	23.63
B2-n5	15	15	836.5	DFT	16QAM	Edge_1RB_Left	22.75
B2-n5	15	15	836.5	DFT	16QAM	Edge_1RB_Right	22.59
B2-n5	15	15	836.5	DFT	16QAM	Outer_Full	22.71
B2-n5	15	15	836.5	DFT	64QAM	Inner_Full	21.65
B2-n5	15	15	836.5	DFT	64QAM	Edge_1RB_Left	21.57
B2-n5	15	15	836.5	DFT	64QAM	Edge_1RB_Right	21.41
B2-n5	15	15	836.5	DFT	64QAM	Outer_Full	21.67
B2-n5	15	15	836.5	DFT	256QAM	Inner_Full	19.67
B2-n5	15	15	836.5	DFT	256QAM	Edge_1RB_Left	19.20
B2-n5	15	15	836.5	DFT	256QAM	Edge_1RB_Right	19.25
B2-n5	15	15	836.5	DFT	256QAM	Outer_Full	19.48
B2-n5	15	15	836.5	CP	QPSK	Inner_Full	23.49
B2-n5	15	15	836.5	CP	QPSK	Edge_1RB_Left	20.83
B2-n5	15	15	836.5	CP	QPSK	Edge_1RB_Right	20.53
B2-n5	15	15	836.5	CP	QPSK	Outer_Full	21.09
B2-n5	15	15	836.5	CP	16QAM	Inner_Full	22.06
B2-n5	15	15	836.5	CP	16QAM	Edge_1RB_Left	21.00
B2-n5	15	15	836.5	CP	16QAM	Edge_1RB_Right	20.85
B2-n5	15	15	836.5	CP	16QAM	Outer_Full	21.09
B2-n5	15	15	836.5	CP	64QAM	Inner_Full	20.57
B2-n5	15	15	836.5	CP	64QAM	Edge_1RB_Left	20.42
B2-n5	15	15	836.5	CP	64QAM	Edge_1RB_Right	20.20
B2-n5	15	15	836.5	CP	64QAM	Outer_Full	20.51
B2-n5	15	15	836.5	CP	256QAM	Inner_Full	17.71

B2-n5	15	15	836.5	CP	256QAM	Edge_1RB_Left	17.21
B2-n5	15	15	836.5	CP	256QAM	Edge_1RB_Right	17.21
B2-n5	15	15	836.5	CP	256QAM	Outer_Full	17.71
B2-n5	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	23.86
B2-n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.90
B2-n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.56
B2-n5	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	23.92
B2-n5	15	15	841.5	DFT	QPSK	Inner_Full	23.99
B2-n5	15	15	841.5	DFT	QPSK	Edge_1RB_Left	23.92
B2-n5	15	15	841.5	DFT	QPSK	Edge_1RB_Right	23.97
B2-n5	15	15	841.5	DFT	QPSK	Outer_Full	23.98
B2-n5	15	15	841.5	DFT	16QAM	Inner_Full	23.49
B2-n5	15	15	841.5	DFT	16QAM	Edge_1RB_Left	22.69
B2-n5	15	15	841.5	DFT	16QAM	Edge_1RB_Right	22.53
B2-n5	15	15	841.5	DFT	16QAM	Outer_Full	22.40
B2-n5	15	15	841.5	DFT	64QAM	Inner_Full	21.40
B2-n5	15	15	841.5	DFT	64QAM	Edge_1RB_Left	21.81
B2-n5	15	15	841.5	DFT	64QAM	Edge_1RB_Right	21.21
B2-n5	15	15	841.5	DFT	64QAM	Outer_Full	21.44
B2-n5	15	15	841.5	DFT	256QAM	Inner_Full	19.55
B2-n5	15	15	841.5	DFT	256QAM	Edge_1RB_Left	19.08
B2-n5	15	15	841.5	DFT	256QAM	Edge_1RB_Right	18.66
B2-n5	15	15	841.5	DFT	256QAM	Outer_Full	19.26
B2-n5	15	15	841.5	CP	QPSK	Inner_Full	23.39
B2-n5	15	15	841.5	CP	QPSK	Edge_1RB_Left	21.03
B2-n5	15	15	841.5	CP	QPSK	Edge_1RB_Right	20.33
B2-n5	15	15	841.5	CP	QPSK	Outer_Full	20.88
B2-n5	15	15	841.5	CP	16QAM	Inner_Full	21.87
B2-n5	15	15	841.5	CP	16QAM	Edge_1RB_Left	21.40
B2-n5	15	15	841.5	CP	16QAM	Edge_1RB_Right	20.73
B2-n5	15	15	841.5	CP	16QAM	Outer_Full	20.86
B2-n5	15	15	841.5	CP	64QAM	Inner_Full	20.39
B2-n5	15	15	841.5	CP	64QAM	Edge_1RB_Left	20.55
B2-n5	15	15	841.5	CP	64QAM	Edge_1RB_Right	20.01
B2-n5	15	15	841.5	CP	64QAM	Outer_Full	20.34
B2-n5	15	15	841.5	CP	256QAM	Inner_Full	17.60
B2-n5	15	15	841.5	CP	256QAM	Edge_1RB_Left	17.27
B2-n5	15	15	841.5	CP	256QAM	Edge_1RB_Right	16.83
B2-n5	15	15	841.5	CP	256QAM	Outer_Full	17.59
B2-n5	20	15	834	DFT	pi/2 BPSK	Inner_Full	24.07
B2-n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	23.69

B2-n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	23.66
B2-n5	20	15	834	DFT	pi/2 BPSK	Outer_Full	23.85
B2-n5	20	15	834	DFT	QPSK	Inner_Full	24.25
B2-n5	20	15	834	DFT	QPSK	Edge_1RB_Left	23.98
B2-n5	20	15	834	DFT	QPSK	Edge_1RB_Right	23.88
B2-n5	20	15	834	DFT	QPSK	Outer_Full	23.99
B2-n5	20	15	834	DFT	16QAM	Inner_Full	23.66
B2-n5	20	15	834	DFT	16QAM	Edge_1RB_Left	22.76
B2-n5	20	15	834	DFT	16QAM	Edge_1RB_Right	22.56
B2-n5	20	15	834	DFT	16QAM	Outer_Full	22.59
B2-n5	20	15	834	DFT	64QAM	Inner_Full	21.52
B2-n5	20	15	834	DFT	64QAM	Edge_1RB_Left	21.78
B2-n5	20	15	834	DFT	64QAM	Edge_1RB_Right	21.20
B2-n5	20	15	834	DFT	64QAM	Outer_Full	21.54
B2-n5	20	15	834	DFT	256QAM	Inner_Full	19.57
B2-n5	20	15	834	DFT	256QAM	Edge_1RB_Left	19.55
B2-n5	20	15	834	DFT	256QAM	Edge_1RB_Right	18.60
B2-n5	20	15	834	DFT	256QAM	Outer_Full	19.42
B2-n5	20	15	834	CP	QPSK	Inner_Full	23.48
B2-n5	20	15	834	CP	QPSK	Edge_1RB_Left	20.61
B2-n5	20	15	834	CP	QPSK	Edge_1RB_Right	20.46
B2-n5	20	15	834	CP	QPSK	Outer_Full	20.75
B2-n5	20	15	834	CP	16QAM	Inner_Full	22.14
B2-n5	20	15	834	CP	16QAM	Edge_1RB_Left	21.05
B2-n5	20	15	834	CP	16QAM	Edge_1RB_Right	20.78
B2-n5	20	15	834	CP	16QAM	Outer_Full	20.82
B2-n5	20	15	834	CP	64QAM	Inner_Full	20.64
B2-n5	20	15	834	CP	64QAM	Edge_1RB_Left	20.46
B2-n5	20	15	834	CP	64QAM	Edge_1RB_Right	20.12
B2-n5	20	15	834	CP	64QAM	Outer_Full	20.37
B2-n5	20	15	834	CP	256QAM	Inner_Full	17.38
B2-n5	20	15	834	CP	256QAM	Edge_1RB_Left	17.21
B2-n5	20	15	834	CP	256QAM	Edge_1RB_Right	16.87
B2-n5	20	15	834	CP	256QAM	Outer_Full	17.47
B2-n5	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.93
B2-n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.14
B2-n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.59
B2-n5	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	24.17
B2-n5	20	15	836.5	DFT	QPSK	Inner_Full	24.28
B2-n5	20	15	836.5	DFT	QPSK	Edge_1RB_Left	23.90
B2-n5	20	15	836.5	DFT	QPSK	Edge_1RB_Right	23.77

B2-n5	20	15	836.5	DFT	QPSK	Outer_Full	23.97
B2-n5	20	15	836.5	DFT	16QAM	Inner_Full	23.80
B2-n5	20	15	836.5	DFT	16QAM	Edge_1RB_Left	22.63
B2-n5	20	15	836.5	DFT	16QAM	Edge_1RB_Right	22.34
B2-n5	20	15	836.5	DFT	16QAM	Outer_Full	22.45
B2-n5	20	15	836.5	DFT	64QAM	Inner_Full	21.71
B2-n5	20	15	836.5	DFT	64QAM	Edge_1RB_Left	21.88
B2-n5	20	15	836.5	DFT	64QAM	Edge_1RB_Right	20.63
B2-n5	20	15	836.5	DFT	64QAM	Outer_Full	21.33
B2-n5	20	15	836.5	DFT	256QAM	Inner_Full	19.40
B2-n5	20	15	836.5	DFT	256QAM	Edge_1RB_Left	19.52
B2-n5	20	15	836.5	DFT	256QAM	Edge_1RB_Right	19.11
B2-n5	20	15	836.5	DFT	256QAM	Outer_Full	19.49
B2-n5	20	15	836.5	CP	QPSK	Inner_Full	23.36
B2-n5	20	15	836.5	CP	QPSK	Edge_1RB_Left	20.90
B2-n5	20	15	836.5	CP	QPSK	Edge_1RB_Right	20.71
B2-n5	20	15	836.5	CP	QPSK	Outer_Full	21.06
B2-n5	20	15	836.5	CP	16QAM	Inner_Full	22.16
B2-n5	20	15	836.5	CP	16QAM	Edge_1RB_Left	20.85
B2-n5	20	15	836.5	CP	16QAM	Edge_1RB_Right	20.64
B2-n5	20	15	836.5	CP	16QAM	Outer_Full	20.95
B2-n5	20	15	836.5	CP	64QAM	Inner_Full	20.67
B2-n5	20	15	836.5	CP	64QAM	Edge_1RB_Left	20.19
B2-n5	20	15	836.5	CP	64QAM	Edge_1RB_Right	20.03
B2-n5	20	15	836.5	CP	64QAM	Outer_Full	20.49
B2-n5	20	15	836.5	CP	256QAM	Inner_Full	17.80
B2-n5	20	15	836.5	CP	256QAM	Edge_1RB_Left	17.59
B2-n5	20	15	836.5	CP	256QAM	Edge_1RB_Right	17.38
B2-n5	20	15	836.5	CP	256QAM	Outer_Full	17.67
B2-n5	20	15	839	DFT	pi/2 BPSK	Inner_Full	23.99
B2-n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	23.85
B2-n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	23.78
B2-n5	20	15	839	DFT	pi/2 BPSK	Outer_Full	24.07
B2-n5	20	15	839	DFT	QPSK	Inner_Full	24.17
B2-n5	20	15	839	DFT	QPSK	Edge_1RB_Left	23.92
B2-n5	20	15	839	DFT	QPSK	Edge_1RB_Right	23.93
B2-n5	20	15	839	DFT	QPSK	Outer_Full	23.86
B2-n5	20	15	839	DFT	16QAM	Inner_Full	23.70
B2-n5	20	15	839	DFT	16QAM	Edge_1RB_Left	22.91
B2-n5	20	15	839	DFT	16QAM	Edge_1RB_Right	22.36
B2-n5	20	15	839	DFT	16QAM	Outer_Full	22.58

B2-n5	20	15	839	DFT	64QAM	Inner_Full	21.63
B2-n5	20	15	839	DFT	64QAM	Edge_1RB_Left	21.69
B2-n5	20	15	839	DFT	64QAM	Edge_1RB_Right	21.09
B2-n5	20	15	839	DFT	64QAM	Outer_Full	21.51
B2-n5	20	15	839	DFT	256QAM	Inner_Full	19.45
B2-n5	20	15	839	DFT	256QAM	Edge_1RB_Left	18.99
B2-n5	20	15	839	DFT	256QAM	Edge_1RB_Right	18.63
B2-n5	20	15	839	DFT	256QAM	Outer_Full	19.55
B2-n5	20	15	839	CP	QPSK	Inner_Full	23.36
B2-n5	20	15	839	CP	QPSK	Edge_1RB_Left	20.94
B2-n5	20	15	839	CP	QPSK	Edge_1RB_Right	20.27
B2-n5	20	15	839	CP	QPSK	Outer_Full	20.84
B2-n5	20	15	839	CP	16QAM	Inner_Full	21.97
B2-n5	20	15	839	CP	16QAM	Edge_1RB_Left	21.31
B2-n5	20	15	839	CP	16QAM	Edge_1RB_Right	20.58
B2-n5	20	15	839	CP	16QAM	Outer_Full	20.82
B2-n5	20	15	839	CP	64QAM	Inner_Full	20.49
B2-n5	20	15	839	CP	64QAM	Edge_1RB_Left	20.59
B2-n5	20	15	839	CP	64QAM	Edge_1RB_Right	19.97
B2-n5	20	15	839	CP	64QAM	Outer_Full	20.37
B2-n5	20	15	839	CP	256QAM	Inner_Full	17.71
B2-n5	20	15	839	CP	256QAM	Edge_1RB_Left	17.32
B2-n5	20	15	839	CP	256QAM	Edge_1RB_Right	16.80
B2-n5	20	15	839	CP	256QAM	Outer_Full	17.68

**LTE Band 12+NR n25**

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
B12-n25	5	15	1852.5	DFT	pi/2 BPSK	Inner_Full	22.86
B12-n25	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.52
B12-n25	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.58
B12-n25	5	15	1852.5	DFT	pi/2 BPSK	Outer_Full	22.57
B12-n25	5	15	1852.5	DFT	QPSK	Inner_Full	22.96
B12-n25	5	15	1852.5	DFT	QPSK	Edge_1RB_Left	21.93
B12-n25	5	15	1852.5	DFT	QPSK	Edge_1RB_Right	21.98
B12-n25	5	15	1852.5	DFT	QPSK	Outer_Full	22.07
B12-n25	5	15	1852.5	DFT	16QAM	Inner_Full	22.17
B12-n25	5	15	1852.5	DFT	16QAM	Edge_1RB_Left	21.28
B12-n25	5	15	1852.5	DFT	16QAM	Edge_1RB_Right	21.35
B12-n25	5	15	1852.5	DFT	16QAM	Outer_Full	20.99
B12-n25	5	15	1852.5	DFT	64QAM	Inner_Full	20.64
B12-n25	5	15	1852.5	DFT	64QAM	Edge_1RB_Left	20.38
B12-n25	5	15	1852.5	DFT	64QAM	Edge_1RB_Right	20.42
B12-n25	5	15	1852.5	DFT	64QAM	Outer_Full	20.51
B12-n25	5	15	1852.5	DFT	256QAM	Inner_Full	18.52
B12-n25	5	15	1852.5	DFT	256QAM	Edge_1RB_Left	18.51
B12-n25	5	15	1852.5	DFT	256QAM	Edge_1RB_Right	18.49
B12-n25	5	15	1852.5	DFT	256QAM	Outer_Full	18.60
B12-n25	5	15	1852.5	CP	QPSK	Inner_Full	21.56
B12-n25	5	15	1852.5	CP	QPSK	Edge_1RB_Left	20.07
B12-n25	5	15	1852.5	CP	QPSK	Edge_1RB_Right	19.95
B12-n25	5	15	1852.5	CP	QPSK	Outer_Full	20.02
B12-n25	5	15	1852.5	CP	16QAM	Inner_Full	20.98
B12-n25	5	15	1852.5	CP	16QAM	Edge_1RB_Left	20.35
B12-n25	5	15	1852.5	CP	16QAM	Edge_1RB_Right	20.32
B12-n25	5	15	1852.5	CP	16QAM	Outer_Full	19.98
B12-n25	5	15	1852.5	CP	64QAM	Inner_Full	19.42
B12-n25	5	15	1852.5	CP	64QAM	Edge_1RB_Left	19.46
B12-n25	5	15	1852.5	CP	64QAM	Edge_1RB_Right	19.43
B12-n25	5	15	1852.5	CP	64QAM	Outer_Full	19.51
B12-n25	5	15	1852.5	CP	256QAM	Inner_Full	16.64
B12-n25	5	15	1852.5	CP	256QAM	Edge_1RB_Left	16.54
B12-n25	5	15	1852.5	CP	256QAM	Edge_1RB_Right	16.49
B12-n25	5	15	1852.5	CP	256QAM	Outer_Full	16.65
B12-n25	5	15	1882.5	DFT	pi/2 BPSK	Inner_Full	22.95
B12-n25	5	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.63
B12-n25	5	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.07

B12-n25	5	15	1882.5	DFT	pi/2 BPSK	Outer_Full	22.77
B12-n25	5	15	1882.5	DFT	QPSK	Inner_Full	22.98
B12-n25	5	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.98
B12-n25	5	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.71
B12-n25	5	15	1882.5	DFT	QPSK	Outer_Full	22.23
B12-n25	5	15	1882.5	DFT	16QAM	Inner_Full	22.24
B12-n25	5	15	1882.5	DFT	16QAM	Edge_1RB_Left	21.29
B12-n25	5	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.98
B12-n25	5	15	1882.5	DFT	16QAM	Outer_Full	21.24
B12-n25	5	15	1882.5	DFT	64QAM	Inner_Full	20.73
B12-n25	5	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.45
B12-n25	5	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.07
B12-n25	5	15	1882.5	DFT	64QAM	Outer_Full	20.87
B12-n25	5	15	1882.5	DFT	256QAM	Inner_Full	18.58
B12-n25	5	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.51
B12-n25	5	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.05
B12-n25	5	15	1882.5	DFT	256QAM	Outer_Full	18.82
B12-n25	5	15	1882.5	CP	QPSK	Inner_Full	21.64
B12-n25	5	15	1882.5	CP	QPSK	Edge_1RB_Left	20.06
B12-n25	5	15	1882.5	CP	QPSK	Edge_1RB_Right	20.63
B12-n25	5	15	1882.5	CP	QPSK	Outer_Full	20.18
B12-n25	5	15	1882.5	CP	16QAM	Inner_Full	21.06
B12-n25	5	15	1882.5	CP	16QAM	Edge_1RB_Left	20.34
B12-n25	5	15	1882.5	CP	16QAM	Edge_1RB_Right	20.93
B12-n25	5	15	1882.5	CP	16QAM	Outer_Full	20.16
B12-n25	5	15	1882.5	CP	64QAM	Inner_Full	19.52
B12-n25	5	15	1882.5	CP	64QAM	Edge_1RB_Left	19.48
B12-n25	5	15	1882.5	CP	64QAM	Edge_1RB_Right	20.00
B12-n25	5	15	1882.5	CP	64QAM	Outer_Full	19.71
B12-n25	5	15	1882.5	CP	256QAM	Inner_Full	16.68
B12-n25	5	15	1882.5	CP	256QAM	Edge_1RB_Left	16.49
B12-n25	5	15	1882.5	CP	256QAM	Edge_1RB_Right	17.06
B12-n25	5	15	1882.5	CP	256QAM	Outer_Full	16.81
B12-n25	5	15	1912.5	DFT	pi/2 BPSK	Inner_Full	22.94
B12-n25	5	15	1912.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.54
B12-n25	5	15	1912.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.64
B12-n25	5	15	1912.5	DFT	pi/2 BPSK	Outer_Full	22.62
B12-n25	5	15	1912.5	DFT	QPSK	Inner_Full	23.04
B12-n25	5	15	1912.5	DFT	QPSK	Edge_1RB_Left	22.03
B12-n25	5	15	1912.5	DFT	QPSK	Edge_1RB_Right	22.02
B12-n25	5	15	1912.5	DFT	QPSK	Outer_Full	22.13

B12-n25	5	15	1912.5	DFT	16QAM	Inner_Full	22.26
B12-n25	5	15	1912.5	DFT	16QAM	Edge_1RB_Left	21.44
B12-n25	5	15	1912.5	DFT	16QAM	Edge_1RB_Right	21.31
B12-n25	5	15	1912.5	DFT	16QAM	Outer_Full	21.14
B12-n25	5	15	1912.5	DFT	64QAM	Inner_Full	20.63
B12-n25	5	15	1912.5	DFT	64QAM	Edge_1RB_Left	20.45
B12-n25	5	15	1912.5	DFT	64QAM	Edge_1RB_Right	20.51
B12-n25	5	15	1912.5	DFT	64QAM	Outer_Full	20.73
B12-n25	5	15	1912.5	DFT	256QAM	Inner_Full	18.60
B12-n25	5	15	1912.5	DFT	256QAM	Edge_1RB_Left	18.54
B12-n25	5	15	1912.5	DFT	256QAM	Edge_1RB_Right	18.61
B12-n25	5	15	1912.5	DFT	256QAM	Outer_Full	18.71
B12-n25	5	15	1912.5	CP	QPSK	Inner_Full	21.65
B12-n25	5	15	1912.5	CP	QPSK	Edge_1RB_Left	20.05
B12-n25	5	15	1912.5	CP	QPSK	Edge_1RB_Right	20.06
B12-n25	5	15	1912.5	CP	QPSK	Outer_Full	20.05
B12-n25	5	15	1912.5	CP	16QAM	Inner_Full	21.04
B12-n25	5	15	1912.5	CP	16QAM	Edge_1RB_Left	20.34
B12-n25	5	15	1912.5	CP	16QAM	Edge_1RB_Right	20.37
B12-n25	5	15	1912.5	CP	16QAM	Outer_Full	20.04
B12-n25	5	15	1912.5	CP	64QAM	Inner_Full	19.50
B12-n25	5	15	1912.5	CP	64QAM	Edge_1RB_Left	19.52
B12-n25	5	15	1912.5	CP	64QAM	Edge_1RB_Right	19.45
B12-n25	5	15	1912.5	CP	64QAM	Outer_Full	19.57
B12-n25	5	15	1912.5	CP	256QAM	Inner_Full	16.68
B12-n25	5	15	1912.5	CP	256QAM	Edge_1RB_Left	16.56
B12-n25	5	15	1912.5	CP	256QAM	Edge_1RB_Right	16.54
B12-n25	5	15	1912.5	CP	256QAM	Outer_Full	16.69
B12-n25	10	15	1855	DFT	pi/2 BPSK	Inner_Full	22.88
B12-n25	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Left	22.55
B12-n25	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Right	22.52
B12-n25	10	15	1855	DFT	pi/2 BPSK	Outer_Full	22.51
B12-n25	10	15	1855	DFT	QPSK	Inner_Full	22.92
B12-n25	10	15	1855	DFT	QPSK	Edge_1RB_Left	21.85
B12-n25	10	15	1855	DFT	QPSK	Edge_1RB_Right	21.88
B12-n25	10	15	1855	DFT	QPSK	Outer_Full	22.05
B12-n25	10	15	1855	DFT	16QAM	Inner_Full	21.99
B12-n25	10	15	1855	DFT	16QAM	Edge_1RB_Left	21.26
B12-n25	10	15	1855	DFT	16QAM	Edge_1RB_Right	21.28
B12-n25	10	15	1855	DFT	16QAM	Outer_Full	21.02
B12-n25	10	15	1855	DFT	64QAM	Inner_Full	20.61



B12-n25	10	15	1855	DFT	64QAM	Edge_1RB_Left	20.32
B12-n25	10	15	1855	DFT	64QAM	Edge_1RB_Right	20.41
B12-n25	10	15	1855	DFT	64QAM	Outer_Full	20.44
B12-n25	10	15	1855	DFT	256QAM	Inner_Full	18.64
B12-n25	10	15	1855	DFT	256QAM	Edge_1RB_Left	18.42
B12-n25	10	15	1855	DFT	256QAM	Edge_1RB_Right	18.46
B12-n25	10	15	1855	DFT	256QAM	Outer_Full	18.50
B12-n25	10	15	1855	CP	QPSK	Inner_Full	21.46
B12-n25	10	15	1855	CP	QPSK	Edge_1RB_Left	19.89
B12-n25	10	15	1855	CP	QPSK	Edge_1RB_Right	19.88
B12-n25	10	15	1855	CP	QPSK	Outer_Full	20.00
B12-n25	10	15	1855	CP	16QAM	Inner_Full	21.01
B12-n25	10	15	1855	CP	16QAM	Edge_1RB_Left	20.19
B12-n25	10	15	1855	CP	16QAM	Edge_1RB_Right	20.17
B12-n25	10	15	1855	CP	16QAM	Outer_Full	19.98
B12-n25	10	15	1855	CP	64QAM	Inner_Full	19.44
B12-n25	10	15	1855	CP	64QAM	Edge_1RB_Left	19.38
B12-n25	10	15	1855	CP	64QAM	Edge_1RB_Right	19.37
B12-n25	10	15	1855	CP	64QAM	Outer_Full	19.44
B12-n25	10	15	1855	CP	256QAM	Inner_Full	16.47
B12-n25	10	15	1855	CP	256QAM	Edge_1RB_Left	16.48
B12-n25	10	15	1855	CP	256QAM	Edge_1RB_Right	16.41
B12-n25	10	15	1855	CP	256QAM	Outer_Full	16.49
B12-n25	10	15	1882.5	DFT	pi/2 BPSK	Inner_Full	22.91
B12-n25	10	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.42
B12-n25	10	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.61
B12-n25	10	15	1882.5	DFT	pi/2 BPSK	Outer_Full	22.79
B12-n25	10	15	1882.5	DFT	QPSK	Inner_Full	22.95
B12-n25	10	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.84
B12-n25	10	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.99
B12-n25	10	15	1882.5	DFT	QPSK	Outer_Full	22.30
B12-n25	10	15	1882.5	DFT	16QAM	Inner_Full	22.06
B12-n25	10	15	1882.5	DFT	16QAM	Edge_1RB_Left	21.19
B12-n25	10	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.90
B12-n25	10	15	1882.5	DFT	16QAM	Outer_Full	21.29
B12-n25	10	15	1882.5	DFT	64QAM	Inner_Full	20.69
B12-n25	10	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.32
B12-n25	10	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.60
B12-n25	10	15	1882.5	DFT	64QAM	Outer_Full	20.76
B12-n25	10	15	1882.5	DFT	256QAM	Inner_Full	18.63
B12-n25	10	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.37

B12-n25	10	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.66
B12-n25	10	15	1882.5	DFT	256QAM	Outer_Full	18.79
B12-n25	10	15	1882.5	CP	QPSK	Inner_Full	21.55
B12-n25	10	15	1882.5	CP	QPSK	Edge_1RB_Left	19.81
B12-n25	10	15	1882.5	CP	QPSK	Edge_1RB_Right	21.01
B12-n25	10	15	1882.5	CP	QPSK	Outer_Full	20.34
B12-n25	10	15	1882.5	CP	16QAM	Inner_Full	21.14
B12-n25	10	15	1882.5	CP	16QAM	Edge_1RB_Left	20.16
B12-n25	10	15	1882.5	CP	16QAM	Edge_1RB_Right	20.48
B12-n25	10	15	1882.5	CP	16QAM	Outer_Full	20.31
B12-n25	10	15	1882.5	CP	64QAM	Inner_Full	19.52
B12-n25	10	15	1882.5	CP	64QAM	Edge_1RB_Left	19.33
B12-n25	10	15	1882.5	CP	64QAM	Edge_1RB_Right	20.52
B12-n25	10	15	1882.5	CP	64QAM	Outer_Full	19.73
B12-n25	10	15	1882.5	CP	256QAM	Inner_Full	16.52
B12-n25	10	15	1882.5	CP	256QAM	Edge_1RB_Left	16.36
B12-n25	10	15	1882.5	CP	256QAM	Edge_1RB_Right	17.56
B12-n25	10	15	1882.5	CP	256QAM	Outer_Full	16.85
B12-n25	10	15	1910	DFT	pi/2 BPSK	Inner_Full	22.83
B12-n25	10	15	1910	DFT	pi/2 BPSK	Edge_1RB_Left	22.42
B12-n25	10	15	1910	DFT	pi/2 BPSK	Edge_1RB_Right	22.46
B12-n25	10	15	1910	DFT	pi/2 BPSK	Outer_Full	22.38
B12-n25	10	15	1910	DFT	QPSK	Inner_Full	22.89
B12-n25	10	15	1910	DFT	QPSK	Edge_1RB_Left	21.90
B12-n25	10	15	1910	DFT	QPSK	Edge_1RB_Right	21.91
B12-n25	10	15	1910	DFT	QPSK	Outer_Full	21.93
B12-n25	10	15	1910	DFT	16QAM	Inner_Full	22.01
B12-n25	10	15	1910	DFT	16QAM	Edge_1RB_Left	21.07
B12-n25	10	15	1910	DFT	16QAM	Edge_1RB_Right	21.26
B12-n25	10	15	1910	DFT	16QAM	Outer_Full	20.95
B12-n25	10	15	1910	DFT	64QAM	Inner_Full	20.61
B12-n25	10	15	1910	DFT	64QAM	Edge_1RB_Left	20.24
B12-n25	10	15	1910	DFT	64QAM	Edge_1RB_Right	20.38
B12-n25	10	15	1910	DFT	64QAM	Outer_Full	20.39
B12-n25	10	15	1910	DFT	256QAM	Inner_Full	18.61
B12-n25	10	15	1910	DFT	256QAM	Edge_1RB_Left	18.31
B12-n25	10	15	1910	DFT	256QAM	Edge_1RB_Right	18.47
B12-n25	10	15	1910	DFT	256QAM	Outer_Full	18.44
B12-n25	10	15	1910	CP	QPSK	Inner_Full	21.46
B12-n25	10	15	1910	CP	QPSK	Edge_1RB_Left	19.82
B12-n25	10	15	1910	CP	QPSK	Edge_1RB_Right	19.90

B12-n25	10	15	1910	CP	QPSK	Outer_Full	19.91
B12-n25	10	15	1910	CP	16QAM	Inner_Full	21.02
B12-n25	10	15	1910	CP	16QAM	Edge_1RB_Left	19.89
B12-n25	10	15	1910	CP	16QAM	Edge_1RB_Right	20.18
B12-n25	10	15	1910	CP	16QAM	Outer_Full	19.86
B12-n25	10	15	1910	CP	64QAM	Inner_Full	19.38
B12-n25	10	15	1910	CP	64QAM	Edge_1RB_Left	19.20
B12-n25	10	15	1910	CP	64QAM	Edge_1RB_Right	19.30
B12-n25	10	15	1910	CP	64QAM	Outer_Full	19.33
B12-n25	10	15	1910	CP	256QAM	Inner_Full	16.40
B12-n25	10	15	1910	CP	256QAM	Edge_1RB_Left	16.27
B12-n25	10	15	1910	CP	256QAM	Edge_1RB_Right	16.37
B12-n25	10	15	1910	CP	256QAM	Outer_Full	16.45
B12-n25	15	15	1857.5	DFT	pi/2 BPSK	Inner_Full	22.95
B12-n25	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.61
B12-n25	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.62
B12-n25	15	15	1857.5	DFT	pi/2 BPSK	Outer_Full	22.64
B12-n25	15	15	1857.5	DFT	QPSK	Inner_Full	23.05
B12-n25	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	21.92
B12-n25	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	22.00
B12-n25	15	15	1857.5	DFT	QPSK	Outer_Full	22.15
B12-n25	15	15	1857.5	DFT	16QAM	Inner_Full	22.14
B12-n25	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	21.34
B12-n25	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	20.91
B12-n25	15	15	1857.5	DFT	16QAM	Outer_Full	21.15
B12-n25	15	15	1857.5	DFT	64QAM	Inner_Full	20.58
B12-n25	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	20.41
B12-n25	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	20.48
B12-n25	15	15	1857.5	DFT	64QAM	Outer_Full	20.63
B12-n25	15	15	1857.5	DFT	256QAM	Inner_Full	18.71
B12-n25	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	18.49
B12-n25	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	18.53
B12-n25	15	15	1857.5	DFT	256QAM	Outer_Full	18.62
B12-n25	15	15	1857.5	CP	QPSK	Inner_Full	21.63
B12-n25	15	15	1857.5	CP	QPSK	Edge_1RB_Left	20.07
B12-n25	15	15	1857.5	CP	QPSK	Edge_1RB_Right	20.12
B12-n25	15	15	1857.5	CP	QPSK	Outer_Full	20.13
B12-n25	15	15	1857.5	CP	16QAM	Inner_Full	21.10
B12-n25	15	15	1857.5	CP	16QAM	Edge_1RB_Left	20.31
B12-n25	15	15	1857.5	CP	16QAM	Edge_1RB_Right	20.26
B12-n25	15	15	1857.5	CP	16QAM	Outer_Full	20.18

B12-n25	15	15	1857.5	CP	64QAM	Inner_Full	19.60
B12-n25	15	15	1857.5	CP	64QAM	Edge_1RB_Left	19.46
B12-n25	15	15	1857.5	CP	64QAM	Edge_1RB_Right	19.47
B12-n25	15	15	1857.5	CP	64QAM	Outer_Full	19.56
B12-n25	15	15	1857.5	CP	256QAM	Inner_Full	16.61
B12-n25	15	15	1857.5	CP	256QAM	Edge_1RB_Left	16.51
B12-n25	15	15	1857.5	CP	256QAM	Edge_1RB_Right	16.51
B12-n25	15	15	1857.5	CP	256QAM	Outer_Full	16.63
B12-n25	15	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.11
B12-n25	15	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.56
B12-n25	15	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.07
B12-n25	15	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.03
B12-n25	15	15	1882.5	DFT	QPSK	Inner_Full	23.14
B12-n25	15	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.94
B12-n25	15	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.58
B12-n25	15	15	1882.5	DFT	QPSK	Outer_Full	22.56
B12-n25	15	15	1882.5	DFT	16QAM	Inner_Full	22.32
B12-n25	15	15	1882.5	DFT	16QAM	Edge_1RB_Left	20.94
B12-n25	15	15	1882.5	DFT	16QAM	Edge_1RB_Right	22.01
B12-n25	15	15	1882.5	DFT	16QAM	Outer_Full	21.61
B12-n25	15	15	1882.5	DFT	64QAM	Inner_Full	20.71
B12-n25	15	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.36
B12-n25	15	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.09
B12-n25	15	15	1882.5	DFT	64QAM	Outer_Full	21.04
B12-n25	15	15	1882.5	DFT	256QAM	Inner_Full	18.82
B12-n25	15	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.50
B12-n25	15	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.12
B12-n25	15	15	1882.5	DFT	256QAM	Outer_Full	18.98
B12-n25	15	15	1882.5	CP	QPSK	Inner_Full	21.80
B12-n25	15	15	1882.5	CP	QPSK	Edge_1RB_Left	19.99
B12-n25	15	15	1882.5	CP	QPSK	Edge_1RB_Right	20.64
B12-n25	15	15	1882.5	CP	QPSK	Outer_Full	20.49
B12-n25	15	15	1882.5	CP	16QAM	Inner_Full	21.26
B12-n25	15	15	1882.5	CP	16QAM	Edge_1RB_Left	20.32
B12-n25	15	15	1882.5	CP	16QAM	Edge_1RB_Right	20.95
B12-n25	15	15	1882.5	CP	16QAM	Outer_Full	20.57
B12-n25	15	15	1882.5	CP	64QAM	Inner_Full	19.77
B12-n25	15	15	1882.5	CP	64QAM	Edge_1RB_Left	19.43
B12-n25	15	15	1882.5	CP	64QAM	Edge_1RB_Right	20.30
B12-n25	15	15	1882.5	CP	64QAM	Outer_Full	20.03
B12-n25	15	15	1882.5	CP	256QAM	Inner_Full	16.77

B12-n25	15	15	1882.5	CP	256QAM	Edge_1RB_Left	16.43
B12-n25	15	15	1882.5	CP	256QAM	Edge_1RB_Right	17.03
B12-n25	15	15	1882.5	CP	256QAM	Outer_Full	17.03
B12-n25	15	15	1907.5	DFT	pi/2 BPSK	Inner_Full	22.99
B12-n25	15	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.60
B12-n25	15	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.70
B12-n25	15	15	1907.5	DFT	pi/2 BPSK	Outer_Full	22.67
B12-n25	15	15	1907.5	DFT	QPSK	Inner_Full	22.98
B12-n25	15	15	1907.5	DFT	QPSK	Edge_1RB_Left	22.02
B12-n25	15	15	1907.5	DFT	QPSK	Edge_1RB_Right	22.10
B12-n25	15	15	1907.5	DFT	QPSK	Outer_Full	22.19
B12-n25	15	15	1907.5	DFT	16QAM	Inner_Full	22.15
B12-n25	15	15	1907.5	DFT	16QAM	Edge_1RB_Left	21.37
B12-n25	15	15	1907.5	DFT	16QAM	Edge_1RB_Right	20.96
B12-n25	15	15	1907.5	DFT	16QAM	Outer_Full	21.23
B12-n25	15	15	1907.5	DFT	64QAM	Inner_Full	20.60
B12-n25	15	15	1907.5	DFT	64QAM	Edge_1RB_Left	20.45
B12-n25	15	15	1907.5	DFT	64QAM	Edge_1RB_Right	20.66
B12-n25	15	15	1907.5	DFT	64QAM	Outer_Full	20.69
B12-n25	15	15	1907.5	DFT	256QAM	Inner_Full	18.72
B12-n25	15	15	1907.5	DFT	256QAM	Edge_1RB_Left	18.48
B12-n25	15	15	1907.5	DFT	256QAM	Edge_1RB_Right	18.58
B12-n25	15	15	1907.5	DFT	256QAM	Outer_Full	18.68
B12-n25	15	15	1907.5	CP	QPSK	Inner_Full	21.63
B12-n25	15	15	1907.5	CP	QPSK	Edge_1RB_Left	20.07
B12-n25	15	15	1907.5	CP	QPSK	Edge_1RB_Right	20.14
B12-n25	15	15	1907.5	CP	QPSK	Outer_Full	20.17
B12-n25	15	15	1907.5	CP	16QAM	Inner_Full	21.10
B12-n25	15	15	1907.5	CP	16QAM	Edge_1RB_Left	20.30
B12-n25	15	15	1907.5	CP	16QAM	Edge_1RB_Right	20.36
B12-n25	15	15	1907.5	CP	16QAM	Outer_Full	20.16
B12-n25	15	15	1907.5	CP	64QAM	Inner_Full	19.66
B12-n25	15	15	1907.5	CP	64QAM	Edge_1RB_Left	19.51
B12-n25	15	15	1907.5	CP	64QAM	Edge_1RB_Right	19.52
B12-n25	15	15	1907.5	CP	64QAM	Outer_Full	19.68
B12-n25	15	15	1907.5	CP	256QAM	Inner_Full	16.66
B12-n25	15	15	1907.5	CP	256QAM	Edge_1RB_Left	16.51
B12-n25	15	15	1907.5	CP	256QAM	Edge_1RB_Right	16.59
B12-n25	15	15	1907.5	CP	256QAM	Outer_Full	16.65
B12-n25	20	15	1860	DFT	pi/2 BPSK	Inner_Full	22.97
B12-n25	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	22.56

B12-n25	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	22.52
B12-n25	20	15	1860	DFT	pi/2 BPSK	Outer_Full	22.63
B12-n25	20	15	1860	DFT	QPSK	Inner_Full	23.07
B12-n25	20	15	1860	DFT	QPSK	Edge_1RB_Left	22.03
B12-n25	20	15	1860	DFT	QPSK	Edge_1RB_Right	21.92
B12-n25	20	15	1860	DFT	QPSK	Outer_Full	22.13
B12-n25	20	15	1860	DFT	16QAM	Inner_Full	22.23
B12-n25	20	15	1860	DFT	16QAM	Edge_1RB_Left	21.26
B12-n25	20	15	1860	DFT	16QAM	Edge_1RB_Right	21.22
B12-n25	20	15	1860	DFT	16QAM	Outer_Full	21.15
B12-n25	20	15	1860	DFT	64QAM	Inner_Full	20.68
B12-n25	20	15	1860	DFT	64QAM	Edge_1RB_Left	20.40
B12-n25	20	15	1860	DFT	64QAM	Edge_1RB_Right	20.36
B12-n25	20	15	1860	DFT	64QAM	Outer_Full	20.60
B12-n25	20	15	1860	DFT	256QAM	Inner_Full	18.72
B12-n25	20	15	1860	DFT	256QAM	Edge_1RB_Left	18.52
B12-n25	20	15	1860	DFT	256QAM	Edge_1RB_Right	18.42
B12-n25	20	15	1860	DFT	256QAM	Outer_Full	18.67
B12-n25	20	15	1860	CP	QPSK	Inner_Full	21.63
B12-n25	20	15	1860	CP	QPSK	Edge_1RB_Left	19.97
B12-n25	20	15	1860	CP	QPSK	Edge_1RB_Right	19.93
B12-n25	20	15	1860	CP	QPSK	Outer_Full	20.07
B12-n25	20	15	1860	CP	16QAM	Inner_Full	21.16
B12-n25	20	15	1860	CP	16QAM	Edge_1RB_Left	20.20
B12-n25	20	15	1860	CP	16QAM	Edge_1RB_Right	20.24
B12-n25	20	15	1860	CP	16QAM	Outer_Full	20.04
B12-n25	20	15	1860	CP	64QAM	Inner_Full	19.70
B12-n25	20	15	1860	CP	64QAM	Edge_1RB_Left	19.54
B12-n25	20	15	1860	CP	64QAM	Edge_1RB_Right	19.36
B12-n25	20	15	1860	CP	64QAM	Outer_Full	19.57
B12-n25	20	15	1860	CP	256QAM	Inner_Full	16.62
B12-n25	20	15	1860	CP	256QAM	Edge_1RB_Left	16.42
B12-n25	20	15	1860	CP	256QAM	Edge_1RB_Right	16.42
B12-n25	20	15	1860	CP	256QAM	Outer_Full	16.57
B12-n25	20	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.17
B12-n25	20	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.43
B12-n25	20	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.43
B12-n25	20	15	1882.5	DFT	pi/2 BPSK	Outer_Full	22.93
B12-n25	20	15	1882.5	DFT	QPSK	Inner_Full	23.25
B12-n25	20	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.90
B12-n25	20	15	1882.5	DFT	QPSK	Edge_1RB_Right	21.88

B12-n25	20	15	1882.5	DFT	QPSK	Outer_Full	22.53
B12-n25	20	15	1882.5	DFT	16QAM	Inner_Full	22.35
B12-n25	20	15	1882.5	DFT	16QAM	Edge_1RB_Left	21.22
B12-n25	20	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.13
B12-n25	20	15	1882.5	DFT	16QAM	Outer_Full	21.48
B12-n25	20	15	1882.5	DFT	64QAM	Inner_Full	20.84
B12-n25	20	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.56
B12-n25	20	15	1882.5	DFT	64QAM	Edge_1RB_Right	20.77
B12-n25	20	15	1882.5	DFT	64QAM	Outer_Full	20.99
B12-n25	20	15	1882.5	DFT	256QAM	Inner_Full	18.86
B12-n25	20	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.38
B12-n25	20	15	1882.5	DFT	256QAM	Edge_1RB_Right	18.22
B12-n25	20	15	1882.5	DFT	256QAM	Outer_Full	18.98
B12-n25	20	15	1882.5	CP	QPSK	Inner_Full	21.91
B12-n25	20	15	1882.5	CP	QPSK	Edge_1RB_Left	20.04
B12-n25	20	15	1882.5	CP	QPSK	Edge_1RB_Right	19.94
B12-n25	20	15	1882.5	CP	QPSK	Outer_Full	20.45
B12-n25	20	15	1882.5	CP	16QAM	Inner_Full	21.42
B12-n25	20	15	1882.5	CP	16QAM	Edge_1RB_Left	20.25
B12-n25	20	15	1882.5	CP	16QAM	Edge_1RB_Right	20.23
B12-n25	20	15	1882.5	CP	16QAM	Outer_Full	20.42
B12-n25	20	15	1882.5	CP	64QAM	Inner_Full	19.95
B12-n25	20	15	1882.5	CP	64QAM	Edge_1RB_Left	19.58
B12-n25	20	15	1882.5	CP	64QAM	Edge_1RB_Right	19.51
B12-n25	20	15	1882.5	CP	64QAM	Outer_Full	19.96
B12-n25	20	15	1882.5	CP	256QAM	Inner_Full	16.94
B12-n25	20	15	1882.5	CP	256QAM	Edge_1RB_Left	16.29
B12-n25	20	15	1882.5	CP	256QAM	Edge_1RB_Right	16.76
B12-n25	20	15	1882.5	CP	256QAM	Outer_Full	17.02
B12-n25	20	15	1905	DFT	pi/2 BPSK	Inner_Full	23.08
B12-n25	20	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	22.66
B12-n25	20	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	22.66
B12-n25	20	15	1905	DFT	pi/2 BPSK	Outer_Full	22.77
B12-n25	20	15	1905	DFT	QPSK	Inner_Full	23.07
B12-n25	20	15	1905	DFT	QPSK	Edge_1RB_Left	22.10
B12-n25	20	15	1905	DFT	QPSK	Edge_1RB_Right	22.12
B12-n25	20	15	1905	DFT	QPSK	Outer_Full	22.28
B12-n25	20	15	1905	DFT	16QAM	Inner_Full	22.22
B12-n25	20	15	1905	DFT	16QAM	Edge_1RB_Left	21.47
B12-n25	20	15	1905	DFT	16QAM	Edge_1RB_Right	21.40
B12-n25	20	15	1905	DFT	16QAM	Outer_Full	21.25

B12-n25	20	15	1905	DFT	64QAM	Inner_Full	20.71
B12-n25	20	15	1905	DFT	64QAM	Edge_1RB_Left	20.61
B12-n25	20	15	1905	DFT	64QAM	Edge_1RB_Right	20.52
B12-n25	20	15	1905	DFT	64QAM	Outer_Full	20.78
B12-n25	20	15	1905	DFT	256QAM	Inner_Full	18.74
B12-n25	20	15	1905	DFT	256QAM	Edge_1RB_Left	18.73
B12-n25	20	15	1905	DFT	256QAM	Edge_1RB_Right	18.71
B12-n25	20	15	1905	DFT	256QAM	Outer_Full	18.84
B12-n25	20	15	1905	CP	QPSK	Inner_Full	21.65
B12-n25	20	15	1905	CP	QPSK	Edge_1RB_Left	20.11
B12-n25	20	15	1905	CP	QPSK	Edge_1RB_Right	20.05
B12-n25	20	15	1905	CP	QPSK	Outer_Full	20.19
B12-n25	20	15	1905	CP	16QAM	Inner_Full	21.17
B12-n25	20	15	1905	CP	16QAM	Edge_1RB_Left	20.40
B12-n25	20	15	1905	CP	16QAM	Edge_1RB_Right	20.38
B12-n25	20	15	1905	CP	16QAM	Outer_Full	20.18
B12-n25	20	15	1905	CP	64QAM	Inner_Full	19.69
B12-n25	20	15	1905	CP	64QAM	Edge_1RB_Left	19.56
B12-n25	20	15	1905	CP	64QAM	Edge_1RB_Right	19.52
B12-n25	20	15	1905	CP	64QAM	Outer_Full	19.69
B12-n25	20	15	1905	CP	256QAM	Inner_Full	16.66
B12-n25	20	15	1905	CP	256QAM	Edge_1RB_Left	16.57
B12-n25	20	15	1905	CP	256QAM	Edge_1RB_Right	16.56
B12-n25	20	15	1905	CP	256QAM	Outer_Full	16.70



**LTE Band 66+NR n41**

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
B66-n41	10	30	2501.01	DFT	pi/2 BPSK	Inner_Full	25.81
B66-n41	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.48
B66-n41	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.60
B66-n41	10	30	2501.01	DFT	pi/2 BPSK	Outer_Full	25.33
B66-n41	10	30	2501.01	DFT	QPSK	Inner_Full	25.88
B66-n41	10	30	2501.01	DFT	QPSK	Edge_1RB_Left	22.42
B66-n41	10	30	2501.01	DFT	QPSK	Edge_1RB_Right	22.43
B66-n41	10	30	2501.01	DFT	QPSK	Outer_Full	24.94
B66-n41	10	30	2501.01	DFT	16QAM	Inner_Full	25.00
B66-n41	10	30	2501.01	DFT	16QAM	Edge_1RB_Left	22.77
B66-n41	10	30	2501.01	DFT	16QAM	Edge_1RB_Right	22.77
B66-n41	10	30	2501.01	DFT	16QAM	Outer_Full	23.79
B66-n41	10	30	2501.01	DFT	64QAM	Inner_Full	23.49
B66-n41	10	30	2501.01	DFT	64QAM	Edge_1RB_Left	22.55
B66-n41	10	30	2501.01	DFT	64QAM	Edge_1RB_Right	22.59
B66-n41	10	30	2501.01	DFT	64QAM	Outer_Full	23.39
B66-n41	10	30	2501.01	DFT	256QAM	Inner_Full	21.58
B66-n41	10	30	2501.01	DFT	256QAM	Edge_1RB_Left	21.40
B66-n41	10	30	2501.01	DFT	256QAM	Edge_1RB_Right	21.45
B66-n41	10	30	2501.01	DFT	256QAM	Outer_Full	21.55
B66-n41	10	30	2501.01	CP	QPSK	Inner_Full	24.57
B66-n41	10	30	2501.01	CP	QPSK	Edge_1RB_Left	22.39
B66-n41	10	30	2501.01	CP	QPSK	Edge_1RB_Right	22.58
B66-n41	10	30	2501.01	CP	QPSK	Outer_Full	22.85
B66-n41	10	30	2501.01	CP	16QAM	Inner_Full	23.86
B66-n41	10	30	2501.01	CP	16QAM	Edge_1RB_Left	22.73
B66-n41	10	30	2501.01	CP	16QAM	Edge_1RB_Right	22.79
B66-n41	10	30	2501.01	CP	16QAM	Outer_Full	22.96
B66-n41	10	30	2501.01	CP	64QAM	Inner_Full	22.42
B66-n41	10	30	2501.01	CP	64QAM	Edge_1RB_Left	22.25
B66-n41	10	30	2501.01	CP	64QAM	Edge_1RB_Right	22.26
B66-n41	10	30	2501.01	CP	64QAM	Outer_Full	22.40
B66-n41	10	30	2501.01	CP	256QAM	Inner_Full	19.49
B66-n41	10	30	2501.01	CP	256QAM	Edge_1RB_Left	19.47
B66-n41	10	30	2501.01	CP	256QAM	Edge_1RB_Right	19.47
B66-n41	10	30	2501.01	CP	256QAM	Outer_Full	19.56
B66-n41	10	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.05
B66-n41	10	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.61
B66-n41	10	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.53

B66-n41	10	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.61
B66-n41	10	30	2592.99	DFT	QPSK	Inner_Full	26.08
B66-n41	10	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.58
B66-n41	10	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.52
B66-n41	10	30	2592.99	DFT	QPSK	Outer_Full	25.10
B66-n41	10	30	2592.99	DFT	16QAM	Inner_Full	25.19
B66-n41	10	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.83
B66-n41	10	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.42
B66-n41	10	30	2592.99	DFT	16QAM	Outer_Full	24.08
B66-n41	10	30	2592.99	DFT	64QAM	Inner_Full	23.58
B66-n41	10	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.57
B66-n41	10	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.52
B66-n41	10	30	2592.99	DFT	64QAM	Outer_Full	23.46
B66-n41	10	30	2592.99	DFT	256QAM	Inner_Full	21.70
B66-n41	10	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.60
B66-n41	10	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.46
B66-n41	10	30	2592.99	DFT	256QAM	Outer_Full	21.84
B66-n41	10	30	2592.99	CP	QPSK	Inner_Full	24.70
B66-n41	10	30	2592.99	CP	QPSK	Edge_1RB_Left	22.62
B66-n41	10	30	2592.99	CP	QPSK	Edge_1RB_Right	22.51
B66-n41	10	30	2592.99	CP	QPSK	Outer_Full	23.02
B66-n41	10	30	2592.99	CP	16QAM	Inner_Full	24.09
B66-n41	10	30	2592.99	CP	16QAM	Edge_1RB_Left	22.36
B66-n41	10	30	2592.99	CP	16QAM	Edge_1RB_Right	22.73
B66-n41	10	30	2592.99	CP	16QAM	Outer_Full	23.21
B66-n41	10	30	2592.99	CP	64QAM	Inner_Full	22.41
B66-n41	10	30	2592.99	CP	64QAM	Edge_1RB_Left	22.39
B66-n41	10	30	2592.99	CP	64QAM	Edge_1RB_Right	22.32
B66-n41	10	30	2592.99	CP	64QAM	Outer_Full	22.51
B66-n41	10	30	2592.99	CP	256QAM	Inner_Full	19.64
B66-n41	10	30	2592.99	CP	256QAM	Edge_1RB_Left	19.73
B66-n41	10	30	2592.99	CP	256QAM	Edge_1RB_Right	19.57
B66-n41	10	30	2592.99	CP	256QAM	Outer_Full	19.67
B66-n41	10	30	2685	DFT	pi/2 BPSK	Inner_Full	26.01
B66-n41	10	30	2685	DFT	pi/2 BPSK	Edge_1RB_Left	22.54
B66-n41	10	30	2685	DFT	pi/2 BPSK	Edge_1RB_Right	22.60
B66-n41	10	30	2685	DFT	pi/2 BPSK	Outer_Full	25.62
B66-n41	10	30	2685	DFT	QPSK	Inner_Full	26.03
B66-n41	10	30	2685	DFT	QPSK	Edge_1RB_Left	22.50
B66-n41	10	30	2685	DFT	QPSK	Edge_1RB_Right	22.52
B66-n41	10	30	2685	DFT	QPSK	Outer_Full	25.13

B66-n41	10	30	2685	DFT	16QAM	Inner_Full	25.04
B66-n41	10	30	2685	DFT	16QAM	Edge_1RB_Left	22.82
B66-n41	10	30	2685	DFT	16QAM	Edge_1RB_Right	22.78
B66-n41	10	30	2685	DFT	16QAM	Outer_Full	24.03
B66-n41	10	30	2685	DFT	64QAM	Inner_Full	23.59
B66-n41	10	30	2685	DFT	64QAM	Edge_1RB_Left	22.70
B66-n41	10	30	2685	DFT	64QAM	Edge_1RB_Right	22.75
B66-n41	10	30	2685	DFT	64QAM	Outer_Full	23.59
B66-n41	10	30	2685	DFT	256QAM	Inner_Full	21.67
B66-n41	10	30	2685	DFT	256QAM	Edge_1RB_Left	21.54
B66-n41	10	30	2685	DFT	256QAM	Edge_1RB_Right	21.53
B66-n41	10	30	2685	DFT	256QAM	Outer_Full	21.84
B66-n41	10	30	2685	CP	QPSK	Inner_Full	24.66
B66-n41	10	30	2685	CP	QPSK	Edge_1RB_Left	22.45
B66-n41	10	30	2685	CP	QPSK	Edge_1RB_Right	22.39
B66-n41	10	30	2685	CP	QPSK	Outer_Full	23.08
B66-n41	10	30	2685	CP	16QAM	Inner_Full	24.07
B66-n41	10	30	2685	CP	16QAM	Edge_1RB_Left	22.87
B66-n41	10	30	2685	CP	16QAM	Edge_1RB_Right	22.76
B66-n41	10	30	2685	CP	16QAM	Outer_Full	23.05
B66-n41	10	30	2685	CP	64QAM	Inner_Full	22.55
B66-n41	10	30	2685	CP	64QAM	Edge_1RB_Left	22.50
B66-n41	10	30	2685	CP	64QAM	Edge_1RB_Right	22.29
B66-n41	10	30	2685	CP	64QAM	Outer_Full	22.44
B66-n41	10	30	2685	CP	256QAM	Inner_Full	19.69
B66-n41	10	30	2685	CP	256QAM	Edge_1RB_Left	19.50
B66-n41	10	30	2685	CP	256QAM	Edge_1RB_Right	19.50
B66-n41	10	30	2685	CP	256QAM	Outer_Full	19.69
B66-n41	15	30	2503.5	DFT	pi/2 BPSK	Inner_Full	25.85
B66-n41	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.52
B66-n41	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.63
B66-n41	15	30	2503.5	DFT	pi/2 BPSK	Outer_Full	25.46
B66-n41	15	30	2503.5	DFT	QPSK	Inner_Full	25.93
B66-n41	15	30	2503.5	DFT	QPSK	Edge_1RB_Left	22.44
B66-n41	15	30	2503.5	DFT	QPSK	Edge_1RB_Right	22.50
B66-n41	15	30	2503.5	DFT	QPSK	Outer_Full	25.00
B66-n41	15	30	2503.5	DFT	16QAM	Inner_Full	24.89
B66-n41	15	30	2503.5	DFT	16QAM	Edge_1RB_Left	22.07
B66-n41	15	30	2503.5	DFT	16QAM	Edge_1RB_Right	22.13
B66-n41	15	30	2503.5	DFT	16QAM	Outer_Full	23.97
B66-n41	15	30	2503.5	DFT	64QAM	Inner_Full	23.50

B66-n41	15	30	2503.5	DFT	64QAM	Edge_1RB_Left	22.55
B66-n41	15	30	2503.5	DFT	64QAM	Edge_1RB_Right	22.77
B66-n41	15	30	2503.5	DFT	64QAM	Outer_Full	23.42
B66-n41	15	30	2503.5	DFT	256QAM	Inner_Full	21.48
B66-n41	15	30	2503.5	DFT	256QAM	Edge_1RB_Left	21.36
B66-n41	15	30	2503.5	DFT	256QAM	Edge_1RB_Right	21.50
B66-n41	15	30	2503.5	DFT	256QAM	Outer_Full	21.69
B66-n41	15	30	2503.5	CP	QPSK	Inner_Full	24.43
B66-n41	15	30	2503.5	CP	QPSK	Edge_1RB_Left	22.44
B66-n41	15	30	2503.5	CP	QPSK	Edge_1RB_Right	22.62
B66-n41	15	30	2503.5	CP	QPSK	Outer_Full	22.83
B66-n41	15	30	2503.5	CP	16QAM	Inner_Full	23.95
B66-n41	15	30	2503.5	CP	16QAM	Edge_1RB_Left	22.70
B66-n41	15	30	2503.5	CP	16QAM	Edge_1RB_Right	22.84
B66-n41	15	30	2503.5	CP	16QAM	Outer_Full	22.94
B66-n41	15	30	2503.5	CP	64QAM	Inner_Full	22.54
B66-n41	15	30	2503.5	CP	64QAM	Edge_1RB_Left	22.31
B66-n41	15	30	2503.5	CP	64QAM	Edge_1RB_Right	22.36
B66-n41	15	30	2503.5	CP	64QAM	Outer_Full	22.59
B66-n41	15	30	2503.5	CP	256QAM	Inner_Full	19.62
B66-n41	15	30	2503.5	CP	256QAM	Edge_1RB_Left	19.30
B66-n41	15	30	2503.5	CP	256QAM	Edge_1RB_Right	19.40
B66-n41	15	30	2503.5	CP	256QAM	Outer_Full	19.60
B66-n41	15	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.99
B66-n41	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.51
B66-n41	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.34
B66-n41	15	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.61
B66-n41	15	30	2592.99	DFT	QPSK	Inner_Full	26.01
B66-n41	15	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.40
B66-n41	15	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.28
B66-n41	15	30	2592.99	DFT	QPSK	Outer_Full	25.02
B66-n41	15	30	2592.99	DFT	16QAM	Inner_Full	25.18
B66-n41	15	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.77
B66-n41	15	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.25
B66-n41	15	30	2592.99	DFT	16QAM	Outer_Full	23.99
B66-n41	15	30	2592.99	DFT	64QAM	Inner_Full	23.49
B66-n41	15	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.72
B66-n41	15	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.37
B66-n41	15	30	2592.99	DFT	64QAM	Outer_Full	23.51
B66-n41	15	30	2592.99	DFT	256QAM	Inner_Full	21.58
B66-n41	15	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.52

B66-n41	15	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.37
B66-n41	15	30	2592.99	DFT	256QAM	Outer_Full	21.77
B66-n41	15	30	2592.99	CP	QPSK	Inner_Full	24.60
B66-n41	15	30	2592.99	CP	QPSK	Edge_1RB_Left	22.31
B66-n41	15	30	2592.99	CP	QPSK	Edge_1RB_Right	22.18
B66-n41	15	30	2592.99	CP	QPSK	Outer_Full	23.05
B66-n41	15	30	2592.99	CP	16QAM	Inner_Full	23.91
B66-n41	15	30	2592.99	CP	16QAM	Edge_1RB_Left	22.69
B66-n41	15	30	2592.99	CP	16QAM	Edge_1RB_Right	22.29
B66-n41	15	30	2592.99	CP	16QAM	Outer_Full	22.99
B66-n41	15	30	2592.99	CP	64QAM	Inner_Full	22.44
B66-n41	15	30	2592.99	CP	64QAM	Edge_1RB_Left	22.32
B66-n41	15	30	2592.99	CP	64QAM	Edge_1RB_Right	22.18
B66-n41	15	30	2592.99	CP	64QAM	Outer_Full	22.48
B66-n41	15	30	2592.99	CP	256QAM	Inner_Full	19.69
B66-n41	15	30	2592.99	CP	256QAM	Edge_1RB_Left	19.45
B66-n41	15	30	2592.99	CP	256QAM	Edge_1RB_Right	19.36
B66-n41	15	30	2592.99	CP	256QAM	Outer_Full	19.61
B66-n41	15	30	2682.48	DFT	pi/2 BPSK	Inner_Full	26.09
B66-n41	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Left	22.54
B66-n41	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Right	22.56
B66-n41	15	30	2682.48	DFT	pi/2 BPSK	Outer_Full	25.70
B66-n41	15	30	2682.48	DFT	QPSK	Inner_Full	26.12
B66-n41	15	30	2682.48	DFT	QPSK	Edge_1RB_Left	22.42
B66-n41	15	30	2682.48	DFT	QPSK	Edge_1RB_Right	22.56
B66-n41	15	30	2682.48	DFT	QPSK	Outer_Full	25.11
B66-n41	15	30	2682.48	DFT	16QAM	Inner_Full	25.05
B66-n41	15	30	2682.48	DFT	16QAM	Edge_1RB_Left	22.78
B66-n41	15	30	2682.48	DFT	16QAM	Edge_1RB_Right	22.76
B66-n41	15	30	2682.48	DFT	16QAM	Outer_Full	24.16
B66-n41	15	30	2682.48	DFT	64QAM	Inner_Full	23.70
B66-n41	15	30	2682.48	DFT	64QAM	Edge_1RB_Left	22.46
B66-n41	15	30	2682.48	DFT	64QAM	Edge_1RB_Right	22.69
B66-n41	15	30	2682.48	DFT	64QAM	Outer_Full	23.62
B66-n41	15	30	2682.48	DFT	256QAM	Inner_Full	21.76
B66-n41	15	30	2682.48	DFT	256QAM	Edge_1RB_Left	21.59
B66-n41	15	30	2682.48	DFT	256QAM	Edge_1RB_Right	21.66
B66-n41	15	30	2682.48	DFT	256QAM	Outer_Full	21.84
B66-n41	15	30	2682.48	CP	QPSK	Inner_Full	24.72
B66-n41	15	30	2682.48	CP	QPSK	Edge_1RB_Left	22.69
B66-n41	15	30	2682.48	CP	QPSK	Edge_1RB_Right	22.43

B66-n41	15	30	2682.48	CP	QPSK	Outer_Full	23.14
B66-n41	15	30	2682.48	CP	16QAM	Inner_Full	24.10
B66-n41	15	30	2682.48	CP	16QAM	Edge_1RB_Left	22.79
B66-n41	15	30	2682.48	CP	16QAM	Edge_1RB_Right	22.62
B66-n41	15	30	2682.48	CP	16QAM	Outer_Full	23.12
B66-n41	15	30	2682.48	CP	64QAM	Inner_Full	22.58
B66-n41	15	30	2682.48	CP	64QAM	Edge_1RB_Left	22.42
B66-n41	15	30	2682.48	CP	64QAM	Edge_1RB_Right	22.63
B66-n41	15	30	2682.48	CP	64QAM	Outer_Full	22.61
B66-n41	15	30	2682.48	CP	256QAM	Inner_Full	19.79
B66-n41	15	30	2682.48	CP	256QAM	Edge_1RB_Left	19.60
B66-n41	15	30	2682.48	CP	256QAM	Edge_1RB_Right	19.65
B66-n41	15	30	2682.48	CP	256QAM	Outer_Full	19.73
B66-n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	25.82
B66-n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.44
B66-n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.51
B66-n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	25.39
B66-n41	20	30	2506.02	DFT	QPSK	Inner_Full	25.88
B66-n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	22.22
B66-n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	22.39
B66-n41	20	30	2506.02	DFT	QPSK	Outer_Full	24.88
B66-n41	20	30	2506.02	DFT	16QAM	Inner_Full	24.90
B66-n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	22.06
B66-n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	22.78
B66-n41	20	30	2506.02	DFT	16QAM	Outer_Full	23.95
B66-n41	20	30	2506.02	DFT	64QAM	Inner_Full	23.40
B66-n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	22.27
B66-n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	22.61
B66-n41	20	30	2506.02	DFT	64QAM	Outer_Full	23.39
B66-n41	20	30	2506.02	DFT	256QAM	Inner_Full	21.50
B66-n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Left	21.22
B66-n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Right	21.38
B66-n41	20	30	2506.02	DFT	256QAM	Outer_Full	21.48
B66-n41	20	30	2506.02	CP	QPSK	Inner_Full	24.42
B66-n41	20	30	2506.02	CP	QPSK	Edge_1RB_Left	22.19
B66-n41	20	30	2506.02	CP	QPSK	Edge_1RB_Right	22.42
B66-n41	20	30	2506.02	CP	QPSK	Outer_Full	22.82
B66-n41	20	30	2506.02	CP	16QAM	Inner_Full	23.80
B66-n41	20	30	2506.02	CP	16QAM	Edge_1RB_Left	22.56
B66-n41	20	30	2506.02	CP	16QAM	Edge_1RB_Right	22.76
B66-n41	20	30	2506.02	CP	16QAM	Outer_Full	22.90

B66-n41	20	30	2506.02	CP	64QAM	Inner_Full	22.47
B66-n41	20	30	2506.02	CP	64QAM	Edge_1RB_Left	22.11
B66-n41	20	30	2506.02	CP	64QAM	Edge_1RB_Right	22.35
B66-n41	20	30	2506.02	CP	64QAM	Outer_Full	22.41
B66-n41	20	30	2506.02	CP	256QAM	Inner_Full	19.51
B66-n41	20	30	2506.02	CP	256QAM	Edge_1RB_Left	19.34
B66-n41	20	30	2506.02	CP	256QAM	Edge_1RB_Right	19.40
B66-n41	20	30	2506.02	CP	256QAM	Outer_Full	19.50
B66-n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.07
B66-n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.62
B66-n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.31
B66-n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.58
B66-n41	20	30	2592.99	DFT	QPSK	Inner_Full	26.15
B66-n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.45
B66-n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.28
B66-n41	20	30	2592.99	DFT	QPSK	Outer_Full	25.07
B66-n41	20	30	2592.99	DFT	16QAM	Inner_Full	25.09
B66-n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.87
B66-n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.60
B66-n41	20	30	2592.99	DFT	16QAM	Outer_Full	24.15
B66-n41	20	30	2592.99	DFT	64QAM	Inner_Full	23.67
B66-n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.66
B66-n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.37
B66-n41	20	30	2592.99	DFT	64QAM	Outer_Full	23.58
B66-n41	20	30	2592.99	DFT	256QAM	Inner_Full	21.72
B66-n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.44
B66-n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.34
B66-n41	20	30	2592.99	DFT	256QAM	Outer_Full	21.62
B66-n41	20	30	2592.99	CP	QPSK	Inner_Full	24.59
B66-n41	20	30	2592.99	CP	QPSK	Edge_1RB_Left	22.45
B66-n41	20	30	2592.99	CP	QPSK	Edge_1RB_Right	22.25
B66-n41	20	30	2592.99	CP	QPSK	Outer_Full	22.97
B66-n41	20	30	2592.99	CP	16QAM	Inner_Full	23.98
B66-n41	20	30	2592.99	CP	16QAM	Edge_1RB_Left	22.75
B66-n41	20	30	2592.99	CP	16QAM	Edge_1RB_Right	22.63
B66-n41	20	30	2592.99	CP	16QAM	Outer_Full	22.99
B66-n41	20	30	2592.99	CP	64QAM	Inner_Full	22.52
B66-n41	20	30	2592.99	CP	64QAM	Edge_1RB_Left	22.61
B66-n41	20	30	2592.99	CP	64QAM	Edge_1RB_Right	22.40
B66-n41	20	30	2592.99	CP	64QAM	Outer_Full	22.45
B66-n41	20	30	2592.99	CP	256QAM	Inner_Full	19.66

B66-n41	20	30	2592.99	CP	256QAM	Edge_1RB_Left	19.63
B66-n41	20	30	2592.99	CP	256QAM	Edge_1RB_Right	19.41
B66-n41	20	30	2592.99	CP	256QAM	Outer_Full	19.61
B66-n41	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	26.04
B66-n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.44
B66-n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.56
B66-n41	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	25.60
B66-n41	20	30	2679.99	DFT	QPSK	Inner_Full	26.18
B66-n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	22.31
B66-n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	22.51
B66-n41	20	30	2679.99	DFT	QPSK	Outer_Full	25.10
B66-n41	20	30	2679.99	DFT	16QAM	Inner_Full	25.16
B66-n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	22.66
B66-n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	22.74
B66-n41	20	30	2679.99	DFT	16QAM	Outer_Full	24.24
B66-n41	20	30	2679.99	DFT	64QAM	Inner_Full	23.70
B66-n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	22.32
B66-n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	22.73
B66-n41	20	30	2679.99	DFT	64QAM	Outer_Full	23.55
B66-n41	20	30	2679.99	DFT	256QAM	Inner_Full	21.87
B66-n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Left	21.43
B66-n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Right	21.55
B66-n41	20	30	2679.99	DFT	256QAM	Outer_Full	21.68
B66-n41	20	30	2679.99	CP	QPSK	Inner_Full	24.71
B66-n41	20	30	2679.99	CP	QPSK	Edge_1RB_Left	22.23
B66-n41	20	30	2679.99	CP	QPSK	Edge_1RB_Right	22.74
B66-n41	20	30	2679.99	CP	QPSK	Outer_Full	23.08
B66-n41	20	30	2679.99	CP	16QAM	Inner_Full	24.10
B66-n41	20	30	2679.99	CP	16QAM	Edge_1RB_Left	22.64
B66-n41	20	30	2679.99	CP	16QAM	Edge_1RB_Right	22.60
B66-n41	20	30	2679.99	CP	16QAM	Outer_Full	23.14
B66-n41	20	30	2679.99	CP	64QAM	Inner_Full	22.69
B66-n41	20	30	2679.99	CP	64QAM	Edge_1RB_Left	22.15
B66-n41	20	30	2679.99	CP	64QAM	Edge_1RB_Right	22.46
B66-n41	20	30	2679.99	CP	64QAM	Outer_Full	22.59
B66-n41	20	30	2679.99	CP	256QAM	Inner_Full	19.85
B66-n41	20	30	2679.99	CP	256QAM	Edge_1RB_Left	19.48
B66-n41	20	30	2679.99	CP	256QAM	Edge_1RB_Right	19.63
B66-n41	20	30	2679.99	CP	256QAM	Outer_Full	19.74
B66-n41	30	30	2511	DFT	pi/2 BPSK	Inner_Full	25.96
B66-n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Left	22.35



B66-n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Right	22.45
B66-n41	30	30	2511	DFT	pi/2 BPSK	Outer_Full	25.47
B66-n41	30	30	2511	DFT	QPSK	Inner_Full	25.99
B66-n41	30	30	2511	DFT	QPSK	Edge_1RB_Left	22.14
B66-n41	30	30	2511	DFT	QPSK	Edge_1RB_Right	22.32
B66-n41	30	30	2511	DFT	QPSK	Outer_Full	24.98
B66-n41	30	30	2511	DFT	16QAM	Inner_Full	25.07
B66-n41	30	30	2511	DFT	16QAM	Edge_1RB_Left	22.57
B66-n41	30	30	2511	DFT	16QAM	Edge_1RB_Right	22.13
B66-n41	30	30	2511	DFT	16QAM	Outer_Full	24.00
B66-n41	30	30	2511	DFT	64QAM	Inner_Full	23.50
B66-n41	30	30	2511	DFT	64QAM	Edge_1RB_Left	22.28
B66-n41	30	30	2511	DFT	64QAM	Edge_1RB_Right	22.44
B66-n41	30	30	2511	DFT	64QAM	Outer_Full	23.43
B66-n41	30	30	2511	DFT	256QAM	Inner_Full	21.72
B66-n41	30	30	2511	DFT	256QAM	Edge_1RB_Left	21.21
B66-n41	30	30	2511	DFT	256QAM	Edge_1RB_Right	21.32
B66-n41	30	30	2511	DFT	256QAM	Outer_Full	21.50
B66-n41	30	30	2511	CP	QPSK	Inner_Full	24.40
B66-n41	30	30	2511	CP	QPSK	Edge_1RB_Left	22.04
B66-n41	30	30	2511	CP	QPSK	Edge_1RB_Right	22.26
B66-n41	30	30	2511	CP	QPSK	Outer_Full	22.96
B66-n41	30	30	2511	CP	16QAM	Inner_Full	23.90
B66-n41	30	30	2511	CP	16QAM	Edge_1RB_Left	22.50
B66-n41	30	30	2511	CP	16QAM	Edge_1RB_Right	22.53
B66-n41	30	30	2511	CP	16QAM	Outer_Full	22.94
B66-n41	30	30	2511	CP	64QAM	Inner_Full	22.54
B66-n41	30	30	2511	CP	64QAM	Edge_1RB_Left	22.15
B66-n41	30	30	2511	CP	64QAM	Edge_1RB_Right	22.10
B66-n41	30	30	2511	CP	64QAM	Outer_Full	22.57
B66-n41	30	30	2511	CP	256QAM	Inner_Full	19.64
B66-n41	30	30	2511	CP	256QAM	Edge_1RB_Left	19.08
B66-n41	30	30	2511	CP	256QAM	Edge_1RB_Right	19.43
B66-n41	30	30	2511	CP	256QAM	Outer_Full	19.55
B66-n41	30	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.13
B66-n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.48
B66-n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.29
B66-n41	30	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.52
B66-n41	30	30	2592.99	DFT	QPSK	Inner_Full	26.08
B66-n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.37
B66-n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.15

B66-n41	30	30	2592.99	DFT	QPSK	Outer_Full	25.05
B66-n41	30	30	2592.99	DFT	16QAM	Inner_Full	25.18
B66-n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.69
B66-n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.15
B66-n41	30	30	2592.99	DFT	16QAM	Outer_Full	24.04
B66-n41	30	30	2592.99	DFT	64QAM	Inner_Full	23.64
B66-n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.33
B66-n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.28
B66-n41	30	30	2592.99	DFT	64QAM	Outer_Full	23.44
B66-n41	30	30	2592.99	DFT	256QAM	Inner_Full	21.79
B66-n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.36
B66-n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.14
B66-n41	30	30	2592.99	DFT	256QAM	Outer_Full	21.61
B66-n41	30	30	2592.99	CP	QPSK	Inner_Full	24.49
B66-n41	30	30	2592.99	CP	QPSK	Edge_1RB_Left	22.22
B66-n41	30	30	2592.99	CP	QPSK	Edge_1RB_Right	22.04
B66-n41	30	30	2592.99	CP	QPSK	Outer_Full	22.94
B66-n41	30	30	2592.99	CP	16QAM	Inner_Full	24.06
B66-n41	30	30	2592.99	CP	16QAM	Edge_1RB_Left	22.39
B66-n41	30	30	2592.99	CP	16QAM	Edge_1RB_Right	22.38
B66-n41	30	30	2592.99	CP	16QAM	Outer_Full	22.95
B66-n41	30	30	2592.99	CP	64QAM	Inner_Full	22.62
B66-n41	30	30	2592.99	CP	64QAM	Edge_1RB_Left	22.14
B66-n41	30	30	2592.99	CP	64QAM	Edge_1RB_Right	22.09
B66-n41	30	30	2592.99	CP	64QAM	Outer_Full	22.52
B66-n41	30	30	2592.99	CP	256QAM	Inner_Full	19.70
B66-n41	30	30	2592.99	CP	256QAM	Edge_1RB_Left	19.19
B66-n41	30	30	2592.99	CP	256QAM	Edge_1RB_Right	19.09
B66-n41	30	30	2592.99	CP	256QAM	Outer_Full	19.51
B66-n41	30	30	2674.98	DFT	pi/2 BPSK	Inner_Full	26.13
B66-n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.32
B66-n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.47
B66-n41	30	30	2674.98	DFT	pi/2 BPSK	Outer_Full	25.61
B66-n41	30	30	2674.98	DFT	QPSK	Inner_Full	26.09
B66-n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Left	22.27
B66-n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Right	22.40
B66-n41	30	30	2674.98	DFT	QPSK	Outer_Full	25.10
B66-n41	30	30	2674.98	DFT	16QAM	Inner_Full	25.18
B66-n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Left	21.90
B66-n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Right	22.46
B66-n41	30	30	2674.98	DFT	16QAM	Outer_Full	24.23

B66-n41	30	30	2674.98	DFT	64QAM	Inner_Full	23.65
B66-n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Left	22.30
B66-n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Right	22.59
B66-n41	30	30	2674.98	DFT	64QAM	Outer_Full	23.70
B66-n41	30	30	2674.98	DFT	256QAM	Inner_Full	21.88
B66-n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Left	21.37
B66-n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Right	21.54
B66-n41	30	30	2674.98	DFT	256QAM	Outer_Full	21.66
B66-n41	30	30	2674.98	CP	QPSK	Inner_Full	24.57
B66-n41	30	30	2674.98	CP	QPSK	Edge_1RB_Left	22.12
B66-n41	30	30	2674.98	CP	QPSK	Edge_1RB_Right	22.21
B66-n41	30	30	2674.98	CP	QPSK	Outer_Full	23.06
B66-n41	30	30	2674.98	CP	16QAM	Inner_Full	24.09
B66-n41	30	30	2674.98	CP	16QAM	Edge_1RB_Left	22.48
B66-n41	30	30	2674.98	CP	16QAM	Edge_1RB_Right	22.67
B66-n41	30	30	2674.98	CP	16QAM	Outer_Full	23.07
B66-n41	30	30	2674.98	CP	64QAM	Inner_Full	22.64
B66-n41	30	30	2674.98	CP	64QAM	Edge_1RB_Left	22.16
B66-n41	30	30	2674.98	CP	64QAM	Edge_1RB_Right	22.42
B66-n41	30	30	2674.98	CP	64QAM	Outer_Full	22.59
B66-n41	30	30	2674.98	CP	256QAM	Inner_Full	19.84
B66-n41	30	30	2674.98	CP	256QAM	Edge_1RB_Left	19.30
B66-n41	30	30	2674.98	CP	256QAM	Edge_1RB_Right	19.64
B66-n41	30	30	2674.98	CP	256QAM	Outer_Full	19.61
B66-n41	40	30	2516.01	DFT	pi/2 BPSK	Inner_Full	25.87
B66-n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.03
B66-n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.13
B66-n41	40	30	2516.01	DFT	pi/2 BPSK	Outer_Full	25.27
B66-n41	40	30	2516.01	DFT	QPSK	Inner_Full	25.93
B66-n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	21.86
B66-n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	21.94
B66-n41	40	30	2516.01	DFT	QPSK	Outer_Full	24.74
B66-n41	40	30	2516.01	DFT	16QAM	Inner_Full	25.00
B66-n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	21.58
B66-n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	21.61
B66-n41	40	30	2516.01	DFT	16QAM	Outer_Full	23.81
B66-n41	40	30	2516.01	DFT	64QAM	Inner_Full	23.35
B66-n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	22.01
B66-n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	22.04
B66-n41	40	30	2516.01	DFT	64QAM	Outer_Full	23.25
B66-n41	40	30	2516.01	DFT	256QAM	Inner_Full	21.51

B66-n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Left	20.90
B66-n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Right	21.02
B66-n41	40	30	2516.01	DFT	256QAM	Outer_Full	21.48
B66-n41	40	30	2516.01	CP	QPSK	Inner_Full	24.35
B66-n41	40	30	2516.01	CP	QPSK	Edge_1RB_Left	21.78
B66-n41	40	30	2516.01	CP	QPSK	Edge_1RB_Right	21.98
B66-n41	40	30	2516.01	CP	QPSK	Outer_Full	22.79
B66-n41	40	30	2516.01	CP	16QAM	Inner_Full	23.89
B66-n41	40	30	2516.01	CP	16QAM	Edge_1RB_Left	22.23
B66-n41	40	30	2516.01	CP	16QAM	Edge_1RB_Right	22.12
B66-n41	40	30	2516.01	CP	16QAM	Outer_Full	22.74
B66-n41	40	30	2516.01	CP	64QAM	Inner_Full	22.60
B66-n41	40	30	2516.01	CP	64QAM	Edge_1RB_Left	21.73
B66-n41	40	30	2516.01	CP	64QAM	Edge_1RB_Right	21.93
B66-n41	40	30	2516.01	CP	64QAM	Outer_Full	22.36
B66-n41	40	30	2516.01	CP	256QAM	Inner_Full	19.51
B66-n41	40	30	2516.01	CP	256QAM	Edge_1RB_Left	18.83
B66-n41	40	30	2516.01	CP	256QAM	Edge_1RB_Right	18.93
B66-n41	40	30	2516.01	CP	256QAM	Outer_Full	19.47
B66-n41	40	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.08
B66-n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.17
B66-n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.04
B66-n41	40	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.45
B66-n41	40	30	2592.99	DFT	QPSK	Inner_Full	25.99
B66-n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.02
B66-n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.97
B66-n41	40	30	2592.99	DFT	QPSK	Outer_Full	24.92
B66-n41	40	30	2592.99	DFT	16QAM	Inner_Full	25.22
B66-n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.44
B66-n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.30
B66-n41	40	30	2592.99	DFT	16QAM	Outer_Full	23.93
B66-n41	40	30	2592.99	DFT	64QAM	Inner_Full	23.58
B66-n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.36
B66-n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.08
B66-n41	40	30	2592.99	DFT	64QAM	Outer_Full	23.38
B66-n41	40	30	2592.99	DFT	256QAM	Inner_Full	21.67
B66-n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.06
B66-n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.90
B66-n41	40	30	2592.99	DFT	256QAM	Outer_Full	21.53
B66-n41	40	30	2592.99	CP	QPSK	Inner_Full	24.57
B66-n41	40	30	2592.99	CP	QPSK	Edge_1RB_Left	21.97

B66-n41	40	30	2592.99	CP	QPSK	Edge_1RB_Right	21.91
B66-n41	40	30	2592.99	CP	QPSK	Outer_Full	22.87
B66-n41	40	30	2592.99	CP	16QAM	Inner_Full	23.99
B66-n41	40	30	2592.99	CP	16QAM	Edge_1RB_Left	22.42
B66-n41	40	30	2592.99	CP	16QAM	Edge_1RB_Right	22.29
B66-n41	40	30	2592.99	CP	16QAM	Outer_Full	22.87
B66-n41	40	30	2592.99	CP	64QAM	Inner_Full	22.59
B66-n41	40	30	2592.99	CP	64QAM	Edge_1RB_Left	22.07
B66-n41	40	30	2592.99	CP	64QAM	Edge_1RB_Right	21.88
B66-n41	40	30	2592.99	CP	64QAM	Outer_Full	22.48
B66-n41	40	30	2592.99	CP	256QAM	Inner_Full	19.54
B66-n41	40	30	2592.99	CP	256QAM	Edge_1RB_Left	19.23
B66-n41	40	30	2592.99	CP	256QAM	Edge_1RB_Right	18.92
B66-n41	40	30	2592.99	CP	256QAM	Outer_Full	19.46
B66-n41	40	30	2670	DFT	pi/2 BPSK	Inner_Full	26.04
B66-n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	22.05
B66-n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	22.21
B66-n41	40	30	2670	DFT	pi/2 BPSK	Outer_Full	25.46
B66-n41	40	30	2670	DFT	QPSK	Inner_Full	26.05
B66-n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	21.99
B66-n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	22.18
B66-n41	40	30	2670	DFT	QPSK	Outer_Full	24.93
B66-n41	40	30	2670	DFT	16QAM	Inner_Full	25.12
B66-n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	22.34
B66-n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	22.57
B66-n41	40	30	2670	DFT	16QAM	Outer_Full	23.96
B66-n41	40	30	2670	DFT	64QAM	Inner_Full	23.63
B66-n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	22.24
B66-n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	22.23
B66-n41	40	30	2670	DFT	64QAM	Outer_Full	23.45
B66-n41	40	30	2670	DFT	256QAM	Inner_Full	21.68
B66-n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	21.01
B66-n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	21.19
B66-n41	40	30	2670	DFT	256QAM	Outer_Full	21.66
B66-n41	40	30	2670	CP	QPSK	Inner_Full	24.54
B66-n41	40	30	2670	CP	QPSK	Edge_1RB_Left	21.94
B66-n41	40	30	2670	CP	QPSK	Edge_1RB_Right	22.14
B66-n41	40	30	2670	CP	QPSK	Outer_Full	22.87
B66-n41	40	30	2670	CP	16QAM	Inner_Full	24.02
B66-n41	40	30	2670	CP	16QAM	Edge_1RB_Left	22.35
B66-n41	40	30	2670	CP	16QAM	Edge_1RB_Right	22.57

B66-n41	40	30	2670	CP	16QAM	Outer_Full	22.85
B66-n41	40	30	2670	CP	64QAM	Inner_Full	22.58
B66-n41	40	30	2670	CP	64QAM	Edge_1RB_Left	21.95
B66-n41	40	30	2670	CP	64QAM	Edge_1RB_Right	22.14
B66-n41	40	30	2670	CP	64QAM	Outer_Full	22.45
B66-n41	40	30	2670	CP	256QAM	Inner_Full	19.63
B66-n41	40	30	2670	CP	256QAM	Edge_1RB_Left	18.91
B66-n41	40	30	2670	CP	256QAM	Edge_1RB_Right	19.22
B66-n41	40	30	2670	CP	256QAM	Outer_Full	19.54
B66-n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	25.98
B66-n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.26
B66-n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.48
B66-n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	25.34
B66-n41	50	30	2521.02	DFT	QPSK	Inner_Full	26.03
B66-n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	22.17
B66-n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	22.40
B66-n41	50	30	2521.02	DFT	QPSK	Outer_Full	24.87
B66-n41	50	30	2521.02	DFT	16QAM	Inner_Full	25.06
B66-n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	22.58
B66-n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	22.70
B66-n41	50	30	2521.02	DFT	16QAM	Outer_Full	23.90
B66-n41	50	30	2521.02	DFT	64QAM	Inner_Full	23.50
B66-n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	22.38
B66-n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	22.54
B66-n41	50	30	2521.02	DFT	64QAM	Outer_Full	23.42
B66-n41	50	30	2521.02	DFT	256QAM	Inner_Full	21.60
B66-n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Left	21.22
B66-n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Right	21.33
B66-n41	50	30	2521.02	DFT	256QAM	Outer_Full	21.52
B66-n41	50	30	2521.02	CP	QPSK	Inner_Full	24.49
B66-n41	50	30	2521.02	CP	QPSK	Edge_1RB_Left	22.07
B66-n41	50	30	2521.02	CP	QPSK	Edge_1RB_Right	22.26
B66-n41	50	30	2521.02	CP	QPSK	Outer_Full	22.88
B66-n41	50	30	2521.02	CP	16QAM	Inner_Full	24.07
B66-n41	50	30	2521.02	CP	16QAM	Edge_1RB_Left	22.54
B66-n41	50	30	2521.02	CP	16QAM	Edge_1RB_Right	22.56
B66-n41	50	30	2521.02	CP	16QAM	Outer_Full	22.93
B66-n41	50	30	2521.02	CP	64QAM	Inner_Full	22.58
B66-n41	50	30	2521.02	CP	64QAM	Edge_1RB_Left	22.04
B66-n41	50	30	2521.02	CP	64QAM	Edge_1RB_Right	22.29
B66-n41	50	30	2521.02	CP	64QAM	Outer_Full	22.52

B66-n41	50	30	2521.02	CP	256QAM	Inner_Full	19.71
B66-n41	50	30	2521.02	CP	256QAM	Edge_1RB_Left	19.15
B66-n41	50	30	2521.02	CP	256QAM	Edge_1RB_Right	19.36
B66-n41	50	30	2521.02	CP	256QAM	Outer_Full	19.49
B66-n41	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.10
B66-n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.42
B66-n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.42
B66-n41	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.39
B66-n41	50	30	2592.99	DFT	QPSK	Inner_Full	26.15
B66-n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.31
B66-n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.25
B66-n41	50	30	2592.99	DFT	QPSK	Outer_Full	24.93
B66-n41	50	30	2592.99	DFT	16QAM	Inner_Full	25.06
B66-n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.70
B66-n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.60
B66-n41	50	30	2592.99	DFT	16QAM	Outer_Full	23.91
B66-n41	50	30	2592.99	DFT	64QAM	Inner_Full	23.56
B66-n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.53
B66-n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.41
B66-n41	50	30	2592.99	DFT	64QAM	Outer_Full	23.47
B66-n41	50	30	2592.99	DFT	256QAM	Inner_Full	21.66
B66-n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.28
B66-n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.18
B66-n41	50	30	2592.99	DFT	256QAM	Outer_Full	21.60
B66-n41	50	30	2592.99	CP	QPSK	Inner_Full	24.58
B66-n41	50	30	2592.99	CP	QPSK	Edge_1RB_Left	22.21
B66-n41	50	30	2592.99	CP	QPSK	Edge_1RB_Right	22.24
B66-n41	50	30	2592.99	CP	QPSK	Outer_Full	22.89
B66-n41	50	30	2592.99	CP	16QAM	Inner_Full	24.05
B66-n41	50	30	2592.99	CP	16QAM	Edge_1RB_Left	22.39
B66-n41	50	30	2592.99	CP	16QAM	Edge_1RB_Right	22.54
B66-n41	50	30	2592.99	CP	16QAM	Outer_Full	22.93
B66-n41	50	30	2592.99	CP	64QAM	Inner_Full	22.53
B66-n41	50	30	2592.99	CP	64QAM	Edge_1RB_Left	22.23
B66-n41	50	30	2592.99	CP	64QAM	Edge_1RB_Right	22.16
B66-n41	50	30	2592.99	CP	64QAM	Outer_Full	22.53
B66-n41	50	30	2592.99	CP	256QAM	Inner_Full	19.70
B66-n41	50	30	2592.99	CP	256QAM	Edge_1RB_Left	19.20
B66-n41	50	30	2592.99	CP	256QAM	Edge_1RB_Right	19.50
B66-n41	50	30	2592.99	CP	256QAM	Outer_Full	19.50
B66-n41	50	30	2664.99	DFT	pi/2 BPSK	Inner_Full	26.13

B66-n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.54
B66-n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.48
B66-n41	50	30	2664.99	DFT	pi/2 BPSK	Outer_Full	25.48
B66-n41	50	30	2664.99	DFT	QPSK	Inner_Full	26.14
B66-n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	22.43
B66-n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	22.31
B66-n41	50	30	2664.99	DFT	QPSK	Outer_Full	25.04
B66-n41	50	30	2664.99	DFT	16QAM	Inner_Full	25.09
B66-n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	22.04
B66-n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	22.69
B66-n41	50	30	2664.99	DFT	16QAM	Outer_Full	24.08
B66-n41	50	30	2664.99	DFT	64QAM	Inner_Full	23.66
B66-n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	22.60
B66-n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	22.49
B66-n41	50	30	2664.99	DFT	64QAM	Outer_Full	23.56
B66-n41	50	30	2664.99	DFT	256QAM	Inner_Full	21.70
B66-n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Left	21.41
B66-n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Right	21.58
B66-n41	50	30	2664.99	DFT	256QAM	Outer_Full	21.65
B66-n41	50	30	2664.99	CP	QPSK	Inner_Full	24.63
B66-n41	50	30	2664.99	CP	QPSK	Edge_1RB_Left	22.35
B66-n41	50	30	2664.99	CP	QPSK	Edge_1RB_Right	22.37
B66-n41	50	30	2664.99	CP	QPSK	Outer_Full	23.09
B66-n41	50	30	2664.99	CP	16QAM	Inner_Full	24.19
B66-n41	50	30	2664.99	CP	16QAM	Edge_1RB_Left	22.54
B66-n41	50	30	2664.99	CP	16QAM	Edge_1RB_Right	22.73
B66-n41	50	30	2664.99	CP	16QAM	Outer_Full	23.08
B66-n41	50	30	2664.99	CP	64QAM	Inner_Full	22.53
B66-n41	50	30	2664.99	CP	64QAM	Edge_1RB_Left	22.32
B66-n41	50	30	2664.99	CP	64QAM	Edge_1RB_Right	22.32
B66-n41	50	30	2664.99	CP	64QAM	Outer_Full	22.54
B66-n41	50	30	2664.99	CP	256QAM	Inner_Full	19.83
B66-n41	50	30	2664.99	CP	256QAM	Edge_1RB_Left	19.37
B66-n41	50	30	2664.99	CP	256QAM	Edge_1RB_Right	19.52
B66-n41	50	30	2664.99	CP	256QAM	Outer_Full	19.69
B66-n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	25.88
B66-n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	22.17
B66-n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	22.33
B66-n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	25.21
B66-n41	60	30	2526	DFT	QPSK	Inner_Full	25.94
B66-n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	22.05



B66-n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	22.25
B66-n41	60	30	2526	DFT	QPSK	Outer_Full	24.76
B66-n41	60	30	2526	DFT	16QAM	Inner_Full	25.04
B66-n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	21.93
B66-n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	22.67
B66-n41	60	30	2526	DFT	16QAM	Outer_Full	23.76
B66-n41	60	30	2526	DFT	64QAM	Inner_Full	23.45
B66-n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	22.16
B66-n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	22.39
B66-n41	60	30	2526	DFT	64QAM	Outer_Full	23.21
B66-n41	60	30	2526	DFT	256QAM	Inner_Full	21.51
B66-n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	21.08
B66-n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	21.22
B66-n41	60	30	2526	DFT	256QAM	Outer_Full	21.40
B66-n41	60	30	2526	CP	QPSK	Inner_Full	24.36
B66-n41	60	30	2526	CP	QPSK	Edge_1RB_Left	22.03
B66-n41	60	30	2526	CP	QPSK	Edge_1RB_Right	22.17
B66-n41	60	30	2526	CP	QPSK	Outer_Full	22.71
B66-n41	60	30	2526	CP	16QAM	Inner_Full	23.87
B66-n41	60	30	2526	CP	16QAM	Edge_1RB_Left	22.41
B66-n41	60	30	2526	CP	16QAM	Edge_1RB_Right	22.59
B66-n41	60	30	2526	CP	16QAM	Outer_Full	22.69
B66-n41	60	30	2526	CP	64QAM	Inner_Full	22.50
B66-n41	60	30	2526	CP	64QAM	Edge_1RB_Left	21.88
B66-n41	60	30	2526	CP	64QAM	Edge_1RB_Right	22.19
B66-n41	60	30	2526	CP	64QAM	Outer_Full	22.39
B66-n41	60	30	2526	CP	256QAM	Inner_Full	19.54
B66-n41	60	30	2526	CP	256QAM	Edge_1RB_Left	19.06
B66-n41	60	30	2526	CP	256QAM	Edge_1RB_Right	19.29
B66-n41	60	30	2526	CP	256QAM	Outer_Full	19.30
B66-n41	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.03
B66-n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.29
B66-n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.29
B66-n41	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.32
B66-n41	60	30	2592.99	DFT	QPSK	Inner_Full	26.06
B66-n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.26
B66-n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.19
B66-n41	60	30	2592.99	DFT	QPSK	Outer_Full	24.85
B66-n41	60	30	2592.99	DFT	16QAM	Inner_Full	25.05
B66-n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.59
B66-n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.44

B66-n41	60	30	2592.99	DFT	16QAM	Outer_Full	23.87
B66-n41	60	30	2592.99	DFT	64QAM	Inner_Full	23.58
B66-n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.26
B66-n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.40
B66-n41	60	30	2592.99	DFT	64QAM	Outer_Full	23.29
B66-n41	60	30	2592.99	DFT	256QAM	Inner_Full	21.60
B66-n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.16
B66-n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.06
B66-n41	60	30	2592.99	DFT	256QAM	Outer_Full	21.48
B66-n41	60	30	2592.99	CP	QPSK	Inner_Full	24.51
B66-n41	60	30	2592.99	CP	QPSK	Edge_1RB_Left	22.05
B66-n41	60	30	2592.99	CP	QPSK	Edge_1RB_Right	22.08
B66-n41	60	30	2592.99	CP	QPSK	Outer_Full	22.80
B66-n41	60	30	2592.99	CP	16QAM	Inner_Full	23.94
B66-n41	60	30	2592.99	CP	16QAM	Edge_1RB_Left	22.32
B66-n41	60	30	2592.99	CP	16QAM	Edge_1RB_Right	22.57
B66-n41	60	30	2592.99	CP	16QAM	Outer_Full	22.81
B66-n41	60	30	2592.99	CP	64QAM	Inner_Full	22.60
B66-n41	60	30	2592.99	CP	64QAM	Edge_1RB_Left	22.03
B66-n41	60	30	2592.99	CP	64QAM	Edge_1RB_Right	22.20
B66-n41	60	30	2592.99	CP	64QAM	Outer_Full	22.41
B66-n41	60	30	2592.99	CP	256QAM	Inner_Full	19.52
B66-n41	60	30	2592.99	CP	256QAM	Edge_1RB_Left	19.06
B66-n41	60	30	2592.99	CP	256QAM	Edge_1RB_Right	19.39
B66-n41	60	30	2592.99	CP	256QAM	Outer_Full	19.47
B66-n41	60	30	2659.98	DFT	pi/2 BPSK	Inner_Full	26.00
B66-n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.35
B66-n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.29
B66-n41	60	30	2659.98	DFT	pi/2 BPSK	Outer_Full	25.45
B66-n41	60	30	2659.98	DFT	QPSK	Inner_Full	26.05
B66-n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	22.27
B66-n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	22.27
B66-n41	60	30	2659.98	DFT	QPSK	Outer_Full	25.01
B66-n41	60	30	2659.98	DFT	16QAM	Inner_Full	25.11
B66-n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	22.65
B66-n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	22.49
B66-n41	60	30	2659.98	DFT	16QAM	Outer_Full	24.02
B66-n41	60	30	2659.98	DFT	64QAM	Inner_Full	23.62
B66-n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	22.46
B66-n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	22.30
B66-n41	60	30	2659.98	DFT	64QAM	Outer_Full	23.48

B66-n41	60	30	2659.98	DFT	256QAM	Inner_Full	21.64
B66-n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Left	21.17
B66-n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Right	21.45
B66-n41	60	30	2659.98	DFT	256QAM	Outer_Full	21.59
B66-n41	60	30	2659.98	CP	QPSK	Inner_Full	24.52
B66-n41	60	30	2659.98	CP	QPSK	Edge_1RB_Left	22.20
B66-n41	60	30	2659.98	CP	QPSK	Edge_1RB_Right	22.08
B66-n41	60	30	2659.98	CP	QPSK	Outer_Full	22.98
B66-n41	60	30	2659.98	CP	16QAM	Inner_Full	23.99
B66-n41	60	30	2659.98	CP	16QAM	Edge_1RB_Left	22.56
B66-n41	60	30	2659.98	CP	16QAM	Edge_1RB_Right	22.41
B66-n41	60	30	2659.98	CP	16QAM	Outer_Full	22.96
B66-n41	60	30	2659.98	CP	64QAM	Inner_Full	22.53
B66-n41	60	30	2659.98	CP	64QAM	Edge_1RB_Left	22.43
B66-n41	60	30	2659.98	CP	64QAM	Edge_1RB_Right	22.32
B66-n41	60	30	2659.98	CP	64QAM	Outer_Full	22.51
B66-n41	60	30	2659.98	CP	256QAM	Inner_Full	19.65
B66-n41	60	30	2659.98	CP	256QAM	Edge_1RB_Left	19.24
B66-n41	60	30	2659.98	CP	256QAM	Edge_1RB_Right	19.42
B66-n41	60	30	2659.98	CP	256QAM	Outer_Full	19.57
B66-n41	70	30	2531.01	DFT	pi/2 BPSK	Inner_Full	25.94
B66-n41	70	30	2531.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.23
B66-n41	70	30	2531.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.44
B66-n41	70	30	2531.01	DFT	pi/2 BPSK	Outer_Full	25.37
B66-n41	70	30	2531.01	DFT	QPSK	Inner_Full	26.10
B66-n41	70	30	2531.01	DFT	QPSK	Edge_1RB_Left	22.14
B66-n41	70	30	2531.01	DFT	QPSK	Edge_1RB_Right	22.41
B66-n41	70	30	2531.01	DFT	QPSK	Outer_Full	24.89
B66-n41	70	30	2531.01	DFT	16QAM	Inner_Full	25.06
B66-n41	70	30	2531.01	DFT	16QAM	Edge_1RB_Left	21.92
B66-n41	70	30	2531.01	DFT	16QAM	Edge_1RB_Right	22.27
B66-n41	70	30	2531.01	DFT	16QAM	Outer_Full	23.88
B66-n41	70	30	2531.01	DFT	64QAM	Inner_Full	23.56
B66-n41	70	30	2531.01	DFT	64QAM	Edge_1RB_Left	22.44
B66-n41	70	30	2531.01	DFT	64QAM	Edge_1RB_Right	22.42
B66-n41	70	30	2531.01	DFT	64QAM	Outer_Full	23.36
B66-n41	70	30	2531.01	DFT	256QAM	Inner_Full	21.68
B66-n41	70	30	2531.01	DFT	256QAM	Edge_1RB_Left	21.17
B66-n41	70	30	2531.01	DFT	256QAM	Edge_1RB_Right	21.35
B66-n41	70	30	2531.01	DFT	256QAM	Outer_Full	21.61
B66-n41	70	30	2531.01	CP	QPSK	Inner_Full	24.51

B66-n41	70	30	2531.01	CP	QPSK	Edge_1RB_Left	22.04
B66-n41	70	30	2531.01	CP	QPSK	Edge_1RB_Right	22.40
B66-n41	70	30	2531.01	CP	QPSK	Outer_Full	22.83
B66-n41	70	30	2531.01	CP	16QAM	Inner_Full	24.06
B66-n41	70	30	2531.01	CP	16QAM	Edge_1RB_Left	22.36
B66-n41	70	30	2531.01	CP	16QAM	Edge_1RB_Right	22.05
B66-n41	70	30	2531.01	CP	16QAM	Outer_Full	22.86
B66-n41	70	30	2531.01	CP	64QAM	Inner_Full	22.71
B66-n41	70	30	2531.01	CP	64QAM	Edge_1RB_Left	22.07
B66-n41	70	30	2531.01	CP	64QAM	Edge_1RB_Right	22.16
B66-n41	70	30	2531.01	CP	64QAM	Outer_Full	22.59
B66-n41	70	30	2531.01	CP	256QAM	Inner_Full	19.59
B66-n41	70	30	2531.01	CP	256QAM	Edge_1RB_Left	19.29
B66-n41	70	30	2531.01	CP	256QAM	Edge_1RB_Right	19.22
B66-n41	70	30	2531.01	CP	256QAM	Outer_Full	19.52
B66-n41	70	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.04
B66-n41	70	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.27
B66-n41	70	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.06
B66-n41	70	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.42
B66-n41	70	30	2592.99	DFT	QPSK	Inner_Full	26.11
B66-n41	70	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.15
B66-n41	70	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.00
B66-n41	70	30	2592.99	DFT	QPSK	Outer_Full	24.94
B66-n41	70	30	2592.99	DFT	16QAM	Inner_Full	25.10
B66-n41	70	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.55
B66-n41	70	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.32
B66-n41	70	30	2592.99	DFT	16QAM	Outer_Full	23.93
B66-n41	70	30	2592.99	DFT	64QAM	Inner_Full	23.60
B66-n41	70	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.09
B66-n41	70	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.92
B66-n41	70	30	2592.99	DFT	64QAM	Outer_Full	23.39
B66-n41	70	30	2592.99	DFT	256QAM	Inner_Full	21.71
B66-n41	70	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.19
B66-n41	70	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.24
B66-n41	70	30	2592.99	DFT	256QAM	Outer_Full	21.57
B66-n41	70	30	2592.99	CP	QPSK	Inner_Full	24.50
B66-n41	70	30	2592.99	CP	QPSK	Edge_1RB_Left	22.14
B66-n41	70	30	2592.99	CP	QPSK	Edge_1RB_Right	21.93
B66-n41	70	30	2592.99	CP	QPSK	Outer_Full	22.82
B66-n41	70	30	2592.99	CP	16QAM	Inner_Full	24.03
B66-n41	70	30	2592.99	CP	16QAM	Edge_1RB_Left	22.45

B66-n41	70	30	2592.99	CP	16QAM	Edge_1RB_Right	22.15
B66-n41	70	30	2592.99	CP	16QAM	Outer_Full	22.86
B66-n41	70	30	2592.99	CP	64QAM	Inner_Full	22.54
B66-n41	70	30	2592.99	CP	64QAM	Edge_1RB_Left	22.00
B66-n41	70	30	2592.99	CP	64QAM	Edge_1RB_Right	21.76
B66-n41	70	30	2592.99	CP	64QAM	Outer_Full	22.56
B66-n41	70	30	2592.99	CP	256QAM	Inner_Full	19.66
B66-n41	70	30	2592.99	CP	256QAM	Edge_1RB_Left	19.08
B66-n41	70	30	2592.99	CP	256QAM	Edge_1RB_Right	19.36
B66-n41	70	30	2592.99	CP	256QAM	Outer_Full	19.48
B66-n41	70	30	2655	DFT	pi/2 BPSK	Inner_Full	25.91
B66-n41	70	30	2655	DFT	pi/2 BPSK	Edge_1RB_Left	22.26
B66-n41	70	30	2655	DFT	pi/2 BPSK	Edge_1RB_Right	22.23
B66-n41	70	30	2655	DFT	pi/2 BPSK	Outer_Full	25.43
B66-n41	70	30	2655	DFT	QPSK	Inner_Full	26.02
B66-n41	70	30	2655	DFT	QPSK	Edge_1RB_Left	22.20
B66-n41	70	30	2655	DFT	QPSK	Edge_1RB_Right	22.15
B66-n41	70	30	2655	DFT	QPSK	Outer_Full	25.01
B66-n41	70	30	2655	DFT	16QAM	Inner_Full	24.98
B66-n41	70	30	2655	DFT	16QAM	Edge_1RB_Left	21.85
B66-n41	70	30	2655	DFT	16QAM	Edge_1RB_Right	22.50
B66-n41	70	30	2655	DFT	16QAM	Outer_Full	23.96
B66-n41	70	30	2655	DFT	64QAM	Inner_Full	23.46
B66-n41	70	30	2655	DFT	64QAM	Edge_1RB_Left	22.22
B66-n41	70	30	2655	DFT	64QAM	Edge_1RB_Right	22.13
B66-n41	70	30	2655	DFT	64QAM	Outer_Full	23.42
B66-n41	70	30	2655	DFT	256QAM	Inner_Full	21.61
B66-n41	70	30	2655	DFT	256QAM	Edge_1RB_Left	21.12
B66-n41	70	30	2655	DFT	256QAM	Edge_1RB_Right	21.34
B66-n41	70	30	2655	DFT	256QAM	Outer_Full	21.64
B66-n41	70	30	2655	CP	QPSK	Inner_Full	24.42
B66-n41	70	30	2655	CP	QPSK	Edge_1RB_Left	22.22
B66-n41	70	30	2655	CP	QPSK	Edge_1RB_Right	22.09
B66-n41	70	30	2655	CP	QPSK	Outer_Full	22.88
B66-n41	70	30	2655	CP	16QAM	Inner_Full	23.98
B66-n41	70	30	2655	CP	16QAM	Edge_1RB_Left	22.44
B66-n41	70	30	2655	CP	16QAM	Edge_1RB_Right	22.35
B66-n41	70	30	2655	CP	16QAM	Outer_Full	22.87
B66-n41	70	30	2655	CP	64QAM	Inner_Full	22.50
B66-n41	70	30	2655	CP	64QAM	Edge_1RB_Left	22.19
B66-n41	70	30	2655	CP	64QAM	Edge_1RB_Right	21.88

B66-n41	70	30	2655	CP	64QAM	Outer_Full	22.44
B66-n41	70	30	2655	CP	256QAM	Inner_Full	19.61
B66-n41	70	30	2655	CP	256QAM	Edge_1RB_Left	19.13
B66-n41	70	30	2655	CP	256QAM	Edge_1RB_Right	19.36
B66-n41	70	30	2655	CP	256QAM	Outer_Full	19.61
B66-n41	80	30	2536.02	DFT	pi/2 BPSK	Inner_Full	25.94
B66-n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.18
B66-n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.34
B66-n41	80	30	2536.02	DFT	pi/2 BPSK	Outer_Full	25.28
B66-n41	80	30	2536.02	DFT	QPSK	Inner_Full	26.05
B66-n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	22.07
B66-n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	22.27
B66-n41	80	30	2536.02	DFT	QPSK	Outer_Full	24.77
B66-n41	80	30	2536.02	DFT	16QAM	Inner_Full	24.98
B66-n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	22.47
B66-n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	22.69
B66-n41	80	30	2536.02	DFT	16QAM	Outer_Full	23.83
B66-n41	80	30	2536.02	DFT	64QAM	Inner_Full	23.48
B66-n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	22.33
B66-n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	22.46
B66-n41	80	30	2536.02	DFT	64QAM	Outer_Full	23.27
B66-n41	80	30	2536.02	DFT	256QAM	Inner_Full	21.58
B66-n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Left	21.06
B66-n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Right	21.30
B66-n41	80	30	2536.02	DFT	256QAM	Outer_Full	21.50
B66-n41	80	30	2536.02	CP	QPSK	Inner_Full	24.50
B66-n41	80	30	2536.02	CP	QPSK	Edge_1RB_Left	22.03
B66-n41	80	30	2536.02	CP	QPSK	Edge_1RB_Right	22.35
B66-n41	80	30	2536.02	CP	QPSK	Outer_Full	22.79
B66-n41	80	30	2536.02	CP	16QAM	Inner_Full	23.97
B66-n41	80	30	2536.02	CP	16QAM	Edge_1RB_Left	22.31
B66-n41	80	30	2536.02	CP	16QAM	Edge_1RB_Right	22.57
B66-n41	80	30	2536.02	CP	16QAM	Outer_Full	22.84
B66-n41	80	30	2536.02	CP	64QAM	Inner_Full	22.59
B66-n41	80	30	2536.02	CP	64QAM	Edge_1RB_Left	21.93
B66-n41	80	30	2536.02	CP	64QAM	Edge_1RB_Right	22.23
B66-n41	80	30	2536.02	CP	64QAM	Outer_Full	22.49
B66-n41	80	30	2536.02	CP	256QAM	Inner_Full	19.58
B66-n41	80	30	2536.02	CP	256QAM	Edge_1RB_Left	19.14
B66-n41	80	30	2536.02	CP	256QAM	Edge_1RB_Right	19.24
B66-n41	80	30	2536.02	CP	256QAM	Outer_Full	19.44

B66-n41	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.99
B66-n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.31
B66-n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.99
B66-n41	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.32
B66-n41	80	30	2592.99	DFT	QPSK	Inner_Full	26.10
B66-n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.22
B66-n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.97
B66-n41	80	30	2592.99	DFT	QPSK	Outer_Full	24.83
B66-n41	80	30	2592.99	DFT	16QAM	Inner_Full	25.05
B66-n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.38
B66-n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.11
B66-n41	80	30	2592.99	DFT	16QAM	Outer_Full	23.86
B66-n41	80	30	2592.99	DFT	64QAM	Inner_Full	23.58
B66-n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.27
B66-n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.75
B66-n41	80	30	2592.99	DFT	64QAM	Outer_Full	23.39
B66-n41	80	30	2592.99	DFT	256QAM	Inner_Full	21.62
B66-n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.07
B66-n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.09
B66-n41	80	30	2592.99	DFT	256QAM	Outer_Full	21.58
B66-n41	80	30	2592.99	CP	QPSK	Inner_Full	24.53
B66-n41	80	30	2592.99	CP	QPSK	Edge_1RB_Left	22.06
B66-n41	80	30	2592.99	CP	QPSK	Edge_1RB_Right	21.74
B66-n41	80	30	2592.99	CP	QPSK	Outer_Full	22.81
B66-n41	80	30	2592.99	CP	16QAM	Inner_Full	23.98
B66-n41	80	30	2592.99	CP	16QAM	Edge_1RB_Left	22.19
B66-n41	80	30	2592.99	CP	16QAM	Edge_1RB_Right	22.21
B66-n41	80	30	2592.99	CP	16QAM	Outer_Full	22.78
B66-n41	80	30	2592.99	CP	64QAM	Inner_Full	22.47
B66-n41	80	30	2592.99	CP	64QAM	Edge_1RB_Left	22.15
B66-n41	80	30	2592.99	CP	64QAM	Edge_1RB_Right	22.10
B66-n41	80	30	2592.99	CP	64QAM	Outer_Full	22.51
B66-n41	80	30	2592.99	CP	256QAM	Inner_Full	19.65
B66-n41	80	30	2592.99	CP	256QAM	Edge_1RB_Left	19.24
B66-n41	80	30	2592.99	CP	256QAM	Edge_1RB_Right	19.35
B66-n41	80	30	2592.99	CP	256QAM	Outer_Full	19.47
B66-n41	80	30	2649.99	DFT	pi/2 BPSK	Inner_Full	26.00
B66-n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.11
B66-n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.08
B66-n41	80	30	2649.99	DFT	pi/2 BPSK	Outer_Full	25.46
B66-n41	80	30	2649.99	DFT	QPSK	Inner_Full	26.02

B66-n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	22.09
B66-n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	22.00
B66-n41	80	30	2649.99	DFT	QPSK	Outer_Full	24.96
B66-n41	80	30	2649.99	DFT	16QAM	Inner_Full	25.05
B66-n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	21.84
B66-n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	21.80
B66-n41	80	30	2649.99	DFT	16QAM	Outer_Full	23.99
B66-n41	80	30	2649.99	DFT	64QAM	Inner_Full	23.61
B66-n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	22.23
B66-n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	22.04
B66-n41	80	30	2649.99	DFT	64QAM	Outer_Full	23.51
B66-n41	80	30	2649.99	DFT	256QAM	Inner_Full	21.66
B66-n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Left	21.01
B66-n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Right	21.40
B66-n41	80	30	2649.99	DFT	256QAM	Outer_Full	21.64
B66-n41	80	30	2649.99	CP	QPSK	Inner_Full	24.54
B66-n41	80	30	2649.99	CP	QPSK	Edge_1RB_Left	21.94
B66-n41	80	30	2649.99	CP	QPSK	Edge_1RB_Right	22.05
B66-n41	80	30	2649.99	CP	QPSK	Outer_Full	22.96
B66-n41	80	30	2649.99	CP	16QAM	Inner_Full	24.08
B66-n41	80	30	2649.99	CP	16QAM	Edge_1RB_Left	22.47
B66-n41	80	30	2649.99	CP	16QAM	Edge_1RB_Right	22.39
B66-n41	80	30	2649.99	CP	16QAM	Outer_Full	22.93
B66-n41	80	30	2649.99	CP	64QAM	Inner_Full	22.51
B66-n41	80	30	2649.99	CP	64QAM	Edge_1RB_Left	21.81
B66-n41	80	30	2649.99	CP	64QAM	Edge_1RB_Right	21.89
B66-n41	80	30	2649.99	CP	64QAM	Outer_Full	22.45
B66-n41	80	30	2649.99	CP	256QAM	Inner_Full	19.69
B66-n41	80	30	2649.99	CP	256QAM	Edge_1RB_Left	18.97
B66-n41	80	30	2649.99	CP	256QAM	Edge_1RB_Right	19.25
B66-n41	80	30	2649.99	CP	256QAM	Outer_Full	19.68
B66-n41	90	30	2541	DFT	pi/2 BPSK	Inner_Full	25.90
B66-n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	22.02
B66-n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	21.93
B66-n41	90	30	2541	DFT	pi/2 BPSK	Outer_Full	25.29
B66-n41	90	30	2541	DFT	QPSK	Inner_Full	25.99
B66-n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	21.95
B66-n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	21.87
B66-n41	90	30	2541	DFT	QPSK	Outer_Full	24.84
B66-n41	90	30	2541	DFT	16QAM	Inner_Full	25.06
B66-n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	22.27



B66-n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	21.44
B66-n41	90	30	2541	DFT	16QAM	Outer_Full	23.85
B66-n41	90	30	2541	DFT	64QAM	Inner_Full	23.50
B66-n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	21.96
B66-n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	21.97
B66-n41	90	30	2541	DFT	64QAM	Outer_Full	23.35
B66-n41	90	30	2541	DFT	256QAM	Inner_Full	21.62
B66-n41	90	30	2541	DFT	256QAM	Edge_1RB_Left	20.90
B66-n41	90	30	2541	DFT	256QAM	Edge_1RB_Right	21.12
B66-n41	90	30	2541	DFT	256QAM	Outer_Full	21.54
B66-n41	90	30	2541	CP	QPSK	Inner_Full	24.39
B66-n41	90	30	2541	CP	QPSK	Edge_1RB_Left	21.82
B66-n41	90	30	2541	CP	QPSK	Edge_1RB_Right	21.84
B66-n41	90	30	2541	CP	QPSK	Outer_Full	22.77
B66-n41	90	30	2541	CP	16QAM	Inner_Full	24.02
B66-n41	90	30	2541	CP	16QAM	Edge_1RB_Left	22.09
B66-n41	90	30	2541	CP	16QAM	Edge_1RB_Right	22.30
B66-n41	90	30	2541	CP	16QAM	Outer_Full	22.85
B66-n41	90	30	2541	CP	64QAM	Inner_Full	22.67
B66-n41	90	30	2541	CP	64QAM	Edge_1RB_Left	21.72
B66-n41	90	30	2541	CP	64QAM	Edge_1RB_Right	21.90
B66-n41	90	30	2541	CP	64QAM	Outer_Full	22.40
B66-n41	90	30	2541	CP	256QAM	Inner_Full	19.57
B66-n41	90	30	2541	CP	256QAM	Edge_1RB_Left	18.97
B66-n41	90	30	2541	CP	256QAM	Edge_1RB_Right	19.21
B66-n41	90	30	2541	CP	256QAM	Outer_Full	19.49
B66-n41	90	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.96
B66-n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.12
B66-n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.93
B66-n41	90	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.31
B66-n41	90	30	2592.99	DFT	QPSK	Inner_Full	26.01
B66-n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.05
B66-n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.90
B66-n41	90	30	2592.99	DFT	QPSK	Outer_Full	24.84
B66-n41	90	30	2592.99	DFT	16QAM	Inner_Full	25.02
B66-n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.33
B66-n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.16
B66-n41	90	30	2592.99	DFT	16QAM	Outer_Full	23.86
B66-n41	90	30	2592.99	DFT	64QAM	Inner_Full	23.50
B66-n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.09
B66-n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.87

B66-n41	90	30	2592.99	DFT	64QAM	Outer_Full	23.31
B66-n41	90	30	2592.99	DFT	256QAM	Inner_Full	21.67
B66-n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.88
B66-n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.07
B66-n41	90	30	2592.99	DFT	256QAM	Outer_Full	21.49
B66-n41	90	30	2592.99	CP	QPSK	Inner_Full	24.44
B66-n41	90	30	2592.99	CP	QPSK	Edge_1RB_Left	21.92
B66-n41	90	30	2592.99	CP	QPSK	Edge_1RB_Right	21.78
B66-n41	90	30	2592.99	CP	QPSK	Outer_Full	22.74
B66-n41	90	30	2592.99	CP	16QAM	Inner_Full	24.00
B66-n41	90	30	2592.99	CP	16QAM	Edge_1RB_Left	22.32
B66-n41	90	30	2592.99	CP	16QAM	Edge_1RB_Right	21.95
B66-n41	90	30	2592.99	CP	16QAM	Outer_Full	22.75
B66-n41	90	30	2592.99	CP	64QAM	Inner_Full	22.43
B66-n41	90	30	2592.99	CP	64QAM	Edge_1RB_Left	21.81
B66-n41	90	30	2592.99	CP	64QAM	Edge_1RB_Right	22.00
B66-n41	90	30	2592.99	CP	64QAM	Outer_Full	22.46
B66-n41	90	30	2592.99	CP	256QAM	Inner_Full	19.58
B66-n41	90	30	2592.99	CP	256QAM	Edge_1RB_Left	19.11
B66-n41	90	30	2592.99	CP	256QAM	Edge_1RB_Right	19.15
B66-n41	90	30	2592.99	CP	256QAM	Outer_Full	19.52
B66-n41	90	30	2644.98	DFT	pi/2 BPSK	Inner_Full	26.03
B66-n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.77
B66-n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.93
B66-n41	90	30	2644.98	DFT	pi/2 BPSK	Outer_Full	25.49
B66-n41	90	30	2644.98	DFT	QPSK	Inner_Full	26.08
B66-n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	21.68
B66-n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	21.87
B66-n41	90	30	2644.98	DFT	QPSK	Outer_Full	24.98
B66-n41	90	30	2644.98	DFT	16QAM	Inner_Full	25.10
B66-n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	22.04
B66-n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	22.25
B66-n41	90	30	2644.98	DFT	16QAM	Outer_Full	24.00
B66-n41	90	30	2644.98	DFT	64QAM	Inner_Full	23.62
B66-n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	21.80
B66-n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	21.87
B66-n41	90	30	2644.98	DFT	64QAM	Outer_Full	23.51
B66-n41	90	30	2644.98	DFT	256QAM	Inner_Full	21.75
B66-n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Left	20.96
B66-n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Right	21.07
B66-n41	90	30	2644.98	DFT	256QAM	Outer_Full	21.65

B66-n41	90	30	2644.98	CP	QPSK	Inner_Full	24.56
B66-n41	90	30	2644.98	CP	QPSK	Edge_1RB_Left	21.79
B66-n41	90	30	2644.98	CP	QPSK	Edge_1RB_Right	22.09
B66-n41	90	30	2644.98	CP	QPSK	Outer_Full	22.93
B66-n41	90	30	2644.98	CP	16QAM	Inner_Full	24.11
B66-n41	90	30	2644.98	CP	16QAM	Edge_1RB_Left	21.94
B66-n41	90	30	2644.98	CP	16QAM	Edge_1RB_Right	22.33
B66-n41	90	30	2644.98	CP	16QAM	Outer_Full	22.91
B66-n41	90	30	2644.98	CP	64QAM	Inner_Full	22.53
B66-n41	90	30	2644.98	CP	64QAM	Edge_1RB_Left	21.72
B66-n41	90	30	2644.98	CP	64QAM	Edge_1RB_Right	22.01
B66-n41	90	30	2644.98	CP	64QAM	Outer_Full	22.45
B66-n41	90	30	2644.98	CP	256QAM	Inner_Full	19.67
B66-n41	90	30	2644.98	CP	256QAM	Edge_1RB_Left	19.14
B66-n41	90	30	2644.98	CP	256QAM	Edge_1RB_Right	19.28
B66-n41	90	30	2644.98	CP	256QAM	Outer_Full	19.62
B66-n41	100	30	2546.01	DFT	pi/2 BPSK	Inner_Full	25.80
B66-n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.88
B66-n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.72
B66-n41	100	30	2546.01	DFT	pi/2 BPSK	Outer_Full	25.19
B66-n41	100	30	2546.01	DFT	QPSK	Inner_Full	25.88
B66-n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	21.79
B66-n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	21.62
B66-n41	100	30	2546.01	DFT	QPSK	Outer_Full	24.68
B66-n41	100	30	2546.01	DFT	16QAM	Inner_Full	24.94
B66-n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	21.39
B66-n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	21.27
B66-n41	100	30	2546.01	DFT	16QAM	Outer_Full	23.67
B66-n41	100	30	2546.01	DFT	64QAM	Inner_Full	23.44
B66-n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	21.99
B66-n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	21.69
B66-n41	100	30	2546.01	DFT	64QAM	Outer_Full	23.19
B66-n41	100	30	2546.01	DFT	256QAM	Inner_Full	21.54
B66-n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Left	20.77
B66-n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Right	21.02
B66-n41	100	30	2546.01	DFT	256QAM	Outer_Full	21.44
B66-n41	100	30	2546.01	CP	QPSK	Inner_Full	24.42
B66-n41	100	30	2546.01	CP	QPSK	Edge_1RB_Left	21.66
B66-n41	100	30	2546.01	CP	QPSK	Edge_1RB_Right	21.47
B66-n41	100	30	2546.01	CP	QPSK	Outer_Full	22.68
B66-n41	100	30	2546.01	CP	16QAM	Inner_Full	23.95

B66-n41	100	30	2546.01	CP	16QAM	Edge_1RB_Left	21.84
B66-n41	100	30	2546.01	CP	16QAM	Edge_1RB_Right	21.92
B66-n41	100	30	2546.01	CP	16QAM	Outer_Full	22.68
B66-n41	100	30	2546.01	CP	64QAM	Inner_Full	22.60
B66-n41	100	30	2546.01	CP	64QAM	Edge_1RB_Left	21.83
B66-n41	100	30	2546.01	CP	64QAM	Edge_1RB_Right	21.69
B66-n41	100	30	2546.01	CP	64QAM	Outer_Full	22.45
B66-n41	100	30	2546.01	CP	256QAM	Inner_Full	19.44
B66-n41	100	30	2546.01	CP	256QAM	Edge_1RB_Left	18.74
B66-n41	100	30	2546.01	CP	256QAM	Edge_1RB_Right	19.03
B66-n41	100	30	2546.01	CP	256QAM	Outer_Full	19.43
B66-n41	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.90
B66-n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.83
B66-n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.46
B66-n41	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.06
B66-n41	100	30	2592.99	DFT	QPSK	Inner_Full	25.88
B66-n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.71
B66-n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.42
B66-n41	100	30	2592.99	DFT	QPSK	Outer_Full	24.60
B66-n41	100	30	2592.99	DFT	16QAM	Inner_Full	25.01
B66-n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.61
B66-n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.30
B66-n41	100	30	2592.99	DFT	16QAM	Outer_Full	23.62
B66-n41	100	30	2592.99	DFT	64QAM	Inner_Full	23.52
B66-n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.03
B66-n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.64
B66-n41	100	30	2592.99	DFT	64QAM	Outer_Full	23.07
B66-n41	100	30	2592.99	DFT	256QAM	Inner_Full	21.62
B66-n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.44
B66-n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.57
B66-n41	100	30	2592.99	DFT	256QAM	Outer_Full	21.29
B66-n41	100	30	2592.99	CP	QPSK	Inner_Full	24.41
B66-n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	21.49
B66-n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	21.14
B66-n41	100	30	2592.99	CP	QPSK	Outer_Full	22.51
B66-n41	100	30	2592.99	CP	16QAM	Inner_Full	23.96
B66-n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	21.57
B66-n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	20.98
B66-n41	100	30	2592.99	CP	16QAM	Outer_Full	22.59
B66-n41	100	30	2592.99	CP	64QAM	Inner_Full	22.64
B66-n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	21.84

B66-n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	21.52
B66-n41	100	30	2592.99	CP	64QAM	Outer_Full	22.28
B66-n41	100	30	2592.99	CP	256QAM	Inner_Full	19.54
B66-n41	100	30	2592.99	CP	256QAM	Edge_1RB_Left	18.43
B66-n41	100	30	2592.99	CP	256QAM	Edge_1RB_Right	19.07
B66-n41	100	30	2592.99	CP	256QAM	Outer_Full	19.24
B66-n41	100	30	2640	DFT	pi/2 BPSK	Inner_Full	25.96
B66-n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	21.79
B66-n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	21.74
B66-n41	100	30	2640	DFT	pi/2 BPSK	Outer_Full	25.38
B66-n41	100	30	2640	DFT	QPSK	Inner_Full	25.98
B66-n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	21.68
B66-n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	21.67
B66-n41	100	30	2640	DFT	QPSK	Outer_Full	24.88
B66-n41	100	30	2640	DFT	16QAM	Inner_Full	25.05
B66-n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	21.49
B66-n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	22.04
B66-n41	100	30	2640	DFT	16QAM	Outer_Full	23.87
B66-n41	100	30	2640	DFT	64QAM	Inner_Full	23.57
B66-n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	21.68
B66-n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	21.80
B66-n41	100	30	2640	DFT	64QAM	Outer_Full	23.36
B66-n41	100	30	2640	DFT	256QAM	Inner_Full	21.73
B66-n41	100	30	2640	DFT	256QAM	Edge_1RB_Left	20.94
B66-n41	100	30	2640	DFT	256QAM	Edge_1RB_Right	20.99
B66-n41	100	30	2640	DFT	256QAM	Outer_Full	21.59
B66-n41	100	30	2640	CP	QPSK	Inner_Full	24.55
B66-n41	100	30	2640	CP	QPSK	Edge_1RB_Left	21.60
B66-n41	100	30	2640	CP	QPSK	Edge_1RB_Right	21.58
B66-n41	100	30	2640	CP	QPSK	Outer_Full	22.87
B66-n41	100	30	2640	CP	16QAM	Inner_Full	24.08
B66-n41	100	30	2640	CP	16QAM	Edge_1RB_Left	22.06
B66-n41	100	30	2640	CP	16QAM	Edge_1RB_Right	22.01
B66-n41	100	30	2640	CP	16QAM	Outer_Full	22.87
B66-n41	100	30	2640	CP	64QAM	Inner_Full	22.44
B66-n41	100	30	2640	CP	64QAM	Edge_1RB_Left	21.57
B66-n41	100	30	2640	CP	64QAM	Edge_1RB_Right	21.64
B66-n41	100	30	2640	CP	64QAM	Outer_Full	22.36
B66-n41	100	30	2640	CP	256QAM	Inner_Full	19.74
B66-n41	100	30	2640	CP	256QAM	Edge_1RB_Left	19.03
B66-n41	100	30	2640	CP	256QAM	Edge_1RB_Right	18.90



B66-n41	100	30	2640	CP	256QAM	Outer_Full	19.49
---------	-----	----	------	----	--------	------------	-------

**LTE Band 12+NR n66**

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
B12-n66	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	23.30
B12-n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.98
B12-n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.97
B12-n66	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	23.01
B12-n66	5	15	1712.5	DFT	QPSK	Inner_Full	23.34
B12-n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	22.40
B12-n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	22.31
B12-n66	5	15	1712.5	DFT	QPSK	Outer_Full	22.53
B12-n66	5	15	1712.5	DFT	16QAM	Inner_Full	22.53
B12-n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	21.67
B12-n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	21.68
B12-n66	5	15	1712.5	DFT	16QAM	Outer_Full	21.44
B12-n66	5	15	1712.5	DFT	64QAM	Inner_Full	21.04
B12-n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	20.82
B12-n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	20.71
B12-n66	5	15	1712.5	DFT	64QAM	Outer_Full	21.11
B12-n66	5	15	1712.5	DFT	256QAM	Inner_Full	18.96
B12-n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Left	18.92
B12-n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Right	18.82
B12-n66	5	15	1712.5	DFT	256QAM	Outer_Full	19.04
B12-n66	5	15	1712.5	CP	QPSK	Inner_Full	21.91
B12-n66	5	15	1712.5	CP	QPSK	Edge_1RB_Left	20.44
B12-n66	5	15	1712.5	CP	QPSK	Edge_1RB_Right	20.32
B12-n66	5	15	1712.5	CP	QPSK	Outer_Full	20.41
B12-n66	5	15	1712.5	CP	16QAM	Inner_Full	21.36
B12-n66	5	15	1712.5	CP	16QAM	Edge_1RB_Left	20.77
B12-n66	5	15	1712.5	CP	16QAM	Edge_1RB_Right	20.64
B12-n66	5	15	1712.5	CP	16QAM	Outer_Full	20.39
B12-n66	5	15	1712.5	CP	64QAM	Inner_Full	19.97
B12-n66	5	15	1712.5	CP	64QAM	Edge_1RB_Left	19.85
B12-n66	5	15	1712.5	CP	64QAM	Edge_1RB_Right	19.73
B12-n66	5	15	1712.5	CP	64QAM	Outer_Full	19.93
B12-n66	5	15	1712.5	CP	256QAM	Inner_Full	16.97
B12-n66	5	15	1712.5	CP	256QAM	Edge_1RB_Left	16.95
B12-n66	5	15	1712.5	CP	256QAM	Edge_1RB_Right	16.85
B12-n66	5	15	1712.5	CP	256QAM	Outer_Full	17.03
B12-n66	5	15	1745	DFT	pi/2 BPSK	Inner_Full	23.08
B12-n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.83
B12-n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.22

B12-n66	5	15	1745	DFT	pi/2 BPSK	Outer_Full	22.90
B12-n66	5	15	1745	DFT	QPSK	Inner_Full	23.13
B12-n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	22.13
B12-n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	22.66
B12-n66	5	15	1745	DFT	QPSK	Outer_Full	22.44
B12-n66	5	15	1745	DFT	16QAM	Inner_Full	22.34
B12-n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	21.14
B12-n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	21.43
B12-n66	5	15	1745	DFT	16QAM	Outer_Full	21.42
B12-n66	5	15	1745	DFT	64QAM	Inner_Full	20.87
B12-n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	20.54
B12-n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	21.09
B12-n66	5	15	1745	DFT	64QAM	Outer_Full	21.02
B12-n66	5	15	1745	DFT	256QAM	Inner_Full	18.72
B12-n66	5	15	1745	DFT	256QAM	Edge_1RB_Left	18.62
B12-n66	5	15	1745	DFT	256QAM	Edge_1RB_Right	19.24
B12-n66	5	15	1745	DFT	256QAM	Outer_Full	18.98
B12-n66	5	15	1745	CP	QPSK	Inner_Full	21.79
B12-n66	5	15	1745	CP	QPSK	Edge_1RB_Left	20.24
B12-n66	5	15	1745	CP	QPSK	Edge_1RB_Right	20.75
B12-n66	5	15	1745	CP	QPSK	Outer_Full	20.33
B12-n66	5	15	1745	CP	16QAM	Inner_Full	21.17
B12-n66	5	15	1745	CP	16QAM	Edge_1RB_Left	20.31
B12-n66	5	15	1745	CP	16QAM	Edge_1RB_Right	21.00
B12-n66	5	15	1745	CP	16QAM	Outer_Full	20.33
B12-n66	5	15	1745	CP	64QAM	Inner_Full	19.67
B12-n66	5	15	1745	CP	64QAM	Edge_1RB_Left	19.65
B12-n66	5	15	1745	CP	64QAM	Edge_1RB_Right	20.04
B12-n66	5	15	1745	CP	64QAM	Outer_Full	19.88
B12-n66	5	15	1745	CP	256QAM	Inner_Full	16.84
B12-n66	5	15	1745	CP	256QAM	Edge_1RB_Left	16.81
B12-n66	5	15	1745	CP	256QAM	Edge_1RB_Right	17.21
B12-n66	5	15	1745	CP	256QAM	Outer_Full	16.88
B12-n66	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	23.06
B12-n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.72
B12-n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.74
B12-n66	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	22.82
B12-n66	5	15	1777.5	DFT	QPSK	Inner_Full	23.16
B12-n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	22.12
B12-n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	22.13
B12-n66	5	15	1777.5	DFT	QPSK	Outer_Full	22.31



B12-n66	5	15	1777.5	DFT	16QAM	Inner_Full	22.34
B12-n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	21.51
B12-n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	21.09
B12-n66	5	15	1777.5	DFT	16QAM	Outer_Full	21.25
B12-n66	5	15	1777.5	DFT	64QAM	Inner_Full	20.83
B12-n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	20.55
B12-n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	20.59
B12-n66	5	15	1777.5	DFT	64QAM	Outer_Full	20.75
B12-n66	5	15	1777.5	DFT	256QAM	Inner_Full	18.77
B12-n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Left	18.67
B12-n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Right	18.61
B12-n66	5	15	1777.5	DFT	256QAM	Outer_Full	18.86
B12-n66	5	15	1777.5	CP	QPSK	Inner_Full	21.75
B12-n66	5	15	1777.5	CP	QPSK	Edge_1RB_Left	20.19
B12-n66	5	15	1777.5	CP	QPSK	Edge_1RB_Right	20.16
B12-n66	5	15	1777.5	CP	QPSK	Outer_Full	20.23
B12-n66	5	15	1777.5	CP	16QAM	Inner_Full	21.18
B12-n66	5	15	1777.5	CP	16QAM	Edge_1RB_Left	20.50
B12-n66	5	15	1777.5	CP	16QAM	Edge_1RB_Right	20.46
B12-n66	5	15	1777.5	CP	16QAM	Outer_Full	20.25
B12-n66	5	15	1777.5	CP	64QAM	Inner_Full	19.83
B12-n66	5	15	1777.5	CP	64QAM	Edge_1RB_Left	19.60
B12-n66	5	15	1777.5	CP	64QAM	Edge_1RB_Right	19.62
B12-n66	5	15	1777.5	CP	64QAM	Outer_Full	19.75
B12-n66	5	15	1777.5	CP	256QAM	Inner_Full	16.79
B12-n66	5	15	1777.5	CP	256QAM	Edge_1RB_Left	16.71
B12-n66	5	15	1777.5	CP	256QAM	Edge_1RB_Right	16.72
B12-n66	5	15	1777.5	CP	256QAM	Outer_Full	16.80
B12-n66	10	15	1715	DFT	pi/2 BPSK	Inner_Full	23.21
B12-n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	22.94
B12-n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	22.90
B12-n66	10	15	1715	DFT	pi/2 BPSK	Outer_Full	22.93
B12-n66	10	15	1715	DFT	QPSK	Inner_Full	23.22
B12-n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	22.28
B12-n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	22.25
B12-n66	10	15	1715	DFT	QPSK	Outer_Full	22.42
B12-n66	10	15	1715	DFT	16QAM	Inner_Full	22.34
B12-n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	21.61
B12-n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	21.60
B12-n66	10	15	1715	DFT	16QAM	Outer_Full	21.44
B12-n66	10	15	1715	DFT	64QAM	Inner_Full	21.00

B12-n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	20.67
B12-n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	20.68
B12-n66	10	15	1715	DFT	64QAM	Outer_Full	20.94
B12-n66	10	15	1715	DFT	256QAM	Inner_Full	18.99
B12-n66	10	15	1715	DFT	256QAM	Edge_1RB_Left	18.84
B12-n66	10	15	1715	DFT	256QAM	Edge_1RB_Right	18.86
B12-n66	10	15	1715	DFT	256QAM	Outer_Full	18.88
B12-n66	10	15	1715	CP	QPSK	Inner_Full	21.87
B12-n66	10	15	1715	CP	QPSK	Edge_1RB_Left	20.22
B12-n66	10	15	1715	CP	QPSK	Edge_1RB_Right	20.24
B12-n66	10	15	1715	CP	QPSK	Outer_Full	20.43
B12-n66	10	15	1715	CP	16QAM	Inner_Full	21.41
B12-n66	10	15	1715	CP	16QAM	Edge_1RB_Left	20.53
B12-n66	10	15	1715	CP	16QAM	Edge_1RB_Right	20.49
B12-n66	10	15	1715	CP	16QAM	Outer_Full	20.41
B12-n66	10	15	1715	CP	64QAM	Inner_Full	19.83
B12-n66	10	15	1715	CP	64QAM	Edge_1RB_Left	19.72
B12-n66	10	15	1715	CP	64QAM	Edge_1RB_Right	19.70
B12-n66	10	15	1715	CP	64QAM	Outer_Full	19.91
B12-n66	10	15	1715	CP	256QAM	Inner_Full	16.85
B12-n66	10	15	1715	CP	256QAM	Edge_1RB_Left	16.79
B12-n66	10	15	1715	CP	256QAM	Edge_1RB_Right	16.75
B12-n66	10	15	1715	CP	256QAM	Outer_Full	16.93
B12-n66	10	15	1745	DFT	pi/2 BPSK	Inner_Full	23.07
B12-n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.68
B12-n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.01
B12-n66	10	15	1745	DFT	pi/2 BPSK	Outer_Full	22.96
B12-n66	10	15	1745	DFT	QPSK	Inner_Full	23.11
B12-n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	22.04
B12-n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	22.49
B12-n66	10	15	1745	DFT	QPSK	Outer_Full	22.42
B12-n66	10	15	1745	DFT	16QAM	Inner_Full	22.18
B12-n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	21.35
B12-n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	21.27
B12-n66	10	15	1745	DFT	16QAM	Outer_Full	21.47
B12-n66	10	15	1745	DFT	64QAM	Inner_Full	20.85
B12-n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	20.58
B12-n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	20.73
B12-n66	10	15	1745	DFT	64QAM	Outer_Full	20.94
B12-n66	10	15	1745	DFT	256QAM	Inner_Full	18.80
B12-n66	10	15	1745	DFT	256QAM	Edge_1RB_Left	18.60

B12-n66	10	15	1745	DFT	256QAM	Edge_1RB_Right	19.13
B12-n66	10	15	1745	DFT	256QAM	Outer_Full	18.94
B12-n66	10	15	1745	CP	QPSK	Inner_Full	21.68
B12-n66	10	15	1745	CP	QPSK	Edge_1RB_Left	20.00
B12-n66	10	15	1745	CP	QPSK	Edge_1RB_Right	20.46
B12-n66	10	15	1745	CP	QPSK	Outer_Full	20.36
B12-n66	10	15	1745	CP	16QAM	Inner_Full	21.24
B12-n66	10	15	1745	CP	16QAM	Edge_1RB_Left	20.30
B12-n66	10	15	1745	CP	16QAM	Edge_1RB_Right	20.01
B12-n66	10	15	1745	CP	16QAM	Outer_Full	20.45
B12-n66	10	15	1745	CP	64QAM	Inner_Full	19.64
B12-n66	10	15	1745	CP	64QAM	Edge_1RB_Left	19.51
B12-n66	10	15	1745	CP	64QAM	Edge_1RB_Right	19.80
B12-n66	10	15	1745	CP	64QAM	Outer_Full	19.93
B12-n66	10	15	1745	CP	256QAM	Inner_Full	16.66
B12-n66	10	15	1745	CP	256QAM	Edge_1RB_Left	16.68
B12-n66	10	15	1745	CP	256QAM	Edge_1RB_Right	16.91
B12-n66	10	15	1745	CP	256QAM	Outer_Full	16.97
B12-n66	10	15	1775	DFT	pi/2 BPSK	Inner_Full	23.04
B12-n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	22.61
B12-n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	22.65
B12-n66	10	15	1775	DFT	pi/2 BPSK	Outer_Full	22.63
B12-n66	10	15	1775	DFT	QPSK	Inner_Full	23.03
B12-n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	21.96
B12-n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	22.00
B12-n66	10	15	1775	DFT	QPSK	Outer_Full	22.15
B12-n66	10	15	1775	DFT	16QAM	Inner_Full	22.09
B12-n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	21.25
B12-n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	21.38
B12-n66	10	15	1775	DFT	16QAM	Outer_Full	21.20
B12-n66	10	15	1775	DFT	64QAM	Inner_Full	20.71
B12-n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	20.37
B12-n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	20.48
B12-n66	10	15	1775	DFT	64QAM	Outer_Full	20.64
B12-n66	10	15	1775	DFT	256QAM	Inner_Full	18.75
B12-n66	10	15	1775	DFT	256QAM	Edge_1RB_Left	18.40
B12-n66	10	15	1775	DFT	256QAM	Edge_1RB_Right	18.56
B12-n66	10	15	1775	DFT	256QAM	Outer_Full	18.67
B12-n66	10	15	1775	CP	QPSK	Inner_Full	21.55
B12-n66	10	15	1775	CP	QPSK	Edge_1RB_Left	19.90
B12-n66	10	15	1775	CP	QPSK	Edge_1RB_Right	19.92

B12-n66	10	15	1775	CP	QPSK	Outer_Full	20.13
B12-n66	10	15	1775	CP	16QAM	Inner_Full	21.15
B12-n66	10	15	1775	CP	16QAM	Edge_1RB_Left	20.27
B12-n66	10	15	1775	CP	16QAM	Edge_1RB_Right	20.32
B12-n66	10	15	1775	CP	16QAM	Outer_Full	20.23
B12-n66	10	15	1775	CP	64QAM	Inner_Full	19.53
B12-n66	10	15	1775	CP	64QAM	Edge_1RB_Left	19.41
B12-n66	10	15	1775	CP	64QAM	Edge_1RB_Right	19.47
B12-n66	10	15	1775	CP	64QAM	Outer_Full	19.61
B12-n66	10	15	1775	CP	256QAM	Inner_Full	16.55
B12-n66	10	15	1775	CP	256QAM	Edge_1RB_Left	16.59
B12-n66	10	15	1775	CP	256QAM	Edge_1RB_Right	16.49
B12-n66	10	15	1775	CP	256QAM	Outer_Full	16.72
B12-n66	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	23.35
B12-n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.03
B12-n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.93
B12-n66	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	23.04
B12-n66	15	15	1717.5	DFT	QPSK	Inner_Full	23.44
B12-n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	22.41
B12-n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	22.33
B12-n66	15	15	1717.5	DFT	QPSK	Outer_Full	22.57
B12-n66	15	15	1717.5	DFT	16QAM	Inner_Full	22.54
B12-n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	21.76
B12-n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	21.31
B12-n66	15	15	1717.5	DFT	16QAM	Outer_Full	21.66
B12-n66	15	15	1717.5	DFT	64QAM	Inner_Full	20.98
B12-n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	20.81
B12-n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	20.81
B12-n66	15	15	1717.5	DFT	64QAM	Outer_Full	21.07
B12-n66	15	15	1717.5	DFT	256QAM	Inner_Full	19.10
B12-n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Left	18.86
B12-n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Right	18.82
B12-n66	15	15	1717.5	DFT	256QAM	Outer_Full	19.03
B12-n66	15	15	1717.5	CP	QPSK	Inner_Full	22.04
B12-n66	15	15	1717.5	CP	QPSK	Edge_1RB_Left	20.46
B12-n66	15	15	1717.5	CP	QPSK	Edge_1RB_Right	20.30
B12-n66	15	15	1717.5	CP	QPSK	Outer_Full	20.54
B12-n66	15	15	1717.5	CP	16QAM	Inner_Full	21.51
B12-n66	15	15	1717.5	CP	16QAM	Edge_1RB_Left	20.73
B12-n66	15	15	1717.5	CP	16QAM	Edge_1RB_Right	20.63
B12-n66	15	15	1717.5	CP	16QAM	Outer_Full	20.54

B12-n66	15	15	1717.5	CP	64QAM	Inner_Full	19.98
B12-n66	15	15	1717.5	CP	64QAM	Edge_1RB_Left	20.09
B12-n66	15	15	1717.5	CP	64QAM	Edge_1RB_Right	19.75
B12-n66	15	15	1717.5	CP	64QAM	Outer_Full	20.00
B12-n66	15	15	1717.5	CP	256QAM	Inner_Full	17.05
B12-n66	15	15	1717.5	CP	256QAM	Edge_1RB_Left	16.92
B12-n66	15	15	1717.5	CP	256QAM	Edge_1RB_Right	16.85
B12-n66	15	15	1717.5	CP	256QAM	Outer_Full	17.03
B12-n66	15	15	1745	DFT	pi/2 BPSK	Inner_Full	23.26
B12-n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.89
B12-n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.62
B12-n66	15	15	1745	DFT	pi/2 BPSK	Outer_Full	23.21
B12-n66	15	15	1745	DFT	QPSK	Inner_Full	23.28
B12-n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	22.20
B12-n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	22.21
B12-n66	15	15	1745	DFT	QPSK	Outer_Full	22.70
B12-n66	15	15	1745	DFT	16QAM	Inner_Full	22.37
B12-n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	21.70
B12-n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	21.10
B12-n66	15	15	1745	DFT	16QAM	Outer_Full	21.79
B12-n66	15	15	1745	DFT	64QAM	Inner_Full	20.90
B12-n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	20.68
B12-n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	20.91
B12-n66	15	15	1745	DFT	64QAM	Outer_Full	21.22
B12-n66	15	15	1745	DFT	256QAM	Inner_Full	18.94
B12-n66	15	15	1745	DFT	256QAM	Edge_1RB_Left	18.75
B12-n66	15	15	1745	DFT	256QAM	Edge_1RB_Right	19.12
B12-n66	15	15	1745	DFT	256QAM	Outer_Full	19.20
B12-n66	15	15	1745	CP	QPSK	Inner_Full	21.91
B12-n66	15	15	1745	CP	QPSK	Edge_1RB_Left	20.29
B12-n66	15	15	1745	CP	QPSK	Edge_1RB_Right	20.09
B12-n66	15	15	1745	CP	QPSK	Outer_Full	20.66
B12-n66	15	15	1745	CP	16QAM	Inner_Full	21.45
B12-n66	15	15	1745	CP	16QAM	Edge_1RB_Left	20.33
B12-n66	15	15	1745	CP	16QAM	Edge_1RB_Right	20.02
B12-n66	15	15	1745	CP	16QAM	Outer_Full	20.73
B12-n66	15	15	1745	CP	64QAM	Inner_Full	19.94
B12-n66	15	15	1745	CP	64QAM	Edge_1RB_Left	19.75
B12-n66	15	15	1745	CP	64QAM	Edge_1RB_Right	19.43
B12-n66	15	15	1745	CP	64QAM	Outer_Full	20.21
B12-n66	15	15	1745	CP	256QAM	Inner_Full	17.00

B12-n66	15	15	1745	CP	256QAM	Edge_1RB_Left	16.89
B12-n66	15	15	1745	CP	256QAM	Edge_1RB_Right	16.65
B12-n66	15	15	1745	CP	256QAM	Outer_Full	17.24
B12-n66	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	23.04
B12-n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.59
B12-n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.62
B12-n66	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	22.72
B12-n66	15	15	1772.5	DFT	QPSK	Inner_Full	23.06
B12-n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	21.97
B12-n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	22.06
B12-n66	15	15	1772.5	DFT	QPSK	Outer_Full	22.25
B12-n66	15	15	1772.5	DFT	16QAM	Inner_Full	22.17
B12-n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	21.35
B12-n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	21.49
B12-n66	15	15	1772.5	DFT	16QAM	Outer_Full	21.31
B12-n66	15	15	1772.5	DFT	64QAM	Inner_Full	20.67
B12-n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	20.47
B12-n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	20.54
B12-n66	15	15	1772.5	DFT	64QAM	Outer_Full	20.72
B12-n66	15	15	1772.5	DFT	256QAM	Inner_Full	18.71
B12-n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	18.51
B12-n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	18.58
B12-n66	15	15	1772.5	DFT	256QAM	Outer_Full	18.76
B12-n66	15	15	1772.5	CP	QPSK	Inner_Full	21.62
B12-n66	15	15	1772.5	CP	QPSK	Edge_1RB_Left	20.00
B12-n66	15	15	1772.5	CP	QPSK	Edge_1RB_Right	19.97
B12-n66	15	15	1772.5	CP	QPSK	Outer_Full	20.19
B12-n66	15	15	1772.5	CP	16QAM	Inner_Full	21.11
B12-n66	15	15	1772.5	CP	16QAM	Edge_1RB_Left	20.35
B12-n66	15	15	1772.5	CP	16QAM	Edge_1RB_Right	20.34
B12-n66	15	15	1772.5	CP	16QAM	Outer_Full	20.23
B12-n66	15	15	1772.5	CP	64QAM	Inner_Full	19.66
B12-n66	15	15	1772.5	CP	64QAM	Edge_1RB_Left	19.48
B12-n66	15	15	1772.5	CP	64QAM	Edge_1RB_Right	19.47
B12-n66	15	15	1772.5	CP	64QAM	Outer_Full	19.67
B12-n66	15	15	1772.5	CP	256QAM	Inner_Full	16.66
B12-n66	15	15	1772.5	CP	256QAM	Edge_1RB_Left	16.53
B12-n66	15	15	1772.5	CP	256QAM	Edge_1RB_Right	16.49
B12-n66	15	15	1772.5	CP	256QAM	Outer_Full	16.71
B12-n66	20	15	1720	DFT	pi/2 BPSK	Inner_Full	23.33
B12-n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	22.91

B12-n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	22.85
B12-n66	20	15	1720	DFT	pi/2 BPSK	Outer_Full	23.04
B12-n66	20	15	1720	DFT	QPSK	Inner_Full	23.40
B12-n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	22.33
B12-n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	22.17
B12-n66	20	15	1720	DFT	QPSK	Outer_Full	22.54
B12-n66	20	15	1720	DFT	16QAM	Inner_Full	22.55
B12-n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	21.62
B12-n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	21.58
B12-n66	20	15	1720	DFT	16QAM	Outer_Full	21.51
B12-n66	20	15	1720	DFT	64QAM	Inner_Full	20.98
B12-n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	20.71
B12-n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	20.69
B12-n66	20	15	1720	DFT	64QAM	Outer_Full	21.01
B12-n66	20	15	1720	DFT	256QAM	Inner_Full	19.03
B12-n66	20	15	1720	DFT	256QAM	Edge_1RB_Left	18.79
B12-n66	20	15	1720	DFT	256QAM	Edge_1RB_Right	18.64
B12-n66	20	15	1720	DFT	256QAM	Outer_Full	19.06
B12-n66	20	15	1720	CP	QPSK	Inner_Full	21.98
B12-n66	20	15	1720	CP	QPSK	Edge_1RB_Left	20.32
B12-n66	20	15	1720	CP	QPSK	Edge_1RB_Right	20.23
B12-n66	20	15	1720	CP	QPSK	Outer_Full	20.53
B12-n66	20	15	1720	CP	16QAM	Inner_Full	21.53
B12-n66	20	15	1720	CP	16QAM	Edge_1RB_Left	20.66
B12-n66	20	15	1720	CP	16QAM	Edge_1RB_Right	20.50
B12-n66	20	15	1720	CP	16QAM	Outer_Full	20.51
B12-n66	20	15	1720	CP	64QAM	Inner_Full	20.08
B12-n66	20	15	1720	CP	64QAM	Edge_1RB_Left	19.74
B12-n66	20	15	1720	CP	64QAM	Edge_1RB_Right	19.84
B12-n66	20	15	1720	CP	64QAM	Outer_Full	20.00
B12-n66	20	15	1720	CP	256QAM	Inner_Full	17.03
B12-n66	20	15	1720	CP	256QAM	Edge_1RB_Left	16.84
B12-n66	20	15	1720	CP	256QAM	Edge_1RB_Right	16.65
B12-n66	20	15	1720	CP	256QAM	Outer_Full	17.01
B12-n66	20	15	1745	DFT	pi/2 BPSK	Inner_Full	23.38
B12-n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.82
B12-n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.79
B12-n66	20	15	1745	DFT	pi/2 BPSK	Outer_Full	23.23
B12-n66	20	15	1745	DFT	QPSK	Inner_Full	23.44
B12-n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	22.27
B12-n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	22.21

B12-n66	20	15	1745	DFT	QPSK	Outer_Full	22.77
B12-n66	20	15	1745	DFT	16QAM	Inner_Full	22.55
B12-n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	21.47
B12-n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	21.46
B12-n66	20	15	1745	DFT	16QAM	Outer_Full	21.76
B12-n66	20	15	1745	DFT	64QAM	Inner_Full	21.05
B12-n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	20.64
B12-n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	20.63
B12-n66	20	15	1745	DFT	64QAM	Outer_Full	21.24
B12-n66	20	15	1745	DFT	256QAM	Inner_Full	19.08
B12-n66	20	15	1745	DFT	256QAM	Edge_1RB_Left	18.70
B12-n66	20	15	1745	DFT	256QAM	Edge_1RB_Right	18.72
B12-n66	20	15	1745	DFT	256QAM	Outer_Full	19.27
B12-n66	20	15	1745	CP	QPSK	Inner_Full	22.04
B12-n66	20	15	1745	CP	QPSK	Edge_1RB_Left	20.24
B12-n66	20	15	1745	CP	QPSK	Edge_1RB_Right	20.20
B12-n66	20	15	1745	CP	QPSK	Outer_Full	20.73
B12-n66	20	15	1745	CP	16QAM	Inner_Full	21.60
B12-n66	20	15	1745	CP	16QAM	Edge_1RB_Left	20.55
B12-n66	20	15	1745	CP	16QAM	Edge_1RB_Right	20.24
B12-n66	20	15	1745	CP	16QAM	Outer_Full	20.64
B12-n66	20	15	1745	CP	64QAM	Inner_Full	20.12
B12-n66	20	15	1745	CP	64QAM	Edge_1RB_Left	19.66
B12-n66	20	15	1745	CP	64QAM	Edge_1RB_Right	19.62
B12-n66	20	15	1745	CP	64QAM	Outer_Full	20.21
B12-n66	20	15	1745	CP	256QAM	Inner_Full	17.05
B12-n66	20	15	1745	CP	256QAM	Edge_1RB_Left	16.71
B12-n66	20	15	1745	CP	256QAM	Edge_1RB_Right	16.66
B12-n66	20	15	1745	CP	256QAM	Outer_Full	17.20
B12-n66	20	15	1770	DFT	pi/2 BPSK	Inner_Full	23.08
B12-n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	22.66
B12-n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	22.61
B12-n66	20	15	1770	DFT	pi/2 BPSK	Outer_Full	22.73
B12-n66	20	15	1770	DFT	QPSK	Inner_Full	23.10
B12-n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	21.99
B12-n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	21.98
B12-n66	20	15	1770	DFT	QPSK	Outer_Full	22.29
B12-n66	20	15	1770	DFT	16QAM	Inner_Full	22.23
B12-n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	21.41
B12-n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	21.30
B12-n66	20	15	1770	DFT	16QAM	Outer_Full	21.21



B12-n66	20	15	1770	DFT	64QAM	Inner_Full	20.68
B12-n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	20.51
B12-n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	20.52
B12-n66	20	15	1770	DFT	64QAM	Outer_Full	20.79
B12-n66	20	15	1770	DFT	256QAM	Inner_Full	18.74
B12-n66	20	15	1770	DFT	256QAM	Edge_1RB_Left	18.55
B12-n66	20	15	1770	DFT	256QAM	Edge_1RB_Right	18.54
B12-n66	20	15	1770	DFT	256QAM	Outer_Full	18.77
B12-n66	20	15	1770	CP	QPSK	Inner_Full	21.67
B12-n66	20	15	1770	CP	QPSK	Edge_1RB_Left	20.10
B12-n66	20	15	1770	CP	QPSK	Edge_1RB_Right	19.96
B12-n66	20	15	1770	CP	QPSK	Outer_Full	20.19
B12-n66	20	15	1770	CP	16QAM	Inner_Full	21.24
B12-n66	20	15	1770	CP	16QAM	Edge_1RB_Left	20.35
B12-n66	20	15	1770	CP	16QAM	Edge_1RB_Right	20.31
B12-n66	20	15	1770	CP	16QAM	Outer_Full	20.18
B12-n66	20	15	1770	CP	64QAM	Inner_Full	19.72
B12-n66	20	15	1770	CP	64QAM	Edge_1RB_Left	19.68
B12-n66	20	15	1770	CP	64QAM	Edge_1RB_Right	19.50
B12-n66	20	15	1770	CP	64QAM	Outer_Full	19.70
B12-n66	20	15	1770	CP	256QAM	Inner_Full	16.74
B12-n66	20	15	1770	CP	256QAM	Edge_1RB_Left	16.54
B12-n66	20	15	1770	CP	256QAM	Edge_1RB_Right	16.51
B12-n66	20	15	1770	CP	256QAM	Outer_Full	16.66
B12-n66	25	15	1722.5	DFT	pi/2 BPSK	Inner_Full	23.38
B12-n66	25	15	1722.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.66
B12-n66	25	15	1722.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.58
B12-n66	25	15	1722.5	DFT	pi/2 BPSK	Outer_Full	22.82
B12-n66	25	15	1722.5	DFT	QPSK	Inner_Full	23.42
B12-n66	25	15	1722.5	DFT	QPSK	Edge_1RB_Left	22.07
B12-n66	25	15	1722.5	DFT	QPSK	Edge_1RB_Right	21.94
B12-n66	25	15	1722.5	DFT	QPSK	Outer_Full	22.33
B12-n66	25	15	1722.5	DFT	16QAM	Inner_Full	22.40
B12-n66	25	15	1722.5	DFT	16QAM	Edge_1RB_Left	21.33
B12-n66	25	15	1722.5	DFT	16QAM	Edge_1RB_Right	21.14
B12-n66	25	15	1722.5	DFT	16QAM	Outer_Full	21.37
B12-n66	25	15	1722.5	DFT	64QAM	Inner_Full	20.86
B12-n66	25	15	1722.5	DFT	64QAM	Edge_1RB_Left	20.45
B12-n66	25	15	1722.5	DFT	64QAM	Edge_1RB_Right	20.42
B12-n66	25	15	1722.5	DFT	64QAM	Outer_Full	20.77
B12-n66	25	15	1722.5	DFT	256QAM	Inner_Full	18.91

B12-n66	25	15	1722.5	DFT	256QAM	Edge_1RB_Left	18.64
B12-n66	25	15	1722.5	DFT	256QAM	Edge_1RB_Right	18.48
B12-n66	25	15	1722.5	DFT	256QAM	Outer_Full	18.81
B12-n66	25	15	1722.5	CP	QPSK	Inner_Full	21.86
B12-n66	25	15	1722.5	CP	QPSK	Edge_1RB_Left	20.00
B12-n66	25	15	1722.5	CP	QPSK	Edge_1RB_Right	19.96
B12-n66	25	15	1722.5	CP	QPSK	Outer_Full	20.31
B12-n66	25	15	1722.5	CP	16QAM	Inner_Full	21.37
B12-n66	25	15	1722.5	CP	16QAM	Edge_1RB_Left	20.37
B12-n66	25	15	1722.5	CP	16QAM	Edge_1RB_Right	20.30
B12-n66	25	15	1722.5	CP	16QAM	Outer_Full	20.29
B12-n66	25	15	1722.5	CP	64QAM	Inner_Full	19.90
B12-n66	25	15	1722.5	CP	64QAM	Edge_1RB_Left	19.47
B12-n66	25	15	1722.5	CP	64QAM	Edge_1RB_Right	19.41
B12-n66	25	15	1722.5	CP	64QAM	Outer_Full	19.76
B12-n66	25	15	1722.5	CP	256QAM	Inner_Full	16.94
B12-n66	25	15	1722.5	CP	256QAM	Edge_1RB_Left	16.57
B12-n66	25	15	1722.5	CP	256QAM	Edge_1RB_Right	16.50
B12-n66	25	15	1722.5	CP	256QAM	Outer_Full	16.78
B12-n66	25	15	1745	DFT	pi/2 BPSK	Inner_Full	23.17
B12-n66	25	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.61
B12-n66	25	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.56
B12-n66	25	15	1745	DFT	pi/2 BPSK	Outer_Full	22.73
B12-n66	25	15	1745	DFT	QPSK	Inner_Full	23.24
B12-n66	25	15	1745	DFT	QPSK	Edge_1RB_Left	22.08
B12-n66	25	15	1745	DFT	QPSK	Edge_1RB_Right	21.93
B12-n66	25	15	1745	DFT	QPSK	Outer_Full	22.24
B12-n66	25	15	1745	DFT	16QAM	Inner_Full	22.23
B12-n66	25	15	1745	DFT	16QAM	Edge_1RB_Left	21.39
B12-n66	25	15	1745	DFT	16QAM	Edge_1RB_Right	21.24
B12-n66	25	15	1745	DFT	16QAM	Outer_Full	21.27
B12-n66	25	15	1745	DFT	64QAM	Inner_Full	20.77
B12-n66	25	15	1745	DFT	64QAM	Edge_1RB_Left	20.54
B12-n66	25	15	1745	DFT	64QAM	Edge_1RB_Right	20.37
B12-n66	25	15	1745	DFT	64QAM	Outer_Full	20.77
B12-n66	25	15	1745	DFT	256QAM	Inner_Full	18.78
B12-n66	25	15	1745	DFT	256QAM	Edge_1RB_Left	18.63
B12-n66	25	15	1745	DFT	256QAM	Edge_1RB_Right	18.50
B12-n66	25	15	1745	DFT	256QAM	Outer_Full	18.74
B12-n66	25	15	1745	CP	QPSK	Inner_Full	21.75
B12-n66	25	15	1745	CP	QPSK	Edge_1RB_Left	20.08

B12-n66	25	15	1745	CP	QPSK	Edge_1RB_Right	19.99
B12-n66	25	15	1745	CP	QPSK	Outer_Full	20.22
B12-n66	25	15	1745	CP	16QAM	Inner_Full	21.26
B12-n66	25	15	1745	CP	16QAM	Edge_1RB_Left	20.41
B12-n66	25	15	1745	CP	16QAM	Edge_1RB_Right	20.34
B12-n66	25	15	1745	CP	16QAM	Outer_Full	20.25
B12-n66	25	15	1745	CP	64QAM	Inner_Full	19.73
B12-n66	25	15	1745	CP	64QAM	Edge_1RB_Left	19.54
B12-n66	25	15	1745	CP	64QAM	Edge_1RB_Right	19.44
B12-n66	25	15	1745	CP	64QAM	Outer_Full	19.73
B12-n66	25	15	1745	CP	256QAM	Inner_Full	16.78
B12-n66	25	15	1745	CP	256QAM	Edge_1RB_Left	16.59
B12-n66	25	15	1745	CP	256QAM	Edge_1RB_Right	16.48
B12-n66	25	15	1745	CP	256QAM	Outer_Full	16.71
B12-n66	25	15	1767.5	DFT	pi/2 BPSK	Inner_Full	22.96
B12-n66	25	15	1767.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.53
B12-n66	25	15	1767.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.44
B12-n66	25	15	1767.5	DFT	pi/2 BPSK	Outer_Full	22.58
B12-n66	25	15	1767.5	DFT	QPSK	Inner_Full	23.12
B12-n66	25	15	1767.5	DFT	QPSK	Edge_1RB_Left	21.91
B12-n66	25	15	1767.5	DFT	QPSK	Edge_1RB_Right	21.82
B12-n66	25	15	1767.5	DFT	QPSK	Outer_Full	22.13
B12-n66	25	15	1767.5	DFT	16QAM	Inner_Full	22.21
B12-n66	25	15	1767.5	DFT	16QAM	Edge_1RB_Left	21.26
B12-n66	25	15	1767.5	DFT	16QAM	Edge_1RB_Right	21.21
B12-n66	25	15	1767.5	DFT	16QAM	Outer_Full	21.16
B12-n66	25	15	1767.5	DFT	64QAM	Inner_Full	20.65
B12-n66	25	15	1767.5	DFT	64QAM	Edge_1RB_Left	20.36
B12-n66	25	15	1767.5	DFT	64QAM	Edge_1RB_Right	20.34
B12-n66	25	15	1767.5	DFT	64QAM	Outer_Full	20.63
B12-n66	25	15	1767.5	DFT	256QAM	Inner_Full	18.71
B12-n66	25	15	1767.5	DFT	256QAM	Edge_1RB_Left	18.47
B12-n66	25	15	1767.5	DFT	256QAM	Edge_1RB_Right	18.41
B12-n66	25	15	1767.5	DFT	256QAM	Outer_Full	18.56
B12-n66	25	15	1767.5	CP	QPSK	Inner_Full	21.66
B12-n66	25	15	1767.5	CP	QPSK	Edge_1RB_Left	19.98
B12-n66	25	15	1767.5	CP	QPSK	Edge_1RB_Right	19.87
B12-n66	25	15	1767.5	CP	QPSK	Outer_Full	20.10
B12-n66	25	15	1767.5	CP	16QAM	Inner_Full	21.20
B12-n66	25	15	1767.5	CP	16QAM	Edge_1RB_Left	20.28
B12-n66	25	15	1767.5	CP	16QAM	Edge_1RB_Right	20.15

B12-n66	25	15	1767.5	CP	16QAM	Outer_Full	20.09
B12-n66	25	15	1767.5	CP	64QAM	Inner_Full	19.62
B12-n66	25	15	1767.5	CP	64QAM	Edge_1RB_Left	19.44
B12-n66	25	15	1767.5	CP	64QAM	Edge_1RB_Right	19.36
B12-n66	25	15	1767.5	CP	64QAM	Outer_Full	19.56
B12-n66	25	15	1767.5	CP	256QAM	Inner_Full	16.72
B12-n66	25	15	1767.5	CP	256QAM	Edge_1RB_Left	16.46
B12-n66	25	15	1767.5	CP	256QAM	Edge_1RB_Right	16.41
B12-n66	25	15	1767.5	CP	256QAM	Outer_Full	16.54
B12-n66	30	15	1725	DFT	pi/2 BPSK	Inner_Full	23.31
B12-n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Left	22.65
B12-n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Right	22.51
B12-n66	30	15	1725	DFT	pi/2 BPSK	Outer_Full	22.76
B12-n66	30	15	1725	DFT	QPSK	Inner_Full	23.27
B12-n66	30	15	1725	DFT	QPSK	Edge_1RB_Left	22.03
B12-n66	30	15	1725	DFT	QPSK	Edge_1RB_Right	21.89
B12-n66	30	15	1725	DFT	QPSK	Outer_Full	22.27
B12-n66	30	15	1725	DFT	16QAM	Inner_Full	22.46
B12-n66	30	15	1725	DFT	16QAM	Edge_1RB_Left	21.30
B12-n66	30	15	1725	DFT	16QAM	Edge_1RB_Right	21.22
B12-n66	30	15	1725	DFT	16QAM	Outer_Full	21.30
B12-n66	30	15	1725	DFT	64QAM	Inner_Full	20.99
B12-n66	30	15	1725	DFT	64QAM	Edge_1RB_Left	20.48
B12-n66	30	15	1725	DFT	64QAM	Edge_1RB_Right	20.31
B12-n66	30	15	1725	DFT	64QAM	Outer_Full	20.84
B12-n66	30	15	1725	DFT	256QAM	Inner_Full	18.95
B12-n66	30	15	1725	DFT	256QAM	Edge_1RB_Left	18.62
B12-n66	30	15	1725	DFT	256QAM	Edge_1RB_Right	18.42
B12-n66	30	15	1725	DFT	256QAM	Outer_Full	18.76
B12-n66	30	15	1725	CP	QPSK	Inner_Full	21.91
B12-n66	30	15	1725	CP	QPSK	Edge_1RB_Left	19.97
B12-n66	30	15	1725	CP	QPSK	Edge_1RB_Right	20.00
B12-n66	30	15	1725	CP	QPSK	Outer_Full	20.25
B12-n66	30	15	1725	CP	16QAM	Inner_Full	21.40
B12-n66	30	15	1725	CP	16QAM	Edge_1RB_Left	20.29
B12-n66	30	15	1725	CP	16QAM	Edge_1RB_Right	20.26
B12-n66	30	15	1725	CP	16QAM	Outer_Full	20.23
B12-n66	30	15	1725	CP	64QAM	Inner_Full	19.94
B12-n66	30	15	1725	CP	64QAM	Edge_1RB_Left	19.36
B12-n66	30	15	1725	CP	64QAM	Edge_1RB_Right	19.41
B12-n66	30	15	1725	CP	64QAM	Outer_Full	19.79

B12-n66	30	15	1725	CP	256QAM	Inner_Full	16.87
B12-n66	30	15	1725	CP	256QAM	Edge_1RB_Left	16.53
B12-n66	30	15	1725	CP	256QAM	Edge_1RB_Right	16.49
B12-n66	30	15	1725	CP	256QAM	Outer_Full	16.67
B12-n66	30	15	1745	DFT	pi/2 BPSK	Inner_Full	23.26
B12-n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.54
B12-n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.47
B12-n66	30	15	1745	DFT	pi/2 BPSK	Outer_Full	22.80
B12-n66	30	15	1745	DFT	QPSK	Inner_Full	23.27
B12-n66	30	15	1745	DFT	QPSK	Edge_1RB_Left	21.95
B12-n66	30	15	1745	DFT	QPSK	Edge_1RB_Right	21.76
B12-n66	30	15	1745	DFT	QPSK	Outer_Full	22.32
B12-n66	30	15	1745	DFT	16QAM	Inner_Full	22.28
B12-n66	30	15	1745	DFT	16QAM	Edge_1RB_Left	21.34
B12-n66	30	15	1745	DFT	16QAM	Edge_1RB_Right	21.08
B12-n66	30	15	1745	DFT	16QAM	Outer_Full	21.29
B12-n66	30	15	1745	DFT	64QAM	Inner_Full	20.82
B12-n66	30	15	1745	DFT	64QAM	Edge_1RB_Left	20.48
B12-n66	30	15	1745	DFT	64QAM	Edge_1RB_Right	20.21
B12-n66	30	15	1745	DFT	64QAM	Outer_Full	20.81
B12-n66	30	15	1745	DFT	256QAM	Inner_Full	18.77
B12-n66	30	15	1745	DFT	256QAM	Edge_1RB_Left	18.51
B12-n66	30	15	1745	DFT	256QAM	Edge_1RB_Right	18.40
B12-n66	30	15	1745	DFT	256QAM	Outer_Full	18.81
B12-n66	30	15	1745	CP	QPSK	Inner_Full	21.66
B12-n66	30	15	1745	CP	QPSK	Edge_1RB_Left	20.01
B12-n66	30	15	1745	CP	QPSK	Edge_1RB_Right	19.90
B12-n66	30	15	1745	CP	QPSK	Outer_Full	20.35
B12-n66	30	15	1745	CP	16QAM	Inner_Full	21.29
B12-n66	30	15	1745	CP	16QAM	Edge_1RB_Left	20.31
B12-n66	30	15	1745	CP	16QAM	Edge_1RB_Right	20.25
B12-n66	30	15	1745	CP	16QAM	Outer_Full	20.24
B12-n66	30	15	1745	CP	64QAM	Inner_Full	19.83
B12-n66	30	15	1745	CP	64QAM	Edge_1RB_Left	19.45
B12-n66	30	15	1745	CP	64QAM	Edge_1RB_Right	19.38
B12-n66	30	15	1745	CP	64QAM	Outer_Full	19.78
B12-n66	30	15	1745	CP	256QAM	Inner_Full	16.76
B12-n66	30	15	1745	CP	256QAM	Edge_1RB_Left	16.49
B12-n66	30	15	1745	CP	256QAM	Edge_1RB_Right	16.44
B12-n66	30	15	1745	CP	256QAM	Outer_Full	16.77
B12-n66	30	15	1765	DFT	pi/2 BPSK	Inner_Full	23.04

B12-n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Left	22.52
B12-n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Right	22.41
B12-n66	30	15	1765	DFT	pi/2 BPSK	Outer_Full	22.49
B12-n66	30	15	1765	DFT	QPSK	Inner_Full	23.07
B12-n66	30	15	1765	DFT	QPSK	Edge_1RB_Left	21.87
B12-n66	30	15	1765	DFT	QPSK	Edge_1RB_Right	21.75
B12-n66	30	15	1765	DFT	QPSK	Outer_Full	22.01
B12-n66	30	15	1765	DFT	16QAM	Inner_Full	22.27
B12-n66	30	15	1765	DFT	16QAM	Edge_1RB_Left	21.16
B12-n66	30	15	1765	DFT	16QAM	Edge_1RB_Right	21.12
B12-n66	30	15	1765	DFT	16QAM	Outer_Full	21.03
B12-n66	30	15	1765	DFT	64QAM	Inner_Full	20.75
B12-n66	30	15	1765	DFT	64QAM	Edge_1RB_Left	20.37
B12-n66	30	15	1765	DFT	64QAM	Edge_1RB_Right	20.29
B12-n66	30	15	1765	DFT	64QAM	Outer_Full	20.60
B12-n66	30	15	1765	DFT	256QAM	Inner_Full	18.68
B12-n66	30	15	1765	DFT	256QAM	Edge_1RB_Left	18.32
B12-n66	30	15	1765	DFT	256QAM	Edge_1RB_Right	18.34
B12-n66	30	15	1765	DFT	256QAM	Outer_Full	18.53
B12-n66	30	15	1765	CP	QPSK	Inner_Full	21.67
B12-n66	30	15	1765	CP	QPSK	Edge_1RB_Left	19.84
B12-n66	30	15	1765	CP	QPSK	Edge_1RB_Right	19.84
B12-n66	30	15	1765	CP	QPSK	Outer_Full	19.99
B12-n66	30	15	1765	CP	16QAM	Inner_Full	21.21
B12-n66	30	15	1765	CP	16QAM	Edge_1RB_Left	20.11
B12-n66	30	15	1765	CP	16QAM	Edge_1RB_Right	20.19
B12-n66	30	15	1765	CP	16QAM	Outer_Full	20.06
B12-n66	30	15	1765	CP	64QAM	Inner_Full	19.74
B12-n66	30	15	1765	CP	64QAM	Edge_1RB_Left	19.30
B12-n66	30	15	1765	CP	64QAM	Edge_1RB_Right	19.34
B12-n66	30	15	1765	CP	64QAM	Outer_Full	19.54
B12-n66	30	15	1765	CP	256QAM	Inner_Full	16.70
B12-n66	30	15	1765	CP	256QAM	Edge_1RB_Left	16.40
B12-n66	30	15	1765	CP	256QAM	Edge_1RB_Right	16.42
B12-n66	30	15	1765	CP	256QAM	Outer_Full	16.52
B12-n66	40	15	1730	DFT	pi/2 BPSK	Inner_Full	23.13
B12-n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Left	22.36
B12-n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Right	22.25
B12-n66	40	15	1730	DFT	pi/2 BPSK	Outer_Full	22.40
B12-n66	40	15	1730	DFT	QPSK	Inner_Full	23.15
B12-n66	40	15	1730	DFT	QPSK	Edge_1RB_Left	21.65

B12-n66	40	15	1730	DFT	QPSK	Edge_1RB_Right	21.59
B12-n66	40	15	1730	DFT	QPSK	Outer_Full	21.91
B12-n66	40	15	1730	DFT	16QAM	Inner_Full	22.30
B12-n66	40	15	1730	DFT	16QAM	Edge_1RB_Left	21.05
B12-n66	40	15	1730	DFT	16QAM	Edge_1RB_Right	20.54
B12-n66	40	15	1730	DFT	16QAM	Outer_Full	20.92
B12-n66	40	15	1730	DFT	64QAM	Inner_Full	20.80
B12-n66	40	15	1730	DFT	64QAM	Edge_1RB_Left	20.19
B12-n66	40	15	1730	DFT	64QAM	Edge_1RB_Right	20.01
B12-n66	40	15	1730	DFT	64QAM	Outer_Full	20.46
B12-n66	40	15	1730	DFT	256QAM	Inner_Full	18.79
B12-n66	40	15	1730	DFT	256QAM	Edge_1RB_Left	18.23
B12-n66	40	15	1730	DFT	256QAM	Edge_1RB_Right	18.16
B12-n66	40	15	1730	DFT	256QAM	Outer_Full	18.45
B12-n66	40	15	1730	CP	QPSK	Inner_Full	21.79
B12-n66	40	15	1730	CP	QPSK	Edge_1RB_Left	19.80
B12-n66	40	15	1730	CP	QPSK	Edge_1RB_Right	19.56
B12-n66	40	15	1730	CP	QPSK	Outer_Full	19.93
B12-n66	40	15	1730	CP	16QAM	Inner_Full	21.25
B12-n66	40	15	1730	CP	16QAM	Edge_1RB_Left	20.11
B12-n66	40	15	1730	CP	16QAM	Edge_1RB_Right	19.91
B12-n66	40	15	1730	CP	16QAM	Outer_Full	19.93
B12-n66	40	15	1730	CP	64QAM	Inner_Full	19.75
B12-n66	40	15	1730	CP	64QAM	Edge_1RB_Left	19.12
B12-n66	40	15	1730	CP	64QAM	Edge_1RB_Right	18.87
B12-n66	40	15	1730	CP	64QAM	Outer_Full	19.38
B12-n66	40	15	1730	CP	256QAM	Inner_Full	16.75
B12-n66	40	15	1730	CP	256QAM	Edge_1RB_Left	16.24
B12-n66	40	15	1730	CP	256QAM	Edge_1RB_Right	16.06
B12-n66	40	15	1730	CP	256QAM	Outer_Full	16.38
B12-n66	40	15	1745	DFT	pi/2 BPSK	Inner_Full	23.15
B12-n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.28
B12-n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.96
B12-n66	40	15	1745	DFT	pi/2 BPSK	Outer_Full	22.78
B12-n66	40	15	1745	DFT	QPSK	Inner_Full	23.19
B12-n66	40	15	1745	DFT	QPSK	Edge_1RB_Left	21.75
B12-n66	40	15	1745	DFT	QPSK	Edge_1RB_Right	21.39
B12-n66	40	15	1745	DFT	QPSK	Outer_Full	22.22
B12-n66	40	15	1745	DFT	16QAM	Inner_Full	22.14
B12-n66	40	15	1745	DFT	16QAM	Edge_1RB_Left	21.02
B12-n66	40	15	1745	DFT	16QAM	Edge_1RB_Right	20.69

B12-n66	40	15	1745	DFT	16QAM	Outer_Full	21.25
B12-n66	40	15	1745	DFT	64QAM	Inner_Full	20.68
B12-n66	40	15	1745	DFT	64QAM	Edge_1RB_Left	20.40
B12-n66	40	15	1745	DFT	64QAM	Edge_1RB_Right	20.07
B12-n66	40	15	1745	DFT	64QAM	Outer_Full	20.78
B12-n66	40	15	1745	DFT	256QAM	Inner_Full	18.67
B12-n66	40	15	1745	DFT	256QAM	Edge_1RB_Left	18.10
B12-n66	40	15	1745	DFT	256QAM	Edge_1RB_Right	17.84
B12-n66	40	15	1745	DFT	256QAM	Outer_Full	18.76
B12-n66	40	15	1745	CP	QPSK	Inner_Full	21.63
B12-n66	40	15	1745	CP	QPSK	Edge_1RB_Left	19.84
B12-n66	40	15	1745	CP	QPSK	Edge_1RB_Right	19.42
B12-n66	40	15	1745	CP	QPSK	Outer_Full	20.26
B12-n66	40	15	1745	CP	16QAM	Inner_Full	21.15
B12-n66	40	15	1745	CP	16QAM	Edge_1RB_Left	20.08
B12-n66	40	15	1745	CP	16QAM	Edge_1RB_Right	19.64
B12-n66	40	15	1745	CP	16QAM	Outer_Full	20.22
B12-n66	40	15	1745	CP	64QAM	Inner_Full	19.63
B12-n66	40	15	1745	CP	64QAM	Edge_1RB_Left	19.44
B12-n66	40	15	1745	CP	64QAM	Edge_1RB_Right	18.99
B12-n66	40	15	1745	CP	64QAM	Outer_Full	19.75
B12-n66	40	15	1745	CP	256QAM	Inner_Full	16.62
B12-n66	40	15	1745	CP	256QAM	Edge_1RB_Left	16.16
B12-n66	40	15	1745	CP	256QAM	Edge_1RB_Right	15.78
B12-n66	40	15	1745	CP	256QAM	Outer_Full	16.76
B12-n66	40	15	1760	DFT	pi/2 BPSK	Inner_Full	23.01
B12-n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Left	22.17
B12-n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Right	22.16
B12-n66	40	15	1760	DFT	pi/2 BPSK	Outer_Full	22.45
B12-n66	40	15	1760	DFT	QPSK	Inner_Full	23.06
B12-n66	40	15	1760	DFT	QPSK	Edge_1RB_Left	21.58
B12-n66	40	15	1760	DFT	QPSK	Edge_1RB_Right	21.53
B12-n66	40	15	1760	DFT	QPSK	Outer_Full	21.96
B12-n66	40	15	1760	DFT	16QAM	Inner_Full	22.20
B12-n66	40	15	1760	DFT	16QAM	Edge_1RB_Left	20.93
B12-n66	40	15	1760	DFT	16QAM	Edge_1RB_Right	20.89
B12-n66	40	15	1760	DFT	16QAM	Outer_Full	21.02
B12-n66	40	15	1760	DFT	64QAM	Inner_Full	20.67
B12-n66	40	15	1760	DFT	64QAM	Edge_1RB_Left	19.97
B12-n66	40	15	1760	DFT	64QAM	Edge_1RB_Right	20.02
B12-n66	40	15	1760	DFT	64QAM	Outer_Full	20.48



B12-n66	40	15	1760	DFT	256QAM	Inner_Full	18.59
B12-n66	40	15	1760	DFT	256QAM	Edge_1RB_Left	18.08
B12-n66	40	15	1760	DFT	256QAM	Edge_1RB_Right	18.03
B12-n66	40	15	1760	DFT	256QAM	Outer_Full	18.42
B12-n66	40	15	1760	CP	QPSK	Inner_Full	21.61
B12-n66	40	15	1760	CP	QPSK	Edge_1RB_Left	19.62
B12-n66	40	15	1760	CP	QPSK	Edge_1RB_Right	19.53
B12-n66	40	15	1760	CP	QPSK	Outer_Full	19.91
B12-n66	40	15	1760	CP	16QAM	Inner_Full	21.09
B12-n66	40	15	1760	CP	16QAM	Edge_1RB_Left	19.91
B12-n66	40	15	1760	CP	16QAM	Edge_1RB_Right	19.78
B12-n66	40	15	1760	CP	16QAM	Outer_Full	19.89
B12-n66	40	15	1760	CP	64QAM	Inner_Full	19.60
B12-n66	40	15	1760	CP	64QAM	Edge_1RB_Left	19.01
B12-n66	40	15	1760	CP	64QAM	Edge_1RB_Right	18.93
B12-n66	40	15	1760	CP	64QAM	Outer_Full	19.34
B12-n66	40	15	1760	CP	256QAM	Inner_Full	16.65
B12-n66	40	15	1760	CP	256QAM	Edge_1RB_Left	16.10
B12-n66	40	15	1760	CP	256QAM	Edge_1RB_Right	15.98
B12-n66	40	15	1760	CP	256QAM	Outer_Full	16.37

**n70**

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n70	5	15	1697.5	DFT	pi/2 BPSK	Inner_Full	22.00
n70	5	15	1697.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.89
n70	5	15	1697.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.91
n70	5	15	1697.5	DFT	pi/2 BPSK	Outer_Full	21.94
n70	5	15	1697.5	DFT	QPSK	Inner_Full	21.96
n70	5	15	1697.5	DFT	QPSK	Edge_1RB_Left	21.75
n70	5	15	1697.5	DFT	QPSK	Edge_1RB_Right	21.93
n70	5	15	1697.5	DFT	QPSK	Outer_Full	22.00
n70	5	15	1697.5	DFT	16QAM	Inner_Full	21.55
n70	5	15	1697.5	DFT	16QAM	Edge_1RB_Left	20.70
n70	5	15	1697.5	DFT	16QAM	Edge_1RB_Right	20.77
n70	5	15	1697.5	DFT	16QAM	Outer_Full	20.45
n70	5	15	1697.5	DFT	64QAM	Inner_Full	19.48
n70	5	15	1697.5	DFT	64QAM	Edge_1RB_Left	19.58
n70	5	15	1697.5	DFT	64QAM	Edge_1RB_Right	19.74
n70	5	15	1697.5	DFT	64QAM	Outer_Full	19.43
n70	5	15	1697.5	DFT	256QAM	Inner_Full	17.40
n70	5	15	1697.5	DFT	256QAM	Edge_1RB_Left	17.42
n70	5	15	1697.5	DFT	256QAM	Edge_1RB_Right	17.50
n70	5	15	1697.5	DFT	256QAM	Outer_Full	17.36
n70	5	15	1697.5	CP	QPSK	Inner_Full	21.40
n70	5	15	1697.5	CP	QPSK	Edge_1RB_Left	18.78
n70	5	15	1697.5	CP	QPSK	Edge_1RB_Right	18.85
n70	5	15	1697.5	CP	QPSK	Outer_Full	18.90
n70	5	15	1697.5	CP	16QAM	Inner_Full	20.00
n70	5	15	1697.5	CP	16QAM	Edge_1RB_Left	19.13
n70	5	15	1697.5	CP	16QAM	Edge_1RB_Right	19.03
n70	5	15	1697.5	CP	16QAM	Outer_Full	18.92
n70	5	15	1697.5	CP	64QAM	Inner_Full	18.32
n70	5	15	1697.5	CP	64QAM	Edge_1RB_Left	18.17
n70	5	15	1697.5	CP	64QAM	Edge_1RB_Right	18.19
n70	5	15	1697.5	CP	64QAM	Outer_Full	18.35
n70	5	15	1697.5	CP	256QAM	Inner_Full	15.53
n70	5	15	1697.5	CP	256QAM	Edge_1RB_Left	15.51
n70	5	15	1697.5	CP	256QAM	Edge_1RB_Right	15.55
n70	5	15	1697.5	CP	256QAM	Outer_Full	15.28
n70	5	15	1702.5	DFT	pi/2 BPSK	Inner_Full	21.92
n70	5	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.90
n70	5	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.87

n70	5	15	1702.5	DFT	pi/2 BPSK	Outer_Full	21.96
n70	5	15	1702.5	DFT	QPSK	Inner_Full	21.95
n70	5	15	1702.5	DFT	QPSK	Edge_1RB_Left	21.92
n70	5	15	1702.5	DFT	QPSK	Edge_1RB_Right	22.01
n70	5	15	1702.5	DFT	QPSK	Outer_Full	21.98
n70	5	15	1702.5	DFT	16QAM	Inner_Full	21.59
n70	5	15	1702.5	DFT	16QAM	Edge_1RB_Left	20.68
n70	5	15	1702.5	DFT	16QAM	Edge_1RB_Right	20.66
n70	5	15	1702.5	DFT	16QAM	Outer_Full	20.46
n70	5	15	1702.5	DFT	64QAM	Inner_Full	19.61
n70	5	15	1702.5	DFT	64QAM	Edge_1RB_Left	19.66
n70	5	15	1702.5	DFT	64QAM	Edge_1RB_Right	19.61
n70	5	15	1702.5	DFT	64QAM	Outer_Full	19.34
n70	5	15	1702.5	DFT	256QAM	Inner_Full	17.27
n70	5	15	1702.5	DFT	256QAM	Edge_1RB_Left	17.50
n70	5	15	1702.5	DFT	256QAM	Edge_1RB_Right	17.48
n70	5	15	1702.5	DFT	256QAM	Outer_Full	17.31
n70	5	15	1702.5	CP	QPSK	Inner_Full	21.37
n70	5	15	1702.5	CP	QPSK	Edge_1RB_Left	18.82
n70	5	15	1702.5	CP	QPSK	Edge_1RB_Right	18.96
n70	5	15	1702.5	CP	QPSK	Outer_Full	18.97
n70	5	15	1702.5	CP	16QAM	Inner_Full	20.08
n70	5	15	1702.5	CP	16QAM	Edge_1RB_Left	19.22
n70	5	15	1702.5	CP	16QAM	Edge_1RB_Right	19.03
n70	5	15	1702.5	CP	16QAM	Outer_Full	19.08
n70	5	15	1702.5	CP	64QAM	Inner_Full	18.44
n70	5	15	1702.5	CP	64QAM	Edge_1RB_Left	18.37
n70	5	15	1702.5	CP	64QAM	Edge_1RB_Right	18.39
n70	5	15	1702.5	CP	64QAM	Outer_Full	18.26
n70	5	15	1702.5	CP	256QAM	Inner_Full	15.42
n70	5	15	1702.5	CP	256QAM	Edge_1RB_Left	15.58
n70	5	15	1702.5	CP	256QAM	Edge_1RB_Right	15.71
n70	5	15	1702.5	CP	256QAM	Outer_Full	15.41
n70	5	15	1707.5	DFT	pi/2 BPSK	Inner_Full	21.95
n70	5	15	1707.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.88
n70	5	15	1707.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.09
n70	5	15	1707.5	DFT	pi/2 BPSK	Outer_Full	21.93
n70	5	15	1707.5	DFT	QPSK	Inner_Full	22.20
n70	5	15	1707.5	DFT	QPSK	Edge_1RB_Left	22.11
n70	5	15	1707.5	DFT	QPSK	Edge_1RB_Right	22.15
n70	5	15	1707.5	DFT	QPSK	Outer_Full	22.18

n70	5	15	1707.5	DFT	16QAM	Inner_Full	21.53
n70	5	15	1707.5	DFT	16QAM	Edge_1RB_Left	20.75
n70	5	15	1707.5	DFT	16QAM	Edge_1RB_Right	20.79
n70	5	15	1707.5	DFT	16QAM	Outer_Full	20.72
n70	5	15	1707.5	DFT	64QAM	Inner_Full	19.76
n70	5	15	1707.5	DFT	64QAM	Edge_1RB_Left	19.80
n70	5	15	1707.5	DFT	64QAM	Edge_1RB_Right	19.87
n70	5	15	1707.5	DFT	64QAM	Outer_Full	19.43
n70	5	15	1707.5	DFT	256QAM	Inner_Full	17.37
n70	5	15	1707.5	DFT	256QAM	Edge_1RB_Left	17.52
n70	5	15	1707.5	DFT	256QAM	Edge_1RB_Right	17.67
n70	5	15	1707.5	DFT	256QAM	Outer_Full	17.33
n70	5	15	1707.5	CP	QPSK	Inner_Full	21.47
n70	5	15	1707.5	CP	QPSK	Edge_1RB_Left	18.95
n70	5	15	1707.5	CP	QPSK	Edge_1RB_Right	19.09
n70	5	15	1707.5	CP	QPSK	Outer_Full	19.10
n70	5	15	1707.5	CP	16QAM	Inner_Full	20.04
n70	5	15	1707.5	CP	16QAM	Edge_1RB_Left	19.21
n70	5	15	1707.5	CP	16QAM	Edge_1RB_Right	19.39
n70	5	15	1707.5	CP	16QAM	Outer_Full	19.19
n70	5	15	1707.5	CP	64QAM	Inner_Full	18.61
n70	5	15	1707.5	CP	64QAM	Edge_1RB_Left	18.50
n70	5	15	1707.5	CP	64QAM	Edge_1RB_Right	18.51
n70	5	15	1707.5	CP	64QAM	Outer_Full	18.35
n70	5	15	1707.5	CP	256QAM	Inner_Full	15.47
n70	5	15	1707.5	CP	256QAM	Edge_1RB_Left	15.73
n70	5	15	1707.5	CP	256QAM	Edge_1RB_Right	15.85
n70	5	15	1707.5	CP	256QAM	Outer_Full	15.57
n70	10	15	1700	DFT	pi/2 BPSK	Inner_Full	21.77
n70	10	15	1700	DFT	pi/2 BPSK	Edge_1RB_Left	21.73
n70	10	15	1700	DFT	pi/2 BPSK	Edge_1RB_Right	21.93
n70	10	15	1700	DFT	pi/2 BPSK	Outer_Full	21.77
n70	10	15	1700	DFT	QPSK	Inner_Full	21.80
n70	10	15	1700	DFT	QPSK	Edge_1RB_Left	21.72
n70	10	15	1700	DFT	QPSK	Edge_1RB_Right	21.66
n70	10	15	1700	DFT	QPSK	Outer_Full	21.84
n70	10	15	1700	DFT	16QAM	Inner_Full	21.40
n70	10	15	1700	DFT	16QAM	Edge_1RB_Left	20.44
n70	10	15	1700	DFT	16QAM	Edge_1RB_Right	20.71
n70	10	15	1700	DFT	16QAM	Outer_Full	20.28
n70	10	15	1700	DFT	64QAM	Inner_Full	19.21

n70	10	15	1700	DFT	64QAM	Edge_1RB_Left	19.53
n70	10	15	1700	DFT	64QAM	Edge_1RB_Right	19.62
n70	10	15	1700	DFT	64QAM	Outer_Full	19.24
n70	10	15	1700	DFT	256QAM	Inner_Full	17.18
n70	10	15	1700	DFT	256QAM	Edge_1RB_Left	17.21
n70	10	15	1700	DFT	256QAM	Edge_1RB_Right	17.56
n70	10	15	1700	DFT	256QAM	Outer_Full	17.16
n70	10	15	1700	CP	QPSK	Inner_Full	21.27
n70	10	15	1700	CP	QPSK	Edge_1RB_Left	18.52
n70	10	15	1700	CP	QPSK	Edge_1RB_Right	18.83
n70	10	15	1700	CP	QPSK	Outer_Full	18.65
n70	10	15	1700	CP	16QAM	Inner_Full	19.70
n70	10	15	1700	CP	16QAM	Edge_1RB_Left	18.79
n70	10	15	1700	CP	16QAM	Edge_1RB_Right	19.20
n70	10	15	1700	CP	16QAM	Outer_Full	18.68
n70	10	15	1700	CP	64QAM	Inner_Full	18.25
n70	10	15	1700	CP	64QAM	Edge_1RB_Left	18.14
n70	10	15	1700	CP	64QAM	Edge_1RB_Right	18.09
n70	10	15	1700	CP	64QAM	Outer_Full	18.23
n70	10	15	1700	CP	256QAM	Inner_Full	15.30
n70	10	15	1700	CP	256QAM	Edge_1RB_Left	15.32
n70	10	15	1700	CP	256QAM	Edge_1RB_Right	15.60
n70	10	15	1700	CP	256QAM	Outer_Full	15.12
n70	10	15	1702.5	DFT	pi/2 BPSK	Inner_Full	21.67
n70	10	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.65
n70	10	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.91
n70	10	15	1702.5	DFT	pi/2 BPSK	Outer_Full	21.72
n70	10	15	1702.5	DFT	QPSK	Inner_Full	21.85
n70	10	15	1702.5	DFT	QPSK	Edge_1RB_Left	21.62
n70	10	15	1702.5	DFT	QPSK	Edge_1RB_Right	21.68
n70	10	15	1702.5	DFT	QPSK	Outer_Full	21.77
n70	10	15	1702.5	DFT	16QAM	Inner_Full	21.44
n70	10	15	1702.5	DFT	16QAM	Edge_1RB_Left	20.50
n70	10	15	1702.5	DFT	16QAM	Edge_1RB_Right	20.70
n70	10	15	1702.5	DFT	16QAM	Outer_Full	20.21
n70	10	15	1702.5	DFT	64QAM	Inner_Full	19.14
n70	10	15	1702.5	DFT	64QAM	Edge_1RB_Left	19.43
n70	10	15	1702.5	DFT	64QAM	Edge_1RB_Right	19.42
n70	10	15	1702.5	DFT	64QAM	Outer_Full	19.31
n70	10	15	1702.5	DFT	256QAM	Inner_Full	17.21
n70	10	15	1702.5	DFT	256QAM	Edge_1RB_Left	17.17

n70	10	15	1702.5	DFT	256QAM	Edge_1RB_Right	17.39
n70	10	15	1702.5	DFT	256QAM	Outer_Full	17.29
n70	10	15	1702.5	CP	QPSK	Inner_Full	21.15
n70	10	15	1702.5	CP	QPSK	Edge_1RB_Left	18.60
n70	10	15	1702.5	CP	QPSK	Edge_1RB_Right	18.85
n70	10	15	1702.5	CP	QPSK	Outer_Full	18.77
n70	10	15	1702.5	CP	16QAM	Inner_Full	19.79
n70	10	15	1702.5	CP	16QAM	Edge_1RB_Left	19.02
n70	10	15	1702.5	CP	16QAM	Edge_1RB_Right	19.03
n70	10	15	1702.5	CP	16QAM	Outer_Full	18.58
n70	10	15	1702.5	CP	64QAM	Inner_Full	18.28
n70	10	15	1702.5	CP	64QAM	Edge_1RB_Left	17.96
n70	10	15	1702.5	CP	64QAM	Edge_1RB_Right	18.33
n70	10	15	1702.5	CP	64QAM	Outer_Full	18.11
n70	10	15	1702.5	CP	256QAM	Inner_Full	15.36
n70	10	15	1702.5	CP	256QAM	Edge_1RB_Left	15.37
n70	10	15	1702.5	CP	256QAM	Edge_1RB_Right	15.66
n70	10	15	1702.5	CP	256QAM	Outer_Full	15.28
n70	10	15	1705	DFT	pi/2 BPSK	Inner_Full	21.93
n70	10	15	1705	DFT	pi/2 BPSK	Edge_1RB_Left	21.72
n70	10	15	1705	DFT	pi/2 BPSK	Edge_1RB_Right	22.01
n70	10	15	1705	DFT	pi/2 BPSK	Outer_Full	21.91
n70	10	15	1705	DFT	QPSK	Inner_Full	22.01
n70	10	15	1705	DFT	QPSK	Edge_1RB_Left	21.73
n70	10	15	1705	DFT	QPSK	Edge_1RB_Right	21.76
n70	10	15	1705	DFT	QPSK	Outer_Full	21.96
n70	10	15	1705	DFT	16QAM	Inner_Full	21.51
n70	10	15	1705	DFT	16QAM	Edge_1RB_Left	20.66
n70	10	15	1705	DFT	16QAM	Edge_1RB_Right	20.86
n70	10	15	1705	DFT	16QAM	Outer_Full	20.30
n70	10	15	1705	DFT	64QAM	Inner_Full	19.30
n70	10	15	1705	DFT	64QAM	Edge_1RB_Left	19.62
n70	10	15	1705	DFT	64QAM	Edge_1RB_Right	19.65
n70	10	15	1705	DFT	64QAM	Outer_Full	19.46
n70	10	15	1705	DFT	256QAM	Inner_Full	17.34
n70	10	15	1705	DFT	256QAM	Edge_1RB_Left	17.41
n70	10	15	1705	DFT	256QAM	Edge_1RB_Right	17.29
n70	10	15	1705	DFT	256QAM	Outer_Full	17.41
n70	10	15	1705	CP	QPSK	Inner_Full	21.45
n70	10	15	1705	CP	QPSK	Edge_1RB_Left	18.73
n70	10	15	1705	CP	QPSK	Edge_1RB_Right	18.86

n70	10	15	1705	CP	QPSK	Outer_Full	18.90
n70	10	15	1705	CP	16QAM	Inner_Full	19.95
n70	10	15	1705	CP	16QAM	Edge_1RB_Left	19.06
n70	10	15	1705	CP	16QAM	Edge_1RB_Right	19.19
n70	10	15	1705	CP	16QAM	Outer_Full	18.73
n70	10	15	1705	CP	64QAM	Inner_Full	18.23
n70	10	15	1705	CP	64QAM	Edge_1RB_Left	18.34
n70	10	15	1705	CP	64QAM	Edge_1RB_Right	18.41
n70	10	15	1705	CP	64QAM	Outer_Full	18.40
n70	10	15	1705	CP	256QAM	Inner_Full	15.54
n70	10	15	1705	CP	256QAM	Edge_1RB_Left	15.41
n70	10	15	1705	CP	256QAM	Edge_1RB_Right	15.45
n70	10	15	1705	CP	256QAM	Outer_Full	15.42
n70	15	15	1702.5	DFT	pi/2 BPSK	Inner_Full	21.97
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.72
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.83
n70	15	15	1702.5	DFT	pi/2 BPSK	Outer_Full	21.93
n70	15	15	1702.5	DFT	QPSK	Inner_Full	21.95
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Left	21.85
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Right	22.02
n70	15	15	1702.5	DFT	QPSK	Outer_Full	22.03
n70	15	15	1702.5	DFT	16QAM	Inner_Full	21.55
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Left	20.70
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Right	20.37
n70	15	15	1702.5	DFT	16QAM	Outer_Full	20.49
n70	15	15	1702.5	DFT	64QAM	Inner_Full	19.45
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Left	19.54
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Right	19.60
n70	15	15	1702.5	DFT	64QAM	Outer_Full	19.37
n70	15	15	1702.5	DFT	256QAM	Inner_Full	17.38
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Left	17.46
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Right	17.38
n70	15	15	1702.5	DFT	256QAM	Outer_Full	17.23
n70	15	15	1702.5	CP	QPSK	Inner_Full	21.48
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Left	18.69
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Right	18.79
n70	15	15	1702.5	CP	QPSK	Outer_Full	18.81
n70	15	15	1702.5	CP	16QAM	Inner_Full	19.92
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Left	19.02
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Right	19.27
n70	15	15	1702.5	CP	16QAM	Outer_Full	18.92

n70	15	15	1702.5	CP	64QAM	Inner_Full	18.40
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Left	18.22
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Right	18.25
n70	15	15	1702.5	CP	64QAM	Outer_Full	18.43
n70	15	15	1702.5	CP	256QAM	Inner_Full	15.53
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Left	15.47
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Right	15.22
n70	15	15	1702.5	CP	256QAM	Outer_Full	15.30
n70	15	15	1702.5	DFT	pi/2 BPSK	Inner_Full	21.87
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.84
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.10
n70	15	15	1702.5	DFT	pi/2 BPSK	Outer_Full	21.93
n70	15	15	1702.5	DFT	QPSK	Inner_Full	22.04
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Left	21.70
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Right	21.80
n70	15	15	1702.5	DFT	QPSK	Outer_Full	21.91
n70	15	15	1702.5	DFT	16QAM	Inner_Full	21.60
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Left	20.57
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Right	20.88
n70	15	15	1702.5	DFT	16QAM	Outer_Full	20.56
n70	15	15	1702.5	DFT	64QAM	Inner_Full	19.34
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Left	19.67
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Right	19.68
n70	15	15	1702.5	DFT	64QAM	Outer_Full	19.50
n70	15	15	1702.5	DFT	256QAM	Inner_Full	17.39
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Left	17.35
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Right	17.66
n70	15	15	1702.5	DFT	256QAM	Outer_Full	17.44
n70	15	15	1702.5	CP	QPSK	Inner_Full	21.35
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Left	18.80
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Right	18.99
n70	15	15	1702.5	CP	QPSK	Outer_Full	18.97
n70	15	15	1702.5	CP	16QAM	Inner_Full	19.99
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Left	18.89
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Right	19.08
n70	15	15	1702.5	CP	16QAM	Outer_Full	18.84
n70	15	15	1702.5	CP	64QAM	Inner_Full	18.30
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Left	18.12
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Right	18.25
n70	15	15	1702.5	CP	64QAM	Outer_Full	18.33
n70	15	15	1702.5	CP	256QAM	Inner_Full	15.42



n70	15	15	1702.5	CP	256QAM	Edge_1RB_Left	15.57
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Right	15.76
n70	15	15	1702.5	CP	256QAM	Outer_Full	15.40
n70	15	15	1702.5	DFT	pi/2 BPSK	Inner_Full	22.03
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.74
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.90
n70	15	15	1702.5	DFT	pi/2 BPSK	Outer_Full	21.95
n70	15	15	1702.5	DFT	QPSK	Inner_Full	21.92
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Left	21.85
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Right	22.06
n70	15	15	1702.5	DFT	QPSK	Outer_Full	22.02
n70	15	15	1702.5	DFT	16QAM	Inner_Full	21.60
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Left	20.58
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Right	20.90
n70	15	15	1702.5	DFT	16QAM	Outer_Full	20.39
n70	15	15	1702.5	DFT	64QAM	Inner_Full	19.40
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Left	19.54
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Right	19.79
n70	15	15	1702.5	DFT	64QAM	Outer_Full	19.50
n70	15	15	1702.5	DFT	256QAM	Inner_Full	17.38
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Left	17.32
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Right	17.75
n70	15	15	1702.5	DFT	256QAM	Outer_Full	17.43
n70	15	15	1702.5	CP	QPSK	Inner_Full	21.52
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Left	18.72
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Right	19.03
n70	15	15	1702.5	CP	QPSK	Outer_Full	18.85
n70	15	15	1702.5	CP	16QAM	Inner_Full	19.83
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Left	19.00
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Right	19.07
n70	15	15	1702.5	CP	16QAM	Outer_Full	18.95
n70	15	15	1702.5	CP	64QAM	Inner_Full	18.48
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Left	18.10
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Right	18.04
n70	15	15	1702.5	CP	64QAM	Outer_Full	18.32
n70	15	15	1702.5	CP	256QAM	Inner_Full	15.59
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Left	15.46
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Right	15.75
n70	15	15	1702.5	CP	256QAM	Outer_Full	15.43

**LTE Band 66+NR n71**

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
B66-n71	5	15	665.5	DFT	pi/2 BPSK	Inner_Full	23.41
B66-n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.04
B66-n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.01
B66-n71	5	15	665.5	DFT	pi/2 BPSK	Outer_Full	22.96
B66-n71	5	15	665.5	DFT	QPSK	Inner_Full	23.52
B66-n71	5	15	665.5	DFT	QPSK	Edge_1RB_Left	22.30
B66-n71	5	15	665.5	DFT	QPSK	Edge_1RB_Right	22.37
B66-n71	5	15	665.5	DFT	QPSK	Outer_Full	22.51
B66-n71	5	15	665.5	DFT	16QAM	Inner_Full	22.56
B66-n71	5	15	665.5	DFT	16QAM	Edge_1RB_Left	21.64
B66-n71	5	15	665.5	DFT	16QAM	Edge_1RB_Right	21.71
B66-n71	5	15	665.5	DFT	16QAM	Outer_Full	21.42
B66-n71	5	15	665.5	DFT	64QAM	Inner_Full	21.02
B66-n71	5	15	665.5	DFT	64QAM	Edge_1RB_Left	20.88
B66-n71	5	15	665.5	DFT	64QAM	Edge_1RB_Right	20.96
B66-n71	5	15	665.5	DFT	64QAM	Outer_Full	21.06
B66-n71	5	15	665.5	DFT	256QAM	Inner_Full	19.10
B66-n71	5	15	665.5	DFT	256QAM	Edge_1RB_Left	19.06
B66-n71	5	15	665.5	DFT	256QAM	Edge_1RB_Right	19.05
B66-n71	5	15	665.5	DFT	256QAM	Outer_Full	19.18
B66-n71	5	15	665.5	CP	QPSK	Inner_Full	22.01
B66-n71	5	15	665.5	CP	QPSK	Edge_1RB_Left	20.50
B66-n71	5	15	665.5	CP	QPSK	Edge_1RB_Right	20.38
B66-n71	5	15	665.5	CP	QPSK	Outer_Full	20.41
B66-n71	5	15	665.5	CP	16QAM	Inner_Full	21.43
B66-n71	5	15	665.5	CP	16QAM	Edge_1RB_Left	20.72
B66-n71	5	15	665.5	CP	16QAM	Edge_1RB_Right	20.65
B66-n71	5	15	665.5	CP	16QAM	Outer_Full	20.29
B66-n71	5	15	665.5	CP	64QAM	Inner_Full	19.93
B66-n71	5	15	665.5	CP	64QAM	Edge_1RB_Left	20.00
B66-n71	5	15	665.5	CP	64QAM	Edge_1RB_Right	19.89
B66-n71	5	15	665.5	CP	64QAM	Outer_Full	20.04
B66-n71	5	15	665.5	CP	256QAM	Inner_Full	17.15
B66-n71	5	15	665.5	CP	256QAM	Edge_1RB_Left	17.07
B66-n71	5	15	665.5	CP	256QAM	Edge_1RB_Right	17.02
B66-n71	5	15	665.5	CP	256QAM	Outer_Full	17.13
B66-n71	5	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.35
B66-n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.91
B66-n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.27

B66-n71	5	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.98
B66-n71	5	15	680.5	DFT	QPSK	Inner_Full	23.36
B66-n71	5	15	680.5	DFT	QPSK	Edge_1RB_Left	22.38
B66-n71	5	15	680.5	DFT	QPSK	Edge_1RB_Right	22.70
B66-n71	5	15	680.5	DFT	QPSK	Outer_Full	22.53
B66-n71	5	15	680.5	DFT	16QAM	Inner_Full	22.50
B66-n71	5	15	680.5	DFT	16QAM	Edge_1RB_Left	21.65
B66-n71	5	15	680.5	DFT	16QAM	Edge_1RB_Right	21.93
B66-n71	5	15	680.5	DFT	16QAM	Outer_Full	21.39
B66-n71	5	15	680.5	DFT	64QAM	Inner_Full	20.90
B66-n71	5	15	680.5	DFT	64QAM	Edge_1RB_Left	20.84
B66-n71	5	15	680.5	DFT	64QAM	Edge_1RB_Right	21.08
B66-n71	5	15	680.5	DFT	64QAM	Outer_Full	21.07
B66-n71	5	15	680.5	DFT	256QAM	Inner_Full	18.96
B66-n71	5	15	680.5	DFT	256QAM	Edge_1RB_Left	19.05
B66-n71	5	15	680.5	DFT	256QAM	Edge_1RB_Right	19.33
B66-n71	5	15	680.5	DFT	256QAM	Outer_Full	19.21
B66-n71	5	15	680.5	CP	QPSK	Inner_Full	21.91
B66-n71	5	15	680.5	CP	QPSK	Edge_1RB_Left	20.42
B66-n71	5	15	680.5	CP	QPSK	Edge_1RB_Right	20.69
B66-n71	5	15	680.5	CP	QPSK	Outer_Full	20.44
B66-n71	5	15	680.5	CP	16QAM	Inner_Full	21.28
B66-n71	5	15	680.5	CP	16QAM	Edge_1RB_Left	20.78
B66-n71	5	15	680.5	CP	16QAM	Edge_1RB_Right	21.03
B66-n71	5	15	680.5	CP	16QAM	Outer_Full	20.42
B66-n71	5	15	680.5	CP	64QAM	Inner_Full	19.92
B66-n71	5	15	680.5	CP	64QAM	Edge_1RB_Left	19.93
B66-n71	5	15	680.5	CP	64QAM	Edge_1RB_Right	20.13
B66-n71	5	15	680.5	CP	64QAM	Outer_Full	20.05
B66-n71	5	15	680.5	CP	256QAM	Inner_Full	17.03
B66-n71	5	15	680.5	CP	256QAM	Edge_1RB_Left	17.07
B66-n71	5	15	680.5	CP	256QAM	Edge_1RB_Right	17.30
B66-n71	5	15	680.5	CP	256QAM	Outer_Full	17.16
B66-n71	5	15	695.5	DFT	pi/2 BPSK	Inner_Full	23.15
B66-n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.67
B66-n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.70
B66-n71	5	15	695.5	DFT	pi/2 BPSK	Outer_Full	22.70
B66-n71	5	15	695.5	DFT	QPSK	Inner_Full	23.25
B66-n71	5	15	695.5	DFT	QPSK	Edge_1RB_Left	22.09
B66-n71	5	15	695.5	DFT	QPSK	Edge_1RB_Right	22.14
B66-n71	5	15	695.5	DFT	QPSK	Outer_Full	22.20

B66-n71	5	15	695.5	DFT	16QAM	Inner_Full	22.36
B66-n71	5	15	695.5	DFT	16QAM	Edge_1RB_Left	21.41
B66-n71	5	15	695.5	DFT	16QAM	Edge_1RB_Right	21.43
B66-n71	5	15	695.5	DFT	16QAM	Outer_Full	21.21
B66-n71	5	15	695.5	DFT	64QAM	Inner_Full	20.73
B66-n71	5	15	695.5	DFT	64QAM	Edge_1RB_Left	20.55
B66-n71	5	15	695.5	DFT	64QAM	Edge_1RB_Right	20.56
B66-n71	5	15	695.5	DFT	64QAM	Outer_Full	20.80
B66-n71	5	15	695.5	DFT	256QAM	Inner_Full	18.78
B66-n71	5	15	695.5	DFT	256QAM	Edge_1RB_Left	18.75
B66-n71	5	15	695.5	DFT	256QAM	Edge_1RB_Right	18.79
B66-n71	5	15	695.5	DFT	256QAM	Outer_Full	18.93
B66-n71	5	15	695.5	CP	QPSK	Inner_Full	21.73
B66-n71	5	15	695.5	CP	QPSK	Edge_1RB_Left	20.11
B66-n71	5	15	695.5	CP	QPSK	Edge_1RB_Right	20.18
B66-n71	5	15	695.5	CP	QPSK	Outer_Full	20.14
B66-n71	5	15	695.5	CP	16QAM	Inner_Full	21.08
B66-n71	5	15	695.5	CP	16QAM	Edge_1RB_Left	20.46
B66-n71	5	15	695.5	CP	16QAM	Edge_1RB_Right	20.43
B66-n71	5	15	695.5	CP	16QAM	Outer_Full	20.17
B66-n71	5	15	695.5	CP	64QAM	Inner_Full	19.74
B66-n71	5	15	695.5	CP	64QAM	Edge_1RB_Left	19.73
B66-n71	5	15	695.5	CP	64QAM	Edge_1RB_Right	19.73
B66-n71	5	15	695.5	CP	64QAM	Outer_Full	19.77
B66-n71	5	15	695.5	CP	256QAM	Inner_Full	16.76
B66-n71	5	15	695.5	CP	256QAM	Edge_1RB_Left	16.80
B66-n71	5	15	695.5	CP	256QAM	Edge_1RB_Right	16.73
B66-n71	5	15	695.5	CP	256QAM	Outer_Full	16.88
B66-n71	10	15	668	DFT	pi/2 BPSK	Inner_Full	23.26
B66-n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Left	23.01
B66-n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Right	22.82
B66-n71	10	15	668	DFT	pi/2 BPSK	Outer_Full	22.71
B66-n71	10	15	668	DFT	QPSK	Inner_Full	23.30
B66-n71	10	15	668	DFT	QPSK	Edge_1RB_Left	22.18
B66-n71	10	15	668	DFT	QPSK	Edge_1RB_Right	22.36
B66-n71	10	15	668	DFT	QPSK	Outer_Full	22.24
B66-n71	10	15	668	DFT	16QAM	Inner_Full	22.23
B66-n71	10	15	668	DFT	16QAM	Edge_1RB_Left	21.58
B66-n71	10	15	668	DFT	16QAM	Edge_1RB_Right	21.51
B66-n71	10	15	668	DFT	16QAM	Outer_Full	21.27
B66-n71	10	15	668	DFT	64QAM	Inner_Full	20.85

B66-n71	10	15	668	DFT	64QAM	Edge_1RB_Left	20.77
B66-n71	10	15	668	DFT	64QAM	Edge_1RB_Right	20.67
B66-n71	10	15	668	DFT	64QAM	Outer_Full	20.65
B66-n71	10	15	668	DFT	256QAM	Inner_Full	19.01
B66-n71	10	15	668	DFT	256QAM	Edge_1RB_Left	18.84
B66-n71	10	15	668	DFT	256QAM	Edge_1RB_Right	18.87
B66-n71	10	15	668	DFT	256QAM	Outer_Full	18.84
B66-n71	10	15	668	CP	QPSK	Inner_Full	21.76
B66-n71	10	15	668	CP	QPSK	Edge_1RB_Left	20.09
B66-n71	10	15	668	CP	QPSK	Edge_1RB_Right	20.10
B66-n71	10	15	668	CP	QPSK	Outer_Full	20.22
B66-n71	10	15	668	CP	16QAM	Inner_Full	21.34
B66-n71	10	15	668	CP	16QAM	Edge_1RB_Left	20.47
B66-n71	10	15	668	CP	16QAM	Edge_1RB_Right	20.60
B66-n71	10	15	668	CP	16QAM	Outer_Full	20.21
B66-n71	10	15	668	CP	64QAM	Inner_Full	19.84
B66-n71	10	15	668	CP	64QAM	Edge_1RB_Left	19.81
B66-n71	10	15	668	CP	64QAM	Edge_1RB_Right	19.72
B66-n71	10	15	668	CP	64QAM	Outer_Full	19.78
B66-n71	10	15	668	CP	256QAM	Inner_Full	16.85
B66-n71	10	15	668	CP	256QAM	Edge_1RB_Left	16.91
B66-n71	10	15	668	CP	256QAM	Edge_1RB_Right	16.77
B66-n71	10	15	668	CP	256QAM	Outer_Full	16.83
B66-n71	10	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.31
B66-n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.75
B66-n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.76
B66-n71	10	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.79
B66-n71	10	15	680.5	DFT	QPSK	Inner_Full	23.33
B66-n71	10	15	680.5	DFT	QPSK	Edge_1RB_Left	22.11
B66-n71	10	15	680.5	DFT	QPSK	Edge_1RB_Right	22.13
B66-n71	10	15	680.5	DFT	QPSK	Outer_Full	22.35
B66-n71	10	15	680.5	DFT	16QAM	Inner_Full	22.34
B66-n71	10	15	680.5	DFT	16QAM	Edge_1RB_Left	21.08
B66-n71	10	15	680.5	DFT	16QAM	Edge_1RB_Right	21.43
B66-n71	10	15	680.5	DFT	16QAM	Outer_Full	21.34
B66-n71	10	15	680.5	DFT	64QAM	Inner_Full	20.93
B66-n71	10	15	680.5	DFT	64QAM	Edge_1RB_Left	20.53
B66-n71	10	15	680.5	DFT	64QAM	Edge_1RB_Right	20.56
B66-n71	10	15	680.5	DFT	64QAM	Outer_Full	20.83
B66-n71	10	15	680.5	DFT	256QAM	Inner_Full	19.03
B66-n71	10	15	680.5	DFT	256QAM	Edge_1RB_Left	18.83

B66-n71	10	15	680.5	DFT	256QAM	Edge_1RB_Right	18.81
B66-n71	10	15	680.5	DFT	256QAM	Outer_Full	19.00
B66-n71	10	15	680.5	CP	QPSK	Inner_Full	21.78
B66-n71	10	15	680.5	CP	QPSK	Edge_1RB_Left	20.05
B66-n71	10	15	680.5	CP	QPSK	Edge_1RB_Right	19.97
B66-n71	10	15	680.5	CP	QPSK	Outer_Full	20.28
B66-n71	10	15	680.5	CP	16QAM	Inner_Full	21.36
B66-n71	10	15	680.5	CP	16QAM	Edge_1RB_Left	20.57
B66-n71	10	15	680.5	CP	16QAM	Edge_1RB_Right	20.50
B66-n71	10	15	680.5	CP	16QAM	Outer_Full	20.30
B66-n71	10	15	680.5	CP	64QAM	Inner_Full	19.87
B66-n71	10	15	680.5	CP	64QAM	Edge_1RB_Left	19.71
B66-n71	10	15	680.5	CP	64QAM	Edge_1RB_Right	19.70
B66-n71	10	15	680.5	CP	64QAM	Outer_Full	19.92
B66-n71	10	15	680.5	CP	256QAM	Inner_Full	16.85
B66-n71	10	15	680.5	CP	256QAM	Edge_1RB_Left	16.89
B66-n71	10	15	680.5	CP	256QAM	Edge_1RB_Right	16.78
B66-n71	10	15	680.5	CP	256QAM	Outer_Full	16.95
B66-n71	10	15	693	DFT	pi/2 BPSK	Inner_Full	22.96
B66-n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Left	22.64
B66-n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Right	22.51
B66-n71	10	15	693	DFT	pi/2 BPSK	Outer_Full	22.46
B66-n71	10	15	693	DFT	QPSK	Inner_Full	23.05
B66-n71	10	15	693	DFT	QPSK	Edge_1RB_Left	21.94
B66-n71	10	15	693	DFT	QPSK	Edge_1RB_Right	21.89
B66-n71	10	15	693	DFT	QPSK	Outer_Full	21.99
B66-n71	10	15	693	DFT	16QAM	Inner_Full	21.97
B66-n71	10	15	693	DFT	16QAM	Edge_1RB_Left	21.32
B66-n71	10	15	693	DFT	16QAM	Edge_1RB_Right	21.19
B66-n71	10	15	693	DFT	16QAM	Outer_Full	20.98
B66-n71	10	15	693	DFT	64QAM	Inner_Full	20.57
B66-n71	10	15	693	DFT	64QAM	Edge_1RB_Left	20.44
B66-n71	10	15	693	DFT	64QAM	Edge_1RB_Right	20.36
B66-n71	10	15	693	DFT	64QAM	Outer_Full	20.42
B66-n71	10	15	693	DFT	256QAM	Inner_Full	18.74
B66-n71	10	15	693	DFT	256QAM	Edge_1RB_Left	18.59
B66-n71	10	15	693	DFT	256QAM	Edge_1RB_Right	18.57
B66-n71	10	15	693	DFT	256QAM	Outer_Full	18.63
B66-n71	10	15	693	CP	QPSK	Inner_Full	21.43
B66-n71	10	15	693	CP	QPSK	Edge_1RB_Left	19.95
B66-n71	10	15	693	CP	QPSK	Edge_1RB_Right	19.87

B66-n71	10	15	693	CP	QPSK	Outer_Full	19.97
B66-n71	10	15	693	CP	16QAM	Inner_Full	20.95
B66-n71	10	15	693	CP	16QAM	Edge_1RB_Left	20.30
B66-n71	10	15	693	CP	16QAM	Edge_1RB_Right	20.15
B66-n71	10	15	693	CP	16QAM	Outer_Full	19.98
B66-n71	10	15	693	CP	64QAM	Inner_Full	19.51
B66-n71	10	15	693	CP	64QAM	Edge_1RB_Left	19.55
B66-n71	10	15	693	CP	64QAM	Edge_1RB_Right	19.67
B66-n71	10	15	693	CP	64QAM	Outer_Full	19.49
B66-n71	10	15	693	CP	256QAM	Inner_Full	16.57
B66-n71	10	15	693	CP	256QAM	Edge_1RB_Left	16.63
B66-n71	10	15	693	CP	256QAM	Edge_1RB_Right	16.47
B66-n71	10	15	693	CP	256QAM	Outer_Full	16.54
B66-n71	15	15	670.5	DFT	pi/2 BPSK	Inner_Full	23.38
B66-n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.97
B66-n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.85
B66-n71	15	15	670.5	DFT	pi/2 BPSK	Outer_Full	22.87
B66-n71	15	15	670.5	DFT	QPSK	Inner_Full	23.42
B66-n71	15	15	670.5	DFT	QPSK	Edge_1RB_Left	22.28
B66-n71	15	15	670.5	DFT	QPSK	Edge_1RB_Right	22.28
B66-n71	15	15	670.5	DFT	QPSK	Outer_Full	22.43
B66-n71	15	15	670.5	DFT	16QAM	Inner_Full	22.45
B66-n71	15	15	670.5	DFT	16QAM	Edge_1RB_Left	21.65
B66-n71	15	15	670.5	DFT	16QAM	Edge_1RB_Right	21.56
B66-n71	15	15	670.5	DFT	16QAM	Outer_Full	21.42
B66-n71	15	15	670.5	DFT	64QAM	Inner_Full	20.85
B66-n71	15	15	670.5	DFT	64QAM	Edge_1RB_Left	20.73
B66-n71	15	15	670.5	DFT	64QAM	Edge_1RB_Right	20.74
B66-n71	15	15	670.5	DFT	64QAM	Outer_Full	20.86
B66-n71	15	15	670.5	DFT	256QAM	Inner_Full	19.08
B66-n71	15	15	670.5	DFT	256QAM	Edge_1RB_Left	18.99
B66-n71	15	15	670.5	DFT	256QAM	Edge_1RB_Right	18.97
B66-n71	15	15	670.5	DFT	256QAM	Outer_Full	18.96
B66-n71	15	15	670.5	CP	QPSK	Inner_Full	21.92
B66-n71	15	15	670.5	CP	QPSK	Edge_1RB_Left	20.34
B66-n71	15	15	670.5	CP	QPSK	Edge_1RB_Right	20.26
B66-n71	15	15	670.5	CP	QPSK	Outer_Full	20.34
B66-n71	15	15	670.5	CP	16QAM	Inner_Full	21.40
B66-n71	15	15	670.5	CP	16QAM	Edge_1RB_Left	20.62
B66-n71	15	15	670.5	CP	16QAM	Edge_1RB_Right	20.56
B66-n71	15	15	670.5	CP	16QAM	Outer_Full	20.37

B66-n71	15	15	670.5	CP	64QAM	Inner_Full	20.02
B66-n71	15	15	670.5	CP	64QAM	Edge_1RB_Left	19.89
B66-n71	15	15	670.5	CP	64QAM	Edge_1RB_Right	19.79
B66-n71	15	15	670.5	CP	64QAM	Outer_Full	20.00
B66-n71	15	15	670.5	CP	256QAM	Inner_Full	17.01
B66-n71	15	15	670.5	CP	256QAM	Edge_1RB_Left	16.98
B66-n71	15	15	670.5	CP	256QAM	Edge_1RB_Right	16.86
B66-n71	15	15	670.5	CP	256QAM	Outer_Full	16.99
B66-n71	15	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.48
B66-n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.88
B66-n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.76
B66-n71	15	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.95
B66-n71	15	15	680.5	DFT	QPSK	Inner_Full	23.53
B66-n71	15	15	680.5	DFT	QPSK	Edge_1RB_Left	22.29
B66-n71	15	15	680.5	DFT	QPSK	Edge_1RB_Right	22.10
B66-n71	15	15	680.5	DFT	QPSK	Outer_Full	22.46
B66-n71	15	15	680.5	DFT	16QAM	Inner_Full	22.48
B66-n71	15	15	680.5	DFT	16QAM	Edge_1RB_Left	21.61
B66-n71	15	15	680.5	DFT	16QAM	Edge_1RB_Right	21.47
B66-n71	15	15	680.5	DFT	16QAM	Outer_Full	21.48
B66-n71	15	15	680.5	DFT	64QAM	Inner_Full	20.98
B66-n71	15	15	680.5	DFT	64QAM	Edge_1RB_Left	20.89
B66-n71	15	15	680.5	DFT	64QAM	Edge_1RB_Right	20.64
B66-n71	15	15	680.5	DFT	64QAM	Outer_Full	20.94
B66-n71	15	15	680.5	DFT	256QAM	Inner_Full	19.17
B66-n71	15	15	680.5	DFT	256QAM	Edge_1RB_Left	18.96
B66-n71	15	15	680.5	DFT	256QAM	Edge_1RB_Right	18.81
B66-n71	15	15	680.5	DFT	256QAM	Outer_Full	19.08
B66-n71	15	15	680.5	CP	QPSK	Inner_Full	21.98
B66-n71	15	15	680.5	CP	QPSK	Edge_1RB_Left	20.34
B66-n71	15	15	680.5	CP	QPSK	Edge_1RB_Right	20.13
B66-n71	15	15	680.5	CP	QPSK	Outer_Full	20.40
B66-n71	15	15	680.5	CP	16QAM	Inner_Full	21.51
B66-n71	15	15	680.5	CP	16QAM	Edge_1RB_Left	20.63
B66-n71	15	15	680.5	CP	16QAM	Edge_1RB_Right	20.44
B66-n71	15	15	680.5	CP	16QAM	Outer_Full	20.52
B66-n71	15	15	680.5	CP	64QAM	Inner_Full	20.15
B66-n71	15	15	680.5	CP	64QAM	Edge_1RB_Left	19.91
B66-n71	15	15	680.5	CP	64QAM	Edge_1RB_Right	19.73
B66-n71	15	15	680.5	CP	64QAM	Outer_Full	20.02
B66-n71	15	15	680.5	CP	256QAM	Inner_Full	17.12



B66-n71	15	15	680.5	CP	256QAM	Edge_1RB_Left	16.97
B66-n71	15	15	680.5	CP	256QAM	Edge_1RB_Right	16.76
B66-n71	15	15	680.5	CP	256QAM	Outer_Full	17.03
B66-n71	15	15	690.5	DFT	pi/2 BPSK	Inner_Full	23.24
B66-n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.21
B66-n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.55
B66-n71	15	15	690.5	DFT	pi/2 BPSK	Outer_Full	22.79
B66-n71	15	15	690.5	DFT	QPSK	Inner_Full	23.23
B66-n71	15	15	690.5	DFT	QPSK	Edge_1RB_Left	22.61
B66-n71	15	15	690.5	DFT	QPSK	Edge_1RB_Right	22.16
B66-n71	15	15	690.5	DFT	QPSK	Outer_Full	22.27
B66-n71	15	15	690.5	DFT	16QAM	Inner_Full	22.26
B66-n71	15	15	690.5	DFT	16QAM	Edge_1RB_Left	21.92
B66-n71	15	15	690.5	DFT	16QAM	Edge_1RB_Right	21.36
B66-n71	15	15	690.5	DFT	16QAM	Outer_Full	21.40
B66-n71	15	15	690.5	DFT	64QAM	Inner_Full	20.69
B66-n71	15	15	690.5	DFT	64QAM	Edge_1RB_Left	21.06
B66-n71	15	15	690.5	DFT	64QAM	Edge_1RB_Right	20.52
B66-n71	15	15	690.5	DFT	64QAM	Outer_Full	20.76
B66-n71	15	15	690.5	DFT	256QAM	Inner_Full	18.95
B66-n71	15	15	690.5	DFT	256QAM	Edge_1RB_Left	19.25
B66-n71	15	15	690.5	DFT	256QAM	Edge_1RB_Right	18.73
B66-n71	15	15	690.5	DFT	256QAM	Outer_Full	18.84
B66-n71	15	15	690.5	CP	QPSK	Inner_Full	21.70
B66-n71	15	15	690.5	CP	QPSK	Edge_1RB_Left	20.64
B66-n71	15	15	690.5	CP	QPSK	Edge_1RB_Right	20.10
B66-n71	15	15	690.5	CP	QPSK	Outer_Full	20.23
B66-n71	15	15	690.5	CP	16QAM	Inner_Full	21.20
B66-n71	15	15	690.5	CP	16QAM	Edge_1RB_Left	20.94
B66-n71	15	15	690.5	CP	16QAM	Edge_1RB_Right	20.35
B66-n71	15	15	690.5	CP	16QAM	Outer_Full	20.28
B66-n71	15	15	690.5	CP	64QAM	Inner_Full	19.82
B66-n71	15	15	690.5	CP	64QAM	Edge_1RB_Left	20.14
B66-n71	15	15	690.5	CP	64QAM	Edge_1RB_Right	19.55
B66-n71	15	15	690.5	CP	64QAM	Outer_Full	19.82
B66-n71	15	15	690.5	CP	256QAM	Inner_Full	16.87
B66-n71	15	15	690.5	CP	256QAM	Edge_1RB_Left	17.31
B66-n71	15	15	690.5	CP	256QAM	Edge_1RB_Right	16.64
B66-n71	15	15	690.5	CP	256QAM	Outer_Full	16.86
B66-n71	20	15	673	DFT	pi/2 BPSK	Inner_Full	23.45
B66-n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Left	22.85

B66-n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Right	23.27
B66-n71	20	15	673	DFT	pi/2 BPSK	Outer_Full	22.91
B66-n71	20	15	673	DFT	QPSK	Inner_Full	23.47
B66-n71	20	15	673	DFT	QPSK	Edge_1RB_Left	22.26
B66-n71	20	15	673	DFT	QPSK	Edge_1RB_Right	22.53
B66-n71	20	15	673	DFT	QPSK	Outer_Full	22.43
B66-n71	20	15	673	DFT	16QAM	Inner_Full	22.47
B66-n71	20	15	673	DFT	16QAM	Edge_1RB_Left	21.52
B66-n71	20	15	673	DFT	16QAM	Edge_1RB_Right	21.44
B66-n71	20	15	673	DFT	16QAM	Outer_Full	21.42
B66-n71	20	15	673	DFT	64QAM	Inner_Full	20.90
B66-n71	20	15	673	DFT	64QAM	Edge_1RB_Left	20.64
B66-n71	20	15	673	DFT	64QAM	Edge_1RB_Right	20.97
B66-n71	20	15	673	DFT	64QAM	Outer_Full	20.89
B66-n71	20	15	673	DFT	256QAM	Inner_Full	19.10
B66-n71	20	15	673	DFT	256QAM	Edge_1RB_Left	18.97
B66-n71	20	15	673	DFT	256QAM	Edge_1RB_Right	19.24
B66-n71	20	15	673	DFT	256QAM	Outer_Full	19.05
B66-n71	20	15	673	CP	QPSK	Inner_Full	21.96
B66-n71	20	15	673	CP	QPSK	Edge_1RB_Left	20.29
B66-n71	20	15	673	CP	QPSK	Edge_1RB_Right	20.48
B66-n71	20	15	673	CP	QPSK	Outer_Full	20.36
B66-n71	20	15	673	CP	16QAM	Inner_Full	21.42
B66-n71	20	15	673	CP	16QAM	Edge_1RB_Left	20.52
B66-n71	20	15	673	CP	16QAM	Edge_1RB_Right	20.93
B66-n71	20	15	673	CP	16QAM	Outer_Full	20.36
B66-n71	20	15	673	CP	64QAM	Inner_Full	20.12
B66-n71	20	15	673	CP	64QAM	Edge_1RB_Left	19.87
B66-n71	20	15	673	CP	64QAM	Edge_1RB_Right	19.88
B66-n71	20	15	673	CP	64QAM	Outer_Full	20.01
B66-n71	20	15	673	CP	256QAM	Inner_Full	17.07
B66-n71	20	15	673	CP	256QAM	Edge_1RB_Left	16.98
B66-n71	20	15	673	CP	256QAM	Edge_1RB_Right	17.15
B66-n71	20	15	673	CP	256QAM	Outer_Full	17.06
B66-n71	20	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.48
B66-n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.73
B66-n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.70
B66-n71	20	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.81
B66-n71	20	15	680.5	DFT	QPSK	Inner_Full	23.50
B66-n71	20	15	680.5	DFT	QPSK	Edge_1RB_Left	22.06
B66-n71	20	15	680.5	DFT	QPSK	Edge_1RB_Right	22.14

B66-n71	20	15	680.5	DFT	QPSK	Outer_Full	22.34
B66-n71	20	15	680.5	DFT	16QAM	Inner_Full	22.51
B66-n71	20	15	680.5	DFT	16QAM	Edge_1RB_Left	21.06
B66-n71	20	15	680.5	DFT	16QAM	Edge_1RB_Right	21.12
B66-n71	20	15	680.5	DFT	16QAM	Outer_Full	21.35
B66-n71	20	15	680.5	DFT	64QAM	Inner_Full	21.00
B66-n71	20	15	680.5	DFT	64QAM	Edge_1RB_Left	20.76
B66-n71	20	15	680.5	DFT	64QAM	Edge_1RB_Right	20.82
B66-n71	20	15	680.5	DFT	64QAM	Outer_Full	20.79
B66-n71	20	15	680.5	DFT	256QAM	Inner_Full	19.06
B66-n71	20	15	680.5	DFT	256QAM	Edge_1RB_Left	18.58
B66-n71	20	15	680.5	DFT	256QAM	Edge_1RB_Right	18.60
B66-n71	20	15	680.5	DFT	256QAM	Outer_Full	18.92
B66-n71	20	15	680.5	CP	QPSK	Inner_Full	21.97
B66-n71	20	15	680.5	CP	QPSK	Edge_1RB_Left	19.96
B66-n71	20	15	680.5	CP	QPSK	Edge_1RB_Right	20.04
B66-n71	20	15	680.5	CP	QPSK	Outer_Full	20.33
B66-n71	20	15	680.5	CP	16QAM	Inner_Full	21.40
B66-n71	20	15	680.5	CP	16QAM	Edge_1RB_Left	20.10
B66-n71	20	15	680.5	CP	16QAM	Edge_1RB_Right	20.15
B66-n71	20	15	680.5	CP	16QAM	Outer_Full	20.38
B66-n71	20	15	680.5	CP	64QAM	Inner_Full	20.12
B66-n71	20	15	680.5	CP	64QAM	Edge_1RB_Left	19.94
B66-n71	20	15	680.5	CP	64QAM	Edge_1RB_Right	19.90
B66-n71	20	15	680.5	CP	64QAM	Outer_Full	19.96
B66-n71	20	15	680.5	CP	256QAM	Inner_Full	17.07
B66-n71	20	15	680.5	CP	256QAM	Edge_1RB_Left	16.66
B66-n71	20	15	680.5	CP	256QAM	Edge_1RB_Right	16.64
B66-n71	20	15	680.5	CP	256QAM	Outer_Full	17.03
B66-n71	20	15	688	DFT	pi/2 BPSK	Inner_Full	23.40
B66-n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Left	22.84
B66-n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Right	22.65
B66-n71	20	15	688	DFT	pi/2 BPSK	Outer_Full	22.91
B66-n71	20	15	688	DFT	QPSK	Inner_Full	23.48
B66-n71	20	15	688	DFT	QPSK	Edge_1RB_Left	22.33
B66-n71	20	15	688	DFT	QPSK	Edge_1RB_Right	22.05
B66-n71	20	15	688	DFT	QPSK	Outer_Full	22.36
B66-n71	20	15	688	DFT	16QAM	Inner_Full	22.48
B66-n71	20	15	688	DFT	16QAM	Edge_1RB_Left	21.48
B66-n71	20	15	688	DFT	16QAM	Edge_1RB_Right	21.39
B66-n71	20	15	688	DFT	16QAM	Outer_Full	21.36

B66-n71	20	15	688	DFT	64QAM	Inner_Full	20.89
B66-n71	20	15	688	DFT	64QAM	Edge_1RB_Left	20.65
B66-n71	20	15	688	DFT	64QAM	Edge_1RB_Right	20.59
B66-n71	20	15	688	DFT	64QAM	Outer_Full	20.88
B66-n71	20	15	688	DFT	256QAM	Inner_Full	19.07
B66-n71	20	15	688	DFT	256QAM	Edge_1RB_Left	18.89
B66-n71	20	15	688	DFT	256QAM	Edge_1RB_Right	18.72
B66-n71	20	15	688	DFT	256QAM	Outer_Full	19.00
B66-n71	20	15	688	CP	QPSK	Inner_Full	21.90
B66-n71	20	15	688	CP	QPSK	Edge_1RB_Left	20.32
B66-n71	20	15	688	CP	QPSK	Edge_1RB_Right	20.05
B66-n71	20	15	688	CP	QPSK	Outer_Full	20.36
B66-n71	20	15	688	CP	16QAM	Inner_Full	21.40
B66-n71	20	15	688	CP	16QAM	Edge_1RB_Left	20.52
B66-n71	20	15	688	CP	16QAM	Edge_1RB_Right	20.36
B66-n71	20	15	688	CP	16QAM	Outer_Full	20.33
B66-n71	20	15	688	CP	64QAM	Inner_Full	20.04
B66-n71	20	15	688	CP	64QAM	Edge_1RB_Left	19.76
B66-n71	20	15	688	CP	64QAM	Edge_1RB_Right	19.59
B66-n71	20	15	688	CP	64QAM	Outer_Full	19.94
B66-n71	20	15	688	CP	256QAM	Inner_Full	17.01
B66-n71	20	15	688	CP	256QAM	Edge_1RB_Left	16.91
B66-n71	20	15	688	CP	256QAM	Edge_1RB_Right	16.64
B66-n71	20	15	688	CP	256QAM	Outer_Full	17.02

**n77L**

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	10	30	3455.01	DFT	pi/2 BPSK	Inner_Full	26.17
n77L	10	30	3455.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.62
n77L	10	30	3455.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.59
n77L	10	30	3455.01	DFT	pi/2 BPSK	Outer_Full	25.69
n77L	10	30	3455.01	DFT	QPSK	Inner_Full	26.23
n77L	10	30	3455.01	DFT	QPSK	Edge_1RB_Left	22.59
n77L	10	30	3455.01	DFT	QPSK	Edge_1RB_Right	22.61
n77L	10	30	3455.01	DFT	QPSK	Outer_Full	25.21
n77L	10	30	3455.01	DFT	16QAM	Inner_Full	25.22
n77L	10	30	3455.01	DFT	16QAM	Edge_1RB_Left	22.77
n77L	10	30	3455.01	DFT	16QAM	Edge_1RB_Right	22.66
n77L	10	30	3455.01	DFT	16QAM	Outer_Full	24.21
n77L	10	30	3455.01	DFT	64QAM	Inner_Full	23.60
n77L	10	30	3455.01	DFT	64QAM	Edge_1RB_Left	22.51
n77L	10	30	3455.01	DFT	64QAM	Edge_1RB_Right	22.57
n77L	10	30	3455.01	DFT	64QAM	Outer_Full	23.60
n77L	10	30	3455.01	DFT	256QAM	Inner_Full	21.67
n77L	10	30	3455.01	DFT	256QAM	Edge_1RB_Left	21.65
n77L	10	30	3455.01	DFT	256QAM	Edge_1RB_Right	21.65
n77L	10	30	3455.01	DFT	256QAM	Outer_Full	21.68
n77L	10	30	3455.01	CP	QPSK	Inner_Full	24.71
n77L	10	30	3455.01	CP	QPSK	Edge_1RB_Left	22.69
n77L	10	30	3455.01	CP	QPSK	Edge_1RB_Right	22.64
n77L	10	30	3455.01	CP	QPSK	Outer_Full	23.17
n77L	10	30	3455.01	CP	16QAM	Inner_Full	24.25
n77L	10	30	3455.01	CP	16QAM	Edge_1RB_Left	22.87
n77L	10	30	3455.01	CP	16QAM	Edge_1RB_Right	22.76
n77L	10	30	3455.01	CP	16QAM	Outer_Full	23.23
n77L	10	30	3455.01	CP	64QAM	Inner_Full	22.67
n77L	10	30	3455.01	CP	64QAM	Edge_1RB_Left	22.16
n77L	10	30	3455.01	CP	64QAM	Edge_1RB_Right	22.65
n77L	10	30	3455.01	CP	64QAM	Outer_Full	22.71
n77L	10	30	3455.01	CP	256QAM	Inner_Full	19.82
n77L	10	30	3455.01	CP	256QAM	Edge_1RB_Left	19.71
n77L	10	30	3455.01	CP	256QAM	Edge_1RB_Right	19.78
n77L	10	30	3455.01	CP	256QAM	Outer_Full	19.79
n77L	10	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.85
n77L	10	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.18
n77L	10	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.25

n77L	10	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.39
n77L	10	30	3500.01	DFT	QPSK	Inner_Full	25.85
n77L	10	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.19
n77L	10	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.25
n77L	10	30	3500.01	DFT	QPSK	Outer_Full	24.90
n77L	10	30	3500.01	DFT	16QAM	Inner_Full	24.85
n77L	10	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.35
n77L	10	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.41
n77L	10	30	3500.01	DFT	16QAM	Outer_Full	23.93
n77L	10	30	3500.01	DFT	64QAM	Inner_Full	23.39
n77L	10	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.07
n77L	10	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.22
n77L	10	30	3500.01	DFT	64QAM	Outer_Full	23.33
n77L	10	30	3500.01	DFT	256QAM	Inner_Full	21.28
n77L	10	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.24
n77L	10	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.29
n77L	10	30	3500.01	DFT	256QAM	Outer_Full	21.35
n77L	10	30	3500.01	CP	QPSK	Inner_Full	24.40
n77L	10	30	3500.01	CP	QPSK	Edge_1RB_Left	22.29
n77L	10	30	3500.01	CP	QPSK	Edge_1RB_Right	22.37
n77L	10	30	3500.01	CP	QPSK	Outer_Full	22.86
n77L	10	30	3500.01	CP	16QAM	Inner_Full	23.88
n77L	10	30	3500.01	CP	16QAM	Edge_1RB_Left	22.37
n77L	10	30	3500.01	CP	16QAM	Edge_1RB_Right	22.47
n77L	10	30	3500.01	CP	16QAM	Outer_Full	22.86
n77L	10	30	3500.01	CP	64QAM	Inner_Full	22.34
n77L	10	30	3500.01	CP	64QAM	Edge_1RB_Left	22.56
n77L	10	30	3500.01	CP	64QAM	Edge_1RB_Right	22.35
n77L	10	30	3500.01	CP	64QAM	Outer_Full	22.38
n77L	10	30	3500.01	CP	256QAM	Inner_Full	19.39
n77L	10	30	3500.01	CP	256QAM	Edge_1RB_Left	19.44
n77L	10	30	3500.01	CP	256QAM	Edge_1RB_Right	19.42
n77L	10	30	3500.01	CP	256QAM	Outer_Full	19.53
n77L	10	30	3544.98	DFT	pi/2 BPSK	Inner_Full	25.77
n77L	10	30	3544.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.09
n77L	10	30	3544.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.13
n77L	10	30	3544.98	DFT	pi/2 BPSK	Outer_Full	25.22
n77L	10	30	3544.98	DFT	QPSK	Inner_Full	25.73
n77L	10	30	3544.98	DFT	QPSK	Edge_1RB_Left	22.16
n77L	10	30	3544.98	DFT	QPSK	Edge_1RB_Right	22.15
n77L	10	30	3544.98	DFT	QPSK	Outer_Full	24.77

n77L	10	30	3544.98	DFT	16QAM	Inner_Full	24.67
n77L	10	30	3544.98	DFT	16QAM	Edge_1RB_Left	22.13
n77L	10	30	3544.98	DFT	16QAM	Edge_1RB_Right	22.21
n77L	10	30	3544.98	DFT	16QAM	Outer_Full	23.76
n77L	10	30	3544.98	DFT	64QAM	Inner_Full	23.28
n77L	10	30	3544.98	DFT	64QAM	Edge_1RB_Left	22.04
n77L	10	30	3544.98	DFT	64QAM	Edge_1RB_Right	22.15
n77L	10	30	3544.98	DFT	64QAM	Outer_Full	23.23
n77L	10	30	3544.98	DFT	256QAM	Inner_Full	21.21
n77L	10	30	3544.98	DFT	256QAM	Edge_1RB_Left	21.17
n77L	10	30	3544.98	DFT	256QAM	Edge_1RB_Right	21.21
n77L	10	30	3544.98	DFT	256QAM	Outer_Full	21.25
n77L	10	30	3544.98	CP	QPSK	Inner_Full	24.22
n77L	10	30	3544.98	CP	QPSK	Edge_1RB_Left	22.27
n77L	10	30	3544.98	CP	QPSK	Edge_1RB_Right	22.15
n77L	10	30	3544.98	CP	QPSK	Outer_Full	22.75
n77L	10	30	3544.98	CP	16QAM	Inner_Full	23.77
n77L	10	30	3544.98	CP	16QAM	Edge_1RB_Left	22.31
n77L	10	30	3544.98	CP	16QAM	Edge_1RB_Right	22.22
n77L	10	30	3544.98	CP	16QAM	Outer_Full	22.78
n77L	10	30	3544.98	CP	64QAM	Inner_Full	22.22
n77L	10	30	3544.98	CP	64QAM	Edge_1RB_Left	22.42
n77L	10	30	3544.98	CP	64QAM	Edge_1RB_Right	22.19
n77L	10	30	3544.98	CP	64QAM	Outer_Full	22.30
n77L	10	30	3544.98	CP	256QAM	Inner_Full	19.34
n77L	10	30	3544.98	CP	256QAM	Edge_1RB_Left	19.34
n77L	10	30	3544.98	CP	256QAM	Edge_1RB_Right	19.30
n77L	10	30	3544.98	CP	256QAM	Outer_Full	19.33
n77L	15	30	3457.5	DFT	pi/2 BPSK	Inner_Full	26.25
n77L	15	30	3457.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.59
n77L	15	30	3457.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.46
n77L	15	30	3457.5	DFT	pi/2 BPSK	Outer_Full	25.72
n77L	15	30	3457.5	DFT	QPSK	Inner_Full	26.26
n77L	15	30	3457.5	DFT	QPSK	Edge_1RB_Left	22.59
n77L	15	30	3457.5	DFT	QPSK	Edge_1RB_Right	22.52
n77L	15	30	3457.5	DFT	QPSK	Outer_Full	25.23
n77L	15	30	3457.5	DFT	16QAM	Inner_Full	25.32
n77L	15	30	3457.5	DFT	16QAM	Edge_1RB_Left	22.75
n77L	15	30	3457.5	DFT	16QAM	Edge_1RB_Right	22.61
n77L	15	30	3457.5	DFT	16QAM	Outer_Full	24.26
n77L	15	30	3457.5	DFT	64QAM	Inner_Full	23.71

n77L	15	30	3457.5	DFT	64QAM	Edge_1RB_Left	22.59
n77L	15	30	3457.5	DFT	64QAM	Edge_1RB_Right	22.47
n77L	15	30	3457.5	DFT	64QAM	Outer_Full	23.78
n77L	15	30	3457.5	DFT	256QAM	Inner_Full	21.79
n77L	15	30	3457.5	DFT	256QAM	Edge_1RB_Left	21.12
n77L	15	30	3457.5	DFT	256QAM	Edge_1RB_Right	21.76
n77L	15	30	3457.5	DFT	256QAM	Outer_Full	21.63
n77L	15	30	3457.5	CP	QPSK	Inner_Full	24.77
n77L	15	30	3457.5	CP	QPSK	Edge_1RB_Left	22.63
n77L	15	30	3457.5	CP	QPSK	Edge_1RB_Right	22.52
n77L	15	30	3457.5	CP	QPSK	Outer_Full	23.17
n77L	15	30	3457.5	CP	16QAM	Inner_Full	24.28
n77L	15	30	3457.5	CP	16QAM	Edge_1RB_Left	22.41
n77L	15	30	3457.5	CP	16QAM	Edge_1RB_Right	22.34
n77L	15	30	3457.5	CP	16QAM	Outer_Full	23.23
n77L	15	30	3457.5	CP	64QAM	Inner_Full	22.65
n77L	15	30	3457.5	CP	64QAM	Edge_1RB_Left	22.82
n77L	15	30	3457.5	CP	64QAM	Edge_1RB_Right	22.66
n77L	15	30	3457.5	CP	64QAM	Outer_Full	22.64
n77L	15	30	3457.5	CP	256QAM	Inner_Full	19.80
n77L	15	30	3457.5	CP	256QAM	Edge_1RB_Left	19.27
n77L	15	30	3457.5	CP	256QAM	Edge_1RB_Right	19.62
n77L	15	30	3457.5	CP	256QAM	Outer_Full	19.74
n77L	15	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.91
n77L	15	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.19
n77L	15	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.24
n77L	15	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.36
n77L	15	30	3500.01	DFT	QPSK	Inner_Full	25.91
n77L	15	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.20
n77L	15	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.27
n77L	15	30	3500.01	DFT	QPSK	Outer_Full	24.91
n77L	15	30	3500.01	DFT	16QAM	Inner_Full	24.93
n77L	15	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.12
n77L	15	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.10
n77L	15	30	3500.01	DFT	16QAM	Outer_Full	23.92
n77L	15	30	3500.01	DFT	64QAM	Inner_Full	23.35
n77L	15	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.13
n77L	15	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.14
n77L	15	30	3500.01	DFT	64QAM	Outer_Full	23.41
n77L	15	30	3500.01	DFT	256QAM	Inner_Full	21.44
n77L	15	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.44



n77L	15	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.66
n77L	15	30	3500.01	DFT	256QAM	Outer_Full	21.34
n77L	15	30	3500.01	CP	QPSK	Inner_Full	24.37
n77L	15	30	3500.01	CP	QPSK	Edge_1RB_Left	22.09
n77L	15	30	3500.01	CP	QPSK	Edge_1RB_Right	22.27
n77L	15	30	3500.01	CP	QPSK	Outer_Full	22.85
n77L	15	30	3500.01	CP	16QAM	Inner_Full	23.88
n77L	15	30	3500.01	CP	16QAM	Edge_1RB_Left	22.05
n77L	15	30	3500.01	CP	16QAM	Edge_1RB_Right	22.08
n77L	15	30	3500.01	CP	16QAM	Outer_Full	22.88
n77L	15	30	3500.01	CP	64QAM	Inner_Full	22.48
n77L	15	30	3500.01	CP	64QAM	Edge_1RB_Left	22.51
n77L	15	30	3500.01	CP	64QAM	Edge_1RB_Right	22.58
n77L	15	30	3500.01	CP	64QAM	Outer_Full	22.27
n77L	15	30	3500.01	CP	256QAM	Inner_Full	19.40
n77L	15	30	3500.01	CP	256QAM	Edge_1RB_Left	19.61
n77L	15	30	3500.01	CP	256QAM	Edge_1RB_Right	19.68
n77L	15	30	3500.01	CP	256QAM	Outer_Full	19.42
n77L	15	30	3542.49	DFT	pi/2 BPSK	Inner_Full	25.67
n77L	15	30	3542.49	DFT	pi/2 BPSK	Edge_1RB_Left	21.99
n77L	15	30	3542.49	DFT	pi/2 BPSK	Edge_1RB_Right	22.05
n77L	15	30	3542.49	DFT	pi/2 BPSK	Outer_Full	25.22
n77L	15	30	3542.49	DFT	QPSK	Inner_Full	25.74
n77L	15	30	3542.49	DFT	QPSK	Edge_1RB_Left	22.01
n77L	15	30	3542.49	DFT	QPSK	Edge_1RB_Right	22.08
n77L	15	30	3542.49	DFT	QPSK	Outer_Full	24.74
n77L	15	30	3542.49	DFT	16QAM	Inner_Full	24.74
n77L	15	30	3542.49	DFT	16QAM	Edge_1RB_Left	22.11
n77L	15	30	3542.49	DFT	16QAM	Edge_1RB_Right	22.18
n77L	15	30	3542.49	DFT	16QAM	Outer_Full	23.76
n77L	15	30	3542.49	DFT	64QAM	Inner_Full	23.18
n77L	15	30	3542.49	DFT	64QAM	Edge_1RB_Left	21.97
n77L	15	30	3542.49	DFT	64QAM	Edge_1RB_Right	21.91
n77L	15	30	3542.49	DFT	64QAM	Outer_Full	23.23
n77L	15	30	3542.49	DFT	256QAM	Inner_Full	21.26
n77L	15	30	3542.49	DFT	256QAM	Edge_1RB_Left	21.11
n77L	15	30	3542.49	DFT	256QAM	Edge_1RB_Right	21.10
n77L	15	30	3542.49	DFT	256QAM	Outer_Full	21.19
n77L	15	30	3542.49	CP	QPSK	Inner_Full	24.14
n77L	15	30	3542.49	CP	QPSK	Edge_1RB_Left	22.15
n77L	15	30	3542.49	CP	QPSK	Edge_1RB_Right	22.20

n77L	15	30	3542.49	CP	QPSK	Outer_Full	22.68
n77L	15	30	3542.49	CP	16QAM	Inner_Full	23.78
n77L	15	30	3542.49	CP	16QAM	Edge_1RB_Left	22.10
n77L	15	30	3542.49	CP	16QAM	Edge_1RB_Right	22.20
n77L	15	30	3542.49	CP	16QAM	Outer_Full	22.73
n77L	15	30	3542.49	CP	64QAM	Inner_Full	22.21
n77L	15	30	3542.49	CP	64QAM	Edge_1RB_Left	22.13
n77L	15	30	3542.49	CP	64QAM	Edge_1RB_Right	22.23
n77L	15	30	3542.49	CP	64QAM	Outer_Full	22.14
n77L	15	30	3542.49	CP	256QAM	Inner_Full	19.29
n77L	15	30	3542.49	CP	256QAM	Edge_1RB_Left	19.11
n77L	15	30	3542.49	CP	256QAM	Edge_1RB_Right	19.24
n77L	15	30	3542.49	CP	256QAM	Outer_Full	19.22
n77L	20	30	3460.02	DFT	pi/2 BPSK	Inner_Full	26.28
n77L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.56
n77L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.41
n77L	20	30	3460.02	DFT	pi/2 BPSK	Outer_Full	25.75
n77L	20	30	3460.02	DFT	QPSK	Inner_Full	26.27
n77L	20	30	3460.02	DFT	QPSK	Edge_1RB_Left	22.62
n77L	20	30	3460.02	DFT	QPSK	Edge_1RB_Right	22.47
n77L	20	30	3460.02	DFT	QPSK	Outer_Full	25.27
n77L	20	30	3460.02	DFT	16QAM	Inner_Full	25.22
n77L	20	30	3460.02	DFT	16QAM	Edge_1RB_Left	22.67
n77L	20	30	3460.02	DFT	16QAM	Edge_1RB_Right	22.48
n77L	20	30	3460.02	DFT	16QAM	Outer_Full	24.28
n77L	20	30	3460.02	DFT	64QAM	Inner_Full	23.80
n77L	20	30	3460.02	DFT	64QAM	Edge_1RB_Left	22.46
n77L	20	30	3460.02	DFT	64QAM	Edge_1RB_Right	22.30
n77L	20	30	3460.02	DFT	64QAM	Outer_Full	23.76
n77L	20	30	3460.02	DFT	256QAM	Inner_Full	21.68
n77L	20	30	3460.02	DFT	256QAM	Edge_1RB_Left	21.74
n77L	20	30	3460.02	DFT	256QAM	Edge_1RB_Right	21.43
n77L	20	30	3460.02	DFT	256QAM	Outer_Full	21.70
n77L	20	30	3460.02	CP	QPSK	Inner_Full	24.76
n77L	20	30	3460.02	CP	QPSK	Edge_1RB_Left	22.70
n77L	20	30	3460.02	CP	QPSK	Edge_1RB_Right	22.52
n77L	20	30	3460.02	CP	QPSK	Outer_Full	23.22
n77L	20	30	3460.02	CP	16QAM	Inner_Full	24.26
n77L	20	30	3460.02	CP	16QAM	Edge_1RB_Left	22.84
n77L	20	30	3460.02	CP	16QAM	Edge_1RB_Right	22.65
n77L	20	30	3460.02	CP	16QAM	Outer_Full	23.28

n77L	20	30	3460.02	CP	64QAM	Inner_Full	22.84
n77L	20	30	3460.02	CP	64QAM	Edge_1RB_Left	22.69
n77L	20	30	3460.02	CP	64QAM	Edge_1RB_Right	22.47
n77L	20	30	3460.02	CP	64QAM	Outer_Full	22.69
n77L	20	30	3460.02	CP	256QAM	Inner_Full	19.74
n77L	20	30	3460.02	CP	256QAM	Edge_1RB_Left	19.85
n77L	20	30	3460.02	CP	256QAM	Edge_1RB_Right	19.64
n77L	20	30	3460.02	CP	256QAM	Outer_Full	19.86
n77L	20	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.92
n77L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.11
n77L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.20
n77L	20	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.34
n77L	20	30	3500.01	DFT	QPSK	Inner_Full	25.87
n77L	20	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.09
n77L	20	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.21
n77L	20	30	3500.01	DFT	QPSK	Outer_Full	24.87
n77L	20	30	3500.01	DFT	16QAM	Inner_Full	24.90
n77L	20	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.22
n77L	20	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.29
n77L	20	30	3500.01	DFT	16QAM	Outer_Full	23.94
n77L	20	30	3500.01	DFT	64QAM	Inner_Full	23.43
n77L	20	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.08
n77L	20	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.16
n77L	20	30	3500.01	DFT	64QAM	Outer_Full	23.37
n77L	20	30	3500.01	DFT	256QAM	Inner_Full	21.29
n77L	20	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.19
n77L	20	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.32
n77L	20	30	3500.01	DFT	256QAM	Outer_Full	21.40
n77L	20	30	3500.01	CP	QPSK	Inner_Full	24.35
n77L	20	30	3500.01	CP	QPSK	Edge_1RB_Left	22.10
n77L	20	30	3500.01	CP	QPSK	Edge_1RB_Right	22.28
n77L	20	30	3500.01	CP	QPSK	Outer_Full	22.88
n77L	20	30	3500.01	CP	16QAM	Inner_Full	23.86
n77L	20	30	3500.01	CP	16QAM	Edge_1RB_Left	22.31
n77L	20	30	3500.01	CP	16QAM	Edge_1RB_Right	22.54
n77L	20	30	3500.01	CP	16QAM	Outer_Full	22.90
n77L	20	30	3500.01	CP	64QAM	Inner_Full	22.39
n77L	20	30	3500.01	CP	64QAM	Edge_1RB_Left	22.09
n77L	20	30	3500.01	CP	64QAM	Edge_1RB_Right	22.41
n77L	20	30	3500.01	CP	64QAM	Outer_Full	22.32
n77L	20	30	3500.01	CP	256QAM	Inner_Full	19.39

n77L	20	30	3500.01	CP	256QAM	Edge_1RB_Left	19.22
n77L	20	30	3500.01	CP	256QAM	Edge_1RB_Right	19.38
n77L	20	30	3500.01	CP	256QAM	Outer_Full	19.43
n77L	20	30	3540	DFT	pi/2 BPSK	Inner_Full	25.69
n77L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Left	21.96
n77L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Right	21.92
n77L	20	30	3540	DFT	pi/2 BPSK	Outer_Full	25.15
n77L	20	30	3540	DFT	QPSK	Inner_Full	25.63
n77L	20	30	3540	DFT	QPSK	Edge_1RB_Left	21.90
n77L	20	30	3540	DFT	QPSK	Edge_1RB_Right	21.93
n77L	20	30	3540	DFT	QPSK	Outer_Full	24.68
n77L	20	30	3540	DFT	16QAM	Inner_Full	24.61
n77L	20	30	3540	DFT	16QAM	Edge_1RB_Left	21.99
n77L	20	30	3540	DFT	16QAM	Edge_1RB_Right	22.04
n77L	20	30	3540	DFT	16QAM	Outer_Full	23.61
n77L	20	30	3540	DFT	64QAM	Inner_Full	23.19
n77L	20	30	3540	DFT	64QAM	Edge_1RB_Left	21.84
n77L	20	30	3540	DFT	64QAM	Edge_1RB_Right	21.83
n77L	20	30	3540	DFT	64QAM	Outer_Full	23.12
n77L	20	30	3540	DFT	256QAM	Inner_Full	21.09
n77L	20	30	3540	DFT	256QAM	Edge_1RB_Left	20.87
n77L	20	30	3540	DFT	256QAM	Edge_1RB_Right	20.99
n77L	20	30	3540	DFT	256QAM	Outer_Full	21.13
n77L	20	30	3540	CP	QPSK	Inner_Full	24.14
n77L	20	30	3540	CP	QPSK	Edge_1RB_Left	21.87
n77L	20	30	3540	CP	QPSK	Edge_1RB_Right	22.06
n77L	20	30	3540	CP	QPSK	Outer_Full	22.59
n77L	20	30	3540	CP	16QAM	Inner_Full	23.61
n77L	20	30	3540	CP	16QAM	Edge_1RB_Left	22.03
n77L	20	30	3540	CP	16QAM	Edge_1RB_Right	22.24
n77L	20	30	3540	CP	16QAM	Outer_Full	22.58
n77L	20	30	3540	CP	64QAM	Inner_Full	22.21
n77L	20	30	3540	CP	64QAM	Edge_1RB_Left	21.87
n77L	20	30	3540	CP	64QAM	Edge_1RB_Right	22.18
n77L	20	30	3540	CP	64QAM	Outer_Full	22.06
n77L	20	30	3540	CP	256QAM	Inner_Full	19.16
n77L	20	30	3540	CP	256QAM	Edge_1RB_Left	18.97
n77L	20	30	3540	CP	256QAM	Edge_1RB_Right	19.19
n77L	20	30	3540	CP	256QAM	Outer_Full	19.22
n77L	40	30	3470.01	DFT	pi/2 BPSK	Inner_Full	26.00
n77L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.13

n77L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.78
n77L	40	30	3470.01	DFT	pi/2 BPSK	Outer_Full	25.36
n77L	40	30	3470.01	DFT	QPSK	Inner_Full	26.00
n77L	40	30	3470.01	DFT	QPSK	Edge_1RB_Left	22.14
n77L	40	30	3470.01	DFT	QPSK	Edge_1RB_Right	21.70
n77L	40	30	3470.01	DFT	QPSK	Outer_Full	24.93
n77L	40	30	3470.01	DFT	16QAM	Inner_Full	24.99
n77L	40	30	3470.01	DFT	16QAM	Edge_1RB_Left	22.27
n77L	40	30	3470.01	DFT	16QAM	Edge_1RB_Right	21.75
n77L	40	30	3470.01	DFT	16QAM	Outer_Full	23.88
n77L	40	30	3470.01	DFT	64QAM	Inner_Full	23.54
n77L	40	30	3470.01	DFT	64QAM	Edge_1RB_Left	22.15
n77L	40	30	3470.01	DFT	64QAM	Edge_1RB_Right	21.69
n77L	40	30	3470.01	DFT	64QAM	Outer_Full	23.36
n77L	40	30	3470.01	DFT	256QAM	Inner_Full	21.47
n77L	40	30	3470.01	DFT	256QAM	Edge_1RB_Left	21.14
n77L	40	30	3470.01	DFT	256QAM	Edge_1RB_Right	20.74
n77L	40	30	3470.01	DFT	256QAM	Outer_Full	21.42
n77L	40	30	3470.01	CP	QPSK	Inner_Full	24.42
n77L	40	30	3470.01	CP	QPSK	Edge_1RB_Left	22.16
n77L	40	30	3470.01	CP	QPSK	Edge_1RB_Right	21.70
n77L	40	30	3470.01	CP	QPSK	Outer_Full	22.80
n77L	40	30	3470.01	CP	16QAM	Inner_Full	23.99
n77L	40	30	3470.01	CP	16QAM	Edge_1RB_Left	22.22
n77L	40	30	3470.01	CP	16QAM	Edge_1RB_Right	21.94
n77L	40	30	3470.01	CP	16QAM	Outer_Full	22.82
n77L	40	30	3470.01	CP	64QAM	Inner_Full	22.45
n77L	40	30	3470.01	CP	64QAM	Edge_1RB_Left	22.30
n77L	40	30	3470.01	CP	64QAM	Edge_1RB_Right	21.84
n77L	40	30	3470.01	CP	64QAM	Outer_Full	22.32
n77L	40	30	3470.01	CP	256QAM	Inner_Full	19.58
n77L	40	30	3470.01	CP	256QAM	Edge_1RB_Left	19.25
n77L	40	30	3470.01	CP	256QAM	Edge_1RB_Right	18.92
n77L	40	30	3470.01	CP	256QAM	Outer_Full	19.45
n77L	40	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.82
n77L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.71
n77L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.65
n77L	40	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.21
n77L	40	30	3500.01	DFT	QPSK	Inner_Full	25.84
n77L	40	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.66
n77L	40	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.57

n77L	40	30	3500.01	DFT	QPSK	Outer_Full	24.72
n77L	40	30	3500.01	DFT	16QAM	Inner_Full	24.78
n77L	40	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.80
n77L	40	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.69
n77L	40	30	3500.01	DFT	16QAM	Outer_Full	23.70
n77L	40	30	3500.01	DFT	64QAM	Inner_Full	23.33
n77L	40	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.56
n77L	40	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.50
n77L	40	30	3500.01	DFT	64QAM	Outer_Full	23.18
n77L	40	30	3500.01	DFT	256QAM	Inner_Full	21.21
n77L	40	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.72
n77L	40	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.66
n77L	40	30	3500.01	DFT	256QAM	Outer_Full	21.21
n77L	40	30	3500.01	CP	QPSK	Inner_Full	24.31
n77L	40	30	3500.01	CP	QPSK	Edge_1RB_Left	21.72
n77L	40	30	3500.01	CP	QPSK	Edge_1RB_Right	21.72
n77L	40	30	3500.01	CP	QPSK	Outer_Full	22.65
n77L	40	30	3500.01	CP	16QAM	Inner_Full	23.83
n77L	40	30	3500.01	CP	16QAM	Edge_1RB_Left	21.75
n77L	40	30	3500.01	CP	16QAM	Edge_1RB_Right	21.88
n77L	40	30	3500.01	CP	16QAM	Outer_Full	22.66
n77L	40	30	3500.01	CP	64QAM	Inner_Full	22.27
n77L	40	30	3500.01	CP	64QAM	Edge_1RB_Left	21.98
n77L	40	30	3500.01	CP	64QAM	Edge_1RB_Right	21.78
n77L	40	30	3500.01	CP	64QAM	Outer_Full	22.15
n77L	40	30	3500.01	CP	256QAM	Inner_Full	19.34
n77L	40	30	3500.01	CP	256QAM	Edge_1RB_Left	18.76
n77L	40	30	3500.01	CP	256QAM	Edge_1RB_Right	18.83
n77L	40	30	3500.01	CP	256QAM	Outer_Full	19.25
n77L	40	30	3529.98	DFT	pi/2 BPSK	Inner_Full	25.54
n77L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.71
n77L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.54
n77L	40	30	3529.98	DFT	pi/2 BPSK	Outer_Full	25.01
n77L	40	30	3529.98	DFT	QPSK	Inner_Full	25.52
n77L	40	30	3529.98	DFT	QPSK	Edge_1RB_Left	21.69
n77L	40	30	3529.98	DFT	QPSK	Edge_1RB_Right	21.58
n77L	40	30	3529.98	DFT	QPSK	Outer_Full	24.54
n77L	40	30	3529.98	DFT	16QAM	Inner_Full	24.51
n77L	40	30	3529.98	DFT	16QAM	Edge_1RB_Left	21.76
n77L	40	30	3529.98	DFT	16QAM	Edge_1RB_Right	21.59
n77L	40	30	3529.98	DFT	16QAM	Outer_Full	23.53

n77L	40	30	3529.98	DFT	64QAM	Inner_Full	23.06
n77L	40	30	3529.98	DFT	64QAM	Edge_1RB_Left	21.66
n77L	40	30	3529.98	DFT	64QAM	Edge_1RB_Right	21.46
n77L	40	30	3529.98	DFT	64QAM	Outer_Full	23.03
n77L	40	30	3529.98	DFT	256QAM	Inner_Full	21.00
n77L	40	30	3529.98	DFT	256QAM	Edge_1RB_Left	20.66
n77L	40	30	3529.98	DFT	256QAM	Edge_1RB_Right	20.54
n77L	40	30	3529.98	DFT	256QAM	Outer_Full	21.00
n77L	40	30	3529.98	CP	QPSK	Inner_Full	23.99
n77L	40	30	3529.98	CP	QPSK	Edge_1RB_Left	21.75
n77L	40	30	3529.98	CP	QPSK	Edge_1RB_Right	21.62
n77L	40	30	3529.98	CP	QPSK	Outer_Full	22.53
n77L	40	30	3529.98	CP	16QAM	Inner_Full	23.54
n77L	40	30	3529.98	CP	16QAM	Edge_1RB_Left	21.77
n77L	40	30	3529.98	CP	16QAM	Edge_1RB_Right	21.74
n77L	40	30	3529.98	CP	16QAM	Outer_Full	22.45
n77L	40	30	3529.98	CP	64QAM	Inner_Full	22.03
n77L	40	30	3529.98	CP	64QAM	Edge_1RB_Left	21.84
n77L	40	30	3529.98	CP	64QAM	Edge_1RB_Right	21.73
n77L	40	30	3529.98	CP	64QAM	Outer_Full	21.99
n77L	40	30	3529.98	CP	256QAM	Inner_Full	19.10
n77L	40	30	3529.98	CP	256QAM	Edge_1RB_Left	19.18
n77L	40	30	3529.98	CP	256QAM	Edge_1RB_Right	18.93
n77L	40	30	3529.98	CP	256QAM	Outer_Full	19.10
n77L	50	30	3475.02	DFT	pi/2 BPSK	Inner_Full	25.91
n77L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.38
n77L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.90
n77L	50	30	3475.02	DFT	pi/2 BPSK	Outer_Full	25.30
n77L	50	30	3475.02	DFT	QPSK	Inner_Full	25.84
n77L	50	30	3475.02	DFT	QPSK	Edge_1RB_Left	22.35
n77L	50	30	3475.02	DFT	QPSK	Edge_1RB_Right	21.91
n77L	50	30	3475.02	DFT	QPSK	Outer_Full	24.84
n77L	50	30	3475.02	DFT	16QAM	Inner_Full	24.86
n77L	50	30	3475.02	DFT	16QAM	Edge_1RB_Left	22.18
n77L	50	30	3475.02	DFT	16QAM	Edge_1RB_Right	21.84
n77L	50	30	3475.02	DFT	16QAM	Outer_Full	23.82
n77L	50	30	3475.02	DFT	64QAM	Inner_Full	23.36
n77L	50	30	3475.02	DFT	64QAM	Edge_1RB_Left	22.24
n77L	50	30	3475.02	DFT	64QAM	Edge_1RB_Right	21.87
n77L	50	30	3475.02	DFT	64QAM	Outer_Full	23.31
n77L	50	30	3475.02	DFT	256QAM	Inner_Full	21.39

n77L	50	30	3475.02	DFT	256QAM	Edge_1RB_Left	21.61
n77L	50	30	3475.02	DFT	256QAM	Edge_1RB_Right	21.35
n77L	50	30	3475.02	DFT	256QAM	Outer_Full	21.32
n77L	50	30	3475.02	CP	QPSK	Inner_Full	24.36
n77L	50	30	3475.02	CP	QPSK	Edge_1RB_Left	22.36
n77L	50	30	3475.02	CP	QPSK	Edge_1RB_Right	21.97
n77L	50	30	3475.02	CP	QPSK	Outer_Full	22.80
n77L	50	30	3475.02	CP	16QAM	Inner_Full	23.87
n77L	50	30	3475.02	CP	16QAM	Edge_1RB_Left	22.13
n77L	50	30	3475.02	CP	16QAM	Edge_1RB_Right	21.73
n77L	50	30	3475.02	CP	16QAM	Outer_Full	22.81
n77L	50	30	3475.02	CP	64QAM	Inner_Full	22.36
n77L	50	30	3475.02	CP	64QAM	Edge_1RB_Left	22.51
n77L	50	30	3475.02	CP	64QAM	Edge_1RB_Right	22.12
n77L	50	30	3475.02	CP	64QAM	Outer_Full	22.29
n77L	50	30	3475.02	CP	256QAM	Inner_Full	19.48
n77L	50	30	3475.02	CP	256QAM	Edge_1RB_Left	19.83
n77L	50	30	3475.02	CP	256QAM	Edge_1RB_Right	19.45
n77L	50	30	3475.02	CP	256QAM	Outer_Full	19.38
n77L	50	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.81
n77L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.02
n77L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.74
n77L	50	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.24
n77L	50	30	3500.01	DFT	QPSK	Inner_Full	25.84
n77L	50	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.96
n77L	50	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.76
n77L	50	30	3500.01	DFT	QPSK	Outer_Full	24.76
n77L	50	30	3500.01	DFT	16QAM	Inner_Full	24.88
n77L	50	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.90
n77L	50	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.61
n77L	50	30	3500.01	DFT	16QAM	Outer_Full	23.78
n77L	50	30	3500.01	DFT	64QAM	Inner_Full	23.36
n77L	50	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.87
n77L	50	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.62
n77L	50	30	3500.01	DFT	64QAM	Outer_Full	23.21
n77L	50	30	3500.01	DFT	256QAM	Inner_Full	21.39
n77L	50	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.18
n77L	50	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.86
n77L	50	30	3500.01	DFT	256QAM	Outer_Full	21.24
n77L	50	30	3500.01	CP	QPSK	Inner_Full	24.31
n77L	50	30	3500.01	CP	QPSK	Edge_1RB_Left	22.07



n77L	50	30	3500.01	CP	QPSK	Edge_1RB_Right	21.79
n77L	50	30	3500.01	CP	QPSK	Outer_Full	22.75
n77L	50	30	3500.01	CP	16QAM	Inner_Full	23.79
n77L	50	30	3500.01	CP	16QAM	Edge_1RB_Left	22.12
n77L	50	30	3500.01	CP	16QAM	Edge_1RB_Right	21.95
n77L	50	30	3500.01	CP	16QAM	Outer_Full	22.73
n77L	50	30	3500.01	CP	64QAM	Inner_Full	22.38
n77L	50	30	3500.01	CP	64QAM	Edge_1RB_Left	22.16
n77L	50	30	3500.01	CP	64QAM	Edge_1RB_Right	22.12
n77L	50	30	3500.01	CP	64QAM	Outer_Full	22.20
n77L	50	30	3500.01	CP	256QAM	Inner_Full	19.41
n77L	50	30	3500.01	CP	256QAM	Edge_1RB_Left	19.28
n77L	50	30	3500.01	CP	256QAM	Edge_1RB_Right	19.07
n77L	50	30	3500.01	CP	256QAM	Outer_Full	19.31
n77L	50	30	3525	DFT	pi/2 BPSK	Inner_Full	25.53
n77L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Left	21.93
n77L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Right	21.69
n77L	50	30	3525	DFT	pi/2 BPSK	Outer_Full	25.09
n77L	50	30	3525	DFT	QPSK	Inner_Full	25.54
n77L	50	30	3525	DFT	QPSK	Edge_1RB_Left	21.94
n77L	50	30	3525	DFT	QPSK	Edge_1RB_Right	21.75
n77L	50	30	3525	DFT	QPSK	Outer_Full	24.58
n77L	50	30	3525	DFT	16QAM	Inner_Full	24.58
n77L	50	30	3525	DFT	16QAM	Edge_1RB_Left	22.06
n77L	50	30	3525	DFT	16QAM	Edge_1RB_Right	21.85
n77L	50	30	3525	DFT	16QAM	Outer_Full	23.55
n77L	50	30	3525	DFT	64QAM	Inner_Full	23.09
n77L	50	30	3525	DFT	64QAM	Edge_1RB_Left	21.86
n77L	50	30	3525	DFT	64QAM	Edge_1RB_Right	21.69
n77L	50	30	3525	DFT	64QAM	Outer_Full	23.05
n77L	50	30	3525	DFT	256QAM	Inner_Full	21.07
n77L	50	30	3525	DFT	256QAM	Edge_1RB_Left	20.91
n77L	50	30	3525	DFT	256QAM	Edge_1RB_Right	20.88
n77L	50	30	3525	DFT	256QAM	Outer_Full	21.06
n77L	50	30	3525	CP	QPSK	Inner_Full	23.97
n77L	50	30	3525	CP	QPSK	Edge_1RB_Left	21.94
n77L	50	30	3525	CP	QPSK	Edge_1RB_Right	21.85
n77L	50	30	3525	CP	QPSK	Outer_Full	22.55
n77L	50	30	3525	CP	16QAM	Inner_Full	23.48
n77L	50	30	3525	CP	16QAM	Edge_1RB_Left	22.17
n77L	50	30	3525	CP	16QAM	Edge_1RB_Right	21.82

n77L	50	30	3525	CP	16QAM	Outer_Full	22.54
n77L	50	30	3525	CP	64QAM	Inner_Full	22.05
n77L	50	30	3525	CP	64QAM	Edge_1RB_Left	22.22
n77L	50	30	3525	CP	64QAM	Edge_1RB_Right	21.87
n77L	50	30	3525	CP	64QAM	Outer_Full	22.08
n77L	50	30	3525	CP	256QAM	Inner_Full	19.23
n77L	50	30	3525	CP	256QAM	Edge_1RB_Left	19.04
n77L	50	30	3525	CP	256QAM	Edge_1RB_Right	18.99
n77L	50	30	3525	CP	256QAM	Outer_Full	19.15
n77L	60	30	3480	DFT	pi/2 BPSK	Inner_Full	25.83
n77L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Left	22.25
n77L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Right	21.88
n77L	60	30	3480	DFT	pi/2 BPSK	Outer_Full	25.32
n77L	60	30	3480	DFT	QPSK	Inner_Full	25.83
n77L	60	30	3480	DFT	QPSK	Edge_1RB_Left	22.25
n77L	60	30	3480	DFT	QPSK	Edge_1RB_Right	21.92
n77L	60	30	3480	DFT	QPSK	Outer_Full	24.78
n77L	60	30	3480	DFT	16QAM	Inner_Full	24.88
n77L	60	30	3480	DFT	16QAM	Edge_1RB_Left	22.37
n77L	60	30	3480	DFT	16QAM	Edge_1RB_Right	22.00
n77L	60	30	3480	DFT	16QAM	Outer_Full	23.78
n77L	60	30	3480	DFT	64QAM	Inner_Full	23.32
n77L	60	30	3480	DFT	64QAM	Edge_1RB_Left	22.14
n77L	60	30	3480	DFT	64QAM	Edge_1RB_Right	21.78
n77L	60	30	3480	DFT	64QAM	Outer_Full	23.31
n77L	60	30	3480	DFT	256QAM	Inner_Full	21.36
n77L	60	30	3480	DFT	256QAM	Edge_1RB_Left	21.40
n77L	60	30	3480	DFT	256QAM	Edge_1RB_Right	21.01
n77L	60	30	3480	DFT	256QAM	Outer_Full	21.30
n77L	60	30	3480	CP	QPSK	Inner_Full	24.33
n77L	60	30	3480	CP	QPSK	Edge_1RB_Left	22.30
n77L	60	30	3480	CP	QPSK	Edge_1RB_Right	22.05
n77L	60	30	3480	CP	QPSK	Outer_Full	22.77
n77L	60	30	3480	CP	16QAM	Inner_Full	23.84
n77L	60	30	3480	CP	16QAM	Edge_1RB_Left	22.36
n77L	60	30	3480	CP	16QAM	Edge_1RB_Right	22.13
n77L	60	30	3480	CP	16QAM	Outer_Full	22.78
n77L	60	30	3480	CP	64QAM	Inner_Full	22.35
n77L	60	30	3480	CP	64QAM	Edge_1RB_Left	22.51
n77L	60	30	3480	CP	64QAM	Edge_1RB_Right	22.24
n77L	60	30	3480	CP	64QAM	Outer_Full	22.28

n77L	60	30	3480	CP	256QAM	Inner_Full	19.44
n77L	60	30	3480	CP	256QAM	Edge_1RB_Left	19.49
n77L	60	30	3480	CP	256QAM	Edge_1RB_Right	19.23
n77L	60	30	3480	CP	256QAM	Outer_Full	19.39
n77L	60	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.83
n77L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.02
n77L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.64
n77L	60	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.18
n77L	60	30	3500.01	DFT	QPSK	Inner_Full	25.84
n77L	60	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.03
n77L	60	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.65
n77L	60	30	3500.01	DFT	QPSK	Outer_Full	24.71
n77L	60	30	3500.01	DFT	16QAM	Inner_Full	24.80
n77L	60	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.12
n77L	60	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.74
n77L	60	30	3500.01	DFT	16QAM	Outer_Full	23.60
n77L	60	30	3500.01	DFT	64QAM	Inner_Full	23.25
n77L	60	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.96
n77L	60	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.59
n77L	60	30	3500.01	DFT	64QAM	Outer_Full	23.19
n77L	60	30	3500.01	DFT	256QAM	Inner_Full	21.36
n77L	60	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.97
n77L	60	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.68
n77L	60	30	3500.01	DFT	256QAM	Outer_Full	21.15
n77L	60	30	3500.01	CP	QPSK	Inner_Full	24.28
n77L	60	30	3500.01	CP	QPSK	Edge_1RB_Left	22.11
n77L	60	30	3500.01	CP	QPSK	Edge_1RB_Right	21.64
n77L	60	30	3500.01	CP	QPSK	Outer_Full	22.65
n77L	60	30	3500.01	CP	16QAM	Inner_Full	23.82
n77L	60	30	3500.01	CP	16QAM	Edge_1RB_Left	22.24
n77L	60	30	3500.01	CP	16QAM	Edge_1RB_Right	21.84
n77L	60	30	3500.01	CP	16QAM	Outer_Full	22.61
n77L	60	30	3500.01	CP	64QAM	Inner_Full	22.28
n77L	60	30	3500.01	CP	64QAM	Edge_1RB_Left	22.08
n77L	60	30	3500.01	CP	64QAM	Edge_1RB_Right	21.73
n77L	60	30	3500.01	CP	64QAM	Outer_Full	22.14
n77L	60	30	3500.01	CP	256QAM	Inner_Full	19.38
n77L	60	30	3500.01	CP	256QAM	Edge_1RB_Left	19.18
n77L	60	30	3500.01	CP	256QAM	Edge_1RB_Right	18.94
n77L	60	30	3500.01	CP	256QAM	Outer_Full	19.25
n77L	60	30	3519.99	DFT	pi/2 BPSK	Inner_Full	25.67

n77L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.84
n77L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.67
n77L	60	30	3519.99	DFT	pi/2 BPSK	Outer_Full	25.13
n77L	60	30	3519.99	DFT	QPSK	Inner_Full	25.65
n77L	60	30	3519.99	DFT	QPSK	Edge_1RB_Left	21.81
n77L	60	30	3519.99	DFT	QPSK	Edge_1RB_Right	21.71
n77L	60	30	3519.99	DFT	QPSK	Outer_Full	24.64
n77L	60	30	3519.99	DFT	16QAM	Inner_Full	24.68
n77L	60	30	3519.99	DFT	16QAM	Edge_1RB_Left	21.91
n77L	60	30	3519.99	DFT	16QAM	Edge_1RB_Right	21.82
n77L	60	30	3519.99	DFT	16QAM	Outer_Full	23.63
n77L	60	30	3519.99	DFT	64QAM	Inner_Full	23.20
n77L	60	30	3519.99	DFT	64QAM	Edge_1RB_Left	21.74
n77L	60	30	3519.99	DFT	64QAM	Edge_1RB_Right	21.64
n77L	60	30	3519.99	DFT	64QAM	Outer_Full	23.17
n77L	60	30	3519.99	DFT	256QAM	Inner_Full	21.17
n77L	60	30	3519.99	DFT	256QAM	Edge_1RB_Left	20.91
n77L	60	30	3519.99	DFT	256QAM	Edge_1RB_Right	20.71
n77L	60	30	3519.99	DFT	256QAM	Outer_Full	21.13
n77L	60	30	3519.99	CP	QPSK	Inner_Full	24.11
n77L	60	30	3519.99	CP	QPSK	Edge_1RB_Left	21.82
n77L	60	30	3519.99	CP	QPSK	Edge_1RB_Right	21.81
n77L	60	30	3519.99	CP	QPSK	Outer_Full	22.57
n77L	60	30	3519.99	CP	16QAM	Inner_Full	23.69
n77L	60	30	3519.99	CP	16QAM	Edge_1RB_Left	21.89
n77L	60	30	3519.99	CP	16QAM	Edge_1RB_Right	21.86
n77L	60	30	3519.99	CP	16QAM	Outer_Full	22.60
n77L	60	30	3519.99	CP	64QAM	Inner_Full	22.20
n77L	60	30	3519.99	CP	64QAM	Edge_1RB_Left	21.84
n77L	60	30	3519.99	CP	64QAM	Edge_1RB_Right	22.04
n77L	60	30	3519.99	CP	64QAM	Outer_Full	22.10
n77L	60	30	3519.99	CP	256QAM	Inner_Full	19.26
n77L	60	30	3519.99	CP	256QAM	Edge_1RB_Left	18.94
n77L	60	30	3519.99	CP	256QAM	Edge_1RB_Right	18.95
n77L	60	30	3519.99	CP	256QAM	Outer_Full	19.26
n77L	70	30	3485.01	DFT	pi/2 BPSK	Inner_Full	25.81
n77L	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.16
n77L	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.56
n77L	70	30	3485.01	DFT	pi/2 BPSK	Outer_Full	25.32
n77L	70	30	3485.01	DFT	QPSK	Inner_Full	25.81
n77L	70	30	3485.01	DFT	QPSK	Edge_1RB_Left	22.22

n77L	70	30	3485.01	DFT	QPSK	Edge_1RB_Right	21.55
n77L	70	30	3485.01	DFT	QPSK	Outer_Full	24.82
n77L	70	30	3485.01	DFT	16QAM	Inner_Full	24.80
n77L	70	30	3485.01	DFT	16QAM	Edge_1RB_Left	22.34
n77L	70	30	3485.01	DFT	16QAM	Edge_1RB_Right	21.71
n77L	70	30	3485.01	DFT	16QAM	Outer_Full	23.78
n77L	70	30	3485.01	DFT	64QAM	Inner_Full	23.30
n77L	70	30	3485.01	DFT	64QAM	Edge_1RB_Left	21.91
n77L	70	30	3485.01	DFT	64QAM	Edge_1RB_Right	21.46
n77L	70	30	3485.01	DFT	64QAM	Outer_Full	23.30
n77L	70	30	3485.01	DFT	256QAM	Inner_Full	21.27
n77L	70	30	3485.01	DFT	256QAM	Edge_1RB_Left	21.36
n77L	70	30	3485.01	DFT	256QAM	Edge_1RB_Right	20.61
n77L	70	30	3485.01	DFT	256QAM	Outer_Full	21.26
n77L	70	30	3485.01	CP	QPSK	Inner_Full	24.26
n77L	70	30	3485.01	CP	QPSK	Edge_1RB_Left	22.11
n77L	70	30	3485.01	CP	QPSK	Edge_1RB_Right	21.52
n77L	70	30	3485.01	CP	QPSK	Outer_Full	22.74
n77L	70	30	3485.01	CP	16QAM	Inner_Full	23.79
n77L	70	30	3485.01	CP	16QAM	Edge_1RB_Left	22.28
n77L	70	30	3485.01	CP	16QAM	Edge_1RB_Right	21.75
n77L	70	30	3485.01	CP	16QAM	Outer_Full	22.76
n77L	70	30	3485.01	CP	64QAM	Inner_Full	22.31
n77L	70	30	3485.01	CP	64QAM	Edge_1RB_Left	22.32
n77L	70	30	3485.01	CP	64QAM	Edge_1RB_Right	21.83
n77L	70	30	3485.01	CP	64QAM	Outer_Full	22.27
n77L	70	30	3485.01	CP	256QAM	Inner_Full	19.41
n77L	70	30	3485.01	CP	256QAM	Edge_1RB_Left	19.39
n77L	70	30	3485.01	CP	256QAM	Edge_1RB_Right	18.84
n77L	70	30	3485.01	CP	256QAM	Outer_Full	19.43
n77L	70	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.83
n77L	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.02
n77L	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.53
n77L	70	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.15
n77L	70	30	3500.01	DFT	QPSK	Inner_Full	25.83
n77L	70	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.03
n77L	70	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.48
n77L	70	30	3500.01	DFT	QPSK	Outer_Full	24.73
n77L	70	30	3500.01	DFT	16QAM	Inner_Full	24.87
n77L	70	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.14
n77L	70	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.71

n77L	70	30	3500.01	DFT	16QAM	Outer_Full	23.69
n77L	70	30	3500.01	DFT	64QAM	Inner_Full	23.36
n77L	70	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.83
n77L	70	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.33
n77L	70	30	3500.01	DFT	64QAM	Outer_Full	23.20
n77L	70	30	3500.01	DFT	256QAM	Inner_Full	21.32
n77L	70	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.17
n77L	70	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.57
n77L	70	30	3500.01	DFT	256QAM	Outer_Full	21.19
n77L	70	30	3500.01	CP	QPSK	Inner_Full	24.31
n77L	70	30	3500.01	CP	QPSK	Edge_1RB_Left	21.98
n77L	70	30	3500.01	CP	QPSK	Edge_1RB_Right	21.49
n77L	70	30	3500.01	CP	QPSK	Outer_Full	22.67
n77L	70	30	3500.01	CP	16QAM	Inner_Full	23.74
n77L	70	30	3500.01	CP	16QAM	Edge_1RB_Left	22.19
n77L	70	30	3500.01	CP	16QAM	Edge_1RB_Right	21.72
n77L	70	30	3500.01	CP	16QAM	Outer_Full	22.67
n77L	70	30	3500.01	CP	64QAM	Inner_Full	22.34
n77L	70	30	3500.01	CP	64QAM	Edge_1RB_Left	22.50
n77L	70	30	3500.01	CP	64QAM	Edge_1RB_Right	22.02
n77L	70	30	3500.01	CP	64QAM	Outer_Full	22.12
n77L	70	30	3500.01	CP	256QAM	Inner_Full	19.43
n77L	70	30	3500.01	CP	256QAM	Edge_1RB_Left	19.47
n77L	70	30	3500.01	CP	256QAM	Edge_1RB_Right	19.10
n77L	70	30	3500.01	CP	256QAM	Outer_Full	19.34
n77L	70	30	3514.98	DFT	pi/2 BPSK	Inner_Full	25.82
n77L	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.71
n77L	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.61
n77L	70	30	3514.98	DFT	pi/2 BPSK	Outer_Full	25.20
n77L	70	30	3514.98	DFT	QPSK	Inner_Full	25.78
n77L	70	30	3514.98	DFT	QPSK	Edge_1RB_Left	21.77
n77L	70	30	3514.98	DFT	QPSK	Edge_1RB_Right	21.69
n77L	70	30	3514.98	DFT	QPSK	Outer_Full	24.69
n77L	70	30	3514.98	DFT	16QAM	Inner_Full	24.78
n77L	70	30	3514.98	DFT	16QAM	Edge_1RB_Left	21.66
n77L	70	30	3514.98	DFT	16QAM	Edge_1RB_Right	21.57
n77L	70	30	3514.98	DFT	16QAM	Outer_Full	23.62
n77L	70	30	3514.98	DFT	64QAM	Inner_Full	23.28
n77L	70	30	3514.98	DFT	64QAM	Edge_1RB_Left	21.64
n77L	70	30	3514.98	DFT	64QAM	Edge_1RB_Right	21.61
n77L	70	30	3514.98	DFT	64QAM	Outer_Full	23.15

n77L	70	30	3514.98	DFT	256QAM	Inner_Full	21.27
n77L	70	30	3514.98	DFT	256QAM	Edge_1RB_Left	20.93
n77L	70	30	3514.98	DFT	256QAM	Edge_1RB_Right	20.98
n77L	70	30	3514.98	DFT	256QAM	Outer_Full	21.16
n77L	70	30	3514.98	CP	QPSK	Inner_Full	24.24
n77L	70	30	3514.98	CP	QPSK	Edge_1RB_Left	21.71
n77L	70	30	3514.98	CP	QPSK	Edge_1RB_Right	21.65
n77L	70	30	3514.98	CP	QPSK	Outer_Full	22.62
n77L	70	30	3514.98	CP	16QAM	Inner_Full	23.69
n77L	70	30	3514.98	CP	16QAM	Edge_1RB_Left	21.62
n77L	70	30	3514.98	CP	16QAM	Edge_1RB_Right	21.47
n77L	70	30	3514.98	CP	16QAM	Outer_Full	22.63
n77L	70	30	3514.98	CP	64QAM	Inner_Full	22.22
n77L	70	30	3514.98	CP	64QAM	Edge_1RB_Left	21.99
n77L	70	30	3514.98	CP	64QAM	Edge_1RB_Right	21.72
n77L	70	30	3514.98	CP	64QAM	Outer_Full	22.16
n77L	70	30	3514.98	CP	256QAM	Inner_Full	19.34
n77L	70	30	3514.98	CP	256QAM	Edge_1RB_Left	19.26
n77L	70	30	3514.98	CP	256QAM	Edge_1RB_Right	19.12
n77L	70	30	3514.98	CP	256QAM	Outer_Full	19.25
n77L	80	30	3490.02	DFT	pi/2 BPSK	Inner_Full	25.84
n77L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.97
n77L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.29
n77L	80	30	3490.02	DFT	pi/2 BPSK	Outer_Full	25.19
n77L	80	30	3490.02	DFT	QPSK	Inner_Full	25.81
n77L	80	30	3490.02	DFT	QPSK	Edge_1RB_Left	22.04
n77L	80	30	3490.02	DFT	QPSK	Edge_1RB_Right	21.30
n77L	80	30	3490.02	DFT	QPSK	Outer_Full	24.70
n77L	80	30	3490.02	DFT	16QAM	Inner_Full	24.80
n77L	80	30	3490.02	DFT	16QAM	Edge_1RB_Left	22.18
n77L	80	30	3490.02	DFT	16QAM	Edge_1RB_Right	21.45
n77L	80	30	3490.02	DFT	16QAM	Outer_Full	23.70
n77L	80	30	3490.02	DFT	64QAM	Inner_Full	23.32
n77L	80	30	3490.02	DFT	64QAM	Edge_1RB_Left	21.88
n77L	80	30	3490.02	DFT	64QAM	Edge_1RB_Right	21.19
n77L	80	30	3490.02	DFT	64QAM	Outer_Full	23.20
n77L	80	30	3490.02	DFT	256QAM	Inner_Full	21.24
n77L	80	30	3490.02	DFT	256QAM	Edge_1RB_Left	21.22
n77L	80	30	3490.02	DFT	256QAM	Edge_1RB_Right	20.37
n77L	80	30	3490.02	DFT	256QAM	Outer_Full	21.15
n77L	80	30	3490.02	CP	QPSK	Inner_Full	24.25

n77L	80	30	3490.02	CP	QPSK	Edge_1RB_Left	21.92
n77L	80	30	3490.02	CP	QPSK	Edge_1RB_Right	21.22
n77L	80	30	3490.02	CP	QPSK	Outer_Full	22.65
n77L	80	30	3490.02	CP	16QAM	Inner_Full	23.76
n77L	80	30	3490.02	CP	16QAM	Edge_1RB_Left	22.12
n77L	80	30	3490.02	CP	16QAM	Edge_1RB_Right	21.54
n77L	80	30	3490.02	CP	16QAM	Outer_Full	22.63
n77L	80	30	3490.02	CP	64QAM	Inner_Full	22.28
n77L	80	30	3490.02	CP	64QAM	Edge_1RB_Left	22.31
n77L	80	30	3490.02	CP	64QAM	Edge_1RB_Right	21.47
n77L	80	30	3490.02	CP	64QAM	Outer_Full	22.15
n77L	80	30	3490.02	CP	256QAM	Inner_Full	19.33
n77L	80	30	3490.02	CP	256QAM	Edge_1RB_Left	19.31
n77L	80	30	3490.02	CP	256QAM	Edge_1RB_Right	18.60
n77L	80	30	3490.02	CP	256QAM	Outer_Full	19.31
n77L	80	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.82
n77L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.98
n77L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.41
n77L	80	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.16
n77L	80	30	3500.01	DFT	QPSK	Inner_Full	25.81
n77L	80	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.98
n77L	80	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.44
n77L	80	30	3500.01	DFT	QPSK	Outer_Full	24.64
n77L	80	30	3500.01	DFT	16QAM	Inner_Full	24.81
n77L	80	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.07
n77L	80	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.52
n77L	80	30	3500.01	DFT	16QAM	Outer_Full	23.64
n77L	80	30	3500.01	DFT	64QAM	Inner_Full	23.32
n77L	80	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.95
n77L	80	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.37
n77L	80	30	3500.01	DFT	64QAM	Outer_Full	23.15
n77L	80	30	3500.01	DFT	256QAM	Inner_Full	21.29
n77L	80	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.02
n77L	80	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.62
n77L	80	30	3500.01	DFT	256QAM	Outer_Full	21.12
n77L	80	30	3500.01	CP	QPSK	Inner_Full	24.29
n77L	80	30	3500.01	CP	QPSK	Edge_1RB_Left	21.84
n77L	80	30	3500.01	CP	QPSK	Edge_1RB_Right	21.29
n77L	80	30	3500.01	CP	QPSK	Outer_Full	22.61
n77L	80	30	3500.01	CP	16QAM	Inner_Full	23.80
n77L	80	30	3500.01	CP	16QAM	Edge_1RB_Left	22.17



n77L	80	30	3500.01	CP	16QAM	Edge_1RB_Right	21.58
n77L	80	30	3500.01	CP	16QAM	Outer_Full	22.63
n77L	80	30	3500.01	CP	64QAM	Inner_Full	22.33
n77L	80	30	3500.01	CP	64QAM	Edge_1RB_Left	21.92
n77L	80	30	3500.01	CP	64QAM	Edge_1RB_Right	21.51
n77L	80	30	3500.01	CP	64QAM	Outer_Full	22.08
n77L	80	30	3500.01	CP	256QAM	Inner_Full	19.41
n77L	80	30	3500.01	CP	256QAM	Edge_1RB_Left	19.34
n77L	80	30	3500.01	CP	256QAM	Edge_1RB_Right	18.84
n77L	80	30	3500.01	CP	256QAM	Outer_Full	19.23
n77L	80	30	3510	DFT	pi/2 BPSK	Inner_Full	25.71
n77L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Left	21.76
n77L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Right	21.40
n77L	80	30	3510	DFT	pi/2 BPSK	Outer_Full	25.07
n77L	80	30	3510	DFT	QPSK	Inner_Full	25.70
n77L	80	30	3510	DFT	QPSK	Edge_1RB_Left	21.80
n77L	80	30	3510	DFT	QPSK	Edge_1RB_Right	21.42
n77L	80	30	3510	DFT	QPSK	Outer_Full	24.61
n77L	80	30	3510	DFT	16QAM	Inner_Full	24.73
n77L	80	30	3510	DFT	16QAM	Edge_1RB_Left	22.03
n77L	80	30	3510	DFT	16QAM	Edge_1RB_Right	21.53
n77L	80	30	3510	DFT	16QAM	Outer_Full	23.62
n77L	80	30	3510	DFT	64QAM	Inner_Full	23.23
n77L	80	30	3510	DFT	64QAM	Edge_1RB_Left	21.63
n77L	80	30	3510	DFT	64QAM	Edge_1RB_Right	21.34
n77L	80	30	3510	DFT	64QAM	Outer_Full	23.08
n77L	80	30	3510	DFT	256QAM	Inner_Full	21.16
n77L	80	30	3510	DFT	256QAM	Edge_1RB_Left	20.85
n77L	80	30	3510	DFT	256QAM	Edge_1RB_Right	20.44
n77L	80	30	3510	DFT	256QAM	Outer_Full	21.07
n77L	80	30	3510	CP	QPSK	Inner_Full	24.18
n77L	80	30	3510	CP	QPSK	Edge_1RB_Left	21.64
n77L	80	30	3510	CP	QPSK	Edge_1RB_Right	21.42
n77L	80	30	3510	CP	QPSK	Outer_Full	22.57
n77L	80	30	3510	CP	16QAM	Inner_Full	23.74
n77L	80	30	3510	CP	16QAM	Edge_1RB_Left	21.96
n77L	80	30	3510	CP	16QAM	Edge_1RB_Right	21.56
n77L	80	30	3510	CP	16QAM	Outer_Full	22.57
n77L	80	30	3510	CP	64QAM	Inner_Full	22.14
n77L	80	30	3510	CP	64QAM	Edge_1RB_Left	22.11
n77L	80	30	3510	CP	64QAM	Edge_1RB_Right	21.67

n77L	80	30	3510	CP	64QAM	Outer_Full	22.08
n77L	80	30	3510	CP	256QAM	Inner_Full	19.30
n77L	80	30	3510	CP	256QAM	Edge_1RB_Left	19.07
n77L	80	30	3510	CP	256QAM	Edge_1RB_Right	18.85
n77L	80	30	3510	CP	256QAM	Outer_Full	19.17
n77L	90	30	3495	DFT	pi/2 BPSK	Inner_Full	25.69
n77L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Left	21.88
n77L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Right	21.24
n77L	90	30	3495	DFT	pi/2 BPSK	Outer_Full	25.14
n77L	90	30	3495	DFT	QPSK	Inner_Full	25.68
n77L	90	30	3495	DFT	QPSK	Edge_1RB_Left	21.91
n77L	90	30	3495	DFT	QPSK	Edge_1RB_Right	21.24
n77L	90	30	3495	DFT	QPSK	Outer_Full	24.66
n77L	90	30	3495	DFT	16QAM	Inner_Full	24.69
n77L	90	30	3495	DFT	16QAM	Edge_1RB_Left	22.02
n77L	90	30	3495	DFT	16QAM	Edge_1RB_Right	21.35
n77L	90	30	3495	DFT	16QAM	Outer_Full	23.65
n77L	90	30	3495	DFT	64QAM	Inner_Full	23.17
n77L	90	30	3495	DFT	64QAM	Edge_1RB_Left	21.77
n77L	90	30	3495	DFT	64QAM	Edge_1RB_Right	21.16
n77L	90	30	3495	DFT	64QAM	Outer_Full	23.12
n77L	90	30	3495	DFT	256QAM	Inner_Full	21.15
n77L	90	30	3495	DFT	256QAM	Edge_1RB_Left	20.91
n77L	90	30	3495	DFT	256QAM	Edge_1RB_Right	20.29
n77L	90	30	3495	DFT	256QAM	Outer_Full	21.08
n77L	90	30	3495	CP	QPSK	Inner_Full	24.23
n77L	90	30	3495	CP	QPSK	Edge_1RB_Left	21.86
n77L	90	30	3495	CP	QPSK	Edge_1RB_Right	21.20
n77L	90	30	3495	CP	QPSK	Outer_Full	22.54
n77L	90	30	3495	CP	16QAM	Inner_Full	23.67
n77L	90	30	3495	CP	16QAM	Edge_1RB_Left	22.01
n77L	90	30	3495	CP	16QAM	Edge_1RB_Right	21.41
n77L	90	30	3495	CP	16QAM	Outer_Full	22.52
n77L	90	30	3495	CP	64QAM	Inner_Full	22.12
n77L	90	30	3495	CP	64QAM	Edge_1RB_Left	22.07
n77L	90	30	3495	CP	64QAM	Edge_1RB_Right	21.38
n77L	90	30	3495	CP	64QAM	Outer_Full	22.08
n77L	90	30	3495	CP	256QAM	Inner_Full	19.30
n77L	90	30	3495	CP	256QAM	Edge_1RB_Left	19.20
n77L	90	30	3495	CP	256QAM	Edge_1RB_Right	18.51
n77L	90	30	3495	CP	256QAM	Outer_Full	19.21

n77L	90	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.81
n77L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.93
n77L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.35
n77L	90	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.17
n77L	90	30	3500.01	DFT	QPSK	Inner_Full	25.78
n77L	90	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.89
n77L	90	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.31
n77L	90	30	3500.01	DFT	QPSK	Outer_Full	24.65
n77L	90	30	3500.01	DFT	16QAM	Inner_Full	24.78
n77L	90	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.96
n77L	90	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.50
n77L	90	30	3500.01	DFT	16QAM	Outer_Full	23.65
n77L	90	30	3500.01	DFT	64QAM	Inner_Full	23.26
n77L	90	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.85
n77L	90	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.21
n77L	90	30	3500.01	DFT	64QAM	Outer_Full	23.18
n77L	90	30	3500.01	DFT	256QAM	Inner_Full	21.25
n77L	90	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.92
n77L	90	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.36
n77L	90	30	3500.01	DFT	256QAM	Outer_Full	21.12
n77L	90	30	3500.01	CP	QPSK	Inner_Full	24.20
n77L	90	30	3500.01	CP	QPSK	Edge_1RB_Left	21.94
n77L	90	30	3500.01	CP	QPSK	Edge_1RB_Right	21.39
n77L	90	30	3500.01	CP	QPSK	Outer_Full	22.59
n77L	90	30	3500.01	CP	16QAM	Inner_Full	23.76
n77L	90	30	3500.01	CP	16QAM	Edge_1RB_Left	22.02
n77L	90	30	3500.01	CP	16QAM	Edge_1RB_Right	21.42
n77L	90	30	3500.01	CP	16QAM	Outer_Full	22.62
n77L	90	30	3500.01	CP	64QAM	Inner_Full	22.20
n77L	90	30	3500.01	CP	64QAM	Edge_1RB_Left	21.93
n77L	90	30	3500.01	CP	64QAM	Edge_1RB_Right	21.23
n77L	90	30	3500.01	CP	64QAM	Outer_Full	22.12
n77L	90	30	3500.01	CP	256QAM	Inner_Full	19.33
n77L	90	30	3500.01	CP	256QAM	Edge_1RB_Left	19.17
n77L	90	30	3500.01	CP	256QAM	Edge_1RB_Right	18.78
n77L	90	30	3500.01	CP	256QAM	Outer_Full	19.28
n77L	90	30	3504.99	DFT	pi/2 BPSK	Inner_Full	25.81
n77L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.82
n77L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.25
n77L	90	30	3504.99	DFT	pi/2 BPSK	Outer_Full	25.11
n77L	90	30	3504.99	DFT	QPSK	Inner_Full	25.79

n77L	90	30	3504.99	DFT	QPSK	Edge_1RB_Left	21.80
n77L	90	30	3504.99	DFT	QPSK	Edge_1RB_Right	21.28
n77L	90	30	3504.99	DFT	QPSK	Outer_Full	24.64
n77L	90	30	3504.99	DFT	16QAM	Inner_Full	24.77
n77L	90	30	3504.99	DFT	16QAM	Edge_1RB_Left	21.91
n77L	90	30	3504.99	DFT	16QAM	Edge_1RB_Right	21.40
n77L	90	30	3504.99	DFT	16QAM	Outer_Full	23.65
n77L	90	30	3504.99	DFT	64QAM	Inner_Full	23.24
n77L	90	30	3504.99	DFT	64QAM	Edge_1RB_Left	21.70
n77L	90	30	3504.99	DFT	64QAM	Edge_1RB_Right	21.22
n77L	90	30	3504.99	DFT	64QAM	Outer_Full	23.17
n77L	90	30	3504.99	DFT	256QAM	Inner_Full	21.19
n77L	90	30	3504.99	DFT	256QAM	Edge_1RB_Left	20.96
n77L	90	30	3504.99	DFT	256QAM	Edge_1RB_Right	20.45
n77L	90	30	3504.99	DFT	256QAM	Outer_Full	21.11
n77L	90	30	3504.99	CP	QPSK	Inner_Full	24.21
n77L	90	30	3504.99	CP	QPSK	Edge_1RB_Left	21.88
n77L	90	30	3504.99	CP	QPSK	Edge_1RB_Right	21.30
n77L	90	30	3504.99	CP	QPSK	Outer_Full	22.60
n77L	90	30	3504.99	CP	16QAM	Inner_Full	23.71
n77L	90	30	3504.99	CP	16QAM	Edge_1RB_Left	21.90
n77L	90	30	3504.99	CP	16QAM	Edge_1RB_Right	21.49
n77L	90	30	3504.99	CP	16QAM	Outer_Full	22.62
n77L	90	30	3504.99	CP	64QAM	Inner_Full	22.15
n77L	90	30	3504.99	CP	64QAM	Edge_1RB_Left	21.98
n77L	90	30	3504.99	CP	64QAM	Edge_1RB_Right	21.45
n77L	90	30	3504.99	CP	64QAM	Outer_Full	22.12
n77L	90	30	3504.99	CP	256QAM	Inner_Full	19.35
n77L	90	30	3504.99	CP	256QAM	Edge_1RB_Left	19.24
n77L	90	30	3504.99	CP	256QAM	Edge_1RB_Right	18.66
n77L	90	30	3504.99	CP	256QAM	Outer_Full	19.25

**n77H**

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	10	30	3705	DFT	pi/2 BPSK	Inner_Full	25.25
n77H	10	30	3705	DFT	pi/2 BPSK	Edge_1RB_Left	21.70
n77H	10	30	3705	DFT	pi/2 BPSK	Edge_1RB_Right	21.71
n77H	10	30	3705	DFT	pi/2 BPSK	Outer_Full	24.78
n77H	10	30	3705	DFT	QPSK	Inner_Full	25.27
n77H	10	30	3705	DFT	QPSK	Edge_1RB_Left	21.74
n77H	10	30	3705	DFT	QPSK	Edge_1RB_Right	21.74
n77H	10	30	3705	DFT	QPSK	Outer_Full	24.33
n77H	10	30	3705	DFT	16QAM	Inner_Full	24.23
n77H	10	30	3705	DFT	16QAM	Edge_1RB_Left	21.72
n77H	10	30	3705	DFT	16QAM	Edge_1RB_Right	21.74
n77H	10	30	3705	DFT	16QAM	Outer_Full	23.37
n77H	10	30	3705	DFT	64QAM	Inner_Full	22.64
n77H	10	30	3705	DFT	64QAM	Edge_1RB_Left	21.63
n77H	10	30	3705	DFT	64QAM	Edge_1RB_Right	21.70
n77H	10	30	3705	DFT	64QAM	Outer_Full	22.77
n77H	10	30	3705	DFT	256QAM	Inner_Full	20.74
n77H	10	30	3705	DFT	256QAM	Edge_1RB_Left	20.82
n77H	10	30	3705	DFT	256QAM	Edge_1RB_Right	20.77
n77H	10	30	3705	DFT	256QAM	Outer_Full	20.79
n77H	10	30	3705	CP	QPSK	Inner_Full	23.70
n77H	10	30	3705	CP	QPSK	Edge_1RB_Left	21.83
n77H	10	30	3705	CP	QPSK	Edge_1RB_Right	21.73
n77H	10	30	3705	CP	QPSK	Outer_Full	22.29
n77H	10	30	3705	CP	16QAM	Inner_Full	23.35
n77H	10	30	3705	CP	16QAM	Edge_1RB_Left	21.94
n77H	10	30	3705	CP	16QAM	Edge_1RB_Right	22.03
n77H	10	30	3705	CP	16QAM	Outer_Full	22.34
n77H	10	30	3705	CP	64QAM	Inner_Full	21.76
n77H	10	30	3705	CP	64QAM	Edge_1RB_Left	21.80
n77H	10	30	3705	CP	64QAM	Edge_1RB_Right	21.70
n77H	10	30	3705	CP	64QAM	Outer_Full	21.85
n77H	10	30	3705	CP	256QAM	Inner_Full	18.88
n77H	10	30	3705	CP	256QAM	Edge_1RB_Left	18.79
n77H	10	30	3705	CP	256QAM	Edge_1RB_Right	18.92
n77H	10	30	3705	CP	256QAM	Outer_Full	18.92
n77H	10	30	3840	DFT	pi/2 BPSK	Inner_Full	25.64
n77H	10	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.07
n77H	10	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.06

n77H	10	30	3840	DFT	pi/2 BPSK	Outer_Full	25.15
n77H	10	30	3840	DFT	QPSK	Inner_Full	25.64
n77H	10	30	3840	DFT	QPSK	Edge_1RB_Left	22.11
n77H	10	30	3840	DFT	QPSK	Edge_1RB_Right	22.02
n77H	10	30	3840	DFT	QPSK	Outer_Full	24.65
n77H	10	30	3840	DFT	16QAM	Inner_Full	24.61
n77H	10	30	3840	DFT	16QAM	Edge_1RB_Left	22.12
n77H	10	30	3840	DFT	16QAM	Edge_1RB_Right	22.11
n77H	10	30	3840	DFT	16QAM	Outer_Full	23.70
n77H	10	30	3840	DFT	64QAM	Inner_Full	23.12
n77H	10	30	3840	DFT	64QAM	Edge_1RB_Left	22.01
n77H	10	30	3840	DFT	64QAM	Edge_1RB_Right	21.94
n77H	10	30	3840	DFT	64QAM	Outer_Full	23.12
n77H	10	30	3840	DFT	256QAM	Inner_Full	21.17
n77H	10	30	3840	DFT	256QAM	Edge_1RB_Left	21.26
n77H	10	30	3840	DFT	256QAM	Edge_1RB_Right	21.46
n77H	10	30	3840	DFT	256QAM	Outer_Full	21.19
n77H	10	30	3840	CP	QPSK	Inner_Full	24.14
n77H	10	30	3840	CP	QPSK	Edge_1RB_Left	22.08
n77H	10	30	3840	CP	QPSK	Edge_1RB_Right	22.02
n77H	10	30	3840	CP	QPSK	Outer_Full	22.61
n77H	10	30	3840	CP	16QAM	Inner_Full	23.67
n77H	10	30	3840	CP	16QAM	Edge_1RB_Left	21.79
n77H	10	30	3840	CP	16QAM	Edge_1RB_Right	21.91
n77H	10	30	3840	CP	16QAM	Outer_Full	22.62
n77H	10	30	3840	CP	64QAM	Inner_Full	21.99
n77H	10	30	3840	CP	64QAM	Edge_1RB_Left	22.18
n77H	10	30	3840	CP	64QAM	Edge_1RB_Right	22.12
n77H	10	30	3840	CP	64QAM	Outer_Full	22.23
n77H	10	30	3840	CP	256QAM	Inner_Full	19.21
n77H	10	30	3840	CP	256QAM	Edge_1RB_Left	19.43
n77H	10	30	3840	CP	256QAM	Edge_1RB_Right	19.41
n77H	10	30	3840	CP	256QAM	Outer_Full	19.41
n77H	10	30	3975	DFT	pi/2 BPSK	Inner_Full	26.23
n77H	10	30	3975	DFT	pi/2 BPSK	Edge_1RB_Left	22.57
n77H	10	30	3975	DFT	pi/2 BPSK	Edge_1RB_Right	22.56
n77H	10	30	3975	DFT	pi/2 BPSK	Outer_Full	25.73
n77H	10	30	3975	DFT	QPSK	Inner_Full	26.17
n77H	10	30	3975	DFT	QPSK	Edge_1RB_Left	22.61
n77H	10	30	3975	DFT	QPSK	Edge_1RB_Right	22.52
n77H	10	30	3975	DFT	QPSK	Outer_Full	25.19

n77H	10	30	3975	DFT	16QAM	Inner_Full	25.16
n77H	10	30	3975	DFT	16QAM	Edge_1RB_Left	22.55
n77H	10	30	3975	DFT	16QAM	Edge_1RB_Right	22.39
n77H	10	30	3975	DFT	16QAM	Outer_Full	24.23
n77H	10	30	3975	DFT	64QAM	Inner_Full	23.71
n77H	10	30	3975	DFT	64QAM	Edge_1RB_Left	22.50
n77H	10	30	3975	DFT	64QAM	Edge_1RB_Right	22.49
n77H	10	30	3975	DFT	64QAM	Outer_Full	23.68
n77H	10	30	3975	DFT	256QAM	Inner_Full	21.84
n77H	10	30	3975	DFT	256QAM	Edge_1RB_Left	21.82
n77H	10	30	3975	DFT	256QAM	Edge_1RB_Right	21.77
n77H	10	30	3975	DFT	256QAM	Outer_Full	21.82
n77H	10	30	3975	CP	QPSK	Inner_Full	24.67
n77H	10	30	3975	CP	QPSK	Edge_1RB_Left	22.56
n77H	10	30	3975	CP	QPSK	Edge_1RB_Right	22.43
n77H	10	30	3975	CP	QPSK	Outer_Full	23.20
n77H	10	30	3975	CP	16QAM	Inner_Full	24.26
n77H	10	30	3975	CP	16QAM	Edge_1RB_Left	22.45
n77H	10	30	3975	CP	16QAM	Edge_1RB_Right	22.36
n77H	10	30	3975	CP	16QAM	Outer_Full	23.12
n77H	10	30	3975	CP	64QAM	Inner_Full	22.66
n77H	10	30	3975	CP	64QAM	Edge_1RB_Left	22.87
n77H	10	30	3975	CP	64QAM	Edge_1RB_Right	22.68
n77H	10	30	3975	CP	64QAM	Outer_Full	22.65
n77H	10	30	3975	CP	256QAM	Inner_Full	19.82
n77H	10	30	3975	CP	256QAM	Edge_1RB_Left	19.76
n77H	10	30	3975	CP	256QAM	Edge_1RB_Right	19.90
n77H	10	30	3975	CP	256QAM	Outer_Full	19.82
n77H	15	30	3707.52	DFT	pi/2 BPSK	Inner_Full	25.32
n77H	15	30	3707.52	DFT	pi/2 BPSK	Edge_1RB_Left	21.71
n77H	15	30	3707.52	DFT	pi/2 BPSK	Edge_1RB_Right	21.76
n77H	15	30	3707.52	DFT	pi/2 BPSK	Outer_Full	24.81
n77H	15	30	3707.52	DFT	QPSK	Inner_Full	25.31
n77H	15	30	3707.52	DFT	QPSK	Edge_1RB_Left	21.72
n77H	15	30	3707.52	DFT	QPSK	Edge_1RB_Right	21.68
n77H	15	30	3707.52	DFT	QPSK	Outer_Full	24.39
n77H	15	30	3707.52	DFT	16QAM	Inner_Full	24.40
n77H	15	30	3707.52	DFT	16QAM	Edge_1RB_Left	21.84
n77H	15	30	3707.52	DFT	16QAM	Edge_1RB_Right	21.83
n77H	15	30	3707.52	DFT	16QAM	Outer_Full	23.38
n77H	15	30	3707.52	DFT	64QAM	Inner_Full	22.79

n77H	15	30	3707.52	DFT	64QAM	Edge_1RB_Left	21.62
n77H	15	30	3707.52	DFT	64QAM	Edge_1RB_Right	21.73
n77H	15	30	3707.52	DFT	64QAM	Outer_Full	22.86
n77H	15	30	3707.52	DFT	256QAM	Inner_Full	20.81
n77H	15	30	3707.52	DFT	256QAM	Edge_1RB_Left	20.87
n77H	15	30	3707.52	DFT	256QAM	Edge_1RB_Right	20.86
n77H	15	30	3707.52	DFT	256QAM	Outer_Full	20.86
n77H	15	30	3707.52	CP	QPSK	Inner_Full	23.76
n77H	15	30	3707.52	CP	QPSK	Edge_1RB_Left	21.82
n77H	15	30	3707.52	CP	QPSK	Edge_1RB_Right	21.94
n77H	15	30	3707.52	CP	QPSK	Outer_Full	22.29
n77H	15	30	3707.52	CP	16QAM	Inner_Full	23.35
n77H	15	30	3707.52	CP	16QAM	Edge_1RB_Left	21.83
n77H	15	30	3707.52	CP	16QAM	Edge_1RB_Right	21.95
n77H	15	30	3707.52	CP	16QAM	Outer_Full	22.33
n77H	15	30	3707.52	CP	64QAM	Inner_Full	21.82
n77H	15	30	3707.52	CP	64QAM	Edge_1RB_Left	21.76
n77H	15	30	3707.52	CP	64QAM	Edge_1RB_Right	21.94
n77H	15	30	3707.52	CP	64QAM	Outer_Full	21.73
n77H	15	30	3707.52	CP	256QAM	Inner_Full	18.93
n77H	15	30	3707.52	CP	256QAM	Edge_1RB_Left	18.92
n77H	15	30	3707.52	CP	256QAM	Edge_1RB_Right	18.92
n77H	15	30	3707.52	CP	256QAM	Outer_Full	18.96
n77H	15	30	3840	DFT	pi/2 BPSK	Inner_Full	25.59
n77H	15	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.96
n77H	15	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.99
n77H	15	30	3840	DFT	pi/2 BPSK	Outer_Full	25.13
n77H	15	30	3840	DFT	QPSK	Inner_Full	25.70
n77H	15	30	3840	DFT	QPSK	Edge_1RB_Left	21.93
n77H	15	30	3840	DFT	QPSK	Edge_1RB_Right	22.01
n77H	15	30	3840	DFT	QPSK	Outer_Full	24.62
n77H	15	30	3840	DFT	16QAM	Inner_Full	24.63
n77H	15	30	3840	DFT	16QAM	Edge_1RB_Left	22.02
n77H	15	30	3840	DFT	16QAM	Edge_1RB_Right	22.06
n77H	15	30	3840	DFT	16QAM	Outer_Full	23.68
n77H	15	30	3840	DFT	64QAM	Inner_Full	23.10
n77H	15	30	3840	DFT	64QAM	Edge_1RB_Left	21.85
n77H	15	30	3840	DFT	64QAM	Edge_1RB_Right	21.89
n77H	15	30	3840	DFT	64QAM	Outer_Full	23.20
n77H	15	30	3840	DFT	256QAM	Inner_Full	21.17
n77H	15	30	3840	DFT	256QAM	Edge_1RB_Left	21.08



n77H	15	30	3840	DFT	256QAM	Edge_1RB_Right	21.13
n77H	15	30	3840	DFT	256QAM	Outer_Full	21.08
n77H	15	30	3840	CP	QPSK	Inner_Full	24.10
n77H	15	30	3840	CP	QPSK	Edge_1RB_Left	22.02
n77H	15	30	3840	CP	QPSK	Edge_1RB_Right	22.15
n77H	15	30	3840	CP	QPSK	Outer_Full	22.62
n77H	15	30	3840	CP	16QAM	Inner_Full	23.64
n77H	15	30	3840	CP	16QAM	Edge_1RB_Left	22.23
n77H	15	30	3840	CP	16QAM	Edge_1RB_Right	22.41
n77H	15	30	3840	CP	16QAM	Outer_Full	22.61
n77H	15	30	3840	CP	64QAM	Inner_Full	22.14
n77H	15	30	3840	CP	64QAM	Edge_1RB_Left	22.34
n77H	15	30	3840	CP	64QAM	Edge_1RB_Right	22.04
n77H	15	30	3840	CP	64QAM	Outer_Full	22.10
n77H	15	30	3840	CP	256QAM	Inner_Full	19.29
n77H	15	30	3840	CP	256QAM	Edge_1RB_Left	19.12
n77H	15	30	3840	CP	256QAM	Edge_1RB_Right	19.19
n77H	15	30	3840	CP	256QAM	Outer_Full	19.25
n77H	15	30	3972.48	DFT	pi/2 BPSK	Inner_Full	26.25
n77H	15	30	3972.48	DFT	pi/2 BPSK	Edge_1RB_Left	22.66
n77H	15	30	3972.48	DFT	pi/2 BPSK	Edge_1RB_Right	22.56
n77H	15	30	3972.48	DFT	pi/2 BPSK	Outer_Full	25.85
n77H	15	30	3972.48	DFT	QPSK	Inner_Full	26.34
n77H	15	30	3972.48	DFT	QPSK	Edge_1RB_Left	22.68
n77H	15	30	3972.48	DFT	QPSK	Edge_1RB_Right	22.62
n77H	15	30	3972.48	DFT	QPSK	Outer_Full	25.33
n77H	15	30	3972.48	DFT	16QAM	Inner_Full	25.30
n77H	15	30	3972.48	DFT	16QAM	Edge_1RB_Left	22.78
n77H	15	30	3972.48	DFT	16QAM	Edge_1RB_Right	22.68
n77H	15	30	3972.48	DFT	16QAM	Outer_Full	24.38
n77H	15	30	3972.48	DFT	64QAM	Inner_Full	23.81
n77H	15	30	3972.48	DFT	64QAM	Edge_1RB_Left	22.60
n77H	15	30	3972.48	DFT	64QAM	Edge_1RB_Right	22.52
n77H	15	30	3972.48	DFT	64QAM	Outer_Full	23.79
n77H	15	30	3972.48	DFT	256QAM	Inner_Full	21.82
n77H	15	30	3972.48	DFT	256QAM	Edge_1RB_Left	21.85
n77H	15	30	3972.48	DFT	256QAM	Edge_1RB_Right	21.71
n77H	15	30	3972.48	DFT	256QAM	Outer_Full	21.79
n77H	15	30	3972.48	CP	QPSK	Inner_Full	24.85
n77H	15	30	3972.48	CP	QPSK	Edge_1RB_Left	22.63
n77H	15	30	3972.48	CP	QPSK	Edge_1RB_Right	22.56

n77H	15	30	3972.48	CP	QPSK	Outer_Full	23.26
n77H	15	30	3972.48	CP	16QAM	Inner_Full	24.30
n77H	15	30	3972.48	CP	16QAM	Edge_1RB_Left	22.69
n77H	15	30	3972.48	CP	16QAM	Edge_1RB_Right	22.56
n77H	15	30	3972.48	CP	16QAM	Outer_Full	23.33
n77H	15	30	3972.48	CP	64QAM	Inner_Full	22.81
n77H	15	30	3972.48	CP	64QAM	Edge_1RB_Left	22.72
n77H	15	30	3972.48	CP	64QAM	Edge_1RB_Right	22.87
n77H	15	30	3972.48	CP	64QAM	Outer_Full	22.73
n77H	15	30	3972.48	CP	256QAM	Inner_Full	19.89
n77H	15	30	3972.48	CP	256QAM	Edge_1RB_Left	19.79
n77H	15	30	3972.48	CP	256QAM	Edge_1RB_Right	19.76
n77H	15	30	3972.48	CP	256QAM	Outer_Full	19.88
n77H	20	30	3710.01	DFT	pi/2 BPSK	Inner_Full	25.36
n77H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.65
n77H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.87
n77H	20	30	3710.01	DFT	pi/2 BPSK	Outer_Full	24.89
n77H	20	30	3710.01	DFT	QPSK	Inner_Full	25.37
n77H	20	30	3710.01	DFT	QPSK	Edge_1RB_Left	21.66
n77H	20	30	3710.01	DFT	QPSK	Edge_1RB_Right	21.86
n77H	20	30	3710.01	DFT	QPSK	Outer_Full	24.39
n77H	20	30	3710.01	DFT	16QAM	Inner_Full	24.36
n77H	20	30	3710.01	DFT	16QAM	Edge_1RB_Left	21.70
n77H	20	30	3710.01	DFT	16QAM	Edge_1RB_Right	22.02
n77H	20	30	3710.01	DFT	16QAM	Outer_Full	23.43
n77H	20	30	3710.01	DFT	64QAM	Inner_Full	22.96
n77H	20	30	3710.01	DFT	64QAM	Edge_1RB_Left	21.67
n77H	20	30	3710.01	DFT	64QAM	Edge_1RB_Right	21.77
n77H	20	30	3710.01	DFT	64QAM	Outer_Full	22.93
n77H	20	30	3710.01	DFT	256QAM	Inner_Full	20.75
n77H	20	30	3710.01	DFT	256QAM	Edge_1RB_Left	20.80
n77H	20	30	3710.01	DFT	256QAM	Edge_1RB_Right	21.06
n77H	20	30	3710.01	DFT	256QAM	Outer_Full	20.90
n77H	20	30	3710.01	CP	QPSK	Inner_Full	23.83
n77H	20	30	3710.01	CP	QPSK	Edge_1RB_Left	21.87
n77H	20	30	3710.01	CP	QPSK	Edge_1RB_Right	21.98
n77H	20	30	3710.01	CP	QPSK	Outer_Full	22.40
n77H	20	30	3710.01	CP	16QAM	Inner_Full	23.32
n77H	20	30	3710.01	CP	16QAM	Edge_1RB_Left	21.88
n77H	20	30	3710.01	CP	16QAM	Edge_1RB_Right	22.05
n77H	20	30	3710.01	CP	16QAM	Outer_Full	22.38

n77H	20	30	3710.01	CP	64QAM	Inner_Full	21.95
n77H	20	30	3710.01	CP	64QAM	Edge_1RB_Left	22.04
n77H	20	30	3710.01	CP	64QAM	Edge_1RB_Right	22.30
n77H	20	30	3710.01	CP	64QAM	Outer_Full	21.82
n77H	20	30	3710.01	CP	256QAM	Inner_Full	18.93
n77H	20	30	3710.01	CP	256QAM	Edge_1RB_Left	18.91
n77H	20	30	3710.01	CP	256QAM	Edge_1RB_Right	19.06
n77H	20	30	3710.01	CP	256QAM	Outer_Full	19.01
n77H	20	30	3840	DFT	pi/2 BPSK	Inner_Full	25.64
n77H	20	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.89
n77H	20	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.93
n77H	20	30	3840	DFT	pi/2 BPSK	Outer_Full	25.18
n77H	20	30	3840	DFT	QPSK	Inner_Full	25.74
n77H	20	30	3840	DFT	QPSK	Edge_1RB_Left	21.86
n77H	20	30	3840	DFT	QPSK	Edge_1RB_Right	21.95
n77H	20	30	3840	DFT	QPSK	Outer_Full	24.66
n77H	20	30	3840	DFT	16QAM	Inner_Full	24.69
n77H	20	30	3840	DFT	16QAM	Edge_1RB_Left	21.99
n77H	20	30	3840	DFT	16QAM	Edge_1RB_Right	22.08
n77H	20	30	3840	DFT	16QAM	Outer_Full	23.66
n77H	20	30	3840	DFT	64QAM	Inner_Full	23.23
n77H	20	30	3840	DFT	64QAM	Edge_1RB_Left	21.81
n77H	20	30	3840	DFT	64QAM	Edge_1RB_Right	21.85
n77H	20	30	3840	DFT	64QAM	Outer_Full	23.20
n77H	20	30	3840	DFT	256QAM	Inner_Full	21.05
n77H	20	30	3840	DFT	256QAM	Edge_1RB_Left	20.85
n77H	20	30	3840	DFT	256QAM	Edge_1RB_Right	20.92
n77H	20	30	3840	DFT	256QAM	Outer_Full	21.15
n77H	20	30	3840	CP	QPSK	Inner_Full	24.10
n77H	20	30	3840	CP	QPSK	Edge_1RB_Left	21.81
n77H	20	30	3840	CP	QPSK	Edge_1RB_Right	21.93
n77H	20	30	3840	CP	QPSK	Outer_Full	22.59
n77H	20	30	3840	CP	16QAM	Inner_Full	23.66
n77H	20	30	3840	CP	16QAM	Edge_1RB_Left	22.13
n77H	20	30	3840	CP	16QAM	Edge_1RB_Right	22.25
n77H	20	30	3840	CP	16QAM	Outer_Full	22.67
n77H	20	30	3840	CP	64QAM	Inner_Full	22.22
n77H	20	30	3840	CP	64QAM	Edge_1RB_Left	22.00
n77H	20	30	3840	CP	64QAM	Edge_1RB_Right	22.06
n77H	20	30	3840	CP	64QAM	Outer_Full	22.13
n77H	20	30	3840	CP	256QAM	Inner_Full	19.27

n77H	20	30	3840	CP	256QAM	Edge_1RB_Left	18.90
n77H	20	30	3840	CP	256QAM	Edge_1RB_Right	19.12
n77H	20	30	3840	CP	256QAM	Outer_Full	19.23
n77H	20	30	3969.99	DFT	pi/2 BPSK	Inner_Full	26.32
n77H	20	30	3969.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.47
n77H	20	30	3969.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.48
n77H	20	30	3969.99	DFT	pi/2 BPSK	Outer_Full	25.77
n77H	20	30	3969.99	DFT	QPSK	Inner_Full	26.32
n77H	20	30	3969.99	DFT	QPSK	Edge_1RB_Left	22.61
n77H	20	30	3969.99	DFT	QPSK	Edge_1RB_Right	22.56
n77H	20	30	3969.99	DFT	QPSK	Outer_Full	25.28
n77H	20	30	3969.99	DFT	16QAM	Inner_Full	25.34
n77H	20	30	3969.99	DFT	16QAM	Edge_1RB_Left	22.60
n77H	20	30	3969.99	DFT	16QAM	Edge_1RB_Right	22.57
n77H	20	30	3969.99	DFT	16QAM	Outer_Full	24.28
n77H	20	30	3969.99	DFT	64QAM	Inner_Full	23.85
n77H	20	30	3969.99	DFT	64QAM	Edge_1RB_Left	22.41
n77H	20	30	3969.99	DFT	64QAM	Edge_1RB_Right	22.43
n77H	20	30	3969.99	DFT	64QAM	Outer_Full	23.82
n77H	20	30	3969.99	DFT	256QAM	Inner_Full	21.75
n77H	20	30	3969.99	DFT	256QAM	Edge_1RB_Left	21.60
n77H	20	30	3969.99	DFT	256QAM	Edge_1RB_Right	21.68
n77H	20	30	3969.99	DFT	256QAM	Outer_Full	21.81
n77H	20	30	3969.99	CP	QPSK	Inner_Full	24.77
n77H	20	30	3969.99	CP	QPSK	Edge_1RB_Left	22.57
n77H	20	30	3969.99	CP	QPSK	Edge_1RB_Right	22.52
n77H	20	30	3969.99	CP	QPSK	Outer_Full	23.22
n77H	20	30	3969.99	CP	16QAM	Inner_Full	24.32
n77H	20	30	3969.99	CP	16QAM	Edge_1RB_Left	22.44
n77H	20	30	3969.99	CP	16QAM	Edge_1RB_Right	22.67
n77H	20	30	3969.99	CP	16QAM	Outer_Full	23.26
n77H	20	30	3969.99	CP	64QAM	Inner_Full	22.82
n77H	20	30	3969.99	CP	64QAM	Edge_1RB_Left	22.68
n77H	20	30	3969.99	CP	64QAM	Edge_1RB_Right	22.83
n77H	20	30	3969.99	CP	64QAM	Outer_Full	22.78
n77H	20	30	3969.99	CP	256QAM	Inner_Full	19.86
n77H	20	30	3969.99	CP	256QAM	Edge_1RB_Left	19.68
n77H	20	30	3969.99	CP	256QAM	Edge_1RB_Right	19.80
n77H	20	30	3969.99	CP	256QAM	Outer_Full	19.87
n77H	40	30	3720	DFT	pi/2 BPSK	Inner_Full	25.43
n77H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Left	21.23

n77H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Right	21.74
n77H	40	30	3720	DFT	pi/2 BPSK	Outer_Full	24.84
n77H	40	30	3720	DFT	QPSK	Inner_Full	25.43
n77H	40	30	3720	DFT	QPSK	Edge_1RB_Left	21.20
n77H	40	30	3720	DFT	QPSK	Edge_1RB_Right	21.77
n77H	40	30	3720	DFT	QPSK	Outer_Full	24.37
n77H	40	30	3720	DFT	16QAM	Inner_Full	24.48
n77H	40	30	3720	DFT	16QAM	Edge_1RB_Left	21.19
n77H	40	30	3720	DFT	16QAM	Edge_1RB_Right	21.84
n77H	40	30	3720	DFT	16QAM	Outer_Full	23.37
n77H	40	30	3720	DFT	64QAM	Inner_Full	22.94
n77H	40	30	3720	DFT	64QAM	Edge_1RB_Left	21.19
n77H	40	30	3720	DFT	64QAM	Edge_1RB_Right	21.69
n77H	40	30	3720	DFT	64QAM	Outer_Full	22.96
n77H	40	30	3720	DFT	256QAM	Inner_Full	20.95
n77H	40	30	3720	DFT	256QAM	Edge_1RB_Left	20.34
n77H	40	30	3720	DFT	256QAM	Edge_1RB_Right	20.77
n77H	40	30	3720	DFT	256QAM	Outer_Full	20.91
n77H	40	30	3720	CP	QPSK	Inner_Full	23.98
n77H	40	30	3720	CP	QPSK	Edge_1RB_Left	21.29
n77H	40	30	3720	CP	QPSK	Edge_1RB_Right	21.88
n77H	40	30	3720	CP	QPSK	Outer_Full	22.42
n77H	40	30	3720	CP	16QAM	Inner_Full	23.52
n77H	40	30	3720	CP	16QAM	Edge_1RB_Left	21.26
n77H	40	30	3720	CP	16QAM	Edge_1RB_Right	21.98
n77H	40	30	3720	CP	16QAM	Outer_Full	22.32
n77H	40	30	3720	CP	64QAM	Inner_Full	21.96
n77H	40	30	3720	CP	64QAM	Edge_1RB_Left	21.30
n77H	40	30	3720	CP	64QAM	Edge_1RB_Right	21.96
n77H	40	30	3720	CP	64QAM	Outer_Full	21.88
n77H	40	30	3720	CP	256QAM	Inner_Full	19.07
n77H	40	30	3720	CP	256QAM	Edge_1RB_Left	18.30
n77H	40	30	3720	CP	256QAM	Edge_1RB_Right	19.02
n77H	40	30	3720	CP	256QAM	Outer_Full	18.99
n77H	40	30	3840	DFT	pi/2 BPSK	Inner_Full	25.56
n77H	40	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.23
n77H	40	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.35
n77H	40	30	3840	DFT	pi/2 BPSK	Outer_Full	24.92
n77H	40	30	3840	DFT	QPSK	Inner_Full	25.58
n77H	40	30	3840	DFT	QPSK	Edge_1RB_Left	21.23
n77H	40	30	3840	DFT	QPSK	Edge_1RB_Right	21.34

n77H	40	30	3840	DFT	QPSK	Outer_Full	24.42
n77H	40	30	3840	DFT	16QAM	Inner_Full	24.61
n77H	40	30	3840	DFT	16QAM	Edge_1RB_Left	21.32
n77H	40	30	3840	DFT	16QAM	Edge_1RB_Right	21.46
n77H	40	30	3840	DFT	16QAM	Outer_Full	23.40
n77H	40	30	3840	DFT	64QAM	Inner_Full	23.11
n77H	40	30	3840	DFT	64QAM	Edge_1RB_Left	21.15
n77H	40	30	3840	DFT	64QAM	Edge_1RB_Right	21.31
n77H	40	30	3840	DFT	64QAM	Outer_Full	22.99
n77H	40	30	3840	DFT	256QAM	Inner_Full	21.06
n77H	40	30	3840	DFT	256QAM	Edge_1RB_Left	20.40
n77H	40	30	3840	DFT	256QAM	Edge_1RB_Right	20.38
n77H	40	30	3840	DFT	256QAM	Outer_Full	20.92
n77H	40	30	3840	CP	QPSK	Inner_Full	24.08
n77H	40	30	3840	CP	QPSK	Edge_1RB_Left	21.25
n77H	40	30	3840	CP	QPSK	Edge_1RB_Right	21.36
n77H	40	30	3840	CP	QPSK	Outer_Full	22.40
n77H	40	30	3840	CP	16QAM	Inner_Full	23.51
n77H	40	30	3840	CP	16QAM	Edge_1RB_Left	21.42
n77H	40	30	3840	CP	16QAM	Edge_1RB_Right	21.56
n77H	40	30	3840	CP	16QAM	Outer_Full	22.40
n77H	40	30	3840	CP	64QAM	Inner_Full	22.10
n77H	40	30	3840	CP	64QAM	Edge_1RB_Left	21.27
n77H	40	30	3840	CP	64QAM	Edge_1RB_Right	21.51
n77H	40	30	3840	CP	64QAM	Outer_Full	21.95
n77H	40	30	3840	CP	256QAM	Inner_Full	19.24
n77H	40	30	3840	CP	256QAM	Edge_1RB_Left	18.53
n77H	40	30	3840	CP	256QAM	Edge_1RB_Right	18.74
n77H	40	30	3840	CP	256QAM	Outer_Full	19.05
n77H	40	30	3960	DFT	pi/2 BPSK	Inner_Full	26.21
n77H	40	30	3960	DFT	pi/2 BPSK	Edge_1RB_Left	21.80
n77H	40	30	3960	DFT	pi/2 BPSK	Edge_1RB_Right	22.10
n77H	40	30	3960	DFT	pi/2 BPSK	Outer_Full	25.60
n77H	40	30	3960	DFT	QPSK	Inner_Full	26.14
n77H	40	30	3960	DFT	QPSK	Edge_1RB_Left	21.80
n77H	40	30	3960	DFT	QPSK	Edge_1RB_Right	22.09
n77H	40	30	3960	DFT	QPSK	Outer_Full	25.07
n77H	40	30	3960	DFT	16QAM	Inner_Full	25.14
n77H	40	30	3960	DFT	16QAM	Edge_1RB_Left	21.72
n77H	40	30	3960	DFT	16QAM	Edge_1RB_Right	22.01
n77H	40	30	3960	DFT	16QAM	Outer_Full	24.07

n77H	40	30	3960	DFT	64QAM	Inner_Full	23.64
n77H	40	30	3960	DFT	64QAM	Edge_1RB_Left	21.70
n77H	40	30	3960	DFT	64QAM	Edge_1RB_Right	22.01
n77H	40	30	3960	DFT	64QAM	Outer_Full	23.60
n77H	40	30	3960	DFT	256QAM	Inner_Full	21.59
n77H	40	30	3960	DFT	256QAM	Edge_1RB_Left	21.18
n77H	40	30	3960	DFT	256QAM	Edge_1RB_Right	21.52
n77H	40	30	3960	DFT	256QAM	Outer_Full	21.57
n77H	40	30	3960	CP	QPSK	Inner_Full	24.60
n77H	40	30	3960	CP	QPSK	Edge_1RB_Left	21.81
n77H	40	30	3960	CP	QPSK	Edge_1RB_Right	22.09
n77H	40	30	3960	CP	QPSK	Outer_Full	23.00
n77H	40	30	3960	CP	16QAM	Inner_Full	24.16
n77H	40	30	3960	CP	16QAM	Edge_1RB_Left	21.70
n77H	40	30	3960	CP	16QAM	Edge_1RB_Right	22.03
n77H	40	30	3960	CP	16QAM	Outer_Full	22.96
n77H	40	30	3960	CP	64QAM	Inner_Full	22.61
n77H	40	30	3960	CP	64QAM	Edge_1RB_Left	22.11
n77H	40	30	3960	CP	64QAM	Edge_1RB_Right	22.39
n77H	40	30	3960	CP	64QAM	Outer_Full	22.55
n77H	40	30	3960	CP	256QAM	Inner_Full	19.74
n77H	40	30	3960	CP	256QAM	Edge_1RB_Left	19.22
n77H	40	30	3960	CP	256QAM	Edge_1RB_Right	19.49
n77H	40	30	3960	CP	256QAM	Outer_Full	19.66
n77H	50	30	3725.01	DFT	pi/2 BPSK	Inner_Full	25.46
n77H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.35
n77H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.94
n77H	50	30	3725.01	DFT	pi/2 BPSK	Outer_Full	24.96
n77H	50	30	3725.01	DFT	QPSK	Inner_Full	25.49
n77H	50	30	3725.01	DFT	QPSK	Edge_1RB_Left	21.37
n77H	50	30	3725.01	DFT	QPSK	Edge_1RB_Right	22.00
n77H	50	30	3725.01	DFT	QPSK	Outer_Full	24.36
n77H	50	30	3725.01	DFT	16QAM	Inner_Full	24.50
n77H	50	30	3725.01	DFT	16QAM	Edge_1RB_Left	21.26
n77H	50	30	3725.01	DFT	16QAM	Edge_1RB_Right	21.88
n77H	50	30	3725.01	DFT	16QAM	Outer_Full	23.38
n77H	50	30	3725.01	DFT	64QAM	Inner_Full	23.06
n77H	50	30	3725.01	DFT	64QAM	Edge_1RB_Left	21.17
n77H	50	30	3725.01	DFT	64QAM	Edge_1RB_Right	21.84
n77H	50	30	3725.01	DFT	64QAM	Outer_Full	22.94
n77H	50	30	3725.01	DFT	256QAM	Inner_Full	21.06

n77H	50	30	3725.01	DFT	256QAM	Edge_1RB_Left	20.64
n77H	50	30	3725.01	DFT	256QAM	Edge_1RB_Right	21.37
n77H	50	30	3725.01	DFT	256QAM	Outer_Full	20.91
n77H	50	30	3725.01	CP	QPSK	Inner_Full	24.02
n77H	50	30	3725.01	CP	QPSK	Edge_1RB_Left	21.35
n77H	50	30	3725.01	CP	QPSK	Edge_1RB_Right	22.11
n77H	50	30	3725.01	CP	QPSK	Outer_Full	22.46
n77H	50	30	3725.01	CP	16QAM	Inner_Full	23.54
n77H	50	30	3725.01	CP	16QAM	Edge_1RB_Left	21.57
n77H	50	30	3725.01	CP	16QAM	Edge_1RB_Right	22.20
n77H	50	30	3725.01	CP	16QAM	Outer_Full	22.45
n77H	50	30	3725.01	CP	64QAM	Inner_Full	22.07
n77H	50	30	3725.01	CP	64QAM	Edge_1RB_Left	21.45
n77H	50	30	3725.01	CP	64QAM	Edge_1RB_Right	22.17
n77H	50	30	3725.01	CP	64QAM	Outer_Full	21.98
n77H	50	30	3725.01	CP	256QAM	Inner_Full	19.17
n77H	50	30	3725.01	CP	256QAM	Edge_1RB_Left	18.55
n77H	50	30	3725.01	CP	256QAM	Edge_1RB_Right	19.33
n77H	50	30	3725.01	CP	256QAM	Outer_Full	19.03
n77H	50	30	3840	DFT	pi/2 BPSK	Inner_Full	25.61
n77H	50	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.43
n77H	50	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.50
n77H	50	30	3840	DFT	pi/2 BPSK	Outer_Full	24.98
n77H	50	30	3840	DFT	QPSK	Inner_Full	25.58
n77H	50	30	3840	DFT	QPSK	Edge_1RB_Left	21.44
n77H	50	30	3840	DFT	QPSK	Edge_1RB_Right	21.44
n77H	50	30	3840	DFT	QPSK	Outer_Full	24.40
n77H	50	30	3840	DFT	16QAM	Inner_Full	24.64
n77H	50	30	3840	DFT	16QAM	Edge_1RB_Left	21.53
n77H	50	30	3840	DFT	16QAM	Edge_1RB_Right	21.60
n77H	50	30	3840	DFT	16QAM	Outer_Full	23.48
n77H	50	30	3840	DFT	64QAM	Inner_Full	23.12
n77H	50	30	3840	DFT	64QAM	Edge_1RB_Left	21.36
n77H	50	30	3840	DFT	64QAM	Edge_1RB_Right	21.45
n77H	50	30	3840	DFT	64QAM	Outer_Full	22.95
n77H	50	30	3840	DFT	256QAM	Inner_Full	21.11
n77H	50	30	3840	DFT	256QAM	Edge_1RB_Left	20.60
n77H	50	30	3840	DFT	256QAM	Edge_1RB_Right	20.53
n77H	50	30	3840	DFT	256QAM	Outer_Full	21.00
n77H	50	30	3840	CP	QPSK	Inner_Full	24.04
n77H	50	30	3840	CP	QPSK	Edge_1RB_Left	21.53



n77H	50	30	3840	CP	QPSK	Edge_1RB_Right	21.52
n77H	50	30	3840	CP	QPSK	Outer_Full	22.45
n77H	50	30	3840	CP	16QAM	Inner_Full	23.58
n77H	50	30	3840	CP	16QAM	Edge_1RB_Left	21.61
n77H	50	30	3840	CP	16QAM	Edge_1RB_Right	21.88
n77H	50	30	3840	CP	16QAM	Outer_Full	22.46
n77H	50	30	3840	CP	64QAM	Inner_Full	22.14
n77H	50	30	3840	CP	64QAM	Edge_1RB_Left	21.54
n77H	50	30	3840	CP	64QAM	Edge_1RB_Right	21.93
n77H	50	30	3840	CP	64QAM	Outer_Full	21.95
n77H	50	30	3840	CP	256QAM	Inner_Full	19.27
n77H	50	30	3840	CP	256QAM	Edge_1RB_Left	18.74
n77H	50	30	3840	CP	256QAM	Edge_1RB_Right	18.71
n77H	50	30	3840	CP	256QAM	Outer_Full	19.09
n77H	50	30	3954.48	DFT	pi/2 BPSK	Inner_Full	26.11
n77H	50	30	3954.48	DFT	pi/2 BPSK	Edge_1RB_Left	22.09
n77H	50	30	3954.48	DFT	pi/2 BPSK	Edge_1RB_Right	22.37
n77H	50	30	3954.48	DFT	pi/2 BPSK	Outer_Full	25.59
n77H	50	30	3954.48	DFT	QPSK	Inner_Full	26.14
n77H	50	30	3954.48	DFT	QPSK	Edge_1RB_Left	22.11
n77H	50	30	3954.48	DFT	QPSK	Edge_1RB_Right	22.36
n77H	50	30	3954.48	DFT	QPSK	Outer_Full	25.12
n77H	50	30	3954.48	DFT	16QAM	Inner_Full	25.20
n77H	50	30	3954.48	DFT	16QAM	Edge_1RB_Left	22.18
n77H	50	30	3954.48	DFT	16QAM	Edge_1RB_Right	22.47
n77H	50	30	3954.48	DFT	16QAM	Outer_Full	24.13
n77H	50	30	3954.48	DFT	64QAM	Inner_Full	23.67
n77H	50	30	3954.48	DFT	64QAM	Edge_1RB_Left	22.02
n77H	50	30	3954.48	DFT	64QAM	Edge_1RB_Right	22.33
n77H	50	30	3954.48	DFT	64QAM	Outer_Full	23.67
n77H	50	30	3954.48	DFT	256QAM	Inner_Full	21.69
n77H	50	30	3954.48	DFT	256QAM	Edge_1RB_Left	21.26
n77H	50	30	3954.48	DFT	256QAM	Edge_1RB_Right	21.39
n77H	50	30	3954.48	DFT	256QAM	Outer_Full	21.60
n77H	50	30	3954.48	CP	QPSK	Inner_Full	24.60
n77H	50	30	3954.48	CP	QPSK	Edge_1RB_Left	22.03
n77H	50	30	3954.48	CP	QPSK	Edge_1RB_Right	22.37
n77H	50	30	3954.48	CP	QPSK	Outer_Full	23.09
n77H	50	30	3954.48	CP	16QAM	Inner_Full	24.19
n77H	50	30	3954.48	CP	16QAM	Edge_1RB_Left	22.48
n77H	50	30	3954.48	CP	16QAM	Edge_1RB_Right	22.66

n77H	50	30	3954.48	CP	16QAM	Outer_Full	23.10
n77H	50	30	3954.48	CP	64QAM	Inner_Full	22.68
n77H	50	30	3954.48	CP	64QAM	Edge_1RB_Left	22.18
n77H	50	30	3954.48	CP	64QAM	Edge_1RB_Right	22.36
n77H	50	30	3954.48	CP	64QAM	Outer_Full	22.59
n77H	50	30	3954.48	CP	256QAM	Inner_Full	19.78
n77H	50	30	3954.48	CP	256QAM	Edge_1RB_Left	19.23
n77H	50	30	3954.48	CP	256QAM	Edge_1RB_Right	19.69
n77H	50	30	3954.48	CP	256QAM	Outer_Full	19.73
n77H	60	30	3730.02	DFT	pi/2 BPSK	Inner_Full	25.64
n77H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.28
n77H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.84
n77H	60	30	3730.02	DFT	pi/2 BPSK	Outer_Full	24.98
n77H	60	30	3730.02	DFT	QPSK	Inner_Full	25.67
n77H	60	30	3730.02	DFT	QPSK	Edge_1RB_Left	21.27
n77H	60	30	3730.02	DFT	QPSK	Edge_1RB_Right	21.88
n77H	60	30	3730.02	DFT	QPSK	Outer_Full	24.45
n77H	60	30	3730.02	DFT	16QAM	Inner_Full	24.62
n77H	60	30	3730.02	DFT	16QAM	Edge_1RB_Left	21.33
n77H	60	30	3730.02	DFT	16QAM	Edge_1RB_Right	21.93
n77H	60	30	3730.02	DFT	16QAM	Outer_Full	23.43
n77H	60	30	3730.02	DFT	64QAM	Inner_Full	23.16
n77H	60	30	3730.02	DFT	64QAM	Edge_1RB_Left	21.17
n77H	60	30	3730.02	DFT	64QAM	Edge_1RB_Right	21.81
n77H	60	30	3730.02	DFT	64QAM	Outer_Full	22.99
n77H	60	30	3730.02	DFT	256QAM	Inner_Full	21.16
n77H	60	30	3730.02	DFT	256QAM	Edge_1RB_Left	20.29
n77H	60	30	3730.02	DFT	256QAM	Edge_1RB_Right	20.91
n77H	60	30	3730.02	DFT	256QAM	Outer_Full	20.96
n77H	60	30	3730.02	CP	QPSK	Inner_Full	24.07
n77H	60	30	3730.02	CP	QPSK	Edge_1RB_Left	21.33
n77H	60	30	3730.02	CP	QPSK	Edge_1RB_Right	22.04
n77H	60	30	3730.02	CP	QPSK	Outer_Full	22.45
n77H	60	30	3730.02	CP	16QAM	Inner_Full	23.64
n77H	60	30	3730.02	CP	16QAM	Edge_1RB_Left	21.38
n77H	60	30	3730.02	CP	16QAM	Edge_1RB_Right	22.11
n77H	60	30	3730.02	CP	16QAM	Outer_Full	22.37
n77H	60	30	3730.02	CP	64QAM	Inner_Full	22.13
n77H	60	30	3730.02	CP	64QAM	Edge_1RB_Left	21.37
n77H	60	30	3730.02	CP	64QAM	Edge_1RB_Right	21.92
n77H	60	30	3730.02	CP	64QAM	Outer_Full	22.00

n77H	60	30	3730.02	CP	256QAM	Inner_Full	19.22
n77H	60	30	3730.02	CP	256QAM	Edge_1RB_Left	18.58
n77H	60	30	3730.02	CP	256QAM	Edge_1RB_Right	19.09
n77H	60	30	3730.02	CP	256QAM	Outer_Full	19.06
n77H	60	30	3840	DFT	pi/2 BPSK	Inner_Full	25.54
n77H	60	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.43
n77H	60	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.42
n77H	60	30	3840	DFT	pi/2 BPSK	Outer_Full	24.87
n77H	60	30	3840	DFT	QPSK	Inner_Full	25.57
n77H	60	30	3840	DFT	QPSK	Edge_1RB_Left	21.42
n77H	60	30	3840	DFT	QPSK	Edge_1RB_Right	21.46
n77H	60	30	3840	DFT	QPSK	Outer_Full	24.35
n77H	60	30	3840	DFT	16QAM	Inner_Full	24.53
n77H	60	30	3840	DFT	16QAM	Edge_1RB_Left	21.55
n77H	60	30	3840	DFT	16QAM	Edge_1RB_Right	21.46
n77H	60	30	3840	DFT	16QAM	Outer_Full	23.35
n77H	60	30	3840	DFT	64QAM	Inner_Full	23.02
n77H	60	30	3840	DFT	64QAM	Edge_1RB_Left	21.40
n77H	60	30	3840	DFT	64QAM	Edge_1RB_Right	21.30
n77H	60	30	3840	DFT	64QAM	Outer_Full	22.85
n77H	60	30	3840	DFT	256QAM	Inner_Full	21.05
n77H	60	30	3840	DFT	256QAM	Edge_1RB_Left	20.45
n77H	60	30	3840	DFT	256QAM	Edge_1RB_Right	20.49
n77H	60	30	3840	DFT	256QAM	Outer_Full	20.90
n77H	60	30	3840	CP	QPSK	Inner_Full	23.99
n77H	60	30	3840	CP	QPSK	Edge_1RB_Left	21.41
n77H	60	30	3840	CP	QPSK	Edge_1RB_Right	21.45
n77H	60	30	3840	CP	QPSK	Outer_Full	22.36
n77H	60	30	3840	CP	16QAM	Inner_Full	23.56
n77H	60	30	3840	CP	16QAM	Edge_1RB_Left	21.55
n77H	60	30	3840	CP	16QAM	Edge_1RB_Right	21.75
n77H	60	30	3840	CP	16QAM	Outer_Full	22.31
n77H	60	30	3840	CP	64QAM	Inner_Full	21.98
n77H	60	30	3840	CP	64QAM	Edge_1RB_Left	21.56
n77H	60	30	3840	CP	64QAM	Edge_1RB_Right	21.39
n77H	60	30	3840	CP	64QAM	Outer_Full	21.87
n77H	60	30	3840	CP	256QAM	Inner_Full	19.16
n77H	60	30	3840	CP	256QAM	Edge_1RB_Left	18.56
n77H	60	30	3840	CP	256QAM	Edge_1RB_Right	18.79
n77H	60	30	3840	CP	256QAM	Outer_Full	18.95
n77H	60	30	3949.98	DFT	pi/2 BPSK	Inner_Full	26.04

n77H	60	30	3949.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.09
n77H	60	30	3949.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.25
n77H	60	30	3949.98	DFT	pi/2 BPSK	Outer_Full	25.49
n77H	60	30	3949.98	DFT	QPSK	Inner_Full	26.03
n77H	60	30	3949.98	DFT	QPSK	Edge_1RB_Left	22.02
n77H	60	30	3949.98	DFT	QPSK	Edge_1RB_Right	22.30
n77H	60	30	3949.98	DFT	QPSK	Outer_Full	25.02
n77H	60	30	3949.98	DFT	16QAM	Inner_Full	25.04
n77H	60	30	3949.98	DFT	16QAM	Edge_1RB_Left	22.18
n77H	60	30	3949.98	DFT	16QAM	Edge_1RB_Right	22.37
n77H	60	30	3949.98	DFT	16QAM	Outer_Full	23.96
n77H	60	30	3949.98	DFT	64QAM	Inner_Full	23.53
n77H	60	30	3949.98	DFT	64QAM	Edge_1RB_Left	21.89
n77H	60	30	3949.98	DFT	64QAM	Edge_1RB_Right	22.17
n77H	60	30	3949.98	DFT	64QAM	Outer_Full	23.49
n77H	60	30	3949.98	DFT	256QAM	Inner_Full	21.56
n77H	60	30	3949.98	DFT	256QAM	Edge_1RB_Left	21.06
n77H	60	30	3949.98	DFT	256QAM	Edge_1RB_Right	21.40
n77H	60	30	3949.98	DFT	256QAM	Outer_Full	21.49
n77H	60	30	3949.98	CP	QPSK	Inner_Full	24.49
n77H	60	30	3949.98	CP	QPSK	Edge_1RB_Left	21.99
n77H	60	30	3949.98	CP	QPSK	Edge_1RB_Right	22.32
n77H	60	30	3949.98	CP	QPSK	Outer_Full	22.97
n77H	60	30	3949.98	CP	16QAM	Inner_Full	24.05
n77H	60	30	3949.98	CP	16QAM	Edge_1RB_Left	22.31
n77H	60	30	3949.98	CP	16QAM	Edge_1RB_Right	22.55
n77H	60	30	3949.98	CP	16QAM	Outer_Full	22.93
n77H	60	30	3949.98	CP	64QAM	Inner_Full	22.54
n77H	60	30	3949.98	CP	64QAM	Edge_1RB_Left	22.18
n77H	60	30	3949.98	CP	64QAM	Edge_1RB_Right	22.50
n77H	60	30	3949.98	CP	64QAM	Outer_Full	22.46
n77H	60	30	3949.98	CP	256QAM	Inner_Full	19.63
n77H	60	30	3949.98	CP	256QAM	Edge_1RB_Left	19.30
n77H	60	30	3949.98	CP	256QAM	Edge_1RB_Right	19.54
n77H	60	30	3949.98	CP	256QAM	Outer_Full	19.55
n77H	70	30	3735	DFT	pi/2 BPSK	Inner_Full	25.63
n77H	70	30	3735	DFT	pi/2 BPSK	Edge_1RB_Left	21.18
n77H	70	30	3735	DFT	pi/2 BPSK	Edge_1RB_Right	21.88
n77H	70	30	3735	DFT	pi/2 BPSK	Outer_Full	24.99
n77H	70	30	3735	DFT	QPSK	Inner_Full	25.67
n77H	70	30	3735	DFT	QPSK	Edge_1RB_Left	21.19

n77H	70	30	3735	DFT	QPSK	Edge_1RB_Right	21.87
n77H	70	30	3735	DFT	QPSK	Outer_Full	24.50
n77H	70	30	3735	DFT	16QAM	Inner_Full	24.63
n77H	70	30	3735	DFT	16QAM	Edge_1RB_Left	21.32
n77H	70	30	3735	DFT	16QAM	Edge_1RB_Right	22.01
n77H	70	30	3735	DFT	16QAM	Outer_Full	23.46
n77H	70	30	3735	DFT	64QAM	Inner_Full	23.14
n77H	70	30	3735	DFT	64QAM	Edge_1RB_Left	21.10
n77H	70	30	3735	DFT	64QAM	Edge_1RB_Right	21.72
n77H	70	30	3735	DFT	64QAM	Outer_Full	23.03
n77H	70	30	3735	DFT	256QAM	Inner_Full	21.13
n77H	70	30	3735	DFT	256QAM	Edge_1RB_Left	20.32
n77H	70	30	3735	DFT	256QAM	Edge_1RB_Right	20.88
n77H	70	30	3735	DFT	256QAM	Outer_Full	20.96
n77H	70	30	3735	CP	QPSK	Inner_Full	24.17
n77H	70	30	3735	CP	QPSK	Edge_1RB_Left	21.14
n77H	70	30	3735	CP	QPSK	Edge_1RB_Right	21.80
n77H	70	30	3735	CP	QPSK	Outer_Full	22.46
n77H	70	30	3735	CP	16QAM	Inner_Full	23.61
n77H	70	30	3735	CP	16QAM	Edge_1RB_Left	21.33
n77H	70	30	3735	CP	16QAM	Edge_1RB_Right	22.07
n77H	70	30	3735	CP	16QAM	Outer_Full	22.49
n77H	70	30	3735	CP	64QAM	Inner_Full	22.20
n77H	70	30	3735	CP	64QAM	Edge_1RB_Left	21.58
n77H	70	30	3735	CP	64QAM	Edge_1RB_Right	21.98
n77H	70	30	3735	CP	64QAM	Outer_Full	22.01
n77H	70	30	3735	CP	256QAM	Inner_Full	19.29
n77H	70	30	3735	CP	256QAM	Edge_1RB_Left	18.38
n77H	70	30	3735	CP	256QAM	Edge_1RB_Right	19.24
n77H	70	30	3735	CP	256QAM	Outer_Full	19.12
n77H	70	30	3840	DFT	pi/2 BPSK	Inner_Full	25.48
n77H	70	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.59
n77H	70	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.38
n77H	70	30	3840	DFT	pi/2 BPSK	Outer_Full	24.91
n77H	70	30	3840	DFT	QPSK	Inner_Full	25.57
n77H	70	30	3840	DFT	QPSK	Edge_1RB_Left	21.56
n77H	70	30	3840	DFT	QPSK	Edge_1RB_Right	21.40
n77H	70	30	3840	DFT	QPSK	Outer_Full	24.38
n77H	70	30	3840	DFT	16QAM	Inner_Full	24.56
n77H	70	30	3840	DFT	16QAM	Edge_1RB_Left	21.65
n77H	70	30	3840	DFT	16QAM	Edge_1RB_Right	21.46

n77H	70	30	3840	DFT	16QAM	Outer_Full	23.36
n77H	70	30	3840	DFT	64QAM	Inner_Full	23.02
n77H	70	30	3840	DFT	64QAM	Edge_1RB_Left	21.46
n77H	70	30	3840	DFT	64QAM	Edge_1RB_Right	21.29
n77H	70	30	3840	DFT	64QAM	Outer_Full	22.88
n77H	70	30	3840	DFT	256QAM	Inner_Full	21.04
n77H	70	30	3840	DFT	256QAM	Edge_1RB_Left	20.65
n77H	70	30	3840	DFT	256QAM	Edge_1RB_Right	20.46
n77H	70	30	3840	DFT	256QAM	Outer_Full	20.89
n77H	70	30	3840	CP	QPSK	Inner_Full	24.08
n77H	70	30	3840	CP	QPSK	Edge_1RB_Left	21.50
n77H	70	30	3840	CP	QPSK	Edge_1RB_Right	21.28
n77H	70	30	3840	CP	QPSK	Outer_Full	22.34
n77H	70	30	3840	CP	16QAM	Inner_Full	23.51
n77H	70	30	3840	CP	16QAM	Edge_1RB_Left	21.75
n77H	70	30	3840	CP	16QAM	Edge_1RB_Right	21.75
n77H	70	30	3840	CP	16QAM	Outer_Full	22.38
n77H	70	30	3840	CP	64QAM	Inner_Full	22.09
n77H	70	30	3840	CP	64QAM	Edge_1RB_Left	22.00
n77H	70	30	3840	CP	64QAM	Edge_1RB_Right	21.57
n77H	70	30	3840	CP	64QAM	Outer_Full	21.85
n77H	70	30	3840	CP	256QAM	Inner_Full	19.15
n77H	70	30	3840	CP	256QAM	Edge_1RB_Left	19.12
n77H	70	30	3840	CP	256QAM	Edge_1RB_Right	18.83
n77H	70	30	3840	CP	256QAM	Outer_Full	18.97
n77H	70	30	3945	DFT	pi/2 BPSK	Inner_Full	25.98
n77H	70	30	3945	DFT	pi/2 BPSK	Edge_1RB_Left	21.78
n77H	70	30	3945	DFT	pi/2 BPSK	Edge_1RB_Right	22.21
n77H	70	30	3945	DFT	pi/2 BPSK	Outer_Full	25.43
n77H	70	30	3945	DFT	QPSK	Inner_Full	25.98
n77H	70	30	3945	DFT	QPSK	Edge_1RB_Left	21.90
n77H	70	30	3945	DFT	QPSK	Edge_1RB_Right	22.26
n77H	70	30	3945	DFT	QPSK	Outer_Full	24.95
n77H	70	30	3945	DFT	16QAM	Inner_Full	24.95
n77H	70	30	3945	DFT	16QAM	Edge_1RB_Left	21.74
n77H	70	30	3945	DFT	16QAM	Edge_1RB_Right	22.10
n77H	70	30	3945	DFT	16QAM	Outer_Full	23.91
n77H	70	30	3945	DFT	64QAM	Inner_Full	23.52
n77H	70	30	3945	DFT	64QAM	Edge_1RB_Left	21.75
n77H	70	30	3945	DFT	64QAM	Edge_1RB_Right	22.14
n77H	70	30	3945	DFT	64QAM	Outer_Full	23.44

n77H	70	30	3945	DFT	256QAM	Inner_Full	21.43
n77H	70	30	3945	DFT	256QAM	Edge_1RB_Left	20.99
n77H	70	30	3945	DFT	256QAM	Edge_1RB_Right	21.34
n77H	70	30	3945	DFT	256QAM	Outer_Full	21.44
n77H	70	30	3945	CP	QPSK	Inner_Full	24.51
n77H	70	30	3945	CP	QPSK	Edge_1RB_Left	21.75
n77H	70	30	3945	CP	QPSK	Edge_1RB_Right	22.19
n77H	70	30	3945	CP	QPSK	Outer_Full	22.95
n77H	70	30	3945	CP	16QAM	Inner_Full	23.92
n77H	70	30	3945	CP	16QAM	Edge_1RB_Left	21.64
n77H	70	30	3945	CP	16QAM	Edge_1RB_Right	22.03
n77H	70	30	3945	CP	16QAM	Outer_Full	22.89
n77H	70	30	3945	CP	64QAM	Inner_Full	22.48
n77H	70	30	3945	CP	64QAM	Edge_1RB_Left	22.29
n77H	70	30	3945	CP	64QAM	Edge_1RB_Right	22.41
n77H	70	30	3945	CP	64QAM	Outer_Full	22.43
n77H	70	30	3945	CP	256QAM	Inner_Full	19.58
n77H	70	30	3945	CP	256QAM	Edge_1RB_Left	19.25
n77H	70	30	3945	CP	256QAM	Edge_1RB_Right	19.68
n77H	70	30	3945	CP	256QAM	Outer_Full	19.57
n77H	80	30	3740.01	DFT	pi/2 BPSK	Inner_Full	25.73
n77H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.12
n77H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.88
n77H	80	30	3740.01	DFT	pi/2 BPSK	Outer_Full	25.06
n77H	80	30	3740.01	DFT	QPSK	Inner_Full	25.76
n77H	80	30	3740.01	DFT	QPSK	Edge_1RB_Left	21.09
n77H	80	30	3740.01	DFT	QPSK	Edge_1RB_Right	21.94
n77H	80	30	3740.01	DFT	QPSK	Outer_Full	24.54
n77H	80	30	3740.01	DFT	16QAM	Inner_Full	24.77
n77H	80	30	3740.01	DFT	16QAM	Edge_1RB_Left	21.20
n77H	80	30	3740.01	DFT	16QAM	Edge_1RB_Right	22.00
n77H	80	30	3740.01	DFT	16QAM	Outer_Full	23.60
n77H	80	30	3740.01	DFT	64QAM	Inner_Full	23.29
n77H	80	30	3740.01	DFT	64QAM	Edge_1RB_Left	20.96
n77H	80	30	3740.01	DFT	64QAM	Edge_1RB_Right	21.74
n77H	80	30	3740.01	DFT	64QAM	Outer_Full	23.03
n77H	80	30	3740.01	DFT	256QAM	Inner_Full	21.24
n77H	80	30	3740.01	DFT	256QAM	Edge_1RB_Left	20.31
n77H	80	30	3740.01	DFT	256QAM	Edge_1RB_Right	21.01
n77H	80	30	3740.01	DFT	256QAM	Outer_Full	21.04
n77H	80	30	3740.01	CP	QPSK	Inner_Full	24.26

n77H	80	30	3740.01	CP	QPSK	Edge_1RB_Left	20.98
n77H	80	30	3740.01	CP	QPSK	Edge_1RB_Right	21.87
n77H	80	30	3740.01	CP	QPSK	Outer_Full	22.52
n77H	80	30	3740.01	CP	16QAM	Inner_Full	23.76
n77H	80	30	3740.01	CP	16QAM	Edge_1RB_Left	21.25
n77H	80	30	3740.01	CP	16QAM	Edge_1RB_Right	22.13
n77H	80	30	3740.01	CP	16QAM	Outer_Full	22.56
n77H	80	30	3740.01	CP	64QAM	Inner_Full	22.32
n77H	80	30	3740.01	CP	64QAM	Edge_1RB_Left	21.25
n77H	80	30	3740.01	CP	64QAM	Edge_1RB_Right	22.06
n77H	80	30	3740.01	CP	64QAM	Outer_Full	22.05
n77H	80	30	3740.01	CP	256QAM	Inner_Full	19.32
n77H	80	30	3740.01	CP	256QAM	Edge_1RB_Left	18.43
n77H	80	30	3740.01	CP	256QAM	Edge_1RB_Right	19.12
n77H	80	30	3740.01	CP	256QAM	Outer_Full	19.17
n77H	80	30	3840	DFT	pi/2 BPSK	Inner_Full	25.54
n77H	80	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.63
n77H	80	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.25
n77H	80	30	3840	DFT	pi/2 BPSK	Outer_Full	24.84
n77H	80	30	3840	DFT	QPSK	Inner_Full	25.54
n77H	80	30	3840	DFT	QPSK	Edge_1RB_Left	21.63
n77H	80	30	3840	DFT	QPSK	Edge_1RB_Right	21.28
n77H	80	30	3840	DFT	QPSK	Outer_Full	24.32
n77H	80	30	3840	DFT	16QAM	Inner_Full	24.51
n77H	80	30	3840	DFT	16QAM	Edge_1RB_Left	21.78
n77H	80	30	3840	DFT	16QAM	Edge_1RB_Right	21.38
n77H	80	30	3840	DFT	16QAM	Outer_Full	23.34
n77H	80	30	3840	DFT	64QAM	Inner_Full	23.04
n77H	80	30	3840	DFT	64QAM	Edge_1RB_Left	21.46
n77H	80	30	3840	DFT	64QAM	Edge_1RB_Right	21.10
n77H	80	30	3840	DFT	64QAM	Outer_Full	22.85
n77H	80	30	3840	DFT	256QAM	Inner_Full	21.00
n77H	80	30	3840	DFT	256QAM	Edge_1RB_Left	20.62
n77H	80	30	3840	DFT	256QAM	Edge_1RB_Right	20.44
n77H	80	30	3840	DFT	256QAM	Outer_Full	20.85
n77H	80	30	3840	CP	QPSK	Inner_Full	24.01
n77H	80	30	3840	CP	QPSK	Edge_1RB_Left	21.55
n77H	80	30	3840	CP	QPSK	Edge_1RB_Right	21.08
n77H	80	30	3840	CP	QPSK	Outer_Full	22.34
n77H	80	30	3840	CP	16QAM	Inner_Full	23.55
n77H	80	30	3840	CP	16QAM	Edge_1RB_Left	21.77



n77H	80	30	3840	CP	16QAM	Edge_1RB_Right	21.57
n77H	80	30	3840	CP	16QAM	Outer_Full	22.30
n77H	80	30	3840	CP	64QAM	Inner_Full	22.01
n77H	80	30	3840	CP	64QAM	Edge_1RB_Left	21.65
n77H	80	30	3840	CP	64QAM	Edge_1RB_Right	21.24
n77H	80	30	3840	CP	64QAM	Outer_Full	21.85
n77H	80	30	3840	CP	256QAM	Inner_Full	19.10
n77H	80	30	3840	CP	256QAM	Edge_1RB_Left	18.87
n77H	80	30	3840	CP	256QAM	Edge_1RB_Right	18.57
n77H	80	30	3840	CP	256QAM	Outer_Full	18.98
n77H	80	30	3939.99	DFT	pi/2 BPSK	Inner_Full	26.01
n77H	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.38
n77H	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.06
n77H	80	30	3939.99	DFT	pi/2 BPSK	Outer_Full	25.37
n77H	80	30	3939.99	DFT	QPSK	Inner_Full	25.97
n77H	80	30	3939.99	DFT	QPSK	Edge_1RB_Left	21.38
n77H	80	30	3939.99	DFT	QPSK	Edge_1RB_Right	22.08
n77H	80	30	3939.99	DFT	QPSK	Outer_Full	24.92
n77H	80	30	3939.99	DFT	16QAM	Inner_Full	24.97
n77H	80	30	3939.99	DFT	16QAM	Edge_1RB_Left	21.53
n77H	80	30	3939.99	DFT	16QAM	Edge_1RB_Right	22.18
n77H	80	30	3939.99	DFT	16QAM	Outer_Full	23.92
n77H	80	30	3939.99	DFT	64QAM	Inner_Full	23.51
n77H	80	30	3939.99	DFT	64QAM	Edge_1RB_Left	21.28
n77H	80	30	3939.99	DFT	64QAM	Edge_1RB_Right	21.88
n77H	80	30	3939.99	DFT	64QAM	Outer_Full	23.43
n77H	80	30	3939.99	DFT	256QAM	Inner_Full	21.40
n77H	80	30	3939.99	DFT	256QAM	Edge_1RB_Left	20.42
n77H	80	30	3939.99	DFT	256QAM	Edge_1RB_Right	21.09
n77H	80	30	3939.99	DFT	256QAM	Outer_Full	21.35
n77H	80	30	3939.99	CP	QPSK	Inner_Full	24.47
n77H	80	30	3939.99	CP	QPSK	Edge_1RB_Left	21.19
n77H	80	30	3939.99	CP	QPSK	Edge_1RB_Right	21.94
n77H	80	30	3939.99	CP	QPSK	Outer_Full	22.89
n77H	80	30	3939.99	CP	16QAM	Inner_Full	24.00
n77H	80	30	3939.99	CP	16QAM	Edge_1RB_Left	21.73
n77H	80	30	3939.99	CP	16QAM	Edge_1RB_Right	22.48
n77H	80	30	3939.99	CP	16QAM	Outer_Full	22.88
n77H	80	30	3939.99	CP	64QAM	Inner_Full	22.43
n77H	80	30	3939.99	CP	64QAM	Edge_1RB_Left	21.81
n77H	80	30	3939.99	CP	64QAM	Edge_1RB_Right	22.59

n77H	80	30	3939.99	CP	64QAM	Outer_Full	22.39
n77H	80	30	3939.99	CP	256QAM	Inner_Full	19.52
n77H	80	30	3939.99	CP	256QAM	Edge_1RB_Left	18.63
n77H	80	30	3939.99	CP	256QAM	Edge_1RB_Right	19.35
n77H	80	30	3939.99	CP	256QAM	Outer_Full	19.46
n77H	90	30	3745.02	DFT	pi/2 BPSK	Inner_Full	25.64
n77H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Left	20.97
n77H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.98
n77H	90	30	3745.02	DFT	pi/2 BPSK	Outer_Full	24.99
n77H	90	30	3745.02	DFT	QPSK	Inner_Full	25.66
n77H	90	30	3745.02	DFT	QPSK	Edge_1RB_Left	20.94
n77H	90	30	3745.02	DFT	QPSK	Edge_1RB_Right	21.93
n77H	90	30	3745.02	DFT	QPSK	Outer_Full	24.52
n77H	90	30	3745.02	DFT	16QAM	Inner_Full	24.72
n77H	90	30	3745.02	DFT	16QAM	Edge_1RB_Left	21.01
n77H	90	30	3745.02	DFT	16QAM	Edge_1RB_Right	22.10
n77H	90	30	3745.02	DFT	16QAM	Outer_Full	23.50
n77H	90	30	3745.02	DFT	64QAM	Inner_Full	23.16
n77H	90	30	3745.02	DFT	64QAM	Edge_1RB_Left	20.94
n77H	90	30	3745.02	DFT	64QAM	Edge_1RB_Right	21.87
n77H	90	30	3745.02	DFT	64QAM	Outer_Full	23.06
n77H	90	30	3745.02	DFT	256QAM	Inner_Full	21.19
n77H	90	30	3745.02	DFT	256QAM	Edge_1RB_Left	19.99
n77H	90	30	3745.02	DFT	256QAM	Edge_1RB_Right	21.06
n77H	90	30	3745.02	DFT	256QAM	Outer_Full	21.05
n77H	90	30	3745.02	CP	QPSK	Inner_Full	24.17
n77H	90	30	3745.02	CP	QPSK	Edge_1RB_Left	20.99
n77H	90	30	3745.02	CP	QPSK	Edge_1RB_Right	22.06
n77H	90	30	3745.02	CP	QPSK	Outer_Full	22.49
n77H	90	30	3745.02	CP	16QAM	Inner_Full	23.64
n77H	90	30	3745.02	CP	16QAM	Edge_1RB_Left	20.98
n77H	90	30	3745.02	CP	16QAM	Edge_1RB_Right	22.07
n77H	90	30	3745.02	CP	16QAM	Outer_Full	22.47
n77H	90	30	3745.02	CP	64QAM	Inner_Full	22.09
n77H	90	30	3745.02	CP	64QAM	Edge_1RB_Left	21.18
n77H	90	30	3745.02	CP	64QAM	Edge_1RB_Right	22.07
n77H	90	30	3745.02	CP	64QAM	Outer_Full	22.04
n77H	90	30	3745.02	CP	256QAM	Inner_Full	19.28
n77H	90	30	3745.02	CP	256QAM	Edge_1RB_Left	18.27
n77H	90	30	3745.02	CP	256QAM	Edge_1RB_Right	19.40
n77H	90	30	3745.02	CP	256QAM	Outer_Full	19.18

n77H	90	30	3840	DFT	pi/2 BPSK	Inner_Full	25.47
n77H	90	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.63
n77H	90	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.09
n77H	90	30	3840	DFT	pi/2 BPSK	Outer_Full	24.83
n77H	90	30	3840	DFT	QPSK	Inner_Full	25.50
n77H	90	30	3840	DFT	QPSK	Edge_1RB_Left	21.64
n77H	90	30	3840	DFT	QPSK	Edge_1RB_Right	21.15
n77H	90	30	3840	DFT	QPSK	Outer_Full	24.35
n77H	90	30	3840	DFT	16QAM	Inner_Full	24.47
n77H	90	30	3840	DFT	16QAM	Edge_1RB_Left	21.71
n77H	90	30	3840	DFT	16QAM	Edge_1RB_Right	21.24
n77H	90	30	3840	DFT	16QAM	Outer_Full	23.36
n77H	90	30	3840	DFT	64QAM	Inner_Full	22.95
n77H	90	30	3840	DFT	64QAM	Edge_1RB_Left	21.55
n77H	90	30	3840	DFT	64QAM	Edge_1RB_Right	21.05
n77H	90	30	3840	DFT	64QAM	Outer_Full	22.88
n77H	90	30	3840	DFT	256QAM	Inner_Full	20.98
n77H	90	30	3840	DFT	256QAM	Edge_1RB_Left	20.83
n77H	90	30	3840	DFT	256QAM	Edge_1RB_Right	20.24
n77H	90	30	3840	DFT	256QAM	Outer_Full	20.85
n77H	90	30	3840	CP	QPSK	Inner_Full	23.93
n77H	90	30	3840	CP	QPSK	Edge_1RB_Left	21.62
n77H	90	30	3840	CP	QPSK	Edge_1RB_Right	21.10
n77H	90	30	3840	CP	QPSK	Outer_Full	22.31
n77H	90	30	3840	CP	16QAM	Inner_Full	23.49
n77H	90	30	3840	CP	16QAM	Edge_1RB_Left	21.74
n77H	90	30	3840	CP	16QAM	Edge_1RB_Right	21.38
n77H	90	30	3840	CP	16QAM	Outer_Full	22.29
n77H	90	30	3840	CP	64QAM	Inner_Full	21.90
n77H	90	30	3840	CP	64QAM	Edge_1RB_Left	21.70
n77H	90	30	3840	CP	64QAM	Edge_1RB_Right	21.44
n77H	90	30	3840	CP	64QAM	Outer_Full	21.86
n77H	90	30	3840	CP	256QAM	Inner_Full	19.01
n77H	90	30	3840	CP	256QAM	Edge_1RB_Left	19.04
n77H	90	30	3840	CP	256QAM	Edge_1RB_Right	18.52
n77H	90	30	3840	CP	256QAM	Outer_Full	18.94
n77H	90	30	3934.98	DFT	pi/2 BPSK	Inner_Full	25.99
n77H	90	30	3934.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.09
n77H	90	30	3934.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.89
n77H	90	30	3934.98	DFT	pi/2 BPSK	Outer_Full	25.37
n77H	90	30	3934.98	DFT	QPSK	Inner_Full	26.03

n77H	90	30	3934.98	DFT	QPSK	Edge_1RB_Left	21.09
n77H	90	30	3934.98	DFT	QPSK	Edge_1RB_Right	21.91
n77H	90	30	3934.98	DFT	QPSK	Outer_Full	24.87
n77H	90	30	3934.98	DFT	16QAM	Inner_Full	25.03
n77H	90	30	3934.98	DFT	16QAM	Edge_1RB_Left	21.21
n77H	90	30	3934.98	DFT	16QAM	Edge_1RB_Right	21.92
n77H	90	30	3934.98	DFT	16QAM	Outer_Full	23.93
n77H	90	30	3934.98	DFT	64QAM	Inner_Full	23.52
n77H	90	30	3934.98	DFT	64QAM	Edge_1RB_Left	20.96
n77H	90	30	3934.98	DFT	64QAM	Edge_1RB_Right	21.79
n77H	90	30	3934.98	DFT	64QAM	Outer_Full	23.38
n77H	90	30	3934.98	DFT	256QAM	Inner_Full	21.46
n77H	90	30	3934.98	DFT	256QAM	Edge_1RB_Left	20.20
n77H	90	30	3934.98	DFT	256QAM	Edge_1RB_Right	20.98
n77H	90	30	3934.98	DFT	256QAM	Outer_Full	21.33
n77H	90	30	3934.98	CP	QPSK	Inner_Full	24.46
n77H	90	30	3934.98	CP	QPSK	Edge_1RB_Left	20.99
n77H	90	30	3934.98	CP	QPSK	Edge_1RB_Right	21.83
n77H	90	30	3934.98	CP	QPSK	Outer_Full	22.87
n77H	90	30	3934.98	CP	16QAM	Inner_Full	23.96
n77H	90	30	3934.98	CP	16QAM	Edge_1RB_Left	20.92
n77H	90	30	3934.98	CP	16QAM	Edge_1RB_Right	21.81
n77H	90	30	3934.98	CP	16QAM	Outer_Full	22.80
n77H	90	30	3934.98	CP	64QAM	Inner_Full	22.47
n77H	90	30	3934.98	CP	64QAM	Edge_1RB_Left	21.44
n77H	90	30	3934.98	CP	64QAM	Edge_1RB_Right	21.99
n77H	90	30	3934.98	CP	64QAM	Outer_Full	22.35
n77H	90	30	3934.98	CP	256QAM	Inner_Full	19.61
n77H	90	30	3934.98	CP	256QAM	Edge_1RB_Left	18.68
n77H	90	30	3934.98	CP	256QAM	Edge_1RB_Right	19.46
n77H	90	30	3934.98	CP	256QAM	Outer_Full	19.49
n77H	100	30	3750	DFT	pi/2 BPSK	Inner_Full	25.77
n77H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.01
n77H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	21.56
n77H	100	30	3750	DFT	pi/2 BPSK	Outer_Full	25.07
n77H	100	30	3750	DFT	QPSK	Inner_Full	25.79
n77H	100	30	3750	DFT	QPSK	Edge_1RB_Left	20.95
n77H	100	30	3750	DFT	QPSK	Edge_1RB_Right	21.57
n77H	100	30	3750	DFT	QPSK	Outer_Full	24.57
n77H	100	30	3750	DFT	16QAM	Inner_Full	24.83
n77H	100	30	3750	DFT	16QAM	Edge_1RB_Left	21.03

n77H	100	30	3750	DFT	16QAM	Edge_1RB_Right	21.49
n77H	100	30	3750	DFT	16QAM	Outer_Full	23.57
n77H	100	30	3750	DFT	64QAM	Inner_Full	23.34
n77H	100	30	3750	DFT	64QAM	Edge_1RB_Left	21.15
n77H	100	30	3750	DFT	64QAM	Edge_1RB_Right	21.51
n77H	100	30	3750	DFT	64QAM	Outer_Full	23.08
n77H	100	30	3750	DFT	256QAM	Inner_Full	21.26
n77H	100	30	3750	DFT	256QAM	Edge_1RB_Left	20.22
n77H	100	30	3750	DFT	256QAM	Edge_1RB_Right	20.94
n77H	100	30	3750	DFT	256QAM	Outer_Full	21.09
n77H	100	30	3750	CP	QPSK	Inner_Full	24.28
n77H	100	30	3750	CP	QPSK	Edge_1RB_Left	20.91
n77H	100	30	3750	CP	QPSK	Edge_1RB_Right	21.57
n77H	100	30	3750	CP	QPSK	Outer_Full	22.55
n77H	100	30	3750	CP	16QAM	Inner_Full	23.82
n77H	100	30	3750	CP	16QAM	Edge_1RB_Left	20.92
n77H	100	30	3750	CP	16QAM	Edge_1RB_Right	21.43
n77H	100	30	3750	CP	16QAM	Outer_Full	22.57
n77H	100	30	3750	CP	64QAM	Inner_Full	22.29
n77H	100	30	3750	CP	64QAM	Edge_1RB_Left	20.91
n77H	100	30	3750	CP	64QAM	Edge_1RB_Right	21.67
n77H	100	30	3750	CP	64QAM	Outer_Full	22.08
n77H	100	30	3750	CP	256QAM	Inner_Full	19.40
n77H	100	30	3750	CP	256QAM	Edge_1RB_Left	18.17
n77H	100	30	3750	CP	256QAM	Edge_1RB_Right	19.06
n77H	100	30	3750	CP	256QAM	Outer_Full	19.27
n77H	100	30	3840	DFT	pi/2 BPSK	Inner_Full	25.46
n77H	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.60
n77H	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	20.92
n77H	100	30	3840	DFT	pi/2 BPSK	Outer_Full	24.86
n77H	100	30	3840	DFT	QPSK	Inner_Full	25.46
n77H	100	30	3840	DFT	QPSK	Edge_1RB_Left	21.61
n77H	100	30	3840	DFT	QPSK	Edge_1RB_Right	20.92
n77H	100	30	3840	DFT	QPSK	Outer_Full	24.31
n77H	100	30	3840	DFT	16QAM	Inner_Full	24.47
n77H	100	30	3840	DFT	16QAM	Edge_1RB_Left	21.76
n77H	100	30	3840	DFT	16QAM	Edge_1RB_Right	21.10
n77H	100	30	3840	DFT	16QAM	Outer_Full	23.31
n77H	100	30	3840	DFT	64QAM	Inner_Full	22.97
n77H	100	30	3840	DFT	64QAM	Edge_1RB_Left	21.55
n77H	100	30	3840	DFT	64QAM	Edge_1RB_Right	20.98

n77H	100	30	3840	DFT	64QAM	Outer_Full	22.82
n77H	100	30	3840	DFT	256QAM	Inner_Full	21.00
n77H	100	30	3840	DFT	256QAM	Edge_1RB_Left	20.67
n77H	100	30	3840	DFT	256QAM	Edge_1RB_Right	20.07
n77H	100	30	3840	DFT	256QAM	Outer_Full	20.82
n77H	100	30	3840	CP	QPSK	Inner_Full	23.91
n77H	100	30	3840	CP	QPSK	Edge_1RB_Left	21.66
n77H	100	30	3840	CP	QPSK	Edge_1RB_Right	21.01
n77H	100	30	3840	CP	QPSK	Outer_Full	22.30
n77H	100	30	3840	CP	16QAM	Inner_Full	23.43
n77H	100	30	3840	CP	16QAM	Edge_1RB_Left	21.69
n77H	100	30	3840	CP	16QAM	Edge_1RB_Right	21.41
n77H	100	30	3840	CP	16QAM	Outer_Full	22.36
n77H	100	30	3840	CP	64QAM	Inner_Full	22.01
n77H	100	30	3840	CP	64QAM	Edge_1RB_Left	21.50
n77H	100	30	3840	CP	64QAM	Edge_1RB_Right	21.13
n77H	100	30	3840	CP	64QAM	Outer_Full	21.83
n77H	100	30	3840	CP	256QAM	Inner_Full	19.10
n77H	100	30	3840	CP	256QAM	Edge_1RB_Left	18.99
n77H	100	30	3840	CP	256QAM	Edge_1RB_Right	18.43
n77H	100	30	3840	CP	256QAM	Outer_Full	19.00
n77H	100	30	3930	DFT	pi/2 BPSK	Inner_Full	25.89
n77H	100	30	3930	DFT	pi/2 BPSK	Edge_1RB_Left	21.14
n77H	100	30	3930	DFT	pi/2 BPSK	Edge_1RB_Right	21.75
n77H	100	30	3930	DFT	pi/2 BPSK	Outer_Full	25.21
n77H	100	30	3930	DFT	QPSK	Inner_Full	25.98
n77H	100	30	3930	DFT	QPSK	Edge_1RB_Left	21.09
n77H	100	30	3930	DFT	QPSK	Edge_1RB_Right	21.81
n77H	100	30	3930	DFT	QPSK	Outer_Full	24.74
n77H	100	30	3930	DFT	16QAM	Inner_Full	24.96
n77H	100	30	3930	DFT	16QAM	Edge_1RB_Left	20.93
n77H	100	30	3930	DFT	16QAM	Edge_1RB_Right	21.80
n77H	100	30	3930	DFT	16QAM	Outer_Full	23.74
n77H	100	30	3930	DFT	64QAM	Inner_Full	23.47
n77H	100	30	3930	DFT	64QAM	Edge_1RB_Left	21.22
n77H	100	30	3930	DFT	64QAM	Edge_1RB_Right	21.68
n77H	100	30	3930	DFT	64QAM	Outer_Full	23.23
n77H	100	30	3930	DFT	256QAM	Inner_Full	21.46
n77H	100	30	3930	DFT	256QAM	Edge_1RB_Left	19.92
n77H	100	30	3930	DFT	256QAM	Edge_1RB_Right	20.89
n77H	100	30	3930	DFT	256QAM	Outer_Full	21.20

n77H	100	30	3930	CP	QPSK	Inner_Full	24.45
n77H	100	30	3930	CP	QPSK	Edge_1RB_Left	21.11
n77H	100	30	3930	CP	QPSK	Edge_1RB_Right	21.79
n77H	100	30	3930	CP	QPSK	Outer_Full	22.71
n77H	100	30	3930	CP	16QAM	Inner_Full	23.91
n77H	100	30	3930	CP	16QAM	Edge_1RB_Left	21.11
n77H	100	30	3930	CP	16QAM	Edge_1RB_Right	22.04
n77H	100	30	3930	CP	16QAM	Outer_Full	22.68
n77H	100	30	3930	CP	64QAM	Inner_Full	22.41
n77H	100	30	3930	CP	64QAM	Edge_1RB_Left	21.20
n77H	100	30	3930	CP	64QAM	Edge_1RB_Right	22.00
n77H	100	30	3930	CP	64QAM	Outer_Full	22.24
n77H	100	30	3930	CP	256QAM	Inner_Full	19.54
n77H	100	30	3930	CP	256QAM	Edge_1RB_Left	18.25
n77H	100	30	3930	CP	256QAM	Edge_1RB_Right	19.29
n77H	100	30	3930	CP	256QAM	Outer_Full	19.38

### **A.1.3 Radiated**

#### **A.1.3.1 Description**

This is the test for the maximum radiated power from the EUT.

NR n5: Part 22.913(a) specifies "The ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts".

NR n2/25: Part 24.232(c) specifies "Mobile and portable stations are limited to 2 watts EIRP".

NR n7/41: Part 27.50(h)(2) specifies "Mobile stations are limited to 2.0 watts EIRP".

NR n4/66: Part 27.50(d)(4) specifies "Fixed, mobile, and portable(handheld) stations operating in the 1710–1755 MHz band and mobile and portable stations operating in the 1695–1710 MHz and 1755–1780 MHz bands are limited to 1 watt EIRP".

NR n12/71: Part 27.50(c)(10) specifies "Portable stations(hand-held devices) in the 600 MHz uplink band and the 698–746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP".

#### **A.1.3.2 Method of Measurement**

According to KDB 412172 D01 and ANSI C63.26 the relevant equation for determining the maximum ERP or EIRP from the measured RF output power is given in Equation as follows:

$ERP \text{ or } EIRP = P_T + G_T - L_C$ ,  $ERP = EIRP - 2.15$ , where

ERP or EIRP                      effective radiated power or equivalent isotropically radiated power,  
respectively

(expressed in the same units as  $P_{Mea}$ , e.g., dBm or dBW)

$P_T$  = transmitter output power in dBm;

$G_T$  = gain of the transmitting antenna, in dBd(ERP) or dBi(EIRP);

$L_C$  = signal attenuation in the connecting cable between the transmitter and antenna, in dB.



### A.1.3.3 Measurement result

#### NR n2+LTE B5

Limit ≤ 33dBm(2W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted Power(dBm)	EIRP(dBm) (Gt - Lc = -1.9)
B5-n2	5	15	1852.5	DFT	pi/2 BPSK	Inner_Full	22.86	20.96
B5-n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.87	20.97
B5-n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.86	20.96
B5-n2	5	15	1852.5	DFT	pi/2 BPSK	Outer_Full	22.91	21.01
B5-n2	5	15	1852.5	DFT	QPSK	Inner_Full	22.67	20.77
B5-n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Left	22.68	20.78
B5-n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Right	22.69	20.79
B5-n2	5	15	1852.5	DFT	QPSK	Outer_Full	22.64	20.74
B5-n2	5	15	1852.5	DFT	16QAM	Inner_Full	22.40	20.50
B5-n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Left	21.45	19.55
B5-n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Right	21.45	19.55
B5-n2	5	15	1852.5	DFT	16QAM	Outer_Full	21.18	19.28
B5-n2	5	15	1852.5	DFT	64QAM	Inner_Full	20.49	18.59
B5-n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Left	20.41	18.51
B5-n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Right	20.61	18.71
B5-n2	5	15	1852.5	DFT	64QAM	Outer_Full	20.19	18.29
B5-n2	5	15	1852.5	DFT	256QAM	Inner_Full	18.20	16.30
B5-n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Left	17.82	15.92
B5-n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Right	18.16	16.26
B5-n2	5	15	1852.5	DFT	256QAM	Outer_Full	18.35	16.45
B5-n2	5	15	1852.5	CP	QPSK	Inner_Full	22.14	20.24
B5-n2	5	15	1852.5	CP	QPSK	Edge_1RB_Left	19.82	17.92
B5-n2	5	15	1852.5	CP	QPSK	Edge_1RB_Right	19.72	17.82
B5-n2	5	15	1852.5	CP	QPSK	Outer_Full	19.54	17.64
B5-n2	5	15	1852.5	CP	16QAM	Inner_Full	20.80	18.90
B5-n2	5	15	1852.5	CP	16QAM	Edge_1RB_Left	20.15	18.25
B5-n2	5	15	1852.5	CP	16QAM	Edge_1RB_Right	20.10	18.20
B5-n2	5	15	1852.5	CP	16QAM	Outer_Full	19.59	17.69
B5-n2	5	15	1852.5	CP	64QAM	Inner_Full	19.11	17.21
B5-n2	5	15	1852.5	CP	64QAM	Edge_1RB_Left	19.46	17.56
B5-n2	5	15	1852.5	CP	64QAM	Edge_1RB_Right	19.43	17.53
B5-n2	5	15	1852.5	CP	64QAM	Outer_Full	19.07	17.17
B5-n2	5	15	1852.5	CP	256QAM	Inner_Full	16.15	14.25

B5-n2	5	15	1852.5	CP	256QAM	Edge_1RB_Left	16.13	14.23
B5-n2	5	15	1852.5	CP	256QAM	Edge_1RB_Right	16.05	14.15
B5-n2	5	15	1852.5	CP	256QAM	Outer_Full	16.11	14.21
B5-n2	5	15	1880	DFT	pi/2 BPSK	Inner_Full	22.35	20.45
B5-n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.33	20.43
B5-n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.22	20.32
B5-n2	5	15	1880	DFT	pi/2 BPSK	Outer_Full	22.25	20.35
B5-n2	5	15	1880	DFT	QPSK	Inner_Full	22.28	20.38
B5-n2	5	15	1880	DFT	QPSK	Edge_1RB_Left	22.68	20.78
B5-n2	5	15	1880	DFT	QPSK	Edge_1RB_Right	22.49	20.59
B5-n2	5	15	1880	DFT	QPSK	Outer_Full	22.23	20.33
B5-n2	5	15	1880	DFT	16QAM	Inner_Full	21.98	20.08
B5-n2	5	15	1880	DFT	16QAM	Edge_1RB_Left	21.24	19.34
B5-n2	5	15	1880	DFT	16QAM	Edge_1RB_Right	20.95	19.05
B5-n2	5	15	1880	DFT	16QAM	Outer_Full	21.12	19.22
B5-n2	5	15	1880	DFT	64QAM	Inner_Full	20.07	18.17
B5-n2	5	15	1880	DFT	64QAM	Edge_1RB_Left	20.01	18.11
B5-n2	5	15	1880	DFT	64QAM	Edge_1RB_Right	20.13	18.23
B5-n2	5	15	1880	DFT	64QAM	Outer_Full	20.15	18.25
B5-n2	5	15	1880	DFT	256QAM	Inner_Full	18.15	16.25
B5-n2	5	15	1880	DFT	256QAM	Edge_1RB_Left	17.66	15.76
B5-n2	5	15	1880	DFT	256QAM	Edge_1RB_Right	17.55	15.65
B5-n2	5	15	1880	DFT	256QAM	Outer_Full	18.07	16.17
B5-n2	5	15	1880	CP	QPSK	Inner_Full	21.92	20.02
B5-n2	5	15	1880	CP	QPSK	Edge_1RB_Left	19.58	17.68
B5-n2	5	15	1880	CP	QPSK	Edge_1RB_Right	19.48	17.58
B5-n2	5	15	1880	CP	QPSK	Outer_Full	19.38	17.48
B5-n2	5	15	1880	CP	16QAM	Inner_Full	20.42	18.52
B5-n2	5	15	1880	CP	16QAM	Edge_1RB_Left	19.74	17.84
B5-n2	5	15	1880	CP	16QAM	Edge_1RB_Right	19.77	17.87
B5-n2	5	15	1880	CP	16QAM	Outer_Full	19.46	17.56
B5-n2	5	15	1880	CP	64QAM	Inner_Full	18.89	16.99
B5-n2	5	15	1880	CP	64QAM	Edge_1RB_Left	19.10	17.20
B5-n2	5	15	1880	CP	64QAM	Edge_1RB_Right	19.13	17.23
B5-n2	5	15	1880	CP	64QAM	Outer_Full	19.02	17.12
B5-n2	5	15	1880	CP	256QAM	Inner_Full	15.91	14.01
B5-n2	5	15	1880	CP	256QAM	Edge_1RB_Left	15.65	13.75



B5-n2	5	15	1880	CP	256QAM	Edge_1RB_Right	15.71	13.81
B5-n2	5	15	1880	CP	256QAM	Outer_Full	16.08	14.18
B5-n2	5	15	1907.5	DFT	pi/2 BPSK	Inner_Full	22.41	20.51
B5-n2	5	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.44	20.54
B5-n2	5	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.42	20.52
B5-n2	5	15	1907.5	DFT	pi/2 BPSK	Outer_Full	22.50	20.60
B5-n2	5	15	1907.5	DFT	QPSK	Inner_Full	22.52	20.62
B5-n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Left	22.58	20.68
B5-n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Right	22.58	20.68
B5-n2	5	15	1907.5	DFT	QPSK	Outer_Full	22.46	20.56
B5-n2	5	15	1907.5	DFT	16QAM	Inner_Full	22.15	20.25
B5-n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Left	21.05	19.15
B5-n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Right	21.49	19.59
B5-n2	5	15	1907.5	DFT	16QAM	Outer_Full	21.25	19.35
B5-n2	5	15	1907.5	DFT	64QAM	Inner_Full	20.25	18.35
B5-n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Left	20.44	18.54
B5-n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Right	20.19	18.29
B5-n2	5	15	1907.5	DFT	64QAM	Outer_Full	20.24	18.34
B5-n2	5	15	1907.5	DFT	256QAM	Inner_Full	18.24	16.34
B5-n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Left	17.72	15.82
B5-n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Right	17.80	15.90
B5-n2	5	15	1907.5	DFT	256QAM	Outer_Full	18.19	16.29
B5-n2	5	15	1907.5	CP	QPSK	Inner_Full	22.13	20.23
B5-n2	5	15	1907.5	CP	QPSK	Edge_1RB_Left	19.60	17.70
B5-n2	5	15	1907.5	CP	QPSK	Edge_1RB_Right	19.54	17.64
B5-n2	5	15	1907.5	CP	QPSK	Outer_Full	19.57	17.67
B5-n2	5	15	1907.5	CP	16QAM	Inner_Full	20.77	18.87
B5-n2	5	15	1907.5	CP	16QAM	Edge_1RB_Left	19.92	18.02
B5-n2	5	15	1907.5	CP	16QAM	Edge_1RB_Right	19.83	17.93
B5-n2	5	15	1907.5	CP	16QAM	Outer_Full	19.62	17.72
B5-n2	5	15	1907.5	CP	64QAM	Inner_Full	19.09	17.19
B5-n2	5	15	1907.5	CP	64QAM	Edge_1RB_Left	19.25	17.35
B5-n2	5	15	1907.5	CP	64QAM	Edge_1RB_Right	19.13	17.23
B5-n2	5	15	1907.5	CP	64QAM	Outer_Full	19.07	17.17
B5-n2	5	15	1907.5	CP	256QAM	Inner_Full	16.18	14.28
B5-n2	5	15	1907.5	CP	256QAM	Edge_1RB_Left	15.88	13.98
B5-n2	5	15	1907.5	CP	256QAM	Edge_1RB_Right	16.09	14.19



B5-n2	5	15	1907.5	CP	256QAM	Outer_Full	16.15	14.25
B5-n2	10	15	1855	DFT	pi/2 BPSK	Inner_Full	22.62	20.72
B5-n2	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Left	22.57	20.67
B5-n2	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Right	22.55	20.65
B5-n2	10	15	1855	DFT	pi/2 BPSK	Outer_Full	22.81	20.91
B5-n2	10	15	1855	DFT	QPSK	Inner_Full	22.85	20.95
B5-n2	10	15	1855	DFT	QPSK	Edge_1RB_Left	22.65	20.75
B5-n2	10	15	1855	DFT	QPSK	Edge_1RB_Right	22.64	20.74
B5-n2	10	15	1855	DFT	QPSK	Outer_Full	22.70	20.80
B5-n2	10	15	1855	DFT	16QAM	Inner_Full	22.35	20.45
B5-n2	10	15	1855	DFT	16QAM	Edge_1RB_Left	21.66	19.76
B5-n2	10	15	1855	DFT	16QAM	Edge_1RB_Right	21.53	19.63
B5-n2	10	15	1855	DFT	16QAM	Outer_Full	21.18	19.28
B5-n2	10	15	1855	DFT	64QAM	Inner_Full	20.10	18.20
B5-n2	10	15	1855	DFT	64QAM	Edge_1RB_Left	20.43	18.53
B5-n2	10	15	1855	DFT	64QAM	Edge_1RB_Right	20.36	18.46
B5-n2	10	15	1855	DFT	64QAM	Outer_Full	20.31	18.41
B5-n2	10	15	1855	DFT	256QAM	Inner_Full	18.32	16.42
B5-n2	10	15	1855	DFT	256QAM	Edge_1RB_Left	17.66	15.76
B5-n2	10	15	1855	DFT	256QAM	Edge_1RB_Right	17.85	15.95
B5-n2	10	15	1855	DFT	256QAM	Outer_Full	18.27	16.37
B5-n2	10	15	1855	CP	QPSK	Inner_Full	22.03	20.13
B5-n2	10	15	1855	CP	QPSK	Edge_1RB_Left	19.71	17.81
B5-n2	10	15	1855	CP	QPSK	Edge_1RB_Right	19.51	17.61
B5-n2	10	15	1855	CP	QPSK	Outer_Full	19.56	17.66
B5-n2	10	15	1855	CP	16QAM	Inner_Full	20.49	18.59
B5-n2	10	15	1855	CP	16QAM	Edge_1RB_Left	20.04	18.14
B5-n2	10	15	1855	CP	16QAM	Edge_1RB_Right	19.97	18.07
B5-n2	10	15	1855	CP	16QAM	Outer_Full	19.78	17.88
B5-n2	10	15	1855	CP	64QAM	Inner_Full	19.10	17.20
B5-n2	10	15	1855	CP	64QAM	Edge_1RB_Left	19.17	17.27
B5-n2	10	15	1855	CP	64QAM	Edge_1RB_Right	19.35	17.45
B5-n2	10	15	1855	CP	64QAM	Outer_Full	19.30	17.40
B5-n2	10	15	1855	CP	256QAM	Inner_Full	16.23	14.33
B5-n2	10	15	1855	CP	256QAM	Edge_1RB_Left	15.79	13.89
B5-n2	10	15	1855	CP	256QAM	Edge_1RB_Right	16.09	14.19
B5-n2	10	15	1855	CP	256QAM	Outer_Full	16.25	14.35

B5-n2	10	15	1880	DFT	pi/2 BPSK	Inner_Full	22.13	20.23
B5-n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.06	20.16
B5-n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.14	20.24
B5-n2	10	15	1880	DFT	pi/2 BPSK	Outer_Full	22.08	20.18
B5-n2	10	15	1880	DFT	QPSK	Inner_Full	22.07	20.17
B5-n2	10	15	1880	DFT	QPSK	Edge_1RB_Left	22.46	20.56
B5-n2	10	15	1880	DFT	QPSK	Edge_1RB_Right	22.31	20.41
B5-n2	10	15	1880	DFT	QPSK	Outer_Full	22.11	20.21
B5-n2	10	15	1880	DFT	16QAM	Inner_Full	21.82	19.92
B5-n2	10	15	1880	DFT	16QAM	Edge_1RB_Left	21.37	19.47
B5-n2	10	15	1880	DFT	16QAM	Edge_1RB_Right	21.19	19.29
B5-n2	10	15	1880	DFT	16QAM	Outer_Full	20.99	19.09
B5-n2	10	15	1880	DFT	64QAM	Inner_Full	19.85	17.95
B5-n2	10	15	1880	DFT	64QAM	Edge_1RB_Left	19.90	18.00
B5-n2	10	15	1880	DFT	64QAM	Edge_1RB_Right	19.90	18.00
B5-n2	10	15	1880	DFT	64QAM	Outer_Full	19.96	18.06
B5-n2	10	15	1880	DFT	256QAM	Inner_Full	17.77	15.87
B5-n2	10	15	1880	DFT	256QAM	Edge_1RB_Left	17.72	15.82
B5-n2	10	15	1880	DFT	256QAM	Edge_1RB_Right	17.53	15.63
B5-n2	10	15	1880	DFT	256QAM	Outer_Full	17.79	15.89
B5-n2	10	15	1880	CP	QPSK	Inner_Full	21.95	20.05
B5-n2	10	15	1880	CP	QPSK	Edge_1RB_Left	19.18	17.28
B5-n2	10	15	1880	CP	QPSK	Edge_1RB_Right	19.14	17.24
B5-n2	10	15	1880	CP	QPSK	Outer_Full	19.26	17.36
B5-n2	10	15	1880	CP	16QAM	Inner_Full	20.40	18.50
B5-n2	10	15	1880	CP	16QAM	Edge_1RB_Left	19.76	17.86
B5-n2	10	15	1880	CP	16QAM	Edge_1RB_Right	19.45	17.55
B5-n2	10	15	1880	CP	16QAM	Outer_Full	19.17	17.27
B5-n2	10	15	1880	CP	64QAM	Inner_Full	18.80	16.90
B5-n2	10	15	1880	CP	64QAM	Edge_1RB_Left	19.21	17.31
B5-n2	10	15	1880	CP	64QAM	Edge_1RB_Right	18.88	16.98
B5-n2	10	15	1880	CP	64QAM	Outer_Full	18.77	16.87
B5-n2	10	15	1880	CP	256QAM	Inner_Full	15.75	13.85
B5-n2	10	15	1880	CP	256QAM	Edge_1RB_Left	15.71	13.81
B5-n2	10	15	1880	CP	256QAM	Edge_1RB_Right	15.47	13.57
B5-n2	10	15	1880	CP	256QAM	Outer_Full	15.89	13.99
B5-n2	10	15	1905	DFT	pi/2 BPSK	Inner_Full	22.37	20.47

B5-n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	22.35	20.45
B5-n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	22.29	20.39
B5-n2	10	15	1905	DFT	pi/2 BPSK	Outer_Full	22.37	20.47
B5-n2	10	15	1905	DFT	QPSK	Inner_Full	22.29	20.39
B5-n2	10	15	1905	DFT	QPSK	Edge_1RB_Left	22.33	20.43
B5-n2	10	15	1905	DFT	QPSK	Edge_1RB_Right	22.33	20.43
B5-n2	10	15	1905	DFT	QPSK	Outer_Full	22.41	20.51
B5-n2	10	15	1905	DFT	16QAM	Inner_Full	22.05	20.15
B5-n2	10	15	1905	DFT	16QAM	Edge_1RB_Left	21.23	19.33
B5-n2	10	15	1905	DFT	16QAM	Edge_1RB_Right	21.32	19.42
B5-n2	10	15	1905	DFT	16QAM	Outer_Full	21.11	19.21
B5-n2	10	15	1905	DFT	64QAM	Inner_Full	20.06	18.16
B5-n2	10	15	1905	DFT	64QAM	Edge_1RB_Left	20.03	18.13
B5-n2	10	15	1905	DFT	64QAM	Edge_1RB_Right	20.08	18.18
B5-n2	10	15	1905	DFT	64QAM	Outer_Full	20.09	18.19
B5-n2	10	15	1905	DFT	256QAM	Inner_Full	18.05	16.15
B5-n2	10	15	1905	DFT	256QAM	Edge_1RB_Left	17.69	15.79
B5-n2	10	15	1905	DFT	256QAM	Edge_1RB_Right	17.81	15.91
B5-n2	10	15	1905	DFT	256QAM	Outer_Full	18.00	16.10
B5-n2	10	15	1905	CP	QPSK	Inner_Full	22.03	20.13
B5-n2	10	15	1905	CP	QPSK	Edge_1RB_Left	19.48	17.58
B5-n2	10	15	1905	CP	QPSK	Edge_1RB_Right	19.32	17.42
B5-n2	10	15	1905	CP	QPSK	Outer_Full	19.44	17.54
B5-n2	10	15	1905	CP	16QAM	Inner_Full	20.47	18.57
B5-n2	10	15	1905	CP	16QAM	Edge_1RB_Left	19.73	17.83
B5-n2	10	15	1905	CP	16QAM	Edge_1RB_Right	19.63	17.73
B5-n2	10	15	1905	CP	16QAM	Outer_Full	19.41	17.51
B5-n2	10	15	1905	CP	64QAM	Inner_Full	19.03	17.13
B5-n2	10	15	1905	CP	64QAM	Edge_1RB_Left	19.14	17.24
B5-n2	10	15	1905	CP	64QAM	Edge_1RB_Right	19.11	17.21
B5-n2	10	15	1905	CP	64QAM	Outer_Full	19.03	17.13
B5-n2	10	15	1905	CP	256QAM	Inner_Full	15.89	13.99
B5-n2	10	15	1905	CP	256QAM	Edge_1RB_Left	15.74	13.84
B5-n2	10	15	1905	CP	256QAM	Edge_1RB_Right	15.61	13.71
B5-n2	10	15	1905	CP	256QAM	Outer_Full	15.93	14.03
B5-n2	15	15	1857.5	DFT	pi/2 BPSK	Inner_Full	22.96	21.06
B5-n2	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.88	20.98

B5-n2	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.47	20.57
B5-n2	15	15	1857.5	DFT	pi/2 BPSK	Outer_Full	22.99	21.09
B5-n2	15	15	1857.5	DFT	QPSK	Inner_Full	22.98	21.08
B5-n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	22.68	20.78
B5-n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	22.58	20.68
B5-n2	15	15	1857.5	DFT	QPSK	Outer_Full	22.63	20.73
B5-n2	15	15	1857.5	DFT	16QAM	Inner_Full	22.49	20.59
B5-n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	21.44	19.54
B5-n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	21.62	19.72
B5-n2	15	15	1857.5	DFT	16QAM	Outer_Full	21.51	19.61
B5-n2	15	15	1857.5	DFT	64QAM	Inner_Full	20.50	18.60
B5-n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	20.43	18.53
B5-n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	20.38	18.48
B5-n2	15	15	1857.5	DFT	64QAM	Outer_Full	20.45	18.55
B5-n2	15	15	1857.5	DFT	256QAM	Inner_Full	18.42	16.52
B5-n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	18.04	16.14
B5-n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	17.86	15.96
B5-n2	15	15	1857.5	DFT	256QAM	Outer_Full	18.25	16.35
B5-n2	15	15	1857.5	CP	QPSK	Inner_Full	22.16	20.26
B5-n2	15	15	1857.5	CP	QPSK	Edge_1RB_Left	19.59	17.69
B5-n2	15	15	1857.5	CP	QPSK	Edge_1RB_Right	19.59	17.69
B5-n2	15	15	1857.5	CP	QPSK	Outer_Full	19.92	18.02
B5-n2	15	15	1857.5	CP	16QAM	Inner_Full	21.00	19.10
B5-n2	15	15	1857.5	CP	16QAM	Edge_1RB_Left	20.16	18.26
B5-n2	15	15	1857.5	CP	16QAM	Edge_1RB_Right	19.92	18.02
B5-n2	15	15	1857.5	CP	16QAM	Outer_Full	19.78	17.88
B5-n2	15	15	1857.5	CP	64QAM	Inner_Full	19.52	17.62
B5-n2	15	15	1857.5	CP	64QAM	Edge_1RB_Left	19.45	17.55
B5-n2	15	15	1857.5	CP	64QAM	Edge_1RB_Right	19.25	17.35
B5-n2	15	15	1857.5	CP	64QAM	Outer_Full	19.24	17.34
B5-n2	15	15	1857.5	CP	256QAM	Inner_Full	16.34	14.44
B5-n2	15	15	1857.5	CP	256QAM	Edge_1RB_Left	15.84	13.94
B5-n2	15	15	1857.5	CP	256QAM	Edge_1RB_Right	15.87	13.97
B5-n2	15	15	1857.5	CP	256QAM	Outer_Full	16.47	14.57
B5-n2	15	15	1880	DFT	pi/2 BPSK	Inner_Full	22.37	20.47
B5-n2	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.45	20.55
B5-n2	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.24	20.34

B5-n2	15	15	1880	DFT	pi/2 BPSK	Outer_Full	22.24	20.34
B5-n2	15	15	1880	DFT	QPSK	Inner_Full	22.29	20.39
B5-n2	15	15	1880	DFT	QPSK	Edge_1RB_Left	22.47	20.57
B5-n2	15	15	1880	DFT	QPSK	Edge_1RB_Right	22.42	20.52
B5-n2	15	15	1880	DFT	QPSK	Outer_Full	22.48	20.58
B5-n2	15	15	1880	DFT	16QAM	Inner_Full	22.18	20.28
B5-n2	15	15	1880	DFT	16QAM	Edge_1RB_Left	21.29	19.39
B5-n2	15	15	1880	DFT	16QAM	Edge_1RB_Right	21.34	19.44
B5-n2	15	15	1880	DFT	16QAM	Outer_Full	21.06	19.16
B5-n2	15	15	1880	DFT	64QAM	Inner_Full	20.18	18.28
B5-n2	15	15	1880	DFT	64QAM	Edge_1RB_Left	20.29	18.39
B5-n2	15	15	1880	DFT	64QAM	Edge_1RB_Right	20.06	18.16
B5-n2	15	15	1880	DFT	64QAM	Outer_Full	20.05	18.15
B5-n2	15	15	1880	DFT	256QAM	Inner_Full	17.96	16.06
B5-n2	15	15	1880	DFT	256QAM	Edge_1RB_Left	17.98	16.08
B5-n2	15	15	1880	DFT	256QAM	Edge_1RB_Right	17.58	15.68
B5-n2	15	15	1880	DFT	256QAM	Outer_Full	18.09	16.19
B5-n2	15	15	1880	CP	QPSK	Inner_Full	22.15	20.25
B5-n2	15	15	1880	CP	QPSK	Edge_1RB_Left	19.61	17.71
B5-n2	15	15	1880	CP	QPSK	Edge_1RB_Right	19.36	17.46
B5-n2	15	15	1880	CP	QPSK	Outer_Full	19.54	17.64
B5-n2	15	15	1880	CP	16QAM	Inner_Full	20.62	18.72
B5-n2	15	15	1880	CP	16QAM	Edge_1RB_Left	19.97	18.07
B5-n2	15	15	1880	CP	16QAM	Edge_1RB_Right	19.65	17.75
B5-n2	15	15	1880	CP	16QAM	Outer_Full	19.50	17.60
B5-n2	15	15	1880	CP	64QAM	Inner_Full	18.98	17.08
B5-n2	15	15	1880	CP	64QAM	Edge_1RB_Left	19.29	17.39
B5-n2	15	15	1880	CP	64QAM	Edge_1RB_Right	18.96	17.06
B5-n2	15	15	1880	CP	64QAM	Outer_Full	18.95	17.05
B5-n2	15	15	1880	CP	256QAM	Inner_Full	15.97	14.07
B5-n2	15	15	1880	CP	256QAM	Edge_1RB_Left	15.63	13.73
B5-n2	15	15	1880	CP	256QAM	Edge_1RB_Right	15.59	13.69
B5-n2	15	15	1880	CP	256QAM	Outer_Full	16.11	14.21
B5-n2	15	15	1902.5	DFT	pi/2 BPSK	Inner_Full	22.18	20.28
B5-n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.43	20.53
B5-n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.34	20.44
B5-n2	15	15	1902.5	DFT	pi/2 BPSK	Outer_Full	22.47	20.57





B5-n2	15	15	1902.5	DFT	QPSK	Inner_Full	22.55	20.65
B5-n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Left	22.34	20.44
B5-n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Right	22.56	20.66
B5-n2	15	15	1902.5	DFT	QPSK	Outer_Full	22.40	20.50
B5-n2	15	15	1902.5	DFT	16QAM	Inner_Full	22.16	20.26
B5-n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Left	21.44	19.54
B5-n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Right	21.36	19.46
B5-n2	15	15	1902.5	DFT	16QAM	Outer_Full	21.09	19.19
B5-n2	15	15	1902.5	DFT	64QAM	Inner_Full	20.10	18.20
B5-n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Left	19.96	18.06
B5-n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Right	20.14	18.24
B5-n2	15	15	1902.5	DFT	64QAM	Outer_Full	20.21	18.31
B5-n2	15	15	1902.5	DFT	256QAM	Inner_Full	18.13	16.23
B5-n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Left	17.74	15.84
B5-n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Right	17.83	15.93
B5-n2	15	15	1902.5	DFT	256QAM	Outer_Full	18.02	16.12
B5-n2	15	15	1902.5	CP	QPSK	Inner_Full	22.06	20.16
B5-n2	15	15	1902.5	CP	QPSK	Edge_1RB_Left	19.27	17.37
B5-n2	15	15	1902.5	CP	QPSK	Edge_1RB_Right	19.37	17.47
B5-n2	15	15	1902.5	CP	QPSK	Outer_Full	19.60	17.70
B5-n2	15	15	1902.5	CP	16QAM	Inner_Full	20.65	18.75
B5-n2	15	15	1902.5	CP	16QAM	Edge_1RB_Left	19.62	17.72
B5-n2	15	15	1902.5	CP	16QAM	Edge_1RB_Right	19.79	17.89
B5-n2	15	15	1902.5	CP	16QAM	Outer_Full	19.51	17.61
B5-n2	15	15	1902.5	CP	64QAM	Inner_Full	19.22	17.32
B5-n2	15	15	1902.5	CP	64QAM	Edge_1RB_Left	19.18	17.28
B5-n2	15	15	1902.5	CP	64QAM	Edge_1RB_Right	19.14	17.24
B5-n2	15	15	1902.5	CP	64QAM	Outer_Full	18.99	17.09
B5-n2	15	15	1902.5	CP	256QAM	Inner_Full	16.09	14.19
B5-n2	15	15	1902.5	CP	256QAM	Edge_1RB_Left	15.80	13.90
B5-n2	15	15	1902.5	CP	256QAM	Edge_1RB_Right	15.72	13.82
B5-n2	15	15	1902.5	CP	256QAM	Outer_Full	16.14	14.24
B5-n2	20	15	1860	DFT	pi/2 BPSK	Inner_Full	22.55	20.65
B5-n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	22.57	20.67
B5-n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	22.40	20.50
B5-n2	20	15	1860	DFT	pi/2 BPSK	Outer_Full	22.57	20.67
B5-n2	20	15	1860	DFT	QPSK	Inner_Full	22.74	20.84

B5-n2	20	15	1860	DFT	QPSK	Edge_1RB_Left	22.67	20.77
B5-n2	20	15	1860	DFT	QPSK	Edge_1RB_Right	22.65	20.75
B5-n2	20	15	1860	DFT	QPSK	Outer_Full	22.60	20.70
B5-n2	20	15	1860	DFT	16QAM	Inner_Full	22.50	20.60
B5-n2	20	15	1860	DFT	16QAM	Edge_1RB_Left	21.64	19.74
B5-n2	20	15	1860	DFT	16QAM	Edge_1RB_Right	21.49	19.59
B5-n2	20	15	1860	DFT	16QAM	Outer_Full	21.28	19.38
B5-n2	20	15	1860	DFT	64QAM	Inner_Full	20.31	18.41
B5-n2	20	15	1860	DFT	64QAM	Edge_1RB_Left	20.39	18.49
B5-n2	20	15	1860	DFT	64QAM	Edge_1RB_Right	20.01	18.11
B5-n2	20	15	1860	DFT	64QAM	Outer_Full	20.30	18.40
B5-n2	20	15	1860	DFT	256QAM	Inner_Full	18.43	16.53
B5-n2	20	15	1860	DFT	256QAM	Edge_1RB_Left	17.79	15.89
B5-n2	20	15	1860	DFT	256QAM	Edge_1RB_Right	18.20	16.30
B5-n2	20	15	1860	DFT	256QAM	Outer_Full	18.39	16.49
B5-n2	20	15	1860	CP	QPSK	Inner_Full	22.15	20.25
B5-n2	20	15	1860	CP	QPSK	Edge_1RB_Left	19.65	17.75
B5-n2	20	15	1860	CP	QPSK	Edge_1RB_Right	19.33	17.43
B5-n2	20	15	1860	CP	QPSK	Outer_Full	19.77	17.87
B5-n2	20	15	1860	CP	16QAM	Inner_Full	20.83	18.93
B5-n2	20	15	1860	CP	16QAM	Edge_1RB_Left	20.10	18.20
B5-n2	20	15	1860	CP	16QAM	Edge_1RB_Right	19.70	17.80
B5-n2	20	15	1860	CP	16QAM	Outer_Full	19.75	17.85
B5-n2	20	15	1860	CP	64QAM	Inner_Full	19.28	17.38
B5-n2	20	15	1860	CP	64QAM	Edge_1RB_Left	19.16	17.26
B5-n2	20	15	1860	CP	64QAM	Edge_1RB_Right	19.10	17.20
B5-n2	20	15	1860	CP	64QAM	Outer_Full	19.31	17.41
B5-n2	20	15	1860	CP	256QAM	Inner_Full	16.38	14.48
B5-n2	20	15	1860	CP	256QAM	Edge_1RB_Left	15.78	13.88
B5-n2	20	15	1860	CP	256QAM	Edge_1RB_Right	15.79	13.89
B5-n2	20	15	1860	CP	256QAM	Outer_Full	16.32	14.42
B5-n2	20	15	1880	DFT	pi/2 BPSK	Inner_Full	22.42	20.52
B5-n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.35	20.45
B5-n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.03	20.13
B5-n2	20	15	1880	DFT	pi/2 BPSK	Outer_Full	22.39	20.49
B5-n2	20	15	1880	DFT	QPSK	Inner_Full	22.47	20.57
B5-n2	20	15	1880	DFT	QPSK	Edge_1RB_Left	22.10	20.20

B5-n2	20	15	1880	DFT	QPSK	Edge_1RB_Right	22.17	20.27
B5-n2	20	15	1880	DFT	QPSK	Outer_Full	22.30	20.40
B5-n2	20	15	1880	DFT	16QAM	Inner_Full	22.26	20.36
B5-n2	20	15	1880	DFT	16QAM	Edge_1RB_Left	21.15	19.25
B5-n2	20	15	1880	DFT	16QAM	Edge_1RB_Right	20.97	19.07
B5-n2	20	15	1880	DFT	16QAM	Outer_Full	21.08	19.18
B5-n2	20	15	1880	DFT	64QAM	Inner_Full	20.21	18.31
B5-n2	20	15	1880	DFT	64QAM	Edge_1RB_Left	19.63	17.73
B5-n2	20	15	1880	DFT	64QAM	Edge_1RB_Right	19.33	17.43
B5-n2	20	15	1880	DFT	64QAM	Outer_Full	20.01	18.11
B5-n2	20	15	1880	DFT	256QAM	Inner_Full	17.93	16.03
B5-n2	20	15	1880	DFT	256QAM	Edge_1RB_Left	17.91	16.01
B5-n2	20	15	1880	DFT	256QAM	Edge_1RB_Right	17.77	15.87
B5-n2	20	15	1880	DFT	256QAM	Outer_Full	18.11	16.21
B5-n2	20	15	1880	CP	QPSK	Inner_Full	22.14	20.24
B5-n2	20	15	1880	CP	QPSK	Edge_1RB_Left	19.52	17.62
B5-n2	20	15	1880	CP	QPSK	Edge_1RB_Right	19.28	17.38
B5-n2	20	15	1880	CP	QPSK	Outer_Full	19.41	17.51
B5-n2	20	15	1880	CP	16QAM	Inner_Full	20.51	18.61
B5-n2	20	15	1880	CP	16QAM	Edge_1RB_Left	19.69	17.79
B5-n2	20	15	1880	CP	16QAM	Edge_1RB_Right	19.33	17.43
B5-n2	20	15	1880	CP	16QAM	Outer_Full	19.43	17.53
B5-n2	20	15	1880	CP	64QAM	Inner_Full	18.99	17.09
B5-n2	20	15	1880	CP	64QAM	Edge_1RB_Left	18.99	17.09
B5-n2	20	15	1880	CP	64QAM	Edge_1RB_Right	18.66	16.76
B5-n2	20	15	1880	CP	64QAM	Outer_Full	18.98	17.08
B5-n2	20	15	1880	CP	256QAM	Inner_Full	15.95	14.05
B5-n2	20	15	1880	CP	256QAM	Edge_1RB_Left	16.13	14.23
B5-n2	20	15	1880	CP	256QAM	Edge_1RB_Right	15.78	13.88
B5-n2	20	15	1880	CP	256QAM	Outer_Full	16.07	14.17
B5-n2	20	15	1900	DFT	pi/2 BPSK	Inner_Full	22.29	20.39
B5-n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Left	22.25	20.35
B5-n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Right	22.30	20.40
B5-n2	20	15	1900	DFT	pi/2 BPSK	Outer_Full	22.40	20.50
B5-n2	20	15	1900	DFT	QPSK	Inner_Full	22.42	20.52
B5-n2	20	15	1900	DFT	QPSK	Edge_1RB_Left	22.20	20.30
B5-n2	20	15	1900	DFT	QPSK	Edge_1RB_Right	22.39	20.49



B5-n2	20	15	1900	DFT	QPSK	Outer_Full	22.42	20.52
B5-n2	20	15	1900	DFT	16QAM	Inner_Full	22.26	20.36
B5-n2	20	15	1900	DFT	16QAM	Edge_1RB_Left	21.35	19.45
B5-n2	20	15	1900	DFT	16QAM	Edge_1RB_Right	21.41	19.51
B5-n2	20	15	1900	DFT	16QAM	Outer_Full	21.07	19.17
B5-n2	20	15	1900	DFT	64QAM	Inner_Full	20.29	18.39
B5-n2	20	15	1900	DFT	64QAM	Edge_1RB_Left	20.11	18.21
B5-n2	20	15	1900	DFT	64QAM	Edge_1RB_Right	20.14	18.24
B5-n2	20	15	1900	DFT	64QAM	Outer_Full	19.99	18.09
B5-n2	20	15	1900	DFT	256QAM	Inner_Full	18.04	16.14
B5-n2	20	15	1900	DFT	256QAM	Edge_1RB_Left	17.58	15.68
B5-n2	20	15	1900	DFT	256QAM	Edge_1RB_Right	17.67	15.77
B5-n2	20	15	1900	DFT	256QAM	Outer_Full	18.14	16.24
B5-n2	20	15	1900	CP	QPSK	Inner_Full	22.16	20.26
B5-n2	20	15	1900	CP	QPSK	Edge_1RB_Left	19.41	17.51
B5-n2	20	15	1900	CP	QPSK	Edge_1RB_Right	19.40	17.50
B5-n2	20	15	1900	CP	QPSK	Outer_Full	19.45	17.55
B5-n2	20	15	1900	CP	16QAM	Inner_Full	20.54	18.64
B5-n2	20	15	1900	CP	16QAM	Edge_1RB_Left	19.77	17.87
B5-n2	20	15	1900	CP	16QAM	Edge_1RB_Right	19.83	17.93
B5-n2	20	15	1900	CP	16QAM	Outer_Full	19.42	17.52
B5-n2	20	15	1900	CP	64QAM	Inner_Full	18.99	17.09
B5-n2	20	15	1900	CP	64QAM	Edge_1RB_Left	19.12	17.22
B5-n2	20	15	1900	CP	64QAM	Edge_1RB_Right	19.08	17.18
B5-n2	20	15	1900	CP	64QAM	Outer_Full	19.10	17.20
B5-n2	20	15	1900	CP	256QAM	Inner_Full	16.05	14.15
B5-n2	20	15	1900	CP	256QAM	Edge_1RB_Left	15.52	13.62
B5-n2	20	15	1900	CP	256QAM	Edge_1RB_Right	15.67	13.77
B5-n2	20	15	1900	CP	256QAM	Outer_Full	16.03	14.13

NR n5+LTE B2

**Limits:  $\leq 38.45\text{dBm}(7\text{W})$** 

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted Power(dBm)	ERP(dBm) (Gt - Lc = -3.9)
B2-n5	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	24.08	18.03
B2-n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.93	17.88
B2-n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.20	18.15
B2-n5	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	23.97	17.92
B2-n5	5	15	826.5	DFT	QPSK	Inner_Full	24.01	17.96
B2-n5	5	15	826.5	DFT	QPSK	Edge_1RB_Left	23.85	17.80
B2-n5	5	15	826.5	DFT	QPSK	Edge_1RB_Right	23.97	17.92
B2-n5	5	15	826.5	DFT	QPSK	Outer_Full	23.98	17.93
B2-n5	5	15	826.5	DFT	16QAM	Inner_Full	23.65	17.60
B2-n5	5	15	826.5	DFT	16QAM	Edge_1RB_Left	22.82	16.77
B2-n5	5	15	826.5	DFT	16QAM	Edge_1RB_Right	22.32	16.27
B2-n5	5	15	826.5	DFT	16QAM	Outer_Full	22.66	16.61
B2-n5	5	15	826.5	DFT	64QAM	Inner_Full	21.75	15.70
B2-n5	5	15	826.5	DFT	64QAM	Edge_1RB_Left	21.71	15.66
B2-n5	5	15	826.5	DFT	64QAM	Edge_1RB_Right	21.63	15.58
B2-n5	5	15	826.5	DFT	64QAM	Outer_Full	21.49	15.44
B2-n5	5	15	826.5	DFT	256QAM	Inner_Full	19.35	13.30
B2-n5	5	15	826.5	DFT	256QAM	Edge_1RB_Left	19.14	13.09
B2-n5	5	15	826.5	DFT	256QAM	Edge_1RB_Right	19.65	13.60
B2-n5	5	15	826.5	DFT	256QAM	Outer_Full	19.41	13.36
B2-n5	5	15	826.5	CP	QPSK	Inner_Full	23.46	17.41
B2-n5	5	15	826.5	CP	QPSK	Edge_1RB_Left	20.87	14.82
B2-n5	5	15	826.5	CP	QPSK	Edge_1RB_Right	20.78	14.73
B2-n5	5	15	826.5	CP	QPSK	Outer_Full	21.04	14.99
B2-n5	5	15	826.5	CP	16QAM	Inner_Full	22.17	16.12
B2-n5	5	15	826.5	CP	16QAM	Edge_1RB_Left	21.32	15.27
B2-n5	5	15	826.5	CP	16QAM	Edge_1RB_Right	21.13	15.08
B2-n5	5	15	826.5	CP	16QAM	Outer_Full	20.95	14.90
B2-n5	5	15	826.5	CP	64QAM	Inner_Full	20.56	14.51
B2-n5	5	15	826.5	CP	64QAM	Edge_1RB_Left	20.59	14.54
B2-n5	5	15	826.5	CP	64QAM	Edge_1RB_Right	20.43	14.38
B2-n5	5	15	826.5	CP	64QAM	Outer_Full	20.36	14.31
B2-n5	5	15	826.5	CP	256QAM	Inner_Full	17.63	11.58

B2-n5	5	15	826.5	CP	256QAM	Edge_1RB_Left	17.39	11.34
B2-n5	5	15	826.5	CP	256QAM	Edge_1RB_Right	17.27	11.22
B2-n5	5	15	826.5	CP	256QAM	Outer_Full	17.65	11.60
B2-n5	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.12	18.07
B2-n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.18	18.13
B2-n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.00	17.95
B2-n5	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	24.19	18.14
B2-n5	5	15	836.5	DFT	QPSK	Inner_Full	24.13	18.08
B2-n5	5	15	836.5	DFT	QPSK	Edge_1RB_Left	23.96	17.91
B2-n5	5	15	836.5	DFT	QPSK	Edge_1RB_Right	23.95	17.90
B2-n5	5	15	836.5	DFT	QPSK	Outer_Full	23.91	17.86
B2-n5	5	15	836.5	DFT	16QAM	Inner_Full	23.66	17.61
B2-n5	5	15	836.5	DFT	16QAM	Edge_1RB_Left	22.94	16.89
B2-n5	5	15	836.5	DFT	16QAM	Edge_1RB_Right	22.95	16.90
B2-n5	5	15	836.5	DFT	16QAM	Outer_Full	22.71	16.66
B2-n5	5	15	836.5	DFT	64QAM	Inner_Full	21.65	15.60
B2-n5	5	15	836.5	DFT	64QAM	Edge_1RB_Left	21.75	15.70
B2-n5	5	15	836.5	DFT	64QAM	Edge_1RB_Right	21.65	15.60
B2-n5	5	15	836.5	DFT	64QAM	Outer_Full	21.68	15.63
B2-n5	5	15	836.5	DFT	256QAM	Inner_Full	19.78	13.73
B2-n5	5	15	836.5	DFT	256QAM	Edge_1RB_Left	19.38	13.33
B2-n5	5	15	836.5	DFT	256QAM	Edge_1RB_Right	19.17	13.12
B2-n5	5	15	836.5	DFT	256QAM	Outer_Full	19.54	13.49
B2-n5	5	15	836.5	CP	QPSK	Inner_Full	23.42	17.37
B2-n5	5	15	836.5	CP	QPSK	Edge_1RB_Left	21.04	14.99
B2-n5	5	15	836.5	CP	QPSK	Edge_1RB_Right	20.80	14.75
B2-n5	5	15	836.5	CP	QPSK	Outer_Full	21.08	15.03
B2-n5	5	15	836.5	CP	16QAM	Inner_Full	22.28	16.23
B2-n5	5	15	836.5	CP	16QAM	Edge_1RB_Left	21.33	15.28
B2-n5	5	15	836.5	CP	16QAM	Edge_1RB_Right	21.20	15.15
B2-n5	5	15	836.5	CP	16QAM	Outer_Full	20.91	14.86
B2-n5	5	15	836.5	CP	64QAM	Inner_Full	20.53	14.48
B2-n5	5	15	836.5	CP	64QAM	Edge_1RB_Left	20.84	14.79
B2-n5	5	15	836.5	CP	64QAM	Edge_1RB_Right	20.50	14.45
B2-n5	5	15	836.5	CP	64QAM	Outer_Full	20.36	14.31
B2-n5	5	15	836.5	CP	256QAM	Inner_Full	17.69	11.64
B2-n5	5	15	836.5	CP	256QAM	Edge_1RB_Left	17.58	11.53

B2-n5	5	15	836.5	CP	256QAM	Edge_1RB_Right	17.30	11.25
B2-n5	5	15	836.5	CP	256QAM	Outer_Full	17.42	11.37
B2-n5	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	23.69	17.64
B2-n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.74	17.69
B2-n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.49	17.44
B2-n5	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	23.74	17.69
B2-n5	5	15	846.5	DFT	QPSK	Inner_Full	23.80	17.75
B2-n5	5	15	846.5	DFT	QPSK	Edge_1RB_Left	23.89	17.84
B2-n5	5	15	846.5	DFT	QPSK	Edge_1RB_Right	23.86	17.81
B2-n5	5	15	846.5	DFT	QPSK	Outer_Full	23.71	17.66
B2-n5	5	15	846.5	DFT	16QAM	Inner_Full	23.26	17.21
B2-n5	5	15	846.5	DFT	16QAM	Edge_1RB_Left	22.75	16.70
B2-n5	5	15	846.5	DFT	16QAM	Edge_1RB_Right	22.53	16.48
B2-n5	5	15	846.5	DFT	16QAM	Outer_Full	22.23	16.18
B2-n5	5	15	846.5	DFT	64QAM	Inner_Full	21.37	15.32
B2-n5	5	15	846.5	DFT	64QAM	Edge_1RB_Left	21.46	15.41
B2-n5	5	15	846.5	DFT	64QAM	Edge_1RB_Right	21.26	15.21
B2-n5	5	15	846.5	DFT	64QAM	Outer_Full	21.25	15.20
B2-n5	5	15	846.5	DFT	256QAM	Inner_Full	19.27	13.22
B2-n5	5	15	846.5	DFT	256QAM	Edge_1RB_Left	18.73	12.68
B2-n5	5	15	846.5	DFT	256QAM	Edge_1RB_Right	18.98	12.93
B2-n5	5	15	846.5	DFT	256QAM	Outer_Full	19.14	13.09
B2-n5	5	15	846.5	CP	QPSK	Inner_Full	23.30	17.25
B2-n5	5	15	846.5	CP	QPSK	Edge_1RB_Left	20.67	14.62
B2-n5	5	15	846.5	CP	QPSK	Edge_1RB_Right	20.46	14.41
B2-n5	5	15	846.5	CP	QPSK	Outer_Full	20.65	14.60
B2-n5	5	15	846.5	CP	16QAM	Inner_Full	21.76	15.71
B2-n5	5	15	846.5	CP	16QAM	Edge_1RB_Left	21.02	14.97
B2-n5	5	15	846.5	CP	16QAM	Edge_1RB_Right	20.78	14.73
B2-n5	5	15	846.5	CP	16QAM	Outer_Full	20.63	14.58
B2-n5	5	15	846.5	CP	64QAM	Inner_Full	20.17	14.12
B2-n5	5	15	846.5	CP	64QAM	Edge_1RB_Left	20.37	14.32
B2-n5	5	15	846.5	CP	64QAM	Edge_1RB_Right	20.08	14.03
B2-n5	5	15	846.5	CP	64QAM	Outer_Full	20.12	14.07
B2-n5	5	15	846.5	CP	256QAM	Inner_Full	17.53	11.48
B2-n5	5	15	846.5	CP	256QAM	Edge_1RB_Left	17.56	11.51
B2-n5	5	15	846.5	CP	256QAM	Edge_1RB_Right	16.92	10.87

B2-n5	5	15	846.5	CP	256QAM	Outer_Full	17.24	11.19
B2-n5	10	15	829	DFT	pi/2 BPSK	Inner_Full	23.77	17.72
B2-n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	23.87	17.82
B2-n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	24.03	17.98
B2-n5	10	15	829	DFT	pi/2 BPSK	Outer_Full	24.02	17.97
B2-n5	10	15	829	DFT	QPSK	Inner_Full	24.09	18.04
B2-n5	10	15	829	DFT	QPSK	Edge_1RB_Left	23.72	17.67
B2-n5	10	15	829	DFT	QPSK	Edge_1RB_Right	23.80	17.75
B2-n5	10	15	829	DFT	QPSK	Outer_Full	23.89	17.84
B2-n5	10	15	829	DFT	16QAM	Inner_Full	23.55	17.50
B2-n5	10	15	829	DFT	16QAM	Edge_1RB_Left	22.63	16.58
B2-n5	10	15	829	DFT	16QAM	Edge_1RB_Right	22.87	16.82
B2-n5	10	15	829	DFT	16QAM	Outer_Full	22.37	16.32
B2-n5	10	15	829	DFT	64QAM	Inner_Full	21.55	15.50
B2-n5	10	15	829	DFT	64QAM	Edge_1RB_Left	21.55	15.50
B2-n5	10	15	829	DFT	64QAM	Edge_1RB_Right	21.57	15.52
B2-n5	10	15	829	DFT	64QAM	Outer_Full	21.33	15.28
B2-n5	10	15	829	DFT	256QAM	Inner_Full	19.30	13.25
B2-n5	10	15	829	DFT	256QAM	Edge_1RB_Left	18.89	12.84
B2-n5	10	15	829	DFT	256QAM	Edge_1RB_Right	19.20	13.15
B2-n5	10	15	829	DFT	256QAM	Outer_Full	19.48	13.43
B2-n5	10	15	829	CP	QPSK	Inner_Full	23.34	17.29
B2-n5	10	15	829	CP	QPSK	Edge_1RB_Left	20.77	14.72
B2-n5	10	15	829	CP	QPSK	Edge_1RB_Right	20.82	14.77
B2-n5	10	15	829	CP	QPSK	Outer_Full	20.84	14.79
B2-n5	10	15	829	CP	16QAM	Inner_Full	21.95	15.90
B2-n5	10	15	829	CP	16QAM	Edge_1RB_Left	21.09	15.04
B2-n5	10	15	829	CP	16QAM	Edge_1RB_Right	21.20	15.15
B2-n5	10	15	829	CP	16QAM	Outer_Full	20.80	14.75
B2-n5	10	15	829	CP	64QAM	Inner_Full	20.52	14.47
B2-n5	10	15	829	CP	64QAM	Edge_1RB_Left	20.45	14.40
B2-n5	10	15	829	CP	64QAM	Edge_1RB_Right	20.58	14.53
B2-n5	10	15	829	CP	64QAM	Outer_Full	20.39	14.34
B2-n5	10	15	829	CP	256QAM	Inner_Full	17.43	11.38
B2-n5	10	15	829	CP	256QAM	Edge_1RB_Left	17.16	11.11
B2-n5	10	15	829	CP	256QAM	Edge_1RB_Right	17.32	11.27
B2-n5	10	15	829	CP	256QAM	Outer_Full	17.42	11.37



B2-n5	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.93	17.88
B2-n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.96	17.91
B2-n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.71	17.66
B2-n5	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	24.02	17.97
B2-n5	10	15	836.5	DFT	QPSK	Inner_Full	24.06	18.01
B2-n5	10	15	836.5	DFT	QPSK	Edge_1RB_Left	23.80	17.75
B2-n5	10	15	836.5	DFT	QPSK	Edge_1RB_Right	23.63	17.58
B2-n5	10	15	836.5	DFT	QPSK	Outer_Full	23.97	17.92
B2-n5	10	15	836.5	DFT	16QAM	Inner_Full	23.65	17.60
B2-n5	10	15	836.5	DFT	16QAM	Edge_1RB_Left	22.87	16.82
B2-n5	10	15	836.5	DFT	16QAM	Edge_1RB_Right	22.56	16.51
B2-n5	10	15	836.5	DFT	16QAM	Outer_Full	22.60	16.55
B2-n5	10	15	836.5	DFT	64QAM	Inner_Full	21.54	15.49
B2-n5	10	15	836.5	DFT	64QAM	Edge_1RB_Left	21.61	15.56
B2-n5	10	15	836.5	DFT	64QAM	Edge_1RB_Right	21.45	15.40
B2-n5	10	15	836.5	DFT	64QAM	Outer_Full	21.44	15.39
B2-n5	10	15	836.5	DFT	256QAM	Inner_Full	19.35	13.30
B2-n5	10	15	836.5	DFT	256QAM	Edge_1RB_Left	19.24	13.19
B2-n5	10	15	836.5	DFT	256QAM	Edge_1RB_Right	18.84	12.79
B2-n5	10	15	836.5	DFT	256QAM	Outer_Full	19.49	13.44
B2-n5	10	15	836.5	CP	QPSK	Inner_Full	23.47	17.42
B2-n5	10	15	836.5	CP	QPSK	Edge_1RB_Left	20.93	14.88
B2-n5	10	15	836.5	CP	QPSK	Edge_1RB_Right	20.59	14.54
B2-n5	10	15	836.5	CP	QPSK	Outer_Full	20.67	14.62
B2-n5	10	15	836.5	CP	16QAM	Inner_Full	21.89	15.84
B2-n5	10	15	836.5	CP	16QAM	Edge_1RB_Left	21.37	15.32
B2-n5	10	15	836.5	CP	16QAM	Edge_1RB_Right	20.93	14.88
B2-n5	10	15	836.5	CP	16QAM	Outer_Full	20.78	14.73
B2-n5	10	15	836.5	CP	64QAM	Inner_Full	20.50	14.45
B2-n5	10	15	836.5	CP	64QAM	Edge_1RB_Left	20.61	14.56
B2-n5	10	15	836.5	CP	64QAM	Edge_1RB_Right	20.26	14.21
B2-n5	10	15	836.5	CP	64QAM	Outer_Full	20.44	14.39
B2-n5	10	15	836.5	CP	256QAM	Inner_Full	17.31	11.26
B2-n5	10	15	836.5	CP	256QAM	Edge_1RB_Left	17.52	11.47
B2-n5	10	15	836.5	CP	256QAM	Edge_1RB_Right	17.03	10.98
B2-n5	10	15	836.5	CP	256QAM	Outer_Full	17.47	11.42
B2-n5	10	15	844	DFT	pi/2 BPSK	Inner_Full	23.68	17.63

B2-n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	23.70	17.65
B2-n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	23.27	17.22
B2-n5	10	15	844	DFT	pi/2 BPSK	Outer_Full	23.61	17.56
B2-n5	10	15	844	DFT	QPSK	Inner_Full	23.69	17.64
B2-n5	10	15	844	DFT	QPSK	Edge_1RB_Left	23.98	17.93
B2-n5	10	15	844	DFT	QPSK	Edge_1RB_Right	23.62	17.57
B2-n5	10	15	844	DFT	QPSK	Outer_Full	23.63	17.58
B2-n5	10	15	844	DFT	16QAM	Inner_Full	23.16	17.11
B2-n5	10	15	844	DFT	16QAM	Edge_1RB_Left	22.56	16.51
B2-n5	10	15	844	DFT	16QAM	Edge_1RB_Right	22.26	16.21
B2-n5	10	15	844	DFT	16QAM	Outer_Full	22.06	16.01
B2-n5	10	15	844	DFT	64QAM	Inner_Full	21.13	15.08
B2-n5	10	15	844	DFT	64QAM	Edge_1RB_Left	21.36	15.31
B2-n5	10	15	844	DFT	64QAM	Edge_1RB_Right	21.09	15.04
B2-n5	10	15	844	DFT	64QAM	Outer_Full	21.02	14.97
B2-n5	10	15	844	DFT	256QAM	Inner_Full	19.08	13.03
B2-n5	10	15	844	DFT	256QAM	Edge_1RB_Left	19.23	13.18
B2-n5	10	15	844	DFT	256QAM	Edge_1RB_Right	18.57	12.52
B2-n5	10	15	844	DFT	256QAM	Outer_Full	19.04	12.99
B2-n5	10	15	844	CP	QPSK	Inner_Full	23.01	16.96
B2-n5	10	15	844	CP	QPSK	Edge_1RB_Left	20.65	14.60
B2-n5	10	15	844	CP	QPSK	Edge_1RB_Right	20.27	14.22
B2-n5	10	15	844	CP	QPSK	Outer_Full	20.45	14.40
B2-n5	10	15	844	CP	16QAM	Inner_Full	21.48	15.43
B2-n5	10	15	844	CP	16QAM	Edge_1RB_Left	20.96	14.91
B2-n5	10	15	844	CP	16QAM	Edge_1RB_Right	20.57	14.52
B2-n5	10	15	844	CP	16QAM	Outer_Full	20.57	14.52
B2-n5	10	15	844	CP	64QAM	Inner_Full	20.04	13.99
B2-n5	10	15	844	CP	64QAM	Edge_1RB_Left	20.31	14.26
B2-n5	10	15	844	CP	64QAM	Edge_1RB_Right	19.68	13.63
B2-n5	10	15	844	CP	64QAM	Outer_Full	20.02	13.97
B2-n5	10	15	844	CP	256QAM	Inner_Full	17.18	11.13
B2-n5	10	15	844	CP	256QAM	Edge_1RB_Left	17.22	11.17
B2-n5	10	15	844	CP	256QAM	Edge_1RB_Right	16.85	10.80
B2-n5	10	15	844	CP	256QAM	Outer_Full	17.17	11.12
B2-n5	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	24.19	18.14
B2-n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.95	17.90

B2-n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.96	17.91
B2-n5	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	24.00	17.95
B2-n5	15	15	831.5	DFT	QPSK	Inner_Full	24.09	18.04
B2-n5	15	15	831.5	DFT	QPSK	Edge_1RB_Left	23.92	17.87
B2-n5	15	15	831.5	DFT	QPSK	Edge_1RB_Right	23.68	17.63
B2-n5	15	15	831.5	DFT	QPSK	Outer_Full	23.95	17.90
B2-n5	15	15	831.5	DFT	16QAM	Inner_Full	23.72	17.67
B2-n5	15	15	831.5	DFT	16QAM	Edge_1RB_Left	22.71	16.66
B2-n5	15	15	831.5	DFT	16QAM	Edge_1RB_Right	22.81	16.76
B2-n5	15	15	831.5	DFT	16QAM	Outer_Full	22.65	16.60
B2-n5	15	15	831.5	DFT	64QAM	Inner_Full	21.56	15.51
B2-n5	15	15	831.5	DFT	64QAM	Edge_1RB_Left	21.52	15.47
B2-n5	15	15	831.5	DFT	64QAM	Edge_1RB_Right	21.49	15.44
B2-n5	15	15	831.5	DFT	64QAM	Outer_Full	21.66	15.61
B2-n5	15	15	831.5	DFT	256QAM	Inner_Full	19.67	13.62
B2-n5	15	15	831.5	DFT	256QAM	Edge_1RB_Left	19.09	13.04
B2-n5	15	15	831.5	DFT	256QAM	Edge_1RB_Right	19.05	13.00
B2-n5	15	15	831.5	DFT	256QAM	Outer_Full	19.44	13.39
B2-n5	15	15	831.5	CP	QPSK	Inner_Full	23.48	17.43
B2-n5	15	15	831.5	CP	QPSK	Edge_1RB_Left	20.74	14.69
B2-n5	15	15	831.5	CP	QPSK	Edge_1RB_Right	20.81	14.76
B2-n5	15	15	831.5	CP	QPSK	Outer_Full	21.04	14.99
B2-n5	15	15	831.5	CP	16QAM	Inner_Full	22.20	16.15
B2-n5	15	15	831.5	CP	16QAM	Edge_1RB_Left	20.97	14.92
B2-n5	15	15	831.5	CP	16QAM	Edge_1RB_Right	21.12	15.07
B2-n5	15	15	831.5	CP	16QAM	Outer_Full	21.11	15.06
B2-n5	15	15	831.5	CP	64QAM	Inner_Full	20.65	14.60
B2-n5	15	15	831.5	CP	64QAM	Edge_1RB_Left	20.50	14.45
B2-n5	15	15	831.5	CP	64QAM	Edge_1RB_Right	20.40	14.35
B2-n5	15	15	831.5	CP	64QAM	Outer_Full	20.62	14.57
B2-n5	15	15	831.5	CP	256QAM	Inner_Full	17.86	11.81
B2-n5	15	15	831.5	CP	256QAM	Edge_1RB_Left	17.30	11.25
B2-n5	15	15	831.5	CP	256QAM	Edge_1RB_Right	17.10	11.05
B2-n5	15	15	831.5	CP	256QAM	Outer_Full	17.59	11.54
B2-n5	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.13	18.08
B2-n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.06	18.01
B2-n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.70	17.65

B2-n5	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	24.03	17.98
B2-n5	15	15	836.5	DFT	QPSK	Inner_Full	24.22	18.17
B2-n5	15	15	836.5	DFT	QPSK	Edge_1RB_Left	23.95	17.90
B2-n5	15	15	836.5	DFT	QPSK	Edge_1RB_Right	23.98	17.93
B2-n5	15	15	836.5	DFT	QPSK	Outer_Full	23.97	17.92
B2-n5	15	15	836.5	DFT	16QAM	Inner_Full	23.63	17.58
B2-n5	15	15	836.5	DFT	16QAM	Edge_1RB_Left	22.75	16.70
B2-n5	15	15	836.5	DFT	16QAM	Edge_1RB_Right	22.59	16.54
B2-n5	15	15	836.5	DFT	16QAM	Outer_Full	22.71	16.66
B2-n5	15	15	836.5	DFT	64QAM	Inner_Full	21.65	15.60
B2-n5	15	15	836.5	DFT	64QAM	Edge_1RB_Left	21.57	15.52
B2-n5	15	15	836.5	DFT	64QAM	Edge_1RB_Right	21.41	15.36
B2-n5	15	15	836.5	DFT	64QAM	Outer_Full	21.67	15.62
B2-n5	15	15	836.5	DFT	256QAM	Inner_Full	19.67	13.62
B2-n5	15	15	836.5	DFT	256QAM	Edge_1RB_Left	19.20	13.15
B2-n5	15	15	836.5	DFT	256QAM	Edge_1RB_Right	19.25	13.20
B2-n5	15	15	836.5	DFT	256QAM	Outer_Full	19.48	13.43
B2-n5	15	15	836.5	CP	QPSK	Inner_Full	23.49	17.44
B2-n5	15	15	836.5	CP	QPSK	Edge_1RB_Left	20.83	14.78
B2-n5	15	15	836.5	CP	QPSK	Edge_1RB_Right	20.53	14.48
B2-n5	15	15	836.5	CP	QPSK	Outer_Full	21.09	15.04
B2-n5	15	15	836.5	CP	16QAM	Inner_Full	22.06	16.01
B2-n5	15	15	836.5	CP	16QAM	Edge_1RB_Left	21.00	14.95
B2-n5	15	15	836.5	CP	16QAM	Edge_1RB_Right	20.85	14.80
B2-n5	15	15	836.5	CP	16QAM	Outer_Full	21.09	15.04
B2-n5	15	15	836.5	CP	64QAM	Inner_Full	20.57	14.52
B2-n5	15	15	836.5	CP	64QAM	Edge_1RB_Left	20.42	14.37
B2-n5	15	15	836.5	CP	64QAM	Edge_1RB_Right	20.20	14.15
B2-n5	15	15	836.5	CP	64QAM	Outer_Full	20.51	14.46
B2-n5	15	15	836.5	CP	256QAM	Inner_Full	17.71	11.66
B2-n5	15	15	836.5	CP	256QAM	Edge_1RB_Left	17.21	11.16
B2-n5	15	15	836.5	CP	256QAM	Edge_1RB_Right	17.21	11.16
B2-n5	15	15	836.5	CP	256QAM	Outer_Full	17.71	11.66
B2-n5	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	23.86	17.81
B2-n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.90	17.85
B2-n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.56	17.51
B2-n5	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	23.92	17.87

B2-n5	15	15	841.5	DFT	QPSK	Inner_Full	23.99	17.94
B2-n5	15	15	841.5	DFT	QPSK	Edge_1RB_Left	23.92	17.87
B2-n5	15	15	841.5	DFT	QPSK	Edge_1RB_Right	23.97	17.92
B2-n5	15	15	841.5	DFT	QPSK	Outer_Full	23.98	17.93
B2-n5	15	15	841.5	DFT	16QAM	Inner_Full	23.49	17.44
B2-n5	15	15	841.5	DFT	16QAM	Edge_1RB_Left	22.69	16.64
B2-n5	15	15	841.5	DFT	16QAM	Edge_1RB_Right	22.53	16.48
B2-n5	15	15	841.5	DFT	16QAM	Outer_Full	22.40	16.35
B2-n5	15	15	841.5	DFT	64QAM	Inner_Full	21.40	15.35
B2-n5	15	15	841.5	DFT	64QAM	Edge_1RB_Left	21.81	15.76
B2-n5	15	15	841.5	DFT	64QAM	Edge_1RB_Right	21.21	15.16
B2-n5	15	15	841.5	DFT	64QAM	Outer_Full	21.44	15.39
B2-n5	15	15	841.5	DFT	256QAM	Inner_Full	19.55	13.50
B2-n5	15	15	841.5	DFT	256QAM	Edge_1RB_Left	19.08	13.03
B2-n5	15	15	841.5	DFT	256QAM	Edge_1RB_Right	18.66	12.61
B2-n5	15	15	841.5	DFT	256QAM	Outer_Full	19.26	13.21
B2-n5	15	15	841.5	CP	QPSK	Inner_Full	23.39	17.34
B2-n5	15	15	841.5	CP	QPSK	Edge_1RB_Left	21.03	14.98
B2-n5	15	15	841.5	CP	QPSK	Edge_1RB_Right	20.33	14.28
B2-n5	15	15	841.5	CP	QPSK	Outer_Full	20.88	14.83
B2-n5	15	15	841.5	CP	16QAM	Inner_Full	21.87	15.82
B2-n5	15	15	841.5	CP	16QAM	Edge_1RB_Left	21.40	15.35
B2-n5	15	15	841.5	CP	16QAM	Edge_1RB_Right	20.73	14.68
B2-n5	15	15	841.5	CP	16QAM	Outer_Full	20.86	14.81
B2-n5	15	15	841.5	CP	64QAM	Inner_Full	20.39	14.34
B2-n5	15	15	841.5	CP	64QAM	Edge_1RB_Left	20.55	14.50
B2-n5	15	15	841.5	CP	64QAM	Edge_1RB_Right	20.01	13.96
B2-n5	15	15	841.5	CP	64QAM	Outer_Full	20.34	14.29
B2-n5	15	15	841.5	CP	256QAM	Inner_Full	17.60	11.55
B2-n5	15	15	841.5	CP	256QAM	Edge_1RB_Left	17.27	11.22
B2-n5	15	15	841.5	CP	256QAM	Edge_1RB_Right	16.83	10.78
B2-n5	15	15	841.5	CP	256QAM	Outer_Full	17.59	11.54
B2-n5	20	15	834	DFT	pi/2 BPSK	Inner_Full	24.07	18.02
B2-n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	23.69	17.64
B2-n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	23.66	17.61
B2-n5	20	15	834	DFT	pi/2 BPSK	Outer_Full	23.85	17.80
B2-n5	20	15	834	DFT	QPSK	Inner_Full	24.25	18.20

B2-n5	20	15	834	DFT	QPSK	Edge_1RB_Left	23.98	17.93
B2-n5	20	15	834	DFT	QPSK	Edge_1RB_Right	23.88	17.83
B2-n5	20	15	834	DFT	QPSK	Outer_Full	23.99	17.94
B2-n5	20	15	834	DFT	16QAM	Inner_Full	23.66	17.61
B2-n5	20	15	834	DFT	16QAM	Edge_1RB_Left	22.76	16.71
B2-n5	20	15	834	DFT	16QAM	Edge_1RB_Right	22.56	16.51
B2-n5	20	15	834	DFT	16QAM	Outer_Full	22.59	16.54
B2-n5	20	15	834	DFT	64QAM	Inner_Full	21.52	15.47
B2-n5	20	15	834	DFT	64QAM	Edge_1RB_Left	21.78	15.73
B2-n5	20	15	834	DFT	64QAM	Edge_1RB_Right	21.20	15.15
B2-n5	20	15	834	DFT	64QAM	Outer_Full	21.54	15.49
B2-n5	20	15	834	DFT	256QAM	Inner_Full	19.57	13.52
B2-n5	20	15	834	DFT	256QAM	Edge_1RB_Left	19.55	13.50
B2-n5	20	15	834	DFT	256QAM	Edge_1RB_Right	18.60	12.55
B2-n5	20	15	834	DFT	256QAM	Outer_Full	19.42	13.37
B2-n5	20	15	834	CP	QPSK	Inner_Full	23.48	17.43
B2-n5	20	15	834	CP	QPSK	Edge_1RB_Left	20.61	14.56
B2-n5	20	15	834	CP	QPSK	Edge_1RB_Right	20.46	14.41
B2-n5	20	15	834	CP	QPSK	Outer_Full	20.75	14.70
B2-n5	20	15	834	CP	16QAM	Inner_Full	22.14	16.09
B2-n5	20	15	834	CP	16QAM	Edge_1RB_Left	21.05	15.00
B2-n5	20	15	834	CP	16QAM	Edge_1RB_Right	20.78	14.73
B2-n5	20	15	834	CP	16QAM	Outer_Full	20.82	14.77
B2-n5	20	15	834	CP	64QAM	Inner_Full	20.64	14.59
B2-n5	20	15	834	CP	64QAM	Edge_1RB_Left	20.46	14.41
B2-n5	20	15	834	CP	64QAM	Edge_1RB_Right	20.12	14.07
B2-n5	20	15	834	CP	64QAM	Outer_Full	20.37	14.32
B2-n5	20	15	834	CP	256QAM	Inner_Full	17.38	11.33
B2-n5	20	15	834	CP	256QAM	Edge_1RB_Left	17.21	11.16
B2-n5	20	15	834	CP	256QAM	Edge_1RB_Right	16.87	10.82
B2-n5	20	15	834	CP	256QAM	Outer_Full	17.47	11.42
B2-n5	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.93	17.88
B2-n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.14	18.09
B2-n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.59	17.54
B2-n5	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	24.17	18.12
B2-n5	20	15	836.5	DFT	QPSK	Inner_Full	24.28	18.23
B2-n5	20	15	836.5	DFT	QPSK	Edge_1RB_Left	23.90	17.85

B2-n5	20	15	836.5	DFT	QPSK	Edge_1RB_Right	23.77	17.72
B2-n5	20	15	836.5	DFT	QPSK	Outer_Full	23.97	17.92
B2-n5	20	15	836.5	DFT	16QAM	Inner_Full	23.80	17.75
B2-n5	20	15	836.5	DFT	16QAM	Edge_1RB_Left	22.63	16.58
B2-n5	20	15	836.5	DFT	16QAM	Edge_1RB_Right	22.34	16.29
B2-n5	20	15	836.5	DFT	16QAM	Outer_Full	22.45	16.40
B2-n5	20	15	836.5	DFT	64QAM	Inner_Full	21.71	15.66
B2-n5	20	15	836.5	DFT	64QAM	Edge_1RB_Left	21.88	15.83
B2-n5	20	15	836.5	DFT	64QAM	Edge_1RB_Right	20.63	14.58
B2-n5	20	15	836.5	DFT	64QAM	Outer_Full	21.33	15.28
B2-n5	20	15	836.5	DFT	256QAM	Inner_Full	19.40	13.35
B2-n5	20	15	836.5	DFT	256QAM	Edge_1RB_Left	19.52	13.47
B2-n5	20	15	836.5	DFT	256QAM	Edge_1RB_Right	19.11	13.06
B2-n5	20	15	836.5	DFT	256QAM	Outer_Full	19.49	13.44
B2-n5	20	15	836.5	CP	QPSK	Inner_Full	23.36	17.31
B2-n5	20	15	836.5	CP	QPSK	Edge_1RB_Left	20.90	14.85
B2-n5	20	15	836.5	CP	QPSK	Edge_1RB_Right	20.71	14.66
B2-n5	20	15	836.5	CP	QPSK	Outer_Full	21.06	15.01
B2-n5	20	15	836.5	CP	16QAM	Inner_Full	22.16	16.11
B2-n5	20	15	836.5	CP	16QAM	Edge_1RB_Left	20.85	14.80
B2-n5	20	15	836.5	CP	16QAM	Edge_1RB_Right	20.64	14.59
B2-n5	20	15	836.5	CP	16QAM	Outer_Full	20.95	14.90
B2-n5	20	15	836.5	CP	64QAM	Inner_Full	20.67	14.62
B2-n5	20	15	836.5	CP	64QAM	Edge_1RB_Left	20.19	14.14
B2-n5	20	15	836.5	CP	64QAM	Edge_1RB_Right	20.03	13.98
B2-n5	20	15	836.5	CP	64QAM	Outer_Full	20.49	14.44
B2-n5	20	15	836.5	CP	256QAM	Inner_Full	17.80	11.75
B2-n5	20	15	836.5	CP	256QAM	Edge_1RB_Left	17.59	11.54
B2-n5	20	15	836.5	CP	256QAM	Edge_1RB_Right	17.38	11.33
B2-n5	20	15	836.5	CP	256QAM	Outer_Full	17.67	11.62
B2-n5	20	15	839	DFT	$\pi/2$ BPSK	Inner_Full	23.99	17.94
B2-n5	20	15	839	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.85	17.80
B2-n5	20	15	839	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.78	17.73
B2-n5	20	15	839	DFT	$\pi/2$ BPSK	Outer_Full	24.07	18.02
B2-n5	20	15	839	DFT	QPSK	Inner_Full	24.17	18.12
B2-n5	20	15	839	DFT	QPSK	Edge_1RB_Left	23.92	17.87
B2-n5	20	15	839	DFT	QPSK	Edge_1RB_Right	23.93	17.88

B2-n5	20	15	839	DFT	QPSK	Outer_Full	23.86	17.81
B2-n5	20	15	839	DFT	16QAM	Inner_Full	23.70	17.65
B2-n5	20	15	839	DFT	16QAM	Edge_1RB_Left	22.91	16.86
B2-n5	20	15	839	DFT	16QAM	Edge_1RB_Right	22.36	16.31
B2-n5	20	15	839	DFT	16QAM	Outer_Full	22.58	16.53
B2-n5	20	15	839	DFT	64QAM	Inner_Full	21.63	15.58
B2-n5	20	15	839	DFT	64QAM	Edge_1RB_Left	21.69	15.64
B2-n5	20	15	839	DFT	64QAM	Edge_1RB_Right	21.09	15.04
B2-n5	20	15	839	DFT	64QAM	Outer_Full	21.51	15.46
B2-n5	20	15	839	DFT	256QAM	Inner_Full	19.45	13.40
B2-n5	20	15	839	DFT	256QAM	Edge_1RB_Left	18.99	12.94
B2-n5	20	15	839	DFT	256QAM	Edge_1RB_Right	18.63	12.58
B2-n5	20	15	839	DFT	256QAM	Outer_Full	19.55	13.50
B2-n5	20	15	839	CP	QPSK	Inner_Full	23.36	17.31
B2-n5	20	15	839	CP	QPSK	Edge_1RB_Left	20.94	14.89
B2-n5	20	15	839	CP	QPSK	Edge_1RB_Right	20.27	14.22
B2-n5	20	15	839	CP	QPSK	Outer_Full	20.84	14.79
B2-n5	20	15	839	CP	16QAM	Inner_Full	21.97	15.92
B2-n5	20	15	839	CP	16QAM	Edge_1RB_Left	21.31	15.26
B2-n5	20	15	839	CP	16QAM	Edge_1RB_Right	20.58	14.53
B2-n5	20	15	839	CP	16QAM	Outer_Full	20.82	14.77
B2-n5	20	15	839	CP	64QAM	Inner_Full	20.49	14.44
B2-n5	20	15	839	CP	64QAM	Edge_1RB_Left	20.59	14.54
B2-n5	20	15	839	CP	64QAM	Edge_1RB_Right	19.97	13.92
B2-n5	20	15	839	CP	64QAM	Outer_Full	20.37	14.32
B2-n5	20	15	839	CP	256QAM	Inner_Full	17.71	11.66
B2-n5	20	15	839	CP	256QAM	Edge_1RB_Left	17.32	11.27
B2-n5	20	15	839	CP	256QAM	Edge_1RB_Right	16.80	10.75
B2-n5	20	15	839	CP	256QAM	Outer_Full	17.68	11.63



**LTE B12+NR n25**
**Limit ≤ 33dBm(2W)**

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted Power(dBm)	EIRP(dBm) (Gt - Lc = -1.9)
B12-n25	5	15	1852.5	DFT	pi/2 BPSK	Inner_Full	22.86	20.96
B12-n25	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.52	20.62
B12-n25	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.58	20.68
B12-n25	5	15	1852.5	DFT	pi/2 BPSK	Outer_Full	22.57	20.67
B12-n25	5	15	1852.5	DFT	QPSK	Inner_Full	22.96	21.06
B12-n25	5	15	1852.5	DFT	QPSK	Edge_1RB_Left	21.93	20.03
B12-n25	5	15	1852.5	DFT	QPSK	Edge_1RB_Right	21.98	20.08
B12-n25	5	15	1852.5	DFT	QPSK	Outer_Full	22.07	20.17
B12-n25	5	15	1852.5	DFT	16QAM	Inner_Full	22.17	20.27
B12-n25	5	15	1852.5	DFT	16QAM	Edge_1RB_Left	21.28	19.38
B12-n25	5	15	1852.5	DFT	16QAM	Edge_1RB_Right	21.35	19.45
B12-n25	5	15	1852.5	DFT	16QAM	Outer_Full	20.99	19.09
B12-n25	5	15	1852.5	DFT	64QAM	Inner_Full	20.64	18.74
B12-n25	5	15	1852.5	DFT	64QAM	Edge_1RB_Left	20.38	18.48
B12-n25	5	15	1852.5	DFT	64QAM	Edge_1RB_Right	20.42	18.52
B12-n25	5	15	1852.5	DFT	64QAM	Outer_Full	20.51	18.61
B12-n25	5	15	1852.5	DFT	256QAM	Inner_Full	18.52	16.62
B12-n25	5	15	1852.5	DFT	256QAM	Edge_1RB_Left	18.51	16.61
B12-n25	5	15	1852.5	DFT	256QAM	Edge_1RB_Right	18.49	16.59
B12-n25	5	15	1852.5	DFT	256QAM	Outer_Full	18.60	16.70
B12-n25	5	15	1852.5	CP	QPSK	Inner_Full	21.56	19.66
B12-n25	5	15	1852.5	CP	QPSK	Edge_1RB_Left	20.07	18.17
B12-n25	5	15	1852.5	CP	QPSK	Edge_1RB_Right	19.95	18.05
B12-n25	5	15	1852.5	CP	QPSK	Outer_Full	20.02	18.12
B12-n25	5	15	1852.5	CP	16QAM	Inner_Full	20.98	19.08
B12-n25	5	15	1852.5	CP	16QAM	Edge_1RB_Left	20.35	18.45
B12-n25	5	15	1852.5	CP	16QAM	Edge_1RB_Right	20.32	18.42
B12-n25	5	15	1852.5	CP	16QAM	Outer_Full	19.98	18.08
B12-n25	5	15	1852.5	CP	64QAM	Inner_Full	19.42	17.52
B12-n25	5	15	1852.5	CP	64QAM	Edge_1RB_Left	19.46	17.56
B12-n25	5	15	1852.5	CP	64QAM	Edge_1RB_Right	19.43	17.53
B12-n25	5	15	1852.5	CP	64QAM	Outer_Full	19.51	17.61
B12-n25	5	15	1852.5	CP	256QAM	Inner_Full	16.64	14.74

B12-n25	5	15	1852.5	CP	256QAM	Edge_1RB_Left	16.54	14.64
B12-n25	5	15	1852.5	CP	256QAM	Edge_1RB_Right	16.49	14.59
B12-n25	5	15	1852.5	CP	256QAM	Outer_Full	16.65	14.75
B12-n25	5	15	1882.5	DFT	pi/2 BPSK	Inner_Full	22.95	21.05
B12-n25	5	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.63	20.73
B12-n25	5	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.07	21.17
B12-n25	5	15	1882.5	DFT	pi/2 BPSK	Outer_Full	22.77	20.87
B12-n25	5	15	1882.5	DFT	QPSK	Inner_Full	22.98	21.08
B12-n25	5	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.98	20.08
B12-n25	5	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.71	20.81
B12-n25	5	15	1882.5	DFT	QPSK	Outer_Full	22.23	20.33
B12-n25	5	15	1882.5	DFT	16QAM	Inner_Full	22.24	20.34
B12-n25	5	15	1882.5	DFT	16QAM	Edge_1RB_Left	21.29	19.39
B12-n25	5	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.98	20.08
B12-n25	5	15	1882.5	DFT	16QAM	Outer_Full	21.24	19.34
B12-n25	5	15	1882.5	DFT	64QAM	Inner_Full	20.73	18.83
B12-n25	5	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.45	18.55
B12-n25	5	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.07	19.17
B12-n25	5	15	1882.5	DFT	64QAM	Outer_Full	20.87	18.97
B12-n25	5	15	1882.5	DFT	256QAM	Inner_Full	18.58	16.68
B12-n25	5	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.51	16.61
B12-n25	5	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.05	17.15
B12-n25	5	15	1882.5	DFT	256QAM	Outer_Full	18.82	16.92
B12-n25	5	15	1882.5	CP	QPSK	Inner_Full	21.64	19.74
B12-n25	5	15	1882.5	CP	QPSK	Edge_1RB_Left	20.06	18.16
B12-n25	5	15	1882.5	CP	QPSK	Edge_1RB_Right	20.63	18.73
B12-n25	5	15	1882.5	CP	QPSK	Outer_Full	20.18	18.28
B12-n25	5	15	1882.5	CP	16QAM	Inner_Full	21.06	19.16
B12-n25	5	15	1882.5	CP	16QAM	Edge_1RB_Left	20.34	18.44
B12-n25	5	15	1882.5	CP	16QAM	Edge_1RB_Right	20.93	19.03
B12-n25	5	15	1882.5	CP	16QAM	Outer_Full	20.16	18.26
B12-n25	5	15	1882.5	CP	64QAM	Inner_Full	19.52	17.62
B12-n25	5	15	1882.5	CP	64QAM	Edge_1RB_Left	19.48	17.58
B12-n25	5	15	1882.5	CP	64QAM	Edge_1RB_Right	20.00	18.10
B12-n25	5	15	1882.5	CP	64QAM	Outer_Full	19.71	17.81
B12-n25	5	15	1882.5	CP	256QAM	Inner_Full	16.68	14.78
B12-n25	5	15	1882.5	CP	256QAM	Edge_1RB_Left	16.49	14.59

B12-n25	5	15	1882.5	CP	256QAM	Edge_1RB_Right	17.06	15.16
B12-n25	5	15	1882.5	CP	256QAM	Outer_Full	16.81	14.91
B12-n25	5	15	1912.5	DFT	pi/2 BPSK	Inner_Full	22.94	21.04
B12-n25	5	15	1912.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.54	20.64
B12-n25	5	15	1912.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.64	20.74
B12-n25	5	15	1912.5	DFT	pi/2 BPSK	Outer_Full	22.62	20.72
B12-n25	5	15	1912.5	DFT	QPSK	Inner_Full	23.04	21.14
B12-n25	5	15	1912.5	DFT	QPSK	Edge_1RB_Left	22.03	20.13
B12-n25	5	15	1912.5	DFT	QPSK	Edge_1RB_Right	22.02	20.12
B12-n25	5	15	1912.5	DFT	QPSK	Outer_Full	22.13	20.23
B12-n25	5	15	1912.5	DFT	16QAM	Inner_Full	22.26	20.36
B12-n25	5	15	1912.5	DFT	16QAM	Edge_1RB_Left	21.44	19.54
B12-n25	5	15	1912.5	DFT	16QAM	Edge_1RB_Right	21.31	19.41
B12-n25	5	15	1912.5	DFT	16QAM	Outer_Full	21.14	19.24
B12-n25	5	15	1912.5	DFT	64QAM	Inner_Full	20.63	18.73
B12-n25	5	15	1912.5	DFT	64QAM	Edge_1RB_Left	20.45	18.55
B12-n25	5	15	1912.5	DFT	64QAM	Edge_1RB_Right	20.51	18.61
B12-n25	5	15	1912.5	DFT	64QAM	Outer_Full	20.73	18.83
B12-n25	5	15	1912.5	DFT	256QAM	Inner_Full	18.60	16.70
B12-n25	5	15	1912.5	DFT	256QAM	Edge_1RB_Left	18.54	16.64
B12-n25	5	15	1912.5	DFT	256QAM	Edge_1RB_Right	18.61	16.71
B12-n25	5	15	1912.5	DFT	256QAM	Outer_Full	18.71	16.81
B12-n25	5	15	1912.5	CP	QPSK	Inner_Full	21.65	19.75
B12-n25	5	15	1912.5	CP	QPSK	Edge_1RB_Left	20.05	18.15
B12-n25	5	15	1912.5	CP	QPSK	Edge_1RB_Right	20.06	18.16
B12-n25	5	15	1912.5	CP	QPSK	Outer_Full	20.05	18.15
B12-n25	5	15	1912.5	CP	16QAM	Inner_Full	21.04	19.14
B12-n25	5	15	1912.5	CP	16QAM	Edge_1RB_Left	20.34	18.44
B12-n25	5	15	1912.5	CP	16QAM	Edge_1RB_Right	20.37	18.47
B12-n25	5	15	1912.5	CP	16QAM	Outer_Full	20.04	18.14
B12-n25	5	15	1912.5	CP	64QAM	Inner_Full	19.50	17.60
B12-n25	5	15	1912.5	CP	64QAM	Edge_1RB_Left	19.52	17.62
B12-n25	5	15	1912.5	CP	64QAM	Edge_1RB_Right	19.45	17.55
B12-n25	5	15	1912.5	CP	64QAM	Outer_Full	19.57	17.67
B12-n25	5	15	1912.5	CP	256QAM	Inner_Full	16.68	14.78
B12-n25	5	15	1912.5	CP	256QAM	Edge_1RB_Left	16.56	14.66
B12-n25	5	15	1912.5	CP	256QAM	Edge_1RB_Right	16.54	14.64

B12-n25	5	15	1912.5	CP	256QAM	Outer_Full	16.69	14.79
B12-n25	10	15	1855	DFT	pi/2 BPSK	Inner_Full	22.88	20.98
B12-n25	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Left	22.55	20.65
B12-n25	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Right	22.52	20.62
B12-n25	10	15	1855	DFT	pi/2 BPSK	Outer_Full	22.51	20.61
B12-n25	10	15	1855	DFT	QPSK	Inner_Full	22.92	21.02
B12-n25	10	15	1855	DFT	QPSK	Edge_1RB_Left	21.85	19.95
B12-n25	10	15	1855	DFT	QPSK	Edge_1RB_Right	21.88	19.98
B12-n25	10	15	1855	DFT	QPSK	Outer_Full	22.05	20.15
B12-n25	10	15	1855	DFT	16QAM	Inner_Full	21.99	20.09
B12-n25	10	15	1855	DFT	16QAM	Edge_1RB_Left	21.26	19.36
B12-n25	10	15	1855	DFT	16QAM	Edge_1RB_Right	21.28	19.38
B12-n25	10	15	1855	DFT	16QAM	Outer_Full	21.02	19.12
B12-n25	10	15	1855	DFT	64QAM	Inner_Full	20.61	18.71
B12-n25	10	15	1855	DFT	64QAM	Edge_1RB_Left	20.32	18.42
B12-n25	10	15	1855	DFT	64QAM	Edge_1RB_Right	20.41	18.51
B12-n25	10	15	1855	DFT	64QAM	Outer_Full	20.44	18.54
B12-n25	10	15	1855	DFT	256QAM	Inner_Full	18.64	16.74
B12-n25	10	15	1855	DFT	256QAM	Edge_1RB_Left	18.42	16.52
B12-n25	10	15	1855	DFT	256QAM	Edge_1RB_Right	18.46	16.56
B12-n25	10	15	1855	DFT	256QAM	Outer_Full	18.50	16.60
B12-n25	10	15	1855	CP	QPSK	Inner_Full	21.46	19.56
B12-n25	10	15	1855	CP	QPSK	Edge_1RB_Left	19.89	17.99
B12-n25	10	15	1855	CP	QPSK	Edge_1RB_Right	19.88	17.98
B12-n25	10	15	1855	CP	QPSK	Outer_Full	20.00	18.10
B12-n25	10	15	1855	CP	16QAM	Inner_Full	21.01	19.11
B12-n25	10	15	1855	CP	16QAM	Edge_1RB_Left	20.19	18.29
B12-n25	10	15	1855	CP	16QAM	Edge_1RB_Right	20.17	18.27
B12-n25	10	15	1855	CP	16QAM	Outer_Full	19.98	18.08
B12-n25	10	15	1855	CP	64QAM	Inner_Full	19.44	17.54
B12-n25	10	15	1855	CP	64QAM	Edge_1RB_Left	19.38	17.48
B12-n25	10	15	1855	CP	64QAM	Edge_1RB_Right	19.37	17.47
B12-n25	10	15	1855	CP	64QAM	Outer_Full	19.44	17.54
B12-n25	10	15	1855	CP	256QAM	Inner_Full	16.47	14.57
B12-n25	10	15	1855	CP	256QAM	Edge_1RB_Left	16.48	14.58
B12-n25	10	15	1855	CP	256QAM	Edge_1RB_Right	16.41	14.51
B12-n25	10	15	1855	CP	256QAM	Outer_Full	16.49	14.59

B12-n25	10	15	1882.5	DFT	pi/2 BPSK	Inner_Full	22.91	21.01
B12-n25	10	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.42	20.52
B12-n25	10	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.61	21.71
B12-n25	10	15	1882.5	DFT	pi/2 BPSK	Outer_Full	22.79	20.89
B12-n25	10	15	1882.5	DFT	QPSK	Inner_Full	22.95	21.05
B12-n25	10	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.84	19.94
B12-n25	10	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.99	21.09
B12-n25	10	15	1882.5	DFT	QPSK	Outer_Full	22.30	20.40
B12-n25	10	15	1882.5	DFT	16QAM	Inner_Full	22.06	20.16
B12-n25	10	15	1882.5	DFT	16QAM	Edge_1RB_Left	21.19	19.29
B12-n25	10	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.90	20.00
B12-n25	10	15	1882.5	DFT	16QAM	Outer_Full	21.29	19.39
B12-n25	10	15	1882.5	DFT	64QAM	Inner_Full	20.69	18.79
B12-n25	10	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.32	18.42
B12-n25	10	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.60	19.70
B12-n25	10	15	1882.5	DFT	64QAM	Outer_Full	20.76	18.86
B12-n25	10	15	1882.5	DFT	256QAM	Inner_Full	18.63	16.73
B12-n25	10	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.37	16.47
B12-n25	10	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.66	17.76
B12-n25	10	15	1882.5	DFT	256QAM	Outer_Full	18.79	16.89
B12-n25	10	15	1882.5	CP	QPSK	Inner_Full	21.55	19.65
B12-n25	10	15	1882.5	CP	QPSK	Edge_1RB_Left	19.81	17.91
B12-n25	10	15	1882.5	CP	QPSK	Edge_1RB_Right	21.01	19.11
B12-n25	10	15	1882.5	CP	QPSK	Outer_Full	20.34	18.44
B12-n25	10	15	1882.5	CP	16QAM	Inner_Full	21.14	19.24
B12-n25	10	15	1882.5	CP	16QAM	Edge_1RB_Left	20.16	18.26
B12-n25	10	15	1882.5	CP	16QAM	Edge_1RB_Right	20.48	18.58
B12-n25	10	15	1882.5	CP	16QAM	Outer_Full	20.31	18.41
B12-n25	10	15	1882.5	CP	64QAM	Inner_Full	19.52	17.62
B12-n25	10	15	1882.5	CP	64QAM	Edge_1RB_Left	19.33	17.43
B12-n25	10	15	1882.5	CP	64QAM	Edge_1RB_Right	20.52	18.62
B12-n25	10	15	1882.5	CP	64QAM	Outer_Full	19.73	17.83
B12-n25	10	15	1882.5	CP	256QAM	Inner_Full	16.52	14.62
B12-n25	10	15	1882.5	CP	256QAM	Edge_1RB_Left	16.36	14.46
B12-n25	10	15	1882.5	CP	256QAM	Edge_1RB_Right	17.56	15.66
B12-n25	10	15	1882.5	CP	256QAM	Outer_Full	16.85	14.95
B12-n25	10	15	1910	DFT	pi/2 BPSK	Inner_Full	22.83	20.93

B12-n25	10	15	1910	DFT	pi/2 BPSK	Edge_1RB_Left	22.42	20.52
B12-n25	10	15	1910	DFT	pi/2 BPSK	Edge_1RB_Right	22.46	20.56
B12-n25	10	15	1910	DFT	pi/2 BPSK	Outer_Full	22.38	20.48
B12-n25	10	15	1910	DFT	QPSK	Inner_Full	22.89	20.99
B12-n25	10	15	1910	DFT	QPSK	Edge_1RB_Left	21.90	20.00
B12-n25	10	15	1910	DFT	QPSK	Edge_1RB_Right	21.91	20.01
B12-n25	10	15	1910	DFT	QPSK	Outer_Full	21.93	20.03
B12-n25	10	15	1910	DFT	16QAM	Inner_Full	22.01	20.11
B12-n25	10	15	1910	DFT	16QAM	Edge_1RB_Left	21.07	19.17
B12-n25	10	15	1910	DFT	16QAM	Edge_1RB_Right	21.26	19.36
B12-n25	10	15	1910	DFT	16QAM	Outer_Full	20.95	19.05
B12-n25	10	15	1910	DFT	64QAM	Inner_Full	20.61	18.71
B12-n25	10	15	1910	DFT	64QAM	Edge_1RB_Left	20.24	18.34
B12-n25	10	15	1910	DFT	64QAM	Edge_1RB_Right	20.38	18.48
B12-n25	10	15	1910	DFT	64QAM	Outer_Full	20.39	18.49
B12-n25	10	15	1910	DFT	256QAM	Inner_Full	18.61	16.71
B12-n25	10	15	1910	DFT	256QAM	Edge_1RB_Left	18.31	16.41
B12-n25	10	15	1910	DFT	256QAM	Edge_1RB_Right	18.47	16.57
B12-n25	10	15	1910	DFT	256QAM	Outer_Full	18.44	16.54
B12-n25	10	15	1910	CP	QPSK	Inner_Full	21.46	19.56
B12-n25	10	15	1910	CP	QPSK	Edge_1RB_Left	19.82	17.92
B12-n25	10	15	1910	CP	QPSK	Edge_1RB_Right	19.90	18.00
B12-n25	10	15	1910	CP	QPSK	Outer_Full	19.91	18.01
B12-n25	10	15	1910	CP	16QAM	Inner_Full	21.02	19.12
B12-n25	10	15	1910	CP	16QAM	Edge_1RB_Left	19.89	17.99
B12-n25	10	15	1910	CP	16QAM	Edge_1RB_Right	20.18	18.28
B12-n25	10	15	1910	CP	16QAM	Outer_Full	19.86	17.96
B12-n25	10	15	1910	CP	64QAM	Inner_Full	19.38	17.48
B12-n25	10	15	1910	CP	64QAM	Edge_1RB_Left	19.20	17.30
B12-n25	10	15	1910	CP	64QAM	Edge_1RB_Right	19.30	17.40
B12-n25	10	15	1910	CP	64QAM	Outer_Full	19.33	17.43
B12-n25	10	15	1910	CP	256QAM	Inner_Full	16.40	14.50
B12-n25	10	15	1910	CP	256QAM	Edge_1RB_Left	16.27	14.37
B12-n25	10	15	1910	CP	256QAM	Edge_1RB_Right	16.37	14.47
B12-n25	10	15	1910	CP	256QAM	Outer_Full	16.45	14.55
B12-n25	15	15	1857.5	DFT	pi/2 BPSK	Inner_Full	22.95	21.05
B12-n25	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.61	20.71

B12-n25	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.62	20.72
B12-n25	15	15	1857.5	DFT	pi/2 BPSK	Outer_Full	22.64	20.74
B12-n25	15	15	1857.5	DFT	QPSK	Inner_Full	23.05	21.15
B12-n25	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	21.92	20.02
B12-n25	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	22.00	20.10
B12-n25	15	15	1857.5	DFT	QPSK	Outer_Full	22.15	20.25
B12-n25	15	15	1857.5	DFT	16QAM	Inner_Full	22.14	20.24
B12-n25	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	21.34	19.44
B12-n25	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	20.91	19.01
B12-n25	15	15	1857.5	DFT	16QAM	Outer_Full	21.15	19.25
B12-n25	15	15	1857.5	DFT	64QAM	Inner_Full	20.58	18.68
B12-n25	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	20.41	18.51
B12-n25	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	20.48	18.58
B12-n25	15	15	1857.5	DFT	64QAM	Outer_Full	20.63	18.73
B12-n25	15	15	1857.5	DFT	256QAM	Inner_Full	18.71	16.81
B12-n25	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	18.49	16.59
B12-n25	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	18.53	16.63
B12-n25	15	15	1857.5	DFT	256QAM	Outer_Full	18.62	16.72
B12-n25	15	15	1857.5	CP	QPSK	Inner_Full	21.63	19.73
B12-n25	15	15	1857.5	CP	QPSK	Edge_1RB_Left	20.07	18.17
B12-n25	15	15	1857.5	CP	QPSK	Edge_1RB_Right	20.12	18.22
B12-n25	15	15	1857.5	CP	QPSK	Outer_Full	20.13	18.23
B12-n25	15	15	1857.5	CP	16QAM	Inner_Full	21.10	19.20
B12-n25	15	15	1857.5	CP	16QAM	Edge_1RB_Left	20.31	18.41
B12-n25	15	15	1857.5	CP	16QAM	Edge_1RB_Right	20.26	18.36
B12-n25	15	15	1857.5	CP	16QAM	Outer_Full	20.18	18.28
B12-n25	15	15	1857.5	CP	64QAM	Inner_Full	19.60	17.70
B12-n25	15	15	1857.5	CP	64QAM	Edge_1RB_Left	19.46	17.56
B12-n25	15	15	1857.5	CP	64QAM	Edge_1RB_Right	19.47	17.57
B12-n25	15	15	1857.5	CP	64QAM	Outer_Full	19.56	17.66
B12-n25	15	15	1857.5	CP	256QAM	Inner_Full	16.61	14.71
B12-n25	15	15	1857.5	CP	256QAM	Edge_1RB_Left	16.51	14.61
B12-n25	15	15	1857.5	CP	256QAM	Edge_1RB_Right	16.51	14.61
B12-n25	15	15	1857.5	CP	256QAM	Outer_Full	16.63	14.73
B12-n25	15	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.11	21.21
B12-n25	15	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.56	20.66
B12-n25	15	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.07	21.17

B12-n25	15	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.03	21.13
B12-n25	15	15	1882.5	DFT	QPSK	Inner_Full	23.14	21.24
B12-n25	15	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.94	20.04
B12-n25	15	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.58	20.68
B12-n25	15	15	1882.5	DFT	QPSK	Outer_Full	22.56	20.66
B12-n25	15	15	1882.5	DFT	16QAM	Inner_Full	22.32	20.42
B12-n25	15	15	1882.5	DFT	16QAM	Edge_1RB_Left	20.94	19.04
B12-n25	15	15	1882.5	DFT	16QAM	Edge_1RB_Right	22.01	20.11
B12-n25	15	15	1882.5	DFT	16QAM	Outer_Full	21.61	19.71
B12-n25	15	15	1882.5	DFT	64QAM	Inner_Full	20.71	18.81
B12-n25	15	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.36	18.46
B12-n25	15	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.09	19.19
B12-n25	15	15	1882.5	DFT	64QAM	Outer_Full	21.04	19.14
B12-n25	15	15	1882.5	DFT	256QAM	Inner_Full	18.82	16.92
B12-n25	15	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.50	16.60
B12-n25	15	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.12	17.22
B12-n25	15	15	1882.5	DFT	256QAM	Outer_Full	18.98	17.08
B12-n25	15	15	1882.5	CP	QPSK	Inner_Full	21.80	19.90
B12-n25	15	15	1882.5	CP	QPSK	Edge_1RB_Left	19.99	18.09
B12-n25	15	15	1882.5	CP	QPSK	Edge_1RB_Right	20.64	18.74
B12-n25	15	15	1882.5	CP	QPSK	Outer_Full	20.49	18.59
B12-n25	15	15	1882.5	CP	16QAM	Inner_Full	21.26	19.36
B12-n25	15	15	1882.5	CP	16QAM	Edge_1RB_Left	20.32	18.42
B12-n25	15	15	1882.5	CP	16QAM	Edge_1RB_Right	20.95	19.05
B12-n25	15	15	1882.5	CP	16QAM	Outer_Full	20.57	18.67
B12-n25	15	15	1882.5	CP	64QAM	Inner_Full	19.77	17.87
B12-n25	15	15	1882.5	CP	64QAM	Edge_1RB_Left	19.43	17.53
B12-n25	15	15	1882.5	CP	64QAM	Edge_1RB_Right	20.30	18.40
B12-n25	15	15	1882.5	CP	64QAM	Outer_Full	20.03	18.13
B12-n25	15	15	1882.5	CP	256QAM	Inner_Full	16.77	14.87
B12-n25	15	15	1882.5	CP	256QAM	Edge_1RB_Left	16.43	14.53
B12-n25	15	15	1882.5	CP	256QAM	Edge_1RB_Right	17.03	15.13
B12-n25	15	15	1882.5	CP	256QAM	Outer_Full	17.03	15.13
B12-n25	15	15	1907.5	DFT	pi/2 BPSK	Inner_Full	22.99	21.09
B12-n25	15	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.60	20.70
B12-n25	15	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.70	20.80
B12-n25	15	15	1907.5	DFT	pi/2 BPSK	Outer_Full	22.67	20.77



B12-n25	15	15	1907.5	DFT	QPSK	Inner_Full	22.98	21.08
B12-n25	15	15	1907.5	DFT	QPSK	Edge_1RB_Left	22.02	20.12
B12-n25	15	15	1907.5	DFT	QPSK	Edge_1RB_Right	22.10	20.20
B12-n25	15	15	1907.5	DFT	QPSK	Outer_Full	22.19	20.29
B12-n25	15	15	1907.5	DFT	16QAM	Inner_Full	22.15	20.25
B12-n25	15	15	1907.5	DFT	16QAM	Edge_1RB_Left	21.37	19.47
B12-n25	15	15	1907.5	DFT	16QAM	Edge_1RB_Right	20.96	19.06
B12-n25	15	15	1907.5	DFT	16QAM	Outer_Full	21.23	19.33
B12-n25	15	15	1907.5	DFT	64QAM	Inner_Full	20.60	18.70
B12-n25	15	15	1907.5	DFT	64QAM	Edge_1RB_Left	20.45	18.55
B12-n25	15	15	1907.5	DFT	64QAM	Edge_1RB_Right	20.66	18.76
B12-n25	15	15	1907.5	DFT	64QAM	Outer_Full	20.69	18.79
B12-n25	15	15	1907.5	DFT	256QAM	Inner_Full	18.72	16.82
B12-n25	15	15	1907.5	DFT	256QAM	Edge_1RB_Left	18.48	16.58
B12-n25	15	15	1907.5	DFT	256QAM	Edge_1RB_Right	18.58	16.68
B12-n25	15	15	1907.5	DFT	256QAM	Outer_Full	18.68	16.78
B12-n25	15	15	1907.5	CP	QPSK	Inner_Full	21.63	19.73
B12-n25	15	15	1907.5	CP	QPSK	Edge_1RB_Left	20.07	18.17
B12-n25	15	15	1907.5	CP	QPSK	Edge_1RB_Right	20.14	18.24
B12-n25	15	15	1907.5	CP	QPSK	Outer_Full	20.17	18.27
B12-n25	15	15	1907.5	CP	16QAM	Inner_Full	21.10	19.20
B12-n25	15	15	1907.5	CP	16QAM	Edge_1RB_Left	20.30	18.40
B12-n25	15	15	1907.5	CP	16QAM	Edge_1RB_Right	20.36	18.46
B12-n25	15	15	1907.5	CP	16QAM	Outer_Full	20.16	18.26
B12-n25	15	15	1907.5	CP	64QAM	Inner_Full	19.66	17.76
B12-n25	15	15	1907.5	CP	64QAM	Edge_1RB_Left	19.51	17.61
B12-n25	15	15	1907.5	CP	64QAM	Edge_1RB_Right	19.52	17.62
B12-n25	15	15	1907.5	CP	64QAM	Outer_Full	19.68	17.78
B12-n25	15	15	1907.5	CP	256QAM	Inner_Full	16.66	14.76
B12-n25	15	15	1907.5	CP	256QAM	Edge_1RB_Left	16.51	14.61
B12-n25	15	15	1907.5	CP	256QAM	Edge_1RB_Right	16.59	14.69
B12-n25	15	15	1907.5	CP	256QAM	Outer_Full	16.65	14.75
B12-n25	20	15	1860	DFT	pi/2 BPSK	Inner_Full	22.97	21.07
B12-n25	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	22.56	20.66
B12-n25	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	22.52	20.62
B12-n25	20	15	1860	DFT	pi/2 BPSK	Outer_Full	22.63	20.73
B12-n25	20	15	1860	DFT	QPSK	Inner_Full	23.07	21.17

B12-n25	20	15	1860	DFT	QPSK	Edge_1RB_Left	22.03	20.13
B12-n25	20	15	1860	DFT	QPSK	Edge_1RB_Right	21.92	20.02
B12-n25	20	15	1860	DFT	QPSK	Outer_Full	22.13	20.23
B12-n25	20	15	1860	DFT	16QAM	Inner_Full	22.23	20.33
B12-n25	20	15	1860	DFT	16QAM	Edge_1RB_Left	21.26	19.36
B12-n25	20	15	1860	DFT	16QAM	Edge_1RB_Right	21.22	19.32
B12-n25	20	15	1860	DFT	16QAM	Outer_Full	21.15	19.25
B12-n25	20	15	1860	DFT	64QAM	Inner_Full	20.68	18.78
B12-n25	20	15	1860	DFT	64QAM	Edge_1RB_Left	20.40	18.50
B12-n25	20	15	1860	DFT	64QAM	Edge_1RB_Right	20.36	18.46
B12-n25	20	15	1860	DFT	64QAM	Outer_Full	20.60	18.70
B12-n25	20	15	1860	DFT	256QAM	Inner_Full	18.72	16.82
B12-n25	20	15	1860	DFT	256QAM	Edge_1RB_Left	18.52	16.62
B12-n25	20	15	1860	DFT	256QAM	Edge_1RB_Right	18.42	16.52
B12-n25	20	15	1860	DFT	256QAM	Outer_Full	18.67	16.77
B12-n25	20	15	1860	CP	QPSK	Inner_Full	21.63	19.73
B12-n25	20	15	1860	CP	QPSK	Edge_1RB_Left	19.97	18.07
B12-n25	20	15	1860	CP	QPSK	Edge_1RB_Right	19.93	18.03
B12-n25	20	15	1860	CP	QPSK	Outer_Full	20.07	18.17
B12-n25	20	15	1860	CP	16QAM	Inner_Full	21.16	19.26
B12-n25	20	15	1860	CP	16QAM	Edge_1RB_Left	20.20	18.30
B12-n25	20	15	1860	CP	16QAM	Edge_1RB_Right	20.24	18.34
B12-n25	20	15	1860	CP	16QAM	Outer_Full	20.04	18.14
B12-n25	20	15	1860	CP	64QAM	Inner_Full	19.70	17.80
B12-n25	20	15	1860	CP	64QAM	Edge_1RB_Left	19.54	17.64
B12-n25	20	15	1860	CP	64QAM	Edge_1RB_Right	19.36	17.46
B12-n25	20	15	1860	CP	64QAM	Outer_Full	19.57	17.67
B12-n25	20	15	1860	CP	256QAM	Inner_Full	16.62	14.72
B12-n25	20	15	1860	CP	256QAM	Edge_1RB_Left	16.42	14.52
B12-n25	20	15	1860	CP	256QAM	Edge_1RB_Right	16.42	14.52
B12-n25	20	15	1860	CP	256QAM	Outer_Full	16.57	14.67
B12-n25	20	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.17	21.27
B12-n25	20	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.43	20.53
B12-n25	20	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.43	20.53
B12-n25	20	15	1882.5	DFT	pi/2 BPSK	Outer_Full	22.93	21.03
B12-n25	20	15	1882.5	DFT	QPSK	Inner_Full	23.25	21.35
B12-n25	20	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.90	20.00

B12-n25	20	15	1882.5	DFT	QPSK	Edge_1RB_Right	21.88	19.98
B12-n25	20	15	1882.5	DFT	QPSK	Outer_Full	22.53	20.63
B12-n25	20	15	1882.5	DFT	16QAM	Inner_Full	22.35	20.45
B12-n25	20	15	1882.5	DFT	16QAM	Edge_1RB_Left	21.22	19.32
B12-n25	20	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.13	19.23
B12-n25	20	15	1882.5	DFT	16QAM	Outer_Full	21.48	19.58
B12-n25	20	15	1882.5	DFT	64QAM	Inner_Full	20.84	18.94
B12-n25	20	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.56	18.66
B12-n25	20	15	1882.5	DFT	64QAM	Edge_1RB_Right	20.77	18.87
B12-n25	20	15	1882.5	DFT	64QAM	Outer_Full	20.99	19.09
B12-n25	20	15	1882.5	DFT	256QAM	Inner_Full	18.86	16.96
B12-n25	20	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.38	16.48
B12-n25	20	15	1882.5	DFT	256QAM	Edge_1RB_Right	18.22	16.32
B12-n25	20	15	1882.5	DFT	256QAM	Outer_Full	18.98	17.08
B12-n25	20	15	1882.5	CP	QPSK	Inner_Full	21.91	20.01
B12-n25	20	15	1882.5	CP	QPSK	Edge_1RB_Left	20.04	18.14
B12-n25	20	15	1882.5	CP	QPSK	Edge_1RB_Right	19.94	18.04
B12-n25	20	15	1882.5	CP	QPSK	Outer_Full	20.45	18.55
B12-n25	20	15	1882.5	CP	16QAM	Inner_Full	21.42	19.52
B12-n25	20	15	1882.5	CP	16QAM	Edge_1RB_Left	20.25	18.35
B12-n25	20	15	1882.5	CP	16QAM	Edge_1RB_Right	20.23	18.33
B12-n25	20	15	1882.5	CP	16QAM	Outer_Full	20.42	18.52
B12-n25	20	15	1882.5	CP	64QAM	Inner_Full	19.95	18.05
B12-n25	20	15	1882.5	CP	64QAM	Edge_1RB_Left	19.58	17.68
B12-n25	20	15	1882.5	CP	64QAM	Edge_1RB_Right	19.51	17.61
B12-n25	20	15	1882.5	CP	64QAM	Outer_Full	19.96	18.06
B12-n25	20	15	1882.5	CP	256QAM	Inner_Full	16.94	15.04
B12-n25	20	15	1882.5	CP	256QAM	Edge_1RB_Left	16.29	14.39
B12-n25	20	15	1882.5	CP	256QAM	Edge_1RB_Right	16.76	14.86
B12-n25	20	15	1882.5	CP	256QAM	Outer_Full	17.02	15.12
B12-n25	20	15	1905	DFT	$\pi/2$ BPSK	Inner_Full	23.08	21.18
B12-n25	20	15	1905	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.66	20.76
B12-n25	20	15	1905	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.66	20.76
B12-n25	20	15	1905	DFT	$\pi/2$ BPSK	Outer_Full	22.77	20.87
B12-n25	20	15	1905	DFT	QPSK	Inner_Full	23.07	21.17
B12-n25	20	15	1905	DFT	QPSK	Edge_1RB_Left	22.10	20.20
B12-n25	20	15	1905	DFT	QPSK	Edge_1RB_Right	22.12	20.22

B12-n25	20	15	1905	DFT	QPSK	Outer_Full	22.28	20.38
B12-n25	20	15	1905	DFT	16QAM	Inner_Full	22.22	20.32
B12-n25	20	15	1905	DFT	16QAM	Edge_1RB_Left	21.47	19.57
B12-n25	20	15	1905	DFT	16QAM	Edge_1RB_Right	21.40	19.50
B12-n25	20	15	1905	DFT	16QAM	Outer_Full	21.25	19.35
B12-n25	20	15	1905	DFT	64QAM	Inner_Full	20.71	18.81
B12-n25	20	15	1905	DFT	64QAM	Edge_1RB_Left	20.61	18.71
B12-n25	20	15	1905	DFT	64QAM	Edge_1RB_Right	20.52	18.62
B12-n25	20	15	1905	DFT	64QAM	Outer_Full	20.78	18.88
B12-n25	20	15	1905	DFT	256QAM	Inner_Full	18.74	16.84
B12-n25	20	15	1905	DFT	256QAM	Edge_1RB_Left	18.73	16.83
B12-n25	20	15	1905	DFT	256QAM	Edge_1RB_Right	18.71	16.81
B12-n25	20	15	1905	DFT	256QAM	Outer_Full	18.84	16.94
B12-n25	20	15	1905	CP	QPSK	Inner_Full	21.65	19.75
B12-n25	20	15	1905	CP	QPSK	Edge_1RB_Left	20.11	18.21
B12-n25	20	15	1905	CP	QPSK	Edge_1RB_Right	20.05	18.15
B12-n25	20	15	1905	CP	QPSK	Outer_Full	20.19	18.29
B12-n25	20	15	1905	CP	16QAM	Inner_Full	21.17	19.27
B12-n25	20	15	1905	CP	16QAM	Edge_1RB_Left	20.40	18.50
B12-n25	20	15	1905	CP	16QAM	Edge_1RB_Right	20.38	18.48
B12-n25	20	15	1905	CP	16QAM	Outer_Full	20.18	18.28
B12-n25	20	15	1905	CP	64QAM	Inner_Full	19.69	17.79
B12-n25	20	15	1905	CP	64QAM	Edge_1RB_Left	19.56	17.66
B12-n25	20	15	1905	CP	64QAM	Edge_1RB_Right	19.52	17.62
B12-n25	20	15	1905	CP	64QAM	Outer_Full	19.69	17.79
B12-n25	20	15	1905	CP	256QAM	Inner_Full	16.66	14.76
B12-n25	20	15	1905	CP	256QAM	Edge_1RB_Left	16.57	14.67
B12-n25	20	15	1905	CP	256QAM	Edge_1RB_Right	16.56	14.66
B12-n25	20	15	1905	CP	256QAM	Outer_Full	16.70	14.80

**LTE B66+NR n41**
**Limit ≤ 33dBm(2W)**

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted Power(dBm)	EIRP(dBm) (Gt - Lc = -3.2)
B66-n41	10	30	2501.01	DFT	pi/2 BPSK	Inner_Full	25.81	22.61
B66-n41	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.48	19.28
B66-n41	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.60	19.40
B66-n41	10	30	2501.01	DFT	pi/2 BPSK	Outer_Full	25.33	22.13
B66-n41	10	30	2501.01	DFT	QPSK	Inner_Full	25.88	22.68
B66-n41	10	30	2501.01	DFT	QPSK	Edge_1RB_Left	22.42	19.22
B66-n41	10	30	2501.01	DFT	QPSK	Edge_1RB_Right	22.43	19.23
B66-n41	10	30	2501.01	DFT	QPSK	Outer_Full	24.94	21.74
B66-n41	10	30	2501.01	DFT	16QAM	Inner_Full	25.00	21.80
B66-n41	10	30	2501.01	DFT	16QAM	Edge_1RB_Left	22.77	19.57
B66-n41	10	30	2501.01	DFT	16QAM	Edge_1RB_Right	22.77	19.57
B66-n41	10	30	2501.01	DFT	16QAM	Outer_Full	23.79	20.59
B66-n41	10	30	2501.01	DFT	64QAM	Inner_Full	23.49	20.29
B66-n41	10	30	2501.01	DFT	64QAM	Edge_1RB_Left	22.55	19.35
B66-n41	10	30	2501.01	DFT	64QAM	Edge_1RB_Right	22.59	19.39
B66-n41	10	30	2501.01	DFT	64QAM	Outer_Full	23.39	20.19
B66-n41	10	30	2501.01	DFT	256QAM	Inner_Full	21.58	18.38
B66-n41	10	30	2501.01	DFT	256QAM	Edge_1RB_Left	21.40	18.20
B66-n41	10	30	2501.01	DFT	256QAM	Edge_1RB_Right	21.45	18.25
B66-n41	10	30	2501.01	DFT	256QAM	Outer_Full	21.55	18.35
B66-n41	10	30	2501.01	CP	QPSK	Inner_Full	24.57	21.37
B66-n41	10	30	2501.01	CP	QPSK	Edge_1RB_Left	22.39	19.19
B66-n41	10	30	2501.01	CP	QPSK	Edge_1RB_Right	22.58	19.38
B66-n41	10	30	2501.01	CP	QPSK	Outer_Full	22.85	19.65
B66-n41	10	30	2501.01	CP	16QAM	Inner_Full	23.86	20.66
B66-n41	10	30	2501.01	CP	16QAM	Edge_1RB_Left	22.73	19.53
B66-n41	10	30	2501.01	CP	16QAM	Edge_1RB_Right	22.79	19.59
B66-n41	10	30	2501.01	CP	16QAM	Outer_Full	22.96	19.76
B66-n41	10	30	2501.01	CP	64QAM	Inner_Full	22.42	19.22
B66-n41	10	30	2501.01	CP	64QAM	Edge_1RB_Left	22.25	19.05
B66-n41	10	30	2501.01	CP	64QAM	Edge_1RB_Right	22.26	19.06
B66-n41	10	30	2501.01	CP	64QAM	Outer_Full	22.40	19.20
B66-n41	10	30	2501.01	CP	256QAM	Inner_Full	19.49	16.29

B66-n41	10	30	2501.01	CP	256QAM	Edge_1RB_Left	19.47	16.27
B66-n41	10	30	2501.01	CP	256QAM	Edge_1RB_Right	19.47	16.27
B66-n41	10	30	2501.01	CP	256QAM	Outer_Full	19.56	16.36
B66-n41	10	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.05	22.85
B66-n41	10	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.61	19.41
B66-n41	10	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.53	19.33
B66-n41	10	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.61	22.41
B66-n41	10	30	2592.99	DFT	QPSK	Inner_Full	26.08	22.88
B66-n41	10	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.58	19.38
B66-n41	10	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.52	19.32
B66-n41	10	30	2592.99	DFT	QPSK	Outer_Full	25.10	21.90
B66-n41	10	30	2592.99	DFT	16QAM	Inner_Full	25.19	21.99
B66-n41	10	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.83	19.63
B66-n41	10	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.42	19.22
B66-n41	10	30	2592.99	DFT	16QAM	Outer_Full	24.08	20.88
B66-n41	10	30	2592.99	DFT	64QAM	Inner_Full	23.58	20.38
B66-n41	10	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.57	19.37
B66-n41	10	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.52	19.32
B66-n41	10	30	2592.99	DFT	64QAM	Outer_Full	23.46	20.26
B66-n41	10	30	2592.99	DFT	256QAM	Inner_Full	21.70	18.50
B66-n41	10	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.60	18.40
B66-n41	10	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.46	18.26
B66-n41	10	30	2592.99	DFT	256QAM	Outer_Full	21.84	18.64
B66-n41	10	30	2592.99	CP	QPSK	Inner_Full	24.70	21.50
B66-n41	10	30	2592.99	CP	QPSK	Edge_1RB_Left	22.62	19.42
B66-n41	10	30	2592.99	CP	QPSK	Edge_1RB_Right	22.51	19.31
B66-n41	10	30	2592.99	CP	QPSK	Outer_Full	23.02	19.82
B66-n41	10	30	2592.99	CP	16QAM	Inner_Full	24.09	20.89
B66-n41	10	30	2592.99	CP	16QAM	Edge_1RB_Left	22.36	19.16
B66-n41	10	30	2592.99	CP	16QAM	Edge_1RB_Right	22.73	19.53
B66-n41	10	30	2592.99	CP	16QAM	Outer_Full	23.21	20.01
B66-n41	10	30	2592.99	CP	64QAM	Inner_Full	22.41	19.21
B66-n41	10	30	2592.99	CP	64QAM	Edge_1RB_Left	22.39	19.19
B66-n41	10	30	2592.99	CP	64QAM	Edge_1RB_Right	22.32	19.12
B66-n41	10	30	2592.99	CP	64QAM	Outer_Full	22.51	19.31
B66-n41	10	30	2592.99	CP	256QAM	Inner_Full	19.64	16.44
B66-n41	10	30	2592.99	CP	256QAM	Edge_1RB_Left	19.73	16.53



B66-n41	10	30	2592.99	CP	256QAM	Edge_1RB_Right	19.57	16.37
B66-n41	10	30	2592.99	CP	256QAM	Outer_Full	19.67	16.47
B66-n41	10	30	2685	DFT	pi/2 BPSK	Inner_Full	26.01	22.81
B66-n41	10	30	2685	DFT	pi/2 BPSK	Edge_1RB_Left	22.54	19.34
B66-n41	10	30	2685	DFT	pi/2 BPSK	Edge_1RB_Right	22.60	19.40
B66-n41	10	30	2685	DFT	pi/2 BPSK	Outer_Full	25.62	22.42
B66-n41	10	30	2685	DFT	QPSK	Inner_Full	26.03	22.83
B66-n41	10	30	2685	DFT	QPSK	Edge_1RB_Left	22.50	19.30
B66-n41	10	30	2685	DFT	QPSK	Edge_1RB_Right	22.52	19.32
B66-n41	10	30	2685	DFT	QPSK	Outer_Full	25.13	21.93
B66-n41	10	30	2685	DFT	16QAM	Inner_Full	25.04	21.84
B66-n41	10	30	2685	DFT	16QAM	Edge_1RB_Left	22.82	19.62
B66-n41	10	30	2685	DFT	16QAM	Edge_1RB_Right	22.78	19.58
B66-n41	10	30	2685	DFT	16QAM	Outer_Full	24.03	20.83
B66-n41	10	30	2685	DFT	64QAM	Inner_Full	23.59	20.39
B66-n41	10	30	2685	DFT	64QAM	Edge_1RB_Left	22.70	19.50
B66-n41	10	30	2685	DFT	64QAM	Edge_1RB_Right	22.75	19.55
B66-n41	10	30	2685	DFT	64QAM	Outer_Full	23.59	20.39
B66-n41	10	30	2685	DFT	256QAM	Inner_Full	21.67	18.47
B66-n41	10	30	2685	DFT	256QAM	Edge_1RB_Left	21.54	18.34
B66-n41	10	30	2685	DFT	256QAM	Edge_1RB_Right	21.53	18.33
B66-n41	10	30	2685	DFT	256QAM	Outer_Full	21.84	18.64
B66-n41	10	30	2685	CP	QPSK	Inner_Full	24.66	21.46
B66-n41	10	30	2685	CP	QPSK	Edge_1RB_Left	22.45	19.25
B66-n41	10	30	2685	CP	QPSK	Edge_1RB_Right	22.39	19.19
B66-n41	10	30	2685	CP	QPSK	Outer_Full	23.08	19.88
B66-n41	10	30	2685	CP	16QAM	Inner_Full	24.07	20.87
B66-n41	10	30	2685	CP	16QAM	Edge_1RB_Left	22.87	19.67
B66-n41	10	30	2685	CP	16QAM	Edge_1RB_Right	22.76	19.56
B66-n41	10	30	2685	CP	16QAM	Outer_Full	23.05	19.85
B66-n41	10	30	2685	CP	64QAM	Inner_Full	22.55	19.35
B66-n41	10	30	2685	CP	64QAM	Edge_1RB_Left	22.50	19.30
B66-n41	10	30	2685	CP	64QAM	Edge_1RB_Right	22.29	19.09
B66-n41	10	30	2685	CP	64QAM	Outer_Full	22.44	19.24
B66-n41	10	30	2685	CP	256QAM	Inner_Full	19.69	16.49
B66-n41	10	30	2685	CP	256QAM	Edge_1RB_Left	19.50	16.30
B66-n41	10	30	2685	CP	256QAM	Edge_1RB_Right	19.50	16.30

B66-n41	10	30	2685	CP	256QAM	Outer_Full	19.69	16.49
B66-n41	15	30	2503.5	DFT	pi/2 BPSK	Inner_Full	25.85	22.65
B66-n41	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.52	19.32
B66-n41	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.63	19.43
B66-n41	15	30	2503.5	DFT	pi/2 BPSK	Outer_Full	25.46	22.26
B66-n41	15	30	2503.5	DFT	QPSK	Inner_Full	25.93	22.73
B66-n41	15	30	2503.5	DFT	QPSK	Edge_1RB_Left	22.44	19.24
B66-n41	15	30	2503.5	DFT	QPSK	Edge_1RB_Right	22.50	19.30
B66-n41	15	30	2503.5	DFT	QPSK	Outer_Full	25.00	21.80
B66-n41	15	30	2503.5	DFT	16QAM	Inner_Full	24.89	21.69
B66-n41	15	30	2503.5	DFT	16QAM	Edge_1RB_Left	22.07	18.87
B66-n41	15	30	2503.5	DFT	16QAM	Edge_1RB_Right	22.13	18.93
B66-n41	15	30	2503.5	DFT	16QAM	Outer_Full	23.97	20.77
B66-n41	15	30	2503.5	DFT	64QAM	Inner_Full	23.50	20.30
B66-n41	15	30	2503.5	DFT	64QAM	Edge_1RB_Left	22.55	19.35
B66-n41	15	30	2503.5	DFT	64QAM	Edge_1RB_Right	22.77	19.57
B66-n41	15	30	2503.5	DFT	64QAM	Outer_Full	23.42	20.22
B66-n41	15	30	2503.5	DFT	256QAM	Inner_Full	21.48	18.28
B66-n41	15	30	2503.5	DFT	256QAM	Edge_1RB_Left	21.36	18.16
B66-n41	15	30	2503.5	DFT	256QAM	Edge_1RB_Right	21.50	18.30
B66-n41	15	30	2503.5	DFT	256QAM	Outer_Full	21.69	18.49
B66-n41	15	30	2503.5	CP	QPSK	Inner_Full	24.43	21.23
B66-n41	15	30	2503.5	CP	QPSK	Edge_1RB_Left	22.44	19.24
B66-n41	15	30	2503.5	CP	QPSK	Edge_1RB_Right	22.62	19.42
B66-n41	15	30	2503.5	CP	QPSK	Outer_Full	22.83	19.63
B66-n41	15	30	2503.5	CP	16QAM	Inner_Full	23.95	20.75
B66-n41	15	30	2503.5	CP	16QAM	Edge_1RB_Left	22.70	19.50
B66-n41	15	30	2503.5	CP	16QAM	Edge_1RB_Right	22.84	19.64
B66-n41	15	30	2503.5	CP	16QAM	Outer_Full	22.94	19.74
B66-n41	15	30	2503.5	CP	64QAM	Inner_Full	22.54	19.34
B66-n41	15	30	2503.5	CP	64QAM	Edge_1RB_Left	22.31	19.11
B66-n41	15	30	2503.5	CP	64QAM	Edge_1RB_Right	22.36	19.16
B66-n41	15	30	2503.5	CP	64QAM	Outer_Full	22.59	19.39
B66-n41	15	30	2503.5	CP	256QAM	Inner_Full	19.62	16.42
B66-n41	15	30	2503.5	CP	256QAM	Edge_1RB_Left	19.30	16.10
B66-n41	15	30	2503.5	CP	256QAM	Edge_1RB_Right	19.40	16.20
B66-n41	15	30	2503.5	CP	256QAM	Outer_Full	19.60	16.40



B66-n41	15	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.99	22.79
B66-n41	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.51	19.31
B66-n41	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.34	19.14
B66-n41	15	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.61	22.41
B66-n41	15	30	2592.99	DFT	QPSK	Inner_Full	26.01	22.81
B66-n41	15	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.40	19.20
B66-n41	15	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.28	19.08
B66-n41	15	30	2592.99	DFT	QPSK	Outer_Full	25.02	21.82
B66-n41	15	30	2592.99	DFT	16QAM	Inner_Full	25.18	21.98
B66-n41	15	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.77	19.57
B66-n41	15	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.25	19.05
B66-n41	15	30	2592.99	DFT	16QAM	Outer_Full	23.99	20.79
B66-n41	15	30	2592.99	DFT	64QAM	Inner_Full	23.49	20.29
B66-n41	15	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.72	19.52
B66-n41	15	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.37	19.17
B66-n41	15	30	2592.99	DFT	64QAM	Outer_Full	23.51	20.31
B66-n41	15	30	2592.99	DFT	256QAM	Inner_Full	21.58	18.38
B66-n41	15	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.52	18.32
B66-n41	15	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.37	18.17
B66-n41	15	30	2592.99	DFT	256QAM	Outer_Full	21.77	18.57
B66-n41	15	30	2592.99	CP	QPSK	Inner_Full	24.60	21.40
B66-n41	15	30	2592.99	CP	QPSK	Edge_1RB_Left	22.31	19.11
B66-n41	15	30	2592.99	CP	QPSK	Edge_1RB_Right	22.18	18.98
B66-n41	15	30	2592.99	CP	QPSK	Outer_Full	23.05	19.85
B66-n41	15	30	2592.99	CP	16QAM	Inner_Full	23.91	20.71
B66-n41	15	30	2592.99	CP	16QAM	Edge_1RB_Left	22.69	19.49
B66-n41	15	30	2592.99	CP	16QAM	Edge_1RB_Right	22.29	19.09
B66-n41	15	30	2592.99	CP	16QAM	Outer_Full	22.99	19.79
B66-n41	15	30	2592.99	CP	64QAM	Inner_Full	22.44	19.24
B66-n41	15	30	2592.99	CP	64QAM	Edge_1RB_Left	22.32	19.12
B66-n41	15	30	2592.99	CP	64QAM	Edge_1RB_Right	22.18	18.98
B66-n41	15	30	2592.99	CP	64QAM	Outer_Full	22.48	19.28
B66-n41	15	30	2592.99	CP	256QAM	Inner_Full	19.69	16.49
B66-n41	15	30	2592.99	CP	256QAM	Edge_1RB_Left	19.45	16.25
B66-n41	15	30	2592.99	CP	256QAM	Edge_1RB_Right	19.36	16.16
B66-n41	15	30	2592.99	CP	256QAM	Outer_Full	19.61	16.41
B66-n41	15	30	2682.48	DFT	pi/2 BPSK	Inner_Full	26.09	22.89

B66-n41	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Left	22.54	19.34
B66-n41	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Right	22.56	19.36
B66-n41	15	30	2682.48	DFT	pi/2 BPSK	Outer_Full	25.70	22.50
B66-n41	15	30	2682.48	DFT	QPSK	Inner_Full	26.12	22.92
B66-n41	15	30	2682.48	DFT	QPSK	Edge_1RB_Left	22.42	19.22
B66-n41	15	30	2682.48	DFT	QPSK	Edge_1RB_Right	22.56	19.36
B66-n41	15	30	2682.48	DFT	QPSK	Outer_Full	25.11	21.91
B66-n41	15	30	2682.48	DFT	16QAM	Inner_Full	25.05	21.85
B66-n41	15	30	2682.48	DFT	16QAM	Edge_1RB_Left	22.78	19.58
B66-n41	15	30	2682.48	DFT	16QAM	Edge_1RB_Right	22.76	19.56
B66-n41	15	30	2682.48	DFT	16QAM	Outer_Full	24.16	20.96
B66-n41	15	30	2682.48	DFT	64QAM	Inner_Full	23.70	20.50
B66-n41	15	30	2682.48	DFT	64QAM	Edge_1RB_Left	22.46	19.26
B66-n41	15	30	2682.48	DFT	64QAM	Edge_1RB_Right	22.69	19.49
B66-n41	15	30	2682.48	DFT	64QAM	Outer_Full	23.62	20.42
B66-n41	15	30	2682.48	DFT	256QAM	Inner_Full	21.76	18.56
B66-n41	15	30	2682.48	DFT	256QAM	Edge_1RB_Left	21.59	18.39
B66-n41	15	30	2682.48	DFT	256QAM	Edge_1RB_Right	21.66	18.46
B66-n41	15	30	2682.48	DFT	256QAM	Outer_Full	21.84	18.64
B66-n41	15	30	2682.48	CP	QPSK	Inner_Full	24.72	21.52
B66-n41	15	30	2682.48	CP	QPSK	Edge_1RB_Left	22.69	19.49
B66-n41	15	30	2682.48	CP	QPSK	Edge_1RB_Right	22.43	19.23
B66-n41	15	30	2682.48	CP	QPSK	Outer_Full	23.14	19.94
B66-n41	15	30	2682.48	CP	16QAM	Inner_Full	24.10	20.90
B66-n41	15	30	2682.48	CP	16QAM	Edge_1RB_Left	22.79	19.59
B66-n41	15	30	2682.48	CP	16QAM	Edge_1RB_Right	22.62	19.42
B66-n41	15	30	2682.48	CP	16QAM	Outer_Full	23.12	19.92
B66-n41	15	30	2682.48	CP	64QAM	Inner_Full	22.58	19.38
B66-n41	15	30	2682.48	CP	64QAM	Edge_1RB_Left	22.42	19.22
B66-n41	15	30	2682.48	CP	64QAM	Edge_1RB_Right	22.63	19.43
B66-n41	15	30	2682.48	CP	64QAM	Outer_Full	22.61	19.41
B66-n41	15	30	2682.48	CP	256QAM	Inner_Full	19.79	16.59
B66-n41	15	30	2682.48	CP	256QAM	Edge_1RB_Left	19.60	16.40
B66-n41	15	30	2682.48	CP	256QAM	Edge_1RB_Right	19.65	16.45
B66-n41	15	30	2682.48	CP	256QAM	Outer_Full	19.73	16.53
B66-n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	25.82	22.62
B66-n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.44	19.24

B66-n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.51	19.31
B66-n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	25.39	22.19
B66-n41	20	30	2506.02	DFT	QPSK	Inner_Full	25.88	22.68
B66-n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	22.22	19.02
B66-n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	22.39	19.19
B66-n41	20	30	2506.02	DFT	QPSK	Outer_Full	24.88	21.68
B66-n41	20	30	2506.02	DFT	16QAM	Inner_Full	24.90	21.70
B66-n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	22.06	18.86
B66-n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	22.78	19.58
B66-n41	20	30	2506.02	DFT	16QAM	Outer_Full	23.95	20.75
B66-n41	20	30	2506.02	DFT	64QAM	Inner_Full	23.40	20.20
B66-n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	22.27	19.07
B66-n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	22.61	19.41
B66-n41	20	30	2506.02	DFT	64QAM	Outer_Full	23.39	20.19
B66-n41	20	30	2506.02	DFT	256QAM	Inner_Full	21.50	18.30
B66-n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Left	21.22	18.02
B66-n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Right	21.38	18.18
B66-n41	20	30	2506.02	DFT	256QAM	Outer_Full	21.48	18.28
B66-n41	20	30	2506.02	CP	QPSK	Inner_Full	24.42	21.22
B66-n41	20	30	2506.02	CP	QPSK	Edge_1RB_Left	22.19	18.99
B66-n41	20	30	2506.02	CP	QPSK	Edge_1RB_Right	22.42	19.22
B66-n41	20	30	2506.02	CP	QPSK	Outer_Full	22.82	19.62
B66-n41	20	30	2506.02	CP	16QAM	Inner_Full	23.80	20.60
B66-n41	20	30	2506.02	CP	16QAM	Edge_1RB_Left	22.56	19.36
B66-n41	20	30	2506.02	CP	16QAM	Edge_1RB_Right	22.76	19.56
B66-n41	20	30	2506.02	CP	16QAM	Outer_Full	22.90	19.70
B66-n41	20	30	2506.02	CP	64QAM	Inner_Full	22.47	19.27
B66-n41	20	30	2506.02	CP	64QAM	Edge_1RB_Left	22.11	18.91
B66-n41	20	30	2506.02	CP	64QAM	Edge_1RB_Right	22.35	19.15
B66-n41	20	30	2506.02	CP	64QAM	Outer_Full	22.41	19.21
B66-n41	20	30	2506.02	CP	256QAM	Inner_Full	19.51	16.31
B66-n41	20	30	2506.02	CP	256QAM	Edge_1RB_Left	19.34	16.14
B66-n41	20	30	2506.02	CP	256QAM	Edge_1RB_Right	19.40	16.20
B66-n41	20	30	2506.02	CP	256QAM	Outer_Full	19.50	16.30
B66-n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.07	22.87
B66-n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.62	19.42
B66-n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.31	19.11

B66-n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.58	22.38
B66-n41	20	30	2592.99	DFT	QPSK	Inner_Full	26.15	22.95
B66-n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.45	19.25
B66-n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.28	19.08
B66-n41	20	30	2592.99	DFT	QPSK	Outer_Full	25.07	21.87
B66-n41	20	30	2592.99	DFT	16QAM	Inner_Full	25.09	21.89
B66-n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.87	19.67
B66-n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.60	19.40
B66-n41	20	30	2592.99	DFT	16QAM	Outer_Full	24.15	20.95
B66-n41	20	30	2592.99	DFT	64QAM	Inner_Full	23.67	20.47
B66-n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.66	19.46
B66-n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.37	19.17
B66-n41	20	30	2592.99	DFT	64QAM	Outer_Full	23.58	20.38
B66-n41	20	30	2592.99	DFT	256QAM	Inner_Full	21.72	18.52
B66-n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.44	18.24
B66-n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.34	18.14
B66-n41	20	30	2592.99	DFT	256QAM	Outer_Full	21.62	18.42
B66-n41	20	30	2592.99	CP	QPSK	Inner_Full	24.59	21.39
B66-n41	20	30	2592.99	CP	QPSK	Edge_1RB_Left	22.45	19.25
B66-n41	20	30	2592.99	CP	QPSK	Edge_1RB_Right	22.25	19.05
B66-n41	20	30	2592.99	CP	QPSK	Outer_Full	22.97	19.77
B66-n41	20	30	2592.99	CP	16QAM	Inner_Full	23.98	20.78
B66-n41	20	30	2592.99	CP	16QAM	Edge_1RB_Left	22.75	19.55
B66-n41	20	30	2592.99	CP	16QAM	Edge_1RB_Right	22.63	19.43
B66-n41	20	30	2592.99	CP	16QAM	Outer_Full	22.99	19.79
B66-n41	20	30	2592.99	CP	64QAM	Inner_Full	22.52	19.32
B66-n41	20	30	2592.99	CP	64QAM	Edge_1RB_Left	22.61	19.41
B66-n41	20	30	2592.99	CP	64QAM	Edge_1RB_Right	22.40	19.20
B66-n41	20	30	2592.99	CP	64QAM	Outer_Full	22.45	19.25
B66-n41	20	30	2592.99	CP	256QAM	Inner_Full	19.66	16.46
B66-n41	20	30	2592.99	CP	256QAM	Edge_1RB_Left	19.63	16.43
B66-n41	20	30	2592.99	CP	256QAM	Edge_1RB_Right	19.41	16.21
B66-n41	20	30	2592.99	CP	256QAM	Outer_Full	19.61	16.41
B66-n41	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	26.04	22.84
B66-n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.44	19.24
B66-n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.56	19.36
B66-n41	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	25.60	22.40

B66-n41	20	30	2679.99	DFT	QPSK	Inner_Full	26.18	22.98
B66-n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	22.31	19.11
B66-n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	22.51	19.31
B66-n41	20	30	2679.99	DFT	QPSK	Outer_Full	25.10	21.90
B66-n41	20	30	2679.99	DFT	16QAM	Inner_Full	25.16	21.96
B66-n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	22.66	19.46
B66-n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	22.74	19.54
B66-n41	20	30	2679.99	DFT	16QAM	Outer_Full	24.24	21.04
B66-n41	20	30	2679.99	DFT	64QAM	Inner_Full	23.70	20.50
B66-n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	22.32	19.12
B66-n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	22.73	19.53
B66-n41	20	30	2679.99	DFT	64QAM	Outer_Full	23.55	20.35
B66-n41	20	30	2679.99	DFT	256QAM	Inner_Full	21.87	18.67
B66-n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Left	21.43	18.23
B66-n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Right	21.55	18.35
B66-n41	20	30	2679.99	DFT	256QAM	Outer_Full	21.68	18.48
B66-n41	20	30	2679.99	CP	QPSK	Inner_Full	24.71	21.51
B66-n41	20	30	2679.99	CP	QPSK	Edge_1RB_Left	22.23	19.03
B66-n41	20	30	2679.99	CP	QPSK	Edge_1RB_Right	22.74	19.54
B66-n41	20	30	2679.99	CP	QPSK	Outer_Full	23.08	19.88
B66-n41	20	30	2679.99	CP	16QAM	Inner_Full	24.10	20.90
B66-n41	20	30	2679.99	CP	16QAM	Edge_1RB_Left	22.64	19.44
B66-n41	20	30	2679.99	CP	16QAM	Edge_1RB_Right	22.60	19.40
B66-n41	20	30	2679.99	CP	16QAM	Outer_Full	23.14	19.94
B66-n41	20	30	2679.99	CP	64QAM	Inner_Full	22.69	19.49
B66-n41	20	30	2679.99	CP	64QAM	Edge_1RB_Left	22.15	18.95
B66-n41	20	30	2679.99	CP	64QAM	Edge_1RB_Right	22.46	19.26
B66-n41	20	30	2679.99	CP	64QAM	Outer_Full	22.59	19.39
B66-n41	20	30	2679.99	CP	256QAM	Inner_Full	19.85	16.65
B66-n41	20	30	2679.99	CP	256QAM	Edge_1RB_Left	19.48	16.28
B66-n41	20	30	2679.99	CP	256QAM	Edge_1RB_Right	19.63	16.43
B66-n41	20	30	2679.99	CP	256QAM	Outer_Full	19.74	16.54
B66-n41	30	30	2511	DFT	pi/2 BPSK	Inner_Full	25.96	22.76
B66-n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Left	22.35	19.15
B66-n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Right	22.45	19.25
B66-n41	30	30	2511	DFT	pi/2 BPSK	Outer_Full	25.47	22.27
B66-n41	30	30	2511	DFT	QPSK	Inner_Full	25.99	22.79

B66-n41	30	30	2511	DFT	QPSK	Edge_1RB_Left	22.14	18.94
B66-n41	30	30	2511	DFT	QPSK	Edge_1RB_Right	22.32	19.12
B66-n41	30	30	2511	DFT	QPSK	Outer_Full	24.98	21.78
B66-n41	30	30	2511	DFT	16QAM	Inner_Full	25.07	21.87
B66-n41	30	30	2511	DFT	16QAM	Edge_1RB_Left	22.57	19.37
B66-n41	30	30	2511	DFT	16QAM	Edge_1RB_Right	22.13	18.93
B66-n41	30	30	2511	DFT	16QAM	Outer_Full	24.00	20.80
B66-n41	30	30	2511	DFT	64QAM	Inner_Full	23.50	20.30
B66-n41	30	30	2511	DFT	64QAM	Edge_1RB_Left	22.28	19.08
B66-n41	30	30	2511	DFT	64QAM	Edge_1RB_Right	22.44	19.24
B66-n41	30	30	2511	DFT	64QAM	Outer_Full	23.43	20.23
B66-n41	30	30	2511	DFT	256QAM	Inner_Full	21.72	18.52
B66-n41	30	30	2511	DFT	256QAM	Edge_1RB_Left	21.21	18.01
B66-n41	30	30	2511	DFT	256QAM	Edge_1RB_Right	21.32	18.12
B66-n41	30	30	2511	DFT	256QAM	Outer_Full	21.50	18.30
B66-n41	30	30	2511	CP	QPSK	Inner_Full	24.40	21.20
B66-n41	30	30	2511	CP	QPSK	Edge_1RB_Left	22.04	18.84
B66-n41	30	30	2511	CP	QPSK	Edge_1RB_Right	22.26	19.06
B66-n41	30	30	2511	CP	QPSK	Outer_Full	22.96	19.76
B66-n41	30	30	2511	CP	16QAM	Inner_Full	23.90	20.70
B66-n41	30	30	2511	CP	16QAM	Edge_1RB_Left	22.50	19.30
B66-n41	30	30	2511	CP	16QAM	Edge_1RB_Right	22.53	19.33
B66-n41	30	30	2511	CP	16QAM	Outer_Full	22.94	19.74
B66-n41	30	30	2511	CP	64QAM	Inner_Full	22.54	19.34
B66-n41	30	30	2511	CP	64QAM	Edge_1RB_Left	22.15	18.95
B66-n41	30	30	2511	CP	64QAM	Edge_1RB_Right	22.10	18.90
B66-n41	30	30	2511	CP	64QAM	Outer_Full	22.57	19.37
B66-n41	30	30	2511	CP	256QAM	Inner_Full	19.64	16.44
B66-n41	30	30	2511	CP	256QAM	Edge_1RB_Left	19.08	15.88
B66-n41	30	30	2511	CP	256QAM	Edge_1RB_Right	19.43	16.23
B66-n41	30	30	2511	CP	256QAM	Outer_Full	19.55	16.35
B66-n41	30	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.13	22.93
B66-n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.48	19.28
B66-n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.29	19.09
B66-n41	30	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.52	22.32
B66-n41	30	30	2592.99	DFT	QPSK	Inner_Full	26.08	22.88
B66-n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.37	19.17

B66-n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.15	18.95
B66-n41	30	30	2592.99	DFT	QPSK	Outer_Full	25.05	21.85
B66-n41	30	30	2592.99	DFT	16QAM	Inner_Full	25.18	21.98
B66-n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.69	19.49
B66-n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.15	18.95
B66-n41	30	30	2592.99	DFT	16QAM	Outer_Full	24.04	20.84
B66-n41	30	30	2592.99	DFT	64QAM	Inner_Full	23.64	20.44
B66-n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.33	19.13
B66-n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.28	19.08
B66-n41	30	30	2592.99	DFT	64QAM	Outer_Full	23.44	20.24
B66-n41	30	30	2592.99	DFT	256QAM	Inner_Full	21.79	18.59
B66-n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.36	18.16
B66-n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.14	17.94
B66-n41	30	30	2592.99	DFT	256QAM	Outer_Full	21.61	18.41
B66-n41	30	30	2592.99	CP	QPSK	Inner_Full	24.49	21.29
B66-n41	30	30	2592.99	CP	QPSK	Edge_1RB_Left	22.22	19.02
B66-n41	30	30	2592.99	CP	QPSK	Edge_1RB_Right	22.04	18.84
B66-n41	30	30	2592.99	CP	QPSK	Outer_Full	22.94	19.74
B66-n41	30	30	2592.99	CP	16QAM	Inner_Full	24.06	20.86
B66-n41	30	30	2592.99	CP	16QAM	Edge_1RB_Left	22.39	19.19
B66-n41	30	30	2592.99	CP	16QAM	Edge_1RB_Right	22.38	19.18
B66-n41	30	30	2592.99	CP	16QAM	Outer_Full	22.95	19.75
B66-n41	30	30	2592.99	CP	64QAM	Inner_Full	22.62	19.42
B66-n41	30	30	2592.99	CP	64QAM	Edge_1RB_Left	22.14	18.94
B66-n41	30	30	2592.99	CP	64QAM	Edge_1RB_Right	22.09	18.89
B66-n41	30	30	2592.99	CP	64QAM	Outer_Full	22.52	19.32
B66-n41	30	30	2592.99	CP	256QAM	Inner_Full	19.70	16.50
B66-n41	30	30	2592.99	CP	256QAM	Edge_1RB_Left	19.19	15.99
B66-n41	30	30	2592.99	CP	256QAM	Edge_1RB_Right	19.09	15.89
B66-n41	30	30	2592.99	CP	256QAM	Outer_Full	19.51	16.31
B66-n41	30	30	2674.98	DFT	$\pi/2$ BPSK	Inner_Full	26.13	22.93
B66-n41	30	30	2674.98	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.32	19.12
B66-n41	30	30	2674.98	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.47	19.27
B66-n41	30	30	2674.98	DFT	$\pi/2$ BPSK	Outer_Full	25.61	22.41
B66-n41	30	30	2674.98	DFT	QPSK	Inner_Full	26.09	22.89
B66-n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Left	22.27	19.07
B66-n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Right	22.40	19.20

B66-n41	30	30	2674.98	DFT	QPSK	Outer_Full	25.10	21.90
B66-n41	30	30	2674.98	DFT	16QAM	Inner_Full	25.18	21.98
B66-n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Left	21.90	18.70
B66-n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Right	22.46	19.26
B66-n41	30	30	2674.98	DFT	16QAM	Outer_Full	24.23	21.03
B66-n41	30	30	2674.98	DFT	64QAM	Inner_Full	23.65	20.45
B66-n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Left	22.30	19.10
B66-n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Right	22.59	19.39
B66-n41	30	30	2674.98	DFT	64QAM	Outer_Full	23.70	20.50
B66-n41	30	30	2674.98	DFT	256QAM	Inner_Full	21.88	18.68
B66-n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Left	21.37	18.17
B66-n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Right	21.54	18.34
B66-n41	30	30	2674.98	DFT	256QAM	Outer_Full	21.66	18.46
B66-n41	30	30	2674.98	CP	QPSK	Inner_Full	24.57	21.37
B66-n41	30	30	2674.98	CP	QPSK	Edge_1RB_Left	22.12	18.92
B66-n41	30	30	2674.98	CP	QPSK	Edge_1RB_Right	22.21	19.01
B66-n41	30	30	2674.98	CP	QPSK	Outer_Full	23.06	19.86
B66-n41	30	30	2674.98	CP	16QAM	Inner_Full	24.09	20.89
B66-n41	30	30	2674.98	CP	16QAM	Edge_1RB_Left	22.48	19.28
B66-n41	30	30	2674.98	CP	16QAM	Edge_1RB_Right	22.67	19.47
B66-n41	30	30	2674.98	CP	16QAM	Outer_Full	23.07	19.87
B66-n41	30	30	2674.98	CP	64QAM	Inner_Full	22.64	19.44
B66-n41	30	30	2674.98	CP	64QAM	Edge_1RB_Left	22.16	18.96
B66-n41	30	30	2674.98	CP	64QAM	Edge_1RB_Right	22.42	19.22
B66-n41	30	30	2674.98	CP	64QAM	Outer_Full	22.59	19.39
B66-n41	30	30	2674.98	CP	256QAM	Inner_Full	19.84	16.64
B66-n41	30	30	2674.98	CP	256QAM	Edge_1RB_Left	19.30	16.10
B66-n41	30	30	2674.98	CP	256QAM	Edge_1RB_Right	19.64	16.44
B66-n41	30	30	2674.98	CP	256QAM	Outer_Full	19.61	16.41
B66-n41	40	30	2516.01	DFT	pi/2 BPSK	Inner_Full	25.87	22.67
B66-n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.03	18.83
B66-n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.13	18.93
B66-n41	40	30	2516.01	DFT	pi/2 BPSK	Outer_Full	25.27	22.07
B66-n41	40	30	2516.01	DFT	QPSK	Inner_Full	25.93	22.73
B66-n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	21.86	18.66
B66-n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	21.94	18.74
B66-n41	40	30	2516.01	DFT	QPSK	Outer_Full	24.74	21.54



B66-n41	40	30	2516.01	DFT	16QAM	Inner_Full	25.00	21.80
B66-n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	21.58	18.38
B66-n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	21.61	18.41
B66-n41	40	30	2516.01	DFT	16QAM	Outer_Full	23.81	20.61
B66-n41	40	30	2516.01	DFT	64QAM	Inner_Full	23.35	20.15
B66-n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	22.01	18.81
B66-n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	22.04	18.84
B66-n41	40	30	2516.01	DFT	64QAM	Outer_Full	23.25	20.05
B66-n41	40	30	2516.01	DFT	256QAM	Inner_Full	21.51	18.31
B66-n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Left	20.90	17.70
B66-n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Right	21.02	17.82
B66-n41	40	30	2516.01	DFT	256QAM	Outer_Full	21.48	18.28
B66-n41	40	30	2516.01	CP	QPSK	Inner_Full	24.35	21.15
B66-n41	40	30	2516.01	CP	QPSK	Edge_1RB_Left	21.78	18.58
B66-n41	40	30	2516.01	CP	QPSK	Edge_1RB_Right	21.98	18.78
B66-n41	40	30	2516.01	CP	QPSK	Outer_Full	22.79	19.59
B66-n41	40	30	2516.01	CP	16QAM	Inner_Full	23.89	20.69
B66-n41	40	30	2516.01	CP	16QAM	Edge_1RB_Left	22.23	19.03
B66-n41	40	30	2516.01	CP	16QAM	Edge_1RB_Right	22.12	18.92
B66-n41	40	30	2516.01	CP	16QAM	Outer_Full	22.74	19.54
B66-n41	40	30	2516.01	CP	64QAM	Inner_Full	22.60	19.40
B66-n41	40	30	2516.01	CP	64QAM	Edge_1RB_Left	21.73	18.53
B66-n41	40	30	2516.01	CP	64QAM	Edge_1RB_Right	21.93	18.73
B66-n41	40	30	2516.01	CP	64QAM	Outer_Full	22.36	19.16
B66-n41	40	30	2516.01	CP	256QAM	Inner_Full	19.51	16.31
B66-n41	40	30	2516.01	CP	256QAM	Edge_1RB_Left	18.83	15.63
B66-n41	40	30	2516.01	CP	256QAM	Edge_1RB_Right	18.93	15.73
B66-n41	40	30	2516.01	CP	256QAM	Outer_Full	19.47	16.27
B66-n41	40	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.08	22.88
B66-n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.17	18.97
B66-n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.04	18.84
B66-n41	40	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.45	22.25
B66-n41	40	30	2592.99	DFT	QPSK	Inner_Full	25.99	22.79
B66-n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.02	18.82
B66-n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.97	18.77
B66-n41	40	30	2592.99	DFT	QPSK	Outer_Full	24.92	21.72
B66-n41	40	30	2592.99	DFT	16QAM	Inner_Full	25.22	22.02

B66-n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.44	19.24
B66-n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.30	19.10
B66-n41	40	30	2592.99	DFT	16QAM	Outer_Full	23.93	20.73
B66-n41	40	30	2592.99	DFT	64QAM	Inner_Full	23.58	20.38
B66-n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.36	19.16
B66-n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.08	18.88
B66-n41	40	30	2592.99	DFT	64QAM	Outer_Full	23.38	20.18
B66-n41	40	30	2592.99	DFT	256QAM	Inner_Full	21.67	18.47
B66-n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.06	17.86
B66-n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.90	17.70
B66-n41	40	30	2592.99	DFT	256QAM	Outer_Full	21.53	18.33
B66-n41	40	30	2592.99	CP	QPSK	Inner_Full	24.57	21.37
B66-n41	40	30	2592.99	CP	QPSK	Edge_1RB_Left	21.97	18.77
B66-n41	40	30	2592.99	CP	QPSK	Edge_1RB_Right	21.91	18.71
B66-n41	40	30	2592.99	CP	QPSK	Outer_Full	22.87	19.67
B66-n41	40	30	2592.99	CP	16QAM	Inner_Full	23.99	20.79
B66-n41	40	30	2592.99	CP	16QAM	Edge_1RB_Left	22.42	19.22
B66-n41	40	30	2592.99	CP	16QAM	Edge_1RB_Right	22.29	19.09
B66-n41	40	30	2592.99	CP	16QAM	Outer_Full	22.87	19.67
B66-n41	40	30	2592.99	CP	64QAM	Inner_Full	22.59	19.39
B66-n41	40	30	2592.99	CP	64QAM	Edge_1RB_Left	22.07	18.87
B66-n41	40	30	2592.99	CP	64QAM	Edge_1RB_Right	21.88	18.68
B66-n41	40	30	2592.99	CP	64QAM	Outer_Full	22.48	19.28
B66-n41	40	30	2592.99	CP	256QAM	Inner_Full	19.54	16.34
B66-n41	40	30	2592.99	CP	256QAM	Edge_1RB_Left	19.23	16.03
B66-n41	40	30	2592.99	CP	256QAM	Edge_1RB_Right	18.92	15.72
B66-n41	40	30	2592.99	CP	256QAM	Outer_Full	19.46	16.26
B66-n41	40	30	2670	DFT	pi/2 BPSK	Inner_Full	26.04	22.84
B66-n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	22.05	18.85
B66-n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	22.21	19.01
B66-n41	40	30	2670	DFT	pi/2 BPSK	Outer_Full	25.46	22.26
B66-n41	40	30	2670	DFT	QPSK	Inner_Full	26.05	22.85
B66-n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	21.99	18.79
B66-n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	22.18	18.98
B66-n41	40	30	2670	DFT	QPSK	Outer_Full	24.93	21.73
B66-n41	40	30	2670	DFT	16QAM	Inner_Full	25.12	21.92
B66-n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	22.34	19.14

B66-n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	22.57	19.37
B66-n41	40	30	2670	DFT	16QAM	Outer_Full	23.96	20.76
B66-n41	40	30	2670	DFT	64QAM	Inner_Full	23.63	20.43
B66-n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	22.24	19.04
B66-n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	22.23	19.03
B66-n41	40	30	2670	DFT	64QAM	Outer_Full	23.45	20.25
B66-n41	40	30	2670	DFT	256QAM	Inner_Full	21.68	18.48
B66-n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	21.01	17.81
B66-n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	21.19	17.99
B66-n41	40	30	2670	DFT	256QAM	Outer_Full	21.66	18.46
B66-n41	40	30	2670	CP	QPSK	Inner_Full	24.54	21.34
B66-n41	40	30	2670	CP	QPSK	Edge_1RB_Left	21.94	18.74
B66-n41	40	30	2670	CP	QPSK	Edge_1RB_Right	22.14	18.94
B66-n41	40	30	2670	CP	QPSK	Outer_Full	22.87	19.67
B66-n41	40	30	2670	CP	16QAM	Inner_Full	24.02	20.82
B66-n41	40	30	2670	CP	16QAM	Edge_1RB_Left	22.35	19.15
B66-n41	40	30	2670	CP	16QAM	Edge_1RB_Right	22.57	19.37
B66-n41	40	30	2670	CP	16QAM	Outer_Full	22.85	19.65
B66-n41	40	30	2670	CP	64QAM	Inner_Full	22.58	19.38
B66-n41	40	30	2670	CP	64QAM	Edge_1RB_Left	21.95	18.75
B66-n41	40	30	2670	CP	64QAM	Edge_1RB_Right	22.14	18.94
B66-n41	40	30	2670	CP	64QAM	Outer_Full	22.45	19.25
B66-n41	40	30	2670	CP	256QAM	Inner_Full	19.63	16.43
B66-n41	40	30	2670	CP	256QAM	Edge_1RB_Left	18.91	15.71
B66-n41	40	30	2670	CP	256QAM	Edge_1RB_Right	19.22	16.02
B66-n41	40	30	2670	CP	256QAM	Outer_Full	19.54	16.34
B66-n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	25.98	22.78
B66-n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.26	19.06
B66-n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.48	19.28
B66-n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	25.34	22.14
B66-n41	50	30	2521.02	DFT	QPSK	Inner_Full	26.03	22.83
B66-n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	22.17	18.97
B66-n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	22.40	19.20
B66-n41	50	30	2521.02	DFT	QPSK	Outer_Full	24.87	21.67
B66-n41	50	30	2521.02	DFT	16QAM	Inner_Full	25.06	21.86
B66-n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	22.58	19.38
B66-n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	22.70	19.50

B66-n41	50	30	2521.02	DFT	16QAM	Outer_Full	23.90	20.70
B66-n41	50	30	2521.02	DFT	64QAM	Inner_Full	23.50	20.30
B66-n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	22.38	19.18
B66-n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	22.54	19.34
B66-n41	50	30	2521.02	DFT	64QAM	Outer_Full	23.42	20.22
B66-n41	50	30	2521.02	DFT	256QAM	Inner_Full	21.60	18.40
B66-n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Left	21.22	18.02
B66-n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Right	21.33	18.13
B66-n41	50	30	2521.02	DFT	256QAM	Outer_Full	21.52	18.32
B66-n41	50	30	2521.02	CP	QPSK	Inner_Full	24.49	21.29
B66-n41	50	30	2521.02	CP	QPSK	Edge_1RB_Left	22.07	18.87
B66-n41	50	30	2521.02	CP	QPSK	Edge_1RB_Right	22.26	19.06
B66-n41	50	30	2521.02	CP	QPSK	Outer_Full	22.88	19.68
B66-n41	50	30	2521.02	CP	16QAM	Inner_Full	24.07	20.87
B66-n41	50	30	2521.02	CP	16QAM	Edge_1RB_Left	22.54	19.34
B66-n41	50	30	2521.02	CP	16QAM	Edge_1RB_Right	22.56	19.36
B66-n41	50	30	2521.02	CP	16QAM	Outer_Full	22.93	19.73
B66-n41	50	30	2521.02	CP	64QAM	Inner_Full	22.58	19.38
B66-n41	50	30	2521.02	CP	64QAM	Edge_1RB_Left	22.04	18.84
B66-n41	50	30	2521.02	CP	64QAM	Edge_1RB_Right	22.29	19.09
B66-n41	50	30	2521.02	CP	64QAM	Outer_Full	22.52	19.32
B66-n41	50	30	2521.02	CP	256QAM	Inner_Full	19.71	16.51
B66-n41	50	30	2521.02	CP	256QAM	Edge_1RB_Left	19.15	15.95
B66-n41	50	30	2521.02	CP	256QAM	Edge_1RB_Right	19.36	16.16
B66-n41	50	30	2521.02	CP	256QAM	Outer_Full	19.49	16.29
B66-n41	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.10	22.90
B66-n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.42	19.22
B66-n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.42	19.22
B66-n41	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.39	22.19
B66-n41	50	30	2592.99	DFT	QPSK	Inner_Full	26.15	22.95
B66-n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.31	19.11
B66-n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.25	19.05
B66-n41	50	30	2592.99	DFT	QPSK	Outer_Full	24.93	21.73
B66-n41	50	30	2592.99	DFT	16QAM	Inner_Full	25.06	21.86
B66-n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.70	19.50
B66-n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.60	19.40
B66-n41	50	30	2592.99	DFT	16QAM	Outer_Full	23.91	20.71

B66-n41	50	30	2592.99	DFT	64QAM	Inner_Full	23.56	20.36
B66-n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.53	19.33
B66-n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.41	19.21
B66-n41	50	30	2592.99	DFT	64QAM	Outer_Full	23.47	20.27
B66-n41	50	30	2592.99	DFT	256QAM	Inner_Full	21.66	18.46
B66-n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.28	18.08
B66-n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.18	17.98
B66-n41	50	30	2592.99	DFT	256QAM	Outer_Full	21.60	18.40
B66-n41	50	30	2592.99	CP	QPSK	Inner_Full	24.58	21.38
B66-n41	50	30	2592.99	CP	QPSK	Edge_1RB_Left	22.21	19.01
B66-n41	50	30	2592.99	CP	QPSK	Edge_1RB_Right	22.24	19.04
B66-n41	50	30	2592.99	CP	QPSK	Outer_Full	22.89	19.69
B66-n41	50	30	2592.99	CP	16QAM	Inner_Full	24.05	20.85
B66-n41	50	30	2592.99	CP	16QAM	Edge_1RB_Left	22.39	19.19
B66-n41	50	30	2592.99	CP	16QAM	Edge_1RB_Right	22.54	19.34
B66-n41	50	30	2592.99	CP	16QAM	Outer_Full	22.93	19.73
B66-n41	50	30	2592.99	CP	64QAM	Inner_Full	22.53	19.33
B66-n41	50	30	2592.99	CP	64QAM	Edge_1RB_Left	22.23	19.03
B66-n41	50	30	2592.99	CP	64QAM	Edge_1RB_Right	22.16	18.96
B66-n41	50	30	2592.99	CP	64QAM	Outer_Full	22.53	19.33
B66-n41	50	30	2592.99	CP	256QAM	Inner_Full	19.70	16.50
B66-n41	50	30	2592.99	CP	256QAM	Edge_1RB_Left	19.20	16.00
B66-n41	50	30	2592.99	CP	256QAM	Edge_1RB_Right	19.50	16.30
B66-n41	50	30	2592.99	CP	256QAM	Outer_Full	19.50	16.30
B66-n41	50	30	2664.99	DFT	pi/2 BPSK	Inner_Full	26.13	22.93
B66-n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.54	19.34
B66-n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.48	19.28
B66-n41	50	30	2664.99	DFT	pi/2 BPSK	Outer_Full	25.48	22.28
B66-n41	50	30	2664.99	DFT	QPSK	Inner_Full	26.14	22.94
B66-n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	22.43	19.23
B66-n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	22.31	19.11
B66-n41	50	30	2664.99	DFT	QPSK	Outer_Full	25.04	21.84
B66-n41	50	30	2664.99	DFT	16QAM	Inner_Full	25.09	21.89
B66-n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	22.04	18.84
B66-n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	22.69	19.49
B66-n41	50	30	2664.99	DFT	16QAM	Outer_Full	24.08	20.88
B66-n41	50	30	2664.99	DFT	64QAM	Inner_Full	23.66	20.46



B66-n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	22.60	19.40
B66-n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	22.49	19.29
B66-n41	50	30	2664.99	DFT	64QAM	Outer_Full	23.56	20.36
B66-n41	50	30	2664.99	DFT	256QAM	Inner_Full	21.70	18.50
B66-n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Left	21.41	18.21
B66-n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Right	21.58	18.38
B66-n41	50	30	2664.99	DFT	256QAM	Outer_Full	21.65	18.45
B66-n41	50	30	2664.99	CP	QPSK	Inner_Full	24.63	21.43
B66-n41	50	30	2664.99	CP	QPSK	Edge_1RB_Left	22.35	19.15
B66-n41	50	30	2664.99	CP	QPSK	Edge_1RB_Right	22.37	19.17
B66-n41	50	30	2664.99	CP	QPSK	Outer_Full	23.09	19.89
B66-n41	50	30	2664.99	CP	16QAM	Inner_Full	24.19	20.99
B66-n41	50	30	2664.99	CP	16QAM	Edge_1RB_Left	22.54	19.34
B66-n41	50	30	2664.99	CP	16QAM	Edge_1RB_Right	22.73	19.53
B66-n41	50	30	2664.99	CP	16QAM	Outer_Full	23.08	19.88
B66-n41	50	30	2664.99	CP	64QAM	Inner_Full	22.53	19.33
B66-n41	50	30	2664.99	CP	64QAM	Edge_1RB_Left	22.32	19.12
B66-n41	50	30	2664.99	CP	64QAM	Edge_1RB_Right	22.32	19.12
B66-n41	50	30	2664.99	CP	64QAM	Outer_Full	22.54	19.34
B66-n41	50	30	2664.99	CP	256QAM	Inner_Full	19.83	16.63
B66-n41	50	30	2664.99	CP	256QAM	Edge_1RB_Left	19.37	16.17
B66-n41	50	30	2664.99	CP	256QAM	Edge_1RB_Right	19.52	16.32
B66-n41	50	30	2664.99	CP	256QAM	Outer_Full	19.69	16.49
B66-n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	25.88	22.68
B66-n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	22.17	18.97
B66-n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	22.33	19.13
B66-n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	25.21	22.01
B66-n41	60	30	2526	DFT	QPSK	Inner_Full	25.94	22.74
B66-n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	22.05	18.85
B66-n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	22.25	19.05
B66-n41	60	30	2526	DFT	QPSK	Outer_Full	24.76	21.56
B66-n41	60	30	2526	DFT	16QAM	Inner_Full	25.04	21.84
B66-n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	21.93	18.73
B66-n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	22.67	19.47
B66-n41	60	30	2526	DFT	16QAM	Outer_Full	23.76	20.56
B66-n41	60	30	2526	DFT	64QAM	Inner_Full	23.45	20.25
B66-n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	22.16	18.96



B66-n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	22.39	19.19
B66-n41	60	30	2526	DFT	64QAM	Outer_Full	23.21	20.01
B66-n41	60	30	2526	DFT	256QAM	Inner_Full	21.51	18.31
B66-n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	21.08	17.88
B66-n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	21.22	18.02
B66-n41	60	30	2526	DFT	256QAM	Outer_Full	21.40	18.20
B66-n41	60	30	2526	CP	QPSK	Inner_Full	24.36	21.16
B66-n41	60	30	2526	CP	QPSK	Edge_1RB_Left	22.03	18.83
B66-n41	60	30	2526	CP	QPSK	Edge_1RB_Right	22.17	18.97
B66-n41	60	30	2526	CP	QPSK	Outer_Full	22.71	19.51
B66-n41	60	30	2526	CP	16QAM	Inner_Full	23.87	20.67
B66-n41	60	30	2526	CP	16QAM	Edge_1RB_Left	22.41	19.21
B66-n41	60	30	2526	CP	16QAM	Edge_1RB_Right	22.59	19.39
B66-n41	60	30	2526	CP	16QAM	Outer_Full	22.69	19.49
B66-n41	60	30	2526	CP	64QAM	Inner_Full	22.50	19.30
B66-n41	60	30	2526	CP	64QAM	Edge_1RB_Left	21.88	18.68
B66-n41	60	30	2526	CP	64QAM	Edge_1RB_Right	22.19	18.99
B66-n41	60	30	2526	CP	64QAM	Outer_Full	22.39	19.19
B66-n41	60	30	2526	CP	256QAM	Inner_Full	19.54	16.34
B66-n41	60	30	2526	CP	256QAM	Edge_1RB_Left	19.06	15.86
B66-n41	60	30	2526	CP	256QAM	Edge_1RB_Right	19.29	16.09
B66-n41	60	30	2526	CP	256QAM	Outer_Full	19.30	16.10
B66-n41	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.03	22.83
B66-n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.29	19.09
B66-n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.29	19.09
B66-n41	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.32	22.12
B66-n41	60	30	2592.99	DFT	QPSK	Inner_Full	26.06	22.86
B66-n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.26	19.06
B66-n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.19	18.99
B66-n41	60	30	2592.99	DFT	QPSK	Outer_Full	24.85	21.65
B66-n41	60	30	2592.99	DFT	16QAM	Inner_Full	25.05	21.85
B66-n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.59	19.39
B66-n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.44	19.24
B66-n41	60	30	2592.99	DFT	16QAM	Outer_Full	23.87	20.67
B66-n41	60	30	2592.99	DFT	64QAM	Inner_Full	23.58	20.38
B66-n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.26	19.06
B66-n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.40	19.20



B66-n41	60	30	2592.99	DFT	64QAM	Outer_Full	23.29	20.09
B66-n41	60	30	2592.99	DFT	256QAM	Inner_Full	21.60	18.40
B66-n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.16	17.96
B66-n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.06	17.86
B66-n41	60	30	2592.99	DFT	256QAM	Outer_Full	21.48	18.28
B66-n41	60	30	2592.99	CP	QPSK	Inner_Full	24.51	21.31
B66-n41	60	30	2592.99	CP	QPSK	Edge_1RB_Left	22.05	18.85
B66-n41	60	30	2592.99	CP	QPSK	Edge_1RB_Right	22.08	18.88
B66-n41	60	30	2592.99	CP	QPSK	Outer_Full	22.80	19.60
B66-n41	60	30	2592.99	CP	16QAM	Inner_Full	23.94	20.74
B66-n41	60	30	2592.99	CP	16QAM	Edge_1RB_Left	22.32	19.12
B66-n41	60	30	2592.99	CP	16QAM	Edge_1RB_Right	22.57	19.37
B66-n41	60	30	2592.99	CP	16QAM	Outer_Full	22.81	19.61
B66-n41	60	30	2592.99	CP	64QAM	Inner_Full	22.60	19.40
B66-n41	60	30	2592.99	CP	64QAM	Edge_1RB_Left	22.03	18.83
B66-n41	60	30	2592.99	CP	64QAM	Edge_1RB_Right	22.20	19.00
B66-n41	60	30	2592.99	CP	64QAM	Outer_Full	22.41	19.21
B66-n41	60	30	2592.99	CP	256QAM	Inner_Full	19.52	16.32
B66-n41	60	30	2592.99	CP	256QAM	Edge_1RB_Left	19.06	15.86
B66-n41	60	30	2592.99	CP	256QAM	Edge_1RB_Right	19.39	16.19
B66-n41	60	30	2592.99	CP	256QAM	Outer_Full	19.47	16.27
B66-n41	60	30	2659.98	DFT	pi/2 BPSK	Inner_Full	26.00	22.80
B66-n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.35	19.15
B66-n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.29	19.09
B66-n41	60	30	2659.98	DFT	pi/2 BPSK	Outer_Full	25.45	22.25
B66-n41	60	30	2659.98	DFT	QPSK	Inner_Full	26.05	22.85
B66-n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	22.27	19.07
B66-n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	22.27	19.07
B66-n41	60	30	2659.98	DFT	QPSK	Outer_Full	25.01	21.81
B66-n41	60	30	2659.98	DFT	16QAM	Inner_Full	25.11	21.91
B66-n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	22.65	19.45
B66-n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	22.49	19.29
B66-n41	60	30	2659.98	DFT	16QAM	Outer_Full	24.02	20.82
B66-n41	60	30	2659.98	DFT	64QAM	Inner_Full	23.62	20.42
B66-n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	22.46	19.26
B66-n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	22.30	19.10
B66-n41	60	30	2659.98	DFT	64QAM	Outer_Full	23.48	20.28



B66-n41	60	30	2659.98	DFT	256QAM	Inner_Full	21.64	18.44
B66-n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Left	21.17	17.97
B66-n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Right	21.45	18.25
B66-n41	60	30	2659.98	DFT	256QAM	Outer_Full	21.59	18.39
B66-n41	60	30	2659.98	CP	QPSK	Inner_Full	24.52	21.32
B66-n41	60	30	2659.98	CP	QPSK	Edge_1RB_Left	22.20	19.00
B66-n41	60	30	2659.98	CP	QPSK	Edge_1RB_Right	22.08	18.88
B66-n41	60	30	2659.98	CP	QPSK	Outer_Full	22.98	19.78
B66-n41	60	30	2659.98	CP	16QAM	Inner_Full	23.99	20.79
B66-n41	60	30	2659.98	CP	16QAM	Edge_1RB_Left	22.56	19.36
B66-n41	60	30	2659.98	CP	16QAM	Edge_1RB_Right	22.41	19.21
B66-n41	60	30	2659.98	CP	16QAM	Outer_Full	22.96	19.76
B66-n41	60	30	2659.98	CP	64QAM	Inner_Full	22.53	19.33
B66-n41	60	30	2659.98	CP	64QAM	Edge_1RB_Left	22.43	19.23
B66-n41	60	30	2659.98	CP	64QAM	Edge_1RB_Right	22.32	19.12
B66-n41	60	30	2659.98	CP	64QAM	Outer_Full	22.51	19.31
B66-n41	60	30	2659.98	CP	256QAM	Inner_Full	19.65	16.45
B66-n41	60	30	2659.98	CP	256QAM	Edge_1RB_Left	19.24	16.04
B66-n41	60	30	2659.98	CP	256QAM	Edge_1RB_Right	19.42	16.22
B66-n41	60	30	2659.98	CP	256QAM	Outer_Full	19.57	16.37
B66-n41	70	30	2531.01	DFT	pi/2 BPSK	Inner_Full	25.94	22.74
B66-n41	70	30	2531.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.23	19.03
B66-n41	70	30	2531.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.44	19.24
B66-n41	70	30	2531.01	DFT	pi/2 BPSK	Outer_Full	25.37	22.17
B66-n41	70	30	2531.01	DFT	QPSK	Inner_Full	26.10	22.90
B66-n41	70	30	2531.01	DFT	QPSK	Edge_1RB_Left	22.14	18.94
B66-n41	70	30	2531.01	DFT	QPSK	Edge_1RB_Right	22.41	19.21
B66-n41	70	30	2531.01	DFT	QPSK	Outer_Full	24.89	21.69
B66-n41	70	30	2531.01	DFT	16QAM	Inner_Full	25.06	21.86
B66-n41	70	30	2531.01	DFT	16QAM	Edge_1RB_Left	21.92	18.72
B66-n41	70	30	2531.01	DFT	16QAM	Edge_1RB_Right	22.27	19.07
B66-n41	70	30	2531.01	DFT	16QAM	Outer_Full	23.88	20.68
B66-n41	70	30	2531.01	DFT	64QAM	Inner_Full	23.56	20.36
B66-n41	70	30	2531.01	DFT	64QAM	Edge_1RB_Left	22.44	19.24
B66-n41	70	30	2531.01	DFT	64QAM	Edge_1RB_Right	22.42	19.22
B66-n41	70	30	2531.01	DFT	64QAM	Outer_Full	23.36	20.16
B66-n41	70	30	2531.01	DFT	256QAM	Inner_Full	21.68	18.48

B66-n41	70	30	2531.01	DFT	256QAM	Edge_1RB_Left	21.17	17.97
B66-n41	70	30	2531.01	DFT	256QAM	Edge_1RB_Right	21.35	18.15
B66-n41	70	30	2531.01	DFT	256QAM	Outer_Full	21.61	18.41
B66-n41	70	30	2531.01	CP	QPSK	Inner_Full	24.51	21.31
B66-n41	70	30	2531.01	CP	QPSK	Edge_1RB_Left	22.04	18.84
B66-n41	70	30	2531.01	CP	QPSK	Edge_1RB_Right	22.40	19.20
B66-n41	70	30	2531.01	CP	QPSK	Outer_Full	22.83	19.63
B66-n41	70	30	2531.01	CP	16QAM	Inner_Full	24.06	20.86
B66-n41	70	30	2531.01	CP	16QAM	Edge_1RB_Left	22.36	19.16
B66-n41	70	30	2531.01	CP	16QAM	Edge_1RB_Right	22.05	18.85
B66-n41	70	30	2531.01	CP	16QAM	Outer_Full	22.86	19.66
B66-n41	70	30	2531.01	CP	64QAM	Inner_Full	22.71	19.51
B66-n41	70	30	2531.01	CP	64QAM	Edge_1RB_Left	22.07	18.87
B66-n41	70	30	2531.01	CP	64QAM	Edge_1RB_Right	22.16	18.96
B66-n41	70	30	2531.01	CP	64QAM	Outer_Full	22.59	19.39
B66-n41	70	30	2531.01	CP	256QAM	Inner_Full	19.59	16.39
B66-n41	70	30	2531.01	CP	256QAM	Edge_1RB_Left	19.29	16.09
B66-n41	70	30	2531.01	CP	256QAM	Edge_1RB_Right	19.22	16.02
B66-n41	70	30	2531.01	CP	256QAM	Outer_Full	19.52	16.32
B66-n41	70	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.04	22.84
B66-n41	70	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.27	19.07
B66-n41	70	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.06	18.86
B66-n41	70	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.42	22.22
B66-n41	70	30	2592.99	DFT	QPSK	Inner_Full	26.11	22.91
B66-n41	70	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.15	18.95
B66-n41	70	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.00	18.80
B66-n41	70	30	2592.99	DFT	QPSK	Outer_Full	24.94	21.74
B66-n41	70	30	2592.99	DFT	16QAM	Inner_Full	25.10	21.90
B66-n41	70	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.55	19.35
B66-n41	70	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.32	19.12
B66-n41	70	30	2592.99	DFT	16QAM	Outer_Full	23.93	20.73
B66-n41	70	30	2592.99	DFT	64QAM	Inner_Full	23.60	20.40
B66-n41	70	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.09	18.89
B66-n41	70	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.92	18.72
B66-n41	70	30	2592.99	DFT	64QAM	Outer_Full	23.39	20.19
B66-n41	70	30	2592.99	DFT	256QAM	Inner_Full	21.71	18.51
B66-n41	70	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.19	17.99



B66-n41	70	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.24	18.04
B66-n41	70	30	2592.99	DFT	256QAM	Outer_Full	21.57	18.37
B66-n41	70	30	2592.99	CP	QPSK	Inner_Full	24.50	21.30
B66-n41	70	30	2592.99	CP	QPSK	Edge_1RB_Left	22.14	18.94
B66-n41	70	30	2592.99	CP	QPSK	Edge_1RB_Right	21.93	18.73
B66-n41	70	30	2592.99	CP	QPSK	Outer_Full	22.82	19.62
B66-n41	70	30	2592.99	CP	16QAM	Inner_Full	24.03	20.83
B66-n41	70	30	2592.99	CP	16QAM	Edge_1RB_Left	22.45	19.25
B66-n41	70	30	2592.99	CP	16QAM	Edge_1RB_Right	22.15	18.95
B66-n41	70	30	2592.99	CP	16QAM	Outer_Full	22.86	19.66
B66-n41	70	30	2592.99	CP	64QAM	Inner_Full	22.54	19.34
B66-n41	70	30	2592.99	CP	64QAM	Edge_1RB_Left	22.00	18.80
B66-n41	70	30	2592.99	CP	64QAM	Edge_1RB_Right	21.76	18.56
B66-n41	70	30	2592.99	CP	64QAM	Outer_Full	22.56	19.36
B66-n41	70	30	2592.99	CP	256QAM	Inner_Full	19.66	16.46
B66-n41	70	30	2592.99	CP	256QAM	Edge_1RB_Left	19.08	15.88
B66-n41	70	30	2592.99	CP	256QAM	Edge_1RB_Right	19.36	16.16
B66-n41	70	30	2592.99	CP	256QAM	Outer_Full	19.48	16.28
B66-n41	70	30	2655	DFT	$\pi/2$ BPSK	Inner_Full	25.91	22.71
B66-n41	70	30	2655	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.26	19.06
B66-n41	70	30	2655	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.23	19.03
B66-n41	70	30	2655	DFT	$\pi/2$ BPSK	Outer_Full	25.43	22.23
B66-n41	70	30	2655	DFT	QPSK	Inner_Full	26.02	22.82
B66-n41	70	30	2655	DFT	QPSK	Edge_1RB_Left	22.20	19.00
B66-n41	70	30	2655	DFT	QPSK	Edge_1RB_Right	22.15	18.95
B66-n41	70	30	2655	DFT	QPSK	Outer_Full	25.01	21.81
B66-n41	70	30	2655	DFT	16QAM	Inner_Full	24.98	21.78
B66-n41	70	30	2655	DFT	16QAM	Edge_1RB_Left	21.85	18.65
B66-n41	70	30	2655	DFT	16QAM	Edge_1RB_Right	22.50	19.30
B66-n41	70	30	2655	DFT	16QAM	Outer_Full	23.96	20.76
B66-n41	70	30	2655	DFT	64QAM	Inner_Full	23.46	20.26
B66-n41	70	30	2655	DFT	64QAM	Edge_1RB_Left	22.22	19.02
B66-n41	70	30	2655	DFT	64QAM	Edge_1RB_Right	22.13	18.93
B66-n41	70	30	2655	DFT	64QAM	Outer_Full	23.42	20.22
B66-n41	70	30	2655	DFT	256QAM	Inner_Full	21.61	18.41
B66-n41	70	30	2655	DFT	256QAM	Edge_1RB_Left	21.12	17.92
B66-n41	70	30	2655	DFT	256QAM	Edge_1RB_Right	21.34	18.14



B66-n41	70	30	2655	DFT	256QAM	Outer_Full	21.64	18.44
B66-n41	70	30	2655	CP	QPSK	Inner_Full	24.42	21.22
B66-n41	70	30	2655	CP	QPSK	Edge_1RB_Left	22.22	19.02
B66-n41	70	30	2655	CP	QPSK	Edge_1RB_Right	22.09	18.89
B66-n41	70	30	2655	CP	QPSK	Outer_Full	22.88	19.68
B66-n41	70	30	2655	CP	16QAM	Inner_Full	23.98	20.78
B66-n41	70	30	2655	CP	16QAM	Edge_1RB_Left	22.44	19.24
B66-n41	70	30	2655	CP	16QAM	Edge_1RB_Right	22.35	19.15
B66-n41	70	30	2655	CP	16QAM	Outer_Full	22.87	19.67
B66-n41	70	30	2655	CP	64QAM	Inner_Full	22.50	19.30
B66-n41	70	30	2655	CP	64QAM	Edge_1RB_Left	22.19	18.99
B66-n41	70	30	2655	CP	64QAM	Edge_1RB_Right	21.88	18.68
B66-n41	70	30	2655	CP	64QAM	Outer_Full	22.44	19.24
B66-n41	70	30	2655	CP	256QAM	Inner_Full	19.61	16.41
B66-n41	70	30	2655	CP	256QAM	Edge_1RB_Left	19.13	15.93
B66-n41	70	30	2655	CP	256QAM	Edge_1RB_Right	19.36	16.16
B66-n41	70	30	2655	CP	256QAM	Outer_Full	19.61	16.41
B66-n41	80	30	2536.02	DFT	pi/2 BPSK	Inner_Full	25.94	22.74
B66-n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.18	18.98
B66-n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.34	19.14
B66-n41	80	30	2536.02	DFT	pi/2 BPSK	Outer_Full	25.28	22.08
B66-n41	80	30	2536.02	DFT	QPSK	Inner_Full	26.05	22.85
B66-n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	22.07	18.87
B66-n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	22.27	19.07
B66-n41	80	30	2536.02	DFT	QPSK	Outer_Full	24.77	21.57
B66-n41	80	30	2536.02	DFT	16QAM	Inner_Full	24.98	21.78
B66-n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	22.47	19.27
B66-n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	22.69	19.49
B66-n41	80	30	2536.02	DFT	16QAM	Outer_Full	23.83	20.63
B66-n41	80	30	2536.02	DFT	64QAM	Inner_Full	23.48	20.28
B66-n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	22.33	19.13
B66-n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	22.46	19.26
B66-n41	80	30	2536.02	DFT	64QAM	Outer_Full	23.27	20.07
B66-n41	80	30	2536.02	DFT	256QAM	Inner_Full	21.58	18.38
B66-n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Left	21.06	17.86
B66-n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Right	21.30	18.10
B66-n41	80	30	2536.02	DFT	256QAM	Outer_Full	21.50	18.30

B66-n41	80	30	2536.02	CP	QPSK	Inner_Full	24.50	21.30
B66-n41	80	30	2536.02	CP	QPSK	Edge_1RB_Left	22.03	18.83
B66-n41	80	30	2536.02	CP	QPSK	Edge_1RB_Right	22.35	19.15
B66-n41	80	30	2536.02	CP	QPSK	Outer_Full	22.79	19.59
B66-n41	80	30	2536.02	CP	16QAM	Inner_Full	23.97	20.77
B66-n41	80	30	2536.02	CP	16QAM	Edge_1RB_Left	22.31	19.11
B66-n41	80	30	2536.02	CP	16QAM	Edge_1RB_Right	22.57	19.37
B66-n41	80	30	2536.02	CP	16QAM	Outer_Full	22.84	19.64
B66-n41	80	30	2536.02	CP	64QAM	Inner_Full	22.59	19.39
B66-n41	80	30	2536.02	CP	64QAM	Edge_1RB_Left	21.93	18.73
B66-n41	80	30	2536.02	CP	64QAM	Edge_1RB_Right	22.23	19.03
B66-n41	80	30	2536.02	CP	64QAM	Outer_Full	22.49	19.29
B66-n41	80	30	2536.02	CP	256QAM	Inner_Full	19.58	16.38
B66-n41	80	30	2536.02	CP	256QAM	Edge_1RB_Left	19.14	15.94
B66-n41	80	30	2536.02	CP	256QAM	Edge_1RB_Right	19.24	16.04
B66-n41	80	30	2536.02	CP	256QAM	Outer_Full	19.44	16.24
B66-n41	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.99	22.79
B66-n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.31	19.11
B66-n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.99	18.79
B66-n41	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.32	22.12
B66-n41	80	30	2592.99	DFT	QPSK	Inner_Full	26.10	22.90
B66-n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.22	19.02
B66-n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.97	18.77
B66-n41	80	30	2592.99	DFT	QPSK	Outer_Full	24.83	21.63
B66-n41	80	30	2592.99	DFT	16QAM	Inner_Full	25.05	21.85
B66-n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.38	19.18
B66-n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.11	18.91
B66-n41	80	30	2592.99	DFT	16QAM	Outer_Full	23.86	20.66
B66-n41	80	30	2592.99	DFT	64QAM	Inner_Full	23.58	20.38
B66-n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.27	19.07
B66-n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.75	18.55
B66-n41	80	30	2592.99	DFT	64QAM	Outer_Full	23.39	20.19
B66-n41	80	30	2592.99	DFT	256QAM	Inner_Full	21.62	18.42
B66-n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.07	17.87
B66-n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.09	17.89
B66-n41	80	30	2592.99	DFT	256QAM	Outer_Full	21.58	18.38
B66-n41	80	30	2592.99	CP	QPSK	Inner_Full	24.53	21.33

B66-n41	80	30	2592.99	CP	QPSK	Edge_1RB_Left	22.06	18.86
B66-n41	80	30	2592.99	CP	QPSK	Edge_1RB_Right	21.74	18.54
B66-n41	80	30	2592.99	CP	QPSK	Outer_Full	22.81	19.61
B66-n41	80	30	2592.99	CP	16QAM	Inner_Full	23.98	20.78
B66-n41	80	30	2592.99	CP	16QAM	Edge_1RB_Left	22.19	18.99
B66-n41	80	30	2592.99	CP	16QAM	Edge_1RB_Right	22.21	19.01
B66-n41	80	30	2592.99	CP	16QAM	Outer_Full	22.78	19.58
B66-n41	80	30	2592.99	CP	64QAM	Inner_Full	22.47	19.27
B66-n41	80	30	2592.99	CP	64QAM	Edge_1RB_Left	22.15	18.95
B66-n41	80	30	2592.99	CP	64QAM	Edge_1RB_Right	22.10	18.90
B66-n41	80	30	2592.99	CP	64QAM	Outer_Full	22.51	19.31
B66-n41	80	30	2592.99	CP	256QAM	Inner_Full	19.65	16.45
B66-n41	80	30	2592.99	CP	256QAM	Edge_1RB_Left	19.24	16.04
B66-n41	80	30	2592.99	CP	256QAM	Edge_1RB_Right	19.35	16.15
B66-n41	80	30	2592.99	CP	256QAM	Outer_Full	19.47	16.27
B66-n41	80	30	2649.99	DFT	$\pi/2$ BPSK	Inner_Full	26.00	22.80
B66-n41	80	30	2649.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.11	18.91
B66-n41	80	30	2649.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.08	18.88
B66-n41	80	30	2649.99	DFT	$\pi/2$ BPSK	Outer_Full	25.46	22.26
B66-n41	80	30	2649.99	DFT	QPSK	Inner_Full	26.02	22.82
B66-n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	22.09	18.89
B66-n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	22.00	18.80
B66-n41	80	30	2649.99	DFT	QPSK	Outer_Full	24.96	21.76
B66-n41	80	30	2649.99	DFT	16QAM	Inner_Full	25.05	21.85
B66-n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	21.84	18.64
B66-n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	21.80	18.60
B66-n41	80	30	2649.99	DFT	16QAM	Outer_Full	23.99	20.79
B66-n41	80	30	2649.99	DFT	64QAM	Inner_Full	23.61	20.41
B66-n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	22.23	19.03
B66-n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	22.04	18.84
B66-n41	80	30	2649.99	DFT	64QAM	Outer_Full	23.51	20.31
B66-n41	80	30	2649.99	DFT	256QAM	Inner_Full	21.66	18.46
B66-n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Left	21.01	17.81
B66-n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Right	21.40	18.20
B66-n41	80	30	2649.99	DFT	256QAM	Outer_Full	21.64	18.44
B66-n41	80	30	2649.99	CP	QPSK	Inner_Full	24.54	21.34
B66-n41	80	30	2649.99	CP	QPSK	Edge_1RB_Left	21.94	18.74

B66-n41	80	30	2649.99	CP	QPSK	Edge_1RB_Right	22.05	18.85
B66-n41	80	30	2649.99	CP	QPSK	Outer_Full	22.96	19.76
B66-n41	80	30	2649.99	CP	16QAM	Inner_Full	24.08	20.88
B66-n41	80	30	2649.99	CP	16QAM	Edge_1RB_Left	22.47	19.27
B66-n41	80	30	2649.99	CP	16QAM	Edge_1RB_Right	22.39	19.19
B66-n41	80	30	2649.99	CP	16QAM	Outer_Full	22.93	19.73
B66-n41	80	30	2649.99	CP	64QAM	Inner_Full	22.51	19.31
B66-n41	80	30	2649.99	CP	64QAM	Edge_1RB_Left	21.81	18.61
B66-n41	80	30	2649.99	CP	64QAM	Edge_1RB_Right	21.89	18.69
B66-n41	80	30	2649.99	CP	64QAM	Outer_Full	22.45	19.25
B66-n41	80	30	2649.99	CP	256QAM	Inner_Full	19.69	16.49
B66-n41	80	30	2649.99	CP	256QAM	Edge_1RB_Left	18.97	15.77
B66-n41	80	30	2649.99	CP	256QAM	Edge_1RB_Right	19.25	16.05
B66-n41	80	30	2649.99	CP	256QAM	Outer_Full	19.68	16.48
B66-n41	90	30	2541	DFT	pi/2 BPSK	Inner_Full	25.90	22.70
B66-n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	22.02	18.82
B66-n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	21.93	18.73
B66-n41	90	30	2541	DFT	pi/2 BPSK	Outer_Full	25.29	22.09
B66-n41	90	30	2541	DFT	QPSK	Inner_Full	25.99	22.79
B66-n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	21.95	18.75
B66-n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	21.87	18.67
B66-n41	90	30	2541	DFT	QPSK	Outer_Full	24.84	21.64
B66-n41	90	30	2541	DFT	16QAM	Inner_Full	25.06	21.86
B66-n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	22.27	19.07
B66-n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	21.44	18.24
B66-n41	90	30	2541	DFT	16QAM	Outer_Full	23.85	20.65
B66-n41	90	30	2541	DFT	64QAM	Inner_Full	23.50	20.30
B66-n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	21.96	18.76
B66-n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	21.97	18.77
B66-n41	90	30	2541	DFT	64QAM	Outer_Full	23.35	20.15
B66-n41	90	30	2541	DFT	256QAM	Inner_Full	21.62	18.42
B66-n41	90	30	2541	DFT	256QAM	Edge_1RB_Left	20.90	17.70
B66-n41	90	30	2541	DFT	256QAM	Edge_1RB_Right	21.12	17.92
B66-n41	90	30	2541	DFT	256QAM	Outer_Full	21.54	18.34
B66-n41	90	30	2541	CP	QPSK	Inner_Full	24.39	21.19
B66-n41	90	30	2541	CP	QPSK	Edge_1RB_Left	21.82	18.62
B66-n41	90	30	2541	CP	QPSK	Edge_1RB_Right	21.84	18.64

B66-n41	90	30	2541	CP	QPSK	Outer_Full	22.77	19.57
B66-n41	90	30	2541	CP	16QAM	Inner_Full	24.02	20.82
B66-n41	90	30	2541	CP	16QAM	Edge_1RB_Left	22.09	18.89
B66-n41	90	30	2541	CP	16QAM	Edge_1RB_Right	22.30	19.10
B66-n41	90	30	2541	CP	16QAM	Outer_Full	22.85	19.65
B66-n41	90	30	2541	CP	64QAM	Inner_Full	22.67	19.47
B66-n41	90	30	2541	CP	64QAM	Edge_1RB_Left	21.72	18.52
B66-n41	90	30	2541	CP	64QAM	Edge_1RB_Right	21.90	18.70
B66-n41	90	30	2541	CP	64QAM	Outer_Full	22.40	19.20
B66-n41	90	30	2541	CP	256QAM	Inner_Full	19.57	16.37
B66-n41	90	30	2541	CP	256QAM	Edge_1RB_Left	18.97	15.77
B66-n41	90	30	2541	CP	256QAM	Edge_1RB_Right	19.21	16.01
B66-n41	90	30	2541	CP	256QAM	Outer_Full	19.49	16.29
B66-n41	90	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.96	22.76
B66-n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.12	18.92
B66-n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.93	18.73
B66-n41	90	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.31	22.11
B66-n41	90	30	2592.99	DFT	QPSK	Inner_Full	26.01	22.81
B66-n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.05	18.85
B66-n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.90	18.70
B66-n41	90	30	2592.99	DFT	QPSK	Outer_Full	24.84	21.64
B66-n41	90	30	2592.99	DFT	16QAM	Inner_Full	25.02	21.82
B66-n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.33	19.13
B66-n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.16	18.96
B66-n41	90	30	2592.99	DFT	16QAM	Outer_Full	23.86	20.66
B66-n41	90	30	2592.99	DFT	64QAM	Inner_Full	23.50	20.30
B66-n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.09	18.89
B66-n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.87	18.67
B66-n41	90	30	2592.99	DFT	64QAM	Outer_Full	23.31	20.11
B66-n41	90	30	2592.99	DFT	256QAM	Inner_Full	21.67	18.47
B66-n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.88	17.68
B66-n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.07	17.87
B66-n41	90	30	2592.99	DFT	256QAM	Outer_Full	21.49	18.29
B66-n41	90	30	2592.99	CP	QPSK	Inner_Full	24.44	21.24
B66-n41	90	30	2592.99	CP	QPSK	Edge_1RB_Left	21.92	18.72
B66-n41	90	30	2592.99	CP	QPSK	Edge_1RB_Right	21.78	18.58
B66-n41	90	30	2592.99	CP	QPSK	Outer_Full	22.74	19.54





B66-n41	90	30	2592.99	CP	16QAM	Inner_Full	24.00	20.80
B66-n41	90	30	2592.99	CP	16QAM	Edge_1RB_Left	22.32	19.12
B66-n41	90	30	2592.99	CP	16QAM	Edge_1RB_Right	21.95	18.75
B66-n41	90	30	2592.99	CP	16QAM	Outer_Full	22.75	19.55
B66-n41	90	30	2592.99	CP	64QAM	Inner_Full	22.43	19.23
B66-n41	90	30	2592.99	CP	64QAM	Edge_1RB_Left	21.81	18.61
B66-n41	90	30	2592.99	CP	64QAM	Edge_1RB_Right	22.00	18.80
B66-n41	90	30	2592.99	CP	64QAM	Outer_Full	22.46	19.26
B66-n41	90	30	2592.99	CP	256QAM	Inner_Full	19.58	16.38
B66-n41	90	30	2592.99	CP	256QAM	Edge_1RB_Left	19.11	15.91
B66-n41	90	30	2592.99	CP	256QAM	Edge_1RB_Right	19.15	15.95
B66-n41	90	30	2592.99	CP	256QAM	Outer_Full	19.52	16.32
B66-n41	90	30	2644.98	DFT	pi/2 BPSK	Inner_Full	26.03	22.83
B66-n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.77	18.57
B66-n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.93	18.73
B66-n41	90	30	2644.98	DFT	pi/2 BPSK	Outer_Full	25.49	22.29
B66-n41	90	30	2644.98	DFT	QPSK	Inner_Full	26.08	22.88
B66-n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	21.68	18.48
B66-n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	21.87	18.67
B66-n41	90	30	2644.98	DFT	QPSK	Outer_Full	24.98	21.78
B66-n41	90	30	2644.98	DFT	16QAM	Inner_Full	25.10	21.90
B66-n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	22.04	18.84
B66-n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	22.25	19.05
B66-n41	90	30	2644.98	DFT	16QAM	Outer_Full	24.00	20.80
B66-n41	90	30	2644.98	DFT	64QAM	Inner_Full	23.62	20.42
B66-n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	21.80	18.60
B66-n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	21.87	18.67
B66-n41	90	30	2644.98	DFT	64QAM	Outer_Full	23.51	20.31
B66-n41	90	30	2644.98	DFT	256QAM	Inner_Full	21.75	18.55
B66-n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Left	20.96	17.76
B66-n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Right	21.07	17.87
B66-n41	90	30	2644.98	DFT	256QAM	Outer_Full	21.65	18.45
B66-n41	90	30	2644.98	CP	QPSK	Inner_Full	24.56	21.36
B66-n41	90	30	2644.98	CP	QPSK	Edge_1RB_Left	21.79	18.59
B66-n41	90	30	2644.98	CP	QPSK	Edge_1RB_Right	22.09	18.89
B66-n41	90	30	2644.98	CP	QPSK	Outer_Full	22.93	19.73
B66-n41	90	30	2644.98	CP	16QAM	Inner_Full	24.11	20.91

B66-n41	90	30	2644.98	CP	16QAM	Edge_1RB_Left	21.94	18.74
B66-n41	90	30	2644.98	CP	16QAM	Edge_1RB_Right	22.33	19.13
B66-n41	90	30	2644.98	CP	16QAM	Outer_Full	22.91	19.71
B66-n41	90	30	2644.98	CP	64QAM	Inner_Full	22.53	19.33
B66-n41	90	30	2644.98	CP	64QAM	Edge_1RB_Left	21.72	18.52
B66-n41	90	30	2644.98	CP	64QAM	Edge_1RB_Right	22.01	18.81
B66-n41	90	30	2644.98	CP	64QAM	Outer_Full	22.45	19.25
B66-n41	90	30	2644.98	CP	256QAM	Inner_Full	19.67	16.47
B66-n41	90	30	2644.98	CP	256QAM	Edge_1RB_Left	19.14	15.94
B66-n41	90	30	2644.98	CP	256QAM	Edge_1RB_Right	19.28	16.08
B66-n41	90	30	2644.98	CP	256QAM	Outer_Full	19.62	16.42
B66-n41	100	30	2546.01	DFT	pi/2 BPSK	Inner_Full	25.80	22.60
B66-n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.88	18.68
B66-n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.72	18.52
B66-n41	100	30	2546.01	DFT	pi/2 BPSK	Outer_Full	25.19	21.99
B66-n41	100	30	2546.01	DFT	QPSK	Inner_Full	25.88	22.68
B66-n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	21.79	18.59
B66-n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	21.62	18.42
B66-n41	100	30	2546.01	DFT	QPSK	Outer_Full	24.68	21.48
B66-n41	100	30	2546.01	DFT	16QAM	Inner_Full	24.94	21.74
B66-n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	21.39	18.19
B66-n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	21.27	18.07
B66-n41	100	30	2546.01	DFT	16QAM	Outer_Full	23.67	20.47
B66-n41	100	30	2546.01	DFT	64QAM	Inner_Full	23.44	20.24
B66-n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	21.99	18.79
B66-n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	21.69	18.49
B66-n41	100	30	2546.01	DFT	64QAM	Outer_Full	23.19	19.99
B66-n41	100	30	2546.01	DFT	256QAM	Inner_Full	21.54	18.34
B66-n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Left	20.77	17.57
B66-n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Right	21.02	17.82
B66-n41	100	30	2546.01	DFT	256QAM	Outer_Full	21.44	18.24
B66-n41	100	30	2546.01	CP	QPSK	Inner_Full	24.42	21.22
B66-n41	100	30	2546.01	CP	QPSK	Edge_1RB_Left	21.66	18.46
B66-n41	100	30	2546.01	CP	QPSK	Edge_1RB_Right	21.47	18.27
B66-n41	100	30	2546.01	CP	QPSK	Outer_Full	22.68	19.48
B66-n41	100	30	2546.01	CP	16QAM	Inner_Full	23.95	20.75
B66-n41	100	30	2546.01	CP	16QAM	Edge_1RB_Left	21.84	18.64

B66-n41	100	30	2546.01	CP	16QAM	Edge_1RB_Right	21.92	18.72
B66-n41	100	30	2546.01	CP	16QAM	Outer_Full	22.68	19.48
B66-n41	100	30	2546.01	CP	64QAM	Inner_Full	22.60	19.40
B66-n41	100	30	2546.01	CP	64QAM	Edge_1RB_Left	21.83	18.63
B66-n41	100	30	2546.01	CP	64QAM	Edge_1RB_Right	21.69	18.49
B66-n41	100	30	2546.01	CP	64QAM	Outer_Full	22.45	19.25
B66-n41	100	30	2546.01	CP	256QAM	Inner_Full	19.44	16.24
B66-n41	100	30	2546.01	CP	256QAM	Edge_1RB_Left	18.74	15.54
B66-n41	100	30	2546.01	CP	256QAM	Edge_1RB_Right	19.03	15.83
B66-n41	100	30	2546.01	CP	256QAM	Outer_Full	19.43	16.23
B66-n41	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.90	22.70
B66-n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.83	18.63
B66-n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.46	18.26
B66-n41	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.06	21.86
B66-n41	100	30	2592.99	DFT	QPSK	Inner_Full	25.88	22.68
B66-n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.71	18.51
B66-n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.42	18.22
B66-n41	100	30	2592.99	DFT	QPSK	Outer_Full	24.60	21.40
B66-n41	100	30	2592.99	DFT	16QAM	Inner_Full	25.01	21.81
B66-n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.61	18.41
B66-n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.30	18.10
B66-n41	100	30	2592.99	DFT	16QAM	Outer_Full	23.62	20.42
B66-n41	100	30	2592.99	DFT	64QAM	Inner_Full	23.52	20.32
B66-n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.03	18.83
B66-n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.64	18.44
B66-n41	100	30	2592.99	DFT	64QAM	Outer_Full	23.07	19.87
B66-n41	100	30	2592.99	DFT	256QAM	Inner_Full	21.62	18.42
B66-n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.44	17.24
B66-n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Right	20.57	17.37
B66-n41	100	30	2592.99	DFT	256QAM	Outer_Full	21.29	18.09
B66-n41	100	30	2592.99	CP	QPSK	Inner_Full	24.41	21.21
B66-n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	21.49	18.29
B66-n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	21.14	17.94
B66-n41	100	30	2592.99	CP	QPSK	Outer_Full	22.51	19.31
B66-n41	100	30	2592.99	CP	16QAM	Inner_Full	23.96	20.76
B66-n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	21.57	18.37
B66-n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	20.98	17.78

B66-n41	100	30	2592.99	CP	16QAM	Outer_Full	22.59	19.39
B66-n41	100	30	2592.99	CP	64QAM	Inner_Full	22.64	19.44
B66-n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	21.84	18.64
B66-n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	21.52	18.32
B66-n41	100	30	2592.99	CP	64QAM	Outer_Full	22.28	19.08
B66-n41	100	30	2592.99	CP	256QAM	Inner_Full	19.54	16.34
B66-n41	100	30	2592.99	CP	256QAM	Edge_1RB_Left	18.43	15.23
B66-n41	100	30	2592.99	CP	256QAM	Edge_1RB_Right	19.07	15.87
B66-n41	100	30	2592.99	CP	256QAM	Outer_Full	19.24	16.04
B66-n41	100	30	2640	DFT	pi/2 BPSK	Inner_Full	25.96	22.76
B66-n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	21.79	18.59
B66-n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	21.74	18.54
B66-n41	100	30	2640	DFT	pi/2 BPSK	Outer_Full	25.38	22.18
B66-n41	100	30	2640	DFT	QPSK	Inner_Full	25.98	22.78
B66-n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	21.68	18.48
B66-n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	21.67	18.47
B66-n41	100	30	2640	DFT	QPSK	Outer_Full	24.88	21.68
B66-n41	100	30	2640	DFT	16QAM	Inner_Full	25.05	21.85
B66-n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	21.49	18.29
B66-n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	22.04	18.84
B66-n41	100	30	2640	DFT	16QAM	Outer_Full	23.87	20.67
B66-n41	100	30	2640	DFT	64QAM	Inner_Full	23.57	20.37
B66-n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	21.68	18.48
B66-n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	21.80	18.60
B66-n41	100	30	2640	DFT	64QAM	Outer_Full	23.36	20.16
B66-n41	100	30	2640	DFT	256QAM	Inner_Full	21.73	18.53
B66-n41	100	30	2640	DFT	256QAM	Edge_1RB_Left	20.94	17.74
B66-n41	100	30	2640	DFT	256QAM	Edge_1RB_Right	20.99	17.79
B66-n41	100	30	2640	DFT	256QAM	Outer_Full	21.59	18.39
B66-n41	100	30	2640	CP	QPSK	Inner_Full	24.55	21.35
B66-n41	100	30	2640	CP	QPSK	Edge_1RB_Left	21.60	18.40
B66-n41	100	30	2640	CP	QPSK	Edge_1RB_Right	21.58	18.38
B66-n41	100	30	2640	CP	QPSK	Outer_Full	22.87	19.67
B66-n41	100	30	2640	CP	16QAM	Inner_Full	24.08	20.88
B66-n41	100	30	2640	CP	16QAM	Edge_1RB_Left	22.06	18.86
B66-n41	100	30	2640	CP	16QAM	Edge_1RB_Right	22.01	18.81
B66-n41	100	30	2640	CP	16QAM	Outer_Full	22.87	19.67



B66-n41	100	30	2640	CP	64QAM	Inner_Full	22.44	19.24
B66-n41	100	30	2640	CP	64QAM	Edge_1RB_Left	21.57	18.37
B66-n41	100	30	2640	CP	64QAM	Edge_1RB_Right	21.64	18.44
B66-n41	100	30	2640	CP	64QAM	Outer_Full	22.36	19.16
B66-n41	100	30	2640	CP	256QAM	Inner_Full	19.74	16.54
B66-n41	100	30	2640	CP	256QAM	Edge_1RB_Left	19.03	15.83
B66-n41	100	30	2640	CP	256QAM	Edge_1RB_Right	18.90	15.70
B66-n41	100	30	2640	CP	256QAM	Outer_Full	19.49	16.29

**LTE B12+NR n66**
**Limit ≤ 30dBm(1W)**

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted Power(dBm)	EIRP(dBm) (Gt - Lc = -2.1)
B12-n66	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	23.30	21.20
B12-n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.98	20.88
B12-n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.97	20.87
B12-n66	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	23.01	20.91
B12-n66	5	15	1712.5	DFT	QPSK	Inner_Full	23.34	21.24
B12-n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	22.40	20.30
B12-n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	22.31	20.21
B12-n66	5	15	1712.5	DFT	QPSK	Outer_Full	22.53	20.43
B12-n66	5	15	1712.5	DFT	16QAM	Inner_Full	22.53	20.43
B12-n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	21.67	19.57
B12-n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	21.68	19.58
B12-n66	5	15	1712.5	DFT	16QAM	Outer_Full	21.44	19.34
B12-n66	5	15	1712.5	DFT	64QAM	Inner_Full	21.04	18.94
B12-n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	20.82	18.72
B12-n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	20.71	18.61
B12-n66	5	15	1712.5	DFT	64QAM	Outer_Full	21.11	19.01
B12-n66	5	15	1712.5	DFT	256QAM	Inner_Full	18.96	16.86
B12-n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Left	18.92	16.82
B12-n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Right	18.82	16.72
B12-n66	5	15	1712.5	DFT	256QAM	Outer_Full	19.04	16.94
B12-n66	5	15	1712.5	CP	QPSK	Inner_Full	21.91	19.81
B12-n66	5	15	1712.5	CP	QPSK	Edge_1RB_Left	20.44	18.34
B12-n66	5	15	1712.5	CP	QPSK	Edge_1RB_Right	20.32	18.22
B12-n66	5	15	1712.5	CP	QPSK	Outer_Full	20.41	18.31
B12-n66	5	15	1712.5	CP	16QAM	Inner_Full	21.36	19.26
B12-n66	5	15	1712.5	CP	16QAM	Edge_1RB_Left	20.77	18.67
B12-n66	5	15	1712.5	CP	16QAM	Edge_1RB_Right	20.64	18.54
B12-n66	5	15	1712.5	CP	16QAM	Outer_Full	20.39	18.29
B12-n66	5	15	1712.5	CP	64QAM	Inner_Full	19.97	17.87
B12-n66	5	15	1712.5	CP	64QAM	Edge_1RB_Left	19.85	17.75
B12-n66	5	15	1712.5	CP	64QAM	Edge_1RB_Right	19.73	17.63
B12-n66	5	15	1712.5	CP	64QAM	Outer_Full	19.93	17.83
B12-n66	5	15	1712.5	CP	256QAM	Inner_Full	16.97	14.87



B12-n66	5	15	1712.5	CP	256QAM	Edge_1RB_Left	16.95	14.85
B12-n66	5	15	1712.5	CP	256QAM	Edge_1RB_Right	16.85	14.75
B12-n66	5	15	1712.5	CP	256QAM	Outer_Full	17.03	14.93
B12-n66	5	15	1745	DFT	pi/2 BPSK	Inner_Full	23.08	20.98
B12-n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.83	20.73
B12-n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.22	21.12
B12-n66	5	15	1745	DFT	pi/2 BPSK	Outer_Full	22.90	20.80
B12-n66	5	15	1745	DFT	QPSK	Inner_Full	23.13	21.03
B12-n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	22.13	20.03
B12-n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	22.66	20.56
B12-n66	5	15	1745	DFT	QPSK	Outer_Full	22.44	20.34
B12-n66	5	15	1745	DFT	16QAM	Inner_Full	22.34	20.24
B12-n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	21.14	19.04
B12-n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	21.43	19.33
B12-n66	5	15	1745	DFT	16QAM	Outer_Full	21.42	19.32
B12-n66	5	15	1745	DFT	64QAM	Inner_Full	20.87	18.77
B12-n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	20.54	18.44
B12-n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	21.09	18.99
B12-n66	5	15	1745	DFT	64QAM	Outer_Full	21.02	18.92
B12-n66	5	15	1745	DFT	256QAM	Inner_Full	18.72	16.62
B12-n66	5	15	1745	DFT	256QAM	Edge_1RB_Left	18.62	16.52
B12-n66	5	15	1745	DFT	256QAM	Edge_1RB_Right	19.24	17.14
B12-n66	5	15	1745	DFT	256QAM	Outer_Full	18.98	16.88
B12-n66	5	15	1745	CP	QPSK	Inner_Full	21.79	19.69
B12-n66	5	15	1745	CP	QPSK	Edge_1RB_Left	20.24	18.14
B12-n66	5	15	1745	CP	QPSK	Edge_1RB_Right	20.75	18.65
B12-n66	5	15	1745	CP	QPSK	Outer_Full	20.33	18.23
B12-n66	5	15	1745	CP	16QAM	Inner_Full	21.17	19.07
B12-n66	5	15	1745	CP	16QAM	Edge_1RB_Left	20.31	18.21
B12-n66	5	15	1745	CP	16QAM	Edge_1RB_Right	21.00	18.90
B12-n66	5	15	1745	CP	16QAM	Outer_Full	20.33	18.23
B12-n66	5	15	1745	CP	64QAM	Inner_Full	19.67	17.57
B12-n66	5	15	1745	CP	64QAM	Edge_1RB_Left	19.65	17.55
B12-n66	5	15	1745	CP	64QAM	Edge_1RB_Right	20.04	17.94
B12-n66	5	15	1745	CP	64QAM	Outer_Full	19.88	17.78
B12-n66	5	15	1745	CP	256QAM	Inner_Full	16.84	14.74
B12-n66	5	15	1745	CP	256QAM	Edge_1RB_Left	16.81	14.71

B12-n66	5	15	1745	CP	256QAM	Edge_1RB_Right	17.21	15.11
B12-n66	5	15	1745	CP	256QAM	Outer_Full	16.88	14.78
B12-n66	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	23.06	20.96
B12-n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.72	20.62
B12-n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.74	20.64
B12-n66	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	22.82	20.72
B12-n66	5	15	1777.5	DFT	QPSK	Inner_Full	23.16	21.06
B12-n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	22.12	20.02
B12-n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	22.13	20.03
B12-n66	5	15	1777.5	DFT	QPSK	Outer_Full	22.31	20.21
B12-n66	5	15	1777.5	DFT	16QAM	Inner_Full	22.34	20.24
B12-n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	21.51	19.41
B12-n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	21.09	18.99
B12-n66	5	15	1777.5	DFT	16QAM	Outer_Full	21.25	19.15
B12-n66	5	15	1777.5	DFT	64QAM	Inner_Full	20.83	18.73
B12-n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	20.55	18.45
B12-n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	20.59	18.49
B12-n66	5	15	1777.5	DFT	64QAM	Outer_Full	20.75	18.65
B12-n66	5	15	1777.5	DFT	256QAM	Inner_Full	18.77	16.67
B12-n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Left	18.67	16.57
B12-n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Right	18.61	16.51
B12-n66	5	15	1777.5	DFT	256QAM	Outer_Full	18.86	16.76
B12-n66	5	15	1777.5	CP	QPSK	Inner_Full	21.75	19.65
B12-n66	5	15	1777.5	CP	QPSK	Edge_1RB_Left	20.19	18.09
B12-n66	5	15	1777.5	CP	QPSK	Edge_1RB_Right	20.16	18.06
B12-n66	5	15	1777.5	CP	QPSK	Outer_Full	20.23	18.13
B12-n66	5	15	1777.5	CP	16QAM	Inner_Full	21.18	19.08
B12-n66	5	15	1777.5	CP	16QAM	Edge_1RB_Left	20.50	18.40
B12-n66	5	15	1777.5	CP	16QAM	Edge_1RB_Right	20.46	18.36
B12-n66	5	15	1777.5	CP	16QAM	Outer_Full	20.25	18.15
B12-n66	5	15	1777.5	CP	64QAM	Inner_Full	19.83	17.73
B12-n66	5	15	1777.5	CP	64QAM	Edge_1RB_Left	19.60	17.50
B12-n66	5	15	1777.5	CP	64QAM	Edge_1RB_Right	19.62	17.52
B12-n66	5	15	1777.5	CP	64QAM	Outer_Full	19.75	17.65
B12-n66	5	15	1777.5	CP	256QAM	Inner_Full	16.79	14.69
B12-n66	5	15	1777.5	CP	256QAM	Edge_1RB_Left	16.71	14.61
B12-n66	5	15	1777.5	CP	256QAM	Edge_1RB_Right	16.72	14.62



B12-n66	5	15	1777.5	CP	256QAM	Outer_Full	16.80	14.70
B12-n66	10	15	1715	DFT	pi/2 BPSK	Inner_Full	23.21	21.11
B12-n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	22.94	20.84
B12-n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	22.90	20.80
B12-n66	10	15	1715	DFT	pi/2 BPSK	Outer_Full	22.93	20.83
B12-n66	10	15	1715	DFT	QPSK	Inner_Full	23.22	21.12
B12-n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	22.28	20.18
B12-n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	22.25	20.15
B12-n66	10	15	1715	DFT	QPSK	Outer_Full	22.42	20.32
B12-n66	10	15	1715	DFT	16QAM	Inner_Full	22.34	20.24
B12-n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	21.61	19.51
B12-n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	21.60	19.50
B12-n66	10	15	1715	DFT	16QAM	Outer_Full	21.44	19.34
B12-n66	10	15	1715	DFT	64QAM	Inner_Full	21.00	18.90
B12-n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	20.67	18.57
B12-n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	20.68	18.58
B12-n66	10	15	1715	DFT	64QAM	Outer_Full	20.94	18.84
B12-n66	10	15	1715	DFT	256QAM	Inner_Full	18.99	16.89
B12-n66	10	15	1715	DFT	256QAM	Edge_1RB_Left	18.84	16.74
B12-n66	10	15	1715	DFT	256QAM	Edge_1RB_Right	18.86	16.76
B12-n66	10	15	1715	DFT	256QAM	Outer_Full	18.88	16.78
B12-n66	10	15	1715	CP	QPSK	Inner_Full	21.87	19.77
B12-n66	10	15	1715	CP	QPSK	Edge_1RB_Left	20.22	18.12
B12-n66	10	15	1715	CP	QPSK	Edge_1RB_Right	20.24	18.14
B12-n66	10	15	1715	CP	QPSK	Outer_Full	20.43	18.33
B12-n66	10	15	1715	CP	16QAM	Inner_Full	21.41	19.31
B12-n66	10	15	1715	CP	16QAM	Edge_1RB_Left	20.53	18.43
B12-n66	10	15	1715	CP	16QAM	Edge_1RB_Right	20.49	18.39
B12-n66	10	15	1715	CP	16QAM	Outer_Full	20.41	18.31
B12-n66	10	15	1715	CP	64QAM	Inner_Full	19.83	17.73
B12-n66	10	15	1715	CP	64QAM	Edge_1RB_Left	19.72	17.62
B12-n66	10	15	1715	CP	64QAM	Edge_1RB_Right	19.70	17.60
B12-n66	10	15	1715	CP	64QAM	Outer_Full	19.91	17.81
B12-n66	10	15	1715	CP	256QAM	Inner_Full	16.85	14.75
B12-n66	10	15	1715	CP	256QAM	Edge_1RB_Left	16.79	14.69
B12-n66	10	15	1715	CP	256QAM	Edge_1RB_Right	16.75	14.65
B12-n66	10	15	1715	CP	256QAM	Outer_Full	16.93	14.83

B12-n66	10	15	1745	DFT	pi/2 BPSK	Inner_Full	23.07	20.97
B12-n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.68	20.58
B12-n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.01	20.91
B12-n66	10	15	1745	DFT	pi/2 BPSK	Outer_Full	22.96	20.86
B12-n66	10	15	1745	DFT	QPSK	Inner_Full	23.11	21.01
B12-n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	22.04	19.94
B12-n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	22.49	20.39
B12-n66	10	15	1745	DFT	QPSK	Outer_Full	22.42	20.32
B12-n66	10	15	1745	DFT	16QAM	Inner_Full	22.18	20.08
B12-n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	21.35	19.25
B12-n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	21.27	19.17
B12-n66	10	15	1745	DFT	16QAM	Outer_Full	21.47	19.37
B12-n66	10	15	1745	DFT	64QAM	Inner_Full	20.85	18.75
B12-n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	20.58	18.48
B12-n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	20.73	18.63
B12-n66	10	15	1745	DFT	64QAM	Outer_Full	20.94	18.84
B12-n66	10	15	1745	DFT	256QAM	Inner_Full	18.80	16.70
B12-n66	10	15	1745	DFT	256QAM	Edge_1RB_Left	18.60	16.50
B12-n66	10	15	1745	DFT	256QAM	Edge_1RB_Right	19.13	17.03
B12-n66	10	15	1745	DFT	256QAM	Outer_Full	18.94	16.84
B12-n66	10	15	1745	CP	QPSK	Inner_Full	21.68	19.58
B12-n66	10	15	1745	CP	QPSK	Edge_1RB_Left	20.00	17.90
B12-n66	10	15	1745	CP	QPSK	Edge_1RB_Right	20.46	18.36
B12-n66	10	15	1745	CP	QPSK	Outer_Full	20.36	18.26
B12-n66	10	15	1745	CP	16QAM	Inner_Full	21.24	19.14
B12-n66	10	15	1745	CP	16QAM	Edge_1RB_Left	20.30	18.20
B12-n66	10	15	1745	CP	16QAM	Edge_1RB_Right	20.01	17.91
B12-n66	10	15	1745	CP	16QAM	Outer_Full	20.45	18.35
B12-n66	10	15	1745	CP	64QAM	Inner_Full	19.64	17.54
B12-n66	10	15	1745	CP	64QAM	Edge_1RB_Left	19.51	17.41
B12-n66	10	15	1745	CP	64QAM	Edge_1RB_Right	19.80	17.70
B12-n66	10	15	1745	CP	64QAM	Outer_Full	19.93	17.83
B12-n66	10	15	1745	CP	256QAM	Inner_Full	16.66	14.56
B12-n66	10	15	1745	CP	256QAM	Edge_1RB_Left	16.68	14.58
B12-n66	10	15	1745	CP	256QAM	Edge_1RB_Right	16.91	14.81
B12-n66	10	15	1745	CP	256QAM	Outer_Full	16.97	14.87
B12-n66	10	15	1775	DFT	pi/2 BPSK	Inner_Full	23.04	20.94

B12-n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	22.61	20.51
B12-n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	22.65	20.55
B12-n66	10	15	1775	DFT	pi/2 BPSK	Outer_Full	22.63	20.53
B12-n66	10	15	1775	DFT	QPSK	Inner_Full	23.03	20.93
B12-n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	21.96	19.86
B12-n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	22.00	19.90
B12-n66	10	15	1775	DFT	QPSK	Outer_Full	22.15	20.05
B12-n66	10	15	1775	DFT	16QAM	Inner_Full	22.09	19.99
B12-n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	21.25	19.15
B12-n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	21.38	19.28
B12-n66	10	15	1775	DFT	16QAM	Outer_Full	21.20	19.10
B12-n66	10	15	1775	DFT	64QAM	Inner_Full	20.71	18.61
B12-n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	20.37	18.27
B12-n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	20.48	18.38
B12-n66	10	15	1775	DFT	64QAM	Outer_Full	20.64	18.54
B12-n66	10	15	1775	DFT	256QAM	Inner_Full	18.75	16.65
B12-n66	10	15	1775	DFT	256QAM	Edge_1RB_Left	18.40	16.30
B12-n66	10	15	1775	DFT	256QAM	Edge_1RB_Right	18.56	16.46
B12-n66	10	15	1775	DFT	256QAM	Outer_Full	18.67	16.57
B12-n66	10	15	1775	CP	QPSK	Inner_Full	21.55	19.45
B12-n66	10	15	1775	CP	QPSK	Edge_1RB_Left	19.90	17.80
B12-n66	10	15	1775	CP	QPSK	Edge_1RB_Right	19.92	17.82
B12-n66	10	15	1775	CP	QPSK	Outer_Full	20.13	18.03
B12-n66	10	15	1775	CP	16QAM	Inner_Full	21.15	19.05
B12-n66	10	15	1775	CP	16QAM	Edge_1RB_Left	20.27	18.17
B12-n66	10	15	1775	CP	16QAM	Edge_1RB_Right	20.32	18.22
B12-n66	10	15	1775	CP	16QAM	Outer_Full	20.23	18.13
B12-n66	10	15	1775	CP	64QAM	Inner_Full	19.53	17.43
B12-n66	10	15	1775	CP	64QAM	Edge_1RB_Left	19.41	17.31
B12-n66	10	15	1775	CP	64QAM	Edge_1RB_Right	19.47	17.37
B12-n66	10	15	1775	CP	64QAM	Outer_Full	19.61	17.51
B12-n66	10	15	1775	CP	256QAM	Inner_Full	16.55	14.45
B12-n66	10	15	1775	CP	256QAM	Edge_1RB_Left	16.59	14.49
B12-n66	10	15	1775	CP	256QAM	Edge_1RB_Right	16.49	14.39
B12-n66	10	15	1775	CP	256QAM	Outer_Full	16.72	14.62
B12-n66	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	23.35	21.25
B12-n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.03	20.93

B12-n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.93	20.83
B12-n66	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	23.04	20.94
B12-n66	15	15	1717.5	DFT	QPSK	Inner_Full	23.44	21.34
B12-n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	22.41	20.31
B12-n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	22.33	20.23
B12-n66	15	15	1717.5	DFT	QPSK	Outer_Full	22.57	20.47
B12-n66	15	15	1717.5	DFT	16QAM	Inner_Full	22.54	20.44
B12-n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	21.76	19.66
B12-n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	21.31	19.21
B12-n66	15	15	1717.5	DFT	16QAM	Outer_Full	21.66	19.56
B12-n66	15	15	1717.5	DFT	64QAM	Inner_Full	20.98	18.88
B12-n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	20.81	18.71
B12-n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	20.81	18.71
B12-n66	15	15	1717.5	DFT	64QAM	Outer_Full	21.07	18.97
B12-n66	15	15	1717.5	DFT	256QAM	Inner_Full	19.10	17.00
B12-n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Left	18.86	16.76
B12-n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Right	18.82	16.72
B12-n66	15	15	1717.5	DFT	256QAM	Outer_Full	19.03	16.93
B12-n66	15	15	1717.5	CP	QPSK	Inner_Full	22.04	19.94
B12-n66	15	15	1717.5	CP	QPSK	Edge_1RB_Left	20.46	18.36
B12-n66	15	15	1717.5	CP	QPSK	Edge_1RB_Right	20.30	18.20
B12-n66	15	15	1717.5	CP	QPSK	Outer_Full	20.54	18.44
B12-n66	15	15	1717.5	CP	16QAM	Inner_Full	21.51	19.41
B12-n66	15	15	1717.5	CP	16QAM	Edge_1RB_Left	20.73	18.63
B12-n66	15	15	1717.5	CP	16QAM	Edge_1RB_Right	20.63	18.53
B12-n66	15	15	1717.5	CP	16QAM	Outer_Full	20.54	18.44
B12-n66	15	15	1717.5	CP	64QAM	Inner_Full	19.98	17.88
B12-n66	15	15	1717.5	CP	64QAM	Edge_1RB_Left	20.09	17.99
B12-n66	15	15	1717.5	CP	64QAM	Edge_1RB_Right	19.75	17.65
B12-n66	15	15	1717.5	CP	64QAM	Outer_Full	20.00	17.90
B12-n66	15	15	1717.5	CP	256QAM	Inner_Full	17.05	14.95
B12-n66	15	15	1717.5	CP	256QAM	Edge_1RB_Left	16.92	14.82
B12-n66	15	15	1717.5	CP	256QAM	Edge_1RB_Right	16.85	14.75
B12-n66	15	15	1717.5	CP	256QAM	Outer_Full	17.03	14.93
B12-n66	15	15	1745	DFT	pi/2 BPSK	Inner_Full	23.26	21.16
B12-n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.89	20.79
B12-n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.62	20.52

B12-n66	15	15	1745	DFT	pi/2 BPSK	Outer_Full	23.21	21.11
B12-n66	15	15	1745	DFT	QPSK	Inner_Full	23.28	21.18
B12-n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	22.20	20.10
B12-n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	22.21	20.11
B12-n66	15	15	1745	DFT	QPSK	Outer_Full	22.70	20.60
B12-n66	15	15	1745	DFT	16QAM	Inner_Full	22.37	20.27
B12-n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	21.70	19.60
B12-n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	21.10	19.00
B12-n66	15	15	1745	DFT	16QAM	Outer_Full	21.79	19.69
B12-n66	15	15	1745	DFT	64QAM	Inner_Full	20.90	18.80
B12-n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	20.68	18.58
B12-n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	20.91	18.81
B12-n66	15	15	1745	DFT	64QAM	Outer_Full	21.22	19.12
B12-n66	15	15	1745	DFT	256QAM	Inner_Full	18.94	16.84
B12-n66	15	15	1745	DFT	256QAM	Edge_1RB_Left	18.75	16.65
B12-n66	15	15	1745	DFT	256QAM	Edge_1RB_Right	19.12	17.02
B12-n66	15	15	1745	DFT	256QAM	Outer_Full	19.20	17.10
B12-n66	15	15	1745	CP	QPSK	Inner_Full	21.91	19.81
B12-n66	15	15	1745	CP	QPSK	Edge_1RB_Left	20.29	18.19
B12-n66	15	15	1745	CP	QPSK	Edge_1RB_Right	20.09	17.99
B12-n66	15	15	1745	CP	QPSK	Outer_Full	20.66	18.56
B12-n66	15	15	1745	CP	16QAM	Inner_Full	21.45	19.35
B12-n66	15	15	1745	CP	16QAM	Edge_1RB_Left	20.33	18.23
B12-n66	15	15	1745	CP	16QAM	Edge_1RB_Right	20.02	17.92
B12-n66	15	15	1745	CP	16QAM	Outer_Full	20.73	18.63
B12-n66	15	15	1745	CP	64QAM	Inner_Full	19.94	17.84
B12-n66	15	15	1745	CP	64QAM	Edge_1RB_Left	19.75	17.65
B12-n66	15	15	1745	CP	64QAM	Edge_1RB_Right	19.43	17.33
B12-n66	15	15	1745	CP	64QAM	Outer_Full	20.21	18.11
B12-n66	15	15	1745	CP	256QAM	Inner_Full	17.00	14.90
B12-n66	15	15	1745	CP	256QAM	Edge_1RB_Left	16.89	14.79
B12-n66	15	15	1745	CP	256QAM	Edge_1RB_Right	16.65	14.55
B12-n66	15	15	1745	CP	256QAM	Outer_Full	17.24	15.14
B12-n66	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	23.04	20.94
B12-n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.59	20.49
B12-n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.62	20.52
B12-n66	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	22.72	20.62

B12-n66	15	15	1772.5	DFT	QPSK	Inner_Full	23.06	20.96
B12-n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	21.97	19.87
B12-n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	22.06	19.96
B12-n66	15	15	1772.5	DFT	QPSK	Outer_Full	22.25	20.15
B12-n66	15	15	1772.5	DFT	16QAM	Inner_Full	22.17	20.07
B12-n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	21.35	19.25
B12-n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	21.49	19.39
B12-n66	15	15	1772.5	DFT	16QAM	Outer_Full	21.31	19.21
B12-n66	15	15	1772.5	DFT	64QAM	Inner_Full	20.67	18.57
B12-n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	20.47	18.37
B12-n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	20.54	18.44
B12-n66	15	15	1772.5	DFT	64QAM	Outer_Full	20.72	18.62
B12-n66	15	15	1772.5	DFT	256QAM	Inner_Full	18.71	16.61
B12-n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	18.51	16.41
B12-n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	18.58	16.48
B12-n66	15	15	1772.5	DFT	256QAM	Outer_Full	18.76	16.66
B12-n66	15	15	1772.5	CP	QPSK	Inner_Full	21.62	19.52
B12-n66	15	15	1772.5	CP	QPSK	Edge_1RB_Left	20.00	17.90
B12-n66	15	15	1772.5	CP	QPSK	Edge_1RB_Right	19.97	17.87
B12-n66	15	15	1772.5	CP	QPSK	Outer_Full	20.19	18.09
B12-n66	15	15	1772.5	CP	16QAM	Inner_Full	21.11	19.01
B12-n66	15	15	1772.5	CP	16QAM	Edge_1RB_Left	20.35	18.25
B12-n66	15	15	1772.5	CP	16QAM	Edge_1RB_Right	20.34	18.24
B12-n66	15	15	1772.5	CP	16QAM	Outer_Full	20.23	18.13
B12-n66	15	15	1772.5	CP	64QAM	Inner_Full	19.66	17.56
B12-n66	15	15	1772.5	CP	64QAM	Edge_1RB_Left	19.48	17.38
B12-n66	15	15	1772.5	CP	64QAM	Edge_1RB_Right	19.47	17.37
B12-n66	15	15	1772.5	CP	64QAM	Outer_Full	19.67	17.57
B12-n66	15	15	1772.5	CP	256QAM	Inner_Full	16.66	14.56
B12-n66	15	15	1772.5	CP	256QAM	Edge_1RB_Left	16.53	14.43
B12-n66	15	15	1772.5	CP	256QAM	Edge_1RB_Right	16.49	14.39
B12-n66	15	15	1772.5	CP	256QAM	Outer_Full	16.71	14.61
B12-n66	20	15	1720	DFT	pi/2 BPSK	Inner_Full	23.33	21.23
B12-n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	22.91	20.81
B12-n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	22.85	20.75
B12-n66	20	15	1720	DFT	pi/2 BPSK	Outer_Full	23.04	20.94
B12-n66	20	15	1720	DFT	QPSK	Inner_Full	23.40	21.30

B12-n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	22.33	20.23
B12-n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	22.17	20.07
B12-n66	20	15	1720	DFT	QPSK	Outer_Full	22.54	20.44
B12-n66	20	15	1720	DFT	16QAM	Inner_Full	22.55	20.45
B12-n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	21.62	19.52
B12-n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	21.58	19.48
B12-n66	20	15	1720	DFT	16QAM	Outer_Full	21.51	19.41
B12-n66	20	15	1720	DFT	64QAM	Inner_Full	20.98	18.88
B12-n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	20.71	18.61
B12-n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	20.69	18.59
B12-n66	20	15	1720	DFT	64QAM	Outer_Full	21.01	18.91
B12-n66	20	15	1720	DFT	256QAM	Inner_Full	19.03	16.93
B12-n66	20	15	1720	DFT	256QAM	Edge_1RB_Left	18.79	16.69
B12-n66	20	15	1720	DFT	256QAM	Edge_1RB_Right	18.64	16.54
B12-n66	20	15	1720	DFT	256QAM	Outer_Full	19.06	16.96
B12-n66	20	15	1720	CP	QPSK	Inner_Full	21.98	19.88
B12-n66	20	15	1720	CP	QPSK	Edge_1RB_Left	20.32	18.22
B12-n66	20	15	1720	CP	QPSK	Edge_1RB_Right	20.23	18.13
B12-n66	20	15	1720	CP	QPSK	Outer_Full	20.53	18.43
B12-n66	20	15	1720	CP	16QAM	Inner_Full	21.53	19.43
B12-n66	20	15	1720	CP	16QAM	Edge_1RB_Left	20.66	18.56
B12-n66	20	15	1720	CP	16QAM	Edge_1RB_Right	20.50	18.40
B12-n66	20	15	1720	CP	16QAM	Outer_Full	20.51	18.41
B12-n66	20	15	1720	CP	64QAM	Inner_Full	20.08	17.98
B12-n66	20	15	1720	CP	64QAM	Edge_1RB_Left	19.74	17.64
B12-n66	20	15	1720	CP	64QAM	Edge_1RB_Right	19.84	17.74
B12-n66	20	15	1720	CP	64QAM	Outer_Full	20.00	17.90
B12-n66	20	15	1720	CP	256QAM	Inner_Full	17.03	14.93
B12-n66	20	15	1720	CP	256QAM	Edge_1RB_Left	16.84	14.74
B12-n66	20	15	1720	CP	256QAM	Edge_1RB_Right	16.65	14.55
B12-n66	20	15	1720	CP	256QAM	Outer_Full	17.01	14.91
B12-n66	20	15	1745	DFT	pi/2 BPSK	Inner_Full	23.38	21.28
B12-n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.82	20.72
B12-n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.79	20.69
B12-n66	20	15	1745	DFT	pi/2 BPSK	Outer_Full	23.23	21.13
B12-n66	20	15	1745	DFT	QPSK	Inner_Full	23.44	21.34
B12-n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	22.27	20.17

B12-n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	22.21	20.11
B12-n66	20	15	1745	DFT	QPSK	Outer_Full	22.77	20.67
B12-n66	20	15	1745	DFT	16QAM	Inner_Full	22.55	20.45
B12-n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	21.47	19.37
B12-n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	21.46	19.36
B12-n66	20	15	1745	DFT	16QAM	Outer_Full	21.76	19.66
B12-n66	20	15	1745	DFT	64QAM	Inner_Full	21.05	18.95
B12-n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	20.64	18.54
B12-n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	20.63	18.53
B12-n66	20	15	1745	DFT	64QAM	Outer_Full	21.24	19.14
B12-n66	20	15	1745	DFT	256QAM	Inner_Full	19.08	16.98
B12-n66	20	15	1745	DFT	256QAM	Edge_1RB_Left	18.70	16.60
B12-n66	20	15	1745	DFT	256QAM	Edge_1RB_Right	18.72	16.62
B12-n66	20	15	1745	DFT	256QAM	Outer_Full	19.27	17.17
B12-n66	20	15	1745	CP	QPSK	Inner_Full	22.04	19.94
B12-n66	20	15	1745	CP	QPSK	Edge_1RB_Left	20.24	18.14
B12-n66	20	15	1745	CP	QPSK	Edge_1RB_Right	20.20	18.10
B12-n66	20	15	1745	CP	QPSK	Outer_Full	20.73	18.63
B12-n66	20	15	1745	CP	16QAM	Inner_Full	21.60	19.50
B12-n66	20	15	1745	CP	16QAM	Edge_1RB_Left	20.55	18.45
B12-n66	20	15	1745	CP	16QAM	Edge_1RB_Right	20.24	18.14
B12-n66	20	15	1745	CP	16QAM	Outer_Full	20.64	18.54
B12-n66	20	15	1745	CP	64QAM	Inner_Full	20.12	18.02
B12-n66	20	15	1745	CP	64QAM	Edge_1RB_Left	19.66	17.56
B12-n66	20	15	1745	CP	64QAM	Edge_1RB_Right	19.62	17.52
B12-n66	20	15	1745	CP	64QAM	Outer_Full	20.21	18.11
B12-n66	20	15	1745	CP	256QAM	Inner_Full	17.05	14.95
B12-n66	20	15	1745	CP	256QAM	Edge_1RB_Left	16.71	14.61
B12-n66	20	15	1745	CP	256QAM	Edge_1RB_Right	16.66	14.56
B12-n66	20	15	1745	CP	256QAM	Outer_Full	17.20	15.10
B12-n66	20	15	1770	DFT	$\pi/2$ BPSK	Inner_Full	23.08	20.98
B12-n66	20	15	1770	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.66	20.56
B12-n66	20	15	1770	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.61	20.51
B12-n66	20	15	1770	DFT	$\pi/2$ BPSK	Outer_Full	22.73	20.63
B12-n66	20	15	1770	DFT	QPSK	Inner_Full	23.10	21.00
B12-n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	21.99	19.89
B12-n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	21.98	19.88



B12-n66	20	15	1770	DFT	QPSK	Outer_Full	22.29	20.19
B12-n66	20	15	1770	DFT	16QAM	Inner_Full	22.23	20.13
B12-n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	21.41	19.31
B12-n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	21.30	19.20
B12-n66	20	15	1770	DFT	16QAM	Outer_Full	21.21	19.11
B12-n66	20	15	1770	DFT	64QAM	Inner_Full	20.68	18.58
B12-n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	20.51	18.41
B12-n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	20.52	18.42
B12-n66	20	15	1770	DFT	64QAM	Outer_Full	20.79	18.69
B12-n66	20	15	1770	DFT	256QAM	Inner_Full	18.74	16.64
B12-n66	20	15	1770	DFT	256QAM	Edge_1RB_Left	18.55	16.45
B12-n66	20	15	1770	DFT	256QAM	Edge_1RB_Right	18.54	16.44
B12-n66	20	15	1770	DFT	256QAM	Outer_Full	18.77	16.67
B12-n66	20	15	1770	CP	QPSK	Inner_Full	21.67	19.57
B12-n66	20	15	1770	CP	QPSK	Edge_1RB_Left	20.10	18.00
B12-n66	20	15	1770	CP	QPSK	Edge_1RB_Right	19.96	17.86
B12-n66	20	15	1770	CP	QPSK	Outer_Full	20.19	18.09
B12-n66	20	15	1770	CP	16QAM	Inner_Full	21.24	19.14
B12-n66	20	15	1770	CP	16QAM	Edge_1RB_Left	20.35	18.25
B12-n66	20	15	1770	CP	16QAM	Edge_1RB_Right	20.31	18.21
B12-n66	20	15	1770	CP	16QAM	Outer_Full	20.18	18.08
B12-n66	20	15	1770	CP	64QAM	Inner_Full	19.72	17.62
B12-n66	20	15	1770	CP	64QAM	Edge_1RB_Left	19.68	17.58
B12-n66	20	15	1770	CP	64QAM	Edge_1RB_Right	19.50	17.40
B12-n66	20	15	1770	CP	64QAM	Outer_Full	19.70	17.60
B12-n66	20	15	1770	CP	256QAM	Inner_Full	16.74	14.64
B12-n66	20	15	1770	CP	256QAM	Edge_1RB_Left	16.54	14.44
B12-n66	20	15	1770	CP	256QAM	Edge_1RB_Right	16.51	14.41
B12-n66	20	15	1770	CP	256QAM	Outer_Full	16.66	14.56
B12-n66	25	15	1722.5	DFT	pi/2 BPSK	Inner_Full	23.38	21.28
B12-n66	25	15	1722.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.66	20.56
B12-n66	25	15	1722.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.58	20.48
B12-n66	25	15	1722.5	DFT	pi/2 BPSK	Outer_Full	22.82	20.72
B12-n66	25	15	1722.5	DFT	QPSK	Inner_Full	23.42	21.32
B12-n66	25	15	1722.5	DFT	QPSK	Edge_1RB_Left	22.07	19.97
B12-n66	25	15	1722.5	DFT	QPSK	Edge_1RB_Right	21.94	19.84
B12-n66	25	15	1722.5	DFT	QPSK	Outer_Full	22.33	20.23

B12-n66	25	15	1722.5	DFT	16QAM	Inner_Full	22.40	20.30
B12-n66	25	15	1722.5	DFT	16QAM	Edge_1RB_Left	21.33	19.23
B12-n66	25	15	1722.5	DFT	16QAM	Edge_1RB_Right	21.14	19.04
B12-n66	25	15	1722.5	DFT	16QAM	Outer_Full	21.37	19.27
B12-n66	25	15	1722.5	DFT	64QAM	Inner_Full	20.86	18.76
B12-n66	25	15	1722.5	DFT	64QAM	Edge_1RB_Left	20.45	18.35
B12-n66	25	15	1722.5	DFT	64QAM	Edge_1RB_Right	20.42	18.32
B12-n66	25	15	1722.5	DFT	64QAM	Outer_Full	20.77	18.67
B12-n66	25	15	1722.5	DFT	256QAM	Inner_Full	18.91	16.81
B12-n66	25	15	1722.5	DFT	256QAM	Edge_1RB_Left	18.64	16.54
B12-n66	25	15	1722.5	DFT	256QAM	Edge_1RB_Right	18.48	16.38
B12-n66	25	15	1722.5	DFT	256QAM	Outer_Full	18.81	16.71
B12-n66	25	15	1722.5	CP	QPSK	Inner_Full	21.86	19.76
B12-n66	25	15	1722.5	CP	QPSK	Edge_1RB_Left	20.00	17.90
B12-n66	25	15	1722.5	CP	QPSK	Edge_1RB_Right	19.96	17.86
B12-n66	25	15	1722.5	CP	QPSK	Outer_Full	20.31	18.21
B12-n66	25	15	1722.5	CP	16QAM	Inner_Full	21.37	19.27
B12-n66	25	15	1722.5	CP	16QAM	Edge_1RB_Left	20.37	18.27
B12-n66	25	15	1722.5	CP	16QAM	Edge_1RB_Right	20.30	18.20
B12-n66	25	15	1722.5	CP	16QAM	Outer_Full	20.29	18.19
B12-n66	25	15	1722.5	CP	64QAM	Inner_Full	19.90	17.80
B12-n66	25	15	1722.5	CP	64QAM	Edge_1RB_Left	19.47	17.37
B12-n66	25	15	1722.5	CP	64QAM	Edge_1RB_Right	19.41	17.31
B12-n66	25	15	1722.5	CP	64QAM	Outer_Full	19.76	17.66
B12-n66	25	15	1722.5	CP	256QAM	Inner_Full	16.94	14.84
B12-n66	25	15	1722.5	CP	256QAM	Edge_1RB_Left	16.57	14.47
B12-n66	25	15	1722.5	CP	256QAM	Edge_1RB_Right	16.50	14.40
B12-n66	25	15	1722.5	CP	256QAM	Outer_Full	16.78	14.68
B12-n66	25	15	1745	DFT	pi/2 BPSK	Inner_Full	23.17	21.07
B12-n66	25	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.61	20.51
B12-n66	25	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.56	20.46
B12-n66	25	15	1745	DFT	pi/2 BPSK	Outer_Full	22.73	20.63
B12-n66	25	15	1745	DFT	QPSK	Inner_Full	23.24	21.14
B12-n66	25	15	1745	DFT	QPSK	Edge_1RB_Left	22.08	19.98
B12-n66	25	15	1745	DFT	QPSK	Edge_1RB_Right	21.93	19.83
B12-n66	25	15	1745	DFT	QPSK	Outer_Full	22.24	20.14
B12-n66	25	15	1745	DFT	16QAM	Inner_Full	22.23	20.13

B12-n66	25	15	1745	DFT	16QAM	Edge_1RB_Left	21.39	19.29
B12-n66	25	15	1745	DFT	16QAM	Edge_1RB_Right	21.24	19.14
B12-n66	25	15	1745	DFT	16QAM	Outer_Full	21.27	19.17
B12-n66	25	15	1745	DFT	64QAM	Inner_Full	20.77	18.67
B12-n66	25	15	1745	DFT	64QAM	Edge_1RB_Left	20.54	18.44
B12-n66	25	15	1745	DFT	64QAM	Edge_1RB_Right	20.37	18.27
B12-n66	25	15	1745	DFT	64QAM	Outer_Full	20.77	18.67
B12-n66	25	15	1745	DFT	256QAM	Inner_Full	18.78	16.68
B12-n66	25	15	1745	DFT	256QAM	Edge_1RB_Left	18.63	16.53
B12-n66	25	15	1745	DFT	256QAM	Edge_1RB_Right	18.50	16.40
B12-n66	25	15	1745	DFT	256QAM	Outer_Full	18.74	16.64
B12-n66	25	15	1745	CP	QPSK	Inner_Full	21.75	19.65
B12-n66	25	15	1745	CP	QPSK	Edge_1RB_Left	20.08	17.98
B12-n66	25	15	1745	CP	QPSK	Edge_1RB_Right	19.99	17.89
B12-n66	25	15	1745	CP	QPSK	Outer_Full	20.22	18.12
B12-n66	25	15	1745	CP	16QAM	Inner_Full	21.26	19.16
B12-n66	25	15	1745	CP	16QAM	Edge_1RB_Left	20.41	18.31
B12-n66	25	15	1745	CP	16QAM	Edge_1RB_Right	20.34	18.24
B12-n66	25	15	1745	CP	16QAM	Outer_Full	20.25	18.15
B12-n66	25	15	1745	CP	64QAM	Inner_Full	19.73	17.63
B12-n66	25	15	1745	CP	64QAM	Edge_1RB_Left	19.54	17.44
B12-n66	25	15	1745	CP	64QAM	Edge_1RB_Right	19.44	17.34
B12-n66	25	15	1745	CP	64QAM	Outer_Full	19.73	17.63
B12-n66	25	15	1745	CP	256QAM	Inner_Full	16.78	14.68
B12-n66	25	15	1745	CP	256QAM	Edge_1RB_Left	16.59	14.49
B12-n66	25	15	1745	CP	256QAM	Edge_1RB_Right	16.48	14.38
B12-n66	25	15	1745	CP	256QAM	Outer_Full	16.71	14.61
B12-n66	25	15	1767.5	DFT	$\pi/2$ BPSK	Inner_Full	22.96	20.86
B12-n66	25	15	1767.5	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.53	20.43
B12-n66	25	15	1767.5	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.44	20.34
B12-n66	25	15	1767.5	DFT	$\pi/2$ BPSK	Outer_Full	22.58	20.48
B12-n66	25	15	1767.5	DFT	QPSK	Inner_Full	23.12	21.02
B12-n66	25	15	1767.5	DFT	QPSK	Edge_1RB_Left	21.91	19.81
B12-n66	25	15	1767.5	DFT	QPSK	Edge_1RB_Right	21.82	19.72
B12-n66	25	15	1767.5	DFT	QPSK	Outer_Full	22.13	20.03
B12-n66	25	15	1767.5	DFT	16QAM	Inner_Full	22.21	20.11
B12-n66	25	15	1767.5	DFT	16QAM	Edge_1RB_Left	21.26	19.16

B12-n66	25	15	1767.5	DFT	16QAM	Edge_1RB_Right	21.21	19.11
B12-n66	25	15	1767.5	DFT	16QAM	Outer_Full	21.16	19.06
B12-n66	25	15	1767.5	DFT	64QAM	Inner_Full	20.65	18.55
B12-n66	25	15	1767.5	DFT	64QAM	Edge_1RB_Left	20.36	18.26
B12-n66	25	15	1767.5	DFT	64QAM	Edge_1RB_Right	20.34	18.24
B12-n66	25	15	1767.5	DFT	64QAM	Outer_Full	20.63	18.53
B12-n66	25	15	1767.5	DFT	256QAM	Inner_Full	18.71	16.61
B12-n66	25	15	1767.5	DFT	256QAM	Edge_1RB_Left	18.47	16.37
B12-n66	25	15	1767.5	DFT	256QAM	Edge_1RB_Right	18.41	16.31
B12-n66	25	15	1767.5	DFT	256QAM	Outer_Full	18.56	16.46
B12-n66	25	15	1767.5	CP	QPSK	Inner_Full	21.66	19.56
B12-n66	25	15	1767.5	CP	QPSK	Edge_1RB_Left	19.98	17.88
B12-n66	25	15	1767.5	CP	QPSK	Edge_1RB_Right	19.87	17.77
B12-n66	25	15	1767.5	CP	QPSK	Outer_Full	20.10	18.00
B12-n66	25	15	1767.5	CP	16QAM	Inner_Full	21.20	19.10
B12-n66	25	15	1767.5	CP	16QAM	Edge_1RB_Left	20.28	18.18
B12-n66	25	15	1767.5	CP	16QAM	Edge_1RB_Right	20.15	18.05
B12-n66	25	15	1767.5	CP	16QAM	Outer_Full	20.09	17.99
B12-n66	25	15	1767.5	CP	64QAM	Inner_Full	19.62	17.52
B12-n66	25	15	1767.5	CP	64QAM	Edge_1RB_Left	19.44	17.34
B12-n66	25	15	1767.5	CP	64QAM	Edge_1RB_Right	19.36	17.26
B12-n66	25	15	1767.5	CP	64QAM	Outer_Full	19.56	17.46
B12-n66	25	15	1767.5	CP	256QAM	Inner_Full	16.72	14.62
B12-n66	25	15	1767.5	CP	256QAM	Edge_1RB_Left	16.46	14.36
B12-n66	25	15	1767.5	CP	256QAM	Edge_1RB_Right	16.41	14.31
B12-n66	25	15	1767.5	CP	256QAM	Outer_Full	16.54	14.44
B12-n66	30	15	1725	DFT	pi/2 BPSK	Inner_Full	23.31	21.21
B12-n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Left	22.65	20.55
B12-n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Right	22.51	20.41
B12-n66	30	15	1725	DFT	pi/2 BPSK	Outer_Full	22.76	20.66
B12-n66	30	15	1725	DFT	QPSK	Inner_Full	23.27	21.17
B12-n66	30	15	1725	DFT	QPSK	Edge_1RB_Left	22.03	19.93
B12-n66	30	15	1725	DFT	QPSK	Edge_1RB_Right	21.89	19.79
B12-n66	30	15	1725	DFT	QPSK	Outer_Full	22.27	20.17
B12-n66	30	15	1725	DFT	16QAM	Inner_Full	22.46	20.36
B12-n66	30	15	1725	DFT	16QAM	Edge_1RB_Left	21.30	19.20
B12-n66	30	15	1725	DFT	16QAM	Edge_1RB_Right	21.22	19.12

B12-n66	30	15	1725	DFT	16QAM	Outer_Full	21.30	19.20
B12-n66	30	15	1725	DFT	64QAM	Inner_Full	20.99	18.89
B12-n66	30	15	1725	DFT	64QAM	Edge_1RB_Left	20.48	18.38
B12-n66	30	15	1725	DFT	64QAM	Edge_1RB_Right	20.31	18.21
B12-n66	30	15	1725	DFT	64QAM	Outer_Full	20.84	18.74
B12-n66	30	15	1725	DFT	256QAM	Inner_Full	18.95	16.85
B12-n66	30	15	1725	DFT	256QAM	Edge_1RB_Left	18.62	16.52
B12-n66	30	15	1725	DFT	256QAM	Edge_1RB_Right	18.42	16.32
B12-n66	30	15	1725	DFT	256QAM	Outer_Full	18.76	16.66
B12-n66	30	15	1725	CP	QPSK	Inner_Full	21.91	19.81
B12-n66	30	15	1725	CP	QPSK	Edge_1RB_Left	19.97	17.87
B12-n66	30	15	1725	CP	QPSK	Edge_1RB_Right	20.00	17.90
B12-n66	30	15	1725	CP	QPSK	Outer_Full	20.25	18.15
B12-n66	30	15	1725	CP	16QAM	Inner_Full	21.40	19.30
B12-n66	30	15	1725	CP	16QAM	Edge_1RB_Left	20.29	18.19
B12-n66	30	15	1725	CP	16QAM	Edge_1RB_Right	20.26	18.16
B12-n66	30	15	1725	CP	16QAM	Outer_Full	20.23	18.13
B12-n66	30	15	1725	CP	64QAM	Inner_Full	19.94	17.84
B12-n66	30	15	1725	CP	64QAM	Edge_1RB_Left	19.36	17.26
B12-n66	30	15	1725	CP	64QAM	Edge_1RB_Right	19.41	17.31
B12-n66	30	15	1725	CP	64QAM	Outer_Full	19.79	17.69
B12-n66	30	15	1725	CP	256QAM	Inner_Full	16.87	14.77
B12-n66	30	15	1725	CP	256QAM	Edge_1RB_Left	16.53	14.43
B12-n66	30	15	1725	CP	256QAM	Edge_1RB_Right	16.49	14.39
B12-n66	30	15	1725	CP	256QAM	Outer_Full	16.67	14.57
B12-n66	30	15	1745	DFT	pi/2 BPSK	Inner_Full	23.26	21.16
B12-n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.54	20.44
B12-n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.47	20.37
B12-n66	30	15	1745	DFT	pi/2 BPSK	Outer_Full	22.80	20.70
B12-n66	30	15	1745	DFT	QPSK	Inner_Full	23.27	21.17
B12-n66	30	15	1745	DFT	QPSK	Edge_1RB_Left	21.95	19.85
B12-n66	30	15	1745	DFT	QPSK	Edge_1RB_Right	21.76	19.66
B12-n66	30	15	1745	DFT	QPSK	Outer_Full	22.32	20.22
B12-n66	30	15	1745	DFT	16QAM	Inner_Full	22.28	20.18
B12-n66	30	15	1745	DFT	16QAM	Edge_1RB_Left	21.34	19.24
B12-n66	30	15	1745	DFT	16QAM	Edge_1RB_Right	21.08	18.98
B12-n66	30	15	1745	DFT	16QAM	Outer_Full	21.29	19.19

B12-n66	30	15	1745	DFT	64QAM	Inner_Full	20.82	18.72
B12-n66	30	15	1745	DFT	64QAM	Edge_1RB_Left	20.48	18.38
B12-n66	30	15	1745	DFT	64QAM	Edge_1RB_Right	20.21	18.11
B12-n66	30	15	1745	DFT	64QAM	Outer_Full	20.81	18.71
B12-n66	30	15	1745	DFT	256QAM	Inner_Full	18.77	16.67
B12-n66	30	15	1745	DFT	256QAM	Edge_1RB_Left	18.51	16.41
B12-n66	30	15	1745	DFT	256QAM	Edge_1RB_Right	18.40	16.30
B12-n66	30	15	1745	DFT	256QAM	Outer_Full	18.81	16.71
B12-n66	30	15	1745	CP	QPSK	Inner_Full	21.66	19.56
B12-n66	30	15	1745	CP	QPSK	Edge_1RB_Left	20.01	17.91
B12-n66	30	15	1745	CP	QPSK	Edge_1RB_Right	19.90	17.80
B12-n66	30	15	1745	CP	QPSK	Outer_Full	20.35	18.25
B12-n66	30	15	1745	CP	16QAM	Inner_Full	21.29	19.19
B12-n66	30	15	1745	CP	16QAM	Edge_1RB_Left	20.31	18.21
B12-n66	30	15	1745	CP	16QAM	Edge_1RB_Right	20.25	18.15
B12-n66	30	15	1745	CP	16QAM	Outer_Full	20.24	18.14
B12-n66	30	15	1745	CP	64QAM	Inner_Full	19.83	17.73
B12-n66	30	15	1745	CP	64QAM	Edge_1RB_Left	19.45	17.35
B12-n66	30	15	1745	CP	64QAM	Edge_1RB_Right	19.38	17.28
B12-n66	30	15	1745	CP	64QAM	Outer_Full	19.78	17.68
B12-n66	30	15	1745	CP	256QAM	Inner_Full	16.76	14.66
B12-n66	30	15	1745	CP	256QAM	Edge_1RB_Left	16.49	14.39
B12-n66	30	15	1745	CP	256QAM	Edge_1RB_Right	16.44	14.34
B12-n66	30	15	1745	CP	256QAM	Outer_Full	16.77	14.67
B12-n66	30	15	1765	DFT	pi/2 BPSK	Inner_Full	23.04	20.94
B12-n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Left	22.52	20.42
B12-n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Right	22.41	20.31
B12-n66	30	15	1765	DFT	pi/2 BPSK	Outer_Full	22.49	20.39
B12-n66	30	15	1765	DFT	QPSK	Inner_Full	23.07	20.97
B12-n66	30	15	1765	DFT	QPSK	Edge_1RB_Left	21.87	19.77
B12-n66	30	15	1765	DFT	QPSK	Edge_1RB_Right	21.75	19.65
B12-n66	30	15	1765	DFT	QPSK	Outer_Full	22.01	19.91
B12-n66	30	15	1765	DFT	16QAM	Inner_Full	22.27	20.17
B12-n66	30	15	1765	DFT	16QAM	Edge_1RB_Left	21.16	19.06
B12-n66	30	15	1765	DFT	16QAM	Edge_1RB_Right	21.12	19.02
B12-n66	30	15	1765	DFT	16QAM	Outer_Full	21.03	18.93
B12-n66	30	15	1765	DFT	64QAM	Inner_Full	20.75	18.65

B12-n66	30	15	1765	DFT	64QAM	Edge_1RB_Left	20.37	18.27
B12-n66	30	15	1765	DFT	64QAM	Edge_1RB_Right	20.29	18.19
B12-n66	30	15	1765	DFT	64QAM	Outer_Full	20.60	18.50
B12-n66	30	15	1765	DFT	256QAM	Inner_Full	18.68	16.58
B12-n66	30	15	1765	DFT	256QAM	Edge_1RB_Left	18.32	16.22
B12-n66	30	15	1765	DFT	256QAM	Edge_1RB_Right	18.34	16.24
B12-n66	30	15	1765	DFT	256QAM	Outer_Full	18.53	16.43
B12-n66	30	15	1765	CP	QPSK	Inner_Full	21.67	19.57
B12-n66	30	15	1765	CP	QPSK	Edge_1RB_Left	19.84	17.74
B12-n66	30	15	1765	CP	QPSK	Edge_1RB_Right	19.84	17.74
B12-n66	30	15	1765	CP	QPSK	Outer_Full	19.99	17.89
B12-n66	30	15	1765	CP	16QAM	Inner_Full	21.21	19.11
B12-n66	30	15	1765	CP	16QAM	Edge_1RB_Left	20.11	18.01
B12-n66	30	15	1765	CP	16QAM	Edge_1RB_Right	20.19	18.09
B12-n66	30	15	1765	CP	16QAM	Outer_Full	20.06	17.96
B12-n66	30	15	1765	CP	64QAM	Inner_Full	19.74	17.64
B12-n66	30	15	1765	CP	64QAM	Edge_1RB_Left	19.30	17.20
B12-n66	30	15	1765	CP	64QAM	Edge_1RB_Right	19.34	17.24
B12-n66	30	15	1765	CP	64QAM	Outer_Full	19.54	17.44
B12-n66	30	15	1765	CP	256QAM	Inner_Full	16.70	14.60
B12-n66	30	15	1765	CP	256QAM	Edge_1RB_Left	16.40	14.30
B12-n66	30	15	1765	CP	256QAM	Edge_1RB_Right	16.42	14.32
B12-n66	30	15	1765	CP	256QAM	Outer_Full	16.52	14.42
B12-n66	40	15	1730	DFT	pi/2 BPSK	Inner_Full	23.13	21.03
B12-n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Left	22.36	20.26
B12-n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Right	22.25	20.15
B12-n66	40	15	1730	DFT	pi/2 BPSK	Outer_Full	22.40	20.30
B12-n66	40	15	1730	DFT	QPSK	Inner_Full	23.15	21.05
B12-n66	40	15	1730	DFT	QPSK	Edge_1RB_Left	21.65	19.55
B12-n66	40	15	1730	DFT	QPSK	Edge_1RB_Right	21.59	19.49
B12-n66	40	15	1730	DFT	QPSK	Outer_Full	21.91	19.81
B12-n66	40	15	1730	DFT	16QAM	Inner_Full	22.30	20.20
B12-n66	40	15	1730	DFT	16QAM	Edge_1RB_Left	21.05	18.95
B12-n66	40	15	1730	DFT	16QAM	Edge_1RB_Right	20.54	18.44
B12-n66	40	15	1730	DFT	16QAM	Outer_Full	20.92	18.82
B12-n66	40	15	1730	DFT	64QAM	Inner_Full	20.80	18.70
B12-n66	40	15	1730	DFT	64QAM	Edge_1RB_Left	20.19	18.09

B12-n66	40	15	1730	DFT	64QAM	Edge_1RB_Right	20.01	17.91
B12-n66	40	15	1730	DFT	64QAM	Outer_Full	20.46	18.36
B12-n66	40	15	1730	DFT	256QAM	Inner_Full	18.79	16.69
B12-n66	40	15	1730	DFT	256QAM	Edge_1RB_Left	18.23	16.13
B12-n66	40	15	1730	DFT	256QAM	Edge_1RB_Right	18.16	16.06
B12-n66	40	15	1730	DFT	256QAM	Outer_Full	18.45	16.35
B12-n66	40	15	1730	CP	QPSK	Inner_Full	21.79	19.69
B12-n66	40	15	1730	CP	QPSK	Edge_1RB_Left	19.80	17.70
B12-n66	40	15	1730	CP	QPSK	Edge_1RB_Right	19.56	17.46
B12-n66	40	15	1730	CP	QPSK	Outer_Full	19.93	17.83
B12-n66	40	15	1730	CP	16QAM	Inner_Full	21.25	19.15
B12-n66	40	15	1730	CP	16QAM	Edge_1RB_Left	20.11	18.01
B12-n66	40	15	1730	CP	16QAM	Edge_1RB_Right	19.91	17.81
B12-n66	40	15	1730	CP	16QAM	Outer_Full	19.93	17.83
B12-n66	40	15	1730	CP	64QAM	Inner_Full	19.75	17.65
B12-n66	40	15	1730	CP	64QAM	Edge_1RB_Left	19.12	17.02
B12-n66	40	15	1730	CP	64QAM	Edge_1RB_Right	18.87	16.77
B12-n66	40	15	1730	CP	64QAM	Outer_Full	19.38	17.28
B12-n66	40	15	1730	CP	256QAM	Inner_Full	16.75	14.65
B12-n66	40	15	1730	CP	256QAM	Edge_1RB_Left	16.24	14.14
B12-n66	40	15	1730	CP	256QAM	Edge_1RB_Right	16.06	13.96
B12-n66	40	15	1730	CP	256QAM	Outer_Full	16.38	14.28
B12-n66	40	15	1745	DFT	pi/2 BPSK	Inner_Full	23.15	21.05
B12-n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.28	20.18
B12-n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.96	19.86
B12-n66	40	15	1745	DFT	pi/2 BPSK	Outer_Full	22.78	20.68
B12-n66	40	15	1745	DFT	QPSK	Inner_Full	23.19	21.09
B12-n66	40	15	1745	DFT	QPSK	Edge_1RB_Left	21.75	19.65
B12-n66	40	15	1745	DFT	QPSK	Edge_1RB_Right	21.39	19.29
B12-n66	40	15	1745	DFT	QPSK	Outer_Full	22.22	20.12
B12-n66	40	15	1745	DFT	16QAM	Inner_Full	22.14	20.04
B12-n66	40	15	1745	DFT	16QAM	Edge_1RB_Left	21.02	18.92
B12-n66	40	15	1745	DFT	16QAM	Edge_1RB_Right	20.69	18.59
B12-n66	40	15	1745	DFT	16QAM	Outer_Full	21.25	19.15
B12-n66	40	15	1745	DFT	64QAM	Inner_Full	20.68	18.58
B12-n66	40	15	1745	DFT	64QAM	Edge_1RB_Left	20.40	18.30
B12-n66	40	15	1745	DFT	64QAM	Edge_1RB_Right	20.07	17.97



B12-n66	40	15	1745	DFT	64QAM	Outer_Full	20.78	18.68
B12-n66	40	15	1745	DFT	256QAM	Inner_Full	18.67	16.57
B12-n66	40	15	1745	DFT	256QAM	Edge_1RB_Left	18.10	16.00
B12-n66	40	15	1745	DFT	256QAM	Edge_1RB_Right	17.84	15.74
B12-n66	40	15	1745	DFT	256QAM	Outer_Full	18.76	16.66
B12-n66	40	15	1745	CP	QPSK	Inner_Full	21.63	19.53
B12-n66	40	15	1745	CP	QPSK	Edge_1RB_Left	19.84	17.74
B12-n66	40	15	1745	CP	QPSK	Edge_1RB_Right	19.42	17.32
B12-n66	40	15	1745	CP	QPSK	Outer_Full	20.26	18.16
B12-n66	40	15	1745	CP	16QAM	Inner_Full	21.15	19.05
B12-n66	40	15	1745	CP	16QAM	Edge_1RB_Left	20.08	17.98
B12-n66	40	15	1745	CP	16QAM	Edge_1RB_Right	19.64	17.54
B12-n66	40	15	1745	CP	16QAM	Outer_Full	20.22	18.12
B12-n66	40	15	1745	CP	64QAM	Inner_Full	19.63	17.53
B12-n66	40	15	1745	CP	64QAM	Edge_1RB_Left	19.44	17.34
B12-n66	40	15	1745	CP	64QAM	Edge_1RB_Right	18.99	16.89
B12-n66	40	15	1745	CP	64QAM	Outer_Full	19.75	17.65
B12-n66	40	15	1745	CP	256QAM	Inner_Full	16.62	14.52
B12-n66	40	15	1745	CP	256QAM	Edge_1RB_Left	16.16	14.06
B12-n66	40	15	1745	CP	256QAM	Edge_1RB_Right	15.78	13.68
B12-n66	40	15	1745	CP	256QAM	Outer_Full	16.76	14.66
B12-n66	40	15	1760	DFT	pi/2 BPSK	Inner_Full	23.01	20.91
B12-n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Left	22.17	20.07
B12-n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Right	22.16	20.06
B12-n66	40	15	1760	DFT	pi/2 BPSK	Outer_Full	22.45	20.35
B12-n66	40	15	1760	DFT	QPSK	Inner_Full	23.06	20.96
B12-n66	40	15	1760	DFT	QPSK	Edge_1RB_Left	21.58	19.48
B12-n66	40	15	1760	DFT	QPSK	Edge_1RB_Right	21.53	19.43
B12-n66	40	15	1760	DFT	QPSK	Outer_Full	21.96	19.86
B12-n66	40	15	1760	DFT	16QAM	Inner_Full	22.20	20.10
B12-n66	40	15	1760	DFT	16QAM	Edge_1RB_Left	20.93	18.83
B12-n66	40	15	1760	DFT	16QAM	Edge_1RB_Right	20.89	18.79
B12-n66	40	15	1760	DFT	16QAM	Outer_Full	21.02	18.92
B12-n66	40	15	1760	DFT	64QAM	Inner_Full	20.67	18.57
B12-n66	40	15	1760	DFT	64QAM	Edge_1RB_Left	19.97	17.87
B12-n66	40	15	1760	DFT	64QAM	Edge_1RB_Right	20.02	17.92
B12-n66	40	15	1760	DFT	64QAM	Outer_Full	20.48	18.38



B12-n66	40	15	1760	DFT	256QAM	Inner_Full	18.59	16.49
B12-n66	40	15	1760	DFT	256QAM	Edge_1RB_Left	18.08	15.98
B12-n66	40	15	1760	DFT	256QAM	Edge_1RB_Right	18.03	15.93
B12-n66	40	15	1760	DFT	256QAM	Outer_Full	18.42	16.32
B12-n66	40	15	1760	CP	QPSK	Inner_Full	21.61	19.51
B12-n66	40	15	1760	CP	QPSK	Edge_1RB_Left	19.62	17.52
B12-n66	40	15	1760	CP	QPSK	Edge_1RB_Right	19.53	17.43
B12-n66	40	15	1760	CP	QPSK	Outer_Full	19.91	17.81
B12-n66	40	15	1760	CP	16QAM	Inner_Full	21.09	18.99
B12-n66	40	15	1760	CP	16QAM	Edge_1RB_Left	19.91	17.81
B12-n66	40	15	1760	CP	16QAM	Edge_1RB_Right	19.78	17.68
B12-n66	40	15	1760	CP	16QAM	Outer_Full	19.89	17.79
B12-n66	40	15	1760	CP	64QAM	Inner_Full	19.60	17.50
B12-n66	40	15	1760	CP	64QAM	Edge_1RB_Left	19.01	16.91
B12-n66	40	15	1760	CP	64QAM	Edge_1RB_Right	18.93	16.83
B12-n66	40	15	1760	CP	64QAM	Outer_Full	19.34	17.24
B12-n66	40	15	1760	CP	256QAM	Inner_Full	16.65	14.55
B12-n66	40	15	1760	CP	256QAM	Edge_1RB_Left	16.10	14.00
B12-n66	40	15	1760	CP	256QAM	Edge_1RB_Right	15.98	13.88
B12-n66	40	15	1760	CP	256QAM	Outer_Full	16.37	14.27

**NR n70**
**Limits:  $\leq 30\text{dBm}(1\text{W})$** 

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted Power(dBm)	EIRP(dBm) (Gt - Lc = -2.1)
n70	5	15	1697.5	DFT	pi/2 BPSK	Inner_Full	22.00	19.90
n70	5	15	1697.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.89	19.79
n70	5	15	1697.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.91	19.81
n70	5	15	1697.5	DFT	pi/2 BPSK	Outer_Full	21.94	19.84
n70	5	15	1697.5	DFT	QPSK	Inner_Full	21.96	19.86
n70	5	15	1697.5	DFT	QPSK	Edge_1RB_Left	21.75	19.65
n70	5	15	1697.5	DFT	QPSK	Edge_1RB_Right	21.93	19.83
n70	5	15	1697.5	DFT	QPSK	Outer_Full	22.00	19.90
n70	5	15	1697.5	DFT	16QAM	Inner_Full	21.55	19.45
n70	5	15	1697.5	DFT	16QAM	Edge_1RB_Left	20.70	18.60
n70	5	15	1697.5	DFT	16QAM	Edge_1RB_Right	20.77	18.67
n70	5	15	1697.5	DFT	16QAM	Outer_Full	20.45	18.35
n70	5	15	1697.5	DFT	64QAM	Inner_Full	19.48	17.38
n70	5	15	1697.5	DFT	64QAM	Edge_1RB_Left	19.58	17.48
n70	5	15	1697.5	DFT	64QAM	Edge_1RB_Right	19.74	17.64
n70	5	15	1697.5	DFT	64QAM	Outer_Full	19.43	17.33
n70	5	15	1697.5	DFT	256QAM	Inner_Full	17.40	15.30
n70	5	15	1697.5	DFT	256QAM	Edge_1RB_Left	17.42	15.32
n70	5	15	1697.5	DFT	256QAM	Edge_1RB_Right	17.50	15.40
n70	5	15	1697.5	DFT	256QAM	Outer_Full	17.36	15.26
n70	5	15	1697.5	CP	QPSK	Inner_Full	21.40	19.30
n70	5	15	1697.5	CP	QPSK	Edge_1RB_Left	18.78	16.68
n70	5	15	1697.5	CP	QPSK	Edge_1RB_Right	18.85	16.75
n70	5	15	1697.5	CP	QPSK	Outer_Full	18.90	16.80
n70	5	15	1697.5	CP	16QAM	Inner_Full	20.00	17.90
n70	5	15	1697.5	CP	16QAM	Edge_1RB_Left	19.13	17.03
n70	5	15	1697.5	CP	16QAM	Edge_1RB_Right	19.03	16.93
n70	5	15	1697.5	CP	16QAM	Outer_Full	18.92	16.82
n70	5	15	1697.5	CP	64QAM	Inner_Full	18.32	16.22
n70	5	15	1697.5	CP	64QAM	Edge_1RB_Left	18.17	16.07
n70	5	15	1697.5	CP	64QAM	Edge_1RB_Right	18.19	16.09
n70	5	15	1697.5	CP	64QAM	Outer_Full	18.35	16.25
n70	5	15	1697.5	CP	256QAM	Inner_Full	15.53	13.43
n70	5	15	1697.5	CP	256QAM	Edge_1RB_Left	15.51	13.41

n70	5	15	1697.5	CP	256QAM	Edge_1RB_Right	15.55	13.45
n70	5	15	1697.5	CP	256QAM	Outer_Full	15.28	13.18
n70	5	15	1702.5	DFT	pi/2 BPSK	Inner_Full	21.92	19.82
n70	5	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.90	19.80
n70	5	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.87	19.77
n70	5	15	1702.5	DFT	pi/2 BPSK	Outer_Full	21.96	19.86
n70	5	15	1702.5	DFT	QPSK	Inner_Full	21.95	19.85
n70	5	15	1702.5	DFT	QPSK	Edge_1RB_Left	21.92	19.82
n70	5	15	1702.5	DFT	QPSK	Edge_1RB_Right	22.01	19.91
n70	5	15	1702.5	DFT	QPSK	Outer_Full	21.98	19.88
n70	5	15	1702.5	DFT	16QAM	Inner_Full	21.59	19.49
n70	5	15	1702.5	DFT	16QAM	Edge_1RB_Left	20.68	18.58
n70	5	15	1702.5	DFT	16QAM	Edge_1RB_Right	20.66	18.56
n70	5	15	1702.5	DFT	16QAM	Outer_Full	20.46	18.36
n70	5	15	1702.5	DFT	64QAM	Inner_Full	19.61	17.51
n70	5	15	1702.5	DFT	64QAM	Edge_1RB_Left	19.66	17.56
n70	5	15	1702.5	DFT	64QAM	Edge_1RB_Right	19.61	17.51
n70	5	15	1702.5	DFT	64QAM	Outer_Full	19.34	17.24
n70	5	15	1702.5	DFT	256QAM	Inner_Full	17.27	15.17
n70	5	15	1702.5	DFT	256QAM	Edge_1RB_Left	17.50	15.40
n70	5	15	1702.5	DFT	256QAM	Edge_1RB_Right	17.48	15.38
n70	5	15	1702.5	DFT	256QAM	Outer_Full	17.31	15.21
n70	5	15	1702.5	CP	QPSK	Inner_Full	21.37	19.27
n70	5	15	1702.5	CP	QPSK	Edge_1RB_Left	18.82	16.72
n70	5	15	1702.5	CP	QPSK	Edge_1RB_Right	18.96	16.86
n70	5	15	1702.5	CP	QPSK	Outer_Full	18.97	16.87
n70	5	15	1702.5	CP	16QAM	Inner_Full	20.08	17.98
n70	5	15	1702.5	CP	16QAM	Edge_1RB_Left	19.22	17.12
n70	5	15	1702.5	CP	16QAM	Edge_1RB_Right	19.03	16.93
n70	5	15	1702.5	CP	16QAM	Outer_Full	19.08	16.98
n70	5	15	1702.5	CP	64QAM	Inner_Full	18.44	16.34
n70	5	15	1702.5	CP	64QAM	Edge_1RB_Left	18.37	16.27
n70	5	15	1702.5	CP	64QAM	Edge_1RB_Right	18.39	16.29
n70	5	15	1702.5	CP	64QAM	Outer_Full	18.26	16.16
n70	5	15	1702.5	CP	256QAM	Inner_Full	15.42	13.32
n70	5	15	1702.5	CP	256QAM	Edge_1RB_Left	15.58	13.48
n70	5	15	1702.5	CP	256QAM	Edge_1RB_Right	15.71	13.61

n70	5	15	1702.5	CP	256QAM	Outer_Full	15.41	13.31
n70	5	15	1707.5	DFT	pi/2 BPSK	Inner_Full	21.95	19.85
n70	5	15	1707.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.88	19.78
n70	5	15	1707.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.09	19.99
n70	5	15	1707.5	DFT	pi/2 BPSK	Outer_Full	21.93	19.83
n70	5	15	1707.5	DFT	QPSK	Inner_Full	22.20	20.10
n70	5	15	1707.5	DFT	QPSK	Edge_1RB_Left	22.11	20.01
n70	5	15	1707.5	DFT	QPSK	Edge_1RB_Right	22.15	20.05
n70	5	15	1707.5	DFT	QPSK	Outer_Full	22.18	20.08
n70	5	15	1707.5	DFT	16QAM	Inner_Full	21.53	19.43
n70	5	15	1707.5	DFT	16QAM	Edge_1RB_Left	20.75	18.65
n70	5	15	1707.5	DFT	16QAM	Edge_1RB_Right	20.79	18.69
n70	5	15	1707.5	DFT	16QAM	Outer_Full	20.72	18.62
n70	5	15	1707.5	DFT	64QAM	Inner_Full	19.76	17.66
n70	5	15	1707.5	DFT	64QAM	Edge_1RB_Left	19.80	17.70
n70	5	15	1707.5	DFT	64QAM	Edge_1RB_Right	19.87	17.77
n70	5	15	1707.5	DFT	64QAM	Outer_Full	19.43	17.33
n70	5	15	1707.5	DFT	256QAM	Inner_Full	17.37	15.27
n70	5	15	1707.5	DFT	256QAM	Edge_1RB_Left	17.52	15.42
n70	5	15	1707.5	DFT	256QAM	Edge_1RB_Right	17.67	15.57
n70	5	15	1707.5	DFT	256QAM	Outer_Full	17.33	15.23
n70	5	15	1707.5	CP	QPSK	Inner_Full	21.47	19.37
n70	5	15	1707.5	CP	QPSK	Edge_1RB_Left	18.95	16.85
n70	5	15	1707.5	CP	QPSK	Edge_1RB_Right	19.09	16.99
n70	5	15	1707.5	CP	QPSK	Outer_Full	19.10	17.00
n70	5	15	1707.5	CP	16QAM	Inner_Full	20.04	17.94
n70	5	15	1707.5	CP	16QAM	Edge_1RB_Left	19.21	17.11
n70	5	15	1707.5	CP	16QAM	Edge_1RB_Right	19.39	17.29
n70	5	15	1707.5	CP	16QAM	Outer_Full	19.19	17.09
n70	5	15	1707.5	CP	64QAM	Inner_Full	18.61	16.51
n70	5	15	1707.5	CP	64QAM	Edge_1RB_Left	18.50	16.40
n70	5	15	1707.5	CP	64QAM	Edge_1RB_Right	18.51	16.41
n70	5	15	1707.5	CP	64QAM	Outer_Full	18.35	16.25
n70	5	15	1707.5	CP	256QAM	Inner_Full	15.47	13.37
n70	5	15	1707.5	CP	256QAM	Edge_1RB_Left	15.73	13.63
n70	5	15	1707.5	CP	256QAM	Edge_1RB_Right	15.85	13.75
n70	5	15	1707.5	CP	256QAM	Outer_Full	15.57	13.47

n70	10	15	1700	DFT	pi/2 BPSK	Inner_Full	21.77	19.67
n70	10	15	1700	DFT	pi/2 BPSK	Edge_1RB_Left	21.73	19.63
n70	10	15	1700	DFT	pi/2 BPSK	Edge_1RB_Right	21.93	19.83
n70	10	15	1700	DFT	pi/2 BPSK	Outer_Full	21.77	19.67
n70	10	15	1700	DFT	QPSK	Inner_Full	21.80	19.70
n70	10	15	1700	DFT	QPSK	Edge_1RB_Left	21.72	19.62
n70	10	15	1700	DFT	QPSK	Edge_1RB_Right	21.66	19.56
n70	10	15	1700	DFT	QPSK	Outer_Full	21.84	19.74
n70	10	15	1700	DFT	16QAM	Inner_Full	21.40	19.30
n70	10	15	1700	DFT	16QAM	Edge_1RB_Left	20.44	18.34
n70	10	15	1700	DFT	16QAM	Edge_1RB_Right	20.71	18.61
n70	10	15	1700	DFT	16QAM	Outer_Full	20.28	18.18
n70	10	15	1700	DFT	64QAM	Inner_Full	19.21	17.11
n70	10	15	1700	DFT	64QAM	Edge_1RB_Left	19.53	17.43
n70	10	15	1700	DFT	64QAM	Edge_1RB_Right	19.62	17.52
n70	10	15	1700	DFT	64QAM	Outer_Full	19.24	17.14
n70	10	15	1700	DFT	256QAM	Inner_Full	17.18	15.08
n70	10	15	1700	DFT	256QAM	Edge_1RB_Left	17.21	15.11
n70	10	15	1700	DFT	256QAM	Edge_1RB_Right	17.56	15.46
n70	10	15	1700	DFT	256QAM	Outer_Full	17.16	15.06
n70	10	15	1700	CP	QPSK	Inner_Full	21.27	19.17
n70	10	15	1700	CP	QPSK	Edge_1RB_Left	18.52	16.42
n70	10	15	1700	CP	QPSK	Edge_1RB_Right	18.83	16.73
n70	10	15	1700	CP	QPSK	Outer_Full	18.65	16.55
n70	10	15	1700	CP	16QAM	Inner_Full	19.70	17.60
n70	10	15	1700	CP	16QAM	Edge_1RB_Left	18.79	16.69
n70	10	15	1700	CP	16QAM	Edge_1RB_Right	19.20	17.10
n70	10	15	1700	CP	16QAM	Outer_Full	18.68	16.58
n70	10	15	1700	CP	64QAM	Inner_Full	18.25	16.15
n70	10	15	1700	CP	64QAM	Edge_1RB_Left	18.14	16.04
n70	10	15	1700	CP	64QAM	Edge_1RB_Right	18.09	15.99
n70	10	15	1700	CP	64QAM	Outer_Full	18.23	16.13
n70	10	15	1700	CP	256QAM	Inner_Full	15.30	13.20
n70	10	15	1700	CP	256QAM	Edge_1RB_Left	15.32	13.22
n70	10	15	1700	CP	256QAM	Edge_1RB_Right	15.60	13.50
n70	10	15	1700	CP	256QAM	Outer_Full	15.12	13.02
n70	10	15	1702.5	DFT	pi/2 BPSK	Inner_Full	21.67	19.57

n70	10	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.65	19.55
n70	10	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.91	19.81
n70	10	15	1702.5	DFT	pi/2 BPSK	Outer_Full	21.72	19.62
n70	10	15	1702.5	DFT	QPSK	Inner_Full	21.85	19.75
n70	10	15	1702.5	DFT	QPSK	Edge_1RB_Left	21.62	19.52
n70	10	15	1702.5	DFT	QPSK	Edge_1RB_Right	21.68	19.58
n70	10	15	1702.5	DFT	QPSK	Outer_Full	21.77	19.67
n70	10	15	1702.5	DFT	16QAM	Inner_Full	21.44	19.34
n70	10	15	1702.5	DFT	16QAM	Edge_1RB_Left	20.50	18.40
n70	10	15	1702.5	DFT	16QAM	Edge_1RB_Right	20.70	18.60
n70	10	15	1702.5	DFT	16QAM	Outer_Full	20.21	18.11
n70	10	15	1702.5	DFT	64QAM	Inner_Full	19.14	17.04
n70	10	15	1702.5	DFT	64QAM	Edge_1RB_Left	19.43	17.33
n70	10	15	1702.5	DFT	64QAM	Edge_1RB_Right	19.42	17.32
n70	10	15	1702.5	DFT	64QAM	Outer_Full	19.31	17.21
n70	10	15	1702.5	DFT	256QAM	Inner_Full	17.21	15.11
n70	10	15	1702.5	DFT	256QAM	Edge_1RB_Left	17.17	15.07
n70	10	15	1702.5	DFT	256QAM	Edge_1RB_Right	17.39	15.29
n70	10	15	1702.5	DFT	256QAM	Outer_Full	17.29	15.19
n70	10	15	1702.5	CP	QPSK	Inner_Full	21.15	19.05
n70	10	15	1702.5	CP	QPSK	Edge_1RB_Left	18.60	16.50
n70	10	15	1702.5	CP	QPSK	Edge_1RB_Right	18.85	16.75
n70	10	15	1702.5	CP	QPSK	Outer_Full	18.77	16.67
n70	10	15	1702.5	CP	16QAM	Inner_Full	19.79	17.69
n70	10	15	1702.5	CP	16QAM	Edge_1RB_Left	19.02	16.92
n70	10	15	1702.5	CP	16QAM	Edge_1RB_Right	19.03	16.93
n70	10	15	1702.5	CP	16QAM	Outer_Full	18.58	16.48
n70	10	15	1702.5	CP	64QAM	Inner_Full	18.28	16.18
n70	10	15	1702.5	CP	64QAM	Edge_1RB_Left	17.96	15.86
n70	10	15	1702.5	CP	64QAM	Edge_1RB_Right	18.33	16.23
n70	10	15	1702.5	CP	64QAM	Outer_Full	18.11	16.01
n70	10	15	1702.5	CP	256QAM	Inner_Full	15.36	13.26
n70	10	15	1702.5	CP	256QAM	Edge_1RB_Left	15.37	13.27
n70	10	15	1702.5	CP	256QAM	Edge_1RB_Right	15.66	13.56
n70	10	15	1702.5	CP	256QAM	Outer_Full	15.28	13.18
n70	10	15	1705	DFT	pi/2 BPSK	Inner_Full	21.93	19.83
n70	10	15	1705	DFT	pi/2 BPSK	Edge_1RB_Left	21.72	19.62

n70	10	15	1705	DFT	pi/2 BPSK	Edge_1RB_Right	22.01	19.91
n70	10	15	1705	DFT	pi/2 BPSK	Outer_Full	21.91	19.81
n70	10	15	1705	DFT	QPSK	Inner_Full	22.01	19.91
n70	10	15	1705	DFT	QPSK	Edge_1RB_Left	21.73	19.63
n70	10	15	1705	DFT	QPSK	Edge_1RB_Right	21.76	19.66
n70	10	15	1705	DFT	QPSK	Outer_Full	21.96	19.86
n70	10	15	1705	DFT	16QAM	Inner_Full	21.51	19.41
n70	10	15	1705	DFT	16QAM	Edge_1RB_Left	20.66	18.56
n70	10	15	1705	DFT	16QAM	Edge_1RB_Right	20.86	18.76
n70	10	15	1705	DFT	16QAM	Outer_Full	20.30	18.20
n70	10	15	1705	DFT	64QAM	Inner_Full	19.30	17.20
n70	10	15	1705	DFT	64QAM	Edge_1RB_Left	19.62	17.52
n70	10	15	1705	DFT	64QAM	Edge_1RB_Right	19.65	17.55
n70	10	15	1705	DFT	64QAM	Outer_Full	19.46	17.36
n70	10	15	1705	DFT	256QAM	Inner_Full	17.34	15.24
n70	10	15	1705	DFT	256QAM	Edge_1RB_Left	17.41	15.31
n70	10	15	1705	DFT	256QAM	Edge_1RB_Right	17.29	15.19
n70	10	15	1705	DFT	256QAM	Outer_Full	17.41	15.31
n70	10	15	1705	CP	QPSK	Inner_Full	21.45	19.35
n70	10	15	1705	CP	QPSK	Edge_1RB_Left	18.73	16.63
n70	10	15	1705	CP	QPSK	Edge_1RB_Right	18.86	16.76
n70	10	15	1705	CP	QPSK	Outer_Full	18.90	16.80
n70	10	15	1705	CP	16QAM	Inner_Full	19.95	17.85
n70	10	15	1705	CP	16QAM	Edge_1RB_Left	19.06	16.96
n70	10	15	1705	CP	16QAM	Edge_1RB_Right	19.19	17.09
n70	10	15	1705	CP	16QAM	Outer_Full	18.73	16.63
n70	10	15	1705	CP	64QAM	Inner_Full	18.23	16.13
n70	10	15	1705	CP	64QAM	Edge_1RB_Left	18.34	16.24
n70	10	15	1705	CP	64QAM	Edge_1RB_Right	18.41	16.31
n70	10	15	1705	CP	64QAM	Outer_Full	18.40	16.30
n70	10	15	1705	CP	256QAM	Inner_Full	15.54	13.44
n70	10	15	1705	CP	256QAM	Edge_1RB_Left	15.41	13.31
n70	10	15	1705	CP	256QAM	Edge_1RB_Right	15.45	13.35
n70	10	15	1705	CP	256QAM	Outer_Full	15.42	13.32
n70	15	15	1702.5	DFT	pi/2 BPSK	Inner_Full	21.97	19.87
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.72	19.62
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.83	19.73



n70	15	15	1702.5	DFT	pi/2 BPSK	Outer_Full	21.93	19.83
n70	15	15	1702.5	DFT	QPSK	Inner_Full	21.95	19.85
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Left	21.85	19.75
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Right	22.02	19.92
n70	15	15	1702.5	DFT	QPSK	Outer_Full	22.03	19.93
n70	15	15	1702.5	DFT	16QAM	Inner_Full	21.55	19.45
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Left	20.70	18.60
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Right	20.37	18.27
n70	15	15	1702.5	DFT	16QAM	Outer_Full	20.49	18.39
n70	15	15	1702.5	DFT	64QAM	Inner_Full	19.45	17.35
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Left	19.54	17.44
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Right	19.60	17.50
n70	15	15	1702.5	DFT	64QAM	Outer_Full	19.37	17.27
n70	15	15	1702.5	DFT	256QAM	Inner_Full	17.38	15.28
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Left	17.46	15.36
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Right	17.38	15.28
n70	15	15	1702.5	DFT	256QAM	Outer_Full	17.23	15.13
n70	15	15	1702.5	CP	QPSK	Inner_Full	21.48	19.38
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Left	18.69	16.59
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Right	18.79	16.69
n70	15	15	1702.5	CP	QPSK	Outer_Full	18.81	16.71
n70	15	15	1702.5	CP	16QAM	Inner_Full	19.92	17.82
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Left	19.02	16.92
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Right	19.27	17.17
n70	15	15	1702.5	CP	16QAM	Outer_Full	18.92	16.82
n70	15	15	1702.5	CP	64QAM	Inner_Full	18.40	16.30
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Left	18.22	16.12
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Right	18.25	16.15
n70	15	15	1702.5	CP	64QAM	Outer_Full	18.43	16.33
n70	15	15	1702.5	CP	256QAM	Inner_Full	15.53	13.43
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Left	15.47	13.37
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Right	15.22	13.12
n70	15	15	1702.5	CP	256QAM	Outer_Full	15.30	13.20
n70	15	15	1702.5	DFT	pi/2 BPSK	Inner_Full	21.87	19.77
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.84	19.74
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.10	20.00
n70	15	15	1702.5	DFT	pi/2 BPSK	Outer_Full	21.93	19.83

n70	15	15	1702.5	DFT	QPSK	Inner_Full	22.04	19.94
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Left	21.70	19.60
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Right	21.80	19.70
n70	15	15	1702.5	DFT	QPSK	Outer_Full	21.91	19.81
n70	15	15	1702.5	DFT	16QAM	Inner_Full	21.60	19.50
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Left	20.57	18.47
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Right	20.88	18.78
n70	15	15	1702.5	DFT	16QAM	Outer_Full	20.56	18.46
n70	15	15	1702.5	DFT	64QAM	Inner_Full	19.34	17.24
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Left	19.67	17.57
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Right	19.68	17.58
n70	15	15	1702.5	DFT	64QAM	Outer_Full	19.50	17.40
n70	15	15	1702.5	DFT	256QAM	Inner_Full	17.39	15.29
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Left	17.35	15.25
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Right	17.66	15.56
n70	15	15	1702.5	DFT	256QAM	Outer_Full	17.44	15.34
n70	15	15	1702.5	CP	QPSK	Inner_Full	21.35	19.25
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Left	18.80	16.70
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Right	18.99	16.89
n70	15	15	1702.5	CP	QPSK	Outer_Full	18.97	16.87
n70	15	15	1702.5	CP	16QAM	Inner_Full	19.99	17.89
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Left	18.89	16.79
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Right	19.08	16.98
n70	15	15	1702.5	CP	16QAM	Outer_Full	18.84	16.74
n70	15	15	1702.5	CP	64QAM	Inner_Full	18.30	16.20
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Left	18.12	16.02
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Right	18.25	16.15
n70	15	15	1702.5	CP	64QAM	Outer_Full	18.33	16.23
n70	15	15	1702.5	CP	256QAM	Inner_Full	15.42	13.32
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Left	15.57	13.47
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Right	15.76	13.66
n70	15	15	1702.5	CP	256QAM	Outer_Full	15.40	13.30
n70	15	15	1702.5	DFT	pi/2 BPSK	Inner_Full	22.03	19.93
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.74	19.64
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.90	19.80
n70	15	15	1702.5	DFT	pi/2 BPSK	Outer_Full	21.95	19.85
n70	15	15	1702.5	DFT	QPSK	Inner_Full	21.92	19.82

n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Left	21.85	19.75
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Right	22.06	19.96
n70	15	15	1702.5	DFT	QPSK	Outer_Full	22.02	19.92
n70	15	15	1702.5	DFT	16QAM	Inner_Full	21.60	19.50
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Left	20.58	18.48
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Right	20.90	18.80
n70	15	15	1702.5	DFT	16QAM	Outer_Full	20.39	18.29
n70	15	15	1702.5	DFT	64QAM	Inner_Full	19.40	17.30
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Left	19.54	17.44
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Right	19.79	17.69
n70	15	15	1702.5	DFT	64QAM	Outer_Full	19.50	17.40
n70	15	15	1702.5	DFT	256QAM	Inner_Full	17.38	15.28
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Left	17.32	15.22
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Right	17.75	15.65
n70	15	15	1702.5	DFT	256QAM	Outer_Full	17.43	15.33
n70	15	15	1702.5	CP	QPSK	Inner_Full	21.52	19.42
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Left	18.72	16.62
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Right	19.03	16.93
n70	15	15	1702.5	CP	QPSK	Outer_Full	18.85	16.75
n70	15	15	1702.5	CP	16QAM	Inner_Full	19.83	17.73
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Left	19.00	16.90
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Right	19.07	16.97
n70	15	15	1702.5	CP	16QAM	Outer_Full	18.95	16.85
n70	15	15	1702.5	CP	64QAM	Inner_Full	18.48	16.38
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Left	18.10	16.00
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Right	18.04	15.94
n70	15	15	1702.5	CP	64QAM	Outer_Full	18.32	16.22
n70	15	15	1702.5	CP	256QAM	Inner_Full	15.59	13.49
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Left	15.46	13.36
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Right	15.75	13.65
n70	15	15	1702.5	CP	256QAM	Outer_Full	15.43	13.33

**LTE B66+NR n71**
**Limit ≤ 34.77dBm(3W)**

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted Power(dBm)	ERP(dBm) (Gt - Lc = -3.8)
B66-n71	5	15	665.5	DFT	pi/2 BPSK	Inner_Full	23.41	17.46
B66-n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.04	17.09
B66-n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.01	17.06
B66-n71	5	15	665.5	DFT	pi/2 BPSK	Outer_Full	22.96	17.01
B66-n71	5	15	665.5	DFT	QPSK	Inner_Full	23.52	17.57
B66-n71	5	15	665.5	DFT	QPSK	Edge_1RB_Left	22.30	16.35
B66-n71	5	15	665.5	DFT	QPSK	Edge_1RB_Right	22.37	16.42
B66-n71	5	15	665.5	DFT	QPSK	Outer_Full	22.51	16.56
B66-n71	5	15	665.5	DFT	16QAM	Inner_Full	22.56	16.61
B66-n71	5	15	665.5	DFT	16QAM	Edge_1RB_Left	21.64	15.69
B66-n71	5	15	665.5	DFT	16QAM	Edge_1RB_Right	21.71	15.76
B66-n71	5	15	665.5	DFT	16QAM	Outer_Full	21.42	15.47
B66-n71	5	15	665.5	DFT	64QAM	Inner_Full	21.02	15.07
B66-n71	5	15	665.5	DFT	64QAM	Edge_1RB_Left	20.88	14.93
B66-n71	5	15	665.5	DFT	64QAM	Edge_1RB_Right	20.96	15.01
B66-n71	5	15	665.5	DFT	64QAM	Outer_Full	21.06	15.11
B66-n71	5	15	665.5	DFT	256QAM	Inner_Full	19.10	13.15
B66-n71	5	15	665.5	DFT	256QAM	Edge_1RB_Left	19.06	13.11
B66-n71	5	15	665.5	DFT	256QAM	Edge_1RB_Right	19.05	13.10
B66-n71	5	15	665.5	DFT	256QAM	Outer_Full	19.18	13.23
B66-n71	5	15	665.5	CP	QPSK	Inner_Full	22.01	16.06
B66-n71	5	15	665.5	CP	QPSK	Edge_1RB_Left	20.50	14.55
B66-n71	5	15	665.5	CP	QPSK	Edge_1RB_Right	20.38	14.43
B66-n71	5	15	665.5	CP	QPSK	Outer_Full	20.41	14.46
B66-n71	5	15	665.5	CP	16QAM	Inner_Full	21.43	15.48
B66-n71	5	15	665.5	CP	16QAM	Edge_1RB_Left	20.72	14.77
B66-n71	5	15	665.5	CP	16QAM	Edge_1RB_Right	20.65	14.70
B66-n71	5	15	665.5	CP	16QAM	Outer_Full	20.29	14.34
B66-n71	5	15	665.5	CP	64QAM	Inner_Full	19.93	13.98
B66-n71	5	15	665.5	CP	64QAM	Edge_1RB_Left	20.00	14.05
B66-n71	5	15	665.5	CP	64QAM	Edge_1RB_Right	19.89	13.94
B66-n71	5	15	665.5	CP	64QAM	Outer_Full	20.04	14.09
B66-n71	5	15	665.5	CP	256QAM	Inner_Full	17.15	11.20

B66-n71	5	15	665.5	CP	256QAM	Edge_1RB_Left	17.07	11.12
B66-n71	5	15	665.5	CP	256QAM	Edge_1RB_Right	17.02	11.07
B66-n71	5	15	665.5	CP	256QAM	Outer_Full	17.13	11.18
B66-n71	5	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.35	17.40
B66-n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.91	16.96
B66-n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.27	17.32
B66-n71	5	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.98	17.03
B66-n71	5	15	680.5	DFT	QPSK	Inner_Full	23.36	17.41
B66-n71	5	15	680.5	DFT	QPSK	Edge_1RB_Left	22.38	16.43
B66-n71	5	15	680.5	DFT	QPSK	Edge_1RB_Right	22.70	16.75
B66-n71	5	15	680.5	DFT	QPSK	Outer_Full	22.53	16.58
B66-n71	5	15	680.5	DFT	16QAM	Inner_Full	22.50	16.55
B66-n71	5	15	680.5	DFT	16QAM	Edge_1RB_Left	21.65	15.70
B66-n71	5	15	680.5	DFT	16QAM	Edge_1RB_Right	21.93	15.98
B66-n71	5	15	680.5	DFT	16QAM	Outer_Full	21.39	15.44
B66-n71	5	15	680.5	DFT	64QAM	Inner_Full	20.90	14.95
B66-n71	5	15	680.5	DFT	64QAM	Edge_1RB_Left	20.84	14.89
B66-n71	5	15	680.5	DFT	64QAM	Edge_1RB_Right	21.08	15.13
B66-n71	5	15	680.5	DFT	64QAM	Outer_Full	21.07	15.12
B66-n71	5	15	680.5	DFT	256QAM	Inner_Full	18.96	13.01
B66-n71	5	15	680.5	DFT	256QAM	Edge_1RB_Left	19.05	13.10
B66-n71	5	15	680.5	DFT	256QAM	Edge_1RB_Right	19.33	13.38
B66-n71	5	15	680.5	DFT	256QAM	Outer_Full	19.21	13.26
B66-n71	5	15	680.5	CP	QPSK	Inner_Full	21.91	15.96
B66-n71	5	15	680.5	CP	QPSK	Edge_1RB_Left	20.42	14.47
B66-n71	5	15	680.5	CP	QPSK	Edge_1RB_Right	20.69	14.74
B66-n71	5	15	680.5	CP	QPSK	Outer_Full	20.44	14.49
B66-n71	5	15	680.5	CP	16QAM	Inner_Full	21.28	15.33
B66-n71	5	15	680.5	CP	16QAM	Edge_1RB_Left	20.78	14.83
B66-n71	5	15	680.5	CP	16QAM	Edge_1RB_Right	21.03	15.08
B66-n71	5	15	680.5	CP	16QAM	Outer_Full	20.42	14.47
B66-n71	5	15	680.5	CP	64QAM	Inner_Full	19.92	13.97
B66-n71	5	15	680.5	CP	64QAM	Edge_1RB_Left	19.93	13.98
B66-n71	5	15	680.5	CP	64QAM	Edge_1RB_Right	20.13	14.18
B66-n71	5	15	680.5	CP	64QAM	Outer_Full	20.05	14.10
B66-n71	5	15	680.5	CP	256QAM	Inner_Full	17.03	11.08
B66-n71	5	15	680.5	CP	256QAM	Edge_1RB_Left	17.07	11.12



B66-n71	5	15	680.5	CP	256QAM	Edge_1RB_Right	17.30	11.35
B66-n71	5	15	680.5	CP	256QAM	Outer_Full	17.16	11.21
B66-n71	5	15	695.5	DFT	pi/2 BPSK	Inner_Full	23.15	17.20
B66-n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.67	16.72
B66-n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.70	16.75
B66-n71	5	15	695.5	DFT	pi/2 BPSK	Outer_Full	22.70	16.75
B66-n71	5	15	695.5	DFT	QPSK	Inner_Full	23.25	17.30
B66-n71	5	15	695.5	DFT	QPSK	Edge_1RB_Left	22.09	16.14
B66-n71	5	15	695.5	DFT	QPSK	Edge_1RB_Right	22.14	16.19
B66-n71	5	15	695.5	DFT	QPSK	Outer_Full	22.20	16.25
B66-n71	5	15	695.5	DFT	16QAM	Inner_Full	22.36	16.41
B66-n71	5	15	695.5	DFT	16QAM	Edge_1RB_Left	21.41	15.46
B66-n71	5	15	695.5	DFT	16QAM	Edge_1RB_Right	21.43	15.48
B66-n71	5	15	695.5	DFT	16QAM	Outer_Full	21.21	15.26
B66-n71	5	15	695.5	DFT	64QAM	Inner_Full	20.73	14.78
B66-n71	5	15	695.5	DFT	64QAM	Edge_1RB_Left	20.55	14.60
B66-n71	5	15	695.5	DFT	64QAM	Edge_1RB_Right	20.56	14.61
B66-n71	5	15	695.5	DFT	64QAM	Outer_Full	20.80	14.85
B66-n71	5	15	695.5	DFT	256QAM	Inner_Full	18.78	12.83
B66-n71	5	15	695.5	DFT	256QAM	Edge_1RB_Left	18.75	12.80
B66-n71	5	15	695.5	DFT	256QAM	Edge_1RB_Right	18.79	12.84
B66-n71	5	15	695.5	DFT	256QAM	Outer_Full	18.93	12.98
B66-n71	5	15	695.5	CP	QPSK	Inner_Full	21.73	15.78
B66-n71	5	15	695.5	CP	QPSK	Edge_1RB_Left	20.11	14.16
B66-n71	5	15	695.5	CP	QPSK	Edge_1RB_Right	20.18	14.23
B66-n71	5	15	695.5	CP	QPSK	Outer_Full	20.14	14.19
B66-n71	5	15	695.5	CP	16QAM	Inner_Full	21.08	15.13
B66-n71	5	15	695.5	CP	16QAM	Edge_1RB_Left	20.46	14.51
B66-n71	5	15	695.5	CP	16QAM	Edge_1RB_Right	20.43	14.48
B66-n71	5	15	695.5	CP	16QAM	Outer_Full	20.17	14.22
B66-n71	5	15	695.5	CP	64QAM	Inner_Full	19.74	13.79
B66-n71	5	15	695.5	CP	64QAM	Edge_1RB_Left	19.73	13.78
B66-n71	5	15	695.5	CP	64QAM	Edge_1RB_Right	19.73	13.78
B66-n71	5	15	695.5	CP	64QAM	Outer_Full	19.77	13.82
B66-n71	5	15	695.5	CP	256QAM	Inner_Full	16.76	10.81
B66-n71	5	15	695.5	CP	256QAM	Edge_1RB_Left	16.80	10.85
B66-n71	5	15	695.5	CP	256QAM	Edge_1RB_Right	16.73	10.78

B66-n71	5	15	695.5	CP	256QAM	Outer_Full	16.88	10.93
B66-n71	10	15	668	DFT	pi/2 BPSK	Inner_Full	23.26	17.31
B66-n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Left	23.01	17.06
B66-n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Right	22.82	16.87
B66-n71	10	15	668	DFT	pi/2 BPSK	Outer_Full	22.71	16.76
B66-n71	10	15	668	DFT	QPSK	Inner_Full	23.30	17.35
B66-n71	10	15	668	DFT	QPSK	Edge_1RB_Left	22.18	16.23
B66-n71	10	15	668	DFT	QPSK	Edge_1RB_Right	22.36	16.41
B66-n71	10	15	668	DFT	QPSK	Outer_Full	22.24	16.29
B66-n71	10	15	668	DFT	16QAM	Inner_Full	22.23	16.28
B66-n71	10	15	668	DFT	16QAM	Edge_1RB_Left	21.58	15.63
B66-n71	10	15	668	DFT	16QAM	Edge_1RB_Right	21.51	15.56
B66-n71	10	15	668	DFT	16QAM	Outer_Full	21.27	15.32
B66-n71	10	15	668	DFT	64QAM	Inner_Full	20.85	14.90
B66-n71	10	15	668	DFT	64QAM	Edge_1RB_Left	20.77	14.82
B66-n71	10	15	668	DFT	64QAM	Edge_1RB_Right	20.67	14.72
B66-n71	10	15	668	DFT	64QAM	Outer_Full	20.65	14.70
B66-n71	10	15	668	DFT	256QAM	Inner_Full	19.01	13.06
B66-n71	10	15	668	DFT	256QAM	Edge_1RB_Left	18.84	12.89
B66-n71	10	15	668	DFT	256QAM	Edge_1RB_Right	18.87	12.92
B66-n71	10	15	668	DFT	256QAM	Outer_Full	18.84	12.89
B66-n71	10	15	668	CP	QPSK	Inner_Full	21.76	15.81
B66-n71	10	15	668	CP	QPSK	Edge_1RB_Left	20.09	14.14
B66-n71	10	15	668	CP	QPSK	Edge_1RB_Right	20.10	14.15
B66-n71	10	15	668	CP	QPSK	Outer_Full	20.22	14.27
B66-n71	10	15	668	CP	16QAM	Inner_Full	21.34	15.39
B66-n71	10	15	668	CP	16QAM	Edge_1RB_Left	20.47	14.52
B66-n71	10	15	668	CP	16QAM	Edge_1RB_Right	20.60	14.65
B66-n71	10	15	668	CP	16QAM	Outer_Full	20.21	14.26
B66-n71	10	15	668	CP	64QAM	Inner_Full	19.84	13.89
B66-n71	10	15	668	CP	64QAM	Edge_1RB_Left	19.81	13.86
B66-n71	10	15	668	CP	64QAM	Edge_1RB_Right	19.72	13.77
B66-n71	10	15	668	CP	64QAM	Outer_Full	19.78	13.83
B66-n71	10	15	668	CP	256QAM	Inner_Full	16.85	10.90
B66-n71	10	15	668	CP	256QAM	Edge_1RB_Left	16.91	10.96
B66-n71	10	15	668	CP	256QAM	Edge_1RB_Right	16.77	10.82
B66-n71	10	15	668	CP	256QAM	Outer_Full	16.83	10.88

B66-n71	10	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.31	17.36
B66-n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.75	16.80
B66-n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.76	16.81
B66-n71	10	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.79	16.84
B66-n71	10	15	680.5	DFT	QPSK	Inner_Full	23.33	17.38
B66-n71	10	15	680.5	DFT	QPSK	Edge_1RB_Left	22.11	16.16
B66-n71	10	15	680.5	DFT	QPSK	Edge_1RB_Right	22.13	16.18
B66-n71	10	15	680.5	DFT	QPSK	Outer_Full	22.35	16.40
B66-n71	10	15	680.5	DFT	16QAM	Inner_Full	22.34	16.39
B66-n71	10	15	680.5	DFT	16QAM	Edge_1RB_Left	21.08	15.13
B66-n71	10	15	680.5	DFT	16QAM	Edge_1RB_Right	21.43	15.48
B66-n71	10	15	680.5	DFT	16QAM	Outer_Full	21.34	15.39
B66-n71	10	15	680.5	DFT	64QAM	Inner_Full	20.93	14.98
B66-n71	10	15	680.5	DFT	64QAM	Edge_1RB_Left	20.53	14.58
B66-n71	10	15	680.5	DFT	64QAM	Edge_1RB_Right	20.56	14.61
B66-n71	10	15	680.5	DFT	64QAM	Outer_Full	20.83	14.88
B66-n71	10	15	680.5	DFT	256QAM	Inner_Full	19.03	13.08
B66-n71	10	15	680.5	DFT	256QAM	Edge_1RB_Left	18.83	12.88
B66-n71	10	15	680.5	DFT	256QAM	Edge_1RB_Right	18.81	12.86
B66-n71	10	15	680.5	DFT	256QAM	Outer_Full	19.00	13.05
B66-n71	10	15	680.5	CP	QPSK	Inner_Full	21.78	15.83
B66-n71	10	15	680.5	CP	QPSK	Edge_1RB_Left	20.05	14.10
B66-n71	10	15	680.5	CP	QPSK	Edge_1RB_Right	19.97	14.02
B66-n71	10	15	680.5	CP	QPSK	Outer_Full	20.28	14.33
B66-n71	10	15	680.5	CP	16QAM	Inner_Full	21.36	15.41
B66-n71	10	15	680.5	CP	16QAM	Edge_1RB_Left	20.57	14.62
B66-n71	10	15	680.5	CP	16QAM	Edge_1RB_Right	20.50	14.55
B66-n71	10	15	680.5	CP	16QAM	Outer_Full	20.30	14.35
B66-n71	10	15	680.5	CP	64QAM	Inner_Full	19.87	13.92
B66-n71	10	15	680.5	CP	64QAM	Edge_1RB_Left	19.71	13.76
B66-n71	10	15	680.5	CP	64QAM	Edge_1RB_Right	19.70	13.75
B66-n71	10	15	680.5	CP	64QAM	Outer_Full	19.92	13.97
B66-n71	10	15	680.5	CP	256QAM	Inner_Full	16.85	10.90
B66-n71	10	15	680.5	CP	256QAM	Edge_1RB_Left	16.89	10.94
B66-n71	10	15	680.5	CP	256QAM	Edge_1RB_Right	16.78	10.83
B66-n71	10	15	680.5	CP	256QAM	Outer_Full	16.95	11.00
B66-n71	10	15	693	DFT	pi/2 BPSK	Inner_Full	22.96	17.01



B66-n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Left	22.64	16.69
B66-n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Right	22.51	16.56
B66-n71	10	15	693	DFT	pi/2 BPSK	Outer_Full	22.46	16.51
B66-n71	10	15	693	DFT	QPSK	Inner_Full	23.05	17.10
B66-n71	10	15	693	DFT	QPSK	Edge_1RB_Left	21.94	15.99
B66-n71	10	15	693	DFT	QPSK	Edge_1RB_Right	21.89	15.94
B66-n71	10	15	693	DFT	QPSK	Outer_Full	21.99	16.04
B66-n71	10	15	693	DFT	16QAM	Inner_Full	21.97	16.02
B66-n71	10	15	693	DFT	16QAM	Edge_1RB_Left	21.32	15.37
B66-n71	10	15	693	DFT	16QAM	Edge_1RB_Right	21.19	15.24
B66-n71	10	15	693	DFT	16QAM	Outer_Full	20.98	15.03
B66-n71	10	15	693	DFT	64QAM	Inner_Full	20.57	14.62
B66-n71	10	15	693	DFT	64QAM	Edge_1RB_Left	20.44	14.49
B66-n71	10	15	693	DFT	64QAM	Edge_1RB_Right	20.36	14.41
B66-n71	10	15	693	DFT	64QAM	Outer_Full	20.42	14.47
B66-n71	10	15	693	DFT	256QAM	Inner_Full	18.74	12.79
B66-n71	10	15	693	DFT	256QAM	Edge_1RB_Left	18.59	12.64
B66-n71	10	15	693	DFT	256QAM	Edge_1RB_Right	18.57	12.62
B66-n71	10	15	693	DFT	256QAM	Outer_Full	18.63	12.68
B66-n71	10	15	693	CP	QPSK	Inner_Full	21.43	15.48
B66-n71	10	15	693	CP	QPSK	Edge_1RB_Left	19.95	14.00
B66-n71	10	15	693	CP	QPSK	Edge_1RB_Right	19.87	13.92
B66-n71	10	15	693	CP	QPSK	Outer_Full	19.97	14.02
B66-n71	10	15	693	CP	16QAM	Inner_Full	20.95	15.00
B66-n71	10	15	693	CP	16QAM	Edge_1RB_Left	20.30	14.35
B66-n71	10	15	693	CP	16QAM	Edge_1RB_Right	20.15	14.20
B66-n71	10	15	693	CP	16QAM	Outer_Full	19.98	14.03
B66-n71	10	15	693	CP	64QAM	Inner_Full	19.51	13.56
B66-n71	10	15	693	CP	64QAM	Edge_1RB_Left	19.55	13.60
B66-n71	10	15	693	CP	64QAM	Edge_1RB_Right	19.67	13.72
B66-n71	10	15	693	CP	64QAM	Outer_Full	19.49	13.54
B66-n71	10	15	693	CP	256QAM	Inner_Full	16.57	10.62
B66-n71	10	15	693	CP	256QAM	Edge_1RB_Left	16.63	10.68
B66-n71	10	15	693	CP	256QAM	Edge_1RB_Right	16.47	10.52
B66-n71	10	15	693	CP	256QAM	Outer_Full	16.54	10.59
B66-n71	15	15	670.5	DFT	pi/2 BPSK	Inner_Full	23.38	17.43
B66-n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.97	17.02

B66-n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.85	16.90
B66-n71	15	15	670.5	DFT	pi/2 BPSK	Outer_Full	22.87	16.92
B66-n71	15	15	670.5	DFT	QPSK	Inner_Full	23.42	17.47
B66-n71	15	15	670.5	DFT	QPSK	Edge_1RB_Left	22.28	16.33
B66-n71	15	15	670.5	DFT	QPSK	Edge_1RB_Right	22.28	16.33
B66-n71	15	15	670.5	DFT	QPSK	Outer_Full	22.43	16.48
B66-n71	15	15	670.5	DFT	16QAM	Inner_Full	22.45	16.50
B66-n71	15	15	670.5	DFT	16QAM	Edge_1RB_Left	21.65	15.70
B66-n71	15	15	670.5	DFT	16QAM	Edge_1RB_Right	21.56	15.61
B66-n71	15	15	670.5	DFT	16QAM	Outer_Full	21.42	15.47
B66-n71	15	15	670.5	DFT	64QAM	Inner_Full	20.85	14.90
B66-n71	15	15	670.5	DFT	64QAM	Edge_1RB_Left	20.73	14.78
B66-n71	15	15	670.5	DFT	64QAM	Edge_1RB_Right	20.74	14.79
B66-n71	15	15	670.5	DFT	64QAM	Outer_Full	20.86	14.91
B66-n71	15	15	670.5	DFT	256QAM	Inner_Full	19.08	13.13
B66-n71	15	15	670.5	DFT	256QAM	Edge_1RB_Left	18.99	13.04
B66-n71	15	15	670.5	DFT	256QAM	Edge_1RB_Right	18.97	13.02
B66-n71	15	15	670.5	DFT	256QAM	Outer_Full	18.96	13.01
B66-n71	15	15	670.5	CP	QPSK	Inner_Full	21.92	15.97
B66-n71	15	15	670.5	CP	QPSK	Edge_1RB_Left	20.34	14.39
B66-n71	15	15	670.5	CP	QPSK	Edge_1RB_Right	20.26	14.31
B66-n71	15	15	670.5	CP	QPSK	Outer_Full	20.34	14.39
B66-n71	15	15	670.5	CP	16QAM	Inner_Full	21.40	15.45
B66-n71	15	15	670.5	CP	16QAM	Edge_1RB_Left	20.62	14.67
B66-n71	15	15	670.5	CP	16QAM	Edge_1RB_Right	20.56	14.61
B66-n71	15	15	670.5	CP	16QAM	Outer_Full	20.37	14.42
B66-n71	15	15	670.5	CP	64QAM	Inner_Full	20.02	14.07
B66-n71	15	15	670.5	CP	64QAM	Edge_1RB_Left	19.89	13.94
B66-n71	15	15	670.5	CP	64QAM	Edge_1RB_Right	19.79	13.84
B66-n71	15	15	670.5	CP	64QAM	Outer_Full	20.00	14.05
B66-n71	15	15	670.5	CP	256QAM	Inner_Full	17.01	11.06
B66-n71	15	15	670.5	CP	256QAM	Edge_1RB_Left	16.98	11.03
B66-n71	15	15	670.5	CP	256QAM	Edge_1RB_Right	16.86	10.91
B66-n71	15	15	670.5	CP	256QAM	Outer_Full	16.99	11.04
B66-n71	15	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.48	17.53
B66-n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.88	16.93
B66-n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.76	16.81

B66-n71	15	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.95	17.00
B66-n71	15	15	680.5	DFT	QPSK	Inner_Full	23.53	17.58
B66-n71	15	15	680.5	DFT	QPSK	Edge_1RB_Left	22.29	16.34
B66-n71	15	15	680.5	DFT	QPSK	Edge_1RB_Right	22.10	16.15
B66-n71	15	15	680.5	DFT	QPSK	Outer_Full	22.46	16.51
B66-n71	15	15	680.5	DFT	16QAM	Inner_Full	22.48	16.53
B66-n71	15	15	680.5	DFT	16QAM	Edge_1RB_Left	21.61	15.66
B66-n71	15	15	680.5	DFT	16QAM	Edge_1RB_Right	21.47	15.52
B66-n71	15	15	680.5	DFT	16QAM	Outer_Full	21.48	15.53
B66-n71	15	15	680.5	DFT	64QAM	Inner_Full	20.98	15.03
B66-n71	15	15	680.5	DFT	64QAM	Edge_1RB_Left	20.89	14.94
B66-n71	15	15	680.5	DFT	64QAM	Edge_1RB_Right	20.64	14.69
B66-n71	15	15	680.5	DFT	64QAM	Outer_Full	20.94	14.99
B66-n71	15	15	680.5	DFT	256QAM	Inner_Full	19.17	13.22
B66-n71	15	15	680.5	DFT	256QAM	Edge_1RB_Left	18.96	13.01
B66-n71	15	15	680.5	DFT	256QAM	Edge_1RB_Right	18.81	12.86
B66-n71	15	15	680.5	DFT	256QAM	Outer_Full	19.08	13.13
B66-n71	15	15	680.5	CP	QPSK	Inner_Full	21.98	16.03
B66-n71	15	15	680.5	CP	QPSK	Edge_1RB_Left	20.34	14.39
B66-n71	15	15	680.5	CP	QPSK	Edge_1RB_Right	20.13	14.18
B66-n71	15	15	680.5	CP	QPSK	Outer_Full	20.40	14.45
B66-n71	15	15	680.5	CP	16QAM	Inner_Full	21.51	15.56
B66-n71	15	15	680.5	CP	16QAM	Edge_1RB_Left	20.63	14.68
B66-n71	15	15	680.5	CP	16QAM	Edge_1RB_Right	20.44	14.49
B66-n71	15	15	680.5	CP	16QAM	Outer_Full	20.52	14.57
B66-n71	15	15	680.5	CP	64QAM	Inner_Full	20.15	14.20
B66-n71	15	15	680.5	CP	64QAM	Edge_1RB_Left	19.91	13.96
B66-n71	15	15	680.5	CP	64QAM	Edge_1RB_Right	19.73	13.78
B66-n71	15	15	680.5	CP	64QAM	Outer_Full	20.02	14.07
B66-n71	15	15	680.5	CP	256QAM	Inner_Full	17.12	11.17
B66-n71	15	15	680.5	CP	256QAM	Edge_1RB_Left	16.97	11.02
B66-n71	15	15	680.5	CP	256QAM	Edge_1RB_Right	16.76	10.81
B66-n71	15	15	680.5	CP	256QAM	Outer_Full	17.03	11.08
B66-n71	15	15	690.5	DFT	pi/2 BPSK	Inner_Full	23.24	17.29
B66-n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.21	17.26
B66-n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.55	16.60
B66-n71	15	15	690.5	DFT	pi/2 BPSK	Outer_Full	22.79	16.84

B66-n71	15	15	690.5	DFT	QPSK	Inner_Full	23.23	17.28
B66-n71	15	15	690.5	DFT	QPSK	Edge_1RB_Left	22.61	16.66
B66-n71	15	15	690.5	DFT	QPSK	Edge_1RB_Right	22.16	16.21
B66-n71	15	15	690.5	DFT	QPSK	Outer_Full	22.27	16.32
B66-n71	15	15	690.5	DFT	16QAM	Inner_Full	22.26	16.31
B66-n71	15	15	690.5	DFT	16QAM	Edge_1RB_Left	21.92	15.97
B66-n71	15	15	690.5	DFT	16QAM	Edge_1RB_Right	21.36	15.41
B66-n71	15	15	690.5	DFT	16QAM	Outer_Full	21.40	15.45
B66-n71	15	15	690.5	DFT	64QAM	Inner_Full	20.69	14.74
B66-n71	15	15	690.5	DFT	64QAM	Edge_1RB_Left	21.06	15.11
B66-n71	15	15	690.5	DFT	64QAM	Edge_1RB_Right	20.52	14.57
B66-n71	15	15	690.5	DFT	64QAM	Outer_Full	20.76	14.81
B66-n71	15	15	690.5	DFT	256QAM	Inner_Full	18.95	13.00
B66-n71	15	15	690.5	DFT	256QAM	Edge_1RB_Left	19.25	13.30
B66-n71	15	15	690.5	DFT	256QAM	Edge_1RB_Right	18.73	12.78
B66-n71	15	15	690.5	DFT	256QAM	Outer_Full	18.84	12.89
B66-n71	15	15	690.5	CP	QPSK	Inner_Full	21.70	15.75
B66-n71	15	15	690.5	CP	QPSK	Edge_1RB_Left	20.64	14.69
B66-n71	15	15	690.5	CP	QPSK	Edge_1RB_Right	20.10	14.15
B66-n71	15	15	690.5	CP	QPSK	Outer_Full	20.23	14.28
B66-n71	15	15	690.5	CP	16QAM	Inner_Full	21.20	15.25
B66-n71	15	15	690.5	CP	16QAM	Edge_1RB_Left	20.94	14.99
B66-n71	15	15	690.5	CP	16QAM	Edge_1RB_Right	20.35	14.40
B66-n71	15	15	690.5	CP	16QAM	Outer_Full	20.28	14.33
B66-n71	15	15	690.5	CP	64QAM	Inner_Full	19.82	13.87
B66-n71	15	15	690.5	CP	64QAM	Edge_1RB_Left	20.14	14.19
B66-n71	15	15	690.5	CP	64QAM	Edge_1RB_Right	19.55	13.60
B66-n71	15	15	690.5	CP	64QAM	Outer_Full	19.82	13.87
B66-n71	15	15	690.5	CP	256QAM	Inner_Full	16.87	10.92
B66-n71	15	15	690.5	CP	256QAM	Edge_1RB_Left	17.31	11.36
B66-n71	15	15	690.5	CP	256QAM	Edge_1RB_Right	16.64	10.69
B66-n71	15	15	690.5	CP	256QAM	Outer_Full	16.86	10.91
B66-n71	20	15	673	DFT	pi/2 BPSK	Inner_Full	23.45	17.50
B66-n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Left	22.85	16.90
B66-n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Right	23.27	17.32
B66-n71	20	15	673	DFT	pi/2 BPSK	Outer_Full	22.91	16.96
B66-n71	20	15	673	DFT	QPSK	Inner_Full	23.47	17.52

B66-n71	20	15	673	DFT	QPSK	Edge_1RB_Left	22.26	16.31
B66-n71	20	15	673	DFT	QPSK	Edge_1RB_Right	22.53	16.58
B66-n71	20	15	673	DFT	QPSK	Outer_Full	22.43	16.48
B66-n71	20	15	673	DFT	16QAM	Inner_Full	22.47	16.52
B66-n71	20	15	673	DFT	16QAM	Edge_1RB_Left	21.52	15.57
B66-n71	20	15	673	DFT	16QAM	Edge_1RB_Right	21.44	15.49
B66-n71	20	15	673	DFT	16QAM	Outer_Full	21.42	15.47
B66-n71	20	15	673	DFT	64QAM	Inner_Full	20.90	14.95
B66-n71	20	15	673	DFT	64QAM	Edge_1RB_Left	20.64	14.69
B66-n71	20	15	673	DFT	64QAM	Edge_1RB_Right	20.97	15.02
B66-n71	20	15	673	DFT	64QAM	Outer_Full	20.89	14.94
B66-n71	20	15	673	DFT	256QAM	Inner_Full	19.10	13.15
B66-n71	20	15	673	DFT	256QAM	Edge_1RB_Left	18.97	13.02
B66-n71	20	15	673	DFT	256QAM	Edge_1RB_Right	19.24	13.29
B66-n71	20	15	673	DFT	256QAM	Outer_Full	19.05	13.10
B66-n71	20	15	673	CP	QPSK	Inner_Full	21.96	16.01
B66-n71	20	15	673	CP	QPSK	Edge_1RB_Left	20.29	14.34
B66-n71	20	15	673	CP	QPSK	Edge_1RB_Right	20.48	14.53
B66-n71	20	15	673	CP	QPSK	Outer_Full	20.36	14.41
B66-n71	20	15	673	CP	16QAM	Inner_Full	21.42	15.47
B66-n71	20	15	673	CP	16QAM	Edge_1RB_Left	20.52	14.57
B66-n71	20	15	673	CP	16QAM	Edge_1RB_Right	20.93	14.98
B66-n71	20	15	673	CP	16QAM	Outer_Full	20.36	14.41
B66-n71	20	15	673	CP	64QAM	Inner_Full	20.12	14.17
B66-n71	20	15	673	CP	64QAM	Edge_1RB_Left	19.87	13.92
B66-n71	20	15	673	CP	64QAM	Edge_1RB_Right	19.88	13.93
B66-n71	20	15	673	CP	64QAM	Outer_Full	20.01	14.06
B66-n71	20	15	673	CP	256QAM	Inner_Full	17.07	11.12
B66-n71	20	15	673	CP	256QAM	Edge_1RB_Left	16.98	11.03
B66-n71	20	15	673	CP	256QAM	Edge_1RB_Right	17.15	11.20
B66-n71	20	15	673	CP	256QAM	Outer_Full	17.06	11.11
B66-n71	20	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.48	17.53
B66-n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.73	16.78
B66-n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.70	16.75
B66-n71	20	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.81	16.86
B66-n71	20	15	680.5	DFT	QPSK	Inner_Full	23.50	17.55
B66-n71	20	15	680.5	DFT	QPSK	Edge_1RB_Left	22.06	16.11

B66-n71	20	15	680.5	DFT	QPSK	Edge_1RB_Right	22.14	16.19
B66-n71	20	15	680.5	DFT	QPSK	Outer_Full	22.34	16.39
B66-n71	20	15	680.5	DFT	16QAM	Inner_Full	22.51	16.56
B66-n71	20	15	680.5	DFT	16QAM	Edge_1RB_Left	21.06	15.11
B66-n71	20	15	680.5	DFT	16QAM	Edge_1RB_Right	21.12	15.17
B66-n71	20	15	680.5	DFT	16QAM	Outer_Full	21.35	15.40
B66-n71	20	15	680.5	DFT	64QAM	Inner_Full	21.00	15.05
B66-n71	20	15	680.5	DFT	64QAM	Edge_1RB_Left	20.76	14.81
B66-n71	20	15	680.5	DFT	64QAM	Edge_1RB_Right	20.82	14.87
B66-n71	20	15	680.5	DFT	64QAM	Outer_Full	20.79	14.84
B66-n71	20	15	680.5	DFT	256QAM	Inner_Full	19.06	13.11
B66-n71	20	15	680.5	DFT	256QAM	Edge_1RB_Left	18.58	12.63
B66-n71	20	15	680.5	DFT	256QAM	Edge_1RB_Right	18.60	12.65
B66-n71	20	15	680.5	DFT	256QAM	Outer_Full	18.92	12.97
B66-n71	20	15	680.5	CP	QPSK	Inner_Full	21.97	16.02
B66-n71	20	15	680.5	CP	QPSK	Edge_1RB_Left	19.96	14.01
B66-n71	20	15	680.5	CP	QPSK	Edge_1RB_Right	20.04	14.09
B66-n71	20	15	680.5	CP	QPSK	Outer_Full	20.33	14.38
B66-n71	20	15	680.5	CP	16QAM	Inner_Full	21.40	15.45
B66-n71	20	15	680.5	CP	16QAM	Edge_1RB_Left	20.10	14.15
B66-n71	20	15	680.5	CP	16QAM	Edge_1RB_Right	20.15	14.20
B66-n71	20	15	680.5	CP	16QAM	Outer_Full	20.38	14.43
B66-n71	20	15	680.5	CP	64QAM	Inner_Full	20.12	14.17
B66-n71	20	15	680.5	CP	64QAM	Edge_1RB_Left	19.94	13.99
B66-n71	20	15	680.5	CP	64QAM	Edge_1RB_Right	19.90	13.95
B66-n71	20	15	680.5	CP	64QAM	Outer_Full	19.96	14.01
B66-n71	20	15	680.5	CP	256QAM	Inner_Full	17.07	11.12
B66-n71	20	15	680.5	CP	256QAM	Edge_1RB_Left	16.66	10.71
B66-n71	20	15	680.5	CP	256QAM	Edge_1RB_Right	16.64	10.69
B66-n71	20	15	680.5	CP	256QAM	Outer_Full	17.03	11.08
B66-n71	20	15	688	DFT	$\pi/2$ BPSK	Inner_Full	23.40	17.45
B66-n71	20	15	688	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.84	16.89
B66-n71	20	15	688	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.65	16.70
B66-n71	20	15	688	DFT	$\pi/2$ BPSK	Outer_Full	22.91	16.96
B66-n71	20	15	688	DFT	QPSK	Inner_Full	23.48	17.53
B66-n71	20	15	688	DFT	QPSK	Edge_1RB_Left	22.33	16.38
B66-n71	20	15	688	DFT	QPSK	Edge_1RB_Right	22.05	16.10

B66-n71	20	15	688	DFT	QPSK	Outer_Full	22.36	16.41
B66-n71	20	15	688	DFT	16QAM	Inner_Full	22.48	16.53
B66-n71	20	15	688	DFT	16QAM	Edge_1RB_Left	21.48	15.53
B66-n71	20	15	688	DFT	16QAM	Edge_1RB_Right	21.39	15.44
B66-n71	20	15	688	DFT	16QAM	Outer_Full	21.36	15.41
B66-n71	20	15	688	DFT	64QAM	Inner_Full	20.89	14.94
B66-n71	20	15	688	DFT	64QAM	Edge_1RB_Left	20.65	14.70
B66-n71	20	15	688	DFT	64QAM	Edge_1RB_Right	20.59	14.64
B66-n71	20	15	688	DFT	64QAM	Outer_Full	20.88	14.93
B66-n71	20	15	688	DFT	256QAM	Inner_Full	19.07	13.12
B66-n71	20	15	688	DFT	256QAM	Edge_1RB_Left	18.89	12.94
B66-n71	20	15	688	DFT	256QAM	Edge_1RB_Right	18.72	12.77
B66-n71	20	15	688	DFT	256QAM	Outer_Full	19.00	13.05
B66-n71	20	15	688	CP	QPSK	Inner_Full	21.90	15.95
B66-n71	20	15	688	CP	QPSK	Edge_1RB_Left	20.32	14.37
B66-n71	20	15	688	CP	QPSK	Edge_1RB_Right	20.05	14.10
B66-n71	20	15	688	CP	QPSK	Outer_Full	20.36	14.41
B66-n71	20	15	688	CP	16QAM	Inner_Full	21.40	15.45
B66-n71	20	15	688	CP	16QAM	Edge_1RB_Left	20.52	14.57
B66-n71	20	15	688	CP	16QAM	Edge_1RB_Right	20.36	14.41
B66-n71	20	15	688	CP	16QAM	Outer_Full	20.33	14.38
B66-n71	20	15	688	CP	64QAM	Inner_Full	20.04	14.09
B66-n71	20	15	688	CP	64QAM	Edge_1RB_Left	19.76	13.81
B66-n71	20	15	688	CP	64QAM	Edge_1RB_Right	19.59	13.64
B66-n71	20	15	688	CP	64QAM	Outer_Full	19.94	13.99
B66-n71	20	15	688	CP	256QAM	Inner_Full	17.01	11.06
B66-n71	20	15	688	CP	256QAM	Edge_1RB_Left	16.91	10.96
B66-n71	20	15	688	CP	256QAM	Edge_1RB_Right	16.64	10.69
B66-n71	20	15	688	CP	256QAM	Outer_Full	17.02	11.07



NR n77L

Limit ≤ 30dBm(1W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted Power(dBm)	EIRP(dBm) (Gt - Lc = -1.6)
n77L	10	30	3455.01	DFT	pi/2 BPSK	Inner_Full	26.17	24.57
n77L	10	30	3455.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.62	21.02
n77L	10	30	3455.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.59	20.99
n77L	10	30	3455.01	DFT	pi/2 BPSK	Outer_Full	25.69	24.09
n77L	10	30	3455.01	DFT	QPSK	Inner_Full	26.23	24.63
n77L	10	30	3455.01	DFT	QPSK	Edge_1RB_Left	22.59	20.99
n77L	10	30	3455.01	DFT	QPSK	Edge_1RB_Right	22.61	21.01
n77L	10	30	3455.01	DFT	QPSK	Outer_Full	25.21	23.61
n77L	10	30	3455.01	DFT	16QAM	Inner_Full	25.22	23.62
n77L	10	30	3455.01	DFT	16QAM	Edge_1RB_Left	22.77	21.17
n77L	10	30	3455.01	DFT	16QAM	Edge_1RB_Right	22.66	21.06
n77L	10	30	3455.01	DFT	16QAM	Outer_Full	24.21	22.61
n77L	10	30	3455.01	DFT	64QAM	Inner_Full	23.60	22.00
n77L	10	30	3455.01	DFT	64QAM	Edge_1RB_Left	22.51	20.91
n77L	10	30	3455.01	DFT	64QAM	Edge_1RB_Right	22.57	20.97
n77L	10	30	3455.01	DFT	64QAM	Outer_Full	23.60	22.00
n77L	10	30	3455.01	DFT	256QAM	Inner_Full	21.67	20.07
n77L	10	30	3455.01	DFT	256QAM	Edge_1RB_Left	21.65	20.05
n77L	10	30	3455.01	DFT	256QAM	Edge_1RB_Right	21.65	20.05
n77L	10	30	3455.01	DFT	256QAM	Outer_Full	21.68	20.08
n77L	10	30	3455.01	CP	QPSK	Inner_Full	24.71	23.11
n77L	10	30	3455.01	CP	QPSK	Edge_1RB_Left	22.69	21.09
n77L	10	30	3455.01	CP	QPSK	Edge_1RB_Right	22.64	21.04
n77L	10	30	3455.01	CP	QPSK	Outer_Full	23.17	21.57
n77L	10	30	3455.01	CP	16QAM	Inner_Full	24.25	22.65
n77L	10	30	3455.01	CP	16QAM	Edge_1RB_Left	22.87	21.27
n77L	10	30	3455.01	CP	16QAM	Edge_1RB_Right	22.76	21.16
n77L	10	30	3455.01	CP	16QAM	Outer_Full	23.23	21.63
n77L	10	30	3455.01	CP	64QAM	Inner_Full	22.67	21.07
n77L	10	30	3455.01	CP	64QAM	Edge_1RB_Left	22.16	20.56
n77L	10	30	3455.01	CP	64QAM	Edge_1RB_Right	22.65	21.05
n77L	10	30	3455.01	CP	64QAM	Outer_Full	22.71	21.11
n77L	10	30	3455.01	CP	256QAM	Inner_Full	19.82	18.22





n77L	10	30	3455.01	CP	256QAM	Edge_1RB_Left	19.71	18.11
n77L	10	30	3455.01	CP	256QAM	Edge_1RB_Right	19.78	18.18
n77L	10	30	3455.01	CP	256QAM	Outer_Full	19.79	18.19
n77L	10	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.85	24.25
n77L	10	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.18	20.58
n77L	10	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.25	20.65
n77L	10	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.39	23.79
n77L	10	30	3500.01	DFT	QPSK	Inner_Full	25.85	24.25
n77L	10	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.19	20.59
n77L	10	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.25	20.65
n77L	10	30	3500.01	DFT	QPSK	Outer_Full	24.90	23.30
n77L	10	30	3500.01	DFT	16QAM	Inner_Full	24.85	23.25
n77L	10	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.35	20.75
n77L	10	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.41	20.81
n77L	10	30	3500.01	DFT	16QAM	Outer_Full	23.93	22.33
n77L	10	30	3500.01	DFT	64QAM	Inner_Full	23.39	21.79
n77L	10	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.07	20.47
n77L	10	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.22	20.62
n77L	10	30	3500.01	DFT	64QAM	Outer_Full	23.33	21.73
n77L	10	30	3500.01	DFT	256QAM	Inner_Full	21.28	19.68
n77L	10	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.24	19.64
n77L	10	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.29	19.69
n77L	10	30	3500.01	DFT	256QAM	Outer_Full	21.35	19.75
n77L	10	30	3500.01	CP	QPSK	Inner_Full	24.40	22.80
n77L	10	30	3500.01	CP	QPSK	Edge_1RB_Left	22.29	20.69
n77L	10	30	3500.01	CP	QPSK	Edge_1RB_Right	22.37	20.77
n77L	10	30	3500.01	CP	QPSK	Outer_Full	22.86	21.26
n77L	10	30	3500.01	CP	16QAM	Inner_Full	23.88	22.28
n77L	10	30	3500.01	CP	16QAM	Edge_1RB_Left	22.37	20.77
n77L	10	30	3500.01	CP	16QAM	Edge_1RB_Right	22.47	20.87
n77L	10	30	3500.01	CP	16QAM	Outer_Full	22.86	21.26
n77L	10	30	3500.01	CP	64QAM	Inner_Full	22.34	20.74
n77L	10	30	3500.01	CP	64QAM	Edge_1RB_Left	22.56	20.96
n77L	10	30	3500.01	CP	64QAM	Edge_1RB_Right	22.35	20.75
n77L	10	30	3500.01	CP	64QAM	Outer_Full	22.38	20.78
n77L	10	30	3500.01	CP	256QAM	Inner_Full	19.39	17.79
n77L	10	30	3500.01	CP	256QAM	Edge_1RB_Left	19.44	17.84



n77L	10	30	3500.01	CP	256QAM	Edge_1RB_Right	19.42	17.82
n77L	10	30	3500.01	CP	256QAM	Outer_Full	19.53	17.93
n77L	10	30	3544.98	DFT	pi/2 BPSK	Inner_Full	25.77	24.17
n77L	10	30	3544.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.09	20.49
n77L	10	30	3544.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.13	20.53
n77L	10	30	3544.98	DFT	pi/2 BPSK	Outer_Full	25.22	23.62
n77L	10	30	3544.98	DFT	QPSK	Inner_Full	25.73	24.13
n77L	10	30	3544.98	DFT	QPSK	Edge_1RB_Left	22.16	20.56
n77L	10	30	3544.98	DFT	QPSK	Edge_1RB_Right	22.15	20.55
n77L	10	30	3544.98	DFT	QPSK	Outer_Full	24.77	23.17
n77L	10	30	3544.98	DFT	16QAM	Inner_Full	24.67	23.07
n77L	10	30	3544.98	DFT	16QAM	Edge_1RB_Left	22.13	20.53
n77L	10	30	3544.98	DFT	16QAM	Edge_1RB_Right	22.21	20.61
n77L	10	30	3544.98	DFT	16QAM	Outer_Full	23.76	22.16
n77L	10	30	3544.98	DFT	64QAM	Inner_Full	23.28	21.68
n77L	10	30	3544.98	DFT	64QAM	Edge_1RB_Left	22.04	20.44
n77L	10	30	3544.98	DFT	64QAM	Edge_1RB_Right	22.15	20.55
n77L	10	30	3544.98	DFT	64QAM	Outer_Full	23.23	21.63
n77L	10	30	3544.98	DFT	256QAM	Inner_Full	21.21	19.61
n77L	10	30	3544.98	DFT	256QAM	Edge_1RB_Left	21.17	19.57
n77L	10	30	3544.98	DFT	256QAM	Edge_1RB_Right	21.21	19.61
n77L	10	30	3544.98	DFT	256QAM	Outer_Full	21.25	19.65
n77L	10	30	3544.98	CP	QPSK	Inner_Full	24.22	22.62
n77L	10	30	3544.98	CP	QPSK	Edge_1RB_Left	22.27	20.67
n77L	10	30	3544.98	CP	QPSK	Edge_1RB_Right	22.15	20.55
n77L	10	30	3544.98	CP	QPSK	Outer_Full	22.75	21.15
n77L	10	30	3544.98	CP	16QAM	Inner_Full	23.77	22.17
n77L	10	30	3544.98	CP	16QAM	Edge_1RB_Left	22.31	20.71
n77L	10	30	3544.98	CP	16QAM	Edge_1RB_Right	22.22	20.62
n77L	10	30	3544.98	CP	16QAM	Outer_Full	22.78	21.18
n77L	10	30	3544.98	CP	64QAM	Inner_Full	22.22	20.62
n77L	10	30	3544.98	CP	64QAM	Edge_1RB_Left	22.42	20.82
n77L	10	30	3544.98	CP	64QAM	Edge_1RB_Right	22.19	20.59
n77L	10	30	3544.98	CP	64QAM	Outer_Full	22.30	20.70
n77L	10	30	3544.98	CP	256QAM	Inner_Full	19.34	17.74
n77L	10	30	3544.98	CP	256QAM	Edge_1RB_Left	19.34	17.74
n77L	10	30	3544.98	CP	256QAM	Edge_1RB_Right	19.30	17.70



n77L	10	30	3544.98	CP	256QAM	Outer_Full	19.33	17.73
n77L	15	30	3457.5	DFT	pi/2 BPSK	Inner_Full	26.25	24.65
n77L	15	30	3457.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.59	20.99
n77L	15	30	3457.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.46	20.86
n77L	15	30	3457.5	DFT	pi/2 BPSK	Outer_Full	25.72	24.12
n77L	15	30	3457.5	DFT	QPSK	Inner_Full	26.26	24.66
n77L	15	30	3457.5	DFT	QPSK	Edge_1RB_Left	22.59	20.99
n77L	15	30	3457.5	DFT	QPSK	Edge_1RB_Right	22.52	20.92
n77L	15	30	3457.5	DFT	QPSK	Outer_Full	25.23	23.63
n77L	15	30	3457.5	DFT	16QAM	Inner_Full	25.32	23.72
n77L	15	30	3457.5	DFT	16QAM	Edge_1RB_Left	22.75	21.15
n77L	15	30	3457.5	DFT	16QAM	Edge_1RB_Right	22.61	21.01
n77L	15	30	3457.5	DFT	16QAM	Outer_Full	24.26	22.66
n77L	15	30	3457.5	DFT	64QAM	Inner_Full	23.71	22.11
n77L	15	30	3457.5	DFT	64QAM	Edge_1RB_Left	22.59	20.99
n77L	15	30	3457.5	DFT	64QAM	Edge_1RB_Right	22.47	20.87
n77L	15	30	3457.5	DFT	64QAM	Outer_Full	23.78	22.18
n77L	15	30	3457.5	DFT	256QAM	Inner_Full	21.79	20.19
n77L	15	30	3457.5	DFT	256QAM	Edge_1RB_Left	21.12	19.52
n77L	15	30	3457.5	DFT	256QAM	Edge_1RB_Right	21.76	20.16
n77L	15	30	3457.5	DFT	256QAM	Outer_Full	21.63	20.03
n77L	15	30	3457.5	CP	QPSK	Inner_Full	24.77	23.17
n77L	15	30	3457.5	CP	QPSK	Edge_1RB_Left	22.63	21.03
n77L	15	30	3457.5	CP	QPSK	Edge_1RB_Right	22.52	20.92
n77L	15	30	3457.5	CP	QPSK	Outer_Full	23.17	21.57
n77L	15	30	3457.5	CP	16QAM	Inner_Full	24.28	22.68
n77L	15	30	3457.5	CP	16QAM	Edge_1RB_Left	22.41	20.81
n77L	15	30	3457.5	CP	16QAM	Edge_1RB_Right	22.34	20.74
n77L	15	30	3457.5	CP	16QAM	Outer_Full	23.23	21.63
n77L	15	30	3457.5	CP	64QAM	Inner_Full	22.65	21.05
n77L	15	30	3457.5	CP	64QAM	Edge_1RB_Left	22.82	21.22
n77L	15	30	3457.5	CP	64QAM	Edge_1RB_Right	22.66	21.06
n77L	15	30	3457.5	CP	64QAM	Outer_Full	22.64	21.04
n77L	15	30	3457.5	CP	256QAM	Inner_Full	19.80	18.20
n77L	15	30	3457.5	CP	256QAM	Edge_1RB_Left	19.27	17.67
n77L	15	30	3457.5	CP	256QAM	Edge_1RB_Right	19.62	18.02
n77L	15	30	3457.5	CP	256QAM	Outer_Full	19.74	18.14

n77L	15	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.91	24.31
n77L	15	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.19	20.59
n77L	15	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.24	20.64
n77L	15	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.36	23.76
n77L	15	30	3500.01	DFT	QPSK	Inner_Full	25.91	24.31
n77L	15	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.20	20.60
n77L	15	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.27	20.67
n77L	15	30	3500.01	DFT	QPSK	Outer_Full	24.91	23.31
n77L	15	30	3500.01	DFT	16QAM	Inner_Full	24.93	23.33
n77L	15	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.12	20.52
n77L	15	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.10	20.50
n77L	15	30	3500.01	DFT	16QAM	Outer_Full	23.92	22.32
n77L	15	30	3500.01	DFT	64QAM	Inner_Full	23.35	21.75
n77L	15	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.13	20.53
n77L	15	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.14	20.54
n77L	15	30	3500.01	DFT	64QAM	Outer_Full	23.41	21.81
n77L	15	30	3500.01	DFT	256QAM	Inner_Full	21.44	19.84
n77L	15	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.44	19.84
n77L	15	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.66	20.06
n77L	15	30	3500.01	DFT	256QAM	Outer_Full	21.34	19.74
n77L	15	30	3500.01	CP	QPSK	Inner_Full	24.37	22.77
n77L	15	30	3500.01	CP	QPSK	Edge_1RB_Left	22.09	20.49
n77L	15	30	3500.01	CP	QPSK	Edge_1RB_Right	22.27	20.67
n77L	15	30	3500.01	CP	QPSK	Outer_Full	22.85	21.25
n77L	15	30	3500.01	CP	16QAM	Inner_Full	23.88	22.28
n77L	15	30	3500.01	CP	16QAM	Edge_1RB_Left	22.05	20.45
n77L	15	30	3500.01	CP	16QAM	Edge_1RB_Right	22.08	20.48
n77L	15	30	3500.01	CP	16QAM	Outer_Full	22.88	21.28
n77L	15	30	3500.01	CP	64QAM	Inner_Full	22.48	20.88
n77L	15	30	3500.01	CP	64QAM	Edge_1RB_Left	22.51	20.91
n77L	15	30	3500.01	CP	64QAM	Edge_1RB_Right	22.58	20.98
n77L	15	30	3500.01	CP	64QAM	Outer_Full	22.27	20.67
n77L	15	30	3500.01	CP	256QAM	Inner_Full	19.40	17.80
n77L	15	30	3500.01	CP	256QAM	Edge_1RB_Left	19.61	18.01
n77L	15	30	3500.01	CP	256QAM	Edge_1RB_Right	19.68	18.08
n77L	15	30	3500.01	CP	256QAM	Outer_Full	19.42	17.82
n77L	15	30	3542.49	DFT	pi/2 BPSK	Inner_Full	25.67	24.07



n77L	15	30	3542.49	DFT	pi/2 BPSK	Edge_1RB_Left	21.99	20.39
n77L	15	30	3542.49	DFT	pi/2 BPSK	Edge_1RB_Right	22.05	20.45
n77L	15	30	3542.49	DFT	pi/2 BPSK	Outer_Full	25.22	23.62
n77L	15	30	3542.49	DFT	QPSK	Inner_Full	25.74	24.14
n77L	15	30	3542.49	DFT	QPSK	Edge_1RB_Left	22.01	20.41
n77L	15	30	3542.49	DFT	QPSK	Edge_1RB_Right	22.08	20.48
n77L	15	30	3542.49	DFT	QPSK	Outer_Full	24.74	23.14
n77L	15	30	3542.49	DFT	16QAM	Inner_Full	24.74	23.14
n77L	15	30	3542.49	DFT	16QAM	Edge_1RB_Left	22.11	20.51
n77L	15	30	3542.49	DFT	16QAM	Edge_1RB_Right	22.18	20.58
n77L	15	30	3542.49	DFT	16QAM	Outer_Full	23.76	22.16
n77L	15	30	3542.49	DFT	64QAM	Inner_Full	23.18	21.58
n77L	15	30	3542.49	DFT	64QAM	Edge_1RB_Left	21.97	20.37
n77L	15	30	3542.49	DFT	64QAM	Edge_1RB_Right	21.91	20.31
n77L	15	30	3542.49	DFT	64QAM	Outer_Full	23.23	21.63
n77L	15	30	3542.49	DFT	256QAM	Inner_Full	21.26	19.66
n77L	15	30	3542.49	DFT	256QAM	Edge_1RB_Left	21.11	19.51
n77L	15	30	3542.49	DFT	256QAM	Edge_1RB_Right	21.10	19.50
n77L	15	30	3542.49	DFT	256QAM	Outer_Full	21.19	19.59
n77L	15	30	3542.49	CP	QPSK	Inner_Full	24.14	22.54
n77L	15	30	3542.49	CP	QPSK	Edge_1RB_Left	22.15	20.55
n77L	15	30	3542.49	CP	QPSK	Edge_1RB_Right	22.20	20.60
n77L	15	30	3542.49	CP	QPSK	Outer_Full	22.68	21.08
n77L	15	30	3542.49	CP	16QAM	Inner_Full	23.78	22.18
n77L	15	30	3542.49	CP	16QAM	Edge_1RB_Left	22.10	20.50
n77L	15	30	3542.49	CP	16QAM	Edge_1RB_Right	22.20	20.60
n77L	15	30	3542.49	CP	16QAM	Outer_Full	22.73	21.13
n77L	15	30	3542.49	CP	64QAM	Inner_Full	22.21	20.61
n77L	15	30	3542.49	CP	64QAM	Edge_1RB_Left	22.13	20.53
n77L	15	30	3542.49	CP	64QAM	Edge_1RB_Right	22.23	20.63
n77L	15	30	3542.49	CP	64QAM	Outer_Full	22.14	20.54
n77L	15	30	3542.49	CP	256QAM	Inner_Full	19.29	17.69
n77L	15	30	3542.49	CP	256QAM	Edge_1RB_Left	19.11	17.51
n77L	15	30	3542.49	CP	256QAM	Edge_1RB_Right	19.24	17.64
n77L	15	30	3542.49	CP	256QAM	Outer_Full	19.22	17.62
n77L	20	30	3460.02	DFT	pi/2 BPSK	Inner_Full	26.28	24.68
n77L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.56	20.96

n77L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.41	20.81
n77L	20	30	3460.02	DFT	pi/2 BPSK	Outer_Full	25.75	24.15
n77L	20	30	3460.02	DFT	QPSK	Inner_Full	26.27	24.67
n77L	20	30	3460.02	DFT	QPSK	Edge_1RB_Left	22.62	21.02
n77L	20	30	3460.02	DFT	QPSK	Edge_1RB_Right	22.47	20.87
n77L	20	30	3460.02	DFT	QPSK	Outer_Full	25.27	23.67
n77L	20	30	3460.02	DFT	16QAM	Inner_Full	25.22	23.62
n77L	20	30	3460.02	DFT	16QAM	Edge_1RB_Left	22.67	21.07
n77L	20	30	3460.02	DFT	16QAM	Edge_1RB_Right	22.48	20.88
n77L	20	30	3460.02	DFT	16QAM	Outer_Full	24.28	22.68
n77L	20	30	3460.02	DFT	64QAM	Inner_Full	23.80	22.20
n77L	20	30	3460.02	DFT	64QAM	Edge_1RB_Left	22.46	20.86
n77L	20	30	3460.02	DFT	64QAM	Edge_1RB_Right	22.30	20.70
n77L	20	30	3460.02	DFT	64QAM	Outer_Full	23.76	22.16
n77L	20	30	3460.02	DFT	256QAM	Inner_Full	21.68	20.08
n77L	20	30	3460.02	DFT	256QAM	Edge_1RB_Left	21.74	20.14
n77L	20	30	3460.02	DFT	256QAM	Edge_1RB_Right	21.43	19.83
n77L	20	30	3460.02	DFT	256QAM	Outer_Full	21.70	20.10
n77L	20	30	3460.02	CP	QPSK	Inner_Full	24.76	23.16
n77L	20	30	3460.02	CP	QPSK	Edge_1RB_Left	22.70	21.10
n77L	20	30	3460.02	CP	QPSK	Edge_1RB_Right	22.52	20.92
n77L	20	30	3460.02	CP	QPSK	Outer_Full	23.22	21.62
n77L	20	30	3460.02	CP	16QAM	Inner_Full	24.26	22.66
n77L	20	30	3460.02	CP	16QAM	Edge_1RB_Left	22.84	21.24
n77L	20	30	3460.02	CP	16QAM	Edge_1RB_Right	22.65	21.05
n77L	20	30	3460.02	CP	16QAM	Outer_Full	23.28	21.68
n77L	20	30	3460.02	CP	64QAM	Inner_Full	22.84	21.24
n77L	20	30	3460.02	CP	64QAM	Edge_1RB_Left	22.69	21.09
n77L	20	30	3460.02	CP	64QAM	Edge_1RB_Right	22.47	20.87
n77L	20	30	3460.02	CP	64QAM	Outer_Full	22.69	21.09
n77L	20	30	3460.02	CP	256QAM	Inner_Full	19.74	18.14
n77L	20	30	3460.02	CP	256QAM	Edge_1RB_Left	19.85	18.25
n77L	20	30	3460.02	CP	256QAM	Edge_1RB_Right	19.64	18.04
n77L	20	30	3460.02	CP	256QAM	Outer_Full	19.86	18.26
n77L	20	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.92	24.32
n77L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.11	20.51
n77L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.20	20.60



n77L	20	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.34	23.74
n77L	20	30	3500.01	DFT	QPSK	Inner_Full	25.87	24.27
n77L	20	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.09	20.49
n77L	20	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.21	20.61
n77L	20	30	3500.01	DFT	QPSK	Outer_Full	24.87	23.27
n77L	20	30	3500.01	DFT	16QAM	Inner_Full	24.90	23.30
n77L	20	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.22	20.62
n77L	20	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.29	20.69
n77L	20	30	3500.01	DFT	16QAM	Outer_Full	23.94	22.34
n77L	20	30	3500.01	DFT	64QAM	Inner_Full	23.43	21.83
n77L	20	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.08	20.48
n77L	20	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.16	20.56
n77L	20	30	3500.01	DFT	64QAM	Outer_Full	23.37	21.77
n77L	20	30	3500.01	DFT	256QAM	Inner_Full	21.29	19.69
n77L	20	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.19	19.59
n77L	20	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.32	19.72
n77L	20	30	3500.01	DFT	256QAM	Outer_Full	21.40	19.80
n77L	20	30	3500.01	CP	QPSK	Inner_Full	24.35	22.75
n77L	20	30	3500.01	CP	QPSK	Edge_1RB_Left	22.10	20.50
n77L	20	30	3500.01	CP	QPSK	Edge_1RB_Right	22.28	20.68
n77L	20	30	3500.01	CP	QPSK	Outer_Full	22.88	21.28
n77L	20	30	3500.01	CP	16QAM	Inner_Full	23.86	22.26
n77L	20	30	3500.01	CP	16QAM	Edge_1RB_Left	22.31	20.71
n77L	20	30	3500.01	CP	16QAM	Edge_1RB_Right	22.54	20.94
n77L	20	30	3500.01	CP	16QAM	Outer_Full	22.90	21.30
n77L	20	30	3500.01	CP	64QAM	Inner_Full	22.39	20.79
n77L	20	30	3500.01	CP	64QAM	Edge_1RB_Left	22.09	20.49
n77L	20	30	3500.01	CP	64QAM	Edge_1RB_Right	22.41	20.81
n77L	20	30	3500.01	CP	64QAM	Outer_Full	22.32	20.72
n77L	20	30	3500.01	CP	256QAM	Inner_Full	19.39	17.79
n77L	20	30	3500.01	CP	256QAM	Edge_1RB_Left	19.22	17.62
n77L	20	30	3500.01	CP	256QAM	Edge_1RB_Right	19.38	17.78
n77L	20	30	3500.01	CP	256QAM	Outer_Full	19.43	17.83
n77L	20	30	3540	DFT	pi/2 BPSK	Inner_Full	25.69	24.09
n77L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Left	21.96	20.36
n77L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Right	21.92	20.32
n77L	20	30	3540	DFT	pi/2 BPSK	Outer_Full	25.15	23.55

n77L	20	30	3540	DFT	QPSK	Inner_Full	25.63	24.03
n77L	20	30	3540	DFT	QPSK	Edge_1RB_Left	21.90	20.30
n77L	20	30	3540	DFT	QPSK	Edge_1RB_Right	21.93	20.33
n77L	20	30	3540	DFT	QPSK	Outer_Full	24.68	23.08
n77L	20	30	3540	DFT	16QAM	Inner_Full	24.61	23.01
n77L	20	30	3540	DFT	16QAM	Edge_1RB_Left	21.99	20.39
n77L	20	30	3540	DFT	16QAM	Edge_1RB_Right	22.04	20.44
n77L	20	30	3540	DFT	16QAM	Outer_Full	23.61	22.01
n77L	20	30	3540	DFT	64QAM	Inner_Full	23.19	21.59
n77L	20	30	3540	DFT	64QAM	Edge_1RB_Left	21.84	20.24
n77L	20	30	3540	DFT	64QAM	Edge_1RB_Right	21.83	20.23
n77L	20	30	3540	DFT	64QAM	Outer_Full	23.12	21.52
n77L	20	30	3540	DFT	256QAM	Inner_Full	21.09	19.49
n77L	20	30	3540	DFT	256QAM	Edge_1RB_Left	20.87	19.27
n77L	20	30	3540	DFT	256QAM	Edge_1RB_Right	20.99	19.39
n77L	20	30	3540	DFT	256QAM	Outer_Full	21.13	19.53
n77L	20	30	3540	CP	QPSK	Inner_Full	24.14	22.54
n77L	20	30	3540	CP	QPSK	Edge_1RB_Left	21.87	20.27
n77L	20	30	3540	CP	QPSK	Edge_1RB_Right	22.06	20.46
n77L	20	30	3540	CP	QPSK	Outer_Full	22.59	20.99
n77L	20	30	3540	CP	16QAM	Inner_Full	23.61	22.01
n77L	20	30	3540	CP	16QAM	Edge_1RB_Left	22.03	20.43
n77L	20	30	3540	CP	16QAM	Edge_1RB_Right	22.24	20.64
n77L	20	30	3540	CP	16QAM	Outer_Full	22.58	20.98
n77L	20	30	3540	CP	64QAM	Inner_Full	22.21	20.61
n77L	20	30	3540	CP	64QAM	Edge_1RB_Left	21.87	20.27
n77L	20	30	3540	CP	64QAM	Edge_1RB_Right	22.18	20.58
n77L	20	30	3540	CP	64QAM	Outer_Full	22.06	20.46
n77L	20	30	3540	CP	256QAM	Inner_Full	19.16	17.56
n77L	20	30	3540	CP	256QAM	Edge_1RB_Left	18.97	17.37
n77L	20	30	3540	CP	256QAM	Edge_1RB_Right	19.19	17.59
n77L	20	30	3540	CP	256QAM	Outer_Full	19.22	17.62
n77L	40	30	3470.01	DFT	pi/2 BPSK	Inner_Full	26.00	24.40
n77L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.13	20.53
n77L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.78	20.18
n77L	40	30	3470.01	DFT	pi/2 BPSK	Outer_Full	25.36	23.76
n77L	40	30	3470.01	DFT	QPSK	Inner_Full	26.00	24.40





n77L	40	30	3470.01	DFT	QPSK	Edge_1RB_Left	22.14	20.54
n77L	40	30	3470.01	DFT	QPSK	Edge_1RB_Right	21.70	20.10
n77L	40	30	3470.01	DFT	QPSK	Outer_Full	24.93	23.33
n77L	40	30	3470.01	DFT	16QAM	Inner_Full	24.99	23.39
n77L	40	30	3470.01	DFT	16QAM	Edge_1RB_Left	22.27	20.67
n77L	40	30	3470.01	DFT	16QAM	Edge_1RB_Right	21.75	20.15
n77L	40	30	3470.01	DFT	16QAM	Outer_Full	23.88	22.28
n77L	40	30	3470.01	DFT	64QAM	Inner_Full	23.54	21.94
n77L	40	30	3470.01	DFT	64QAM	Edge_1RB_Left	22.15	20.55
n77L	40	30	3470.01	DFT	64QAM	Edge_1RB_Right	21.69	20.09
n77L	40	30	3470.01	DFT	64QAM	Outer_Full	23.36	21.76
n77L	40	30	3470.01	DFT	256QAM	Inner_Full	21.47	19.87
n77L	40	30	3470.01	DFT	256QAM	Edge_1RB_Left	21.14	19.54
n77L	40	30	3470.01	DFT	256QAM	Edge_1RB_Right	20.74	19.14
n77L	40	30	3470.01	DFT	256QAM	Outer_Full	21.42	19.82
n77L	40	30	3470.01	CP	QPSK	Inner_Full	24.42	22.82
n77L	40	30	3470.01	CP	QPSK	Edge_1RB_Left	22.16	20.56
n77L	40	30	3470.01	CP	QPSK	Edge_1RB_Right	21.70	20.10
n77L	40	30	3470.01	CP	QPSK	Outer_Full	22.80	21.20
n77L	40	30	3470.01	CP	16QAM	Inner_Full	23.99	22.39
n77L	40	30	3470.01	CP	16QAM	Edge_1RB_Left	22.22	20.62
n77L	40	30	3470.01	CP	16QAM	Edge_1RB_Right	21.94	20.34
n77L	40	30	3470.01	CP	16QAM	Outer_Full	22.82	21.22
n77L	40	30	3470.01	CP	64QAM	Inner_Full	22.45	20.85
n77L	40	30	3470.01	CP	64QAM	Edge_1RB_Left	22.30	20.70
n77L	40	30	3470.01	CP	64QAM	Edge_1RB_Right	21.84	20.24
n77L	40	30	3470.01	CP	64QAM	Outer_Full	22.32	20.72
n77L	40	30	3470.01	CP	256QAM	Inner_Full	19.58	17.98
n77L	40	30	3470.01	CP	256QAM	Edge_1RB_Left	19.25	17.65
n77L	40	30	3470.01	CP	256QAM	Edge_1RB_Right	18.92	17.32
n77L	40	30	3470.01	CP	256QAM	Outer_Full	19.45	17.85
n77L	40	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.82	24.22
n77L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.71	20.11
n77L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.65	20.05
n77L	40	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.21	23.61
n77L	40	30	3500.01	DFT	QPSK	Inner_Full	25.84	24.24
n77L	40	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.66	20.06

n77L	40	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.57	19.97
n77L	40	30	3500.01	DFT	QPSK	Outer_Full	24.72	23.12
n77L	40	30	3500.01	DFT	16QAM	Inner_Full	24.78	23.18
n77L	40	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.80	20.20
n77L	40	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.69	20.09
n77L	40	30	3500.01	DFT	16QAM	Outer_Full	23.70	22.10
n77L	40	30	3500.01	DFT	64QAM	Inner_Full	23.33	21.73
n77L	40	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.56	19.96
n77L	40	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.50	19.90
n77L	40	30	3500.01	DFT	64QAM	Outer_Full	23.18	21.58
n77L	40	30	3500.01	DFT	256QAM	Inner_Full	21.21	19.61
n77L	40	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.72	19.12
n77L	40	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.66	19.06
n77L	40	30	3500.01	DFT	256QAM	Outer_Full	21.21	19.61
n77L	40	30	3500.01	CP	QPSK	Inner_Full	24.31	22.71
n77L	40	30	3500.01	CP	QPSK	Edge_1RB_Left	21.72	20.12
n77L	40	30	3500.01	CP	QPSK	Edge_1RB_Right	21.72	20.12
n77L	40	30	3500.01	CP	QPSK	Outer_Full	22.65	21.05
n77L	40	30	3500.01	CP	16QAM	Inner_Full	23.83	22.23
n77L	40	30	3500.01	CP	16QAM	Edge_1RB_Left	21.75	20.15
n77L	40	30	3500.01	CP	16QAM	Edge_1RB_Right	21.88	20.28
n77L	40	30	3500.01	CP	16QAM	Outer_Full	22.66	21.06
n77L	40	30	3500.01	CP	64QAM	Inner_Full	22.27	20.67
n77L	40	30	3500.01	CP	64QAM	Edge_1RB_Left	21.98	20.38
n77L	40	30	3500.01	CP	64QAM	Edge_1RB_Right	21.78	20.18
n77L	40	30	3500.01	CP	64QAM	Outer_Full	22.15	20.55
n77L	40	30	3500.01	CP	256QAM	Inner_Full	19.34	17.74
n77L	40	30	3500.01	CP	256QAM	Edge_1RB_Left	18.76	17.16
n77L	40	30	3500.01	CP	256QAM	Edge_1RB_Right	18.83	17.23
n77L	40	30	3500.01	CP	256QAM	Outer_Full	19.25	17.65
n77L	40	30	3529.98	DFT	pi/2 BPSK	Inner_Full	25.54	23.94
n77L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.71	20.11
n77L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.54	19.94
n77L	40	30	3529.98	DFT	pi/2 BPSK	Outer_Full	25.01	23.41
n77L	40	30	3529.98	DFT	QPSK	Inner_Full	25.52	23.92
n77L	40	30	3529.98	DFT	QPSK	Edge_1RB_Left	21.69	20.09
n77L	40	30	3529.98	DFT	QPSK	Edge_1RB_Right	21.58	19.98

n77L	40	30	3529.98	DFT	QPSK	Outer_Full	24.54	22.94
n77L	40	30	3529.98	DFT	16QAM	Inner_Full	24.51	22.91
n77L	40	30	3529.98	DFT	16QAM	Edge_1RB_Left	21.76	20.16
n77L	40	30	3529.98	DFT	16QAM	Edge_1RB_Right	21.59	19.99
n77L	40	30	3529.98	DFT	16QAM	Outer_Full	23.53	21.93
n77L	40	30	3529.98	DFT	64QAM	Inner_Full	23.06	21.46
n77L	40	30	3529.98	DFT	64QAM	Edge_1RB_Left	21.66	20.06
n77L	40	30	3529.98	DFT	64QAM	Edge_1RB_Right	21.46	19.86
n77L	40	30	3529.98	DFT	64QAM	Outer_Full	23.03	21.43
n77L	40	30	3529.98	DFT	256QAM	Inner_Full	21.00	19.40
n77L	40	30	3529.98	DFT	256QAM	Edge_1RB_Left	20.66	19.06
n77L	40	30	3529.98	DFT	256QAM	Edge_1RB_Right	20.54	18.94
n77L	40	30	3529.98	DFT	256QAM	Outer_Full	21.00	19.40
n77L	40	30	3529.98	CP	QPSK	Inner_Full	23.99	22.39
n77L	40	30	3529.98	CP	QPSK	Edge_1RB_Left	21.75	20.15
n77L	40	30	3529.98	CP	QPSK	Edge_1RB_Right	21.62	20.02
n77L	40	30	3529.98	CP	QPSK	Outer_Full	22.53	20.93
n77L	40	30	3529.98	CP	16QAM	Inner_Full	23.54	21.94
n77L	40	30	3529.98	CP	16QAM	Edge_1RB_Left	21.77	20.17
n77L	40	30	3529.98	CP	16QAM	Edge_1RB_Right	21.74	20.14
n77L	40	30	3529.98	CP	16QAM	Outer_Full	22.45	20.85
n77L	40	30	3529.98	CP	64QAM	Inner_Full	22.03	20.43
n77L	40	30	3529.98	CP	64QAM	Edge_1RB_Left	21.84	20.24
n77L	40	30	3529.98	CP	64QAM	Edge_1RB_Right	21.73	20.13
n77L	40	30	3529.98	CP	64QAM	Outer_Full	21.99	20.39
n77L	40	30	3529.98	CP	256QAM	Inner_Full	19.10	17.50
n77L	40	30	3529.98	CP	256QAM	Edge_1RB_Left	19.18	17.58
n77L	40	30	3529.98	CP	256QAM	Edge_1RB_Right	18.93	17.33
n77L	40	30	3529.98	CP	256QAM	Outer_Full	19.10	17.50
n77L	50	30	3475.02	DFT	pi/2 BPSK	Inner_Full	25.91	24.31
n77L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.38	20.78
n77L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.90	20.30
n77L	50	30	3475.02	DFT	pi/2 BPSK	Outer_Full	25.30	23.70
n77L	50	30	3475.02	DFT	QPSK	Inner_Full	25.84	24.24
n77L	50	30	3475.02	DFT	QPSK	Edge_1RB_Left	22.35	20.75
n77L	50	30	3475.02	DFT	QPSK	Edge_1RB_Right	21.91	20.31
n77L	50	30	3475.02	DFT	QPSK	Outer_Full	24.84	23.24



n77L	50	30	3475.02	DFT	16QAM	Inner_Full	24.86	23.26
n77L	50	30	3475.02	DFT	16QAM	Edge_1RB_Left	22.18	20.58
n77L	50	30	3475.02	DFT	16QAM	Edge_1RB_Right	21.84	20.24
n77L	50	30	3475.02	DFT	16QAM	Outer_Full	23.82	22.22
n77L	50	30	3475.02	DFT	64QAM	Inner_Full	23.36	21.76
n77L	50	30	3475.02	DFT	64QAM	Edge_1RB_Left	22.24	20.64
n77L	50	30	3475.02	DFT	64QAM	Edge_1RB_Right	21.87	20.27
n77L	50	30	3475.02	DFT	64QAM	Outer_Full	23.31	21.71
n77L	50	30	3475.02	DFT	256QAM	Inner_Full	21.39	19.79
n77L	50	30	3475.02	DFT	256QAM	Edge_1RB_Left	21.61	20.01
n77L	50	30	3475.02	DFT	256QAM	Edge_1RB_Right	21.35	19.75
n77L	50	30	3475.02	DFT	256QAM	Outer_Full	21.32	19.72
n77L	50	30	3475.02	CP	QPSK	Inner_Full	24.36	22.76
n77L	50	30	3475.02	CP	QPSK	Edge_1RB_Left	22.36	20.76
n77L	50	30	3475.02	CP	QPSK	Edge_1RB_Right	21.97	20.37
n77L	50	30	3475.02	CP	QPSK	Outer_Full	22.80	21.20
n77L	50	30	3475.02	CP	16QAM	Inner_Full	23.87	22.27
n77L	50	30	3475.02	CP	16QAM	Edge_1RB_Left	22.13	20.53
n77L	50	30	3475.02	CP	16QAM	Edge_1RB_Right	21.73	20.13
n77L	50	30	3475.02	CP	16QAM	Outer_Full	22.81	21.21
n77L	50	30	3475.02	CP	64QAM	Inner_Full	22.36	20.76
n77L	50	30	3475.02	CP	64QAM	Edge_1RB_Left	22.51	20.91
n77L	50	30	3475.02	CP	64QAM	Edge_1RB_Right	22.12	20.52
n77L	50	30	3475.02	CP	64QAM	Outer_Full	22.29	20.69
n77L	50	30	3475.02	CP	256QAM	Inner_Full	19.48	17.88
n77L	50	30	3475.02	CP	256QAM	Edge_1RB_Left	19.83	18.23
n77L	50	30	3475.02	CP	256QAM	Edge_1RB_Right	19.45	17.85
n77L	50	30	3475.02	CP	256QAM	Outer_Full	19.38	17.78
n77L	50	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.81	24.21
n77L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.02	20.42
n77L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.74	20.14
n77L	50	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.24	23.64
n77L	50	30	3500.01	DFT	QPSK	Inner_Full	25.84	24.24
n77L	50	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.96	20.36
n77L	50	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.76	20.16
n77L	50	30	3500.01	DFT	QPSK	Outer_Full	24.76	23.16
n77L	50	30	3500.01	DFT	16QAM	Inner_Full	24.88	23.28



n77L	50	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.90	20.30
n77L	50	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.61	20.01
n77L	50	30	3500.01	DFT	16QAM	Outer_Full	23.78	22.18
n77L	50	30	3500.01	DFT	64QAM	Inner_Full	23.36	21.76
n77L	50	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.87	20.27
n77L	50	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.62	20.02
n77L	50	30	3500.01	DFT	64QAM	Outer_Full	23.21	21.61
n77L	50	30	3500.01	DFT	256QAM	Inner_Full	21.39	19.79
n77L	50	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.18	19.58
n77L	50	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.86	19.26
n77L	50	30	3500.01	DFT	256QAM	Outer_Full	21.24	19.64
n77L	50	30	3500.01	CP	QPSK	Inner_Full	24.31	22.71
n77L	50	30	3500.01	CP	QPSK	Edge_1RB_Left	22.07	20.47
n77L	50	30	3500.01	CP	QPSK	Edge_1RB_Right	21.79	20.19
n77L	50	30	3500.01	CP	QPSK	Outer_Full	22.75	21.15
n77L	50	30	3500.01	CP	16QAM	Inner_Full	23.79	22.19
n77L	50	30	3500.01	CP	16QAM	Edge_1RB_Left	22.12	20.52
n77L	50	30	3500.01	CP	16QAM	Edge_1RB_Right	21.95	20.35
n77L	50	30	3500.01	CP	16QAM	Outer_Full	22.73	21.13
n77L	50	30	3500.01	CP	64QAM	Inner_Full	22.38	20.78
n77L	50	30	3500.01	CP	64QAM	Edge_1RB_Left	22.16	20.56
n77L	50	30	3500.01	CP	64QAM	Edge_1RB_Right	22.12	20.52
n77L	50	30	3500.01	CP	64QAM	Outer_Full	22.20	20.60
n77L	50	30	3500.01	CP	256QAM	Inner_Full	19.41	17.81
n77L	50	30	3500.01	CP	256QAM	Edge_1RB_Left	19.28	17.68
n77L	50	30	3500.01	CP	256QAM	Edge_1RB_Right	19.07	17.47
n77L	50	30	3500.01	CP	256QAM	Outer_Full	19.31	17.71
n77L	50	30	3525	DFT	pi/2 BPSK	Inner_Full	25.53	23.93
n77L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Left	21.93	20.33
n77L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Right	21.69	20.09
n77L	50	30	3525	DFT	pi/2 BPSK	Outer_Full	25.09	23.49
n77L	50	30	3525	DFT	QPSK	Inner_Full	25.54	23.94
n77L	50	30	3525	DFT	QPSK	Edge_1RB_Left	21.94	20.34
n77L	50	30	3525	DFT	QPSK	Edge_1RB_Right	21.75	20.15
n77L	50	30	3525	DFT	QPSK	Outer_Full	24.58	22.98
n77L	50	30	3525	DFT	16QAM	Inner_Full	24.58	22.98
n77L	50	30	3525	DFT	16QAM	Edge_1RB_Left	22.06	20.46

n77L	50	30	3525	DFT	16QAM	Edge_1RB_Right	21.85	20.25
n77L	50	30	3525	DFT	16QAM	Outer_Full	23.55	21.95
n77L	50	30	3525	DFT	64QAM	Inner_Full	23.09	21.49
n77L	50	30	3525	DFT	64QAM	Edge_1RB_Left	21.86	20.26
n77L	50	30	3525	DFT	64QAM	Edge_1RB_Right	21.69	20.09
n77L	50	30	3525	DFT	64QAM	Outer_Full	23.05	21.45
n77L	50	30	3525	DFT	256QAM	Inner_Full	21.07	19.47
n77L	50	30	3525	DFT	256QAM	Edge_1RB_Left	20.91	19.31
n77L	50	30	3525	DFT	256QAM	Edge_1RB_Right	20.88	19.28
n77L	50	30	3525	DFT	256QAM	Outer_Full	21.06	19.46
n77L	50	30	3525	CP	QPSK	Inner_Full	23.97	22.37
n77L	50	30	3525	CP	QPSK	Edge_1RB_Left	21.94	20.34
n77L	50	30	3525	CP	QPSK	Edge_1RB_Right	21.85	20.25
n77L	50	30	3525	CP	QPSK	Outer_Full	22.55	20.95
n77L	50	30	3525	CP	16QAM	Inner_Full	23.48	21.88
n77L	50	30	3525	CP	16QAM	Edge_1RB_Left	22.17	20.57
n77L	50	30	3525	CP	16QAM	Edge_1RB_Right	21.82	20.22
n77L	50	30	3525	CP	16QAM	Outer_Full	22.54	20.94
n77L	50	30	3525	CP	64QAM	Inner_Full	22.05	20.45
n77L	50	30	3525	CP	64QAM	Edge_1RB_Left	22.22	20.62
n77L	50	30	3525	CP	64QAM	Edge_1RB_Right	21.87	20.27
n77L	50	30	3525	CP	64QAM	Outer_Full	22.08	20.48
n77L	50	30	3525	CP	256QAM	Inner_Full	19.23	17.63
n77L	50	30	3525	CP	256QAM	Edge_1RB_Left	19.04	17.44
n77L	50	30	3525	CP	256QAM	Edge_1RB_Right	18.99	17.39
n77L	50	30	3525	CP	256QAM	Outer_Full	19.15	17.55
n77L	60	30	3480	DFT	pi/2 BPSK	Inner_Full	25.83	24.23
n77L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Left	22.25	20.65
n77L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Right	21.88	20.28
n77L	60	30	3480	DFT	pi/2 BPSK	Outer_Full	25.32	23.72
n77L	60	30	3480	DFT	QPSK	Inner_Full	25.83	24.23
n77L	60	30	3480	DFT	QPSK	Edge_1RB_Left	22.25	20.65
n77L	60	30	3480	DFT	QPSK	Edge_1RB_Right	21.92	20.32
n77L	60	30	3480	DFT	QPSK	Outer_Full	24.78	23.18
n77L	60	30	3480	DFT	16QAM	Inner_Full	24.88	23.28
n77L	60	30	3480	DFT	16QAM	Edge_1RB_Left	22.37	20.77
n77L	60	30	3480	DFT	16QAM	Edge_1RB_Right	22.00	20.40



n77L	60	30	3480	DFT	16QAM	Outer_Full	23.78	22.18
n77L	60	30	3480	DFT	64QAM	Inner_Full	23.32	21.72
n77L	60	30	3480	DFT	64QAM	Edge_1RB_Left	22.14	20.54
n77L	60	30	3480	DFT	64QAM	Edge_1RB_Right	21.78	20.18
n77L	60	30	3480	DFT	64QAM	Outer_Full	23.31	21.71
n77L	60	30	3480	DFT	256QAM	Inner_Full	21.36	19.76
n77L	60	30	3480	DFT	256QAM	Edge_1RB_Left	21.40	19.80
n77L	60	30	3480	DFT	256QAM	Edge_1RB_Right	21.01	19.41
n77L	60	30	3480	DFT	256QAM	Outer_Full	21.30	19.70
n77L	60	30	3480	CP	QPSK	Inner_Full	24.33	22.73
n77L	60	30	3480	CP	QPSK	Edge_1RB_Left	22.30	20.70
n77L	60	30	3480	CP	QPSK	Edge_1RB_Right	22.05	20.45
n77L	60	30	3480	CP	QPSK	Outer_Full	22.77	21.17
n77L	60	30	3480	CP	16QAM	Inner_Full	23.84	22.24
n77L	60	30	3480	CP	16QAM	Edge_1RB_Left	22.36	20.76
n77L	60	30	3480	CP	16QAM	Edge_1RB_Right	22.13	20.53
n77L	60	30	3480	CP	16QAM	Outer_Full	22.78	21.18
n77L	60	30	3480	CP	64QAM	Inner_Full	22.35	20.75
n77L	60	30	3480	CP	64QAM	Edge_1RB_Left	22.51	20.91
n77L	60	30	3480	CP	64QAM	Edge_1RB_Right	22.24	20.64
n77L	60	30	3480	CP	64QAM	Outer_Full	22.28	20.68
n77L	60	30	3480	CP	256QAM	Inner_Full	19.44	17.84
n77L	60	30	3480	CP	256QAM	Edge_1RB_Left	19.49	17.89
n77L	60	30	3480	CP	256QAM	Edge_1RB_Right	19.23	17.63
n77L	60	30	3480	CP	256QAM	Outer_Full	19.39	17.79
n77L	60	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.83	24.23
n77L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.02	20.42
n77L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.64	20.04
n77L	60	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.18	23.58
n77L	60	30	3500.01	DFT	QPSK	Inner_Full	25.84	24.24
n77L	60	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.03	20.43
n77L	60	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.65	20.05
n77L	60	30	3500.01	DFT	QPSK	Outer_Full	24.71	23.11
n77L	60	30	3500.01	DFT	16QAM	Inner_Full	24.80	23.20
n77L	60	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.12	20.52
n77L	60	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.74	20.14
n77L	60	30	3500.01	DFT	16QAM	Outer_Full	23.60	22.00

n77L	60	30	3500.01	DFT	64QAM	Inner_Full	23.25	21.65
n77L	60	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.96	20.36
n77L	60	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.59	19.99
n77L	60	30	3500.01	DFT	64QAM	Outer_Full	23.19	21.59
n77L	60	30	3500.01	DFT	256QAM	Inner_Full	21.36	19.76
n77L	60	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.97	19.37
n77L	60	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.68	19.08
n77L	60	30	3500.01	DFT	256QAM	Outer_Full	21.15	19.55
n77L	60	30	3500.01	CP	QPSK	Inner_Full	24.28	22.68
n77L	60	30	3500.01	CP	QPSK	Edge_1RB_Left	22.11	20.51
n77L	60	30	3500.01	CP	QPSK	Edge_1RB_Right	21.64	20.04
n77L	60	30	3500.01	CP	QPSK	Outer_Full	22.65	21.05
n77L	60	30	3500.01	CP	16QAM	Inner_Full	23.82	22.22
n77L	60	30	3500.01	CP	16QAM	Edge_1RB_Left	22.24	20.64
n77L	60	30	3500.01	CP	16QAM	Edge_1RB_Right	21.84	20.24
n77L	60	30	3500.01	CP	16QAM	Outer_Full	22.61	21.01
n77L	60	30	3500.01	CP	64QAM	Inner_Full	22.28	20.68
n77L	60	30	3500.01	CP	64QAM	Edge_1RB_Left	22.08	20.48
n77L	60	30	3500.01	CP	64QAM	Edge_1RB_Right	21.73	20.13
n77L	60	30	3500.01	CP	64QAM	Outer_Full	22.14	20.54
n77L	60	30	3500.01	CP	256QAM	Inner_Full	19.38	17.78
n77L	60	30	3500.01	CP	256QAM	Edge_1RB_Left	19.18	17.58
n77L	60	30	3500.01	CP	256QAM	Edge_1RB_Right	18.94	17.34
n77L	60	30	3500.01	CP	256QAM	Outer_Full	19.25	17.65
n77L	60	30	3519.99	DFT	pi/2 BPSK	Inner_Full	25.67	24.07
n77L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.84	20.24
n77L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.67	20.07
n77L	60	30	3519.99	DFT	pi/2 BPSK	Outer_Full	25.13	23.53
n77L	60	30	3519.99	DFT	QPSK	Inner_Full	25.65	24.05
n77L	60	30	3519.99	DFT	QPSK	Edge_1RB_Left	21.81	20.21
n77L	60	30	3519.99	DFT	QPSK	Edge_1RB_Right	21.71	20.11
n77L	60	30	3519.99	DFT	QPSK	Outer_Full	24.64	23.04
n77L	60	30	3519.99	DFT	16QAM	Inner_Full	24.68	23.08
n77L	60	30	3519.99	DFT	16QAM	Edge_1RB_Left	21.91	20.31
n77L	60	30	3519.99	DFT	16QAM	Edge_1RB_Right	21.82	20.22
n77L	60	30	3519.99	DFT	16QAM	Outer_Full	23.63	22.03
n77L	60	30	3519.99	DFT	64QAM	Inner_Full	23.20	21.60





n77L	60	30	3519.99	DFT	64QAM	Edge_1RB_Left	21.74	20.14
n77L	60	30	3519.99	DFT	64QAM	Edge_1RB_Right	21.64	20.04
n77L	60	30	3519.99	DFT	64QAM	Outer_Full	23.17	21.57
n77L	60	30	3519.99	DFT	256QAM	Inner_Full	21.17	19.57
n77L	60	30	3519.99	DFT	256QAM	Edge_1RB_Left	20.91	19.31
n77L	60	30	3519.99	DFT	256QAM	Edge_1RB_Right	20.71	19.11
n77L	60	30	3519.99	DFT	256QAM	Outer_Full	21.13	19.53
n77L	60	30	3519.99	CP	QPSK	Inner_Full	24.11	22.51
n77L	60	30	3519.99	CP	QPSK	Edge_1RB_Left	21.82	20.22
n77L	60	30	3519.99	CP	QPSK	Edge_1RB_Right	21.81	20.21
n77L	60	30	3519.99	CP	QPSK	Outer_Full	22.57	20.97
n77L	60	30	3519.99	CP	16QAM	Inner_Full	23.69	22.09
n77L	60	30	3519.99	CP	16QAM	Edge_1RB_Left	21.89	20.29
n77L	60	30	3519.99	CP	16QAM	Edge_1RB_Right	21.86	20.26
n77L	60	30	3519.99	CP	16QAM	Outer_Full	22.60	21.00
n77L	60	30	3519.99	CP	64QAM	Inner_Full	22.20	20.60
n77L	60	30	3519.99	CP	64QAM	Edge_1RB_Left	21.84	20.24
n77L	60	30	3519.99	CP	64QAM	Edge_1RB_Right	22.04	20.44
n77L	60	30	3519.99	CP	64QAM	Outer_Full	22.10	20.50
n77L	60	30	3519.99	CP	256QAM	Inner_Full	19.26	17.66
n77L	60	30	3519.99	CP	256QAM	Edge_1RB_Left	18.94	17.34
n77L	60	30	3519.99	CP	256QAM	Edge_1RB_Right	18.95	17.35
n77L	60	30	3519.99	CP	256QAM	Outer_Full	19.26	17.66
n77L	70	30	3485.01	DFT	pi/2 BPSK	Inner_Full	25.81	24.21
n77L	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.16	20.56
n77L	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.56	19.96
n77L	70	30	3485.01	DFT	pi/2 BPSK	Outer_Full	25.32	23.72
n77L	70	30	3485.01	DFT	QPSK	Inner_Full	25.81	24.21
n77L	70	30	3485.01	DFT	QPSK	Edge_1RB_Left	22.22	20.62
n77L	70	30	3485.01	DFT	QPSK	Edge_1RB_Right	21.55	19.95
n77L	70	30	3485.01	DFT	QPSK	Outer_Full	24.82	23.22
n77L	70	30	3485.01	DFT	16QAM	Inner_Full	24.80	23.20
n77L	70	30	3485.01	DFT	16QAM	Edge_1RB_Left	22.34	20.74
n77L	70	30	3485.01	DFT	16QAM	Edge_1RB_Right	21.71	20.11
n77L	70	30	3485.01	DFT	16QAM	Outer_Full	23.78	22.18
n77L	70	30	3485.01	DFT	64QAM	Inner_Full	23.30	21.70
n77L	70	30	3485.01	DFT	64QAM	Edge_1RB_Left	21.91	20.31

n77L	70	30	3485.01	DFT	64QAM	Edge_1RB_Right	21.46	19.86
n77L	70	30	3485.01	DFT	64QAM	Outer_Full	23.30	21.70
n77L	70	30	3485.01	DFT	256QAM	Inner_Full	21.27	19.67
n77L	70	30	3485.01	DFT	256QAM	Edge_1RB_Left	21.36	19.76
n77L	70	30	3485.01	DFT	256QAM	Edge_1RB_Right	20.61	19.01
n77L	70	30	3485.01	DFT	256QAM	Outer_Full	21.26	19.66
n77L	70	30	3485.01	CP	QPSK	Inner_Full	24.26	22.66
n77L	70	30	3485.01	CP	QPSK	Edge_1RB_Left	22.11	20.51
n77L	70	30	3485.01	CP	QPSK	Edge_1RB_Right	21.52	19.92
n77L	70	30	3485.01	CP	QPSK	Outer_Full	22.74	21.14
n77L	70	30	3485.01	CP	16QAM	Inner_Full	23.79	22.19
n77L	70	30	3485.01	CP	16QAM	Edge_1RB_Left	22.28	20.68
n77L	70	30	3485.01	CP	16QAM	Edge_1RB_Right	21.75	20.15
n77L	70	30	3485.01	CP	16QAM	Outer_Full	22.76	21.16
n77L	70	30	3485.01	CP	64QAM	Inner_Full	22.31	20.71
n77L	70	30	3485.01	CP	64QAM	Edge_1RB_Left	22.32	20.72
n77L	70	30	3485.01	CP	64QAM	Edge_1RB_Right	21.83	20.23
n77L	70	30	3485.01	CP	64QAM	Outer_Full	22.27	20.67
n77L	70	30	3485.01	CP	256QAM	Inner_Full	19.41	17.81
n77L	70	30	3485.01	CP	256QAM	Edge_1RB_Left	19.39	17.79
n77L	70	30	3485.01	CP	256QAM	Edge_1RB_Right	18.84	17.24
n77L	70	30	3485.01	CP	256QAM	Outer_Full	19.43	17.83
n77L	70	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.83	24.23
n77L	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.02	20.42
n77L	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.53	19.93
n77L	70	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.15	23.55
n77L	70	30	3500.01	DFT	QPSK	Inner_Full	25.83	24.23
n77L	70	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.03	20.43
n77L	70	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.48	19.88
n77L	70	30	3500.01	DFT	QPSK	Outer_Full	24.73	23.13
n77L	70	30	3500.01	DFT	16QAM	Inner_Full	24.87	23.27
n77L	70	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.14	20.54
n77L	70	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.71	20.11
n77L	70	30	3500.01	DFT	16QAM	Outer_Full	23.69	22.09
n77L	70	30	3500.01	DFT	64QAM	Inner_Full	23.36	21.76
n77L	70	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.83	20.23
n77L	70	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.33	19.73



n77L	70	30	3500.01	DFT	64QAM	Outer_Full	23.20	21.60
n77L	70	30	3500.01	DFT	256QAM	Inner_Full	21.32	19.72
n77L	70	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.17	19.57
n77L	70	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.57	18.97
n77L	70	30	3500.01	DFT	256QAM	Outer_Full	21.19	19.59
n77L	70	30	3500.01	CP	QPSK	Inner_Full	24.31	22.71
n77L	70	30	3500.01	CP	QPSK	Edge_1RB_Left	21.98	20.38
n77L	70	30	3500.01	CP	QPSK	Edge_1RB_Right	21.49	19.89
n77L	70	30	3500.01	CP	QPSK	Outer_Full	22.67	21.07
n77L	70	30	3500.01	CP	16QAM	Inner_Full	23.74	22.14
n77L	70	30	3500.01	CP	16QAM	Edge_1RB_Left	22.19	20.59
n77L	70	30	3500.01	CP	16QAM	Edge_1RB_Right	21.72	20.12
n77L	70	30	3500.01	CP	16QAM	Outer_Full	22.67	21.07
n77L	70	30	3500.01	CP	64QAM	Inner_Full	22.34	20.74
n77L	70	30	3500.01	CP	64QAM	Edge_1RB_Left	22.50	20.90
n77L	70	30	3500.01	CP	64QAM	Edge_1RB_Right	22.02	20.42
n77L	70	30	3500.01	CP	64QAM	Outer_Full	22.12	20.52
n77L	70	30	3500.01	CP	256QAM	Inner_Full	19.43	17.83
n77L	70	30	3500.01	CP	256QAM	Edge_1RB_Left	19.47	17.87
n77L	70	30	3500.01	CP	256QAM	Edge_1RB_Right	19.10	17.50
n77L	70	30	3500.01	CP	256QAM	Outer_Full	19.34	17.74
n77L	70	30	3514.98	DFT	pi/2 BPSK	Inner_Full	25.82	24.22
n77L	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.71	20.11
n77L	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.61	20.01
n77L	70	30	3514.98	DFT	pi/2 BPSK	Outer_Full	25.20	23.60
n77L	70	30	3514.98	DFT	QPSK	Inner_Full	25.78	24.18
n77L	70	30	3514.98	DFT	QPSK	Edge_1RB_Left	21.77	20.17
n77L	70	30	3514.98	DFT	QPSK	Edge_1RB_Right	21.69	20.09
n77L	70	30	3514.98	DFT	QPSK	Outer_Full	24.69	23.09
n77L	70	30	3514.98	DFT	16QAM	Inner_Full	24.78	23.18
n77L	70	30	3514.98	DFT	16QAM	Edge_1RB_Left	21.66	20.06
n77L	70	30	3514.98	DFT	16QAM	Edge_1RB_Right	21.57	19.97
n77L	70	30	3514.98	DFT	16QAM	Outer_Full	23.62	22.02
n77L	70	30	3514.98	DFT	64QAM	Inner_Full	23.28	21.68
n77L	70	30	3514.98	DFT	64QAM	Edge_1RB_Left	21.64	20.04
n77L	70	30	3514.98	DFT	64QAM	Edge_1RB_Right	21.61	20.01
n77L	70	30	3514.98	DFT	64QAM	Outer_Full	23.15	21.55

n77L	70	30	3514.98	DFT	256QAM	Inner_Full	21.27	19.67
n77L	70	30	3514.98	DFT	256QAM	Edge_1RB_Left	20.93	19.33
n77L	70	30	3514.98	DFT	256QAM	Edge_1RB_Right	20.98	19.38
n77L	70	30	3514.98	DFT	256QAM	Outer_Full	21.16	19.56
n77L	70	30	3514.98	CP	QPSK	Inner_Full	24.24	22.64
n77L	70	30	3514.98	CP	QPSK	Edge_1RB_Left	21.71	20.11
n77L	70	30	3514.98	CP	QPSK	Edge_1RB_Right	21.65	20.05
n77L	70	30	3514.98	CP	QPSK	Outer_Full	22.62	21.02
n77L	70	30	3514.98	CP	16QAM	Inner_Full	23.69	22.09
n77L	70	30	3514.98	CP	16QAM	Edge_1RB_Left	21.62	20.02
n77L	70	30	3514.98	CP	16QAM	Edge_1RB_Right	21.47	19.87
n77L	70	30	3514.98	CP	16QAM	Outer_Full	22.63	21.03
n77L	70	30	3514.98	CP	64QAM	Inner_Full	22.22	20.62
n77L	70	30	3514.98	CP	64QAM	Edge_1RB_Left	21.99	20.39
n77L	70	30	3514.98	CP	64QAM	Edge_1RB_Right	21.72	20.12
n77L	70	30	3514.98	CP	64QAM	Outer_Full	22.16	20.56
n77L	70	30	3514.98	CP	256QAM	Inner_Full	19.34	17.74
n77L	70	30	3514.98	CP	256QAM	Edge_1RB_Left	19.26	17.66
n77L	70	30	3514.98	CP	256QAM	Edge_1RB_Right	19.12	17.52
n77L	70	30	3514.98	CP	256QAM	Outer_Full	19.25	17.65
n77L	80	30	3490.02	DFT	pi/2 BPSK	Inner_Full	25.84	24.24
n77L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.97	20.37
n77L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.29	19.69
n77L	80	30	3490.02	DFT	pi/2 BPSK	Outer_Full	25.19	23.59
n77L	80	30	3490.02	DFT	QPSK	Inner_Full	25.81	24.21
n77L	80	30	3490.02	DFT	QPSK	Edge_1RB_Left	22.04	20.44
n77L	80	30	3490.02	DFT	QPSK	Edge_1RB_Right	21.30	19.70
n77L	80	30	3490.02	DFT	QPSK	Outer_Full	24.70	23.10
n77L	80	30	3490.02	DFT	16QAM	Inner_Full	24.80	23.20
n77L	80	30	3490.02	DFT	16QAM	Edge_1RB_Left	22.18	20.58
n77L	80	30	3490.02	DFT	16QAM	Edge_1RB_Right	21.45	19.85
n77L	80	30	3490.02	DFT	16QAM	Outer_Full	23.70	22.10
n77L	80	30	3490.02	DFT	64QAM	Inner_Full	23.32	21.72
n77L	80	30	3490.02	DFT	64QAM	Edge_1RB_Left	21.88	20.28
n77L	80	30	3490.02	DFT	64QAM	Edge_1RB_Right	21.19	19.59
n77L	80	30	3490.02	DFT	64QAM	Outer_Full	23.20	21.60
n77L	80	30	3490.02	DFT	256QAM	Inner_Full	21.24	19.64



n77L	80	30	3490.02	DFT	256QAM	Edge_1RB_Left	21.22	19.62
n77L	80	30	3490.02	DFT	256QAM	Edge_1RB_Right	20.37	18.77
n77L	80	30	3490.02	DFT	256QAM	Outer_Full	21.15	19.55
n77L	80	30	3490.02	CP	QPSK	Inner_Full	24.25	22.65
n77L	80	30	3490.02	CP	QPSK	Edge_1RB_Left	21.92	20.32
n77L	80	30	3490.02	CP	QPSK	Edge_1RB_Right	21.22	19.62
n77L	80	30	3490.02	CP	QPSK	Outer_Full	22.65	21.05
n77L	80	30	3490.02	CP	16QAM	Inner_Full	23.76	22.16
n77L	80	30	3490.02	CP	16QAM	Edge_1RB_Left	22.12	20.52
n77L	80	30	3490.02	CP	16QAM	Edge_1RB_Right	21.54	19.94
n77L	80	30	3490.02	CP	16QAM	Outer_Full	22.63	21.03
n77L	80	30	3490.02	CP	64QAM	Inner_Full	22.28	20.68
n77L	80	30	3490.02	CP	64QAM	Edge_1RB_Left	22.31	20.71
n77L	80	30	3490.02	CP	64QAM	Edge_1RB_Right	21.47	19.87
n77L	80	30	3490.02	CP	64QAM	Outer_Full	22.15	20.55
n77L	80	30	3490.02	CP	256QAM	Inner_Full	19.33	17.73
n77L	80	30	3490.02	CP	256QAM	Edge_1RB_Left	19.31	17.71
n77L	80	30	3490.02	CP	256QAM	Edge_1RB_Right	18.60	17.00
n77L	80	30	3490.02	CP	256QAM	Outer_Full	19.31	17.71
n77L	80	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.82	24.22
n77L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.98	20.38
n77L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.41	19.81
n77L	80	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.16	23.56
n77L	80	30	3500.01	DFT	QPSK	Inner_Full	25.81	24.21
n77L	80	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.98	20.38
n77L	80	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.44	19.84
n77L	80	30	3500.01	DFT	QPSK	Outer_Full	24.64	23.04
n77L	80	30	3500.01	DFT	16QAM	Inner_Full	24.81	23.21
n77L	80	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.07	20.47
n77L	80	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.52	19.92
n77L	80	30	3500.01	DFT	16QAM	Outer_Full	23.64	22.04
n77L	80	30	3500.01	DFT	64QAM	Inner_Full	23.32	21.72
n77L	80	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.95	20.35
n77L	80	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.37	19.77
n77L	80	30	3500.01	DFT	64QAM	Outer_Full	23.15	21.55
n77L	80	30	3500.01	DFT	256QAM	Inner_Full	21.29	19.69
n77L	80	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.02	19.42

n77L	80	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.62	19.02
n77L	80	30	3500.01	DFT	256QAM	Outer_Full	21.12	19.52
n77L	80	30	3500.01	CP	QPSK	Inner_Full	24.29	22.69
n77L	80	30	3500.01	CP	QPSK	Edge_1RB_Left	21.84	20.24
n77L	80	30	3500.01	CP	QPSK	Edge_1RB_Right	21.29	19.69
n77L	80	30	3500.01	CP	QPSK	Outer_Full	22.61	21.01
n77L	80	30	3500.01	CP	16QAM	Inner_Full	23.80	22.20
n77L	80	30	3500.01	CP	16QAM	Edge_1RB_Left	22.17	20.57
n77L	80	30	3500.01	CP	16QAM	Edge_1RB_Right	21.58	19.98
n77L	80	30	3500.01	CP	16QAM	Outer_Full	22.63	21.03
n77L	80	30	3500.01	CP	64QAM	Inner_Full	22.33	20.73
n77L	80	30	3500.01	CP	64QAM	Edge_1RB_Left	21.92	20.32
n77L	80	30	3500.01	CP	64QAM	Edge_1RB_Right	21.51	19.91
n77L	80	30	3500.01	CP	64QAM	Outer_Full	22.08	20.48
n77L	80	30	3500.01	CP	256QAM	Inner_Full	19.41	17.81
n77L	80	30	3500.01	CP	256QAM	Edge_1RB_Left	19.34	17.74
n77L	80	30	3500.01	CP	256QAM	Edge_1RB_Right	18.84	17.24
n77L	80	30	3500.01	CP	256QAM	Outer_Full	19.23	17.63
n77L	80	30	3510	DFT	pi/2 BPSK	Inner_Full	25.71	24.11
n77L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Left	21.76	20.16
n77L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Right	21.40	19.80
n77L	80	30	3510	DFT	pi/2 BPSK	Outer_Full	25.07	23.47
n77L	80	30	3510	DFT	QPSK	Inner_Full	25.70	24.10
n77L	80	30	3510	DFT	QPSK	Edge_1RB_Left	21.80	20.20
n77L	80	30	3510	DFT	QPSK	Edge_1RB_Right	21.42	19.82
n77L	80	30	3510	DFT	QPSK	Outer_Full	24.61	23.01
n77L	80	30	3510	DFT	16QAM	Inner_Full	24.73	23.13
n77L	80	30	3510	DFT	16QAM	Edge_1RB_Left	22.03	20.43
n77L	80	30	3510	DFT	16QAM	Edge_1RB_Right	21.53	19.93
n77L	80	30	3510	DFT	16QAM	Outer_Full	23.62	22.02
n77L	80	30	3510	DFT	64QAM	Inner_Full	23.23	21.63
n77L	80	30	3510	DFT	64QAM	Edge_1RB_Left	21.63	20.03
n77L	80	30	3510	DFT	64QAM	Edge_1RB_Right	21.34	19.74
n77L	80	30	3510	DFT	64QAM	Outer_Full	23.08	21.48
n77L	80	30	3510	DFT	256QAM	Inner_Full	21.16	19.56
n77L	80	30	3510	DFT	256QAM	Edge_1RB_Left	20.85	19.25
n77L	80	30	3510	DFT	256QAM	Edge_1RB_Right	20.44	18.84



n77L	80	30	3510	DFT	256QAM	Outer_Full	21.07	19.47
n77L	80	30	3510	CP	QPSK	Inner_Full	24.18	22.58
n77L	80	30	3510	CP	QPSK	Edge_1RB_Left	21.64	20.04
n77L	80	30	3510	CP	QPSK	Edge_1RB_Right	21.42	19.82
n77L	80	30	3510	CP	QPSK	Outer_Full	22.57	20.97
n77L	80	30	3510	CP	16QAM	Inner_Full	23.74	22.14
n77L	80	30	3510	CP	16QAM	Edge_1RB_Left	21.96	20.36
n77L	80	30	3510	CP	16QAM	Edge_1RB_Right	21.56	19.96
n77L	80	30	3510	CP	16QAM	Outer_Full	22.57	20.97
n77L	80	30	3510	CP	64QAM	Inner_Full	22.14	20.54
n77L	80	30	3510	CP	64QAM	Edge_1RB_Left	22.11	20.51
n77L	80	30	3510	CP	64QAM	Edge_1RB_Right	21.67	20.07
n77L	80	30	3510	CP	64QAM	Outer_Full	22.08	20.48
n77L	80	30	3510	CP	256QAM	Inner_Full	19.30	17.70
n77L	80	30	3510	CP	256QAM	Edge_1RB_Left	19.07	17.47
n77L	80	30	3510	CP	256QAM	Edge_1RB_Right	18.85	17.25
n77L	80	30	3510	CP	256QAM	Outer_Full	19.17	17.57
n77L	90	30	3495	DFT	$\pi/2$ BPSK	Inner_Full	25.69	24.09
n77L	90	30	3495	DFT	$\pi/2$ BPSK	Edge_1RB_Left	21.88	20.28
n77L	90	30	3495	DFT	$\pi/2$ BPSK	Edge_1RB_Right	21.24	19.64
n77L	90	30	3495	DFT	$\pi/2$ BPSK	Outer_Full	25.14	23.54
n77L	90	30	3495	DFT	QPSK	Inner_Full	25.68	24.08
n77L	90	30	3495	DFT	QPSK	Edge_1RB_Left	21.91	20.31
n77L	90	30	3495	DFT	QPSK	Edge_1RB_Right	21.24	19.64
n77L	90	30	3495	DFT	QPSK	Outer_Full	24.66	23.06
n77L	90	30	3495	DFT	16QAM	Inner_Full	24.69	23.09
n77L	90	30	3495	DFT	16QAM	Edge_1RB_Left	22.02	20.42
n77L	90	30	3495	DFT	16QAM	Edge_1RB_Right	21.35	19.75
n77L	90	30	3495	DFT	16QAM	Outer_Full	23.65	22.05
n77L	90	30	3495	DFT	64QAM	Inner_Full	23.17	21.57
n77L	90	30	3495	DFT	64QAM	Edge_1RB_Left	21.77	20.17
n77L	90	30	3495	DFT	64QAM	Edge_1RB_Right	21.16	19.56
n77L	90	30	3495	DFT	64QAM	Outer_Full	23.12	21.52
n77L	90	30	3495	DFT	256QAM	Inner_Full	21.15	19.55
n77L	90	30	3495	DFT	256QAM	Edge_1RB_Left	20.91	19.31
n77L	90	30	3495	DFT	256QAM	Edge_1RB_Right	20.29	18.69
n77L	90	30	3495	DFT	256QAM	Outer_Full	21.08	19.48



n77L	90	30	3495	CP	QPSK	Inner_Full	24.23	22.63
n77L	90	30	3495	CP	QPSK	Edge_1RB_Left	21.86	20.26
n77L	90	30	3495	CP	QPSK	Edge_1RB_Right	21.20	19.60
n77L	90	30	3495	CP	QPSK	Outer_Full	22.54	20.94
n77L	90	30	3495	CP	16QAM	Inner_Full	23.67	22.07
n77L	90	30	3495	CP	16QAM	Edge_1RB_Left	22.01	20.41
n77L	90	30	3495	CP	16QAM	Edge_1RB_Right	21.41	19.81
n77L	90	30	3495	CP	16QAM	Outer_Full	22.52	20.92
n77L	90	30	3495	CP	64QAM	Inner_Full	22.12	20.52
n77L	90	30	3495	CP	64QAM	Edge_1RB_Left	22.07	20.47
n77L	90	30	3495	CP	64QAM	Edge_1RB_Right	21.38	19.78
n77L	90	30	3495	CP	64QAM	Outer_Full	22.08	20.48
n77L	90	30	3495	CP	256QAM	Inner_Full	19.30	17.70
n77L	90	30	3495	CP	256QAM	Edge_1RB_Left	19.20	17.60
n77L	90	30	3495	CP	256QAM	Edge_1RB_Right	18.51	16.91
n77L	90	30	3495	CP	256QAM	Outer_Full	19.21	17.61
n77L	90	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.81	24.21
n77L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.93	20.33
n77L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.35	19.75
n77L	90	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.17	23.57
n77L	90	30	3500.01	DFT	QPSK	Inner_Full	25.78	24.18
n77L	90	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.89	20.29
n77L	90	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.31	19.71
n77L	90	30	3500.01	DFT	QPSK	Outer_Full	24.65	23.05
n77L	90	30	3500.01	DFT	16QAM	Inner_Full	24.78	23.18
n77L	90	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.96	20.36
n77L	90	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.50	19.90
n77L	90	30	3500.01	DFT	16QAM	Outer_Full	23.65	22.05
n77L	90	30	3500.01	DFT	64QAM	Inner_Full	23.26	21.66
n77L	90	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.85	20.25
n77L	90	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.21	19.61
n77L	90	30	3500.01	DFT	64QAM	Outer_Full	23.18	21.58
n77L	90	30	3500.01	DFT	256QAM	Inner_Full	21.25	19.65
n77L	90	30	3500.01	DFT	256QAM	Edge_1RB_Left	20.92	19.32
n77L	90	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.36	18.76
n77L	90	30	3500.01	DFT	256QAM	Outer_Full	21.12	19.52
n77L	90	30	3500.01	CP	QPSK	Inner_Full	24.20	22.60



n77L	90	30	3500.01	CP	QPSK	Edge_1RB_Left	21.94	20.34
n77L	90	30	3500.01	CP	QPSK	Edge_1RB_Right	21.39	19.79
n77L	90	30	3500.01	CP	QPSK	Outer_Full	22.59	20.99
n77L	90	30	3500.01	CP	16QAM	Inner_Full	23.76	22.16
n77L	90	30	3500.01	CP	16QAM	Edge_1RB_Left	22.02	20.42
n77L	90	30	3500.01	CP	16QAM	Edge_1RB_Right	21.42	19.82
n77L	90	30	3500.01	CP	16QAM	Outer_Full	22.62	21.02
n77L	90	30	3500.01	CP	64QAM	Inner_Full	22.20	20.60
n77L	90	30	3500.01	CP	64QAM	Edge_1RB_Left	21.93	20.33
n77L	90	30	3500.01	CP	64QAM	Edge_1RB_Right	21.23	19.63
n77L	90	30	3500.01	CP	64QAM	Outer_Full	22.12	20.52
n77L	90	30	3500.01	CP	256QAM	Inner_Full	19.33	17.73
n77L	90	30	3500.01	CP	256QAM	Edge_1RB_Left	19.17	17.57
n77L	90	30	3500.01	CP	256QAM	Edge_1RB_Right	18.78	17.18
n77L	90	30	3500.01	CP	256QAM	Outer_Full	19.28	17.68
n77L	90	30	3504.99	DFT	pi/2 BPSK	Inner_Full	25.81	24.21
n77L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.82	20.22
n77L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.25	19.65
n77L	90	30	3504.99	DFT	pi/2 BPSK	Outer_Full	25.11	23.51
n77L	90	30	3504.99	DFT	QPSK	Inner_Full	25.79	24.19
n77L	90	30	3504.99	DFT	QPSK	Edge_1RB_Left	21.80	20.20
n77L	90	30	3504.99	DFT	QPSK	Edge_1RB_Right	21.28	19.68
n77L	90	30	3504.99	DFT	QPSK	Outer_Full	24.64	23.04
n77L	90	30	3504.99	DFT	16QAM	Inner_Full	24.77	23.17
n77L	90	30	3504.99	DFT	16QAM	Edge_1RB_Left	21.91	20.31
n77L	90	30	3504.99	DFT	16QAM	Edge_1RB_Right	21.40	19.80
n77L	90	30	3504.99	DFT	16QAM	Outer_Full	23.65	22.05
n77L	90	30	3504.99	DFT	64QAM	Inner_Full	23.24	21.64
n77L	90	30	3504.99	DFT	64QAM	Edge_1RB_Left	21.70	20.10
n77L	90	30	3504.99	DFT	64QAM	Edge_1RB_Right	21.22	19.62
n77L	90	30	3504.99	DFT	64QAM	Outer_Full	23.17	21.57
n77L	90	30	3504.99	DFT	256QAM	Inner_Full	21.19	19.59
n77L	90	30	3504.99	DFT	256QAM	Edge_1RB_Left	20.96	19.36
n77L	90	30	3504.99	DFT	256QAM	Edge_1RB_Right	20.45	18.85
n77L	90	30	3504.99	DFT	256QAM	Outer_Full	21.11	19.51
n77L	90	30	3504.99	CP	QPSK	Inner_Full	24.21	22.61
n77L	90	30	3504.99	CP	QPSK	Edge_1RB_Left	21.88	20.28



n77L	90	30	3504.99	CP	QPSK	Edge_1RB_Right	21.30	19.70
n77L	90	30	3504.99	CP	QPSK	Outer_Full	22.60	21.00
n77L	90	30	3504.99	CP	16QAM	Inner_Full	23.71	22.11
n77L	90	30	3504.99	CP	16QAM	Edge_1RB_Left	21.90	20.30
n77L	90	30	3504.99	CP	16QAM	Edge_1RB_Right	21.49	19.89
n77L	90	30	3504.99	CP	16QAM	Outer_Full	22.62	21.02
n77L	90	30	3504.99	CP	64QAM	Inner_Full	22.15	20.55
n77L	90	30	3504.99	CP	64QAM	Edge_1RB_Left	21.98	20.38
n77L	90	30	3504.99	CP	64QAM	Edge_1RB_Right	21.45	19.85
n77L	90	30	3504.99	CP	64QAM	Outer_Full	22.12	20.52
n77L	90	30	3504.99	CP	256QAM	Inner_Full	19.35	17.75
n77L	90	30	3504.99	CP	256QAM	Edge_1RB_Left	19.24	17.64
n77L	90	30	3504.99	CP	256QAM	Edge_1RB_Right	18.66	17.06
n77L	90	30	3504.99	CP	256QAM	Outer_Full	19.25	17.65

**NR n77H**
**Limit ≤ 30dBm(1W)**

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted Power(dBm)	EIRP(dBm) (Gt - Lc = -1.6)
n77H	10	30	3705	DFT	pi/2 BPSK	Inner_Full	25.25	23.65
n77H	10	30	3705	DFT	pi/2 BPSK	Edge_1RB_Left	21.70	20.10
n77H	10	30	3705	DFT	pi/2 BPSK	Edge_1RB_Right	21.71	20.11
n77H	10	30	3705	DFT	pi/2 BPSK	Outer_Full	24.78	23.18
n77H	10	30	3705	DFT	QPSK	Inner_Full	25.27	23.67
n77H	10	30	3705	DFT	QPSK	Edge_1RB_Left	21.74	20.14
n77H	10	30	3705	DFT	QPSK	Edge_1RB_Right	21.74	20.14
n77H	10	30	3705	DFT	QPSK	Outer_Full	24.33	22.73
n77H	10	30	3705	DFT	16QAM	Inner_Full	24.23	22.63
n77H	10	30	3705	DFT	16QAM	Edge_1RB_Left	21.72	20.12
n77H	10	30	3705	DFT	16QAM	Edge_1RB_Right	21.74	20.14
n77H	10	30	3705	DFT	16QAM	Outer_Full	23.37	21.77
n77H	10	30	3705	DFT	64QAM	Inner_Full	22.64	21.04
n77H	10	30	3705	DFT	64QAM	Edge_1RB_Left	21.63	20.03
n77H	10	30	3705	DFT	64QAM	Edge_1RB_Right	21.70	20.10
n77H	10	30	3705	DFT	64QAM	Outer_Full	22.77	21.17
n77H	10	30	3705	DFT	256QAM	Inner_Full	20.74	19.14
n77H	10	30	3705	DFT	256QAM	Edge_1RB_Left	20.82	19.22
n77H	10	30	3705	DFT	256QAM	Edge_1RB_Right	20.77	19.17
n77H	10	30	3705	DFT	256QAM	Outer_Full	20.79	19.19
n77H	10	30	3705	CP	QPSK	Inner_Full	23.70	22.10
n77H	10	30	3705	CP	QPSK	Edge_1RB_Left	21.83	20.23
n77H	10	30	3705	CP	QPSK	Edge_1RB_Right	21.73	20.13
n77H	10	30	3705	CP	QPSK	Outer_Full	22.29	20.69
n77H	10	30	3705	CP	16QAM	Inner_Full	23.35	21.75
n77H	10	30	3705	CP	16QAM	Edge_1RB_Left	21.94	20.34
n77H	10	30	3705	CP	16QAM	Edge_1RB_Right	22.03	20.43
n77H	10	30	3705	CP	16QAM	Outer_Full	22.34	20.74
n77H	10	30	3705	CP	64QAM	Inner_Full	21.76	20.16
n77H	10	30	3705	CP	64QAM	Edge_1RB_Left	21.80	20.20
n77H	10	30	3705	CP	64QAM	Edge_1RB_Right	21.70	20.10
n77H	10	30	3705	CP	64QAM	Outer_Full	21.85	20.25
n77H	10	30	3705	CP	256QAM	Inner_Full	18.88	17.28



n77H	10	30	3705	CP	256QAM	Edge_1RB_Left	18.79	17.19
n77H	10	30	3705	CP	256QAM	Edge_1RB_Right	18.92	17.32
n77H	10	30	3705	CP	256QAM	Outer_Full	18.92	17.32
n77H	10	30	3840	DFT	pi/2 BPSK	Inner_Full	25.64	24.04
n77H	10	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.07	20.47
n77H	10	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.06	20.46
n77H	10	30	3840	DFT	pi/2 BPSK	Outer_Full	25.15	23.55
n77H	10	30	3840	DFT	QPSK	Inner_Full	25.64	24.04
n77H	10	30	3840	DFT	QPSK	Edge_1RB_Left	22.11	20.51
n77H	10	30	3840	DFT	QPSK	Edge_1RB_Right	22.02	20.42
n77H	10	30	3840	DFT	QPSK	Outer_Full	24.65	23.05
n77H	10	30	3840	DFT	16QAM	Inner_Full	24.61	23.01
n77H	10	30	3840	DFT	16QAM	Edge_1RB_Left	22.12	20.52
n77H	10	30	3840	DFT	16QAM	Edge_1RB_Right	22.11	20.51
n77H	10	30	3840	DFT	16QAM	Outer_Full	23.70	22.10
n77H	10	30	3840	DFT	64QAM	Inner_Full	23.12	21.52
n77H	10	30	3840	DFT	64QAM	Edge_1RB_Left	22.01	20.41
n77H	10	30	3840	DFT	64QAM	Edge_1RB_Right	21.94	20.34
n77H	10	30	3840	DFT	64QAM	Outer_Full	23.12	21.52
n77H	10	30	3840	DFT	256QAM	Inner_Full	21.17	19.57
n77H	10	30	3840	DFT	256QAM	Edge_1RB_Left	21.26	19.66
n77H	10	30	3840	DFT	256QAM	Edge_1RB_Right	21.46	19.86
n77H	10	30	3840	DFT	256QAM	Outer_Full	21.19	19.59
n77H	10	30	3840	CP	QPSK	Inner_Full	24.14	22.54
n77H	10	30	3840	CP	QPSK	Edge_1RB_Left	22.08	20.48
n77H	10	30	3840	CP	QPSK	Edge_1RB_Right	22.02	20.42
n77H	10	30	3840	CP	QPSK	Outer_Full	22.61	21.01
n77H	10	30	3840	CP	16QAM	Inner_Full	23.67	22.07
n77H	10	30	3840	CP	16QAM	Edge_1RB_Left	21.79	20.19
n77H	10	30	3840	CP	16QAM	Edge_1RB_Right	21.91	20.31
n77H	10	30	3840	CP	16QAM	Outer_Full	22.62	21.02
n77H	10	30	3840	CP	64QAM	Inner_Full	21.99	20.39
n77H	10	30	3840	CP	64QAM	Edge_1RB_Left	22.18	20.58
n77H	10	30	3840	CP	64QAM	Edge_1RB_Right	22.12	20.52
n77H	10	30	3840	CP	64QAM	Outer_Full	22.23	20.63
n77H	10	30	3840	CP	256QAM	Inner_Full	19.21	17.61
n77H	10	30	3840	CP	256QAM	Edge_1RB_Left	19.43	17.83

n77H	10	30	3840	CP	256QAM	Edge_1RB_Right	19.41	17.81
n77H	10	30	3840	CP	256QAM	Outer_Full	19.41	17.81
n77H	10	30	3975	DFT	pi/2 BPSK	Inner_Full	26.23	24.63
n77H	10	30	3975	DFT	pi/2 BPSK	Edge_1RB_Left	22.57	20.97
n77H	10	30	3975	DFT	pi/2 BPSK	Edge_1RB_Right	22.56	20.96
n77H	10	30	3975	DFT	pi/2 BPSK	Outer_Full	25.73	24.13
n77H	10	30	3975	DFT	QPSK	Inner_Full	26.17	24.57
n77H	10	30	3975	DFT	QPSK	Edge_1RB_Left	22.61	21.01
n77H	10	30	3975	DFT	QPSK	Edge_1RB_Right	22.52	20.92
n77H	10	30	3975	DFT	QPSK	Outer_Full	25.19	23.59
n77H	10	30	3975	DFT	16QAM	Inner_Full	25.16	23.56
n77H	10	30	3975	DFT	16QAM	Edge_1RB_Left	22.55	20.95
n77H	10	30	3975	DFT	16QAM	Edge_1RB_Right	22.39	20.79
n77H	10	30	3975	DFT	16QAM	Outer_Full	24.23	22.63
n77H	10	30	3975	DFT	64QAM	Inner_Full	23.71	22.11
n77H	10	30	3975	DFT	64QAM	Edge_1RB_Left	22.50	20.90
n77H	10	30	3975	DFT	64QAM	Edge_1RB_Right	22.49	20.89
n77H	10	30	3975	DFT	64QAM	Outer_Full	23.68	22.08
n77H	10	30	3975	DFT	256QAM	Inner_Full	21.84	20.24
n77H	10	30	3975	DFT	256QAM	Edge_1RB_Left	21.82	20.22
n77H	10	30	3975	DFT	256QAM	Edge_1RB_Right	21.77	20.17
n77H	10	30	3975	DFT	256QAM	Outer_Full	21.82	20.22
n77H	10	30	3975	CP	QPSK	Inner_Full	24.67	23.07
n77H	10	30	3975	CP	QPSK	Edge_1RB_Left	22.56	20.96
n77H	10	30	3975	CP	QPSK	Edge_1RB_Right	22.43	20.83
n77H	10	30	3975	CP	QPSK	Outer_Full	23.20	21.60
n77H	10	30	3975	CP	16QAM	Inner_Full	24.26	22.66
n77H	10	30	3975	CP	16QAM	Edge_1RB_Left	22.45	20.85
n77H	10	30	3975	CP	16QAM	Edge_1RB_Right	22.36	20.76
n77H	10	30	3975	CP	16QAM	Outer_Full	23.12	21.52
n77H	10	30	3975	CP	64QAM	Inner_Full	22.66	21.06
n77H	10	30	3975	CP	64QAM	Edge_1RB_Left	22.87	21.27
n77H	10	30	3975	CP	64QAM	Edge_1RB_Right	22.68	21.08
n77H	10	30	3975	CP	64QAM	Outer_Full	22.65	21.05
n77H	10	30	3975	CP	256QAM	Inner_Full	19.82	18.22
n77H	10	30	3975	CP	256QAM	Edge_1RB_Left	19.76	18.16
n77H	10	30	3975	CP	256QAM	Edge_1RB_Right	19.90	18.30



n77H	10	30	3975	CP	256QAM	Outer_Full	19.82	18.22
n77H	15	30	3707.52	DFT	pi/2 BPSK	Inner_Full	25.32	23.72
n77H	15	30	3707.52	DFT	pi/2 BPSK	Edge_1RB_Left	21.71	20.11
n77H	15	30	3707.52	DFT	pi/2 BPSK	Edge_1RB_Right	21.76	20.16
n77H	15	30	3707.52	DFT	pi/2 BPSK	Outer_Full	24.81	23.21
n77H	15	30	3707.52	DFT	QPSK	Inner_Full	25.31	23.71
n77H	15	30	3707.52	DFT	QPSK	Edge_1RB_Left	21.72	20.12
n77H	15	30	3707.52	DFT	QPSK	Edge_1RB_Right	21.68	20.08
n77H	15	30	3707.52	DFT	QPSK	Outer_Full	24.39	22.79
n77H	15	30	3707.52	DFT	16QAM	Inner_Full	24.40	22.80
n77H	15	30	3707.52	DFT	16QAM	Edge_1RB_Left	21.84	20.24
n77H	15	30	3707.52	DFT	16QAM	Edge_1RB_Right	21.83	20.23
n77H	15	30	3707.52	DFT	16QAM	Outer_Full	23.38	21.78
n77H	15	30	3707.52	DFT	64QAM	Inner_Full	22.79	21.19
n77H	15	30	3707.52	DFT	64QAM	Edge_1RB_Left	21.62	20.02
n77H	15	30	3707.52	DFT	64QAM	Edge_1RB_Right	21.73	20.13
n77H	15	30	3707.52	DFT	64QAM	Outer_Full	22.86	21.26
n77H	15	30	3707.52	DFT	256QAM	Inner_Full	20.81	19.21
n77H	15	30	3707.52	DFT	256QAM	Edge_1RB_Left	20.87	19.27
n77H	15	30	3707.52	DFT	256QAM	Edge_1RB_Right	20.86	19.26
n77H	15	30	3707.52	DFT	256QAM	Outer_Full	20.86	19.26
n77H	15	30	3707.52	CP	QPSK	Inner_Full	23.76	22.16
n77H	15	30	3707.52	CP	QPSK	Edge_1RB_Left	21.82	20.22
n77H	15	30	3707.52	CP	QPSK	Edge_1RB_Right	21.94	20.34
n77H	15	30	3707.52	CP	QPSK	Outer_Full	22.29	20.69
n77H	15	30	3707.52	CP	16QAM	Inner_Full	23.35	21.75
n77H	15	30	3707.52	CP	16QAM	Edge_1RB_Left	21.83	20.23
n77H	15	30	3707.52	CP	16QAM	Edge_1RB_Right	21.95	20.35
n77H	15	30	3707.52	CP	16QAM	Outer_Full	22.33	20.73
n77H	15	30	3707.52	CP	64QAM	Inner_Full	21.82	20.22
n77H	15	30	3707.52	CP	64QAM	Edge_1RB_Left	21.76	20.16
n77H	15	30	3707.52	CP	64QAM	Edge_1RB_Right	21.94	20.34
n77H	15	30	3707.52	CP	64QAM	Outer_Full	21.73	20.13
n77H	15	30	3707.52	CP	256QAM	Inner_Full	18.93	17.33
n77H	15	30	3707.52	CP	256QAM	Edge_1RB_Left	18.92	17.32
n77H	15	30	3707.52	CP	256QAM	Edge_1RB_Right	18.92	17.32
n77H	15	30	3707.52	CP	256QAM	Outer_Full	18.96	17.36

n77H	15	30	3840	DFT	pi/2 BPSK	Inner_Full	25.59	23.99
n77H	15	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.96	20.36
n77H	15	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.99	20.39
n77H	15	30	3840	DFT	pi/2 BPSK	Outer_Full	25.13	23.53
n77H	15	30	3840	DFT	QPSK	Inner_Full	25.70	24.10
n77H	15	30	3840	DFT	QPSK	Edge_1RB_Left	21.93	20.33
n77H	15	30	3840	DFT	QPSK	Edge_1RB_Right	22.01	20.41
n77H	15	30	3840	DFT	QPSK	Outer_Full	24.62	23.02
n77H	15	30	3840	DFT	16QAM	Inner_Full	24.63	23.03
n77H	15	30	3840	DFT	16QAM	Edge_1RB_Left	22.02	20.42
n77H	15	30	3840	DFT	16QAM	Edge_1RB_Right	22.06	20.46
n77H	15	30	3840	DFT	16QAM	Outer_Full	23.68	22.08
n77H	15	30	3840	DFT	64QAM	Inner_Full	23.10	21.50
n77H	15	30	3840	DFT	64QAM	Edge_1RB_Left	21.85	20.25
n77H	15	30	3840	DFT	64QAM	Edge_1RB_Right	21.89	20.29
n77H	15	30	3840	DFT	64QAM	Outer_Full	23.20	21.60
n77H	15	30	3840	DFT	256QAM	Inner_Full	21.17	19.57
n77H	15	30	3840	DFT	256QAM	Edge_1RB_Left	21.08	19.48
n77H	15	30	3840	DFT	256QAM	Edge_1RB_Right	21.13	19.53
n77H	15	30	3840	DFT	256QAM	Outer_Full	21.08	19.48
n77H	15	30	3840	CP	QPSK	Inner_Full	24.10	22.50
n77H	15	30	3840	CP	QPSK	Edge_1RB_Left	22.02	20.42
n77H	15	30	3840	CP	QPSK	Edge_1RB_Right	22.15	20.55
n77H	15	30	3840	CP	QPSK	Outer_Full	22.62	21.02
n77H	15	30	3840	CP	16QAM	Inner_Full	23.64	22.04
n77H	15	30	3840	CP	16QAM	Edge_1RB_Left	22.23	20.63
n77H	15	30	3840	CP	16QAM	Edge_1RB_Right	22.41	20.81
n77H	15	30	3840	CP	16QAM	Outer_Full	22.61	21.01
n77H	15	30	3840	CP	64QAM	Inner_Full	22.14	20.54
n77H	15	30	3840	CP	64QAM	Edge_1RB_Left	22.34	20.74
n77H	15	30	3840	CP	64QAM	Edge_1RB_Right	22.04	20.44
n77H	15	30	3840	CP	64QAM	Outer_Full	22.10	20.50
n77H	15	30	3840	CP	256QAM	Inner_Full	19.29	17.69
n77H	15	30	3840	CP	256QAM	Edge_1RB_Left	19.12	17.52
n77H	15	30	3840	CP	256QAM	Edge_1RB_Right	19.19	17.59
n77H	15	30	3840	CP	256QAM	Outer_Full	19.25	17.65
n77H	15	30	3972.48	DFT	pi/2 BPSK	Inner_Full	26.25	24.65



n77H	15	30	3972.48	DFT	pi/2 BPSK	Edge_1RB_Left	22.66	21.06
n77H	15	30	3972.48	DFT	pi/2 BPSK	Edge_1RB_Right	22.56	20.96
n77H	15	30	3972.48	DFT	pi/2 BPSK	Outer_Full	25.85	24.25
n77H	15	30	3972.48	DFT	QPSK	Inner_Full	26.34	24.74
n77H	15	30	3972.48	DFT	QPSK	Edge_1RB_Left	22.68	21.08
n77H	15	30	3972.48	DFT	QPSK	Edge_1RB_Right	22.62	21.02
n77H	15	30	3972.48	DFT	QPSK	Outer_Full	25.33	23.73
n77H	15	30	3972.48	DFT	16QAM	Inner_Full	25.30	23.70
n77H	15	30	3972.48	DFT	16QAM	Edge_1RB_Left	22.78	21.18
n77H	15	30	3972.48	DFT	16QAM	Edge_1RB_Right	22.68	21.08
n77H	15	30	3972.48	DFT	16QAM	Outer_Full	24.38	22.78
n77H	15	30	3972.48	DFT	64QAM	Inner_Full	23.81	22.21
n77H	15	30	3972.48	DFT	64QAM	Edge_1RB_Left	22.60	21.00
n77H	15	30	3972.48	DFT	64QAM	Edge_1RB_Right	22.52	20.92
n77H	15	30	3972.48	DFT	64QAM	Outer_Full	23.79	22.19
n77H	15	30	3972.48	DFT	256QAM	Inner_Full	21.82	20.22
n77H	15	30	3972.48	DFT	256QAM	Edge_1RB_Left	21.85	20.25
n77H	15	30	3972.48	DFT	256QAM	Edge_1RB_Right	21.71	20.11
n77H	15	30	3972.48	DFT	256QAM	Outer_Full	21.79	20.19
n77H	15	30	3972.48	CP	QPSK	Inner_Full	24.85	23.25
n77H	15	30	3972.48	CP	QPSK	Edge_1RB_Left	22.63	21.03
n77H	15	30	3972.48	CP	QPSK	Edge_1RB_Right	22.56	20.96
n77H	15	30	3972.48	CP	QPSK	Outer_Full	23.26	21.66
n77H	15	30	3972.48	CP	16QAM	Inner_Full	24.30	22.70
n77H	15	30	3972.48	CP	16QAM	Edge_1RB_Left	22.69	21.09
n77H	15	30	3972.48	CP	16QAM	Edge_1RB_Right	22.56	20.96
n77H	15	30	3972.48	CP	16QAM	Outer_Full	23.33	21.73
n77H	15	30	3972.48	CP	64QAM	Inner_Full	22.81	21.21
n77H	15	30	3972.48	CP	64QAM	Edge_1RB_Left	22.72	21.12
n77H	15	30	3972.48	CP	64QAM	Edge_1RB_Right	22.87	21.27
n77H	15	30	3972.48	CP	64QAM	Outer_Full	22.73	21.13
n77H	15	30	3972.48	CP	256QAM	Inner_Full	19.89	18.29
n77H	15	30	3972.48	CP	256QAM	Edge_1RB_Left	19.79	18.19
n77H	15	30	3972.48	CP	256QAM	Edge_1RB_Right	19.76	18.16
n77H	15	30	3972.48	CP	256QAM	Outer_Full	19.88	18.28
n77H	20	30	3710.01	DFT	pi/2 BPSK	Inner_Full	25.36	23.76
n77H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.65	20.05





n77H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.87	20.27
n77H	20	30	3710.01	DFT	pi/2 BPSK	Outer_Full	24.89	23.29
n77H	20	30	3710.01	DFT	QPSK	Inner_Full	25.37	23.77
n77H	20	30	3710.01	DFT	QPSK	Edge_1RB_Left	21.66	20.06
n77H	20	30	3710.01	DFT	QPSK	Edge_1RB_Right	21.86	20.26
n77H	20	30	3710.01	DFT	QPSK	Outer_Full	24.39	22.79
n77H	20	30	3710.01	DFT	16QAM	Inner_Full	24.36	22.76
n77H	20	30	3710.01	DFT	16QAM	Edge_1RB_Left	21.70	20.10
n77H	20	30	3710.01	DFT	16QAM	Edge_1RB_Right	22.02	20.42
n77H	20	30	3710.01	DFT	16QAM	Outer_Full	23.43	21.83
n77H	20	30	3710.01	DFT	64QAM	Inner_Full	22.96	21.36
n77H	20	30	3710.01	DFT	64QAM	Edge_1RB_Left	21.67	20.07
n77H	20	30	3710.01	DFT	64QAM	Edge_1RB_Right	21.77	20.17
n77H	20	30	3710.01	DFT	64QAM	Outer_Full	22.93	21.33
n77H	20	30	3710.01	DFT	256QAM	Inner_Full	20.75	19.15
n77H	20	30	3710.01	DFT	256QAM	Edge_1RB_Left	20.80	19.20
n77H	20	30	3710.01	DFT	256QAM	Edge_1RB_Right	21.06	19.46
n77H	20	30	3710.01	DFT	256QAM	Outer_Full	20.90	19.30
n77H	20	30	3710.01	CP	QPSK	Inner_Full	23.83	22.23
n77H	20	30	3710.01	CP	QPSK	Edge_1RB_Left	21.87	20.27
n77H	20	30	3710.01	CP	QPSK	Edge_1RB_Right	21.98	20.38
n77H	20	30	3710.01	CP	QPSK	Outer_Full	22.40	20.80
n77H	20	30	3710.01	CP	16QAM	Inner_Full	23.32	21.72
n77H	20	30	3710.01	CP	16QAM	Edge_1RB_Left	21.88	20.28
n77H	20	30	3710.01	CP	16QAM	Edge_1RB_Right	22.05	20.45
n77H	20	30	3710.01	CP	16QAM	Outer_Full	22.38	20.78
n77H	20	30	3710.01	CP	64QAM	Inner_Full	21.95	20.35
n77H	20	30	3710.01	CP	64QAM	Edge_1RB_Left	22.04	20.44
n77H	20	30	3710.01	CP	64QAM	Edge_1RB_Right	22.30	20.70
n77H	20	30	3710.01	CP	64QAM	Outer_Full	21.82	20.22
n77H	20	30	3710.01	CP	256QAM	Inner_Full	18.93	17.33
n77H	20	30	3710.01	CP	256QAM	Edge_1RB_Left	18.91	17.31
n77H	20	30	3710.01	CP	256QAM	Edge_1RB_Right	19.06	17.46
n77H	20	30	3710.01	CP	256QAM	Outer_Full	19.01	17.41
n77H	20	30	3840	DFT	pi/2 BPSK	Inner_Full	25.64	24.04
n77H	20	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.89	20.29
n77H	20	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.93	20.33

n77H	20	30	3840	DFT	pi/2 BPSK	Outer_Full	25.18	23.58
n77H	20	30	3840	DFT	QPSK	Inner_Full	25.74	24.14
n77H	20	30	3840	DFT	QPSK	Edge_1RB_Left	21.86	20.26
n77H	20	30	3840	DFT	QPSK	Edge_1RB_Right	21.95	20.35
n77H	20	30	3840	DFT	QPSK	Outer_Full	24.66	23.06
n77H	20	30	3840	DFT	16QAM	Inner_Full	24.69	23.09
n77H	20	30	3840	DFT	16QAM	Edge_1RB_Left	21.99	20.39
n77H	20	30	3840	DFT	16QAM	Edge_1RB_Right	22.08	20.48
n77H	20	30	3840	DFT	16QAM	Outer_Full	23.66	22.06
n77H	20	30	3840	DFT	64QAM	Inner_Full	23.23	21.63
n77H	20	30	3840	DFT	64QAM	Edge_1RB_Left	21.81	20.21
n77H	20	30	3840	DFT	64QAM	Edge_1RB_Right	21.85	20.25
n77H	20	30	3840	DFT	64QAM	Outer_Full	23.20	21.60
n77H	20	30	3840	DFT	256QAM	Inner_Full	21.05	19.45
n77H	20	30	3840	DFT	256QAM	Edge_1RB_Left	20.85	19.25
n77H	20	30	3840	DFT	256QAM	Edge_1RB_Right	20.92	19.32
n77H	20	30	3840	DFT	256QAM	Outer_Full	21.15	19.55
n77H	20	30	3840	CP	QPSK	Inner_Full	24.10	22.50
n77H	20	30	3840	CP	QPSK	Edge_1RB_Left	21.81	20.21
n77H	20	30	3840	CP	QPSK	Edge_1RB_Right	21.93	20.33
n77H	20	30	3840	CP	QPSK	Outer_Full	22.59	20.99
n77H	20	30	3840	CP	16QAM	Inner_Full	23.66	22.06
n77H	20	30	3840	CP	16QAM	Edge_1RB_Left	22.13	20.53
n77H	20	30	3840	CP	16QAM	Edge_1RB_Right	22.25	20.65
n77H	20	30	3840	CP	16QAM	Outer_Full	22.67	21.07
n77H	20	30	3840	CP	64QAM	Inner_Full	22.22	20.62
n77H	20	30	3840	CP	64QAM	Edge_1RB_Left	22.00	20.40
n77H	20	30	3840	CP	64QAM	Edge_1RB_Right	22.06	20.46
n77H	20	30	3840	CP	64QAM	Outer_Full	22.13	20.53
n77H	20	30	3840	CP	256QAM	Inner_Full	19.27	17.67
n77H	20	30	3840	CP	256QAM	Edge_1RB_Left	18.90	17.30
n77H	20	30	3840	CP	256QAM	Edge_1RB_Right	19.12	17.52
n77H	20	30	3840	CP	256QAM	Outer_Full	19.23	17.63
n77H	20	30	3969.99	DFT	pi/2 BPSK	Inner_Full	26.32	24.72
n77H	20	30	3969.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.47	20.87
n77H	20	30	3969.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.48	20.88
n77H	20	30	3969.99	DFT	pi/2 BPSK	Outer_Full	25.77	24.17



n77H	20	30	3969.99	DFT	QPSK	Inner_Full	26.32	24.72
n77H	20	30	3969.99	DFT	QPSK	Edge_1RB_Left	22.61	21.01
n77H	20	30	3969.99	DFT	QPSK	Edge_1RB_Right	22.56	20.96
n77H	20	30	3969.99	DFT	QPSK	Outer_Full	25.28	23.68
n77H	20	30	3969.99	DFT	16QAM	Inner_Full	25.34	23.74
n77H	20	30	3969.99	DFT	16QAM	Edge_1RB_Left	22.60	21.00
n77H	20	30	3969.99	DFT	16QAM	Edge_1RB_Right	22.57	20.97
n77H	20	30	3969.99	DFT	16QAM	Outer_Full	24.28	22.68
n77H	20	30	3969.99	DFT	64QAM	Inner_Full	23.85	22.25
n77H	20	30	3969.99	DFT	64QAM	Edge_1RB_Left	22.41	20.81
n77H	20	30	3969.99	DFT	64QAM	Edge_1RB_Right	22.43	20.83
n77H	20	30	3969.99	DFT	64QAM	Outer_Full	23.82	22.22
n77H	20	30	3969.99	DFT	256QAM	Inner_Full	21.75	20.15
n77H	20	30	3969.99	DFT	256QAM	Edge_1RB_Left	21.60	20.00
n77H	20	30	3969.99	DFT	256QAM	Edge_1RB_Right	21.68	20.08
n77H	20	30	3969.99	DFT	256QAM	Outer_Full	21.81	20.21
n77H	20	30	3969.99	CP	QPSK	Inner_Full	24.77	23.17
n77H	20	30	3969.99	CP	QPSK	Edge_1RB_Left	22.57	20.97
n77H	20	30	3969.99	CP	QPSK	Edge_1RB_Right	22.52	20.92
n77H	20	30	3969.99	CP	QPSK	Outer_Full	23.22	21.62
n77H	20	30	3969.99	CP	16QAM	Inner_Full	24.32	22.72
n77H	20	30	3969.99	CP	16QAM	Edge_1RB_Left	22.44	20.84
n77H	20	30	3969.99	CP	16QAM	Edge_1RB_Right	22.67	21.07
n77H	20	30	3969.99	CP	16QAM	Outer_Full	23.26	21.66
n77H	20	30	3969.99	CP	64QAM	Inner_Full	22.82	21.22
n77H	20	30	3969.99	CP	64QAM	Edge_1RB_Left	22.68	21.08
n77H	20	30	3969.99	CP	64QAM	Edge_1RB_Right	22.83	21.23
n77H	20	30	3969.99	CP	64QAM	Outer_Full	22.78	21.18
n77H	20	30	3969.99	CP	256QAM	Inner_Full	19.86	18.26
n77H	20	30	3969.99	CP	256QAM	Edge_1RB_Left	19.68	18.08
n77H	20	30	3969.99	CP	256QAM	Edge_1RB_Right	19.80	18.20
n77H	20	30	3969.99	CP	256QAM	Outer_Full	19.87	18.27
n77H	40	30	3720	DFT	pi/2 BPSK	Inner_Full	25.43	23.83
n77H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Left	21.23	19.63
n77H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Right	21.74	20.14
n77H	40	30	3720	DFT	pi/2 BPSK	Outer_Full	24.84	23.24
n77H	40	30	3720	DFT	QPSK	Inner_Full	25.43	23.83

n77H	40	30	3720	DFT	QPSK	Edge_1RB_Left	21.20	19.60
n77H	40	30	3720	DFT	QPSK	Edge_1RB_Right	21.77	20.17
n77H	40	30	3720	DFT	QPSK	Outer_Full	24.37	22.77
n77H	40	30	3720	DFT	16QAM	Inner_Full	24.48	22.88
n77H	40	30	3720	DFT	16QAM	Edge_1RB_Left	21.19	19.59
n77H	40	30	3720	DFT	16QAM	Edge_1RB_Right	21.84	20.24
n77H	40	30	3720	DFT	16QAM	Outer_Full	23.37	21.77
n77H	40	30	3720	DFT	64QAM	Inner_Full	22.94	21.34
n77H	40	30	3720	DFT	64QAM	Edge_1RB_Left	21.19	19.59
n77H	40	30	3720	DFT	64QAM	Edge_1RB_Right	21.69	20.09
n77H	40	30	3720	DFT	64QAM	Outer_Full	22.96	21.36
n77H	40	30	3720	DFT	256QAM	Inner_Full	20.95	19.35
n77H	40	30	3720	DFT	256QAM	Edge_1RB_Left	20.34	18.74
n77H	40	30	3720	DFT	256QAM	Edge_1RB_Right	20.77	19.17
n77H	40	30	3720	DFT	256QAM	Outer_Full	20.91	19.31
n77H	40	30	3720	CP	QPSK	Inner_Full	23.98	22.38
n77H	40	30	3720	CP	QPSK	Edge_1RB_Left	21.29	19.69
n77H	40	30	3720	CP	QPSK	Edge_1RB_Right	21.88	20.28
n77H	40	30	3720	CP	QPSK	Outer_Full	22.42	20.82
n77H	40	30	3720	CP	16QAM	Inner_Full	23.52	21.92
n77H	40	30	3720	CP	16QAM	Edge_1RB_Left	21.26	19.66
n77H	40	30	3720	CP	16QAM	Edge_1RB_Right	21.98	20.38
n77H	40	30	3720	CP	16QAM	Outer_Full	22.32	20.72
n77H	40	30	3720	CP	64QAM	Inner_Full	21.96	20.36
n77H	40	30	3720	CP	64QAM	Edge_1RB_Left	21.30	19.70
n77H	40	30	3720	CP	64QAM	Edge_1RB_Right	21.96	20.36
n77H	40	30	3720	CP	64QAM	Outer_Full	21.88	20.28
n77H	40	30	3720	CP	256QAM	Inner_Full	19.07	17.47
n77H	40	30	3720	CP	256QAM	Edge_1RB_Left	18.30	16.70
n77H	40	30	3720	CP	256QAM	Edge_1RB_Right	19.02	17.42
n77H	40	30	3720	CP	256QAM	Outer_Full	18.99	17.39
n77H	40	30	3840	DFT	$\pi/2$ BPSK	Inner_Full	25.56	23.96
n77H	40	30	3840	DFT	$\pi/2$ BPSK	Edge_1RB_Left	21.23	19.63
n77H	40	30	3840	DFT	$\pi/2$ BPSK	Edge_1RB_Right	21.35	19.75
n77H	40	30	3840	DFT	$\pi/2$ BPSK	Outer_Full	24.92	23.32
n77H	40	30	3840	DFT	QPSK	Inner_Full	25.58	23.98
n77H	40	30	3840	DFT	QPSK	Edge_1RB_Left	21.23	19.63



n77H	40	30	3840	DFT	QPSK	Edge_1RB_Right	21.34	19.74
n77H	40	30	3840	DFT	QPSK	Outer_Full	24.42	22.82
n77H	40	30	3840	DFT	16QAM	Inner_Full	24.61	23.01
n77H	40	30	3840	DFT	16QAM	Edge_1RB_Left	21.32	19.72
n77H	40	30	3840	DFT	16QAM	Edge_1RB_Right	21.46	19.86
n77H	40	30	3840	DFT	16QAM	Outer_Full	23.40	21.80
n77H	40	30	3840	DFT	64QAM	Inner_Full	23.11	21.51
n77H	40	30	3840	DFT	64QAM	Edge_1RB_Left	21.15	19.55
n77H	40	30	3840	DFT	64QAM	Edge_1RB_Right	21.31	19.71
n77H	40	30	3840	DFT	64QAM	Outer_Full	22.99	21.39
n77H	40	30	3840	DFT	256QAM	Inner_Full	21.06	19.46
n77H	40	30	3840	DFT	256QAM	Edge_1RB_Left	20.40	18.80
n77H	40	30	3840	DFT	256QAM	Edge_1RB_Right	20.38	18.78
n77H	40	30	3840	DFT	256QAM	Outer_Full	20.92	19.32
n77H	40	30	3840	CP	QPSK	Inner_Full	24.08	22.48
n77H	40	30	3840	CP	QPSK	Edge_1RB_Left	21.25	19.65
n77H	40	30	3840	CP	QPSK	Edge_1RB_Right	21.36	19.76
n77H	40	30	3840	CP	QPSK	Outer_Full	22.40	20.80
n77H	40	30	3840	CP	16QAM	Inner_Full	23.51	21.91
n77H	40	30	3840	CP	16QAM	Edge_1RB_Left	21.42	19.82
n77H	40	30	3840	CP	16QAM	Edge_1RB_Right	21.56	19.96
n77H	40	30	3840	CP	16QAM	Outer_Full	22.40	20.80
n77H	40	30	3840	CP	64QAM	Inner_Full	22.10	20.50
n77H	40	30	3840	CP	64QAM	Edge_1RB_Left	21.27	19.67
n77H	40	30	3840	CP	64QAM	Edge_1RB_Right	21.51	19.91
n77H	40	30	3840	CP	64QAM	Outer_Full	21.95	20.35
n77H	40	30	3840	CP	256QAM	Inner_Full	19.24	17.64
n77H	40	30	3840	CP	256QAM	Edge_1RB_Left	18.53	16.93
n77H	40	30	3840	CP	256QAM	Edge_1RB_Right	18.74	17.14
n77H	40	30	3840	CP	256QAM	Outer_Full	19.05	17.45
n77H	40	30	3960	DFT	$\pi/2$ BPSK	Inner_Full	26.21	24.61
n77H	40	30	3960	DFT	$\pi/2$ BPSK	Edge_1RB_Left	21.80	20.20
n77H	40	30	3960	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.10	20.50
n77H	40	30	3960	DFT	$\pi/2$ BPSK	Outer_Full	25.60	24.00
n77H	40	30	3960	DFT	QPSK	Inner_Full	26.14	24.54
n77H	40	30	3960	DFT	QPSK	Edge_1RB_Left	21.80	20.20
n77H	40	30	3960	DFT	QPSK	Edge_1RB_Right	22.09	20.49



n77H	40	30	3960	DFT	QPSK	Outer_Full	25.07	23.47
n77H	40	30	3960	DFT	16QAM	Inner_Full	25.14	23.54
n77H	40	30	3960	DFT	16QAM	Edge_1RB_Left	21.72	20.12
n77H	40	30	3960	DFT	16QAM	Edge_1RB_Right	22.01	20.41
n77H	40	30	3960	DFT	16QAM	Outer_Full	24.07	22.47
n77H	40	30	3960	DFT	64QAM	Inner_Full	23.64	22.04
n77H	40	30	3960	DFT	64QAM	Edge_1RB_Left	21.70	20.10
n77H	40	30	3960	DFT	64QAM	Edge_1RB_Right	22.01	20.41
n77H	40	30	3960	DFT	64QAM	Outer_Full	23.60	22.00
n77H	40	30	3960	DFT	256QAM	Inner_Full	21.59	19.99
n77H	40	30	3960	DFT	256QAM	Edge_1RB_Left	21.18	19.58
n77H	40	30	3960	DFT	256QAM	Edge_1RB_Right	21.52	19.92
n77H	40	30	3960	DFT	256QAM	Outer_Full	21.57	19.97
n77H	40	30	3960	CP	QPSK	Inner_Full	24.60	23.00
n77H	40	30	3960	CP	QPSK	Edge_1RB_Left	21.81	20.21
n77H	40	30	3960	CP	QPSK	Edge_1RB_Right	22.09	20.49
n77H	40	30	3960	CP	QPSK	Outer_Full	23.00	21.40
n77H	40	30	3960	CP	16QAM	Inner_Full	24.16	22.56
n77H	40	30	3960	CP	16QAM	Edge_1RB_Left	21.70	20.10
n77H	40	30	3960	CP	16QAM	Edge_1RB_Right	22.03	20.43
n77H	40	30	3960	CP	16QAM	Outer_Full	22.96	21.36
n77H	40	30	3960	CP	64QAM	Inner_Full	22.61	21.01
n77H	40	30	3960	CP	64QAM	Edge_1RB_Left	22.11	20.51
n77H	40	30	3960	CP	64QAM	Edge_1RB_Right	22.39	20.79
n77H	40	30	3960	CP	64QAM	Outer_Full	22.55	20.95
n77H	40	30	3960	CP	256QAM	Inner_Full	19.74	18.14
n77H	40	30	3960	CP	256QAM	Edge_1RB_Left	19.22	17.62
n77H	40	30	3960	CP	256QAM	Edge_1RB_Right	19.49	17.89
n77H	40	30	3960	CP	256QAM	Outer_Full	19.66	18.06
n77H	50	30	3725.01	DFT	pi/2 BPSK	Inner_Full	25.46	23.86
n77H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.35	19.75
n77H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.94	20.34
n77H	50	30	3725.01	DFT	pi/2 BPSK	Outer_Full	24.96	23.36
n77H	50	30	3725.01	DFT	QPSK	Inner_Full	25.49	23.89
n77H	50	30	3725.01	DFT	QPSK	Edge_1RB_Left	21.37	19.77
n77H	50	30	3725.01	DFT	QPSK	Edge_1RB_Right	22.00	20.40
n77H	50	30	3725.01	DFT	QPSK	Outer_Full	24.36	22.76

n77H	50	30	3725.01	DFT	16QAM	Inner_Full	24.50	22.90
n77H	50	30	3725.01	DFT	16QAM	Edge_1RB_Left	21.26	19.66
n77H	50	30	3725.01	DFT	16QAM	Edge_1RB_Right	21.88	20.28
n77H	50	30	3725.01	DFT	16QAM	Outer_Full	23.38	21.78
n77H	50	30	3725.01	DFT	64QAM	Inner_Full	23.06	21.46
n77H	50	30	3725.01	DFT	64QAM	Edge_1RB_Left	21.17	19.57
n77H	50	30	3725.01	DFT	64QAM	Edge_1RB_Right	21.84	20.24
n77H	50	30	3725.01	DFT	64QAM	Outer_Full	22.94	21.34
n77H	50	30	3725.01	DFT	256QAM	Inner_Full	21.06	19.46
n77H	50	30	3725.01	DFT	256QAM	Edge_1RB_Left	20.64	19.04
n77H	50	30	3725.01	DFT	256QAM	Edge_1RB_Right	21.37	19.77
n77H	50	30	3725.01	DFT	256QAM	Outer_Full	20.91	19.31
n77H	50	30	3725.01	CP	QPSK	Inner_Full	24.02	22.42
n77H	50	30	3725.01	CP	QPSK	Edge_1RB_Left	21.35	19.75
n77H	50	30	3725.01	CP	QPSK	Edge_1RB_Right	22.11	20.51
n77H	50	30	3725.01	CP	QPSK	Outer_Full	22.46	20.86
n77H	50	30	3725.01	CP	16QAM	Inner_Full	23.54	21.94
n77H	50	30	3725.01	CP	16QAM	Edge_1RB_Left	21.57	19.97
n77H	50	30	3725.01	CP	16QAM	Edge_1RB_Right	22.20	20.60
n77H	50	30	3725.01	CP	16QAM	Outer_Full	22.45	20.85
n77H	50	30	3725.01	CP	64QAM	Inner_Full	22.07	20.47
n77H	50	30	3725.01	CP	64QAM	Edge_1RB_Left	21.45	19.85
n77H	50	30	3725.01	CP	64QAM	Edge_1RB_Right	22.17	20.57
n77H	50	30	3725.01	CP	64QAM	Outer_Full	21.98	20.38
n77H	50	30	3725.01	CP	256QAM	Inner_Full	19.17	17.57
n77H	50	30	3725.01	CP	256QAM	Edge_1RB_Left	18.55	16.95
n77H	50	30	3725.01	CP	256QAM	Edge_1RB_Right	19.33	17.73
n77H	50	30	3725.01	CP	256QAM	Outer_Full	19.03	17.43
n77H	50	30	3840	DFT	pi/2 BPSK	Inner_Full	25.61	24.01
n77H	50	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.43	19.83
n77H	50	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.50	19.90
n77H	50	30	3840	DFT	pi/2 BPSK	Outer_Full	24.98	23.38
n77H	50	30	3840	DFT	QPSK	Inner_Full	25.58	23.98
n77H	50	30	3840	DFT	QPSK	Edge_1RB_Left	21.44	19.84
n77H	50	30	3840	DFT	QPSK	Edge_1RB_Right	21.44	19.84
n77H	50	30	3840	DFT	QPSK	Outer_Full	24.40	22.80
n77H	50	30	3840	DFT	16QAM	Inner_Full	24.64	23.04



n77H	50	30	3840	DFT	16QAM	Edge_1RB_Left	21.53	19.93
n77H	50	30	3840	DFT	16QAM	Edge_1RB_Right	21.60	20.00
n77H	50	30	3840	DFT	16QAM	Outer_Full	23.48	21.88
n77H	50	30	3840	DFT	64QAM	Inner_Full	23.12	21.52
n77H	50	30	3840	DFT	64QAM	Edge_1RB_Left	21.36	19.76
n77H	50	30	3840	DFT	64QAM	Edge_1RB_Right	21.45	19.85
n77H	50	30	3840	DFT	64QAM	Outer_Full	22.95	21.35
n77H	50	30	3840	DFT	256QAM	Inner_Full	21.11	19.51
n77H	50	30	3840	DFT	256QAM	Edge_1RB_Left	20.60	19.00
n77H	50	30	3840	DFT	256QAM	Edge_1RB_Right	20.53	18.93
n77H	50	30	3840	DFT	256QAM	Outer_Full	21.00	19.40
n77H	50	30	3840	CP	QPSK	Inner_Full	24.04	22.44
n77H	50	30	3840	CP	QPSK	Edge_1RB_Left	21.53	19.93
n77H	50	30	3840	CP	QPSK	Edge_1RB_Right	21.52	19.92
n77H	50	30	3840	CP	QPSK	Outer_Full	22.45	20.85
n77H	50	30	3840	CP	16QAM	Inner_Full	23.58	21.98
n77H	50	30	3840	CP	16QAM	Edge_1RB_Left	21.61	20.01
n77H	50	30	3840	CP	16QAM	Edge_1RB_Right	21.88	20.28
n77H	50	30	3840	CP	16QAM	Outer_Full	22.46	20.86
n77H	50	30	3840	CP	64QAM	Inner_Full	22.14	20.54
n77H	50	30	3840	CP	64QAM	Edge_1RB_Left	21.54	19.94
n77H	50	30	3840	CP	64QAM	Edge_1RB_Right	21.93	20.33
n77H	50	30	3840	CP	64QAM	Outer_Full	21.95	20.35
n77H	50	30	3840	CP	256QAM	Inner_Full	19.27	17.67
n77H	50	30	3840	CP	256QAM	Edge_1RB_Left	18.74	17.14
n77H	50	30	3840	CP	256QAM	Edge_1RB_Right	18.71	17.11
n77H	50	30	3840	CP	256QAM	Outer_Full	19.09	17.49
n77H	50	30	3954.48	DFT	pi/2 BPSK	Inner_Full	26.11	24.51
n77H	50	30	3954.48	DFT	pi/2 BPSK	Edge_1RB_Left	22.09	20.49
n77H	50	30	3954.48	DFT	pi/2 BPSK	Edge_1RB_Right	22.37	20.77
n77H	50	30	3954.48	DFT	pi/2 BPSK	Outer_Full	25.59	23.99
n77H	50	30	3954.48	DFT	QPSK	Inner_Full	26.14	24.54
n77H	50	30	3954.48	DFT	QPSK	Edge_1RB_Left	22.11	20.51
n77H	50	30	3954.48	DFT	QPSK	Edge_1RB_Right	22.36	20.76
n77H	50	30	3954.48	DFT	QPSK	Outer_Full	25.12	23.52
n77H	50	30	3954.48	DFT	16QAM	Inner_Full	25.20	23.60
n77H	50	30	3954.48	DFT	16QAM	Edge_1RB_Left	22.18	20.58



n77H	50	30	3954.48	DFT	16QAM	Edge_1RB_Right	22.47	20.87
n77H	50	30	3954.48	DFT	16QAM	Outer_Full	24.13	22.53
n77H	50	30	3954.48	DFT	64QAM	Inner_Full	23.67	22.07
n77H	50	30	3954.48	DFT	64QAM	Edge_1RB_Left	22.02	20.42
n77H	50	30	3954.48	DFT	64QAM	Edge_1RB_Right	22.33	20.73
n77H	50	30	3954.48	DFT	64QAM	Outer_Full	23.67	22.07
n77H	50	30	3954.48	DFT	256QAM	Inner_Full	21.69	20.09
n77H	50	30	3954.48	DFT	256QAM	Edge_1RB_Left	21.26	19.66
n77H	50	30	3954.48	DFT	256QAM	Edge_1RB_Right	21.39	19.79
n77H	50	30	3954.48	DFT	256QAM	Outer_Full	21.60	20.00
n77H	50	30	3954.48	CP	QPSK	Inner_Full	24.60	23.00
n77H	50	30	3954.48	CP	QPSK	Edge_1RB_Left	22.03	20.43
n77H	50	30	3954.48	CP	QPSK	Edge_1RB_Right	22.37	20.77
n77H	50	30	3954.48	CP	QPSK	Outer_Full	23.09	21.49
n77H	50	30	3954.48	CP	16QAM	Inner_Full	24.19	22.59
n77H	50	30	3954.48	CP	16QAM	Edge_1RB_Left	22.48	20.88
n77H	50	30	3954.48	CP	16QAM	Edge_1RB_Right	22.66	21.06
n77H	50	30	3954.48	CP	16QAM	Outer_Full	23.10	21.50
n77H	50	30	3954.48	CP	64QAM	Inner_Full	22.68	21.08
n77H	50	30	3954.48	CP	64QAM	Edge_1RB_Left	22.18	20.58
n77H	50	30	3954.48	CP	64QAM	Edge_1RB_Right	22.36	20.76
n77H	50	30	3954.48	CP	64QAM	Outer_Full	22.59	20.99
n77H	50	30	3954.48	CP	256QAM	Inner_Full	19.78	18.18
n77H	50	30	3954.48	CP	256QAM	Edge_1RB_Left	19.23	17.63
n77H	50	30	3954.48	CP	256QAM	Edge_1RB_Right	19.69	18.09
n77H	50	30	3954.48	CP	256QAM	Outer_Full	19.73	18.13
n77H	60	30	3730.02	DFT	pi/2 BPSK	Inner_Full	25.64	24.04
n77H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.28	19.68
n77H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.84	20.24
n77H	60	30	3730.02	DFT	pi/2 BPSK	Outer_Full	24.98	23.38
n77H	60	30	3730.02	DFT	QPSK	Inner_Full	25.67	24.07
n77H	60	30	3730.02	DFT	QPSK	Edge_1RB_Left	21.27	19.67
n77H	60	30	3730.02	DFT	QPSK	Edge_1RB_Right	21.88	20.28
n77H	60	30	3730.02	DFT	QPSK	Outer_Full	24.45	22.85
n77H	60	30	3730.02	DFT	16QAM	Inner_Full	24.62	23.02
n77H	60	30	3730.02	DFT	16QAM	Edge_1RB_Left	21.33	19.73
n77H	60	30	3730.02	DFT	16QAM	Edge_1RB_Right	21.93	20.33



n77H	60	30	3730.02	DFT	16QAM	Outer_Full	23.43	21.83
n77H	60	30	3730.02	DFT	64QAM	Inner_Full	23.16	21.56
n77H	60	30	3730.02	DFT	64QAM	Edge_1RB_Left	21.17	19.57
n77H	60	30	3730.02	DFT	64QAM	Edge_1RB_Right	21.81	20.21
n77H	60	30	3730.02	DFT	64QAM	Outer_Full	22.99	21.39
n77H	60	30	3730.02	DFT	256QAM	Inner_Full	21.16	19.56
n77H	60	30	3730.02	DFT	256QAM	Edge_1RB_Left	20.29	18.69
n77H	60	30	3730.02	DFT	256QAM	Edge_1RB_Right	20.91	19.31
n77H	60	30	3730.02	DFT	256QAM	Outer_Full	20.96	19.36
n77H	60	30	3730.02	CP	QPSK	Inner_Full	24.07	22.47
n77H	60	30	3730.02	CP	QPSK	Edge_1RB_Left	21.33	19.73
n77H	60	30	3730.02	CP	QPSK	Edge_1RB_Right	22.04	20.44
n77H	60	30	3730.02	CP	QPSK	Outer_Full	22.45	20.85
n77H	60	30	3730.02	CP	16QAM	Inner_Full	23.64	22.04
n77H	60	30	3730.02	CP	16QAM	Edge_1RB_Left	21.38	19.78
n77H	60	30	3730.02	CP	16QAM	Edge_1RB_Right	22.11	20.51
n77H	60	30	3730.02	CP	16QAM	Outer_Full	22.37	20.77
n77H	60	30	3730.02	CP	64QAM	Inner_Full	22.13	20.53
n77H	60	30	3730.02	CP	64QAM	Edge_1RB_Left	21.37	19.77
n77H	60	30	3730.02	CP	64QAM	Edge_1RB_Right	21.92	20.32
n77H	60	30	3730.02	CP	64QAM	Outer_Full	22.00	20.40
n77H	60	30	3730.02	CP	256QAM	Inner_Full	19.22	17.62
n77H	60	30	3730.02	CP	256QAM	Edge_1RB_Left	18.58	16.98
n77H	60	30	3730.02	CP	256QAM	Edge_1RB_Right	19.09	17.49
n77H	60	30	3730.02	CP	256QAM	Outer_Full	19.06	17.46
n77H	60	30	3840	DFT	pi/2 BPSK	Inner_Full	25.54	23.94
n77H	60	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.43	19.83
n77H	60	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.42	19.82
n77H	60	30	3840	DFT	pi/2 BPSK	Outer_Full	24.87	23.27
n77H	60	30	3840	DFT	QPSK	Inner_Full	25.57	23.97
n77H	60	30	3840	DFT	QPSK	Edge_1RB_Left	21.42	19.82
n77H	60	30	3840	DFT	QPSK	Edge_1RB_Right	21.46	19.86
n77H	60	30	3840	DFT	QPSK	Outer_Full	24.35	22.75
n77H	60	30	3840	DFT	16QAM	Inner_Full	24.53	22.93
n77H	60	30	3840	DFT	16QAM	Edge_1RB_Left	21.55	19.95
n77H	60	30	3840	DFT	16QAM	Edge_1RB_Right	21.46	19.86
n77H	60	30	3840	DFT	16QAM	Outer_Full	23.35	21.75



n77H	60	30	3840	DFT	64QAM	Inner_Full	23.02	21.42
n77H	60	30	3840	DFT	64QAM	Edge_1RB_Left	21.40	19.80
n77H	60	30	3840	DFT	64QAM	Edge_1RB_Right	21.30	19.70
n77H	60	30	3840	DFT	64QAM	Outer_Full	22.85	21.25
n77H	60	30	3840	DFT	256QAM	Inner_Full	21.05	19.45
n77H	60	30	3840	DFT	256QAM	Edge_1RB_Left	20.45	18.85
n77H	60	30	3840	DFT	256QAM	Edge_1RB_Right	20.49	18.89
n77H	60	30	3840	DFT	256QAM	Outer_Full	20.90	19.30
n77H	60	30	3840	CP	QPSK	Inner_Full	23.99	22.39
n77H	60	30	3840	CP	QPSK	Edge_1RB_Left	21.41	19.81
n77H	60	30	3840	CP	QPSK	Edge_1RB_Right	21.45	19.85
n77H	60	30	3840	CP	QPSK	Outer_Full	22.36	20.76
n77H	60	30	3840	CP	16QAM	Inner_Full	23.56	21.96
n77H	60	30	3840	CP	16QAM	Edge_1RB_Left	21.55	19.95
n77H	60	30	3840	CP	16QAM	Edge_1RB_Right	21.75	20.15
n77H	60	30	3840	CP	16QAM	Outer_Full	22.31	20.71
n77H	60	30	3840	CP	64QAM	Inner_Full	21.98	20.38
n77H	60	30	3840	CP	64QAM	Edge_1RB_Left	21.56	19.96
n77H	60	30	3840	CP	64QAM	Edge_1RB_Right	21.39	19.79
n77H	60	30	3840	CP	64QAM	Outer_Full	21.87	20.27
n77H	60	30	3840	CP	256QAM	Inner_Full	19.16	17.56
n77H	60	30	3840	CP	256QAM	Edge_1RB_Left	18.56	16.96
n77H	60	30	3840	CP	256QAM	Edge_1RB_Right	18.79	17.19
n77H	60	30	3840	CP	256QAM	Outer_Full	18.95	17.35
n77H	60	30	3949.98	DFT	pi/2 BPSK	Inner_Full	26.04	24.44
n77H	60	30	3949.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.09	20.49
n77H	60	30	3949.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.25	20.65
n77H	60	30	3949.98	DFT	pi/2 BPSK	Outer_Full	25.49	23.89
n77H	60	30	3949.98	DFT	QPSK	Inner_Full	26.03	24.43
n77H	60	30	3949.98	DFT	QPSK	Edge_1RB_Left	22.02	20.42
n77H	60	30	3949.98	DFT	QPSK	Edge_1RB_Right	22.30	20.70
n77H	60	30	3949.98	DFT	QPSK	Outer_Full	25.02	23.42
n77H	60	30	3949.98	DFT	16QAM	Inner_Full	25.04	23.44
n77H	60	30	3949.98	DFT	16QAM	Edge_1RB_Left	22.18	20.58
n77H	60	30	3949.98	DFT	16QAM	Edge_1RB_Right	22.37	20.77
n77H	60	30	3949.98	DFT	16QAM	Outer_Full	23.96	22.36
n77H	60	30	3949.98	DFT	64QAM	Inner_Full	23.53	21.93



n77H	60	30	3949.98	DFT	64QAM	Edge_1RB_Left	21.89	20.29
n77H	60	30	3949.98	DFT	64QAM	Edge_1RB_Right	22.17	20.57
n77H	60	30	3949.98	DFT	64QAM	Outer_Full	23.49	21.89
n77H	60	30	3949.98	DFT	256QAM	Inner_Full	21.56	19.96
n77H	60	30	3949.98	DFT	256QAM	Edge_1RB_Left	21.06	19.46
n77H	60	30	3949.98	DFT	256QAM	Edge_1RB_Right	21.40	19.80
n77H	60	30	3949.98	DFT	256QAM	Outer_Full	21.49	19.89
n77H	60	30	3949.98	CP	QPSK	Inner_Full	24.49	22.89
n77H	60	30	3949.98	CP	QPSK	Edge_1RB_Left	21.99	20.39
n77H	60	30	3949.98	CP	QPSK	Edge_1RB_Right	22.32	20.72
n77H	60	30	3949.98	CP	QPSK	Outer_Full	22.97	21.37
n77H	60	30	3949.98	CP	16QAM	Inner_Full	24.05	22.45
n77H	60	30	3949.98	CP	16QAM	Edge_1RB_Left	22.31	20.71
n77H	60	30	3949.98	CP	16QAM	Edge_1RB_Right	22.55	20.95
n77H	60	30	3949.98	CP	16QAM	Outer_Full	22.93	21.33
n77H	60	30	3949.98	CP	64QAM	Inner_Full	22.54	20.94
n77H	60	30	3949.98	CP	64QAM	Edge_1RB_Left	22.18	20.58
n77H	60	30	3949.98	CP	64QAM	Edge_1RB_Right	22.50	20.90
n77H	60	30	3949.98	CP	64QAM	Outer_Full	22.46	20.86
n77H	60	30	3949.98	CP	256QAM	Inner_Full	19.63	18.03
n77H	60	30	3949.98	CP	256QAM	Edge_1RB_Left	19.30	17.70
n77H	60	30	3949.98	CP	256QAM	Edge_1RB_Right	19.54	17.94
n77H	60	30	3949.98	CP	256QAM	Outer_Full	19.55	17.95
n77H	70	30	3735	DFT	pi/2 BPSK	Inner_Full	25.63	24.03
n77H	70	30	3735	DFT	pi/2 BPSK	Edge_1RB_Left	21.18	19.58
n77H	70	30	3735	DFT	pi/2 BPSK	Edge_1RB_Right	21.88	20.28
n77H	70	30	3735	DFT	pi/2 BPSK	Outer_Full	24.99	23.39
n77H	70	30	3735	DFT	QPSK	Inner_Full	25.67	24.07
n77H	70	30	3735	DFT	QPSK	Edge_1RB_Left	21.19	19.59
n77H	70	30	3735	DFT	QPSK	Edge_1RB_Right	21.87	20.27
n77H	70	30	3735	DFT	QPSK	Outer_Full	24.50	22.90
n77H	70	30	3735	DFT	16QAM	Inner_Full	24.63	23.03
n77H	70	30	3735	DFT	16QAM	Edge_1RB_Left	21.32	19.72
n77H	70	30	3735	DFT	16QAM	Edge_1RB_Right	22.01	20.41
n77H	70	30	3735	DFT	16QAM	Outer_Full	23.46	21.86
n77H	70	30	3735	DFT	64QAM	Inner_Full	23.14	21.54
n77H	70	30	3735	DFT	64QAM	Edge_1RB_Left	21.10	19.50

n77H	70	30	3735	DFT	64QAM	Edge_1RB_Right	21.72	20.12
n77H	70	30	3735	DFT	64QAM	Outer_Full	23.03	21.43
n77H	70	30	3735	DFT	256QAM	Inner_Full	21.13	19.53
n77H	70	30	3735	DFT	256QAM	Edge_1RB_Left	20.32	18.72
n77H	70	30	3735	DFT	256QAM	Edge_1RB_Right	20.88	19.28
n77H	70	30	3735	DFT	256QAM	Outer_Full	20.96	19.36
n77H	70	30	3735	CP	QPSK	Inner_Full	24.17	22.57
n77H	70	30	3735	CP	QPSK	Edge_1RB_Left	21.14	19.54
n77H	70	30	3735	CP	QPSK	Edge_1RB_Right	21.80	20.20
n77H	70	30	3735	CP	QPSK	Outer_Full	22.46	20.86
n77H	70	30	3735	CP	16QAM	Inner_Full	23.61	22.01
n77H	70	30	3735	CP	16QAM	Edge_1RB_Left	21.33	19.73
n77H	70	30	3735	CP	16QAM	Edge_1RB_Right	22.07	20.47
n77H	70	30	3735	CP	16QAM	Outer_Full	22.49	20.89
n77H	70	30	3735	CP	64QAM	Inner_Full	22.20	20.60
n77H	70	30	3735	CP	64QAM	Edge_1RB_Left	21.58	19.98
n77H	70	30	3735	CP	64QAM	Edge_1RB_Right	21.98	20.38
n77H	70	30	3735	CP	64QAM	Outer_Full	22.01	20.41
n77H	70	30	3735	CP	256QAM	Inner_Full	19.29	17.69
n77H	70	30	3735	CP	256QAM	Edge_1RB_Left	18.38	16.78
n77H	70	30	3735	CP	256QAM	Edge_1RB_Right	19.24	17.64
n77H	70	30	3735	CP	256QAM	Outer_Full	19.12	17.52
n77H	70	30	3840	DFT	pi/2 BPSK	Inner_Full	25.48	23.88
n77H	70	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.59	19.99
n77H	70	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.38	19.78
n77H	70	30	3840	DFT	pi/2 BPSK	Outer_Full	24.91	23.31
n77H	70	30	3840	DFT	QPSK	Inner_Full	25.57	23.97
n77H	70	30	3840	DFT	QPSK	Edge_1RB_Left	21.56	19.96
n77H	70	30	3840	DFT	QPSK	Edge_1RB_Right	21.40	19.80
n77H	70	30	3840	DFT	QPSK	Outer_Full	24.38	22.78
n77H	70	30	3840	DFT	16QAM	Inner_Full	24.56	22.96
n77H	70	30	3840	DFT	16QAM	Edge_1RB_Left	21.65	20.05
n77H	70	30	3840	DFT	16QAM	Edge_1RB_Right	21.46	19.86
n77H	70	30	3840	DFT	16QAM	Outer_Full	23.36	21.76
n77H	70	30	3840	DFT	64QAM	Inner_Full	23.02	21.42
n77H	70	30	3840	DFT	64QAM	Edge_1RB_Left	21.46	19.86
n77H	70	30	3840	DFT	64QAM	Edge_1RB_Right	21.29	19.69

n77H	70	30	3840	DFT	64QAM	Outer_Full	22.88	21.28
n77H	70	30	3840	DFT	256QAM	Inner_Full	21.04	19.44
n77H	70	30	3840	DFT	256QAM	Edge_1RB_Left	20.65	19.05
n77H	70	30	3840	DFT	256QAM	Edge_1RB_Right	20.46	18.86
n77H	70	30	3840	DFT	256QAM	Outer_Full	20.89	19.29
n77H	70	30	3840	CP	QPSK	Inner_Full	24.08	22.48
n77H	70	30	3840	CP	QPSK	Edge_1RB_Left	21.50	19.90
n77H	70	30	3840	CP	QPSK	Edge_1RB_Right	21.28	19.68
n77H	70	30	3840	CP	QPSK	Outer_Full	22.34	20.74
n77H	70	30	3840	CP	16QAM	Inner_Full	23.51	21.91
n77H	70	30	3840	CP	16QAM	Edge_1RB_Left	21.75	20.15
n77H	70	30	3840	CP	16QAM	Edge_1RB_Right	21.75	20.15
n77H	70	30	3840	CP	16QAM	Outer_Full	22.38	20.78
n77H	70	30	3840	CP	64QAM	Inner_Full	22.09	20.49
n77H	70	30	3840	CP	64QAM	Edge_1RB_Left	22.00	20.40
n77H	70	30	3840	CP	64QAM	Edge_1RB_Right	21.57	19.97
n77H	70	30	3840	CP	64QAM	Outer_Full	21.85	20.25
n77H	70	30	3840	CP	256QAM	Inner_Full	19.15	17.55
n77H	70	30	3840	CP	256QAM	Edge_1RB_Left	19.12	17.52
n77H	70	30	3840	CP	256QAM	Edge_1RB_Right	18.83	17.23
n77H	70	30	3840	CP	256QAM	Outer_Full	18.97	17.37
n77H	70	30	3945	DFT	$\pi/2$ BPSK	Inner_Full	25.98	24.38
n77H	70	30	3945	DFT	$\pi/2$ BPSK	Edge_1RB_Left	21.78	20.18
n77H	70	30	3945	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.21	20.61
n77H	70	30	3945	DFT	$\pi/2$ BPSK	Outer_Full	25.43	23.83
n77H	70	30	3945	DFT	QPSK	Inner_Full	25.98	24.38
n77H	70	30	3945	DFT	QPSK	Edge_1RB_Left	21.90	20.30
n77H	70	30	3945	DFT	QPSK	Edge_1RB_Right	22.26	20.66
n77H	70	30	3945	DFT	QPSK	Outer_Full	24.95	23.35
n77H	70	30	3945	DFT	16QAM	Inner_Full	24.95	23.35
n77H	70	30	3945	DFT	16QAM	Edge_1RB_Left	21.74	20.14
n77H	70	30	3945	DFT	16QAM	Edge_1RB_Right	22.10	20.50
n77H	70	30	3945	DFT	16QAM	Outer_Full	23.91	22.31
n77H	70	30	3945	DFT	64QAM	Inner_Full	23.52	21.92
n77H	70	30	3945	DFT	64QAM	Edge_1RB_Left	21.75	20.15
n77H	70	30	3945	DFT	64QAM	Edge_1RB_Right	22.14	20.54
n77H	70	30	3945	DFT	64QAM	Outer_Full	23.44	21.84

n77H	70	30	3945	DFT	256QAM	Inner_Full	21.43	19.83
n77H	70	30	3945	DFT	256QAM	Edge_1RB_Left	20.99	19.39
n77H	70	30	3945	DFT	256QAM	Edge_1RB_Right	21.34	19.74
n77H	70	30	3945	DFT	256QAM	Outer_Full	21.44	19.84
n77H	70	30	3945	CP	QPSK	Inner_Full	24.51	22.91
n77H	70	30	3945	CP	QPSK	Edge_1RB_Left	21.75	20.15
n77H	70	30	3945	CP	QPSK	Edge_1RB_Right	22.19	20.59
n77H	70	30	3945	CP	QPSK	Outer_Full	22.95	21.35
n77H	70	30	3945	CP	16QAM	Inner_Full	23.92	22.32
n77H	70	30	3945	CP	16QAM	Edge_1RB_Left	21.64	20.04
n77H	70	30	3945	CP	16QAM	Edge_1RB_Right	22.03	20.43
n77H	70	30	3945	CP	16QAM	Outer_Full	22.89	21.29
n77H	70	30	3945	CP	64QAM	Inner_Full	22.48	20.88
n77H	70	30	3945	CP	64QAM	Edge_1RB_Left	22.29	20.69
n77H	70	30	3945	CP	64QAM	Edge_1RB_Right	22.41	20.81
n77H	70	30	3945	CP	64QAM	Outer_Full	22.43	20.83
n77H	70	30	3945	CP	256QAM	Inner_Full	19.58	17.98
n77H	70	30	3945	CP	256QAM	Edge_1RB_Left	19.25	17.65
n77H	70	30	3945	CP	256QAM	Edge_1RB_Right	19.68	18.08
n77H	70	30	3945	CP	256QAM	Outer_Full	19.57	17.97
n77H	80	30	3740.01	DFT	$\pi/2$ BPSK	Inner_Full	25.73	24.13
n77H	80	30	3740.01	DFT	$\pi/2$ BPSK	Edge_1RB_Left	21.12	19.52
n77H	80	30	3740.01	DFT	$\pi/2$ BPSK	Edge_1RB_Right	21.88	20.28
n77H	80	30	3740.01	DFT	$\pi/2$ BPSK	Outer_Full	25.06	23.46
n77H	80	30	3740.01	DFT	QPSK	Inner_Full	25.76	24.16
n77H	80	30	3740.01	DFT	QPSK	Edge_1RB_Left	21.09	19.49
n77H	80	30	3740.01	DFT	QPSK	Edge_1RB_Right	21.94	20.34
n77H	80	30	3740.01	DFT	QPSK	Outer_Full	24.54	22.94
n77H	80	30	3740.01	DFT	16QAM	Inner_Full	24.77	23.17
n77H	80	30	3740.01	DFT	16QAM	Edge_1RB_Left	21.20	19.60
n77H	80	30	3740.01	DFT	16QAM	Edge_1RB_Right	22.00	20.40
n77H	80	30	3740.01	DFT	16QAM	Outer_Full	23.60	22.00
n77H	80	30	3740.01	DFT	64QAM	Inner_Full	23.29	21.69
n77H	80	30	3740.01	DFT	64QAM	Edge_1RB_Left	20.96	19.36
n77H	80	30	3740.01	DFT	64QAM	Edge_1RB_Right	21.74	20.14
n77H	80	30	3740.01	DFT	64QAM	Outer_Full	23.03	21.43
n77H	80	30	3740.01	DFT	256QAM	Inner_Full	21.24	19.64



n77H	80	30	3740.01	DFT	256QAM	Edge_1RB_Left	20.31	18.71
n77H	80	30	3740.01	DFT	256QAM	Edge_1RB_Right	21.01	19.41
n77H	80	30	3740.01	DFT	256QAM	Outer_Full	21.04	19.44
n77H	80	30	3740.01	CP	QPSK	Inner_Full	24.26	22.66
n77H	80	30	3740.01	CP	QPSK	Edge_1RB_Left	20.98	19.38
n77H	80	30	3740.01	CP	QPSK	Edge_1RB_Right	21.87	20.27
n77H	80	30	3740.01	CP	QPSK	Outer_Full	22.52	20.92
n77H	80	30	3740.01	CP	16QAM	Inner_Full	23.76	22.16
n77H	80	30	3740.01	CP	16QAM	Edge_1RB_Left	21.25	19.65
n77H	80	30	3740.01	CP	16QAM	Edge_1RB_Right	22.13	20.53
n77H	80	30	3740.01	CP	16QAM	Outer_Full	22.56	20.96
n77H	80	30	3740.01	CP	64QAM	Inner_Full	22.32	20.72
n77H	80	30	3740.01	CP	64QAM	Edge_1RB_Left	21.25	19.65
n77H	80	30	3740.01	CP	64QAM	Edge_1RB_Right	22.06	20.46
n77H	80	30	3740.01	CP	64QAM	Outer_Full	22.05	20.45
n77H	80	30	3740.01	CP	256QAM	Inner_Full	19.32	17.72
n77H	80	30	3740.01	CP	256QAM	Edge_1RB_Left	18.43	16.83
n77H	80	30	3740.01	CP	256QAM	Edge_1RB_Right	19.12	17.52
n77H	80	30	3740.01	CP	256QAM	Outer_Full	19.17	17.57
n77H	80	30	3840	DFT	pi/2 BPSK	Inner_Full	25.54	23.94
n77H	80	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.63	20.03
n77H	80	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.25	19.65
n77H	80	30	3840	DFT	pi/2 BPSK	Outer_Full	24.84	23.24
n77H	80	30	3840	DFT	QPSK	Inner_Full	25.54	23.94
n77H	80	30	3840	DFT	QPSK	Edge_1RB_Left	21.63	20.03
n77H	80	30	3840	DFT	QPSK	Edge_1RB_Right	21.28	19.68
n77H	80	30	3840	DFT	QPSK	Outer_Full	24.32	22.72
n77H	80	30	3840	DFT	16QAM	Inner_Full	24.51	22.91
n77H	80	30	3840	DFT	16QAM	Edge_1RB_Left	21.78	20.18
n77H	80	30	3840	DFT	16QAM	Edge_1RB_Right	21.38	19.78
n77H	80	30	3840	DFT	16QAM	Outer_Full	23.34	21.74
n77H	80	30	3840	DFT	64QAM	Inner_Full	23.04	21.44
n77H	80	30	3840	DFT	64QAM	Edge_1RB_Left	21.46	19.86
n77H	80	30	3840	DFT	64QAM	Edge_1RB_Right	21.10	19.50
n77H	80	30	3840	DFT	64QAM	Outer_Full	22.85	21.25
n77H	80	30	3840	DFT	256QAM	Inner_Full	21.00	19.40
n77H	80	30	3840	DFT	256QAM	Edge_1RB_Left	20.62	19.02





n77H	80	30	3840	DFT	256QAM	Edge_1RB_Right	20.44	18.84
n77H	80	30	3840	DFT	256QAM	Outer_Full	20.85	19.25
n77H	80	30	3840	CP	QPSK	Inner_Full	24.01	22.41
n77H	80	30	3840	CP	QPSK	Edge_1RB_Left	21.55	19.95
n77H	80	30	3840	CP	QPSK	Edge_1RB_Right	21.08	19.48
n77H	80	30	3840	CP	QPSK	Outer_Full	22.34	20.74
n77H	80	30	3840	CP	16QAM	Inner_Full	23.55	21.95
n77H	80	30	3840	CP	16QAM	Edge_1RB_Left	21.77	20.17
n77H	80	30	3840	CP	16QAM	Edge_1RB_Right	21.57	19.97
n77H	80	30	3840	CP	16QAM	Outer_Full	22.30	20.70
n77H	80	30	3840	CP	64QAM	Inner_Full	22.01	20.41
n77H	80	30	3840	CP	64QAM	Edge_1RB_Left	21.65	20.05
n77H	80	30	3840	CP	64QAM	Edge_1RB_Right	21.24	19.64
n77H	80	30	3840	CP	64QAM	Outer_Full	21.85	20.25
n77H	80	30	3840	CP	256QAM	Inner_Full	19.10	17.50
n77H	80	30	3840	CP	256QAM	Edge_1RB_Left	18.87	17.27
n77H	80	30	3840	CP	256QAM	Edge_1RB_Right	18.57	16.97
n77H	80	30	3840	CP	256QAM	Outer_Full	18.98	17.38
n77H	80	30	3939.99	DFT	pi/2 BPSK	Inner_Full	26.01	24.41
n77H	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.38	19.78
n77H	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.06	20.46
n77H	80	30	3939.99	DFT	pi/2 BPSK	Outer_Full	25.37	23.77
n77H	80	30	3939.99	DFT	QPSK	Inner_Full	25.97	24.37
n77H	80	30	3939.99	DFT	QPSK	Edge_1RB_Left	21.38	19.78
n77H	80	30	3939.99	DFT	QPSK	Edge_1RB_Right	22.08	20.48
n77H	80	30	3939.99	DFT	QPSK	Outer_Full	24.92	23.32
n77H	80	30	3939.99	DFT	16QAM	Inner_Full	24.97	23.37
n77H	80	30	3939.99	DFT	16QAM	Edge_1RB_Left	21.53	19.93
n77H	80	30	3939.99	DFT	16QAM	Edge_1RB_Right	22.18	20.58
n77H	80	30	3939.99	DFT	16QAM	Outer_Full	23.92	22.32
n77H	80	30	3939.99	DFT	64QAM	Inner_Full	23.51	21.91
n77H	80	30	3939.99	DFT	64QAM	Edge_1RB_Left	21.28	19.68
n77H	80	30	3939.99	DFT	64QAM	Edge_1RB_Right	21.88	20.28
n77H	80	30	3939.99	DFT	64QAM	Outer_Full	23.43	21.83
n77H	80	30	3939.99	DFT	256QAM	Inner_Full	21.40	19.80
n77H	80	30	3939.99	DFT	256QAM	Edge_1RB_Left	20.42	18.82
n77H	80	30	3939.99	DFT	256QAM	Edge_1RB_Right	21.09	19.49

n77H	80	30	3939.99	DFT	256QAM	Outer_Full	21.35	19.75
n77H	80	30	3939.99	CP	QPSK	Inner_Full	24.47	22.87
n77H	80	30	3939.99	CP	QPSK	Edge_1RB_Left	21.19	19.59
n77H	80	30	3939.99	CP	QPSK	Edge_1RB_Right	21.94	20.34
n77H	80	30	3939.99	CP	QPSK	Outer_Full	22.89	21.29
n77H	80	30	3939.99	CP	16QAM	Inner_Full	24.00	22.40
n77H	80	30	3939.99	CP	16QAM	Edge_1RB_Left	21.73	20.13
n77H	80	30	3939.99	CP	16QAM	Edge_1RB_Right	22.48	20.88
n77H	80	30	3939.99	CP	16QAM	Outer_Full	22.88	21.28
n77H	80	30	3939.99	CP	64QAM	Inner_Full	22.43	20.83
n77H	80	30	3939.99	CP	64QAM	Edge_1RB_Left	21.81	20.21
n77H	80	30	3939.99	CP	64QAM	Edge_1RB_Right	22.59	20.99
n77H	80	30	3939.99	CP	64QAM	Outer_Full	22.39	20.79
n77H	80	30	3939.99	CP	256QAM	Inner_Full	19.52	17.92
n77H	80	30	3939.99	CP	256QAM	Edge_1RB_Left	18.63	17.03
n77H	80	30	3939.99	CP	256QAM	Edge_1RB_Right	19.35	17.75
n77H	80	30	3939.99	CP	256QAM	Outer_Full	19.46	17.86
n77H	90	30	3745.02	DFT	$\pi/2$ BPSK	Inner_Full	25.64	24.04
n77H	90	30	3745.02	DFT	$\pi/2$ BPSK	Edge_1RB_Left	20.97	19.37
n77H	90	30	3745.02	DFT	$\pi/2$ BPSK	Edge_1RB_Right	21.98	20.38
n77H	90	30	3745.02	DFT	$\pi/2$ BPSK	Outer_Full	24.99	23.39
n77H	90	30	3745.02	DFT	QPSK	Inner_Full	25.66	24.06
n77H	90	30	3745.02	DFT	QPSK	Edge_1RB_Left	20.94	19.34
n77H	90	30	3745.02	DFT	QPSK	Edge_1RB_Right	21.93	20.33
n77H	90	30	3745.02	DFT	QPSK	Outer_Full	24.52	22.92
n77H	90	30	3745.02	DFT	16QAM	Inner_Full	24.72	23.12
n77H	90	30	3745.02	DFT	16QAM	Edge_1RB_Left	21.01	19.41
n77H	90	30	3745.02	DFT	16QAM	Edge_1RB_Right	22.10	20.50
n77H	90	30	3745.02	DFT	16QAM	Outer_Full	23.50	21.90
n77H	90	30	3745.02	DFT	64QAM	Inner_Full	23.16	21.56
n77H	90	30	3745.02	DFT	64QAM	Edge_1RB_Left	20.94	19.34
n77H	90	30	3745.02	DFT	64QAM	Edge_1RB_Right	21.87	20.27
n77H	90	30	3745.02	DFT	64QAM	Outer_Full	23.06	21.46
n77H	90	30	3745.02	DFT	256QAM	Inner_Full	21.19	19.59
n77H	90	30	3745.02	DFT	256QAM	Edge_1RB_Left	19.99	18.39
n77H	90	30	3745.02	DFT	256QAM	Edge_1RB_Right	21.06	19.46
n77H	90	30	3745.02	DFT	256QAM	Outer_Full	21.05	19.45

n77H	90	30	3745.02	CP	QPSK	Inner_Full	24.17	22.57
n77H	90	30	3745.02	CP	QPSK	Edge_1RB_Left	20.99	19.39
n77H	90	30	3745.02	CP	QPSK	Edge_1RB_Right	22.06	20.46
n77H	90	30	3745.02	CP	QPSK	Outer_Full	22.49	20.89
n77H	90	30	3745.02	CP	16QAM	Inner_Full	23.64	22.04
n77H	90	30	3745.02	CP	16QAM	Edge_1RB_Left	20.98	19.38
n77H	90	30	3745.02	CP	16QAM	Edge_1RB_Right	22.07	20.47
n77H	90	30	3745.02	CP	16QAM	Outer_Full	22.47	20.87
n77H	90	30	3745.02	CP	64QAM	Inner_Full	22.09	20.49
n77H	90	30	3745.02	CP	64QAM	Edge_1RB_Left	21.18	19.58
n77H	90	30	3745.02	CP	64QAM	Edge_1RB_Right	22.07	20.47
n77H	90	30	3745.02	CP	64QAM	Outer_Full	22.04	20.44
n77H	90	30	3745.02	CP	256QAM	Inner_Full	19.28	17.68
n77H	90	30	3745.02	CP	256QAM	Edge_1RB_Left	18.27	16.67
n77H	90	30	3745.02	CP	256QAM	Edge_1RB_Right	19.40	17.80
n77H	90	30	3745.02	CP	256QAM	Outer_Full	19.18	17.58
n77H	90	30	3840	DFT	pi/2 BPSK	Inner_Full	25.47	23.87
n77H	90	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.63	20.03
n77H	90	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	21.09	19.49
n77H	90	30	3840	DFT	pi/2 BPSK	Outer_Full	24.83	23.23
n77H	90	30	3840	DFT	QPSK	Inner_Full	25.50	23.90
n77H	90	30	3840	DFT	QPSK	Edge_1RB_Left	21.64	20.04
n77H	90	30	3840	DFT	QPSK	Edge_1RB_Right	21.15	19.55
n77H	90	30	3840	DFT	QPSK	Outer_Full	24.35	22.75
n77H	90	30	3840	DFT	16QAM	Inner_Full	24.47	22.87
n77H	90	30	3840	DFT	16QAM	Edge_1RB_Left	21.71	20.11
n77H	90	30	3840	DFT	16QAM	Edge_1RB_Right	21.24	19.64
n77H	90	30	3840	DFT	16QAM	Outer_Full	23.36	21.76
n77H	90	30	3840	DFT	64QAM	Inner_Full	22.95	21.35
n77H	90	30	3840	DFT	64QAM	Edge_1RB_Left	21.55	19.95
n77H	90	30	3840	DFT	64QAM	Edge_1RB_Right	21.05	19.45
n77H	90	30	3840	DFT	64QAM	Outer_Full	22.88	21.28
n77H	90	30	3840	DFT	256QAM	Inner_Full	20.98	19.38
n77H	90	30	3840	DFT	256QAM	Edge_1RB_Left	20.83	19.23
n77H	90	30	3840	DFT	256QAM	Edge_1RB_Right	20.24	18.64
n77H	90	30	3840	DFT	256QAM	Outer_Full	20.85	19.25
n77H	90	30	3840	CP	QPSK	Inner_Full	23.93	22.33

n77H	90	30	3840	CP	QPSK	Edge_1RB_Left	21.62	20.02
n77H	90	30	3840	CP	QPSK	Edge_1RB_Right	21.10	19.50
n77H	90	30	3840	CP	QPSK	Outer_Full	22.31	20.71
n77H	90	30	3840	CP	16QAM	Inner_Full	23.49	21.89
n77H	90	30	3840	CP	16QAM	Edge_1RB_Left	21.74	20.14
n77H	90	30	3840	CP	16QAM	Edge_1RB_Right	21.38	19.78
n77H	90	30	3840	CP	16QAM	Outer_Full	22.29	20.69
n77H	90	30	3840	CP	64QAM	Inner_Full	21.90	20.30
n77H	90	30	3840	CP	64QAM	Edge_1RB_Left	21.70	20.10
n77H	90	30	3840	CP	64QAM	Edge_1RB_Right	21.44	19.84
n77H	90	30	3840	CP	64QAM	Outer_Full	21.86	20.26
n77H	90	30	3840	CP	256QAM	Inner_Full	19.01	17.41
n77H	90	30	3840	CP	256QAM	Edge_1RB_Left	19.04	17.44
n77H	90	30	3840	CP	256QAM	Edge_1RB_Right	18.52	16.92
n77H	90	30	3840	CP	256QAM	Outer_Full	18.94	17.34
n77H	90	30	3934.98	DFT	pi/2 BPSK	Inner_Full	25.99	24.39
n77H	90	30	3934.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.09	19.49
n77H	90	30	3934.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.89	20.29
n77H	90	30	3934.98	DFT	pi/2 BPSK	Outer_Full	25.37	23.77
n77H	90	30	3934.98	DFT	QPSK	Inner_Full	26.03	24.43
n77H	90	30	3934.98	DFT	QPSK	Edge_1RB_Left	21.09	19.49
n77H	90	30	3934.98	DFT	QPSK	Edge_1RB_Right	21.91	20.31
n77H	90	30	3934.98	DFT	QPSK	Outer_Full	24.87	23.27
n77H	90	30	3934.98	DFT	16QAM	Inner_Full	25.03	23.43
n77H	90	30	3934.98	DFT	16QAM	Edge_1RB_Left	21.21	19.61
n77H	90	30	3934.98	DFT	16QAM	Edge_1RB_Right	21.92	20.32
n77H	90	30	3934.98	DFT	16QAM	Outer_Full	23.93	22.33
n77H	90	30	3934.98	DFT	64QAM	Inner_Full	23.52	21.92
n77H	90	30	3934.98	DFT	64QAM	Edge_1RB_Left	20.96	19.36
n77H	90	30	3934.98	DFT	64QAM	Edge_1RB_Right	21.79	20.19
n77H	90	30	3934.98	DFT	64QAM	Outer_Full	23.38	21.78
n77H	90	30	3934.98	DFT	256QAM	Inner_Full	21.46	19.86
n77H	90	30	3934.98	DFT	256QAM	Edge_1RB_Left	20.20	18.60
n77H	90	30	3934.98	DFT	256QAM	Edge_1RB_Right	20.98	19.38
n77H	90	30	3934.98	DFT	256QAM	Outer_Full	21.33	19.73
n77H	90	30	3934.98	CP	QPSK	Inner_Full	24.46	22.86
n77H	90	30	3934.98	CP	QPSK	Edge_1RB_Left	20.99	19.39



n77H	90	30	3934.98	CP	QPSK	Edge_1RB_Right	21.83	20.23
n77H	90	30	3934.98	CP	QPSK	Outer_Full	22.87	21.27
n77H	90	30	3934.98	CP	16QAM	Inner_Full	23.96	22.36
n77H	90	30	3934.98	CP	16QAM	Edge_1RB_Left	20.92	19.32
n77H	90	30	3934.98	CP	16QAM	Edge_1RB_Right	21.81	20.21
n77H	90	30	3934.98	CP	16QAM	Outer_Full	22.80	21.20
n77H	90	30	3934.98	CP	64QAM	Inner_Full	22.47	20.87
n77H	90	30	3934.98	CP	64QAM	Edge_1RB_Left	21.44	19.84
n77H	90	30	3934.98	CP	64QAM	Edge_1RB_Right	21.99	20.39
n77H	90	30	3934.98	CP	64QAM	Outer_Full	22.35	20.75
n77H	90	30	3934.98	CP	256QAM	Inner_Full	19.61	18.01
n77H	90	30	3934.98	CP	256QAM	Edge_1RB_Left	18.68	17.08
n77H	90	30	3934.98	CP	256QAM	Edge_1RB_Right	19.46	17.86
n77H	90	30	3934.98	CP	256QAM	Outer_Full	19.49	17.89
n77H	100	30	3750	DFT	pi/2 BPSK	Inner_Full	25.77	24.17
n77H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	21.01	19.41
n77H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	21.56	19.96
n77H	100	30	3750	DFT	pi/2 BPSK	Outer_Full	25.07	23.47
n77H	100	30	3750	DFT	QPSK	Inner_Full	25.79	24.19
n77H	100	30	3750	DFT	QPSK	Edge_1RB_Left	20.95	19.35
n77H	100	30	3750	DFT	QPSK	Edge_1RB_Right	21.57	19.97
n77H	100	30	3750	DFT	QPSK	Outer_Full	24.57	22.97
n77H	100	30	3750	DFT	16QAM	Inner_Full	24.83	23.23
n77H	100	30	3750	DFT	16QAM	Edge_1RB_Left	21.03	19.43
n77H	100	30	3750	DFT	16QAM	Edge_1RB_Right	21.49	19.89
n77H	100	30	3750	DFT	16QAM	Outer_Full	23.57	21.97
n77H	100	30	3750	DFT	64QAM	Inner_Full	23.34	21.74
n77H	100	30	3750	DFT	64QAM	Edge_1RB_Left	21.15	19.55
n77H	100	30	3750	DFT	64QAM	Edge_1RB_Right	21.51	19.91
n77H	100	30	3750	DFT	64QAM	Outer_Full	23.08	21.48
n77H	100	30	3750	DFT	256QAM	Inner_Full	21.26	19.66
n77H	100	30	3750	DFT	256QAM	Edge_1RB_Left	20.22	18.62
n77H	100	30	3750	DFT	256QAM	Edge_1RB_Right	20.94	19.34
n77H	100	30	3750	DFT	256QAM	Outer_Full	21.09	19.49
n77H	100	30	3750	CP	QPSK	Inner_Full	24.28	22.68
n77H	100	30	3750	CP	QPSK	Edge_1RB_Left	20.91	19.31
n77H	100	30	3750	CP	QPSK	Edge_1RB_Right	21.57	19.97

n77H	100	30	3750	CP	QPSK	Outer_Full	22.55	20.95
n77H	100	30	3750	CP	16QAM	Inner_Full	23.82	22.22
n77H	100	30	3750	CP	16QAM	Edge_1RB_Left	20.92	19.32
n77H	100	30	3750	CP	16QAM	Edge_1RB_Right	21.43	19.83
n77H	100	30	3750	CP	16QAM	Outer_Full	22.57	20.97
n77H	100	30	3750	CP	64QAM	Inner_Full	22.29	20.69
n77H	100	30	3750	CP	64QAM	Edge_1RB_Left	20.91	19.31
n77H	100	30	3750	CP	64QAM	Edge_1RB_Right	21.67	20.07
n77H	100	30	3750	CP	64QAM	Outer_Full	22.08	20.48
n77H	100	30	3750	CP	256QAM	Inner_Full	19.40	17.80
n77H	100	30	3750	CP	256QAM	Edge_1RB_Left	18.17	16.57
n77H	100	30	3750	CP	256QAM	Edge_1RB_Right	19.06	17.46
n77H	100	30	3750	CP	256QAM	Outer_Full	19.27	17.67
n77H	100	30	3840	DFT	pi/2 BPSK	Inner_Full	25.46	23.86
n77H	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.60	20.00
n77H	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	20.92	19.32
n77H	100	30	3840	DFT	pi/2 BPSK	Outer_Full	24.86	23.26
n77H	100	30	3840	DFT	QPSK	Inner_Full	25.46	23.86
n77H	100	30	3840	DFT	QPSK	Edge_1RB_Left	21.61	20.01
n77H	100	30	3840	DFT	QPSK	Edge_1RB_Right	20.92	19.32
n77H	100	30	3840	DFT	QPSK	Outer_Full	24.31	22.71
n77H	100	30	3840	DFT	16QAM	Inner_Full	24.47	22.87
n77H	100	30	3840	DFT	16QAM	Edge_1RB_Left	21.76	20.16
n77H	100	30	3840	DFT	16QAM	Edge_1RB_Right	21.10	19.50
n77H	100	30	3840	DFT	16QAM	Outer_Full	23.31	21.71
n77H	100	30	3840	DFT	64QAM	Inner_Full	22.97	21.37
n77H	100	30	3840	DFT	64QAM	Edge_1RB_Left	21.55	19.95
n77H	100	30	3840	DFT	64QAM	Edge_1RB_Right	20.98	19.38
n77H	100	30	3840	DFT	64QAM	Outer_Full	22.82	21.22
n77H	100	30	3840	DFT	256QAM	Inner_Full	21.00	19.40
n77H	100	30	3840	DFT	256QAM	Edge_1RB_Left	20.67	19.07
n77H	100	30	3840	DFT	256QAM	Edge_1RB_Right	20.07	18.47
n77H	100	30	3840	DFT	256QAM	Outer_Full	20.82	19.22
n77H	100	30	3840	CP	QPSK	Inner_Full	23.91	22.31
n77H	100	30	3840	CP	QPSK	Edge_1RB_Left	21.66	20.06
n77H	100	30	3840	CP	QPSK	Edge_1RB_Right	21.01	19.41
n77H	100	30	3840	CP	QPSK	Outer_Full	22.30	20.70

n77H	100	30	3840	CP	16QAM	Inner_Full	23.43	21.83
n77H	100	30	3840	CP	16QAM	Edge_1RB_Left	21.69	20.09
n77H	100	30	3840	CP	16QAM	Edge_1RB_Right	21.41	19.81
n77H	100	30	3840	CP	16QAM	Outer_Full	22.36	20.76
n77H	100	30	3840	CP	64QAM	Inner_Full	22.01	20.41
n77H	100	30	3840	CP	64QAM	Edge_1RB_Left	21.50	19.90
n77H	100	30	3840	CP	64QAM	Edge_1RB_Right	21.13	19.53
n77H	100	30	3840	CP	64QAM	Outer_Full	21.83	20.23
n77H	100	30	3840	CP	256QAM	Inner_Full	19.10	17.50
n77H	100	30	3840	CP	256QAM	Edge_1RB_Left	18.99	17.39
n77H	100	30	3840	CP	256QAM	Edge_1RB_Right	18.43	16.83
n77H	100	30	3840	CP	256QAM	Outer_Full	19.00	17.40
n77H	100	30	3930	DFT	pi/2 BPSK	Inner_Full	25.89	24.29
n77H	100	30	3930	DFT	pi/2 BPSK	Edge_1RB_Left	21.14	19.54
n77H	100	30	3930	DFT	pi/2 BPSK	Edge_1RB_Right	21.75	20.15
n77H	100	30	3930	DFT	pi/2 BPSK	Outer_Full	25.21	23.61
n77H	100	30	3930	DFT	QPSK	Inner_Full	25.98	24.38
n77H	100	30	3930	DFT	QPSK	Edge_1RB_Left	21.09	19.49
n77H	100	30	3930	DFT	QPSK	Edge_1RB_Right	21.81	20.21
n77H	100	30	3930	DFT	QPSK	Outer_Full	24.74	23.14
n77H	100	30	3930	DFT	16QAM	Inner_Full	24.96	23.36
n77H	100	30	3930	DFT	16QAM	Edge_1RB_Left	20.93	19.33
n77H	100	30	3930	DFT	16QAM	Edge_1RB_Right	21.80	20.20
n77H	100	30	3930	DFT	16QAM	Outer_Full	23.74	22.14
n77H	100	30	3930	DFT	64QAM	Inner_Full	23.47	21.87
n77H	100	30	3930	DFT	64QAM	Edge_1RB_Left	21.22	19.62
n77H	100	30	3930	DFT	64QAM	Edge_1RB_Right	21.68	20.08
n77H	100	30	3930	DFT	64QAM	Outer_Full	23.23	21.63
n77H	100	30	3930	DFT	256QAM	Inner_Full	21.46	19.86
n77H	100	30	3930	DFT	256QAM	Edge_1RB_Left	19.92	18.32
n77H	100	30	3930	DFT	256QAM	Edge_1RB_Right	20.89	19.29
n77H	100	30	3930	DFT	256QAM	Outer_Full	21.20	19.60
n77H	100	30	3930	CP	QPSK	Inner_Full	24.45	22.85
n77H	100	30	3930	CP	QPSK	Edge_1RB_Left	21.11	19.51
n77H	100	30	3930	CP	QPSK	Edge_1RB_Right	21.79	20.19
n77H	100	30	3930	CP	QPSK	Outer_Full	22.71	21.11
n77H	100	30	3930	CP	16QAM	Inner_Full	23.91	22.31



n77H	100	30	3930	CP	16QAM	Edge_1RB_Left	21.11	19.51
n77H	100	30	3930	CP	16QAM	Edge_1RB_Right	22.04	20.44
n77H	100	30	3930	CP	16QAM	Outer_Full	22.68	21.08
n77H	100	30	3930	CP	64QAM	Inner_Full	22.41	20.81
n77H	100	30	3930	CP	64QAM	Edge_1RB_Left	21.20	19.60
n77H	100	30	3930	CP	64QAM	Edge_1RB_Right	22.00	20.40
n77H	100	30	3930	CP	64QAM	Outer_Full	22.24	20.64
n77H	100	30	3930	CP	256QAM	Inner_Full	19.54	17.94
n77H	100	30	3930	CP	256QAM	Edge_1RB_Left	18.25	16.65
n77H	100	30	3930	CP	256QAM	Edge_1RB_Right	19.29	17.69
n77H	100	30	3930	CP	256QAM	Outer_Full	19.38	17.78



## A.2 Emission Limit


### **A.2.1 Measurement Method**

The measurements procedures in TIA-603E-2016 are used. This measurement is carried out in fully anechoic chamber FAC-3.


The spectrum was scanned from 30 MHz to the 10th harmonic of the highest frequency generated within the equipment, which is the transmitted carrier. The resolution bandwidth is set 1MHz. The spectrum was scanned with the mobile station transmitting at carrier frequencies that pertain to low, mid and high channels of each LTE Band.

#### **The procedure of radiated spurious emissions is as follows:**

1. EUT was placed on a 1.5-meter-high non-conductive stand at a 3-meter test distance from the receive antenna. A receiving antenna was placed on the antenna mast 3 meters from the EUT for emission measurements. The height of receiving antenna is 1.5m. The test setup refers to figure below. Detected emissions were maximized at each frequency by rotating the EUT through 360 and adjusting the receiving antenna polarization. The radiated emission measurements of all non-harmonic and harmonics of the transmit frequency through the 10th harmonic were measured with peak detector.



2. The EUT is then put into continuously transmitting mode at its maximum power level during the test. And the maximum value of the receiver should be recorded as (Pr).
3. The EUT shall be replaced by a substitution antenna. The test setup refers to figure below.



In the chamber, a substitution antenna for the frequency band of interest is placed at the reference point of the chamber. An RF Signal source for the frequency band of interest is

connected to the substitution antenna with a cable that has been constructed to not interfere with the radiation pattern of the antenna. A power ( $P_{Mea}$ ) is applied to the input of the substitution antenna. Adjust the level of the signal generator output until the value of the receiver reaches the previously recorded ( $P_r$ ). The power of signal source ( $P_{Mea}$ ) is recorded. The test should be performed by rotating the test item and adjusting the receiving antenna polarization.

4. The Path loss ( $P_{pl}$ ) between the Signal Source with the Substitution Antenna and the Substitution Antenna Gain ( $G_a$ ) should be recorded after test.

An amplifier should be connected in for the test.

The Path loss ( $P_{pl}$ ) is the summation of the cable loss and the gain of the amplifier.

The measurement results are obtained as described below:

$$\text{Power (EIRP)} = P_{Mea} - P_{pl} + G_a$$

5. This value is EIRP since the measurement is calibrated using an antenna of known gain (unit: dBi) and known input power.
6. ERP can be calculated from EIRP by subtracting the gain of the dipole,  $ERP = EIRP - 2.15\text{dB}$ .

### A.2.2 Measurement Limit

NR n2/25: Part 24.238 specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power ( $P$ ) by a factor of at least  $43 + 10 \log(P)$  dB.

NR n5: Part 22.917 specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power ( $P$ ) by a factor of at least  $43 + 10 \log(P)$  dB.

NR n41: Part 27.53(m) specifies for mobile digital stations, the attenuation factor shall be not less than  $40 + 10 \log(P)$  dB on all frequencies between the channel edge and 5 megahertz from the channel edge,  $43 + 10 \log(P)$  dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and  $55 + 10 \log(P)$  dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than  $43 + 10 \log(P)$  dB on all frequencies between 2490.5 MHz and 2496 MHz and  $55 + 10 \log(P)$  dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

NR 66/70: Part 27.53(h) specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power ( $P$ ) by a factor of at least  $43 + 10 \log(P)$  dB.

NR n71: Part 27.53(g) states for operations in the 600 MHz band and the 698–746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power ( $P$ ) within the licensed band(s) of operation, measured in watts, by at least  $43 + 10 \log(P)$  dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

NR n77L:Part 27.53(n) states for mobile operations in the 3450-3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed  $-13$  dBm/MHz. Compliance with this paragraph (n)(2) is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed, but limited to a maximum of 200 kHz. In the bands between 1 and 5 MHz removed from the licensee's frequency block, the minimum resolution bandwidth for the measurement shall be 500 kHz. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

NR n77H:Part 27.53(l) states for mobile operations in the 3700-3980 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed  $-13$  dBm/MHz. Compliance with this paragraph (l)(2) is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, the minimum resolution bandwidth for the measurement shall be either one percent of the emission bandwidth of the fundamental emission of the transmitter or 350 kHz. In the bands between 1 and 5 MHz removed from the licensee's frequency block, the minimum resolution bandwidth for the measurement shall be 500 kHz. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

### **A.2.3 Measurement Results**

Radiated emissions measurements were made only at the upper, middle, and lower carrier frequencies of each NR Band. It was decided that measurements at these three carrier frequencies would be sufficient to demonstrate compliance with emissions limits because it was seen that all the significant spurs occur well outside the band and no radiation was seen from a carrier in one block of each NR Band into any of the other blocks. The equipment must still, however, meet emissions requirements with the carrier at all frequencies over which it is capable of operating and it is the manufacturer's responsibility to verify this. The range of evaluated frequency is from 30MHz to 26GHz.

**DC 66A+n25A,BPSK,CH370500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3506.00	-61.81	5.53	8.21	-59.13	-13.00	46.13	V
5236.00	-50.64	7.00	10.23	-47.41	-13.00	34.41	V
7004.00	-54.84	8.29	11.60	-51.53	-13.00	38.53	V
3690.00	-61.07	6.45	8.47	-59.05	-13.00	46.05	V
5558.00	-59.29	7.19	10.59	-55.89	-13.00	42.89	V
7411.00	-52.36	8.15	12.09	-48.42	-13.00	35.42	H

**DC 66A+n25A,BPSK,CH376500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3517.00	-60.70	5.55	8.22	-58.03	-13.00	45.03	V
5236.00	-50.96	7.00	10.23	-47.73	-13.00	34.73	V
6951.00	-55.89	7.92	11.54	-52.27	-13.00	39.27	H
3766.00	-59.88	6.24	8.57	-57.55	-13.00	44.55	H
5648.00	-57.55	7.27	10.57	-54.25	-13.00	41.25	V
7531.00	-53.58	8.26	12.22	-49.62	-13.00	36.62	H

**DC 66A+n25A,BPSK,CH382500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3488.00	-61.52	5.50	8.17	-58.85	-13.00	45.85	V
5236.00	-50.88	7.00	10.23	-47.65	-13.00	34.65	V
7001.00	-55.10	8.30	11.60	-51.80	-13.00	38.80	V
3812.00	-60.75	6.10	8.64	-58.21	-13.00	45.21	H
5738.00	-57.58	7.28	10.55	-54.31	-13.00	41.31	H
7651.00	-53.65	8.20	12.32	-49.53	-13.00	36.53	H

**DC 2A+n25A,BPSK,CH370500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3750.01	-60.01	6.29	8.55	-57.75	-13.00	44.75	H
5640.01	-41.11	7.27	10.57	-37.81	-13.00	24.81	V
7492.01	-54.63	8.37	12.19	-50.81	-13.00	37.81	V
3678.01	-60.44	6.48	8.45	-58.47	-13.00	45.47	V
5558.01	-54.50	7.19	10.59	-51.10	-13.00	38.10	H
7423.01	-53.14	8.18	12.11	-49.21	-13.00	36.21	V

**DC 2A+n25A,BPSK,CH376500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3783.01	-59.87	6.19	8.60	-57.46	-13.00	44.46	H
5646.01	-39.76	7.27	10.57	-36.46	-13.00	23.46	H
7543.01	-52.65	8.21	12.23	-48.63	-13.00	35.63	H
3615.01	-60.19	6.49	8.36	-58.32	-13.00	45.32	H
5488.01	-60.16	7.01	10.58	-56.59	-13.00	43.59	V
7301.01	-53.99	8.10	11.96	-50.13	-13.00	37.13	V

**DC 2A+n25A,BPSK,CH382500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3787.01	-60.60	6.18	8.60	-58.18	-13.00	45.18	H
5646.01	-39.69	7.27	10.57	-36.39	-13.00	23.39	H
7510.01	-54.59	8.35	12.21	-50.73	-13.00	37.73	H
3796.01	-60.27	6.15	8.61	-57.81	-13.00	44.81	H
5741.01	-57.78	7.28	10.55	-54.51	-13.00	41.51	V
7665.01	-52.86	8.27	12.33	-48.80	-13.00	35.80	H

**DC 12A+n25A,BPSK,CH370500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1396.01	-50.63	3.23	4.96	2.15	-51.05	-13.00	38.05	H
2123.00	-37.11	4.21	4.97	2.15	-38.50	-13.00	25.50	H
2800.00	-40.90	4.91	6.64	2.15	-41.32	-13.00	28.32	V
3699.01	-60.12	6.43	8.48	0.00	-58.07	-13.00	45.07	V
5559.01	-54.17	7.19	10.59	0.00	-50.77	-13.00	37.77	H
7419.01	-50.33	8.17	12.10	0.00	-46.40	-13.00	33.40	H

**DC 12A+n25A,BPSK,CH376500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1410.01	-51.07	3.25	5.03	2.15	-51.44	-13.00	38.44	H
2123.00	-41.79	4.21	4.97	2.15	-43.18	-13.00	30.18	H
2813.00	-40.56	4.93	6.66	2.15	-40.98	-13.00	27.98	V
3750.01	-59.77	6.29	8.55	0.00	-57.51	-13.00	44.51	H
5633.01	-58.28	7.27	10.57	0.00	-54.98	-13.00	41.98	V
7534.01	-53.24	8.25	12.23	0.00	-49.26	-13.00	36.26	V

**DC 12A+n25A,BPSK,CH382500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1413.01	-51.84	3.25	5.05	2.15	-52.19	-13.00	39.19	H
2099.00	-45.68	4.19	4.90	2.15	-47.12	-13.00	34.12	H
2854.00	-41.64	4.96	6.74	2.15	-42.01	-13.00	29.01	V
3803.01	-62.60	6.13	8.62	0.00	-60.11	-13.00	47.11	H
5742.01	-59.25	7.28	10.55	0.00	-55.98	-13.00	42.98	H
7649.01	-55.15	8.20	12.32	0.00	-51.03	-13.00	38.03	H

**DC 2A+n41A,BPSK,CH500202**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3784.01	-59.66	6.19	8.60	-57.25	-25.00	32.25	H
5646.01	-37.68	7.27	10.57	-34.38	-25.00	9.38	H
7521.01	-51.09	8.31	12.22	-47.18	-25.00	22.18	H
5007.01	-57.06	6.59	9.91	-53.74	-25.00	28.74	H
7521.01	-51.09	8.31	12.22	-47.18	-25.00	22.18	H
9986.01	-52.65	9.17	12.91	-48.91	-25.00	23.91	H

**DC 2A+n41A,BPSK,CH518598**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3750.01	-59.83	6.29	8.55	-57.57	-25.00	32.57	H
5641.01	-38.96	7.27	10.57	-35.66	-25.00	10.66	V
7491.01	-54.04	8.37	12.19	-50.22	-25.00	25.22	H
5191.01	-58.28	6.95	10.17	-55.06	-25.00	30.06	H
7782.01	-54.07	8.31	12.43	-49.95	-25.00	24.95	H
10372.01	-51.98	9.76	13.05	-48.69	-25.00	23.69	H

**DC 2A+n41A,BPSK,CH537000**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3751.01	-60.56	6.29	8.55	-58.30	-25.00	33.30	H
5647.01	-54.56	7.27	10.57	-51.26	-25.00	26.26	H
7497.01	-54.46	8.39	12.20	-50.65	-25.00	25.65	H
5355.01	-59.66	6.92	10.40	-56.18	-25.00	31.18	H
8077.01	-51.85	8.32	12.66	-47.51	-25.00	22.51	H
10746.00	-51.63	9.42	13.15	-47.90	-25.00	22.90	H

**DC 66A+n41A,BPSK,CH500202**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3511.01	-58.53	5.54	8.22	-55.85	-25.00	30.85	H
5268.01	-53.73	6.99	10.28	-50.44	-25.00	25.44	V
7033.01	-55.69	8.25	11.64	-52.30	-25.00	27.30	V
5005.01	-60.97	6.59	9.91	-57.65	-25.00	32.65	V
7517.01	-47.24	8.32	12.21	-43.35	-25.00	18.35	H
10000.01	-53.80	9.18	12.90	-50.08	-25.00	25.08	H

**DC 66A+n41A,BPSK,CH518598**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3510.01	-59.81	5.54	8.21	-57.14	-25.00	32.14	V
5268.01	-53.30	6.99	10.28	-50.01	-25.00	25.01	V
7042.01	-55.04	8.24	11.65	-51.63	-25.00	26.63	H
5199.0	-60.78	6.96	10.18	-57.56	-25.00	32.56	H
7792.01	-54.84	8.30	12.43	-50.71	-25.00	25.71	V
10365.01	-52.22	9.75	13.05	-48.92	-25.00	23.92	H

**DC 66A+n41A,BPSK,CH537000**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3511.01	-57.92	5.54	8.22	-55.24	-25.00	30.24	V
5268.01	-50.80	6.99	10.28	-47.51	-25.00	22.51	H
7026.01	-56.18	8.26	11.63	-52.81	-25.00	27.81	V
5361.01	-60.29	6.91	10.41	-56.79	-25.00	31.79	H
8072.01	-50.98	8.32	12.66	-46.64	-25.00	21.64	H
10762.00	-49.17	9.46	13.15	-45.48	-25.00	20.48	H



**DC 2A+n66,BPSK,CH342500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3760.01	-55.68	6.26	8.56	-53.38	-13.00	40.38	H
5643.01	-45.94	7.27	10.57	-42.64	-13.00	29.64	V
7495.01	-55.37	8.38	12.19	-51.56	-13.00	38.56	V
3444.01	-64.04	5.42	8.07	-61.39	-13.00	48.39	V
5143.01	-59.73	6.87	10.10	-56.50	-13.00	43.50	H
6863.01	-55.65	7.81	11.44	-52.02	-13.00	39.02	H

**DC 2A+n66,BPSK,CH347500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3760.01	-62.01	6.26	8.56	-59.71	-13.00	46.71	H
5645.01	-51.75	7.27	10.57	-48.45	-13.00	35.45	H
7527.01	-48.82	8.28	12.22	-44.88	-13.00	31.88	H
3450.01	-63.28	5.43	8.08	-60.63	-13.00	47.63	V
5227.01	-59.74	7.00	10.22	-56.52	-13.00	43.52	H
6963.01	-56.17	8.01	11.56	-52.62	-13.00	39.62	H

**DC 2A+n66,BPSK,CH352500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3761.01	-61.13	6.26	8.57	-58.82	-13.00	45.82	H
5645.01	-48.50	7.27	10.57	-45.20	-13.00	32.20	V
7519.01	-54.98	8.31	12.22	-51.07	-13.00	38.07	H
3548.01	-62.91	5.80	8.27	-60.44	-13.00	47.44	V
5287.01	-58.68	6.99	10.30	-55.37	-13.00	42.37	H
7058.01	-55.21	8.22	11.67	-51.76	-13.00	38.76	H

**DC 12A+n66,BPSK,CH342500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1395.01	-52.09	3.23	4.95	2.15	-52.52	-13.00	39.52	H
2098.00	-45.43	4.19	4.89	2.15	-46.88	-13.00	33.88	H
2798.00	-41.54	4.91	6.64	2.15	-41.96	-13.00	28.96	V
3451.01	-62.98	5.43	8.08	0.00	-60.33	-13.00	47.33	V
5138.01	-55.48	6.86	10.09	0.00	-52.25	-13.00	39.25	H
6867.01	-55.02	7.80	11.44	0.00	-51.38	-13.00	38.38	H

**DC 12A+n66,BPSK,CH347500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1400.01	-52.44	3.24	4.98	2.15	-52.85	-13.00	39.85	H
2100.00	-45.35	4.19	4.90	2.15	-46.79	-13.00	33.79	H
2801.00	-41.81	4.91	6.64	2.15	-42.23	-13.00	29.23	V
3455.01	-63.97	5.44	8.09	0.00	-61.32	-13.00	48.32	V
5213.01	-58.14	6.98	10.20	0.00	-54.92	-13.00	41.92	H
6968.01	-55.46	8.05	11.56	0.00	-51.95	-13.00	38.95	H

**DC 12A+n66,BPSK,CH352500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1395.01	-51.67	3.23	4.95	2.15	-52.10	-13.00	39.10	H
2104.00	-45.70	4.20	4.91	2.15	-47.14	-13.00	34.14	H
2801.00	-41.65	4.91	6.64	2.15	-42.07	-13.00	29.07	V
3760.01	-62.01	6.26	8.56	0.00	-59.71	-13.00	46.71	H
5645.01	-51.75	7.27	10.57	0.00	-48.45	-13.00	35.45	H
7527.01	-48.82	8.28	12.22	0.00	-44.88	-13.00	31.88	H

**DC 2A+n71,BPSK,CH133100**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3773.01	-63.69	6.22	8.58	0.00	-61.33	-13.00	48.33	H
5640.01	-48.93	7.27	10.57	0.00	-45.63	-13.00	32.63	V
7491.01	-55.41	8.37	12.19	0.00	-51.59	-13.00	38.59	H
1355.01	-52.86	3.18	4.75	2.15	-53.44	-13.00	40.44	H
1971.01	-46.72	3.97	4.65	2.15	-48.19	-13.00	35.19	V
2647.00	-41.42	4.74	6.36	2.15	-41.95	-13.00	28.95	V

**DC 2A+n71,BPSK,CH136100**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3777.01	-62.73	6.21	8.59	0.00	-60.35	-13.00	47.35	H
5626.01	-60.01	7.26	10.57	0.00	-56.70	-13.00	43.70	H
7540.01	-55.91	8.23	12.23	0.00	-51.91	-13.00	38.91	H
1387.01	-52.52	3.22	4.91	2.15	-52.98	-13.00	39.98	H
2057.00	-45.35	4.15	4.77	2.15	-46.88	-13.00	33.88	H
2747.00	-41.23	4.84	6.54	2.15	-41.68	-13.00	28.68	H

**DC 2A+n71,BPSK,CH139100**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3783.01	-62.60	6.19	8.60	0.00	-60.19	-13.00	47.19	V
5643.01	-49.98	7.27	10.57	0.00	-46.68	-13.00	33.68	V
7514.01	-55.38	8.34	12.21	0.00	-51.51	-13.00	38.51	V
1395.01	-51.19	3.23	4.95	2.15	-51.62	-13.00	38.62	H
2087.00	-44.68	4.18	4.86	2.15	-46.15	-13.00	33.15	H
2756.00	-40.67	4.85	6.56	2.15	-41.11	-13.00	28.11	H

**DC 66A+n71,BPSK,CH133100**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3510.50	-59.19	5.54	8.21	0.00	-56.52	-13.00	43.52	V
5265.50	-51.09	6.99	10.27	0.00	-47.81	-13.00	34.81	V
7021.89	-55.60	8.27	11.63	0.00	-52.24	-13.00	39.24	H
1326.01	-61.46	3.14	4.60	2.15	-62.15	-13.00	49.15	V
1997.01	-47.17	4.04	4.61	2.15	-48.75	-13.00	35.75	V
2662.50	-49.60	4.75	6.39	2.15	-50.11	-13.00	37.11	V

**DC 66A+n71,BPSK,CH136100**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3513.29	-63.50	5.54	8.22	0.00	-60.82	-13.00	47.82	V
5265.50	-52.23	6.99	10.27	0.00	-48.95	-13.00	35.95	H
7030.24	-56.11	8.26	11.64	0.00	-52.73	-13.00	39.73	H
1350.51	-61.17	3.17	4.72	2.15	-61.77	-13.00	48.77	H
2049.50	-53.05	4.15	4.75	2.15	-54.60	-13.00	41.60	H
2729.00	-49.01	4.81	6.51	2.15	-49.46	-13.00	36.46	H

**DC 66A+n71,BPSK,CH139100**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3496.57	-62.89	5.51	8.19	0.00	-60.21	-13.00	47.21	V
5265.50	-56.09	6.99	10.27	0.00	-52.81	-13.00	39.81	H
7022.58	-55.12	8.27	11.63	0.00	-51.76	-13.00	38.76	V
1399.01	-60.58	3.23	4.97	2.15	-60.99	-13.00	47.99	H
2076.00	-53.06	4.17	4.83	2.15	-54.55	-13.00	41.55	H
2773.00	-48.24	4.88	6.59	2.15	-48.68	-13.00	35.68	H

**SA n25,BPSK,CH370500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3706.01	-59.04	6.41	8.49	-56.96	-13.00	43.96	H
5558.01	-44.25	7.19	10.59	-40.85	-13.00	27.85	H
7414.01	-53.26	8.16	12.10	-49.32	-13.00	36.32	H
9279.01	-52.99	9.10	13.27	-48.82	-13.00	35.82	H
11133.00	-47.92	9.69	13.17	-44.44	-13.00	31.44	H
12983.00	-47.25	10.47	13.49	-44.23	-13.00	31.23	H

**SA n25,BPSK,CH376000**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3772.01	-60.05	6.22	8.58	-57.69	-13.00	44.69	H
5646.01	-53.66	7.27	10.57	-50.36	-13.00	37.36	V
7527.01	-52.32	8.28	12.22	-48.38	-13.00	35.38	H
9377.01	-52.65	9.06	13.33	-48.38	-13.00	35.38	H
11302.00	-49.22	10.00	13.14	-46.08	-13.00	33.08	V
13170.00	-45.11	10.63	13.74	-42.00	-13.00	29.00	H

**SA n25,BPSK,CH382500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3848.01	-60.71	6.08	8.69	-58.10	-13.00	45.10	V
5741.01	-57.71	7.28	10.55	-54.44	-13.00	41.44	H
7637.01	-55.38	8.14	12.31	-51.21	-13.00	38.21	V
9579.01	-53.10	9.25	13.32	-49.03	-13.00	36.03	H
11499.00	-49.98	9.81	13.10	-46.69	-13.00	33.69	V
13416.00	-44.91	10.58	14.08	-41.41	-13.00	28.41	V

**SA n41,BPSK,CH500202**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
4998.01	-58.71	6.61	9.90	-55.42	-25.00	30.42	V
7516.01	-54.74	8.33	12.21	-50.86	-25.00	25.86	H
9983.01	-54.02	9.17	12.92	-50.27	-25.00	25.27	H
12505.00	-48.33	10.19	13.20	-45.32	-25.00	20.32	H
14984.00	-43.48	11.21	14.01	-40.68	-25.00	15.68	V
17477.00	-37.99	12.67	14.85	-35.81	-25.00	10.81	V

**SA n41,BPSK,CH518598**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
5178.01	-59.82	6.93	10.15	-56.60	-25.00	31.60	H
7753.01	-55.87	8.35	12.40	-51.82	-25.00	26.82	H
10376.01	-51.88	9.76	13.05	-48.59	-25.00	23.59	H
12960.00	-47.66	10.48	13.48	-44.66	-25.00	19.66	H
15555.00	-43.10	11.51	13.70	-40.91	-25.00	15.91	V
16871.00	-39.66	12.03	13.75	-37.94	-25.00	12.94	H

**SA n41,BPSK,CH537000**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
5365.01	-59.69	6.90	10.41	-56.18	-25.00	31.18	H
8061.01	-54.32	8.32	12.65	-49.99	-25.00	24.99	H
10779.00	-50.86	9.50	13.16	-47.20	-25.00	22.20	H
13435.00	-43.59	10.59	14.11	-40.07	-25.00	15.07	H
16119.00	-41.55	11.83	13.68	-39.70	-25.00	14.70	H
17450.00	-37.64	12.61	14.79	-35.46	-25.00	10.46	V

**SA n66,BPSK,CH342500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3425.01	-66.32	5.38	8.02	-63.68	-13.00	50.68	H
5138.01	-65.11	6.86	10.09	-61.88	-13.00	48.88	H
6856.01	-62.09	7.82	11.43	-58.48	-13.00	45.48	H
8572.01	-63.45	8.54	13.01	-58.98	-13.00	45.98	H
10286.01	-63.08	9.60	13.01	-59.67	-13.00	46.67	H
11999.00	-49.24	10.06	13.00	-46.30	-13.00	33.30	H

**SA n66,BPSK,CH349000**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3490.01	-68.59	5.50	8.18	-65.91	-13.00	52.91	H
5236.01	-67.49	7.00	10.23	-64.26	-13.00	51.26	H
6983.01	-62.02	8.17	11.58	-58.61	-13.00	45.61	H
8731.01	-60.91	8.45	13.05	-56.31	-13.00	43.31	H
10477.01	-62.66	9.69	13.09	-59.26	-13.00	46.26	H
12222.00	-53.77	10.04	13.09	-50.72	-13.00	37.72	H

**SA n66,BPSK,CH355500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3555.01	-68.09	5.87	8.28	-65.68	-13.00	52.68	H
5336.01	-61.41	6.96	10.37	-58.00	-13.00	45.00	H
7116.01	-64.33	8.16	11.74	-60.75	-13.00	47.75	V
8901.01	-60.64	8.85	13.08	-56.41	-13.00	43.41	H
10678.00	-61.81	9.30	13.14	-57.97	-13.00	44.97	H
12456.00	-57.99	10.29	13.18	-55.10	-13.00	42.10	H

**SA n71,BPSK,CH133100**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1331.51	-55.35	3.15	4.62	2.15	-56.03	-13.00	43.03	H
1997.01	-39.15	4.04	4.61	2.15	-40.73	-13.00	27.73	H
2659.50	-46.93	4.75	6.39	2.15	-47.44	-13.00	34.44	V
3328.04	-58.44	5.30	7.79	2.15	-58.10	-13.00	45.10	V
3997.30	-59.04	6.07	8.90	2.15	-58.36	-13.00	45.36	H
4663.78	-58.80	6.48	9.56	2.15	-57.87	-13.00	44.87	V

**SA n71,BPSK,CH136100**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1375.51	-55.96	3.21	4.85	2.15	-56.47	-13.00	43.47	H
2042.00	-43.26	4.14	4.73	2.15	-44.82	-13.00	31.82	H
2737.00	-45.81	4.83	6.53	2.15	-46.26	-13.00	33.26	H
3403.95	-58.10	5.37	7.97	2.15	-57.65	-13.00	44.65	H
4074.61	-58.60	6.04	8.97	2.15	-57.82	-13.00	44.82	V
4753.62	-58.12	6.58	9.65	2.15	-57.20	-13.00	44.20	V

**SA n71,BPSK,CH139100**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1397.01	-55.16	3.23	4.96	2.15	-55.58	-13.00	42.58	H
2087.00	-45.63	4.18	4.86	2.15	-47.10	-13.00	34.10	V
2766.00	-46.10	4.87	6.58	2.15	-46.54	-13.00	33.54	H
3475.68	-57.38	5.48	8.14	2.15	-56.87	-13.00	43.87	V
4172.80	-58.57	6.14	9.07	2.15	-57.79	-13.00	44.79	H
4855.30	-57.58	6.72	9.76	2.15	-56.69	-13.00	43.69	V



**SA n2,BPSK,CH370500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3675.01	-60.55	6.48	8.45	-58.58	-13.00	45.58	V
5558.01	-58.17	7.19	10.59	-54.77	-13.00	41.77	H
7413.01	-46.39	8.15	12.10	-42.44	-13.00	29.44	H
9287.01	-52.56	9.12	13.27	-48.41	-13.00	35.41	V
11119.00	-48.92	9.75	13.18	-45.49	-13.00	32.49	V
12956.00	-48.29	10.48	13.47	-45.30	-13.00	32.30	V

**SA n2,BPSK,CH376000**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3750.01	-59.63	6.29	8.55	-57.37	-13.00	44.37	H
5642.01	-57.83	7.27	10.57	-54.53	-13.00	41.53	V
7523.01	-46.25	8.30	12.22	-42.33	-13.00	29.33	H
9404.01	-52.69	9.06	13.34	-48.41	-13.00	35.41	V
11284.00	-49.31	9.90	13.14	-46.07	-13.00	33.07	H
13157.00	-44.95	10.69	13.72	-41.92	-13.00	28.92	V

**SA n2,BPSK,CH381500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3831.01	-60.97	6.06	8.66	-58.37	-13.00	45.37	H
5744.01	-57.97	7.27	10.55	-54.69	-13.00	41.69	V
7632.01	-49.07	8.12	12.31	-44.88	-13.00	31.88	H
9538.01	-53.19	9.40	13.36	-49.23	-13.00	36.23	V
11448.00	-49.45	9.94	13.11	-46.28	-13.00	33.28	H
13375.00	-44.47	10.57	14.03	-41.01	-13.00	28.01	V

**SA n5,BPSK,CH165300**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1650.51	-54.62	3.57	5.23	2.15	-55.11	-13.00	42.11	H
2491.50	-47.64	4.62	6.07	2.15	-48.34	-13.00	35.34	H
3305.75	-58.07	5.29	7.73	2.15	-57.78	-13.00	44.78	V
4121.27	-57.35	6.04	9.02	2.15	-56.52	-13.00	43.52	H
4957.68	-56.43	6.68	9.86	2.15	-55.40	-13.00	42.40	V
5772.50	-56.57	7.23	10.55	2.15	-55.40	-13.00	42.40	H

**SA n5,BPSK,CH167300**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1671.51	-55.56	3.58	5.19	2.15	-56.10	-13.00	43.10	H
2515.00	-47.17	4.64	6.13	2.15	-47.83	-13.00	34.83	H
3346.14	-57.50	5.31	7.83	2.15	-57.13	-13.00	44.13	V
4170.02	-57.66	6.14	9.07	2.15	-56.88	-13.00	43.88	H
5008.52	-57.05	6.59	9.91	2.15	-55.88	-13.00	42.88	H
5844.92	-57.57	7.22	10.53	2.15	-56.41	-13.00	43.41	V

**SA n5,BPSK,CH169300**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1699.51	-55.72	3.60	5.14	2.15	-56.33	-13.00	43.33	H
2550.50	-46.45	4.67	6.19	2.15	-47.08	-13.00	34.08	H
3385.84	-58.59	5.35	7.93	2.15	-58.16	-13.00	45.16	H
4243.84	-57.92	6.25	9.14	2.15	-57.18	-13.00	44.18	V
5074.68	-56.94	6.70	10.00	2.15	-55.79	-13.00	42.79	H
5924.32	-56.07	7.47	10.52	2.15	-55.17	-13.00	42.17	V

**SA n70,BPSK,CH339500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3382.01	-61.99	5.35	7.92	-59.42	-13.00	46.42	H
5095.01	-57.98	6.76	10.03	-54.71	-13.00	41.71	H
6799.01	-55.83	7.89	11.36	-52.36	-13.00	39.36	H
8472.01	-55.12	8.66	12.98	-50.80	-13.00	37.80	H
10167.01	-52.70	9.35	12.97	-49.08	-13.00	36.08	V
11883.00	-48.48	10.45	13.02	-45.91	-13.00	32.91	H

**SA n70,BPSK,CH340500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3416.01	-61.53	5.38	8.00	-58.91	-13.00	45.91	H
5123.01	-57.96	6.84	10.07	-54.73	-13.00	41.73	V
6812.01	-55.17	7.88	11.37	-51.68	-13.00	38.68	H
8485.01	-54.76	8.67	12.99	-50.44	-13.00	37.44	H
10205.01	-52.33	9.32	12.98	-48.67	-13.00	35.67	H
11918.00	-44.64	10.43	13.02	-42.05	-13.00	29.05	H

**SA n70,BPSK,CH341500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3435.01	-61.66	5.40	8.04	-59.02	-13.00	46.02	H
5126.01	-58.45	6.84	10.08	-55.21	-13.00	42.21	H
6832.01	-53.86	7.85	11.40	-50.31	-13.00	37.31	H
8564.01	-55.12	8.56	13.01	-50.67	-13.00	37.67	H
10218.01	-53.13	9.36	12.99	-49.50	-13.00	36.50	H
11953.00	-41.03	10.27	13.01	-38.29	-13.00	25.29	H

**DC 66A+n2A,BPSK,CH370500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3719.01	-60.67	6.38	8.51	-58.54	-13.00	45.54	V
5545.01	-58.68	7.18	10.59	-55.27	-13.00	42.27	H
7413.01	-47.57	8.15	12.10	-43.62	-13.00	30.62	H
9242.01	-53.85	9.02	13.25	-49.62	-13.00	36.62	H
11119.00	-50.09	9.75	13.18	-46.66	-13.00	33.66	H
13000.00	-48.52	10.47	13.50	-45.49	-13.00	32.49	V

**DC 66A+n2A,BPSK,CH376500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3750.01	-59.42	6.29	8.55	-57.16	-13.00	44.16	H
5634.01	-58.51	7.27	10.57	-55.21	-13.00	42.21	V
7521.01	-50.06	8.31	12.22	-46.15	-13.00	33.15	H
9378.01	-54.06	9.06	13.33	-49.79	-13.00	36.79	V
11283.00	-48.85	9.89	13.14	-45.60	-13.00	32.60	V
13167.00	-45.56	10.64	13.73	-42.47	-13.00	29.47	V

**DC 66A+n2A,BPSK,CH381500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3790.01	-60.95	6.17	8.61	-58.51	-13.00	45.51	H
5719.01	-59.15	7.30	10.56	-55.89	-13.00	42.89	V
7632.01	-51.45	8.12	12.31	-47.26	-13.00	34.26	H
9557.01	-53.67	9.34	13.34	-49.67	-13.00	36.67	H
11468.00	-50.67	9.89	13.11	-47.45	-13.00	34.45	H
13336.00	-44.82	10.58	13.97	-41.43	-13.00	28.43	H

**DC 5A+n2A,BPSK,CH370500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3706.01	-60.32	6.41	8.49	-58.24	-13.00	45.24	V
5557.01	-59.21	7.19	10.59	-55.81	-13.00	42.81	H
7411.01	-49.67	8.15	12.09	-45.73	-13.00	32.73	H
9257.01	-53.68	9.06	13.25	-49.49	-13.00	36.49	H
11106.00	-50.14	9.81	13.18	-46.77	-13.00	33.77	H
12955.00	-48.01	10.48	13.47	-45.02	-13.00	32.02	V

**DC 5A+n2A,BPSK,CH376500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3750.01	-59.17	6.29	8.55	-56.91	-13.00	43.91	H
5628.01	-58.91	7.26	10.57	-55.60	-13.00	42.60	V
7533.01	-51.21	8.26	12.23	-47.24	-13.00	34.24	H
9448.01	-54.06	9.28	13.37	-49.97	-13.00	36.97	H
11300.00	-50.43	10.00	13.14	-47.29	-13.00	34.29	H
13170.00	-44.90	10.63	13.74	-41.79	-13.00	28.79	V

**DC 5A+n2A,BPSK,CH381500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3831.01	-60.80	6.06	8.66	-58.20	-13.00	45.20	H
5725.01	-58.18	7.30	10.55	-54.93	-13.00	41.93	H
7631.01	-52.22	8.11	12.30	-48.03	-13.00	35.03	H
9544.01	-53.53	9.38	13.36	-49.55	-13.00	36.55	V
11447.00	-49.71	9.95	13.11	-46.55	-13.00	33.55	H
13380.00	-45.76	10.57	14.03	-42.30	-13.00	29.30	V

**DC 12A+n2A,BPSK,CH370500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3715.01	-60.23	6.39	8.50	-58.12	-13.00	45.12	V
5583.01	-59.27	7.22	10.58	-55.91	-13.00	42.91	H
7413.01	-48.34	8.15	12.10	-44.39	-13.00	31.39	H
9248.01	-52.19	9.04	13.25	-47.98	-13.00	34.98	H
11119.00	-49.97	9.75	13.18	-46.54	-13.00	33.54	H
13003.00	-47.06	10.48	13.50	-44.04	-13.00	31.04	H

**DC 12A+n2A,BPSK,CH376500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3750.01	-59.67	6.29	8.55	-57.41	-13.00	44.41	H
5637.01	-57.91	7.27	10.57	-54.61	-13.00	41.61	H
7533.01	-50.62	8.26	12.23	-46.65	-13.00	33.65	H
9377.01	-53.19	9.06	13.33	-48.92	-13.00	35.92	V
11290.00	-49.94	9.94	13.14	-46.74	-13.00	33.74	V
13145.00	-45.56	10.74	13.70	-42.60	-13.00	29.60	V

**DC 12A+n2A,BPSK,CH381500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3811.01	-61.05	6.10	8.64	-58.51	-13.00	45.51	H
5712.01	-58.62	7.30	10.56	-55.36	-13.00	42.36	V
7632.01	-50.99	8.12	12.31	-46.80	-13.00	33.80	H
9563.01	-54.07	9.31	13.34	-50.04	-13.00	37.04	H
11476.00	-50.44	9.87	13.10	-47.21	-13.00	34.21	H
13362.00	-44.77	10.57	14.01	-41.33	-13.00	28.33	H

**DC 2A+n5A,BPSK,CH165300**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3750.07	-57.59	6.29	8.55	2.15	-57.48	-13.00	44.48	H
5640.87	-53.23	7.27	10.57	2.15	-52.08	-13.00	39.08	H
7524.71	-52.20	8.29	12.22	2.15	-50.42	-13.00	37.42	H
9396.01	-52.19	9.04	13.34	2.15	-50.04	-13.00	37.04	H
10326.43	-49.95	9.68	13.03	2.15	-48.75	-13.00	35.75	V
11281.24	-48.02	9.88	13.14	2.15	-46.91	-13.00	33.91	H

**DC 2A+n5A,BPSK,CH167300**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3750.07	-57.46	6.29	8.55	2.15	-57.35	-13.00	44.35	H
5640.87	-52.75	7.27	10.57	2.15	-51.60	-13.00	38.60	H
7509.39	-53.01	8.35	12.21	2.15	-51.30	-13.00	38.30	V
9406.45	-51.62	9.07	13.34	2.15	-49.50	-13.00	36.50	V
11286.81	-48.71	9.92	13.14	2.15	-47.64	-13.00	34.64	V
12219.32	-47.49	10.05	13.09	2.15	-46.60	-13.00	-33.60	H

**DC 2A+n5A,BPSK,CH169300**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3750.07	-56.33	6.29	8.55	2.15	-56.22	-13.00	43.22	H
5640.87	-53.23	7.27	10.57	2.15	-52.08	-13.00	39.08	H
7533.76	-53.01	8.25	12.23	2.15	-51.18	-13.00	38.18	H
9394.61	-52.03	9.04	13.34	2.15	-49.88	-13.00	36.88	H
10326.43	-50.79	9.68	13.03	2.15	-49.59	-13.00	36.59	V
11289.59	-47.91	9.93	13.14	2.15	-46.85	-13.00	33.85	V

**DC 66A+n5A, BPSK, CH165300**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3479.16	-59.51	5.48	8.15	2.15	-58.99	-13.00	45.99	H
5235.55	-53.04	7.00	10.23	2.15	-51.96	-13.00	38.96	H
6980.80	-52.81	8.15	11.58	2.15	-51.53	-13.00	38.53	H
8726.04	-47.72	8.44	13.05	2.15	-45.26	-13.00	32.26	V
10476.17	-50.13	9.69	13.09	2.15	-48.88	-13.00	35.88	V
12217.93	-47.40	10.05	13.09	2.15	-46.51	-13.00	33.51	H

**DC 66A+n5A, BPSK, CH167300**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3488.91	-59.28	5.50	8.17	2.15	-58.76	-13.00	45.76	H
5235.55	-50.22	7.00	10.23	2.15	-49.14	-13.00	36.14	H
6974.53	-52.86	8.10	11.57	2.15	-51.54	-13.00	38.54	V
8726.04	-49.96	8.44	13.05	2.15	-47.50	-13.00	34.50	V
10481.74	-50.49	9.68	13.09	2.15	-49.23	-13.00	36.23	H
12224.20	-48.21	10.04	13.09	2.15	-47.31	-13.00	34.31	H

**DC 66A+n5A, BPSK, CH169300**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3477.07	-59.43	5.48	8.14	2.15	-58.92	-13.00	45.92	H
5235.55	-50.96	7.00	10.23	2.15	-49.88	-13.00	36.88	H
6975.92	-53.14	8.11	11.57	2.15	-51.83	-13.00	38.83	H
8726.04	-48.42	8.44	13.05	2.15	-45.96	-13.00	32.96	V
10487.31	-50.38	9.67	13.09	2.15	-49.11	-13.00	38.41	H
12218.63	-47.62	10.05	13.09	2.15	-46.73	-13.00	33.73	V



**DC 5A+n66A,BPSK,CH342500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3425.01	-69.47	5.38	8.02	-66.83	-13.00	53.83	H
5139.01	-68.60	6.86	10.09	-65.37	-13.00	52.37	H
6851.01	-64.48	7.82	11.42	-60.88	-13.00	47.88	H
8563.01	-64.01	8.56	13.01	-59.56	-13.00	46.56	H
10284.01	-62.85	9.59	13.01	-59.43	-13.00	46.43	V
11988.00	-55.88	10.11	13.00	-52.99	-13.00	39.99	H

**DC 5A+n66A,BPSK,CH347500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3475.01	-70.92	5.47	8.14	-68.25	-13.00	55.25	H
5216.01	-69.39	6.98	10.20	-66.17	-13.00	53.17	H
6971.01	-65.26	8.07	11.57	-61.76	-13.00	48.76	H
8695.01	-64.80	8.37	13.04	-60.13	-13.00	47.13	H
10427.01	-62.90	9.76	13.07	-59.59	-13.00	46.59	V
12163.00	-58.53	10.17	13.07	-55.63	-13.00	42.63	H

**DC 5A+n66A,BPSK,CH352500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3525.01	-70.19	5.57	8.24	-67.52	-13.00	54.52	H
5288.01	-69.83	6.99	10.30	-66.52	-13.00	53.52	H
7054.01	-65.18	8.22	11.66	-61.74	-13.00	48.74	H
8799.01	-64.80	8.66	13.06	-60.40	-13.00	47.40	H
10575.00	-62.18	9.37	13.12	-58.43	-13.00	45.43	H
12338.00	-59.75	10.16	13.14	-56.77	-13.00	43.77	H

**DC 66A+n66A,BPSK,CH342500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3425.01	-69.81	5.38	8.02	-67.17	-13.00	54.17	H
5138.01	-69.14	6.86	10.09	-65.91	-13.00	52.91	V
6850.01	-64.84	7.82	11.42	-61.24	-13.00	48.24	V
8563.01	-63.89	8.56	13.01	-59.44	-13.00	46.44	H
10280.01	-62.89	9.57	13.01	-59.45	-13.00	46.45	V
11990.00	-55.59	10.10	13.00	-52.69	-13.00	39.69	H

**DC 66A+n66A,BPSK,CH347500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3475.01	-70.93	5.47	8.14	-68.26	-13.00	55.26	H
5206.01	-69.54	6.97	10.19	-66.32	-13.00	53.32	V
6959.01	-65.28	7.98	11.55	-61.71	-13.00	48.71	H
8703.01	-65.11	8.37	13.04	-60.44	-13.00	47.44	H
10441.01	-62.86	9.74	13.08	-59.52	-13.00	46.52	V
12165.00	-59.53	10.16	13.07	-56.62	-13.00	43.62	H

**DC 66A+n66A,BPSK,CH352500**

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3525.01	-70.19	5.57	8.24	-67.52	-13.00	54.52	H
5288.01	-69.83	6.99	10.30	-66.52	-13.00	53.52	H
7054.01	-65.18	8.22	11.66	-61.74	-13.00	48.74	H
8799.01	-64.80	8.66	13.06	-60.40	-13.00	47.40	H
10575.00	-62.18	9.37	13.12	-58.43	-13.00	45.43	H
12338.00	-59.75	10.16	13.14	-56.77	-13.00	43.77	H

Note: The maximum value of expanded measurement uncertainty for this test item is  $U = 5.16$  dB,  $k = 2$ .

## **A.3 Frequency Stability**

### **A.3.1 Method of Measurement**

Frequency stability is a measure of the frequency drift due to temperature and supply voltage variations, with reference to the frequency measured at +20 °C and rated supply voltage. Two reference points are established at the applicable unwanted emissions limit using a RBW equal to the RBW required by the unwanted emissions specification of the applicable regulatory standard. These reference points measured using the lowest and highest channel of operation shall be identified as  $F_L$  and  $F_H$  respectively.

In order to measure the carrier frequency under the condition of AFC lock, it is necessary to make measurements with the EUT in a “call mode”. This is accomplished with the use of UXM.

1. Measure the carrier frequency at room temperature.
2. Subject the EUT to overnight soak at -30°C.
3. With the EUT, powered via nominal voltage, connected to the UXM, and in a simulated call on middle channel for each NR band, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
4. Repeat the above measurements at 10°C increments from -30°C to +50°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
5. Re-measure carrier frequency at room temperature with nominal voltage. Vary supply voltage from minimum voltage to maximum voltage, in 0.1Volt increments re-measuring carrier frequency at each voltage. Pause at nominal voltage for 1.5 hours unpowered, to allow any self-heating to stabilize, before continuing.
6. Subject the EUT to overnight soak at +50°C.
7. With the EUT, powered via nominal voltage, connected to the UXM and in a simulated call on the center channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
8. Repeat the above measurements at 10 °C increments from -30°C to +50°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
9. At all temperature levels hold the temperature to +/- 0.5°C during the measurement procedure.

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. As this transceiver is considered "Hand carried, battery powered equipment" Section 2.1055(d)(2) applies. This requires that the lower voltage for frequency stability testing be specified by the manufacturer. This transceiver is specified to operate with an input voltage of the lower, higher and nominal voltage. Operation above or below these voltage limits is prohibited by transceiver software in order to prevent improper operation as well as to protect components from overstress.

### A.3.2 Measurement results

#### LTE Band 5+NR n2

##### Frequency Error vs Voltage

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	1850.280	1908.640		
50				-6.60	0.0035
40				-4.10	0.0022
30				-4.40	0.0023
10				-4.50	0.0024
0				-0.80	0.0004
-10				-3.20	0.0017
-20				-8.00	0.0043
-30				-7.10	0.0038

##### Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	1850.280	1908.640	-8.30	0.0044
4.45				-7.70	0.0041

#### LTE Band 2+NR n5

##### Frequency Error vs Voltage

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	824.240	847.640		
50				-6.20	0.0074
40				-3.20	0.0038
30				-3.70	0.0044
10				-7.60	0.0091
0				-8.20	0.0098
-10				-5.60	0.0067
-20				-3.10	0.0037
-30				-2.70	0.0032

##### Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	824.240	847.640	-3.90	0.0047
4.45				-3.80	0.0045

**LTE Band 12+NR n25**
**Frequency Error vs Voltage**

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	1850.240	1913.680		
50				-2.30	0.0012
40				-4.20	0.0022
30				-6.40	0.0034
10				-11.30	0.0060
0				-8.60	0.0046
-10				-9.80	0.0052
-20				-6.80	0.0036
-30				-7.30	0.0039

**Frequency Error vs Voltage**

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	1850.240	1913.680	-7.70	0.0041
4.45				-6.50	0.0035

**LTE Band 66+NR n41**
**Frequency Error vs Voltage**

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	2496.600	2688.120		
50				-17.60	0.0068
40				-24.00	0.0093
30				-25.80	0.0099
10				-20.40	0.0079
0				-22.20	0.0086
-10				-11.50	0.0044
-20				-16.60	0.0064
-30				-13.80	0.0053

**Frequency Error vs Voltage**

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	2496.600	2688.120	-10.30	0.0040
4.45				-16.30	0.0063

**LTE Band 12+NR n66**
**Frequency Error vs Voltage**

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	1710.040	1779.960		
50				-8.10	0.0046
40				-4.40	0.0025
30				-7.30	0.0042
10				-6.00	0.0034
0				-8.70	0.0050
-10				-15.20	0.0087
-20				-11.50	0.0066
-30				-3.20	0.0018

**Frequency Error vs Voltage**

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	1710.040	1779.960	-3.10	0.0018
4.45				-9.30	0.0053

**n70**
**Frequency Error vs Voltage**

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	1695.200	1709.080		
50				-3.80	0.0022
40				-2.70	0.0016
30				-2.70	0.0016
10				-1.40	0.0008
0				-2.60	0.0015
-10				-2.40	0.0014
-20				-1.00	0.0006
-30				-3.10	0.0018

**Frequency Error vs Voltage**

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	1695.200	1709.080	-1.50	0.0009
4.45				-1.30	0.0008

**LTE Band 66+NR n71**  
**Frequency Error vs Voltage**

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	663.440	696.480		
50				-6.10	0.0090
40				-6.10	0.0090
30				-6.00	0.0088
10				-6.30	0.0093
0				-4.70	0.0069
-10				-6.40	0.0094
-20				-5.40	0.0079
-30				-6.50	0.0096

**Frequency Error vs Voltage**

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	663.440	696.480	-4.40	0.0065
4.45				-3.20	0.0047

**n77L**

**Frequency Error vs Voltage**

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	3450.320	3548.680		
50				-12.50	0.0036
40				-15.40	0.0044
30				-7.80	0.0022
10				-9.40	0.0027
0				-14.70	0.0042
-10				-10.40	0.0030
-20				-7.90	0.0023
-30				-12.70	0.0036

**Frequency Error vs Voltage**

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	3450.320	3548.680	-15.10	0.0043
4.45				-0.70	0.0002

**n77H**
**Frequency Error vs Voltage**

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	3700.320	3978.600		
50				-7.90	0.0021
40				-16.10	0.0042
30				-9.70	0.0025
10				-15.70	0.0041
0				-9.30	0.0024
-10				-4.30	0.0011
-20				-14.20	0.0037
-30				-5.20	0.0014

**Frequency Error vs Voltage**

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	3700.320	3978.600	-6.10	0.0016
4.45				-3.70	0.0010



#### **A.4 Occupied Bandwidth**

Occupied bandwidth measurements are only provided for selected frequencies in order to reduce the amount of submitted data. Data were taken at the mid frequencies frequency. The table below lists the measured 99% BW. Spectrum analyzer plots are included on the following pages.


The measurement method is from ANSI C63.26:

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The frequency span for the spectrum analyzer shall be set wide enough to capture all modulation products including the emission skirts.
- b) The nominal IF filter 3 dB bandwidth (RBW) shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set  $\geq 3 \times$  RBW.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) Set the detection mode to peak, and the trace mode to max-hold.


**LTE Band 5+NR n2  
n2,5MHz(99%)**

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880	4.492	4.524

**n2,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**




**n2,5MHz Bandwidth,DFT-s-QPSK (99% BW)**



**LTE Band 5+NR n2**  
**n2,10MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880	9.003	9.004

**n2,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



15:44:13 28.12.2021

**n2,10MHz Bandwidth,DFT-s-QPSK (99% BW)**




15:44:35 28.12.2021


**LTE Band 5+NR n2**  
**n2,15MHz(99%)**

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880	13.517	13.509

**n2,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**




**n2,15MHz Bandwidth,DFT-s-QPSK (99% BW)**



**LTE Band 5+NR n2**  
**n2,20MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880	18.007	18.035

**n2,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



15:46:58 28.12.2021

**n2,20MHz Bandwidth,DFT-s-QPSK (99% BW)**




15:47:20 28.12.2021


**LTE Band 2+NR n5  
n5,5MHz(99%)**

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	4.490	4.525

**n5,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**




**n5,5MHz Bandwidth,DFT-s-QPSK (99% BW)**



**LTE Band 2+NR n5**  
**n5,10MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	9.009	9.000

**n5,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



16:28:22 28.12.2021

**n5,10MHz Bandwidth,DFT-s-QPSK (99% BW)**




16:28:44 28.12.2021




**LTE Band 2+NR n5**  
**n5,15MHz(99%)**

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	13.521	13.491

**n5,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



**n5,15MHz Bandwidth,DFT-s-QPSK (99% BW)**







**LTE Band 2+NR n5  
n5,20MHz(99%)**

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	17.973	17.992

**n5,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**




**n5,20MHz Bandwidth,DFT-s-QPSK (99% BW)**



**LTE Band 12+NR n25**  
**n25,5MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	4.519	4.519

**n25,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 14:32:53

**n25,5MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 14:33:12

**LTE Band 12+NR n25**  
**n25,10MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	9.038	9.038

**n25,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 14:34:26

**n25,10MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 14:34:45

**LTE Band 12+NR n25**  
**n25,15MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	13.558	13.630

**n25,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 14:36:00

**n25,15MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 14:36:19

**LTE Band 12+NR n25**  
**n25,20MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	18.077	18.173

**n25,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 14:37:35

**n25,20MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 14:37:54

**LTE Band 66+NR n41**  
**n41,10MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	8.702	8.702

**n41,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 09:05:25

**n41,10MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 09:06:45

**LTE Band 66+NR n41**  
**n41,15MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	13.125	13.125

**n41,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 09:08:09

**n41,15MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 09:09:29

**LTE Band 66+NR n41**  
**n41,20MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	18.462	18.269

**n41,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 09:10:54

**n41,20MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 09:12:14



**LTE Band 66+NR n41**  
**n41,30MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	27.404	27.260

**n41,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 09:13:39

**n41,30MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 09:14:59

**LTE Band 66+NR n41**  
**n41,40MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	36.538	36.346

**n41,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 09:16:23

**n41,40MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 09:17:43

**LTE Band 66+NR n41**  
**n41,50MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	47.115	46.875

**n41,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 09:19:07

**n41,50MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 09:20:27

**LTE Band 66+NR n41**  
**n41,60MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	58.558	59.135

**n41,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 09:21:51

**n41,60MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 09:23:11

**LTE Band 66+NR n41**  
**n41,70MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	65.288	65.625

**n41,70MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 09:24:35

**n41,70MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 09:25:56

**LTE Band 66+NR n41**  
**n41,80MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	79.615	79.231

**n41,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 09:27:20

**n41,80MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 09:28:41

**LTE Band 66+NR n41**  
**n41,90MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	87.837	88.269

**n41,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 09:30:06

**n41,90MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 09:31:26

**LTE Band 66+NR n41**  
**n41,100MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	98.077	98.077

**n41,100MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 09:32:51

**n41,100MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 09:34:11



**LTE Band 12+NR n66**  
**n66,5MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	4.495	4.519

**n66,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 14:39:10

**n66,5MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 14:39:29

**LTE Band 12+NR n66**  
**n66,10MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	8.990	9.038

**n66,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 14:40:44

**n66,10MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 14:41:03

**LTE Band 12+NR n66**  
**n66,15MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	13.558	13.630

**n66,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 14:42:19

**n66,15MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 14:42:38

**LTE Band 12+NR n66**  
**n66,20MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	18.173	18.173

**n66,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 14:43:53

**n66,20MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 14:44:13

**LTE Band 12+NR n66**  
**n66,25MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	23.077	23.077

**n66,25MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 14:45:28

**n66,25MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 14:45:47

**LTE Band 12+NR n66**  
**n66,30MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	28.846	28.702

**n66,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 14:47:03

**n66,30MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 14:47:22

**LTE Band 12+NR n66**  
**n66,40MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	39.038	39.038

**n66,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 14:48:38

**n66,40MHz Bandwidth,DFT-s-QPSK (99% BW)**



Date: 9.NOV.2021 14:48:57


n70  
n70,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1702.5	4.497	4.524

n70,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n70,5MHz Bandwidth,DFT-s-QPSK (99% BW)






**n70,10MHz(99%)**



Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1702.5	8.991	8.979

**n70,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**

**n70,10MHz Bandwidth,DFT-s-QPSK (99% BW)**


**n70,15MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1702.5	13.453	13.499

**n70,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**

**n70,15MHz Bandwidth,DFT-s-QPSK (99% BW)**


**LTE Band 66+NR n71**  
**n71,5MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	4.495	4.519

**n71,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 08:36:42

**n71,5MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 08:37:07

**LTE Band 66+NR n71**  
**n71,10MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	9.038	9.038

**n71,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 08:38:27

**n71,10MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 08:38:52

**LTE Band 66+NR n71**  
**n71,15MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	13.558	13.558

**n71,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 08:40:12

**n71,15MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 08:40:37

**LTE Band 66+NR n71**  
**n71,20MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	18.077	18.173

**n71,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 9.NOV.2021 08:41:57

**n71,20MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 9.NOV.2021 08:42:22

n77L  
n77L,10MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	8.654	8.654

n77L,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 8.NOV.2021 16:46:30


n77L,10MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 8.NOV.2021 16:46:48

**n77L,15MHz(99%)**

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	12.981	12.981

**n77L,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**


Date: 8.NOV.2021 16:47:28

**n77L,15MHz Bandwidth,DFT-s-QPSK (99% BW)**



Date: 8.NOV.2021 16:47:47



**n77L,20MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	18.077	18.077

**n77L,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 8.NOV.2021 16:48:27

**n77L,20MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 8.NOV.2021 16:48:46

**n77L,40MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	36.154	35.962

**n77L,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 8.NOV.2021 16:49:26

**n77L,40MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 8.NOV.2021 16:49:45

**n77L,50MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	45.913	45.913

**n77L,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 8.NOV.2021 16:50:25

**n77L,50MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 8.NOV.2021 16:50:45

**n77L,60MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	57.981	57.981

**n77L,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 8.NOV.2021 16:51:24


**n77L,60MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 8.NOV.2021 16:51:44

**n77L,70MHz(99%)**

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	64.615	64.615

**n77L,70MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**


Date: 8.NOV.2021 16:52:23


**n77L,70MHz Bandwidth,DFT-s-QPSK (99% BW)**


Date: 8.NOV.2021 16:52:43

**n77L,80MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	77.692	77.692

**n77L,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 8.NOV.2021 16:53:22

**n77L,80MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 8.NOV.2021 16:53:41

**n77L,90MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	86.538	86.538

**n77L,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 8.NOV.2021 16:54:21

**n77L,90MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 8.NOV.2021 16:54:41

n77H  
n77H,10MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	8.654	8.654

n77H,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 8.NOV.2021 16:55:27

n77H,10MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 8.NOV.2021 16:55:47




**n77H,15MHz(99%)**

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	12.981	12.981

**n77H,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 8.NOV.2021 16:56:27

**n77H,15MHz Bandwidth,DFT-s-QPSK (99% BW)**



Date: 8.NOV.2021 16:56:46

**n77H,20MHz(99%)**

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	18.077	18.077

**n77H,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**


Date: 8.NOV.2021 16:57:26


**n77H,20MHz Bandwidth,DFT-s-QPSK (99% BW)**


Date: 8.NOV.2021 16:57:45

**n77H,40MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	36.154	35.962

**n77H,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 8.NOV.2021 16:58:26


**n77H,40MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 8.NOV.2021 16:58:45

**n77H,50MHz(99%)**

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	45.913	45.913

**n77H,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**


Date: 8.NOV.2021 16:59:25


**n77H,50MHz Bandwidth,DFT-s-QPSK (99% BW)**


Date: 8.NOV.2021 16:59:44

**n77H,60MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	57.981	57.981

**n77H,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 8.NOV.2021 17:00:23

**n77H,60MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 8.NOV.2021 17:00:42

**n77H,70MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	64.615	64.615

**n77H,70MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 8.NOV.2021 17:01:22

**n77H,70MHz Bandwidth,DFT-s-QPSK (99% BW)**




Date: 8.NOV.2021 17:01:41

**n77H,80MHz(99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	78.077	78.077

**n77H,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)**



Date: 8.NOV.2021 17:02:22

**n77H,80MHz Bandwidth,DFT-s-QPSK (99% BW)**



Date: 8.NOV.2021 17:02:41