

FCC Part 24E**Occupied bandwidth****DC_12A_n2A , Normal**


Mode	99% OBW (MHz)	26dB OBW (MHz)
DC_12A_n2A_10MHz 5MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@50 RB25@0	4.466	4.694
DC_12A_n2A_10MHz 5MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM QPSK_RB1@50 RB25@0	4.466	4.68
DC_12A_n2A_10MHz 5MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 16 QAM_RB1@50 RB25@0	4.48	4.719
DC_12A_n2A_10MHz 5MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 64 QAM_RB1@50 RB25@0	4.464	4.707
DC_12A_n2A_10MHz 5MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 256 QAM_RB1@50 RB25@0	4.466	4.704
DC_12A_n2A_10MHz 5MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM QPSK_RB1@50 RB25@0	4.468	4.691
DC_12A_n2A_10MHz 5MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 16 QAM_RB1@50 RB25@0	4.48	4.724
DC_12A_n2A_10MHz 5MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 64 QAM_RB1@50 RB25@0	4.467	4.713
DC_12A_n2A_10MHz 5MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 256 QAM_RB1@50 RB25@0	4.465	4.661
DC_12A_n2A_10MHz 10MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@50 RB50@0	9.178	9.217
DC_12A_n2A_10MHz 10MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM QPSK_RB1@50 RB50@0	9.206	9.229
DC_12A_n2A_10MHz 10MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 16 QAM_RB1@50 RB50@0	9.21	9.23
DC_12A_n2A_10MHz 10MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 64 QAM_RB1@50 RB50@0	9.245	9.199
DC_12A_n2A_10MHz 10MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 256 QAM_RB1@50 RB50@0	9.209	9.226
DC_12A_n2A_10MHz 10MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM QPSK_RB1@50 RB52@0	9.212	9.212
DC_12A_n2A_10MHz 10MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 16 QAM_RB1@50 RB52@0	9.217	9.214
DC_12A_n2A_10MHz 10MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 64 QAM_RB1@50 RB52@0	9.217	9.182

Mode	99% OBW (MHz)	26dB OBW (MHz)
DC_12A_n2A_10MHz 10MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 256 QAM_RB1@50 RB52@0	9.207	9.223
DC_12A_n2A_10MHz 15MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@50 RB75@0	14.047	13.743
DC_12A_n2A_10MHz 15MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM QPSK_RB1@50 RB75@0	14.003	13.737
DC_12A_n2A_10MHz 15MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 16 QAM_RB1@50 RB75@0	13.998	13.748
DC_12A_n2A_10MHz 15MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 64 QAM_RB1@50 RB75@0	14	13.766
DC_12A_n2A_10MHz 15MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 256 QAM_RB1@50 RB75@0	13.999	13.746
DC_12A_n2A_10MHz 15MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM QPSK_RB1@50 RB79@0	14	13.774
DC_12A_n2A_10MHz 15MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 16 QAM_RB1@50 RB79@0	14.043	13.742
DC_12A_n2A_10MHz 15MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 64 QAM_RB1@50 RB79@0	14.006	13.75
DC_12A_n2A_10MHz 15MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 256 QAM_RB1@50 RB79@0	14.042	13.823
DC_12A_n2A_10MHz 20MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@50 RB100@0	18.801	18.258
DC_12A_n2A_10MHz 20MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM QPSK_RB1@50 RB100@0	18.808	18.267
DC_12A_n2A_10MHz 20MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 16 QAM_RB1@50 RB100@0	18.819	18.352
DC_12A_n2A_10MHz 20MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 64 QAM_RB1@50 RB100@0	18.804	18.278
DC_12A_n2A_10MHz 20MHz_15kHz_707.5MHz 1880MHz_QPSK DFT-s-OFDM 256 QAM_RB1@50 RB100@0	18.847	18.288
DC_12A_n2A_10MHz 20MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM QPSK_RB1@50 RB106@0	18.774	18.232
DC_12A_n2A_10MHz 20MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 16 QAM_RB1@50 RB106@0	18.819	18.353
DC_12A_n2A_10MHz 20MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 64 QAM_RB1@50 RB106@0	18.779	18.339
DC_12A_n2A_10MHz 20MHz_15kHz_707.5MHz 1880MHz_QPSK CP-OFDM 256 QAM_RB1@50 RB106@0	18.803	18.269

DC_12A_n2A , Normal


DC_12A_n2A_10MHz|5MHz_15kHz_707.5MHz|1880MHz_QP SK|DFT-s-OFDM PI/2 BPSK_RB1@50|RB25@0

DC_12A_n2A_10MHz|5MHz_15kHz_707.5MHz|1880MHz_QP SK|DFT-s-OFDM QPSK_RB1@50|RB25@0




DC_12A_n2A_10MHz|5MHz_15kHz_707.5MHz|1880MHz_QP SK|DFT-s-OFDM 16 QAM_RB1@50|RB25@0

DC_12A_n2A_10MHz|5MHz_15kHz_707.5MHz|1880MHz_QP SK|DFT-s-OFDM 64 QAM_RB1@50|RB25@0




DC_12A_n2A_10MHz|5MHz_15kHz_707.5MHz|1880MHz_QP SK|DFT-s-OFDM 256 QAM_RB1@50|RB25@0

DC_12A_n2A_10MHz|5MHz_15kHz_707.5MHz|1880MHz_QP SK|CP-OFDM QPSK_RB1@50|RB25@0




DC_12A_n2A_10MHz|5MHz_15kHz_707.5MHz|1880MHz_QP SK|CP-OFDM 16 QAM_RB1@50|RB25@0




DC_12A_n2A_10MHz|5MHz_15kHz_707.5MHz|1880MHz_QP SK|CP-OFDM 64 QAM_RB1@50|RB25@0




DC_12A_n2A_10MHz|5MHz_15kHz_707.5MHz|1880MHz_QP SK|CP-OFDM 256 QAM_RB1@50|RB25@0




DC_12A_n2A_10MHz|10MHz_15kHz_707.5MHz|1880MHz_Q PSK|DFT-s-OFDM PI/2 BPSK_RB1@50|RB50@0



DC_12A_n2A_10MHz|10MHz_15kHz_707.5MHz|1880MHz_Q PSK|DFT-s-OFDM QPSK_RB1@50|RB50@0



DC_12A_n2A_10MHz|10MHz_15kHz_707.5MHz|1880MHz_Q PSK|DFT-s-OFDM 16 QAM_RB1@50|RB50@0




DC_12A_n2A_10MHz|10MHz_15kHz_707.5MHz|1880MHz_Q PSK|DFT-s-OFDM 64 QAM_RB1@50|RB50@0




DC_12A_n2A_10MHz|10MHz_15kHz_707.5MHz|1880MHz_Q PSK|DFT-s-OFDM 256 QAM_RB1@50|RB50@0




DC_12A_n2A_10MHz|10MHz_15kHz_707.5MHz|1880MHz_Q PSK|CP-OFDM QPSK_RB1@50|RB52@0




DC_12A_n2A_10MHz|10MHz_15kHz_707.5MHz|1880MHz_Q PSK|CP-OFDM 16 QAM_RB1@50|RB52@0




DC_12A_n2A_10MHz|10MHz_15kHz_707.5MHz|1880MHz_Q PSK|CP-OFDM 64 QAM_RB1@50|RB52@0




DC_12A_n2A_10MHz|10MHz_15kHz_707.5MHz|1880MHz_Q PSK|CP-OFDM 256 QAM_RB1@50|RB52@0




DC_12A_n2A_10MHz|15MHz_15kHz_707.5MHz|1880MHz_Q
PSK|DFT-s-OFDM PI/2 BPSK_RB1@50|RB75@0




DC_12A_n2A_10MHz|15MHz_15kHz_707.5MHz|1880MHz_Q
PSK|DFT-s-OFDM QPSK_RB1@50|RB75@0



DC_12A_n2A_10MHz|15MHz_15kHz_707.5MHz|1880MHz_Q
PSK|DFT-s-OFDM 16 QAM_RB1@50|RB75@0




DC_12A_n2A_10MHz|15MHz_15kHz_707.5MHz|1880MHz_Q
PSK|DFT-s-OFDM 64 QAM_RB1@50|RB75@0




DC_12A_n2A_10MHz|15MHz_15kHz_707.5MHz|1880MHz_Q
PSK|DFT-s-OFDM 256 QAM_RB1@50|RB75@0



DC_12A_n2A_10MHz|15MHz_15kHz_707.5MHz|1880MHz_Q
PSK|CP-OFDM QPSK_RB1@50|RB79@0



DC_12A_n2A_10MHz|15MHz_15kHz_707.5MHz|1880MHz_Q PSK|CP-OFDM 16 QAM_RB1@50|RB79@0




DC_12A_n2A_10MHz|15MHz_15kHz_707.5MHz|1880MHz_Q PSK|CP-OFDM 64 QAM_RB1@50|RB79@0




DC_12A_n2A_10MHz|15MHz_15kHz_707.5MHz|1880MHz_Q PSK|CP-OFDM 256 QAM_RB1@50|RB79@0




DC_12A_n2A_10MHz|20MHz_15kHz_707.5MHz|1880MHz_Q PSK|DFT-s-OFDM PI/2 BPSK_RB1@50|RB100@0




DC_12A_n2A_10MHz|20MHz_15kHz_707.5MHz|1880MHz_Q PSK|DFT-s-OFDM QPSK_RB1@50|RB100@0




DC_12A_n2A_10MHz|20MHz_15kHz_707.5MHz|1880MHz_Q PSK|DFT-s-OFDM 16 QAM_RB1@50|RB100@0




DC_12A_n2A_10MHz|20MHz_15kHz_707.5MHz|1880MHz_Q PSK|DFT-s-OFDM 64 QAM_RB1@50|RB100@0




DC_12A_n2A_10MHz|20MHz_15kHz_707.5MHz|1880MHz_Q PSK|DFT-s-OFDM 256 QAM_RB1@50|RB100@0




DC_12A_n2A_10MHz|20MHz_15kHz_707.5MHz|1880MHz_Q PSK|CP-OFDM QPSK_RB1@50|RB106@0




DC_12A_n2A_10MHz|20MHz_15kHz_707.5MHz|1880MHz_Q PSK|CP-OFDM 16 QAM_RB1@50|RB106@0



DC_12A_n2A_10MHz|20MHz_15kHz_707.5MHz|1880MHz_Q PSK|CP-OFDM 64 QAM_RB1@50|RB106@0



DC_12A_n2A_10MHz|20MHz_15kHz_707.5MHz|1880MHz_Q PSK|CP-OFDM 256 QAM_RB1@50|RB106@0



FCC Part 24E**Occupied bandwidth****n2 , Normal**

Mode	99% OBW (MHz)	26dB OBW (MHz)
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	4.45	4.766
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB25@0	4.467	4.869
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM 16 QAM_RB25@0	4.482	4.683
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM 64 QAM_RB25@0	4.448	4.775
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM 256 QAM_RB25@0	4.464	4.804
n2_5MHz_15kHz_1880MHz_CP-OFDM QPSK_RB25@0	4.46	4.801
n2_5MHz_15kHz_1880MHz_CP-OFDM 16 QAM_RB25@0	4.449	4.787
n2_5MHz_15kHz_1880MHz_CP-OFDM 64 QAM_RB25@0	4.467	4.823
n2_5MHz_15kHz_1880MHz_CP-OFDM 256 QAM_RB25@0	4.468	4.814
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	9.204	9.437
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB50@0	9.211	9.511
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM 16 QAM_RB50@0	9.22	9.414
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM 64 QAM_RB50@0	9.211	9.467
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM 256 QAM_RB50@0	9.209	9.62
n2_10MHz_15kHz_1880MHz_CP-OFDM QPSK_RB52@0	9.282	9.749
n2_10MHz_15kHz_1880MHz_CP-OFDM 16 QAM_RB52@0	9.291	9.708
n2_10MHz_15kHz_1880MHz_CP-OFDM 64 QAM_RB52@0	9.292	9.885


Mode	99% OBW (MHz)	26dB OBW (MHz)
n2_10MHz_15kHz_1880MHz_CP-OFDM 256 QAM_RB52@0	9.288	9.944
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	14.051	14.186
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB75@0	14.04	14.119
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM 16 QAM_RB75@0	14.047	14.2
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM 64 QAM_RB75@0	14.004	14.155
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM 256 QAM_RB75@0	13.983	14.143
n2_15MHz_15kHz_1880MHz_CP-OFDM QPSK_RB79@0	14.106	14.713
n2_15MHz_15kHz_1880MHz_CP-OFDM 16 QAM_RB79@0	14.109	14.765
n2_15MHz_15kHz_1880MHz_CP-OFDM 64 QAM_RB79@0	14.107	14.779
n2_15MHz_15kHz_1880MHz_CP-OFDM 256 QAM_RB79@0	14.103	14.698
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	18.824	18.773
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB100@0	18.826	18.838
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM 16 QAM_RB100@0	18.827	19.062
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM 64 QAM_RB100@0	18.809	18.881
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM 256 QAM_RB100@0	18.837	18.816
n2_20MHz_15kHz_1880MHz_CP-OFDM QPSK_RB106@0	18.901	19.787
n2_20MHz_15kHz_1880MHz_CP-OFDM 16 QAM_RB106@0	18.905	19.779
n2_20MHz_15kHz_1880MHz_CP-OFDM 64 QAM_RB106@0	18.917	19.683
n2_20MHz_15kHz_1880MHz_CP-OFDM 256 QAM_RB106@0	18.907	19.917

Mode	99% OBW (MHz)	26dB OBW (MHz)
n25_5MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	4.461	4.743
n25_5MHz_15kHz_1882.5MHz_DFT-s-OFDM QPSK_RB25@0	4.463	4.747
n25_5MHz_15kHz_1882.5MHz_DFT-s-OFDM 16 QAM_RB25@0	4.482	4.707
n25_5MHz_15kHz_1882.5MHz_DFT-s-OFDM 64 QAM_RB25@0	4.481	4.761
n25_5MHz_15kHz_1882.5MHz_DFT-s-OFDM 256 QAM_RB25@0	4.467	4.793
n25_5MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB25@0	4.463	4.731
n25_5MHz_15kHz_1882.5MHz_CP-OFDM 16 QAM_RB25@0	4.465	4.836
n25_5MHz_15kHz_1882.5MHz_CP-OFDM 64 QAM_RB25@0	4.469	4.821
n25_5MHz_15kHz_1882.5MHz_CP-OFDM 256 QAM_RB25@0	4.467	4.754
n25_10MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	9.18	9.407
n25_10MHz_15kHz_1882.5MHz_DFT-s-OFDM QPSK_RB50@0	9.207	9.402
n25_10MHz_15kHz_1882.5MHz_DFT-s-OFDM 16 QAM_RB50@0	9.24	9.626
n25_10MHz_15kHz_1882.5MHz_DFT-s-OFDM 64 QAM_RB50@0	9.252	9.434
n25_10MHz_15kHz_1882.5MHz_DFT-s-OFDM 256 QAM_RB50@0	9.201	9.413
n25_10MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB52@0	9.286	9.879
n25_10MHz_15kHz_1882.5MHz_CP-OFDM 16 QAM_RB52@0	9.287	9.749
n25_10MHz_15kHz_1882.5MHz_CP-OFDM 64 QAM_RB52@0	9.286	9.787
n25_10MHz_15kHz_1882.5MHz_CP-OFDM 256 QAM_RB52@0	9.295	9.711
n25_15MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	14.007	14.159


Mode	99% OBW (MHz)	26dB OBW (MHz)
n25_15MHz_15kHz_1882.5MHz_DFT-s-OFDM QPSK_RB75@0	13.997	14.263
n25_15MHz_15kHz_1882.5MHz_DFT-s-OFDM 16 QAM_RB75@0	13.945	14.166
n25_15MHz_15kHz_1882.5MHz_DFT-s-OFDM 64 QAM_RB75@0	14.047	14.206
n25_15MHz_15kHz_1882.5MHz_DFT-s-OFDM 256 QAM_RB75@0	14.048	14.184
n25_15MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB79@0	14.111	14.769
n25_15MHz_15kHz_1882.5MHz_CP-OFDM 16 QAM_RB79@0	14.068	14.769
n25_15MHz_15kHz_1882.5MHz_CP-OFDM 64 QAM_RB79@0	14.105	14.798
n25_15MHz_15kHz_1882.5MHz_CP-OFDM 256 QAM_RB79@0	14.067	14.764
n25_20MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	18.73	18.715
n25_20MHz_15kHz_1882.5MHz_DFT-s-OFDM QPSK_RB100@0	18.759	19.063
n25_20MHz_15kHz_1882.5MHz_DFT-s-OFDM 16 QAM_RB100@0	18.741	19.001
n25_20MHz_15kHz_1882.5MHz_DFT-s-OFDM 64 QAM_RB100@0	18.754	18.936
n25_20MHz_15kHz_1882.5MHz_DFT-s-OFDM 256 QAM_RB100@0	18.819	18.822
n25_20MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB106@0	18.899	19.831
n25_20MHz_15kHz_1882.5MHz_CP-OFDM 16 QAM_RB106@0	18.909	19.778
n25_20MHz_15kHz_1882.5MHz_CP-OFDM 64 QAM_RB106@0	18.917	19.759
n25_20MHz_15kHz_1882.5MHz_CP-OFDM 256 QAM_RB106@0	18.904	19.895

n2 , Normal


n2_5MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB25@0




n2_5MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB25@0




n2_5MHz_15kHz_1880MHz_DFT-s-OFDM 16 QAM_RB25@0




n2_5MHz_15kHz_1880MHz_DFT-s-OFDM 64 QAM_RB25@0




n2_5MHz_15kHz_1880MHz_DFT-s-OFDM 256 QAM_RB25@0




n2_5MHz_15kHz_1880MHz_CP-OFDM QPSK_RB25@0



n2_5MHz_15kHz_1880MHz_CP-OFDM 16 QAM_RB25@0




n2_5MHz_15kHz_1880MHz_CP-OFDM 64 QAM_RB25@0




n2_5MHz_15kHz_1880MHz_CP-OFDM 256 QAM_RB25@0



n2_10MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB50@0




n2_10MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB50@0




n2_10MHz_15kHz_1880MHz_DFT-s-OFDM 16 QAM_RB50@0




n2_10MHz_15kHz_1880MHz_DFT-s-OFDM 64 QAM_RB50@0




n2_10MHz_15kHz_1880MHz_DFT-s-OFDM 256 QAM_RB50@0




n2_10MHz_15kHz_1880MHz_CP-OFDM QPSK_RB52@0




n2_10MHz_15kHz_1880MHz_CP-OFDM 16 QAM_RB52@0



n2_10MHz_15kHz_1880MHz_CP-OFDM 64 QAM_RB52@0




n2_10MHz_15kHz_1880MHz_CP-OFDM 256 QAM_RB52@0



n2_15MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB75@0




n2_15MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB75@0



n2_15MHz_15kHz_1880MHz_DFT-s-OFDM 16 QAM_RB75@0




n2_15MHz_15kHz_1880MHz_DFT-s-OFDM 64 QAM_RB75@0




n2_15MHz_15kHz_1880MHz_DFT-s-OFDM 256 QAM_RB75@0




n2_15MHz_15kHz_1880MHz_CP-OFDM QPSK_RB79@0



n2_15MHz_15kHz_1880MHz_CP-OFDM 16 QAM_RB79@0




n2_15MHz_15kHz_1880MHz_CP-OFDM 64 QAM_RB79@0




n2_15MHz_15kHz_1880MHz_CP-OFDM 256 QAM_RB79@0




n2_20MHz_15kHz_1880MHz_DFT-s-OFDM PI/2 BPSK_RB100@0




n2_20MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB100@0




n2_20MHz_15kHz_1880MHz_DFT-s-OFDM 16 QAM_RB100@0




n2_20MHz_15kHz_1880MHz_DFT-s-OFDM 64 QAM_RB100@0




n2_20MHz_15kHz_1880MHz_DFT-s-OFDM 256 QAM_RB100@0




n2_20MHz_15kHz_1880MHz_CP-OFDM QPSK_RB106@0




n2_20MHz_15kHz_1880MHz_CP-OFDM 16 QAM_RB106@0



n2_20MHz_15kHz_1880MHz_CP-OFDM 64 QAM_RB106@0




n2_20MHz_15kHz_1880MHz_CP-OFDM 256 QAM_RB106@0




n25 , Normal


n25_5MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0




n25_5MHz_15kHz_1882.5MHz_DFT-s-OFDM QPSK_RB25@0



n25_5MHz_15kHz_1882.5MHz_DFT-s-OFDM 16 QAM_RB25@0




n25_5MHz_15kHz_1882.5MHz_DFT-s-OFDM 64 QAM_RB25@0



n25_5MHz_15kHz_1882.5MHz_DFT-s-OFDM 256 QAM_RB25@0




n25_5MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB25@0




n25_5MHz_15kHz_1882.5MHz_CP-OFDM 16 QAM_RB25@0




n25_5MHz_15kHz_1882.5MHz_CP-OFDM 64 QAM_RB25@0



n25_5MHz_15kHz_1882.5MHz_CP-OFDM 256 QAM_RB25@0



n25_10MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2 BPSK_RB50@0




n25_10MHz_15kHz_1882.5MHz_DFT-s-OFDM QPSK_RB50@0




n25_10MHz_15kHz_1882.5MHz_DFT-s-OFDM 16 QAM_RB50@0




n25_10MHz_15kHz_1882.5MHz_DFT-s-OFDM 64
QAM_RB50@0




n25_10MHz_15kHz_1882.5MHz_DFT-s-OFDM 256
QAM_RB50@0




n25_10MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB52@0




n25_10MHz_15kHz_1882.5MHz_CP-OFDM 16
QAM_RB52@0



n25_10MHz_15kHz_1882.5MHz_CP-OFDM 64
QAM_RB52@0



n25_10MHz_15kHz_1882.5MHz_CP-OFDM 256
QAM_RB52@0




n25_15MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2
BPSK_RB75@0




n25_15MHz_15kHz_1882.5MHz_DFT-s-OFDM
QPSK_RB75@0




n25_15MHz_15kHz_1882.5MHz_DFT-s-OFDM 16
QAM_RB75@0




n25_15MHz_15kHz_1882.5MHz_DFT-s-OFDM 64
QAM_RB75@0




n25_15MHz_15kHz_1882.5MHz_DFT-s-OFDM 256
QAM_RB75@0



n25_15MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB79@0



n25_15MHz_15kHz_1882.5MHz_CP-OFDM 16
QAM_RB79@0




n25_15MHz_15kHz_1882.5MHz_CP-OFDM 64
QAM_RB79@0




n25_15MHz_15kHz_1882.5MHz_CP-OFDM 256
QAM_RB79@0




n25_20MHz_15kHz_1882.5MHz_DFT-s-OFDM PI/2
BPSK_RB100@0




n25_20MHz_15kHz_1882.5MHz_DFT-s-OFDM
QPSK_RB100@0



n25_20MHz_15kHz_1882.5MHz_DFT-s-OFDM 16
QAM_RB100@0




n25_20MHz_15kHz_1882.5MHz_DFT-s-OFDM 64
QAM_RB100@0




n25_20MHz_15kHz_1882.5MHz_DFT-s-OFDM 256
QAM_RB100@0




n25_20MHz_15kHz_1882.5MHz_CP-OFDM QPSK_RB106@0



n25_20MHz_15kHz_1882.5MHz_CP-OFDM 16
QAM_RB106@0



n25_20MHz_15kHz_1882.5MHz_CP-OFDM 64
QAM_RB106@0



n25_20MHz_15kHz_1882.5MHz_CP-OFDM 256
QAM_RB106@0

