

## Appendix A: Effective (Isotropic) Radiated Power Output Data

### Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	22.95	21.85	33.01	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	23.08	21.98	33.01	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	22.99	21.89	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	23.10	22	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	23.11	22.01	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#2	23.10	22	33.01	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	22.07	20.97	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	22.89	21.79	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	22.87	21.77	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	22.91	21.81	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	22.98	21.88	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	23.02	21.92	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#2	23.01	21.91	33.01	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	21.95	20.85	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	22.65	21.55	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	22.79	21.69	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	22.70	21.6	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	22.87	21.77	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	22.83	21.73	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#2	22.85	21.75	33.01	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	21.78	20.68	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	22.14	21.04	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	22.37	21.27	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	22.23	21.13	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	22.04	20.94	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	22.05	20.95	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#2	22.04	20.94	33.01	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	21.00	19.9	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	21.82	20.72	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	21.82	20.72	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	21.84	20.74	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	21.87	20.77	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	21.88	20.78	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#2	21.87	20.77	33.01	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	20.94	19.84	33.01	PASS

Band2	1.4MHz	16QAM	19193	1RB#0	21.88	20.78	33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	21.94	20.84	33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	21.88	20.78	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	21.80	20.7	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	21.78	20.68	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#2	21.79	20.69	33.01	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	20.86	19.76	33.01	PASS
Band2	1.4MHz	64QAM	18607	1RB#0	21.05	19.95	33.01	PASS
Band2	1.4MHz	64QAM	18607	1RB#2	21.31	20.21	33.01	PASS
Band2	1.4MHz	64QAM	18607	1RB#5	21.07	19.97	33.01	PASS
Band2	1.4MHz	64QAM	18607	3RB#0	21.02	19.92	33.01	PASS
Band2	1.4MHz	64QAM	18607	3RB#1	21.03	19.93	33.01	PASS
Band2	1.4MHz	64QAM	18607	3RB#2	21.00	19.9	33.01	PASS
Band2	1.4MHz	64QAM	18607	6RB#0	19.94	18.84	33.01	PASS
Band2	1.4MHz	64QAM	18900	1RB#0	21.17	20.07	33.01	PASS
Band2	1.4MHz	64QAM	18900	1RB#2	21.31	20.21	33.01	PASS
Band2	1.4MHz	64QAM	18900	1RB#5	21.16	20.06	33.01	PASS
Band2	1.4MHz	64QAM	18900	3RB#0	21.15	20.05	33.01	PASS
Band2	1.4MHz	64QAM	18900	3RB#1	21.20	20.1	33.01	PASS
Band2	1.4MHz	64QAM	18900	3RB#2	21.12	20.02	33.01	PASS
Band2	1.4MHz	64QAM	18900	6RB#0	19.91	18.81	33.01	PASS
Band2	1.4MHz	64QAM	19193	1RB#0	21.20	20.1	33.01	PASS
Band2	1.4MHz	64QAM	19193	1RB#2	21.31	20.21	33.01	PASS
Band2	1.4MHz	64QAM	19193	1RB#5	21.14	20.04	33.01	PASS
Band2	1.4MHz	64QAM	19193	3RB#0	20.93	19.83	33.01	PASS
Band2	1.4MHz	64QAM	19193	3RB#1	20.93	19.83	33.01	PASS
Band2	1.4MHz	64QAM	19193	3RB#2	20.91	19.81	33.01	PASS
Band2	1.4MHz	64QAM	19193	6RB#0	19.71	18.61	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#0	22.97	21.87	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#7	22.96	21.86	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#14	22.95	21.85	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#0	22.02	20.92	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#4	22.00	20.9	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#7	21.99	20.89	33.01	PASS
Band2	3MHz	QPSK	18615	15RB#0	21.97	20.87	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#0	22.91	21.81	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#7	22.95	21.85	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#14	22.95	21.85	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#0	21.95	20.85	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#4	21.93	20.83	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#7	21.90	20.8	33.01	PASS
Band2	3MHz	QPSK	18900	15RB#0	21.92	20.82	33.01	PASS

Band2	3MHz	QPSK	19185	1RB#0	22.80	21.7	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#7	22.80	21.7	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#14	22.80	21.7	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#0	21.79	20.69	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#4	21.78	20.68	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#7	21.77	20.67	33.01	PASS
Band2	3MHz	QPSK	19185	15RB#0	21.72	20.62	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#0	22.25	21.15	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#7	22.23	21.13	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#14	22.18	21.08	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#0	21.14	20.04	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#4	21.13	20.03	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#7	21.06	19.96	33.01	PASS
Band2	3MHz	16QAM	18615	15RB#0	21.00	19.9	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#0	22.16	21.06	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#7	22.12	21.02	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#14	22.06	20.96	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#0	20.97	19.87	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#4	20.96	19.86	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#7	20.99	19.89	33.01	PASS
Band2	3MHz	16QAM	18900	15RB#0	20.88	19.78	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#0	21.72	20.62	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#7	21.73	20.63	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#14	21.72	20.62	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#0	20.91	19.81	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#4	20.87	19.77	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#7	20.86	19.76	33.01	PASS
Band2	3MHz	16QAM	19185	15RB#0	20.75	19.65	33.01	PASS
Band2	3MHz	64QAM	18615	1RB#0	21.00	19.9	33.01	PASS
Band2	3MHz	64QAM	18615	1RB#7	20.98	19.88	33.01	PASS
Band2	3MHz	64QAM	18615	1RB#14	20.95	19.85	33.01	PASS
Band2	3MHz	64QAM	18615	8RB#0	20.05	18.95	33.01	PASS
Band2	3MHz	64QAM	18615	8RB#4	20.03	18.93	33.01	PASS
Band2	3MHz	64QAM	18615	8RB#7	19.99	18.89	33.01	PASS
Band2	3MHz	64QAM	18615	15RB#0	20.08	18.98	33.01	PASS
Band2	3MHz	64QAM	18900	1RB#0	21.00	19.9	33.01	PASS
Band2	3MHz	64QAM	18900	1RB#7	21.02	19.92	33.01	PASS
Band2	3MHz	64QAM	18900	1RB#14	21.00	19.9	33.01	PASS
Band2	3MHz	64QAM	18900	8RB#0	20.04	18.94	33.01	PASS
Band2	3MHz	64QAM	18900	8RB#4	19.99	18.89	33.01	PASS
Band2	3MHz	64QAM	18900	8RB#7	19.97	18.87	33.01	PASS
Band2	3MHz	64QAM	18900	15RB#0	19.91	18.81	33.01	PASS

Band2	3MHz	64QAM	19185	1RB#0	21.08	19.98	33.01	PASS
Band2	3MHz	64QAM	19185	1RB#7	21.13	20.03	33.01	PASS
Band2	3MHz	64QAM	19185	1RB#14	21.14	20.04	33.01	PASS
Band2	3MHz	64QAM	19185	8RB#0	19.81	18.71	33.01	PASS
Band2	3MHz	64QAM	19185	8RB#4	19.82	18.72	33.01	PASS
Band2	3MHz	64QAM	19185	8RB#7	19.80	18.7	33.01	PASS
Band2	3MHz	64QAM	19185	15RB#0	19.77	18.67	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#0	22.90	21.8	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#12	23.09	21.99	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#24	22.96	21.86	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#0	22.01	20.91	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#6	22.03	20.93	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#11	21.99	20.89	33.01	PASS
Band2	5MHz	QPSK	18625	25RB#0	22.08	20.98	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#0	22.89	21.79	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#12	23.03	21.93	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#24	22.87	21.77	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#0	21.93	20.83	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#6	22.03	20.93	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#11	21.99	20.89	33.01	PASS
Band2	5MHz	QPSK	18900	25RB#0	21.95	20.85	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#0	22.78	21.68	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#12	22.94	21.84	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#24	22.76	21.66	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#0	21.76	20.66	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#6	21.85	20.75	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#11	21.85	20.75	33.01	PASS
Band2	5MHz	QPSK	19175	25RB#0	21.79	20.69	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#0	21.99	20.89	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#12	22.11	21.01	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#24	22.02	20.92	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#0	21.03	19.93	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#6	21.01	19.91	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#11	21.00	19.9	33.01	PASS
Band2	5MHz	16QAM	18625	25RB#0	21.12	20.02	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#0	22.18	21.08	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#12	22.29	21.19	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#24	22.11	21.01	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#0	21.03	19.93	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#6	21.02	19.92	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#11	21.03	19.93	33.01	PASS
Band2	5MHz	16QAM	18900	25RB#0	20.96	19.86	33.01	PASS

Band2	5MHz	16QAM	19175	1RB#0	21.83	20.73	33.01	PASS
Band2	5MHz	16QAM	19175	1RB#12	21.94	20.84	33.01	PASS
Band2	5MHz	16QAM	19175	1RB#24	21.76	20.66	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#0	20.86	19.76	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#6	20.88	19.78	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#11	20.85	19.75	33.01	PASS
Band2	5MHz	16QAM	19175	25RB#0	20.93	19.83	33.01	PASS
Band2	5MHz	64QAM	18625	1RB#0	20.86	19.76	33.01	PASS
Band2	5MHz	64QAM	18625	1RB#12	20.98	19.88	33.01	PASS
Band2	5MHz	64QAM	18625	1RB#24	20.87	19.77	33.01	PASS
Band2	5MHz	64QAM	18625	12RB#0	20.08	18.98	33.01	PASS
Band2	5MHz	64QAM	18625	12RB#6	20.09	18.99	33.01	PASS
Band2	5MHz	64QAM	18625	12RB#11	20.06	18.96	33.01	PASS
Band2	5MHz	64QAM	18625	25RB#0	20.05	18.95	33.01	PASS
Band2	5MHz	64QAM	18900	1RB#0	21.51	20.41	33.01	PASS
Band2	5MHz	64QAM	18900	1RB#12	21.63	20.53	33.01	PASS
Band2	5MHz	64QAM	18900	1RB#24	21.51	20.41	33.01	PASS
Band2	5MHz	64QAM	18900	12RB#0	20.07	18.97	33.01	PASS
Band2	5MHz	64QAM	18900	12RB#6	20.12	19.02	33.01	PASS
Band2	5MHz	64QAM	18900	12RB#11	20.07	18.97	33.01	PASS
Band2	5MHz	64QAM	18900	25RB#0	19.99	18.89	33.01	PASS
Band2	5MHz	64QAM	19175	1RB#0	21.13	20.03	33.01	PASS
Band2	5MHz	64QAM	19175	1RB#12	21.25	20.15	33.01	PASS
Band2	5MHz	64QAM	19175	1RB#24	21.15	20.05	33.01	PASS
Band2	5MHz	64QAM	19175	12RB#0	19.86	18.76	33.01	PASS
Band2	5MHz	64QAM	19175	12RB#6	19.92	18.82	33.01	PASS
Band2	5MHz	64QAM	19175	12RB#11	19.88	18.78	33.01	PASS
Band2	5MHz	64QAM	19175	25RB#0	19.88	18.78	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#0	22.99	21.89	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#24	23.06	21.96	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#49	22.91	21.81	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#0	22.11	21.01	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#12	22.12	21.02	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#24	22.12	21.02	33.01	PASS
Band2	10MHz	QPSK	18650	50RB#0	22.08	20.98	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#0	22.90	21.8	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#24	22.94	21.84	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#49	22.87	21.77	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#0	22.10	21	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#12	22.07	20.97	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#24	22.05	20.95	33.01	PASS
Band2	10MHz	QPSK	18900	50RB#0	22.04	20.94	33.01	PASS



Band2	10MHz	QPSK	19150	1RB#0	22.82	21.72	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#24	23.03	21.93	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#49	22.79	21.69	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#0	22.02	20.92	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#12	22.00	20.9	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#24	22.00	20.9	33.01	PASS
Band2	10MHz	QPSK	19150	50RB#0	21.88	20.78	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#0	22.20	21.1	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#24	22.28	21.18	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#49	22.18	21.08	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#0	21.17	20.07	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#12	21.19	20.09	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#24	21.13	20.03	33.01	PASS
Band2	10MHz	16QAM	18650	50RB#0	21.15	20.05	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#0	22.14	21.04	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#24	22.23	21.13	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#49	22.08	20.98	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#0	21.14	20.04	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#12	21.14	20.04	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#24	21.09	19.99	33.01	PASS
Band2	10MHz	16QAM	18900	50RB#0	21.05	19.95	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#0	21.82	20.72	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#24	21.80	20.7	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#49	21.66	20.56	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#0	21.07	19.97	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#12	21.08	19.98	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#24	21.05	19.95	33.01	PASS
Band2	10MHz	16QAM	19150	50RB#0	20.97	19.87	33.01	PASS
Band2	10MHz	64QAM	18650	1RB#0	21.04	19.94	33.01	PASS
Band2	10MHz	64QAM	18650	1RB#24	21.12	20.02	33.01	PASS
Band2	10MHz	64QAM	18650	1RB#49	20.97	19.87	33.01	PASS
Band2	10MHz	64QAM	18650	25RB#0	20.19	19.09	33.01	PASS
Band2	10MHz	64QAM	18650	25RB#12	20.16	19.06	33.01	PASS
Band2	10MHz	64QAM	18650	25RB#24	20.12	19.02	33.01	PASS
Band2	10MHz	64QAM	18650	50RB#0	20.12	19.02	33.01	PASS
Band2	10MHz	64QAM	18900	1RB#0	21.02	19.92	33.01	PASS
Band2	10MHz	64QAM	18900	1RB#24	21.12	20.02	33.01	PASS
Band2	10MHz	64QAM	18900	1RB#49	20.97	19.87	33.01	PASS
Band2	10MHz	64QAM	18900	25RB#0	20.07	18.97	33.01	PASS
Band2	10MHz	64QAM	18900	25RB#12	20.11	19.01	33.01	PASS
Band2	10MHz	64QAM	18900	25RB#24	20.09	18.99	33.01	PASS
Band2	10MHz	64QAM	18900	50RB#0	20.05	18.95	33.01	PASS

Band2	10MHz	64QAM	19150	1RB#0	21.15	20.05	33.01	PASS
Band2	10MHz	64QAM	19150	1RB#24	21.27	20.17	33.01	PASS
Band2	10MHz	64QAM	19150	1RB#49	21.14	20.04	33.01	PASS
Band2	10MHz	64QAM	19150	25RB#0	19.98	18.88	33.01	PASS
Band2	10MHz	64QAM	19150	25RB#12	19.98	18.88	33.01	PASS
Band2	10MHz	64QAM	19150	25RB#24	20.02	18.92	33.01	PASS
Band2	10MHz	64QAM	19150	50RB#0	19.98	18.88	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#0	22.93	21.83	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#37	22.95	21.85	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#74	22.89	21.79	33.01	PASS
Band2	15MHz	QPSK	18675	36RB#0	22.05	20.95	33.01	PASS
Band2	15MHz	QPSK	18675	36RB#16	22.06	20.96	33.01	PASS
Band2	15MHz	QPSK	18675	36RB#35	22.05	20.95	33.01	PASS
Band2	15MHz	QPSK	18675	75RB#0	22.12	21.02	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#0	22.91	21.81	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#37	22.92	21.82	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#74	22.80	21.7	33.01	PASS
Band2	15MHz	QPSK	18900	36RB#0	22.11	21.01	33.01	PASS
Band2	15MHz	QPSK	18900	36RB#16	22.04	20.94	33.01	PASS
Band2	15MHz	QPSK	18900	36RB#35	22.09	20.99	33.01	PASS
Band2	15MHz	QPSK	18900	75RB#0	22.00	20.9	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#0	22.80	21.7	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#37	22.84	21.74	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#74	22.77	21.67	33.01	PASS
Band2	15MHz	QPSK	19125	36RB#0	21.87	20.77	33.01	PASS
Band2	15MHz	QPSK	19125	36RB#16	21.89	20.79	33.01	PASS
Band2	15MHz	QPSK	19125	36RB#35	21.92	20.82	33.01	PASS
Band2	15MHz	QPSK	19125	75RB#0	21.85	20.75	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#0	22.21	21.11	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#37	22.24	21.14	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#74	22.13	21.03	33.01	PASS
Band2	15MHz	16QAM	18675	36RB#0	21.08	19.98	33.01	PASS
Band2	15MHz	16QAM	18675	36RB#16	21.05	19.95	33.01	PASS
Band2	15MHz	16QAM	18675	36RB#35	21.12	20.02	33.01	PASS
Band2	15MHz	16QAM	18675	75RB#0	21.02	19.92	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#0	22.25	21.15	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#37	22.23	21.13	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#74	22.13	21.03	33.01	PASS
Band2	15MHz	16QAM	18900	36RB#0	21.08	19.98	33.01	PASS
Band2	15MHz	16QAM	18900	36RB#16	21.10	20	33.01	PASS
Band2	15MHz	16QAM	18900	36RB#35	21.12	20.02	33.01	PASS
Band2	15MHz	16QAM	18900	75RB#0	21.05	19.95	33.01	PASS

Band2	15MHz	16QAM	19125	1RB#0	21.74	20.64	33.01	PASS
Band2	15MHz	16QAM	19125	1RB#37	21.81	20.71	33.01	PASS
Band2	15MHz	16QAM	19125	1RB#74	21.67	20.57	33.01	PASS
Band2	15MHz	16QAM	19125	36RB#0	20.86	19.76	33.01	PASS
Band2	15MHz	16QAM	19125	36RB#16	20.90	19.8	33.01	PASS
Band2	15MHz	16QAM	19125	36RB#35	20.85	19.75	33.01	PASS
Band2	15MHz	16QAM	19125	75RB#0	20.93	19.83	33.01	PASS
Band2	15MHz	64QAM	18675	1RB#0	20.98	19.88	33.01	PASS
Band2	15MHz	64QAM	18675	1RB#37	21.02	19.92	33.01	PASS
Band2	15MHz	64QAM	18675	1RB#74	20.90	19.8	33.01	PASS
Band2	15MHz	64QAM	18675	36RB#0	20.09	18.99	33.01	PASS
Band2	15MHz	64QAM	18675	36RB#16	20.15	19.05	33.01	PASS
Band2	15MHz	64QAM	18675	36RB#35	20.13	19.03	33.01	PASS
Band2	15MHz	64QAM	18675	75RB#0	20.09	18.99	33.01	PASS
Band2	15MHz	64QAM	18900	1RB#0	21.24	20.14	33.01	PASS
Band2	15MHz	64QAM	18900	1RB#37	21.24	20.14	33.01	PASS
Band2	15MHz	64QAM	18900	1RB#74	21.22	20.12	33.01	PASS
Band2	15MHz	64QAM	18900	36RB#0	20.05	18.95	33.01	PASS
Band2	15MHz	64QAM	18900	36RB#16	20.08	18.98	33.01	PASS
Band2	15MHz	64QAM	18900	36RB#35	20.09	18.99	33.01	PASS
Band2	15MHz	64QAM	18900	75RB#0	20.03	18.93	33.01	PASS
Band2	15MHz	64QAM	19125	1RB#0	21.10	20	33.01	PASS
Band2	15MHz	64QAM	19125	1RB#37	21.11	20.01	33.01	PASS
Band2	15MHz	64QAM	19125	1RB#74	21.10	20	33.01	PASS
Band2	15MHz	64QAM	19125	36RB#0	19.85	18.75	33.01	PASS
Band2	15MHz	64QAM	19125	36RB#16	19.85	18.75	33.01	PASS
Band2	15MHz	64QAM	19125	36RB#35	19.88	18.78	33.01	PASS
Band2	15MHz	64QAM	19125	75RB#0	19.85	18.75	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#0	22.87	21.77	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#49	23.14	22.04	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#99	22.87	21.77	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#0	22.02	20.92	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#24	22.01	20.91	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#49	22.05	20.95	33.01	PASS
Band2	20MHz	QPSK	18700	100RB#0	22.02	20.92	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#0	22.83	21.73	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#49	23.13	22.03	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#99	22.77	21.67	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#0	22.10	21	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#24	22.08	20.98	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#49	22.11	21.01	33.01	PASS
Band2	20MHz	QPSK	18900	100RB#0	22.05	20.95	33.01	PASS



Band2	20MHz	QPSK	19100	1RB#0	22.60	21.5	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#49	22.81	21.71	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#99	22.51	21.41	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#0	21.84	20.74	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#24	21.88	20.78	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#49	21.88	20.78	33.01	PASS
Band2	20MHz	QPSK	19100	100RB#0	21.83	20.73	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#0	21.95	20.85	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#49	22.21	21.11	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#99	21.94	20.84	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#0	21.10	20	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#24	21.06	19.96	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#49	21.06	19.96	33.01	PASS
Band2	20MHz	16QAM	18700	100RB#0	21.09	19.99	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#0	22.07	20.97	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#49	22.25	21.15	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#99	22.06	20.96	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#0	21.13	20.03	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#24	21.13	20.03	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#49	21.11	20.01	33.01	PASS
Band2	20MHz	16QAM	18900	100RB#0	21.04	19.94	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#0	21.80	20.7	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#49	21.98	20.88	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#99	21.69	20.59	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#0	20.92	19.82	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#24	20.98	19.88	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#49	20.96	19.86	33.01	PASS
Band2	20MHz	16QAM	19100	100RB#0	20.92	19.82	33.01	PASS
Band2	20MHz	64QAM	18700	1RB#0	21.22	20.12	33.01	PASS
Band2	20MHz	64QAM	18700	1RB#49	21.56	20.46	33.01	PASS
Band2	20MHz	64QAM	18700	1RB#99	21.20	20.1	33.01	PASS
Band2	20MHz	64QAM	18700	50RB#0	20.09	18.99	33.01	PASS
Band2	20MHz	64QAM	18700	50RB#24	20.09	18.99	33.01	PASS
Band2	20MHz	64QAM	18700	50RB#49	20.05	18.95	33.01	PASS
Band2	20MHz	64QAM	18700	100RB#0	20.11	19.01	33.01	PASS
Band2	20MHz	64QAM	18900	1RB#0	21.12	20.02	33.01	PASS
Band2	20MHz	64QAM	18900	1RB#49	21.39	20.29	33.01	PASS
Band2	20MHz	64QAM	18900	1RB#99	21.10	20	33.01	PASS
Band2	20MHz	64QAM	18900	50RB#0	20.14	19.04	33.01	PASS
Band2	20MHz	64QAM	18900	50RB#24	20.18	19.08	33.01	PASS
Band2	20MHz	64QAM	18900	50RB#49	20.15	19.05	33.01	PASS
Band2	20MHz	64QAM	18900	100RB#0	20.11	19.01	33.01	PASS

Band2	20MHz	64QAM	19100	1RB#0	20.66	19.56	33.01	PASS
Band2	20MHz	64QAM	19100	1RB#49	20.89	19.79	33.01	PASS
Band2	20MHz	64QAM	19100	1RB#99	20.69	19.59	33.01	PASS
Band2	20MHz	64QAM	19100	50RB#0	19.95	18.85	33.01	PASS
Band2	20MHz	64QAM	19100	50RB#24	19.92	18.82	33.01	PASS
Band2	20MHz	64QAM	19100	50RB#49	19.95	18.85	33.01	PASS
Band2	20MHz	64QAM	19100	100RB#0	19.93	18.83	33.01	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	23.66	19.34	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	23.86	19.54	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	23.66	19.34	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	23.74	19.42	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	23.75	19.43	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#2	23.73	19.41	38.45	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	22.81	18.49	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	23.60	19.28	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	23.81	19.49	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	23.58	19.26	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#0	23.64	19.32	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	23.60	19.28	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#2	23.62	19.3	38.45	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	22.68	18.36	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	23.52	19.2	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	23.69	19.37	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	23.52	19.2	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	23.64	19.32	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	23.63	19.31	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#2	23.65	19.33	38.45	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	22.66	18.34	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	22.83	18.51	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	23.02	18.7	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	22.85	18.53	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#0	22.71	18.39	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#1	22.67	18.35	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#2	22.68	18.36	38.45	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	21.63	17.31	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	22.71	18.39	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#2	22.90	18.58	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	22.76	18.44	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#0	22.57	18.25	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#1	22.55	18.23	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#2	22.55	18.23	38.45	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	21.71	17.39	38.45	PASS

Band5	1.4MHz	16QAM	20643	1RB#0	22.73	18.41	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	22.94	18.62	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	22.76	18.44	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#0	22.57	18.25	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#1	22.59	18.27	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#2	22.59	18.27	38.45	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	21.55	17.23	38.45	PASS
Band5	1.4MHz	64QAM	20407	1RB#0	21.72	17.4	38.45	PASS
Band5	1.4MHz	64QAM	20407	1RB#2	21.86	17.54	38.45	PASS
Band5	1.4MHz	64QAM	20407	1RB#5	21.72	17.4	38.45	PASS
Band5	1.4MHz	64QAM	20407	3RB#0	21.65	17.33	38.45	PASS
Band5	1.4MHz	64QAM	20407	3RB#1	21.69	17.37	38.45	PASS
Band5	1.4MHz	64QAM	20407	3RB#2	21.66	17.34	38.45	PASS
Band5	1.4MHz	64QAM	20407	6RB#0	20.61	16.29	38.45	PASS
Band5	1.4MHz	64QAM	20525	1RB#0	21.93	17.61	38.45	PASS
Band5	1.4MHz	64QAM	20525	1RB#2	22.16	17.84	38.45	PASS
Band5	1.4MHz	64QAM	20525	1RB#5	21.97	17.65	38.45	PASS
Band5	1.4MHz	64QAM	20525	3RB#0	21.75	17.43	38.45	PASS
Band5	1.4MHz	64QAM	20525	3RB#1	21.73	17.41	38.45	PASS
Band5	1.4MHz	64QAM	20525	3RB#2	21.74	17.42	38.45	PASS
Band5	1.4MHz	64QAM	20525	6RB#0	20.54	16.22	38.45	PASS
Band5	1.4MHz	64QAM	20643	1RB#0	21.51	17.19	38.45	PASS
Band5	1.4MHz	64QAM	20643	1RB#2	21.74	17.42	38.45	PASS
Band5	1.4MHz	64QAM	20643	1RB#5	21.59	17.27	38.45	PASS
Band5	1.4MHz	64QAM	20643	3RB#0	21.57	17.25	38.45	PASS
Band5	1.4MHz	64QAM	20643	3RB#1	21.57	17.25	38.45	PASS
Band5	1.4MHz	64QAM	20643	3RB#2	21.48	17.16	38.45	PASS
Band5	1.4MHz	64QAM	20643	6RB#0	20.50	16.18	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#0	23.72	19.4	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#7	23.68	19.36	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#14	23.68	19.36	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#0	22.72	18.4	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#4	22.78	18.46	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#7	22.72	18.4	38.45	PASS
Band5	3MHz	QPSK	20415	15RB#0	22.70	18.38	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#0	23.67	19.35	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#7	23.63	19.31	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#14	23.71	19.39	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#0	22.69	18.37	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#4	22.70	18.38	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#7	22.67	18.35	38.45	PASS
Band5	3MHz	QPSK	20525	15RB#0	22.74	18.42	38.45	PASS

Band5	3MHz	QPSK	20635	1RB#0	23.65	19.33	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#7	23.64	19.32	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#14	23.63	19.31	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#0	22.57	18.25	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#4	22.57	18.25	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#7	22.55	18.23	38.45	PASS
Band5	3MHz	QPSK	20635	15RB#0	22.58	18.26	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#0	22.90	18.58	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#7	22.90	18.58	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#14	22.83	18.51	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#0	21.80	17.48	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#4	21.83	17.51	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#7	21.78	17.46	38.45	PASS
Band5	3MHz	16QAM	20415	15RB#0	21.78	17.46	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#0	22.85	18.53	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#7	22.82	18.5	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#14	22.89	18.57	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#0	21.72	17.4	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#4	21.73	17.41	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#7	21.73	17.41	38.45	PASS
Band5	3MHz	16QAM	20525	15RB#0	21.66	17.34	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#0	22.51	18.19	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#7	22.61	18.29	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#14	22.61	18.29	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#0	21.64	17.32	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#4	21.62	17.3	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#7	21.55	17.23	38.45	PASS
Band5	3MHz	16QAM	20635	15RB#0	21.50	17.18	38.45	PASS
Band5	3MHz	64QAM	20415	1RB#0	21.72	17.4	38.45	PASS
Band5	3MHz	64QAM	20415	1RB#7	21.75	17.43	38.45	PASS
Band5	3MHz	64QAM	20415	1RB#14	21.64	17.32	38.45	PASS
Band5	3MHz	64QAM	20415	8RB#0	20.70	16.38	38.45	PASS
Band5	3MHz	64QAM	20415	8RB#4	20.72	16.4	38.45	PASS
Band5	3MHz	64QAM	20415	8RB#7	20.70	16.38	38.45	PASS
Band5	3MHz	64QAM	20415	15RB#0	20.82	16.5	38.45	PASS
Band5	3MHz	64QAM	20525	1RB#0	21.69	17.37	38.45	PASS
Band5	3MHz	64QAM	20525	1RB#7	21.76	17.44	38.45	PASS
Band5	3MHz	64QAM	20525	1RB#14	21.72	17.4	38.45	PASS
Band5	3MHz	64QAM	20525	8RB#0	20.72	16.4	38.45	PASS
Band5	3MHz	64QAM	20525	8RB#4	20.71	16.39	38.45	PASS
Band5	3MHz	64QAM	20525	8RB#7	20.74	16.42	38.45	PASS
Band5	3MHz	64QAM	20525	15RB#0	20.63	16.31	38.45	PASS

Band5	3MHz	64QAM	20635	1RB#0	21.85	17.53	38.45	PASS
Band5	3MHz	64QAM	20635	1RB#7	22.00	17.68	38.45	PASS
Band5	3MHz	64QAM	20635	1RB#14	21.96	17.64	38.45	PASS
Band5	3MHz	64QAM	20635	8RB#0	20.63	16.31	38.45	PASS
Band5	3MHz	64QAM	20635	8RB#4	20.66	16.34	38.45	PASS
Band5	3MHz	64QAM	20635	8RB#7	20.60	16.28	38.45	PASS
Band5	3MHz	64QAM	20635	15RB#0	20.61	16.29	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#0	23.48	19.16	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#12	23.60	19.28	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#24	23.50	19.18	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#0	22.59	18.27	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#6	22.51	18.19	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#11	22.60	18.28	38.45	PASS
Band5	5MHz	QPSK	20425	25RB#0	22.54	18.22	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#0	23.53	19.21	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#12	23.66	19.34	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#24	23.53	19.21	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#0	22.57	18.25	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#6	22.59	18.27	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#11	22.60	18.28	38.45	PASS
Band5	5MHz	QPSK	20525	25RB#0	22.58	18.26	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#0	23.48	19.16	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#12	23.55	19.23	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#24	23.47	19.15	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#0	22.53	18.21	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#6	22.57	18.25	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#11	22.49	18.17	38.45	PASS
Band5	5MHz	QPSK	20625	25RB#0	22.50	18.18	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#0	22.76	18.44	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#12	22.80	18.48	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#24	22.72	18.4	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#0	21.62	17.3	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#6	21.62	17.3	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#11	21.56	17.24	38.45	PASS
Band5	5MHz	16QAM	20425	25RB#0	21.56	17.24	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#0	22.58	18.26	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#12	22.64	18.32	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#24	22.54	18.22	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#0	21.59	17.27	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#6	21.60	17.28	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#11	21.56	17.24	38.45	PASS
Band5	5MHz	16QAM	20525	25RB#0	21.65	17.33	38.45	PASS



Band5	5MHz	16QAM	20625	1RB#0	22.52	18.2	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#12	22.60	18.28	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#24	22.45	18.13	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#0	21.52	17.2	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#6	21.53	17.21	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#11	21.54	17.22	38.45	PASS
Band5	5MHz	16QAM	20625	25RB#0	21.54	17.22	38.45	PASS
Band5	5MHz	64QAM	20425	1RB#0	22.08	17.76	38.45	PASS
Band5	5MHz	64QAM	20425	1RB#12	22.12	17.8	38.45	PASS
Band5	5MHz	64QAM	20425	1RB#24	22.02	17.7	38.45	PASS
Band5	5MHz	64QAM	20425	12RB#0	20.57	16.25	38.45	PASS
Band5	5MHz	64QAM	20425	12RB#6	20.57	16.25	38.45	PASS
Band5	5MHz	64QAM	20425	12RB#11	20.53	16.21	38.45	PASS
Band5	5MHz	64QAM	20425	25RB#0	20.51	16.19	38.45	PASS
Band5	5MHz	64QAM	20525	1RB#0	21.83	17.51	38.45	PASS
Band5	5MHz	64QAM	20525	1RB#12	21.91	17.59	38.45	PASS
Band5	5MHz	64QAM	20525	1RB#24	21.83	17.51	38.45	PASS
Band5	5MHz	64QAM	20525	12RB#0	20.65	16.33	38.45	PASS
Band5	5MHz	64QAM	20525	12RB#6	20.64	16.32	38.45	PASS
Band5	5MHz	64QAM	20525	12RB#11	20.61	16.29	38.45	PASS
Band5	5MHz	64QAM	20525	25RB#0	20.59	16.27	38.45	PASS
Band5	5MHz	64QAM	20625	1RB#0	21.40	17.08	38.45	PASS
Band5	5MHz	64QAM	20625	1RB#12	21.54	17.22	38.45	PASS
Band5	5MHz	64QAM	20625	1RB#24	21.43	17.11	38.45	PASS
Band5	5MHz	64QAM	20625	12RB#0	20.54	16.22	38.45	PASS
Band5	5MHz	64QAM	20625	12RB#6	20.52	16.2	38.45	PASS
Band5	5MHz	64QAM	20625	12RB#11	20.51	16.19	38.45	PASS
Band5	5MHz	64QAM	20625	25RB#0	20.53	16.21	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#0	23.54	19.22	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#24	23.68	19.36	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#49	23.47	19.15	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#0	22.59	18.27	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#12	22.62	18.3	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#24	22.59	18.27	38.45	PASS
Band5	10MHz	QPSK	20450	50RB#0	22.65	18.33	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#0	23.51	19.19	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#24	23.68	19.36	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#49	23.47	19.15	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#0	22.62	18.3	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#12	22.65	18.33	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#24	22.60	18.28	38.45	PASS
Band5	10MHz	QPSK	20525	50RB#0	22.65	18.33	38.45	PASS

Band5	10MHz	QPSK	20600	1RB#0	23.50	19.18	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#24	23.61	19.29	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#49	23.49	19.17	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#0	22.58	18.26	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#12	22.62	18.3	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#24	22.61	18.29	38.45	PASS
Band5	10MHz	QPSK	20600	50RB#0	22.54	18.22	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#0	22.75	18.43	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#24	22.86	18.54	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#49	22.69	18.37	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#0	21.57	17.25	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#12	21.59	17.27	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#24	21.61	17.29	38.45	PASS
Band5	10MHz	16QAM	20450	50RB#0	21.60	17.28	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#0	22.76	18.44	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#24	22.86	18.54	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#49	22.74	18.42	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#0	21.67	17.35	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#12	21.69	17.37	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#24	21.69	17.37	38.45	PASS
Band5	10MHz	16QAM	20525	50RB#0	21.64	17.32	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#0	22.44	18.12	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#24	22.54	18.22	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#49	22.43	18.11	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#0	21.65	17.33	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#12	21.65	17.33	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#24	21.65	17.33	38.45	PASS
Band5	10MHz	16QAM	20600	50RB#0	21.57	17.25	38.45	PASS
Band5	10MHz	64QAM	20450	1RB#0	21.51	17.19	38.45	PASS
Band5	10MHz	64QAM	20450	1RB#24	21.73	17.41	38.45	PASS
Band5	10MHz	64QAM	20450	1RB#49	21.48	17.16	38.45	PASS
Band5	10MHz	64QAM	20450	25RB#0	20.58	16.26	38.45	PASS
Band5	10MHz	64QAM	20450	25RB#12	20.57	16.25	38.45	PASS
Band5	10MHz	64QAM	20450	25RB#24	20.61	16.29	38.45	PASS
Band5	10MHz	64QAM	20450	50RB#0	20.60	16.28	38.45	PASS
Band5	10MHz	64QAM	20525	1RB#0	21.56	17.24	38.45	PASS
Band5	10MHz	64QAM	20525	1RB#24	21.67	17.35	38.45	PASS
Band5	10MHz	64QAM	20525	1RB#49	21.54	17.22	38.45	PASS
Band5	10MHz	64QAM	20525	25RB#0	20.64	16.32	38.45	PASS
Band5	10MHz	64QAM	20525	25RB#12	20.64	16.32	38.45	PASS
Band5	10MHz	64QAM	20525	25RB#24	20.66	16.34	38.45	PASS
Band5	10MHz	64QAM	20525	50RB#0	20.66	16.34	38.45	PASS

Band5	10MHz	64QAM	20600	1RB#0	21.80	17.48	38.45	PASS
Band5	10MHz	64QAM	20600	1RB#24	21.94	17.62	38.45	PASS
Band5	10MHz	64QAM	20600	1RB#49	21.74	17.42	38.45	PASS
Band5	10MHz	64QAM	20600	25RB#0	20.56	16.24	38.45	PASS
Band5	10MHz	64QAM	20600	25RB#12	20.56	16.24	38.45	PASS
Band5	10MHz	64QAM	20600	25RB#24	20.51	16.19	38.45	PASS
Band5	10MHz	64QAM	20600	50RB#0	20.52	16.2	38.45	PASS
Band12	1.4MHz	QPSK	23017	1RB#0	23.12	17.88	34.77	PASS
Band12	1.4MHz	QPSK	23017	1RB#2	23.28	18.04	34.77	PASS
Band12	1.4MHz	QPSK	23017	1RB#5	23.19	17.95	34.77	PASS
Band12	1.4MHz	QPSK	23017	3RB#0	23.23	17.99	34.77	PASS
Band12	1.4MHz	QPSK	23017	3RB#1	23.24	18	34.77	PASS
Band12	1.4MHz	QPSK	23017	3RB#2	23.21	17.97	34.77	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	22.21	16.97	34.77	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	23.23	17.99	34.77	PASS
Band12	1.4MHz	QPSK	23095	1RB#2	23.30	18.06	34.77	PASS
Band12	1.4MHz	QPSK	23095	1RB#5	23.19	17.95	34.77	PASS
Band12	1.4MHz	QPSK	23095	3RB#0	23.20	17.96	34.77	PASS
Band12	1.4MHz	QPSK	23095	3RB#1	23.27	18.03	34.77	PASS
Band12	1.4MHz	QPSK	23095	3RB#2	23.25	18.01	34.77	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	22.27	17.03	34.77	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	23.18	17.94	34.77	PASS
Band12	1.4MHz	QPSK	23173	1RB#2	23.35	18.11	34.77	PASS
Band12	1.4MHz	QPSK	23173	1RB#5	23.22	17.98	34.77	PASS
Band12	1.4MHz	QPSK	23173	3RB#0	23.20	17.96	34.77	PASS
Band12	1.4MHz	QPSK	23173	3RB#1	23.27	18.03	34.77	PASS
Band12	1.4MHz	QPSK	23173	3RB#2	23.24	18	34.77	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	22.26	17.02	34.77	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	22.29	17.05	34.77	PASS
Band12	1.4MHz	16QAM	23017	1RB#2	22.61	17.37	34.77	PASS
Band12	1.4MHz	16QAM	23017	1RB#5	22.29	17.05	34.77	PASS
Band12	1.4MHz	16QAM	23017	3RB#0	22.13	16.89	34.77	PASS
Band12	1.4MHz	16QAM	23017	3RB#1	22.12	16.88	34.77	PASS
Band12	1.4MHz	16QAM	23017	3RB#2	22.09	16.85	34.77	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	21.24	16	34.77	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	22.35	17.11	34.77	PASS
Band12	1.4MHz	16QAM	23095	1RB#2	22.53	17.29	34.77	PASS
Band12	1.4MHz	16QAM	23095	1RB#5	22.38	17.14	34.77	PASS
Band12	1.4MHz	16QAM	23095	3RB#0	22.19	16.95	34.77	PASS
Band12	1.4MHz	16QAM	23095	3RB#1	22.16	16.92	34.77	PASS
Band12	1.4MHz	16QAM	23095	3RB#2	22.16	16.92	34.77	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	21.14	15.9	34.77	PASS

Band12	1.4MHz	16QAM	23173	1RB#0	22.11	16.87	34.77	PASS
Band12	1.4MHz	16QAM	23173	1RB#2	22.36	17.12	34.77	PASS
Band12	1.4MHz	16QAM	23173	1RB#5	22.11	16.87	34.77	PASS
Band12	1.4MHz	16QAM	23173	3RB#0	22.09	16.85	34.77	PASS
Band12	1.4MHz	16QAM	23173	3RB#1	22.07	16.83	34.77	PASS
Band12	1.4MHz	16QAM	23173	3RB#2	22.07	16.83	34.77	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	21.23	15.99	34.77	PASS
Band12	1.4MHz	64QAM	23017	1RB#0	21.53	16.29	34.77	PASS
Band12	1.4MHz	64QAM	23017	1RB#2	21.65	16.41	34.77	PASS
Band12	1.4MHz	64QAM	23017	1RB#5	21.50	16.26	34.77	PASS
Band12	1.4MHz	64QAM	23017	3RB#0	21.23	15.99	34.77	PASS
Band12	1.4MHz	64QAM	23017	3RB#1	21.24	16	34.77	PASS
Band12	1.4MHz	64QAM	23017	3RB#2	21.25	16.01	34.77	PASS
Band12	1.4MHz	64QAM	23017	6RB#0	20.12	14.88	34.77	PASS
Band12	1.4MHz	64QAM	23095	1RB#0	21.14	15.9	34.77	PASS
Band12	1.4MHz	64QAM	23095	1RB#2	21.40	16.16	34.77	PASS
Band12	1.4MHz	64QAM	23095	1RB#5	21.21	15.97	34.77	PASS
Band12	1.4MHz	64QAM	23095	3RB#0	21.12	15.88	34.77	PASS
Band12	1.4MHz	64QAM	23095	3RB#1	21.15	15.91	34.77	PASS
Band12	1.4MHz	64QAM	23095	3RB#2	21.12	15.88	34.77	PASS
Band12	1.4MHz	64QAM	23095	6RB#0	20.12	14.88	34.77	PASS
Band12	1.4MHz	64QAM	23173	1RB#0	21.41	16.17	34.77	PASS
Band12	1.4MHz	64QAM	23173	1RB#2	21.41	16.17	34.77	PASS
Band12	1.4MHz	64QAM	23173	1RB#5	21.43	16.19	34.77	PASS
Band12	1.4MHz	64QAM	23173	3RB#0	21.36	16.12	34.77	PASS
Band12	1.4MHz	64QAM	23173	3RB#1	21.36	16.12	34.77	PASS
Band12	1.4MHz	64QAM	23173	3RB#2	21.35	16.11	34.77	PASS
Band12	1.4MHz	64QAM	23173	6RB#0	20.21	14.97	34.77	PASS
Band12	3MHz	QPSK	23025	1RB#0	23.21	17.97	34.77	PASS
Band12	3MHz	QPSK	23025	1RB#7	23.23	17.99	34.77	PASS
Band12	3MHz	QPSK	23025	1RB#14	23.17	17.93	34.77	PASS
Band12	3MHz	QPSK	23025	8RB#0	22.22	16.98	34.77	PASS
Band12	3MHz	QPSK	23025	8RB#4	22.16	16.92	34.77	PASS
Band12	3MHz	QPSK	23025	8RB#7	22.21	16.97	34.77	PASS
Band12	3MHz	QPSK	23025	15RB#0	22.15	16.91	34.77	PASS
Band12	3MHz	QPSK	23095	1RB#0	23.24	18	34.77	PASS
Band12	3MHz	QPSK	23095	1RB#7	23.19	17.95	34.77	PASS
Band12	3MHz	QPSK	23095	1RB#14	23.25	18.01	34.77	PASS
Band12	3MHz	QPSK	23095	8RB#0	22.23	16.99	34.77	PASS
Band12	3MHz	QPSK	23095	8RB#4	22.19	16.95	34.77	PASS
Band12	3MHz	QPSK	23095	8RB#7	22.20	16.96	34.77	PASS
Band12	3MHz	QPSK	23095	15RB#0	22.24	17	34.77	PASS

Band12	3MHz	QPSK	23165	1RB#0	23.22	17.98	34.77	PASS
Band12	3MHz	QPSK	23165	1RB#7	23.13	17.89	34.77	PASS
Band12	3MHz	QPSK	23165	1RB#14	23.12	17.88	34.77	PASS
Band12	3MHz	QPSK	23165	8RB#0	22.17	16.93	34.77	PASS
Band12	3MHz	QPSK	23165	8RB#4	22.13	16.89	34.77	PASS
Band12	3MHz	QPSK	23165	8RB#7	22.18	16.94	34.77	PASS
Band12	3MHz	QPSK	23165	15RB#0	22.08	16.84	34.77	PASS
Band12	3MHz	16QAM	23025	1RB#0	22.34	17.1	34.77	PASS
Band12	3MHz	16QAM	23025	1RB#7	22.29	17.05	34.77	PASS
Band12	3MHz	16QAM	23025	1RB#14	22.35	17.11	34.77	PASS
Band12	3MHz	16QAM	23025	8RB#0	21.23	15.99	34.77	PASS
Band12	3MHz	16QAM	23025	8RB#4	21.22	15.98	34.77	PASS
Band12	3MHz	16QAM	23025	8RB#7	21.27	16.03	34.77	PASS
Band12	3MHz	16QAM	23025	15RB#0	21.21	15.97	34.77	PASS
Band12	3MHz	16QAM	23095	1RB#0	22.43	17.19	34.77	PASS
Band12	3MHz	16QAM	23095	1RB#7	22.38	17.14	34.77	PASS
Band12	3MHz	16QAM	23095	1RB#14	22.37	17.13	34.77	PASS
Band12	3MHz	16QAM	23095	8RB#0	21.24	16	34.77	PASS
Band12	3MHz	16QAM	23095	8RB#4	21.24	16	34.77	PASS
Band12	3MHz	16QAM	23095	8RB#7	21.22	15.98	34.77	PASS
Band12	3MHz	16QAM	23095	15RB#0	21.17	15.93	34.77	PASS
Band12	3MHz	16QAM	23165	1RB#0	22.13	16.89	34.77	PASS
Band12	3MHz	16QAM	23165	1RB#7	22.02	16.78	34.77	PASS
Band12	3MHz	16QAM	23165	1RB#14	22.02	16.78	34.77	PASS
Band12	3MHz	16QAM	23165	8RB#0	21.19	15.95	34.77	PASS
Band12	3MHz	16QAM	23165	8RB#4	21.18	15.94	34.77	PASS
Band12	3MHz	16QAM	23165	8RB#7	21.18	15.94	34.77	PASS
Band12	3MHz	16QAM	23165	15RB#0	21.04	15.8	34.77	PASS
Band12	3MHz	64QAM	23025	1RB#0	21.12	15.88	34.77	PASS
Band12	3MHz	64QAM	23025	1RB#7	21.20	15.96	34.77	PASS
Band12	3MHz	64QAM	23025	1RB#14	21.21	15.97	34.77	PASS
Band12	3MHz	64QAM	23025	8RB#0	20.22	14.98	34.77	PASS
Band12	3MHz	64QAM	23025	8RB#4	20.19	14.95	34.77	PASS
Band12	3MHz	64QAM	23025	8RB#7	20.26	15.02	34.77	PASS
Band12	3MHz	64QAM	23025	15RB#0	20.30	15.06	34.77	PASS
Band12	3MHz	64QAM	23095	1RB#0	21.25	16.01	34.77	PASS
Band12	3MHz	64QAM	23095	1RB#7	21.24	16	34.77	PASS
Band12	3MHz	64QAM	23095	1RB#14	21.22	15.98	34.77	PASS
Band12	3MHz	64QAM	23095	8RB#0	20.26	15.02	34.77	PASS
Band12	3MHz	64QAM	23095	8RB#4	20.27	15.03	34.77	PASS
Band12	3MHz	64QAM	23095	8RB#7	20.32	15.08	34.77	PASS
Band12	3MHz	64QAM	23095	15RB#0	20.28	15.04	34.77	PASS



Band12	3MHz	64QAM	23165	1RB#0	21.39	16.15	34.77	PASS
Band12	3MHz	64QAM	23165	1RB#7	21.40	16.16	34.77	PASS
Band12	3MHz	64QAM	23165	1RB#14	21.47	16.23	34.77	PASS
Band12	3MHz	64QAM	23165	8RB#0	20.16	14.92	34.77	PASS
Band12	3MHz	64QAM	23165	8RB#4	20.17	14.93	34.77	PASS
Band12	3MHz	64QAM	23165	8RB#7	20.17	14.93	34.77	PASS
Band12	3MHz	64QAM	23165	15RB#0	20.11	14.87	34.77	PASS
Band12	5MHz	QPSK	23035	1RB#0	23.15	17.91	34.77	PASS
Band12	5MHz	QPSK	23035	1RB#12	23.31	18.07	34.77	PASS
Band12	5MHz	QPSK	23035	1RB#24	23.21	17.97	34.77	PASS
Band12	5MHz	QPSK	23035	12RB#0	22.16	16.92	34.77	PASS
Band12	5MHz	QPSK	23035	12RB#6	22.17	16.93	34.77	PASS
Band12	5MHz	QPSK	23035	12RB#11	22.11	16.87	34.77	PASS
Band12	5MHz	QPSK	23035	25RB#0	22.22	16.98	34.77	PASS
Band12	5MHz	QPSK	23095	1RB#0	23.13	17.89	34.77	PASS
Band12	5MHz	QPSK	23095	1RB#12	23.27	18.03	34.77	PASS
Band12	5MHz	QPSK	23095	1RB#24	23.13	17.89	34.77	PASS
Band12	5MHz	QPSK	23095	12RB#0	22.19	16.95	34.77	PASS
Band12	5MHz	QPSK	23095	12RB#6	22.23	16.99	34.77	PASS
Band12	5MHz	QPSK	23095	12RB#11	22.20	16.96	34.77	PASS
Band12	5MHz	QPSK	23095	25RB#0	22.26	17.02	34.77	PASS
Band12	5MHz	QPSK	23155	1RB#0	23.23	17.99	34.77	PASS
Band12	5MHz	QPSK	23155	1RB#12	23.27	18.03	34.77	PASS
Band12	5MHz	QPSK	23155	1RB#24	23.26	18.02	34.77	PASS
Band12	5MHz	QPSK	23155	12RB#0	22.09	16.85	34.77	PASS
Band12	5MHz	QPSK	23155	12RB#6	22.19	16.95	34.77	PASS
Band12	5MHz	QPSK	23155	12RB#11	22.11	16.87	34.77	PASS
Band12	5MHz	QPSK	23155	25RB#0	22.20	16.96	34.77	PASS
Band12	5MHz	16QAM	23035	1RB#0	22.15	16.91	34.77	PASS
Band12	5MHz	16QAM	23035	1RB#12	22.28	17.04	34.77	PASS
Band12	5MHz	16QAM	23035	1RB#24	22.22	16.98	34.77	PASS
Band12	5MHz	16QAM	23035	12RB#0	21.08	15.84	34.77	PASS
Band12	5MHz	16QAM	23035	12RB#6	21.14	15.9	34.77	PASS
Band12	5MHz	16QAM	23035	12RB#11	21.14	15.9	34.77	PASS
Band12	5MHz	16QAM	23035	25RB#0	21.22	15.98	34.77	PASS
Band12	5MHz	16QAM	23095	1RB#0	22.42	17.18	34.77	PASS
Band12	5MHz	16QAM	23095	1RB#12	22.46	17.22	34.77	PASS
Band12	5MHz	16QAM	23095	1RB#24	22.34	17.1	34.77	PASS
Band12	5MHz	16QAM	23095	12RB#0	21.19	15.95	34.77	PASS
Band12	5MHz	16QAM	23095	12RB#6	21.24	16	34.77	PASS
Band12	5MHz	16QAM	23095	12RB#11	21.27	16.03	34.77	PASS
Band12	5MHz	16QAM	23095	25RB#0	21.25	16.01	34.77	PASS

Band12	5MHz	16QAM	23155	1RB#0	22.10	16.86	34.77	PASS
Band12	5MHz	16QAM	23155	1RB#12	22.27	17.03	34.77	PASS
Band12	5MHz	16QAM	23155	1RB#24	22.23	16.99	34.77	PASS
Band12	5MHz	16QAM	23155	12RB#0	21.16	15.92	34.77	PASS
Band12	5MHz	16QAM	23155	12RB#6	21.16	15.92	34.77	PASS
Band12	5MHz	16QAM	23155	12RB#11	21.11	15.87	34.77	PASS
Band12	5MHz	16QAM	23155	25RB#0	21.19	15.95	34.77	PASS
Band12	5MHz	64QAM	23035	1RB#0	21.08	15.84	34.77	PASS
Band12	5MHz	64QAM	23035	1RB#12	21.20	15.96	34.77	PASS
Band12	5MHz	64QAM	23035	1RB#24	21.16	15.92	34.77	PASS
Band12	5MHz	64QAM	23035	12RB#0	20.22	14.98	34.77	PASS
Band12	5MHz	64QAM	23035	12RB#6	20.21	14.97	34.77	PASS
Band12	5MHz	64QAM	23035	12RB#11	20.22	14.98	34.77	PASS
Band12	5MHz	64QAM	23035	25RB#0	20.29	15.05	34.77	PASS
Band12	5MHz	64QAM	23095	1RB#0	21.70	16.46	34.77	PASS
Band12	5MHz	64QAM	23095	1RB#12	21.77	16.53	34.77	PASS
Band12	5MHz	64QAM	23095	1RB#24	21.68	16.44	34.77	PASS
Band12	5MHz	64QAM	23095	12RB#0	20.24	15	34.77	PASS
Band12	5MHz	64QAM	23095	12RB#6	20.26	15.02	34.77	PASS
Band12	5MHz	64QAM	23095	12RB#11	20.28	15.04	34.77	PASS
Band12	5MHz	64QAM	23095	25RB#0	20.24	15	34.77	PASS
Band12	5MHz	64QAM	23155	1RB#0	21.40	16.16	34.77	PASS
Band12	5MHz	64QAM	23155	1RB#12	21.56	16.32	34.77	PASS
Band12	5MHz	64QAM	23155	1RB#24	21.47	16.23	34.77	PASS
Band12	5MHz	64QAM	23155	12RB#0	20.26	15.02	34.77	PASS
Band12	5MHz	64QAM	23155	12RB#6	20.21	14.97	34.77	PASS
Band12	5MHz	64QAM	23155	12RB#11	20.29	15.05	34.77	PASS
Band12	5MHz	64QAM	23155	25RB#0	20.20	14.96	34.77	PASS
Band12	10MHz	QPSK	23060	1RB#0	23.06	17.82	34.77	PASS
Band12	10MHz	QPSK	23060	1RB#24	23.36	18.12	34.77	PASS
Band12	10MHz	QPSK	23060	1RB#49	23.16	17.92	34.77	PASS
Band12	10MHz	QPSK	23060	25RB#0	22.15	16.91	34.77	PASS
Band12	10MHz	QPSK	23060	25RB#12	22.14	16.9	34.77	PASS
Band12	10MHz	QPSK	23060	25RB#24	22.11	16.87	34.77	PASS
Band12	10MHz	QPSK	23060	50RB#0	22.17	16.93	34.77	PASS
Band12	10MHz	QPSK	23095	1RB#0	23.15	17.91	34.77	PASS
Band12	10MHz	QPSK	23095	1RB#24	23.36	18.12	34.77	PASS
Band12	10MHz	QPSK	23095	1RB#49	23.16	17.92	34.77	PASS
Band12	10MHz	QPSK	23095	25RB#0	22.27	17.03	34.77	PASS
Band12	10MHz	QPSK	23095	25RB#12	22.28	17.04	34.77	PASS
Band12	10MHz	QPSK	23095	25RB#24	22.28	17.04	34.77	PASS
Band12	10MHz	QPSK	23095	50RB#0	22.30	17.06	34.77	PASS

Band12	10MHz	QPSK	23130	1RB#0	23.17	17.93	34.77	PASS
Band12	10MHz	QPSK	23130	1RB#24	23.29	18.05	34.77	PASS
Band12	10MHz	QPSK	23130	1RB#49	23.25	18.01	34.77	PASS
Band12	10MHz	QPSK	23130	25RB#0	22.26	17.02	34.77	PASS
Band12	10MHz	QPSK	23130	25RB#12	22.24	17	34.77	PASS
Band12	10MHz	QPSK	23130	25RB#24	22.21	16.97	34.77	PASS
Band12	10MHz	QPSK	23130	50RB#0	22.22	16.98	34.77	PASS
Band12	10MHz	16QAM	23060	1RB#0	22.30	17.06	34.77	PASS
Band12	10MHz	16QAM	23060	1RB#24	22.44	17.2	34.77	PASS
Band12	10MHz	16QAM	23060	1RB#49	22.33	17.09	34.77	PASS
Band12	10MHz	16QAM	23060	25RB#0	21.11	15.87	34.77	PASS
Band12	10MHz	16QAM	23060	25RB#12	21.14	15.9	34.77	PASS
Band12	10MHz	16QAM	23060	25RB#24	21.12	15.88	34.77	PASS
Band12	10MHz	16QAM	23060	50RB#0	21.14	15.9	34.77	PASS
Band12	10MHz	16QAM	23095	1RB#0	22.28	17.04	34.77	PASS
Band12	10MHz	16QAM	23095	1RB#24	22.46	17.22	34.77	PASS
Band12	10MHz	16QAM	23095	1RB#49	22.35	17.11	34.77	PASS
Band12	10MHz	16QAM	23095	25RB#0	21.30	16.06	34.77	PASS
Band12	10MHz	16QAM	23095	25RB#12	21.28	16.04	34.77	PASS
Band12	10MHz	16QAM	23095	25RB#24	21.28	16.04	34.77	PASS
Band12	10MHz	16QAM	23095	50RB#0	21.32	16.08	34.77	PASS
Band12	10MHz	16QAM	23130	1RB#0	22.12	16.88	34.77	PASS
Band12	10MHz	16QAM	23130	1RB#24	22.14	16.9	34.77	PASS
Band12	10MHz	16QAM	23130	1RB#49	22.15	16.91	34.77	PASS
Band12	10MHz	16QAM	23130	25RB#0	21.31	16.07	34.77	PASS
Band12	10MHz	16QAM	23130	25RB#12	21.27	16.03	34.77	PASS
Band12	10MHz	16QAM	23130	25RB#24	21.25	16.01	34.77	PASS
Band12	10MHz	16QAM	23130	50RB#0	21.18	15.94	34.77	PASS
Band12	10MHz	64QAM	23060	1RB#0	21.09	15.85	34.77	PASS
Band12	10MHz	64QAM	23060	1RB#24	21.27	16.03	34.77	PASS
Band12	10MHz	64QAM	23060	1RB#49	21.16	15.92	34.77	PASS
Band12	10MHz	64QAM	23060	25RB#0	20.17	14.93	34.77	PASS
Band12	10MHz	64QAM	23060	25RB#12	20.16	14.92	34.77	PASS
Band12	10MHz	64QAM	23060	25RB#24	20.21	14.97	34.77	PASS
Band12	10MHz	64QAM	23060	50RB#0	20.17	14.93	34.77	PASS
Band12	10MHz	64QAM	23095	1RB#0	21.16	15.92	34.77	PASS
Band12	10MHz	64QAM	23095	1RB#24	21.29	16.05	34.77	PASS
Band12	10MHz	64QAM	23095	1RB#49	21.15	15.91	34.77	PASS
Band12	10MHz	64QAM	23095	25RB#0	20.22	14.98	34.77	PASS
Band12	10MHz	64QAM	23095	25RB#12	20.24	15	34.77	PASS
Band12	10MHz	64QAM	23095	25RB#24	20.26	15.02	34.77	PASS
Band12	10MHz	64QAM	23095	50RB#0	20.31	15.07	34.77	PASS

Band12	10MHz	64QAM	23130	1RB#0	21.42	16.18	34.77	PASS
Band12	10MHz	64QAM	23130	1RB#24	21.52	16.28	34.77	PASS
Band12	10MHz	64QAM	23130	1RB#49	21.47	16.23	34.77	PASS
Band12	10MHz	64QAM	23130	25RB#0	20.27	15.03	34.77	PASS
Band12	10MHz	64QAM	23130	25RB#12	20.23	14.99	34.77	PASS
Band12	10MHz	64QAM	23130	25RB#24	20.25	15.01	34.77	PASS
Band12	10MHz	64QAM	23130	50RB#0	20.25	15.01	34.77	PASS
Band41	5MHz	QPSK	39675	1RB#0	26.55	27.01	33.01	PASS
Band41	5MHz	QPSK	39675	1RB#12	26.72	27.18	33.01	PASS
Band41	5MHz	QPSK	39675	1RB#24	26.59	27.05	33.01	PASS
Band41	5MHz	QPSK	39675	12RB#0	25.65	26.11	33.01	PASS
Band41	5MHz	QPSK	39675	12RB#6	25.58	26.04	33.01	PASS
Band41	5MHz	QPSK	39675	12RB#11	25.59	26.05	33.01	PASS
Band41	5MHz	QPSK	39675	25RB#0	25.65	26.11	33.01	PASS
Band41	5MHz	QPSK	40620	1RB#0	26.43	26.89	33.01	PASS
Band41	5MHz	QPSK	40620	1RB#12	26.57	27.03	33.01	PASS
Band41	5MHz	QPSK	40620	1RB#24	26.40	26.86	33.01	PASS
Band41	5MHz	QPSK	40620	12RB#0	25.40	25.86	33.01	PASS
Band41	5MHz	QPSK	40620	12RB#6	25.37	25.83	33.01	PASS
Band41	5MHz	QPSK	40620	12RB#11	25.40	25.86	33.01	PASS
Band41	5MHz	QPSK	40620	25RB#0	25.41	25.87	33.01	PASS
Band41	5MHz	QPSK	41565	1RB#0	26.05	26.51	33.01	PASS
Band41	5MHz	QPSK	41565	1RB#12	26.21	26.67	33.01	PASS
Band41	5MHz	QPSK	41565	1RB#24	26.08	26.54	33.01	PASS
Band41	5MHz	QPSK	41565	12RB#0	24.94	25.4	33.01	PASS
Band41	5MHz	QPSK	41565	12RB#6	24.93	25.39	33.01	PASS
Band41	5MHz	QPSK	41565	12RB#11	24.96	25.42	33.01	PASS
Band41	5MHz	QPSK	41565	25RB#0	24.91	25.37	33.01	PASS
Band41	5MHz	16QAM	39675	1RB#0	25.75	26.21	33.01	PASS
Band41	5MHz	16QAM	39675	1RB#12	25.95	26.41	33.01	PASS
Band41	5MHz	16QAM	39675	1RB#24	25.80	26.26	33.01	PASS
Band41	5MHz	16QAM	39675	12RB#0	24.70	25.16	33.01	PASS
Band41	5MHz	16QAM	39675	12RB#6	24.71	25.17	33.01	PASS
Band41	5MHz	16QAM	39675	12RB#11	24.71	25.17	33.01	PASS
Band41	5MHz	16QAM	39675	25RB#0	24.66	25.12	33.01	PASS
Band41	5MHz	16QAM	40620	1RB#0	25.61	26.07	33.01	PASS
Band41	5MHz	16QAM	40620	1RB#12	25.72	26.18	33.01	PASS
Band41	5MHz	16QAM	40620	1RB#24	25.43	25.89	33.01	PASS
Band41	5MHz	16QAM	40620	12RB#0	24.36	24.82	33.01	PASS
Band41	5MHz	16QAM	40620	12RB#6	24.37	24.83	33.01	PASS
Band41	5MHz	16QAM	40620	12RB#11	24.37	24.83	33.01	PASS
Band41	5MHz	16QAM	40620	25RB#0	24.36	24.82	33.01	PASS

Band41	5MHz	16QAM	41565	1RB#0	25.09	25.55	33.01	PASS
Band41	5MHz	16QAM	41565	1RB#12	25.18	25.64	33.01	PASS
Band41	5MHz	16QAM	41565	1RB#24	25.09	25.55	33.01	PASS
Band41	5MHz	16QAM	41565	12RB#0	23.81	24.27	33.01	PASS
Band41	5MHz	16QAM	41565	12RB#6	23.87	24.33	33.01	PASS
Band41	5MHz	16QAM	41565	12RB#11	23.85	24.31	33.01	PASS
Band41	5MHz	16QAM	41565	25RB#0	23.89	24.35	33.01	PASS
Band41	5MHz	64QAM	39675	1RB#0	24.95	25.41	33.01	PASS
Band41	5MHz	64QAM	39675	1RB#12	25.10	25.56	33.01	PASS
Band41	5MHz	64QAM	39675	1RB#24	25.01	25.47	33.01	PASS
Band41	5MHz	64QAM	39675	12RB#0	23.61	24.07	33.01	PASS
Band41	5MHz	64QAM	39675	12RB#6	23.63	24.09	33.01	PASS
Band41	5MHz	64QAM	39675	12RB#11	23.66	24.12	33.01	PASS
Band41	5MHz	64QAM	39675	25RB#0	23.55	24.01	33.01	PASS
Band41	5MHz	64QAM	40620	1RB#0	24.62	25.08	33.01	PASS
Band41	5MHz	64QAM	40620	1RB#12	24.74	25.2	33.01	PASS
Band41	5MHz	64QAM	40620	1RB#24	24.34	24.8	33.01	PASS
Band41	5MHz	64QAM	40620	12RB#0	23.28	23.74	33.01	PASS
Band41	5MHz	64QAM	40620	12RB#6	23.29	23.75	33.01	PASS
Band41	5MHz	64QAM	40620	12RB#11	23.23	23.69	33.01	PASS
Band41	5MHz	64QAM	40620	25RB#0	23.32	23.78	33.01	PASS
Band41	5MHz	64QAM	41565	1RB#0	24.06	24.52	33.01	PASS
Band41	5MHz	64QAM	41565	1RB#12	24.19	24.65	33.01	PASS
Band41	5MHz	64QAM	41565	1RB#24	24.04	24.5	33.01	PASS
Band41	5MHz	64QAM	41565	12RB#0	22.78	23.24	33.01	PASS
Band41	5MHz	64QAM	41565	12RB#6	22.82	23.28	33.01	PASS
Band41	5MHz	64QAM	41565	12RB#11	22.79	23.25	33.01	PASS
Band41	5MHz	64QAM	41565	25RB#0	22.79	23.25	33.01	PASS
Band41	10MHz	QPSK	39700	1RB#0	26.67	27.13	33.01	PASS
Band41	10MHz	QPSK	39700	1RB#24	26.97	27.43	33.01	PASS
Band41	10MHz	QPSK	39700	1RB#49	26.66	27.12	33.01	PASS
Band41	10MHz	QPSK	39700	25RB#0	25.66	26.12	33.01	PASS
Band41	10MHz	QPSK	39700	25RB#12	25.63	26.09	33.01	PASS
Band41	10MHz	QPSK	39700	25RB#24	25.69	26.15	33.01	PASS
Band41	10MHz	QPSK	39700	50RB#0	25.65	26.11	33.01	PASS
Band41	10MHz	QPSK	40620	1RB#0	26.55	27.01	33.01	PASS
Band41	10MHz	QPSK	40620	1RB#24	26.79	27.25	33.01	PASS
Band41	10MHz	QPSK	40620	1RB#49	26.48	26.94	33.01	PASS
Band41	10MHz	QPSK	40620	25RB#0	25.47	25.93	33.01	PASS
Band41	10MHz	QPSK	40620	25RB#12	25.46	25.92	33.01	PASS
Band41	10MHz	QPSK	40620	25RB#24	25.46	25.92	33.01	PASS
Band41	10MHz	QPSK	40620	50RB#0	25.48	25.94	33.01	PASS



Band41	10MHz	QPSK	41540	1RB#0	26.15	26.61	33.01	PASS
Band41	10MHz	QPSK	41540	1RB#24	26.50	26.96	33.01	PASS
Band41	10MHz	QPSK	41540	1RB#49	26.21	26.67	33.01	PASS
Band41	10MHz	QPSK	41540	25RB#0	24.98	25.44	33.01	PASS
Band41	10MHz	QPSK	41540	25RB#12	25.01	25.47	33.01	PASS
Band41	10MHz	QPSK	41540	25RB#24	24.99	25.45	33.01	PASS
Band41	10MHz	QPSK	41540	50RB#0	24.98	25.44	33.01	PASS
Band41	10MHz	16QAM	39700	1RB#0	25.88	26.34	33.01	PASS
Band41	10MHz	16QAM	39700	1RB#24	26.11	26.57	33.01	PASS
Band41	10MHz	16QAM	39700	1RB#49	25.86	26.32	33.01	PASS
Band41	10MHz	16QAM	39700	25RB#0	24.67	25.13	33.01	PASS
Band41	10MHz	16QAM	39700	25RB#12	24.67	25.13	33.01	PASS
Band41	10MHz	16QAM	39700	25RB#24	24.71	25.17	33.01	PASS
Band41	10MHz	16QAM	39700	50RB#0	24.66	25.12	33.01	PASS
Band41	10MHz	16QAM	40620	1RB#0	25.67	26.13	33.01	PASS
Band41	10MHz	16QAM	40620	1RB#24	25.80	26.26	33.01	PASS
Band41	10MHz	16QAM	40620	1RB#49	25.58	26.04	33.01	PASS
Band41	10MHz	16QAM	40620	25RB#0	24.53	24.99	33.01	PASS
Band41	10MHz	16QAM	40620	25RB#12	24.50	24.96	33.01	PASS
Band41	10MHz	16QAM	40620	25RB#24	24.51	24.97	33.01	PASS
Band41	10MHz	16QAM	40620	50RB#0	24.41	24.87	33.01	PASS
Band41	10MHz	16QAM	41540	1RB#0	24.83	25.29	33.01	PASS
Band41	10MHz	16QAM	41540	1RB#24	25.11	25.57	33.01	PASS
Band41	10MHz	16QAM	41540	1RB#49	24.80	25.26	33.01	PASS
Band41	10MHz	16QAM	41540	25RB#0	23.98	24.44	33.01	PASS
Band41	10MHz	16QAM	41540	25RB#12	23.97	24.43	33.01	PASS
Band41	10MHz	16QAM	41540	25RB#24	23.94	24.4	33.01	PASS
Band41	10MHz	16QAM	41540	50RB#0	23.94	24.4	33.01	PASS
Band41	10MHz	64QAM	39700	1RB#0	24.92	25.38	33.01	PASS
Band41	10MHz	64QAM	39700	1RB#24	25.19	25.65	33.01	PASS
Band41	10MHz	64QAM	39700	1RB#49	24.98	25.44	33.01	PASS
Band41	10MHz	64QAM	39700	25RB#0	23.55	24.01	33.01	PASS
Band41	10MHz	64QAM	39700	25RB#12	23.60	24.06	33.01	PASS
Band41	10MHz	64QAM	39700	25RB#24	23.59	24.05	33.01	PASS
Band41	10MHz	64QAM	39700	50RB#0	23.63	24.09	33.01	PASS
Band41	10MHz	64QAM	40620	1RB#0	24.79	25.25	33.01	PASS
Band41	10MHz	64QAM	40620	1RB#24	24.94	25.4	33.01	PASS
Band41	10MHz	64QAM	40620	1RB#49	24.69	25.15	33.01	PASS
Band41	10MHz	64QAM	40620	25RB#0	23.38	23.84	33.01	PASS
Band41	10MHz	64QAM	40620	25RB#12	23.38	23.84	33.01	PASS
Band41	10MHz	64QAM	40620	25RB#24	23.38	23.84	33.01	PASS
Band41	10MHz	64QAM	40620	50RB#0	23.41	23.87	33.01	PASS

Band41	10MHz	64QAM	41540	1RB#0	23.80	24.26	33.01	PASS
Band41	10MHz	64QAM	41540	1RB#24	24.07	24.53	33.01	PASS
Band41	10MHz	64QAM	41540	1RB#49	23.83	24.29	33.01	PASS
Band41	10MHz	64QAM	41540	25RB#0	22.80	23.26	33.01	PASS
Band41	10MHz	64QAM	41540	25RB#12	22.79	23.25	33.01	PASS
Band41	10MHz	64QAM	41540	25RB#24	22.79	23.25	33.01	PASS
Band41	10MHz	64QAM	41540	50RB#0	22.81	23.27	33.01	PASS
Band41	15MHz	QPSK	39725	1RB#0	26.65	27.11	33.01	PASS
Band41	15MHz	QPSK	39725	1RB#37	26.72	27.18	33.01	PASS
Band41	15MHz	QPSK	39725	1RB#74	26.64	27.1	33.01	PASS
Band41	15MHz	QPSK	39725	36RB#0	25.73	26.19	33.01	PASS
Band41	15MHz	QPSK	39725	36RB#16	25.74	26.2	33.01	PASS
Band41	15MHz	QPSK	39725	36RB#35	25.69	26.15	33.01	PASS
Band41	15MHz	QPSK	39725	75RB#0	25.75	26.21	33.01	PASS
Band41	15MHz	QPSK	40620	1RB#0	26.51	26.97	33.01	PASS
Band41	15MHz	QPSK	40620	1RB#37	26.55	27.01	33.01	PASS
Band41	15MHz	QPSK	40620	1RB#74	26.37	26.83	33.01	PASS
Band41	15MHz	QPSK	40620	36RB#0	25.55	26.01	33.01	PASS
Band41	15MHz	QPSK	40620	36RB#16	25.55	26.01	33.01	PASS
Band41	15MHz	QPSK	40620	36RB#35	25.58	26.04	33.01	PASS
Band41	15MHz	QPSK	40620	75RB#0	25.53	25.99	33.01	PASS
Band41	15MHz	QPSK	41515	1RB#0	26.20	26.66	33.01	PASS
Band41	15MHz	QPSK	41515	1RB#37	26.34	26.8	33.01	PASS
Band41	15MHz	QPSK	41515	1RB#74	26.28	26.74	33.01	PASS
Band41	15MHz	QPSK	41515	36RB#0	25.16	25.62	33.01	PASS
Band41	15MHz	QPSK	41515	36RB#16	25.13	25.59	33.01	PASS
Band41	15MHz	QPSK	41515	36RB#35	25.13	25.59	33.01	PASS
Band41	15MHz	QPSK	41515	75RB#0	25.18	25.64	33.01	PASS
Band41	15MHz	16QAM	39725	1RB#0	25.78	26.24	33.01	PASS
Band41	15MHz	16QAM	39725	1RB#37	25.91	26.37	33.01	PASS
Band41	15MHz	16QAM	39725	1RB#74	25.82	26.28	33.01	PASS
Band41	15MHz	16QAM	39725	36RB#0	24.64	25.1	33.01	PASS
Band41	15MHz	16QAM	39725	36RB#16	24.65	25.11	33.01	PASS
Band41	15MHz	16QAM	39725	36RB#35	24.68	25.14	33.01	PASS
Band41	15MHz	16QAM	39725	75RB#0	24.74	25.2	33.01	PASS
Band41	15MHz	16QAM	40620	1RB#0	25.62	26.08	33.01	PASS
Band41	15MHz	16QAM	40620	1RB#37	25.62	26.08	33.01	PASS
Band41	15MHz	16QAM	40620	1RB#74	25.45	25.91	33.01	PASS
Band41	15MHz	16QAM	40620	36RB#0	24.45	24.91	33.01	PASS
Band41	15MHz	16QAM	40620	36RB#16	24.50	24.96	33.01	PASS
Band41	15MHz	16QAM	40620	36RB#35	24.47	24.93	33.01	PASS
Band41	15MHz	16QAM	40620	75RB#0	24.46	24.92	33.01	PASS

Band41	15MHz	16QAM	41515	1RB#0	24.90	25.36	33.01	PASS
Band41	15MHz	16QAM	41515	1RB#37	24.96	25.42	33.01	PASS
Band41	15MHz	16QAM	41515	1RB#74	24.90	25.36	33.01	PASS
Band41	15MHz	16QAM	41515	36RB#0	23.96	24.42	33.01	PASS
Band41	15MHz	16QAM	41515	36RB#16	24.01	24.47	33.01	PASS
Band41	15MHz	16QAM	41515	36RB#35	24.01	24.47	33.01	PASS
Band41	15MHz	16QAM	41515	75RB#0	24.05	24.51	33.01	PASS
Band41	15MHz	64QAM	39725	1RB#0	24.88	25.34	33.01	PASS
Band41	15MHz	64QAM	39725	1RB#37	25.01	25.47	33.01	PASS
Band41	15MHz	64QAM	39725	1RB#74	24.96	25.42	33.01	PASS
Band41	15MHz	64QAM	39725	36RB#0	23.57	24.03	33.01	PASS
Band41	15MHz	64QAM	39725	36RB#16	23.60	24.06	33.01	PASS
Band41	15MHz	64QAM	39725	36RB#35	23.59	24.05	33.01	PASS
Band41	15MHz	64QAM	39725	75RB#0	23.72	24.18	33.01	PASS
Band41	15MHz	64QAM	40620	1RB#0	24.75	25.21	33.01	PASS
Band41	15MHz	64QAM	40620	1RB#37	24.76	25.22	33.01	PASS
Band41	15MHz	64QAM	40620	1RB#74	24.56	25.02	33.01	PASS
Band41	15MHz	64QAM	40620	36RB#0	23.48	23.94	33.01	PASS
Band41	15MHz	64QAM	40620	36RB#16	23.46	23.92	33.01	PASS
Band41	15MHz	64QAM	40620	36RB#35	23.44	23.9	33.01	PASS
Band41	15MHz	64QAM	40620	75RB#0	23.46	23.92	33.01	PASS
Band41	15MHz	64QAM	41515	1RB#0	24.09	24.55	33.01	PASS
Band41	15MHz	64QAM	41515	1RB#37	24.10	24.56	33.01	PASS
Band41	15MHz	64QAM	41515	1RB#74	23.99	24.45	33.01	PASS
Band41	15MHz	64QAM	41515	36RB#0	22.99	23.45	33.01	PASS
Band41	15MHz	64QAM	41515	36RB#16	23.02	23.48	33.01	PASS
Band41	15MHz	64QAM	41515	36RB#35	22.97	23.43	33.01	PASS
Band41	15MHz	64QAM	41515	75RB#0	22.96	23.42	33.01	PASS
Band41	20MHz	QPSK	39750	1RB#0	26.54	27	33.01	PASS
Band41	20MHz	QPSK	39750	1RB#49	26.91	27.37	33.01	PASS
Band41	20MHz	QPSK	39750	1RB#99	26.51	26.97	33.01	PASS
Band41	20MHz	QPSK	39750	50RB#0	25.57	26.03	33.01	PASS
Band41	20MHz	QPSK	39750	50RB#24	25.58	26.04	33.01	PASS
Band41	20MHz	QPSK	39750	50RB#49	25.63	26.09	33.01	PASS
Band41	20MHz	QPSK	39750	100RB#0	25.60	26.06	33.01	PASS
Band41	20MHz	QPSK	40620	1RB#0	26.39	26.85	33.01	PASS
Band41	20MHz	QPSK	40620	1RB#49	26.77	27.23	33.01	PASS
Band41	20MHz	QPSK	40620	1RB#99	26.31	26.77	33.01	PASS
Band41	20MHz	QPSK	40620	50RB#0	25.45	25.91	33.01	PASS
Band41	20MHz	QPSK	40620	50RB#24	25.44	25.9	33.01	PASS
Band41	20MHz	QPSK	40620	50RB#49	25.46	25.92	33.01	PASS
Band41	20MHz	QPSK	40620	100RB#0	25.42	25.88	33.01	PASS

Band41	20MHz	QPSK	41490	1RB#0	25.91	26.37	33.01	PASS
Band41	20MHz	QPSK	41490	1RB#49	26.39	26.85	33.01	PASS
Band41	20MHz	QPSK	41490	1RB#99	26.04	26.5	33.01	PASS
Band41	20MHz	QPSK	41490	50RB#0	25.00	25.46	33.01	PASS
Band41	20MHz	QPSK	41490	50RB#24	24.98	25.44	33.01	PASS
Band41	20MHz	QPSK	41490	50RB#49	24.96	25.42	33.01	PASS
Band41	20MHz	QPSK	41490	100RB#0	25.02	25.48	33.01	PASS
Band41	20MHz	16QAM	39750	1RB#0	25.54	26	33.01	PASS
Band41	20MHz	16QAM	39750	1RB#49	25.93	26.39	33.01	PASS
Band41	20MHz	16QAM	39750	1RB#99	25.59	26.05	33.01	PASS
Band41	20MHz	16QAM	39750	50RB#0	24.60	25.06	33.01	PASS
Band41	20MHz	16QAM	39750	50RB#24	24.57	25.03	33.01	PASS
Band41	20MHz	16QAM	39750	50RB#49	24.60	25.06	33.01	PASS
Band41	20MHz	16QAM	39750	100RB#0	24.64	25.1	33.01	PASS
Band41	20MHz	16QAM	40620	1RB#0	25.38	25.84	33.01	PASS
Band41	20MHz	16QAM	40620	1RB#49	25.67	26.13	33.01	PASS
Band41	20MHz	16QAM	40620	1RB#99	25.25	25.71	33.01	PASS
Band41	20MHz	16QAM	40620	50RB#0	24.43	24.89	33.01	PASS
Band41	20MHz	16QAM	40620	50RB#24	24.41	24.87	33.01	PASS
Band41	20MHz	16QAM	40620	50RB#49	24.38	24.84	33.01	PASS
Band41	20MHz	16QAM	40620	100RB#0	24.41	24.87	33.01	PASS
Band41	20MHz	16QAM	41490	1RB#0	24.46	24.92	33.01	PASS
Band41	20MHz	16QAM	41490	1RB#49	24.77	25.23	33.01	PASS
Band41	20MHz	16QAM	41490	1RB#99	24.42	24.88	33.01	PASS
Band41	20MHz	16QAM	41490	50RB#0	24.00	24.46	33.01	PASS
Band41	20MHz	16QAM	41490	50RB#24	23.95	24.41	33.01	PASS
Band41	20MHz	16QAM	41490	50RB#49	23.98	24.44	33.01	PASS
Band41	20MHz	16QAM	41490	100RB#0	23.96	24.42	33.01	PASS
Band41	20MHz	64QAM	39750	1RB#0	24.49	24.95	33.01	PASS
Band41	20MHz	64QAM	39750	1RB#49	24.88	25.34	33.01	PASS
Band41	20MHz	64QAM	39750	1RB#99	24.51	24.97	33.01	PASS
Band41	20MHz	64QAM	39750	50RB#0	23.54	24	33.01	PASS
Band41	20MHz	64QAM	39750	50RB#24	23.52	23.98	33.01	PASS
Band41	20MHz	64QAM	39750	50RB#49	23.49	23.95	33.01	PASS
Band41	20MHz	64QAM	39750	100RB#0	23.64	24.1	33.01	PASS
Band41	20MHz	64QAM	40620	1RB#0	24.36	24.82	33.01	PASS
Band41	20MHz	64QAM	40620	1RB#49	24.62	25.08	33.01	PASS
Band41	20MHz	64QAM	40620	1RB#99	24.23	24.69	33.01	PASS
Band41	20MHz	64QAM	40620	50RB#0	23.32	23.78	33.01	PASS
Band41	20MHz	64QAM	40620	50RB#24	23.35	23.81	33.01	PASS
Band41	20MHz	64QAM	40620	50RB#49	23.34	23.8	33.01	PASS
Band41	20MHz	64QAM	40620	100RB#0	23.35	23.81	33.01	PASS

Band41	20MHz	64QAM	41490	1RB#0	23.92	24.38	33.01	PASS
Band41	20MHz	64QAM	41490	1RB#49	24.16	24.62	33.01	PASS
Band41	20MHz	64QAM	41490	1RB#99	23.79	24.25	33.01	PASS
Band41	20MHz	64QAM	41490	50RB#0	22.98	23.44	33.01	PASS
Band41	20MHz	64QAM	41490	50RB#24	22.96	23.42	33.01	PASS
Band41	20MHz	64QAM	41490	50RB#49	22.96	23.42	33.01	PASS
Band41	20MHz	64QAM	41490	100RB#0	22.94	23.4	33.01	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	21.98	20.84	30.00	PASS
Band66	1.4MHz	QPSK	131979	1RB#2	22.11	20.97	30.00	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	21.96	20.82	30.00	PASS
Band66	1.4MHz	QPSK	131979	3RB#0	22.10	20.96	30.00	PASS
Band66	1.4MHz	QPSK	131979	3RB#1	22.09	20.95	30.00	PASS
Band66	1.4MHz	QPSK	131979	3RB#2	22.04	20.9	30.00	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	21.11	19.97	30.00	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	22.04	20.9	30.00	PASS
Band66	1.4MHz	QPSK	132322	1RB#2	22.18	21.04	30.00	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	22.08	20.94	30.00	PASS
Band66	1.4MHz	QPSK	132322	3RB#0	22.10	20.96	30.00	PASS
Band66	1.4MHz	QPSK	132322	3RB#1	22.14	21	30.00	PASS
Band66	1.4MHz	QPSK	132322	3RB#2	22.16	21.02	30.00	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	21.06	19.92	30.00	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	22.17	21.03	30.00	PASS
Band66	1.4MHz	QPSK	132665	1RB#2	22.28	21.14	30.00	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	22.21	21.07	30.00	PASS
Band66	1.4MHz	QPSK	132665	3RB#0	22.36	21.22	30.00	PASS
Band66	1.4MHz	QPSK	132665	3RB#1	22.36	21.22	30.00	PASS
Band66	1.4MHz	QPSK	132665	3RB#2	22.34	21.2	30.00	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	21.28	20.14	30.00	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	21.20	20.06	30.00	PASS
Band66	1.4MHz	16QAM	131979	1RB#2	21.38	20.24	30.00	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	21.17	20.03	30.00	PASS
Band66	1.4MHz	16QAM	131979	3RB#0	21.02	19.88	30.00	PASS
Band66	1.4MHz	16QAM	131979	3RB#1	21.03	19.89	30.00	PASS
Band66	1.4MHz	16QAM	131979	3RB#2	21.02	19.88	30.00	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	20.02	18.88	30.00	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	20.98	19.84	30.00	PASS
Band66	1.4MHz	16QAM	132322	1RB#2	21.18	20.04	30.00	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	20.94	19.8	30.00	PASS
Band66	1.4MHz	16QAM	132322	3RB#0	21.01	19.87	30.00	PASS
Band66	1.4MHz	16QAM	132322	3RB#1	21.03	19.89	30.00	PASS
Band66	1.4MHz	16QAM	132322	3RB#2	21.00	19.86	30.00	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	20.14	19	30.00	PASS



Band66	1.4MHz	16QAM	132665	1RB#0	21.42	20.28	30.00	PASS
Band66	1.4MHz	16QAM	132665	1RB#2	21.54	20.4	30.00	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	21.43	20.29	30.00	PASS
Band66	1.4MHz	16QAM	132665	3RB#0	21.30	20.16	30.00	PASS
Band66	1.4MHz	16QAM	132665	3RB#1	21.28	20.14	30.00	PASS
Band66	1.4MHz	16QAM	132665	3RB#2	21.27	20.13	30.00	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	20.36	19.22	30.00	PASS
Band66	1.4MHz	64QAM	131979	1RB#0	20.00	18.86	30.00	PASS
Band66	1.4MHz	64QAM	131979	1RB#2	20.14	19	30.00	PASS
Band66	1.4MHz	64QAM	131979	1RB#5	20.03	18.89	30.00	PASS
Band66	1.4MHz	64QAM	131979	3RB#0	19.96	18.82	30.00	PASS
Band66	1.4MHz	64QAM	131979	3RB#1	19.99	18.85	30.00	PASS
Band66	1.4MHz	64QAM	131979	3RB#2	20.02	18.88	30.00	PASS
Band66	1.4MHz	64QAM	131979	6RB#0	18.97	17.83	30.00	PASS
Band66	1.4MHz	64QAM	132322	1RB#0	20.41	19.27	30.00	PASS
Band66	1.4MHz	64QAM	132322	1RB#2	20.47	19.33	30.00	PASS
Band66	1.4MHz	64QAM	132322	1RB#5	20.35	19.21	30.00	PASS
Band66	1.4MHz	64QAM	132322	3RB#0	20.29	19.15	30.00	PASS
Band66	1.4MHz	64QAM	132322	3RB#1	20.31	19.17	30.00	PASS
Band66	1.4MHz	64QAM	132322	3RB#2	20.28	19.14	30.00	PASS
Band66	1.4MHz	64QAM	132322	6RB#0	19.10	17.96	30.00	PASS
Band66	1.4MHz	64QAM	132665	1RB#0	20.62	19.48	30.00	PASS
Band66	1.4MHz	64QAM	132665	1RB#2	20.73	19.59	30.00	PASS
Band66	1.4MHz	64QAM	132665	1RB#5	20.62	19.48	30.00	PASS
Band66	1.4MHz	64QAM	132665	3RB#0	20.45	19.31	30.00	PASS
Band66	1.4MHz	64QAM	132665	3RB#1	20.43	19.29	30.00	PASS
Band66	1.4MHz	64QAM	132665	3RB#2	20.42	19.28	30.00	PASS
Band66	1.4MHz	64QAM	132665	6RB#0	19.15	18.01	30.00	PASS
Band66	3MHz	QPSK	131987	1RB#0	21.95	20.81	30.00	PASS
Band66	3MHz	QPSK	131987	1RB#7	21.93	20.79	30.00	PASS
Band66	3MHz	QPSK	131987	1RB#14	21.96	20.82	30.00	PASS
Band66	3MHz	QPSK	131987	8RB#0	21.00	19.86	30.00	PASS
Band66	3MHz	QPSK	131987	8RB#4	21.00	19.86	30.00	PASS
Band66	3MHz	QPSK	131987	8RB#7	21.04	19.9	30.00	PASS
Band66	3MHz	QPSK	131987	15RB#0	20.97	19.83	30.00	PASS
Band66	3MHz	QPSK	132322	1RB#0	22.01	20.87	30.00	PASS
Band66	3MHz	QPSK	132322	1RB#7	22.05	20.91	30.00	PASS
Band66	3MHz	QPSK	132322	1RB#14	22.01	20.87	30.00	PASS
Band66	3MHz	QPSK	132322	8RB#0	21.04	19.9	30.00	PASS
Band66	3MHz	QPSK	132322	8RB#4	21.05	19.91	30.00	PASS
Band66	3MHz	QPSK	132322	8RB#7	21.05	19.91	30.00	PASS
Band66	3MHz	QPSK	132322	15RB#0	21.03	19.89	30.00	PASS

Band66	3MHz	QPSK	132657	1RB#0	22.30	21.16	30.00	PASS
Band66	3MHz	QPSK	132657	1RB#7	22.25	21.11	30.00	PASS
Band66	3MHz	QPSK	132657	1RB#14	22.27	21.13	30.00	PASS
Band66	3MHz	QPSK	132657	8RB#0	21.28	20.14	30.00	PASS
Band66	3MHz	QPSK	132657	8RB#4	21.33	20.19	30.00	PASS
Band66	3MHz	QPSK	132657	8RB#7	21.28	20.14	30.00	PASS
Band66	3MHz	QPSK	132657	15RB#0	21.27	20.13	30.00	PASS
Band66	3MHz	16QAM	131987	1RB#0	21.19	20.05	30.00	PASS
Band66	3MHz	16QAM	131987	1RB#7	21.18	20.04	30.00	PASS
Band66	3MHz	16QAM	131987	1RB#14	21.22	20.08	30.00	PASS
Band66	3MHz	16QAM	131987	8RB#0	20.08	18.94	30.00	PASS
Band66	3MHz	16QAM	131987	8RB#4	20.10	18.96	30.00	PASS
Band66	3MHz	16QAM	131987	8RB#7	20.11	18.97	30.00	PASS
Band66	3MHz	16QAM	131987	15RB#0	20.07	18.93	30.00	PASS
Band66	3MHz	16QAM	132322	1RB#0	21.27	20.13	30.00	PASS
Band66	3MHz	16QAM	132322	1RB#7	21.30	20.16	30.00	PASS
Band66	3MHz	16QAM	132322	1RB#14	21.28	20.14	30.00	PASS
Band66	3MHz	16QAM	132322	8RB#0	20.09	18.95	30.00	PASS
Band66	3MHz	16QAM	132322	8RB#4	20.14	19	30.00	PASS
Band66	3MHz	16QAM	132322	8RB#7	20.10	18.96	30.00	PASS
Band66	3MHz	16QAM	132322	15RB#0	20.01	18.87	30.00	PASS
Band66	3MHz	16QAM	132657	1RB#0	21.17	20.03	30.00	PASS
Band66	3MHz	16QAM	132657	1RB#7	21.24	20.1	30.00	PASS
Band66	3MHz	16QAM	132657	1RB#14	21.25	20.11	30.00	PASS
Band66	3MHz	16QAM	132657	8RB#0	20.32	19.18	30.00	PASS
Band66	3MHz	16QAM	132657	8RB#4	20.34	19.2	30.00	PASS
Band66	3MHz	16QAM	132657	8RB#7	20.33	19.19	30.00	PASS
Band66	3MHz	16QAM	132657	15RB#0	20.26	19.12	30.00	PASS
Band66	3MHz	64QAM	131987	1RB#0	19.97	18.83	30.00	PASS
Band66	3MHz	64QAM	131987	1RB#7	20.03	18.89	30.00	PASS
Band66	3MHz	64QAM	131987	1RB#14	20.06	18.92	30.00	PASS
Band66	3MHz	64QAM	131987	8RB#0	19.04	17.9	30.00	PASS
Band66	3MHz	64QAM	131987	8RB#4	19.01	17.87	30.00	PASS
Band66	3MHz	64QAM	131987	8RB#7	19.04	17.9	30.00	PASS
Band66	3MHz	64QAM	131987	15RB#0	19.08	17.94	30.00	PASS
Band66	3MHz	64QAM	132322	1RB#0	20.15	19.01	30.00	PASS
Band66	3MHz	64QAM	132322	1RB#7	20.17	19.03	30.00	PASS
Band66	3MHz	64QAM	132322	1RB#14	20.18	19.04	30.00	PASS
Band66	3MHz	64QAM	132322	8RB#0	19.12	17.98	30.00	PASS
Band66	3MHz	64QAM	132322	8RB#4	19.08	17.94	30.00	PASS
Band66	3MHz	64QAM	132322	8RB#7	19.16	18.02	30.00	PASS
Band66	3MHz	64QAM	132322	15RB#0	19.06	17.92	30.00	PASS

Band66	3MHz	64QAM	132657	1RB#0	20.56	19.42	30.00	PASS
Band66	3MHz	64QAM	132657	1RB#7	20.56	19.42	30.00	PASS
Band66	3MHz	64QAM	132657	1RB#14	20.63	19.49	30.00	PASS
Band66	3MHz	64QAM	132657	8RB#0	19.28	18.14	30.00	PASS
Band66	3MHz	64QAM	132657	8RB#4	19.31	18.17	30.00	PASS
Band66	3MHz	64QAM	132657	8RB#7	19.31	18.17	30.00	PASS
Band66	3MHz	64QAM	132657	15RB#0	19.25	18.11	30.00	PASS
Band66	5MHz	QPSK	131997	1RB#0	21.91	20.77	30.00	PASS
Band66	5MHz	QPSK	131997	1RB#12	22.13	20.99	30.00	PASS
Band66	5MHz	QPSK	131997	1RB#24	22.03	20.89	30.00	PASS
Band66	5MHz	QPSK	131997	12RB#0	20.99	19.85	30.00	PASS
Band66	5MHz	QPSK	131997	12RB#6	21.06	19.92	30.00	PASS
Band66	5MHz	QPSK	131997	12RB#11	21.04	19.9	30.00	PASS
Band66	5MHz	QPSK	131997	25RB#0	21.02	19.88	30.00	PASS
Band66	5MHz	QPSK	132322	1RB#0	21.99	20.85	30.00	PASS
Band66	5MHz	QPSK	132322	1RB#12	22.13	20.99	30.00	PASS
Band66	5MHz	QPSK	132322	1RB#24	22.03	20.89	30.00	PASS
Band66	5MHz	QPSK	132322	12RB#0	20.99	19.85	30.00	PASS
Band66	5MHz	QPSK	132322	12RB#6	21.03	19.89	30.00	PASS
Band66	5MHz	QPSK	132322	12RB#11	21.01	19.87	30.00	PASS
Band66	5MHz	QPSK	132322	25RB#0	21.11	19.97	30.00	PASS
Band66	5MHz	QPSK	132647	1RB#0	22.17	21.03	30.00	PASS
Band66	5MHz	QPSK	132647	1RB#12	22.31	21.17	30.00	PASS
Band66	5MHz	QPSK	132647	1RB#24	22.24	21.1	30.00	PASS
Band66	5MHz	QPSK	132647	12RB#0	21.19	20.05	30.00	PASS
Band66	5MHz	QPSK	132647	12RB#6	21.20	20.06	30.00	PASS
Band66	5MHz	QPSK	132647	12RB#11	21.24	20.1	30.00	PASS
Band66	5MHz	QPSK	132647	25RB#0	21.30	20.16	30.00	PASS
Band66	5MHz	16QAM	131997	1RB#0	21.02	19.88	30.00	PASS
Band66	5MHz	16QAM	131997	1RB#12	21.13	19.99	30.00	PASS
Band66	5MHz	16QAM	131997	1RB#24	21.09	19.95	30.00	PASS
Band66	5MHz	16QAM	131997	12RB#0	20.01	18.87	30.00	PASS
Band66	5MHz	16QAM	131997	12RB#6	20.05	18.91	30.00	PASS
Band66	5MHz	16QAM	131997	12RB#11	20.06	18.92	30.00	PASS
Band66	5MHz	16QAM	131997	25RB#0	20.07	18.93	30.00	PASS
Band66	5MHz	16QAM	132322	1RB#0	21.28	20.14	30.00	PASS
Band66	5MHz	16QAM	132322	1RB#12	21.38	20.24	30.00	PASS
Band66	5MHz	16QAM	132322	1RB#24	21.27	20.13	30.00	PASS
Band66	5MHz	16QAM	132322	12RB#0	20.08	18.94	30.00	PASS
Band66	5MHz	16QAM	132322	12RB#6	20.04	18.9	30.00	PASS
Band66	5MHz	16QAM	132322	12RB#11	20.06	18.92	30.00	PASS
Band66	5MHz	16QAM	132322	25RB#0	20.09	18.95	30.00	PASS

Band66	5MHz	16QAM	132647	1RB#0	21.18	20.04	30.00	PASS
Band66	5MHz	16QAM	132647	1RB#12	21.37	20.23	30.00	PASS
Band66	5MHz	16QAM	132647	1RB#24	21.29	20.15	30.00	PASS
Band66	5MHz	16QAM	132647	12RB#0	20.30	19.16	30.00	PASS
Band66	5MHz	16QAM	132647	12RB#6	20.31	19.17	30.00	PASS
Band66	5MHz	16QAM	132647	12RB#11	20.29	19.15	30.00	PASS
Band66	5MHz	16QAM	132647	25RB#0	20.34	19.2	30.00	PASS
Band66	5MHz	64QAM	131997	1RB#0	19.93	18.79	30.00	PASS
Band66	5MHz	64QAM	131997	1RB#12	20.07	18.93	30.00	PASS
Band66	5MHz	64QAM	131997	1RB#24	19.96	18.82	30.00	PASS
Band66	5MHz	64QAM	131997	12RB#0	18.99	17.85	30.00	PASS
Band66	5MHz	64QAM	131997	12RB#6	19.05	17.91	30.00	PASS
Band66	5MHz	64QAM	131997	12RB#11	19.00	17.86	30.00	PASS
Band66	5MHz	64QAM	131997	25RB#0	18.96	17.82	30.00	PASS
Band66	5MHz	64QAM	132322	1RB#0	20.61	19.47	30.00	PASS
Band66	5MHz	64QAM	132322	1RB#12	20.71	19.57	30.00	PASS
Band66	5MHz	64QAM	132322	1RB#24	20.64	19.5	30.00	PASS
Band66	5MHz	64QAM	132322	12RB#0	19.02	17.88	30.00	PASS
Band66	5MHz	64QAM	132322	12RB#6	19.05	17.91	30.00	PASS
Band66	5MHz	64QAM	132322	12RB#11	19.03	17.89	30.00	PASS
Band66	5MHz	64QAM	132322	25RB#0	19.01	17.87	30.00	PASS
Band66	5MHz	64QAM	132647	1RB#0	20.56	19.42	30.00	PASS
Band66	5MHz	64QAM	132647	1RB#12	20.65	19.51	30.00	PASS
Band66	5MHz	64QAM	132647	1RB#24	20.53	19.39	30.00	PASS
Band66	5MHz	64QAM	132647	12RB#0	19.32	18.18	30.00	PASS
Band66	5MHz	64QAM	132647	12RB#6	19.35	18.21	30.00	PASS
Band66	5MHz	64QAM	132647	12RB#11	19.30	18.16	30.00	PASS
Band66	5MHz	64QAM	132647	25RB#0	19.38	18.24	30.00	PASS
Band66	10MHz	QPSK	132022	1RB#0	21.92	20.78	30.00	PASS
Band66	10MHz	QPSK	132022	1RB#24	22.05	20.91	30.00	PASS
Band66	10MHz	QPSK	132022	1RB#49	22.00	20.86	30.00	PASS
Band66	10MHz	QPSK	132022	25RB#0	21.07	19.93	30.00	PASS
Band66	10MHz	QPSK	132022	25RB#12	21.03	19.89	30.00	PASS
Band66	10MHz	QPSK	132022	25RB#24	21.05	19.91	30.00	PASS
Band66	10MHz	QPSK	132022	50RB#0	21.05	19.91	30.00	PASS
Band66	10MHz	QPSK	132322	1RB#0	21.93	20.79	30.00	PASS
Band66	10MHz	QPSK	132322	1RB#24	22.18	21.04	30.00	PASS
Band66	10MHz	QPSK	132322	1RB#49	22.02	20.88	30.00	PASS
Band66	10MHz	QPSK	132322	25RB#0	20.98	19.84	30.00	PASS
Band66	10MHz	QPSK	132322	25RB#12	21.00	19.86	30.00	PASS
Band66	10MHz	QPSK	132322	25RB#24	20.98	19.84	30.00	PASS
Band66	10MHz	QPSK	132322	50RB#0	21.10	19.96	30.00	PASS

Band66	10MHz	QPSK	132622	1RB#0	22.22	21.08	30.00	PASS
Band66	10MHz	QPSK	132622	1RB#24	22.43	21.29	30.00	PASS
Band66	10MHz	QPSK	132622	1RB#49	22.27	21.13	30.00	PASS
Band66	10MHz	QPSK	132622	25RB#0	21.34	20.2	30.00	PASS
Band66	10MHz	QPSK	132622	25RB#12	21.39	20.25	30.00	PASS
Band66	10MHz	QPSK	132622	25RB#24	21.38	20.24	30.00	PASS
Band66	10MHz	QPSK	132622	50RB#0	21.31	20.17	30.00	PASS
Band66	10MHz	16QAM	132022	1RB#0	21.13	19.99	30.00	PASS
Band66	10MHz	16QAM	132022	1RB#24	21.34	20.2	30.00	PASS
Band66	10MHz	16QAM	132022	1RB#49	21.27	20.13	30.00	PASS
Band66	10MHz	16QAM	132022	25RB#0	20.06	18.92	30.00	PASS
Band66	10MHz	16QAM	132022	25RB#12	20.10	18.96	30.00	PASS
Band66	10MHz	16QAM	132022	25RB#24	20.09	18.95	30.00	PASS
Band66	10MHz	16QAM	132022	50RB#0	20.03	18.89	30.00	PASS
Band66	10MHz	16QAM	132322	1RB#0	21.20	20.06	30.00	PASS
Band66	10MHz	16QAM	132322	1RB#24	21.30	20.16	30.00	PASS
Band66	10MHz	16QAM	132322	1RB#49	21.28	20.14	30.00	PASS
Band66	10MHz	16QAM	132322	25RB#0	20.08	18.94	30.00	PASS
Band66	10MHz	16QAM	132322	25RB#12	20.09	18.95	30.00	PASS
Band66	10MHz	16QAM	132322	25RB#24	20.14	19	30.00	PASS
Band66	10MHz	16QAM	132322	50RB#0	20.18	19.04	30.00	PASS
Band66	10MHz	16QAM	132622	1RB#0	21.14	20	30.00	PASS
Band66	10MHz	16QAM	132622	1RB#24	21.29	20.15	30.00	PASS
Band66	10MHz	16QAM	132622	1RB#49	21.23	20.09	30.00	PASS
Band66	10MHz	16QAM	132622	25RB#0	20.43	19.29	30.00	PASS
Band66	10MHz	16QAM	132622	25RB#12	20.44	19.3	30.00	PASS
Band66	10MHz	16QAM	132622	25RB#24	20.44	19.3	30.00	PASS
Band66	10MHz	16QAM	132622	50RB#0	20.39	19.25	30.00	PASS
Band66	10MHz	64QAM	132022	1RB#0	19.93	18.79	30.00	PASS
Band66	10MHz	64QAM	132022	1RB#24	20.11	18.97	30.00	PASS
Band66	10MHz	64QAM	132022	1RB#49	20.05	18.91	30.00	PASS
Band66	10MHz	64QAM	132022	25RB#0	19.08	17.94	30.00	PASS
Band66	10MHz	64QAM	132022	25RB#12	19.03	17.89	30.00	PASS
Band66	10MHz	64QAM	132022	25RB#24	19.06	17.92	30.00	PASS
Band66	10MHz	64QAM	132022	50RB#0	19.07	17.93	30.00	PASS
Band66	10MHz	64QAM	132322	1RB#0	20.06	18.92	30.00	PASS
Band66	10MHz	64QAM	132322	1RB#24	20.25	19.11	30.00	PASS
Band66	10MHz	64QAM	132322	1RB#49	20.16	19.02	30.00	PASS
Band66	10MHz	64QAM	132322	25RB#0	19.07	17.93	30.00	PASS
Band66	10MHz	64QAM	132322	25RB#12	19.09	17.95	30.00	PASS
Band66	10MHz	64QAM	132322	25RB#24	19.06	17.92	30.00	PASS
Band66	10MHz	64QAM	132322	50RB#0	19.09	17.95	30.00	PASS



Band66	10MHz	64QAM	132622	1RB#0	20.48	19.34	30.00	PASS
Band66	10MHz	64QAM	132622	1RB#24	20.66	19.52	30.00	PASS
Band66	10MHz	64QAM	132622	1RB#49	20.60	19.46	30.00	PASS
Band66	10MHz	64QAM	132622	25RB#0	19.39	18.25	30.00	PASS
Band66	10MHz	64QAM	132622	25RB#12	19.41	18.27	30.00	PASS
Band66	10MHz	64QAM	132622	25RB#24	19.41	18.27	30.00	PASS
Band66	10MHz	64QAM	132622	50RB#0	19.38	18.24	30.00	PASS
Band66	15MHz	QPSK	132047	1RB#0	21.84	20.7	30.00	PASS
Band66	15MHz	QPSK	132047	1RB#37	22.06	20.92	30.00	PASS
Band66	15MHz	QPSK	132047	1RB#74	22.02	20.88	30.00	PASS
Band66	15MHz	QPSK	132047	36RB#0	21.06	19.92	30.00	PASS
Band66	15MHz	QPSK	132047	36RB#16	21.08	19.94	30.00	PASS
Band66	15MHz	QPSK	132047	36RB#35	21.08	19.94	30.00	PASS
Band66	15MHz	QPSK	132047	75RB#0	21.14	20	30.00	PASS
Band66	15MHz	QPSK	132322	1RB#0	21.96	20.82	30.00	PASS
Band66	15MHz	QPSK	132322	1RB#37	22.05	20.91	30.00	PASS
Band66	15MHz	QPSK	132322	1RB#74	21.99	20.85	30.00	PASS
Band66	15MHz	QPSK	132322	36RB#0	21.06	19.92	30.00	PASS
Band66	15MHz	QPSK	132322	36RB#16	21.05	19.91	30.00	PASS
Band66	15MHz	QPSK	132322	36RB#35	21.05	19.91	30.00	PASS
Band66	15MHz	QPSK	132322	75RB#0	21.12	19.98	30.00	PASS
Band66	15MHz	QPSK	132597	1RB#0	22.12	20.98	30.00	PASS
Band66	15MHz	QPSK	132597	1RB#37	22.25	21.11	30.00	PASS
Band66	15MHz	QPSK	132597	1RB#74	22.24	21.1	30.00	PASS
Band66	15MHz	QPSK	132597	36RB#0	21.38	20.24	30.00	PASS
Band66	15MHz	QPSK	132597	36RB#16	21.44	20.3	30.00	PASS
Band66	15MHz	QPSK	132597	36RB#35	21.40	20.26	30.00	PASS
Band66	15MHz	QPSK	132597	75RB#0	21.37	20.23	30.00	PASS
Band66	15MHz	16QAM	132047	1RB#0	21.06	19.92	30.00	PASS
Band66	15MHz	16QAM	132047	1RB#37	21.33	20.19	30.00	PASS
Band66	15MHz	16QAM	132047	1RB#74	21.30	20.16	30.00	PASS
Band66	15MHz	16QAM	132047	36RB#0	20.10	18.96	30.00	PASS
Band66	15MHz	16QAM	132047	36RB#16	20.07	18.93	30.00	PASS
Band66	15MHz	16QAM	132047	36RB#35	20.07	18.93	30.00	PASS
Band66	15MHz	16QAM	132047	75RB#0	20.05	18.91	30.00	PASS
Band66	15MHz	16QAM	132322	1RB#0	21.25	20.11	30.00	PASS
Band66	15MHz	16QAM	132322	1RB#37	21.42	20.28	30.00	PASS
Band66	15MHz	16QAM	132322	1RB#74	21.36	20.22	30.00	PASS
Band66	15MHz	16QAM	132322	36RB#0	20.09	18.95	30.00	PASS
Band66	15MHz	16QAM	132322	36RB#16	20.13	18.99	30.00	PASS
Band66	15MHz	16QAM	132322	36RB#35	20.12	18.98	30.00	PASS
Band66	15MHz	16QAM	132322	75RB#0	20.14	19	30.00	PASS

Band66	15MHz	16QAM	132597	1RB#0	21.06	19.92	30.00	PASS
Band66	15MHz	16QAM	132597	1RB#37	21.17	20.03	30.00	PASS
Band66	15MHz	16QAM	132597	1RB#74	21.14	20	30.00	PASS
Band66	15MHz	16QAM	132597	36RB#0	20.27	19.13	30.00	PASS
Band66	15MHz	16QAM	132597	36RB#16	20.30	19.16	30.00	PASS
Band66	15MHz	16QAM	132597	36RB#35	20.34	19.2	30.00	PASS
Band66	15MHz	16QAM	132597	75RB#0	20.39	19.25	30.00	PASS
Band66	15MHz	64QAM	132047	1RB#0	19.89	18.75	30.00	PASS
Band66	15MHz	64QAM	132047	1RB#37	20.08	18.94	30.00	PASS
Band66	15MHz	64QAM	132047	1RB#74	20.01	18.87	30.00	PASS
Band66	15MHz	64QAM	132047	36RB#0	19.10	17.96	30.00	PASS
Band66	15MHz	64QAM	132047	36RB#16	19.07	17.93	30.00	PASS
Band66	15MHz	64QAM	132047	36RB#35	19.07	17.93	30.00	PASS
Band66	15MHz	64QAM	132047	75RB#0	19.08	17.94	30.00	PASS
Band66	15MHz	64QAM	132322	1RB#0	20.30	19.16	30.00	PASS
Band66	15MHz	64QAM	132322	1RB#37	20.39	19.25	30.00	PASS
Band66	15MHz	64QAM	132322	1RB#74	20.45	19.31	30.00	PASS
Band66	15MHz	64QAM	132322	36RB#0	19.03	17.89	30.00	PASS
Band66	15MHz	64QAM	132322	36RB#16	19.11	17.97	30.00	PASS
Band66	15MHz	64QAM	132322	36RB#35	19.09	17.95	30.00	PASS
Band66	15MHz	64QAM	132322	75RB#0	19.16	18.02	30.00	PASS
Band66	15MHz	64QAM	132597	1RB#0	20.41	19.27	30.00	PASS
Band66	15MHz	64QAM	132597	1RB#37	20.62	19.48	30.00	PASS
Band66	15MHz	64QAM	132597	1RB#74	20.56	19.42	30.00	PASS
Band66	15MHz	64QAM	132597	36RB#0	19.31	18.17	30.00	PASS
Band66	15MHz	64QAM	132597	36RB#16	19.32	18.18	30.00	PASS
Band66	15MHz	64QAM	132597	36RB#35	19.32	18.18	30.00	PASS
Band66	15MHz	64QAM	132597	75RB#0	19.30	18.16	30.00	PASS
Band66	20MHz	QPSK	132072	1RB#0	21.78	20.64	30.00	PASS
Band66	20MHz	QPSK	132072	1RB#49	22.23	21.09	30.00	PASS
Band66	20MHz	QPSK	132072	1RB#99	21.97	20.83	30.00	PASS
Band66	20MHz	QPSK	132072	50RB#0	21.13	19.99	30.00	PASS
Band66	20MHz	QPSK	132072	50RB#24	21.12	19.98	30.00	PASS
Band66	20MHz	QPSK	132072	50RB#49	21.14	20	30.00	PASS
Band66	20MHz	QPSK	132072	100RB#0	21.13	19.99	30.00	PASS
Band66	20MHz	QPSK	132322	1RB#0	21.83	20.69	30.00	PASS
Band66	20MHz	QPSK	132322	1RB#49	22.30	21.16	30.00	PASS
Band66	20MHz	QPSK	132322	1RB#99	22.02	20.88	30.00	PASS
Band66	20MHz	QPSK	132322	50RB#0	21.06	19.92	30.00	PASS
Band66	20MHz	QPSK	132322	50RB#24	21.02	19.88	30.00	PASS
Band66	20MHz	QPSK	132322	50RB#49	21.04	19.9	30.00	PASS
Band66	20MHz	QPSK	132322	100RB#0	21.14	20	30.00	PASS

Band66	20MHz	QPSK	132572	1RB#0	21.83	20.69	30.00	PASS
Band66	20MHz	QPSK	132572	1RB#49	22.21	21.07	30.00	PASS
Band66	20MHz	QPSK	132572	1RB#99	21.98	20.84	30.00	PASS
Band66	20MHz	QPSK	132572	50RB#0	21.38	20.24	30.00	PASS
Band66	20MHz	QPSK	132572	50RB#24	21.35	20.21	30.00	PASS
Band66	20MHz	QPSK	132572	50RB#49	21.40	20.26	30.00	PASS
Band66	20MHz	QPSK	132572	100RB#0	21.33	20.19	30.00	PASS
Band66	20MHz	16QAM	132072	1RB#0	20.84	19.7	30.00	PASS
Band66	20MHz	16QAM	132072	1RB#49	21.32	20.18	30.00	PASS
Band66	20MHz	16QAM	132072	1RB#99	20.99	19.85	30.00	PASS
Band66	20MHz	16QAM	132072	50RB#0	20.15	19.01	30.00	PASS
Band66	20MHz	16QAM	132072	50RB#24	20.19	19.05	30.00	PASS
Band66	20MHz	16QAM	132072	50RB#49	20.17	19.03	30.00	PASS
Band66	20MHz	16QAM	132072	100RB#0	20.17	19.03	30.00	PASS
Band66	20MHz	16QAM	132322	1RB#0	21.15	20.01	30.00	PASS
Band66	20MHz	16QAM	132322	1RB#49	21.49	20.35	30.00	PASS
Band66	20MHz	16QAM	132322	1RB#99	21.22	20.08	30.00	PASS
Band66	20MHz	16QAM	132322	50RB#0	20.10	18.96	30.00	PASS
Band66	20MHz	16QAM	132322	50RB#24	20.08	18.94	30.00	PASS
Band66	20MHz	16QAM	132322	50RB#49	20.09	18.95	30.00	PASS
Band66	20MHz	16QAM	132322	100RB#0	20.14	19	30.00	PASS
Band66	20MHz	16QAM	132572	1RB#0	21.04	19.9	30.00	PASS
Band66	20MHz	16QAM	132572	1RB#49	21.33	20.19	30.00	PASS
Band66	20MHz	16QAM	132572	1RB#99	21.19	20.05	30.00	PASS
Band66	20MHz	16QAM	132572	50RB#0	20.43	19.29	30.00	PASS
Band66	20MHz	16QAM	132572	50RB#24	20.39	19.25	30.00	PASS
Band66	20MHz	16QAM	132572	50RB#49	20.42	19.28	30.00	PASS
Band66	20MHz	16QAM	132572	100RB#0	20.28	19.14	30.00	PASS
Band66	20MHz	64QAM	132072	1RB#0	20.15	19.01	30.00	PASS
Band66	20MHz	64QAM	132072	1RB#49	20.61	19.47	30.00	PASS
Band66	20MHz	64QAM	132072	1RB#99	20.32	19.18	30.00	PASS
Band66	20MHz	64QAM	132072	50RB#0	19.18	18.04	30.00	PASS
Band66	20MHz	64QAM	132072	50RB#24	19.16	18.02	30.00	PASS
Band66	20MHz	64QAM	132072	50RB#49	19.17	18.03	30.00	PASS
Band66	20MHz	64QAM	132072	100RB#0	19.18	18.04	30.00	PASS
Band66	20MHz	64QAM	132322	1RB#0	20.18	19.04	30.00	PASS
Band66	20MHz	64QAM	132322	1RB#49	20.52	19.38	30.00	PASS
Band66	20MHz	64QAM	132322	1RB#99	20.26	19.12	30.00	PASS
Band66	20MHz	64QAM	132322	50RB#0	19.13	17.99	30.00	PASS
Band66	20MHz	64QAM	132322	50RB#24	19.14	18	30.00	PASS
Band66	20MHz	64QAM	132322	50RB#49	19.10	17.96	30.00	PASS
Band66	20MHz	64QAM	132322	100RB#0	19.15	18.01	30.00	PASS

Band66	20MHz	64QAM	132572	1RB#0	19.98	18.84	30.00	PASS
Band66	20MHz	64QAM	132572	1RB#49	20.32	19.18	30.00	PASS
Band66	20MHz	64QAM	132572	1RB#99	20.08	18.94	30.00	PASS
Band66	20MHz	64QAM	132572	50RB#0	19.46	18.32	30.00	PASS
Band66	20MHz	64QAM	132572	50RB#24	19.43	18.29	30.00	PASS
Band66	20MHz	64QAM	132572	50RB#49	19.43	18.29	30.00	PASS
Band66	20MHz	64QAM	132572	100RB#0	19.36	18.22	30.00	PASS
Band71	5MHz	QPSK	133147	1RB#0	23.34	18.01	34.77	PASS
Band71	5MHz	QPSK	133147	1RB#12	23.37	18.04	34.77	PASS
Band71	5MHz	QPSK	133147	1RB#24	23.30	17.97	34.77	PASS
Band71	5MHz	QPSK	133147	12RB#0	22.20	16.87	34.77	PASS
Band71	5MHz	QPSK	133147	12RB#6	22.17	16.84	34.77	PASS
Band71	5MHz	QPSK	133147	12RB#11	22.23	16.9	34.77	PASS
Band71	5MHz	QPSK	133147	25RB#0	22.29	16.96	34.77	PASS
Band71	5MHz	QPSK	133297	1RB#0	23.21	17.88	34.77	PASS
Band71	5MHz	QPSK	133297	1RB#12	23.23	17.9	34.77	PASS
Band71	5MHz	QPSK	133297	1RB#24	23.16	17.83	34.77	PASS
Band71	5MHz	QPSK	133297	12RB#0	22.16	16.83	34.77	PASS
Band71	5MHz	QPSK	133297	12RB#6	22.16	16.83	34.77	PASS
Band71	5MHz	QPSK	133297	12RB#11	22.14	16.81	34.77	PASS
Band71	5MHz	QPSK	133297	25RB#0	22.16	16.83	34.77	PASS
Band71	5MHz	QPSK	133447	1RB#0	23.07	17.74	34.77	PASS
Band71	5MHz	QPSK	133447	1RB#12	23.21	17.88	34.77	PASS
Band71	5MHz	QPSK	133447	1RB#24	23.15	17.82	34.77	PASS
Band71	5MHz	QPSK	133447	12RB#0	22.06	16.73	34.77	PASS
Band71	5MHz	QPSK	133447	12RB#6	22.00	16.67	34.77	PASS
Band71	5MHz	QPSK	133447	12RB#11	22.06	16.73	34.77	PASS
Band71	5MHz	QPSK	133447	25RB#0	22.09	16.76	34.77	PASS
Band71	5MHz	16QAM	133147	1RB#0	22.28	16.95	34.77	PASS
Band71	5MHz	16QAM	133147	1RB#12	22.34	17.01	34.77	PASS
Band71	5MHz	16QAM	133147	1RB#24	22.31	16.98	34.77	PASS
Band71	5MHz	16QAM	133147	12RB#0	21.23	15.9	34.77	PASS
Band71	5MHz	16QAM	133147	12RB#6	21.24	15.91	34.77	PASS
Band71	5MHz	16QAM	133147	12RB#11	21.22	15.89	34.77	PASS
Band71	5MHz	16QAM	133147	25RB#0	21.34	16.01	34.77	PASS
Band71	5MHz	16QAM	133297	1RB#0	22.36	17.03	34.77	PASS
Band71	5MHz	16QAM	133297	1RB#12	22.45	17.12	34.77	PASS
Band71	5MHz	16QAM	133297	1RB#24	22.32	16.99	34.77	PASS
Band71	5MHz	16QAM	133297	12RB#0	21.18	15.85	34.77	PASS
Band71	5MHz	16QAM	133297	12RB#6	21.18	15.85	34.77	PASS
Band71	5MHz	16QAM	133297	12RB#11	21.21	15.88	34.77	PASS
Band71	5MHz	16QAM	133297	25RB#0	21.19	15.86	34.77	PASS

Band71	5MHz	16QAM	133447	1RB#0	22.06	16.73	34.77	PASS
Band71	5MHz	16QAM	133447	1RB#12	22.20	16.87	34.77	PASS
Band71	5MHz	16QAM	133447	1RB#24	22.20	16.87	34.77	PASS
Band71	5MHz	16QAM	133447	12RB#0	21.01	15.68	34.77	PASS
Band71	5MHz	16QAM	133447	12RB#6	21.06	15.73	34.77	PASS
Band71	5MHz	16QAM	133447	12RB#11	21.10	15.77	34.77	PASS
Band71	5MHz	16QAM	133447	25RB#0	21.13	15.8	34.77	PASS
Band71	5MHz	64QAM	133147	1RB#0	21.16	15.83	34.77	PASS
Band71	5MHz	64QAM	133147	1RB#12	21.35	16.02	34.77	PASS
Band71	5MHz	64QAM	133147	1RB#24	21.27	15.94	34.77	PASS
Band71	5MHz	64QAM	133147	12RB#0	20.22	14.89	34.77	PASS
Band71	5MHz	64QAM	133147	12RB#6	20.28	14.95	34.77	PASS
Band71	5MHz	64QAM	133147	12RB#11	20.24	14.91	34.77	PASS
Band71	5MHz	64QAM	133147	25RB#0	20.29	14.96	34.77	PASS
Band71	5MHz	64QAM	133297	1RB#0	21.72	16.39	34.77	PASS
Band71	5MHz	64QAM	133297	1RB#12	21.77	16.44	34.77	PASS
Band71	5MHz	64QAM	133297	1RB#24	21.69	16.36	34.77	PASS
Band71	5MHz	64QAM	133297	12RB#0	20.17	14.84	34.77	PASS
Band71	5MHz	64QAM	133297	12RB#6	20.21	14.88	34.77	PASS
Band71	5MHz	64QAM	133297	12RB#11	20.22	14.89	34.77	PASS
Band71	5MHz	64QAM	133297	25RB#0	20.14	14.81	34.77	PASS
Band71	5MHz	64QAM	133447	1RB#0	21.42	16.09	34.77	PASS
Band71	5MHz	64QAM	133447	1RB#12	21.38	16.05	34.77	PASS
Band71	5MHz	64QAM	133447	1RB#24	21.43	16.1	34.77	PASS
Band71	5MHz	64QAM	133447	12RB#0	20.13	14.8	34.77	PASS
Band71	5MHz	64QAM	133447	12RB#6	20.15	14.82	34.77	PASS
Band71	5MHz	64QAM	133447	12RB#11	20.08	14.75	34.77	PASS
Band71	5MHz	64QAM	133447	25RB#0	20.20	14.87	34.77	PASS
Band71	10MHz	QPSK	133172	1RB#0	23.27	17.94	34.77	PASS
Band71	10MHz	QPSK	133172	1RB#24	23.41	18.08	34.77	PASS
Band71	10MHz	QPSK	133172	1RB#49	23.34	18.01	34.77	PASS
Band71	10MHz	QPSK	133172	25RB#0	22.29	16.96	34.77	PASS
Band71	10MHz	QPSK	133172	25RB#12	22.32	16.99	34.77	PASS
Band71	10MHz	QPSK	133172	25RB#24	22.33	17	34.77	PASS
Band71	10MHz	QPSK	133172	50RB#0	22.32	16.99	34.77	PASS
Band71	10MHz	QPSK	133297	1RB#0	23.25	17.92	34.77	PASS
Band71	10MHz	QPSK	133297	1RB#24	23.28	17.95	34.77	PASS
Band71	10MHz	QPSK	133297	1RB#49	23.14	17.81	34.77	PASS
Band71	10MHz	QPSK	133297	25RB#0	22.20	16.87	34.77	PASS
Band71	10MHz	QPSK	133297	25RB#12	22.20	16.87	34.77	PASS
Band71	10MHz	QPSK	133297	25RB#24	22.20	16.87	34.77	PASS
Band71	10MHz	QPSK	133297	50RB#0	22.17	16.84	34.77	PASS



Band71	10MHz	QPSK	133422	1RB#0	23.04	17.71	34.77	PASS
Band71	10MHz	QPSK	133422	1RB#24	23.28	17.95	34.77	PASS
Band71	10MHz	QPSK	133422	1RB#49	23.12	17.79	34.77	PASS
Band71	10MHz	QPSK	133422	25RB#0	22.18	16.85	34.77	PASS
Band71	10MHz	QPSK	133422	25RB#12	22.15	16.82	34.77	PASS
Band71	10MHz	QPSK	133422	25RB#24	22.18	16.85	34.77	PASS
Band71	10MHz	QPSK	133422	50RB#0	22.14	16.81	34.77	PASS
Band71	10MHz	16QAM	133172	1RB#0	22.42	17.09	34.77	PASS
Band71	10MHz	16QAM	133172	1RB#24	22.63	17.3	34.77	PASS
Band71	10MHz	16QAM	133172	1RB#49	22.45	17.12	34.77	PASS
Band71	10MHz	16QAM	133172	25RB#0	21.39	16.06	34.77	PASS
Band71	10MHz	16QAM	133172	25RB#12	21.38	16.05	34.77	PASS
Band71	10MHz	16QAM	133172	25RB#24	21.38	16.05	34.77	PASS
Band71	10MHz	16QAM	133172	50RB#0	21.43	16.1	34.77	PASS
Band71	10MHz	16QAM	133297	1RB#0	22.11	16.78	34.77	PASS
Band71	10MHz	16QAM	133297	1RB#24	22.25	16.92	34.77	PASS
Band71	10MHz	16QAM	133297	1RB#49	22.04	16.71	34.77	PASS
Band71	10MHz	16QAM	133297	25RB#0	21.32	15.99	34.77	PASS
Band71	10MHz	16QAM	133297	25RB#12	21.29	15.96	34.77	PASS
Band71	10MHz	16QAM	133297	25RB#24	21.30	15.97	34.77	PASS
Band71	10MHz	16QAM	133297	50RB#0	21.25	15.92	34.77	PASS
Band71	10MHz	16QAM	133422	1RB#0	22.20	16.87	34.77	PASS
Band71	10MHz	16QAM	133422	1RB#24	22.35	17.02	34.77	PASS
Band71	10MHz	16QAM	133422	1RB#49	22.26	16.93	34.77	PASS
Band71	10MHz	16QAM	133422	25RB#0	21.17	15.84	34.77	PASS
Band71	10MHz	16QAM	133422	25RB#12	21.18	15.85	34.77	PASS
Band71	10MHz	16QAM	133422	25RB#24	21.17	15.84	34.77	PASS
Band71	10MHz	16QAM	133422	50RB#0	21.15	15.82	34.77	PASS
Band71	10MHz	64QAM	133172	1RB#0	21.34	16.01	34.77	PASS
Band71	10MHz	64QAM	133172	1RB#24	21.43	16.1	34.77	PASS
Band71	10MHz	64QAM	133172	1RB#49	21.39	16.06	34.77	PASS
Band71	10MHz	64QAM	133172	25RB#0	20.29	14.96	34.77	PASS
Band71	10MHz	64QAM	133172	25RB#12	20.27	14.94	34.77	PASS
Band71	10MHz	64QAM	133172	25RB#24	20.30	14.97	34.77	PASS
Band71	10MHz	64QAM	133172	50RB#0	20.33	15	34.77	PASS
Band71	10MHz	64QAM	133297	1RB#0	21.49	16.16	34.77	PASS
Band71	10MHz	64QAM	133297	1RB#24	21.56	16.23	34.77	PASS
Band71	10MHz	64QAM	133297	1RB#49	21.41	16.08	34.77	PASS
Band71	10MHz	64QAM	133297	25RB#0	20.22	14.89	34.77	PASS
Band71	10MHz	64QAM	133297	25RB#12	20.21	14.88	34.77	PASS
Band71	10MHz	64QAM	133297	25RB#24	20.24	14.91	34.77	PASS
Band71	10MHz	64QAM	133297	50RB#0	20.25	14.92	34.77	PASS

Band71	10MHz	64QAM	133422	1RB#0	21.06	15.73	34.77	PASS
Band71	10MHz	64QAM	133422	1RB#24	21.19	15.86	34.77	PASS
Band71	10MHz	64QAM	133422	1RB#49	21.08	15.75	34.77	PASS
Band71	10MHz	64QAM	133422	25RB#0	20.28	14.95	34.77	PASS
Band71	10MHz	64QAM	133422	25RB#12	20.28	14.95	34.77	PASS
Band71	10MHz	64QAM	133422	25RB#24	20.24	14.91	34.77	PASS
Band71	10MHz	64QAM	133422	50RB#0	20.19	14.86	34.77	PASS
Band71	15MHz	QPSK	133197	1RB#0	23.23	17.9	34.77	PASS
Band71	15MHz	QPSK	133197	1RB#37	23.31	17.98	34.77	PASS
Band71	15MHz	QPSK	133197	1RB#74	23.22	17.89	34.77	PASS
Band71	15MHz	QPSK	133197	36RB#0	22.34	17.01	34.77	PASS
Band71	15MHz	QPSK	133197	36RB#16	22.32	16.99	34.77	PASS
Band71	15MHz	QPSK	133197	36RB#35	22.38	17.05	34.77	PASS
Band71	15MHz	QPSK	133197	75RB#0	22.37	17.04	34.77	PASS
Band71	15MHz	QPSK	133297	1RB#0	23.20	17.87	34.77	PASS
Band71	15MHz	QPSK	133297	1RB#37	23.26	17.93	34.77	PASS
Band71	15MHz	QPSK	133297	1RB#74	23.11	17.78	34.77	PASS
Band71	15MHz	QPSK	133297	36RB#0	22.25	16.92	34.77	PASS
Band71	15MHz	QPSK	133297	36RB#16	22.25	16.92	34.77	PASS
Band71	15MHz	QPSK	133297	36RB#35	22.27	16.94	34.77	PASS
Band71	15MHz	QPSK	133297	75RB#0	22.22	16.89	34.77	PASS
Band71	15MHz	QPSK	133397	1RB#0	23.06	17.73	34.77	PASS
Band71	15MHz	QPSK	133397	1RB#37	23.20	17.87	34.77	PASS
Band71	15MHz	QPSK	133397	1RB#74	23.12	17.79	34.77	PASS
Band71	15MHz	QPSK	133397	36RB#0	22.17	16.84	34.77	PASS
Band71	15MHz	QPSK	133397	36RB#16	22.20	16.87	34.77	PASS
Band71	15MHz	QPSK	133397	36RB#35	22.28	16.95	34.77	PASS
Band71	15MHz	QPSK	133397	75RB#0	22.21	16.88	34.77	PASS
Band71	15MHz	16QAM	133197	1RB#0	22.49	17.16	34.77	PASS
Band71	15MHz	16QAM	133197	1RB#37	22.59	17.26	34.77	PASS
Band71	15MHz	16QAM	133197	1RB#74	22.45	17.12	34.77	PASS
Band71	15MHz	16QAM	133197	36RB#0	21.44	16.11	34.77	PASS
Band71	15MHz	16QAM	133197	36RB#16	21.40	16.07	34.77	PASS
Band71	15MHz	16QAM	133197	36RB#35	21.42	16.09	34.77	PASS
Band71	15MHz	16QAM	133197	75RB#0	21.40	16.07	34.77	PASS
Band71	15MHz	16QAM	133297	1RB#0	22.07	16.74	34.77	PASS
Band71	15MHz	16QAM	133297	1RB#37	22.13	16.8	34.77	PASS
Band71	15MHz	16QAM	133297	1RB#74	22.05	16.72	34.77	PASS
Band71	15MHz	16QAM	133297	36RB#0	21.18	15.85	34.77	PASS
Band71	15MHz	16QAM	133297	36RB#16	21.22	15.89	34.77	PASS
Band71	15MHz	16QAM	133297	36RB#35	21.26	15.93	34.77	PASS
Band71	15MHz	16QAM	133297	75RB#0	21.24	15.91	34.77	PASS

Band71	15MHz	16QAM	133397	1RB#0	22.22	16.89	34.77	PASS
Band71	15MHz	16QAM	133397	1RB#37	22.32	16.99	34.77	PASS
Band71	15MHz	16QAM	133397	1RB#74	22.28	16.95	34.77	PASS
Band71	15MHz	16QAM	133397	36RB#0	21.18	15.85	34.77	PASS
Band71	15MHz	16QAM	133397	36RB#16	21.25	15.92	34.77	PASS
Band71	15MHz	16QAM	133397	36RB#35	21.21	15.88	34.77	PASS
Band71	15MHz	16QAM	133397	75RB#0	21.18	15.85	34.77	PASS
Band71	15MHz	64QAM	133197	1RB#0	21.49	16.16	34.77	PASS
Band71	15MHz	64QAM	133197	1RB#37	21.65	16.32	34.77	PASS
Band71	15MHz	64QAM	133197	1RB#74	21.46	16.13	34.77	PASS
Band71	15MHz	64QAM	133197	36RB#0	20.33	15	34.77	PASS
Band71	15MHz	64QAM	133197	36RB#16	20.34	15.01	34.77	PASS
Band71	15MHz	64QAM	133197	36RB#35	20.29	14.96	34.77	PASS
Band71	15MHz	64QAM	133197	75RB#0	20.42	15.09	34.77	PASS
Band71	15MHz	64QAM	133297	1RB#0	21.47	16.14	34.77	PASS
Band71	15MHz	64QAM	133297	1RB#37	21.53	16.2	34.77	PASS
Band71	15MHz	64QAM	133297	1RB#74	21.38	16.05	34.77	PASS
Band71	15MHz	64QAM	133297	36RB#0	20.18	14.85	34.77	PASS
Band71	15MHz	64QAM	133297	36RB#16	20.27	14.94	34.77	PASS
Band71	15MHz	64QAM	133297	36RB#35	20.22	14.89	34.77	PASS
Band71	15MHz	64QAM	133297	75RB#0	20.21	14.88	34.77	PASS
Band71	15MHz	64QAM	133397	1RB#0	21.05	15.72	34.77	PASS
Band71	15MHz	64QAM	133397	1RB#37	21.13	15.8	34.77	PASS
Band71	15MHz	64QAM	133397	1RB#74	21.10	15.77	34.77	PASS
Band71	15MHz	64QAM	133397	36RB#0	20.27	14.94	34.77	PASS
Band71	15MHz	64QAM	133397	36RB#16	20.21	14.88	34.77	PASS
Band71	15MHz	64QAM	133397	36RB#35	20.22	14.89	34.77	PASS
Band71	15MHz	64QAM	133397	75RB#0	20.24	14.91	34.77	PASS
Band71	20MHz	QPSK	133222	1RB#0	23.13	17.8	34.77	PASS
Band71	20MHz	QPSK	133222	1RB#49	23.45	18.12	34.77	PASS
Band71	20MHz	QPSK	133222	1RB#99	23.10	17.77	34.77	PASS
Band71	20MHz	QPSK	133222	50RB#0	22.29	16.96	34.77	PASS
Band71	20MHz	QPSK	133222	50RB#24	22.34	17.01	34.77	PASS
Band71	20MHz	QPSK	133222	50RB#49	22.34	17.01	34.77	PASS
Band71	20MHz	QPSK	133222	100RB#0	22.32	16.99	34.77	PASS
Band71	20MHz	QPSK	133322	1RB#0	22.96	17.63	34.77	PASS
Band71	20MHz	QPSK	133322	1RB#49	23.18	17.85	34.77	PASS
Band71	20MHz	QPSK	133322	1RB#99	22.97	17.64	34.77	PASS
Band71	20MHz	QPSK	133322	50RB#0	22.21	16.88	34.77	PASS
Band71	20MHz	QPSK	133322	50RB#24	22.16	16.83	34.77	PASS
Band71	20MHz	QPSK	133322	50RB#49	22.17	16.84	34.77	PASS
Band71	20MHz	QPSK	133322	100RB#0	22.14	16.81	34.77	PASS

Band71	20MHz	QPSK	133372	1RB#0	23.05	17.72	34.77	PASS
Band71	20MHz	QPSK	133372	1RB#49	23.31	17.98	34.77	PASS
Band71	20MHz	QPSK	133372	1RB#99	23.07	17.74	34.77	PASS
Band71	20MHz	QPSK	133372	50RB#0	22.25	16.92	34.77	PASS
Band71	20MHz	QPSK	133372	50RB#24	22.20	16.87	34.77	PASS
Band71	20MHz	QPSK	133372	50RB#49	22.20	16.87	34.77	PASS
Band71	20MHz	QPSK	133372	100RB#0	22.24	16.91	34.77	PASS
Band71	20MHz	16QAM	133222	1RB#0	22.29	16.96	34.77	PASS
Band71	20MHz	16QAM	133222	1RB#49	22.60	17.27	34.77	PASS
Band71	20MHz	16QAM	133222	1RB#99	22.31	16.98	34.77	PASS
Band71	20MHz	16QAM	133222	50RB#0	21.39	16.06	34.77	PASS
Band71	20MHz	16QAM	133222	50RB#24	21.36	16.03	34.77	PASS
Band71	20MHz	16QAM	133222	50RB#49	21.40	16.07	34.77	PASS
Band71	20MHz	16QAM	133222	100RB#0	21.35	16.02	34.77	PASS
Band71	20MHz	16QAM	133322	1RB#0	22.05	16.72	34.77	PASS
Band71	20MHz	16QAM	133322	1RB#49	22.37	17.04	34.77	PASS
Band71	20MHz	16QAM	133322	1RB#99	22.02	16.69	34.77	PASS
Band71	20MHz	16QAM	133322	50RB#0	21.27	15.94	34.77	PASS
Band71	20MHz	16QAM	133322	50RB#24	21.30	15.97	34.77	PASS
Band71	20MHz	16QAM	133322	50RB#49	21.30	15.97	34.77	PASS
Band71	20MHz	16QAM	133322	100RB#0	21.24	15.91	34.77	PASS
Band71	20MHz	16QAM	133372	1RB#0	22.00	16.67	34.77	PASS
Band71	20MHz	16QAM	133372	1RB#49	22.30	16.97	34.77	PASS
Band71	20MHz	16QAM	133372	1RB#99	22.07	16.74	34.77	PASS
Band71	20MHz	16QAM	133372	50RB#0	21.27	15.94	34.77	PASS
Band71	20MHz	16QAM	133372	50RB#24	21.25	15.92	34.77	PASS
Band71	20MHz	16QAM	133372	50RB#49	21.26	15.93	34.77	PASS
Band71	20MHz	16QAM	133372	100RB#0	21.24	15.91	34.77	PASS
Band71	20MHz	64QAM	133222	1RB#0	21.47	16.14	34.77	PASS
Band71	20MHz	64QAM	133222	1RB#49	21.82	16.49	34.77	PASS
Band71	20MHz	64QAM	133222	1RB#99	21.44	16.11	34.77	PASS
Band71	20MHz	64QAM	133222	50RB#0	20.43	15.1	34.77	PASS
Band71	20MHz	64QAM	133222	50RB#24	20.43	15.1	34.77	PASS
Band71	20MHz	64QAM	133222	50RB#49	20.46	15.13	34.77	PASS
Band71	20MHz	64QAM	133222	100RB#0	20.40	15.07	34.77	PASS
Band71	20MHz	64QAM	133322	1RB#0	21.02	15.69	34.77	PASS
Band71	20MHz	64QAM	133322	1RB#49	21.43	16.1	34.77	PASS
Band71	20MHz	64QAM	133322	1RB#99	20.97	15.64	34.77	PASS
Band71	20MHz	64QAM	133322	50RB#0	20.26	14.93	34.77	PASS
Band71	20MHz	64QAM	133322	50RB#24	20.26	14.93	34.77	PASS
Band71	20MHz	64QAM	133322	50RB#49	20.22	14.89	34.77	PASS
Band71	20MHz	64QAM	133322	100RB#0	20.18	14.85	34.77	PASS

Band71	20MHz	64QAM	133372	1RB#0	21.33	16	34.77	PASS
Band71	20MHz	64QAM	133372	1RB#49	21.68	16.35	34.77	PASS
Band71	20MHz	64QAM	133372	1RB#99	21.31	15.98	34.77	PASS
Band71	20MHz	64QAM	133372	50RB#0	20.25	14.92	34.77	PASS
Band71	20MHz	64QAM	133372	50RB#24	20.25	14.92	34.77	PASS
Band71	20MHz	64QAM	133372	50RB#49	20.27	14.94	34.77	PASS
Band71	20MHz	64QAM	133372	100RB#0	20.24	14.91	34.77	PASS

Remark:  $EIRP (dBm) = \text{Conducted power (dBm)} + \text{Antenna Gain (dBi)}$ . (For Band 2 & 41 & 66)

$ERP (dBm) = EIRP (dBm) - 2.15 (dB)$ . (For Band 5 & 12 & 71)




## Appendix B: Peak-to-Average Ratio(CCDF)


### Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	20MHz	QPSK	18900	100RB#0	5.73	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	6.49	13	PASS
Band2	20MHz	64QAM	18900	100RB#0	6.73	13	PASS
Band5	10MHz	QPSK	20525	50RB#0	5.50	13	PASS
Band5	10MHz	16QAM	20525	50RB#0	6.21	13	PASS
Band5	10MHz	64QAM	20525	50RB#0	6.43	13	PASS
Band12	10MHz	QPSK	23095	50RB#0	5.59	13	PASS
Band12	10MHz	16QAM	23095	50RB#0	6.27	13	PASS
Band12	10MHz	64QAM	23095	50RB#0	6.53	13	PASS
Band41	20MHz	QPSK	40620	100RB#0	5.18	13	PASS
Band41	20MHz	16QAM	40620	100RB#0	5.94	13	PASS
Band41	20MHz	64QAM	40620	100RB#0	5.69	13	PASS
Band66	20MHz	QPSK	132322	100RB#0	5.72	13	PASS
Band66	20MHz	16QAM	132322	100RB#0	6.50	13	PASS
Band66	20MHz	64QAM	132322	100RB#0	6.73	13	PASS
Band71	20MHz	QPSK	133322	1RB#0	5.51	13	PASS
Band71	20MHz	QPSK	133322	100RB#0	5.50	13	PASS
Band71	20MHz	16QAM	133322	1RB#0	5.94	13	PASS
Band71	20MHz	16QAM	133322	100RB#0	6.32	13	PASS
Band71	20MHz	64QAM	133322	1RB#0	6.26	13	PASS
Band71	20MHz	64QAM	133322	100RB#0	6.45	13	PASS


*Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.*

Test Graphs










Band71-20MHz-64QAM-133322-100RB#0





## Appendix C: 26dB Bandwidth and Occupied Bandwidth

### Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.0874	1.285	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.0907	1.292	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.0948	1.304	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.0977	1.314	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.0989	1.319	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.0943	1.282	PASS
Band2	1.4MHz	64QAM	18607	6RB#0	1.0920	1.290	PASS
Band2	1.4MHz	64QAM	18900	6RB#0	1.0917	1.288	PASS
Band2	1.4MHz	64QAM	19193	6RB#0	1.0916	1.277	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.6865	2.883	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.6888	2.886	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.6901	2.903	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.6837	2.881	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.6843	2.909	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.6825	2.903	PASS
Band2	3MHz	64QAM	18615	15RB#0	2.6949	2.909	PASS
Band2	3MHz	64QAM	18900	15RB#0	2.6872	2.895	PASS
Band2	3MHz	64QAM	19185	15RB#0	2.6906	2.912	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.5058	4.951	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.5057	4.944	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.4897	4.926	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.4838	4.911	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.4880	4.906	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.4965	4.977	PASS
Band2	5MHz	64QAM	18625	25RB#0	4.4907	4.930	PASS
Band2	5MHz	64QAM	18900	25RB#0	4.4922	4.929	PASS
Band2	5MHz	64QAM	19175	25RB#0	4.4952	4.940	PASS
Band2	10MHz	QPSK	18650	50RB#0	8.9882	9.804	PASS
Band2	10MHz	QPSK	18900	50RB#0	9.0013	9.817	PASS
Band2	10MHz	QPSK	19150	50RB#0	8.9985	9.806	PASS
Band2	10MHz	16QAM	18650	50RB#0	8.9969	9.739	PASS
Band2	10MHz	16QAM	18900	50RB#0	8.9797	9.744	PASS
Band2	10MHz	16QAM	19150	50RB#0	8.9862	9.784	PASS
Band2	10MHz	64QAM	18650	50RB#0	8.9744	9.734	PASS
Band2	10MHz	64QAM	18900	50RB#0	8.9777	9.765	PASS

Band2	10MHz	64QAM	19150	50RB#0	8.9905	9.765	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.492	14.75	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.500	14.81	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.467	14.68	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.478	14.66	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.486	14.67	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.493	14.67	PASS
Band2	15MHz	64QAM	18675	75RB#0	13.470	14.62	PASS
Band2	15MHz	64QAM	18900	75RB#0	13.464	14.61	PASS
Band2	15MHz	64QAM	19125	75RB#0	13.497	14.60	PASS
Band2	20MHz	QPSK	18700	100RB#0	17.972	19.37	PASS
Band2	20MHz	QPSK	18900	100RB#0	17.995	22.32	PASS
Band2	20MHz	QPSK	19100	100RB#0	17.957	19.64	PASS
Band2	20MHz	16QAM	18700	100RB#0	17.978	19.40	PASS
Band2	20MHz	16QAM	18900	100RB#0	17.972	19.34	PASS
Band2	20MHz	16QAM	19100	100RB#0	17.935	19.30	PASS
Band2	20MHz	64QAM	18700	100RB#0	17.985	19.37	PASS
Band2	20MHz	64QAM	18900	100RB#0	17.935	19.44	PASS
Band2	20MHz	64QAM	19100	100RB#0	17.958	19.36	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	1.0926	1.292	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1.0914	1.282	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	1.0976	1.283	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	1.0955	1.299	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1.0981	1.306	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	1.0953	1.278	PASS
Band5	1.4MHz	64QAM	20407	6RB#0	1.0909	1.287	PASS
Band5	1.4MHz	64QAM	20525	6RB#0	1.0879	1.287	PASS
Band5	1.4MHz	64QAM	20643	6RB#0	1.0875	1.278	PASS
Band5	3MHz	QPSK	20415	15RB#0	2.6849	2.891	PASS
Band5	3MHz	QPSK	20525	15RB#0	2.6834	2.903	PASS
Band5	3MHz	QPSK	20635	15RB#0	2.6916	2.904	PASS
Band5	3MHz	16QAM	20415	15RB#0	2.6816	2.910	PASS
Band5	3MHz	16QAM	20525	15RB#0	2.6826	2.924	PASS
Band5	3MHz	16QAM	20635	15RB#0	2.6803	2.904	PASS
Band5	3MHz	64QAM	20415	15RB#0	2.6876	2.913	PASS
Band5	3MHz	64QAM	20525	15RB#0	2.6898	2.906	PASS
Band5	3MHz	64QAM	20635	15RB#0	2.6819	2.912	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.5030	4.945	PASS
Band5	5MHz	QPSK	20525	25RB#0	4.5027	4.937	PASS
Band5	5MHz	QPSK	20625	25RB#0	4.4861	4.912	PASS
Band5	5MHz	16QAM	20425	25RB#0	4.4835	4.907	PASS
Band5	5MHz	16QAM	20525	25RB#0	4.4836	4.911	PASS

Band5	5MHz	16QAM	20625	25RB#0	4.4942	4.953	PASS
Band5	5MHz	64QAM	20425	25RB#0	4.4893	4.930	PASS
Band5	5MHz	64QAM	20525	25RB#0	4.4901	4.922	PASS
Band5	5MHz	64QAM	20625	25RB#0	4.4905	4.920	PASS
Band5	10MHz	QPSK	20450	50RB#0	8.9869	9.852	PASS
Band5	10MHz	QPSK	20525	50RB#0	8.9855	9.794	PASS
Band5	10MHz	QPSK	20600	50RB#0	8.9846	9.759	PASS
Band5	10MHz	16QAM	20450	50RB#0	8.9831	9.715	PASS
Band5	10MHz	16QAM	20525	50RB#0	8.9948	9.743	PASS
Band5	10MHz	16QAM	20600	50RB#0	8.9712	9.783	PASS
Band5	10MHz	64QAM	20450	50RB#0	8.9794	9.806	PASS
Band5	10MHz	64QAM	20525	50RB#0	8.9690	9.802	PASS
Band5	10MHz	64QAM	20600	50RB#0	8.9758	9.757	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	1.0880	1.285	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	1.0951	1.277	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	1.0948	1.309	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	1.0968	1.309	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	1.0935	1.293	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	1.0871	1.265	PASS
Band12	1.4MHz	64QAM	23017	6RB#0	1.0904	1.287	PASS
Band12	1.4MHz	64QAM	23095	6RB#0	1.0901	1.265	PASS
Band12	1.4MHz	64QAM	23173	6RB#0	1.1021	1.301	PASS
Band12	3MHz	QPSK	23025	15RB#0	2.6903	2.919	PASS
Band12	3MHz	QPSK	23095	15RB#0	2.6891	2.902	PASS
Band12	3MHz	QPSK	23165	15RB#0	2.6830	2.900	PASS
Band12	3MHz	16QAM	23025	15RB#0	2.6824	2.902	PASS
Band12	3MHz	16QAM	23095	15RB#0	2.6805	2.913	PASS
Band12	3MHz	16QAM	23165	15RB#0	2.6874	2.893	PASS
Band12	3MHz	64QAM	23025	15RB#0	2.6935	2.903	PASS
Band12	3MHz	64QAM	23095	15RB#0	2.6847	2.902	PASS
Band12	3MHz	64QAM	23165	15RB#0	2.6840	2.893	PASS
Band12	5MHz	QPSK	23035	25RB#0	4.5331	5.182	PASS
Band12	5MHz	QPSK	23095	25RB#0	4.5102	5.133	PASS
Band12	5MHz	QPSK	23155	25RB#0	4.5081	5.171	PASS
Band12	5MHz	16QAM	23035	25RB#0	4.5135	5.157	PASS
Band12	5MHz	16QAM	23095	25RB#0	4.5332	5.223	PASS
Band12	5MHz	16QAM	23155	25RB#0	4.5207	5.173	PASS
Band12	5MHz	64QAM	23035	25RB#0	4.5136	5.149	PASS
Band12	5MHz	64QAM	23095	25RB#0	4.5395	5.972	PASS
Band12	5MHz	64QAM	23155	25RB#0	4.5231	5.146	PASS
Band12	10MHz	QPSK	23060	50RB#0	9.0138	10.16	PASS
Band12	10MHz	QPSK	23095	50RB#0	9.0234	10.19	PASS

Band12	10MHz	QPSK	23130	50RB#0	8.9827	10.07	PASS
Band12	10MHz	16QAM	23060	50RB#0	8.9901	10.00	PASS
Band12	10MHz	16QAM	23095	50RB#0	9.0110	10.15	PASS
Band12	10MHz	16QAM	23130	50RB#0	9.0054	10.12	PASS
Band12	10MHz	64QAM	23060	50RB#0	8.9864	10.09	PASS
Band12	10MHz	64QAM	23095	50RB#0	9.0116	10.08	PASS
Band12	10MHz	64QAM	23130	50RB#0	9.0130	10.53	PASS
Band41	5MHz	QPSK	39675	25RB#0	4.4922	4.976	PASS
Band41	5MHz	QPSK	40620	25RB#0	4.4928	4.959	PASS
Band41	5MHz	QPSK	41565	25RB#0	4.5047	5.056	PASS
Band41	5MHz	16QAM	39675	25RB#0	4.4973	5.280	PASS
Band41	5MHz	16QAM	40620	25RB#0	4.4938	5.266	PASS
Band41	5MHz	16QAM	41565	25RB#0	4.5005	5.334	PASS
Band41	5MHz	64QAM	39675	25RB#0	4.5093	5.069	PASS
Band41	5MHz	64QAM	40620	25RB#0	4.5093	5.055	PASS
Band41	5MHz	64QAM	41565	25RB#0	4.5183	5.882	PASS
Band41	10MHz	QPSK	39700	50RB#0	8.9888	9.893	PASS
Band41	10MHz	QPSK	40620	50RB#0	8.9880	10.44	PASS
Band41	10MHz	QPSK	41540	50RB#0	9.0058	10.67	PASS
Band41	10MHz	16QAM	39700	50RB#0	8.9930	10.13	PASS
Band41	10MHz	16QAM	40620	50RB#0	8.9655	10.30	PASS
Band41	10MHz	16QAM	41540	50RB#0	8.9900	9.974	PASS
Band41	10MHz	64QAM	39700	50RB#0	8.9898	10.91	PASS
Band41	10MHz	64QAM	40620	50RB#0	8.9964	11.17	PASS
Band41	10MHz	64QAM	41540	50RB#0	9.0320	11.31	PASS
Band41	15MHz	QPSK	39725	75RB#0	13.498	15.47	PASS
Band41	15MHz	QPSK	40620	75RB#0	13.498	15.52	PASS
Band41	15MHz	QPSK	41515	75RB#0	13.528	14.86	PASS
Band41	15MHz	16QAM	39725	75RB#0	13.476	15.36	PASS
Band41	15MHz	16QAM	40620	75RB#0	13.488	15.75	PASS
Band41	15MHz	16QAM	41515	75RB#0	13.499	15.89	PASS
Band41	15MHz	64QAM	39725	75RB#0	13.451	14.79	PASS
Band41	15MHz	64QAM	40620	75RB#0	13.466	15.70	PASS
Band41	15MHz	64QAM	41515	75RB#0	13.502	15.88	PASS
Band41	20MHz	QPSK	39750	100RB#0	17.976	19.73	PASS
Band41	20MHz	QPSK	40620	100RB#0	17.979	20.62	PASS
Band41	20MHz	QPSK	41490	100RB#0	17.988	19.97	PASS
Band41	20MHz	16QAM	39750	100RB#0	17.945	20.61	PASS
Band41	20MHz	16QAM	40620	100RB#0	17.928	19.93	PASS
Band41	20MHz	16QAM	41490	100RB#0	17.959	19.43	PASS
Band41	20MHz	64QAM	39750	100RB#0	17.941	19.77	PASS
Band41	20MHz	64QAM	40620	100RB#0	17.946	19.42	PASS


Band41	20MHz	64QAM	41490	100RB#0	17.984	20.36	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	1.0900	1.278	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	1.0876	1.282	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	1.0956	1.272	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	1.0990	1.298	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1.0982	1.313	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	1.0951	1.275	PASS
Band66	1.4MHz	64QAM	131979	6RB#0	1.0904	1.291	PASS
Band66	1.4MHz	64QAM	132322	6RB#0	1.0918	1.285	PASS
Band66	1.4MHz	64QAM	132665	6RB#0	1.0900	1.277	PASS
Band66	3MHz	QPSK	131987	15RB#0	2.6829	2.898	PASS
Band66	3MHz	QPSK	132322	15RB#0	2.6855	2.893	PASS
Band66	3MHz	QPSK	132657	15RB#0	2.6870	2.909	PASS
Band66	3MHz	16QAM	131987	15RB#0	2.6808	2.920	PASS
Band66	3MHz	16QAM	132322	15RB#0	2.6838	2.902	PASS
Band66	3MHz	16QAM	132657	15RB#0	2.6845	2.891	PASS
Band66	3MHz	64QAM	131987	15RB#0	2.6955	2.911	PASS
Band66	3MHz	64QAM	132322	15RB#0	2.6929	2.908	PASS
Band66	3MHz	64QAM	132657	15RB#0	2.6960	2.905	PASS
Band66	5MHz	QPSK	131997	25RB#0	4.5288	5.195	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.5264	5.180	PASS
Band66	5MHz	QPSK	132647	25RB#0	4.5104	5.157	PASS
Band66	5MHz	16QAM	131997	25RB#0	4.5147	5.122	PASS
Band66	5MHz	16QAM	132322	25RB#0	4.5077	5.194	PASS
Band66	5MHz	16QAM	132647	25RB#0	4.5339	5.270	PASS
Band66	5MHz	64QAM	131997	25RB#0	4.5162	5.363	PASS
Band66	5MHz	64QAM	132322	25RB#0	4.5135	5.151	PASS
Band66	5MHz	64QAM	132647	25RB#0	4.5148	5.178	PASS
Band66	10MHz	QPSK	132022	50RB#0	9.0150	10.18	PASS
Band66	10MHz	QPSK	132322	50RB#0	9.0086	10.16	PASS
Band66	10MHz	QPSK	132622	50RB#0	9.0257	10.17	PASS
Band66	10MHz	16QAM	132022	50RB#0	9.0161	10.01	PASS
Band66	10MHz	16QAM	132322	50RB#0	9.0128	10.44	PASS
Band66	10MHz	16QAM	132622	50RB#0	9.0193	10.19	PASS
Band66	10MHz	64QAM	132022	50RB#0	9.0052	10.71	PASS
Band66	10MHz	64QAM	132322	50RB#0	8.9937	10.11	PASS
Band66	10MHz	64QAM	132622	50RB#0	9.0157	10.07	PASS
Band66	15MHz	QPSK	132047	75RB#0	13.537	15.14	PASS
Band66	15MHz	QPSK	132322	75RB#0	13.501	15.14	PASS
Band66	15MHz	QPSK	132597	75RB#0	13.544	15.06	PASS
Band66	15MHz	16QAM	132047	75RB#0	13.520	15.15	PASS
Band66	15MHz	16QAM	132322	75RB#0	13.489	15.03	PASS





Band66	15MHz	16QAM	132597	75RB#0	13.536	15.07	PASS
Band66	15MHz	64QAM	132047	75RB#0	13.522	15.91	PASS
Band66	15MHz	64QAM	132322	75RB#0	13.453	15.04	PASS
Band66	15MHz	64QAM	132597	75RB#0	13.556	15.21	PASS
Band66	20MHz	QPSK	132072	100RB#0	18.007	19.79	PASS
Band66	20MHz	QPSK	132322	100RB#0	18.003	20.42	PASS
Band66	20MHz	QPSK	132572	100RB#0	18.038	19.89	PASS
Band66	20MHz	16QAM	132072	100RB#0	18.025	19.73	PASS
Band66	20MHz	16QAM	132322	100RB#0	17.954	21.09	PASS
Band66	20MHz	16QAM	132572	100RB#0	18.016	19.77	PASS
Band66	20MHz	64QAM	132072	100RB#0	17.973	19.75	PASS
Band66	20MHz	64QAM	132322	100RB#0	17.951	19.63	PASS
Band66	20MHz	64QAM	132572	100RB#0	18.041	19.62	PASS
Band71	5MHz	QPSK	133147	25RB#0	4.5228	5.168	PASS
Band71	5MHz	QPSK	133297	25RB#0	4.5272	5.194	PASS
Band71	5MHz	QPSK	133447	25RB#0	4.5076	5.158	PASS
Band71	5MHz	16QAM	133147	25RB#0	4.5033	5.132	PASS
Band71	5MHz	16QAM	133297	25RB#0	4.5122	5.160	PASS
Band71	5MHz	16QAM	133447	25RB#0	4.5286	5.222	PASS
Band71	5MHz	64QAM	133147	25RB#0	4.5025	5.147	PASS
Band71	5MHz	64QAM	133297	25RB#0	4.5119	5.154	PASS
Band71	5MHz	64QAM	133447	25RB#0	4.5111	5.178	PASS
Band71	10MHz	QPSK	133172	50RB#0	9.0043	10.22	PASS
Band71	10MHz	QPSK	133297	50RB#0	9.0090	10.21	PASS
Band71	10MHz	QPSK	133422	50RB#0	9.0379	11.23	PASS
Band71	10MHz	16QAM	133172	50RB#0	8.9769	10.11	PASS
Band71	10MHz	16QAM	133297	50RB#0	9.0028	10.05	PASS
Band71	10MHz	16QAM	133422	50RB#0	9.0224	11.14	PASS
Band71	10MHz	64QAM	133172	50RB#0	8.9906	10.12	PASS
Band71	10MHz	64QAM	133297	50RB#0	8.9850	10.10	PASS
Band71	10MHz	64QAM	133422	50RB#0	9.0166	10.09	PASS
Band71	15MHz	QPSK	133197	75RB#0	13.528	15.05	PASS
Band71	15MHz	QPSK	133297	75RB#0	13.488	15.14	PASS
Band71	15MHz	QPSK	133397	75RB#0	13.528	16.03	PASS
Band71	15MHz	16QAM	133197	75RB#0	13.499	15.00	PASS
Band71	15MHz	16QAM	133297	75RB#0	13.477	14.97	PASS
Band71	15MHz	16QAM	133397	75RB#0	13.555	15.09	PASS
Band71	15MHz	64QAM	133197	75RB#0	13.480	15.07	PASS
Band71	15MHz	64QAM	133297	75RB#0	13.463	14.90	PASS
Band71	15MHz	64QAM	133397	75RB#0	13.517	15.11	PASS
Band71	20MHz	QPSK	133222	100RB#0	17.948	19.73	PASS
Band71	20MHz	QPSK	133322	100RB#0	17.989	19.81	PASS

Band71	20MHz	QPSK	133372	100RB#0	18.039	20.49	PASS
Band71	20MHz	16QAM	133222	100RB#0	18.008	19.68	PASS
Band71	20MHz	16QAM	133322	100RB#0	17.967	19.73	PASS
Band71	20MHz	16QAM	133372	100RB#0	18.002	19.83	PASS
Band71	20MHz	64QAM	133222	100RB#0	17.930	19.85	PASS
Band71	20MHz	64QAM	133322	100RB#0	17.983	19.81	PASS
Band71	20MHz	64QAM	133372	100RB#0	18.004	19.82	PASS

Test Graphs









Band2-3MHz-16QAM-19185-15RB#0

Band2-3MHz-64QAM-18615-15RB#0



Band2-3MHz-64QAM-18900-15RB#0



Band2-3MHz-64QAM-19185-15RB#0







Band2-5MHz-QPSK-18625-25RB#0

Band2-5MHz-QPSK-18900-25RB#0











Band2-10MHz-16QAM-19150-50RB#0


Band2-10MHz-64QAM-18650-50RB#0




Band2-10MHz-64QAM-18900-50RB#0




Band2-10MHz-64QAM-19150-50RB#0



Band2-15MHz-QPSK-18675-75RB#0




Band2-15MHz-QPSK-18900-75RB#0




Band2-15MHz-QPSK-19125-75RB#0

Band2-15MHz-16QAM-18675-75RB#0



Band2-15MHz-16QAM-18900-75RB#0

Band2-15MHz-16QAM-19125-75RB#0



Band2-15MHz-64QAM-18675-75RB#0

Band2-15MHz-64QAM-18900-75RB#0