

# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 B25\_1.4MHz\_EIRP

### 1.1.1 Test Result

Band: 25 / Bandwidth: 1.4MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1850.7	1	0	17.13	-1.29	15.84	<=33.01	Pass		
			2	17.25	-1.29	15.96	<=33.01	Pass		
			5	17.19	-1.29	15.90	<=33.01	Pass		
		3	0	17.27	-1.29	15.98	<=33.01	Pass		
			2	17.32	-1.29	16.03	<=33.01	Pass		
			3	17.32	-1.29	16.03	<=33.01	Pass		
		6	0	16.22	-1.29	14.93	<=33.01	Pass		
		1882.5	1	0	18.06	-1.29	16.77	<=33.01	Pass	
				2	18.22	-1.29	16.93	<=33.01	Pass	
	5			18.13	-1.29	16.84	<=33.01	Pass		
	3		0	18.21	-1.29	16.92	<=33.01	Pass		
			2	18.24	-1.29	16.95	<=33.01	Pass		
			3	18.26	-1.29	16.97	<=33.01	Pass		
	6		0	17.15	-1.29	15.86	<=33.01	Pass		
	1914.3		1	0	18.65	-1.29	17.36	<=33.01	Pass	
				2	18.78	-1.29	17.49	<=33.01	Pass	
		5		18.73	-1.29	17.44	<=33.01	Pass		
		3	0	18.80	-1.29	17.51	<=33.01	Pass		
			2	18.85	-1.29	17.56	<=33.01	Pass		
			3	18.84	-1.29	17.55	<=33.01	Pass		
		6	0	17.77	-1.29	16.48	<=33.01	Pass		
		16QAM	1850.7	1	0	16.18	-1.29	14.89	<=33.01	Pass
					2	16.23	-1.29	14.94	<=33.01	Pass
	5				16.20	-1.29	14.91	<=33.01	Pass	
3	0			16.57	-1.29	15.28	<=33.01	Pass		
	2			16.59	-1.29	15.30	<=33.01	Pass		
	3			16.60	-1.29	15.31	<=33.01	Pass		
6	0			15.25	-1.29	13.96	<=33.01	Pass		
1882.5	1			0	17.08	-1.29	15.79	<=33.01	Pass	
				2	17.22	-1.29	15.93	<=33.01	Pass	
			5	17.17	-1.29	15.88	<=33.01	Pass		
	3		0	17.34	-1.29	16.05	<=33.01	Pass		
			2	17.35	-1.29	16.06	<=33.01	Pass		
			3	17.36	-1.29	16.07	<=33.01	Pass		
	6		0	16.08	-1.29	14.79	<=33.01	Pass		
	1914.3		1	0	17.85	-1.29	16.56	<=33.01	Pass	
				2	17.98	-1.29	16.69	<=33.01	Pass	
5				17.92	-1.29	16.63	<=33.01	Pass		
3			0	17.82	-1.29	16.53	<=33.01	Pass		
			2	17.88	-1.29	16.59	<=33.01	Pass		
			3	17.90	-1.29	16.61	<=33.01	Pass		
6			0	16.81	-1.29	15.52	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

## 1.2 B25\_3MHz\_EIRP

### 1.2.1 Test Result

Band: 25 / Bandwidth: 3MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1851.5	1	0	17.38	-1.29	16.09	<=33.01	Pass		
			7	17.55	-1.29	16.26	<=33.01	Pass		
			14	17.39	-1.29	16.10	<=33.01	Pass		
		8	0	16.36	-1.29	15.07	<=33.01	Pass		
			4	16.38	-1.29	15.09	<=33.01	Pass		
			7	16.35	-1.29	15.06	<=33.01	Pass		
		15	0	16.40	-1.29	15.11	<=33.01	Pass		
		1882.5	1	0	18.18	-1.29	16.89	<=33.01	Pass	
				7	18.39	-1.29	17.10	<=33.01	Pass	
	14			18.39	-1.29	17.10	<=33.01	Pass		
	8		0	17.26	-1.29	15.97	<=33.01	Pass		
			4	17.30	-1.29	16.01	<=33.01	Pass		
			7	17.30	-1.29	16.01	<=33.01	Pass		
	15		0	17.36	-1.29	16.07	<=33.01	Pass		
	1913.5		1	0	18.74	-1.29	17.45	<=33.01	Pass	
				7	18.95	-1.29	17.66	<=33.01	Pass	
		14		18.88	-1.29	17.59	<=33.01	Pass		
		8	0	17.78	-1.29	16.49	<=33.01	Pass		
			4	17.84	-1.29	16.55	<=33.01	Pass		
			7	17.80	-1.29	16.51	<=33.01	Pass		
		15	0	17.81	-1.29	16.52	<=33.01	Pass		
		16QAM	1851.5	1	0	16.39	-1.29	15.10	<=33.01	Pass
					7	16.55	-1.29	15.26	<=33.01	Pass
	14				16.44	-1.29	15.15	<=33.01	Pass	
8	0			15.45	-1.29	14.16	<=33.01	Pass		
	4			15.49	-1.29	14.20	<=33.01	Pass		
	7			15.43	-1.29	14.14	<=33.01	Pass		
15	0			15.48	-1.29	14.19	<=33.01	Pass		
1882.5	1			0	17.35	-1.29	16.06	<=33.01	Pass	
				7	17.65	-1.29	16.36	<=33.01	Pass	
			14	17.51	-1.29	16.22	<=33.01	Pass		
	8		0	16.25	-1.29	14.96	<=33.01	Pass		
			4	16.30	-1.29	15.01	<=33.01	Pass		
			7	16.33	-1.29	15.04	<=33.01	Pass		
	15		0	16.31	-1.29	15.02	<=33.01	Pass		
	1913.5		1	0	18.29	-1.29	17.00	<=33.01	Pass	
				7	18.52	-1.29	17.23	<=33.01	Pass	
14				18.46	-1.29	17.17	<=33.01	Pass		
8			0	16.92	-1.29	15.63	<=33.01	Pass		
			4	17.03	-1.29	15.74	<=33.01	Pass		
			7	17.00	-1.29	15.71	<=33.01	Pass		
15			0	16.86	-1.29	15.57	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

### 1.3 B25\_5MHz\_EIRP

#### 1.3.1 Test Result

Band: 25 / Bandwidth: 5MHz / NTNV
-----------------------------------

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1852.5	1	0	17.16	-1.29	15.87	<=33.01	Pass		
			13	17.34	-1.29	16.05	<=33.01	Pass		
			24	17.26	-1.29	15.97	<=33.01	Pass		
		12	0	16.34	-1.29	15.05	<=33.01	Pass		
			6	16.33	-1.29	15.04	<=33.01	Pass		
			13	16.25	-1.29	14.96	<=33.01	Pass		
		25	0	16.33	-1.29	15.04	<=33.01	Pass		
		1882.5	1	0	18.02	-1.29	16.73	<=33.01	Pass	
				13	18.23	-1.29	16.94	<=33.01	Pass	
	24			18.23	-1.29	16.94	<=33.01	Pass		
	12		0	17.21	-1.29	15.92	<=33.01	Pass		
			6	17.23	-1.29	15.94	<=33.01	Pass		
			13	17.19	-1.29	15.90	<=33.01	Pass		
	25		0	17.25	-1.29	15.96	<=33.01	Pass		
	1912.5		1	0	18.46	-1.29	17.17	<=33.01	Pass	
				13	18.76	-1.29	17.47	<=33.01	Pass	
		24		18.74	-1.29	17.45	<=33.01	Pass		
		12	0	17.40	-1.29	16.11	<=33.01	Pass		
			6	17.68	-1.29	16.39	<=33.01	Pass		
			13	17.57	-1.29	16.28	<=33.01	Pass		
		25	0	17.57	-1.29	16.28	<=33.01	Pass		
		16QAM	1852.5	1	0	16.32	-1.29	15.03	<=33.01	Pass
					13	16.49	-1.29	15.20	<=33.01	Pass
	24				16.33	-1.29	15.04	<=33.01	Pass	
12	0			15.38	-1.29	14.09	<=33.01	Pass		
	6			15.41	-1.29	14.12	<=33.01	Pass		
	13			15.30	-1.29	14.01	<=33.01	Pass		
25	0			15.37	-1.29	14.08	<=33.01	Pass		
1882.5	1			0	17.27	-1.29	15.98	<=33.01	Pass	
				13	17.53	-1.29	16.24	<=33.01	Pass	
			24	17.61	-1.29	16.32	<=33.01	Pass		
	12		0	16.26	-1.29	14.97	<=33.01	Pass		
			6	16.33	-1.29	15.04	<=33.01	Pass		
			13	16.32	-1.29	15.03	<=33.01	Pass		
	25		0	16.24	-1.29	14.95	<=33.01	Pass		
	1912.5		1	0	17.30	-1.29	16.01	<=33.01	Pass	
				13	17.56	-1.29	16.27	<=33.01	Pass	
24				17.67	-1.29	16.38	<=33.01	Pass		
12			0	16.48	-1.29	15.19	<=33.01	Pass		
			6	16.72	-1.29	15.43	<=33.01	Pass		
			13	16.67	-1.29	15.38	<=33.01	Pass		
25			0	16.65	-1.29	15.36	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

## 1.4 B25\_10MHz\_EIRP

### 1.4.1 Test Result

Band: 25 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	17.22	-1.29	15.93	<=33.01	Pass
			25	17.54	-1.29	16.25	<=33.01	Pass

		25	49	17.24	-1.29	15.95	<=33.01	Pass	
			0	16.48	-1.29	15.19	<=33.01	Pass	
			13	16.40	-1.29	15.11	<=33.01	Pass	
			25	16.36	-1.29	15.07	<=33.01	Pass	
		50	0	16.47	-1.29	15.18	<=33.01	Pass	
			1	0	17.83	-1.29	16.54	<=33.01	Pass
				25	18.43	-1.29	17.14	<=33.01	Pass
		49		18.38	-1.29	17.09	<=33.01	Pass	
		1882.5	25	0	17.23	-1.29	15.94	<=33.01	Pass
	13			17.31	-1.29	16.02	<=33.01	Pass	
	25			17.32	-1.29	16.03	<=33.01	Pass	
	50	0	17.30	-1.29	16.01	<=33.01	Pass		
		1	0	18.15	-1.29	16.86	<=33.01	Pass	
			25	18.66	-1.29	17.37	<=33.01	Pass	
	49		18.72	-1.29	17.43	<=33.01	Pass		
	1910	25	0	17.63	-1.29	16.34	<=33.01	Pass	
			13	17.61	-1.29	16.32	<=33.01	Pass	
			25	17.74	-1.29	16.45	<=33.01	Pass	
		50	0	17.72	-1.29	16.43	<=33.01	Pass	
			1	0	16.24	-1.29	14.95	<=33.01	Pass
				25	16.53	-1.29	15.24	<=33.01	Pass
	49	16.24		-1.29	14.95	<=33.01	Pass		
	1855	25	0	15.59	-1.29	14.30	<=33.01	Pass	
			13	15.55	-1.29	14.26	<=33.01	Pass	
			25	15.47	-1.29	14.18	<=33.01	Pass	
		50	0	15.48	-1.29	14.19	<=33.01	Pass	
			1	0	17.04	-1.29	15.75	<=33.01	Pass
25				17.48	-1.29	16.19	<=33.01	Pass	
49	17.53	-1.29		16.24	<=33.01	Pass			
1882.5	25	0	16.34	-1.29	15.05	<=33.01	Pass		
		13	16.36	-1.29	15.07	<=33.01	Pass		
		25	16.36	-1.29	15.07	<=33.01	Pass		
	50	0	16.36	-1.29	15.07	<=33.01	Pass		
		1	0	17.84	-1.29	16.55	<=33.01	Pass	
			25	18.26	-1.29	16.97	<=33.01	Pass	
49	18.33		-1.29	17.04	<=33.01	Pass			
1910	25	0	16.74	-1.29	15.45	<=33.01	Pass		
		13	16.68	-1.29	15.39	<=33.01	Pass		
		25	16.85	-1.29	15.56	<=33.01	Pass		
	50	0	16.79	-1.29	15.50	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

## 1.5 B25\_15MHz\_EIRP

### 1.5.1 Test Result

Band: 25 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	17.00	-1.29	15.71	<=33.01	Pass
			38	17.25	-1.29	15.96	<=33.01	Pass
			74	17.02	-1.29	15.73	<=33.01	Pass
		36	0	16.27	-1.29	14.98	<=33.01	Pass
			18	16.30	-1.29	15.01	<=33.01	Pass
			39	16.25	-1.29	14.96	<=33.01	Pass

	1882.5	75	0	16.35	-1.29	15.06	<=33.01	Pass		
			1	0	17.54	-1.29	16.25	<=33.01	Pass	
				38	18.15	-1.29	16.86	<=33.01	Pass	
		74		18.24	-1.29	16.95	<=33.01	Pass		
		36	0	17.02	-1.29	15.73	<=33.01	Pass		
			18	17.16	-1.29	15.87	<=33.01	Pass		
			39	17.25	-1.29	15.96	<=33.01	Pass		
		75	0	17.11	-1.29	15.82	<=33.01	Pass		
		1907.5	1	0	18.06	-1.29	16.77	<=33.01	Pass	
	38			18.35	-1.29	17.06	<=33.01	Pass		
	74			18.59	-1.29	17.30	<=33.01	Pass		
	36		0	17.40	-1.29	16.11	<=33.01	Pass		
			18	17.39	-1.29	16.10	<=33.01	Pass		
			39	17.62	-1.29	16.33	<=33.01	Pass		
	75		0	17.54	-1.29	16.25	<=33.01	Pass		
	16QAM		1857.5	1	0	16.50	-1.29	15.21	<=33.01	Pass
					38	16.72	-1.29	15.43	<=33.01	Pass
		74			16.46	-1.29	15.17	<=33.01	Pass	
36		0		15.33	-1.29	14.04	<=33.01	Pass		
		18		15.34	-1.29	14.05	<=33.01	Pass		
		39		15.28	-1.29	13.99	<=33.01	Pass		
75		0		15.31	-1.29	14.02	<=33.01	Pass		
1882.5		1		0	16.71	-1.29	15.42	<=33.01	Pass	
				38	17.37	-1.29	16.08	<=33.01	Pass	
			74	17.38	-1.29	16.09	<=33.01	Pass		
		36	0	16.06	-1.29	14.77	<=33.01	Pass		
			18	16.19	-1.29	14.90	<=33.01	Pass		
			39	16.28	-1.29	14.99	<=33.01	Pass		
		75	0	16.13	-1.29	14.84	<=33.01	Pass		
		1907.5	1	0	17.57	-1.29	16.28	<=33.01	Pass	
				38	17.99	-1.29	16.70	<=33.01	Pass	
74				18.16	-1.29	16.87	<=33.01	Pass		
36			0	16.40	-1.29	15.11	<=33.01	Pass		
	18		16.46	-1.29	15.17	<=33.01	Pass			
	39		16.72	-1.29	15.43	<=33.01	Pass			
75	0		16.54	-1.29	15.25	<=33.01	Pass			

Note1: EIRP=Conducted Power+Antenna Gain

## 1.6 B25\_20MHz\_EIRP

### 1.6.1 Test Result

Band: 25 / Bandwidth: 20MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	16.95	-1.29	15.66	<=33.01	Pass
			50	17.36	-1.29	16.07	<=33.01	Pass
			99	16.98	-1.29	15.69	<=33.01	Pass
		50	0	16.38	-1.29	15.09	<=33.01	Pass
			25	16.31	-1.29	15.02	<=33.01	Pass
			50	16.53	-1.29	15.24	<=33.01	Pass
	100	0	16.41	-1.29	15.12	<=33.01	Pass	
	1882.5	1	0	17.31	-1.29	16.02	<=33.01	Pass
			50	18.26	-1.29	16.97	<=33.01	Pass
			99	18.08	-1.29	16.79	<=33.01	Pass

		50	0	17.09	-1.29	15.80	<=33.01	Pass		
			25	17.24	-1.29	15.95	<=33.01	Pass		
			50	17.21	-1.29	15.92	<=33.01	Pass		
		100	0	17.15	-1.29	15.86	<=33.01	Pass		
			1	0	17.98	-1.29	16.69	<=33.01	Pass	
				50	18.40	-1.29	17.11	<=33.01	Pass	
		99		18.42	-1.29	17.13	<=33.01	Pass		
		50	0	17.18	-1.29	15.89	<=33.01	Pass		
			25	17.27	-1.29	15.98	<=33.01	Pass		
	50		17.43	-1.29	16.14	<=33.01	Pass			
	100	0	17.34	-1.29	16.05	<=33.01	Pass			
	16QAM	1860	1	0	16.46	-1.29	15.17	<=33.01	Pass	
				50	16.92	-1.29	15.63	<=33.01	Pass	
				99	16.53	-1.29	15.24	<=33.01	Pass	
			50	0	15.42	-1.29	14.13	<=33.01	Pass	
25				15.31	-1.29	14.02	<=33.01	Pass		
50				15.52	-1.29	14.23	<=33.01	Pass		
100			0	15.45	-1.29	14.16	<=33.01	Pass		
1882.5			1	0	16.51	-1.29	15.22	<=33.01	Pass	
				50	17.61	-1.29	16.32	<=33.01	Pass	
		99		17.31	-1.29	16.02	<=33.01	Pass		
		50	0	16.10	-1.29	14.81	<=33.01	Pass		
			25	16.21	-1.29	14.92	<=33.01	Pass		
			50	16.23	-1.29	14.94	<=33.01	Pass		
		100	0	16.14	-1.29	14.85	<=33.01	Pass		
		1905	1	0	20.95	-1.29	19.66	<=33.01	Pass	
				50	20.90	-1.29	19.61	<=33.01	Pass	
99				21.49	-1.29	20.20	<=33.01	Pass		
50			0	19.45	-1.29	18.16	<=33.01	Pass		
			25	19.48	-1.29	18.19	<=33.01	Pass		
			50	19.83	-1.29	18.54	<=33.01	Pass		
100			0	19.62	-1.29	18.33	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

## 2. Frequency Stability

### 2.1 B25\_1.4MHz

#### 2.1.1 Test Result

Band: 25 / Bandwidth: 1.4MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	1850.7	6	0	20	3.27	-12.116	-0.0065	-2.5 to 2.5	Pass	
					3.85	30.227	0.0163	-2.5 to 2.5	Pass	
					4.43	21.272	0.0115	-2.5 to 2.5	Pass	
				-30	3.85	5.193	0.0028	-2.5 to 2.5	Pass	
					-20	3.85	4.835	0.0026	-2.5 to 2.5	Pass
						-10	3.85	2.217	0.0012	-2.5 to 2.5
				0	3.85	-2.074	-0.0011	-2.5 to 2.5	Pass	
					10	3.85	-1.760	-0.0010	-2.5 to 2.5	Pass
					30	3.85	-6.194	-0.0033	-2.5 to 2.5	Pass
				40	3.85	-6.909	-0.0037	-2.5 to 2.5	Pass	
					50	3.85	-1.888	-0.0010	-2.5 to 2.5	Pass

	1882.5	6	0	20	3.27	-18.454	-0.0098	-2.5 to 2.5	Pass
					3.85	-4.535	-0.0024	-2.5 to 2.5	Pass
					4.43	-10.257	-0.0054	-2.5 to 2.5	Pass
				-30	3.85	-17.180	-0.0091	-2.5 to 2.5	Pass
				-20	3.85	-15.564	-0.0083	-2.5 to 2.5	Pass
				-10	3.85	-7.081	-0.0038	-2.5 to 2.5	Pass
				0	3.85	-4.735	-0.0025	-2.5 to 2.5	Pass
				10	3.85	-0.515	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-10.014	-0.0053	-2.5 to 2.5	Pass
	40	3.85	-3.319	-0.0018	-2.5 to 2.5	Pass			
	50	3.85	-10.200	-0.0054	-2.5 to 2.5	Pass			
	1914.3	6	0	20	3.27	-7.668	-0.0040	-2.5 to 2.5	Pass
					3.85	-5.665	-0.0030	-2.5 to 2.5	Pass
					4.43	-2.317	-0.0012	-2.5 to 2.5	Pass
				-30	3.85	-4.277	-0.0022	-2.5 to 2.5	Pass
				-20	3.85	-4.134	-0.0022	-2.5 to 2.5	Pass
				-10	3.85	-8.669	-0.0045	-2.5 to 2.5	Pass
				0	3.85	-8.540	-0.0045	-2.5 to 2.5	Pass
10				3.85	-5.407	-0.0028	-2.5 to 2.5	Pass	
30				3.85	-0.787	-0.0004	-2.5 to 2.5	Pass	
40	3.85	-10.428	-0.0054	-2.5 to 2.5	Pass				
50	3.85	-9.513	-0.0050	-2.5 to 2.5	Pass				
16QAM	1850.7	6	0	20	3.27	-12.417	-0.0067	-2.5 to 2.5	Pass
					3.85	-8.211	-0.0044	-2.5 to 2.5	Pass
					4.43	-3.533	-0.0019	-2.5 to 2.5	Pass
				-30	3.85	-12.131	-0.0066	-2.5 to 2.5	Pass
				-20	3.85	-8.855	-0.0048	-2.5 to 2.5	Pass
				-10	3.85	-3.562	-0.0019	-2.5 to 2.5	Pass
				0	3.85	-8.025	-0.0043	-2.5 to 2.5	Pass
				10	3.85	-12.732	-0.0069	-2.5 to 2.5	Pass
				30	3.85	-6.895	-0.0037	-2.5 to 2.5	Pass
	40	3.85	-9.999	-0.0054	-2.5 to 2.5	Pass			
	50	3.85	-1.044	-0.0006	-2.5 to 2.5	Pass			
	1882.5	6	0	20	3.27	-16.394	-0.0087	-2.5 to 2.5	Pass
					3.85	-6.623	-0.0035	-2.5 to 2.5	Pass
					4.43	-5.407	-0.0029	-2.5 to 2.5	Pass
				-30	3.85	-1.516	-0.0008	-2.5 to 2.5	Pass
				-20	3.85	-10.042	-0.0053	-2.5 to 2.5	Pass
				-10	3.85	-11.830	-0.0063	-2.5 to 2.5	Pass
				0	3.85	-11.201	-0.0060	-2.5 to 2.5	Pass
10				3.85	-6.680	-0.0035	-2.5 to 2.5	Pass	
30				3.85	-10.500	-0.0056	-2.5 to 2.5	Pass	
40	3.85	-6.580	-0.0035	-2.5 to 2.5	Pass				
50	3.85	-17.624	-0.0094	-2.5 to 2.5	Pass				
1914.3	6	0	20	3.27	-9.141	-0.0048	-2.5 to 2.5	Pass	
				3.85	1.688	0.0009	-2.5 to 2.5	Pass	
				4.43	-12.417	-0.0065	-2.5 to 2.5	Pass	
			-30	3.85	-0.072	0.0000	-2.5 to 2.5	Pass	
			-20	3.85	-2.275	-0.0012	-2.5 to 2.5	Pass	
			-10	3.85	0.157	0.0001	-2.5 to 2.5	Pass	
			0	3.85	-0.944	-0.0005	-2.5 to 2.5	Pass	
			10	3.85	-8.383	-0.0044	-2.5 to 2.5	Pass	
			30	3.85	-7.253	-0.0038	-2.5 to 2.5	Pass	
40	3.85	-4.935	-0.0026	-2.5 to 2.5	Pass				
50	3.85	-2.861	-0.0015	-2.5 to 2.5	Pass				

## 2.2 B25\_3MHz

### 2.2.1 Test Result

Band: 25 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1851.5	15	0	20	3.27	-8.082	-0.0044	-2.5 to 2.5	Pass
					3.85	6.237	0.0034	-2.5 to 2.5	Pass
					4.43	15.392	0.0083	-2.5 to 2.5	Pass
				-30	3.85	8.268	0.0045	-2.5 to 2.5	Pass
				-20	3.85	5.479	0.0030	-2.5 to 2.5	Pass
				-10	3.85	-3.948	-0.0021	-2.5 to 2.5	Pass
				0	3.85	-8.183	-0.0044	-2.5 to 2.5	Pass
				10	3.85	-5.736	-0.0031	-2.5 to 2.5	Pass
				30	3.85	-6.151	-0.0033	-2.5 to 2.5	Pass
				40	3.85	-6.652	-0.0036	-2.5 to 2.5	Pass
	50	3.85	-10.486	-0.0057	-2.5 to 2.5	Pass			
	1882.5	15	0	20	3.27	-58.894	-0.0313	-2.5 to 2.5	Pass
					3.85	-16.193	-0.0086	-2.5 to 2.5	Pass
					4.43	-14.806	-0.0079	-2.5 to 2.5	Pass
				-30	3.85	-19.770	-0.0105	-2.5 to 2.5	Pass
				-20	3.85	-7.224	-0.0038	-2.5 to 2.5	Pass
				-10	3.85	-14.863	-0.0079	-2.5 to 2.5	Pass
				0	3.85	-15.893	-0.0084	-2.5 to 2.5	Pass
				10	3.85	-9.899	-0.0053	-2.5 to 2.5	Pass
				30	3.85	-7.925	-0.0042	-2.5 to 2.5	Pass
				40	3.85	-15.621	-0.0083	-2.5 to 2.5	Pass
	50	3.85	-11.959	-0.0064	-2.5 to 2.5	Pass			
	1913.5	15	0	20	3.27	-13.275	-0.0069	-2.5 to 2.5	Pass
					3.85	0.129	0.0001	-2.5 to 2.5	Pass
					4.43	-7.896	-0.0041	-2.5 to 2.5	Pass
				-30	3.85	-4.520	-0.0024	-2.5 to 2.5	Pass
				-20	3.85	-3.147	-0.0016	-2.5 to 2.5	Pass
				-10	3.85	-7.482	-0.0039	-2.5 to 2.5	Pass
				0	3.85	-2.432	-0.0013	-2.5 to 2.5	Pass
				10	3.85	8.039	0.0042	-2.5 to 2.5	Pass
30				3.85	1.516	0.0008	-2.5 to 2.5	Pass	
40				3.85	-2.360	-0.0012	-2.5 to 2.5	Pass	
50	3.85	-8.984	-0.0047	-2.5 to 2.5	Pass				
16QAM	1851.5	15	0	20	3.27	-10.343	-0.0056	-2.5 to 2.5	Pass
					3.85	-4.020	-0.0022	-2.5 to 2.5	Pass
					4.43	-11.458	-0.0062	-2.5 to 2.5	Pass
				-30	3.85	-7.539	-0.0041	-2.5 to 2.5	Pass
				-20	3.85	-16.565	-0.0089	-2.5 to 2.5	Pass
				-10	3.85	-10.943	-0.0059	-2.5 to 2.5	Pass
				0	3.85	-11.487	-0.0062	-2.5 to 2.5	Pass
				10	3.85	-0.544	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-6.323	-0.0034	-2.5 to 2.5	Pass
				40	3.85	-3.705	-0.0020	-2.5 to 2.5	Pass
	50	3.85	-13.947	-0.0075	-2.5 to 2.5	Pass			
	1882.5	15	0	20	3.27	-4.735	-0.0025	-2.5 to 2.5	Pass
					3.85	-7.625	-0.0041	-2.5 to 2.5	Pass
					4.43	-18.854	-0.0100	-2.5 to 2.5	Pass
-30				3.85	-12.302	-0.0065	-2.5 to 2.5	Pass	
-20	3.85	-10.500	-0.0056	-2.5 to 2.5	Pass				



				-10	3.85	-10.085	-0.0054	-2.5 to 2.5	Pass
				0	3.85	-13.576	-0.0072	-2.5 to 2.5	Pass
				10	3.85	3.505	0.0019	-2.5 to 2.5	Pass
				30	3.85	-13.804	-0.0073	-2.5 to 2.5	Pass
				40	3.85	-3.920	-0.0021	-2.5 to 2.5	Pass
				50	3.85	-6.795	-0.0036	-2.5 to 2.5	Pass
	1913.5	15	0	20	3.27	3.247	0.0017	-2.5 to 2.5	Pass
					3.85	-7.768	-0.0041	-2.5 to 2.5	Pass
					4.43	-7.482	-0.0039	-2.5 to 2.5	Pass
				-30	3.85	-0.715	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	-5.293	-0.0028	-2.5 to 2.5	Pass
				-10	3.85	2.117	0.0011	-2.5 to 2.5	Pass
				0	3.85	3.362	0.0018	-2.5 to 2.5	Pass
				10	3.85	-0.629	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-3.605	-0.0019	-2.5 to 2.5	Pass
				40	3.85	-11.616	-0.0061	-2.5 to 2.5	Pass
				50	3.85	-1.259	-0.0007	-2.5 to 2.5	Pass

## 2.3 B25\_5MHz

### 2.3.1 Test Result

Band: 25 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	3.27	-6.223	-0.0034	-2.5 to 2.5	Pass
					3.85	1.674	0.0009	-2.5 to 2.5	Pass
					4.43	-2.990	-0.0016	-2.5 to 2.5	Pass
				-30	3.85	-1.645	-0.0009	-2.5 to 2.5	Pass
				-20	3.85	-0.057	0.0000	-2.5 to 2.5	Pass
				-10	3.85	-6.580	-0.0036	-2.5 to 2.5	Pass
				0	3.85	-10.586	-0.0057	-2.5 to 2.5	Pass
				10	3.85	-23.031	-0.0124	-2.5 to 2.5	Pass
				30	3.85	-8.955	-0.0048	-2.5 to 2.5	Pass
				40	3.85	-9.012	-0.0049	-2.5 to 2.5	Pass
				50	3.85	-7.453	-0.0040	-2.5 to 2.5	Pass
				1882.5	25	0	20	3.27	-8.912
	3.85	-3.047	-0.0016					-2.5 to 2.5	Pass
	4.43	-10.057	-0.0053					-2.5 to 2.5	Pass
	-30	3.85	-4.864				-0.0026	-2.5 to 2.5	Pass
	-20	3.85	-11.430				-0.0061	-2.5 to 2.5	Pass
	-10	3.85	-6.509				-0.0035	-2.5 to 2.5	Pass
	0	3.85	1.616				0.0009	-2.5 to 2.5	Pass
	10	3.85	-6.351				-0.0034	-2.5 to 2.5	Pass
	30	3.85	-11.401				-0.0061	-2.5 to 2.5	Pass
	40	3.85	-15.950				-0.0085	-2.5 to 2.5	Pass
	50	3.85	-5.794				-0.0031	-2.5 to 2.5	Pass
	1912.5	25	0				20	3.27	-11.501
				3.85	-6.995	-0.0037		-2.5 to 2.5	Pass
				4.43	-0.615	-0.0003		-2.5 to 2.5	Pass
				-30	3.85	-9.212	-0.0048	-2.5 to 2.5	Pass
				-20	3.85	-12.474	-0.0065	-2.5 to 2.5	Pass
				-10	3.85	-16.508	-0.0086	-2.5 to 2.5	Pass
				0	3.85	-4.606	-0.0024	-2.5 to 2.5	Pass
				10	3.85	-7.753	-0.0041	-2.5 to 2.5	Pass

				30	3.85	-4.678	-0.0024	-2.5 to 2.5	Pass
				40	3.85	-4.449	-0.0023	-2.5 to 2.5	Pass
				50	3.85	-13.189	-0.0069	-2.5 to 2.5	Pass
16QAM	1852.5	25	0	20	3.27	-9.370	-0.0051	-2.5 to 2.5	Pass
					3.85	-5.379	-0.0029	-2.5 to 2.5	Pass
					4.43	-2.375	-0.0013	-2.5 to 2.5	Pass
				-30	3.85	-11.101	-0.0060	-2.5 to 2.5	Pass
				-20	3.85	-9.499	-0.0051	-2.5 to 2.5	Pass
				-10	3.85	-10.586	-0.0057	-2.5 to 2.5	Pass
				0	3.85	-7.911	-0.0043	-2.5 to 2.5	Pass
				10	3.85	7.753	0.0042	-2.5 to 2.5	Pass
				30	3.85	-10.486	-0.0057	-2.5 to 2.5	Pass
				40	3.85	-16.394	-0.0088	-2.5 to 2.5	Pass
	50	3.85	-4.992	-0.0027	-2.5 to 2.5	Pass			
	1882.5	25	0	20	3.27	-9.956	-0.0053	-2.5 to 2.5	Pass
					3.85	-3.362	-0.0018	-2.5 to 2.5	Pass
					4.43	-17.610	-0.0094	-2.5 to 2.5	Pass
				-30	3.85	-6.051	-0.0032	-2.5 to 2.5	Pass
				-20	3.85	-6.537	-0.0035	-2.5 to 2.5	Pass
				-10	3.85	-6.437	-0.0034	-2.5 to 2.5	Pass
				0	3.85	-9.699	-0.0052	-2.5 to 2.5	Pass
				10	3.85	-15.078	-0.0080	-2.5 to 2.5	Pass
				30	3.85	-7.696	-0.0041	-2.5 to 2.5	Pass
				40	3.85	-9.513	-0.0051	-2.5 to 2.5	Pass
	50	3.85	-5.307	-0.0028	-2.5 to 2.5	Pass			
	1912.5	25	0	20	3.27	-3.633	-0.0019	-2.5 to 2.5	Pass
					3.85	-7.653	-0.0040	-2.5 to 2.5	Pass
					4.43	-7.310	-0.0038	-2.5 to 2.5	Pass
				-30	3.85	-0.229	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	-4.678	-0.0024	-2.5 to 2.5	Pass
				-10	3.85	-9.599	-0.0050	-2.5 to 2.5	Pass
				0	3.85	-2.360	-0.0012	-2.5 to 2.5	Pass
				10	3.85	-8.268	-0.0043	-2.5 to 2.5	Pass
30				3.85	-7.710	-0.0040	-2.5 to 2.5	Pass	
40				3.85	-11.301	-0.0059	-2.5 to 2.5	Pass	
50	3.85	-4.792	-0.0025	-2.5 to 2.5	Pass				

## 2.4 B25\_10MHz

### 2.4.1 Test Result

Band: 25 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	3.27	-4.020	-0.0022	-2.5 to 2.5	Pass
					3.85	2.074	0.0011	-2.5 to 2.5	Pass
					4.43	5.450	0.0029	-2.5 to 2.5	Pass
				-30	3.85	1.130	0.0006	-2.5 to 2.5	Pass
				-20	3.85	-4.163	-0.0022	-2.5 to 2.5	Pass
				-10	3.85	-5.851	-0.0032	-2.5 to 2.5	Pass
				0	3.85	-5.064	-0.0027	-2.5 to 2.5	Pass
				10	3.85	-1.802	-0.0010	-2.5 to 2.5	Pass
				30	3.85	-10.414	-0.0056	-2.5 to 2.5	Pass
				40	3.85	-5.851	-0.0032	-2.5 to 2.5	Pass
50	3.85	-11.745	-0.0063	-2.5 to 2.5	Pass				

	1882.5	50	0	20	3.27	-14.162	-0.0075	-2.5 to 2.5	Pass
					3.85	-1.559	-0.0008	-2.5 to 2.5	Pass
					4.43	-15.006	-0.0080	-2.5 to 2.5	Pass
				-30	3.85	-6.337	-0.0034	-2.5 to 2.5	Pass
				-20	3.85	-9.599	-0.0051	-2.5 to 2.5	Pass
				-10	3.85	-6.895	-0.0037	-2.5 to 2.5	Pass
				0	3.85	-11.973	-0.0064	-2.5 to 2.5	Pass
				10	3.85	-10.042	-0.0053	-2.5 to 2.5	Pass
				30	3.85	-8.297	-0.0044	-2.5 to 2.5	Pass
	40	3.85	-4.191	-0.0022	-2.5 to 2.5	Pass			
	50	3.85	1.273	0.0007	-2.5 to 2.5	Pass			
	1910	50	0	20	3.27	-5.536	-0.0029	-2.5 to 2.5	Pass
					3.85	-9.112	-0.0048	-2.5 to 2.5	Pass
					4.43	-5.722	-0.0030	-2.5 to 2.5	Pass
				-30	3.85	-8.039	-0.0042	-2.5 to 2.5	Pass
				-20	3.85	-5.465	-0.0029	-2.5 to 2.5	Pass
				-10	3.85	-3.119	-0.0016	-2.5 to 2.5	Pass
				0	3.85	-7.653	-0.0040	-2.5 to 2.5	Pass
10				3.85	-9.727	-0.0051	-2.5 to 2.5	Pass	
30				3.85	-8.826	-0.0046	-2.5 to 2.5	Pass	
40	3.85	-6.580	-0.0034	-2.5 to 2.5	Pass				
50	3.85	-1.373	-0.0007	-2.5 to 2.5	Pass				
16QAM	1855	50	0	20	3.27	-5.379	-0.0029	-2.5 to 2.5	Pass
					3.85	-5.422	-0.0029	-2.5 to 2.5	Pass
					4.43	-3.476	-0.0019	-2.5 to 2.5	Pass
				-30	3.85	-7.210	-0.0039	-2.5 to 2.5	Pass
				-20	3.85	-9.255	-0.0050	-2.5 to 2.5	Pass
				-10	3.85	-4.463	-0.0024	-2.5 to 2.5	Pass
				0	3.85	-4.535	-0.0024	-2.5 to 2.5	Pass
				10	3.85	-9.441	-0.0051	-2.5 to 2.5	Pass
				30	3.85	-5.178	-0.0028	-2.5 to 2.5	Pass
	40	3.85	-4.535	-0.0024	-2.5 to 2.5	Pass			
	50	3.85	-2.747	-0.0015	-2.5 to 2.5	Pass			
	1882.5	50	0	20	3.27	-9.670	-0.0051	-2.5 to 2.5	Pass
					3.85	-7.725	-0.0041	-2.5 to 2.5	Pass
					4.43	-9.341	-0.0050	-2.5 to 2.5	Pass
				-30	3.85	-11.401	-0.0061	-2.5 to 2.5	Pass
				-20	3.85	-9.255	-0.0049	-2.5 to 2.5	Pass
				-10	3.85	-9.098	-0.0048	-2.5 to 2.5	Pass
				0	3.85	-6.366	-0.0034	-2.5 to 2.5	Pass
10				3.85	-9.899	-0.0053	-2.5 to 2.5	Pass	
30				3.85	-18.682	-0.0099	-2.5 to 2.5	Pass	
40	3.85	-3.848	-0.0020	-2.5 to 2.5	Pass				
50	3.85	-6.909	-0.0037	-2.5 to 2.5	Pass				
1910	50	0	20	3.27	-11.058	-0.0058	-2.5 to 2.5	Pass	
				3.85	-4.563	-0.0024	-2.5 to 2.5	Pass	
				4.43	-3.462	-0.0018	-2.5 to 2.5	Pass	
			-30	3.85	-6.552	-0.0034	-2.5 to 2.5	Pass	
			-20	3.85	-5.765	-0.0030	-2.5 to 2.5	Pass	
			-10	3.85	-7.839	-0.0041	-2.5 to 2.5	Pass	
			0	3.85	-6.180	-0.0032	-2.5 to 2.5	Pass	
			10	3.85	-3.376	-0.0018	-2.5 to 2.5	Pass	
			30	3.85	-8.483	-0.0044	-2.5 to 2.5	Pass	
40	3.85	-5.178	-0.0027	-2.5 to 2.5	Pass				
50	3.85	-3.762	-0.0020	-2.5 to 2.5	Pass				

## 2.5 B25\_15MHz

### 2.5.1 Test Result

Band: 25 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1857.5	75	0	20	3.27	-1.888	-0.0010	-2.5 to 2.5	Pass
					3.85	-0.730	-0.0004	-2.5 to 2.5	Pass
					4.43	3.476	0.0019	-2.5 to 2.5	Pass
				-30	3.85	-4.764	-0.0026	-2.5 to 2.5	Pass
				-20	3.85	-5.908	-0.0032	-2.5 to 2.5	Pass
				-10	3.85	-5.693	-0.0031	-2.5 to 2.5	Pass
				0	3.85	-3.819	-0.0021	-2.5 to 2.5	Pass
				10	3.85	-3.719	-0.0020	-2.5 to 2.5	Pass
				30	3.85	-2.360	-0.0013	-2.5 to 2.5	Pass
				40	3.85	-7.825	-0.0042	-2.5 to 2.5	Pass
	50	3.85	-8.011	-0.0043	-2.5 to 2.5	Pass			
	1882.5	75	0	20	3.27	-8.297	-0.0044	-2.5 to 2.5	Pass
					3.85	-10.543	-0.0056	-2.5 to 2.5	Pass
					4.43	-8.311	-0.0044	-2.5 to 2.5	Pass
				-30	3.85	-4.392	-0.0023	-2.5 to 2.5	Pass
				-20	3.85	-13.719	-0.0073	-2.5 to 2.5	Pass
				-10	3.85	-11.430	-0.0061	-2.5 to 2.5	Pass
				0	3.85	-11.415	-0.0061	-2.5 to 2.5	Pass
				10	3.85	-12.360	-0.0066	-2.5 to 2.5	Pass
				30	3.85	-7.067	-0.0038	-2.5 to 2.5	Pass
				40	3.85	-11.144	-0.0059	-2.5 to 2.5	Pass
	50	3.85	-9.727	-0.0052	-2.5 to 2.5	Pass			
	1907.5	75	0	20	3.27	-6.680	-0.0035	-2.5 to 2.5	Pass
					3.85	-2.532	-0.0013	-2.5 to 2.5	Pass
					4.43	-2.174	-0.0011	-2.5 to 2.5	Pass
				-30	3.85	-7.482	-0.0039	-2.5 to 2.5	Pass
				-20	3.85	-4.821	-0.0025	-2.5 to 2.5	Pass
				-10	3.85	-6.094	-0.0032	-2.5 to 2.5	Pass
				0	3.85	-3.347	-0.0018	-2.5 to 2.5	Pass
				10	3.85	-3.819	-0.0020	-2.5 to 2.5	Pass
30				3.85	-2.489	-0.0013	-2.5 to 2.5	Pass	
40				3.85	-11.787	-0.0062	-2.5 to 2.5	Pass	
50	3.85	-2.675	-0.0014	-2.5 to 2.5	Pass				
16QAM	1857.5	75	0	20	3.27	-8.354	-0.0045	-2.5 to 2.5	Pass
					3.85	-3.777	-0.0020	-2.5 to 2.5	Pass
					4.43	1.259	0.0007	-2.5 to 2.5	Pass
				-30	3.85	-7.725	-0.0042	-2.5 to 2.5	Pass
				-20	3.85	-4.020	-0.0022	-2.5 to 2.5	Pass
				-10	3.85	-3.533	-0.0019	-2.5 to 2.5	Pass
				0	3.85	1.202	0.0006	-2.5 to 2.5	Pass
				10	3.85	-0.973	-0.0005	-2.5 to 2.5	Pass
				30	3.85	-8.225	-0.0044	-2.5 to 2.5	Pass
				40	3.85	-5.908	-0.0032	-2.5 to 2.5	Pass
	50	3.85	-7.539	-0.0041	-2.5 to 2.5	Pass			
	1882.5	75	0	20	3.27	-14.048	-0.0075	-2.5 to 2.5	Pass
					3.85	-9.170	-0.0049	-2.5 to 2.5	Pass
					4.43	-6.638	-0.0035	-2.5 to 2.5	Pass
-30				3.85	-8.941	-0.0047	-2.5 to 2.5	Pass	
-20	3.85	-9.327	-0.0050	-2.5 to 2.5	Pass				

				-10	3.85	-7.582	-0.0040	-2.5 to 2.5	Pass
				0	3.85	-3.247	-0.0017	-2.5 to 2.5	Pass
				10	3.85	-0.672	-0.0004	-2.5 to 2.5	Pass
				30	3.85	-8.698	-0.0046	-2.5 to 2.5	Pass
				40	3.85	-3.877	-0.0021	-2.5 to 2.5	Pass
				50	3.85	-3.219	-0.0017	-2.5 to 2.5	Pass
	1907.5	75	0	20	3.27	-13.161	-0.0069	-2.5 to 2.5	Pass
					3.85	-7.367	-0.0039	-2.5 to 2.5	Pass
					4.43	-3.805	-0.0020	-2.5 to 2.5	Pass
				-30	3.85	-3.505	-0.0018	-2.5 to 2.5	Pass
				-20	3.85	-6.208	-0.0033	-2.5 to 2.5	Pass
				-10	3.85	-5.207	-0.0027	-2.5 to 2.5	Pass
				0	3.85	-5.794	-0.0030	-2.5 to 2.5	Pass
				10	3.85	-3.991	-0.0021	-2.5 to 2.5	Pass
				30	3.85	-7.010	-0.0037	-2.5 to 2.5	Pass
				40	3.85	-4.005	-0.0021	-2.5 to 2.5	Pass
				50	3.85	-10.371	-0.0054	-2.5 to 2.5	Pass

## 2.6 B25\_20MHz

### 2.6.1 Test Result

Band: 25 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	3.27	3.204	0.0017	-2.5 to 2.5	Pass
					3.85	2.847	0.0015	-2.5 to 2.5	Pass
					4.43	1.245	0.0007	-2.5 to 2.5	Pass
				-30	3.85	-4.692	-0.0025	-2.5 to 2.5	Pass
				-20	3.85	-1.416	-0.0008	-2.5 to 2.5	Pass
				-10	3.85	-5.021	-0.0027	-2.5 to 2.5	Pass
				0	3.85	-3.233	-0.0017	-2.5 to 2.5	Pass
				10	3.85	-6.480	-0.0035	-2.5 to 2.5	Pass
				30	3.85	-6.537	-0.0035	-2.5 to 2.5	Pass
				40	3.85	-0.458	-0.0002	-2.5 to 2.5	Pass
				50	3.85	-8.240	-0.0044	-2.5 to 2.5	Pass
				1882.5	100	0	20	3.27	-12.989
	3.85	-15.807	-0.0084					-2.5 to 2.5	Pass
	4.43	-10.901	-0.0058					-2.5 to 2.5	Pass
	-30	3.85	-13.018				-0.0069	-2.5 to 2.5	Pass
	-20	3.85	-9.670				-0.0051	-2.5 to 2.5	Pass
	-10	3.85	-9.813				-0.0052	-2.5 to 2.5	Pass
	0	3.85	-11.787				-0.0063	-2.5 to 2.5	Pass
	10	3.85	-8.755				-0.0047	-2.5 to 2.5	Pass
	30	3.85	-9.542				-0.0051	-2.5 to 2.5	Pass
	40	3.85	-5.507				-0.0029	-2.5 to 2.5	Pass
	50	3.85	-7.925				-0.0042	-2.5 to 2.5	Pass
	1905	100	0				20	3.27	-6.251
				3.85	-7.696	-0.0040		-2.5 to 2.5	Pass
				4.43	-2.847	-0.0015		-2.5 to 2.5	Pass
				-30	3.85	-8.912	-0.0047	-2.5 to 2.5	Pass
				-20	3.85	-5.078	-0.0027	-2.5 to 2.5	Pass
				-10	3.85	-6.995	-0.0037	-2.5 to 2.5	Pass
				0	3.85	-8.812	-0.0046	-2.5 to 2.5	Pass
				10	3.85	-11.601	-0.0061	-2.5 to 2.5	Pass

				30	3.85	-5.693	-0.0030	-2.5 to 2.5	Pass
				40	3.85	-8.111	-0.0043	-2.5 to 2.5	Pass
				50	3.85	-3.133	-0.0016	-2.5 to 2.5	Pass
16QAM	1860	100	0	20	3.27	-7.367	-0.0040	-2.5 to 2.5	Pass
					3.85	-8.783	-0.0047	-2.5 to 2.5	Pass
					4.43	-3.533	-0.0019	-2.5 to 2.5	Pass
				-30	3.85	-6.909	-0.0037	-2.5 to 2.5	Pass
				-20	3.85	-3.076	-0.0017	-2.5 to 2.5	Pass
				-10	3.85	-2.475	-0.0013	-2.5 to 2.5	Pass
				0	3.85	-2.475	-0.0013	-2.5 to 2.5	Pass
				10	3.85	-3.991	-0.0021	-2.5 to 2.5	Pass
				30	3.85	-3.333	-0.0018	-2.5 to 2.5	Pass
				40	3.85	-0.401	-0.0002	-2.5 to 2.5	Pass
	50	3.85	-1.960	-0.0011	-2.5 to 2.5	Pass			
	1882.5	100	0	20	3.27	-8.154	-0.0043	-2.5 to 2.5	Pass
					3.85	-3.319	-0.0018	-2.5 to 2.5	Pass
					4.43	-6.809	-0.0036	-2.5 to 2.5	Pass
				-30	3.85	-7.696	-0.0041	-2.5 to 2.5	Pass
				-20	3.85	-8.368	-0.0044	-2.5 to 2.5	Pass
				-10	3.85	-7.954	-0.0042	-2.5 to 2.5	Pass
				0	3.85	-9.785	-0.0052	-2.5 to 2.5	Pass
				10	3.85	-13.819	-0.0073	-2.5 to 2.5	Pass
				30	3.85	-11.029	-0.0059	-2.5 to 2.5	Pass
				40	3.85	-12.002	-0.0064	-2.5 to 2.5	Pass
	50	3.85	-6.166	-0.0033	-2.5 to 2.5	Pass			
	1905	100	0	20	3.27	-9.098	-0.0048	-2.5 to 2.5	Pass
					3.85	-9.427	-0.0049	-2.5 to 2.5	Pass
					4.43	-9.956	-0.0052	-2.5 to 2.5	Pass
				-30	3.85	-8.583	-0.0045	-2.5 to 2.5	Pass
				-20	3.85	-6.623	-0.0035	-2.5 to 2.5	Pass
				-10	3.85	-5.207	-0.0027	-2.5 to 2.5	Pass
				0	3.85	-2.789	-0.0015	-2.5 to 2.5	Pass
				10	3.85	-4.163	-0.0022	-2.5 to 2.5	Pass
30				3.85	-9.298	-0.0049	-2.5 to 2.5	Pass	
40				3.85	-3.705	-0.0019	-2.5 to 2.5	Pass	
50	3.85	-4.292	-0.0023	-2.5 to 2.5	Pass				


### 3. Modulation Characteristics

#### 3.1 B25\_1.4MHz

##### 3.1.1 Test Result

Band: 25 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	6	0	Refer To Test Graph		Pass
16QAM	1882.5	6	0	Refer To Test Graph		Pass

### 3.1.2 Test Graph




## 3.2 B25\_3MHz

### 3.2.1 Test Result

Band: 25 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	15	0	Refer To Test Graph		Pass
16QAM	1882.5	15	0	Refer To Test Graph		Pass



### 3.2.2 Test Graph




### 3.3 B25\_5MHz

#### 3.3.1 Test Result

Band: 25 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	25	0	Refer To Test Graph		Pass
16QAM	1882.5	25	0	Refer To Test Graph		Pass

### 3.3.2 Test Graph




### 3.4 B25\_10MHz

#### 3.4.1 Test Result

Band: 25 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	50	0	Refer To Test Graph		Pass
16QAM	1882.5	50	0	Refer To Test Graph		Pass

### 3.4.2 Test Graph




### 3.5 B25\_15MHz

#### 3.5.1 Test Result

Band: 25 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	75	0	Refer To Test Graph		Pass
16QAM	1882.5	75	0	Refer To Test Graph		Pass

### 3.5.2 Test Graph




### 3.6 B25\_20MHz

#### 3.6.1 Test Result

Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	100	0	Refer To Test Graph		Pass
16QAM	1882.5	100	0	Refer To Test Graph		Pass



### 3.6.2 Test Graph





## 4. 99% & 26dB Bandwidth

### 4.1 Band25\_OBW


#### 4.1.1 Test Result

Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.115	/	Pass
		1882.5	6	0	1.110	/	Pass
		1914.3	6	0	1.106	/	Pass
	16QAM	1850.7	6	0	1.112	/	Pass
		1882.5	6	0	1.108	/	Pass
		1914.3	6	0	1.105	/	Pass
3	QPSK	1851.5	15	0	2.729	/	Pass
		1882.5	15	0	2.727	/	Pass
		1913.5	15	0	2.723	/	Pass
	16QAM	1851.5	15	0	2.721	/	Pass
		1882.5	15	0	2.723	/	Pass
		1913.5	15	0	2.716	/	Pass
5	QPSK	1852.5	25	0	4.578	/	Pass
		1882.5	25	0	4.561	/	Pass
		1912.5	25	0	4.573	/	Pass
	16QAM	1852.5	25	0	4.595	/	Pass
		1882.5	25	0	4.590	/	Pass
		1912.5	25	0	4.550	/	Pass
10	QPSK	1855	50	0	9.113	/	Pass
		1882.5	50	0	9.062	/	Pass
		1910	50	0	9.123	/	Pass
	16QAM	1855	50	0	9.100	/	Pass
		1882.5	50	0	9.063	/	Pass
		1910	50	0	9.100	/	Pass
15	QPSK	1857.5	75	0	13.692	/	Pass
		1882.5	75	0	13.586	/	Pass
		1907.5	75	0	13.675	/	Pass
	16QAM	1857.5	75	0	13.655	/	Pass
		1882.5	75	0	13.620	/	Pass
		1907.5	75	0	13.668	/	Pass
20	QPSK	1860	100	0	18.182	/	Pass
		1882.5	100	0	18.145	/	Pass
		1905	100	0	18.131	/	Pass
	16QAM	1860	100	0	18.236	/	Pass
		1882.5	100	0	18.087	/	Pass
		1905	100	0	18.101	/	Pass


### 4.1.2 Test Graph




Band25\_1.4MHz\_QPSK\_HCH\_1914.3MHz\_RB\_6\_0\_NTNV




Band25\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_6\_0\_NTNV




Band25\_1.4MHz\_16QAM\_MCH\_1882.5MHz\_RB\_6\_0\_NTNV




Band25\_1.4MHz\_16QAM\_HCH\_1914.3MHz\_RB\_6\_0\_NTNV




Band25\_3MHz\_QPSK\_LCH\_1851.5MHz\_RB\_15\_0\_NTNV




Band25\_3MHz\_QPSK\_MCH\_1882.5MHz\_RB\_15\_0\_NTNV




Band25\_3MHz\_QPSK\_HCH\_1913.5MHz\_RB\_15\_0\_NTNV




Band25\_3MHz\_16QAM\_LCH\_1851.5MHz\_RB\_15\_0\_NTNV



Band25\_3MHz\_16QAM\_MCH\_1882.5MHz\_RB\_15\_0\_NTNV




Band25\_3MHz\_16QAM\_HCH\_1913.5MHz\_RB\_15\_0\_NTNV







Band25\_5MHz\_QPSK\_LCH\_1852.5MHz\_RB\_25\_0\_NTNV




Band25\_5MHz\_QPSK\_MCH\_1882.5MHz\_RB\_25\_0\_NTNV




Band25\_5MHz\_QPSK\_HCH\_1912.5MHz\_RB\_25\_0\_NTNV




Band25\_5MHz\_16QAM\_LCH\_1852.5MHz\_RB\_25\_0\_NTNV




Band25\_5MHz\_16QAM\_MCH\_1882.5MHz\_RB\_25\_0\_NTNV




Band25\_5MHz\_16QAM\_HCH\_1912.5MHz\_RB\_25\_0\_NTNV




Band25\_10MHz\_QPSK\_LCH\_1855MHz\_RB\_50\_0\_NTNV




Band25\_10MHz\_QPSK\_MCH\_1882.5MHz\_RB\_50\_0\_NTNV




Band25\_10MHz\_QPSK\_HCH\_1910MHz\_RB\_50\_0\_NTNV




Band25\_10MHz\_16QAM\_LCH\_1855MHz\_RB\_50\_0\_NTNV




Band25\_10MHz\_16QAM\_MCH\_1882.5MHz\_RB\_50\_0\_NTNV




Band25\_10MHz\_16QAM\_HCH\_1910MHz\_RB\_50\_0\_NTNV




Band25\_15MHz\_QPSK\_LCH\_1857.5MHz\_RB\_75\_0\_NTNV




Band25\_15MHz\_QPSK\_MCH\_1882.5MHz\_RB\_75\_0\_NTNV



Band25\_15MHz\_QPSK\_HCH\_1907.5MHz\_RB\_75\_0\_NTNV




Band25\_15MHz\_16QAM\_LCH\_1857.5MHz\_RB\_75\_0\_NTNV







Band25\_15MHz\_16QAM\_MCH\_1882.5MHz\_RB\_75\_0\_NTNV




Band25\_15MHz\_16QAM\_HCH\_1907.5MHz\_RB\_75\_0\_NTNV




Band25\_20MHz\_QPSK\_LCH\_1860MHz\_RB\_100\_0\_NTNV




Band25\_20MHz\_QPSK\_MCH\_1882.5MHz\_RB\_100\_0\_NTNV




Band25\_20MHz\_QPSK\_HCH\_1905MHz\_RB\_100\_0\_NTNV




Band25\_20MHz\_16QAM\_LCH\_1860MHz\_RB\_100\_0\_NTNV



Band25\_20MHz\_16QAM\_MCH\_1882.5MHz\_RB\_100\_0\_NTNV



Band25\_20MHz\_16QAM\_HCH\_1905MHz\_RB\_100\_0\_NTNV




## 4.2 Band25\_XDB


### 4.2.1 Test Result

Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.384	/	Pass
		1882.5	6	0	1.339	/	Pass
		1914.3	6	0	1.315	/	Pass
	16QAM	1850.7	6	0	1.342	/	Pass
		1882.5	6	0	1.311	/	Pass
		1914.3	6	0	1.347	/	Pass
3	QPSK	1851.5	15	0	2.989	/	Pass
		1882.5	15	0	2.997	/	Pass
		1913.5	15	0	2.990	/	Pass
	16QAM	1851.5	15	0	2.989	/	Pass
		1882.5	15	0	2.979	/	Pass
		1913.5	15	0	2.984	/	Pass
5	QPSK	1852.5	25	0	5.254	/	Pass
		1882.5	25	0	5.215	/	Pass
		1912.5	25	0	5.149	/	Pass
	16QAM	1852.5	25	0	5.332	/	Pass
		1882.5	25	0	5.274	/	Pass
		1912.5	25	0	5.273	/	Pass
10	QPSK	1855	50	0	10.269	/	Pass
		1882.5	50	0	10.194	/	Pass
		1910	50	0	10.255	/	Pass
	16QAM	1855	50	0	10.322	/	Pass
		1882.5	50	0	10.176	/	Pass
		1910	50	0	10.282	/	Pass
15	QPSK	1857.5	75	0	15.393	/	Pass
		1882.5	75	0	15.136	/	Pass
		1907.5	75	0	15.338	/	Pass
	16QAM	1857.5	75	0	15.243	/	Pass
		1882.5	75	0	15.272	/	Pass
		1907.5	75	0	15.362	/	Pass
20	QPSK	1860	100	0	20.266	/	Pass
		1882.5	100	0	20.067	/	Pass
		1905	100	0	19.922	/	Pass
	16QAM	1860	100	0	20.082	/	Pass
		1882.5	100	0	19.994	/	Pass
		1905	100	0	20.066	/	Pass


### 4.2.2 Test Graph




Band25\_1.4MHz\_QPSK\_HCH\_1914.3MHz\_RB\_6\_0\_NTNV




Band25\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_6\_0\_NTNV



Band25\_1.4MHz\_16QAM\_MCH\_1882.5MHz\_RB\_6\_0\_NTNV




Band25\_1.4MHz\_16QAM\_HCH\_1914.3MHz\_RB\_6\_0\_NTNV







Band25\_3MHz\_QPSK\_LCH\_1851.5MHz\_RB\_15\_0\_NTNV




Band25\_3MHz\_QPSK\_MCH\_1882.5MHz\_RB\_15\_0\_NTNV




Band25\_3MHz\_QPSK\_HCH\_1913.5MHz\_RB\_15\_0\_NTNV




Band25\_3MHz\_16QAM\_LCH\_1851.5MHz\_RB\_15\_0\_NTNV




Band25\_3MHz\_16QAM\_MCH\_1882.5MHz\_RB\_15\_0\_NTNV




Band25\_3MHz\_16QAM\_HCH\_1913.5MHz\_RB\_15\_0\_NTNV




Band25\_5MHz\_QPSK\_LCH\_1852.5MHz\_RB\_25\_0\_NTNV




Band25\_5MHz\_QPSK\_MCH\_1882.5MHz\_RB\_25\_0\_NTNV




Band25\_5MHz\_QPSK\_HCH\_1912.5MHz\_RB\_25\_0\_NTNV




Band25\_5MHz\_16QAM\_LCH\_1852.5MHz\_RB\_25\_0\_NTNV




Band25\_5MHz\_16QAM\_MCH\_1882.5MHz\_RB\_25\_0\_NTNV




Band25\_5MHz\_16QAM\_HCH\_1912.5MHz\_RB\_25\_0\_NTNV




Band25\_10MHz\_QPSK\_LCH\_1855MHz\_RB\_50\_0\_NTNV




Band25\_10MHz\_QPSK\_MCH\_1882.5MHz\_RB\_50\_0\_NTNV



Band25\_10MHz\_QPSK\_HCH\_1910MHz\_RB\_50\_0\_NTNV




Band25\_10MHz\_16QAM\_LCH\_1855MHz\_RB\_50\_0\_NTNV







Band25\_10MHz\_16QAM\_MCH\_1882.5MHz\_RB\_50\_0\_NTNV




Band25\_10MHz\_16QAM\_HCH\_1910MHz\_RB\_50\_0\_NTNV




Band25\_15MHz\_QPSK\_LCH\_1857.5MHz\_RB\_75\_0\_NTNV




Band25\_15MHz\_QPSK\_MCH\_1882.5MHz\_RB\_75\_0\_NTNV




Band25\_15MHz\_QPSK\_HCH\_1907.5MHz\_RB\_75\_0\_NTNV




Band25\_15MHz\_16QAM\_LCH\_1857.5MHz\_RB\_75\_0\_NTNV




Band25\_15MHz\_16QAM\_MCH\_1882.5MHz\_RB\_75\_0\_NTNV




Band25\_15MHz\_16QAM\_HCH\_1907.5MHz\_RB\_75\_0\_NTNV




Band25\_20MHz\_QPSK\_LCH\_1860MHz\_RB\_100\_0\_NTNV




Band25\_20MHz\_QPSK\_MCH\_1882.5MHz\_RB\_100\_0\_NTNV




Band25\_20MHz\_QPSK\_HCH\_1905MHz\_RB\_100\_0\_NTNV




Band25\_20MHz\_16QAM\_LCH\_1860MHz\_RB\_100\_0\_NTNV



Band25\_20MHz\_16QAM\_MCH\_1882.5MHz\_RB\_100\_0\_NTNV



Band25\_20MHz\_16QAM\_HCH\_1905MHz\_RB\_100\_0\_NTNV



## 5. Peak-Average Ratio


### 5.1 B25\_1.4MHz

#### 5.1.1 Test Result


Band: 25 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	4.91	<=13	Pass
	1882.5	6	0	5.18	<=13	Pass
	1914.3	6	0	3.29	<=13	Pass
16QAM	1850.7	6	0	5.68	<=13	Pass
	1882.5	6	0	6.00	<=13	Pass
	1914.3	6	0	4.51	<=13	Pass




### 5.1.2 Test Graph




Band25\_1.4MHz\_QPSK\_HCH\_1914.3MHz\_RB\_6\_0\_NTNV




Band25\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_6\_0\_NTNV



Band25\_1.4MHz\_16QAM\_MCH\_1882.5MHz\_RB\_6\_0\_NTNV



Band25\_1.4MHz\_16QAM\_HCH\_1914.3MHz\_RB\_6\_0\_NTNV




## 5.2 B25\_3MHz


### 5.2.1 Test Result

Band: 25 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	4.95	<=13	Pass
	1882.5	15	0	5.20	<=13	Pass
	1913.5	15	0	4.06	<=13	Pass
16QAM	1851.5	15	0	4.92	<=13	Pass
	1882.5	15	0	5.18	<=13	Pass
	1913.5	15	0	4.01	<=13	Pass


## 5.2.2 Test Graph




Band25\_3MHz\_QPSK\_HCH\_1913.5MHz\_RB\_15\_0\_NTNV




Band25\_3MHz\_16QAM\_LCH\_1851.5MHz\_RB\_15\_0\_NTNV



Band25\_3MHz\_16QAM\_MCH\_1882.5MHz\_RB\_15\_0\_NTNV



Band25\_3MHz\_16QAM\_HCH\_1913.5MHz\_RB\_15\_0\_NTNV




## 5.3 B25\_5MHz

### 5.3.1 Test Result


Band: 25 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	5.15	<=13	Pass
	1882.5	25	0	5.33	<=13	Pass
	1912.5	25	0	4.70	<=13	Pass
16QAM	1852.5	25	0	5.84	<=13	Pass
	1882.5	25	0	6.10	<=13	Pass
	1912.5	25	0	5.48	<=13	Pass




### 5.3.2 Test Graph




Band25\_5MHz\_QPSK\_HCH\_1912.5MHz\_RB\_25\_0\_NTNV




Band25\_5MHz\_16QAM\_LCH\_1852.5MHz\_RB\_25\_0\_NTNV



Band25\_5MHz\_16QAM\_MCH\_1882.5MHz\_RB\_25\_0\_NTNV



Band25\_5MHz\_16QAM\_HCH\_1912.5MHz\_RB\_25\_0\_NTNV




## 5.4 B25\_10MHz


### 5.4.1 Test Result

Band: 25 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	5.14	<=13	Pass
	1882.5	50	0	5.37	<=13	Pass
	1910	50	0	5.04	<=13	Pass
16QAM	1855	50	0	5.13	<=13	Pass
	1882.5	50	0	5.37	<=13	Pass
	1910	50	0	5.01	<=13	Pass


## 5.4.2 Test Graph




Band25\_10MHz\_QPSK\_HCH\_1910MHz\_RB\_50\_0\_NTNV




Band25\_10MHz\_16QAM\_LCH\_1855MHz\_RB\_50\_0\_NTNV



Band25\_10MHz\_16QAM\_MCH\_1882.5MHz\_RB\_50\_0\_NTNV



Band25\_10MHz\_16QAM\_HCH\_1910MHz\_RB\_50\_0\_NTNV




## 5.5 B25\_15MHz

### 5.5.1 Test Result


Band: 25 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	4.85	<=13	Pass
	1882.5	75	0	4.83	<=13	Pass
	1907.5	75	0	4.82	<=13	Pass
16QAM	1857.5	75	0	6.05	<=13	Pass
	1882.5	75	0	6.13	<=13	Pass
	1907.5	75	0	5.99	<=13	Pass




### 5.5.2 Test Graph




Band25\_15MHz\_QPSK\_HCH\_1907.5MHz\_RB\_75\_0\_NTNV




Band25\_15MHz\_16QAM\_LCH\_1857.5MHz\_RB\_75\_0\_NTNV



Band25\_15MHz\_16QAM\_MCH\_1882.5MHz\_RB\_75\_0\_NTNV



Band25\_15MHz\_16QAM\_HCH\_1907.5MHz\_RB\_75\_0\_NTNV




## 5.6 B25\_20MHz


### 5.6.1 Test Result

Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	5.64	<=13	Pass
	1882.5	100	0	5.63	<=13	Pass
	1905	100	0	5.63	<=13	Pass
16QAM	1860	100	0	5.63	<=13	Pass
	1882.5	100	0	5.63	<=13	Pass
	1905	100	0	5.62	<=13	Pass


## 5.6.2 Test Graph




Band25\_20MHz\_QPSK\_HCH\_1905MHz\_RB\_100\_0\_NTNV




Band25\_20MHz\_16QAM\_LCH\_1860MHz\_RB\_100\_0\_NTNV



Band25\_20MHz\_16QAM\_MCH\_1882.5MHz\_RB\_100\_0\_NTNV



Band25\_20MHz\_16QAM\_HCH\_1905MHz\_RB\_100\_0\_NTNV



## 6. Spurious Emission



### 6.1 B25\_1.4MHz

#### 6.1.1 Test Result


Band: 25 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
		1914.3	1	0	Refer To Test Graph	
				5	Refer To Test Graph	
			6	0	Refer To Test Graph	
16QAM	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
		1914.3	1	0	Refer To Test Graph	
				5	Refer To Test Graph	
			6	0	Refer To Test Graph	




### 6.1.2 Test Graph



Band25\_1.4MHz\_QPSK\_LCH\_1850.7MHz\_RB\_1\_0\_NTNV




Band25\_1.4MHz\_QPSK\_LCH\_1850.7MHz\_RB\_6\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1848.5	1849	1	/	1	1848.906	-43.85	-13	Pass
1849	1850	0.015	/	2	1849.952	-31.20	-13	Pass
1850	1851.5	0.015	/	/	/	/	/	/


Band25\_1.4MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_1.4MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_1.4MHz\_QPSK\_HCH\_1914.3MHz\_RB\_1\_0\_NTNV




Band25\_1.4MHz\_QPSK\_HCH\_1914.3MHz\_RB\_1\_0\_NTNV




Band25 1.4MHz QPSK\_HCH\_1914.3MHz\_RB\_1\_5\_NTNV




Band25\_1.4MHz\_QPSK\_HCH\_1914.3MHz\_RB\_6\_0\_NTNV




Band25\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_1\_0\_NTNV




Band25\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_1\_0\_NTNV



Band25\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_1\_0\_NTNV




Band25\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_6\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1848.5	1849	1	/	1	1848.953	-46.57	-13	Pass
1849	1850	0.013	/	2	1849.973	-33.15	-13	Pass
1850	1851.5	0.013	/	/	/	/	/	/

Band25\_1.4MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_1.4MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV







Band25\_1.4MHz\_16QAM\_HCH\_1914.3MHz\_RB\_1\_0\_NTNV




Band25\_1.4MHz\_16QAM\_HCH\_1914.3MHz\_RB\_1\_0\_NTNV



Band25\_1.4MHz\_16QAM\_HCH\_1914.3MHz\_RB\_1\_5\_NTNV



Band25\_1.4MHz\_16QAM\_HCH\_1914.3MHz\_RB\_6\_0\_NTNV





## 6.2 B25\_3MHz


### 6.2.1 Test Result

Band: 25 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1913.5	1	0	Refer To Test Graph		Pass
		1	14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1913.5	1	0	Refer To Test Graph		Pass
		1	14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass


### 6.2.2 Test Graph



Band25\_3MHz\_QPSK\_LCH\_1851.5MHz\_RB\_1\_0\_NTNV




Band25\_3MHz\_QPSK\_LCH\_1851.5MHz\_RB\_15\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.494	-23.02	-13	Pass
1849	1850	0.03	/	2	1849.988	-25.84	-13	Pass
1850	1853	0.03	/	/	/	/	/	/


Band25\_3MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_3MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_3MHz\_QPSK\_HCH\_1913.5MHz\_RB\_1\_0\_NTNV




Band25\_3MHz\_QPSK\_HCH\_1913.5MHz\_RB\_1\_0\_NTNV



Band25\_3MHz\_QPSK\_HCH\_1913.5MHz\_RB\_1\_14\_NTNV




Band25\_3MHz\_QPSK\_HCH\_1913.5MHz\_RB\_15\_0\_NTNV







Band25\_3MHz\_16QAM\_LCH\_1851.5MHz\_RB\_1\_0\_NTNV




Band25\_3MHz\_16QAM\_LCH\_1851.5MHz\_RB\_1\_0\_NTNV



Band25\_3MHz\_16QAM\_LCH\_1851.5MHz\_RB\_1\_0\_NTNV




Band25\_3MHz\_16QAM\_LCH\_1851.5MHz\_RB\_15\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.494	-25.90	-13	Pass
1849	1850	0.03	/	2	1849.994	-26.53	-13	Pass
1850	1853	0.03	/	/	/	/	/	/


Band25\_3MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_3MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_3MHz\_16QAM\_HCH\_1913.5MHz\_RB\_1\_0\_NTNV




Band25\_3MHz\_16QAM\_HCH\_1913.5MHz\_RB\_1\_0\_NTNV



Band25\_3MHz\_16QAM\_HCH\_1913.5MHz\_RB\_1\_14\_NTNV



Band25\_3MHz\_16QAM\_HCH\_1913.5MHz\_RB\_15\_0\_NTNV





### 6.3 B25\_5MHz


#### 6.3.1 Test Result

Band: 25 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1912.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1912.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass


### 6.3.2 Test Graph



Band25\_5MHz\_QPSK\_LCH\_1852.5MHz\_RB\_1\_0\_NTNV




Band25\_5MHz\_QPSK\_LCH\_1852.5MHz\_RB\_25\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.490	-24.37	-13	Pass
1849	1850	0.056	/	2	1850.000	-30.32	-13	Pass
1850	1855	0.056	/	/	/	/	/	/




Band25\_5MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_5MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_5MHz\_QPSK\_HCH\_1912.5MHz\_RB\_1\_0\_NTNV




Band25\_5MHz\_QPSK\_HCH\_1912.5MHz\_RB\_1\_0\_NTNV




Band25\_5MHz\_QPSK\_HCH\_1912.5MHz\_RB\_1\_24\_NTNV




Band25\_5MHz\_QPSK\_HCH\_1912.5MHz\_RB\_25\_0\_NTNV




Band25\_5MHz\_16QAM\_LCH\_1852.5MHz\_RB\_1\_0\_NTNV




Band25\_5MHz\_16QAM\_LCH\_1852.5MHz\_RB\_1\_0\_NTNV



Band25\_5MHz\_16QAM\_LCH\_1852.5MHz\_RB\_1\_0\_NTNV




Band25\_5MHz\_16QAM\_LCH\_1852.5MHz\_RB\_25\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.490	-23.47	-13	Pass
1849	1850	0.056	/	2	1849.990	-30.39	-13	Pass
1850	1855	0.056	/	/	/	/	/	/


Band25\_5MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_5MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_5MHz\_16QAM\_HCH\_1912.5MHz\_RB\_1\_0\_NTNV




Band25\_5MHz\_16QAM\_HCH\_1912.5MHz\_RB\_1\_0\_NTNV



Band25\_5MHz\_16QAM\_HCH\_1912.5MHz\_RB\_1\_24\_NTNV



Band25\_5MHz\_16QAM\_HCH\_1912.5MHz\_RB\_25\_0\_NTNV







## 6.4 B25\_10MHz


### 6.4.1 Test Result

Band: 25 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1910	1	0	Refer To Test Graph		Pass
		1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1910	1	0	Refer To Test Graph		Pass
		1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass


### 6.4.2 Test Graph



Band25\_10MHz\_QPSK\_LCH\_1855MHz\_RB\_1\_0\_NTNV




Band25\_10MHz\_QPSK\_LCH\_1855MHz\_RB\_50\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.480	-24.68	-13	Pass
1849	1850	0.11	/	2	1850.000	-28.93	-13	Pass
1850	1860	0.11	/	/	/	/	/	/


Band25\_10MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_10MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_10MHz\_QPSK\_HCH\_1910MHz\_RB\_1\_0\_NTNV




Band25\_10MHz\_QPSK\_HCH\_1910MHz\_RB\_1\_0\_NTNV




Band25\_10MHz\_QPSK\_HCH\_1910MHz\_RB\_1\_49\_NTNV




Band25\_10MHz\_QPSK\_HCH\_1910MHz\_RB\_50\_0\_NTNV




Band25\_10MHz\_16QAM\_LCH\_1855MHz\_RB\_1\_0\_NTNV




Band25\_10MHz\_16QAM\_LCH\_1855MHz\_RB\_1\_0\_NTNV



Band25\_10MHz\_16QAM\_LCH\_1855MHz\_RB\_1\_0\_NTNV




Band25\_10MHz\_16QAM\_LCH\_1855MHz\_RB\_50\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.440	-27.41	-13	Pass
1849	1850	0.11	/	2	1849.520	-33.79	-13	Pass
1850	1860	0.11	/	/	/	/	/	/




Band25\_10MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_10MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_10MHz\_16QAM\_HCH\_1910MHz\_RB\_1\_0\_NTNV




Band25\_10MHz\_16QAM\_HCH\_1910MHz\_RB\_1\_0\_NTNV



Band25\_10MHz\_16QAM\_HCH\_1910MHz\_RB\_1\_49\_NTNV



Band25\_10MHz\_16QAM\_HCH\_1910MHz\_RB\_50\_0\_NTNV





## 6.5 B25\_15MHz


### 6.5.1 Test Result

Band: 25 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass


### 6.5.2 Test Graph



Band25\_15MHz\_QPSK\_LCH\_1857.5MHz\_RB\_1\_0\_NTNV




Band25\_15MHz\_QPSK\_LCH\_1857.5MHz\_RB\_75\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.470	-23.48	-13	Pass
1849	1850	0.16	/	2	1849.610	-28.73	-13	Pass
1850	1865	0.16	/	/	/	/	/	/


Band25\_15MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_15MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV



Band25\_15MHz\_QPSK\_HCH\_1907.5MHz\_RB\_1\_0\_NTNV




Band25\_15MHz\_QPSK\_HCH\_1907.5MHz\_RB\_1\_0\_NTNV







Band25\_15MHz\_QPSK\_HCH\_1907.5MHz\_RB\_1\_74\_NTNV




Band25\_15MHz\_QPSK\_HCH\_1907.5MHz\_RB\_75\_0\_NTNV




Band25\_15MHz\_16QAM\_LCH\_1857.5MHz\_RB\_1\_0\_NTNV




Band25\_15MHz\_16QAM\_LCH\_1857.5MHz\_RB\_1\_0\_NTNV



Band25\_15MHz\_16QAM\_LCH\_1857.5MHz\_RB\_1\_0\_NTNV




Band25\_15MHz\_16QAM\_LCH\_1857.5MHz\_RB\_75\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1847.360	-26.15	-13	Pass
1849	1850	0.16	/	2	1849.460	-31.44	-13	Pass
1850	1865	0.16	/	/	/	/	/	/


Band25\_15MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_15MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_15MHz\_16QAM\_HCH\_1907.5MHz\_RB\_1\_0\_NTNV




Band25\_15MHz\_16QAM\_HCH\_1907.5MHz\_RB\_1\_0\_NTNV



Band25\_15MHz\_16QAM\_HCH\_1907.5MHz\_RB\_1\_74\_NTNV



Band25\_15MHz\_16QAM\_HCH\_1907.5MHz\_RB\_75\_0\_NTNV





## 6.6 B25\_20MHz

### 6.6.1 Test Result


Band: 25 / Bandwidth: 20MHz / NTV							
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict	
		Size	Offset	Result	Limit		
QPSK	1860	1	0	Refer To Test Graph		Pass	
		100	0	Refer To Test Graph		Pass	
	1882.5	1	0	Refer To Test Graph		Pass	
		1905	1	0	Refer To Test Graph		Pass
				99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass	
16QAM	1860	1	0	Refer To Test Graph		Pass	
		100	0	Refer To Test Graph		Pass	
	1882.5	1	0	Refer To Test Graph		Pass	
		1905	1	0	Refer To Test Graph		Pass
				99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass	

### 6.6.2 Test Graph






Band25\_20MHz\_QPSK\_LCH\_1860MHz\_RB\_1\_0\_NTNV




Band25\_20MHz\_QPSK\_LCH\_1860MHz\_RB\_100\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1847.360	-24.94	-13	Pass
1849	1850	0.22	/	2	1849.880	-30.13	-13	Pass
1850	1870	0.22	/	/	/	/	/	/


Band25\_20MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_20MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_20MHz\_QPSK\_HCH\_1905MHz\_RB\_1\_0\_NTNV




Band25\_20MHz\_QPSK\_HCH\_1905MHz\_RB\_1\_0\_NTNV




Band25\_20MHz\_QPSK\_HCH\_1905MHz\_RB\_1\_99\_NTNV




Band25\_20MHz\_QPSK\_HCH\_1905MHz\_RB\_100\_0\_NTNV




Band25\_20MHz\_16QAM\_LCH\_1860MHz\_RB\_1\_0\_NTNV




Band25\_20MHz\_16QAM\_LCH\_1860MHz\_RB\_1\_0\_NTNV



Band25\_20MHz\_16QAM\_LCH\_1860MHz\_RB\_1\_0\_NTNV




Band25\_20MHz\_16QAM\_LCH\_1860MHz\_RB\_100\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.080	-26.77	-13	Pass
1849	1850	0.22	/	2	1849.760	-31.15	-13	Pass
1850	1870	0.22	/	/	/	/	/	/


Band25\_20MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_20MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV



Band25\_20MHz\_16QAM\_HCH\_1905MHz\_RB\_1\_0\_NTNV




Band25\_20MHz\_16QAM\_HCH\_1905MHz\_RB\_1\_0\_NTNV






Band25\_20MHz\_16QAM\_HCH\_1905MHz\_RB\_1\_99\_NTNV



Band25\_20MHz\_16QAM\_HCH\_1905MHz\_RB\_100\_0\_NTNV



## 7. Form731

### 7.1 Form731\_Power

#### 7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
25	1.4	1850.7	1914.3	0.0767	0.0163	ppm	1M11G7D	24E	18.85
25	1.4	1850.7	1914.3	0.0628	0.0094	ppm	1M11W7D	24E	17.98
25	3	1851.5	1913.5	0.0785	0.0313	ppm	2M73G7D	24E	18.95
25	3	1851.5	1913.5	0.0711	0.0100	ppm	2M72W7D	24E	18.52
25	5	1852.5	1912.5	0.0752	0.0124	ppm	4M58G7D	24E	18.76
25	5	1852.5	1912.5	0.0585	0.0094	ppm	4M59W7D	24E	17.67
25	10	1855	1910	0.0745	0.0080	ppm	9M12G7D	24E	18.72
25	10	1855	1910	0.0681	0.0099	ppm	9M10W7D	24E	18.33
25	15	1857.5	1907.5	0.0723	0.0073	ppm	13M7G7D	24E	18.59
25	15	1857.5	1907.5	0.0655	0.0075	ppm	13M7W7D	24E	18.16
25	20	1860	1905	0.0695	0.0084	ppm	18M2G7D	24E	18.42
25	20	1860	1905	0.1409	0.0073	ppm	18M2W7D	24E	21.49

## 7.2 Form731\_EIRP

### 7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
25	1.4	1850.7	1914.3	0.0570	0.0163	ppm	1M11G7D	24E	17.56
25	1.4	1850.7	1914.3	0.0467	0.0094	ppm	1M11W7D	24E	16.69
25	3	1851.5	1913.5	0.0583	0.0313	ppm	2M73G7D	24E	17.66
25	3	1851.5	1913.5	0.0528	0.0100	ppm	2M72W7D	24E	17.23
25	5	1852.5	1912.5	0.0558	0.0124	ppm	4M58G7D	24E	17.47
25	5	1852.5	1912.5	0.0435	0.0094	ppm	4M59W7D	24E	16.38
25	10	1855	1910	0.0553	0.0080	ppm	9M12G7D	24E	17.43
25	10	1855	1910	0.0506	0.0099	ppm	9M10W7D	24E	17.04
25	15	1857.5	1907.5	0.0537	0.0073	ppm	13M7G7D	24E	17.30
25	15	1857.5	1907.5	0.0486	0.0075	ppm	13M7W7D	24E	16.87
25	20	1860	1905	0.0516	0.0084	ppm	18M2G7D	24E	17.13
25	20	1860	1905	0.1047	0.0073	ppm	18M2W7D	24E	20.20