



1. Effective (Isotropic) Radiated Power Output Data

1.1 B41_5MHz_EIRP

1.1.1 Test Result

Band: 41 / Bandwidth: 5MHz / NTV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2552.5	1	0	21.34	0.17	21.51	<=33.01	Pass		
			13	21.34	0.17	21.51	<=33.01	Pass		
			24	21.40	0.17	21.57	<=33.01	Pass		
		12	0	20.38	0.17	20.55	<=33.01	Pass		
			6	20.34	0.17	20.51	<=33.01	Pass		
			13	20.47	0.17	20.64	<=33.01	Pass		
		25	0	20.25	0.17	20.42	<=33.01	Pass		
		2600	1	0	22.08	0.17	22.25	<=33.01	Pass	
				13	21.95	0.17	22.12	<=33.01	Pass	
	24			21.99	0.17	22.16	<=33.01	Pass		
	12		0	20.94	0.17	21.11	<=33.01	Pass		
			6	20.97	0.17	21.14	<=33.01	Pass		
			13	20.88	0.17	21.05	<=33.01	Pass		
	25		0	20.98	0.17	21.15	<=33.01	Pass		
	2647.5		1	0	22.54	0.17	22.71	<=33.01	Pass	
				13	22.48	0.17	22.65	<=33.01	Pass	
		24		22.56	0.17	22.73	<=33.01	Pass		
		12	0	21.41	0.17	21.58	<=33.01	Pass		
			6	21.45	0.17	21.62	<=33.01	Pass		
			13	21.42	0.17	21.59	<=33.01	Pass		
		25	0	21.40	0.17	21.57	<=33.01	Pass		
		16QAM	2552.5	1	0	20.48	0.17	20.65	<=33.01	Pass
					13	20.57	0.17	20.74	<=33.01	Pass
	24				20.83	0.17	21.00	<=33.01	Pass	
	12			0	18.99	0.17	19.16	<=33.01	Pass	
				6	19.15	0.17	19.32	<=33.01	Pass	
				13	19.29	0.17	19.46	<=33.01	Pass	
25	0			19.24	0.17	19.41	<=33.01	Pass		
2600	1			0	20.56	0.17	20.73	<=33.01	Pass	
				13	20.62	0.17	20.79	<=33.01	Pass	
			24	20.46	0.17	20.63	<=33.01	Pass		
	12		0	19.88	0.17	20.05	<=33.01	Pass		
			6	19.83	0.17	20.00	<=33.01	Pass		
			13	19.48	0.17	19.65	<=33.01	Pass		
	25		0	20.04	0.17	20.21	<=33.01	Pass		
	2647.5		1	0	20.94	0.17	21.11	<=33.01	Pass	
				13	20.86	0.17	21.03	<=33.01	Pass	
24				21.04	0.17	21.21	<=33.01	Pass		
12			0	20.51	0.17	20.68	<=33.01	Pass		
			6	20.43	0.17	20.60	<=33.01	Pass		
			13	20.49	0.17	20.66	<=33.01	Pass		
25			0	20.45	0.17	20.62	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain



1.2 B41_10MHz_EIRP

1.2.1 Test Result

Band: 41 / Bandwidth: 10MHz / NTV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2555	1	0	21.40	0.17	21.57	<=33.01	Pass		
			25	21.41	0.17	21.58	<=33.01	Pass		
			49	21.59	0.17	21.76	<=33.01	Pass		
		25	0	20.26	0.17	20.43	<=33.01	Pass		
			13	20.44	0.17	20.61	<=33.01	Pass		
			25	20.50	0.17	20.67	<=33.01	Pass		
		50	0	20.46	0.17	20.63	<=33.01	Pass		
		2600	1	0	21.84	0.17	22.01	<=33.01	Pass	
				25	21.89	0.17	22.06	<=33.01	Pass	
	49			21.72	0.17	21.89	<=33.01	Pass		
	25		0	20.84	0.17	21.01	<=33.01	Pass		
			13	20.89	0.17	21.06	<=33.01	Pass		
			25	20.88	0.17	21.05	<=33.01	Pass		
	50		0	20.85	0.17	21.02	<=33.01	Pass		
	2645		1	0	22.41	0.17	22.58	<=33.01	Pass	
				25	22.47	0.17	22.64	<=33.01	Pass	
		49		22.48	0.17	22.65	<=33.01	Pass		
		25	0	21.47	0.17	21.64	<=33.01	Pass		
			13	21.30	0.17	21.47	<=33.01	Pass		
			25	21.36	0.17	21.53	<=33.01	Pass		
		50	0	21.36	0.17	21.53	<=33.01	Pass		
		16QAM	2555	1	0	19.70	0.17	19.87	<=33.01	Pass
					25	19.75	0.17	19.92	<=33.01	Pass
	49				19.89	0.17	20.06	<=33.01	Pass	
25	0			19.18	0.17	19.35	<=33.01	Pass		
	13			19.52	0.17	19.69	<=33.01	Pass		
	25			19.57	0.17	19.74	<=33.01	Pass		
50	0			19.53	0.17	19.70	<=33.01	Pass		
2600	1			0	20.81	0.17	20.98	<=33.01	Pass	
				25	20.81	0.17	20.98	<=33.01	Pass	
			49	20.41	0.17	20.58	<=33.01	Pass		
	25		0	20.13	0.17	20.30	<=33.01	Pass		
			13	20.19	0.17	20.36	<=33.01	Pass		
			25	19.93	0.17	20.10	<=33.01	Pass		
	50		0	19.91	0.17	20.08	<=33.01	Pass		
	2645		1	0	21.68	0.17	21.85	<=33.01	Pass	
				25	21.74	0.17	21.91	<=33.01	Pass	
49				21.85	0.17	22.02	<=33.01	Pass		
25			0	20.56	0.17	20.73	<=33.01	Pass		
			13	20.46	0.17	20.63	<=33.01	Pass		
			25	20.52	0.17	20.69	<=33.01	Pass		
50			0	20.53	0.17	20.70	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.3 B41_15MHz_EIRP



1.3.1 Test Result

Band: 41 / Bandwidth: 15MHz / NTV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	2557.5	1	0	21.34	0.17	21.51	<=33.01	Pass	
			38	21.55	0.17	21.72	<=33.01	Pass	
			74	21.56	0.17	21.73	<=33.01	Pass	
		36	0	20.42	0.17	20.59	<=33.01	Pass	
			18	20.46	0.17	20.63	<=33.01	Pass	
			39	20.46	0.17	20.63	<=33.01	Pass	
		75	0	20.59	0.17	20.76	<=33.01	Pass	
		2600	1	0	22.03	0.17	22.20	<=33.01	Pass
				38	21.92	0.17	22.09	<=33.01	Pass
	74			21.78	0.17	21.95	<=33.01	Pass	
	36		0	20.94	0.17	21.11	<=33.01	Pass	
			18	20.82	0.17	20.99	<=33.01	Pass	
			39	20.83	0.17	21.00	<=33.01	Pass	
	75		0	20.95	0.17	21.12	<=33.01	Pass	
	2642.5		1	0	22.41	0.17	22.58	<=33.01	Pass
				38	22.40	0.17	22.57	<=33.01	Pass
		74		22.53	0.17	22.70	<=33.01	Pass	
		36	0	21.36	0.17	21.53	<=33.01	Pass	
			18	21.38	0.17	21.55	<=33.01	Pass	
			39	21.47	0.17	21.64	<=33.01	Pass	
		75	0	21.31	0.17	21.48	<=33.01	Pass	
16QAM		2557.5	1	0	19.92	0.17	20.09	<=33.01	Pass
				38	20.06	0.17	20.23	<=33.01	Pass
	74			20.14	0.17	20.31	<=33.01	Pass	
	36		0	19.50	0.17	19.67	<=33.01	Pass	
			18	19.39	0.17	19.56	<=33.01	Pass	
			39	19.60	0.17	19.77	<=33.01	Pass	
	75		0	19.47	0.17	19.64	<=33.01	Pass	
	2600		1	0	20.50	0.17	20.67	<=33.01	Pass
				38	20.26	0.17	20.43	<=33.01	Pass
		74		20.82	0.17	20.99	<=33.01	Pass	
		36	0	20.11	0.17	20.28	<=33.01	Pass	
			18	19.94	0.17	20.11	<=33.01	Pass	
			39	19.97	0.17	20.14	<=33.01	Pass	
		75	0	20.00	0.17	20.17	<=33.01	Pass	
		2642.5	1	0	21.70	0.17	21.87	<=33.01	Pass
				38	21.75	0.17	21.92	<=33.01	Pass
	74			21.89	0.17	22.06	<=33.01	Pass	
	36		0	20.60	0.17	20.77	<=33.01	Pass	
			18	20.58	0.17	20.75	<=33.01	Pass	
			39	20.58	0.17	20.75	<=33.01	Pass	
	75		0	20.58	0.17	20.75	<=33.01	Pass	

Note1: EIRP=Conducted Power+Antenna Gain

1.4 B41_20MHz_EIRP

1.4.1 Test Result

Band: 41 / Bandwidth: 20MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2560	1	0	21.32	0.17	21.49	<=33.01	Pass		
			50	21.38	0.17	21.55	<=33.01	Pass		
			99	21.56	0.17	21.73	<=33.01	Pass		
		50	0	20.47	0.17	20.64	<=33.01	Pass		
			25	20.53	0.17	20.70	<=33.01	Pass		
			50	20.60	0.17	20.77	<=33.01	Pass		
		100	0	20.52	0.17	20.69	<=33.01	Pass		
		2600	1	0	21.94	0.17	22.11	<=33.01	Pass	
				50	22.12	0.17	22.29	<=33.01	Pass	
	99			22.07	0.17	22.24	<=33.01	Pass		
	50		0	20.81	0.17	20.98	<=33.01	Pass		
			25	20.90	0.17	21.07	<=33.01	Pass		
			50	20.82	0.17	20.99	<=33.01	Pass		
	100		0	20.97	0.17	21.14	<=33.01	Pass		
	2640		1	0	22.20	0.17	22.37	<=33.01	Pass	
				50	22.16	0.17	22.33	<=33.01	Pass	
		99		22.32	0.17	22.49	<=33.01	Pass		
		50	0	21.27	0.17	21.44	<=33.01	Pass		
			25	21.35	0.17	21.52	<=33.01	Pass		
			50	21.29	0.17	21.46	<=33.01	Pass		
		100	0	21.42	0.17	21.59	<=33.01	Pass		
		16QAM	2560	1	0	20.56	0.17	20.73	<=33.01	Pass
					50	20.82	0.17	20.99	<=33.01	Pass
	99				20.90	0.17	21.07	<=33.01	Pass	
50	0			19.45	0.17	19.62	<=33.01	Pass		
	25			19.70	0.17	19.87	<=33.01	Pass		
	50			19.73	0.17	19.90	<=33.01	Pass		
100	0			19.62	0.17	19.79	<=33.01	Pass		
2600	1			0	20.62	0.17	20.79	<=33.01	Pass	
				50	21.15	0.17	21.32	<=33.01	Pass	
			99	21.28	0.17	21.45	<=33.01	Pass		
	50		0	20.09	0.17	20.26	<=33.01	Pass		
			25	20.06	0.17	20.23	<=33.01	Pass		
			50	20.11	0.17	20.28	<=33.01	Pass		
	100		0	19.91	0.17	20.08	<=33.01	Pass		
	2640		1	0	20.54	0.17	20.71	<=33.01	Pass	
				50	20.47	0.17	20.64	<=33.01	Pass	
99				20.57	0.17	20.74	<=33.01	Pass		
50			0	20.40	0.17	20.57	<=33.01	Pass		
			25	20.62	0.17	20.79	<=33.01	Pass		
			50	20.44	0.17	20.61	<=33.01	Pass		
100			0	20.47	0.17	20.64	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 B41_5MHz

2.1.1 Test Result



Band: 41 / Bandwidth: 5MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	2552.5	25	0	20	3.27	-42.400	-0.0166	-2.5 to 2.5	Pass	
					3.85	-21.443	-0.0084	-2.5 to 2.5	Pass	
					4.43	-18.024	-0.0071	-2.5 to 2.5	Pass	
				-30	3.85	-9.928	-0.0039	-2.5 to 2.5	Pass	
					-20	3.85	44.518	0.0174	-2.5 to 2.5	Pass
						3.85	36.078	0.0141	-2.5 to 2.5	Pass
				0	3.85	40.154	0.0157	-2.5 to 2.5	Pass	
					3.85	43.101	0.0169	-2.5 to 2.5	Pass	
				3.85	35.963	0.0141	-2.5 to 2.5	Pass		
				3.85	31.800	0.0125	-2.5 to 2.5	Pass		
	3.85	15.206	0.0060	-2.5 to 2.5	Pass					
	2600	25	0	20	3.27	-47.321	-0.0182	-2.5 to 2.5	Pass	
					3.85	28.725	0.0110	-2.5 to 2.5	Pass	
					4.43	25.864	0.0099	-2.5 to 2.5	Pass	
				-30	3.85	21.873	0.0084	-2.5 to 2.5	Pass	
					-20	3.85	28.324	0.0109	-2.5 to 2.5	Pass
						3.85	6.666	0.0026	-2.5 to 2.5	Pass
				0	3.85	1.988	0.0008	-2.5 to 2.5	Pass	
					3.85	22.645	0.0087	-2.5 to 2.5	Pass	
				3.85	24.076	0.0093	-2.5 to 2.5	Pass		
				3.85	5.193	0.0020	-2.5 to 2.5	Pass		
	3.85	25.578	0.0098	-2.5 to 2.5	Pass					
	2647.5	25	0	20	3.27	-45.362	-0.0171	-2.5 to 2.5	Pass	
					3.85	40.469	0.0153	-2.5 to 2.5	Pass	
					4.43	36.278	0.0137	-2.5 to 2.5	Pass	
				-30	3.85	26.293	0.0099	-2.5 to 2.5	Pass	
					-20	3.85	41.356	0.0156	-2.5 to 2.5	Pass
						3.85	32.601	0.0123	-2.5 to 2.5	Pass
				0	3.85	44.417	0.0168	-2.5 to 2.5	Pass	
					3.85	18.182	0.0069	-2.5 to 2.5	Pass	
3.85				40.841	0.0154	-2.5 to 2.5	Pass			
3.85				9.999	0.0038	-2.5 to 2.5	Pass			
3.85	16.479	0.0062	-2.5 to 2.5	Pass						
16QAM	2552.5	25	0	20	3.27	17.624	0.0069	-2.5 to 2.5	Pass	
					3.85	3.805	0.0015	-2.5 to 2.5	Pass	
					4.43	33.545	0.0131	-2.5 to 2.5	Pass	
				-30	3.85	9.456	0.0037	-2.5 to 2.5	Pass	
					-20	3.85	35.291	0.0138	-2.5 to 2.5	Pass
						3.85	-2.146	-0.0008	-2.5 to 2.5	Pass
				0	3.85	10.943	0.0043	-2.5 to 2.5	Pass	
					3.85	16.923	0.0066	-2.5 to 2.5	Pass	
				3.85	25.105	0.0098	-2.5 to 2.5	Pass		
				3.85	-7.253	-0.0028	-2.5 to 2.5	Pass		
	3.85	3.133	0.0012	-2.5 to 2.5	Pass					
	2600	25	0	20	3.27	-4.692	-0.0018	-2.5 to 2.5	Pass	
					3.85	-3.376	-0.0013	-2.5 to 2.5	Pass	
					4.43	-19.484	-0.0075	-2.5 to 2.5	Pass	
				-30	3.85	-17.610	-0.0068	-2.5 to 2.5	Pass	
					-20	3.85	-35.963	-0.0138	-2.5 to 2.5	Pass
						3.85	-0.300	-0.0001	-2.5 to 2.5	Pass
				0	3.85	-19.555	-0.0075	-2.5 to 2.5	Pass	
					3.85	-15.492	-0.0060	-2.5 to 2.5	Pass	



	2647.5	25	0	30	3.85	-11.745	-0.0045	-2.5 to 2.5	Pass
				40	3.85	-2.217	-0.0009	-2.5 to 2.5	Pass
				50	3.85	1.545	0.0006	-2.5 to 2.5	Pass
				20	3.27	16.551	0.0063	-2.5 to 2.5	Pass
					3.85	-16.222	-0.0061	-2.5 to 2.5	Pass
					4.43	-18.196	-0.0069	-2.5 to 2.5	Pass
				-30	3.85	-22.731	-0.0086	-2.5 to 2.5	Pass
				-20	3.85	-9.856	-0.0037	-2.5 to 2.5	Pass
				-10	3.85	-28.639	-0.0108	-2.5 to 2.5	Pass
				0	3.85	4.907	0.0019	-2.5 to 2.5	Pass
				10	3.85	-15.206	-0.0057	-2.5 to 2.5	Pass
				30	3.85	-25.592	-0.0097	-2.5 to 2.5	Pass
				40	3.85	-38.452	-0.0145	-2.5 to 2.5	Pass
				50	3.85	-49.753	-0.0188	-2.5 to 2.5	Pass

2.2 B41_10MHz

2.2.1 Test Result

Band: 41 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2555	50	0	20	3.27	-37.251	-0.0146	-2.5 to 2.5	Pass
					3.85	31.271	0.0122	-2.5 to 2.5	Pass
					4.43	34.032	0.0133	-2.5 to 2.5	Pass
				-30	3.85	12.445	0.0049	-2.5 to 2.5	Pass
				-20	3.85	28.682	0.0112	-2.5 to 2.5	Pass
				-10	3.85	24.433	0.0096	-2.5 to 2.5	Pass
				0	3.85	28.782	0.0113	-2.5 to 2.5	Pass
				10	3.85	40.197	0.0157	-2.5 to 2.5	Pass
				30	3.85	37.837	0.0148	-2.5 to 2.5	Pass
				40	3.85	4.921	0.0019	-2.5 to 2.5	Pass
				50	3.85	31.328	0.0123	-2.5 to 2.5	Pass
				2600	50	0	20	3.27	-29.082
	3.85	32.616	0.0125					-2.5 to 2.5	Pass
	4.43	16.494	0.0063					-2.5 to 2.5	Pass
	-30	3.85	30.270				0.0116	-2.5 to 2.5	Pass
	-20	3.85	34.375				0.0132	-2.5 to 2.5	Pass
	-10	3.85	43.931				0.0169	-2.5 to 2.5	Pass
	0	3.85	39.153				0.0151	-2.5 to 2.5	Pass
	10	3.85	44.374				0.0171	-2.5 to 2.5	Pass
	30	3.85	38.595				0.0148	-2.5 to 2.5	Pass
	40	3.85	13.318				0.0051	-2.5 to 2.5	Pass
	50	3.85	2.689				0.0010	-2.5 to 2.5	Pass
	2645	50	0				20	3.27	-20.528
				3.85	25.663	0.0097		-2.5 to 2.5	Pass
				4.43	29.140	0.0110		-2.5 to 2.5	Pass
				-30	3.85	6.523	0.0025	-2.5 to 2.5	Pass
				-20	3.85	18.911	0.0071	-2.5 to 2.5	Pass
				-10	3.85	8.912	0.0034	-2.5 to 2.5	Pass
				0	3.85	20.328	0.0077	-2.5 to 2.5	Pass
				10	3.85	10.614	0.0040	-2.5 to 2.5	Pass
30				3.85	21.100	0.0080	-2.5 to 2.5	Pass	



				40	3.85	2.589	0.0010	-2.5 to 2.5	Pass
				50	3.85	28.839	0.0109	-2.5 to 2.5	Pass
16QAM	2555	50	0	20	3.27	39.382	0.0154	-2.5 to 2.5	Pass
					3.85	17.123	0.0067	-2.5 to 2.5	Pass
					4.43	-15.564	-0.0061	-2.5 to 2.5	Pass
				-30	3.85	-38.466	-0.0151	-2.5 to 2.5	Pass
				-20	3.85	-11.973	-0.0047	-2.5 to 2.5	Pass
				-10	3.85	-28.396	-0.0111	-2.5 to 2.5	Pass
				0	3.85	-36.163	-0.0142	-2.5 to 2.5	Pass
				10	3.85	-15.965	-0.0062	-2.5 to 2.5	Pass
				30	3.85	-39.725	-0.0155	-2.5 to 2.5	Pass
				40	3.85	2.060	0.0008	-2.5 to 2.5	Pass
	50	3.85	-18.983	-0.0074	-2.5 to 2.5	Pass			
	2600	50	0	20	3.27	26.693	0.0103	-2.5 to 2.5	Pass
					3.85	0.844	0.0003	-2.5 to 2.5	Pass
					4.43	-19.884	-0.0076	-2.5 to 2.5	Pass
				-30	3.85	-8.826	-0.0034	-2.5 to 2.5	Pass
				-20	3.85	-0.215	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-28.811	-0.0111	-2.5 to 2.5	Pass
				0	3.85	-12.403	-0.0048	-2.5 to 2.5	Pass
				10	3.85	-19.870	-0.0076	-2.5 to 2.5	Pass
				30	3.85	-9.971	-0.0038	-2.5 to 2.5	Pass
				40	3.85	-39.039	-0.0150	-2.5 to 2.5	Pass
	50	3.85	-6.967	-0.0027	-2.5 to 2.5	Pass			
	2645	50	0	20	3.27	35.276	0.0133	-2.5 to 2.5	Pass
					3.85	-29.397	-0.0111	-2.5 to 2.5	Pass
					4.43	-37.680	-0.0142	-2.5 to 2.5	Pass
				-30	3.85	-29.655	-0.0112	-2.5 to 2.5	Pass
				-20	3.85	1.988	0.0008	-2.5 to 2.5	Pass
				-10	3.85	-30.999	-0.0117	-2.5 to 2.5	Pass
				0	3.85	-27.680	-0.0105	-2.5 to 2.5	Pass
				10	3.85	-15.264	-0.0058	-2.5 to 2.5	Pass
30				3.85	-21.458	-0.0081	-2.5 to 2.5	Pass	
40				3.85	0.815	0.0003	-2.5 to 2.5	Pass	
50	3.85	-41.771	-0.0158	-2.5 to 2.5	Pass				

2.3 B41_15MHz

2.3.1 Test Result

Band: 41 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2557.5	75	0	20	3.27	6.723	0.0026	-2.5 to 2.5	Pass
					3.85	27.809	0.0109	-2.5 to 2.5	Pass
					4.43	19.956	0.0078	-2.5 to 2.5	Pass
				-30	3.85	31.300	0.0122	-2.5 to 2.5	Pass
				-20	3.85	34.719	0.0136	-2.5 to 2.5	Pass
				-10	3.85	22.044	0.0086	-2.5 to 2.5	Pass
				0	3.85	31.543	0.0123	-2.5 to 2.5	Pass
				10	3.85	35.791	0.0140	-2.5 to 2.5	Pass
				30	3.85	28.753	0.0112	-2.5 to 2.5	Pass
				40	3.85	16.422	0.0064	-2.5 to 2.5	Pass



Test Report Number: BTF240419R00204

	2600	75	0	50	3.85	28.481	0.0111	-2.5 to 2.5	Pass
				20	3.27	-40.183	-0.0155	-2.5 to 2.5	Pass
					3.85	3.490	0.0013	-2.5 to 2.5	Pass
					4.43	26.493	0.0102	-2.5 to 2.5	Pass
				-30	3.85	36.893	0.0142	-2.5 to 2.5	Pass
				-20	3.85	11.058	0.0043	-2.5 to 2.5	Pass
				-10	3.85	3.991	0.0015	-2.5 to 2.5	Pass
				0	3.85	23.217	0.0089	-2.5 to 2.5	Pass
				10	3.85	31.171	0.0120	-2.5 to 2.5	Pass
				30	3.85	31.228	0.0120	-2.5 to 2.5	Pass
	40	3.85	15.750	0.0061	-2.5 to 2.5	Pass			
	50	3.85	39.697	0.0153	-2.5 to 2.5	Pass			
	2642.5	75	0	20	3.27	-34.933	-0.0132	-2.5 to 2.5	Pass
					3.85	10.242	0.0039	-2.5 to 2.5	Pass
					4.43	20.142	0.0076	-2.5 to 2.5	Pass
				-30	3.85	40.913	0.0155	-2.5 to 2.5	Pass
				-20	3.85	5.722	0.0022	-2.5 to 2.5	Pass
				-10	3.85	26.736	0.0101	-2.5 to 2.5	Pass
				0	3.85	20.885	0.0079	-2.5 to 2.5	Pass
				10	3.85	21.172	0.0080	-2.5 to 2.5	Pass
30				3.85	20.757	0.0079	-2.5 to 2.5	Pass	
40				3.85	33.031	0.0125	-2.5 to 2.5	Pass	
50	3.85	12.946	0.0049	-2.5 to 2.5	Pass				
16QAM	2557.5	75	0	20	3.27	33.073	0.0129	-2.5 to 2.5	Pass
					3.85	16.294	0.0064	-2.5 to 2.5	Pass
					4.43	28.124	0.0110	-2.5 to 2.5	Pass
				-30	3.85	26.007	0.0102	-2.5 to 2.5	Pass
				-20	3.85	30.069	0.0118	-2.5 to 2.5	Pass
				-10	3.85	6.866	0.0027	-2.5 to 2.5	Pass
				0	3.85	34.232	0.0134	-2.5 to 2.5	Pass
				10	3.85	24.590	0.0096	-2.5 to 2.5	Pass
				30	3.85	38.309	0.0150	-2.5 to 2.5	Pass
				40	3.85	-13.919	-0.0054	-2.5 to 2.5	Pass
	50	3.85	-4.220	-0.0017	-2.5 to 2.5	Pass			
	2600	75	0	20	3.27	-4.349	-0.0017	-2.5 to 2.5	Pass
					3.85	18.024	0.0069	-2.5 to 2.5	Pass
					4.43	39.010	0.0150	-2.5 to 2.5	Pass
				-30	3.85	0.086	0.0000	-2.5 to 2.5	Pass
				-20	3.85	20.771	0.0080	-2.5 to 2.5	Pass
				-10	3.85	37.980	0.0146	-2.5 to 2.5	Pass
				0	3.85	16.737	0.0064	-2.5 to 2.5	Pass
				10	3.85	19.999	0.0077	-2.5 to 2.5	Pass
				30	3.85	32.115	0.0124	-2.5 to 2.5	Pass
40				3.85	17.481	0.0067	-2.5 to 2.5	Pass	
50	3.85	8.154	0.0031	-2.5 to 2.5	Pass				
2642.5	75	0	20	3.27	4.935	0.0019	-2.5 to 2.5	Pass	
				3.85	25.291	0.0096	-2.5 to 2.5	Pass	
				4.43	35.191	0.0133	-2.5 to 2.5	Pass	
			-30	3.85	39.282	0.0149	-2.5 to 2.5	Pass	
			-20	3.85	45.991	0.0174	-2.5 to 2.5	Pass	
			-10	3.85	3.362	0.0013	-2.5 to 2.5	Pass	
			0	3.85	20.800	0.0079	-2.5 to 2.5	Pass	
			10	3.85	28.667	0.0108	-2.5 to 2.5	Pass	
30	3.85	35.663	0.0135	-2.5 to 2.5	Pass				
40	3.85	44.017	0.0167	-2.5 to 2.5	Pass				



				50	3.85	0.300	0.0001	-2.5 to 2.5	Pass
--	--	--	--	----	------	-------	--------	-------------	------

2.4 B41_20MHz

2.4.1 Test Result

Band: 41 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2560	100	0	20	3.27	-47.278	-0.0185	-2.5 to 2.5	Pass
					3.85	-23.446	-0.0092	-2.5 to 2.5	Pass
					4.43	-36.764	-0.0144	-2.5 to 2.5	Pass
				-30	3.85	-38.581	-0.0151	-2.5 to 2.5	Pass
				-20	3.85	-12.488	-0.0049	-2.5 to 2.5	Pass
				-10	3.85	-34.533	-0.0135	-2.5 to 2.5	Pass
				0	3.85	-45.991	-0.0180	-2.5 to 2.5	Pass
				10	3.85	-35.033	-0.0137	-2.5 to 2.5	Pass
				30	3.85	-21.858	-0.0085	-2.5 to 2.5	Pass
	40	3.85	-28.582	-0.0112	-2.5 to 2.5	Pass			
	50	3.85	-9.685	-0.0038	-2.5 to 2.5	Pass			
	2600	100	0	20	3.27	-25.806	-0.0099	-2.5 to 2.5	Pass
					3.85	30.584	0.0118	-2.5 to 2.5	Pass
					4.43	3.963	0.0015	-2.5 to 2.5	Pass
				-30	3.85	31.772	0.0122	-2.5 to 2.5	Pass
				-20	3.85	26.522	0.0102	-2.5 to 2.5	Pass
				-10	3.85	36.149	0.0139	-2.5 to 2.5	Pass
				0	3.85	-0.715	-0.0003	-2.5 to 2.5	Pass
				10	3.85	40.498	0.0156	-2.5 to 2.5	Pass
				30	3.85	28.367	0.0109	-2.5 to 2.5	Pass
	40	3.85	22.759	0.0088	-2.5 to 2.5	Pass			
	50	3.85	42.458	0.0163	-2.5 to 2.5	Pass			
	2640	100	0	20	3.27	-40.870	-0.0155	-2.5 to 2.5	Pass
					3.85	35.806	0.0136	-2.5 to 2.5	Pass
					4.43	12.946	0.0049	-2.5 to 2.5	Pass
				-30	3.85	33.617	0.0127	-2.5 to 2.5	Pass
				-20	3.85	-2.775	-0.0011	-2.5 to 2.5	Pass
-10				3.85	-2.046	-0.0008	-2.5 to 2.5	Pass	
0				3.85	20.599	0.0078	-2.5 to 2.5	Pass	
10				3.85	15.292	0.0058	-2.5 to 2.5	Pass	
30				3.85	19.355	0.0073	-2.5 to 2.5	Pass	
40	3.85	46.935	0.0178	-2.5 to 2.5	Pass				
50	3.85	3.963	0.0015	-2.5 to 2.5	Pass				
16QAM	2560	100	0	20	3.27	-40.898	-0.0160	-2.5 to 2.5	Pass
					3.85	-30.427	-0.0119	-2.5 to 2.5	Pass
					4.43	-29.197	-0.0114	-2.5 to 2.5	Pass
				-30	3.85	-32.187	-0.0126	-2.5 to 2.5	Pass
				-20	3.85	-29.469	-0.0115	-2.5 to 2.5	Pass
				-10	3.85	-18.382	-0.0072	-2.5 to 2.5	Pass
				0	3.85	-20.185	-0.0079	-2.5 to 2.5	Pass
				10	3.85	-27.094	-0.0106	-2.5 to 2.5	Pass
				30	3.85	-34.289	-0.0134	-2.5 to 2.5	Pass
40	3.85	0.372	0.0001	-2.5 to 2.5	Pass				
50	3.85	-11.945	-0.0047	-2.5 to 2.5	Pass				

	2600	100	0	20	3.27	-1.316	-0.0005	-2.5 to 2.5	Pass	
					3.85	-12.703	-0.0049	-2.5 to 2.5	Pass	
					4.43	-25.234	-0.0097	-2.5 to 2.5	Pass	
				-30	3.85	-1.774	-0.0007	-2.5 to 2.5	Pass	
					-20	3.85	-22.230	-0.0086	-2.5 to 2.5	Pass
						-10	3.85	-11.830	-0.0046	-2.5 to 2.5
				0	3.85	-12.360	-0.0048	-2.5 to 2.5	Pass	
					10	3.85	-30.499	-0.0117	-2.5 to 2.5	Pass
					30	3.85	-35.477	-0.0136	-2.5 to 2.5	Pass
	40	3.85	-22.430		-0.0086	-2.5 to 2.5	Pass			
	50	3.85	-37.951		-0.0146	-2.5 to 2.5	Pass			
	2640	100	0		20	3.27	27.609	0.0105	-2.5 to 2.5	Pass
				3.85		-7.453	-0.0028	-2.5 to 2.5	Pass	
				4.43		-36.907	-0.0140	-2.5 to 2.5	Pass	
				-30	3.85	-22.717	-0.0086	-2.5 to 2.5	Pass	
					-20	3.85	-23.475	-0.0089	-2.5 to 2.5	Pass
						-10	3.85	-16.837	-0.0064	-2.5 to 2.5
				0	3.85	-25.177	-0.0095	-2.5 to 2.5	Pass	
10					3.85	-17.767	-0.0067	-2.5 to 2.5	Pass	
30					3.85	-46.978	-0.0178	-2.5 to 2.5	Pass	
40	3.85	-47.851	-0.0181		-2.5 to 2.5	Pass				
50	3.85	-17.653	-0.0067		-2.5 to 2.5	Pass				


3. Modulation Characteristics

3.1 B41_5MHz

3.1.1 Test Result

Band: 41 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2600	25	0	Refer To Test Graph		Pass
16QAM	2600	25	0	Refer To Test Graph		Pass

3.1.2 Test Graph




3.2 B41_10MHz

3.2.1 Test Result

Band: 41 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2600	50	0	Refer To Test Graph		Pass
16QAM	2600	50	0	Refer To Test Graph		Pass

3.2.2 Test Graph




3.3 B41_15MHz

3.3.1 Test Result

Band: 41 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2600	75	0	Refer To Test Graph		Pass
16QAM	2600	75	0	Refer To Test Graph		Pass

3.3.2 Test Graph




3.4 B41_20MHz

3.4.1 Test Result

Band: 41 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2600	100	0	Refer To Test Graph		Pass
16QAM	2600	100	0	Refer To Test Graph		Pass

3.4.2 Test Graph




4. 99% & 26dB Bandwidth

4.1 Band41_OBW


4.1.1 Test Result

Band: 41 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2552.5	25	0	4.537	/	Pass
		2600	25	0	4.544	/	Pass
		2647.5	25	0	4.549	/	Pass
	16QAM	2552.5	25	0	4.547	/	Pass
		2600	25	0	4.563	/	Pass
		2647.5	25	0	4.569	/	Pass
10	QPSK	2555	50	0	9.102	/	Pass
		2600	50	0	8.963	/	Pass
		2645	50	0	9.040	/	Pass
	16QAM	2555	50	0	9.094	/	Pass
		2600	50	0	9.052	/	Pass
		2645	50	0	9.000	/	Pass
15	QPSK	2557.5	75	0	13.590	/	Pass
		2600	75	0	13.540	/	Pass
		2642.5	75	0	13.590	/	Pass
	16QAM	2557.5	75	0	13.639	/	Pass
		2600	75	0	13.643	/	Pass
		2642.5	75	0	13.606	/	Pass
20	QPSK	2560	100	0	18.147	/	Pass
		2600	100	0	18.149	/	Pass
		2640	100	0	18.097	/	Pass
	16QAM	2560	100	0	18.176	/	Pass
		2600	100	0	18.097	/	Pass
		2640	100	0	18.121	/	Pass


4.1.2 Test Graph




Band41_5MHz_QPSK_HCH_2647.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_LCH_2552.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_MCH_2600MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_HCH_2647.5MHz_RB_25_0_NTNV




Band41_10MHz_QPSK_LCH_2555MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_MCH_2600MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_HCH_2645MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_LCH_2555MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_MCH_2600MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_HCH_2645MHz_RB_50_0_NTNV




Band41_15MHz_QPSK_LCH_2557.5MHz_RB_75_0_NTNV




Band41_15MHz_QPSK_MCH_2600MHz_RB_75_0_NTNV




Band41_15MHz_QPSK_HCH_2642.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_LCH_2557.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_MCH_2600MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_HCH_2642.5MHz_RB_75_0_NTNV




Band41_20MHz_QPSK_LCH_2560MHz_RB_100_0_NTNV




Band41_20MHz_QPSK_MCH_2600MHz_RB_100_0_NTNV




Band41_20MHz_QPSK_HCH_2640MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_LCH_2560MHz_RB_100_0_NTNV



Band41_20MHz_16QAM_MCH_2600MHz_RB_100_0_NTNV



Band41_20MHz_16QAM_HCH_2640MHz_RB_100_0_NTNV




4.2 Band41_XDB


4.2.1 Test Result

Band: 41 / NTV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2552.5	25	0	5.131	/	Pass
		2600	25	0	5.055	/	Pass
		2647.5	25	0	5.073	/	Pass
	16QAM	2552.5	25	0	5.028	/	Pass
		2600	25	0	5.169	/	Pass
		2647.5	25	0	5.156	/	Pass
10	QPSK	2555	50	0	10.360	/	Pass
		2600	50	0	9.626	/	Pass
		2645	50	0	9.985	/	Pass
	16QAM	2555	50	0	10.400	/	Pass
		2600	50	0	9.983	/	Pass
		2645	50	0	9.601	/	Pass
15	QPSK	2557.5	75	0	15.121	/	Pass
		2600	75	0	15.201	/	Pass
		2642.5	75	0	15.153	/	Pass
	16QAM	2557.5	75	0	15.132	/	Pass
		2600	75	0	15.175	/	Pass
		2642.5	75	0	15.315	/	Pass
20	QPSK	2560	100	0	19.990	/	Pass
		2600	100	0	20.145	/	Pass
		2640	100	0	20.043	/	Pass
	16QAM	2560	100	0	20.015	/	Pass
		2600	100	0	20.057	/	Pass
		2640	100	0	19.992	/	Pass


4.2.2 Test Graph




Band41_5MHz_QPSK_HCH_2647.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_LCH_2552.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_MCH_2600MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_HCH_2647.5MHz_RB_25_0_NTNV




Band41_10MHz_QPSK_LCH_2555MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_MCH_2600MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_HCH_2645MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_LCH_2555MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_MCH_2600MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_HCH_2645MHz_RB_50_0_NTNV




Band41_15MHz_QPSK_LCH_2557.5MHz_RB_75_0_NTNV




Band41_15MHz_QPSK_MCH_2600MHz_RB_75_0_NTNV




Band41_15MHz_QPSK_HCH_2642.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_LCH_2557.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_MCH_2600MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_HCH_2642.5MHz_RB_75_0_NTNV




Band41_20MHz_QPSK_LCH_2560MHz_RB_100_0_NTNV




Band41_20MHz_QPSK_MCH_2600MHz_RB_100_0_NTNV




Band41_20MHz_QPSK_HCH_2640MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_LCH_2560MHz_RB_100_0_NTNV



Band41_20MHz_16QAM_MCH_2600MHz_RB_100_0_NTNV



Band41_20MHz_16QAM_HCH_2640MHz_RB_100_0_NTNV




5. Peak-Average Ratio

5.1 B41_5MHz


5.1.1 Test Result

Band: 41 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2552.5	25	0	7.64	<=13	Pass
	2600	25	0	7.54	<=13	Pass
	2647.5	25	0	7.49	<=13	Pass
16QAM	2552.5	25	0	8.16	<=13	Pass
	2600	25	0	8.25	<=13	Pass
	2647.5	25	0	7.84	<=13	Pass


5.1.2 Test Graph




Band41_5MHz_QPSK_HCH_2647.5MHz_RB_25_0_NTNV



Band41_5MHz_16QAM_LCH_2552.5MHz_RB_25_0_NTNV



Band41_5MHz_16QAM_MCH_2600MHz_RB_25_0_NTNV



Band41_5MHz_16QAM_HCH_2647.5MHz_RB_25_0_NTNV






5.2 B41_10MHz


5.2.1 Test Result

Band: 41 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2555	50	0	7.65	<=13	Pass
	2600	50	0	7.43	<=13	Pass
	2645	50	0	7.45	<=13	Pass
16QAM	2555	50	0	7.65	<=13	Pass
	2600	50	0	7.55	<=13	Pass
	2645	50	0	7.37	<=13	Pass


5.2.2 Test Graph




Band41_10MHz_QPSK_HCH_2645MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_LCH_2555MHz_RB_50_0_NTNV



Band41 10MHz 16QAM MCH 2600MHz RB 50 0 NTN



Band41 10MHz 16QAM HCH 2645MHz RB 50 0 NTN




5.3 B41_15MHz


5.3.1 Test Result

Band: 41 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2557.5	75	0	6.91	<=13	Pass
	2600	75	0	6.80	<=13	Pass
	2642.5	75	0	6.86	<=13	Pass
16QAM	2557.5	75	0	8.08	<=13	Pass
	2600	75	0	8.23	<=13	Pass
	2642.5	75	0	8.06	<=13	Pass

5.3.2 Test Graph




Band41_15MHz_QPSK_HCH_2642.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_LCH_2557.5MHz_RB_75_0_NTNV



Band41_15MHz_16QAM_MCH_2600MHz_RB_75_0_NTNV



Band41_15MHz_16QAM_HCH_2642.5MHz_RB_75_0_NTNV






5.4 B41_20MHz


5.4.1 Test Result

Band: 41 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2560	100	0	7.91	<=13	Pass
	2600	100	0	7.64	<=13	Pass
	2640	100	0	7.91	<=13	Pass
16QAM	2560	100	0	8.47	<=13	Pass
	2600	100	0	8.52	<=13	Pass
	2640	100	0	8.65	<=13	Pass


5.4.2 Test Graph




Band41_20MHz_QPSK_HCH_2640MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_LCH_2560MHz_RB_100_0_NTNV



Band41_20MHz_16QAM_MCH_2600MHz_RB_100_0_NTNV



Band41_20MHz_16QAM_HCH_2640MHz_RB_100_0_NTNV





6. Spurious Emission

6.1 B41_5MHz


6.1.1 Test Result

Band: 41 / Bandwidth: 5MHz / NTN							
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict	
		Size	Offset	Result	Limit		
QPSK	2552.5	1	0	Refer To Test Graph		Pass	
		25	0	Refer To Test Graph		Pass	
	2647.5	2600	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass	
			24	Refer To Test Graph		Pass	
			0	Refer To Test Graph		Pass	
16QAM	2552.5	1	0	Refer To Test Graph		Pass	
		25	0	Refer To Test Graph		Pass	
	2647.5	2600	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass	
			24	Refer To Test Graph		Pass	
			0	Refer To Test Graph		Pass	
		25	0	Refer To Test Graph		Pass	


6.1.2 Test Graph




Band41_5MHz_QPSK_LCH_2552.5MHz_RB_1_0_NTNV



Band41_5MHz_QPSK_LCH_2552.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_LCH_2552.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2489.200	-46.14	-25	Pass
2495	2496	0.1	/	2	2495.650	-55.42	-13	Pass
2496	2557.5	0.103	/	3	2543.950	-46.66	-25	Pass
2557.5	2557.5	0.103	/	/	/	/	/	/


Band41_5MHz_QPSK_MCH_2600MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_MCH_2600MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_MCH_2600MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2647.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2647.5MHz_RB_1_0_NTNV



Band41_5MHz_QPSK_HCH_2647.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2647.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2642.5	2667.5	0.1	/	1	2650.000	-12.98	-10	Pass

Band41_5MHz_QPSK_HCH_2647.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2642.5	2667.5	0.11	/	/	/	/	/	/
2667.5	2667.5	0.11	/	1	2650.025	-26.31	-10	Pass

Band41_5MHz_16QAM_LCH_2552.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2489.100	-46.14	-25	Pass
2495	2557.5	0.1	/	2	2550.000	-18.26	-10	Pass
2557.5	2557.5	0.1	/	/	/	/	/	/


Band41_5MHz_16QAM_LCH_2552.5MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_LCH_2552.5MHz_RB_1_0_NTNV



Band41_5MHz_16QAM_LCH_2552.5MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_LCH_2552.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2487.100	-46.16	-25	Pass
2495	2496	0.1	/	2	2495.450	-54.69	-13	Pass
2496	2557.5	0.101	/	3	2549.900	-35.31	-10	Pass
2557.5	2557.5	0.101	/	/	/	/	/	/


Band41_5MHz_16QAM_MCH_2600MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_MCH_2600MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_MCH_2600MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_HCH_2647.5MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_HCH_2647.5MHz_RB_1_0_NTNV



Band41_5MHz_16QAM_HCH_2647.5MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_HCH_2647.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2642.5	2667.5	0.1	/	1	2650.000	-20.08	-10	Pass

Band41_5MHz_16QAM_HCH_2647.5MHz_RB_25_0_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2642.5	2667.5	0.11	/	1	2650.050	-24.69	-10	Pass

6.2 B41_10MHz


6.2.1 Test Result

Band: 41 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2555	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2645	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	2555	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2645	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass


6.2.2 Test Graph




Band41_10MHz_QPSK_LCH_2555MHz_RB_1_0_NTNV



Band41_10MHz_QPSK_LCH_2555MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_LCH_2555MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2486.840	-45.73	-25	Pass
2495	2496	0.2	/	2	2495.640	-51.98	-13	Pass
2496	2565	0.207	/	3	2537.320	-45.63	-25	Pass
2565	2565	0.207	/	/	/	/	/	/


Band41_10MHz_QPSK_MCH_2600MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_MCH_2600MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_MCH_2600MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_HCH_2645MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_HCH_2645MHz_RB_1_0_NTNV



Band41_10MHz_QPSK_HCH_2645MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_HCH_2645MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2635	2665	0.2	/	1	2660.650	-43.53	-25	Pass
2665	2665	0.2	/					

Band41_10MHz_QPSK_HCH_2645MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2635	2665	0.2	/	/	/	/	/	/
2665	2665	0.2	/	1	2660.110	-42.67	-25	Pass

Band41_10MHz_16QAM_LCH_2555MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2488.280	-46.00	-25	Pass
2495	2565	0.2	/	2	2549.560	-31.40	-10	Pass
2565	2565	0.2	/	/	/	/	/	/


Band41_10MHz_16QAM_LCH_2555MHz_RB_1_0_NTNV




Band41_10MHz_16QAM_LCH_2555MHz_RB_1_0_NTNV



Band41_10MHz_16QAM_LCH_2555MHz_RB_1_0_NTNV




Band41_10MHz_16QAM_LCH_2555MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2489.560	-45.99	-25	Pass
2495	2496	0.2	/	2	2495.800	-51.47	-13	Pass
2496	2565	0.208	/	3	2539.800	-45.76	-25	Pass
2565	2565	0.208	/	/	/	/	/	/


Band41_10MHz_16QAM_MCH_2600MHz_RB_1_0_NTNV




Band41_10MHz_16QAM_MCH_2600MHz_RB_1_0_NTNV




Band41_10MHz_16QAM_MCH_2600MHz_RB_1_0_NTV




Band41_10MHz_16QAM_HCH_2645MHz_RB_1_0_NTV




Band41_10MHz_16QAM_HCH_2645MHz_RB_1_0_NTNV



Band41_10MHz_16QAM_HCH_2645MHz_RB_1_0_NTNV




Band41 10MHz 16QAM HCH 2645MHz RB 1 49 NTN



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2635	2665	0.2	/	1	2650.000	-28.05	-10	Pass

Band41 10MHz 16QAM HCH 2645MHz RB 50 0 NTN





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2635	2665	0.2	/	1	2660.590	-44.21	-25	Pass

6.3 B41_15MHz


6.3.1 Test Result

Band: 41 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2557.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	2642.5	1	0	Refer To Test Graph		Pass
		1	74	Refer To Test Graph		Pass
			75	0	Refer To Test Graph	
		75	0	Refer To Test Graph		Pass
16QAM	2557.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	2642.5	1	0	Refer To Test Graph		Pass
		1	74	Refer To Test Graph		Pass
			75	0	Refer To Test Graph	
		75	0	Refer To Test Graph		Pass


6.3.2 Test Graph




Band41_15MHz_QPSK_LCH_2557.5MHz_RB_1_0_NTNV



Band41_15MHz_QPSK_LCH_2557.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_LCH_2557.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2485.787	-45.78	-25	Pass
2495	2496	0.3	/	2	2495.850	-50.35	-13	Pass
2496	2572.5	0.302	/	3	2534.875	-44.16	-25	Pass
2572.5	2572.5	0.302	/	/	/	/	/	/


Band41_15MHz_QPSK_MCH_2600MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_MCH_2600MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_MCH_2600MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_HCH_2642.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_HCH_2642.5MHz_RB_1_0_NTNV



Band41_15MHz_QPSK_HCH_2642.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_HCH_2642.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2627.5	2662.5	0.3	/	1	2650.005	-14.08	-10	Pass

Band41_15MHz_QPSK_HCH_2642.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2627.5	2662.5	0.33	/	1	2650.250	-29.77	-10	Pass

Band41_15MHz_16QAM_LCH_2557.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2488.850	-45.60	-25	Pass
2495	2572.5	0.3	/	2	2549.838	-25.08	-10	Pass
2572.5	2572.5	0.3	/	/	/	/	/	/


Band41_15MHz_16QAM_LCH_2557.5MHz_RB_1_0_NTNV




Band41_15MHz_16QAM_LCH_2557.5MHz_RB_1_0_NTNV



Band41_15MHz_16QAM_LCH_2557.5MHz_RB_1_0_NTNV




Band41_15MHz_16QAM_LCH_2557.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2490.162	-45.78	-25	Pass
2495	2496	0.3	/	2	2495.238	-50.53	-13	Pass
2496	2572.5	0.303	/	3	2534.787	-44.08	-25	Pass
2572.5	2572.5	0.303	/	/	/	/	/	/


Band41_15MHz_16QAM_MCH_2600MHz_RB_1_0_NTNV




Band41_15MHz_16QAM_MCH_2600MHz_RB_1_0_NTNV




Band41_15MHz_16QAM_MCH_2600MHz_RB_1_0_NTNV




Band41_15MHz_16QAM_HCH_2642.5MHz_RB_1_0_NTNV




Band41_15MHz_16QAM_HCH_2642.5MHz_RB_1_0_NTNV




Band41_15MHz_16QAM_HCH_2642.5MHz_RB_1_0_NTNV



Band41_15MHz_16QAM_HCH_2642.5MHz_RB_1_74_NTNV



Band41_15MHz_16QAM_HCH_2642.5MHz_RB_75_0_NTNV





6.4 B41_20MHz


6.4.1 Test Result

Band: 41 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2560	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	2640	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
16QAM	2560	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	2640	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass


6.4.2 Test Graph




Band41_20MHz_QPSK_LCH_2560MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_LCH_2560MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_LCH_2560MHz_RB_100_0_NTNV




Band41_20MHz_QPSK_MCH_2600MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_MCH_2600MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_MCH_2600MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_HCH_2640MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_HCH_2640MHz_RB_1_0_NTNV



Band41_20MHz_QPSK_HCH_2640MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_HCH_2640MHz_RB_1_99_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2620	2660	0.43	/	1	2650.000	-15.15	-10	Pass

Band41_20MHz_QPSK_HCH_2640MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2620	2660	0.43	/	/	/	/	/	/
2660	2660	0.43	/	1	2656.960	-32.82	-13	Pass

Band41_20MHz_16QAM_LCH_2560MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2488.990	-45.96	-25	Pass
2495	2580	0.43	/	2	2515.780	-47.40	-25	Pass
2580	2580	0.43	/	/	/	/	/	/


Band41_20MHz_16QAM_LCH_2560MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_LCH_2560MHz_RB_1_0_NTNV



Band41_20MHz_16QAM_LCH_2560MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_LCH_2560MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2486.995	-46.07	-25	Pass
2495	2580	0.43	/	2	2529.650	-44.77	-25	Pass
2580	2580	0.43	/	/	/	/	/	/


Band41_20MHz_16QAM_MCH_2600MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_MCH_2600MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_MCH_2600MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_HCH_2640MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_HCH_2640MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_HCH_2640MHz_RB_1_0_NTNV



Band41_20MHz_16QAM_HCH_2640MHz_RB_1_99_NTNV



Band41_20MHz_16QAM_HCH_2640MHz_RB_100_0_NTNV





7. Form731

7.1 Form731_Power

7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
41	5	2552.5	2647.5	0.1803	0.0182	ppm	4M55G7D	27M	22.56
41	5	2552.5	2647.5	0.1271	0.0188	ppm	4M57W7D	27M	21.04
41	10	2555	2645	0.1770	0.0171	ppm	9M10G7D	27M	22.48
41	10	2555	2645	0.1531	0.0158	ppm	9M09W7D	27M	21.85
41	15	2557.5	2642.5	0.1791	0.0155	ppm	13M6G7D	27M	22.53
41	15	2557.5	2642.5	0.1545	0.0174	ppm	13M6W7D	27M	21.89
41	20	2560	2640	0.1706	0.0185	ppm	18M1G7D	27M	22.32
41	20	2560	2640	0.1343	0.0181	ppm	18M2W7D	27M	21.28

7.2 Form731_EIRP

7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
41	5	2552.5	2647.5	0.1875	0.0182	ppm	4M55G7D	27M	22.73
41	5	2552.5	2647.5	0.1321	0.0188	ppm	4M57W7D	27M	21.21
41	10	2555	2645	0.1841	0.0171	ppm	9M10G7D	27M	22.65
41	10	2555	2645	0.1592	0.0158	ppm	9M09W7D	27M	22.02
41	15	2557.5	2642.5	0.1862	0.0155	ppm	13M6G7D	27M	22.70
41	15	2557.5	2642.5	0.1607	0.0174	ppm	13M6W7D	27M	22.06
41	20	2560	2640	0.1774	0.0185	ppm	18M1G7D	27M	22.49
41	20	2560	2640	0.1396	0.0181	ppm	18M2W7D	27M	21.45