

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	22.67	-0.94	21.73	<=33.01	Pass
			2	22.63	-0.94	21.69	<=33.01	Pass
			5	22.61	-0.94	21.67	<=33.01	Pass
		3	0	22.71	-0.94	21.77	<=33.01	Pass
			2	22.58	-0.94	21.64	<=33.01	Pass
			3	22.65	-0.94	21.71	<=33.01	Pass
		6	0	21.64	-0.94	20.70	<=33.01	Pass
	1880	1	0	22.35	-0.94	21.41	<=33.01	Pass
			2	22.20	-0.94	21.26	<=33.01	Pass
			5	22.29	-0.94	21.35	<=33.01	Pass
		3	0	22.41	-0.94	21.47	<=33.01	Pass
			2	22.46	-0.94	21.52	<=33.01	Pass
			3	22.47	-0.94	21.53	<=33.01	Pass
		6	0	21.35	-0.94	20.41	<=33.01	Pass
	1909.3	1	0	22.48	-0.94	21.54	<=33.01	Pass
			2	22.48	-0.94	21.54	<=33.01	Pass
			5	22.45	-0.94	21.51	<=33.01	Pass
		3	0	22.45	-0.94	21.51	<=33.01	Pass
			2	22.49	-0.94	21.55	<=33.01	Pass
			3	22.50	-0.94	21.56	<=33.01	Pass
		6	0	21.50	-0.94	20.56	<=33.01	Pass
16QAM	1850.7	1	0	22.44	-0.94	21.50	<=33.01	Pass
			2	22.51	-0.94	21.57	<=33.01	Pass
			5	22.48	-0.94	21.54	<=33.01	Pass
		3	0	21.57	-0.94	20.63	<=33.01	Pass
			2	21.59	-0.94	20.65	<=33.01	Pass
			3	21.58	-0.94	20.64	<=33.01	Pass
		6	0	20.79	-0.94	19.85	<=33.01	Pass
	1880	1	0	21.69	-0.94	20.75	<=33.01	Pass
			2	21.67	-0.94	20.73	<=33.01	Pass
			5	21.71	-0.94	20.77	<=33.01	Pass
		3	0	21.18	-0.94	20.24	<=33.01	Pass
			2	21.22	-0.94	20.28	<=33.01	Pass
			3	21.31	-0.94	20.37	<=33.01	Pass
		6	0	20.40	-0.94	19.46	<=33.01	Pass
	1909.3	1	0	22.00	-0.94	21.06	<=33.01	Pass
			2	22.53	-0.94	21.59	<=33.01	Pass
			5	22.02	-0.94	21.08	<=33.01	Pass
		3	0	21.67	-0.94	20.73	<=33.01	Pass
			2	21.68	-0.94	20.74	<=33.01	Pass
			3	21.66	-0.94	20.72	<=33.01	Pass
		6	0	20.75	-0.94	19.81	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	21.73	-0.94	20.79	<=33.01	Pass
			7	21.71	-0.94	20.77	<=33.01	Pass
			14	21.68	-0.94	20.74	<=33.01	Pass
		8	0	21.66	-0.94	20.72	<=33.01	Pass
			4	21.68	-0.94	20.74	<=33.01	Pass
			7	21.78	-0.94	20.84	<=33.01	Pass
		15	0	21.77	-0.94	20.83	<=33.01	Pass
	1880	1	0	21.08	-0.94	20.14	<=33.01	Pass
			7	21.26	-0.94	20.32	<=33.01	Pass
			14	21.32	-0.94	20.38	<=33.01	Pass
		8	0	21.33	-0.94	20.39	<=33.01	Pass
			4	21.33	-0.94	20.39	<=33.01	Pass
			7	21.33	-0.94	20.39	<=33.01	Pass
		15	0	21.33	-0.94	20.39	<=33.01	Pass
	1908.5	1	0	21.44	-0.94	20.50	<=33.01	Pass
			7	21.41	-0.94	20.47	<=33.01	Pass
			14	21.39	-0.94	20.45	<=33.01	Pass
		8	0	21.39	-0.94	20.45	<=33.01	Pass
			4	21.38	-0.94	20.44	<=33.01	Pass
			7	21.38	-0.94	20.44	<=33.01	Pass
		15	0	21.38	-0.94	20.44	<=33.01	Pass
16QAM	1851.5	1	0	21.77	-0.94	20.83	<=33.01	Pass
			7	21.76	-0.94	20.82	<=33.01	Pass
			14	21.75	-0.94	20.81	<=33.01	Pass
		8	0	21.76	-0.94	20.82	<=33.01	Pass
			4	21.76	-0.94	20.82	<=33.01	Pass
			7	21.75	-0.94	20.81	<=33.01	Pass
		15	0	21.71	-0.94	20.77	<=33.01	Pass
	1880	1	0	21.33	-0.94	20.39	<=33.01	Pass
			7	21.32	-0.94	20.38	<=33.01	Pass
			14	21.32	-0.94	20.38	<=33.01	Pass
		8	0	21.32	-0.94	20.38	<=33.01	Pass
			4	21.32	-0.94	20.38	<=33.01	Pass
			7	21.32	-0.94	20.38	<=33.01	Pass
		15	0	21.32	-0.94	20.38	<=33.01	Pass
	1908.5	1	0	21.37	-0.94	20.43	<=33.01	Pass
			7	21.37	-0.94	20.43	<=33.01	Pass
			14	21.43	-0.94	20.49	<=33.01	Pass
		8	0	21.42	-0.94	20.48	<=33.01	Pass
			4	21.42	-0.94	20.48	<=33.01	Pass
			7	21.41	-0.94	20.47	<=33.01	Pass
		15	0	21.41	-0.94	20.47	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	22.64	-0.94	21.70	<=33.01	Pass
			13	22.48	-0.94	21.54	<=33.01	Pass
			24	22.53	-0.94	21.59	<=33.01	Pass
		12	0	21.72	-0.94	20.78	<=33.01	Pass
			6	21.53	-0.94	20.59	<=33.01	Pass
			13	21.60	-0.94	20.66	<=33.01	Pass

	1880	25	0	21.57	-0.94	20.63	<=33.01	Pass	
			1	0	22.44	-0.94	21.50	<=33.01	Pass
				13	22.29	-0.94	21.35	<=33.01	Pass
				24	22.29	-0.94	21.35	<=33.01	Pass
		12		0	21.31	-0.94	20.37	<=33.01	Pass
			6	21.46	-0.94	20.52	<=33.01	Pass	
			13	21.51	-0.94	20.57	<=33.01	Pass	
			25	0	21.33	-0.94	20.39	<=33.01	Pass
		1907.5	1	0	22.47	-0.94	21.53	<=33.01	Pass
				13	22.56	-0.94	21.62	<=33.01	Pass
				24	22.66	-0.94	21.72	<=33.01	Pass
				12	0	21.60	-0.94	20.66	<=33.01
	6		21.50		-0.94	20.56	<=33.01	Pass	
	13		21.54		-0.94	20.60	<=33.01	Pass	
	25		0		21.45	-0.94	20.51	<=33.01	Pass
	16QAM		1852.5	1	0	21.75	-0.94	20.81	<=33.01
		13			21.64	-0.94	20.70	<=33.01	Pass
		24			21.59	-0.94	20.65	<=33.01	Pass
		12			0	20.84	-0.94	19.90	<=33.01
				6	20.62	-0.94	19.68	<=33.01	Pass
13				20.61	-0.94	19.67	<=33.01	Pass	
25				0	20.66	-0.94	19.72	<=33.01	Pass
1880		1		0	22.13	-0.94	21.19	<=33.01	Pass
				13	22.24	-0.94	21.30	<=33.01	Pass
				24	22.22	-0.94	21.28	<=33.01	Pass
		12	0	20.47	-0.94	19.53	<=33.01	Pass	
			6	20.45	-0.94	19.51	<=33.01	Pass	
			13	20.48	-0.94	19.54	<=33.01	Pass	
25		0	20.55	-0.94	19.61	<=33.01	Pass		
1907.5		1	0	21.84	-0.94	20.90	<=33.01	Pass	
			13	22.01	-0.94	21.07	<=33.01	Pass	
			24	21.98	-0.94	21.04	<=33.01	Pass	
			12	0	20.40	-0.94	19.46	<=33.01	Pass
		6		20.43	-0.94	19.49	<=33.01	Pass	
		13		20.45	-0.94	19.51	<=33.01	Pass	
	25	0		20.56	-0.94	19.62	<=33.01	Pass	
	Note1: EIRP=Conducted Power+Antenna Gain								

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	22.59	-0.94	21.65	<=33.01	Pass
			25	22.54	-0.94	21.60	<=33.01	Pass
			49	22.51	-0.94	21.57	<=33.01	Pass
		25	0	21.60	-0.94	20.66	<=33.01	Pass
			13	21.54	-0.94	20.60	<=33.01	Pass
			25	21.62	-0.94	20.68	<=33.01	Pass
		50	0	21.58	-0.94	20.64	<=33.01	Pass
	1880	1	0	22.36	-0.94	21.42	<=33.01	Pass
			25	22.37	-0.94	21.43	<=33.01	Pass
			49	22.41	-0.94	21.47	<=33.01	Pass
		25	0	21.48	-0.94	20.54	<=33.01	Pass
			13	21.32	-0.94	20.38	<=33.01	Pass
		25	21.55	-0.94	20.61	<=33.01	Pass	
		50	0	21.44	-0.94	20.50	<=33.01	Pass

16QAM	1905	1	0	22.31	-0.94	21.37	<=33.01	Pass
			25	22.41	-0.94	21.47	<=33.01	Pass
			49	22.50	-0.94	21.56	<=33.01	Pass
		25	0	21.31	-0.94	20.37	<=33.01	Pass
			13	21.40	-0.94	20.46	<=33.01	Pass
			25	21.58	-0.94	20.64	<=33.01	Pass
		50	0	21.37	-0.94	20.43	<=33.01	Pass
			0	22.29	-0.94	21.35	<=33.01	Pass
			25	22.18	-0.94	21.24	<=33.01	Pass
	1855	1	49	22.13	-0.94	21.19	<=33.01	Pass
			0	20.67	-0.94	19.73	<=33.01	Pass
			13	20.66	-0.94	19.72	<=33.01	Pass
		25	25	20.66	-0.94	19.72	<=33.01	Pass
			0	20.61	-0.94	19.67	<=33.01	Pass
			0	21.99	-0.94	21.05	<=33.01	Pass
		1	25	21.87	-0.94	20.93	<=33.01	Pass
			49	21.98	-0.94	21.04	<=33.01	Pass
			0	20.52	-0.94	19.58	<=33.01	Pass
	1880	25	13	20.52	-0.94	19.58	<=33.01	Pass
			25	20.55	-0.94	19.61	<=33.01	Pass
			0	20.42	-0.94	19.48	<=33.01	Pass
		1	0	22.56	-0.94	21.62	<=33.01	Pass
			25	22.59	-0.94	21.65	<=33.01	Pass
			49	22.57	-0.94	21.63	<=33.01	Pass
		25	0	20.63	-0.94	19.69	<=33.01	Pass
			13	20.64	-0.94	19.70	<=33.01	Pass
			25	20.72	-0.94	19.78	<=33.01	Pass
	1905	50	0	20.58	-0.94	19.64	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	22.52	-0.94	21.58	<=33.01	Pass
			38	22.48	-0.94	21.54	<=33.01	Pass
			74	22.40	-0.94	21.46	<=33.01	Pass
		36	0	21.58	-0.94	20.64	<=33.01	Pass
			18	21.62	-0.94	20.68	<=33.01	Pass
			39	21.43	-0.94	20.49	<=33.01	Pass
		75	0	21.56	-0.94	20.62	<=33.01	Pass
			0	22.31	-0.94	21.37	<=33.01	Pass
			38	22.30	-0.94	21.36	<=33.01	Pass
	1880	1	74	22.24	-0.94	21.30	<=33.01	Pass
			0	21.34	-0.94	20.40	<=33.01	Pass
			18	21.31	-0.94	20.37	<=33.01	Pass
		36	39	21.40	-0.94	20.46	<=33.01	Pass
			0	21.43	-0.94	20.49	<=33.01	Pass
			0	22.38	-0.94	21.44	<=33.01	Pass
		1	38	22.44	-0.94	21.50	<=33.01	Pass
			74	22.55	-0.94	21.61	<=33.01	Pass
			0	21.37	-0.94	20.43	<=33.01	Pass
	1902.5	36	18	21.50	-0.94	20.56	<=33.01	Pass
			39	21.49	-0.94	20.55	<=33.01	Pass
			0	21.43	-0.94	20.49	<=33.01	Pass
	1905	1	0	22.23	-0.94	21.29	<=33.01	Pass

16QAM	1857.5	1	0	22.23	-0.94	21.29	<=33.01	Pass
-------	--------	---	---	-------	-------	-------	---------	------

			38	22.14	-0.94	21.20	<=33.01	Pass	
			74	22.07	-0.94	21.13	<=33.01	Pass	
		36	0	20.65	-0.94	19.71	<=33.01	Pass	
			18	20.55	-0.94	19.61	<=33.01	Pass	
			39	20.56	-0.94	19.62	<=33.01	Pass	
		75	0	20.57	-0.94	19.63	<=33.01	Pass	
		1880	1	0	22.16	-0.94	21.22	<=33.01	Pass
	38			22.25	-0.94	21.31	<=33.01	Pass	
	74			22.21	-0.94	21.27	<=33.01	Pass	
	36		0	20.49	-0.94	19.55	<=33.01	Pass	
			18	20.48	-0.94	19.54	<=33.01	Pass	
			39	20.45	-0.94	19.51	<=33.01	Pass	
	75		0	20.48	-0.94	19.54	<=33.01	Pass	
	1902.5	1	0	22.50	-0.94	21.56	<=33.01	Pass	
			38	22.59	-0.94	21.65	<=33.01	Pass	
			74	22.58	-0.94	21.64	<=33.01	Pass	
		36	0	20.47	-0.94	19.53	<=33.01	Pass	
			18	20.49	-0.94	19.55	<=33.01	Pass	
			39	20.59	-0.94	19.65	<=33.01	Pass	
		75	0	20.60	-0.94	19.66	<=33.01	Pass	
	Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	22.76	-0.94	21.82	<=33.01	Pass
			50	22.74	-0.94	21.80	<=33.01	Pass
			99	22.62	-0.94	21.68	<=33.01	Pass
		50	0	21.62	-0.94	20.68	<=33.01	Pass
			25	21.59	-0.94	20.65	<=33.01	Pass
			50	21.52	-0.94	20.58	<=33.01	Pass
		100	0	21.53	-0.94	20.59	<=33.01	Pass
			0	22.44	-0.94	21.50	<=33.01	Pass
			50	22.42	-0.94	21.48	<=33.01	Pass
		1	99	22.61	-0.94	21.67	<=33.01	Pass
			0	21.36	-0.94	20.42	<=33.01	Pass
			25	21.36	-0.94	20.42	<=33.01	Pass
16QAM	1880	50	50	21.44	-0.94	20.50	<=33.01	Pass
			0	21.45	-0.94	20.51	<=33.01	Pass
			0	22.49	-0.94	21.55	<=33.01	Pass
		1	50	22.55	-0.94	21.61	<=33.01	Pass
			99	22.63	-0.94	21.69	<=33.01	Pass
			0	21.29	-0.94	20.35	<=33.01	Pass
		50	25	21.45	-0.94	20.51	<=33.01	Pass
			50	21.51	-0.94	20.57	<=33.01	Pass
			0	21.51	-0.94	20.57	<=33.01	Pass
		100	0	22.30	-0.94	21.36	<=33.01	Pass
			50	22.16	-0.94	21.22	<=33.01	Pass
			99	22.11	-0.94	21.17	<=33.01	Pass
	1900	1	0	20.78	-0.94	19.84	<=33.01	Pass
			25	20.63	-0.94	19.69	<=33.01	Pass
			50	20.70	-0.94	19.76	<=33.01	Pass
		50	0	20.55	-0.94	19.61	<=33.01	Pass
			0	22.50	-0.94	21.56	<=33.01	Pass
			50	22.31	-0.94	21.37	<=33.01	Pass

		50	99	22.41	-0.94	21.47	<=33.01	Pass
			0	20.39	-0.94	19.45	<=33.01	Pass
			25	20.45	-0.94	19.51	<=33.01	Pass
			50	20.44	-0.94	19.50	<=33.01	Pass
	100	0	0	20.57	-0.94	19.63	<=33.01	Pass
			0	22.22	-0.94	21.28	<=33.01	Pass
			50	22.38	-0.94	21.44	<=33.01	Pass
			99	22.42	-0.94	21.48	<=33.01	Pass
	1900	1	0	20.50	-0.94	19.56	<=33.01	Pass
			25	20.60	-0.94	19.66	<=33.01	Pass
			50	20.61	-0.94	19.67	<=33.01	Pass
			100	20.49	-0.94	19.55	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1850.7	6	0	20	3.27	-15.950	-0.0086	-2.5 to 2.5	Pass
					3.85	-36.263	-0.0196	-2.5 to 2.5	Pass
					4.43	-39.511	-0.0213	-2.5 to 2.5	Pass
				-30	3.85	-21.658	-0.0117	-2.5 to 2.5	Pass
				-20	3.85	-43.645	-0.0236	-2.5 to 2.5	Pass
				-10	3.85	-4.420	-0.0024	-2.5 to 2.5	Pass
				0	3.85	-3.562	-0.0019	-2.5 to 2.5	Pass
				10	3.85	-10.643	-0.0058	-2.5 to 2.5	Pass
				30	3.85	-27.037	-0.0146	-2.5 to 2.5	Pass
				40	3.85	-19.770	-0.0107	-2.5 to 2.5	Pass
				50	3.85	-39.067	-0.0211	-2.5 to 2.5	Pass
	1880	6	0	20	3.27	1.988	0.0011	-2.5 to 2.5	Pass
					3.85	-9.270	-0.0049	-2.5 to 2.5	Pass
					4.43	-15.306	-0.0081	-2.5 to 2.5	Pass
				-30	3.85	-21.243	-0.0113	-2.5 to 2.5	Pass
				-20	3.85	-25.821	-0.0137	-2.5 to 2.5	Pass
				-10	3.85	-31.300	-0.0166	-2.5 to 2.5	Pass
				0	3.85	-33.617	-0.0179	-2.5 to 2.5	Pass
				10	3.85	-37.994	-0.0202	-2.5 to 2.5	Pass
				30	3.85	-37.966	-0.0202	-2.5 to 2.5	Pass
				40	3.85	-44.017	-0.0234	-2.5 to 2.5	Pass
				50	3.85	-46.263	-0.0246	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.27	15.764	0.0083	-2.5 to 2.5	Pass
					3.85	3.648	0.0019	-2.5 to 2.5	Pass
					4.43	0.658	0.0003	-2.5 to 2.5	Pass
				-30	3.85	-5.651	-0.0030	-2.5 to 2.5	Pass
				-20	3.85	-8.440	-0.0044	-2.5 to 2.5	Pass
				-10	3.85	-21.186	-0.0111	-2.5 to 2.5	Pass
				0	3.85	-21.200	-0.0111	-2.5 to 2.5	Pass
				10	3.85	-22.287	-0.0117	-2.5 to 2.5	Pass
				30	3.85	-24.376	-0.0128	-2.5 to 2.5	Pass
				40	3.85	-25.120	-0.0132	-2.5 to 2.5	Pass
				50	3.85	-26.164	-0.0137	-2.5 to 2.5	Pass

16QAM	1850.7	6	0	20	3.27	4.649	0.0025	-2.5 to 2.5	Pass
					3.85	-12.345	-0.0067	-2.5 to 2.5	Pass
					4.43	-31.843	-0.0172	-2.5 to 2.5	Pass
				-30	3.85	-45.161	-0.0244	-2.5 to 2.5	Pass
				-20	3.85	-15.135	-0.0082	-2.5 to 2.5	Pass
				-10	3.85	-28.839	-0.0156	-2.5 to 2.5	Pass
				0	3.85	-44.017	-0.0238	-2.5 to 2.5	Pass
				10	3.85	11.230	0.0061	-2.5 to 2.5	Pass
				30	3.85	0.916	0.0005	-2.5 to 2.5	Pass
				40	3.85	0.458	0.0002	-2.5 to 2.5	Pass
				50	3.85	2.761	0.0015	-2.5 to 2.5	Pass
	1880	6	0	20	3.27	-47.636	-0.0253	-2.5 to 2.5	Pass
					3.85	-50.097	-0.0266	-2.5 to 2.5	Pass
					4.43	-49.868	-0.0265	-2.5 to 2.5	Pass
				-30	3.85	-47.636	-0.0253	-2.5 to 2.5	Pass
				-20	3.85	-51.970	-0.0276	-2.5 to 2.5	Pass
				-10	3.85	-50.612	-0.0269	-2.5 to 2.5	Pass
				0	3.85	-53.816	-0.0286	-2.5 to 2.5	Pass
				10	3.85	-52.986	-0.0282	-2.5 to 2.5	Pass
				30	3.85	9.198	0.0049	-2.5 to 2.5	Pass
				40	3.85	7.739	0.0041	-2.5 to 2.5	Pass
				50	3.85	7.167	0.0038	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.27	-29.140	-0.0153	-2.5 to 2.5	Pass
					3.85	-28.739	-0.0151	-2.5 to 2.5	Pass
					4.43	-25.563	-0.0134	-2.5 to 2.5	Pass
				-30	3.85	-29.368	-0.0154	-2.5 to 2.5	Pass
				-20	3.85	-34.590	-0.0181	-2.5 to 2.5	Pass
				-10	3.85	-35.048	-0.0184	-2.5 to 2.5	Pass
				0	3.85	-34.819	-0.0182	-2.5 to 2.5	Pass
				10	3.85	-35.748	-0.0187	-2.5 to 2.5	Pass
				30	3.85	-35.391	-0.0185	-2.5 to 2.5	Pass
				40	3.85	-36.979	-0.0194	-2.5 to 2.5	Pass
				50	3.85	-31.285	-0.0164	-2.5 to 2.5	Pass

2.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1851.5	15	0	20	3.27	-3.276	-0.0018	-2.5 to 2.5	Pass
					3.85	-37.436	-0.0202	-2.5 to 2.5	Pass
					4.43	-1.531	-0.0008	-2.5 to 2.5	Pass
				-30	3.85	-19.927	-0.0108	-2.5 to 2.5	Pass
				-20	3.85	-42.400	-0.0229	-2.5 to 2.5	Pass
				-10	3.85	-24.447	-0.0132	-2.5 to 2.5	Pass
				0	3.85	-40.355	-0.0218	-2.5 to 2.5	Pass
				10	3.85	7.696	0.0042	-2.5 to 2.5	Pass
				30	3.85	2.446	0.0013	-2.5 to 2.5	Pass
				40	3.85	-3.963	-0.0021	-2.5 to 2.5	Pass
				50	3.85	-16.537	-0.0089	-2.5 to 2.5	Pass
	1880	15	0	20	3.27	22.116	0.0118	-2.5 to 2.5	Pass
					3.85	16.150	0.0086	-2.5 to 2.5	Pass
					4.43	11.430	0.0061	-2.5 to 2.5	Pass
				-30	3.85	5.836	0.0031	-2.5 to 2.5	Pass
				-20	3.85	0.200	0.0001	-2.5 to 2.5	Pass
				-10	3.85	-7.124	-0.0038	-2.5 to 2.5	Pass
				0	3.85	-7.753	-0.0041	-2.5 to 2.5	Pass

				10	3.85	-13.003	-0.0069	-2.5 to 2.5	Pass
				30	3.85	-16.980	-0.0090	-2.5 to 2.5	Pass
				40	3.85	-15.364	-0.0082	-2.5 to 2.5	Pass
				50	3.85	-23.861	-0.0127	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.27	8.440	0.0044	-2.5 to 2.5	Pass
					3.85	-3.119	-0.0016	-2.5 to 2.5	Pass
					4.43	-3.848	-0.0020	-2.5 to 2.5	Pass
				-30	3.85	-9.141	-0.0048	-2.5 to 2.5	Pass
				-20	3.85	-14.248	-0.0075	-2.5 to 2.5	Pass
				-10	3.85	-13.390	-0.0070	-2.5 to 2.5	Pass
				0	3.85	-13.204	-0.0069	-2.5 to 2.5	Pass
				10	3.85	-19.383	-0.0102	-2.5 to 2.5	Pass
				30	3.85	-26.207	-0.0137	-2.5 to 2.5	Pass
				40	3.85	-25.434	-0.0133	-2.5 to 2.5	Pass
				50	3.85	-28.553	-0.0150	-2.5 to 2.5	Pass
16QAM	1851.5	15	0	20	3.27	-18.940	-0.0102	-2.5 to 2.5	Pass
					3.85	-22.559	-0.0122	-2.5 to 2.5	Pass
					4.43	-29.740	-0.0161	-2.5 to 2.5	Pass
				-30	3.85	-27.938	-0.0151	-2.5 to 2.5	Pass
				-20	3.85	-28.052	-0.0152	-2.5 to 2.5	Pass
				-10	3.85	-29.497	-0.0159	-2.5 to 2.5	Pass
				0	3.85	-29.082	-0.0157	-2.5 to 2.5	Pass
				10	3.85	-37.594	-0.0203	-2.5 to 2.5	Pass
				30	3.85	-37.365	-0.0202	-2.5 to 2.5	Pass
				40	3.85	-35.563	-0.0192	-2.5 to 2.5	Pass
				50	3.85	-40.612	-0.0219	-2.5 to 2.5	Pass
	1880	15	0	20	3.27	-28.381	-0.0151	-2.5 to 2.5	Pass
					3.85	-27.981	-0.0149	-2.5 to 2.5	Pass
					4.43	-30.098	-0.0160	-2.5 to 2.5	Pass
				-30	3.85	-29.397	-0.0156	-2.5 to 2.5	Pass
				-20	3.85	-25.148	-0.0134	-2.5 to 2.5	Pass
				-10	3.85	-26.493	-0.0141	-2.5 to 2.5	Pass
				0	3.85	-23.332	-0.0124	-2.5 to 2.5	Pass
				10	3.85	-22.073	-0.0117	-2.5 to 2.5	Pass
				30	3.85	-25.535	-0.0136	-2.5 to 2.5	Pass
				40	3.85	-24.076	-0.0128	-2.5 to 2.5	Pass
				50	3.85	-23.274	-0.0124	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.27	-26.793	-0.0140	-2.5 to 2.5	Pass
					3.85	-24.819	-0.0130	-2.5 to 2.5	Pass
					4.43	-27.051	-0.0142	-2.5 to 2.5	Pass
				-30	3.85	-26.722	-0.0140	-2.5 to 2.5	Pass
				-20	3.85	-32.930	-0.0173	-2.5 to 2.5	Pass
				-10	3.85	-31.085	-0.0163	-2.5 to 2.5	Pass
				0	3.85	-30.055	-0.0157	-2.5 to 2.5	Pass
				10	3.85	-30.541	-0.0160	-2.5 to 2.5	Pass
				30	3.85	-30.942	-0.0162	-2.5 to 2.5	Pass
				40	3.85	-30.012	-0.0157	-2.5 to 2.5	Pass
				50	3.85	-33.388	-0.0175	-2.5 to 2.5	Pass

2.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	3.27	-3.133	-0.0017	-2.5 to 2.5	Pass
					3.85	-28.110	-0.0152	-2.5 to 2.5	Pass
					4.43	-44.174	-0.0238	-2.5 to 2.5	Pass

				-30	3.85	-31.185	-0.0168	-2.5 to 2.5	Pass
				-20	3.85	8.326	0.0045	-2.5 to 2.5	Pass
				-10	3.85	-2.718	-0.0015	-2.5 to 2.5	Pass
				0	3.85	-15.535	-0.0084	-2.5 to 2.5	Pass
				10	3.85	-28.353	-0.0153	-2.5 to 2.5	Pass
				30	3.85	-37.265	-0.0201	-2.5 to 2.5	Pass
				40	3.85	-41.642	-0.0225	-2.5 to 2.5	Pass
				50	3.85	-25.835	-0.0139	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	13.790	0.0073	-2.5 to 2.5	Pass
					3.85	8.454	0.0045	-2.5 to 2.5	Pass
					4.43	2.847	0.0015	-2.5 to 2.5	Pass
				-30	3.85	4.406	0.0023	-2.5 to 2.5	Pass
				-20	3.85	-5.536	-0.0029	-2.5 to 2.5	Pass
				-10	3.85	-7.911	-0.0042	-2.5 to 2.5	Pass
				0	3.85	-11.516	-0.0061	-2.5 to 2.5	Pass
				10	3.85	-12.517	-0.0067	-2.5 to 2.5	Pass
				30	3.85	-13.876	-0.0074	-2.5 to 2.5	Pass
				40	3.85	-14.234	-0.0076	-2.5 to 2.5	Pass
				50	3.85	-10.614	-0.0056	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.27	7.067	0.0037	-2.5 to 2.5	Pass
					3.85	-1.044	-0.0005	-2.5 to 2.5	Pass
					4.43	-0.443	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	-7.010	-0.0037	-2.5 to 2.5	Pass
				-20	3.85	-10.028	-0.0053	-2.5 to 2.5	Pass
				-10	3.85	-12.946	-0.0068	-2.5 to 2.5	Pass
				0	3.85	-13.919	-0.0073	-2.5 to 2.5	Pass
				10	3.85	-7.081	-0.0037	-2.5 to 2.5	Pass
				30	3.85	-12.274	-0.0064	-2.5 to 2.5	Pass
				40	3.85	-11.115	-0.0058	-2.5 to 2.5	Pass
16QAM	1852.5	25	0	20	3.27	-13.447	-0.0073	-2.5 to 2.5	Pass
					3.85	-9.656	-0.0052	-2.5 to 2.5	Pass
					4.43	-11.001	-0.0059	-2.5 to 2.5	Pass
				-30	3.85	-15.850	-0.0086	-2.5 to 2.5	Pass
				-20	3.85	-14.935	-0.0081	-2.5 to 2.5	Pass
				-10	3.85	-19.240	-0.0104	-2.5 to 2.5	Pass
				0	3.85	-16.837	-0.0091	-2.5 to 2.5	Pass
				10	3.85	-11.687	-0.0063	-2.5 to 2.5	Pass
				30	3.85	-18.153	-0.0098	-2.5 to 2.5	Pass
				40	3.85	-21.586	-0.0117	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	-16.866	-0.0090	-2.5 to 2.5	Pass
					3.85	-14.091	-0.0075	-2.5 to 2.5	Pass
					4.43	-16.565	-0.0088	-2.5 to 2.5	Pass
				-30	3.85	-13.247	-0.0070	-2.5 to 2.5	Pass
				-20	3.85	-16.580	-0.0088	-2.5 to 2.5	Pass
				-10	3.85	-16.437	-0.0087	-2.5 to 2.5	Pass
				0	3.85	-16.608	-0.0088	-2.5 to 2.5	Pass
				10	3.85	-14.548	-0.0077	-2.5 to 2.5	Pass
				30	3.85	-17.438	-0.0093	-2.5 to 2.5	Pass
				40	3.85	-13.633	-0.0073	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.27	-14.620	-0.0077	-2.5 to 2.5	Pass
					3.85	-12.746	-0.0067	-2.5 to 2.5	Pass
					4.43	-12.732	-0.0067	-2.5 to 2.5	Pass
				-30	3.85	-14.606	-0.0077	-2.5 to 2.5	Pass
				-20	3.85	-14.563	-0.0076	-2.5 to 2.5	Pass
				-10	3.85	-18.210	-0.0095	-2.5 to 2.5	Pass
				0	3.85	-16.866	-0.0088	-2.5 to 2.5	Pass

				10	3.85	-14.305	-0.0075	-2.5 to 2.5	Pass
				30	3.85	-16.308	-0.0085	-2.5 to 2.5	Pass
				40	3.85	-15.135	-0.0079	-2.5 to 2.5	Pass
				50	3.85	-13.876	-0.0073	-2.5 to 2.5	Pass

2.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	3.27	8.569	0.0046	-2.5 to 2.5	Pass
					3.85	-30.513	-0.0164	-2.5 to 2.5	Pass
					4.43	-29.984	-0.0162	-2.5 to 2.5	Pass
				-30	3.85	-5.536	-0.0030	-2.5 to 2.5	Pass
				-20	3.85	-20.370	-0.0110	-2.5 to 2.5	Pass
				-10	3.85	-38.280	-0.0206	-2.5 to 2.5	Pass
				0	3.85	-2.031	-0.0011	-2.5 to 2.5	Pass
				10	3.85	-8.798	-0.0047	-2.5 to 2.5	Pass
				30	3.85	-14.563	-0.0079	-2.5 to 2.5	Pass
				40	3.85	-14.620	-0.0079	-2.5 to 2.5	Pass
				50	3.85	-19.383	-0.0104	-2.5 to 2.5	Pass
	1880	50	0	20	3.27	23.632	0.0126	-2.5 to 2.5	Pass
					3.85	14.391	0.0077	-2.5 to 2.5	Pass
					4.43	11.144	0.0059	-2.5 to 2.5	Pass
				-30	3.85	6.695	0.0036	-2.5 to 2.5	Pass
				-20	3.85	3.018	0.0016	-2.5 to 2.5	Pass
				-10	3.85	0.386	0.0002	-2.5 to 2.5	Pass
				0	3.85	2.904	0.0015	-2.5 to 2.5	Pass
				10	3.85	1.173	0.0006	-2.5 to 2.5	Pass
				30	3.85	-2.475	-0.0013	-2.5 to 2.5	Pass
				40	3.85	-8.769	-0.0047	-2.5 to 2.5	Pass
				50	3.85	-7.153	-0.0038	-2.5 to 2.5	Pass
	1905	50	0	20	3.27	2.260	0.0012	-2.5 to 2.5	Pass
					3.85	-10.571	-0.0055	-2.5 to 2.5	Pass
					4.43	-16.036	-0.0084	-2.5 to 2.5	Pass
				-30	3.85	-16.036	-0.0084	-2.5 to 2.5	Pass
				-20	3.85	-17.967	-0.0094	-2.5 to 2.5	Pass
				-10	3.85	-23.689	-0.0124	-2.5 to 2.5	Pass
				0	3.85	-23.274	-0.0122	-2.5 to 2.5	Pass
				10	3.85	-26.207	-0.0138	-2.5 to 2.5	Pass
				30	3.85	-23.661	-0.0124	-2.5 to 2.5	Pass
				40	3.85	-23.375	-0.0123	-2.5 to 2.5	Pass
16QAM	1855	50	0	20	3.27	-21.000	-0.0113	-2.5 to 2.5	Pass
					3.85	-22.874	-0.0123	-2.5 to 2.5	Pass
					4.43	-26.178	-0.0141	-2.5 to 2.5	Pass
				-30	3.85	-29.984	-0.0162	-2.5 to 2.5	Pass
				-20	3.85	-24.447	-0.0132	-2.5 to 2.5	Pass
				-10	3.85	-25.692	-0.0139	-2.5 to 2.5	Pass
				0	3.85	-23.360	-0.0126	-2.5 to 2.5	Pass
				10	3.85	-21.901	-0.0118	-2.5 to 2.5	Pass
				30	3.85	-18.582	-0.0100	-2.5 to 2.5	Pass
				40	3.85	-23.575	-0.0127	-2.5 to 2.5	Pass
				50	3.85	-23.146	-0.0125	-2.5 to 2.5	Pass
	1880	50	0	20	3.27	-3.448	-0.0018	-2.5 to 2.5	Pass
					3.85	-2.203	-0.0012	-2.5 to 2.5	Pass
					4.43	-2.160	-0.0011	-2.5 to 2.5	Pass

				-30	3.85	0.186	0.0001	-2.5 to 2.5	Pass
				-20	3.85	-0.129	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-0.844	-0.0004	-2.5 to 2.5	Pass
				0	3.85	0.629	0.0003	-2.5 to 2.5	Pass
				10	3.85	-2.947	-0.0016	-2.5 to 2.5	Pass
				30	3.85	-4.635	-0.0025	-2.5 to 2.5	Pass
				40	3.85	0.486	0.0003	-2.5 to 2.5	Pass
				50	3.85	-2.961	-0.0016	-2.5 to 2.5	Pass
	1905	50	0	20	3.27	-24.476	-0.0128	-2.5 to 2.5	Pass
					3.85	-22.788	-0.0120	-2.5 to 2.5	Pass
					4.43	-23.131	-0.0121	-2.5 to 2.5	Pass
				-30	3.85	-19.355	-0.0102	-2.5 to 2.5	Pass
				-20	3.85	-23.704	-0.0124	-2.5 to 2.5	Pass
				-10	3.85	-24.333	-0.0128	-2.5 to 2.5	Pass
				0	3.85	-21.400	-0.0112	-2.5 to 2.5	Pass
				10	3.85	-22.731	-0.0119	-2.5 to 2.5	Pass
				30	3.85	-27.294	-0.0143	-2.5 to 2.5	Pass
				40	3.85	-27.080	-0.0142	-2.5 to 2.5	Pass
				50	3.85	-28.310	-0.0149	-2.5 to 2.5	Pass

2.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1857.5	75	0	20	3.27	3.290	0.0018	-2.5 to 2.5	Pass
					3.85	-32.358	-0.0174	-2.5 to 2.5	Pass
					4.43	-21.787	-0.0117	-2.5 to 2.5	Pass
				-30	3.85	-28.811	-0.0155	-2.5 to 2.5	Pass
				-20	3.85	-19.727	-0.0106	-2.5 to 2.5	Pass
				-10	3.85	-36.306	-0.0195	-2.5 to 2.5	Pass
				0	3.85	-45.590	-0.0245	-2.5 to 2.5	Pass
				10	3.85	-4.220	-0.0023	-2.5 to 2.5	Pass
				30	3.85	-6.180	-0.0033	-2.5 to 2.5	Pass
				40	3.85	-15.736	-0.0085	-2.5 to 2.5	Pass
				50	3.85	-25.163	-0.0135	-2.5 to 2.5	Pass
	1880	75	0	20	3.27	11.215	0.0060	-2.5 to 2.5	Pass
					3.85	1.559	0.0008	-2.5 to 2.5	Pass
					4.43	-7.553	-0.0040	-2.5 to 2.5	Pass
				-30	3.85	-10.214	-0.0054	-2.5 to 2.5	Pass
				-20	3.85	-10.743	-0.0057	-2.5 to 2.5	Pass
				-10	3.85	-16.422	-0.0087	-2.5 to 2.5	Pass
				0	3.85	-20.671	-0.0110	-2.5 to 2.5	Pass
				10	3.85	-20.814	-0.0111	-2.5 to 2.5	Pass
				30	3.85	-24.676	-0.0131	-2.5 to 2.5	Pass
				40	3.85	-26.765	-0.0142	-2.5 to 2.5	Pass
				50	3.85	-25.835	-0.0137	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.27	15.435	0.0081	-2.5 to 2.5	Pass
					3.85	2.389	0.0013	-2.5 to 2.5	Pass
					4.43	-2.003	-0.0011	-2.5 to 2.5	Pass
				-30	3.85	-7.138	-0.0038	-2.5 to 2.5	Pass
				-20	3.85	-8.526	-0.0045	-2.5 to 2.5	Pass
				-10	3.85	-9.327	-0.0049	-2.5 to 2.5	Pass
				0	3.85	-12.717	-0.0067	-2.5 to 2.5	Pass
				10	3.85	-13.947	-0.0073	-2.5 to 2.5	Pass
				30	3.85	-10.529	-0.0055	-2.5 to 2.5	Pass
				40	3.85	-12.903	-0.0068	-2.5 to 2.5	Pass

16QAM	1857.5	75	0	50	3.85	-14.706	-0.0077	-2.5 to 2.5	Pass
				20	3.27	-29.712	-0.0160	-2.5 to 2.5	Pass
					3.85	-25.663	-0.0138	-2.5 to 2.5	Pass
					4.43	-26.078	-0.0140	-2.5 to 2.5	Pass
				-30	3.85	-26.708	-0.0144	-2.5 to 2.5	Pass
				-20	3.85	-23.518	-0.0127	-2.5 to 2.5	Pass
				-10	3.85	-27.351	-0.0147	-2.5 to 2.5	Pass
				0	3.85	-25.463	-0.0137	-2.5 to 2.5	Pass
				10	3.85	-27.609	-0.0149	-2.5 to 2.5	Pass
				30	3.85	-27.051	-0.0146	-2.5 to 2.5	Pass
	1880	75	0	40	3.85	-30.799	-0.0166	-2.5 to 2.5	Pass
				50	3.85	-30.084	-0.0162	-2.5 to 2.5	Pass
				20	3.27	-24.176	-0.0129	-2.5 to 2.5	Pass
					3.85	-27.738	-0.0148	-2.5 to 2.5	Pass
					4.43	-22.373	-0.0119	-2.5 to 2.5	Pass
				-30	3.85	-22.445	-0.0119	-2.5 to 2.5	Pass
				-20	3.85	-23.274	-0.0124	-2.5 to 2.5	Pass
				-10	3.85	-22.044	-0.0117	-2.5 to 2.5	Pass
				0	3.85	-19.126	-0.0102	-2.5 to 2.5	Pass
				10	3.85	-18.368	-0.0098	-2.5 to 2.5	Pass
	1902.5	75	0	30	3.85	-18.697	-0.0099	-2.5 to 2.5	Pass
				40	3.85	-20.313	-0.0108	-2.5 to 2.5	Pass
				50	3.85	-17.323	-0.0092	-2.5 to 2.5	Pass
				20	3.27	-11.659	-0.0061	-2.5 to 2.5	Pass
					3.85	-10.614	-0.0056	-2.5 to 2.5	Pass
					4.43	-12.889	-0.0068	-2.5 to 2.5	Pass
				-30	3.85	-18.325	-0.0096	-2.5 to 2.5	Pass
				-20	3.85	-14.062	-0.0074	-2.5 to 2.5	Pass
				-10	3.85	-17.066	-0.0090	-2.5 to 2.5	Pass
				0	3.85	-16.723	-0.0088	-2.5 to 2.5	Pass
				10	3.85	-14.563	-0.0077	-2.5 to 2.5	Pass
				30	3.85	-14.663	-0.0077	-2.5 to 2.5	Pass
				40	3.85	-15.879	-0.0083	-2.5 to 2.5	Pass
				50	3.85	-14.033	-0.0074	-2.5 to 2.5	Pass

2.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	3.27	23.117	0.0124	-2.5 to 2.5	Pass
					3.85	-15.478	-0.0083	-2.5 to 2.5	Pass
					4.43	0.701	0.0004	-2.5 to 2.5	Pass
				-30	3.85	0.229	0.0001	-2.5 to 2.5	Pass
				-20	3.85	31.543	0.0170	-2.5 to 2.5	Pass
				-10	3.85	28.310	0.0152	-2.5 to 2.5	Pass
				0	3.85	32.973	0.0177	-2.5 to 2.5	Pass
				10	3.85	7.081	0.0038	-2.5 to 2.5	Pass
				30	3.85	26.436	0.0142	-2.5 to 2.5	Pass
				40	3.85	3.920	0.0021	-2.5 to 2.5	Pass
				50	3.85	16.851	0.0091	-2.5 to 2.5	Pass
	1880	100	0	20	3.27	40.383	0.0215	-2.5 to 2.5	Pass
					3.85	38.052	0.0202	-2.5 to 2.5	Pass
					4.43	24.333	0.0129	-2.5 to 2.5	Pass
				-30	3.85	23.460	0.0125	-2.5 to 2.5	Pass
				-20	3.85	21.186	0.0113	-2.5 to 2.5	Pass
				-10	3.85	28.639	0.0152	-2.5 to 2.5	Pass

				0	3.85	41.327	0.0220	-2.5 to 2.5	Pass
				10	3.85	42.787	0.0228	-2.5 to 2.5	Pass
				30	3.85	44.975	0.0239	-2.5 to 2.5	Pass
				40	3.85	2.847	0.0015	-2.5 to 2.5	Pass
				50	3.85	12.174	0.0065	-2.5 to 2.5	Pass
	1900	100	0	20	3.27	42.858	0.0226	-2.5 to 2.5	Pass
					3.85	49.925	0.0263	-2.5 to 2.5	Pass
					4.43	37.937	0.0200	-2.5 to 2.5	Pass
				-30	3.85	24.347	0.0128	-2.5 to 2.5	Pass
				-20	3.85	10.414	0.0055	-2.5 to 2.5	Pass
				-10	3.85	10.443	0.0055	-2.5 to 2.5	Pass
				0	3.85	-3.834	-0.0020	-2.5 to 2.5	Pass
				10	3.85	-12.503	-0.0066	-2.5 to 2.5	Pass
				30	3.85	-16.351	-0.0086	-2.5 to 2.5	Pass
				40	3.85	-27.537	-0.0145	-2.5 to 2.5	Pass
				50	3.85	-34.919	-0.0184	-2.5 to 2.5	Pass
16QAM	1860	100	0	20	3.27	32.401	0.0174	-2.5 to 2.5	Pass
					3.85	12.503	0.0067	-2.5 to 2.5	Pass
					4.43	28.911	0.0155	-2.5 to 2.5	Pass
				-30	3.85	46.420	0.0250	-2.5 to 2.5	Pass
				-20	3.85	-0.715	-0.0004	-2.5 to 2.5	Pass
				-10	3.85	19.770	0.0106	-2.5 to 2.5	Pass
				0	3.85	27.080	0.0146	-2.5 to 2.5	Pass
				10	3.85	30.284	0.0163	-2.5 to 2.5	Pass
				30	3.85	1.817	0.0010	-2.5 to 2.5	Pass
				40	3.85	33.188	0.0178	-2.5 to 2.5	Pass
				50	3.85	25.077	0.0135	-2.5 to 2.5	Pass
	1880	100	0	20	3.27	30.613	0.0163	-2.5 to 2.5	Pass
					3.85	-0.386	-0.0002	-2.5 to 2.5	Pass
					4.43	19.426	0.0103	-2.5 to 2.5	Pass
				-30	3.85	32.415	0.0172	-2.5 to 2.5	Pass
				-20	3.85	45.562	0.0242	-2.5 to 2.5	Pass
				-10	3.85	17.452	0.0093	-2.5 to 2.5	Pass
				0	3.85	29.554	0.0157	-2.5 to 2.5	Pass
				10	3.85	46.678	0.0248	-2.5 to 2.5	Pass
				30	3.85	0.458	0.0002	-2.5 to 2.5	Pass
				40	3.85	24.776	0.0132	-2.5 to 2.5	Pass
				50	3.85	38.896	0.0207	-2.5 to 2.5	Pass
	1900	100	0	20	3.27	9.413	0.0050	-2.5 to 2.5	Pass
					3.85	32.558	0.0171	-2.5 to 2.5	Pass
					4.43	10.743	0.0057	-2.5 to 2.5	Pass
				-30	3.85	27.022	0.0142	-2.5 to 2.5	Pass
				-20	3.85	43.888	0.0231	-2.5 to 2.5	Pass
				-10	3.85	9.427	0.0050	-2.5 to 2.5	Pass
				0	3.85	24.047	0.0127	-2.5 to 2.5	Pass
				10	3.85	35.334	0.0186	-2.5 to 2.5	Pass
				30	3.85	-8.440	-0.0044	-2.5 to 2.5	Pass
				40	3.85	-7.038	-0.0037	-2.5 to 2.5	Pass
				50	3.85	-6.051	-0.0032	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	6	0	Refer To Test Graph		Pass
16QAM	1880	6	0	Refer To Test Graph		Pass

3.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	15	0	Refer To Test Graph		Pass
16QAM	1880	15	0	Refer To Test Graph		Pass

3.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	25	0	Refer To Test Graph		Pass
16QAM	1880	25	0	Refer To Test Graph		Pass

3.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	50	0	Refer To Test Graph		Pass
16QAM	1880	50	0	Refer To Test Graph		Pass

3.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	75	0	Refer To Test Graph		Pass
16QAM	1880	75	0	Refer To Test Graph		Pass

3.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	Refer To Test Graph		Pass
16QAM	1880	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B2_1.4MHz




3.2.2 B2_3MHz




3.2.3 B2_5MHz




3.2.4 B2_10MHz



3.2.5 B2_15MHz



3.2.6 B2_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band2_OBW

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.117	/	Pass
		1880	6	0	1.112	/	Pass
		1909.3	6	0	1.114	/	Pass
	16QAM	1850.7	6	0	1.116	/	Pass
		1880	6	0	1.118	/	Pass
		1909.3	6	0	1.113	/	Pass
3	QPSK	1851.5	15	0	2.762	/	Pass
		1880	15	0	2.745	/	Pass
		1908.5	15	0	2.758	/	Pass
	16QAM	1851.5	15	0	2.767	/	Pass
		1880	15	0	2.752	/	Pass
		1908.5	15	0	2.769	/	Pass
5	QPSK	1852.5	25	0	4.552	/	Pass
		1880	25	0	4.544	/	Pass
		1907.5	25	0	4.580	/	Pass
	16QAM	1852.5	25	0	4.586	/	Pass
		1880	25	0	4.554	/	Pass
		1907.5	25	0	4.544	/	Pass
10	QPSK	1855	50	0	9.086	/	Pass
		1880	50	0	9.090	/	Pass
		1905	50	0	9.032	/	Pass
	16QAM	1855	50	0	9.088	/	Pass
		1880	50	0	9.071	/	Pass
		1905	50	0	9.060	/	Pass
15	QPSK	1857.5	75	0	13.651	/	Pass
		1880	75	0	13.583	/	Pass
		1902.5	75	0	13.571	/	Pass
	16QAM	1857.5	75	0	13.647	/	Pass
		1880	75	0	13.610	/	Pass
		1902.5	75	0	13.587	/	Pass
20	QPSK	1860	100	0	18.225	/	Pass
		1880	100	0	18.193	/	Pass
		1900	100	0	18.180	/	Pass
	16QAM	1860	100	0	18.180	/	Pass
		1880	100	0	18.172	/	Pass
		1900	100	0	18.190	/	Pass


4.1.2 Band2_XDB

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.281	/	Pass
		1880	6	0	1.271	/	Pass
		1909.3	6	0	1.289	/	Pass


	16QAM	1850.7	6	0	1.282	/	Pass
		1880	6	0	1.271	/	Pass
		1909.3	6	0	1.265	/	Pass
3	QPSK	1851.5	15	0	3.127	/	Pass
		1880	15	0	3.075	/	Pass
		1908.5	15	0	3.100	/	Pass
	16QAM	1851.5	15	0	3.109	/	Pass
		1880	15	0	3.089	/	Pass
		1908.5	15	0	3.095	/	Pass
5	QPSK	1852.5	25	0	5.062	/	Pass
		1880	25	0	5.065	/	Pass
		1907.5	25	0	5.050	/	Pass
	16QAM	1852.5	25	0	5.122	/	Pass
		1880	25	0	5.057	/	Pass
		1907.5	25	0	5.070	/	Pass
10	QPSK	1855	50	0	10.132	/	Pass
		1880	50	0	10.054	/	Pass
		1905	50	0	10.055	/	Pass
	16QAM	1855	50	0	10.103	/	Pass
		1880	50	0	10.030	/	Pass
		1905	50	0	10.034	/	Pass
15	QPSK	1857.5	75	0	15.288	/	Pass
		1880	75	0	15.240	/	Pass
		1902.5	75	0	15.133	/	Pass
	16QAM	1857.5	75	0	15.236	/	Pass
		1880	75	0	15.239	/	Pass
		1902.5	75	0	14.536	/	Pass
20	QPSK	1860	100	0	20.117	/	Pass
		1880	100	0	19.976	/	Pass
		1900	100	0	19.937	/	Pass
	16QAM	1860	100	0	20.244	/	Pass
		1880	100	0	20.104	/	Pass
		1900	100	0	20.029	/	Pass

4.2 Test Graph


4.2.1 Band2_OBW




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV



Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




2024-08-09 10:41:02

Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




2024-08-09 10:40:30


Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV



Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




2024-08-09 10:43:13

Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




2024-08-09 10:43:34

Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




2024-08-09 10:43:55

Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




2024-08-09 10:43:22


Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV





Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV







4.2.2 Band2_XDB




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV



Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




2024-08-09 10:41:02

Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




2024-08-09 10:40:30


Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	3.99	<=13	Pass
	1880	6	0	4.95	<=13	Pass
	1909.3	6	0	4.38	<=13	Pass
16QAM	1850.7	6	0	4.76	<=13	Pass
	1880	6	0	5.77	<=13	Pass
	1909.3	6	0	5.16	<=13	Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	4.12	<=13	Pass
	1880	15	0	5.05	<=13	Pass
	1908.5	15	0	4.60	<=13	Pass
16QAM	1851.5	15	0	4.88	<=13	Pass
	1880	15	0	5.81	<=13	Pass
	1908.5	15	0	5.39	<=13	Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	4.57	<=13	Pass
	1880	25	0	5.24	<=13	Pass
	1907.5	25	0	5.03	<=13	Pass
16QAM	1852.5	25	0	5.35	<=13	Pass
	1880	25	0	5.94	<=13	Pass
	1907.5	25	0	5.69	<=13	Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	4.70	<=13	Pass
	1880	50	0	5.26	<=13	Pass
	1905	50	0	5.24	<=13	Pass
16QAM	1855	50	0	5.37	<=13	Pass
	1880	50	0	5.99	<=13	Pass

	1905	50	0	5.98	<=13	Pass
--	------	----	---	------	------	------

5.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	4.63	<=13	Pass
	1880	75	0	5.27	<=13	Pass
	1902.5	75	0	5.37	<=13	Pass
16QAM	1857.5	75	0	5.20	<=13	Pass
	1880	75	0	5.84	<=13	Pass
	1902.5	75	0	5.95	<=13	Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	4.84	<=13	Pass
	1880	100	0	5.22	<=13	Pass
	1900	100	0	5.28	<=13	Pass
16QAM	1860	100	0	5.50	<=13	Pass
	1880	100	0	5.92	<=13	Pass
	1900	100	0	6.03	<=13	Pass

5.2 Test Graph

5.2.1 B2_1.4MHz




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




2024-08-09 11:52:05

Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




2024-08-09 11:51:27

Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




2024-08-09 11:51:51

Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




2024-08-09 11:52:18

5.2.2 B2_3MHz




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




2024-08-09 11:53:45

Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




2024-08-09 11:53:04

Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




2024-08-09 11:53:32

Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




2024-08-09 11:53:56

5.2.3 B2_5MHz




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




2024-08-09 11:55:29

Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




2024-08-09 11:54:45

Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




2024-08-09 11:55:13

Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




2024-08-09 11:55:40

5.2.4 B2_10MHz




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




2024-08-09 11:57:34

Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




2024-08-09 11:58:38

Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




2024-08-09 11:57:14

Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




2024-08-09 11:57:50

5.2.5 B2_15MHz




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




2024-08-09 11:59:33

Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




2024-08-09 11:58:46

Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




2024-08-09 11:59:17

Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




2024-08-09 11:59:46

5.2.6 B2_20MHz




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV





2024-08-09 12:01:29

Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV



2024-08-09 12:00:41



6. Spurious Emission

6.1 Test Result

6.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

6.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

6.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	1852.5	1	0	Refer To Test Graph		Pass

	1880	25	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	1907.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	1855	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
16QAM	1855	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass

6.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	1857.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
16QAM	1857.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass


6.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	1860	1	0	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass
16QAM	1860	1	0	Refer To Test Graph	Pass


		100	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1900	1	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass

6.2 Test Graph


6.2.1 B2_1.4MHz



Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1848.5	1849	1	/	1	1848.998	-44.37	-13	Pass
1849	1850	0.013	/	2	1849.943	-26.86	-13	Pass
1850	1851.5	0.013	/	/	/	/	/	/


Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_5_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_1_0_NTNV



Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1848.5	1849	1	/	1	1848.980	-46.19	-13	Pass
1849	1850	0.013	/	2	1849.988	-28.04	-13	Pass
1850	1851.5	0.013	/	/	/	/	/	/


Band2_1.4MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_1_0_NTNV



Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1908.5	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.003	-33.33	-13	Pass
1911	1911.5	1	/	2	1911.065	-59.72	-13	Pass

Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1908.5	1910	0.013	/	/	/	/	/	/
1910	1911	0.013	/	1	1910.003	-31.40	-13	Pass
1911	1911.5	1	/	2	1911.095	-47.02	-13	Pass


6.2.2 B2_3MHz



Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-18.01	-13	Pass
1849	1850	0.033	/	2	1849.994	-22.73	-13	Pass
1850	1853	0.033	/	/	/	/	/	/


Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_14_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_1_0_NTNV



Band2_3MHz_16QAM_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-20.62	-13	Pass
1849	1850	0.033	/	2	1849.988	-24.27	-13	Pass
1850	1853	0.033	/	/	/	/	/	/


Band2_3MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_1_0_NTNV



Band2_3MHz_16QAM_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.012	-25.38	-13	Pass
1911	1913	1	CHP	2	1911.001	-32.93	-13	Pass

Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.033	/	/	/	/	/	/
1910	1911	0.033	/	1	1910.006	-26.59	-13	Pass
1911	1913	1	CHP	2	1911.002	-21.91	-13	Pass


6.2.3 B2_5MHz



Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-18.48	-13	Pass
1849	1850	0.051	/	2	1849.990	-25.58	-13	Pass
1850	1855	0.051	/	/	/	/	/	/


Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_24_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_1_0_NTNV



Band2_5MHz_16QAM_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.490	-19.96	-13	Pass
1849	1850	0.051	/	2	1849.980	-26.91	-13	Pass
1850	1855	0.051	/	/	/	/	/	/


Band2_5MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_1_24_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




6.2.4 B2_10MHz



Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.380	-19.69	-13	Pass
1849	1850	0.11	/	2	1849.980	-26.39	-13	Pass
1850	1860	0.11	/	/	/	/	/	/


Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_49_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_1_0_NTNV



Band2_10MHz_16QAM_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.500	-21.90	-13	Pass
1849	1850	0.11	/	2	1849.720	-27.73	-13	Pass
1850	1860	0.11	/	/	/	/	/	/


Band2_10MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_1_0_NTNV



Band2_10MHz_16QAM_HCH_1905MHz_RB_1_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.027	-38.22	-13	Pass
1911	1920	1	CHP	2	1911.003	-35.59	-13	Pass

Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.1	/	/	/	/	/	/
1910	1911	0.1	/	1	1910.060	-33.50	-13	Pass
1911	1920	1	CHP	2	1911.020	-29.56	-13	Pass


6.2.5 B2_15MHz



Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.230	-20.14	-13	Pass
1849	1850	0.16	/	2	1849.310	-23.91	-13	Pass
1850	1865	0.16	/	/	/	/	/	/


Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV



Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.011	-40.64	-13	Pass
1911	1925	1	CHP	2	1911.001	-38.65	-13	Pass

Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.16	/	/	/	/	/	/
1910	1911	0.16	/	1	1910.120	-32.59	-13	Pass
1911	1925	1	CHP	2	1913.000	-26.86	-13	Pass

Band2_15MHz_16QAM_LCH_1857.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1837.460	-35.20	-13	Pass
1849	1850	0.003	/	2	1849.981	-39.01	-13	Pass
1850	1865	0.003	/	/	/	/	/	/


Band2_15MHz_16QAM_LCH_1857.5MHz_RB_1_0_NTNV



Band2_15MHz_16QAM_LCH_1857.5MHz_RB_1_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.500	-22.18	-13	Pass
1849	1850	0.16	/	2	1849.040	-27.25	-13	Pass
1850	1865	0.16	/	/	/	/	/	/


Band2_15MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_1_0_NTNV



Band2_15MHz_16QAM_HCH_1902.5MHz_RB_1_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.015	-39.67	-13	Pass
1911	1925	1	CHP	2	1911.001	-38.16	-13	Pass

Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.15	/	/	/	/	/	/
1910	1911	0.15	/	1	1910.120	-35.47	-13	Pass
1911	1925	1	CHP	2	1912.820	-29.39	-13	Pass

6.2.6 B2_20MHz




Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV



2024-08-09 14:18:20


Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




2024-08-09 14:18:26

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1847.000	-23.26	-13	Pass
1849	1850	0.22	/	2	1849.280	-27.71	-13	Pass
1850	1870	0.22	/	/	/	/	/	/


Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV



Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_99_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.015	-44.58	-13	Pass
1911	1930	1	CHP	2	1911.005	-39.32	-13	Pass

Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.2	/	/	/	/	/	/
1910	1911	0.2	/	1	1910.040	-33.38	-13	Pass
1911	1930	1	CHP	2	1911.040	-29.55	-13	Pass


Band2_20MHz_16QAM_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_1_0_NTNV



Band2_20MHz_16QAM_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.400	-24.48	-13	Pass
1849	1850	0.22	/	2	1849.800	-29.94	-13	Pass
1850	1870	0.22	/	/	/	/	/	/


Band2_20MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_HCH_1900MHz_RB_1_0_NTNV



Band2_20MHz_16QAM_HCH_1900MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_HCH_1900MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-43.39	-13	Pass
1911	1930	1	CHP	2	1911.005	-37.20	-13	Pass

Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.2	/	/	/	/	/	/
1910	1911	0.2	/	1	1910.040	-35.64	-13	Pass
1911	1930	1	CHP	2	1911.040	-31.81	-13	Pass

7. Form731

7.1 Test Result

7.1.1 Form731_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
2	1.4	1850.7	1909.3	0.1866	0.0246	ppm	1M12G7D	24E	22.71
2	1.4	1850.7	1909.3	0.1791	0.0286	ppm	1M12W7D	24E	22.53
2	3	1851.5	1908.5	0.1507	0.0229	ppm	2M76G7D	24E	21.78
2	3	1851.5	1908.5	0.1503	0.0219	ppm	2M77W7D	24E	21.77
2	5	1852.5	1907.5	0.1845	0.0238	ppm	4M58G7D	24E	22.66
2	5	1852.5	1907.5	0.1675	0.0122	ppm	4M59W7D	24E	22.24
2	10	1855	1905	0.1816	0.0206	ppm	9M09G7D	24E	22.59
2	10	1855	1905	0.1816	0.0162	ppm	9M09W7D	24E	22.59
2	15	1857.5	1902.5	0.1799	0.0245	ppm	13M7G7D	24E	22.55
2	15	1857.5	1902.5	0.1816	0.0166	ppm	13M6W7D	24E	22.59
2	20	1860	1900	0.1888	0.0263	ppm	18M2G7D	24E	22.76
2	20	1860	1900	0.1778	0.0250	ppm	18M2W7D	24E	22.50

7.1.2 Form731_EIRP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
2	1.4	1850.7	1909.3	0.1503	0.0246	ppm	1M12G7D	24E	21.77
2	1.4	1850.7	1909.3	0.1442	0.0286	ppm	1M12W7D	24E	21.59
2	3	1851.5	1908.5	0.1213	0.0229	ppm	2M76G7D	24E	20.84
2	3	1851.5	1908.5	0.1211	0.0219	ppm	2M77W7D	24E	20.83
2	5	1852.5	1907.5	0.1486	0.0238	ppm	4M58G7D	24E	21.72
2	5	1852.5	1907.5	0.1349	0.0122	ppm	4M59W7D	24E	21.30
2	10	1855	1905	0.1462	0.0206	ppm	9M09G7D	24E	21.65
2	10	1855	1905	0.1462	0.0162	ppm	9M09W7D	24E	21.65
2	15	1857.5	1902.5	0.1449	0.0245	ppm	13M7G7D	24E	21.61
2	15	1857.5	1902.5	0.1462	0.0166	ppm	13M6W7D	24E	21.65
2	20	1860	1900	0.1521	0.0263	ppm	18M2G7D	24E	21.82
2	20	1860	1900	0.1432	0.0250	ppm	18M2W7D	24E	21.56