

1. Effective (Isotropic) Radiated Power Output Data

1.1 B26_1.4MHz_ERP

1.1.1 Test Result

Band: 26 / Bandwidth: 1.4MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	814.7	1	0	22.29	0.42	20.56	<=50	Pass		
			2	22.41	0.42	20.68	<=50	Pass		
			5	22.32	0.42	20.59	<=50	Pass		
		3	0	22.08	0.42	20.35	<=50	Pass		
			2	21.97	0.42	20.24	<=50	Pass		
			3	21.93	0.42	20.20	<=50	Pass		
		6	0	20.92	0.42	19.19	<=50	Pass		
		831.5	1	0	21.90	0.42	20.17	/	Pass	
				2	21.97	0.42	20.24	/	Pass	
	5			21.84	0.42	20.11	/	Pass		
	3		0	21.93	0.42	20.20	/	Pass		
			2	21.96	0.42	20.23	/	Pass		
			3	21.95	0.42	20.22	/	Pass		
	6		0	20.93	0.42	19.20	/	Pass		
	848.3		1	0	22.30	0.42	20.57	/	Pass	
				2	22.42	0.42	20.69	/	Pass	
		5		21.78	0.42	20.05	/	Pass		
		3	0	21.91	0.42	20.18	/	Pass		
			2	21.92	0.42	20.19	/	Pass		
			3	21.86	0.42	20.13	/	Pass		
		6	0	20.92	0.42	19.19	/	Pass		
		16QAM	814.7	1	0	20.84	0.42	19.11	<=50	Pass
					2	20.95	0.42	19.22	<=50	Pass
	5				20.85	0.42	19.12	<=50	Pass	
3	0			21.15	0.42	19.42	<=50	Pass		
	2			21.20	0.42	19.47	<=50	Pass		
	3			21.17	0.42	19.44	<=50	Pass		
6	0			19.92	0.42	18.19	<=50	Pass		
831.5	1			0	20.87	0.42	19.14	/	Pass	
				2	20.98	0.42	19.25	/	Pass	
			5	20.94	0.42	19.21	/	Pass		
	3		0	21.04	0.42	19.31	/	Pass		
			2	21.06	0.42	19.33	/	Pass		
			3	21.05	0.42	19.32	/	Pass		
	6		0	19.87	0.42	18.14	/	Pass		
	848.3		1	0	20.92	0.42	19.19	/	Pass	
				2	21.09	0.42	19.36	/	Pass	
5				20.99	0.42	19.26	/	Pass		
3			0	20.93	0.42	19.20	/	Pass		
			2	20.93	0.42	19.20	/	Pass		
			3	20.88	0.42	19.15	/	Pass		
6			0	19.91	0.42	18.18	/	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.2 B26_3MHz_ERP

1.2.1 Test Result

Band: 26 / Bandwidth: 3MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	815.5	1	0	22.54	0.42	20.81	<=50	Pass		
			7	22.20	0.42	20.47	<=50	Pass		
			14	21.99	0.42	20.26	<=50	Pass		
		8	0	21.01	0.42	19.28	<=50	Pass		
			4	21.05	0.42	19.32	<=50	Pass		
			7	21.02	0.42	19.29	<=50	Pass		
		15	0	21.02	0.42	19.29	<=50	Pass		
		831.5	1	0	22.03	0.42	20.30	/	Pass	
				7	22.14	0.42	20.41	/	Pass	
	14			21.97	0.42	20.24	/	Pass		
	8		0	21.04	0.42	19.31	/	Pass		
			4	21.09	0.42	19.36	/	Pass		
			7	21.01	0.42	19.28	/	Pass		
	15		0	21.04	0.42	19.31	/	Pass		
	847.5		1	0	21.89	0.42	20.16	/	Pass	
				7	22.03	0.42	20.30	/	Pass	
		14		21.96	0.42	20.23	/	Pass		
		8	0	21.00	0.42	19.27	/	Pass		
			4	20.98	0.42	19.25	/	Pass		
			7	20.97	0.42	19.24	/	Pass		
		15	0	20.97	0.42	19.24	/	Pass		
		16QAM	815.5	1	0	21.02	0.42	19.29	<=50	Pass
					7	21.24	0.42	19.51	<=50	Pass
	14				21.10	0.42	19.37	<=50	Pass	
8	0			20.06	0.42	18.33	<=50	Pass		
	4			20.11	0.42	18.38	<=50	Pass		
	7			20.10	0.42	18.37	<=50	Pass		
15	0			20.05	0.42	18.32	<=50	Pass		
831.5	1			0	21.19	0.42	19.46	/	Pass	
				7	21.34	0.42	19.61	/	Pass	
			14	21.20	0.42	19.47	/	Pass		
	8		0	20.00	0.42	18.27	/	Pass		
			4	20.04	0.42	18.31	/	Pass		
			7	19.99	0.42	18.26	/	Pass		
	15		0	20.00	0.42	18.27	/	Pass		
	847.5		1	0	21.53	0.42	19.80	/	Pass	
				7	21.64	0.42	19.91	/	Pass	
14				21.35	0.42	19.62	/	Pass		
8			0	20.17	0.42	18.44	/	Pass		
			4	20.15	0.42	18.42	/	Pass		
			7	20.11	0.42	18.38	/	Pass		
15			0	20.04	0.42	18.31	/	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.3 B26_5MHz_ERP

1.3.1 Test Result

Band: 26 / Bandwidth: 5MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	816.5	1	0	21.78	0.42	20.05	<=50	Pass		
			13	21.94	0.42	20.21	<=50	Pass		
			24	21.83	0.42	20.10	<=50	Pass		
		12	0	20.87	0.42	19.14	<=50	Pass		
			6	20.97	0.42	19.24	<=50	Pass		
			13	20.87	0.42	19.14	<=50	Pass		
		25	0	20.92	0.42	19.19	<=50	Pass		
		831.5	1	0	21.80	0.42	20.07	/	Pass	
				13	21.92	0.42	20.19	/	Pass	
	24			21.78	0.42	20.05	/	Pass		
	12		0	20.86	0.42	19.13	/	Pass		
			6	20.95	0.42	19.22	/	Pass		
			13	20.85	0.42	19.12	/	Pass		
	25		0	20.88	0.42	19.15	/	Pass		
	846.5		1	0	21.73	0.42	20.00	/	Pass	
				13	21.81	0.42	20.08	/	Pass	
		24		21.73	0.42	20.00	/	Pass		
		12	0	20.88	0.42	19.15	/	Pass		
			6	20.89	0.42	19.16	/	Pass		
			13	20.70	0.42	18.97	/	Pass		
		25	0	20.79	0.42	19.06	/	Pass		
		16QAM	816.5	1	0	20.92	0.42	19.19	<=50	Pass
					13	21.07	0.42	19.34	<=50	Pass
	24				20.93	0.42	19.20	<=50	Pass	
12	0			19.85	0.42	18.12	<=50	Pass		
	6			19.98	0.42	18.25	<=50	Pass		
	13			19.88	0.42	18.15	<=50	Pass		
25	0			19.94	0.42	18.21	<=50	Pass		
831.5	1			0	21.08	0.42	19.35	/	Pass	
				13	21.19	0.42	19.46	/	Pass	
			24	21.10	0.42	19.37	/	Pass		
	12		0	19.94	0.42	18.21	/	Pass		
			6	20.02	0.42	18.29	/	Pass		
			13	19.87	0.42	18.14	/	Pass		
	25		0	19.88	0.42	18.15	/	Pass		
	846.5		1	0	20.60	0.42	18.87	/	Pass	
				13	20.75	0.42	19.02	/	Pass	
24				20.58	0.42	18.85	/	Pass		
12			0	19.86	0.42	18.13	/	Pass		
			6	19.91	0.42	18.18	/	Pass		
			13	19.71	0.42	17.98	/	Pass		
25			0	19.85	0.42	18.12	/	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15										

1.4 B26_10MHz_ERP

1.4.1 Test Result

Band: 26 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	819	1	0	21.87	0.42	20.14	<=50	Pass
			25	22.11	0.42	20.38	<=50	Pass

		25	49	21.88	0.42	20.15	<=50	Pass		
			0	21.02	0.42	19.29	<=50	Pass		
			13	21.00	0.42	19.27	<=50	Pass		
		50	25	20.93	0.42	19.20	<=50	Pass		
			0	21.02	0.42	19.29	<=50	Pass		
			0	21.84	0.42	20.11	/	Pass		
		831.5	1	25	22.06	0.42	20.33	/	Pass	
				49	21.80	0.42	20.07	/	Pass	
				0	20.89	0.42	19.16	/	Pass	
	25		13	21.00	0.42	19.27	/	Pass		
			25	20.90	0.42	19.17	/	Pass		
			0	20.92	0.42	19.19	/	Pass		
	844	1	0	21.77	0.42	20.04	/	Pass		
			25	22.02	0.42	20.29	/	Pass		
			49	21.82	0.42	20.09	/	Pass		
		25	0	20.82	0.42	19.09	/	Pass		
			13	20.91	0.42	19.18	/	Pass		
			25	20.70	0.42	18.97	/	Pass		
		50	0	20.79	0.42	19.06	/	Pass		
		16QAM	819	1	0	20.89	0.42	19.16	<=50	Pass
					25	21.17	0.42	19.44	<=50	Pass
	49				20.85	0.42	19.12	<=50	Pass	
	25			0	20.10	0.42	18.37	<=50	Pass	
				13	20.09	0.42	18.36	<=50	Pass	
				25	20.02	0.42	18.29	<=50	Pass	
	50			0	19.96	0.42	18.23	<=50	Pass	
	831.5			1	0	21.00	0.42	19.27	/	Pass
25					21.26	0.42	19.53	/	Pass	
49			21.03		0.42	19.30	/	Pass		
25			0	19.90	0.42	18.17	/	Pass		
			13	20.01	0.42	18.28	/	Pass		
			25	19.89	0.42	18.16	/	Pass		
50	0		19.92	0.42	18.19	/	Pass			
844	1		0	21.31	0.42	19.58	/	Pass		
			25	21.48	0.42	19.75	/	Pass		
			49	21.33	0.42	19.60	/	Pass		
	25		0	19.87	0.42	18.14	/	Pass		
			13	19.97	0.42	18.24	/	Pass		
			25	19.80	0.42	18.07	/	Pass		
	50		0	19.79	0.42	18.06	/	Pass		
	Note1: ERP=Conducted Power+Antenna Gain-2.15									

1.5 B26_15MHz_ERP

1.5.1 Test Result

Band: 26 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	821.5	1	0	21.72	0.42	19.99	<=50	Pass
			38	21.95	0.42	20.22	<=50	Pass
			74	21.71	0.42	19.98	<=50	Pass
		36	0	20.94	0.42	19.21	<=50	Pass
			18	20.99	0.42	19.26	<=50	Pass
			39	21.02	0.42	19.29	<=50	Pass

16QAM	831.5	75	0	20.96	0.42	19.23	<=50	Pass	
			1	0	21.74	0.42	20.01	/	Pass
				38	21.88	0.42	20.15	/	Pass
				74	21.70	0.42	19.97	/	Pass
		36	0	20.86	0.42	19.13	/	Pass	
			18	20.96	0.42	19.23	/	Pass	
			39	20.80	0.42	19.07	/	Pass	
			75	0	20.83	0.42	19.10	/	Pass
			841.5	1	0	21.63	0.42	19.90	/
		38			21.86	0.42	20.13	/	Pass
		74			21.65	0.42	19.92	/	Pass
		831.5	36	0	20.96	0.42	19.23	/	Pass
	18			20.92	0.42	19.19	/	Pass	
	39			20.78	0.42	19.05	/	Pass	
	75			0	20.92	0.42	19.19	/	Pass
	821.5			1	0	21.07	0.42	19.34	<=50
			38		21.28	0.42	19.55	<=50	Pass
			74		21.03	0.42	19.30	<=50	Pass
	841.5		36	0	19.93	0.42	18.20	<=50	Pass
				18	19.95	0.42	18.22	<=50	Pass
				39	19.98	0.42	18.25	<=50	Pass
			75	0	19.91	0.42	18.18	<=50	Pass
			831.5	1	0	20.93	0.42	19.20	/
		38			21.07	0.42	19.34	/	Pass
74		20.87			0.42	19.14	/	Pass	
36		0		19.85	0.42	18.12	/	Pass	
		18		19.95	0.42	18.22	/	Pass	
	39	19.86		0.42	18.13	/	Pass		
75	0	19.84	0.42	18.11	/	Pass			
841.5	1	0	21.25	0.42	19.52	/	Pass		
		38	21.27	0.42	19.54	/	Pass		
		74	21.21	0.42	19.48	/	Pass		
	36	0	19.97	0.42	18.24	/	Pass		
		18	19.90	0.42	18.17	/	Pass		
		39	19.81	0.42	18.08	/	Pass		
	75	0	19.89	0.42	18.16	/	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 B26_1.4MHz

2.1.1 Test Result

Band: 26 / Bandwidth: 1.4MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	814.7	6	0	20	3.27	-18.654	-0.0229	-2.5 to 2.5	Pass	
					3.85	22.759	0.0279	-2.5 to 2.5	Pass	
					4.43	29.111	0.0357	-2.5 to 2.5	Pass	
				-30	3.85	28.181	0.0346	-2.5 to 2.5	Pass	
					-20	3.85	9.584	0.0118	-2.5 to 2.5	Pass
						-10	3.85	40.884	0.0502	-2.5 to 2.5
				0	3.85	8.969	0.0110	-2.5 to 2.5	Pass	

	831.5	6	0	10	3.85	21.358	0.0262	-2.5 to 2.5	Pass
				30	3.85	32.372	0.0397	-2.5 to 2.5	Pass
				40	3.85	38.466	0.0472	-2.5 to 2.5	Pass
				50	3.85	37.265	0.0457	-2.5 to 2.5	Pass
				20	3.27	-35.448	-0.0426	-2.5 to 2.5	Pass
					3.85	-6.766	-0.0081	-2.5 to 2.5	Pass
					4.43	46.906	0.0564	-2.5 to 2.5	Pass
				-30	3.85	40.126	0.0483	-2.5 to 2.5	Pass
				-20	3.85	41.800	0.0503	-2.5 to 2.5	Pass
				-10	3.85	28.839	0.0347	-2.5 to 2.5	Pass
				0	3.85	15.607	0.0188	-2.5 to 2.5	Pass
				10	3.85	44.546	0.0536	-2.5 to 2.5	Pass
	30	3.85	23.303	0.0280	-2.5 to 2.5	Pass			
	40	3.85	-1.602	-0.0019	-2.5 to 2.5	Pass			
	50	3.85	21.214	0.0255	-2.5 to 2.5	Pass			
	848.3	6	0	20	3.27	-18.325	-0.0216	-2.5 to 2.5	Pass
					3.85	46.062	0.0543	-2.5 to 2.5	Pass
					4.43	7.138	0.0084	-2.5 to 2.5	Pass
				-30	3.85	44.260	0.0522	-2.5 to 2.5	Pass
				-20	3.85	-36.693	-0.0433	-2.5 to 2.5	Pass
				-10	3.85	-41.242	-0.0486	-2.5 to 2.5	Pass
				0	3.85	-39.954	-0.0471	-2.5 to 2.5	Pass
				10	3.85	-11.544	-0.0136	-2.5 to 2.5	Pass
				30	3.85	-1.245	-0.0015	-2.5 to 2.5	Pass
40				3.85	-18.654	-0.0220	-2.5 to 2.5	Pass	
50				3.85	-37.007	-0.0436	-2.5 to 2.5	Pass	
16QAM				814.7	6	0	20	3.27	37.966
	3.85	28.753	0.0353					-2.5 to 2.5	Pass
	4.43	22.030	0.0270					-2.5 to 2.5	Pass
	-30	3.85	22.187				0.0272	-2.5 to 2.5	Pass
	-20	3.85	40.283				0.0494	-2.5 to 2.5	Pass
	-10	3.85	44.503				0.0546	-2.5 to 2.5	Pass
	0	3.85	45.018				0.0553	-2.5 to 2.5	Pass
	10	3.85	3.691				0.0045	-2.5 to 2.5	Pass
	30	3.85	7.496				0.0092	-2.5 to 2.5	Pass
	40	3.85	15.750				0.0193	-2.5 to 2.5	Pass
	50	3.85	19.999				0.0245	-2.5 to 2.5	Pass
	831.5	6	0				20	3.27	41.885
				3.85	11.873	0.0143		-2.5 to 2.5	Pass
				4.43	-15.020	-0.0181		-2.5 to 2.5	Pass
				-30	3.85	-33.131	-0.0398	-2.5 to 2.5	Pass
				-20	3.85	-51.384	-0.0618	-2.5 to 2.5	Pass
				-10	3.85	-14.935	-0.0180	-2.5 to 2.5	Pass
				0	3.85	-26.951	-0.0324	-2.5 to 2.5	Pass
				10	3.85	-36.993	-0.0445	-2.5 to 2.5	Pass
				30	3.85	-46.763	-0.0562	-2.5 to 2.5	Pass
				40	3.85	-5.465	-0.0066	-2.5 to 2.5	Pass
				50	3.85	-12.975	-0.0156	-2.5 to 2.5	Pass
				848.3	6	0	20	3.27	-10.457
	3.85	-16.007	-0.0189					-2.5 to 2.5	Pass
4.43	-45.819	-0.0540	-2.5 to 2.5					Pass	
-30	3.85	-16.708	-0.0197				-2.5 to 2.5	Pass	
-20	3.85	-22.187	-0.0262				-2.5 to 2.5	Pass	
-10	3.85	-39.768	-0.0469				-2.5 to 2.5	Pass	
0	3.85	-36.893	-0.0435				-2.5 to 2.5	Pass	
10	3.85	-38.323	-0.0452				-2.5 to 2.5	Pass	
30	3.85	-33.202	-0.0391				-2.5 to 2.5	Pass	

				40	3.85	-31.013	-0.0366	-2.5 to 2.5	Pass
				50	3.85	-19.112	-0.0225	-2.5 to 2.5	Pass

2.2 B26_3MHz

2.2.1 Test Result

Band: 26 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	815.5	15	0	20	3.27	41.156	0.0505	-2.5 to 2.5	Pass
					3.85	31.872	0.0391	-2.5 to 2.5	Pass
					4.43	20.471	0.0251	-2.5 to 2.5	Pass
				-30	3.85	27.680	0.0339	-2.5 to 2.5	Pass
				-20	3.85	-32.101	-0.0394	-2.5 to 2.5	Pass
				-10	3.85	-29.612	-0.0363	-2.5 to 2.5	Pass
				0	3.85	-37.293	-0.0457	-2.5 to 2.5	Pass
				10	3.85	-22.659	-0.0278	-2.5 to 2.5	Pass
				30	3.85	-8.197	-0.0101	-2.5 to 2.5	Pass
	40	3.85	-12.231	-0.0150	-2.5 to 2.5	Pass			
	50	3.85	-31.142	-0.0382	-2.5 to 2.5	Pass			
	831.5	15	0	20	3.27	-4.520	-0.0054	-2.5 to 2.5	Pass
					3.85	-35.105	-0.0422	-2.5 to 2.5	Pass
					4.43	-15.278	-0.0184	-2.5 to 2.5	Pass
				-30	3.85	-33.875	-0.0407	-2.5 to 2.5	Pass
				-20	3.85	-48.294	-0.0581	-2.5 to 2.5	Pass
				-10	3.85	-8.855	-0.0106	-2.5 to 2.5	Pass
				0	3.85	-13.132	-0.0158	-2.5 to 2.5	Pass
				10	3.85	-14.277	-0.0172	-2.5 to 2.5	Pass
				30	3.85	-10.829	-0.0130	-2.5 to 2.5	Pass
	40	3.85	-5.021	-0.0060	-2.5 to 2.5	Pass			
	50	3.85	1.187	0.0014	-2.5 to 2.5	Pass			
	847.5	15	0	20	3.27	0.629	0.0007	-2.5 to 2.5	Pass
					3.85	6.924	0.0082	-2.5 to 2.5	Pass
					4.43	27.366	0.0323	-2.5 to 2.5	Pass
				-30	3.85	34.189	0.0403	-2.5 to 2.5	Pass
				-20	3.85	23.403	0.0276	-2.5 to 2.5	Pass
-10				3.85	-1.030	-0.0012	-2.5 to 2.5	Pass	
0				3.85	20.142	0.0238	-2.5 to 2.5	Pass	
10				3.85	26.894	0.0317	-2.5 to 2.5	Pass	
30				3.85	18.611	0.0220	-2.5 to 2.5	Pass	
40	3.85	45.462	0.0536	-2.5 to 2.5	Pass				
50	3.85	23.818	0.0281	-2.5 to 2.5	Pass				
16QAM	815.5	15	0	20	3.27	-44.146	-0.0541	-2.5 to 2.5	Pass
					3.85	-12.088	-0.0148	-2.5 to 2.5	Pass
					4.43	-18.225	-0.0223	-2.5 to 2.5	Pass
				-30	3.85	-15.049	-0.0185	-2.5 to 2.5	Pass
				-20	3.85	-23.575	-0.0289	-2.5 to 2.5	Pass
				-10	3.85	-25.578	-0.0314	-2.5 to 2.5	Pass
				0	3.85	-40.812	-0.0500	-2.5 to 2.5	Pass
				10	3.85	-46.363	-0.0569	-2.5 to 2.5	Pass
				30	3.85	-19.841	-0.0243	-2.5 to 2.5	Pass
	40	3.85	-42.758	-0.0524	-2.5 to 2.5	Pass			
	50	3.85	-32.158	-0.0394	-2.5 to 2.5	Pass			
	831.5	15	0	20	3.27	10.872	0.0131	-2.5 to 2.5	Pass

					3.85	18.926	0.0228	-2.5 to 2.5	Pass	
					4.43	28.410	0.0342	-2.5 to 2.5	Pass	
				-30	3.85	42.386	0.0510	-2.5 to 2.5	Pass	
				-20	3.85	5.851	0.0070	-2.5 to 2.5	Pass	
				-10	3.85	20.614	0.0248	-2.5 to 2.5	Pass	
				0	3.85	36.793	0.0442	-2.5 to 2.5	Pass	
				10	3.85	14.119	0.0170	-2.5 to 2.5	Pass	
				30	3.85	32.716	0.0393	-2.5 to 2.5	Pass	
				40	3.85	3.104	0.0037	-2.5 to 2.5	Pass	
	50	3.85	26.751	0.0322	-2.5 to 2.5	Pass				
	847.5	15	0	20		3.27	8.297	0.0098	-2.5 to 2.5	Pass
						3.85	0.629	0.0007	-2.5 to 2.5	Pass
						4.43	3.047	0.0036	-2.5 to 2.5	Pass
				-30	3.85	15.206	0.0179	-2.5 to 2.5	Pass	
				-20	3.85	16.351	0.0193	-2.5 to 2.5	Pass	
				-10	3.85	21.214	0.0250	-2.5 to 2.5	Pass	
				0	3.85	29.855	0.0352	-2.5 to 2.5	Pass	
				10	3.85	41.084	0.0485	-2.5 to 2.5	Pass	
				30	3.85	2.518	0.0030	-2.5 to 2.5	Pass	
40				3.85	17.281	0.0204	-2.5 to 2.5	Pass		
50	3.85	22.588	0.0267	-2.5 to 2.5	Pass					

2.3 B26_5MHz

2.3.1 Test Result

Band: 26 / Bandwidth: 5MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	816.5	25	0	20		3.27	-3.848	-0.0047	-2.5 to 2.5	Pass
						3.85	20.041	0.0245	-2.5 to 2.5	Pass
						4.43	39.411	0.0483	-2.5 to 2.5	Pass
				-30	3.85	4.220	0.0052	-2.5 to 2.5	Pass	
				-20	3.85	28.067	0.0344	-2.5 to 2.5	Pass	
				-10	3.85	25.978	0.0318	-2.5 to 2.5	Pass	
				0	3.85	22.645	0.0277	-2.5 to 2.5	Pass	
				10	3.85	11.787	0.0144	-2.5 to 2.5	Pass	
				30	3.85	44.374	0.0543	-2.5 to 2.5	Pass	
				40	3.85	23.403	0.0287	-2.5 to 2.5	Pass	
	50	3.85	2.618	0.0032	-2.5 to 2.5	Pass				
	831.5	25	0	20		3.27	-34.261	-0.0412	-2.5 to 2.5	Pass
						3.85	24.433	0.0294	-2.5 to 2.5	Pass
						4.43	3.648	0.0044	-2.5 to 2.5	Pass
				-30	3.85	22.144	0.0266	-2.5 to 2.5	Pass	
				-20	3.85	35.634	0.0429	-2.5 to 2.5	Pass	
				-10	3.85	9.971	0.0120	-2.5 to 2.5	Pass	
				0	3.85	16.022	0.0193	-2.5 to 2.5	Pass	
				10	3.85	24.934	0.0300	-2.5 to 2.5	Pass	
				30	3.85	41.542	0.0500	-2.5 to 2.5	Pass	
				40	3.85	4.735	0.0057	-2.5 to 2.5	Pass	
	50	3.85	16.379	0.0197	-2.5 to 2.5	Pass				
	846.5	25	0	20		3.27	-42.014	-0.0496	-2.5 to 2.5	Pass
						3.85	25.892	0.0306	-2.5 to 2.5	Pass
						4.43	30.627	0.0362	-2.5 to 2.5	Pass
					-30	3.85	11.730	0.0139	-2.5 to 2.5	Pass

				-20	3.85	1.645	0.0019	-2.5 to 2.5	Pass
				-10	3.85	-17.753	-0.0210	-2.5 to 2.5	Pass
				0	3.85	-39.797	-0.0470	-2.5 to 2.5	Pass
				10	3.85	-14.420	-0.0170	-2.5 to 2.5	Pass
				30	3.85	-42.143	-0.0498	-2.5 to 2.5	Pass
				40	3.85	-31.915	-0.0377	-2.5 to 2.5	Pass
				50	3.85	-48.122	-0.0568	-2.5 to 2.5	Pass
16QAM	816.5	25	0	20	3.27	32.687	0.0400	-2.5 to 2.5	Pass
					3.85	20.614	0.0252	-2.5 to 2.5	Pass
					4.43	20.971	0.0257	-2.5 to 2.5	Pass
				-30	3.85	20.185	0.0247	-2.5 to 2.5	Pass
				-20	3.85	14.949	0.0183	-2.5 to 2.5	Pass
				-10	3.85	4.692	0.0057	-2.5 to 2.5	Pass
				0	3.85	8.197	0.0100	-2.5 to 2.5	Pass
				10	3.85	44.189	0.0541	-2.5 to 2.5	Pass
				30	3.85	34.904	0.0427	-2.5 to 2.5	Pass
				40	3.85	33.903	0.0415	-2.5 to 2.5	Pass
	50	3.85	29.240	0.0358	-2.5 to 2.5	Pass			
	831.5	25	0	20	3.27	28.195	0.0339	-2.5 to 2.5	Pass
					3.85	34.704	0.0417	-2.5 to 2.5	Pass
					4.43	13.790	0.0166	-2.5 to 2.5	Pass
				-30	3.85	34.790	0.0418	-2.5 to 2.5	Pass
				-20	3.85	10.786	0.0130	-2.5 to 2.5	Pass
				-10	3.85	35.591	0.0428	-2.5 to 2.5	Pass
				0	3.85	16.108	0.0194	-2.5 to 2.5	Pass
				10	3.85	44.675	0.0537	-2.5 to 2.5	Pass
				30	3.85	24.004	0.0289	-2.5 to 2.5	Pass
				40	3.85	5.994	0.0072	-2.5 to 2.5	Pass
	50	3.85	38.023	0.0457	-2.5 to 2.5	Pass			
	846.5	25	0	20	3.27	-32.787	-0.0387	-2.5 to 2.5	Pass
					3.85	-12.889	-0.0152	-2.5 to 2.5	Pass
					4.43	-35.076	-0.0414	-2.5 to 2.5	Pass
				-30	3.85	-43.302	-0.0512	-2.5 to 2.5	Pass
				-20	3.85	-21.844	-0.0258	-2.5 to 2.5	Pass
				-10	3.85	-39.110	-0.0462	-2.5 to 2.5	Pass
				0	3.85	-32.916	-0.0389	-2.5 to 2.5	Pass
				10	3.85	-15.850	-0.0187	-2.5 to 2.5	Pass
30				3.85	-43.659	-0.0516	-2.5 to 2.5	Pass	
40				3.85	-16.193	-0.0191	-2.5 to 2.5	Pass	
50	3.85	-33.674	-0.0398	-2.5 to 2.5	Pass				

2.4 B26_10MHz

2.4.1 Test Result

Band: 26 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	819	50	0	20	3.27	-31.900	-0.0389	-2.5 to 2.5	Pass
					3.85	16.079	0.0196	-2.5 to 2.5	Pass
					4.43	14.648	0.0179	-2.5 to 2.5	Pass
				-30	3.85	38.753	0.0473	-2.5 to 2.5	Pass
				-20	3.85	18.940	0.0231	-2.5 to 2.5	Pass
				-10	3.85	43.559	0.0532	-2.5 to 2.5	Pass
				0	3.85	1.802	0.0022	-2.5 to 2.5	Pass

				10	3.85	10.157	0.0124	-2.5 to 2.5	Pass	
				30	3.85	21.200	0.0259	-2.5 to 2.5	Pass	
				40	3.85	38.123	0.0465	-2.5 to 2.5	Pass	
				50	3.85	21.858	0.0267	-2.5 to 2.5	Pass	
	831.5	50	0	20	3.27	-21.029	-0.0253	-2.5 to 2.5	Pass	
					3.85	5.336	0.0064	-2.5 to 2.5	Pass	
					4.43	24.748	0.0298	-2.5 to 2.5	Pass	
				-30	3.85	42.644	0.0513	-2.5 to 2.5	Pass	
				-20	3.85	18.253	0.0220	-2.5 to 2.5	Pass	
				-10	3.85	32.816	0.0395	-2.5 to 2.5	Pass	
				0	3.85	-0.186	-0.0002	-2.5 to 2.5	Pass	
				10	3.85	9.556	0.0115	-2.5 to 2.5	Pass	
				30	3.85	24.862	0.0299	-2.5 to 2.5	Pass	
				40	3.85	34.676	0.0417	-2.5 to 2.5	Pass	
				50	3.85	44.603	0.0536	-2.5 to 2.5	Pass	
				844	50	0	20	3.27	-11.616	-0.0138
	3.85	14.677	0.0174					-2.5 to 2.5	Pass	
	4.43	39.954	0.0473					-2.5 to 2.5	Pass	
	-30	3.85	16.751				0.0198	-2.5 to 2.5	Pass	
	-20	3.85	29.597				0.0351	-2.5 to 2.5	Pass	
	-10	3.85	35.677				0.0423	-2.5 to 2.5	Pass	
	0	3.85	41.041				0.0486	-2.5 to 2.5	Pass	
	10	3.85	37.208				0.0441	-2.5 to 2.5	Pass	
	30	3.85	28.009				0.0332	-2.5 to 2.5	Pass	
	40	3.85	20.943				0.0248	-2.5 to 2.5	Pass	
	50	3.85	5.193				0.0062	-2.5 to 2.5	Pass	
	16QAM	819	50				0	20	3.27	2.675
				3.85	-9.098	-0.0111			-2.5 to 2.5	Pass
4.43				-20.356	-0.0249	-2.5 to 2.5			Pass	
-30				3.85	-30.341	-0.0370		-2.5 to 2.5	Pass	
-20				3.85	-37.694	-0.0460		-2.5 to 2.5	Pass	
-10				3.85	-41.242	-0.0504		-2.5 to 2.5	Pass	
0				3.85	-46.263	-0.0565		-2.5 to 2.5	Pass	
10				3.85	-47.407	-0.0579		-2.5 to 2.5	Pass	
30				3.85	-46.992	-0.0574		-2.5 to 2.5	Pass	
40				3.85	-0.157	-0.0002		-2.5 to 2.5	Pass	
50				3.85	-1.988	-0.0024		-2.5 to 2.5	Pass	
831.5				50	0	20		3.27	-2.303	-0.0028
		3.85	-35.405				-0.0426	-2.5 to 2.5	Pass	
		4.43	-8.698				-0.0105	-2.5 to 2.5	Pass	
		-30	3.85			-27.995	-0.0337	-2.5 to 2.5	Pass	
		-20	3.85			-46.091	-0.0554	-2.5 to 2.5	Pass	
		-10	3.85			-11.816	-0.0142	-2.5 to 2.5	Pass	
		0	3.85			-26.879	-0.0323	-2.5 to 2.5	Pass	
		10	3.85			-36.092	-0.0434	-2.5 to 2.5	Pass	
		30	3.85			-47.922	-0.0576	-2.5 to 2.5	Pass	
		40	3.85			-12.474	-0.0150	-2.5 to 2.5	Pass	
		50	3.85			-21.644	-0.0260	-2.5 to 2.5	Pass	
		844	50			0	20	3.27	38.552	0.0457
3.85				24.433	0.0289			-2.5 to 2.5	Pass	
4.43				14.162	0.0168			-2.5 to 2.5	Pass	
-30				3.85	6.566		0.0078	-2.5 to 2.5	Pass	
-20				3.85	1.459		0.0017	-2.5 to 2.5	Pass	
-10				3.85	-0.443		-0.0005	-2.5 to 2.5	Pass	
0	3.85			-0.401	-0.0005		-2.5 to 2.5	Pass		
10	3.85			-0.858	-0.0010		-2.5 to 2.5	Pass		
30	3.85	-2.632	-0.0031	-2.5 to 2.5	Pass					

				40	3.85	-3.891	-0.0046	-2.5 to 2.5	Pass
				50	3.85	-0.658	-0.0008	-2.5 to 2.5	Pass

2.5 B26_15MHz

2.5.1 Test Result

Band: 26 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	821.5	75	0	20	3.27	29.740	0.0362	-2.5 to 2.5	Pass
					3.85	26.965	0.0328	-2.5 to 2.5	Pass
					4.43	25.778	0.0314	-2.5 to 2.5	Pass
				-30	3.85	23.189	0.0282	-2.5 to 2.5	Pass
				-20	3.85	16.623	0.0202	-2.5 to 2.5	Pass
				-10	3.85	21.801	0.0265	-2.5 to 2.5	Pass
				0	3.85	21.858	0.0266	-2.5 to 2.5	Pass
				10	3.85	26.608	0.0324	-2.5 to 2.5	Pass
				30	3.85	26.336	0.0321	-2.5 to 2.5	Pass
				40	3.85	26.579	0.0324	-2.5 to 2.5	Pass
	50	3.85	18.168	0.0221	-2.5 to 2.5	Pass			
	831.5	75	0	20	3.27	-24.347	-0.0293	-2.5 to 2.5	Pass
					3.85	-34.561	-0.0416	-2.5 to 2.5	Pass
					4.43	-32.187	-0.0387	-2.5 to 2.5	Pass
				-30	3.85	-29.469	-0.0354	-2.5 to 2.5	Pass
				-20	3.85	-28.939	-0.0348	-2.5 to 2.5	Pass
				-10	3.85	-27.537	-0.0331	-2.5 to 2.5	Pass
				0	3.85	-27.080	-0.0326	-2.5 to 2.5	Pass
				10	3.85	-28.024	-0.0337	-2.5 to 2.5	Pass
				30	3.85	-28.582	-0.0344	-2.5 to 2.5	Pass
				40	3.85	-31.328	-0.0377	-2.5 to 2.5	Pass
	50	3.85	-32.716	-0.0393	-2.5 to 2.5	Pass			
	841.5	75	0	20	3.27	-5.536	-0.0066	-2.5 to 2.5	Pass
					3.85	38.266	0.0455	-2.5 to 2.5	Pass
					4.43	42.701	0.0507	-2.5 to 2.5	Pass
				-30	3.85	31.385	0.0373	-2.5 to 2.5	Pass
				-20	3.85	8.812	0.0105	-2.5 to 2.5	Pass
				-10	3.85	5.236	0.0062	-2.5 to 2.5	Pass
				0	3.85	9.756	0.0116	-2.5 to 2.5	Pass
				10	3.85	34.533	0.0410	-2.5 to 2.5	Pass
30				3.85	23.947	0.0285	-2.5 to 2.5	Pass	
40				3.85	6.552	0.0078	-2.5 to 2.5	Pass	
50	3.85	32.802	0.0390	-2.5 to 2.5	Pass				
16QAM	821.5	75	0	20	3.27	-27.094	-0.0330	-2.5 to 2.5	Pass
					3.85	-26.064	-0.0317	-2.5 to 2.5	Pass
					4.43	-28.510	-0.0347	-2.5 to 2.5	Pass
				-30	3.85	-22.101	-0.0269	-2.5 to 2.5	Pass
				-20	3.85	-22.731	-0.0277	-2.5 to 2.5	Pass
				-10	3.85	-18.640	-0.0227	-2.5 to 2.5	Pass
				0	3.85	-38.023	-0.0463	-2.5 to 2.5	Pass
				10	3.85	-29.025	-0.0353	-2.5 to 2.5	Pass
				30	3.85	-3.519	-0.0043	-2.5 to 2.5	Pass
				40	3.85	-22.345	-0.0272	-2.5 to 2.5	Pass
	50	3.85	-25.249	-0.0307	-2.5 to 2.5	Pass			
	831.5	75	0	20	3.27	-37.107	-0.0446	-2.5 to 2.5	Pass

					3.85	-30.971	-0.0372	-2.5 to 2.5	Pass	
					4.43	-29.454	-0.0354	-2.5 to 2.5	Pass	
				-30	3.85	-11.816	-0.0142	-2.5 to 2.5	Pass	
				-20	3.85	-40.712	-0.0490	-2.5 to 2.5	Pass	
				-10	3.85	-17.695	-0.0213	-2.5 to 2.5	Pass	
				0	3.85	-41.184	-0.0495	-2.5 to 2.5	Pass	
				10	3.85	-5.593	-0.0067	-2.5 to 2.5	Pass	
				30	3.85	-23.689	-0.0285	-2.5 to 2.5	Pass	
				40	3.85	-37.193	-0.0447	-2.5 to 2.5	Pass	
	50	3.85	-4.792	-0.0058	-2.5 to 2.5	Pass				
	841.5	75	0	20		3.27	4.592	0.0055	-2.5 to 2.5	Pass
						3.85	-22.774	-0.0271	-2.5 to 2.5	Pass
						4.43	-42.758	-0.0508	-2.5 to 2.5	Pass
				-30	3.85	-12.760	-0.0152	-2.5 to 2.5	Pass	
				-20	3.85	-28.410	-0.0338	-2.5 to 2.5	Pass	
				-10	3.85	-36.335	-0.0432	-2.5 to 2.5	Pass	
				0	3.85	-30.155	-0.0358	-2.5 to 2.5	Pass	
				10	3.85	-18.740	-0.0223	-2.5 to 2.5	Pass	
				30	3.85	-17.295	-0.0206	-2.5 to 2.5	Pass	
40				3.85	-19.641	-0.0233	-2.5 to 2.5	Pass		
50	3.85	-25.420	-0.0302	-2.5 to 2.5	Pass					


3. Modulation Characteristics

3.1 B26_1.4MHz

3.1.1 Test Result

Band: 26 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	6	0	Refer To Test Graph		Pass
16QAM	831.5	6	0	Refer To Test Graph		Pass

3.1.2 Test Graph




3.2 B26_3MHz

3.2.1 Test Result

Band: 26 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	15	0	Refer To Test Graph		Pass
16QAM	831.5	15	0	Refer To Test Graph		Pass

3.2.2 Test Graph




3.3 B26_5MHz

3.3.1 Test Result

Band: 26 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	25	0	Refer To Test Graph		Pass
16QAM	831.5	25	0	Refer To Test Graph		Pass

3.3.2 Test Graph




3.4 B26_10MHz

3.4.1 Test Result

Band: 26 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	50	0	Refer To Test Graph		Pass
16QAM	831.5	50	0	Refer To Test Graph		Pass

3.4.2 Test Graph




3.5 B26_15MHz

3.5.1 Test Result

Band: 26 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	75	0	Refer To Test Graph		Pass
16QAM	831.5	75	0	Refer To Test Graph		Pass

3.5.2 Test Graph




4. 99% & 26dB Bandwidth

4.1 Band26_OBW


4.1.1 Test Result

Band: 26 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	814.7	6	0	1.102	/	Pass
		831.5	6	0	1.112	/	Pass
		848.3	6	0	1.121	/	Pass
	16QAM	814.7	6	0	1.115	/	Pass
		831.5	6	0	1.109	/	Pass
		848.3	6	0	1.112	/	Pass
3	QPSK	815.5	15	0	2.732	/	Pass
		831.5	15	0	2.730	/	Pass
		847.5	15	0	2.726	/	Pass
	16QAM	815.5	15	0	2.719	/	Pass
		831.5	15	0	2.718	/	Pass
		847.5	15	0	2.723	/	Pass
5	QPSK	816.5	25	0	4.558	/	Pass
		831.5	25	0	4.560	/	Pass
		846.5	25	0	4.567	/	Pass
	16QAM	816.5	25	0	4.564	/	Pass
		831.5	25	0	4.573	/	Pass
		846.5	25	0	4.552	/	Pass
10	QPSK	819	50	0	9.042	/	Pass
		831.5	50	0	9.024	/	Pass
		844	50	0	9.055	/	Pass
	16QAM	819	50	0	9.065	/	Pass
		831.5	50	0	9.039	/	Pass
		844	50	0	9.026	/	Pass
15	QPSK	821.5	75	0	13.632	/	Pass
		831.5	75	0	13.544	/	Pass
		841.5	75	0	13.597	/	Pass
	16QAM	821.5	75	0	13.630	/	Pass
		831.5	75	0	13.567	/	Pass
		841.5	75	0	13.625	/	Pass


4.1.2 Test Graph




Band26_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26_1.4MHz_16QAM_LCH_814.7MHz_RB_6_0_NTNV




Band26_1.4MHz_16QAM_MCH_831.5MHz_RB_6_0_NTNV




Band26_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26_3MHz_QPSK_LCH_815.5MHz_RB_15_0_NTNV




Band26_3MHz_QPSK_MCH_831.5MHz_RB_15_0_NTNV




Band26_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26_3MHz_16QAM_LCH_815.5MHz_RB_15_0_NTNV




Band26_3MHz_16QAM_MCH_831.5MHz_RB_15_0_NTNV




Band26_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26_5MHz_QPSK_LCH_816.5MHz_RB_25_0_NTNV




Band26_5MHz_QPSK_MCH_831.5MHz_RB_25_0_NTNV




Band26_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26_5MHz_16QAM_LCH_816.5MHz_RB_25_0_NTNV




Band26_5MHz_16QAM_MCH_831.5MHz_RB_25_0_NTNV




Band26_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26_10MHz_QPSK_LCH_819MHz_RB_50_0_NTNV




Band26_10MHz_QPSK_MCH_831.5MHz_RB_50_0_NTNV




Band26_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26_10MHz_16QAM_LCH_819MHz_RB_50_0_NTNV




Band26_10MHz_16QAM_MCH_831.5MHz_RB_50_0_NTNV




Band26_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




Band26_15MHz_QPSK_LCH_821.5MHz_RB_75_0_NTNV




Band26_15MHz_QPSK_MCH_831.5MHz_RB_75_0_NTNV




Band26_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26_15MHz_16QAM_LCH_821.5MHz_RB_75_0_NTNV



Band26_15MHz_16QAM_MCH_831.5MHz_RB_75_0_NTNV



Band26_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




4.2 Band26_XDB


4.2.1 Test Result

Band: 26 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	814.7	6	0	1.333	/	Pass
		831.5	6	0	1.313	/	Pass
		848.3	6	0	1.315	/	Pass
	16QAM	814.7	6	0	1.319	/	Pass
		831.5	6	0	1.320	/	Pass
		848.3	6	0	1.331	/	Pass
3	QPSK	815.5	15	0	2.997	/	Pass
		831.5	15	0	3.006	/	Pass
		847.5	15	0	3.009	/	Pass
	16QAM	815.5	15	0	3.009	/	Pass
		831.5	15	0	2.992	/	Pass
		847.5	15	0	3.009	/	Pass
5	QPSK	816.5	25	0	5.255	/	Pass
		831.5	25	0	5.255	/	Pass
		846.5	25	0	5.219	/	Pass
	16QAM	816.5	25	0	5.248	/	Pass
		831.5	25	0	5.266	/	Pass
		846.5	25	0	5.181	/	Pass
10	QPSK	819	50	0	10.296	/	Pass
		831.5	50	0	10.178	/	Pass
		844	50	0	10.345	/	Pass
	16QAM	819	50	0	10.312	/	Pass
		831.5	50	0	10.201	/	Pass
		844	50	0	10.152	/	Pass
15	QPSK	821.5	75	0	15.266	/	Pass
		831.5	75	0	15.070	/	Pass
		841.5	75	0	15.372	/	Pass
	16QAM	821.5	75	0	15.296	/	Pass
		831.5	75	0	15.271	/	Pass
		841.5	75	0	15.232	/	Pass


4.2.2 Test Graph




Band26_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26_1.4MHz_16QAM_LCH_814.7MHz_RB_6_0_NTNV




Band26_1.4MHz_16QAM_MCH_831.5MHz_RB_6_0_NTNV




Band26_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26_3MHz_QPSK_LCH_815.5MHz_RB_15_0_NTNV




Band26_3MHz_QPSK_MCH_831.5MHz_RB_15_0_NTNV




Band26_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26_3MHz_16QAM_LCH_815.5MHz_RB_15_0_NTNV




Band26_3MHz_16QAM_MCH_831.5MHz_RB_15_0_NTNV




Band26_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26_5MHz_QPSK_LCH_816.5MHz_RB_25_0_NTNV




Band26_5MHz_QPSK_MCH_831.5MHz_RB_25_0_NTNV




Band26_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26_5MHz_16QAM_LCH_816.5MHz_RB_25_0_NTNV




Band26_5MHz_16QAM_MCH_831.5MHz_RB_25_0_NTNV




Band26_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26_10MHz_QPSK_LCH_819MHz_RB_50_0_NTNV




Band26_10MHz_QPSK_MCH_831.5MHz_RB_50_0_NTNV




Band26_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26_10MHz_16QAM_LCH_819MHz_RB_50_0_NTNV




Band26_10MHz_16QAM_MCH_831.5MHz_RB_50_0_NTNV




Band26_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




Band26_15MHz_QPSK_LCH_821.5MHz_RB_75_0_NTNV




Band26_15MHz_QPSK_MCH_831.5MHz_RB_75_0_NTNV




Band26_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26_15MHz_16QAM_LCH_821.5MHz_RB_75_0_NTNV



Band26_15MHz_16QAM_MCH_831.5MHz_RB_75_0_NTNV



Band26_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV





5. Peak-Average Ratio

5.1 B26_1.4MHz


5.1.1 Test Result

Band: 26 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	814.7	6	0	5.30	<=13	Pass
	831.5	6	0	5.42	<=13	Pass
	848.3	6	0	4.87	<=13	Pass
16QAM	814.7	6	0	6.16	<=13	Pass
	831.5	6	0	6.27	<=13	Pass
	848.3	6	0	5.80	<=13	Pass


5.1.2 Test Graph




Band26_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26_1.4MHz_16QAM_LCH_814.7MHz_RB_6_0_NTNV



Band26_1.4MHz_16QAM_MCH_831.5MHz_RB_6_0_NTNV



Band26_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV





5.2 B26_3MHz


5.2.1 Test Result

Band: 26 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	815.5	15	0	5.49	<=13	Pass
	831.5	15	0	5.45	<=13	Pass
	847.5	15	0	5.42	<=13	Pass
16QAM	815.5	15	0	6.29	<=13	Pass
	831.5	15	0	6.29	<=13	Pass
	847.5	15	0	6.32	<=13	Pass


5.2.2 Test Graph




Band26_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26_3MHz_16QAM_LCH_815.5MHz_RB_15_0_NTNV



Band26_3MHz_16QAM_MCH_831.5MHz_RB_15_0_NTNV



Band26_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




5.3 B26_5MHz


5.3.1 Test Result

Band: 26 / Bandwidth: 5MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	816.5	25	0	5.64	<=13	Pass
	831.5	25	0	5.63	<=13	Pass
	846.5	25	0	5.47	<=13	Pass
16QAM	816.5	25	0	6.38	<=13	Pass
	831.5	25	0	6.33	<=13	Pass
	846.5	25	0	6.23	<=13	Pass


5.3.2 Test Graph




Band26_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26_5MHz_16QAM_LCH_816.5MHz_RB_25_0_NTNV



Band26_5MHz_16QAM_MCH_831.5MHz_RB_25_0_NTNV



Band26_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




5.4 B26_10MHz


5.4.1 Test Result

Band: 26 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	819	50	0	5.55	<=13	Pass
	831.5	50	0	5.49	<=13	Pass
	844	50	0	5.42	<=13	Pass
16QAM	819	50	0	6.34	<=13	Pass
	831.5	50	0	6.29	<=13	Pass
	844	50	0	6.15	<=13	Pass


5.4.2 Test Graph




Band26_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26_10MHz_16QAM_LCH_819MHz_RB_50_0_NTNV



Band26_10MHz_16QAM_MCH_831.5MHz_RB_50_0_NTNV



Band26_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV





5.5 B26_15MHz


5.5.1 Test Result

Band: 26 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	821.5	75	0	4.89	<=13	Pass
	831.5	75	0	4.82	<=13	Pass
	841.5	75	0	4.92	<=13	Pass
16QAM	821.5	75	0	6.23	<=13	Pass
	831.5	75	0	6.12	<=13	Pass
	841.5	75	0	6.18	<=13	Pass


5.5.2 Test Graph




Band26_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26_15MHz_16QAM_LCH_821.5MHz_RB_75_0_NTNV



Band26_15MHz_16QAM_MCH_831.5MHz_RB_75_0_NTNV



Band26_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV





6. Spurious Emission

6.1 B26_1.4MHz


6.1.1 Test Result

Band: 26 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	814.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
		1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	814.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
		1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass


6.1.2 Test Graph




Band26_1.4MHz_QPSK_LCH_814.7MHz_RB_6_0_NTNV




Band26_1.4MHz_QPSK_MCH_831.5MHz_RB_1_0_NTNV




Band26_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band26_1.4MHz_QPSK_HCH_848.3MHz_RB_1_5_NTNV




Band26_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26_1.4MHz_16QAM_LCH_814.7MHz_RB_1_0_NTNV



Band26_1.4MHz_16QAM_LCH_814.7MHz_RB_1_0_NTNV




Band26_1.4MHz_16QAM_LCH_814.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
812.5	813	0.1	CHP	1	812.947	-40.85	-13	Pass
813	814	0.013	/	2	814.000	-34.13	-13	Pass
814	815.5	0.013	/	/	/	/	/	/


Band26_1.4MHz_16QAM_MCH_831.5MHz_RB_1_0_NTNV




Band26_1.4MHz_16QAM_HCH_848.3MHz_RB_1_0_NTNV



Band26 1.4MHz 16QAM_HCH_848.3MHz_RB_1_5_NTNV



Band26 1.4MHz 16QAM_HCH_848.3MHz_RB_6_0_NTNV





6.2 B26_3MHz


6.2.1 Test Result

Band: 26 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	815.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	815.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass


6.2.2 Test Graph




Band26_3MHz_QPSK_LCH_815.5MHz_RB_15_0_NTNV




Band26_3MHz_QPSK_MCH_831.5MHz_RB_1_0_NTNV



Band26_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band26_3MHz_QPSK_HCH_847.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	1	849.003	-28.53	-13	Pass
849	850	0.003	/	1	849.003	-28.53	-13	Pass
850	852	0.1	CHP	2	850.014	-40.93	-13	Pass


Band26_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26_3MHz_16QAM_LCH_815.5MHz_RB_1_0_NTNV



Band26_3MHz_16QAM_LCH_815.5MHz_RB_1_0_NTNV




Band26_3MHz_16QAM_LCH_815.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	812.800	-39.24	-13	Pass
813	814	0.03	/	2	813.970	-37.36	-13	Pass
814	817	0.03	/	/	/	/	/	/


Band26_3MHz_16QAM_MCH_831.5MHz_RB_1_0_NTNV




Band26_3MHz_16QAM_HCH_847.5MHz_RB_1_0_NTNV



Band26_3MHz_16QAM_HCH_847.5MHz_RB_1_14_NTNV



Band26_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV





6.3 B26_5MHz


6.3.1 Test Result

Band: 26 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	816.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	816.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass


6.3.2 Test Graph




Band26_5MHz_QPSK_LCH_816.5MHz_RB_25_0_NTNV




Band26_5MHz_QPSK_MCH_831.5MHz_RB_1_0_NTNV



Band26_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV




Band26_5MHz_QPSK_HCH_846.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	1	849.012	-26.49	-13	Pass
849	850	0.003	/	2	850.001	-51.26	-13	Pass
850	854	0.1	CHP					


Band26_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26_5MHz_16QAM_LCH_816.5MHz_RB_1_0_NTNV



Band26_5MHz_16QAM_LCH_816.5MHz_RB_1_0_NTNV




Band26_5MHz_16QAM_LCH_816.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	813	0.1	CHP	1	812.800	-39.80	-13	Pass
813	814	0.056	/	2	813.980	-28.17	-13	Pass
814	819	0.056	/	/	/	/	/	/


Band26_5MHz_16QAM_MCH_831.5MHz_RB_1_0_NTNV




Band26_5MHz_16QAM_HCH_846.5MHz_RB_1_0_NTNV



Band26_5MHz_16QAM_HCH_846.5MHz_RB_1_24_NTNV



Band26_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV





6.4 B26_10MHz


6.4.1 Test Result

Band: 26 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	819	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	819	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass


6.4.2 Test Graph




Band26_10MHz_QPSK_LCH_819MHz_RB_50_0_NTNV




Band26_10MHz_QPSK_MCH_831.5MHz_RB_1_0_NTNV




Band26_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band26_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV




Band26_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26_10MHz_16QAM_LCH_819MHz_RB_1_0_NTNV



Band26_10MHz_16QAM_LCH_819MHz_RB_1_0_NTNV




Band26_10MHz_16QAM_LCH_819MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
804	813	0.1	/	1	812.860	-40.49	-13	Pass
813	814	0.103	/	2	814.000	-34.01	-13	Pass
814	824	0.103	/	/	/	/	/	/


Band26_10MHz_16QAM_MCH_831.5MHz_RB_1_0_NTNV




Band26_10MHz_16QAM_HCH_844MHz_RB_1_0_NTNV



Band26_10MHz_16QAM_HCH_844MHz_RB_1_49_NTNV



Band26_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV





6.5 B26_15MHz


6.5.1 Test Result

Band: 26 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	821.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	831.5	1	0	Refer To Test Graph		Pass
		841.5	1	0	Refer To Test Graph	
				74	Refer To Test Graph	
			75	0	Refer To Test Graph	
16QAM	821.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	831.5	1	0	Refer To Test Graph		Pass
		841.5	1	0	Refer To Test Graph	
				74	Refer To Test Graph	
			75	0	Refer To Test Graph	


6.5.2 Test Graph




Band26_15MHz_QPSK_LCH_821.5MHz_RB_75_0_NTNV




Band26_15MHz_QPSK_MCH_831.5MHz_RB_1_0_NTNV



Band26_15MHz_QPSK_HCH_841.5MHz_RB_1_0_NTNV




Band26_15MHz_QPSK_HCH_841.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	1	/	/	/	/
849	850	0.003	/	1	849.023	-36.80	-13	Pass
850	864	0.1	CHP	2	850.000	-44.90	-13	Pass


Band26_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26_15MHz_16QAM_LCH_821.5MHz_RB_1_0_NTNV



Band26_15MHz_16QAM_LCH_821.5MHz_RB_1_0_NTNV




Band26_15MHz_16QAM_LCH_821.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	/	1	812.950	-40.78	-13	Pass
813	814	0.153	/	2	814.000	-35.81	-13	Pass
814	829	0.153	/	/	/	/	/	/


Band26_15MHz_16QAM_MCH_831.5MHz_RB_1_0_NTNV




Band26_15MHz_16QAM_HCH_841.5MHz_RB_1_0_NTNV



Band26_15MHz_16QAM_HCH_841.5MHz_RB_1_74_NTNV



Band26_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV



7. Form731

7.1 Form731_Power

7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
26	1.4	814.7	848.3	0.1746	0.0564	ppm	1M12G7D	22H	22.42
26	1.4	814.7	848.3	0.1318	0.0618	ppm	1M11W7D	22H	21.20
26	3	815.5	847.5	0.1795	0.0581	ppm	2M73G7D	22H	22.54
26	3	815.5	847.5	0.1459	0.0569	ppm	2M72W7D	22H	21.64
26	5	816.5	846.5	0.1563	0.0568	ppm	4M57G7D	22H	21.94
26	5	816.5	846.5	0.1315	0.0541	ppm	4M57W7D	22H	21.19
26	10	819	844	0.1626	0.0536	ppm	9M05G7D	22H	22.11
26	10	819	844	0.1406	0.0579	ppm	9M06W7D	22H	21.48
26	15	821.5	841.5	0.1567	0.0507	ppm	13M6G7D	22H	21.95
26	15	821.5	841.5	0.1343	0.0508	ppm	13M6W7D	22H	21.28

7.2 Form731_ERP

7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
26	1.4	814.7	848.3	0.1172	0.0564	ppm	1M12G7D	22H	20.69
26	1.4	814.7	848.3	0.0885	0.0618	ppm	1M11W7D	22H	19.47
26	3	815.5	847.5	0.1205	0.0581	ppm	2M73G7D	22H	20.81
26	3	815.5	847.5	0.0979	0.0569	ppm	2M72W7D	22H	19.91
26	5	816.5	846.5	0.1050	0.0568	ppm	4M57G7D	22H	20.21
26	5	816.5	846.5	0.0883	0.0541	ppm	4M57W7D	22H	19.46
26	10	819	844	0.1091	0.0536	ppm	9M05G7D	22H	20.38
26	10	819	844	0.0944	0.0579	ppm	9M06W7D	22H	19.75
26	15	821.5	841.5	0.1052	0.0507	ppm	13M6G7D	22H	20.22
26	15	821.5	841.5	0.0902	0.0508	ppm	13M6W7D	22H	19.55