

1. Effective (Isotropic) Radiated Power Output Data

1.1 B41_5MHz_EIRP

1.1.1 Test Result

Band: 41 / Bandwidth: 5MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2498.5	1	0	22.69	0.49	23.18	<=33.01	Pass		
			13	22.64	0.49	23.13	<=33.01	Pass		
			24	22.67	0.49	23.16	<=33.01	Pass		
		12	0	21.60	0.49	22.09	<=33.01	Pass		
			6	21.58	0.49	22.07	<=33.01	Pass		
			13	21.62	0.49	22.11	<=33.01	Pass		
		25	0	21.59	0.49	22.08	<=33.01	Pass		
		2593	1	0	23.71	0.49	24.20	<=33.01	Pass	
				13	23.85	0.49	24.34	<=33.01	Pass	
	24			23.78	0.49	24.27	<=33.01	Pass		
	12		0	22.74	0.49	23.23	<=33.01	Pass		
			6	22.81	0.49	23.30	<=33.01	Pass		
			13	22.73	0.49	23.22	<=33.01	Pass		
	25		0	22.80	0.49	23.29	<=33.01	Pass		
	2687.5		1	0	23.68	0.49	24.17	<=33.01	Pass	
				13	23.62	0.49	24.11	<=33.01	Pass	
		24		23.67	0.49	24.16	<=33.01	Pass		
		12	0	22.67	0.49	23.16	<=33.01	Pass		
			6	22.57	0.49	23.06	<=33.01	Pass		
			13	22.63	0.49	23.12	<=33.01	Pass		
		25	0	22.73	0.49	23.22	<=33.01	Pass		
		16QAM	2498.5	1	0	21.67	0.49	22.16	<=33.01	Pass
					13	21.89	0.49	22.38	<=33.01	Pass
	24				21.59	0.49	22.08	<=33.01	Pass	
12	0			20.56	0.49	21.05	<=33.01	Pass		
	6			20.56	0.49	21.05	<=33.01	Pass		
	13			20.58	0.49	21.07	<=33.01	Pass		
25	0			20.58	0.49	21.07	<=33.01	Pass		
2593	1			0	22.94	0.49	23.43	<=33.01	Pass	
				13	22.83	0.49	23.32	<=33.01	Pass	
			24	22.61	0.49	23.10	<=33.01	Pass		
	12		0	21.77	0.49	22.26	<=33.01	Pass		
			6	21.69	0.49	22.18	<=33.01	Pass		
			13	21.82	0.49	22.31	<=33.01	Pass		
	25		0	21.78	0.49	22.27	<=33.01	Pass		
	2687.5		1	0	22.86	0.49	23.35	<=33.01	Pass	
				13	22.66	0.49	23.15	<=33.01	Pass	
24				22.80	0.49	23.29	<=33.01	Pass		
12			0	21.60	0.49	22.09	<=33.01	Pass		
			6	21.55	0.49	22.04	<=33.01	Pass		
			13	21.58	0.49	22.07	<=33.01	Pass		
25			0	21.61	0.49	22.10	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.2 B41_10MHz_EIRP

1.2.1 Test Result

Band: 41 / Bandwidth: 10MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2501	1	0	22.70	0.49	23.19	<=33.01	Pass		
			25	22.81	0.49	23.30	<=33.01	Pass		
			49	22.76	0.49	23.25	<=33.01	Pass		
		25	0	21.59	0.49	22.08	<=33.01	Pass		
			13	21.64	0.49	22.13	<=33.01	Pass		
			25	21.70	0.49	22.19	<=33.01	Pass		
		50	0	21.63	0.49	22.12	<=33.01	Pass		
		2593	1	0	23.72	0.49	24.21	<=33.01	Pass	
				25	23.87	0.49	24.36	<=33.01	Pass	
	49			23.86	0.49	24.35	<=33.01	Pass		
	25		0	22.76	0.49	23.25	<=33.01	Pass		
			13	22.82	0.49	23.31	<=33.01	Pass		
			25	22.91	0.49	23.40	<=33.01	Pass		
	50		0	22.87	0.49	23.36	<=33.01	Pass		
	2685		1	0	23.81	0.49	24.30	<=33.01	Pass	
				25	23.77	0.49	24.26	<=33.01	Pass	
		49		23.61	0.49	24.10	<=33.01	Pass		
		25	0	22.78	0.49	23.27	<=33.01	Pass		
			13	22.67	0.49	23.16	<=33.01	Pass		
			25	22.62	0.49	23.11	<=33.01	Pass		
		50	0	22.74	0.49	23.23	<=33.01	Pass		
		16QAM	2501	1	0	21.51	0.49	22.00	<=33.01	Pass
					25	21.73	0.49	22.22	<=33.01	Pass
	49				21.80	0.49	22.29	<=33.01	Pass	
25	0			20.57	0.49	21.06	<=33.01	Pass		
	13			20.63	0.49	21.12	<=33.01	Pass		
	25			20.75	0.49	21.24	<=33.01	Pass		
50	0			20.65	0.49	21.14	<=33.01	Pass		
2593	1			0	22.54	0.49	23.03	<=33.01	Pass	
				25	22.74	0.49	23.23	<=33.01	Pass	
			49	22.67	0.49	23.16	<=33.01	Pass		
	25		0	21.82	0.49	22.31	<=33.01	Pass		
			13	21.83	0.49	22.32	<=33.01	Pass		
			25	21.90	0.49	22.39	<=33.01	Pass		
	50		0	21.80	0.49	22.29	<=33.01	Pass		
	2685		1	0	22.67	0.49	23.16	<=33.01	Pass	
				25	22.42	0.49	22.91	<=33.01	Pass	
49				22.50	0.49	22.99	<=33.01	Pass		
25			0	21.80	0.49	22.29	<=33.01	Pass		
			13	21.69	0.49	22.18	<=33.01	Pass		
			25	21.65	0.49	22.14	<=33.01	Pass		
50			0	21.68	0.49	22.17	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.3 B41_15MHz_EIRP

1.3.1 Test Result

Band: 41 / Bandwidth: 15MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2503.5	1	0	22.76	0.49	23.25	<=33.01	Pass		
			38	22.74	0.49	23.23	<=33.01	Pass		
			74	22.68	0.49	23.17	<=33.01	Pass		
		36	0	21.59	0.49	22.08	<=33.01	Pass		
			18	21.58	0.49	22.07	<=33.01	Pass		
			39	21.64	0.49	22.13	<=33.01	Pass		
		75	0	21.60	0.49	22.09	<=33.01	Pass		
		2593	1	0	23.69	0.49	24.18	<=33.01	Pass	
				38	23.86	0.49	24.35	<=33.01	Pass	
	74			23.85	0.49	24.34	<=33.01	Pass		
	36		0	22.74	0.49	23.23	<=33.01	Pass		
			18	22.83	0.49	23.32	<=33.01	Pass		
			39	22.86	0.49	23.35	<=33.01	Pass		
	75		0	22.85	0.49	23.34	<=33.01	Pass		
	2682.5		1	0	23.88	0.49	24.37	<=33.01	Pass	
				38	23.66	0.49	24.15	<=33.01	Pass	
		74		23.59	0.49	24.08	<=33.01	Pass		
		36	0	22.77	0.49	23.26	<=33.01	Pass		
			18	22.65	0.49	23.14	<=33.01	Pass		
			39	22.66	0.49	23.15	<=33.01	Pass		
		75	0	22.71	0.49	23.20	<=33.01	Pass		
		16QAM	2503.5	1	0	21.80	0.49	22.29	<=33.01	Pass
					38	21.76	0.49	22.25	<=33.01	Pass
	74				21.75	0.49	22.24	<=33.01	Pass	
	36			0	20.57	0.49	21.06	<=33.01	Pass	
				18	20.61	0.49	21.10	<=33.01	Pass	
				39	20.63	0.49	21.12	<=33.01	Pass	
75	0			20.60	0.49	21.09	<=33.01	Pass		
2593	1			0	22.54	0.49	23.03	<=33.01	Pass	
				38	22.74	0.49	23.23	<=33.01	Pass	
			74	22.74	0.49	23.23	<=33.01	Pass		
	36		0	21.77	0.49	22.26	<=33.01	Pass		
			18	21.80	0.49	22.29	<=33.01	Pass		
			39	21.86	0.49	22.35	<=33.01	Pass		
	75		0	21.85	0.49	22.34	<=33.01	Pass		
	2682.5		1	0	23.03	0.49	23.52	<=33.01	Pass	
				38	22.98	0.49	23.47	<=33.01	Pass	
74				22.84	0.49	23.33	<=33.01	Pass		
36			0	21.75	0.49	22.24	<=33.01	Pass		
			18	21.69	0.49	22.18	<=33.01	Pass		
			39	21.66	0.49	22.15	<=33.01	Pass		
75			0	21.71	0.49	22.20	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.4 B41_20MHz_EIRP

1.4.1 Test Result

Band: 41 / Bandwidth: 20MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	2506	1	0	22.61	0.49	23.10	<=33.01	Pass		
			50	22.72	0.49	23.21	<=33.01	Pass		
			99	22.63	0.49	23.12	<=33.01	Pass		
		50	0	21.58	0.49	22.07	<=33.01	Pass		
			25	21.69	0.49	22.18	<=33.01	Pass		
			50	21.71	0.49	22.20	<=33.01	Pass		
		100	0	21.62	0.49	22.11	<=33.01	Pass		
		2593	1	0	23.62	0.49	24.11	<=33.01	Pass	
				50	23.90	0.49	24.39	<=33.01	Pass	
	99			23.93	0.49	24.42	<=33.01	Pass		
	50		0	22.79	0.49	23.28	<=33.01	Pass		
			25	22.91	0.49	23.40	<=33.01	Pass		
			50	22.94	0.49	23.43	<=33.01	Pass		
	100		0	22.86	0.49	23.35	<=33.01	Pass		
	2680		1	0	23.78	0.49	24.27	<=33.01	Pass	
				50	23.71	0.49	24.20	<=33.01	Pass	
		99		23.36	0.49	23.85	<=33.01	Pass		
		50	0	22.95	0.49	23.44	<=33.01	Pass		
			25	22.93	0.49	23.42	<=33.01	Pass		
			50	22.71	0.49	23.20	<=33.01	Pass		
		100	0	22.77	0.49	23.26	<=33.01	Pass		
		16QAM	2506	1	0	21.62	0.49	22.11	<=33.01	Pass
					50	21.60	0.49	22.09	<=33.01	Pass
	99				21.82	0.49	22.31	<=33.01	Pass	
50	0			20.55	0.49	21.04	<=33.01	Pass		
	25			20.65	0.49	21.14	<=33.01	Pass		
	50			20.66	0.49	21.15	<=33.01	Pass		
100	0			20.61	0.49	21.10	<=33.01	Pass		
2593	1			0	22.27	0.49	22.76	<=33.01	Pass	
				50	22.89	0.49	23.38	<=33.01	Pass	
			99	22.81	0.49	23.30	<=33.01	Pass		
	50		0	21.75	0.49	22.24	<=33.01	Pass		
			25	21.94	0.49	22.43	<=33.01	Pass		
			50	21.85	0.49	22.34	<=33.01	Pass		
	100		0	21.84	0.49	22.33	<=33.01	Pass		
	2680		1	0	22.97	0.49	23.46	<=33.01	Pass	
				50	22.89	0.49	23.38	<=33.01	Pass	
99				22.16	0.49	22.65	<=33.01	Pass		
50			0	21.85	0.49	22.34	<=33.01	Pass		
			25	21.80	0.49	22.29	<=33.01	Pass		
			50	21.65	0.49	22.14	<=33.01	Pass		
100			0	21.73	0.49	22.22	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 B41_5MHz

2.1.1 Test Result

Band: 41 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2498.5	25	0	20	3.27	-4.807	-0.0019	-2.5 to 2.5	Pass
					3.85	1.230	0.0005	-2.5 to 2.5	Pass
					4.43	-4.063	-0.0016	-2.5 to 2.5	Pass
				-30	3.85	-2.832	-0.0011	-2.5 to 2.5	Pass
				-20	3.85	-5.407	-0.0022	-2.5 to 2.5	Pass
				-10	3.85	-1.760	-0.0007	-2.5 to 2.5	Pass
				0	3.85	-6.824	-0.0027	-2.5 to 2.5	Pass
				10	3.85	-2.546	-0.0010	-2.5 to 2.5	Pass
				30	3.85	-0.315	-0.0001	-2.5 to 2.5	Pass
				40	3.85	-3.119	-0.0012	-2.5 to 2.5	Pass
	50	3.85	-4.449	-0.0018	-2.5 to 2.5	Pass			
	2593	25	0	20	3.27	-6.151	-0.0024	-2.5 to 2.5	Pass
					3.85	-1.130	-0.0004	-2.5 to 2.5	Pass
					4.43	0.057	0.0000	-2.5 to 2.5	Pass
				-30	3.85	-3.233	-0.0012	-2.5 to 2.5	Pass
				-20	3.85	-9.356	-0.0036	-2.5 to 2.5	Pass
				-10	3.85	4.263	0.0016	-2.5 to 2.5	Pass
				0	3.85	7.682	0.0030	-2.5 to 2.5	Pass
				10	3.85	-5.908	-0.0023	-2.5 to 2.5	Pass
				30	3.85	-0.458	-0.0002	-2.5 to 2.5	Pass
				40	3.85	-4.506	-0.0017	-2.5 to 2.5	Pass
	50	3.85	-5.035	-0.0019	-2.5 to 2.5	Pass			
	2687.5	25	0	20	3.27	7.496	0.0028	-2.5 to 2.5	Pass
					3.85	-18.425	-0.0069	-2.5 to 2.5	Pass
					4.43	1.645	0.0006	-2.5 to 2.5	Pass
				-30	3.85	-6.380	-0.0024	-2.5 to 2.5	Pass
				-20	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
				-10	3.85	-4.206	-0.0016	-2.5 to 2.5	Pass
				0	3.85	6.652	0.0025	-2.5 to 2.5	Pass
				10	3.85	4.907	0.0018	-2.5 to 2.5	Pass
30				3.85	-2.518	-0.0009	-2.5 to 2.5	Pass	
40				3.85	-3.662	-0.0014	-2.5 to 2.5	Pass	
50	3.85	0.443	0.0002	-2.5 to 2.5	Pass				
16QAM	2498.5	25	0	20	3.27	-7.510	-0.0030	-2.5 to 2.5	Pass
					3.85	2.890	0.0012	-2.5 to 2.5	Pass
					4.43	-5.722	-0.0023	-2.5 to 2.5	Pass
				-30	3.85	-4.392	-0.0018	-2.5 to 2.5	Pass
				-20	3.85	1.903	0.0008	-2.5 to 2.5	Pass
				-10	3.85	-5.465	-0.0022	-2.5 to 2.5	Pass
				0	3.85	2.890	0.0012	-2.5 to 2.5	Pass
				10	3.85	-2.203	-0.0009	-2.5 to 2.5	Pass
				30	3.85	-1.888	-0.0008	-2.5 to 2.5	Pass
				40	3.85	0.572	0.0002	-2.5 to 2.5	Pass
50	3.85	-6.709	-0.0027	-2.5 to 2.5	Pass				

	2593	25	0	20	3.27	-0.186	-0.0001	-2.5 to 2.5	Pass
					3.85	-2.446	-0.0009	-2.5 to 2.5	Pass
					4.43	-5.221	-0.0020	-2.5 to 2.5	Pass
				-30	3.85	-5.794	-0.0022	-2.5 to 2.5	Pass
				-20	3.85	-1.159	-0.0004	-2.5 to 2.5	Pass
				-10	3.85	-3.562	-0.0014	-2.5 to 2.5	Pass
				0	3.85	-4.106	-0.0016	-2.5 to 2.5	Pass
				10	3.85	-4.249	-0.0016	-2.5 to 2.5	Pass
				30	3.85	3.405	0.0013	-2.5 to 2.5	Pass
	40	3.85	-4.492	-0.0017	-2.5 to 2.5	Pass			
	50	3.85	-2.031	-0.0008	-2.5 to 2.5	Pass			
	2687.5	25	0	20	3.27	3.591	0.0013	-2.5 to 2.5	Pass
					3.85	2.046	0.0008	-2.5 to 2.5	Pass
					4.43	1.817	0.0007	-2.5 to 2.5	Pass
				-30	3.85	5.465	0.0020	-2.5 to 2.5	Pass
				-20	3.85	-3.047	-0.0011	-2.5 to 2.5	Pass
				-10	3.85	4.277	0.0016	-2.5 to 2.5	Pass
				0	3.85	-2.275	-0.0008	-2.5 to 2.5	Pass
10				3.85	2.446	0.0009	-2.5 to 2.5	Pass	
30				3.85	1.373	0.0005	-2.5 to 2.5	Pass	
40	3.85	-7.181	-0.0027	-2.5 to 2.5	Pass				
50	3.85	4.034	0.0015	-2.5 to 2.5	Pass				

2.2 B41_10MHz

2.2.1 Test Result

Band: 41 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2501	50	0	20	3.27	1.402	0.0006	-2.5 to 2.5	Pass
					3.85	-4.649	-0.0019	-2.5 to 2.5	Pass
					4.43	-0.186	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	3.991	0.0016	-2.5 to 2.5	Pass
				-20	3.85	-0.243	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-7.010	-0.0028	-2.5 to 2.5	Pass
				0	3.85	-0.887	-0.0004	-2.5 to 2.5	Pass
				10	3.85	-3.476	-0.0014	-2.5 to 2.5	Pass
				30	3.85	2.847	0.0011	-2.5 to 2.5	Pass
	40	3.85	-2.346	-0.0009	-2.5 to 2.5	Pass			
	50	3.85	-8.984	-0.0036	-2.5 to 2.5	Pass			
	2593	50	0	20	3.27	1.860	0.0007	-2.5 to 2.5	Pass
					3.85	-3.462	-0.0013	-2.5 to 2.5	Pass
					4.43	-4.835	-0.0019	-2.5 to 2.5	Pass
				-30	3.85	-8.054	-0.0031	-2.5 to 2.5	Pass
				-20	3.85	1.659	0.0006	-2.5 to 2.5	Pass
				-10	3.85	-9.599	-0.0037	-2.5 to 2.5	Pass
				0	3.85	-2.675	-0.0010	-2.5 to 2.5	Pass
10				3.85	1.259	0.0005	-2.5 to 2.5	Pass	
30				3.85	-0.472	-0.0002	-2.5 to 2.5	Pass	
40	3.85	-9.384	-0.0036	-2.5 to 2.5	Pass				
50	3.85	-6.208	-0.0024	-2.5 to 2.5	Pass				



	2685	50	0	20	3.27	-5.937	-0.0022	-2.5 to 2.5	Pass					
					3.85	5.651	0.0021	-2.5 to 2.5	Pass					
					4.43	-10.071	-0.0038	-2.5 to 2.5	Pass					
								-30	3.85	-6.151	-0.0023	-2.5 to 2.5	Pass	
								-20	3.85	-7.825	-0.0029	-2.5 to 2.5	Pass	
								-10	3.85	-4.678	-0.0017	-2.5 to 2.5	Pass	
								0	3.85	2.232	0.0008	-2.5 to 2.5	Pass	
								10	3.85	7.167	0.0027	-2.5 to 2.5	Pass	
								30	3.85	2.160	0.0008	-2.5 to 2.5	Pass	
								40	3.85	-0.544	-0.0002	-2.5 to 2.5	Pass	
								50	3.85	-1.674	-0.0006	-2.5 to 2.5	Pass	
								16QAM	2501	50	0	20	3.27	6.623
3.85	-1.845	-0.0007	-2.5 to 2.5	Pass										
4.43	5.593	0.0022	-2.5 to 2.5	Pass										
				-30	3.85	-0.944	-0.0004					-2.5 to 2.5	Pass	
				-20	3.85	-2.389	-0.0010					-2.5 to 2.5	Pass	
				-10	3.85	-8.740	-0.0035					-2.5 to 2.5	Pass	
				0	3.85	-10.686	-0.0043					-2.5 to 2.5	Pass	
				10	3.85	5.965	0.0024					-2.5 to 2.5	Pass	
				30	3.85	-3.676	-0.0015					-2.5 to 2.5	Pass	
				40	3.85	-5.479	-0.0022					-2.5 to 2.5	Pass	
				50	3.85	1.330	0.0005					-2.5 to 2.5	Pass	
					2593	50	0					20	3.27	-4.978
3.85	-9.241	-0.0036	-2.5 to 2.5						Pass					
4.43	-8.483	-0.0033	-2.5 to 2.5						Pass					
									-30	3.85	-4.892	-0.0019	-2.5 to 2.5	Pass
									-20	3.85	5.836	0.0023	-2.5 to 2.5	Pass
									-10	3.85	-2.232	-0.0009	-2.5 to 2.5	Pass
									0	3.85	-3.462	-0.0013	-2.5 to 2.5	Pass
									10	3.85	-2.546	-0.0010	-2.5 to 2.5	Pass
									30	3.85	-3.133	-0.0012	-2.5 to 2.5	Pass
									40	3.85	1.459	0.0006	-2.5 to 2.5	Pass
									50	3.85	-5.236	-0.0020	-2.5 to 2.5	Pass
										2685	50	0	20	3.27
3.85	-0.529	-0.0002	-2.5 to 2.5	Pass										
4.43	-2.160	-0.0008	-2.5 to 2.5	Pass										
				-30	3.85	-0.987	-0.0004	-2.5 to 2.5					Pass	
				-20	3.85	-2.203	-0.0008	-2.5 to 2.5					Pass	
				-10	3.85	-1.144	-0.0004	-2.5 to 2.5					Pass	
				0	3.85	-4.206	-0.0016	-2.5 to 2.5					Pass	
				10	3.85	-0.043	0.0000	-2.5 to 2.5					Pass	
				30	3.85	-1.888	-0.0007	-2.5 to 2.5					Pass	
				40	3.85	1.588	0.0006	-2.5 to 2.5					Pass	
				50	3.85	-2.003	-0.0007	-2.5 to 2.5					Pass	

2.3 B41_15MHz

2.3.1 Test Result

Band: 41 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	

QPSK	2503.5	75	0	20	3.27	-2.890	-0.0012	-2.5 to 2.5	Pass	
					3.85	-6.208	-0.0025	-2.5 to 2.5	Pass	
					4.43	-4.163	-0.0017	-2.5 to 2.5	Pass	
				-30	3.85	-6.523	-0.0026	-2.5 to 2.5	Pass	
					-20	3.85	-12.116	-0.0048	-2.5 to 2.5	Pass
						-10	3.85	0.572	0.0002	-2.5 to 2.5
				0	3.85	-6.537	-0.0026	-2.5 to 2.5	Pass	
					10	3.85	-4.907	-0.0020	-2.5 to 2.5	Pass
					30	3.85	-4.549	-0.0018	-2.5 to 2.5	Pass
	2593	75	0	20	3.27	-1.817	-0.0007	-2.5 to 2.5	Pass	
					3.85	-3.505	-0.0014	-2.5 to 2.5	Pass	
					4.43	-8.926	-0.0034	-2.5 to 2.5	Pass	
				-30	3.85	-3.061	-0.0012	-2.5 to 2.5	Pass	
					-20	3.85	-5.279	-0.0020	-2.5 to 2.5	Pass
						-10	3.85	-3.033	-0.0012	-2.5 to 2.5
				0	3.85	-1.717	-0.0007	-2.5 to 2.5	Pass	
					10	3.85	-5.822	-0.0022	-2.5 to 2.5	Pass
					30	3.85	-5.779	-0.0022	-2.5 to 2.5	Pass
	2682.5	75	0	20	3.27	-5.808	-0.0022	-2.5 to 2.5	Pass	
					3.85	-5.922	-0.0022	-2.5 to 2.5	Pass	
					4.43	-7.710	-0.0029	-2.5 to 2.5	Pass	
				-30	3.85	-8.912	-0.0033	-2.5 to 2.5	Pass	
					-20	3.85	-8.368	-0.0031	-2.5 to 2.5	Pass
						-10	3.85	-1.144	-0.0004	-2.5 to 2.5
				0	3.85	0.629	0.0002	-2.5 to 2.5	Pass	
					10	3.85	3.018	0.0011	-2.5 to 2.5	Pass
					30	3.85	-2.003	-0.0007	-2.5 to 2.5	Pass
16QAM	2503.5	75	0	20	3.27	2.003	0.0008	-2.5 to 2.5	Pass	
					3.85	-7.238	-0.0029	-2.5 to 2.5	Pass	
					4.43	0.072	0.0000	-2.5 to 2.5	Pass	
				-30	3.85	-1.659	-0.0007	-2.5 to 2.5	Pass	
					-20	3.85	-3.691	-0.0015	-2.5 to 2.5	Pass
						-10	3.85	-0.801	-0.0003	-2.5 to 2.5
				0	3.85	-8.826	-0.0035	-2.5 to 2.5	Pass	
					10	3.85	-0.544	-0.0002	-2.5 to 2.5	Pass
					30	3.85	-2.503	-0.0010	-2.5 to 2.5	Pass
	2593	75	0	20	3.27	-5.107	-0.0020	-2.5 to 2.5	Pass	
					3.85	-2.646	-0.0010	-2.5 to 2.5	Pass	
					4.43	1.116	0.0004	-2.5 to 2.5	Pass	
				-30	3.85	4.005	0.0015	-2.5 to 2.5	Pass	
					-20	3.85	0.629	0.0002	-2.5 to 2.5	Pass
						-10	3.85	-5.980	-0.0023	-2.5 to 2.5
				0	3.85	-5.908	-0.0023	-2.5 to 2.5	Pass	
					10	3.85	-2.990	-0.0012	-2.5 to 2.5	Pass
					30	3.85	-13.304	-0.0051	-2.5 to 2.5	Pass
40	3.85	1.588	0.0006	-2.5 to 2.5	Pass					



	2682.5	75	0	50	3.85	-5.107	-0.0020	-2.5 to 2.5	Pass
				20	3.27	-6.051	-0.0023	-2.5 to 2.5	Pass
					3.85	-2.675	-0.0010	-2.5 to 2.5	Pass
					4.43	2.375	0.0009	-2.5 to 2.5	Pass
				-30	3.85	1.574	0.0006	-2.5 to 2.5	Pass
				-20	3.85	0.887	0.0003	-2.5 to 2.5	Pass
				-10	3.85	-6.495	-0.0024	-2.5 to 2.5	Pass
				0	3.85	-9.398	-0.0035	-2.5 to 2.5	Pass
				10	3.85	-6.537	-0.0024	-2.5 to 2.5	Pass
				30	3.85	-3.448	-0.0013	-2.5 to 2.5	Pass
				40	3.85	-5.107	-0.0019	-2.5 to 2.5	Pass
				50	3.85	2.532	0.0009	-2.5 to 2.5	Pass

2.4 B41_20MHz

2.4.1 Test Result

Band: 41 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2506	100	0	20	3.27	-2.589	-0.0010	-2.5 to 2.5	Pass
					3.85	4.449	0.0018	-2.5 to 2.5	Pass
					4.43	3.190	0.0013	-2.5 to 2.5	Pass
				-30	3.85	5.851	0.0023	-2.5 to 2.5	Pass
				-20	3.85	2.975	0.0012	-2.5 to 2.5	Pass
				-10	3.85	-1.745	-0.0007	-2.5 to 2.5	Pass
				0	3.85	-4.220	-0.0017	-2.5 to 2.5	Pass
				10	3.85	-3.877	-0.0015	-2.5 to 2.5	Pass
				30	3.85	-3.233	-0.0013	-2.5 to 2.5	Pass
				40	3.85	0.529	0.0002	-2.5 to 2.5	Pass
				50	3.85	1.144	0.0005	-2.5 to 2.5	Pass
				2593	100	0	20	3.27	1.845
	3.85	-12.460	-0.0048					-2.5 to 2.5	Pass
	4.43	-2.089	-0.0008					-2.5 to 2.5	Pass
	-30	3.85	-9.456				-0.0036	-2.5 to 2.5	Pass
	-20	3.85	-2.317				-0.0009	-2.5 to 2.5	Pass
	-10	3.85	-1.287				-0.0005	-2.5 to 2.5	Pass
	0	3.85	-10.715				-0.0041	-2.5 to 2.5	Pass
	10	3.85	-6.480				-0.0025	-2.5 to 2.5	Pass
	30	3.85	-6.366				-0.0025	-2.5 to 2.5	Pass
	40	3.85	-6.709				-0.0026	-2.5 to 2.5	Pass
	50	3.85	-1.144				-0.0004	-2.5 to 2.5	Pass
	2680	100	0				20	3.27	-3.762
				3.85	-0.801	-0.0003		-2.5 to 2.5	Pass
				4.43	0.143	0.0001		-2.5 to 2.5	Pass
				-30	3.85	-1.431	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	-4.034	-0.0015	-2.5 to 2.5	Pass
				-10	3.85	-6.695	-0.0025	-2.5 to 2.5	Pass
				0	3.85	-2.689	-0.0010	-2.5 to 2.5	Pass
				10	3.85	-1.760	-0.0007	-2.5 to 2.5	Pass
30				3.85	-4.206	-0.0016	-2.5 to 2.5	Pass	
40				3.85	-0.973	-0.0004	-2.5 to 2.5	Pass	

16QAM	2506	100	0	50	3.85	0.958	0.0004	-2.5 to 2.5	Pass
				20	3.27	-2.031	-0.0008	-2.5 to 2.5	Pass
					3.85	1.273	0.0005	-2.5 to 2.5	Pass
					4.43	-6.766	-0.0027	-2.5 to 2.5	Pass
				-30	3.85	-0.300	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
				-10	3.85	-0.744	-0.0003	-2.5 to 2.5	Pass
				0	3.85	1.302	0.0005	-2.5 to 2.5	Pass
				10	3.85	-0.315	-0.0001	-2.5 to 2.5	Pass
				30	3.85	-2.460	-0.0010	-2.5 to 2.5	Pass
	40	3.85	-1.645	-0.0007	-2.5 to 2.5	Pass			
	50	3.85	-5.636	-0.0022	-2.5 to 2.5	Pass			
	2593	100	0	20	3.27	-0.515	-0.0002	-2.5 to 2.5	Pass
					3.85	1.087	0.0004	-2.5 to 2.5	Pass
					4.43	-0.286	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	-7.253	-0.0028	-2.5 to 2.5	Pass
				-20	3.85	3.376	0.0013	-2.5 to 2.5	Pass
				-10	3.85	-6.337	-0.0024	-2.5 to 2.5	Pass
				0	3.85	2.503	0.0010	-2.5 to 2.5	Pass
				10	3.85	0.844	0.0003	-2.5 to 2.5	Pass
				30	3.85	-3.719	-0.0014	-2.5 to 2.5	Pass
				40	3.85	3.734	0.0014	-2.5 to 2.5	Pass
	50	3.85	-2.618	-0.0010	-2.5 to 2.5	Pass			
	2680	100	0	20	3.27	-3.490	-0.0013	-2.5 to 2.5	Pass
					3.85	-1.259	-0.0005	-2.5 to 2.5	Pass
					4.43	0.000	0.0000	-2.5 to 2.5	Pass
				-30	3.85	-1.674	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	-1.259	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-9.341	-0.0035	-2.5 to 2.5	Pass
				0	3.85	-5.264	-0.0020	-2.5 to 2.5	Pass
10				3.85	-1.731	-0.0006	-2.5 to 2.5	Pass	
30				3.85	-6.423	-0.0024	-2.5 to 2.5	Pass	
40				3.85	-1.416	-0.0005	-2.5 to 2.5	Pass	
50	3.85	-3.176	-0.0012	-2.5 to 2.5	Pass				


3. Modulation Characteristics

3.1 B41_5MHz

3.1.1 Test Result

Band: 41 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2593	25	0	Refer To Test Graph		Pass
16QAM	2593	25	0	Refer To Test Graph		Pass

3.1.2 Test Graph




3.2 B41_10MHz

3.2.1 Test Result

Band: 41 / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2593	50	0	Refer To Test Graph		Pass
16QAM	2593	50	0	Refer To Test Graph		Pass

3.2.2 Test Graph




3.3 B41_15MHz

3.3.1 Test Result

Band: 41 / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2593	75	0	Refer To Test Graph		Pass
16QAM	2593	75	0	Refer To Test Graph		Pass

3.3.2 Test Graph




3.4 B41_20MHz

3.4.1 Test Result

Band: 41 / Bandwidth: 20MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2593	100	0	Refer To Test Graph		Pass
16QAM	2593	100	0	Refer To Test Graph		Pass

3.4.2 Test Graph





4. 99% & 26dB Bandwidth

4.1 Band41_OBW


4.1.1 Test Result

Band: 41 / NTNV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)	Verdict
			Size	Offset	Result	
5	QPSK	2498.5	25	0	4.559	Pass
		2593	25	0	4.556	Pass
		2687.5	25	0	4.553	Pass
	16QAM	2498.5	25	0	4.560	Pass
		2593	25	0	4.552	Pass
		2687.5	25	0	4.560	Pass
10	QPSK	2501	50	0	9.049	Pass
		2593	50	0	9.096	Pass
		2685	50	0	9.082	Pass
	16QAM	2501	50	0	9.050	Pass
		2593	50	0	9.068	Pass
		2685	50	0	9.130	Pass
15	QPSK	2503.5	75	0	13.622	Pass
		2593	75	0	13.588	Pass
		2682.5	75	0	13.572	Pass
	16QAM	2503.5	75	0	13.550	Pass
		2593	75	0	13.564	Pass
		2682.5	75	0	13.633	Pass
20	QPSK	2506	100	0	18.087	Pass
		2593	100	0	18.095	Pass
		2680	100	0	18.133	Pass
	16QAM	2506	100	0	18.082	Pass
		2593	100	0	18.139	Pass
		2680	100	0	18.127	Pass


4.1.2 Test Graph




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_LCH_2498.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_MCH_2593MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_HCH_2687.5MHz_RB_25_0_NTNV




Band41_10MHz_QPSK_LCH_2501MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_MCH_2593MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_LCH_2501MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_MCH_2593MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_HCH_2685MHz_RB_50_0_NTNV




Band41_15MHz_QPSK_LCH_2503.5MHz_RB_75_0_NTNV




Band41_15MHz_QPSK_MCH_2593MHz_RB_75_0_NTNV




Band41_15MHz_QPSK_HCH_2682.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_LCH_2503.5MHz_RB_75_0_NTNV







Band41_15MHz_16QAM_MCH_2593MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_HCH_2682.5MHz_RB_75_0_NTNV








Band41_20MHz_16QAM_MCH_2593MHz_RB_100_0_NTNV



Band41_20MHz_16QAM_HCH_2680MHz_RB_100_0_NTNV





4.2 Band41_XDB


4.2.1 Test Result

Band: 41 / NTNV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)	Verdict
			Size	Offset	Result	
5	QPSK	2498.5	25	0	5.580	Pass
		2593	25	0	5.526	Pass
		2687.5	25	0	5.026	Pass
	16QAM	2498.5	25	0	5.118	Pass
		2593	25	0	5.035	Pass
		2687.5	25	0	5.123	Pass
10	QPSK	2501	50	0	10.922	Pass
		2593	50	0	11.617	Pass
		2685	50	0	10.295	Pass
	16QAM	2501	50	0	9.843	Pass
		2593	50	0	11.131	Pass
		2685	50	0	11.624	Pass
15	QPSK	2503.5	75	0	15.090	Pass
		2593	75	0	15.861	Pass
		2682.5	75	0	15.491	Pass
	16QAM	2503.5	75	0	15.319	Pass
		2593	75	0	15.096	Pass
		2682.5	75	0	15.912	Pass
20	QPSK	2506	100	0	21.061	Pass
		2593	100	0	22.971	Pass
		2680	100	0	20.219	Pass
	16QAM	2506	100	0	22.479	Pass
		2593	100	0	22.387	Pass
		2680	100	0	19.570	Pass


4.2.2 Test Graph




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_LCH_2498.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_MCH_2593MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_HCH_2687.5MHz_RB_25_0_NTNV




Band41_10MHz_QPSK_LCH_2501MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_MCH_2593MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_LCH_2501MHz_RB_50_0_NTNV





Band41_10MHz_16QAM_MCH_2593MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_HCH_2685MHz_RB_50_0_NTNV










Band41_15MHz_QPSK_HCH_2682.5MHz_RB_75_0_NTNV





Band41_15MHz_16QAM_LCH_2503.5MHz_RB_75_0_NTNV











Band41_20MHz_16QAM_MCH_2593MHz_RB_100_0_NTNV



Band41_20MHz_16QAM_HCH_2680MHz_RB_100_0_NTNV





5. Peak-Average Ratio

5.1 B41_5MHz


5.1.1 Test Result

Band: 41 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2498.5	25	0	7.35	<=13	Pass
	2593	25	0	7.27	<=13	Pass
	2687.5	25	0	7.69	<=13	Pass
16QAM	2498.5	25	0	8.07	<=13	Pass
	2593	25	0	7.89	<=13	Pass
	2687.5	25	0	8.46	<=13	Pass


5.1.2 Test Graph




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_LCH_2498.5MHz_RB_25_0_NTNV



Band41_5MHz_16QAM_MCH_2593MHz_RB_25_0_NTNV



Band41_5MHz_16QAM_HCH_2687.5MHz_RB_25_0_NTNV







5.2 B41_10MHz


5.2.1 Test Result

Band: 41 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2501	50	0	7.41	<=13	Pass
	2593	50	0	7.20	<=13	Pass
	2685	50	0	7.40	<=13	Pass
16QAM	2501	50	0	7.96	<=13	Pass
	2593	50	0	8.03	<=13	Pass
	2685	50	0	8.43	<=13	Pass


5.2.2 Test Graph




Band41_10MHz_QPSK_HCH_2685MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_LCH_2501MHz_RB_50_0_NTNV



Band41_10MHz_16QAM_MCH_2593MHz_RB_50_0_NTNV



Band41_10MHz_16QAM_HCH_2685MHz_RB_50_0_NTNV





5.3 B41_15MHz


5.3.1 Test Result

Band: 41 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2503.5	75	0	7.43	<=13	Pass
	2593	75	0	7.34	<=13	Pass
	2682.5	75	0	7.33	<=13	Pass
16QAM	2503.5	75	0	8.11	<=13	Pass
	2593	75	0	8.01	<=13	Pass
	2682.5	75	0	8.05	<=13	Pass


5.3.2 Test Graph




Band41_15MHz_QPSK_HCH_2682.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_LCH_2503.5MHz_RB_75_0_NTNV



Band41_15MHz_16QAM_MCH_2593MHz_RB_75_0_NTNV



Band41_15MHz_16QAM_HCH_2682.5MHz_RB_75_0_NTNV





5.4 B41_20MHz


5.4.1 Test Result

Band: 41 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2506	100	0	7.72	<=13	Pass
	2593	100	0	7.86	<=13	Pass
	2680	100	0	7.66	<=13	Pass
16QAM	2506	100	0	8.46	<=13	Pass
	2593	100	0	8.67	<=13	Pass
	2680	100	0	8.53	<=13	Pass


5.4.2 Test Graph




Band41_20MHz_QPSK_HCH_2680MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_LCH_2506MHz_RB_100_0_NTNV



Band41_20MHz_16QAM_MCH_2593MHz_RB_100_0_NTNV



Band41_20MHz_16QAM_HCH_2680MHz_RB_100_0_NTNV





6. Spurious Emission

6.1 B41_5MHz


6.1.1 Test Result

Band: 41 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2498.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
		2687.5	1	0	Refer To Test Graph	
				24	Refer To Test Graph	
			25	0	Refer To Test Graph	
16QAM	2498.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
		2687.5	1	0	Refer To Test Graph	
				24	Refer To Test Graph	
			25	0	Refer To Test Graph	


6.1.2 Test Graph




Band41_5MHz_QPSK_LCH_2498.5MHz_RB_1_0_NTNV



Band41_5MHz_QPSK_LCH_2498.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_LCH_2498.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2494.324	-26.07	-13	Pass
2495	2496	0.1	/	2	2495.989	-28.93	-13	Pass
2496	2503.5	0.112	/	/	/	/	/	/


Band41_5MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_1_0_NTNV



Band41_5MHz_QPSK_HCH_2687.5MHz_RB_1_0_NTNV



Band41_5MHz_QPSK_HCH_2687.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2682.5	2690	0.1	/	/	/	/	/	/
2690	2691	0.1	/	1	2690.025	-11.23	-10	Pass
2691	2707.5	1	CHP	2	2691.950	-30.83	-10	Pass