

# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 B26b\_1.4MHz\_ERP

### 1.1.1 Test Result

Band: 26b / Bandwidth: 1.4MHz / NTN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	824.7	1	0	23.89	0.68	22.42	<=38.45	Pass		
			2	24.00	0.68	22.53	<=38.45	Pass		
			5	23.96	0.68	22.49	<=38.45	Pass		
		3	0	23.84	0.68	22.37	<=38.45	Pass		
			2	23.89	0.68	22.42	<=38.45	Pass		
			3	23.87	0.68	22.40	<=38.45	Pass		
		6	0	22.98	0.68	21.51	<=38.45	Pass		
		836.5	1	0	23.81	0.68	22.34	<=38.45	Pass	
				2	23.93	0.68	22.46	<=38.45	Pass	
	5			23.88	0.68	22.41	<=38.45	Pass		
	3		0	23.94	0.68	22.47	<=38.45	Pass		
			2	23.97	0.68	22.50	<=38.45	Pass		
			3	23.69	0.68	22.22	<=38.45	Pass		
	6		0	22.63	0.68	21.16	<=38.45	Pass		
	848.3		1	0	24.05	0.68	22.58	<=38.45	Pass	
				2	24.20	0.68	22.73	<=38.45	Pass	
		5		23.63	0.68	22.16	<=38.45	Pass		
		3	0	23.50	0.68	22.03	<=38.45	Pass		
			2	23.98	0.68	22.51	<=38.45	Pass		
			3	23.43	0.68	21.96	<=38.45	Pass		
		6	0	22.59	0.68	21.12	<=38.45	Pass		
		16QAM	824.7	1	0	22.74	0.68	21.27	<=38.45	Pass
					2	23.02	0.68	21.55	<=38.45	Pass
	5				22.81	0.68	21.34	<=38.45	Pass	
3	0			22.90	0.68	21.43	<=38.45	Pass		
	2			22.75	0.68	21.28	<=38.45	Pass		
	3			22.79	0.68	21.32	<=38.45	Pass		
6	0			21.82	0.68	20.35	<=38.45	Pass		
836.5	1			0	22.56	0.68	21.09	<=38.45	Pass	
				2	22.92	0.68	21.45	<=38.45	Pass	
			5	22.81	0.68	21.34	<=38.45	Pass		
	3		0	22.88	0.68	21.41	<=38.45	Pass		
			2	22.89	0.68	21.42	<=38.45	Pass		
			3	22.92	0.68	21.45	<=38.45	Pass		
	6		0	21.95	0.68	20.48	<=38.45	Pass		
	848.3		1	0	22.58	0.68	21.11	<=38.45	Pass	
				2	22.49	0.68	21.02	<=38.45	Pass	
5				22.33	0.68	20.86	<=38.45	Pass		
3			0	22.38	0.68	20.91	<=38.45	Pass		
			2	22.83	0.68	21.36	<=38.45	Pass		
			3	22.41	0.68	20.94	<=38.45	Pass		
6			0	21.49	0.68	20.02	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15



1.2 B26b\_3MHz\_ERP

1.2.1 Test Result

Band: 26b / Bandwidth: 3MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	825.5	1	0	24.03	0.68	22.56	<=38.45	Pass		
			7	24.06	0.68	22.59	<=38.45	Pass		
			14	23.55	0.68	22.08	<=38.45	Pass		
		8	0	22.48	0.68	21.01	<=38.45	Pass		
			4	22.52	0.68	21.05	<=38.45	Pass		
			7	22.53	0.68	21.06	<=38.45	Pass		
		15	0	22.46	0.68	20.99	<=38.45	Pass		
		836.5	1	0	23.52	0.68	22.05	<=38.45	Pass	
				7	23.62	0.68	22.15	<=38.45	Pass	
	14			23.59	0.68	22.12	<=38.45	Pass		
	8		0	22.52	0.68	21.05	<=38.45	Pass		
			4	22.54	0.68	21.07	<=38.45	Pass		
			7	22.52	0.68	21.05	<=38.45	Pass		
	15		0	22.55	0.68	21.08	<=38.45	Pass		
	847.5		1	0	23.68	0.68	22.21	<=38.45	Pass	
				7	23.73	0.68	22.26	<=38.45	Pass	
		14		23.68	0.68	22.21	<=38.45	Pass		
		8	0	22.71	0.68	21.24	<=38.45	Pass		
			4	22.66	0.68	21.19	<=38.45	Pass		
			7	22.59	0.68	21.12	<=38.45	Pass		
		15	0	22.59	0.68	21.12	<=38.45	Pass		
		16QAM	825.5	1	0	22.46	0.68	20.99	<=38.45	Pass
					7	22.95	0.68	21.48	<=38.45	Pass
	14				22.58	0.68	21.11	<=38.45	Pass	
8	0			21.51	0.68	20.04	<=38.45	Pass		
	4			21.60	0.68	20.13	<=38.45	Pass		
	7			21.44	0.68	19.97	<=38.45	Pass		
15	0			21.46	0.68	19.99	<=38.45	Pass		
836.5	1			0	22.68	0.68	21.21	<=38.45	Pass	
				7	22.68	0.68	21.21	<=38.45	Pass	
			14	22.94	0.68	21.47	<=38.45	Pass		
	8		0	21.51	0.68	20.04	<=38.45	Pass		
			4	21.62	0.68	20.15	<=38.45	Pass		
			7	21.67	0.68	20.20	<=38.45	Pass		
	15		0	21.53	0.68	20.06	<=38.45	Pass		
	847.5		1	0	23.11	0.68	21.64	<=38.45	Pass	
				7	22.90	0.68	21.43	<=38.45	Pass	
14				22.54	0.68	21.07	<=38.45	Pass		
8			0	21.86	0.68	20.39	<=38.45	Pass		
			4	21.65	0.68	20.18	<=38.45	Pass		
			7	21.61	0.68	20.14	<=38.45	Pass		
15			0	21.71	0.68	20.24	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.3 B26b\_5MHz\_ERP

1.3.1 Test Result

Band: 26b / Bandwidth: 5MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	826.5	1	0	23.68	0.68	22.21	<=38.45	Pass		
			13	23.47	0.68	22.00	<=38.45	Pass		
			24	23.40	0.68	21.93	<=38.45	Pass		
		12	0	22.29	0.68	20.82	<=38.45	Pass		
			6	22.37	0.68	20.90	<=38.45	Pass		
			13	22.43	0.68	20.96	<=38.45	Pass		
		25	0	22.34	0.68	20.87	<=38.45	Pass		
		836.5	1	0	23.31	0.68	21.84	<=38.45	Pass	
				13	23.44	0.68	21.97	<=38.45	Pass	
	24			23.35	0.68	21.88	<=38.45	Pass		
	12		0	22.49	0.68	21.02	<=38.45	Pass		
			6	22.48	0.68	21.01	<=38.45	Pass		
			13	22.36	0.68	20.89	<=38.45	Pass		
	25		0	22.37	0.68	20.90	<=38.45	Pass		
	846.5		1	0	23.44	0.68	21.97	<=38.45	Pass	
				13	23.53	0.68	22.06	<=38.45	Pass	
		24		23.60	0.68	22.13	<=38.45	Pass		
		12	0	22.37	0.68	20.90	<=38.45	Pass		
			6	22.52	0.68	21.05	<=38.45	Pass		
			13	22.23	0.68	20.76	<=38.45	Pass		
		25	0	22.30	0.68	20.83	<=38.45	Pass		
		16QAM	826.5	1	0	22.08	0.68	20.61	<=38.45	Pass
					13	22.54	0.68	21.07	<=38.45	Pass
	24				22.38	0.68	20.91	<=38.45	Pass	
12	0			21.25	0.68	19.78	<=38.45	Pass		
	6			21.38	0.68	19.91	<=38.45	Pass		
	13			21.36	0.68	19.89	<=38.45	Pass		
25	0			21.35	0.68	19.88	<=38.45	Pass		
836.5	1			0	22.39	0.68	20.92	<=38.45	Pass	
				13	22.25	0.68	20.78	<=38.45	Pass	
			24	22.50	0.68	21.03	<=38.45	Pass		
	12		0	21.47	0.68	20.00	<=38.45	Pass		
			6	21.46	0.68	19.99	<=38.45	Pass		
			13	21.29	0.68	19.82	<=38.45	Pass		
	25		0	21.46	0.68	19.99	<=38.45	Pass		
	846.5		1	0	22.50	0.68	21.03	<=38.45	Pass	
				13	22.58	0.68	21.11	<=38.45	Pass	
24				22.17	0.68	20.70	<=38.45	Pass		
12			0	21.40	0.68	19.93	<=38.45	Pass		
			6	21.51	0.68	20.04	<=38.45	Pass		
			13	21.25	0.68	19.78	<=38.45	Pass		
25			0	21.29	0.68	19.82	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15



1.4 B26b\_10MHz\_ERP

1.4.1 Test Result

Band: 26b / Bandwidth: 10MHz / NTN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	829	1	0	23.89	0.68	22.42	<=38.45	Pass		
			25	24.08	0.68	22.61	<=38.45	Pass		
			49	23.37	0.68	21.90	<=38.45	Pass		
		25	0	22.29	0.68	20.82	<=38.45	Pass		
			13	22.41	0.68	20.94	<=38.45	Pass		
			25	23.08	0.68	21.61	<=38.45	Pass		
		50	0	22.96	0.68	21.49	<=38.45	Pass		
		836.5	1	0	23.87	0.68	22.40	<=38.45	Pass	
				25	24.23	0.68	22.76	<=38.45	Pass	
	49			24.15	0.68	22.68	<=38.45	Pass		
	25		0	23.13	0.68	21.66	<=38.45	Pass		
			13	23.00	0.68	21.53	<=38.45	Pass		
			25	22.79	0.68	21.32	<=38.45	Pass		
	50		0	22.86	0.68	21.39	<=38.45	Pass		
	844		1	0	23.46	0.68	21.99	<=38.45	Pass	
				25	23.79	0.68	22.32	<=38.45	Pass	
		49		23.66	0.68	22.19	<=38.45	Pass		
		25	0	22.36	0.68	20.89	<=38.45	Pass		
			13	22.54	0.68	21.07	<=38.45	Pass		
			25	22.40	0.68	20.93	<=38.45	Pass		
		50	0	22.35	0.68	20.88	<=38.45	Pass		
		16QAM	829	1	0	23.23	0.68	21.76	<=38.45	Pass
					25	23.48	0.68	22.01	<=38.45	Pass
	49				23.41	0.68	21.94	<=38.45	Pass	
25	0			21.81	0.68	20.34	<=38.45	Pass		
	13			21.98	0.68	20.51	<=38.45	Pass		
	25			22.11	0.68	20.64	<=38.45	Pass		
50	0			21.94	0.68	20.47	<=38.45	Pass		
836.5	1			0	22.69	0.68	21.22	<=38.45	Pass	
				25	23.43	0.68	21.96	<=38.45	Pass	
			49	22.53	0.68	21.06	<=38.45	Pass		
	25		0	21.96	0.68	20.49	<=38.45	Pass		
			13	21.83	0.68	20.36	<=38.45	Pass		
			25	21.61	0.68	20.14	<=38.45	Pass		
	50		0	21.80	0.68	20.33	<=38.45	Pass		
	844		1	0	22.48	0.68	21.01	<=38.45	Pass	
				25	22.74	0.68	21.27	<=38.45	Pass	
49				22.61	0.68	21.14	<=38.45	Pass		
25			0	21.30	0.68	19.83	<=38.45	Pass		
			13	21.51	0.68	20.04	<=38.45	Pass		
			25	21.41	0.68	19.94	<=38.45	Pass		
50			0	21.34	0.68	19.87	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15



## 2. Frequency Stability

### 2.1 B26b\_1.4MHz

#### 2.1.1 Test Result

Band: 26b / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.27	-1.416	-0.0017	-2.5 to 2.5	Pass
					3.85	1.588	0.0019	-2.5 to 2.5	Pass
					4.43	-5.908	-0.0072	-2.5 to 2.5	Pass
				-30	3.85	0.901	0.0011	-2.5 to 2.5	Pass
				-20	3.85	-3.490	-0.0042	-2.5 to 2.5	Pass
				-10	3.85	-11.945	-0.0145	-2.5 to 2.5	Pass
				0	3.85	-6.166	-0.0075	-2.5 to 2.5	Pass
				10	3.85	-1.459	-0.0018	-2.5 to 2.5	Pass
				30	3.85	-6.981	-0.0085	-2.5 to 2.5	Pass
	40	3.85	-0.629	-0.0008	-2.5 to 2.5	Pass			
	50	3.85	-5.593	-0.0068	-2.5 to 2.5	Pass			
	836.5	6	0	20	3.27	-0.272	-0.0003	-2.5 to 2.5	Pass
					3.85	-4.978	-0.0060	-2.5 to 2.5	Pass
					4.43	-5.064	-0.0061	-2.5 to 2.5	Pass
				-30	3.85	-0.744	-0.0009	-2.5 to 2.5	Pass
				-20	3.85	-4.020	-0.0048	-2.5 to 2.5	Pass
				-10	3.85	-3.705	-0.0044	-2.5 to 2.5	Pass
				0	3.85	-5.651	-0.0068	-2.5 to 2.5	Pass
				10	3.85	-4.649	-0.0056	-2.5 to 2.5	Pass
				30	3.85	-9.055	-0.0108	-2.5 to 2.5	Pass
	40	3.85	-4.034	-0.0048	-2.5 to 2.5	Pass			
	50	3.85	-4.778	-0.0057	-2.5 to 2.5	Pass			
	848.3	6	0	20	3.27	-6.380	-0.0075	-2.5 to 2.5	Pass
					3.85	-10.185	-0.0120	-2.5 to 2.5	Pass
					4.43	-2.117	-0.0025	-2.5 to 2.5	Pass
				-30	3.85	-8.054	-0.0095	-2.5 to 2.5	Pass
				-20	3.85	-4.520	-0.0053	-2.5 to 2.5	Pass
-10				3.85	-10.228	-0.0121	-2.5 to 2.5	Pass	
0				3.85	-8.254	-0.0097	-2.5 to 2.5	Pass	
10				3.85	-4.978	-0.0059	-2.5 to 2.5	Pass	
30				3.85	-10.672	-0.0126	-2.5 to 2.5	Pass	
40	3.85	-4.921	-0.0058	-2.5 to 2.5	Pass				
50	3.85	-11.973	-0.0141	-2.5 to 2.5	Pass				
16QAM	824.7	6	0	20	3.27	-1.502	-0.0018	-2.5 to 2.5	Pass
					3.85	-6.752	-0.0082	-2.5 to 2.5	Pass
					4.43	-10.443	-0.0127	-2.5 to 2.5	Pass
				-30	3.85	-6.108	-0.0074	-2.5 to 2.5	Pass
				-20	3.85	-3.605	-0.0044	-2.5 to 2.5	Pass
				-10	3.85	-3.648	-0.0044	-2.5 to 2.5	Pass
				0	3.85	-1.245	-0.0015	-2.5 to 2.5	Pass
				10	3.85	-3.505	-0.0043	-2.5 to 2.5	Pass
				30	3.85	-3.905	-0.0047	-2.5 to 2.5	Pass
40	3.85	0.615	0.0007	-2.5 to 2.5	Pass				
50	3.85	-1.316	-0.0016	-2.5 to 2.5	Pass				



	836.5	6	0	20	3.27	-6.065	-0.0073	-2.5 to 2.5	Pass
					3.85	-8.426	-0.0101	-2.5 to 2.5	Pass
					4.43	-1.945	-0.0023	-2.5 to 2.5	Pass
				-30	3.85	-6.423	-0.0077	-2.5 to 2.5	Pass
				-20	3.85	-5.679	-0.0068	-2.5 to 2.5	Pass
				-10	3.85	-8.411	-0.0101	-2.5 to 2.5	Pass
				0	3.85	-7.010	-0.0084	-2.5 to 2.5	Pass
				10	3.85	-8.183	-0.0098	-2.5 to 2.5	Pass
				30	3.85	-7.167	-0.0086	-2.5 to 2.5	Pass
	40	3.85	-6.995	-0.0084	-2.5 to 2.5	Pass			
	50	3.85	-7.167	-0.0086	-2.5 to 2.5	Pass			
	848.3	6	0	20	3.27	-7.524	-0.0089	-2.5 to 2.5	Pass
					3.85	-10.443	-0.0123	-2.5 to 2.5	Pass
					4.43	-5.322	-0.0063	-2.5 to 2.5	Pass
				-30	3.85	-10.901	-0.0129	-2.5 to 2.5	Pass
				-20	3.85	-10.257	-0.0121	-2.5 to 2.5	Pass
				-10	3.85	-4.234	-0.0050	-2.5 to 2.5	Pass
				0	3.85	-6.952	-0.0082	-2.5 to 2.5	Pass
10				3.85	1.559	0.0018	-2.5 to 2.5	Pass	
30				3.85	-3.433	-0.0040	-2.5 to 2.5	Pass	
40	3.85	-7.496	-0.0088	-2.5 to 2.5	Pass				
50	3.85	-8.183	-0.0096	-2.5 to 2.5	Pass				

## 2.2 B26b\_3MHz

### 2.2.1 Test Result

Band: 26b / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	3.27	-3.905	-0.0047	-2.5 to 2.5	Pass
					3.85	-6.552	-0.0079	-2.5 to 2.5	Pass
					4.43	-5.221	-0.0063	-2.5 to 2.5	Pass
				-30	3.85	-11.215	-0.0136	-2.5 to 2.5	Pass
				-20	3.85	-6.037	-0.0073	-2.5 to 2.5	Pass
				-10	3.85	-8.783	-0.0106	-2.5 to 2.5	Pass
				0	3.85	-8.240	-0.0100	-2.5 to 2.5	Pass
				10	3.85	-7.596	-0.0092	-2.5 to 2.5	Pass
				30	3.85	-6.766	-0.0082	-2.5 to 2.5	Pass
	40	3.85	-2.360	-0.0029	-2.5 to 2.5	Pass			
	50	3.85	-6.537	-0.0079	-2.5 to 2.5	Pass			
	836.5	15	0	20	3.27	-7.482	-0.0089	-2.5 to 2.5	Pass
					3.85	-3.691	-0.0044	-2.5 to 2.5	Pass
					4.43	-8.054	-0.0096	-2.5 to 2.5	Pass
				-30	3.85	-4.964	-0.0059	-2.5 to 2.5	Pass
				-20	3.85	-14.091	-0.0168	-2.5 to 2.5	Pass
				-10	3.85	-3.204	-0.0038	-2.5 to 2.5	Pass
				0	3.85	-11.544	-0.0138	-2.5 to 2.5	Pass
				10	3.85	-5.393	-0.0064	-2.5 to 2.5	Pass
				30	3.85	-10.443	-0.0125	-2.5 to 2.5	Pass
	40	3.85	-2.589	-0.0031	-2.5 to 2.5	Pass			
	50	3.85	-8.469	-0.0101	-2.5 to 2.5	Pass			
	847.5	15	0	20	3.27	-8.683	-0.0102	-2.5 to 2.5	Pass

					3.85	-5.193	-0.0061	-2.5 to 2.5	Pass				
					4.43	-5.364	-0.0063	-2.5 to 2.5	Pass				
				-30	3.85	-8.240	-0.0097	-2.5 to 2.5	Pass				
				-20	3.85	-6.309	-0.0074	-2.5 to 2.5	Pass				
				-10	3.85	-5.879	-0.0069	-2.5 to 2.5	Pass				
				0	3.85	1.917	0.0023	-2.5 to 2.5	Pass				
				10	3.85	-2.489	-0.0029	-2.5 to 2.5	Pass				
				30	3.85	-8.469	-0.0100	-2.5 to 2.5	Pass				
				40	3.85	-6.952	-0.0082	-2.5 to 2.5	Pass				
				50	3.85	-3.605	-0.0043	-2.5 to 2.5	Pass				
16QAM	825.5	15	0	20	3.27	-0.401	-0.0005	-2.5 to 2.5	Pass				
					3.85	-2.890	-0.0035	-2.5 to 2.5	Pass				
					4.43	-9.284	-0.0112	-2.5 to 2.5	Pass				
								-30	3.85	-0.043	-0.0001	-2.5 to 2.5	Pass
								-20	3.85	-5.379	-0.0065	-2.5 to 2.5	Pass
								-10	3.85	-4.320	-0.0052	-2.5 to 2.5	Pass
								0	3.85	-4.449	-0.0054	-2.5 to 2.5	Pass
								10	3.85	-6.466	-0.0078	-2.5 to 2.5	Pass
								30	3.85	-8.855	-0.0107	-2.5 to 2.5	Pass
					40	3.85	-4.935	-0.0060	-2.5 to 2.5	Pass			
					50	3.85	-1.245	-0.0015	-2.5 to 2.5	Pass			
		836.5	15	0	20	3.27	-4.063	-0.0049	-2.5 to 2.5	Pass			
	3.85					-10.972	-0.0131	-2.5 to 2.5	Pass				
	4.43					-7.281	-0.0087	-2.5 to 2.5	Pass				
								-30	3.85	-11.387	-0.0136	-2.5 to 2.5	Pass
								-20	3.85	-10.071	-0.0120	-2.5 to 2.5	Pass
								-10	3.85	-9.470	-0.0113	-2.5 to 2.5	Pass
								0	3.85	-9.613	-0.0115	-2.5 to 2.5	Pass
								10	3.85	0.801	0.0010	-2.5 to 2.5	Pass
								30	3.85	-7.954	-0.0095	-2.5 to 2.5	Pass
					40	3.85	-0.415	-0.0005	-2.5 to 2.5	Pass			
					50	3.85	-9.298	-0.0111	-2.5 to 2.5	Pass			
		847.5	15	0	20	3.27	2.489	0.0029	-2.5 to 2.5	Pass			
	3.85					-7.939	-0.0094	-2.5 to 2.5	Pass				
	4.43					-5.980	-0.0071	-2.5 to 2.5	Pass				
								-30	3.85	-11.244	-0.0133	-2.5 to 2.5	Pass
								-20	3.85	-3.505	-0.0041	-2.5 to 2.5	Pass
							-10	3.85	-6.495	-0.0077	-2.5 to 2.5	Pass	
							0	3.85	-10.314	-0.0122	-2.5 to 2.5	Pass	
							10	3.85	-2.518	-0.0030	-2.5 to 2.5	Pass	
							30	3.85	-3.877	-0.0046	-2.5 to 2.5	Pass	
				40	3.85	-4.377	-0.0052	-2.5 to 2.5	Pass				
				50	3.85	-8.240	-0.0097	-2.5 to 2.5	Pass				

## 2.3 B26b\_5MHz

### 2.3.1 Test Result

Band: 26b / Bandwidth: 5MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	826.5	25	0	20		3.27	-2.518	-0.0030	-2.5 to 2.5	Pass
										3.85



					4.43	-7.653	-0.0093	-2.5 to 2.5	Pass		
				-30	3.85	-6.695	-0.0081	-2.5 to 2.5	Pass		
				-20	3.85	-2.303	-0.0028	-2.5 to 2.5	Pass		
				-10	3.85	-3.891	-0.0047	-2.5 to 2.5	Pass		
				0	3.85	-1.016	-0.0012	-2.5 to 2.5	Pass		
				10	3.85	-2.217	-0.0027	-2.5 to 2.5	Pass		
				30	3.85	-9.141	-0.0111	-2.5 to 2.5	Pass		
				40	3.85	-5.693	-0.0069	-2.5 to 2.5	Pass		
				50	3.85	-4.463	-0.0054	-2.5 to 2.5	Pass		
	836.5	25	0		20	3.27	-2.460	-0.0029	-2.5 to 2.5	Pass	
						3.85	-4.535	-0.0054	-2.5 to 2.5	Pass	
						4.43	-0.315	-0.0004	-2.5 to 2.5	Pass	
					-30	3.85	-3.519	-0.0042	-2.5 to 2.5	Pass	
					-20	3.85	-7.939	-0.0095	-2.5 to 2.5	Pass	
					-10	3.85	-9.727	-0.0116	-2.5 to 2.5	Pass	
					0	3.85	-3.977	-0.0048	-2.5 to 2.5	Pass	
					10	3.85	-8.340	-0.0100	-2.5 to 2.5	Pass	
					30	3.85	-2.403	-0.0029	-2.5 to 2.5	Pass	
	40	3.85	-5.178	-0.0062	-2.5 to 2.5	Pass					
	50	3.85	-5.379	-0.0064	-2.5 to 2.5	Pass					
	846.5	25	0		20	3.27	-5.565	-0.0066	-2.5 to 2.5	Pass	
						3.85	-7.911	-0.0093	-2.5 to 2.5	Pass	
						4.43	-2.561	-0.0030	-2.5 to 2.5	Pass	
					-30	3.85	-7.453	-0.0088	-2.5 to 2.5	Pass	
					-20	3.85	-7.124	-0.0084	-2.5 to 2.5	Pass	
					-10	3.85	-7.768	-0.0092	-2.5 to 2.5	Pass	
					0	3.85	-1.059	-0.0013	-2.5 to 2.5	Pass	
					10	3.85	-8.512	-0.0101	-2.5 to 2.5	Pass	
					30	3.85	-8.183	-0.0097	-2.5 to 2.5	Pass	
	40	3.85	-4.764	-0.0056	-2.5 to 2.5	Pass					
	50	3.85	-9.956	-0.0118	-2.5 to 2.5	Pass					
	16QAM	826.5	25	0		20	3.27	-8.783	-0.0106	-2.5 to 2.5	Pass
							3.85	-7.095	-0.0086	-2.5 to 2.5	Pass
4.43							-9.027	-0.0109	-2.5 to 2.5	Pass	
-30						3.85	-5.364	-0.0065	-2.5 to 2.5	Pass	
-20						3.85	-5.379	-0.0065	-2.5 to 2.5	Pass	
-10						3.85	-5.507	-0.0067	-2.5 to 2.5	Pass	
0						3.85	-7.167	-0.0087	-2.5 to 2.5	Pass	
10						3.85	0.401	0.0005	-2.5 to 2.5	Pass	
30						3.85	-2.646	-0.0032	-2.5 to 2.5	Pass	
40		3.85	-4.735	-0.0057	-2.5 to 2.5	Pass					
50		3.85	-5.622	-0.0068	-2.5 to 2.5	Pass					
836.5		25	0		20	3.27	-5.894	-0.0070	-2.5 to 2.5	Pass	
						3.85	-4.249	-0.0051	-2.5 to 2.5	Pass	
						4.43	-8.597	-0.0103	-2.5 to 2.5	Pass	
					-30	3.85	-7.968	-0.0095	-2.5 to 2.5	Pass	
					-20	3.85	-4.334	-0.0052	-2.5 to 2.5	Pass	
					-10	3.85	-6.866	-0.0082	-2.5 to 2.5	Pass	
					0	3.85	-3.047	-0.0036	-2.5 to 2.5	Pass	
					10	3.85	-10.557	-0.0126	-2.5 to 2.5	Pass	
					30	3.85	-8.397	-0.0100	-2.5 to 2.5	Pass	
40		3.85	-5.994	-0.0072	-2.5 to 2.5	Pass					
50		3.85	-7.553	-0.0090	-2.5 to 2.5	Pass					
846.5		25	0	20	3.27	-8.326	-0.0098	-2.5 to 2.5	Pass		
					3.85	-9.170	-0.0108	-2.5 to 2.5	Pass		



					4.43	-7.081	-0.0084	-2.5 to 2.5	Pass
				-30	3.85	-3.161	-0.0037	-2.5 to 2.5	Pass
				-20	3.85	-10.328	-0.0122	-2.5 to 2.5	Pass
				-10	3.85	-9.141	-0.0108	-2.5 to 2.5	Pass
				0	3.85	-4.163	-0.0049	-2.5 to 2.5	Pass
				10	3.85	-2.332	-0.0028	-2.5 to 2.5	Pass
				30	3.85	-10.285	-0.0122	-2.5 to 2.5	Pass
				40	3.85	-9.027	-0.0107	-2.5 to 2.5	Pass
				50	3.85	-2.761	-0.0033	-2.5 to 2.5	Pass

## 2.4 B26b\_10MHz

### 2.4.1 Test Result

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.27	-8.340	-0.0101	-2.5 to 2.5	Pass
					3.85	-5.779	-0.0070	-2.5 to 2.5	Pass
					4.43	-9.027	-0.0109	-2.5 to 2.5	Pass
				-30	3.85	-9.027	-0.0109	-2.5 to 2.5	Pass
				-20	3.85	-4.821	-0.0058	-2.5 to 2.5	Pass
				-10	3.85	-5.007	-0.0060	-2.5 to 2.5	Pass
				0	3.85	-5.307	-0.0064	-2.5 to 2.5	Pass
				10	3.85	-6.523	-0.0079	-2.5 to 2.5	Pass
				30	3.85	-6.838	-0.0082	-2.5 to 2.5	Pass
	40	3.85	-8.712	-0.0105	-2.5 to 2.5	Pass			
	50	3.85	-5.150	-0.0062	-2.5 to 2.5	Pass			
	836.5	50	0	20	3.27	-5.221	-0.0062	-2.5 to 2.5	Pass
					3.85	-4.406	-0.0053	-2.5 to 2.5	Pass
					4.43	-6.638	-0.0079	-2.5 to 2.5	Pass
				-30	3.85	-3.762	-0.0045	-2.5 to 2.5	Pass
				-20	3.85	-5.665	-0.0068	-2.5 to 2.5	Pass
				-10	3.85	-5.136	-0.0061	-2.5 to 2.5	Pass
				0	3.85	-3.319	-0.0040	-2.5 to 2.5	Pass
				10	3.85	-3.591	-0.0043	-2.5 to 2.5	Pass
				30	3.85	-5.136	-0.0061	-2.5 to 2.5	Pass
	40	3.85	-3.648	-0.0044	-2.5 to 2.5	Pass			
	50	3.85	-4.191	-0.0050	-2.5 to 2.5	Pass			
	844	50	0	20	3.27	-1.917	-0.0023	-2.5 to 2.5	Pass
					3.85	-3.862	-0.0046	-2.5 to 2.5	Pass
					4.43	-6.866	-0.0081	-2.5 to 2.5	Pass
				-30	3.85	-3.276	-0.0039	-2.5 to 2.5	Pass
				-20	3.85	-5.522	-0.0065	-2.5 to 2.5	Pass
-10				3.85	-6.595	-0.0078	-2.5 to 2.5	Pass	
0				3.85	-2.289	-0.0027	-2.5 to 2.5	Pass	
10				3.85	-3.920	-0.0046	-2.5 to 2.5	Pass	
30				3.85	-0.515	-0.0006	-2.5 to 2.5	Pass	
40	3.85	-8.955	-0.0106	-2.5 to 2.5	Pass				
50	3.85	-8.483	-0.0101	-2.5 to 2.5	Pass				
16QAM	829	50	0	20	3.27	-7.110	-0.0086	-2.5 to 2.5	Pass
					3.85	-7.353	-0.0089	-2.5 to 2.5	Pass
					4.43	-6.580	-0.0079	-2.5 to 2.5	Pass

	836.5	50	0	-30	3.85	-4.964	-0.0060	-2.5 to 2.5	Pass
				-20	3.85	-6.995	-0.0084	-2.5 to 2.5	Pass
				-10	3.85	-9.785	-0.0118	-2.5 to 2.5	Pass
				0	3.85	-5.236	-0.0063	-2.5 to 2.5	Pass
				10	3.85	-10.571	-0.0128	-2.5 to 2.5	Pass
				30	3.85	-9.913	-0.0120	-2.5 to 2.5	Pass
				40	3.85	-11.859	-0.0143	-2.5 to 2.5	Pass
				50	3.85	-7.768	-0.0094	-2.5 to 2.5	Pass
				20	50	0	3.27	-2.875	-0.0034
	3.85	-9.456	-0.0113				-2.5 to 2.5	Pass	
	4.43	-6.523	-0.0078				-2.5 to 2.5	Pass	
	-30	3.85	-10.843				-0.0130	-2.5 to 2.5	Pass
	-20	3.85	-1.187				-0.0014	-2.5 to 2.5	Pass
	-10	3.85	-3.934				-0.0047	-2.5 to 2.5	Pass
	0	3.85	-3.963				-0.0047	-2.5 to 2.5	Pass
	10	3.85	-3.090				-0.0037	-2.5 to 2.5	Pass
	30	3.85	-4.292				-0.0051	-2.5 to 2.5	Pass
	40	3.85	-10.471	-0.0125	-2.5 to 2.5	Pass			
	50	3.85	-5.035	-0.0060	-2.5 to 2.5	Pass			
	20	50	0	3.27	-3.633	-0.0043	-2.5 to 2.5	Pass	
				3.85	-4.363	-0.0052	-2.5 to 2.5	Pass	
				4.43	-6.523	-0.0077	-2.5 to 2.5	Pass	
				-30	3.85	-6.809	-0.0081	-2.5 to 2.5	Pass
				-20	3.85	-8.626	-0.0102	-2.5 to 2.5	Pass
				-10	3.85	-7.181	-0.0085	-2.5 to 2.5	Pass
				0	3.85	-1.516	-0.0018	-2.5 to 2.5	Pass
				10	3.85	-3.777	-0.0045	-2.5 to 2.5	Pass
				30	3.85	-7.339	-0.0087	-2.5 to 2.5	Pass
	40	3.85	-6.351	-0.0075	-2.5 to 2.5	Pass			
	50	3.85	-7.839	-0.0093	-2.5 to 2.5	Pass			



### 3. Modulation Characteristics

#### 3.1 B26b\_1.4MHz

##### 3.1.1 Test Result

Band: 26b / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	6	0	Refer To Test Graph		Pass
16QAM	836.5	6	0	Refer To Test Graph		Pass

### 3.1.2 Test Graph







### 3.2 B26b\_3MHz

#### 3.2.1 Test Result

Band: 26b / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	15	0	Refer To Test Graph	Pass	
16QAM	836.5	15	0	Refer To Test Graph	Pass	

### 3.2.2 Test Graph





### 3.3 B26b\_5MHz

#### 3.3.1 Test Result

Band: 26b / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph	Pass	
16QAM	836.5	25	0	Refer To Test Graph	Pass	



### 3.3.2 Test Graph





### 3.4 B26b\_10MHz

#### 3.4.1 Test Result

Band: 26b / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph	Pass	
16QAM	836.5	50	0	Refer To Test Graph	Pass	

### 3.4.2 Test Graph





#### 4. 99% & 26dB Bandwidth



##### 4.1 Band26b\_OBW

##### 4.1.1 Test Result



Band: 26b / NTN						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	824.7	6	0	1.118	Pass
		836.5	6	0	1.105	Pass
		848.3	6	0	1.134	Pass
	16QAM	824.7	6	0	1.115	Pass
		836.5	6	0	1.111	Pass
		848.3	6	0	1.113	Pass
3	QPSK	825.5	15	0	2.744	Pass
		836.5	15	0	2.720	Pass
		847.5	15	0	2.729	Pass
	16QAM	825.5	15	0	2.736	Pass
		836.5	15	0	2.716	Pass
		847.5	15	0	2.718	Pass
5	QPSK	826.5	25	0	4.568	Pass
		836.5	25	0	4.554	Pass
		846.5	25	0	4.531	Pass
	16QAM	826.5	25	0	4.574	Pass
		836.5	25	0	4.547	Pass
		846.5	25	0	4.509	Pass
10	QPSK	829	50	0	9.057	Pass
		836.5	50	0	9.071	Pass
		844	50	0	9.035	Pass
	16QAM	829	50	0	9.055	Pass
		836.5	50	0	9.057	Pass
		844	50	0	9.051	Pass



### 4.1.2 Test Graph











































Band26b\_10MHz\_16QAM\_MCH\_836.5MHz\_RB\_50\_0\_NTNV



Band26b\_10MHz\_16QAM\_HCH\_844MHz\_RB\_50\_0\_NTNV







## 4.2 Band26b\_XDB



### 4.2.1 Test Result

Band: 26b / NTV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	824.7	6	0	1.381	Pass
		836.5	6	0	1.327	Pass
		848.3	6	0	1.989	Pass
	16QAM	824.7	6	0	1.315	Pass
		836.5	6	0	1.327	Pass
		848.3	6	0	1.381	Pass
3	QPSK	825.5	15	0	3.034	Pass
		836.5	15	0	3.007	Pass
		847.5	15	0	3.012	Pass
	16QAM	825.5	15	0	3.595	Pass
		836.5	15	0	3.011	Pass
		847.5	15	0	2.990	Pass
5	QPSK	826.5	25	0	5.849	Pass
		836.5	25	0	5.017	Pass
		846.5	25	0	4.973	Pass
	16QAM	826.5	25	0	6.512	Pass
		836.5	25	0	4.968	Pass
		846.5	25	0	4.969	Pass
10	QPSK	829	50	0	9.899	Pass
		836.5	50	0	9.975	Pass
		844	50	0	11.444	Pass
	16QAM	829	50	0	9.889	Pass
		836.5	50	0	9.796	Pass
		844	50	0	9.869	Pass



### 4.2.2 Test Graph











































Band26b\_10MHz\_16QAM\_MCH\_836.5MHz\_RB\_50\_0\_NTNV



Band26b\_10MHz\_16QAM\_HCH\_844MHz\_RB\_50\_0\_NTNV





## 5. Peak-Average Ratio



### 5.1 B26b\_1.4MHz

#### 5.1.1 Test Result


Band: 26b / Bandwidth: 1.4MHz / NTNv						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	6	0	3.72	<=13	Pass
	836.5	6	0	4.88	<=13	Pass
	848.3	6	0	3.25	<=13	Pass
16QAM	824.7	6	0	4.71	<=13	Pass
	836.5	6	0	5.73	<=13	Pass
	848.3	6	0	4.40	<=13	Pass

### 5.1.2 Test Graph






Band26b\_1.4MHz\_16QAM\_MCH\_836.5MHz\_RB\_6\_0\_NTNV



Band26b\_1.4MHz\_16QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTNV








5.2 B26b\_3MHz

5.2.1 Test Result

Band: 26b / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	15	0	3.49	<=13	Pass
	836.5	15	0	4.81	<=13	Pass
	847.5	15	0	4.06	<=13	Pass
16QAM	825.5	15	0	4.43	<=13	Pass
	836.5	15	0	5.67	<=13	Pass
	847.5	15	0	5.07	<=13	Pass


### 5.2.2 Test Graph








Band26b\_3MHz\_16QAM\_MCH\_836.5MHz\_RB\_15\_0\_NTNV



Band26b\_3MHz\_16QAM\_HCH\_847.5MHz\_RB\_15\_0\_NTNV







## 5.3 B26b\_5MHz

## 5.3.1 Test Result


Band: 26b / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	25	0	4.16	<=13	Pass
	836.5	25	0	5.05	<=13	Pass
	846.5	25	0	4.44	<=13	Pass
16QAM	826.5	25	0	4.92	<=13	Pass
	836.5	25	0	5.82	<=13	Pass
	846.5	25	0	5.35	<=13	Pass

### 5.3.2 Test Graph






Band26b\_5MHz\_16QAM\_MCH\_836.5MHz\_RB\_25\_0\_NTNV



Band26b\_5MHz\_16QAM\_HCH\_846.5MHz\_RB\_25\_0\_NTNV






5.4 B26b\_10MHz


5.4.1 Test Result

Band: 26b / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	829	50	0	7.47	<=13	Pass
	836.5	50	0	4.82	<=13	Pass
	844	50	0	4.76	<=13	Pass
16QAM	829	50	0	5.42	<=13	Pass
	836.5	50	0	5.83	<=13	Pass
	844	50	0	5.55	<=13	Pass


### 5.4.2 Test Graph



Band26b\_10MHz\_QPSK\_HCH\_844MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_LCH\_829MHz\_RB\_50\_0\_NTNV






Band26b\_10MHz\_16QAM\_MCH\_836.5MHz\_RB\_50\_0\_NTNV



Band26b\_10MHz\_16QAM\_HCH\_844MHz\_RB\_50\_0\_NTNV





## 6. Spurious Emission

### 6.1 B26b\_1.4MHz


#### 6.1.1 Test Result

Band: 26b / Bandwidth: 1.4MHz / NTNv						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

6.1.2 Test Graph






Band26b\_1.4MHz\_QPSK\_LCH\_824.7MHz\_RB\_6\_0\_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	823	0.1	/	1	822.947	-42.67	-13	Pass
823	824	0.013	/	2	823.994	-21.09	-13	Pass
824	825.5	0.013	/	/	/	/	/	/


Band26b\_1.4MHz\_QPSK\_MCH\_836.5MHz\_RB\_1\_0\_NTNV










Band26b\_1.4MHz\_16QAM\_LCH\_824.7MHz\_RB\_1\_0\_NTNV



Band26b\_1.4MHz\_16QAM\_LCH\_824.7MHz\_RB\_6\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	823	0.1	/	1	822.920	-42.83	-13	Pass
823	824	0.013	/	2	823.961	-24.56	-13	Pass
824	825.5	0.013	/	/	/	/	/	/






Band26b\_1.4MHz\_16QAM\_HCH\_848.3MHz\_RB\_1\_5\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.000	-26.27	-13	Pass
850	850.5	0.1	/	2	850.405	-60.94	-13	Pass

Band26b\_1.4MHz\_16QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.015	/	/	/	/	/	/
849	850	0.015	/	1	849.030	-24.66	-13	Pass
850	850.5	0.1	/	2	850.044	-42.47	-13	Pass







6.2 B26b\_3MHz

6.2.1 Test Result


Band: 26b / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
		1	14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
		1	14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

### 6.2.2 Test Graph






Band26b\_3MHz\_QPSK\_HCH\_847.5MHz\_RB\_1\_0\_NTNV




Band26b\_3MHz\_QPSK\_HCH\_847.5MHz\_RB\_1\_14\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	1	849.001	-22.68	-13	Pass
849	850	0.003	/	1	849.001	-22.68	-13	Pass
850	852	0.1	/	2	850.032	-36.10	-13	Pass

Band26b\_3MHz\_QPSK\_HCH\_847.5MHz\_RB\_15\_0\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.03	/	/	/	/	/	/
849	850	0.03	/	1	849.024	-26.54	-13	Pass
850	852	0.1	/	2	850.206	-29.28	-13	Pass

Band26b\_3MHz\_16QAM\_LCH\_825.5MHz\_RB\_1\_0\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	/	1	822.922	-43.45	-13	Pass
823	824	0.003	/	2	824.000	-27.47	-13	Pass
824	827	0.003	/	/	/	/	/	/