





# 4.6 Frequency Stability Test

# TEST APPLICABLE


- 1. According to FCC Part 2 Section 2.1055 (a)(1), the frequency stability shall be measured with variation of ambient temperature from -30°C to +50°C centigrade.
- 2. According to FCC Part 2 Section 2.1055 (E) (2), for battery powered equipment, the frequency stability shall be measured with reducing primary supply voltage to the battery operating end point, which is specified by the manufacture.
- 3. Vary primary supply voltage from 85 to 115 percent of the nominal value for other than hand carried voltage equipment and the end voltage point was 3.3V.

## TEST PROCEDURE

In order to measure the carrier frequency under the condition of AFC lock, it is necessary to make measurements with the EUT in a "call mode". This is accomplished with the use of R&S CMU200 DIGITAL RADIO COMMUNICATION TESTER.

- 1. Measure the carrier frequency at room temperature;
- 2. Subject the EUT to overnight soak at -30℃;
- 3. With the EUT, powered via nominal voltage, connected to the CMU200 and in a simulated call on middle channel of PCS 1900 and GSM850, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming;
- 4. Repeat the above measurements at 10℃ increments from -30℃ to +50℃. Allow at least 0.5 hours at each temperature, unpowered, before making measurements;
- 5. Remeasure carrier frequency at room temperature with nominal voltage. Vary supply voltage from minimum voltage to maximum voltage, in 0.1Volt increments remeasuring carrier frequency at each voltage. Pause at nominal voltage for 0.5 hours unpowered, to allow any self-heating to stabilize, before continuing;
- Subject the EUT to overnight soak at +50 ℃;
- 7. With the EUT, powered via nominal voltage, connected to the CMU200 and in a simulated call on the centre channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming;
- 8. Repeat the above measurements at 10℃ increments from +50℃ to -30℃. Allow at least 0.5 hours at each temperature, unpowered, before making measurements;
- 9. At all temperature levels hold the temperature to +/-  $0.5^{\circ}$ C during the measurement procedure;

## **TEST CONFIGURATION**





Shenzhen LCS Compliance Testing Laboratory Ltd. Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China



## TEST LIMITS

### For Hand carried battery powered equipment

According to the JTC standard the frequency stability of the carrier shall be accurate to within 0.1 ppm of the received frequency from the base station. This accuracy is sufficient to meet Sec. 24.235, Frequency Stability. The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. As this transceiver is considered "Hand carried, battery powered equipment" Section 2.1055(d)(2) applies. This requires that the lower voltage for frequency stability testing be specified by the manufacturer. This transceiver is specified to operate with an input voltage of between 3.3VDC and 3.8VDC, with a nominal voltage of 3.8DC. Operation above or below these voltage limits is prohibited by transceiver software in order to prevent improper operation as well as to protect components from overstress. These voltages represent a tolerance of -10 % and +12.5 %. For the purposes of measuring frequency stability these voltage limits are to be used.

### For equipment powered by primary supply voltage

According to the JTC standard the frequency stability of the carrier shall be accurate to within 0.1 ppm of the received frequency from the base station. This accuracy is sufficient to meet Sec. 24.235, Frequency Stability. The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. For this EUT section 2.1055(d)(1) applies. This requires varying primary supply voltage from 85 to 115 percent of the nominal value for other than hand carried battery equipment.

## TEST RESULTS


GSM/TM1/GSM850						
DC Power	Temperature (℃)	Frequency error(Hz)	Frequency error(ppm)	Limit (ppm)	Verdict	
VL	25	-45	-0.055	2.50	PASS	
VN	25	26	0.032	2.50	PASS	
VH ing Land	25	-49	-0.059	2.50	PASS	
VN LCS VN	-30	-27	-0.033	2.50	PASS	
VN	-20	23	0.028	2.50	PASS	
VN	-10	36	0.044	2.50	PASS	
VN	0	-37	-0.045	2.50	PASS	
VN	10	-1	-0.001	2.50	PASS	
VN	20	2	0.002	2.50	PASS	
VN	30	-44	-0.053	2.50	PASS	
VN	40	0	0.000	2.50	PASS	
VN	50	46	0.056	2.50	PASS	

GSM/TM3/EDGE850						
DC Power	Temperature (℃)	Frequency error(Hz)	Frequency error(ppm)	Limit (ppm)	Verdict	
VL LCS	25	50	0.061	2.50	PASS	
VN	25	26	0.032	2.50	PASS	
VH	25	12	0.015	2.50	PASS	
VN	-30	33	0.040	2.50	PASS	
VN	-20	-45	-0.055	2.50	PASS	
VN	-10	39	0.047	2.50	PASS	
VN	0	-19	-0.023	2.50	PASS	
VN	10	-25	-0.030	2.50	PASS	
VN	20	31	0.038	2.50	PASS	
VN	30	-6	-0.007	2.50	PASS	
VN	40	-31	-0.038	2.50	PASS	
VN	50	20	0.024	2.50	PASS	
LCS Testing	15t	LCS Testing	IST LCS	Testing	LCS Test	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China



		GSM/TM <sup>2</sup>	1/PCS1900		
DC Power	Temperature (℃)	Frequency error(Hz)	Frequency error(ppm)	Limit (ppm)	Verdict
VL	25	41	0.022	2.50	PASS
VN	25	21	0.011	2.50	PASS
VH	25	5	0.003	2.50	PASS
VN	-30	-50	-0.027	2.50	PASS
VN	-20	9	0.005	2.50	PASS
VN	-10	50	0.027	2.50	PASS
VN	0	30	0.016	2.50	PASS
VN	10	44	0.023	2.50	PASS
VN	20	4	0.002	2.50	PASS
VN	30	-21	-0.011	2.50	PASS
VN	40	40	0.021	2.50	PASS
VN	50	-20 📉 🤺	-0.011	2.50	PASS

GSM/TM3/EDGE1900							
DC Power	Temperature (℃)	Frequency error(Hz)	Frequency error(ppm)	Limit (ppm)	Verdict		
VL	25	-3	-0.002	2.50	PASS		
VN	25	50	0.027	2.50	PASS		
VH	25	31	0.016	2.50	PASS		
VN	-30	-12	-0.006	2.50	PASS		
VN	-20	-33	-0.018	2.50	PASS		
VN	-10	5	0.003	2.50	PASS		
VN	0	31	0.016	2.50	PASS		
VN	10	-47	-0.025	2.50	PASS		
VN	20	-31	-0.016	2.50	PASS		
VN COS VN	30	-25	-0.013	2.50	PASS		
VN	40	19	0.010	2.50	PASS		
VN	50	-13	-0.007	2.50	PASS		






Scan code to check authenticity

#### Peak-to-Average Ratio (PAR) 4.7

## LIMIT

The Peak-to-Average Ratio (PAR) of the transmission may not exceed 13 dB.

## **TEST CONFIGURATION**



## TEST PROCEDURE

Use spectrum to measure the total peak power and record as PPk. Use spectrum to measure the total average power and record as PAvg. Both the peak and average power levels must be expressed in the same logarithmic 医主动性 制度的 LCS Testing Lab units (e.g., dBm).

Determine the PAPR from:

PAPR (dB) =  $P_{Pk}$  (dBm) -  $P_{Avg}$  (dBm).


Record the maximum PAPR level associated with a probability of 0.1%.

## **TEST RESULTS**

Test Mode	Channel	Frequency (MHz)	PAPR Value (dB)	Limits (dB)	Verdict
	128	824.2	2.86	13.0	PASS
GSM/TM1/GSM850	190	836.6	2.88	13.0	
	251	848.8	2.87	13.0	
GSM/TM3/EDGE850	128	824.2	5.55	13.0	PASS
	190	836.6	5.58	13.0	
IT With sting Lan	251	848.8	5.60	13.0	
132 LCS 1	512	1850.20	2.71	13.0	PASS
GSM/TM1/PCS1900	661	1880.00	2.73	13.0	
	810	1909.80	2.72	13.0	
	512	1850.20	5.40	13.0	PASS
GSM/TM3/EDGE1900	661	1880.00	5.53	13.0	
	810	1909.80	5.50	13.0	




Shenzhen LCS Compliance Testing Laboratory Ltd. Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China





Shenzhen LCS Compliance Testing Laboratory Ltd. Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China





Shenzhen LCS Compliance Testing Laboratory Ltd. Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China



Please refer to separated files for Test Setup Photos of the EUT.

# 6 EXTERIOR PHOTOGRAPHS OF THE EUT



Please refer to separated files for External Photos of the EUT.

# 7 INTERIOR PHOTOGRAPHS OF THE EUT

Please refer to separated files for Internal Photos of the EUT.

-----THE END OF TEST REPORT------

