

Appendix-A CatM

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Channel	Modulation	RB Size	RB Start	NBIndex	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
Band2	1.4MHz	18607	QPSK	1	0	Low	21.51	23.69	33	PASS
Band2	1.4MHz	18607	QPSK	1	2	Low	21.54	23.72	33	PASS
Band2	1.4MHz	18607	QPSK	1	5	Low	21.14	23.32	33	PASS
Band2	1.4MHz	18607	QPSK	3	0	Low	20.35	22.53	33	PASS
Band2	1.4MHz	18607	QPSK	3	2	Low	20.46	22.64	33	PASS
Band2	1.4MHz	18607	QPSK	3	3	Low	20.43	22.61	33	PASS
Band2	1.4MHz	18607	QPSK	6	0	Low	20.15	22.33	33	PASS
Band2	1.4MHz	18900	QPSK	1	0	Low	21.72	23.9	33	PASS
Band2	1.4MHz	18900	QPSK	1	2	Low	21.56	23.74	33	PASS
Band2	1.4MHz	18900	QPSK	1	5	Low	21.1	23.28	33	PASS
Band2	1.4MHz	18900	QPSK	3	0	Low	20.41	22.59	33	PASS
Band2	1.4MHz	18900	QPSK	3	2	Low	20.51	22.69	33	PASS
Band2	1.4MHz	18900	QPSK	3	3	Low	20.39	22.57	33	PASS
Band2	1.4MHz	18900	QPSK	6	0	Low	20.11	22.29	33	PASS
Band2	1.4MHz	19193	QPSK	1	0	High	21.65	23.83	33	PASS
Band2	1.4MHz	19193	QPSK	1	2	High	21.66	23.84	33	PASS
Band2	1.4MHz	19193	QPSK	1	5	High	21.34	23.52	33	PASS
Band2	1.4MHz	19193	QPSK	3	0	High	20.64	22.82	33	PASS
Band2	1.4MHz	19193	QPSK	3	2	High	20.59	22.77	33	PASS
Band2	1.4MHz	19193	QPSK	3	3	High	20.48	22.66	33	PASS
Band2	1.4MHz	19193	QPSK	6	0	High	20.06	22.24	33	PASS
Band2	3MHz	18615	QPSK	1	0	Low	21.55	23.73	33	PASS
Band2	3MHz	18615	QPSK	1	2	Low	21.48	23.66	33	PASS
Band2	3MHz	18615	QPSK	1	5	Low	21.2	23.38	33	PASS
Band2	3MHz	18615	QPSK	3	0	Low	20.55	22.73	33	PASS
Band2	3MHz	18615	QPSK	3	2	Low	20.39	22.57	33	PASS
Band2	3MHz	18615	QPSK	3	3	Low	20.49	22.67	33	PASS
Band2	3MHz	18615	QPSK	6	0	Low	20.07	22.25	33	PASS
Band2	3MHz	18900	QPSK	1	0	Low	21.66	23.84	33	PASS
Band2	3MHz	18900	QPSK	1	2	Low	21.48	23.66	33	PASS
Band2	3MHz	18900	QPSK	1	5	Low	21.03	23.21	33	PASS
Band2	3MHz	18900	QPSK	3	0	Low	20.31	22.49	33	PASS
Band2	3MHz	18900	QPSK	3	2	Low	20.26	22.44	33	PASS
Band2	3MHz	18900	QPSK	3	3	Low	20.25	22.43	33	PASS
Band2	3MHz	18900	QPSK	6	0	Low	20.01	22.19	33	PASS
Band2	3MHz	19185	QPSK	1	0	High	22.00	24.18	33	PASS
Band2	3MHz	19185	QPSK	1	2	High	21.72	23.9	33	PASS
Band2	3MHz	19185	QPSK	1	5	High	21.4	23.58	33	PASS
Band2	3MHz	19185	QPSK	3	0	High	20.65	22.83	33	PASS
Band2	3MHz	19185	QPSK	3	2	High	20.61	22.79	33	PASS
Band2	3MHz	19185	QPSK	3	3	High	20.44	22.62	33	PASS
Band2	3MHz	19185	QPSK	6	0	High	19.52	21.7	33	PASS
Band2	5MHz	18625	QPSK	1	0	Low	21.65	23.83	33	PASS
Band2	5MHz	18625	QPSK	1	2	Low	21.61	23.79	33	PASS
Band2	5MHz	18625	QPSK	1	5	Low	21.22	23.4	33	PASS
Band2	5MHz	18625	QPSK	3	0	Low	21.5	23.68	33	PASS
Band2	5MHz	18625	QPSK	3	2	Low	21.34	23.52	33	PASS
Band2	5MHz	18625	QPSK	3	3	Low	21.23	23.41	33	PASS
Band2	5MHz	18625	QPSK	6	0	Low	20.32	22.5	33	PASS

Band2	5MHz	18900	QPSK	1	0	Low	21.74	23.92	33	PASS
Band2	5MHz	18900	QPSK	1	2	Low	21.58	23.76	33	PASS
Band2	5MHz	18900	QPSK	1	5	Low	21.22	23.4	33	PASS
Band2	5MHz	18900	QPSK	3	0	Low	21.41	23.59	33	PASS
Band2	5MHz	18900	QPSK	3	2	Low	21.49	23.67	33	PASS
Band2	5MHz	18900	QPSK	3	3	Low	21.27	23.45	33	PASS
Band2	5MHz	18900	QPSK	6	0	Low	20.36	22.54	33	PASS
Band2	5MHz	19175	QPSK	1	0	High	21.82	24	33	PASS
Band2	5MHz	19175	QPSK	1	2	High	21.79	23.97	33	PASS
Band2	5MHz	19175	QPSK	1	5	High	21.35	23.53	33	PASS
Band2	5MHz	19175	QPSK	3	0	High	21.72	23.9	33	PASS
Band2	5MHz	19175	QPSK	3	2	High	21.69	23.87	33	PASS
Band2	5MHz	19175	QPSK	3	3	High	21.51	23.69	33	PASS
Band2	5MHz	19175	QPSK	6	0	High	20.60	22.78	33	PASS
Band2	10MHz	18650	QPSK	1	0	Low	21.62	23.8	33	PASS
Band2	10MHz	18650	QPSK	1	2	Low	21.55	23.73	33	PASS
Band2	10MHz	18650	QPSK	1	5	Low	21.17	23.35	33	PASS
Band2	10MHz	18650	QPSK	3	0	Low	21.44	23.62	33	PASS
Band2	10MHz	18650	QPSK	3	2	Low	21.32	23.5	33	PASS
Band2	10MHz	18650	QPSK	3	3	Low	21.3	23.48	33	PASS
Band2	10MHz	18650	QPSK	6	0	Low	20.38	22.56	33	PASS
Band2	10MHz	18900	QPSK	1	0	Low	21.52	23.7	33	PASS
Band2	10MHz	18900	QPSK	1	2	Low	21.52	23.7	33	PASS
Band2	10MHz	18900	QPSK	1	5	Low	21.17	23.35	33	PASS
Band2	10MHz	18900	QPSK	3	0	Low	21.34	23.52	33	PASS
Band2	10MHz	18900	QPSK	3	2	Low	21.42	23.6	33	PASS
Band2	10MHz	18900	QPSK	3	3	Low	21.33	23.51	33	PASS
Band2	10MHz	18900	QPSK	6	0	Low	20.36	22.54	33	PASS
Band2	10MHz	19150	QPSK	1	0	High	21.90	24.08	33	PASS
Band2	10MHz	19150	QPSK	1	2	High	21.76	23.94	33	PASS
Band2	10MHz	19150	QPSK	1	5	High	21.45	23.63	33	PASS
Band2	10MHz	19150	QPSK	3	0	High	21.73	23.91	33	PASS
Band2	10MHz	19150	QPSK	3	2	High	21.59	23.77	33	PASS
Band2	10MHz	19150	QPSK	3	3	High	21.57	23.75	33	PASS
Band2	10MHz	19150	QPSK	6	0	High	20.58	22.76	33	PASS
Band2	15MHz	18675	QPSK	1	0	Low	21.52	23.7	33	PASS
Band2	15MHz	18675	QPSK	1	2	Low	21.48	23.66	33	PASS
Band2	15MHz	18675	QPSK	1	5	Low	21.13	23.31	33	PASS
Band2	15MHz	18675	QPSK	3	0	Low	21.4	23.58	33	PASS
Band2	15MHz	18675	QPSK	3	2	Low	21.35	23.53	33	PASS
Band2	15MHz	18675	QPSK	3	3	Low	21.24	23.42	33	PASS
Band2	15MHz	18675	QPSK	6	0	Low	21.31	23.49	33	PASS
Band2	15MHz	18900	QPSK	1	0	Low	21.69	23.87	33	PASS
Band2	15MHz	18900	QPSK	1	2	Low	21.45	23.63	33	PASS
Band2	15MHz	18900	QPSK	1	5	Low	21.12	23.3	33	PASS
Band2	15MHz	18900	QPSK	3	0	Low	21.41	23.59	33	PASS
Band2	15MHz	18900	QPSK	3	2	Low	21.36	23.54	33	PASS
Band2	15MHz	18900	QPSK	3	3	Low	21.26	23.44	33	PASS
Band2	15MHz	18900	QPSK	6	0	Low	21.34	23.52	33	PASS
Band2	15MHz	19125	QPSK	1	0	High	22.00	24.18	33	PASS
Band2	15MHz	19125	QPSK	1	2	High	21.95	24.13	33	PASS
Band2	15MHz	19125	QPSK	1	5	High	21.42	23.60	33	PASS
Band2	15MHz	19125	QPSK	3	0	High	21.81	23.89	33	PASS
Band2	15MHz	19125	QPSK	3	2	High	21.66	23.84	33	PASS
Band2	15MHz	19125	QPSK	3	3	High	21.57	23.75	33	PASS
Band2	15MHz	19125	QPSK	6	0	High	21.67	23.85	33	PASS
Band2	20MHz	18700	QPSK	1	0	Low	21.56	23.74	33	PASS
Band2	20MHz	18700	QPSK	1	2	Low	21.56	23.74	33	PASS

Band2	20MHz	18700	QPSK	1	5	Low	21.17	23.35	33	PASS
Band2	20MHz	18700	QPSK	3	0	Low	21.49	23.67	33	PASS
Band2	20MHz	18700	QPSK	3	2	Low	21.27	23.45	33	PASS
Band2	20MHz	18700	QPSK	3	3	Low	21.17	23.35	33	PASS
Band2	20MHz	18700	QPSK	6	0	Low	21.24	23.42	33	PASS
Band2	20MHz	18900	QPSK	1	0	Low	21.62	23.8	33	PASS
Band2	20MHz	18900	QPSK	1	2	Low	21.47	23.65	33	PASS
Band2	20MHz	18900	QPSK	1	5	Low	21.03	23.21	33	PASS
Band2	20MHz	18900	QPSK	3	0	Low	21.4	23.58	33	PASS
Band2	20MHz	18900	QPSK	3	2	Low	21.37	23.55	33	PASS
Band2	20MHz	18900	QPSK	3	3	Low	21.16	23.34	33	PASS
Band2	20MHz	18900	QPSK	6	0	Low	21.32	23.5	33	PASS
Band2	20MHz	19100	QPSK	1	0	High	21.82	24	33	PASS
Band2	20MHz	19100	QPSK	1	2	High	21.79	23.97	33	PASS
Band2	20MHz	19100	QPSK	1	5	High	21.46	23.64	33	PASS
Band2	20MHz	19100	QPSK	3	0	High	21.74	23.92	33	PASS
Band2	20MHz	19100	QPSK	3	2	High	21.70	23.88	33	PASS
Band2	20MHz	19100	QPSK	3	3	High	21.60	23.78	33	PASS
Band2	20MHz	19100	QPSK	6	0	High	21.62	23.80	33	PASS
Band2	1.4MHz	18607	16QAM	1	0	Low	20.95	23.13	33	PASS
Band2	1.4MHz	18607	16QAM	1	2	Low	20.95	23.13	33	PASS
Band2	1.4MHz	18607	16QAM	1	5	Low	20.82	23	33	PASS
Band2	1.4MHz	18607	16QAM	3	0	Low	20.28	22.46	33	PASS
Band2	1.4MHz	18607	16QAM	3	2	Low	20.22	22.4	33	PASS
Band2	1.4MHz	18607	16QAM	3	3	Low	20.09	22.27	33	PASS
Band2	1.4MHz	18607	16QAM	5	0	Low	20.16	22.34	33	PASS
Band2	1.4MHz	18900	16QAM	1	0	Low	21.07	23.25	33	PASS
Band2	1.4MHz	18900	16QAM	1	2	Low	21.17	23.35	33	PASS
Band2	1.4MHz	18900	16QAM	1	5	Low	20.91	23.09	33	PASS
Band2	1.4MHz	18900	16QAM	3	0	Low	20.24	22.42	33	PASS
Band2	1.4MHz	18900	16QAM	3	2	Low	20.09	22.27	33	PASS
Band2	1.4MHz	18900	16QAM	3	3	Low	19.98	22.16	33	PASS
Band2	1.4MHz	18900	16QAM	5	0	Low	20.11	22.29	33	PASS
Band2	1.4MHz	19193	16QAM	1	0	High	21.4	23.58	33	PASS
Band2	1.4MHz	19193	16QAM	1	2	High	21.27	23.45	33	PASS
Band2	1.4MHz	19193	16QAM	1	5	High	21.04	23.22	33	PASS
Band2	1.4MHz	19193	16QAM	3	0	High	20.3	22.48	33	PASS
Band2	1.4MHz	19193	16QAM	3	2	High	20.24	22.42	33	PASS
Band2	1.4MHz	19193	16QAM	3	3	High	20.24	22.42	33	PASS
Band2	1.4MHz	19193	16QAM	5	0	High	20.39	22.57	33	PASS
Band2	3MHz	18615	16QAM	1	0	Low	21.13	23.31	33	PASS
Band2	3MHz	18615	16QAM	1	2	Low	21.15	23.33	33	PASS
Band2	3MHz	18615	16QAM	1	5	Low	20.88	23.06	33	PASS
Band2	3MHz	18615	16QAM	3	0	Low	20.21	22.39	33	PASS
Band2	3MHz	18615	16QAM	3	2	Low	20.18	22.36	33	PASS
Band2	3MHz	18615	16QAM	3	3	Low	20.05	22.23	33	PASS
Band2	3MHz	18615	16QAM	5	0	Low	20.01	22.19	33	PASS
Band2	3MHz	18900	16QAM	1	0	Low	21.07	23.25	33	PASS
Band2	3MHz	18900	16QAM	1	2	Low	21.14	23.32	33	PASS
Band2	3MHz	18900	16QAM	1	5	Low	20.91	23.09	33	PASS
Band2	3MHz	18900	16QAM	3	0	Low	20.21	22.39	33	PASS
Band2	3MHz	18900	16QAM	3	2	Low	20.17	22.35	33	PASS
Band2	3MHz	18900	16QAM	3	3	Low	20.15	22.33	33	PASS
Band2	3MHz	18900	16QAM	5	0	Low	20.07	22.25	33	PASS
Band2	3MHz	19185	16QAM	1	0	High	20.83	23.01	33	PASS
Band2	3MHz	19185	16QAM	1	2	High	20.73	22.91	33	PASS
Band2	3MHz	19185	16QAM	1	5	High	20.58	22.76	33	PASS
Band2	3MHz	19185	16QAM	3	0	High	20.48	22.66	33	PASS

Band2	3MHz	19185	16QAM	3	2	High	20.41	22.59	33	PASS
Band2	3MHz	19185	16QAM	3	3	High	20.28	22.46	33	PASS
Band2	3MHz	19185	16QAM	5	0	High	20.08	22.26	33	PASS
Band2	5MHz	18625	16QAM	1	0	Low	21.31	23.49	33	PASS
Band2	5MHz	18625	16QAM	1	2	Low	21.29	23.47	33	PASS
Band2	5MHz	18625	16QAM	1	5	Low	20.82	23	33	PASS
Band2	5MHz	18625	16QAM	3	0	Low	20.98	23.16	33	PASS
Band2	5MHz	18625	16QAM	3	2	Low	21.22	23.4	33	PASS
Band2	5MHz	18625	16QAM	3	3	Low	21.17	23.35	33	PASS
Band2	5MHz	18625	16QAM	5	0	Low	20.23	22.41	33	PASS
Band2	5MHz	18900	16QAM	1	0	Low	21.85	24.03	33	PASS
Band2	5MHz	18900	16QAM	1	2	Low	21.21	23.39	33	PASS
Band2	5MHz	18900	16QAM	1	5	Low	20.8	22.98	33	PASS
Band2	5MHz	18900	16QAM	3	0	Low	21.08	23.26	33	PASS
Band2	5MHz	18900	16QAM	3	2	Low	21.22	23.4	33	PASS
Band2	5MHz	18900	16QAM	3	3	Low	21.12	23.3	33	PASS
Band2	5MHz	18900	16QAM	5	0	Low	20.16	22.34	33	PASS
Band2	5MHz	19175	16QAM	1	0	High	21.55	23.73	33	PASS
Band2	5MHz	19175	16QAM	1	2	High	21.39	23.57	33	PASS
Band2	5MHz	19175	16QAM	1	5	High	20.94	23.12	33	PASS
Band2	5MHz	19175	16QAM	3	0	High	21.29	23.47	33	PASS
Band2	5MHz	19175	16QAM	3	2	High	21.43	23.61	33	PASS
Band2	5MHz	19175	16QAM	3	3	High	21.38	23.56	33	PASS
Band2	5MHz	19175	16QAM	5	0	High	20.33	22.51	33	PASS
Band2	10MHz	18650	16QAM	1	0	Low	21.25	23.43	33	PASS
Band2	10MHz	18650	16QAM	1	2	Low	21.11	23.29	33	PASS
Band2	10MHz	18650	16QAM	1	5	Low	20.85	23.03	33	PASS
Band2	10MHz	18650	16QAM	3	0	Low	21	23.18	33	PASS
Band2	10MHz	18650	16QAM	3	2	Low	21.23	23.41	33	PASS
Band2	10MHz	18650	16QAM	3	3	Low	21.13	23.31	33	PASS
Band2	10MHz	18650	16QAM	5	0	Low	21.19	23.37	33	PASS
Band2	10MHz	18900	16QAM	1	0	Low	21.2	23.38	33	PASS
Band2	10MHz	18900	16QAM	1	2	Low	21.14	23.32	33	PASS
Band2	10MHz	18900	16QAM	1	5	Low	20.82	23	33	PASS
Band2	10MHz	18900	16QAM	3	0	Low	21.01	23.19	33	PASS
Band2	10MHz	18900	16QAM	3	2	Low	21.15	23.33	33	PASS
Band2	10MHz	18900	16QAM	3	3	Low	21.26	23.44	33	PASS
Band2	10MHz	18900	16QAM	5	0	Low	21.13	23.31	33	PASS
Band2	10MHz	19150	16QAM	1	0	High	21.57	23.75	33	PASS
Band2	10MHz	19150	16QAM	1	2	High	21.37	23.55	33	PASS
Band2	10MHz	19150	16QAM	1	5	High	21.16	23.34	33	PASS
Band2	10MHz	19150	16QAM	3	0	High	21.39	23.57	33	PASS
Band2	10MHz	19150	16QAM	3	2	High	21.34	23.52	33	PASS
Band2	10MHz	19150	16QAM	3	3	High	21.23	23.41	33	PASS
Band2	10MHz	19150	16QAM	5	0	High	21.35	23.53	33	PASS
Band2	15MHz	18675	16QAM	1	0	Low	21.22	23.4	33	PASS
Band2	15MHz	18675	16QAM	1	2	Low	21.17	23.35	33	PASS
Band2	15MHz	18675	16QAM	1	5	Low	20.84	23.02	33	PASS
Band2	15MHz	18675	16QAM	3	0	Low	20.98	23.16	33	PASS
Band2	15MHz	18675	16QAM	3	2	Low	21.09	23.27	33	PASS
Band2	15MHz	18675	16QAM	3	3	Low	21.04	23.22	33	PASS
Band2	15MHz	18675	16QAM	5	0	Low	21.23	23.41	33	PASS
Band2	15MHz	18900	16QAM	1	0	Low	21.24	23.42	33	PASS
Band2	15MHz	18900	16QAM	1	2	Low	21.16	23.34	33	PASS
Band2	15MHz	18900	16QAM	1	5	Low	20.77	22.95	33	PASS
Band2	15MHz	18900	16QAM	3	0	Low	21.03	23.21	33	PASS
Band2	15MHz	18900	16QAM	3	2	Low	21.11	23.29	33	PASS
Band2	15MHz	18900	16QAM	3	3	Low	21.05	23.23	33	PASS

Band2	15MHz	18900	16QAM	5	0	Low	21.15	23.33	33	PASS
Band2	15MHz	19125	16QAM	1	0	High	21.77	23.95	33	PASS
Band2	15MHz	19125	16QAM	1	2	High	21.35	23.53	33	PASS
Band2	15MHz	19125	16QAM	1	5	High	21.06	23.24	33	PASS
Band2	15MHz	19125	16QAM	3	0	High	21.4	23.58	33	PASS
Band2	15MHz	19125	16QAM	3	2	High	21.45	23.63	33	PASS
Band2	15MHz	19125	16QAM	3	3	High	21.27	23.45	33	PASS
Band2	15MHz	19125	16QAM	5	0	High	21.36	23.54	33	PASS
Band2	20MHz	18700	16QAM	1	0	Low	21.09	23.27	33	PASS
Band2	20MHz	18700	16QAM	1	2	Low	21.17	23.35	33	PASS
Band2	20MHz	18700	16QAM	1	5	Low	20.82	23	33	PASS
Band2	20MHz	18700	16QAM	3	0	Low	21.02	23.2	33	PASS
Band2	20MHz	18700	16QAM	3	2	Low	21.2	23.38	33	PASS
Band2	20MHz	18700	16QAM	3	3	Low	21.09	23.27	33	PASS
Band2	20MHz	18700	16QAM	5	0	Low	21.16	23.34	33	PASS
Band2	20MHz	18900	16QAM	1	0	Low	21.41	23.59	33	PASS
Band2	20MHz	18900	16QAM	1	2	Low	21.17	23.35	33	PASS
Band2	20MHz	18900	16QAM	1	5	Low	20.78	22.96	33	PASS
Band2	20MHz	18900	16QAM	3	0	Low	20.98	23.16	33	PASS
Band2	20MHz	18900	16QAM	3	2	Low	21.12	23.3	33	PASS
Band2	20MHz	18900	16QAM	3	3	Low	21.01	23.19	33	PASS
Band2	20MHz	18900	16QAM	5	0	Low	21.1	23.28	33	PASS
Band2	20MHz	19100	16QAM	1	0	High	21.92	24.1	33	PASS
Band2	20MHz	19100	16QAM	1	2	High	21.23	23.41	33	PASS
Band2	20MHz	19100	16QAM	1	5	High	20.97	23.15	33	PASS
Band2	20MHz	19100	16QAM	3	0	High	21.42	23.6	33	PASS
Band2	20MHz	19100	16QAM	3	2	High	21.37	23.55	33	PASS
Band2	20MHz	19100	16QAM	3	3	High	21.26	23.44	33	PASS
Band2	20MHz	19100	16QAM	5	0	High	21.37	23.55	33	PASS

Band	Bandwidth	Channel	Modulation	RB Size	RB Start	NBIndex	Power (dBm)	EIRP (dBm)	Lmit (dBm)	Verdict
Band4	1.4MHz	19957	QPSK	1	0	Low	21.51	20.69	30	PASS
Band4	1.4MHz	19957	QPSK	1	2	Low	21.57	20.75	30	PASS
Band4	1.4MHz	19957	QPSK	1	5	Low	21.22	20.4	30	PASS
Band4	1.4MHz	19957	QPSK	3	0	Low	20.5	19.68	30	PASS
Band4	1.4MHz	19957	QPSK	3	2	Low	20.43	19.61	30	PASS
Band4	1.4MHz	19957	QPSK	3	3	Low	20.41	19.59	30	PASS
Band4	1.4MHz	19957	QPSK	6	0	Low	19.45	18.63	30	PASS
Band4	1.4MHz	20175	QPSK	1	0	Low	21.71	20.89	30	PASS
Band4	1.4MHz	20175	QPSK	1	2	Low	21.68	20.86	30	PASS
Band4	1.4MHz	20175	QPSK	1	5	Low	21.37	20.55	30	PASS
Band4	1.4MHz	20175	QPSK	3	0	Low	20.79	19.97	30	PASS
Band4	1.4MHz	20175	QPSK	3	2	Low	20.71	19.89	30	PASS
Band4	1.4MHz	20175	QPSK	3	3	Low	20.58	19.76	30	PASS
Band4	1.4MHz	20175	QPSK	6	0	Low	19.63	18.81	30	PASS
Band4	1.4MHz	20393	QPSK	1	0	High	21.92	21.1	30	PASS
Band4	1.4MHz	20393	QPSK	1	2	High	21.84	21.02	30	PASS
Band4	1.4MHz	20393	QPSK	1	5	High	21.49	20.67	30	PASS
Band4	1.4MHz	20393	QPSK	3	0	High	20.73	19.91	30	PASS
Band4	1.4MHz	20393	QPSK	3	2	High	20.68	19.86	30	PASS
Band4	1.4MHz	20393	QPSK	3	3	High	20.57	19.75	30	PASS
Band4	1.4MHz	20393	QPSK	6	0	High	19.61	18.79	30	PASS
Band4	3MHz	19965	QPSK	1	0	Low	21.55	20.73	30	PASS
Band4	3MHz	19965	QPSK	1	2	Low	21.5	20.68	30	PASS
Band4	3MHz	19965	QPSK	1	5	Low	21.22	20.4	30	PASS
Band4	3MHz	19965	QPSK	3	0	Low	20.45	19.63	30	PASS
Band4	3MHz	19965	QPSK	3	2	Low	20.39	19.57	30	PASS
Band4	3MHz	19965	QPSK	3	3	Low	20.28	19.46	30	PASS
Band4	3MHz	19965	QPSK	6	0	Low	19.35	18.53	30	PASS
Band4	3MHz	20175	QPSK	1	0	Low	21.6	20.78	30	PASS
Band4	3MHz	20175	QPSK	1	2	Low	21.77	20.95	30	PASS
Band4	3MHz	20175	QPSK	1	5	Low	21.5	20.68	30	PASS
Band4	3MHz	20175	QPSK	3	0	Low	20.54	19.72	30	PASS
Band4	3MHz	20175	QPSK	3	2	Low	20.61	19.79	30	PASS
Band4	3MHz	20175	QPSK	3	3	Low	20.5	19.68	30	PASS
Band4	3MHz	20175	QPSK	6	0	Low	19.56	18.74	30	PASS
Band4	3MHz	20385	QPSK	1	0	High	21.83	21.01	30	PASS
Band4	3MHz	20385	QPSK	1	2	High	21.83	21.01	30	PASS
Band4	3MHz	20385	QPSK	1	5	High	21.46	20.64	30	PASS
Band4	3MHz	20385	QPSK	3	0	High	20.76	19.94	30	PASS
Band4	3MHz	20385	QPSK	3	2	High	20.63	19.81	30	PASS
Band4	3MHz	20385	QPSK	3	3	High	20.52	19.7	30	PASS
Band4	3MHz	20385	QPSK	6	0	High	19.54	18.72	30	PASS
Band4	5MHz	19975	QPSK	1	0	Low	21.54	20.72	30	PASS
Band4	5MHz	19975	QPSK	1	2	Low	21.48	20.66	30	PASS
Band4	5MHz	19975	QPSK	1	5	Low	21.2	20.38	30	PASS
Band4	5MHz	19975	QPSK	3	0	Low	21.68	20.86	30	PASS
Band4	5MHz	19975	QPSK	3	2	Low	21.31	20.49	30	PASS
Band4	5MHz	19975	QPSK	3	3	Low	21.42	20.6	30	PASS
Band4	5MHz	19975	QPSK	6	0	Low	20.33	19.51	30	PASS
Band4	5MHz	20175	QPSK	1	0	Low	21.58	20.76	30	PASS
Band4	5MHz	20175	QPSK	1	2	Low	21.67	20.85	30	PASS
Band4	5MHz	20175	QPSK	1	5	Low	21.28	20.46	30	PASS
Band4	5MHz	20175	QPSK	3	0	Low	21.55	20.73	30	PASS
Band4	5MHz	20175	QPSK	3	2	Low	21.55	20.73	30	PASS
Band4	5MHz	20175	QPSK	3	3	Low	21.39	20.57	30	PASS
Band4	5MHz	20175	QPSK	6	0	Low	20.29	19.47	30	PASS

Band4	5MHz	20375	QPSK	1	0	High	21.9	21.08	30	PASS
Band4	5MHz	20375	QPSK	1	2	High	21.74	20.92	30	PASS
Band4	5MHz	20375	QPSK	1	5	High	21.49	20.67	30	PASS
Band4	5MHz	20375	QPSK	3	0	High	21.77	20.95	30	PASS
Band4	5MHz	20375	QPSK	3	2	High	21.64	20.82	30	PASS
Band4	5MHz	20375	QPSK	3	3	High	21.55	20.73	30	PASS
Band4	5MHz	20375	QPSK	6	0	High	20.51	19.69	30	PASS
Band4	10MHz	20000	QPSK	1	0	Low	21.69	20.87	30	PASS
Band4	10MHz	20000	QPSK	1	2	Low	21.64	20.82	30	PASS
Band4	10MHz	20000	QPSK	1	5	Low	21.39	20.57	30	PASS
Band4	10MHz	20000	QPSK	3	0	Low	21.54	20.72	30	PASS
Band4	10MHz	20000	QPSK	3	2	Low	21.25	20.43	30	PASS
Band4	10MHz	20000	QPSK	3	3	Low	21.29	20.47	30	PASS
Band4	10MHz	20000	QPSK	6	0	Low	20.27	19.45	30	PASS
Band4	10MHz	20175	QPSK	1	0	Low	21.61	20.79	30	PASS
Band4	10MHz	20175	QPSK	1	2	Low	21.6	20.78	30	PASS
Band4	10MHz	20175	QPSK	1	5	Low	21.27	20.45	30	PASS
Band4	10MHz	20175	QPSK	3	0	Low	21.61	20.79	30	PASS
Band4	10MHz	20175	QPSK	3	2	Low	21.53	20.71	30	PASS
Band4	10MHz	20175	QPSK	3	3	Low	21.38	20.56	30	PASS
Band4	10MHz	20175	QPSK	6	0	Low	20.28	19.46	30	PASS
Band4	10MHz	20350	QPSK	1	0	High	21.77	20.95	30	PASS
Band4	10MHz	20350	QPSK	1	2	High	21.76	20.94	30	PASS
Band4	10MHz	20350	QPSK	1	5	High	21.49	20.67	30	PASS
Band4	10MHz	20350	QPSK	3	0	High	21.69	20.87	30	PASS
Band4	10MHz	20350	QPSK	3	2	High	21.63	20.81	30	PASS
Band4	10MHz	20350	QPSK	3	3	High	21.64	20.82	30	PASS
Band4	10MHz	20350	QPSK	6	0	High	20.58	19.76	30	PASS
Band4	15MHz	20025	QPSK	1	0	Low	21.36	20.54	30	PASS
Band4	15MHz	20025	QPSK	1	2	Low	21.43	20.61	30	PASS
Band4	15MHz	20025	QPSK	1	5	Low	21.4	20.58	30	PASS
Band4	15MHz	20025	QPSK	3	0	Low	21.31	20.49	30	PASS
Band4	15MHz	20025	QPSK	3	2	Low	21.38	20.56	30	PASS
Band4	15MHz	20025	QPSK	3	3	Low	21.29	20.47	30	PASS
Band4	15MHz	20025	QPSK	6	0	Low	21.29	20.47	30	PASS
Band4	15MHz	20175	QPSK	1	0	Low	21.38	20.56	30	PASS
Band4	15MHz	20175	QPSK	1	2	Low	21.43	20.61	30	PASS
Band4	15MHz	20175	QPSK	1	5	Low	21.36	20.54	30	PASS
Band4	15MHz	20175	QPSK	3	0	Low	21.54	20.72	30	PASS
Band4	15MHz	20175	QPSK	3	2	Low	21.49	20.67	30	PASS
Band4	15MHz	20175	QPSK	3	3	Low	21.38	20.56	30	PASS
Band4	15MHz	20175	QPSK	6	0	Low	21.48	20.66	30	PASS
Band4	15MHz	20325	QPSK	1	0	High	21.62	20.8	30	PASS
Band4	15MHz	20325	QPSK	1	2	High	21.69	20.87	30	PASS
Band4	15MHz	20325	QPSK	1	5	High	21.32	20.5	30	PASS
Band4	15MHz	20325	QPSK	3	0	High	21.89	21.07	30	PASS
Band4	15MHz	20325	QPSK	3	2	High	21.56	20.74	30	PASS
Band4	15MHz	20325	QPSK	3	3	High	21.46	20.64	30	PASS
Band4	15MHz	20325	QPSK	6	0	High	21.56	20.74	30	PASS
Band4	20MHz	20050	QPSK	1	0	Low	21.67	20.85	30	PASS
Band4	20MHz	20050	QPSK	1	2	Low	21.42	20.6	30	PASS
Band4	20MHz	20050	QPSK	1	5	Low	21.36	20.54	30	PASS
Band4	20MHz	20050	QPSK	3	0	Low	21.51	20.69	30	PASS
Band4	20MHz	20050	QPSK	3	2	Low	21.48	20.66	30	PASS
Band4	20MHz	20050	QPSK	3	3	Low	21.13	20.31	30	PASS
Band4	20MHz	20050	QPSK	6	0	Low	21.42	20.6	30	PASS
Band4	20MHz	20175	QPSK	1	0	Low	21.47	20.65	30	PASS
Band4	20MHz	20175	QPSK	1	2	Low	21.5	20.68	30	PASS

Band4	20MHz	20175	QPSK	1	5	Low	21.27	20.45	30	PASS
Band4	20MHz	20175	QPSK	3	0	Low	21.52	20.7	30	PASS
Band4	20MHz	20175	QPSK	3	2	Low	21.43	20.61	30	PASS
Band4	20MHz	20175	QPSK	3	3	Low	21.39	20.57	30	PASS
Band4	20MHz	20175	QPSK	6	0	Low	21.47	20.65	30	PASS
Band4	20MHz	20300	QPSK	1	0	High	21.51	20.69	30	PASS
Band4	20MHz	20300	QPSK	1	2	High	21.98	21.16	30	PASS
Band4	20MHz	20300	QPSK	1	5	High	21.42	20.6	30	PASS
Band4	20MHz	20300	QPSK	3	0	High	21.61	20.79	30	PASS
Band4	20MHz	20300	QPSK	3	2	High	21.57	20.75	30	PASS
Band4	20MHz	20300	QPSK	3	3	High	21.5	20.68	30	PASS
Band4	20MHz	20300	QPSK	6	0	High	21.83	21.01	30	PASS
Band4	1.4MHz	19957	16QAM	1	0	Low	20.37	19.55	30	PASS
Band4	1.4MHz	19957	16QAM	1	2	Low	20.37	19.55	30	PASS
Band4	1.4MHz	19957	16QAM	1	5	Low	20.72	19.9	30	PASS
Band4	1.4MHz	19957	16QAM	3	0	Low	20.02	19.2	30	PASS
Band4	1.4MHz	19957	16QAM	3	2	Low	19.96	19.14	30	PASS
Band4	1.4MHz	19957	16QAM	3	3	Low	19.87	19.05	30	PASS
Band4	1.4MHz	19957	16QAM	5	0	Low	19.91	19.09	30	PASS
Band4	1.4MHz	20175	16QAM	1	0	Low	20.76	19.94	30	PASS
Band4	1.4MHz	20175	16QAM	1	2	Low	20.69	19.87	30	PASS
Band4	1.4MHz	20175	16QAM	1	5	Low	20.64	19.82	30	PASS
Band4	1.4MHz	20175	16QAM	3	0	Low	19.9	19.08	30	PASS
Band4	1.4MHz	20175	16QAM	3	2	Low	19.81	18.99	30	PASS
Band4	1.4MHz	20175	16QAM	3	3	Low	19.81	18.99	30	PASS
Band4	1.4MHz	20175	16QAM	5	0	Low	19.74	18.92	30	PASS
Band4	1.4MHz	20393	16QAM	1	0	High	21.22	20.4	30	PASS
Band4	1.4MHz	20393	16QAM	1	2	High	21.26	20.44	30	PASS
Band4	1.4MHz	20393	16QAM	1	5	High	21.02	20.2	30	PASS
Band4	1.4MHz	20393	16QAM	3	0	High	20.06	19.24	30	PASS
Band4	1.4MHz	20393	16QAM	3	2	High	19.92	19.1	30	PASS
Band4	1.4MHz	20393	16QAM	3	3	High	20.03	19.21	30	PASS
Band4	1.4MHz	20393	16QAM	5	0	High	20.02	19.2	30	PASS
Band4	3MHz	19965	16QAM	1	0	Low	21.13	20.31	30	PASS
Band4	3MHz	19965	16QAM	1	2	Low	21.2	20.38	30	PASS
Band4	3MHz	19965	16QAM	1	5	Low	20.92	20.1	30	PASS
Band4	3MHz	19965	16QAM	3	0	Low	20.22	19.4	30	PASS
Band4	3MHz	19965	16QAM	3	2	Low	20.14	19.32	30	PASS
Band4	3MHz	19965	16QAM	3	3	Low	19.92	19.1	30	PASS
Band4	3MHz	19965	16QAM	5	0	Low	20.08	19.26	30	PASS
Band4	3MHz	20175	16QAM	1	0	Low	20.56	19.74	30	PASS
Band4	3MHz	20175	16QAM	1	2	Low	20.74	19.92	30	PASS
Band4	3MHz	20175	16QAM	1	5	Low	20.67	19.85	30	PASS
Band4	3MHz	20175	16QAM	3	0	Low	20.38	19.56	30	PASS
Band4	3MHz	20175	16QAM	3	2	Low	20.32	19.5	30	PASS
Band4	3MHz	20175	16QAM	3	3	Low	20.11	19.29	30	PASS
Band4	3MHz	20175	16QAM	5	0	Low	20.29	19.47	30	PASS
Band4	3MHz	20385	16QAM	1	0	High	21.01	20.19	30	PASS
Band4	3MHz	20385	16QAM	1	2	High	20.86	20.04	30	PASS
Band4	3MHz	20385	16QAM	1	5	High	20.7	19.88	30	PASS
Band4	3MHz	20385	16QAM	3	0	High	20.1	19.28	30	PASS
Band4	3MHz	20385	16QAM	3	2	High	20.04	19.22	30	PASS
Band4	3MHz	20385	16QAM	3	3	High	20.03	19.21	30	PASS
Band4	3MHz	20385	16QAM	5	0	High	19.83	19.01	30	PASS
Band4	5MHz	19975	16QAM	1	0	Low	21.37	20.55	30	PASS
Band4	5MHz	19975	16QAM	1	2	Low	21.3	20.48	30	PASS
Band4	5MHz	19975	16QAM	1	5	Low	20.94	20.12	30	PASS
Band4	5MHz	19975	16QAM	3	0	Low	21.11	20.29	30	PASS

Band4	5MHz	19975	16QAM	3	2	Low	21.3	20.48	30	PASS
Band4	5MHz	19975	16QAM	3	3	Low	21.18	20.36	30	PASS
Band4	5MHz	19975	16QAM	5	0	Low	20.29	19.47	30	PASS
Band4	5MHz	20175	16QAM	1	0	Low	21.88	21.06	30	PASS
Band4	5MHz	20175	16QAM	1	2	Low	21.6	20.78	30	PASS
Band4	5MHz	20175	16QAM	1	5	Low	21.13	20.31	30	PASS
Band4	5MHz	20175	16QAM	3	0	Low	21.24	20.42	30	PASS
Band4	5MHz	20175	16QAM	3	2	Low	21.72	20.9	30	PASS
Band4	5MHz	20175	16QAM	3	3	Low	21.47	20.65	30	PASS
Band4	5MHz	20175	16QAM	5	0	Low	20.28	19.46	30	PASS
Band4	5MHz	20375	16QAM	1	0	High	21.89	21.07	30	PASS
Band4	5MHz	20375	16QAM	1	2	High	21.55	20.73	30	PASS
Band4	5MHz	20375	16QAM	1	5	High	21.21	20.39	30	PASS
Band4	5MHz	20375	16QAM	3	0	High	21.4	20.58	30	PASS
Band4	5MHz	20375	16QAM	3	2	High	21.53	20.71	30	PASS
Band4	5MHz	20375	16QAM	3	3	High	21.5	20.68	30	PASS
Band4	5MHz	20375	16QAM	5	0	High	20.45	19.63	30	PASS
Band4	10MHz	20000	16QAM	1	0	Low	21.21	20.39	30	PASS
Band4	10MHz	20000	16QAM	1	2	Low	21.2	20.38	30	PASS
Band4	10MHz	20000	16QAM	1	5	Low	20.92	20.1	30	PASS
Band4	10MHz	20000	16QAM	3	0	Low	21.13	20.31	30	PASS
Band4	10MHz	20000	16QAM	3	2	Low	21.54	20.72	30	PASS
Band4	10MHz	20000	16QAM	3	3	Low	21.21	20.39	30	PASS
Band4	10MHz	20000	16QAM	5	0	Low	21.28	20.46	30	PASS
Band4	10MHz	20175	16QAM	1	0	Low	21.82	21	30	PASS
Band4	10MHz	20175	16QAM	1	2	Low	21.41	20.59	30	PASS
Band4	10MHz	20175	16QAM	1	5	Low	20.99	20.17	30	PASS
Band4	10MHz	20175	16QAM	3	0	Low	21.18	20.36	30	PASS
Band4	10MHz	20175	16QAM	3	2	Low	21.51	20.69	30	PASS
Band4	10MHz	20175	16QAM	3	3	Low	21.27	20.45	30	PASS
Band4	10MHz	20175	16QAM	5	0	Low	21.32	20.5	30	PASS
Band4	10MHz	20350	16QAM	1	0	High	21.78	20.96	30	PASS
Band4	10MHz	20350	16QAM	1	2	High	21.49	20.67	30	PASS
Band4	10MHz	20350	16QAM	1	5	High	21.19	20.37	30	PASS
Band4	10MHz	20350	16QAM	3	0	High	21.46	20.64	30	PASS
Band4	10MHz	20350	16QAM	3	2	High	21.58	20.76	30	PASS
Band4	10MHz	20350	16QAM	3	3	High	21.48	20.66	30	PASS
Band4	10MHz	20350	16QAM	5	0	High	21.66	20.84	30	PASS
Band4	15MHz	20025	16QAM	1	0	Low	21.13	20.31	30	PASS
Band4	15MHz	20025	16QAM	1	2	Low	21.09	20.27	30	PASS
Band4	15MHz	20025	16QAM	1	5	Low	21.04	20.22	30	PASS
Band4	15MHz	20025	16QAM	3	0	Low	21.01	20.19	30	PASS
Band4	15MHz	20025	16QAM	3	2	Low	21.23	20.41	30	PASS
Band4	15MHz	20025	16QAM	3	3	Low	21.12	20.3	30	PASS
Band4	15MHz	20025	16QAM	5	0	Low	21.21	20.39	30	PASS
Band4	15MHz	20175	16QAM	1	0	Low	21.35	20.53	30	PASS
Band4	15MHz	20175	16QAM	1	2	Low	21.27	20.45	30	PASS
Band4	15MHz	20175	16QAM	1	5	Low	21.06	20.24	30	PASS
Band4	15MHz	20175	16QAM	3	0	Low	21.14	20.32	30	PASS
Band4	15MHz	20175	16QAM	3	2	Low	21.29	20.47	30	PASS
Band4	15MHz	20175	16QAM	3	3	Low	21.17	20.35	30	PASS
Band4	15MHz	20175	16QAM	5	0	Low	21.28	20.46	30	PASS
Band4	15MHz	20325	16QAM	1	0	High	21.89	21.07	30	PASS
Band4	15MHz	20325	16QAM	1	2	High	21.5	20.68	30	PASS
Band4	15MHz	20325	16QAM	1	5	High	21.15	20.33	30	PASS
Band4	15MHz	20325	16QAM	3	0	High	21.35	20.53	30	PASS
Band4	15MHz	20325	16QAM	3	2	High	21.49	20.67	30	PASS
Band4	15MHz	20325	16QAM	3	3	High	21.47	20.65	30	PASS

Band4	15MHz	20325	16QAM	5	0	High	21.56	20.74	30	PASS
Band4	20MHz	20050	16QAM	1	0	Low	21.34	20.52	30	PASS
Band4	20MHz	20050	16QAM	1	2	Low	21.18	20.36	30	PASS
Band4	20MHz	20050	16QAM	1	5	Low	20.88	20.06	30	PASS
Band4	20MHz	20050	16QAM	3	0	Low	21.03	20.21	30	PASS
Band4	20MHz	20050	16QAM	3	2	Low	21.56	20.74	30	PASS
Band4	20MHz	20050	16QAM	3	3	Low	21.15	20.33	30	PASS
Band4	20MHz	20050	16QAM	5	0	Low	21.12	20.3	30	PASS
Band4	20MHz	20175	16QAM	1	0	Low	21.76	20.94	30	PASS
Band4	20MHz	20175	16QAM	1	2	Low	21.37	20.55	30	PASS
Band4	20MHz	20175	16QAM	1	5	Low	20.96	20.14	30	PASS
Band4	20MHz	20175	16QAM	3	0	Low	21.2	20.38	30	PASS
Band4	20MHz	20175	16QAM	3	2	Low	21.3	20.48	30	PASS
Band4	20MHz	20175	16QAM	3	3	Low	21.18	20.36	30	PASS
Band4	20MHz	20175	16QAM	5	0	Low	21.29	20.47	30	PASS
Band4	20MHz	20300	16QAM	1	0	High	21.91	21.09	30	PASS
Band4	20MHz	20300	16QAM	1	2	High	21.58	20.76	30	PASS
Band4	20MHz	20300	16QAM	1	5	High	21.12	20.3	30	PASS
Band4	20MHz	20300	16QAM	3	0	High	21.39	20.57	30	PASS
Band4	20MHz	20300	16QAM	3	2	High	21.52	20.7	30	PASS
Band4	20MHz	20300	16QAM	3	3	High	21.47	20.65	30	PASS
Band4	20MHz	20300	16QAM	5	0	High	21.6	20.78	30	PASS

Band	Bandwidth	Channel	Modulation	RB Size	RB Start	NBIndex	Power (dBm)	ERP (dBm)	Lmit (dBm)	Verdict
Band5	1.4MHz	20407	QPSK	1	0	Low	20.72	18.33	38.45	PASS
Band5	1.4MHz	20407	QPSK	1	2	Low	20.62	18.23	38.45	PASS
Band5	1.4MHz	20407	QPSK	1	5	Low	20.33	17.94	38.45	PASS
Band5	1.4MHz	20407	QPSK	3	0	Low	19.77	17.38	38.45	PASS
Band5	1.4MHz	20407	QPSK	3	2	Low	19.78	17.39	38.45	PASS
Band5	1.4MHz	20407	QPSK	3	3	Low	19.76	17.37	38.45	PASS
Band5	1.4MHz	20407	QPSK	6	0	Low	18.94	16.55	38.45	PASS
Band5	1.4MHz	20525	QPSK	1	0	Low	20.52	18.13	38.45	PASS
Band5	1.4MHz	20525	QPSK	1	2	Low	20.34	17.95	38.45	PASS
Band5	1.4MHz	20525	QPSK	1	5	Low	20.07	17.68	38.45	PASS
Band5	1.4MHz	20525	QPSK	3	0	Low	19.54	17.15	38.45	PASS
Band5	1.4MHz	20525	QPSK	3	2	Low	19.43	17.04	38.45	PASS
Band5	1.4MHz	20525	QPSK	3	3	Low	19.41	17.02	38.45	PASS
Band5	1.4MHz	20525	QPSK	6	0	Low	18.63	16.24	38.45	PASS
Band5	1.4MHz	20643	QPSK	1	0	High	20.65	18.26	38.45	PASS
Band5	1.4MHz	20643	QPSK	1	2	High	20.62	18.23	38.45	PASS
Band5	1.4MHz	20643	QPSK	1	5	High	20.37	17.98	38.45	PASS
Band5	1.4MHz	20643	QPSK	3	0	High	19.61	17.22	38.45	PASS
Band5	1.4MHz	20643	QPSK	3	2	High	19.6	17.21	38.45	PASS
Band5	1.4MHz	20643	QPSK	3	3	High	19.56	17.17	38.45	PASS
Band5	1.4MHz	20643	QPSK	6	0	High	18.76	16.37	38.45	PASS
Band5	3MHz	20415	QPSK	1	0	Low	20.7	18.31	38.45	PASS
Band5	3MHz	20415	QPSK	1	2	Low	20.75	18.36	38.45	PASS
Band5	3MHz	20415	QPSK	1	5	Low	20.32	17.93	38.45	PASS
Band5	3MHz	20415	QPSK	3	0	Low	19.81	17.42	38.45	PASS
Band5	3MHz	20415	QPSK	3	2	Low	19.81	17.42	38.45	PASS
Band5	3MHz	20415	QPSK	3	3	Low	19.68	17.29	38.45	PASS
Band5	3MHz	20415	QPSK	6	0	Low	18.84	16.45	38.45	PASS
Band5	3MHz	20525	QPSK	1	0	Low	20.99	18.6	38.45	PASS
Band5	3MHz	20525	QPSK	1	2	Low	20.45	18.06	38.45	PASS
Band5	3MHz	20525	QPSK	1	5	Low	20.13	17.74	38.45	PASS
Band5	3MHz	20525	QPSK	3	0	Low	19.47	17.08	38.45	PASS
Band5	3MHz	20525	QPSK	3	2	Low	19.47	17.08	38.45	PASS
Band5	3MHz	20525	QPSK	3	3	Low	19.35	16.96	38.45	PASS
Band5	3MHz	20525	QPSK	6	0	Low	18.59	16.2	38.45	PASS
Band5	3MHz	20635	QPSK	1	0	High	20.83	18.44	38.45	PASS
Band5	3MHz	20635	QPSK	1	2	High	20.69	18.3	38.45	PASS
Band5	3MHz	20635	QPSK	1	5	High	20.28	17.89	38.45	PASS
Band5	3MHz	20635	QPSK	3	0	High	19.61	17.22	38.45	PASS
Band5	3MHz	20635	QPSK	3	2	High	19.54	17.15	38.45	PASS
Band5	3MHz	20635	QPSK	3	3	High	19.56	17.17	38.45	PASS
Band5	3MHz	20635	QPSK	6	0	High	18.72	16.33	38.45	PASS
Band5	5MHz	20425	QPSK	1	0	Low	20.84	18.45	38.45	PASS
Band5	5MHz	20425	QPSK	1	2	Low	20.78	18.39	38.45	PASS
Band5	5MHz	20425	QPSK	1	5	Low	20.51	18.12	38.45	PASS
Band5	5MHz	20425	QPSK	3	0	Low	20.76	18.37	38.45	PASS
Band5	5MHz	20425	QPSK	3	2	Low	20.58	18.19	38.45	PASS
Band5	5MHz	20425	QPSK	3	3	Low	20.46	18.07	38.45	PASS
Band5	5MHz	20425	QPSK	6	0	Low	19.53	17.14	38.45	PASS
Band5	5MHz	20525	QPSK	1	0	Low	20.99	18.6	38.45	PASS
Band5	5MHz	20525	QPSK	1	2	Low	20.65	18.26	38.45	PASS
Band5	5MHz	20525	QPSK	1	5	Low	20.43	18.04	38.45	PASS
Band5	5MHz	20525	QPSK	3	0	Low	20.76	18.37	38.45	PASS
Band5	5MHz	20525	QPSK	3	2	Low	20.42	18.03	38.45	PASS
Band5	5MHz	20525	QPSK	3	3	Low	20.5	18.11	38.45	PASS
Band5	5MHz	20525	QPSK	6	0	Low	19.36	16.97	38.45	PASS

Band5	5MHz	20625	QPSK	1	0	High	20.99	18.6	38.45	PASS
Band5	5MHz	20625	QPSK	1	2	High	20.86	18.47	38.45	PASS
Band5	5MHz	20625	QPSK	1	5	High	20.57	18.18	38.45	PASS
Band5	5MHz	20625	QPSK	3	0	High	20.92	18.53	38.45	PASS
Band5	5MHz	20625	QPSK	3	2	High	20.74	18.35	38.45	PASS
Band5	5MHz	20625	QPSK	3	3	High	20.56	18.17	38.45	PASS
Band5	5MHz	20625	QPSK	6	0	High	19.68	17.29	38.45	PASS
Band5	10MHz	20450	QPSK	1	0	Low	20.85	18.46	38.45	PASS
Band5	10MHz	20450	QPSK	1	2	Low	20.78	18.39	38.45	PASS
Band5	10MHz	20450	QPSK	1	5	Low	20.37	17.98	38.45	PASS
Band5	10MHz	20450	QPSK	3	0	Low	20.89	18.5	38.45	PASS
Band5	10MHz	20450	QPSK	3	2	Low	20.62	18.23	38.45	PASS
Band5	10MHz	20450	QPSK	3	3	Low	20.63	18.24	38.45	PASS
Band5	10MHz	20450	QPSK	6	0	Low	19.67	17.28	38.45	PASS
Band5	10MHz	20525	QPSK	1	0	Low	21.08	18.69	38.45	PASS
Band5	10MHz	20525	QPSK	1	2	Low	20.76	18.37	38.45	PASS
Band5	10MHz	20525	QPSK	1	5	Low	20.24	17.85	38.45	PASS
Band5	10MHz	20525	QPSK	3	0	Low	20.87	18.48	38.45	PASS
Band5	10MHz	20525	QPSK	3	2	Low	20.63	18.24	38.45	PASS
Band5	10MHz	20525	QPSK	3	3	Low	20.19	17.8	38.45	PASS
Band5	10MHz	20525	QPSK	6	0	Low	19.72	17.33	38.45	PASS
Band5	10MHz	20600	QPSK	1	0	High	20.9	18.51	38.45	PASS
Band5	10MHz	20600	QPSK	1	2	High	20.87	18.48	38.45	PASS
Band5	10MHz	20600	QPSK	1	5	High	20.58	18.19	38.45	PASS
Band5	10MHz	20600	QPSK	3	0	High	20.93	18.54	38.45	PASS
Band5	10MHz	20600	QPSK	3	2	High	20.65	18.26	38.45	PASS
Band5	10MHz	20600	QPSK	3	3	High	20.59	18.2	38.45	PASS
Band5	10MHz	20600	QPSK	6	0	High	19.56	17.17	38.45	PASS
Band5	1.4MHz	20407	16QAM	1	0	Low	19.89	17.5	38.45	PASS
Band5	1.4MHz	20407	16QAM	1	2	Low	19.79	17.4	38.45	PASS
Band5	1.4MHz	20407	16QAM	1	5	Low	19.61	17.22	38.45	PASS
Band5	1.4MHz	20407	16QAM	3	0	Low	19.04	16.65	38.45	PASS
Band5	1.4MHz	20407	16QAM	3	2	Low	18.96	16.57	38.45	PASS
Band5	1.4MHz	20407	16QAM	3	3	Low	18.92	16.53	38.45	PASS
Band5	1.4MHz	20407	16QAM	5	0	Low	19.13	16.74	38.45	PASS
Band5	1.4MHz	20525	16QAM	1	0	Low	19.8	17.41	38.45	PASS
Band5	1.4MHz	20525	16QAM	1	2	Low	19.67	17.28	38.45	PASS
Band5	1.4MHz	20525	16QAM	1	5	Low	19.48	17.09	38.45	PASS
Band5	1.4MHz	20525	16QAM	3	0	Low	18.85	16.46	38.45	PASS
Band5	1.4MHz	20525	16QAM	3	2	Low	18.75	16.36	38.45	PASS
Band5	1.4MHz	20525	16QAM	3	3	Low	18.62	16.23	38.45	PASS
Band5	1.4MHz	20525	16QAM	5	0	Low	18.85	16.46	38.45	PASS
Band5	1.4MHz	20643	16QAM	1	0	High	19.73	17.34	38.45	PASS
Band5	1.4MHz	20643	16QAM	1	2	High	19.6	17.21	38.45	PASS
Band5	1.4MHz	20643	16QAM	1	5	High	19.34	16.95	38.45	PASS
Band5	1.4MHz	20643	16QAM	3	0	High	18.76	16.37	38.45	PASS
Band5	1.4MHz	20643	16QAM	3	2	High	18.58	16.19	38.45	PASS
Band5	1.4MHz	20643	16QAM	3	3	High	18.65	16.26	38.45	PASS
Band5	1.4MHz	20643	16QAM	5	0	High	18.78	16.39	38.45	PASS
Band5	3MHz	20415	16QAM	1	0	Low	19.89	17.5	38.45	PASS
Band5	3MHz	20415	16QAM	1	2	Low	19.68	17.29	38.45	PASS
Band5	3MHz	20415	16QAM	1	5	Low	19.44	17.05	38.45	PASS
Band5	3MHz	20415	16QAM	3	0	Low	19.11	16.72	38.45	PASS
Band5	3MHz	20415	16QAM	3	2	Low	19.01	16.62	38.45	PASS
Band5	3MHz	20415	16QAM	3	3	Low	18.86	16.47	38.45	PASS
Band5	3MHz	20415	16QAM	5	0	Low	19.08	16.69	38.45	PASS
Band5	3MHz	20525	16QAM	1	0	Low	20.13	17.74	38.45	PASS
Band5	3MHz	20525	16QAM	1	2	Low	19.53	17.14	38.45	PASS

Band5	3MHz	20525	16QAM	1	5	Low	19.34	16.95	38.45	PASS
Band5	3MHz	20525	16QAM	3	0	Low	18.71	16.32	38.45	PASS
Band5	3MHz	20525	16QAM	3	2	Low	18.25	15.86	38.45	PASS
Band5	3MHz	20525	16QAM	3	3	Low	18.49	16.1	38.45	PASS
Band5	3MHz	20525	16QAM	5	0	Low	18.73	16.34	38.45	PASS
Band5	3MHz	20635	16QAM	1	0	High	19.83	17.44	38.45	PASS
Band5	3MHz	20635	16QAM	1	2	High	19.72	17.33	38.45	PASS
Band5	3MHz	20635	16QAM	1	5	High	19.46	17.07	38.45	PASS
Band5	3MHz	20635	16QAM	3	0	High	18.73	16.34	38.45	PASS
Band5	3MHz	20635	16QAM	3	2	High	18.65	16.26	38.45	PASS
Band5	3MHz	20635	16QAM	3	3	High	18.58	16.19	38.45	PASS
Band5	3MHz	20635	16QAM	5	0	High	18.83	16.44	38.45	PASS
Band5	5MHz	20425	16QAM	1	0	Low	19.65	17.26	38.45	PASS
Band5	5MHz	20425	16QAM	1	2	Low	19.67	17.28	38.45	PASS
Band5	5MHz	20425	16QAM	1	5	Low	19.27	16.88	38.45	PASS
Band5	5MHz	20425	16QAM	3	0	Low	19.4	17.01	38.45	PASS
Band5	5MHz	20425	16QAM	3	2	Low	19.3	16.91	38.45	PASS
Band5	5MHz	20425	16QAM	3	3	Low	19.27	16.88	38.45	PASS
Band5	5MHz	20425	16QAM	5	0	Low	18.31	15.92	38.45	PASS
Band5	5MHz	20525	16QAM	1	0	Low	19.52	17.13	38.45	PASS
Band5	5MHz	20525	16QAM	1	2	Low	19.46	17.07	38.45	PASS
Band5	5MHz	20525	16QAM	1	5	Low	19.09	16.7	38.45	PASS
Band5	5MHz	20525	16QAM	3	0	Low	19.35	16.96	38.45	PASS
Band5	5MHz	20525	16QAM	3	2	Low	19.07	16.68	38.45	PASS
Band5	5MHz	20525	16QAM	3	3	Low	19.03	16.64	38.45	PASS
Band5	5MHz	20525	16QAM	5	0	Low	18.47	16.08	38.45	PASS
Band5	5MHz	20625	16QAM	1	0	High	19.62	17.23	38.45	PASS
Band5	5MHz	20625	16QAM	1	2	High	19.62	17.23	38.45	PASS
Band5	5MHz	20625	16QAM	1	5	High	19.1	16.71	38.45	PASS
Band5	5MHz	20625	16QAM	3	0	High	19.44	17.05	38.45	PASS
Band5	5MHz	20625	16QAM	3	2	High	19.16	16.77	38.45	PASS
Band5	5MHz	20625	16QAM	3	3	High	19.02	16.63	38.45	PASS
Band5	5MHz	20625	16QAM	5	0	High	18.31	15.92	38.45	PASS
Band5	10MHz	20450	16QAM	1	0	Low	19.66	17.27	38.45	PASS
Band5	10MHz	20450	16QAM	1	2	Low	19.61	17.22	38.45	PASS
Band5	10MHz	20450	16QAM	1	5	Low	19.21	16.82	38.45	PASS
Band5	10MHz	20450	16QAM	3	0	Low	19.47	17.08	38.45	PASS
Band5	10MHz	20450	16QAM	3	2	Low	19.27	16.88	38.45	PASS
Band5	10MHz	20450	16QAM	3	3	Low	19.26	16.87	38.45	PASS
Band5	10MHz	20450	16QAM	5	0	Low	19.49	17.1	38.45	PASS
Band5	10MHz	20525	16QAM	1	0	Low	20.02	17.63	38.45	PASS
Band5	10MHz	20525	16QAM	1	2	Low	19.35	16.96	38.45	PASS
Band5	10MHz	20525	16QAM	1	5	Low	18.98	16.59	38.45	PASS
Band5	10MHz	20525	16QAM	3	0	Low	19.46	17.07	38.45	PASS
Band5	10MHz	20525	16QAM	3	2	Low	19.09	16.7	38.45	PASS
Band5	10MHz	20525	16QAM	3	3	Low	18.87	16.48	38.45	PASS
Band5	10MHz	20525	16QAM	5	0	Low	19.22	16.83	38.45	PASS
Band5	10MHz	20600	16QAM	1	0	High	19.54	17.15	38.45	PASS
Band5	10MHz	20600	16QAM	1	2	High	19.48	17.09	38.45	PASS
Band5	10MHz	20600	16QAM	1	5	High	19.24	16.85	38.45	PASS
Band5	10MHz	20600	16QAM	3	0	High	19.61	17.22	38.45	PASS
Band5	10MHz	20600	16QAM	3	2	High	19.12	16.73	38.45	PASS
Band5	10MHz	20600	16QAM	3	3	High	19.06	16.67	38.45	PASS
Band5	10MHz	20600	16QAM	5	0	High	19.32	16.93	38.45	PASS

Band	Bandwidth	Channel	Modulation	RB Size	RB Start	NBIndex	Power (dBm)	ERP (dBm)	Limit (dBm)	Verdict
Band12	1.4MHz	23017	QPSK	1	0	Low	20.68	17.91	34.77	PASS

Band12	1.4MHz	23017	QPSK	1	2	Low	20.73	17.96	34.77	PASS
Band12	1.4MHz	23017	QPSK	1	5	Low	20.55	17.78	34.77	PASS
Band12	1.4MHz	23017	QPSK	3	0	Low	20.11	17.34	34.77	PASS
Band12	1.4MHz	23017	QPSK	3	2	Low	19.87	17.1	34.77	PASS
Band12	1.4MHz	23017	QPSK	3	3	Low	19.76	16.99	34.77	PASS
Band12	1.4MHz	23017	QPSK	6	0	Low	19.03	16.26	34.77	PASS
Band12	1.4MHz	23095	QPSK	1	0	Low	21.25	18.48	34.77	PASS
Band12	1.4MHz	23095	QPSK	1	2	Low	21.19	18.42	34.77	PASS
Band12	1.4MHz	23095	QPSK	1	5	Low	21.04	18.27	34.77	PASS
Band12	1.4MHz	23095	QPSK	3	0	Low	20.41	17.64	34.77	PASS
Band12	1.4MHz	23095	QPSK	3	2	Low	20.35	17.58	34.77	PASS
Band12	1.4MHz	23095	QPSK	3	3	Low	20.32	17.55	34.77	PASS
Band12	1.4MHz	23095	QPSK	6	0	Low	19.51	16.74	34.77	PASS
Band12	1.4MHz	23173	QPSK	1	0	High	20.82	18.05	34.77	PASS
Band12	1.4MHz	23173	QPSK	1	2	High	20.59	17.82	34.77	PASS
Band12	1.4MHz	23173	QPSK	1	5	High	20.43	17.66	34.77	PASS
Band12	1.4MHz	23173	QPSK	3	0	High	20.22	17.45	34.77	PASS
Band12	1.4MHz	23173	QPSK	3	2	High	20.31	17.54	34.77	PASS
Band12	1.4MHz	23173	QPSK	3	3	High	20.13	17.36	34.77	PASS
Band12	1.4MHz	23173	QPSK	6	0	High	19.56	16.79	34.77	PASS
Band12	3MHz	23025	QPSK	1	0	Low	20.77	18	34.77	PASS
Band12	3MHz	23025	QPSK	1	2	Low	20.77	18	34.77	PASS
Band12	3MHz	23025	QPSK	1	5	Low	20.58	17.81	34.77	PASS
Band12	3MHz	23025	QPSK	3	0	Low	20.15	17.38	34.77	PASS
Band12	3MHz	23025	QPSK	3	2	Low	19.87	17.1	34.77	PASS
Band12	3MHz	23025	QPSK	3	3	Low	19.76	16.99	34.77	PASS
Band12	3MHz	23025	QPSK	6	0	Low	19.14	16.37	34.77	PASS
Band12	3MHz	23095	QPSK	1	0	Low	21.37	18.6	34.77	PASS
Band12	3MHz	23095	QPSK	1	2	Low	21.27	18.5	34.77	PASS
Band12	3MHz	23095	QPSK	1	5	Low	20.95	18.18	34.77	PASS
Band12	3MHz	23095	QPSK	3	0	Low	20.4	17.63	34.77	PASS
Band12	3MHz	23095	QPSK	3	2	Low	20.21	17.44	34.77	PASS
Band12	3MHz	23095	QPSK	3	3	Low	20.15	17.38	34.77	PASS
Band12	3MHz	23095	QPSK	6	0	Low	19.42	16.65	34.77	PASS
Band12	3MHz	23165	QPSK	1	0	High	21.41	18.64	34.77	PASS
Band12	3MHz	23165	QPSK	1	2	High	21.27	18.5	34.77	PASS
Band12	3MHz	23165	QPSK	1	5	High	20.93	18.16	34.77	PASS
Band12	3MHz	23165	QPSK	3	0	High	20.49	17.72	34.77	PASS
Band12	3MHz	23165	QPSK	3	2	High	20.36	17.59	34.77	PASS
Band12	3MHz	23165	QPSK	3	3	High	20.26	17.49	34.77	PASS
Band12	3MHz	23165	QPSK	6	0	High	19.45	16.68	34.77	PASS
Band12	5MHz	23035	QPSK	1	0	Low	20.9	18.13	34.77	PASS
Band12	5MHz	23035	QPSK	1	2	Low	21.1	18.33	34.77	PASS
Band12	5MHz	23035	QPSK	1	5	Low	20.79	18.02	34.77	PASS
Band12	5MHz	23035	QPSK	3	0	Low	21.12	18.35	34.77	PASS
Band12	5MHz	23035	QPSK	3	2	Low	20.93	18.16	34.77	PASS
Band12	5MHz	23035	QPSK	3	3	Low	20.82	18.05	34.77	PASS
Band12	5MHz	23035	QPSK	6	0	Low	20.08	17.31	34.77	PASS
Band12	5MHz	23095	QPSK	1	0	Low	20.55	17.78	34.77	PASS
Band12	5MHz	23095	QPSK	1	2	Low	20.27	17.5	34.77	PASS
Band12	5MHz	23095	QPSK	1	5	Low	20.03	17.26	34.77	PASS
Band12	5MHz	23095	QPSK	3	0	Low	20.37	17.6	34.77	PASS
Band12	5MHz	23095	QPSK	3	2	Low	20.16	17.39	34.77	PASS
Band12	5MHz	23095	QPSK	3	3	Low	20.15	17.38	34.77	PASS
Band12	5MHz	23095	QPSK	6	0	Low	19.36	16.59	34.77	PASS
Band12	5MHz	23155	QPSK	1	0	High	20.73	17.96	34.77	PASS
Band12	5MHz	23155	QPSK	1	2	High	20.45	17.68	34.77	PASS
Band12	5MHz	23155	QPSK	1	5	High	20.12	17.35	34.77	PASS

Band12	5MHz	23155	QPSK	3	0	High	20.48	17.71	34.77	PASS
Band12	5MHz	23155	QPSK	3	2	High	20.35	17.58	34.77	PASS
Band12	5MHz	23155	QPSK	3	3	High	20.25	17.48	34.77	PASS
Band12	5MHz	23155	QPSK	6	0	High	19.42	16.65	34.77	PASS
Band12	10MHz	23060	QPSK	1	0	Low	20.3	17.53	34.77	PASS
Band12	10MHz	23060	QPSK	1	2	Low	20.35	17.58	34.77	PASS
Band12	10MHz	23060	QPSK	1	5	Low	20.17	17.4	34.77	PASS
Band12	10MHz	23060	QPSK	3	0	Low	20.31	17.54	34.77	PASS
Band12	10MHz	23060	QPSK	3	2	Low	20.3	17.53	34.77	PASS
Band12	10MHz	23060	QPSK	3	3	Low	20.22	17.45	34.77	PASS
Band12	10MHz	23060	QPSK	6	0	Low	19.44	16.67	34.77	PASS
Band12	10MHz	23095	QPSK	1	0	Low	20.57	17.8	34.77	PASS
Band12	10MHz	23095	QPSK	1	2	Low	20.64	17.87	34.77	PASS
Band12	10MHz	23095	QPSK	1	5	Low	20.47	17.7	34.77	PASS
Band12	10MHz	23095	QPSK	3	0	Low	20.53	17.76	34.77	PASS
Band12	10MHz	23095	QPSK	3	2	Low	20.44	17.67	34.77	PASS
Band12	10MHz	23095	QPSK	3	3	Low	20.36	17.59	34.77	PASS
Band12	10MHz	23095	QPSK	6	0	Low	19.77	17	34.77	PASS
Band12	10MHz	23130	QPSK	1	0	High	20.79	18.02	34.77	PASS
Band12	10MHz	23130	QPSK	1	2	High	20.41	17.64	34.77	PASS
Band12	10MHz	23130	QPSK	1	5	High	20.15	17.38	34.77	PASS
Band12	10MHz	23130	QPSK	3	0	High	20.46	17.69	34.77	PASS
Band12	10MHz	23130	QPSK	3	2	High	20.31	17.54	34.77	PASS
Band12	10MHz	23130	QPSK	3	3	High	20.21	17.44	34.77	PASS
Band12	10MHz	23130	QPSK	6	0	High	19.38	16.61	34.77	PASS
Band12	1.4MHz	23017	16QAM	1	0	Low	19.67	16.9	34.77	PASS
Band12	1.4MHz	23017	16QAM	1	2	Low	19.59	16.82	34.77	PASS
Band12	1.4MHz	23017	16QAM	1	5	Low	19.37	16.6	34.77	PASS
Band12	1.4MHz	23017	16QAM	3	0	Low	19.1	16.33	34.77	PASS
Band12	1.4MHz	23017	16QAM	3	2	Low	19.11	16.34	34.77	PASS
Band12	1.4MHz	23017	16QAM	3	3	Low	19.04	16.27	34.77	PASS
Band12	1.4MHz	23017	16QAM	5	0	Low	19.05	16.28	34.77	PASS
Band12	1.4MHz	23095	16QAM	1	0	Low	20.14	17.37	34.77	PASS
Band12	1.4MHz	23095	16QAM	1	2	Low	20.02	17.25	34.77	PASS
Band12	1.4MHz	23095	16QAM	1	5	Low	19.92	17.15	34.77	PASS
Band12	1.4MHz	23095	16QAM	3	0	Low	19.5	16.73	34.77	PASS
Band12	1.4MHz	23095	16QAM	3	2	Low	19.51	16.74	34.77	PASS
Band12	1.4MHz	23095	16QAM	3	3	Low	19.54	16.77	34.77	PASS
Band12	1.4MHz	23095	16QAM	5	0	Low	19.54	16.77	34.77	PASS
Band12	1.4MHz	23173	16QAM	1	0	High	20.31	17.54	34.77	PASS
Band12	1.4MHz	23173	16QAM	1	2	High	20.09	17.32	34.77	PASS
Band12	1.4MHz	23173	16QAM	1	5	High	19.98	17.21	34.77	PASS
Band12	1.4MHz	23173	16QAM	3	0	High	19.57	16.8	34.77	PASS
Band12	1.4MHz	23173	16QAM	3	2	High	19.55	16.78	34.77	PASS
Band12	1.4MHz	23173	16QAM	3	3	High	19.59	16.82	34.77	PASS
Band12	1.4MHz	23173	16QAM	5	0	High	19.66	16.89	34.77	PASS
Band12	3MHz	23025	16QAM	1	0	Low	19.84	17.07	34.77	PASS
Band12	3MHz	23025	16QAM	1	2	Low	19.73	16.96	34.77	PASS
Band12	3MHz	23025	16QAM	1	5	Low	19.58	16.81	34.77	PASS
Band12	3MHz	23025	16QAM	3	0	Low	19.26	16.49	34.77	PASS
Band12	3MHz	23025	16QAM	3	2	Low	19.2	16.43	34.77	PASS
Band12	3MHz	23025	16QAM	3	3	Low	19.12	16.35	34.77	PASS
Band12	3MHz	23025	16QAM	5	0	Low	19.29	16.52	34.77	PASS
Band12	3MHz	23095	16QAM	1	0	Low	20.33	17.56	34.77	PASS
Band12	3MHz	23095	16QAM	1	2	Low	20.2	17.43	34.77	PASS
Band12	3MHz	23095	16QAM	1	5	Low	19.89	17.12	34.77	PASS
Band12	3MHz	23095	16QAM	3	0	Low	19.4	16.63	34.77	PASS
Band12	3MHz	23095	16QAM	3	2	Low	19.23	16.46	34.77	PASS

Band12	3MHz	23095	16QAM	3	3	Low	19.34	16.57	34.77	PASS
Band12	3MHz	23095	16QAM	5	0	Low	19.59	16.82	34.77	PASS
Band12	3MHz	23165	16QAM	1	0	High	20.53	17.76	34.77	PASS
Band12	3MHz	23165	16QAM	1	2	High	20.19	17.42	34.77	PASS
Band12	3MHz	23165	16QAM	1	5	High	19.97	17.2	34.77	PASS
Band12	3MHz	23165	16QAM	3	0	High	19.47	16.7	34.77	PASS
Band12	3MHz	23165	16QAM	3	2	High	19.5	16.73	34.77	PASS
Band12	3MHz	23165	16QAM	3	3	High	19.57	16.8	34.77	PASS
Band12	3MHz	23165	16QAM	5	0	High	19.69	16.92	34.77	PASS
Band12	5MHz	23035	16QAM	1	0	Low	19.31	16.54	34.77	PASS
Band12	5MHz	23035	16QAM	1	2	Low	19.25	16.48	34.77	PASS
Band12	5MHz	23035	16QAM	1	5	Low	18.96	16.19	34.77	PASS
Band12	5MHz	23035	16QAM	3	0	Low	19.16	16.39	34.77	PASS
Band12	5MHz	23035	16QAM	3	2	Low	19.17	16.4	34.77	PASS
Band12	5MHz	23035	16QAM	3	3	Low	19.06	16.29	34.77	PASS
Band12	5MHz	23035	16QAM	5	0	Low	18.31	15.54	34.77	PASS
Band12	5MHz	23095	16QAM	1	0	Low	19.72	16.95	34.77	PASS
Band12	5MHz	23095	16QAM	1	2	Low	19.52	16.75	34.77	PASS
Band12	5MHz	23095	16QAM	1	5	Low	19.3	16.53	34.77	PASS
Band12	5MHz	23095	16QAM	3	0	Low	19.48	16.71	34.77	PASS
Band12	5MHz	23095	16QAM	3	2	Low	19.51	16.74	34.77	PASS
Band12	5MHz	23095	16QAM	3	3	Low	19.41	16.64	34.77	PASS
Band12	5MHz	23095	16QAM	5	0	Low	18.62	15.85	34.77	PASS
Band12	5MHz	23155	16QAM	1	0	High	19.21	16.44	34.77	PASS
Band12	5MHz	23155	16QAM	1	2	High	19.79	17.02	34.77	PASS
Band12	5MHz	23155	16QAM	1	5	High	19.41	16.64	34.77	PASS
Band12	5MHz	23155	16QAM	3	0	High	19.7	16.93	34.77	PASS
Band12	5MHz	23155	16QAM	3	2	High	19.64	16.87	34.77	PASS
Band12	5MHz	23155	16QAM	3	3	High	19.53	16.76	34.77	PASS
Band12	5MHz	23155	16QAM	5	0	High	18.72	15.95	34.77	PASS
Band12	10MHz	23060	16QAM	1	0	Low	19.25	16.48	34.77	PASS
Band12	10MHz	23060	16QAM	1	2	Low	19.24	16.47	34.77	PASS
Band12	10MHz	23060	16QAM	1	5	Low	19.11	16.34	34.77	PASS
Band12	10MHz	23060	16QAM	3	0	Low	19.19	16.42	34.77	PASS
Band12	10MHz	23060	16QAM	3	2	Low	19.24	16.47	34.77	PASS
Band12	10MHz	23060	16QAM	3	3	Low	19.19	16.42	34.77	PASS
Band12	10MHz	23060	16QAM	5	0	Low	19.34	16.57	34.77	PASS
Band12	10MHz	23095	16QAM	1	0	Low	19.49	16.72	34.77	PASS
Band12	10MHz	23095	16QAM	1	2	Low	19.46	16.69	34.77	PASS
Band12	10MHz	23095	16QAM	1	5	Low	19.2	16.43	34.77	PASS
Band12	10MHz	23095	16QAM	3	0	Low	19.33	16.56	34.77	PASS
Band12	10MHz	23095	16QAM	3	2	Low	19.29	16.52	34.77	PASS
Band12	10MHz	23095	16QAM	3	3	Low	19.28	16.51	34.77	PASS
Band12	10MHz	23095	16QAM	5	0	Low	19.45	16.68	34.77	PASS
Band12	10MHz	23130	16QAM	1	0	High	19.96	17.19	34.77	PASS
Band12	10MHz	23130	16QAM	1	2	High	19.75	16.98	34.77	PASS
Band12	10MHz	23130	16QAM	1	5	High	19.48	16.71	34.77	PASS
Band12	10MHz	23130	16QAM	3	0	High	19.59	16.82	34.77	PASS
Band12	10MHz	23130	16QAM	3	2	High	19.52	16.75	34.77	PASS
Band12	10MHz	23130	16QAM	3	3	High	19.48	16.71	34.77	PASS
Band12	10MHz	23130	16QAM	5	0	High	19.62	16.85	34.77	PASS

Band	Bandwidth	Channel	Modulation	RB Size	RB Start	NBIndex	Power (dBm)	ERP (dBm)	Lmit (dBm)	Verdict
Band13	5MHz	23205	QPSK	1	0	Low	20.65	17.73	34.77	PASS
Band13	5MHz	23205	QPSK	1	2	Low	20.48	17.56	34.77	PASS
Band13	5MHz	23205	QPSK	1	5	Low	20.11	17.19	34.77	PASS
Band13	5MHz	23205	QPSK	3	0	Low	20.81	17.89	34.77	PASS
Band13	5MHz	23205	QPSK	3	2	Low	20.33	17.41	34.77	PASS
Band13	5MHz	23205	QPSK	3	3	Low	20.34	17.42	34.77	PASS
Band13	5MHz	23205	QPSK	6	0	Low	19.39	16.47	34.77	PASS
Band13	5MHz	23230	QPSK	1	0	Low	20.58	17.66	34.77	PASS
Band13	5MHz	23230	QPSK	1	2	Low	20.53	17.61	34.77	PASS
Band13	5MHz	23230	QPSK	1	5	Low	20.08	17.16	34.77	PASS
Band13	5MHz	23230	QPSK	3	0	Low	20.56	17.64	34.77	PASS
Band13	5MHz	23230	QPSK	3	2	Low	20.24	17.32	34.77	PASS
Band13	5MHz	23230	QPSK	3	3	Low	20.17	17.25	34.77	PASS
Band13	5MHz	23230	QPSK	6	0	Low	19.31	16.39	34.77	PASS
Band13	5MHz	23255	QPSK	1	0	High	20.16	17.24	34.77	PASS
Band13	5MHz	23255	QPSK	1	2	High	20.4	17.48	34.77	PASS
Band13	5MHz	23255	QPSK	1	5	High	20.06	17.14	34.77	PASS
Band13	5MHz	23255	QPSK	3	0	High	20.54	17.62	34.77	PASS
Band13	5MHz	23255	QPSK	3	2	High	20.46	17.54	34.77	PASS
Band13	5MHz	23255	QPSK	3	3	High	20.34	17.42	34.77	PASS
Band13	5MHz	23255	QPSK	6	0	High	19.36	16.44	34.77	PASS
Band13	10MHz	23230	QPSK	1	0	Low	20.44	17.52	34.77	PASS
Band13	10MHz	23230	QPSK	1	2	Low	20.43	17.51	34.77	PASS
Band13	10MHz	23230	QPSK	1	5	Low	19.9	16.98	34.77	PASS
Band13	10MHz	23230	QPSK	3	0	Low	20.61	17.69	34.77	PASS
Band13	10MHz	23230	QPSK	3	2	Low	20.29	17.37	34.77	PASS
Band13	10MHz	23230	QPSK	3	3	Low	20.26	17.34	34.77	PASS
Band13	10MHz	23230	QPSK	6	0	Low	19.28	16.36	34.77	PASS
Band13	5MHz	23205	16QAM	1	0	Low	20.98	18.06	34.77	PASS
Band13	5MHz	23205	16QAM	1	2	Low	20.95	18.03	34.77	PASS
Band13	5MHz	23205	16QAM	1	5	Low	20.41	17.49	34.77	PASS
Band13	5MHz	23205	16QAM	3	0	Low	20.68	17.76	34.77	PASS
Band13	5MHz	23205	16QAM	3	2	Low	20.44	17.52	34.77	PASS
Band13	5MHz	23205	16QAM	3	3	Low	20.25	17.33	34.77	PASS
Band13	5MHz	23205	16QAM	5	0	Low	19.32	16.4	34.77	PASS
Band13	5MHz	23230	16QAM	1	0	Low	20.64	17.72	34.77	PASS
Band13	5MHz	23230	16QAM	1	2	Low	20.68	17.76	34.77	PASS
Band13	5MHz	23230	16QAM	1	5	Low	20.36	17.44	34.77	PASS
Band13	5MHz	23230	16QAM	3	0	Low	20.53	17.61	34.77	PASS
Band13	5MHz	23230	16QAM	3	2	Low	20.34	17.42	34.77	PASS
Band13	5MHz	23230	16QAM	3	3	Low	20.12	17.2	34.77	PASS
Band13	5MHz	23230	16QAM	5	0	Low	19.36	16.44	34.77	PASS
Band13	5MHz	23255	16QAM	1	0	High	20.54	17.62	34.77	PASS
Band13	5MHz	23255	16QAM	1	2	High	20.49	17.57	34.77	PASS
Band13	5MHz	23255	16QAM	1	5	High	20.32	17.4	34.77	PASS
Band13	5MHz	23255	16QAM	3	0	High	20.54	17.62	34.77	PASS
Band13	5MHz	23255	16QAM	3	2	High	20.45	17.53	34.77	PASS
Band13	5MHz	23255	16QAM	3	3	High	20.22	17.3	34.77	PASS
Band13	5MHz	23255	16QAM	5	0	High	19.3	16.38	34.77	PASS
Band13	10MHz	23230	16QAM	1	0	Low	20.84	17.92	34.77	PASS
Band13	10MHz	23230	16QAM	1	2	Low	20.76	17.84	34.77	PASS
Band13	10MHz	23230	16QAM	1	5	Low	20.36	17.44	34.77	PASS
Band13	10MHz	23230	16QAM	3	0	Low	20.76	17.84	34.77	PASS
Band13	10MHz	23230	16QAM	3	2	Low	20.27	17.35	34.77	PASS
Band13	10MHz	23230	16QAM	3	3	Low	20.24	17.32	34.77	PASS
Band13	10MHz	23230	16QAM	5	0	Low	20.61	17.69	34.77	PASS

Band	Bandwidth	Channel	Modulation	RB Size	RB Start	NBIndex	Power(dBm)	EIRP(dBm)	Lmit(dBm)	Verdict
Band25	1.4MHz	26047	QPSK	1	0	Low	21.4	23.58	33	PASS
Band25	1.4MHz	26047	QPSK	1	2	Low	21.41	23.59	33	PASS
Band25	1.4MHz	26047	QPSK	1	5	Low	21.12	23.3	33	PASS
Band25	1.4MHz	26047	QPSK	3	0	Low	20.42	22.6	33	PASS
Band25	1.4MHz	26047	QPSK	3	2	Low	20.51	22.69	33	PASS
Band25	1.4MHz	26047	QPSK	3	3	Low	20.4	22.58	33	PASS
Band25	1.4MHz	26047	QPSK	6	0	Low	19.39	21.57	33	PASS
Band25	1.4MHz	26365	QPSK	1	0	Low	21.48	23.66	33	PASS
Band25	1.4MHz	26365	QPSK	1	2	Low	21.45	23.63	33	PASS
Band25	1.4MHz	26365	QPSK	1	5	Low	20.94	23.12	33	PASS
Band25	1.4MHz	26365	QPSK	3	0	Low	20.35	22.53	33	PASS
Band25	1.4MHz	26365	QPSK	3	2	Low	20.52	22.7	33	PASS
Band25	1.4MHz	26365	QPSK	3	3	Low	20.33	22.51	33	PASS
Band25	1.4MHz	26365	QPSK	6	0	Low	19.47	21.65	33	PASS
Band25	1.4MHz	26683	QPSK	1	0	High	21.94	24.12	33	PASS
Band25	1.4MHz	26683	QPSK	1	2	High	21.82	24	33	PASS
Band25	1.4MHz	26683	QPSK	1	5	High	21.44	23.62	33	PASS
Band25	1.4MHz	26683	QPSK	3	0	High	20.82	23	33	PASS
Band25	1.4MHz	26683	QPSK	3	2	High	20.81	22.99	33	PASS
Band25	1.4MHz	26683	QPSK	3	3	High	20.75	22.93	33	PASS
Band25	1.4MHz	26683	QPSK	6	0	High	19.81	21.99	33	PASS
Band25	3MHz	26055	QPSK	1	0	Low	21.47	23.65	33	PASS
Band25	3MHz	26055	QPSK	1	2	Low	21.37	23.55	33	PASS
Band25	3MHz	26055	QPSK	1	5	Low	21.08	23.26	33	PASS
Band25	3MHz	26055	QPSK	3	0	Low	20.37	22.55	33	PASS
Band25	3MHz	26055	QPSK	3	2	Low	20.57	22.75	33	PASS
Band25	3MHz	26055	QPSK	3	3	Low	20.43	22.61	33	PASS
Band25	3MHz	26055	QPSK	6	0	Low	19.45	21.63	33	PASS
Band25	3MHz	26365	QPSK	1	0	Low	21.43	23.61	33	PASS
Band25	3MHz	26365	QPSK	1	2	Low	21.4	23.58	33	PASS
Band25	3MHz	26365	QPSK	1	5	Low	21.06	23.24	33	PASS
Band25	3MHz	26365	QPSK	3	0	Low	20.32	22.5	33	PASS
Band25	3MHz	26365	QPSK	3	2	Low	20.38	22.56	33	PASS
Band25	3MHz	26365	QPSK	3	3	Low	20.28	22.46	33	PASS
Band25	3MHz	26365	QPSK	6	0	Low	19.38	21.56	33	PASS
Band25	3MHz	26675	QPSK	1	0	High	21.96	24.14	33	PASS
Band25	3MHz	26675	QPSK	1	2	High	21.78	23.96	33	PASS
Band25	3MHz	26675	QPSK	1	5	High	21.42	23.6	33	PASS
Band25	3MHz	26675	QPSK	3	0	High	20.74	22.92	33	PASS
Band25	3MHz	26675	QPSK	3	2	High	20.9	23.08	33	PASS
Band25	3MHz	26675	QPSK	3	3	High	20.8	22.98	33	PASS
Band25	3MHz	26675	QPSK	6	0	High	20.02	22.2	33	PASS
Band25	5MHz	26065	QPSK	1	0	Low	21.47	23.65	33	PASS
Band25	5MHz	26065	QPSK	1	2	Low	21.5	23.68	33	PASS
Band25	5MHz	26065	QPSK	1	5	Low	21.17	23.35	33	PASS
Band25	5MHz	26065	QPSK	3	0	Low	21.4	23.58	33	PASS
Band25	5MHz	26065	QPSK	3	2	Low	21.32	23.5	33	PASS
Band25	5MHz	26065	QPSK	3	3	Low	21.2	23.38	33	PASS
Band25	5MHz	26065	QPSK	6	0	Low	20.35	22.53	33	PASS
Band25	5MHz	26365	QPSK	1	0	Low	21.44	23.62	33	PASS
Band25	5MHz	26365	QPSK	1	2	Low	21.41	23.59	33	PASS
Band25	5MHz	26365	QPSK	1	5	Low	21.07	23.25	33	PASS
Band25	5MHz	26365	QPSK	3	0	Low	21.42	23.6	33	PASS
Band25	5MHz	26365	QPSK	3	2	Low	21.38	23.56	33	PASS
Band25	5MHz	26365	QPSK	3	3	Low	21.27	23.45	33	PASS

Band25	5MHz	26365	QPSK	6	0	Low	20.42	22.6	33	PASS
Band25	5MHz	26665	QPSK	1	0	High	21.96	24.14	33	PASS
Band25	5MHz	26665	QPSK	1	2	High	21.95	24.13	33	PASS
Band25	5MHz	26665	QPSK	1	5	High	21.52	23.7	33	PASS
Band25	5MHz	26665	QPSK	3	0	High	21.88	24.06	33	PASS
Band25	5MHz	26665	QPSK	3	2	High	21.84	24.02	33	PASS
Band25	5MHz	26665	QPSK	3	3	High	21.64	23.82	33	PASS
Band25	5MHz	26665	QPSK	6	0	High	20.75	22.93	33	PASS
Band25	10MHz	26090	QPSK	1	0	Low	21.43	23.61	33	PASS
Band25	10MHz	26090	QPSK	1	2	Low	21.49	23.67	33	PASS
Band25	10MHz	26090	QPSK	1	5	Low	21.17	23.35	33	PASS
Band25	10MHz	26090	QPSK	3	0	Low	21.39	23.57	33	PASS
Band25	10MHz	26090	QPSK	3	2	Low	21.31	23.49	33	PASS
Band25	10MHz	26090	QPSK	3	3	Low	21.19	23.37	33	PASS
Band25	10MHz	26090	QPSK	6	0	Low	20.33	22.51	33	PASS
Band25	10MHz	26365	QPSK	1	0	Low	21.45	23.63	33	PASS
Band25	10MHz	26365	QPSK	1	2	Low	21.39	23.57	33	PASS
Band25	10MHz	26365	QPSK	1	5	Low	21.05	23.23	33	PASS
Band25	10MHz	26365	QPSK	3	0	Low	21.31	23.49	33	PASS
Band25	10MHz	26365	QPSK	3	2	Low	21.27	23.45	33	PASS
Band25	10MHz	26365	QPSK	3	3	Low	21.18	23.36	33	PASS
Band25	10MHz	26365	QPSK	6	0	Low	20.33	22.51	33	PASS
Band25	10MHz	26640	QPSK	1	0	High	21.98	24.16	33	PASS
Band25	10MHz	26640	QPSK	1	2	High	21.86	24.04	33	PASS
Band25	10MHz	26640	QPSK	1	5	High	21.6	23.78	33	PASS
Band25	10MHz	26640	QPSK	3	0	High	21.88	24.06	33	PASS
Band25	10MHz	26640	QPSK	3	2	High	21.81	23.99	33	PASS
Band25	10MHz	26640	QPSK	3	3	High	21.69	23.87	33	PASS
Band25	10MHz	26640	QPSK	6	0	High	20.72	22.9	33	PASS
Band25	15MHz	26115	QPSK	1	0	Low	21.4	23.58	33	PASS
Band25	15MHz	26115	QPSK	1	2	Low	21.49	23.67	33	PASS
Band25	15MHz	26115	QPSK	1	5	Low	21.19	23.37	33	PASS
Band25	15MHz	26115	QPSK	3	0	Low	21.33	23.51	33	PASS
Band25	15MHz	26115	QPSK	3	2	Low	21.21	23.39	33	PASS
Band25	15MHz	26115	QPSK	3	3	Low	21.11	23.29	33	PASS
Band25	15MHz	26115	QPSK	6	0	Low	21.22	23.4	33	PASS
Band25	15MHz	26365	QPSK	1	0	Low	21.42	23.6	33	PASS
Band25	15MHz	26365	QPSK	1	2	Low	21.32	23.5	33	PASS
Band25	15MHz	26365	QPSK	1	5	Low	21	23.18	33	PASS
Band25	15MHz	26365	QPSK	3	0	Low	21.35	23.53	33	PASS
Band25	15MHz	26365	QPSK	3	2	Low	21.3	23.48	33	PASS
Band25	15MHz	26365	QPSK	3	3	Low	21.19	23.37	33	PASS
Band25	15MHz	26365	QPSK	6	0	Low	21.26	23.44	33	PASS
Band25	15MHz	26615	QPSK	1	0	High	22	24.18	33	PASS
Band25	15MHz	26615	QPSK	1	2	High	21.98	24.16	33	PASS
Band25	15MHz	26615	QPSK	1	5	High	21.55	23.73	33	PASS
Band25	15MHz	26615	QPSK	3	0	High	21.83	24.01	33	PASS
Band25	15MHz	26615	QPSK	3	2	High	21.78	23.96	33	PASS
Band25	15MHz	26615	QPSK	3	3	High	21.69	23.87	33	PASS
Band25	15MHz	26615	QPSK	6	0	High	21.79	23.97	33	PASS
Band25	20MHz	26140	QPSK	1	0	Low	21.38	23.56	33	PASS
Band25	20MHz	26140	QPSK	1	2	Low	21.41	23.59	33	PASS
Band25	20MHz	26140	QPSK	1	5	Low	21.07	23.25	33	PASS
Band25	20MHz	26140	QPSK	3	0	Low	21.36	23.54	33	PASS
Band25	20MHz	26140	QPSK	3	2	Low	21.3	23.48	33	PASS
Band25	20MHz	26140	QPSK	3	3	Low	21.11	23.29	33	PASS
Band25	20MHz	26140	QPSK	6	0	Low	21.17	23.35	33	PASS
Band25	20MHz	26365	QPSK	1	0	Low	21.34	23.52	33	PASS

Band25	20MHz	26365	QPSK	1	2	Low	21.35	23.53	33	PASS
Band25	20MHz	26365	QPSK	1	5	Low	21	23.18	33	PASS
Band25	20MHz	26365	QPSK	3	0	Low	21.27	23.45	33	PASS
Band25	20MHz	26365	QPSK	3	2	Low	21.23	23.41	33	PASS
Band25	20MHz	26365	QPSK	3	3	Low	21.13	23.31	33	PASS
Band25	20MHz	26365	QPSK	6	0	Low	21.21	23.39	33	PASS
Band25	20MHz	26590	QPSK	1	0	High	21.86	24.04	33	PASS
Band25	20MHz	26590	QPSK	1	2	High	21.7	23.88	33	PASS
Band25	20MHz	26590	QPSK	1	5	High	21.55	23.73	33	PASS
Band25	20MHz	26590	QPSK	3	0	High	21.83	24.01	33	PASS
Band25	20MHz	26590	QPSK	3	2	High	21.88	24.06	33	PASS
Band25	20MHz	26590	QPSK	3	3	High	21.67	23.85	33	PASS
Band25	20MHz	26590	QPSK	6	0	High	21.86	24.04	33	PASS
Band25	1.4MHz	26047	16QAM	1	0	Low	20.59	22.77	33	PASS
Band25	1.4MHz	26047	16QAM	1	2	Low	20.46	22.64	33	PASS
Band25	1.4MHz	26047	16QAM	1	5	Low	20.21	22.39	33	PASS
Band25	1.4MHz	26047	16QAM	3	0	Low	19.86	22.04	33	PASS
Band25	1.4MHz	26047	16QAM	3	2	Low	19.79	21.97	33	PASS
Band25	1.4MHz	26047	16QAM	3	3	Low	19.75	21.93	33	PASS
Band25	1.4MHz	26047	16QAM	5	0	Low	19.82	22	33	PASS
Band25	1.4MHz	26365	16QAM	1	0	Low	20.6	22.78	33	PASS
Band25	1.4MHz	26365	16QAM	1	2	Low	20.78	22.96	33	PASS
Band25	1.4MHz	26365	16QAM	1	5	Low	20.5	22.68	33	PASS
Band25	1.4MHz	26365	16QAM	3	0	Low	19.95	22.13	33	PASS
Band25	1.4MHz	26365	16QAM	3	2	Low	19.89	22.07	33	PASS
Band25	1.4MHz	26365	16QAM	3	3	Low	19.74	21.92	33	PASS
Band25	1.4MHz	26365	16QAM	5	0	Low	19.82	22	33	PASS
Band25	1.4MHz	26683	16QAM	1	0	High	21.31	23.49	33	PASS
Band25	1.4MHz	26683	16QAM	1	2	High	21.16	23.34	33	PASS
Band25	1.4MHz	26683	16QAM	1	5	High	20.89	23.07	33	PASS
Band25	1.4MHz	26683	16QAM	3	0	High	20.25	22.43	33	PASS
Band25	1.4MHz	26683	16QAM	3	2	High	20.2	22.38	33	PASS
Band25	1.4MHz	26683	16QAM	3	3	High	20.07	22.25	33	PASS
Band25	1.4MHz	26683	16QAM	5	0	High	20.24	22.42	33	PASS
Band25	3MHz	26055	16QAM	1	0	Low	20.43	22.61	33	PASS
Band25	3MHz	26055	16QAM	1	2	Low	20.39	22.57	33	PASS
Band25	3MHz	26055	16QAM	1	5	Low	20.57	22.75	33	PASS
Band25	3MHz	26055	16QAM	3	0	Low	19.45	21.63	33	PASS
Band25	3MHz	26055	16QAM	3	2	Low	19.57	21.75	33	PASS
Band25	3MHz	26055	16QAM	3	3	Low	19.53	21.71	33	PASS
Band25	3MHz	26055	16QAM	5	0	Low	19.63	21.81	33	PASS
Band25	3MHz	26365	16QAM	1	0	Low	20.38	22.56	33	PASS
Band25	3MHz	26365	16QAM	1	2	Low	20.51	22.69	33	PASS
Band25	3MHz	26365	16QAM	1	5	Low	20.46	22.64	33	PASS
Band25	3MHz	26365	16QAM	3	0	Low	19.66	21.84	33	PASS
Band25	3MHz	26365	16QAM	3	2	Low	19.72	21.9	33	PASS
Band25	3MHz	26365	16QAM	3	3	Low	19.6	21.78	33	PASS
Band25	3MHz	26365	16QAM	5	0	Low	19.64	21.82	33	PASS
Band25	3MHz	26675	16QAM	1	0	High	20.82	23	33	PASS
Band25	3MHz	26675	16QAM	1	2	High	21.03	23.21	33	PASS
Band25	3MHz	26675	16QAM	1	5	High	20.8	22.98	33	PASS
Band25	3MHz	26675	16QAM	3	0	High	20.16	22.34	33	PASS
Band25	3MHz	26675	16QAM	3	2	High	20.2	22.38	33	PASS
Band25	3MHz	26675	16QAM	3	3	High	20.14	22.32	33	PASS
Band25	3MHz	26675	16QAM	5	0	High	20.23	22.41	33	PASS
Band25	5MHz	26065	16QAM	1	0	Low	21.33	23.51	33	PASS
Band25	5MHz	26065	16QAM	1	2	Low	21.24	23.42	33	PASS
Band25	5MHz	26065	16QAM	1	5	Low	20.96	23.14	33	PASS

Band25	5MHz	26065	16QAM	3	0	Low	21.09	23.27	33	PASS
Band25	5MHz	26065	16QAM	3	2	Low	21.28	23.46	33	PASS
Band25	5MHz	26065	16QAM	3	3	Low	21.15	23.33	33	PASS
Band25	5MHz	26065	16QAM	5	0	Low	20.28	22.46	33	PASS
Band25	5MHz	26365	16QAM	1	0	Low	21.65	23.83	33	PASS
Band25	5MHz	26365	16QAM	1	2	Low	21.28	23.46	33	PASS
Band25	5MHz	26365	16QAM	1	5	Low	20.96	23.14	33	PASS
Band25	5MHz	26365	16QAM	3	0	Low	21.12	23.3	33	PASS
Band25	5MHz	26365	16QAM	3	2	Low	21.3	23.48	33	PASS
Band25	5MHz	26365	16QAM	3	3	Low	21.17	23.35	33	PASS
Band25	5MHz	26365	16QAM	5	0	Low	20.27	22.45	33	PASS
Band25	5MHz	26665	16QAM	1	0	High	21.96	24.14	33	PASS
Band25	5MHz	26665	16QAM	1	2	High	21.76	23.94	33	PASS
Band25	5MHz	26665	16QAM	1	5	High	21.32	23.5	33	PASS
Band25	5MHz	26665	16QAM	3	0	High	21.63	23.81	33	PASS
Band25	5MHz	26665	16QAM	3	2	High	21.75	23.93	33	PASS
Band25	5MHz	26665	16QAM	3	3	High	21.54	23.72	33	PASS
Band25	5MHz	26665	16QAM	5	0	High	20.42	22.6	33	PASS
Band25	10MHz	26090	16QAM	1	0	Low	21.28	23.46	33	PASS
Band25	10MHz	26090	16QAM	1	2	Low	21.21	23.39	33	PASS
Band25	10MHz	26090	16QAM	1	5	Low	21.02	23.2	33	PASS
Band25	10MHz	26090	16QAM	3	0	Low	21.08	23.26	33	PASS
Band25	10MHz	26090	16QAM	3	2	Low	21.26	23.44	33	PASS
Band25	10MHz	26090	16QAM	3	3	Low	21.23	23.41	33	PASS
Band25	10MHz	26090	16QAM	5	0	Low	21.27	23.45	33	PASS
Band25	10MHz	26365	16QAM	1	0	Low	21.55	23.73	33	PASS
Band25	10MHz	26365	16QAM	1	2	Low	21.2	23.38	33	PASS
Band25	10MHz	26365	16QAM	1	5	Low	20.89	23.07	33	PASS
Band25	10MHz	26365	16QAM	3	0	Low	21.05	23.23	33	PASS
Band25	10MHz	26365	16QAM	3	2	Low	21.19	23.37	33	PASS
Band25	10MHz	26365	16QAM	3	3	Low	21.18	23.36	33	PASS
Band25	10MHz	26365	16QAM	5	0	Low	21.25	23.43	33	PASS
Band25	10MHz	26640	16QAM	1	0	High	21.95	24.13	33	PASS
Band25	10MHz	26640	16QAM	1	2	High	21.77	23.95	33	PASS
Band25	10MHz	26640	16QAM	1	5	High	21.54	23.72	33	PASS
Band25	10MHz	26640	16QAM	3	0	High	21.64	23.82	33	PASS
Band25	10MHz	26640	16QAM	3	2	High	21.63	23.81	33	PASS
Band25	10MHz	26640	16QAM	3	3	High	21.51	23.69	33	PASS
Band25	10MHz	26640	16QAM	5	0	High	21.66	23.84	33	PASS
Band25	15MHz	26115	16QAM	1	0	Low	21.39	23.57	33	PASS
Band25	15MHz	26115	16QAM	1	2	Low	21.24	23.42	33	PASS
Band25	15MHz	26115	16QAM	1	5	Low	20.92	23.1	33	PASS
Band25	15MHz	26115	16QAM	3	0	Low	21.11	23.29	33	PASS
Band25	15MHz	26115	16QAM	3	2	Low	21.21	23.39	33	PASS
Band25	15MHz	26115	16QAM	3	3	Low	21.08	23.26	33	PASS
Band25	15MHz	26115	16QAM	5	0	Low	21.24	23.42	33	PASS
Band25	15MHz	26365	16QAM	1	0	Low	21.4	23.58	33	PASS
Band25	15MHz	26365	16QAM	1	2	Low	21.19	23.37	33	PASS
Band25	15MHz	26365	16QAM	1	5	Low	20.83	23.01	33	PASS
Band25	15MHz	26365	16QAM	3	0	Low	21.08	23.26	33	PASS
Band25	15MHz	26365	16QAM	3	2	Low	21.21	23.39	33	PASS
Band25	15MHz	26365	16QAM	3	3	Low	21.1	23.28	33	PASS
Band25	15MHz	26365	16QAM	5	0	Low	21.19	23.37	33	PASS
Band25	15MHz	26615	16QAM	1	0	High	21.86	24.04	33	PASS
Band25	15MHz	26615	16QAM	1	2	High	21.46	23.64	33	PASS
Band25	15MHz	26615	16QAM	1	5	High	21.42	23.6	33	PASS
Band25	15MHz	26615	16QAM	3	0	High	21.52	23.7	33	PASS
Band25	15MHz	26615	16QAM	3	2	High	21.67	23.85	33	PASS

Band25	15MHz	26615	16QAM	3	3	High	21.57	23.75	33	PASS
Band25	15MHz	26615	16QAM	5	0	High	21.65	23.83	33	PASS
Band25	20MHz	26140	16QAM	1	0	Low	21.22	23.4	33	PASS
Band25	20MHz	26140	16QAM	1	2	Low	21.15	23.33	33	PASS
Band25	20MHz	26140	16QAM	1	5	Low	20.89	23.07	33	PASS
Band25	20MHz	26140	16QAM	3	0	Low	21.07	23.25	33	PASS
Band25	20MHz	26140	16QAM	3	2	Low	21.3	23.48	33	PASS
Band25	20MHz	26140	16QAM	3	3	Low	21.24	23.42	33	PASS
Band25	20MHz	26140	16QAM	5	0	Low	21.28	23.46	33	PASS
Band25	20MHz	26365	16QAM	1	0	Low	21.61	23.79	33	PASS
Band25	20MHz	26365	16QAM	1	2	Low	21.11	23.29	33	PASS
Band25	20MHz	26365	16QAM	1	5	Low	20.8	22.98	33	PASS
Band25	20MHz	26365	16QAM	3	0	Low	21.11	23.29	33	PASS
Band25	20MHz	26365	16QAM	3	2	Low	21.14	23.32	33	PASS
Band25	20MHz	26365	16QAM	3	3	Low	21.09	23.27	33	PASS
Band25	20MHz	26365	16QAM	5	0	Low	21.17	23.35	33	PASS
Band25	20MHz	26590	16QAM	1	0	High	21.9	24.08	33	PASS
Band25	20MHz	26590	16QAM	1	2	High	21.79	23.97	33	PASS
Band25	20MHz	26590	16QAM	1	5	High	21.33	23.51	33	PASS
Band25	20MHz	26590	16QAM	3	0	High	21.47	23.65	33	PASS
Band25	20MHz	26590	16QAM	3	2	High	21.82	24	33	PASS
Band25	20MHz	26590	16QAM	3	3	High	21.7	23.88	33	PASS
Band25	20MHz	26590	16QAM	5	0	High	21.54	23.72	33	PASS

Band 814-824MHz	Bandwidth	Channel	Modulation	RB Size	RB Start	NBIndex	Power (dBm)	Limit (dBm)	Verdict
Band26	1.4MHz	26697	QPSK	1	0	Low	20.78	50	PASS
Band26	1.4MHz	26697	QPSK	1	2	Low	20.8	50	PASS
Band26	1.4MHz	26697	QPSK	1	5	Low	20.4	50	PASS
Band26	1.4MHz	26697	QPSK	3	0	Low	20.22	50	PASS
Band26	1.4MHz	26697	QPSK	3	2	Low	20.36	50	PASS
Band26	1.4MHz	26697	QPSK	3	3	Low	20.23	50	PASS
Band26	1.4MHz	26697	QPSK	6	0	Low	19.87	50	PASS
Band26	1.4MHz	26740	QPSK	1	0	Low	20.76	50	PASS
Band26	1.4MHz	26740	QPSK	1	2	Low	20.57	50	PASS
Band26	1.4MHz	26740	QPSK	1	5	Low	20.26	50	PASS
Band26	1.4MHz	26740	QPSK	3	0	Low	19.92	50	PASS
Band26	1.4MHz	26740	QPSK	3	2	Low	20.01	50	PASS
Band26	1.4MHz	26740	QPSK	3	3	Low	20.07	50	PASS
Band26	1.4MHz	26783	QPSK	6	0	Low	19.61	50	PASS
Band26	1.4MHz	26783	QPSK	1	0	High	20.64	50	PASS
Band26	1.4MHz	26783	QPSK	1	2	High	20.51	50	PASS
Band26	1.4MHz	26783	QPSK	1	5	High	20.14	50	PASS
Band26	1.4MHz	26783	QPSK	3	0	High	19.67	50	PASS
Band26	1.4MHz	26783	QPSK	3	2	High	19.98	50	PASS
Band26	1.4MHz	26783	QPSK	3	3	High	19.87	50	PASS
Band26	1.4MHz	26783	QPSK	6	0	High	19.27	50	PASS
Band26	3MHz	26705	QPSK	1	0	Low	20.75	50	PASS
Band26	3MHz	26705	QPSK	1	2	Low	20.83	50	PASS
Band26	3MHz	26705	QPSK	1	5	Low	20.46	50	PASS
Band26	3MHz	26705	QPSK	3	0	Low	20.26	50	PASS
Band26	3MHz	26705	QPSK	3	2	Low	20.17	50	PASS
Band26	3MHz	26705	QPSK	3	3	Low	19.93	50	PASS
Band26	3MHz	26705	QPSK	6	0	Low	20.01	50	PASS
Band26	3MHz	26740	QPSK	1	0	Low	20.71	50	PASS
Band26	3MHz	26740	QPSK	1	2	Low	20.55	50	PASS
Band26	3MHz	26740	QPSK	1	5	Low	20.43	50	PASS
Band26	3MHz	26740	QPSK	3	0	Low	20.14	50	PASS
Band26	3MHz	26740	QPSK	3	2	Low	19.98	50	PASS
Band26	3MHz	26740	QPSK	3	3	Low	19.95	50	PASS
Band26	3MHz	26740	QPSK	6	0	Low	19.29	50	PASS
Band26	3MHz	26775	QPSK	1	0	High	20.6	50	PASS
Band26	3MHz	26775	QPSK	1	2	High	20.63	50	PASS
Band26	3MHz	26775	QPSK	1	5	High	20.24	50	PASS
Band26	3MHz	26775	QPSK	3	0	High	20.07	50	PASS
Band26	3MHz	26775	QPSK	3	2	High	20.21	50	PASS
Band26	3MHz	26775	QPSK	3	3	High	20.13	50	PASS
Band26	3MHz	26775	QPSK	6	0	High	19.61	50	PASS
Band26	5MHz	26715	QPSK	1	0	Low	20.7	50	PASS
Band26	5MHz	26715	QPSK	1	2	Low	20.65	50	PASS
Band26	5MHz	26715	QPSK	1	5	Low	20.3	50	PASS
Band26	5MHz	26715	QPSK	3	0	Low	20.72	50	PASS
Band26	5MHz	26715	QPSK	3	2	Low	20.55	50	PASS
Band26	5MHz	26715	QPSK	3	3	Low	20.42	50	PASS
Band26	5MHz	26715	QPSK	6	0	Low	19.51	50	PASS
Band26	5MHz	26740	QPSK	1	0	Low	20.48	50	PASS
Band26	5MHz	26740	QPSK	1	2	Low	20.42	50	PASS
Band26	5MHz	26740	QPSK	1	5	Low	20.04	50	PASS
Band26	5MHz	26740	QPSK	3	0	Low	20.69	50	PASS
Band26	5MHz	26740	QPSK	3	2	Low	20.41	50	PASS
Band26	5MHz	26740	QPSK	3	3	Low	20.28	50	PASS
Band26	5MHz	26740	QPSK	6	0	Low	19.64	50	PASS

Band26	5MHz	26765	QPSK	1	0	High	20.42	50	PASS
Band26	5MHz	26765	QPSK	1	2	High	20.39	50	PASS
Band26	5MHz	26765	QPSK	1	5	High	20.11	50	PASS
Band26	5MHz	26765	QPSK	3	0	High	20.64	50	PASS
Band26	5MHz	26765	QPSK	3	2	High	20.27	50	PASS
Band26	5MHz	26765	QPSK	3	3	High	20.25	50	PASS
Band26	5MHz	26765	QPSK	6	0	High	19.35	50	PASS
Band26	10MHz	26740	QPSK	1	0	Low	20.85	50	PASS
Band26	10MHz	26740	QPSK	1	2	Low	20.72	50	PASS
Band26	10MHz	26740	QPSK	1	5	Low	20.34	50	PASS
Band26	10MHz	26740	QPSK	3	0	Low	20.68	50	PASS
Band26	10MHz	26740	QPSK	3	2	Low	20.47	50	PASS
Band26	10MHz	26740	QPSK	3	3	Low	20.4	50	PASS
Band26	10MHz	26740	QPSK	6	0	Low	19.59	50	PASS
Band26	1.4MHz	26697	16QAM	1	0	Low	19.43	50	PASS
Band26	1.4MHz	26697	16QAM	1	2	Low	19.38	50	PASS
Band26	1.4MHz	26697	16QAM	1	5	Low	19.21	50	PASS
Band26	1.4MHz	26697	16QAM	3	0	Low	18.74	50	PASS
Band26	1.4MHz	26697	16QAM	3	2	Low	18.73	50	PASS
Band26	1.4MHz	26697	16QAM	3	3	Low	18.57	50	PASS
Band26	1.4MHz	26697	16QAM	5	0	Low	18.77	50	PASS
Band26	1.4MHz	26740	16QAM	1	0	Low	19.32	50	PASS
Band26	1.4MHz	26740	16QAM	1	2	Low	19.22	50	PASS
Band26	1.4MHz	26740	16QAM	1	5	Low	18.98	50	PASS
Band26	1.4MHz	26740	16QAM	3	0	Low	18.64	50	PASS
Band26	1.4MHz	26740	16QAM	3	2	Low	18.43	50	PASS
Band26	1.4MHz	26740	16QAM	3	3	Low	18.35	50	PASS
Band26	1.4MHz	26783	16QAM	5	0	Low	18.69	50	PASS
Band26	1.4MHz	26783	16QAM	1	0	High	19.46	50	PASS
Band26	1.4MHz	26783	16QAM	1	2	High	19.21	50	PASS
Band26	1.4MHz	26783	16QAM	1	5	High	19	50	PASS
Band26	1.4MHz	26783	16QAM	3	0	High	18.51	50	PASS
Band26	1.4MHz	26783	16QAM	3	2	High	18.28	50	PASS
Band26	1.4MHz	26783	16QAM	3	3	High	18.18	50	PASS
Band26	1.4MHz	26783	16QAM	5	0	High	18.43	50	PASS
Band26	3MHz	26705	16QAM	1	0	Low	19.64	50	PASS
Band26	3MHz	26705	16QAM	1	2	Low	19.43	50	PASS
Band26	3MHz	26705	16QAM	1	5	Low	19.22	50	PASS
Band26	3MHz	26705	16QAM	3	0	Low	18.7	50	PASS
Band26	3MHz	26705	16QAM	3	2	Low	18.7	50	PASS
Band26	3MHz	26705	16QAM	3	3	Low	18.54	50	PASS
Band26	3MHz	26705	16QAM	5	0	Low	18.86	50	PASS
Band26	3MHz	26740	16QAM	1	0	Low	19.4	50	PASS
Band26	3MHz	26740	16QAM	1	2	Low	19.21	50	PASS
Band26	3MHz	26740	16QAM	1	5	Low	18.99	50	PASS
Band26	3MHz	26740	16QAM	3	0	Low	18.6	50	PASS
Band26	3MHz	26740	16QAM	3	2	Low	18.4	50	PASS
Band26	3MHz	26740	16QAM	3	3	Low	18.26	50	PASS
Band26	3MHz	26740	16QAM	5	0	Low	18.51	50	PASS
Band26	3MHz	26775	16QAM	1	0	High	19.33	50	PASS
Band26	3MHz	26775	16QAM	1	2	High	19.26	50	PASS
Band26	3MHz	26775	16QAM	1	5	High	19.14	50	PASS
Band26	3MHz	26775	16QAM	3	0	High	18.61	50	PASS
Band26	3MHz	26775	16QAM	3	2	High	18.41	50	PASS
Band26	3MHz	26775	16QAM	3	3	High	18.29	50	PASS
Band26	3MHz	26775	16QAM	5	0	High	18.43	50	PASS
Band26	5MHz	26715	16QAM	1	0	Low	19.72	50	PASS
Band26	5MHz	26715	16QAM	1	2	Low	19.73	50	PASS

Band26	5MHz	26715	16QAM	1	5	Low	19.36	50	PASS
Band26	5MHz	26715	16QAM	3	0	Low	19.74	50	PASS
Band26	5MHz	26715	16QAM	3	2	Low	19.45	50	PASS
Band26	5MHz	26715	16QAM	3	3	Low	19.21	50	PASS
Band26	5MHz	26715	16QAM	5	0	Low	18.23	50	PASS
Band26	5MHz	26740	16QAM	1	0	Low	19.76	50	PASS
Band26	5MHz	26740	16QAM	1	2	Low	19.61	50	PASS
Band26	5MHz	26740	16QAM	1	5	Low	19.07	50	PASS
Band26	5MHz	26740	16QAM	3	0	Low	19.48	50	PASS
Band26	5MHz	26740	16QAM	3	2	Low	19.19	50	PASS
Band26	5MHz	26740	16QAM	3	3	Low	19.05	50	PASS
Band26	5MHz	26740	16QAM	5	0	Low	18.61	50	PASS
Band26	5MHz	26765	16QAM	1	0	High	19.16	50	PASS
Band26	5MHz	26765	16QAM	1	2	High	18.97	50	PASS
Band26	5MHz	26765	16QAM	1	5	High	18.78	50	PASS
Band26	5MHz	26765	16QAM	3	0	High	18.88	50	PASS
Band26	5MHz	26765	16QAM	3	2	High	18.67	50	PASS
Band26	5MHz	26765	16QAM	3	3	High	18.36	50	PASS
Band26	5MHz	26765	16QAM	5	0	High	18.57	50	PASS
Band26	10MHz	26740	16QAM	1	0	Low	19.72	50	PASS
Band26	10MHz	26740	16QAM	1	2	Low	19.75	50	PASS
Band26	10MHz	26740	16QAM	1	5	Low	19.41	50	PASS
Band26	10MHz	26740	16QAM	3	0	Low	19.58	50	PASS
Band26	10MHz	26740	16QAM	3	2	Low	19.37	50	PASS
Band26	10MHz	26740	16QAM	3	3	Low	19.26	50	PASS
Band26	10MHz	26740	16QAM	5	0	Low	19.39	50	PASS

Band 824-849MHz	Bandwidth	Channel	Modulation	RB Size	RB Start	NBIndex	Power (dBm)	ERP (dBm)	Limit(dBm)	Verdict
Band26	1.4MHz	26797	QPSK	1	0	Low	20.92	18.53	38.45	PASS
Band26	1.4MHz	26797	QPSK	1	2	Low	20.94	18.55	38.45	PASS
Band26	1.4MHz	26797	QPSK	1	5	Low	20.54	18.15	38.45	PASS
Band26	1.4MHz	26797	QPSK	3	0	Low	20.36	17.97	38.45	PASS
Band26	1.4MHz	26797	QPSK	3	2	Low	20.5	18.11	38.45	PASS
Band26	1.4MHz	26797	QPSK	3	3	Low	20.37	17.98	38.45	PASS
Band26	1.4MHz	26797	QPSK	6	0	Low	20.01	17.62	38.45	PASS
Band26	1.4MHz	26915	QPSK	1	0	Low	20.9	18.51	38.45	PASS
Band26	1.4MHz	26915	QPSK	1	2	Low	20.71	18.32	38.45	PASS
Band26	1.4MHz	26915	QPSK	1	5	Low	20.4	18.01	38.45	PASS
Band26	1.4MHz	26915	QPSK	3	0	Low	20.06	17.67	38.45	PASS
Band26	1.4MHz	26915	QPSK	3	2	Low	20.15	17.76	38.45	PASS
Band26	1.4MHz	26915	QPSK	3	3	Low	20.21	17.82	38.45	PASS
Band26	1.4MHz	26915	QPSK	6	0	Low	19.75	17.36	38.45	PASS
Band26	1.4MHz	27033	QPSK	1	0	High	20.78	18.39	38.45	PASS
Band26	1.4MHz	27033	QPSK	1	2	High	20.65	18.26	38.45	PASS
Band26	1.4MHz	27033	QPSK	1	5	High	20.28	17.89	38.45	PASS
Band26	1.4MHz	27033	QPSK	3	0	High	19.81	17.42	38.45	PASS
Band26	1.4MHz	27033	QPSK	3	2	High	20.12	17.73	38.45	PASS
Band26	1.4MHz	27033	QPSK	3	3	High	20.01	17.62	38.45	PASS
Band26	1.4MHz	27033	QPSK	6	0	High	19.41	17.02	38.45	PASS
Band26	3MHz	26805	QPSK	1	0	Low	20.89	18.5	38.45	PASS
Band26	3MHz	26805	QPSK	1	2	Low	20.97	18.58	38.45	PASS
Band26	3MHz	26805	QPSK	1	5	Low	20.6	18.21	38.45	PASS
Band26	3MHz	26805	QPSK	3	0	Low	20.40	18.01	38.45	PASS
Band26	3MHz	26805	QPSK	3	2	Low	20.31	17.92	38.45	PASS
Band26	3MHz	26805	QPSK	3	3	Low	20.07	17.68	38.45	PASS
Band26	3MHz	26805	QPSK	6	0	Low	20.15	17.76	38.45	PASS

Band26	3MHz	26915	QPSK	1	0	Low	20.85	18.46	38.45	PASS
Band26	3MHz	26915	QPSK	1	2	Low	20.69	18.3	38.45	PASS
Band26	3MHz	26915	QPSK	1	5	Low	20.57	18.18	38.45	PASS
Band26	3MHz	26915	QPSK	3	0	Low	20.28	17.89	38.45	PASS
Band26	3MHz	26915	QPSK	3	2	Low	20.12	17.73	38.45	PASS
Band26	3MHz	26915	QPSK	3	3	Low	20.09	17.7	38.45	PASS
Band26	3MHz	26915	QPSK	6	0	Low	19.43	17.04	38.45	PASS
Band26	3MHz	27025	QPSK	1	0	High	20.74	18.35	38.45	PASS
Band26	3MHz	27025	QPSK	1	2	High	20.77	18.38	38.45	PASS
Band26	3MHz	27025	QPSK	1	5	High	20.38	17.99	38.45	PASS
Band26	3MHz	27025	QPSK	3	0	High	20.21	17.82	38.45	PASS
Band26	3MHz	27025	QPSK	3	2	High	20.35	17.96	38.45	PASS
Band26	3MHz	27025	QPSK	3	3	High	20.27	17.88	38.45	PASS
Band26	3MHz	27025	QPSK	6	0	High	19.75	17.36	38.45	PASS
Band26	5MHz	26815	QPSK	1	0	Low	20.84	18.45	38.45	PASS
Band26	5MHz	26815	QPSK	1	2	Low	20.79	18.4	38.45	PASS
Band26	5MHz	26815	QPSK	1	5	Low	20.44	18.05	38.45	PASS
Band26	5MHz	26815	QPSK	3	0	Low	20.86	18.47	38.45	PASS
Band26	5MHz	26815	QPSK	3	2	Low	20.69	18.3	38.45	PASS
Band26	5MHz	26815	QPSK	3	3	Low	20.56	18.17	38.45	PASS
Band26	5MHz	26815	QPSK	6	0	Low	19.65	17.26	38.45	PASS
Band26	5MHz	26915	QPSK	1	0	Low	20.62	18.23	38.45	PASS
Band26	5MHz	26915	QPSK	1	2	Low	20.56	18.17	38.45	PASS
Band26	5MHz	26915	QPSK	1	5	Low	20.18	17.79	38.45	PASS
Band26	5MHz	26915	QPSK	3	0	Low	20.83	18.44	38.45	PASS
Band26	5MHz	26915	QPSK	3	2	Low	20.55	18.16	38.45	PASS
Band26	5MHz	26915	QPSK	3	3	Low	20.42	18.03	38.45	PASS
Band26	5MHz	26915	QPSK	6	0	Low	19.78	17.39	38.45	PASS
Band26	5MHz	27015	QPSK	1	0	High	20.56	18.17	38.45	PASS
Band26	5MHz	27015	QPSK	1	2	High	20.53	18.14	38.45	PASS
Band26	5MHz	27015	QPSK	1	5	High	20.25	17.86	38.45	PASS
Band26	5MHz	27015	QPSK	3	0	High	20.78	18.39	38.45	PASS
Band26	5MHz	27015	QPSK	3	2	High	20.41	18.02	38.45	PASS
Band26	5MHz	27015	QPSK	3	3	High	20.39	18	38.45	PASS
Band26	5MHz	27015	QPSK	6	0	High	19.49	17.1	38.45	PASS
Band26	10MHz	26840	QPSK	1	0	Low	20.99	18.6	38.45	PASS
Band26	10MHz	26840	QPSK	1	2	Low	20.86	18.47	38.45	PASS
Band26	10MHz	26840	QPSK	1	5	Low	20.48	18.09	38.45	PASS
Band26	10MHz	26840	QPSK	3	0	Low	20.82	18.43	38.45	PASS
Band26	10MHz	26840	QPSK	3	2	Low	20.61	18.22	38.45	PASS
Band26	10MHz	26840	QPSK	3	3	Low	20.54	18.15	38.45	PASS
Band26	10MHz	26840	QPSK	6	0	Low	19.73	17.34	38.45	PASS
Band26	10MHz	26915	QPSK	1	0	Low	20.79	18.4	38.45	PASS
Band26	10MHz	26915	QPSK	1	2	Low	20.6	18.21	38.45	PASS
Band26	10MHz	26915	QPSK	1	5	Low	20.28	17.89	38.45	PASS
Band26	10MHz	26915	QPSK	3	0	Low	20.68	18.29	38.45	PASS
Band26	10MHz	26915	QPSK	3	2	Low	20.53	18.14	38.45	PASS
Band26	10MHz	26915	QPSK	3	3	Low	20.33	17.94	38.45	PASS
Band26	10MHz	26915	QPSK	6	0	Low	19.82	17.43	38.45	PASS
Band26	10MHz	26990	QPSK	1	0	High	20.71	18.32	38.45	PASS
Band26	10MHz	26990	QPSK	1	2	High	20.52	18.13	38.45	PASS
Band26	10MHz	26990	QPSK	1	5	High	20.36	17.97	38.45	PASS
Band26	10MHz	26990	QPSK	3	0	High	20.63	18.24	38.45	PASS
Band26	10MHz	26990	QPSK	3	2	High	20.42	18.03	38.45	PASS
Band26	10MHz	26990	QPSK	3	3	High	20.3	17.91	38.45	PASS
Band26	10MHz	26990	QPSK	6	0	High	19.78	17.39	38.45	PASS
Band26	15MHz	26865	QPSK	1	0	Low	20.71	18.32	38.45	PASS
Band26	15MHz	26865	QPSK	1	2	Low	20.63	18.24	38.45	PASS

Band26	15MHz	26865	QPSK	1	5	Low	20.44	18.05	38.45	PASS
Band26	15MHz	26865	QPSK	3	0	Low	20.76	18.37	38.45	PASS
Band26	15MHz	26865	QPSK	3	2	Low	20.67	18.28	38.45	PASS
Band26	15MHz	26865	QPSK	3	3	Low	20.55	18.16	38.45	PASS
Band26	15MHz	26865	QPSK	6	0	Low	20.66	18.27	38.45	PASS
Band26	15MHz	26915	QPSK	1	0	Low	20.91	18.52	38.45	PASS
Band26	15MHz	26915	QPSK	1	2	Low	20.48	18.09	38.45	PASS
Band26	15MHz	26915	QPSK	1	5	Low	20.21	17.82	38.45	PASS
Band26	15MHz	26915	QPSK	3	0	Low	20.64	18.25	38.45	PASS
Band26	15MHz	26915	QPSK	3	2	Low	20.39	18	38.45	PASS
Band26	15MHz	26915	QPSK	3	3	Low	20.32	17.93	38.45	PASS
Band26	15MHz	26915	QPSK	6	0	Low	20.48	18.09	38.45	PASS
Band26	15MHz	26965	QPSK	1	0	High	20.64	18.25	38.45	PASS
Band26	15MHz	26965	QPSK	1	2	High	20.64	18.25	38.45	PASS
Band26	15MHz	26965	QPSK	1	5	High	20.36	17.97	38.45	PASS
Band26	15MHz	26965	QPSK	3	0	High	20.73	18.34	38.45	PASS
Band26	15MHz	26965	QPSK	3	2	High	20.53	18.14	38.45	PASS
Band26	15MHz	26965	QPSK	3	3	High	20.43	18.04	38.45	PASS
Band26	15MHz	26965	QPSK	6	0	High	20.55	18.16	38.45	PASS
Band26	1.4MHz	26797	16QAM	1	0	Low	19.57	17.18	38.45	PASS
Band26	1.4MHz	26797	16QAM	1	2	Low	19.52	17.13	38.45	PASS
Band26	1.4MHz	26797	16QAM	1	5	Low	19.35	16.96	38.45	PASS
Band26	1.4MHz	26797	16QAM	3	0	Low	18.88	16.49	38.45	PASS
Band26	1.4MHz	26797	16QAM	3	2	Low	18.87	16.48	38.45	PASS
Band26	1.4MHz	26797	16QAM	3	3	Low	18.71	16.32	38.45	PASS
Band26	1.4MHz	26797	16QAM	5	0	Low	18.91	16.52	38.45	PASS
Band26	1.4MHz	26915	16QAM	1	0	Low	19.46	17.07	38.45	PASS
Band26	1.4MHz	26915	16QAM	1	2	Low	19.36	16.97	38.45	PASS
Band26	1.4MHz	26915	16QAM	1	5	Low	19.12	16.73	38.45	PASS
Band26	1.4MHz	26915	16QAM	3	0	Low	18.78	16.39	38.45	PASS
Band26	1.4MHz	26915	16QAM	3	2	Low	18.57	16.18	38.45	PASS
Band26	1.4MHz	26915	16QAM	3	3	Low	18.49	16.1	38.45	PASS
Band26	1.4MHz	26915	16QAM	5	0	Low	18.83	16.44	38.45	PASS
Band26	1.4MHz	27033	16QAM	1	0	High	19.6	17.21	38.45	PASS
Band26	1.4MHz	27033	16QAM	1	2	High	19.35	16.96	38.45	PASS
Band26	1.4MHz	27033	16QAM	1	5	High	19.14	16.75	38.45	PASS
Band26	1.4MHz	27033	16QAM	3	0	High	18.65	16.26	38.45	PASS
Band26	1.4MHz	27033	16QAM	3	2	High	18.42	16.03	38.45	PASS
Band26	1.4MHz	27033	16QAM	3	3	High	18.32	15.93	38.45	PASS
Band26	1.4MHz	27033	16QAM	5	0	High	18.57	16.18	38.45	PASS
Band26	3MHz	26805	16QAM	1	0	Low	19.78	17.39	38.45	PASS
Band26	3MHz	26805	16QAM	1	2	Low	19.57	17.18	38.45	PASS
Band26	3MHz	26805	16QAM	1	5	Low	19.36	16.97	38.45	PASS
Band26	3MHz	26805	16QAM	3	0	Low	18.84	16.45	38.45	PASS
Band26	3MHz	26805	16QAM	3	2	Low	18.84	16.45	38.45	PASS
Band26	3MHz	26805	16QAM	3	3	Low	18.68	16.29	38.45	PASS
Band26	3MHz	26805	16QAM	5	0	Low	19	16.61	38.45	PASS
Band26	3MHz	26915	16QAM	1	0	Low	19.54	17.15	38.45	PASS
Band26	3MHz	26915	16QAM	1	2	Low	19.35	16.96	38.45	PASS
Band26	3MHz	26915	16QAM	1	5	Low	19.13	16.74	38.45	PASS
Band26	3MHz	26915	16QAM	3	0	Low	18.74	16.35	38.45	PASS
Band26	3MHz	26915	16QAM	3	2	Low	18.54	16.15	38.45	PASS
Band26	3MHz	26915	16QAM	3	3	Low	18.4	16.01	38.45	PASS
Band26	3MHz	26915	16QAM	5	0	Low	18.65	16.26	38.45	PASS
Band26	3MHz	27025	16QAM	1	0	High	19.47	17.08	38.45	PASS
Band26	3MHz	27025	16QAM	1	2	High	19.4	17.01	38.45	PASS
Band26	3MHz	27025	16QAM	1	5	High	19.28	16.89	38.45	PASS
Band26	3MHz	27025	16QAM	3	0	High	18.75	16.36	38.45	PASS

Band26	3MHz	27025	16QAM	3	2	High	18.55	16.16	38.45	PASS
Band26	3MHz	27025	16QAM	3	3	High	18.43	16.04	38.45	PASS
Band26	3MHz	27025	16QAM	5	0	High	18.57	16.18	38.45	PASS
Band26	5MHz	26815	16QAM	1	0	Low	19.86	17.47	38.45	PASS
Band26	5MHz	26815	16QAM	1	2	Low	19.87	17.48	38.45	PASS
Band26	5MHz	26815	16QAM	1	5	Low	19.5	17.11	38.45	PASS
Band26	5MHz	26815	16QAM	3	0	Low	19.88	17.49	38.45	PASS
Band26	5MHz	26815	16QAM	3	2	Low	19.59	17.2	38.45	PASS
Band26	5MHz	26815	16QAM	3	3	Low	19.35	16.96	38.45	PASS
Band26	5MHz	26815	16QAM	5	0	Low	18.37	15.98	38.45	PASS
Band26	5MHz	26915	16QAM	1	0	Low	19.9	17.51	38.45	PASS
Band26	5MHz	26915	16QAM	1	2	Low	19.75	17.36	38.45	PASS
Band26	5MHz	26915	16QAM	1	5	Low	19.21	16.82	38.45	PASS
Band26	5MHz	26915	16QAM	3	0	Low	19.62	17.23	38.45	PASS
Band26	5MHz	26915	16QAM	3	2	Low	19.33	16.94	38.45	PASS
Band26	5MHz	26915	16QAM	3	3	Low	19.19	16.8	38.45	PASS
Band26	5MHz	26915	16QAM	5	0	Low	18.75	16.36	38.45	PASS
Band26	5MHz	27015	16QAM	1	0	High	19.3	16.91	38.45	PASS
Band26	5MHz	27015	16QAM	1	2	High	19.11	16.72	38.45	PASS
Band26	5MHz	27015	16QAM	1	5	High	18.92	16.53	38.45	PASS
Band26	5MHz	27015	16QAM	3	0	High	19.02	16.63	38.45	PASS
Band26	5MHz	27015	16QAM	3	2	High	18.81	16.42	38.45	PASS
Band26	5MHz	27015	16QAM	3	3	High	18.5	16.11	38.45	PASS
Band26	5MHz	27015	16QAM	5	0	High	18.71	16.32	38.45	PASS
Band26	10MHz	26840	16QAM	1	0	Low	19.86	17.47	38.45	PASS
Band26	10MHz	26840	16QAM	1	2	Low	19.89	17.5	38.45	PASS
Band26	10MHz	26840	16QAM	1	5	Low	19.55	17.16	38.45	PASS
Band26	10MHz	26840	16QAM	3	0	Low	19.72	17.33	38.45	PASS
Band26	10MHz	26840	16QAM	3	2	Low	19.51	17.12	38.45	PASS
Band26	10MHz	26840	16QAM	3	3	Low	19.4	17.01	38.45	PASS
Band26	10MHz	26840	16QAM	5	0	Low	19.53	17.14	38.45	PASS
Band26	10MHz	26915	16QAM	1	0	Low	19.92	17.53	38.45	PASS
Band26	10MHz	26915	16QAM	1	2	Low	19.62	17.23	38.45	PASS
Band26	10MHz	26915	16QAM	1	5	Low	19.41	17.02	38.45	PASS
Band26	10MHz	26915	16QAM	3	0	Low	19.57	17.18	38.45	PASS
Band26	10MHz	26915	16QAM	3	2	Low	19.29	16.9	38.45	PASS
Band26	10MHz	26915	16QAM	3	3	Low	19.23	16.84	38.45	PASS
Band26	10MHz	26915	16QAM	5	0	Low	19.4	17.01	38.45	PASS
Band26	10MHz	26990	16QAM	1	0	High	19.82	17.43	38.45	PASS
Band26	10MHz	26990	16QAM	1	2	High	19.63	17.24	38.45	PASS
Band26	10MHz	26990	16QAM	1	5	High	19.32	16.93	38.45	PASS
Band26	10MHz	26990	16QAM	3	0	High	19.5	17.11	38.45	PASS
Band26	10MHz	26990	16QAM	3	2	High	19.31	16.92	38.45	PASS
Band26	10MHz	26990	16QAM	3	3	High	19.09	16.7	38.45	PASS
Band26	10MHz	26990	16QAM	5	0	High	19.35	16.96	38.45	PASS
Band26	15MHz	26865	16QAM	1	0	Low	19.93	17.54	38.45	PASS
Band26	15MHz	26865	16QAM	1	2	Low	19.83	17.44	38.45	PASS
Band26	15MHz	26865	16QAM	1	5	Low	19.53	17.14	38.45	PASS
Band26	15MHz	26865	16QAM	3	0	Low	19.7	17.31	38.45	PASS
Band26	15MHz	26865	16QAM	3	2	Low	19.56	17.17	38.45	PASS
Band26	15MHz	26865	16QAM	3	3	Low	19.48	17.09	38.45	PASS
Band26	15MHz	26865	16QAM	5	0	Low	19.69	17.3	38.45	PASS
Band26	15MHz	26915	16QAM	1	0	Low	20.17	17.78	38.45	PASS
Band26	15MHz	26915	16QAM	1	2	Low	19.63	17.24	38.45	PASS
Band26	15MHz	26915	16QAM	1	5	Low	19.31	16.92	38.45	PASS
Band26	15MHz	26915	16QAM	3	0	Low	19.59	17.2	38.45	PASS
Band26	15MHz	26915	16QAM	3	2	Low	19.29	16.9	38.45	PASS
Band26	15MHz	26915	16QAM	3	3	Low	19.13	16.74	38.45	PASS

Band26	15MHz	26915	16QAM	5	0	Low	19.32	16.93	38.45	PASS
Band26	15MHz	26965	16QAM	1	0	High	20.21	17.82	38.45	PASS
Band26	15MHz	26965	16QAM	1	2	High	19.69	17.3	38.45	PASS
Band26	15MHz	26965	16QAM	1	5	High	19.4	17.01	38.45	PASS
Band26	15MHz	26965	16QAM	3	0	High	19.6	17.21	38.45	PASS
Band26	15MHz	26965	16QAM	3	2	High	19.37	16.98	38.45	PASS
Band26	15MHz	26965	16QAM	3	3	High	19.25	16.86	38.45	PASS
Band26	15MHz	26965	16QAM	5	0	High	19.39	17	38.45	PASS

Band	Bandwidth	Channel	Modulation	RB Size	RB Start	NBIndex	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
Band66	1.4MHz	131979	QPSK	1	0	Low	21.66	21.7	30	PASS
Band66	1.4MHz	131979	QPSK	1	2	Low	21.59	21.63	30	PASS
Band66	1.4MHz	131979	QPSK	1	5	Low	21.27	21.31	30	PASS
Band66	1.4MHz	131979	QPSK	3	0	Low	20.68	20.72	30	PASS
Band66	1.4MHz	131979	QPSK	3	2	Low	20.62	20.66	30	PASS
Band66	1.4MHz	131979	QPSK	3	3	Low	20.52	20.56	30	PASS
Band66	1.4MHz	131979	QPSK	6	0	Low	19.63	19.67	30	PASS
Band66	1.4MHz	132322	QPSK	1	0	Low	21.54	21.58	30	PASS
Band66	1.4MHz	132322	QPSK	1	2	Low	21.52	21.56	30	PASS
Band66	1.4MHz	132322	QPSK	1	5	Low	21.26	21.3	30	PASS
Band66	1.4MHz	132322	QPSK	3	0	Low	20.58	20.62	30	PASS
Band66	1.4MHz	132322	QPSK	3	2	Low	20.51	20.55	30	PASS
Band66	1.4MHz	132322	QPSK	3	3	Low	20.37	20.41	30	PASS
Band66	1.4MHz	132322	QPSK	6	0	Low	19.46	19.5	30	PASS
Band66	1.4MHz	132665	QPSK	1	0	High	21.36	21.4	30	PASS
Band66	1.4MHz	132665	QPSK	1	2	High	21.36	21.4	30	PASS
Band66	1.4MHz	132665	QPSK	1	5	High	21.03	21.07	30	PASS
Band66	1.4MHz	132665	QPSK	3	0	High	20.29	20.33	30	PASS
Band66	1.4MHz	132665	QPSK	3	2	High	20.38	20.42	30	PASS
Band66	1.4MHz	132665	QPSK	3	3	High	20.24	20.28	30	PASS
Band66	1.4MHz	132665	QPSK	6	0	High	19.3	19.34	30	PASS
Band66	3MHz	131987	QPSK	1	0	Low	21.61	21.65	30	PASS
Band66	3MHz	131987	QPSK	1	2	Low	21.71	21.75	30	PASS
Band66	3MHz	131987	QPSK	1	5	Low	21.43	21.47	30	PASS
Band66	3MHz	131987	QPSK	3	0	Low	20.7	20.74	30	PASS
Band66	3MHz	131987	QPSK	3	2	Low	20.62	20.66	30	PASS
Band66	3MHz	131987	QPSK	3	3	Low	20.49	20.53	30	PASS
Band66	3MHz	131987	QPSK	6	0	Low	19.54	19.58	30	PASS
Band66	3MHz	132322	QPSK	1	0	Low	21.52	21.56	30	PASS
Band66	3MHz	132322	QPSK	1	2	Low	21.51	21.55	30	PASS
Band66	3MHz	132322	QPSK	1	5	Low	21.36	21.4	30	PASS
Band66	3MHz	132322	QPSK	3	0	Low	20.57	20.61	30	PASS
Band66	3MHz	132322	QPSK	3	2	Low	20.63	20.67	30	PASS
Band66	3MHz	132322	QPSK	3	3	Low	20.41	20.45	30	PASS
Band66	3MHz	132322	QPSK	6	0	Low	19.54	19.58	30	PASS
Band66	3MHz	132657	QPSK	1	0	High	21.37	21.41	30	PASS
Band66	3MHz	132657	QPSK	1	2	High	21.33	21.37	30	PASS
Band66	3MHz	132657	QPSK	1	5	High	20.94	20.98	30	PASS
Band66	3MHz	132657	QPSK	3	0	High	20.38	20.42	30	PASS
Band66	3MHz	132657	QPSK	3	2	High	20.33	20.37	30	PASS
Band66	3MHz	132657	QPSK	3	3	High	20.21	20.25	30	PASS
Band66	3MHz	132657	QPSK	6	0	High	19.28	19.32	30	PASS
Band66	5MHz	131997	QPSK	1	0	Low	21.7	21.74	30	PASS
Band66	5MHz	131997	QPSK	1	2	Low	21.77	21.81	30	PASS
Band66	5MHz	131997	QPSK	1	5	Low	21.42	21.46	30	PASS
Band66	5MHz	131997	QPSK	3	0	Low	21.73	21.77	30	PASS
Band66	5MHz	131997	QPSK	3	2	Low	21.59	21.63	30	PASS
Band66	5MHz	131997	QPSK	3	3	Low	21.45	21.49	30	PASS
Band66	5MHz	131997	QPSK	6	0	Low	20.55	20.59	30	PASS
Band66	5MHz	132322	QPSK	1	0	Low	21.69	21.73	30	PASS
Band66	5MHz	132322	QPSK	1	2	Low	21.6	21.64	30	PASS
Band66	5MHz	132322	QPSK	1	5	Low	21.24	21.28	30	PASS
Band66	5MHz	132322	QPSK	3	0	Low	21.6	21.64	30	PASS
Band66	5MHz	132322	QPSK	3	2	Low	21.36	21.4	30	PASS
Band66	5MHz	132322	QPSK	3	3	Low	21.24	21.28	30	PASS
Band66	5MHz	132322	QPSK	6	0	Low	20.22	20.26	30	PASS

Band66	5MHz	132647	QPSK	1	0	High	21.48	21.52	30	PASS
Band66	5MHz	132647	QPSK	1	2	High	21.32	21.36	30	PASS
Band66	5MHz	132647	QPSK	1	5	High	21.04	21.08	30	PASS
Band66	5MHz	132647	QPSK	3	0	High	21.4	21.44	30	PASS
Band66	5MHz	132647	QPSK	3	2	High	21.3	21.34	30	PASS
Band66	5MHz	132647	QPSK	3	3	High	21.2	21.24	30	PASS
Band66	5MHz	132647	QPSK	6	0	High	20.23	20.27	30	PASS
Band66	10MHz	132022	QPSK	1	0	Low	21.67	21.71	30	PASS
Band66	10MHz	132022	QPSK	1	2	Low	21.91	21.95	30	PASS
Band66	10MHz	132022	QPSK	1	5	Low	21.47	21.51	30	PASS
Band66	10MHz	132022	QPSK	3	0	Low	21.73	21.77	30	PASS
Band66	10MHz	132022	QPSK	3	2	Low	21.6	21.64	30	PASS
Band66	10MHz	132022	QPSK	3	3	Low	21.39	21.43	30	PASS
Band66	10MHz	132022	QPSK	6	0	Low	20.5	20.54	30	PASS
Band66	10MHz	132322	QPSK	1	0	Low	21.54	21.58	30	PASS
Band66	10MHz	132322	QPSK	1	2	Low	21.49	21.53	30	PASS
Band66	10MHz	132322	QPSK	1	5	Low	21.22	21.26	30	PASS
Band66	10MHz	132322	QPSK	3	0	Low	21.6	21.64	30	PASS
Band66	10MHz	132322	QPSK	3	2	Low	21.49	21.53	30	PASS
Band66	10MHz	132322	QPSK	3	3	Low	21.45	21.49	30	PASS
Band66	10MHz	132322	QPSK	6	0	Low	20.55	20.59	30	PASS
Band66	10MHz	132622	QPSK	1	0	High	21.51	21.55	30	PASS
Band66	10MHz	132622	QPSK	1	2	High	21.37	21.41	30	PASS
Band66	10MHz	132622	QPSK	1	5	High	21.06	21.1	30	PASS
Band66	10MHz	132622	QPSK	3	0	High	21.43	21.47	30	PASS
Band66	10MHz	132622	QPSK	3	2	High	21.25	21.29	30	PASS
Band66	10MHz	132622	QPSK	3	3	High	21.12	21.16	30	PASS
Band66	10MHz	132622	QPSK	6	0	High	20.24	20.28	30	PASS
Band66	15MHz	132047	QPSK	1	0	Low	21.33	21.37	30	PASS
Band66	15MHz	132047	QPSK	1	2	Low	21.66	21.7	30	PASS
Band66	15MHz	132047	QPSK	1	5	Low	21.42	21.46	30	PASS
Band66	15MHz	132047	QPSK	3	0	Low	21.65	21.69	30	PASS
Band66	15MHz	132047	QPSK	3	2	Low	21.55	21.59	30	PASS
Band66	15MHz	132047	QPSK	3	3	Low	21.4	21.44	30	PASS
Band66	15MHz	132047	QPSK	6	0	Low	21.6	21.64	30	PASS
Band66	15MHz	132322	QPSK	1	0	Low	21.7	21.74	30	PASS
Band66	15MHz	132322	QPSK	1	2	Low	21.71	21.75	30	PASS
Band66	15MHz	132322	QPSK	1	5	Low	21.31	21.35	30	PASS
Band66	15MHz	132322	QPSK	3	0	Low	21.57	21.61	30	PASS
Band66	15MHz	132322	QPSK	3	2	Low	21.42	21.46	30	PASS
Band66	15MHz	132322	QPSK	3	3	Low	21.2	21.24	30	PASS
Band66	15MHz	132322	QPSK	6	0	Low	21.38	21.42	30	PASS
Band66	15MHz	132597	QPSK	1	0	High	21.52	21.56	30	PASS
Band66	15MHz	132597	QPSK	1	2	High	21.37	21.41	30	PASS
Band66	15MHz	132597	QPSK	1	5	High	21	21.04	30	PASS
Band66	15MHz	132597	QPSK	3	0	High	21.28	21.32	30	PASS
Band66	15MHz	132597	QPSK	3	2	High	21.33	21.37	30	PASS
Band66	15MHz	132597	QPSK	3	3	High	21.1	21.14	30	PASS
Band66	15MHz	132597	QPSK	6	0	High	21.2	21.24	30	PASS
Band66	20MHz	132072	QPSK	1	0	Low	21.55	21.59	30	PASS
Band66	20MHz	132072	QPSK	1	2	Low	21.56	21.6	30	PASS
Band66	20MHz	132072	QPSK	1	5	Low	21.29	21.33	30	PASS
Band66	20MHz	132072	QPSK	3	0	Low	21.69	21.73	30	PASS
Band66	20MHz	132072	QPSK	3	2	Low	21.81	21.85	30	PASS
Band66	20MHz	132072	QPSK	3	3	Low	21.57	21.61	30	PASS
Band66	20MHz	132072	QPSK	6	0	Low	21.6	21.64	30	PASS
Band66	20MHz	132322	QPSK	1	0	Low	21.76	21.8	30	PASS
Band66	20MHz	132322	QPSK	1	2	Low	21.72	21.76	30	PASS

Band66	20MHz	132322	QPSK	1	5	Low	21.28	21.32	30	PASS
Band66	20MHz	132322	QPSK	3	0	Low	21.67	21.71	30	PASS
Band66	20MHz	132322	QPSK	3	2	Low	21.56	21.6	30	PASS
Band66	20MHz	132322	QPSK	3	3	Low	21.4	21.44	30	PASS
Band66	20MHz	132322	QPSK	6	0	Low	21.56	21.6	30	PASS
Band66	20MHz	132572	QPSK	1	0	High	21.45	21.49	30	PASS
Band66	20MHz	132572	QPSK	1	2	High	21.46	21.5	30	PASS
Band66	20MHz	132572	QPSK	1	5	High	21.03	21.07	30	PASS
Band66	20MHz	132572	QPSK	3	0	High	21.39	21.43	30	PASS
Band66	20MHz	132572	QPSK	3	2	High	21.34	21.38	30	PASS
Band66	20MHz	132572	QPSK	3	3	High	21.13	21.17	30	PASS
Band66	20MHz	132572	QPSK	6	0	High	21.21	21.25	30	PASS
Band66	1.4MHz	131979	16QAM	1	0	Low	20.65	20.69	30	PASS
Band66	1.4MHz	131979	16QAM	1	2	Low	20.41	20.45	30	PASS
Band66	1.4MHz	131979	16QAM	1	5	Low	20.41	20.45	30	PASS
Band66	1.4MHz	131979	16QAM	3	0	Low	19.93	19.97	30	PASS
Band66	1.4MHz	131979	16QAM	3	2	Low	19.78	19.82	30	PASS
Band66	1.4MHz	131979	16QAM	3	3	Low	19.77	19.81	30	PASS
Band66	1.4MHz	131979	16QAM	5	0	Low	19.8	19.84	30	PASS
Band66	1.4MHz	132322	16QAM	1	0	Low	20.34	20.38	30	PASS
Band66	1.4MHz	132322	16QAM	1	2	Low	20.62	20.66	30	PASS
Band66	1.4MHz	132322	16QAM	1	5	Low	20.46	20.5	30	PASS
Band66	1.4MHz	132322	16QAM	3	0	Low	19.78	19.82	30	PASS
Band66	1.4MHz	132322	16QAM	3	2	Low	19.61	19.65	30	PASS
Band66	1.4MHz	132322	16QAM	3	3	Low	19.72	19.76	30	PASS
Band66	1.4MHz	132322	16QAM	5	0	Low	19.75	19.79	30	PASS
Band66	1.4MHz	132665	16QAM	1	0	High	20.43	20.47	30	PASS
Band66	1.4MHz	132665	16QAM	1	2	High	20.27	20.31	30	PASS
Band66	1.4MHz	132665	16QAM	1	5	High	20.01	20.05	30	PASS
Band66	1.4MHz	132665	16QAM	3	0	High	19.39	19.43	30	PASS
Band66	1.4MHz	132665	16QAM	3	2	High	19.43	19.47	30	PASS
Band66	1.4MHz	132665	16QAM	3	3	High	19.31	19.35	30	PASS
Band66	1.4MHz	132665	16QAM	5	0	High	19.41	19.45	30	PASS
Band66	3MHz	131987	16QAM	1	0	Low	20.45	20.49	30	PASS
Band66	3MHz	131987	16QAM	1	2	Low	20.6	20.64	30	PASS
Band66	3MHz	131987	16QAM	1	5	Low	20.51	20.55	30	PASS
Band66	3MHz	131987	16QAM	3	0	Low	19.78	19.82	30	PASS
Band66	3MHz	131987	16QAM	3	2	Low	19.62	19.66	30	PASS
Band66	3MHz	131987	16QAM	3	3	Low	19.65	19.69	30	PASS
Band66	3MHz	131987	16QAM	5	0	Low	19.62	19.66	30	PASS
Band66	3MHz	132322	16QAM	1	0	Low	20.69	20.73	30	PASS
Band66	3MHz	132322	16QAM	1	2	Low	20.35	20.39	30	PASS
Band66	3MHz	132322	16QAM	1	5	Low	20.43	20.47	30	PASS
Band66	3MHz	132322	16QAM	3	0	Low	19.48	19.52	30	PASS
Band66	3MHz	132322	16QAM	3	2	Low	19.45	19.49	30	PASS
Band66	3MHz	132322	16QAM	3	3	Low	19.58	19.62	30	PASS
Band66	3MHz	132322	16QAM	5	0	Low	19.7	19.74	30	PASS
Band66	3MHz	132657	16QAM	1	0	High	20.39	20.43	30	PASS
Band66	3MHz	132657	16QAM	1	2	High	20.18	20.22	30	PASS
Band66	3MHz	132657	16QAM	1	5	High	20.01	20.05	30	PASS
Band66	3MHz	132657	16QAM	3	0	High	19.37	19.41	30	PASS
Band66	3MHz	132657	16QAM	3	2	High	19.39	19.43	30	PASS
Band66	3MHz	132657	16QAM	3	3	High	19.25	19.29	30	PASS
Band66	3MHz	132657	16QAM	5	0	High	19.42	19.46	30	PASS
Band66	5MHz	131997	16QAM	1	0	Low	21.53	21.57	30	PASS
Band66	5MHz	131997	16QAM	1	2	Low	21.51	21.55	30	PASS
Band66	5MHz	131997	16QAM	1	5	Low	21.21	21.25	30	PASS
Band66	5MHz	131997	16QAM	3	0	Low	21.42	21.46	30	PASS

Band66	5MHz	131997	16QAM	3	2	Low	21.41	21.45	30	PASS
Band66	5MHz	131997	16QAM	3	3	Low	21.33	21.37	30	PASS
Band66	5MHz	131997	16QAM	5	0	Low	20.43	20.47	30	PASS
Band66	5MHz	132322	16QAM	1	0	Low	21.56	21.60	30	PASS
Band66	5MHz	132322	16QAM	1	2	Low	21.28	21.32	30	PASS
Band66	5MHz	132322	16QAM	1	5	Low	20.8	20.84	30	PASS
Band66	5MHz	132322	16QAM	3	0	Low	21.18	21.22	30	PASS
Band66	5MHz	132322	16QAM	3	2	Low	21.38	21.42	30	PASS
Band66	5MHz	132322	16QAM	3	3	Low	21.28	21.32	30	PASS
Band66	5MHz	132322	16QAM	5	0	Low	20.14	20.18	30	PASS
Band66	5MHz	132647	16QAM	1	0	High	21.47	21.51	30	PASS
Band66	5MHz	132647	16QAM	1	2	High	21.42	21.46	30	PASS
Band66	5MHz	132647	16QAM	1	5	High	21.06	21.1	30	PASS
Band66	5MHz	132647	16QAM	3	0	High	21.25	21.29	30	PASS
Band66	5MHz	132647	16QAM	3	2	High	21.19	21.23	30	PASS
Band66	5MHz	132647	16QAM	3	3	High	20.98	21.02	30	PASS
Band66	5MHz	132647	16QAM	5	0	High	19.96	20	30	PASS
Band66	10MHz	132022	16QAM	1	0	Low	21.49	21.53	30	PASS
Band66	10MHz	132022	16QAM	1	2	Low	21.5	21.54	30	PASS
Band66	10MHz	132022	16QAM	1	5	Low	21.09	21.13	30	PASS
Band66	10MHz	132022	16QAM	3	0	Low	21.26	21.3	30	PASS
Band66	10MHz	132022	16QAM	3	2	Low	21.43	21.47	30	PASS
Band66	10MHz	132022	16QAM	3	3	Low	21.33	21.37	30	PASS
Band66	10MHz	132022	16QAM	5	0	Low	21.64	21.68	30	PASS
Band66	10MHz	132322	16QAM	1	0	Low	21.05	21.09	30	PASS
Band66	10MHz	132322	16QAM	1	2	Low	21.05	21.09	30	PASS
Band66	10MHz	132322	16QAM	1	5	Low	20.88	20.92	30	PASS
Band66	10MHz	132322	16QAM	3	0	Low	21.22	21.26	30	PASS
Band66	10MHz	132322	16QAM	3	2	Low	21.4	21.44	30	PASS
Band66	10MHz	132322	16QAM	3	3	Low	21.33	21.37	30	PASS
Band66	10MHz	132322	16QAM	5	0	Low	21.47	21.51	30	PASS
Band66	10MHz	132622	16QAM	1	0	High	21.57	21.61	30	PASS
Band66	10MHz	132622	16QAM	1	2	High	21.48	21.52	30	PASS
Band66	10MHz	132622	16QAM	1	5	High	21.19	21.23	30	PASS
Band66	10MHz	132622	16QAM	3	0	High	21.17	21.21	30	PASS
Band66	10MHz	132622	16QAM	3	2	High	21.18	21.22	30	PASS
Band66	10MHz	132622	16QAM	3	3	High	20.95	20.99	30	PASS
Band66	10MHz	132622	16QAM	5	0	High	21.15	21.19	30	PASS
Band66	15MHz	132047	16QAM	1	0	Low	21.46	21.5	30	PASS
Band66	15MHz	132047	16QAM	1	2	Low	21.39	21.43	30	PASS
Band66	15MHz	132047	16QAM	1	5	Low	21.08	21.12	30	PASS
Band66	15MHz	132047	16QAM	3	0	Low	21.27	21.31	30	PASS
Band66	15MHz	132047	16QAM	3	2	Low	21.32	21.36	30	PASS
Band66	15MHz	132047	16QAM	3	3	Low	21.37	21.41	30	PASS
Band66	15MHz	132047	16QAM	5	0	Low	21.56	21.6	30	PASS
Band66	15MHz	132322	16QAM	1	0	Low	21.9	21.94	30	PASS
Band66	15MHz	132322	16QAM	1	2	Low	21.25	21.29	30	PASS
Band66	15MHz	132322	16QAM	1	5	Low	20.82	20.86	30	PASS
Band66	15MHz	132322	16QAM	3	0	Low	21.13	21.17	30	PASS
Band66	15MHz	132322	16QAM	3	2	Low	21.4	21.44	30	PASS
Band66	15MHz	132322	16QAM	3	3	Low	21.28	21.32	30	PASS
Band66	15MHz	132322	16QAM	5	0	Low	21.38	21.42	30	PASS
Band66	15MHz	132597	16QAM	1	0	High	21.42	21.46	30	PASS
Band66	15MHz	132597	16QAM	1	2	High	21.5	21.54	30	PASS
Band66	15MHz	132597	16QAM	1	5	High	21.11	21.15	30	PASS
Band66	15MHz	132597	16QAM	3	0	High	21.2	21.24	30	PASS
Band66	15MHz	132597	16QAM	3	2	High	21.15	21.19	30	PASS
Band66	15MHz	132597	16QAM	3	3	High	21.04	21.08	30	PASS

Band66	15MHz	132597	16QAM	5	0	High	21.13	21.17	30	PASS
Band66	20MHz	132072	16QAM	1	0	Low	21.45	21.49	30	PASS
Band66	20MHz	132072	16QAM	1	2	Low	21.42	21.46	30	PASS
Band66	20MHz	132072	16QAM	1	5	Low	21.06	21.1	30	PASS
Band66	20MHz	132072	16QAM	3	0	Low	21.28	21.32	30	PASS
Band66	20MHz	132072	16QAM	3	2	Low	21.36	21.4	30	PASS
Band66	20MHz	132072	16QAM	3	3	Low	21.24	21.28	30	PASS
Band66	20MHz	132072	16QAM	5	0	Low	21.57	21.61	30	PASS
Band66	20MHz	132322	16QAM	1	0	Low	21.6	21.64	30	PASS
Band66	20MHz	132322	16QAM	1	2	Low	21.24	21.28	30	PASS
Band66	20MHz	132322	16QAM	1	5	Low	20.91	20.95	30	PASS
Band66	20MHz	132322	16QAM	3	0	Low	21.01	21.05	30	PASS
Band66	20MHz	132322	16QAM	3	2	Low	21.46	21.5	30	PASS
Band66	20MHz	132322	16QAM	3	3	Low	21.31	21.35	30	PASS
Band66	20MHz	132322	16QAM	5	0	Low	21.4	21.44	30	PASS
Band66	20MHz	132572	16QAM	1	0	High	21.53	21.57	30	PASS
Band66	20MHz	132572	16QAM	1	2	High	21.49	21.53	30	PASS
Band66	20MHz	132572	16QAM	1	5	High	21.24	21.28	30	PASS
Band66	20MHz	132572	16QAM	3	0	High	21.33	21.37	30	PASS
Band66	20MHz	132572	16QAM	3	2	High	21.26	21.3	30	PASS
Band66	20MHz	132572	16QAM	3	3	High	21.04	21.08	30	PASS
Band66	20MHz	132572	16QAM	5	0	High	21.15	21.19	30	PASS


Band	Bandwidth	Channel	Modulation	RB Size	RB Start	NBIndex	Power (dBm)	ERP (dBm)	Limit (dBm)	Verdict
Band85	5MHz	134027	QPSK	1	0	Low	20.61	17.84	34.8	PASS
Band85	5MHz	134027	QPSK	1	2	Low	20.74	17.97	34.8	PASS
Band85	5MHz	134027	QPSK	1	5	Low	20.57	17.8	34.8	PASS
Band85	5MHz	134027	QPSK	3	0	Low	20.71	17.94	34.8	PASS
Band85	5MHz	134027	QPSK	3	2	Low	20.61	17.84	34.8	PASS
Band85	5MHz	134027	QPSK	3	3	Low	20.51	17.74	34.8	PASS
Band85	5MHz	134027	QPSK	6	0	Low	19.81	17.04	34.8	PASS
Band85	5MHz	134092	QPSK	1	0	Low	20.99	18.22	34.8	PASS
Band85	5MHz	134092	QPSK	1	2	Low	20.95	18.18	34.8	PASS
Band85	5MHz	134092	QPSK	1	5	Low	20.68	17.91	34.8	PASS
Band85	5MHz	134092	QPSK	3	0	Low	21.13	18.36	34.8	PASS
Band85	5MHz	134092	QPSK	3	2	Low	20.91	18.14	34.8	PASS
Band85	5MHz	134092	QPSK	3	3	Low	20.8	18.03	34.8	PASS
Band85	5MHz	134092	QPSK	6	0	Low	19.99	17.22	34.8	PASS
Band85	5MHz	134157	QPSK	1	0	High	21.39	18.62	34.8	PASS
Band85	5MHz	134157	QPSK	1	2	High	21.42	18.65	34.8	PASS
Band85	5MHz	134157	QPSK	1	5	High	21.16	18.39	34.8	PASS
Band85	5MHz	134157	QPSK	3	0	High	21.53	18.76	34.8	PASS
Band85	5MHz	134157	QPSK	3	2	High	21.37	18.6	34.8	PASS
Band85	5MHz	134157	QPSK	3	3	High	21.26	18.49	34.8	PASS
Band85	5MHz	134157	QPSK	6	0	High	20.36	17.59	34.8	PASS
Band85	10MHz	134052	QPSK	1	0	Low	20.61	17.84	34.8	PASS
Band85	10MHz	134052	QPSK	1	2	Low	20.74	17.97	34.8	PASS
Band85	10MHz	134052	QPSK	1	5	Low	20.57	17.8	34.8	PASS
Band85	10MHz	134052	QPSK	3	0	Low	20.71	17.94	34.8	PASS
Band85	10MHz	134052	QPSK	3	2	Low	20.61	17.84	34.8	PASS
Band85	10MHz	134052	QPSK	3	3	Low	20.51	17.74	34.8	PASS
Band85	10MHz	134052	QPSK	6	0	Low	19.81	17.04	34.8	PASS
Band85	10MHz	134092	QPSK	1	0	Low	20.99	18.22	34.8	PASS
Band85	10MHz	134092	QPSK	1	2	Low	20.95	18.18	34.8	PASS
Band85	10MHz	134092	QPSK	1	5	Low	20.68	17.91	34.8	PASS
Band85	10MHz	134092	QPSK	3	0	Low	21.13	18.36	34.8	PASS
Band85	10MHz	134092	QPSK	3	2	Low	20.91	18.14	34.8	PASS
Band85	10MHz	134092	QPSK	3	3	Low	20.8	18.03	34.8	PASS
Band85	10MHz	134092	QPSK	6	0	Low	19.99	17.22	34.8	PASS
Band85	10MHz	134132	QPSK	1	0	High	21.39	18.62	34.8	PASS
Band85	10MHz	134132	QPSK	1	2	High	21.42	18.65	34.8	PASS
Band85	10MHz	134132	QPSK	1	5	High	21.16	18.39	34.8	PASS
Band85	10MHz	134132	QPSK	3	0	High	21.53	18.76	34.8	PASS
Band85	10MHz	134132	QPSK	3	2	High	21.37	18.6	34.8	PASS
Band85	10MHz	134132	QPSK	3	3	High	21.26	18.49	34.8	PASS
Band85	10MHz	134132	QPSK	6	0	High	20.36	17.59	34.8	PASS
Band85	5MHz	134027	16QAM	1	0	Low	19.46	16.69	34.8	PASS
Band85	5MHz	134027	16QAM	1	2	Low	19.59	16.82	34.8	PASS
Band85	5MHz	134027	16QAM	1	5	Low	19.43	16.66	34.8	PASS
Band85	5MHz	134027	16QAM	3	0	Low	19.52	16.75	34.8	PASS
Band85	5MHz	134027	16QAM	3	2	Low	19.54	16.77	34.8	PASS
Band85	5MHz	134027	16QAM	3	3	Low	19.39	16.62	34.8	PASS
Band85	5MHz	134027	16QAM	6	0	Low	18.54	15.77	34.8	PASS
Band85	5MHz	134027	16QAM	5	0	Low	19.68	16.91	34.8	PASS
Band85	5MHz	134092	16QAM	1	0	Low	19.68	16.91	34.8	PASS
Band85	5MHz	134092	16QAM	1	2	Low	19.58	16.81	34.8	PASS
Band85	5MHz	134092	16QAM	1	5	Low	19.68	16.91	34.8	PASS
Band85	5MHz	134092	16QAM	3	0	Low	19.63	16.86	34.8	PASS
Band85	5MHz	134092	16QAM	3	2	Low	19.54	16.77	34.8	PASS
Band85	5MHz	134092	16QAM	3	3	Low	18.67	15.9	34.8	PASS

Band85	5MHz	134092	16QAM	5	0	Low	20.1	17.33	34.8	PASS
Band85	5MHz	134157	16QAM	1	0	High	20.04	17.27	34.8	PASS
Band85	5MHz	134157	16QAM	1	2	High	19.82	17.05	34.8	PASS
Band85	5MHz	134157	16QAM	1	5	High	20.12	17.35	34.8	PASS
Band85	5MHz	134157	16QAM	3	0	High	20.05	17.28	34.8	PASS
Band85	5MHz	134157	16QAM	3	2	High	19.95	17.18	34.8	PASS
Band85	5MHz	134157	16QAM	3	3	High	19.01	16.24	34.8	PASS
Band85	5MHz	134157	16QAM	5	0	High	19.46	16.69	34.8	PASS
Band85	10MHz	134052	16QAM	1	0	Low	19.18	16.41	34.8	PASS
Band85	10MHz	134052	16QAM	1	2	Low	18.99	16.22	34.8	PASS
Band85	10MHz	134052	16QAM	1	5	Low	19.04	16.27	34.8	PASS
Band85	10MHz	134052	16QAM	3	0	Low	19.14	16.37	34.8	PASS
Band85	10MHz	134052	16QAM	3	2	Low	19.01	16.24	34.8	PASS
Band85	10MHz	134052	16QAM	3	3	Low	18.69	15.92	34.8	PASS
Band85	10MHz	134052	16QAM	5	0	Low	18.3	15.53	34.8	PASS
Band85	10MHz	134092	16QAM	1	0	Low	19.56	16.79	34.8	PASS
Band85	10MHz	134092	16QAM	1	2	Low	19.53	16.76	34.8	PASS
Band85	10MHz	134092	16QAM	1	5	Low	19.34	16.57	34.8	PASS
Band85	10MHz	134092	16QAM	3	0	Low	19.52	16.75	34.8	PASS
Band85	10MHz	134092	16QAM	3	2	Low	19.52	16.75	34.8	PASS
Band85	10MHz	134092	16QAM	3	3	Low	19.4	16.63	34.8	PASS
Band85	10MHz	134092	16QAM	5	0	Low	18.69	15.92	34.8	PASS
Band85	10MHz	134132	16QAM	1	0	High	19.98	17.21	34.8	PASS
Band85	10MHz	134132	16QAM	1	2	High	19.96	17.19	34.8	PASS
Band85	10MHz	134132	16QAM	1	5	High	19.67	16.9	34.8	PASS
Band85	10MHz	134132	16QAM	3	0	High	19.95	17.18	34.8	PASS
Band85	10MHz	134132	16QAM	3	2	High	19.97	17.2	34.8	PASS
Band85	10MHz	134132	16QAM	3	3	High	19.85	17.08	34.8	PASS
Band85	10MHz	134132	16QAM	5	0	High	19.03	16.26	34.8	PASS

Field Strength of Spurious Radiation


Project Information			
Mode:	Cat M	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
SN:	864486065082360	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			

Test Graph



Project Information			
Mode:	Cat M	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
SN:	864486065082360	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Project Information			
Mode:	Cat M	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
SN:	864486065082360	Engineer:	欧树炎
Remark:	Polarity: Z		

Test Standard: FCC PART 27


Test Graph



Project Information			
Mode:	Cat M	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
SN:	864486065082360	Engineer:	欧树炎
Remark:	Polarity: Z		

Test Standard: FCC PART 27


Test Graph



Project Information			
Mode:	Cat M	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
SN:	864486065082360	Engineer:	欧树炎
Remark:	Polarity: Z		

Test Standard: FCC PART 22/24


Test Graph



Project Information			
Mode:	Cat M	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
SN:	864486065082360	Engineer:	欧树炎
Remark:	Polarity: Z		

Test Standard: FCC PART 22/24


Test Graph



Project Information			
Mode:	Cat M	Band:	Band 12
Bandwidth:	10MHz	Channel:	Mid
SN:	864486065082360	Engineer:	欧树炎
Remark:	Polarity: Z		

Test Standard: FCC PART 27


Test Graph



Project Information			
Mode:	Cat M	Band:	Band 12
Bandwidth:	10MHz	Channel:	Mid
SN:	864486065082360	Engineer:	欧树炎
Remark:	Polarity: Z		

Test Standard: FCC PART 27


Test Graph



Project Information			
Mode:	Cat M	Band:	Band 13
Bandwidth:	10MHz	Channel:	Mid
SN:	864486065082360	Engineer:	欧树炎
Remark:	Polarity: Z		

Test Standard: FCC PART 27


Test Graph



Project Information			
Mode:	Cat M	Band:	Band 13
Bandwidth:	10MHz	Channel:	Mid
SN:	864486065082360	Engineer:	欧树炎
Remark:	Polarity: Z		

Test Standard: FCC PART 27


Test Graph



Project Information			
Mode:	Cat M	Band:	Band 25
Bandwidth:	20MHz	Channel:	Mid
SN:	864486065082360	Engineer:	欧树炎
Remark:	Polarity: Z		

Test Standard: FCC PART 22/24


Test Graph



Project Information			
Mode:	Cat M	Band:	Band 25
Bandwidth:	20MHz	Channel:	Mid
SN:	864486065082360	Engineer:	欧树炎
Remark:	Polarity: Z		

Test Standard: FCC PART 22/24


Test Graph



Project Information			
Mode:	Cat M	Band:	Band 26
Bandwidth:	15MHz	Channel:	Mid
SN:	864486065082360	Engineer:	欧树炎
Remark:	Polarity: Z		

Test Standard: FCC PART 90


Test Graph



Project Information			
Mode:	Cat M	Band:	Band 26
Bandwidth:	15MHz	Channel:	Mid
SN:	864486065082360	Engineer:	欧树炎
Remark:	Polarity: Z		

Test Standard: FCC PART 90


Test Graph



Project Information			
Mode:	Cat M	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
SN:	864486065082360	Engineer:	欧树炎
Remark:	Polarity: Z		

Test Standard: FCC PART 27


Test Graph



Project Information			
Mode:	Cat M	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
SN:	864486065082360	Engineer:	欧树炎
Remark:	Polarity: Z		

Test Standard: FCC PART 27


Test Graph



Project Information			
Mode:	Cat M	Band:	Band 85
Bandwidth:	10MHZ	Channel:	Mid
SN:	864486065082360	Engineer:	欧树炎
Remark:	Polarity: Z		

Test Standard: FCC PART 27


Test Graph



Project Information			
Mode:	Cat M	Band:	Band 85
Bandwidth:	10MHZ	Channel:	Mid
SN:	864486065082360	Engineer:	欧树炎
Remark:	Polarity: Z		


Test Standard: FCC PART 27

Test Graph



Project Information			
Mode:	Cat M	Band:	Band 2
Bandwidth:	20MHZ	Channel:	Low
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1851.4	112.47	-93.54	18.93	/	/	RMS	Horizontal	/
2	3703	61.90	-107.50	-45.60	-13.00	32.60	RMS	Horizontal	PASS
3	5554.5	64.07	-101.32	-37.25	-13.00	24.25	RMS	Horizontal	PASS
4	11109	38.49	-91.40	-52.91	-13.00	39.91	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 2
Bandwidth:	20MHZ	Channel:	Low
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1851.4	105.91	-93.54	12.37	/	/	RMS	Vertical	/
2	3703	66.41	-107.50	-41.09	-13.00	28.09	RMS	Vertical	PASS
3	5554.5	54.72	-101.32	-46.60	-13.00	33.60	RMS	Vertical	PASS
4	11109	39.49	-91.40	-51.91	-13.00	38.91	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 2
Bandwidth:	20MHZ	Channel:	Mid
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1871.4	112.86	-93.48	19.38	/	/	RMS	Horizontal	/
2	3743	58.57	-107.43	-48.86	-13.00	35.86	RMS	Horizontal	PASS
3	5614	59.41	-101.18	-41.77	-13.00	28.77	RMS	Horizontal	PASS
4	11228.5	37.87	-90.63	-52.76	-13.00	39.76	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 2
Bandwidth:	20MHZ	Channel:	Mid
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1871.4	103.63	-93.48	10.15	/	/	RMS	Vertical	/
2	3743	61.77	-107.43	-45.66	-13.00	32.66	RMS	Vertical	PASS
3	5614.5	55.65	-101.17	-45.52	-13.00	32.52	RMS	Vertical	PASS
4	11228.5	37.85	-90.63	-52.78	-13.00	39.78	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 2
Bandwidth:	20MHZ	Channel:	High
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1891.4	112.16	-93.43	18.73	/	/	RMS	Horizontal	/
2	3783	55.77	-106.86	-51.09	-13.00	38.09	RMS	Horizontal	PASS
3	5674.5	56.78	-100.78	-44.00	-13.00	31.00	RMS	Horizontal	PASS
4	17349.5	33.27	-82.42	-49.15	-13.00	36.15	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 2
Bandwidth:	20MHZ	Channel:	High
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1891.4	105.65	-93.43	12.22	/	/	RMS	Vertical	/
2	3783	54.84	-106.86	-52.02	-13.00	39.02	RMS	Vertical	PASS
3	5674	51.57	-100.78	-49.21	-13.00	36.21	RMS	Vertical	PASS
4	17347.5	32.68	-82.51	-49.83	-13.00	36.83	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 4
Bandwidth:	20MHZ	Channel:	Low
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1711.4	113.21	-94.08	19.13	/	/	RMS	Horizontal	/
2	3423	73.81	-107.53	-33.72	-13.00	20.72	RMS	Horizontal	PASS
3	5134.5	65.92	-102.19	-36.27	-13.00	23.27	RMS	Horizontal	PASS
4	8557.5	47.78	-94.54	-46.76	-13.00	33.76	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 4
Bandwidth:	20MHZ	Channel:	Low
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1711.4	105.33	-94.08	11.25	/	/	RMS	Vertical	/
2	3423	77.57	-107.53	-29.96	-13.00	16.96	RMS	Vertical	PASS
3	5134.5	58.62	-102.19	-43.57	-13.00	30.57	RMS	Vertical	PASS
4	10269	45.38	-91.59	-46.21	-13.00	33.21	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 4
Bandwidth:	20MHZ	Channel:	Mid
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1723.8	112.82	-94.04	18.78	/	/	RMS	Horizontal	/
2	3448	70.38	-107.30	-36.92	-13.00	23.92	RMS	Horizontal	PASS
3	5172	64.54	-102.06	-37.52	-13.00	24.52	RMS	Horizontal	PASS
4	10344	43.30	-91.52	-48.22	-13.00	35.22	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 4
Bandwidth:	20MHZ	Channel:	Mid
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1724	107.36	-94.04	13.32	/	/	RMS	Vertical	/
2	3448	77.29	-107.30	-30.01	-13.00	17.01	RMS	Vertical	PASS
3	5172	59.29	-102.06	-42.77	-13.00	29.77	RMS	Vertical	PASS
4	6896	50.17	-97.40	-47.23	-13.00	34.23	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 4
Bandwidth:	20MHZ	Channel:	High
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1736.4	112.80	-94.00	18.80	/	/	RMS	Horizontal	/
2	3473	67.08	-107.13	-40.05	-13.00	27.05	RMS	Horizontal	PASS
3	5209.5	65.57	-102.19	-36.62	-13.00	23.62	RMS	Horizontal	PASS
4	10419	46.82	-91.51	-44.69	-13.00	31.69	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 4
Bandwidth:	20MHZ	Channel:	High
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1736.4	108.08	-94.00	14.08	/	/	RMS	Vertical	/
2	3473	76.21	-107.13	-30.92	-13.00	17.92	RMS	Vertical	PASS
3	5209.5	59.58	-102.19	-42.61	-13.00	29.61	RMS	Vertical	PASS
4	10418.5	42.47	-91.52	-49.05	-13.00	36.05	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 25
Bandwidth:	20MHZ	Channel:	Low
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1851.4	111.69	-93.54	18.15	/	/	RMS	Horizontal	/
2	3703	62.20	-107.50	-45.30	-13.00	32.30	RMS	Horizontal	PASS
3	5554.5	60.79	-101.32	-40.53	-13.00	27.53	RMS	Horizontal	PASS
4	11109	39.98	-91.40	-51.42	-13.00	38.42	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 25
Bandwidth:	20MHZ	Channel:	Low
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1851.4	104.74	-93.54	11.20	/	/	RMS	Vertical	/
2	3703	65.42	-107.50	-42.08	-13.00	29.08	RMS	Vertical	PASS
3	5554.5	54.46	-101.32	-46.86	-13.00	33.86	RMS	Vertical	PASS
4	11108	38.25	-91.40	-53.15	-13.00	40.15	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 25
Bandwidth:	20MHZ	Channel:	Mid
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1873.8	111.71	-93.47	18.24	/	/	RMS	Horizontal	/
2	3748	58.62	-107.42	-48.80	-13.00	35.80	RMS	Horizontal	PASS
3	5621.5	61.24	-101.08	-39.84	-13.00	26.84	RMS	Horizontal	PASS
4	17346.5	34.15	-82.56	-48.41	-13.00	35.41	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 25
Bandwidth:	20MHZ	Channel:	Mid
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1873.8	103.18	-93.47	9.71	/	/	RMS	Vertical	/
2	3748	61.61	-107.42	-45.81	-13.00	32.81	RMS	Vertical	PASS
3	5621.5	54.24	-101.08	-46.84	-13.00	33.84	RMS	Vertical	PASS
4	11243.5	37.79	-90.56	-52.77	-13.00	39.77	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 25
Bandwidth:	20MHZ	Channel:	High
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1896.4	112.10	-93.41	18.69	/	/	RMS	Horizontal	/
2	3793	54.08	-106.69	-52.61	-13.00	39.61	RMS	Horizontal	PASS
3	5689.5	53.22	-100.83	-47.61	-13.00	34.61	RMS	Horizontal	PASS
4	17330.5	34.05	-83.29	-49.24	-13.00	36.24	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 25
Bandwidth:	20MHZ	Channel:	High
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1896.4	104.69	-93.41	11.28	/	/	RMS	Vertical	/
2	3793	49.62	-106.69	-57.07	-13.00	44.07	RMS	Vertical	PASS
3	5689.5	50.82	-100.83	-50.01	-13.00	37.01	RMS	Vertical	PASS
4	10921	36.49	-90.52	-54.03	-13.00	41.03	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 66
Bandwidth:	20MHZ	Channel:	Low
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1711.4	112.66	-94.08	18.58	/	/	RMS	Horizontal	/
2	3423	73.72	-107.53	-33.81	-13.00	20.81	RMS	Horizontal	PASS
3	5134.5	64.93	-102.19	-37.26	-13.00	24.26	RMS	Horizontal	PASS
4	10268.5	45.65	-91.59	-45.94	-13.00	32.94	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 66
Bandwidth:	20MHZ	Channel:	Low
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1711.4	105.02	-94.08	10.94	/	/	RMS	Vertical	/
2	3423	76.25	-107.53	-31.28	-13.00	18.28	RMS	Vertical	PASS
3	5134.5	58.25	-102.19	-43.94	-13.00	30.94	RMS	Vertical	PASS
4	6846	51.87	-97.64	-45.77	-13.00	32.77	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 66
Bandwidth:	20MHZ	Channel:	Mid
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1736.4	111.95	-94.00	17.95	/	/	RMS	Horizontal	/
2	3473	69.03	-107.13	-38.10	-13.00	25.10	RMS	Horizontal	PASS
3	5209.5	64.89	-102.19	-37.30	-13.00	24.30	RMS	Horizontal	PASS
4	10419	47.72	-91.51	-43.79	-13.00	30.79	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 66
Bandwidth:	20MHZ	Channel:	Mid
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1736.4	106.92	-94.00	12.92	/	/	RMS	Vertical	/
2	3473	77.01	-107.13	-30.12	-13.00	17.12	RMS	Vertical	PASS
3	5209.5	60.18	-102.19	-42.01	-13.00	29.01	RMS	Vertical	PASS
4	10418.5	41.66	-91.52	-49.86	-13.00	36.86	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 66
Bandwidth:	20MHZ	Channel:	High
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1761.4	111.29	-93.93	17.36	/	/	RMS	Horizontal	/
2	3523	65.85	-107.26	-41.41	-13.00	28.41	RMS	Horizontal	PASS
3	5284	63.20	-101.68	-38.48	-13.00	25.48	RMS	Horizontal	PASS
4	10568.5	45.30	-91.46	-46.16	-13.00	33.16	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 66
Bandwidth:	20MHZ	Channel:	High
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1761.4	107.49	-93.93	13.56	/	/	RMS	Vertical	/
2	3523	73.82	-107.26	-33.44	-13.00	20.44	RMS	Vertical	PASS
3	5284.5	59.59	-101.67	-42.08	-13.00	29.08	RMS	Vertical	PASS
4	10568.5	41.37	-91.46	-50.09	-13.00	37.09	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 5
Bandwidth:	10MHZ	Channel:	Low
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1649.35	92.57	-114.08	-21.51	-13.00	8.51	RMS	Horizontal	PASS
2	2474.2	72.72	-111.25	-38.53	-13.00	25.53	RMS	Horizontal	PASS
3	4123.9	59.42	-105.72	-46.30	-13.00	33.30	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 5
Bandwidth:	10MHZ	Channel:	Low
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1649.35	89.43	-114.08	-24.65	-13.00	11.65	RMS	Vertical	PASS
2	2474.2	68.00	-111.25	-43.25	-13.00	30.25	RMS	Vertical	PASS
3	3299.05	59.93	-108.17	-48.24	-13.00	35.24	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 5
Bandwidth:	10MHZ	Channel:	Low
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Y		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1649.35	92.18	-114.08	-21.90	-13.00	8.90	RMS	Horizontal	PASS
2	2474.2	68.56	-111.25	-42.69	-13.00	29.69	RMS	Horizontal	PASS
3	3299.05	61.25	-108.17	-46.92	-13.00	33.92	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 5
Bandwidth:	10MHZ	Channel:	Low
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Y		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1649.35	89.38	-114.08	-24.70	-13.00	11.70	RMS	Vertical	PASS
2	2474.2	71.32	-111.25	-39.93	-13.00	26.93	RMS	Vertical	PASS
3	3299.05	62.88	-108.17	-45.29	-13.00	32.29	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 5
Bandwidth:	10MHZ	Channel:	Low
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1649.35	91.05	-114.08	-23.03	-13.00	10.03	RMS	Horizontal	PASS
2	2474.2	70.22	-111.25	-41.03	-13.00	28.03	RMS	Horizontal	PASS
3	3299.05	58.06	-108.17	-50.11	-13.00	37.11	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 5
Bandwidth:	10MHZ	Channel:	Low
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1649.35	90.77	-114.08	-23.31	-13.00	10.31	RMS	Vertical	PASS
2	2474.2	67.71	-111.25	-43.54	-13.00	30.54	RMS	Vertical	PASS
3	3299.05	55.36	-108.17	-52.81	-13.00	39.81	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 5
Bandwidth:	10MHZ	Channel:	Mid
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1664.65	88.21	-114.12	-25.91	-13.00	12.91	RMS	Horizontal	PASS
2	2496.7	72.04	-111.38	-39.34	-13.00	26.34	RMS	Horizontal	PASS
3	4161.25	56.41	-105.41	-49.00	-13.00	36.00	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 5
Bandwidth:	10MHZ	Channel:	Mid
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1664.65	90.25	-114.12	-23.87	-13.00	10.87	RMS	Vertical	PASS
2	2496.7	67.90	-111.38	-43.48	-13.00	30.48	RMS	Vertical	PASS
3	4161.25	51.85	-105.41	-53.56	-13.00	40.56	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 5
Bandwidth:	10MHZ	Channel:	High
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1679.5	86.88	-114.16	-27.28	-13.00	14.28	RMS	Horizontal	PASS
2	2519.2	67.31	-111.32	-44.01	-13.00	31.01	RMS	Horizontal	PASS
3	4198.6	54.92	-105.50	-50.58	-13.00	37.58	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 5
Bandwidth:	10MHZ	Channel:	High
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1679.5	87.11	-114.16	-27.05	-13.00	14.05	RMS	Vertical	PASS
2	2519.2	65.90	-111.32	-45.42	-13.00	32.42	RMS	Vertical	PASS
3	5038.3	48.21	-102.37	-54.16	-13.00	41.16	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 12
Bandwidth:	10MHZ	Channel:	Mid
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1406.4	85.48	-114.33	-28.85	-13.00	15.85	RMS	Horizontal	PASS
2	2109.6	72.10	-113.21	-41.11	-13.00	28.11	RMS	Horizontal	PASS
3	3516.4	53.30	-107.51	-54.21	-13.00	41.21	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 12
Bandwidth:	10MHZ	Channel:	Mid
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1406.4	86.78	-114.33	-27.55	-13.00	14.55	RMS	Vertical	PASS
2	2110	71.12	-113.21	-42.09	-13.00	29.09	RMS	Vertical	PASS
3	3516.4	59.14	-107.51	-48.37	-13.00	35.37	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 12
Bandwidth:	10MHZ	Channel:	Low
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1399.2	84.60	-114.31	-29.71	-13.00	16.71	RMS	Horizontal	PASS
2	2099.2	73.03	-113.23	-40.20	-13.00	27.20	RMS	Horizontal	PASS
3	3498.8	53.54	-107.38	-53.84	-13.00	40.84	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 12
Bandwidth:	10MHZ	Channel:	Low
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1399.6	87.22	-114.31	-27.09	-13.00	14.09	RMS	Vertical	PASS
2	2099.2	68.84	-113.23	-44.39	-13.00	31.39	RMS	Vertical	PASS
3	2798.8	56.45	-109.93	-53.48	-13.00	40.48	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 12
Bandwidth:	10MHZ	Channel:	High
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1413.2	87.06	-114.35	-27.29	-13.00	14.29	RMS	Horizontal	PASS
2	2120.4	72.22	-113.21	-40.99	-13.00	27.99	RMS	Horizontal	PASS
3	3534	54.54	-107.65	-53.11	-13.00	40.11	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 12
Bandwidth:	10MHZ	Channel:	High
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1413.6	85.43	-114.35	-28.92	-13.00	15.92	RMS	Vertical	PASS
2	2120.4	69.33	-113.21	-43.88	-13.00	30.88	RMS	Vertical	PASS
3	3534	54.95	-107.65	-52.70	-13.00	39.70	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 13
Bandwidth:	10MHZ	Channel:	Mid
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1559.6	60.10	-114.09	-53.99	-40.00	13.99	RMS	Horizontal	PASS
2	2339.6	49.33	-112.43	-63.10	-13.00	50.10	RMS	Horizontal	PASS
3	8835.2	36.86	-93.13	-56.27	-13.00	43.27	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 13
Bandwidth:	10MHZ	Channel:	Mid
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1559.6	53.79	-114.09	-60.30	-40.00	20.30	RMS	Vertical	PASS
2	2339.6	47.76	-112.43	-64.67	-13.00	51.67	RMS	Vertical	PASS
3	8834.4	36.74	-93.14	-56.40	-13.00	43.40	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 26 (814-824)
Bandwidth:	10MHZ	Channel:	Mid
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 90			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1629.6	90.73	-114.17	-23.44	-13.00	10.44	RMS	Horizontal	PASS
2	2444.4	70.46	-111.24	-40.78	-13.00	27.78	RMS	Horizontal	PASS
3	3258.8	60.50	-108.45	-47.95	-13.00	34.95	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 26 (814-824)
Bandwidth:	10MHZ	Channel:	Mid
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 90			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1629.6	91.17	-114.17	-23.00	-13.00	10.00	RMS	Vertical	PASS
2	2444.4	66.84	-111.24	-44.40	-13.00	31.40	RMS	Vertical	PASS
3	3258.8	60.41	-108.45	-48.04	-13.00	35.04	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 26 (824-849)
Bandwidth:	15MHZ	Channel:	Low
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 90			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1650	90.25	-114.08	-23.83	-13.00	10.83	RMS	Horizontal	PASS
2	2474.8	71.99	-111.25	-39.26	-13.00	26.26	RMS	Horizontal	PASS
3	3300	60.82	-108.17	-47.35	-13.00	34.35	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 26 (824-849)
Bandwidth:	15MHZ	Channel:	Low
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 90			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1650	89.38	-114.08	-24.70	-13.00	11.70	RMS	Vertical	PASS
2	2475.2	66.58	-111.26	-44.68	-13.00	31.68	RMS	Vertical	PASS
3	4125.2	53.71	-105.70	-51.99	-13.00	38.99	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 26 (824-849)
Bandwidth:	15MHZ	Channel:	Mid
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 90			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1660	89.33	-114.11	-24.78	-13.00	11.78	RMS	Horizontal	PASS
2	2490	70.97	-111.34	-40.37	-13.00	27.37	RMS	Horizontal	PASS
3	4150.4	55.10	-105.38	-50.28	-13.00	37.28	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 26 (824-849)
Bandwidth:	15MHZ	Channel:	Mid
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 90			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1660	88.77	-114.11	-25.34	-13.00	12.34	RMS	Vertical	PASS
2	2490	66.23	-111.34	-45.11	-13.00	32.11	RMS	Vertical	PASS
3	3320	56.19	-108.25	-52.06	-13.00	39.06	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 26 (824-849)
Bandwidth:	15MHZ	Channel:	High
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 90			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1670	86.68	-114.13	-27.45	-13.00	14.45	RMS	Horizontal	PASS
2	2505.2	69.59	-111.38	-41.79	-13.00	28.79	RMS	Horizontal	PASS
3	4175.2	54.16	-105.45	-51.29	-13.00	38.29	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 26 (824-849)
Bandwidth:	15MHZ	Channel:	High
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 90			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1670	87.52	-114.13	-26.61	-13.00	13.61	RMS	Vertical	PASS
2	2505.2	64.37	-111.38	-47.01	-13.00	34.01	RMS	Vertical	PASS
3	4175.2	53.64	-105.45	-51.81	-13.00	38.81	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 85
Bandwidth:	10MHZ	Channel:	Low
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1397.6	82.84	-114.31	-31.47	-13.00	18.47	RMS	Horizontal	PASS
2	2096.4	75.59	-113.26	-37.67	-13.00	24.67	RMS	Horizontal	PASS
3	3494	55.00	-107.38	-52.38	-13.00	39.38	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 85
Bandwidth:	10MHZ	Channel:	Low
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1397.6	72.28	-114.31	-42.03	-13.00	29.03	RMS	Vertical	PASS
2	2096.4	70.21	-113.26	-43.05	-13.00	30.05	RMS	Vertical	PASS
3	3494	50.54	-107.38	-56.84	-13.00	43.84	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 85
Bandwidth:	10MHZ	Channel:	Mid
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1405.6	85.53	-114.33	-28.80	-13.00	15.80	RMS	Horizontal	PASS
2	2108.4	77.22	-113.21	-35.99	-13.00	22.99	RMS	Horizontal	PASS
3	2811.2	51.13	-109.83	-58.70	-13.00	45.70	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 85
Bandwidth:	10MHZ	Channel:	Mid
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1405.6	77.98	-114.33	-36.35	-13.00	23.35	RMS	Vertical	PASS
2	2108.4	70.22	-113.21	-42.99	-13.00	29.99	RMS	Vertical	PASS
3	2811.2	56.51	-109.83	-53.32	-13.00	40.32	RMS	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 85
Bandwidth:	10MHZ	Channel:	High
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1413.6	88.49	-114.35	-25.86	-13.00	12.86	RMS	Horizontal	PASS
2	2120.4	76.92	-113.21	-36.29	-13.00	23.29	RMS	Horizontal	PASS
3	3533.6	53.60	-107.65	-54.05	-13.00	41.05	RMS	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 85
Bandwidth:	10MHZ	Channel:	High
SN:	864486065082360	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1413.6	77.25	-114.35	-37.10	-13.00	24.10	RMS	Vertical	PASS
2	2120.4	70.66	-113.21	-42.55	-13.00	29.55	RMS	Vertical	PASS
3	2827.2	59.14	-109.67	-50.53	-13.00	37.53	RMS	Vertical	PASS

~The End~