

### 1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
n41(2535-2655)	15	10	508002	25@12	DFT_BPSK	27.33	28.23	33	PASS
n41(2535-2655)	15	10	508002	1@1	DFT_BPSK	27.24	28.14	33	PASS
n41(2535-2655)	15	10	508002	1@50	DFT_BPSK	27.19	28.09	33	PASS
n41(2535-2655)	15	10	508002	25@12	DFT_QPSK	27.35	28.25	33	PASS
n41(2535-2655)	15	10	508002	1@1	DFT_QPSK	27.04	27.94	33	PASS
n41(2535-2655)	15	10	508002	1@50	DFT_QPSK	27.18	28.08	33	PASS
n41(2535-2655)	15	10	508002	25@12	DFT_QAM16	26.32	27.22	33	PASS
n41(2535-2655)	15	10	508002	1@1	DFT_QAM16	26.46	27.36	33	PASS
n41(2535-2655)	15	10	508002	1@50	DFT_QAM16	26.37	27.27	33	PASS
n41(2535-2655)	15	10	508002	25@12	DFT_QAM64	24.92	25.82	33	PASS
n41(2535-2655)	15	10	508002	1@1	DFT_QAM64	24.73	25.63	33	PASS
n41(2535-2655)	15	10	508002	1@50	DFT_QAM64	25.07	25.97	33	PASS
n41(2535-2655)	15	10	508002	25@12	DFT_QAM256	22.89	23.79	33	PASS
n41(2535-2655)	15	10	508002	1@1	DFT_QAM256	23.03	23.93	33	PASS
n41(2535-2655)	15	10	508002	1@50	DFT_QAM256	23.07	23.97	33	PASS
n41(2535-2655)	15	10	508002	26@13	CP_QPSK	25.89	26.79	33	PASS
n41(2535-2655)	15	10	508002	1@1	CP_QPSK	25.63	26.53	33	PASS
n41(2535-2655)	15	10	508002	1@50	CP_QPSK	25.74	26.64	33	PASS
n41(2535-2655)	15	10	508002	26@13	CP_QAM16	25.39	26.29	33	PASS
n41(2535-2655)	15	10	508002	1@1	CP_QAM16	25.60	26.5	33	PASS
n41(2535-2655)	15	10	508002	1@50	CP_QAM16	25.23	26.13	33	PASS
n41(2535-2655)	15	10	508002	26@13	CP_QAM64	23.87	24.77	33	PASS
n41(2535-2655)	15	10	508002	1@1	CP_QAM64	24.01	24.91	33	PASS
n41(2535-2655)	15	10	508002	1@50	CP_QAM64	24.17	25.07	33	PASS
n41(2535-2655)	15	10	508002	26@13	CP_QAM256	21.26	22.16	33	PASS
n41(2535-2655)	15	10	508002	1@1	CP_QAM256	21.17	22.07	33	PASS
n41(2535-2655)	15	10	508002	1@50	CP_QAM256	21.31	22.21	33	PASS
n41(2535-2655)	15	10	519000	25@12	DFT_BPSK	27.41	28.31	33	PASS
n41(2535-2655)	15	10	519000	1@1	DFT_BPSK	27.36	28.26	33	PASS
n41(2535-2655)	15	10	519000	1@50	DFT_BPSK	27.31	28.21	33	PASS
n41(2535-2655)	15	10	519000	25@12	DFT_QPSK	27.45	28.35	33	PASS
n41(2535-2655)	15	10	519000	1@1	DFT_QPSK	27.22	28.12	33	PASS
n41(2535-2655)	15	10	519000	1@50	DFT_QPSK	27.21	28.11	33	PASS
n41(2535-2655)	15	10	519000	25@12	DFT_QAM16	26.40	27.3	33	PASS
n41(2535-2655)	15	10	519000	1@1	DFT_QAM16	26.61	27.51	33	PASS
n41(2535-2655)	15	10	519000	1@50	DFT_QAM16	26.43	27.33	33	PASS
n41(2535-2655)	15	10	519000	25@12	DFT_QAM64	24.94	25.84	33	PASS
n41(2535-2655)	15	10	519000	1@1	DFT_QAM64	24.86	25.76	33	PASS
n41(2535-2655)	15	10	519000	1@50	DFT_QAM64	25.09	25.99	33	PASS

n41(2535-2655)	15	10	519000	25@12	DFT_QAM256	22.88	23.78	33	PASS
n41(2535-2655)	15	10	519000	1@1	DFT_QAM256	22.74	23.64	33	PASS
n41(2535-2655)	15	10	519000	1@50	DFT_QAM256	23.03	23.93	33	PASS
n41(2535-2655)	15	10	519000	26@13	CP_QPSK	25.94	26.84	33	PASS
n41(2535-2655)	15	10	519000	1@1	CP_QPSK	25.79	26.69	33	PASS
n41(2535-2655)	15	10	519000	1@50	CP_QPSK	25.78	26.68	33	PASS
n41(2535-2655)	15	10	519000	26@13	CP_QAM16	25.51	26.41	33	PASS
n41(2535-2655)	15	10	519000	1@1	CP_QAM16	25.58	26.48	33	PASS
n41(2535-2655)	15	10	519000	1@50	CP_QAM16	25.30	26.2	33	PASS
n41(2535-2655)	15	10	519000	26@13	CP_QAM64	23.91	24.81	33	PASS
n41(2535-2655)	15	10	519000	1@1	CP_QAM64	24.15	25.05	33	PASS
n41(2535-2655)	15	10	519000	1@50	CP_QAM64	24.14	25.04	33	PASS
n41(2535-2655)	15	10	519000	26@13	CP_QAM256	21.38	22.28	33	PASS
n41(2535-2655)	15	10	519000	1@1	CP_QAM256	21.29	22.19	33	PASS
n41(2535-2655)	15	10	519000	1@50	CP_QAM256	21.23	22.13	33	PASS
n41(2535-2655)	15	10	529998	25@12	DFT_BPSK	26.70	27.6	33	PASS
n41(2535-2655)	15	10	529998	1@1	DFT_BPSK	26.67	27.57	33	PASS
n41(2535-2655)	15	10	529998	1@50	DFT_BPSK	26.66	27.56	33	PASS
n41(2535-2655)	15	10	529998	25@12	DFT_QPSK	26.67	27.57	33	PASS
n41(2535-2655)	15	10	529998	1@1	DFT_QPSK	26.61	27.51	33	PASS
n41(2535-2655)	15	10	529998	1@50	DFT_QPSK	26.42	27.32	33	PASS
n41(2535-2655)	15	10	529998	25@12	DFT_QAM16	25.67	26.57	33	PASS
n41(2535-2655)	15	10	529998	1@1	DFT_QAM16	25.91	26.81	33	PASS
n41(2535-2655)	15	10	529998	1@50	DFT_QAM16	25.64	26.54	33	PASS
n41(2535-2655)	15	10	529998	25@12	DFT_QAM64	24.24	25.14	33	PASS
n41(2535-2655)	15	10	529998	1@1	DFT_QAM64	24.20	25.1	33	PASS
n41(2535-2655)	15	10	529998	1@50	DFT_QAM64	24.04	24.94	33	PASS
n41(2535-2655)	15	10	529998	25@12	DFT_QAM256	22.23	23.13	33	PASS
n41(2535-2655)	15	10	529998	1@1	DFT_QAM256	22.06	22.96	33	PASS
n41(2535-2655)	15	10	529998	1@50	DFT_QAM256	21.95	22.85	33	PASS
n41(2535-2655)	15	10	529998	26@13	CP_QPSK	25.25	26.15	33	PASS
n41(2535-2655)	15	10	529998	1@1	CP_QPSK	25.07	25.97	33	PASS
n41(2535-2655)	15	10	529998	1@50	CP_QPSK	24.96	25.86	33	PASS
n41(2535-2655)	15	10	529998	26@13	CP_QAM16	24.78	25.68	33	PASS
n41(2535-2655)	15	10	529998	1@1	CP_QAM16	24.99	25.89	33	PASS
n41(2535-2655)	15	10	529998	1@50	CP_QAM16	24.48	25.38	33	PASS
n41(2535-2655)	15	10	529998	26@13	CP_QAM64	23.19	24.09	33	PASS
n41(2535-2655)	15	10	529998	1@1	CP_QAM64	23.46	24.36	33	PASS
n41(2535-2655)	15	10	529998	1@50	CP_QAM64	23.39	24.29	33	PASS
n41(2535-2655)	15	10	529998	26@13	CP_QAM256	20.50	21.4	33	PASS
n41(2535-2655)	15	10	529998	1@1	CP_QAM256	20.57	21.47	33	PASS
n41(2535-2655)	15	10	529998	1@50	CP_QAM256	20.40	21.3	33	PASS
n41(2535-2655)	15	15	508500	36@18	DFT_BPSK	27.25	28.15	33	PASS
n41(2535-2655)	15	15	508500	1@1	DFT_BPSK	27.12	28.02	33	PASS

n41(2535-2655)	15	15	508500	1@77	DFT_BPSK	27.28	28.18	33	PASS
n41(2535-2655)	15	15	508500	36@18	DFT_QPSK	27.30	28.2	33	PASS
n41(2535-2655)	15	15	508500	1@1	DFT_QPSK	26.97	27.87	33	PASS
n41(2535-2655)	15	15	508500	1@77	DFT_QPSK	27.15	28.05	33	PASS
n41(2535-2655)	15	15	508500	36@18	DFT_QAM16	26.37	27.27	33	PASS
n41(2535-2655)	15	15	508500	1@1	DFT_QAM16	26.30	27.2	33	PASS
n41(2535-2655)	15	15	508500	1@77	DFT_QAM16	26.27	27.17	33	PASS
n41(2535-2655)	15	15	508500	36@18	DFT_QAM64	24.93	25.83	33	PASS
n41(2535-2655)	15	15	508500	1@1	DFT_QAM64	24.95	25.85	33	PASS
n41(2535-2655)	15	15	508500	1@77	DFT_QAM64	25.04	25.94	33	PASS
n41(2535-2655)	15	15	508500	36@18	DFT_QAM256	22.96	23.86	33	PASS
n41(2535-2655)	15	15	508500	1@1	DFT_QAM256	22.63	23.53	33	PASS
n41(2535-2655)	15	15	508500	1@77	DFT_QAM256	22.63	23.53	33	PASS
n41(2535-2655)	15	15	508500	39@19	CP_QPSK	25.80	26.7	33	PASS
n41(2535-2655)	15	15	508500	1@1	CP_QPSK	25.83	26.73	33	PASS
n41(2535-2655)	15	15	508500	1@77	CP_QPSK	25.86	26.76	33	PASS
n41(2535-2655)	15	15	508500	39@19	CP_QAM16	25.30	26.2	33	PASS
n41(2535-2655)	15	15	508500	1@1	CP_QAM16	25.50	26.4	33	PASS
n41(2535-2655)	15	15	508500	1@77	CP_QAM16	25.57	26.47	33	PASS
n41(2535-2655)	15	15	508500	39@19	CP_QAM64	23.91	24.81	33	PASS
n41(2535-2655)	15	15	508500	1@1	CP_QAM64	24.06	24.96	33	PASS
n41(2535-2655)	15	15	508500	1@77	CP_QAM64	24.09	24.99	33	PASS
n41(2535-2655)	15	15	508500	39@19	CP_QAM256	21.26	22.16	33	PASS
n41(2535-2655)	15	15	508500	1@1	CP_QAM256	21.10	22	33	PASS
n41(2535-2655)	15	15	508500	1@77	CP_QAM256	21.26	22.16	33	PASS
n41(2535-2655)	15	15	519000	36@18	DFT_BPSK	27.46	28.36	33	PASS
n41(2535-2655)	15	15	519000	1@1	DFT_BPSK	27.45	28.35	33	PASS
n41(2535-2655)	15	15	519000	1@77	DFT_BPSK	27.36	28.26	33	PASS
n41(2535-2655)	15	15	519000	36@18	DFT_QPSK	27.55	28.45	33	PASS
n41(2535-2655)	15	15	519000	1@1	DFT_QPSK	27.35	28.25	33	PASS
n41(2535-2655)	15	15	519000	1@77	DFT_QPSK	27.32	28.22	33	PASS
n41(2535-2655)	15	15	519000	36@18	DFT_QAM16	26.61	27.51	33	PASS
n41(2535-2655)	15	15	519000	1@1	DFT_QAM16	26.51	27.41	33	PASS
n41(2535-2655)	15	15	519000	1@77	DFT_QAM16	26.54	27.44	33	PASS
n41(2535-2655)	15	15	519000	36@18	DFT_QAM64	24.98	25.88	33	PASS
n41(2535-2655)	15	15	519000	1@1	DFT_QAM64	24.92	25.82	33	PASS
n41(2535-2655)	15	15	519000	1@77	DFT_QAM64	25.08	25.98	33	PASS
n41(2535-2655)	15	15	519000	36@18	DFT_QAM256	23.01	23.91	33	PASS
n41(2535-2655)	15	15	519000	1@1	DFT_QAM256	22.74	23.64	33	PASS
n41(2535-2655)	15	15	519000	1@77	DFT_QAM256	23.22	24.12	33	PASS
n41(2535-2655)	15	15	519000	39@19	CP_QPSK	25.97	26.87	33	PASS
n41(2535-2655)	15	15	519000	1@1	CP_QPSK	25.81	26.71	33	PASS
n41(2535-2655)	15	15	519000	1@77	CP_QPSK	25.93	26.83	33	PASS
n41(2535-2655)	15	15	519000	39@19	CP_QAM16	25.50	26.4	33	PASS

n41(2535-2655)	15	15	519000	1@1	CP_QAM16	25.21	26.11	33	PASS
n41(2535-2655)	15	15	519000	1@77	CP_QAM16	24.96	25.86	33	PASS
n41(2535-2655)	15	15	519000	39@19	CP_QAM64	24.00	24.9	33	PASS
n41(2535-2655)	15	15	519000	1@1	CP_QAM64	24.17	25.07	33	PASS
n41(2535-2655)	15	15	519000	1@77	CP_QAM64	24.19	25.09	33	PASS
n41(2535-2655)	15	15	519000	39@19	CP_QAM256	21.40	22.3	33	PASS
n41(2535-2655)	15	15	519000	1@1	CP_QAM256	21.16	22.06	33	PASS
n41(2535-2655)	15	15	519000	1@77	CP_QAM256	21.30	22.2	33	PASS
n41(2535-2655)	15	15	529500	36@18	DFT_BPSK	26.84	27.74	33	PASS
n41(2535-2655)	15	15	529500	1@1	DFT_BPSK	26.90	27.8	33	PASS
n41(2535-2655)	15	15	529500	1@77	DFT_BPSK	26.64	27.54	33	PASS
n41(2535-2655)	15	15	529500	36@18	DFT_QPSK	26.84	27.74	33	PASS
n41(2535-2655)	15	15	529500	1@1	DFT_QPSK	26.84	27.74	33	PASS
n41(2535-2655)	15	15	529500	1@77	DFT_QPSK	26.60	27.5	33	PASS
n41(2535-2655)	15	15	529500	36@18	DFT_QAM16	25.77	26.67	33	PASS
n41(2535-2655)	15	15	529500	1@1	DFT_QAM16	25.96	26.86	33	PASS
n41(2535-2655)	15	15	529500	1@77	DFT_QAM16	25.71	26.61	33	PASS
n41(2535-2655)	15	15	529500	36@18	DFT_QAM64	24.27	25.17	33	PASS
n41(2535-2655)	15	15	529500	1@1	DFT_QAM64	24.63	25.53	33	PASS
n41(2535-2655)	15	15	529500	1@77	DFT_QAM64	24.11	25.01	33	PASS
n41(2535-2655)	15	15	529500	36@18	DFT_QAM256	22.27	23.17	33	PASS
n41(2535-2655)	15	15	529500	1@1	DFT_QAM256	22.16	23.06	33	PASS
n41(2535-2655)	15	15	529500	1@77	DFT_QAM256	21.97	22.87	33	PASS
n41(2535-2655)	15	15	529500	39@19	CP_QPSK	25.28	26.18	33	PASS
n41(2535-2655)	15	15	529500	1@1	CP_QPSK	25.41	26.31	33	PASS
n41(2535-2655)	15	15	529500	1@77	CP_QPSK	25.20	26.1	33	PASS
n41(2535-2655)	15	15	529500	39@19	CP_QAM16	24.71	25.61	33	PASS
n41(2535-2655)	15	15	529500	1@1	CP_QAM16	25.17	26.07	33	PASS
n41(2535-2655)	15	15	529500	1@77	CP_QAM16	24.28	25.18	33	PASS
n41(2535-2655)	15	15	529500	39@19	CP_QAM64	23.28	24.18	33	PASS
n41(2535-2655)	15	15	529500	1@1	CP_QAM64	23.64	24.54	33	PASS
n41(2535-2655)	15	15	529500	1@77	CP_QAM64	23.42	24.32	33	PASS
n41(2535-2655)	15	15	529500	39@19	CP_QAM256	20.59	21.49	33	PASS
n41(2535-2655)	15	15	529500	1@1	CP_QAM256	20.66	21.56	33	PASS
n41(2535-2655)	15	15	529500	1@77	CP_QAM256	20.38	21.28	33	PASS
n41(2535-2655)	15	20	509004	50@25	DFT_BPSK	27.31	28.21	33	PASS
n41(2535-2655)	15	20	509004	1@1	DFT_BPSK	27.17	28.07	33	PASS
n41(2535-2655)	15	20	509004	1@104	DFT_BPSK	27.35	28.25	33	PASS
n41(2535-2655)	15	20	509004	50@25	DFT_QPSK	27.29	28.19	33	PASS
n41(2535-2655)	15	20	509004	1@1	DFT_QPSK	27.23	28.13	33	PASS
n41(2535-2655)	15	20	509004	1@104	DFT_QPSK	27.31	28.21	33	PASS
n41(2535-2655)	15	20	509004	50@25	DFT_QAM16	26.38	27.28	33	PASS
n41(2535-2655)	15	20	509004	1@1	DFT_QAM16	26.43	27.33	33	PASS
n41(2535-2655)	15	20	509004	1@104	DFT_QAM16	26.44	27.34	33	PASS

n41(2535-2655)	15	20	509004	50@25	DFT_QAM64	24.96	25.86	33	PASS
n41(2535-2655)	15	20	509004	1@1	DFT_QAM64	25.01	25.91	33	PASS
n41(2535-2655)	15	20	509004	1@104	DFT_QAM64	25.14	26.04	33	PASS
n41(2535-2655)	15	20	509004	50@25	DFT_QAM256	22.96	23.86	33	PASS
n41(2535-2655)	15	20	509004	1@1	DFT_QAM256	23.12	24.02	33	PASS
n41(2535-2655)	15	20	509004	1@104	DFT_QAM256	23.23	24.13	33	PASS
n41(2535-2655)	15	20	509004	53@26	CP_QPSK	25.83	26.73	33	PASS
n41(2535-2655)	15	20	509004	1@1	CP_QPSK	25.73	26.63	33	PASS
n41(2535-2655)	15	20	509004	1@104	CP_QPSK	25.82	26.72	33	PASS
n41(2535-2655)	15	20	509004	53@26	CP_QAM16	25.36	26.26	33	PASS
n41(2535-2655)	15	20	509004	1@1	CP_QAM16	25.28	26.18	33	PASS
n41(2535-2655)	15	20	509004	1@104	CP_QAM16	25.44	26.34	33	PASS
n41(2535-2655)	15	20	509004	53@26	CP_QAM64	23.91	24.81	33	PASS
n41(2535-2655)	15	20	509004	1@1	CP_QAM64	24.06	24.96	33	PASS
n41(2535-2655)	15	20	509004	1@104	CP_QAM64	24.12	25.02	33	PASS
n41(2535-2655)	15	20	509004	53@26	CP_QAM256	21.37	22.27	33	PASS
n41(2535-2655)	15	20	509004	1@1	CP_QAM256	21.18	22.08	33	PASS
n41(2535-2655)	15	20	509004	1@104	CP_QAM256	21.28	22.18	33	PASS
n41(2535-2655)	15	20	519000	50@25	DFT_BPSK	27.48	28.38	33	PASS
n41(2535-2655)	15	20	519000	1@1	DFT_BPSK	27.42	28.32	33	PASS
n41(2535-2655)	15	20	519000	1@104	DFT_BPSK	27.42	28.32	33	PASS
n41(2535-2655)	15	20	519000	50@25	DFT_QPSK	27.50	28.4	33	PASS
n41(2535-2655)	15	20	519000	1@1	DFT_QPSK	27.27	28.17	33	PASS
n41(2535-2655)	15	20	519000	1@104	DFT_QPSK	27.25	28.15	33	PASS
n41(2535-2655)	15	20	519000	50@25	DFT_QAM16	26.56	27.46	33	PASS
n41(2535-2655)	15	20	519000	1@1	DFT_QAM16	26.44	27.34	33	PASS
n41(2535-2655)	15	20	519000	1@104	DFT_QAM16	26.45	27.35	33	PASS
n41(2535-2655)	15	20	519000	50@25	DFT_QAM64	25.07	25.97	33	PASS
n41(2535-2655)	15	20	519000	1@1	DFT_QAM64	24.93	25.83	33	PASS
n41(2535-2655)	15	20	519000	1@104	DFT_QAM64	25.11	26.01	33	PASS
n41(2535-2655)	15	20	519000	50@25	DFT_QAM256	23.06	23.96	33	PASS
n41(2535-2655)	15	20	519000	1@1	DFT_QAM256	23.14	24.04	33	PASS
n41(2535-2655)	15	20	519000	1@104	DFT_QAM256	23.07	23.97	33	PASS
n41(2535-2655)	15	20	519000	53@26	CP_QPSK	26.03	26.93	33	PASS
n41(2535-2655)	15	20	519000	1@1	CP_QPSK	25.87	26.77	33	PASS
n41(2535-2655)	15	20	519000	1@104	CP_QPSK	25.78	26.68	33	PASS
n41(2535-2655)	15	20	519000	53@26	CP_QAM16	25.53	26.43	33	PASS
n41(2535-2655)	15	20	519000	1@1	CP_QAM16	25.87	26.77	33	PASS
n41(2535-2655)	15	20	519000	1@104	CP_QAM16	25.43	26.33	33	PASS
n41(2535-2655)	15	20	519000	53@26	CP_QAM64	24.01	24.91	33	PASS
n41(2535-2655)	15	20	519000	1@1	CP_QAM64	24.16	25.06	33	PASS
n41(2535-2655)	15	20	519000	1@104	CP_QAM64	24.12	25.02	33	PASS
n41(2535-2655)	15	20	519000	53@26	CP_QAM256	21.35	22.25	33	PASS
n41(2535-2655)	15	20	519000	1@1	CP_QAM256	21.29	22.19	33	PASS

n41(2535-2655)	15	20	519000	1@104	CP_QAM256	21.33	22.23	33	PASS
n41(2535-2655)	15	20	528996	50@25	DFT_BPSK	26.92	27.82	33	PASS
n41(2535-2655)	15	20	528996	1@1	DFT_BPSK	27.02	27.92	33	PASS
n41(2535-2655)	15	20	528996	1@104	DFT_BPSK	26.74	27.64	33	PASS
n41(2535-2655)	15	20	528996	50@25	DFT_QPSK	26.89	27.79	33	PASS
n41(2535-2655)	15	20	528996	1@1	DFT_QPSK	27.06	27.96	33	PASS
n41(2535-2655)	15	20	528996	1@104	DFT_QPSK	26.67	27.57	33	PASS
n41(2535-2655)	15	20	528996	50@25	DFT_QAM16	25.89	26.79	33	PASS
n41(2535-2655)	15	20	528996	1@1	DFT_QAM16	26.20	27.1	33	PASS
n41(2535-2655)	15	20	528996	1@104	DFT_QAM16	25.73	26.63	33	PASS
n41(2535-2655)	15	20	528996	50@25	DFT_QAM64	24.42	25.32	33	PASS
n41(2535-2655)	15	20	528996	1@1	DFT_QAM64	24.77	25.67	33	PASS
n41(2535-2655)	15	20	528996	1@104	DFT_QAM64	24.19	25.09	33	PASS
n41(2535-2655)	15	20	528996	50@25	DFT_QAM256	22.39	23.29	33	PASS
n41(2535-2655)	15	20	528996	1@1	DFT_QAM256	22.43	23.33	33	PASS
n41(2535-2655)	15	20	528996	1@104	DFT_QAM256	22.09	22.99	33	PASS
n41(2535-2655)	15	20	528996	53@26	CP_QPSK	25.33	26.23	33	PASS
n41(2535-2655)	15	20	528996	1@1	CP_QPSK	25.63	26.53	33	PASS
n41(2535-2655)	15	20	528996	1@104	CP_QPSK	25.16	26.06	33	PASS
n41(2535-2655)	15	20	528996	53@26	CP_QAM16	24.89	25.79	33	PASS
n41(2535-2655)	15	20	528996	1@1	CP_QAM16	25.32	26.22	33	PASS
n41(2535-2655)	15	20	528996	1@104	CP_QAM16	24.90	25.8	33	PASS
n41(2535-2655)	15	20	528996	53@26	CP_QAM64	23.38	24.28	33	PASS
n41(2535-2655)	15	20	528996	1@1	CP_QAM64	23.88	24.78	33	PASS
n41(2535-2655)	15	20	528996	1@104	CP_QAM64	23.53	24.43	33	PASS
n41(2535-2655)	15	20	528996	53@26	CP_QAM256	20.71	21.61	33	PASS
n41(2535-2655)	15	20	528996	1@1	CP_QAM256	20.97	21.87	33	PASS
n41(2535-2655)	15	20	528996	1@104	CP_QAM256	20.35	21.25	33	PASS
n41(2535-2655)	15	30	509004	80@40	DFT_BPSK	27.35	28.25	33	PASS
n41(2535-2655)	15	30	509004	1@1	DFT_BPSK	27.21	28.11	33	PASS
n41(2535-2655)	15	30	509004	1@158	DFT_BPSK	27.34	28.24	33	PASS
n41(2535-2655)	15	30	509004	80@40	DFT_QPSK	27.35	28.25	33	PASS
n41(2535-2655)	15	30	509004	1@1	DFT_QPSK	27.16	28.06	33	PASS
n41(2535-2655)	15	30	509004	1@158	DFT_QPSK	27.35	28.25	33	PASS
n41(2535-2655)	15	30	509004	80@40	DFT_QAM16	26.37	27.27	33	PASS
n41(2535-2655)	15	30	509004	1@1	DFT_QAM16	26.27	27.17	33	PASS
n41(2535-2655)	15	30	509004	1@158	DFT_QAM16	26.49	27.39	33	PASS
n41(2535-2655)	15	30	509004	80@40	DFT_QAM64	24.98	25.88	33	PASS
n41(2535-2655)	15	30	509004	1@1	DFT_QAM64	24.97	25.87	33	PASS
n41(2535-2655)	15	30	509004	1@158	DFT_QAM64	25.08	25.98	33	PASS
n41(2535-2655)	15	30	509004	80@40	DFT_QAM256	22.92	23.82	33	PASS
n41(2535-2655)	15	30	509004	1@1	DFT_QAM256	22.62	23.52	33	PASS
n41(2535-2655)	15	30	509004	1@158	DFT_QAM256	23.25	24.15	33	PASS
n41(2535-2655)	15	30	509004	80@40	CP_QPSK	25.84	26.74	33	PASS

n41(2535-2655)	15	30	509004	1@1	CP_QPSK	25.79	26.69	33	PASS
n41(2535-2655)	15	30	509004	1@158	CP_QPSK	25.82	26.72	33	PASS
n41(2535-2655)	15	30	509004	80@40	CP_QAM16	25.42	26.32	33	PASS
n41(2535-2655)	15	30	509004	1@1	CP_QAM16	25.55	26.45	33	PASS
n41(2535-2655)	15	30	509004	1@158	CP_QAM16	25.59	26.49	33	PASS
n41(2535-2655)	15	30	509004	80@40	CP_QAM64	23.99	24.89	33	PASS
n41(2535-2655)	15	30	509004	1@1	CP_QAM64	24.07	24.97	33	PASS
n41(2535-2655)	15	30	509004	1@158	CP_QAM64	24.20	25.1	33	PASS
n41(2535-2655)	15	30	509004	80@40	CP_QAM256	21.15	22.05	33	PASS
n41(2535-2655)	15	30	509004	1@1	CP_QAM256	20.85	21.75	33	PASS
n41(2535-2655)	15	30	509004	1@158	CP_QAM256	21.00	21.9	33	PASS
n41(2535-2655)	15	30	519000	80@40	DFT_BPSK	27.52	28.42	33	PASS
n41(2535-2655)	15	30	519000	1@1	DFT_BPSK	27.35	28.25	33	PASS
n41(2535-2655)	15	30	519000	1@158	DFT_BPSK	27.24	28.14	33	PASS
n41(2535-2655)	15	30	519000	80@40	DFT_QPSK	27.46	28.36	33	PASS
n41(2535-2655)	15	30	519000	1@1	DFT_QPSK	27.38	28.28	33	PASS
n41(2535-2655)	15	30	519000	1@158	DFT_QPSK	27.24	28.14	33	PASS
n41(2535-2655)	15	30	519000	80@40	DFT_QAM16	26.54	27.44	33	PASS
n41(2535-2655)	15	30	519000	1@1	DFT_QAM16	26.45	27.35	33	PASS
n41(2535-2655)	15	30	519000	1@158	DFT_QAM16	26.43	27.33	33	PASS
n41(2535-2655)	15	30	519000	80@40	DFT_QAM64	25.03	25.93	33	PASS
n41(2535-2655)	15	30	519000	1@1	DFT_QAM64	25.16	26.06	33	PASS
n41(2535-2655)	15	30	519000	1@158	DFT_QAM64	25.02	25.92	33	PASS
n41(2535-2655)	15	30	519000	80@40	DFT_QAM256	22.96	23.86	33	PASS
n41(2535-2655)	15	30	519000	1@1	DFT_QAM256	22.82	23.72	33	PASS
n41(2535-2655)	15	30	519000	1@158	DFT_QAM256	23.08	23.98	33	PASS
n41(2535-2655)	15	30	519000	80@40	CP_QPSK	25.95	26.85	33	PASS
n41(2535-2655)	15	30	519000	1@1	CP_QPSK	25.68	26.58	33	PASS
n41(2535-2655)	15	30	519000	1@158	CP_QPSK	25.58	26.48	33	PASS
n41(2535-2655)	15	30	519000	80@40	CP_QAM16	25.44	26.34	33	PASS
n41(2535-2655)	15	30	519000	1@1	CP_QAM16	25.42	26.32	33	PASS
n41(2535-2655)	15	30	519000	1@158	CP_QAM16	25.31	26.21	33	PASS
n41(2535-2655)	15	30	519000	80@40	CP_QAM64	23.99	24.89	33	PASS
n41(2535-2655)	15	30	519000	1@1	CP_QAM64	23.99	24.89	33	PASS
n41(2535-2655)	15	30	519000	1@158	CP_QAM64	24.08	24.98	33	PASS
n41(2535-2655)	15	30	519000	80@40	CP_QAM256	21.26	22.16	33	PASS
n41(2535-2655)	15	30	519000	1@1	CP_QAM256	21.05	21.95	33	PASS
n41(2535-2655)	15	30	519000	1@158	CP_QAM256	21.06	21.96	33	PASS
n41(2535-2655)	15	30	528000	80@40	DFT_BPSK	26.94	27.84	33	PASS
n41(2535-2655)	15	30	528000	1@1	DFT_BPSK	27.08	27.98	33	PASS
n41(2535-2655)	15	30	528000	1@158	DFT_BPSK	26.54	27.44	33	PASS
n41(2535-2655)	15	30	528000	80@40	DFT_QPSK	26.91	27.81	33	PASS
n41(2535-2655)	15	30	528000	1@1	DFT_QPSK	26.94	27.84	33	PASS
n41(2535-2655)	15	30	528000	1@158	DFT_QPSK	26.41	27.31	33	PASS

n41(2535-2655)	15	30	528000	80@40	DFT_QAM16	25.98	26.88	33	PASS
n41(2535-2655)	15	30	528000	1@1	DFT_QAM16	26.06	26.96	33	PASS
n41(2535-2655)	15	30	528000	1@158	DFT_QAM16	25.67	26.57	33	PASS
n41(2535-2655)	15	30	528000	80@40	DFT_QAM64	24.54	25.44	33	PASS
n41(2535-2655)	15	30	528000	1@1	DFT_QAM64	24.80	25.7	33	PASS
n41(2535-2655)	15	30	528000	1@158	DFT_QAM64	24.06	24.96	33	PASS
n41(2535-2655)	15	30	528000	80@40	DFT_QAM256	22.49	23.39	33	PASS
n41(2535-2655)	15	30	528000	1@1	DFT_QAM256	22.47	23.37	33	PASS
n41(2535-2655)	15	30	528000	1@158	DFT_QAM256	22.26	23.16	33	PASS
n41(2535-2655)	15	30	528000	80@40	CP_QPSK	25.36	26.26	33	PASS
n41(2535-2655)	15	30	528000	1@1	CP_QPSK	25.40	26.3	33	PASS
n41(2535-2655)	15	30	528000	1@158	CP_QPSK	25.04	25.94	33	PASS
n41(2535-2655)	15	30	528000	80@40	CP_QAM16	24.95	25.85	33	PASS
n41(2535-2655)	15	30	528000	1@1	CP_QAM16	25.38	26.28	33	PASS
n41(2535-2655)	15	30	528000	1@158	CP_QAM16	24.84	25.74	33	PASS
n41(2535-2655)	15	30	528000	80@40	CP_QAM64	23.50	24.4	33	PASS
n41(2535-2655)	15	30	528000	1@1	CP_QAM64	23.86	24.76	33	PASS
n41(2535-2655)	15	30	528000	1@158	CP_QAM64	23.36	24.26	33	PASS
n41(2535-2655)	15	30	528000	80@40	CP_QAM256	20.70	21.6	33	PASS
n41(2535-2655)	15	30	528000	1@1	CP_QAM256	20.84	21.74	33	PASS
n41(2535-2655)	15	30	528000	1@158	CP_QAM256	20.26	21.16	33	PASS
n41(2535-2655)	15	40	511002	108@54	DFT_BPSK	27.40	28.3	33	PASS
n41(2535-2655)	15	40	511002	1@1	DFT_BPSK	27.23	28.13	33	PASS
n41(2535-2655)	15	40	511002	1@214	DFT_BPSK	27.40	28.3	33	PASS
n41(2535-2655)	15	40	511002	108@54	DFT_QPSK	27.42	28.32	33	PASS
n41(2535-2655)	15	40	511002	1@1	DFT_QPSK	27.07	27.97	33	PASS
n41(2535-2655)	15	40	511002	1@214	DFT_QPSK	27.14	28.04	33	PASS
n41(2535-2655)	15	40	511002	108@54	DFT_QAM16	26.42	27.32	33	PASS
n41(2535-2655)	15	40	511002	1@1	DFT_QAM16	26.20	27.1	33	PASS
n41(2535-2655)	15	40	511002	1@214	DFT_QAM16	26.38	27.28	33	PASS
n41(2535-2655)	15	40	511002	108@54	DFT_QAM64	25.01	25.91	33	PASS
n41(2535-2655)	15	40	511002	1@1	DFT_QAM64	24.99	25.89	33	PASS
n41(2535-2655)	15	40	511002	1@214	DFT_QAM64	24.99	25.89	33	PASS
n41(2535-2655)	15	40	511002	108@54	DFT_QAM256	23.07	23.97	33	PASS
n41(2535-2655)	15	40	511002	1@1	DFT_QAM256	22.97	23.87	33	PASS
n41(2535-2655)	15	40	511002	1@214	DFT_QAM256	23.12	24.02	33	PASS
n41(2535-2655)	15	40	511002	108@54	CP_QPSK	25.88	26.78	33	PASS
n41(2535-2655)	15	40	511002	1@1	CP_QPSK	25.66	26.56	33	PASS
n41(2535-2655)	15	40	511002	1@214	CP_QPSK	25.71	26.61	33	PASS
n41(2535-2655)	15	40	511002	108@54	CP_QAM16	25.41	26.31	33	PASS
n41(2535-2655)	15	40	511002	1@1	CP_QAM16	25.23	26.13	33	PASS
n41(2535-2655)	15	40	511002	1@214	CP_QAM16	25.71	26.61	33	PASS
n41(2535-2655)	15	40	511002	108@54	CP_QAM64	23.92	24.82	33	PASS
n41(2535-2655)	15	40	511002	1@1	CP_QAM64	23.96	24.86	33	PASS



n41(2535-2655)	15	40	511002	1@214	CP_QAM64	24.10	25	33	PASS
n41(2535-2655)	15	40	511002	108@54	CP_QAM256	21.17	22.07	33	PASS
n41(2535-2655)	15	40	511002	1@1	CP_QAM256	20.94	21.84	33	PASS
n41(2535-2655)	15	40	511002	1@214	CP_QAM256	21.06	21.96	33	PASS
n41(2535-2655)	15	40	519000	108@54	DFT_BPSK	27.43	28.33	33	PASS
n41(2535-2655)	15	40	519000	1@1	DFT_BPSK	27.36	28.26	33	PASS
n41(2535-2655)	15	40	519000	1@214	DFT_BPSK	27.17	28.07	33	PASS
n41(2535-2655)	15	40	519000	108@54	DFT_QPSK	27.46	28.36	33	PASS
n41(2535-2655)	15	40	519000	1@1	DFT_QPSK	27.17	28.07	33	PASS
n41(2535-2655)	15	40	519000	1@214	DFT_QPSK	27.09	27.99	33	PASS
n41(2535-2655)	15	40	519000	108@54	DFT_QAM16	26.53	27.43	33	PASS
n41(2535-2655)	15	40	519000	1@1	DFT_QAM16	26.43	27.33	33	PASS
n41(2535-2655)	15	40	519000	1@214	DFT_QAM16	26.28	27.18	33	PASS
n41(2535-2655)	15	40	519000	108@54	DFT_QAM64	25.01	25.91	33	PASS
n41(2535-2655)	15	40	519000	1@1	DFT_QAM64	25.09	25.99	33	PASS
n41(2535-2655)	15	40	519000	1@214	DFT_QAM64	24.74	25.64	33	PASS
n41(2535-2655)	15	40	519000	108@54	DFT_QAM256	22.99	23.89	33	PASS
n41(2535-2655)	15	40	519000	1@1	DFT_QAM256	23.10	24	33	PASS
n41(2535-2655)	15	40	519000	1@214	DFT_QAM256	22.63	23.53	33	PASS
n41(2535-2655)	15	40	519000	108@54	CP_QPSK	25.93	26.83	33	PASS
n41(2535-2655)	15	40	519000	1@1	CP_QPSK	25.81	26.71	33	PASS
n41(2535-2655)	15	40	519000	1@214	CP_QPSK	25.61	26.51	33	PASS
n41(2535-2655)	15	40	519000	108@54	CP_QAM16	25.43	26.33	33	PASS
n41(2535-2655)	15	40	519000	1@1	CP_QAM16	25.74	26.64	33	PASS
n41(2535-2655)	15	40	519000	1@214	CP_QAM16	25.56	26.46	33	PASS
n41(2535-2655)	15	40	519000	108@54	CP_QAM64	23.97	24.87	33	PASS
n41(2535-2655)	15	40	519000	1@1	CP_QAM64	24.18	25.08	33	PASS
n41(2535-2655)	15	40	519000	1@214	CP_QAM64	24.00	24.9	33	PASS
n41(2535-2655)	15	40	519000	108@54	CP_QAM256	21.21	22.11	33	PASS
n41(2535-2655)	15	40	519000	1@1	CP_QAM256	21.01	21.91	33	PASS
n41(2535-2655)	15	40	519000	1@214	CP_QAM256	21.04	21.94	33	PASS
n41(2535-2655)	15	40	526998	108@54	DFT_BPSK	26.98	27.88	33	PASS
n41(2535-2655)	15	40	526998	1@1	DFT_BPSK	27.21	28.11	33	PASS
n41(2535-2655)	15	40	526998	1@214	DFT_BPSK	26.59	27.49	33	PASS
n41(2535-2655)	15	40	526998	108@54	DFT_QPSK	27.05	27.95	33	PASS
n41(2535-2655)	15	40	526998	1@1	DFT_QPSK	27.15	28.05	33	PASS
n41(2535-2655)	15	40	526998	1@214	DFT_QPSK	26.59	27.49	33	PASS
n41(2535-2655)	15	40	526998	108@54	DFT_QAM16	26.03	26.93	33	PASS
n41(2535-2655)	15	40	526998	1@1	DFT_QAM16	26.32	27.22	33	PASS
n41(2535-2655)	15	40	526998	1@214	DFT_QAM16	25.66	26.56	33	PASS
n41(2535-2655)	15	40	526998	108@54	DFT_QAM64	24.57	25.47	33	PASS
n41(2535-2655)	15	40	526998	1@1	DFT_QAM64	25.00	25.9	33	PASS
n41(2535-2655)	15	40	526998	1@214	DFT_QAM64	24.36	25.26	33	PASS
n41(2535-2655)	15	40	526998	108@54	DFT_QAM256	22.62	23.52	33	PASS

n41(2535-2655)	15	40	526998	1@1	DFT_QAM256	23.11	24.01	33	PASS
n41(2535-2655)	15	40	526998	1@214	DFT_QAM256	22.51	23.41	33	PASS
n41(2535-2655)	15	40	526998	108@54	CP_QPSK	25.48	26.38	33	PASS
n41(2535-2655)	15	40	526998	1@1	CP_QPSK	25.58	26.48	33	PASS
n41(2535-2655)	15	40	526998	1@214	CP_QPSK	25.00	25.9	33	PASS
n41(2535-2655)	15	40	526998	108@54	CP_QAM16	25.03	25.93	33	PASS
n41(2535-2655)	15	40	526998	1@1	CP_QAM16	25.25	26.15	33	PASS
n41(2535-2655)	15	40	526998	1@214	CP_QAM16	24.53	25.43	33	PASS
n41(2535-2655)	15	40	526998	108@54	CP_QAM64	23.54	24.44	33	PASS
n41(2535-2655)	15	40	526998	1@1	CP_QAM64	23.99	24.89	33	PASS
n41(2535-2655)	15	40	526998	1@214	CP_QAM64	23.37	24.27	33	PASS
n41(2535-2655)	15	40	526998	108@54	CP_QAM256	20.76	21.66	33	PASS
n41(2535-2655)	15	40	526998	1@1	CP_QAM256	20.99	21.89	33	PASS
n41(2535-2655)	15	40	526998	1@214	CP_QAM256	20.17	21.07	33	PASS
n41(2535-2655)	15	50	512004	135@67	DFT_BPSK	27.35	28.25	33	PASS
n41(2535-2655)	15	50	512004	1@1	DFT_BPSK	27.20	28.1	33	PASS
n41(2535-2655)	15	50	512004	1@268	DFT_BPSK	27.44	28.34	33	PASS
n41(2535-2655)	15	50	512004	135@67	DFT_QPSK	27.39	28.29	33	PASS
n41(2535-2655)	15	50	512004	1@1	DFT_QPSK	27.08	27.98	33	PASS
n41(2535-2655)	15	50	512004	1@268	DFT_QPSK	27.27	28.17	33	PASS
n41(2535-2655)	15	50	512004	135@67	DFT_QAM16	26.45	27.35	33	PASS
n41(2535-2655)	15	50	512004	1@1	DFT_QAM16	26.28	27.18	33	PASS
n41(2535-2655)	15	50	512004	1@268	DFT_QAM16	26.46	27.36	33	PASS
n41(2535-2655)	15	50	512004	135@67	DFT_QAM64	24.97	25.87	33	PASS
n41(2535-2655)	15	50	512004	1@1	DFT_QAM64	25.02	25.92	33	PASS
n41(2535-2655)	15	50	512004	1@268	DFT_QAM64	25.17	26.07	33	PASS
n41(2535-2655)	15	50	512004	135@67	DFT_QAM256	23.05	23.95	33	PASS
n41(2535-2655)	15	50	512004	1@1	DFT_QAM256	22.75	23.65	33	PASS
n41(2535-2655)	15	50	512004	1@268	DFT_QAM256	22.93	23.83	33	PASS
n41(2535-2655)	15	50	512004	135@67	CP_QPSK	25.96	26.86	33	PASS
n41(2535-2655)	15	50	512004	1@1	CP_QPSK	25.69	26.59	33	PASS
n41(2535-2655)	15	50	512004	1@268	CP_QPSK	25.82	26.72	33	PASS
n41(2535-2655)	15	50	512004	135@67	CP_QAM16	25.43	26.33	33	PASS
n41(2535-2655)	15	50	512004	1@1	CP_QAM16	25.63	26.53	33	PASS
n41(2535-2655)	15	50	512004	1@268	CP_QAM16	25.29	26.19	33	PASS
n41(2535-2655)	15	50	512004	135@67	CP_QAM64	24.02	24.92	33	PASS
n41(2535-2655)	15	50	512004	1@1	CP_QAM64	24.05	24.95	33	PASS
n41(2535-2655)	15	50	512004	1@268	CP_QAM64	24.20	25.1	33	PASS
n41(2535-2655)	15	50	512004	135@67	CP_QAM256	21.14	22.04	33	PASS
n41(2535-2655)	15	50	512004	1@1	CP_QAM256	20.95	21.85	33	PASS
n41(2535-2655)	15	50	512004	1@268	CP_QAM256	21.13	22.03	33	PASS
n41(2535-2655)	15	50	519000	135@67	DFT_BPSK	27.41	28.31	33	PASS
n41(2535-2655)	15	50	519000	1@1	DFT_BPSK	27.35	28.25	33	PASS

n41(2535-2655)	15	50	519000	1@268	DFT_BPSK	27.22	28.12	33	PASS
n41(2535-2655)	15	50	519000	135@67	DFT_QPSK	27.49	28.39	33	PASS
n41(2535-2655)	15	50	519000	1@1	DFT_QPSK	27.20	28.1	33	PASS
n41(2535-2655)	15	50	519000	1@268	DFT_QPSK	27.00	27.9	33	PASS
n41(2535-2655)	15	50	519000	135@67	DFT_QAM16	26.50	27.4	33	PASS
n41(2535-2655)	15	50	519000	1@1	DFT_QAM16	26.64	27.54	33	PASS
n41(2535-2655)	15	50	519000	1@268	DFT_QAM16	26.35	27.25	33	PASS
n41(2535-2655)	15	50	519000	135@67	DFT_QAM64	25.05	25.95	33	PASS
n41(2535-2655)	15	50	519000	1@1	DFT_QAM64	25.12	26.02	33	PASS
n41(2535-2655)	15	50	519000	1@268	DFT_QAM64	25.04	25.94	33	PASS
n41(2535-2655)	15	50	519000	135@67	DFT_QAM256	23.06	23.96	33	PASS
n41(2535-2655)	15	50	519000	1@1	DFT_QAM256	22.85	23.75	33	PASS
n41(2535-2655)	15	50	519000	1@268	DFT_QAM256	22.68	23.58	33	PASS
n41(2535-2655)	15	50	519000	135@67	CP_QPSK	26.00	26.9	33	PASS
n41(2535-2655)	15	50	519000	1@1	CP_QPSK	25.73	26.63	33	PASS
n41(2535-2655)	15	50	519000	1@268	CP_QPSK	25.69	26.59	33	PASS
n41(2535-2655)	15	50	519000	135@67	CP_QAM16	25.47	26.37	33	PASS
n41(2535-2655)	15	50	519000	1@1	CP_QAM16	25.32	26.22	33	PASS
n41(2535-2655)	15	50	519000	1@268	CP_QAM16	25.21	26.11	33	PASS
n41(2535-2655)	15	50	519000	135@67	CP_QAM64	24.05	24.95	33	PASS
n41(2535-2655)	15	50	519000	1@1	CP_QAM64	24.16	25.06	33	PASS
n41(2535-2655)	15	50	519000	1@268	CP_QAM64	24.05	24.95	33	PASS
n41(2535-2655)	15	50	519000	135@67	CP_QAM256	21.23	22.13	33	PASS
n41(2535-2655)	15	50	519000	1@1	CP_QAM256	20.93	21.83	33	PASS
n41(2535-2655)	15	50	519000	1@268	CP_QAM256	20.89	21.79	33	PASS
n41(2535-2655)	15	50	525996	135@67	DFT_BPSK	27.11	28.01	33	PASS
n41(2535-2655)	15	50	525996	1@1	DFT_BPSK	27.42	28.32	33	PASS
n41(2535-2655)	15	50	525996	1@268	DFT_BPSK	26.64	27.54	33	PASS
n41(2535-2655)	15	50	525996	135@67	DFT_QPSK	27.14	28.04	33	PASS
n41(2535-2655)	15	50	525996	1@1	DFT_QPSK	27.23	28.13	33	PASS
n41(2535-2655)	15	50	525996	1@268	DFT_QPSK	26.49	27.39	33	PASS
n41(2535-2655)	15	50	525996	135@67	DFT_QAM16	26.13	27.03	33	PASS
n41(2535-2655)	15	50	525996	1@1	DFT_QAM16	26.41	27.31	33	PASS
n41(2535-2655)	15	50	525996	1@268	DFT_QAM16	25.74	26.64	33	PASS
n41(2535-2655)	15	50	525996	135@67	DFT_QAM64	24.67	25.57	33	PASS
n41(2535-2655)	15	50	525996	1@1	DFT_QAM64	24.96	25.86	33	PASS
n41(2535-2655)	15	50	525996	1@268	DFT_QAM64	24.40	25.3	33	PASS
n41(2535-2655)	15	50	525996	135@67	DFT_QAM256	22.74	23.64	33	PASS
n41(2535-2655)	15	50	525996	1@1	DFT_QAM256	23.28	24.18	33	PASS
n41(2535-2655)	15	50	525996	1@268	DFT_QAM256	22.09	22.99	33	PASS
n41(2535-2655)	15	50	525996	135@67	CP_QPSK	25.63	26.53	33	PASS
n41(2535-2655)	15	50	525996	1@1	CP_QPSK	25.96	26.86	33	PASS
n41(2535-2655)	15	50	525996	1@268	CP_QPSK	25.07	25.97	33	PASS

n41(2535-2655)	15	50	525996	135@67	CP_QAM16	25.14	26.04	33	PASS
n41(2535-2655)	15	50	525996	1@1	CP_QAM16	25.36	26.26	33	PASS
n41(2535-2655)	15	50	525996	1@268	CP_QAM16	24.62	25.52	33	PASS
n41(2535-2655)	15	50	525996	135@67	CP_QAM64	23.66	24.56	33	PASS
n41(2535-2655)	15	50	525996	1@1	CP_QAM64	24.14	25.04	33	PASS
n41(2535-2655)	15	50	525996	1@268	CP_QAM64	23.45	24.35	33	PASS
n41(2535-2655)	15	50	525996	135@67	CP_QAM256	20.94	21.84	33	PASS
n41(2535-2655)	15	50	525996	1@1	CP_QAM256	21.10	22	33	PASS
n41(2535-2655)	15	50	525996	1@268	CP_QAM256	20.30	21.2	33	PASS

## 2 Frequency stability for NR FR1

### NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n41(2535-2655)	15	50	519000	135@67	DFT_BPSK	3.87	-7.95	0.00	Within authorized band for 5G NR n41	PASS
n41(2535-2655)	15	50	519000	135@67	DFT_BPSK	3.50	-8.05	0.00		PASS
n41(2535-2655)	15	50	519000	135@67	DFT_BPSK	4.45	-9.08	0.00		PASS
n41(2535-2655)	15	50	519000	135@67	DFT_QPSK	3.87	-4.01	0.00		PASS
n41(2535-2655)	15	50	519000	135@67	DFT_QPSK	3.50	-5.32	0.00		PASS
n41(2535-2655)	15	50	519000	135@67	DFT_QPSK	4.45	-5.63	0.00		PASS

Note: Only the worst case shown in the report.

### NV:


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n41(2535-2655)	15	50	519000	135@67	DFT_BPSK	-30	-6.06	0.00	Within authorized band for 5G NR n41	PASS
n41(2535-2655)	15	50	519000	135@67	DFT_BPSK	-20	-5.96	0.00		PASS
n41(2535-2655)	15	50	519000	135@67	DFT_BPSK	-10	-3.59	0.00		PASS
n41(2535-2655)	15	50	519000	135@67	DFT_BPSK	0	-4.63	0.00		PASS
n41(2535-2655)	15	50	519000	135@67	DFT_BPSK	10	-6.15	0.00		PASS
n41(2535-2655)	15	50	519000	135@67	DFT_BPSK	20	-3.07	0.00		PASS
n41(2535-2655)	15	50	519000	135@67	DFT_BPSK	30	-5.03	0.00		PASS
n41(2535-2655)	15	50	519000	135@67	DFT_BPSK	40	-2.78	0.00		PASS
n41(2535-2655)	15	50	519000	135@67	DFT_BPSK	50	-3.97	0.00		PASS
n41(2535-2655)	15	50	519000	135@67	DFT_QPSK	-30	-5.29	0.00		PASS
n41(2535-2655)	15	50	519000	135@67	DFT_QPSK	-20	-3.37	0.00		PASS
n41(2535-2655)	15	50	519000	135@67	DFT_QPSK	-10	-3.1	0.00		PASS
n41(2535-2655)	15	50	519000	135@67	DFT_QPSK	0	-6.49	0.00		PASS
n41(2535-2655)	15	50	519000	135@67	DFT_QPSK	10	-8.3	0.00		PASS
n41(2535-2655)	15	50	519000	135@67	DFT_QPSK	20	-6.77	0.00		PASS
n41(2535-2655)	15	50	519000	135@67	DFT_QPSK	30	-4.59	0.00		PASS
n41(2535-2655)	15	50	519000	135@67	DFT_QPSK	40	-4.01	0.00	PASS	
n41(2535-2655)	15	50	519000	135@67	DFT_QPSK	50	-4.33	0.00	PASS	

Note: Only the worst case shown in the report.


### 3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n41(2535-2655)	15	10	519000	50@0	DFT_BPSK	4.02	13	PASS
n41(2535-2655)	15	10	519000	50@0	DFT_QPSK	5.01	13	PASS
n41(2535-2655)	15	10	519000	50@0	DFT_QAM16	5.86	13	PASS
n41(2535-2655)	15	10	519000	50@0	DFT_QAM64	6.15	13	PASS
n41(2535-2655)	15	10	519000	50@0	DFT_QAM256	6.83	13	PASS
n41(2535-2655)	15	15	519000	75@0	DFT_BPSK	4.15	13	PASS
n41(2535-2655)	15	15	519000	75@0	DFT_QPSK	5.05	13	PASS
n41(2535-2655)	15	15	519000	75@0	DFT_QAM16	5.81	13	PASS
n41(2535-2655)	15	15	519000	75@0	DFT_QAM64	6.21	13	PASS
n41(2535-2655)	15	15	519000	75@0	DFT_QAM256	6.80	13	PASS
n41(2535-2655)	15	20	519000	100@0	DFT_BPSK	4.31	13	PASS
n41(2535-2655)	15	20	519000	100@0	DFT_QPSK	5.14	13	PASS
n41(2535-2655)	15	20	519000	100@0	DFT_QAM16	5.96	13	PASS
n41(2535-2655)	15	20	519000	100@0	DFT_QAM64	6.27	13	PASS
n41(2535-2655)	15	20	519000	100@0	DFT_QAM256	6.75	13	PASS
n41(2535-2655)	15	30	519000	160@0	DFT_BPSK	4.21	13	PASS
n41(2535-2655)	15	30	519000	160@0	DFT_QPSK	5.09	13	PASS
n41(2535-2655)	15	30	519000	160@0	DFT_QAM16	5.94	13	PASS
n41(2535-2655)	15	30	519000	160@0	DFT_QAM64	6.20	13	PASS
n41(2535-2655)	15	30	519000	160@0	DFT_QAM256	6.68	13	PASS
n41(2535-2655)	15	40	519000	216@0	DFT_BPSK	4.66	13	PASS
n41(2535-2655)	15	40	519000	216@0	DFT_QPSK	5.27	13	PASS
n41(2535-2655)	15	40	519000	216@0	DFT_QAM16	6.10	13	PASS
n41(2535-2655)	15	40	519000	216@0	DFT_QAM64	6.34	13	PASS
n41(2535-2655)	15	40	519000	216@0	DFT_QAM256	6.79	13	PASS
n41(2535-2655)	15	50	519000	270@0	DFT_BPSK	4.86	13	PASS
n41(2535-2655)	15	50	519000	270@0	DFT_QPSK	5.41	13	PASS
n41(2535-2655)	15	50	519000	270@0	DFT_QAM16	6.17	13	PASS
n41(2535-2655)	15	50	519000	270@0	DFT_QAM64	6.42	13	PASS
n41(2535-2655)	15	50	519000	270@0	DFT_QAM256	6.79	13	PASS


n41(2535-2655) SCS=15kHz DFT\_BPSK BW=10MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=15kHz DFT\_QPSK BW=10MHz Channel=519000 RB=50@0



n41(2535-2655) SCS=15kHz DFT\_QAM16 BW=10MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=15kHz DFT\_QAM64 BW=10MHz Channel=519000 RB=50@0







n41(2535-2655) SCS=15kHz DFT\_QAM256 BW=10MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=15kHz DFT\_BPSK BW=15MHz Channel=519000 RB=75@0




n41(2535-2655) SCS=15kHz DFT\_QPSK BW=15MHz Channel=519000 RB=75@0




n41(2535-2655) SCS=15kHz DFT\_QAM16 BW=15MHz Channel=519000 RB=75@0




n41(2535-2655) SCS=15kHz DFT\_QAM64 BW=15MHz Channel=519000 RB=75@0




n41(2535-2655) SCS=15kHz DFT\_QAM256 BW=15MHz Channel=519000 RB=75@0




n41(2535-2655) SCS=15kHz DFT\_BPSK BW=20MHz Channel=519000 RB=100@0




n41(2535-2655) SCS=15kHz DFT\_QPSK BW=20MHz Channel=519000 RB=100@0




n41(2535-2655) SCS=15kHz DFT\_QAM16 BW=20MHz Channel=519000 RB=100@0




n41(2535-2655) SCS=15kHz DFT\_QAM64 BW=20MHz Channel=519000 RB=100@0




n41(2535-2655) SCS=15kHz DFT\_QAM256 BW=20MHz Channel=519000 RB=100@0




n41(2535-2655) SCS=15kHz DFT\_BPSK BW=30MHz Channel=519000 RB=160@0




n41(2535-2655) SCS=15kHz DFT\_QPSK BW=30MHz Channel=519000 RB=160@0




n41(2535-2655) SCS=15kHz DFT\_QAM16 BW=30MHz Channel=519000 RB=160@0



n41(2535-2655) SCS=15kHz DFT\_QAM64 BW=30MHz Channel=519000 RB=160@0




n41(2535-2655) SCS=15kHz DFT\_QAM256 BW=30MHz Channel=519000 RB=160@0







n41(2535-2655) SCS=15kHz DFT\_BPSK BW=40MHz Channel=519000 RB=216@0




n41(2535-2655) SCS=15kHz DFT\_QPSK BW=40MHz Channel=519000 RB=216@0




n41(2535-2655) SCS=15kHz DFT\_QAM16 BW=40MHz Channel=519000 RB=216@0




n41(2535-2655) SCS=15kHz DFT\_QAM64 BW=40MHz Channel=519000 RB=216@0




n41(2535-2655) SCS=15kHz DFT\_QAM256 BW=40MHz Channel=519000 RB=216@0




n41(2535-2655) SCS=15kHz DFT\_BPSK BW=50MHz Channel=519000 RB=270@0




n41(2535-2655) SCS=15kHz DFT\_QPSK BW=50MHz Channel=519000 RB=270@0




n41(2535-2655) SCS=15kHz DFT\_QAM16 BW=50MHz Channel=519000 RB=270@0



n41(2535-2655) SCS=15kHz DFT\_QAM64 BW=50MHz Channel=519000 RB=270@0



n41(2535-2655) SCS=15kHz DFT\_QAM256 BW=50MHz Channel=519000 RB=270@0



#### 4 Occupied bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n41(2535-2655)	15	10	508002	50@0	DFT_BPSK	9.210	9.460	PASS
n41(2535-2655)	15	10	508002	50@0	DFT_QPSK	9.250	9.460	PASS
n41(2535-2655)	15	10	508002	50@0	DFT_QAM16	9.210	9.460	PASS
n41(2535-2655)	15	10	508002	50@0	DFT_QAM64	9.250	9.460	PASS
n41(2535-2655)	15	10	508002	50@0	DFT_QAM256	9.220	9.470	PASS
n41(2535-2655)	15	10	508002	52@0	CP_QPSK	9.330	9.830	PASS
n41(2535-2655)	15	10	519000	50@0	DFT_BPSK	9.250	9.470	PASS
n41(2535-2655)	15	10	519000	50@0	DFT_QPSK	9.250	9.460	PASS
n41(2535-2655)	15	10	519000	50@0	DFT_QAM16	9.220	9.460	PASS
n41(2535-2655)	15	10	519000	50@0	DFT_QAM64	9.210	9.460	PASS
n41(2535-2655)	15	10	519000	50@0	DFT_QAM256	9.220	9.480	PASS
n41(2535-2655)	15	10	519000	52@0	CP_QPSK	9.330	9.840	PASS
n41(2535-2655)	15	10	529998	50@0	DFT_BPSK	9.200	9.460	PASS
n41(2535-2655)	15	10	529998	50@0	DFT_QPSK	9.240	9.470	PASS
n41(2535-2655)	15	10	529998	50@0	DFT_QAM16	9.210	9.470	PASS
n41(2535-2655)	15	10	529998	50@0	DFT_QAM64	9.210	9.460	PASS
n41(2535-2655)	15	10	529998	50@0	DFT_QAM256	9.210	9.470	PASS
n41(2535-2655)	15	10	529998	52@0	CP_QPSK	9.330	9.840	PASS
n41(2535-2655)	15	15	508500	75@0	DFT_BPSK	13.990	14.200	PASS
n41(2535-2655)	15	15	508500	75@0	DFT_QPSK	14.000	14.210	PASS
n41(2535-2655)	15	15	508500	75@0	DFT_QAM16	14.040	14.210	PASS
n41(2535-2655)	15	15	508500	75@0	DFT_QAM64	14.000	14.190	PASS
n41(2535-2655)	15	15	508500	75@0	DFT_QAM256	13.990	14.200	PASS
n41(2535-2655)	15	15	508500	79@0	CP_QPSK	14.170	14.930	PASS
n41(2535-2655)	15	15	519000	75@0	DFT_BPSK	13.950	14.210	PASS
n41(2535-2655)	15	15	519000	75@0	DFT_QPSK	14.000	14.220	PASS
n41(2535-2655)	15	15	519000	75@0	DFT_QAM16	14.040	14.210	PASS
n41(2535-2655)	15	15	519000	75@0	DFT_QAM64	13.990	14.200	PASS
n41(2535-2655)	15	15	519000	75@0	DFT_QAM256	13.990	14.190	PASS
n41(2535-2655)	15	15	519000	79@0	CP_QPSK	14.170	14.950	PASS
n41(2535-2655)	15	15	529500	75@0	DFT_BPSK	13.990	14.200	PASS
n41(2535-2655)	15	15	529500	75@0	DFT_QPSK	14.000	14.210	PASS
n41(2535-2655)	15	15	529500	75@0	DFT_QAM16	13.990	14.210	PASS
n41(2535-2655)	15	15	529500	75@0	DFT_QAM64	14.000	14.210	PASS
n41(2535-2655)	15	15	529500	75@0	DFT_QAM256	13.980	14.200	PASS
n41(2535-2655)	15	15	529500	79@0	CP_QPSK	14.180	14.930	PASS
n41(2535-2655)	15	20	509004	100@0	DFT_BPSK	18.750	18.910	PASS
n41(2535-2655)	15	20	509004	100@0	DFT_QPSK	18.740	18.900	PASS
n41(2535-2655)	15	20	509004	100@0	DFT_QAM16	18.800	18.900	PASS

n41(2535-2655)	15	20	509004	100@0	DFT_QAM64	18.760	18.890	PASS
n41(2535-2655)	15	20	509004	100@0	DFT_QAM256	18.750	18.890	PASS
n41(2535-2655)	15	20	509004	106@0	CP_QPSK	18.990	19.990	PASS
n41(2535-2655)	15	20	519000	100@0	DFT_BPSK	18.740	18.920	PASS
n41(2535-2655)	15	20	519000	100@0	DFT_QPSK	18.740	18.910	PASS
n41(2535-2655)	15	20	519000	100@0	DFT_QAM16	18.810	18.910	PASS
n41(2535-2655)	15	20	519000	100@0	DFT_QAM64	18.750	18.900	PASS
n41(2535-2655)	15	20	519000	100@0	DFT_QAM256	18.750	18.880	PASS
n41(2535-2655)	15	20	519000	106@0	CP_QPSK	18.990	20.030	PASS
n41(2535-2655)	15	20	528996	100@0	DFT_BPSK	18.740	18.910	PASS
n41(2535-2655)	15	20	528996	100@0	DFT_QPSK	18.750	18.890	PASS
n41(2535-2655)	15	20	528996	100@0	DFT_QAM16	18.750	18.910	PASS
n41(2535-2655)	15	20	528996	100@0	DFT_QAM64	18.750	18.890	PASS
n41(2535-2655)	15	20	528996	100@0	DFT_QAM256	18.750	18.900	PASS
n41(2535-2655)	15	20	528996	106@0	CP_QPSK	19.000	20.000	PASS
n41(2535-2655)	15	30	509004	160@0	DFT_BPSK	28.700	30.210	PASS
n41(2535-2655)	15	30	509004	160@0	DFT_QPSK	28.700	30.220	PASS
n41(2535-2655)	15	30	509004	160@0	DFT_QAM16	28.710	30.210	PASS
n41(2535-2655)	15	30	509004	160@0	DFT_QAM64	28.710	30.200	PASS
n41(2535-2655)	15	30	509004	160@0	DFT_QAM256	28.720	30.210	PASS
n41(2535-2655)	15	30	509004	160@0	CP_QPSK	28.710	30.220	PASS
n41(2535-2655)	15	30	519000	160@0	DFT_BPSK	28.600	30.190	PASS
n41(2535-2655)	15	30	519000	160@0	DFT_QPSK	28.690	30.220	PASS
n41(2535-2655)	15	30	519000	160@0	DFT_QAM16	28.690	30.210	PASS
n41(2535-2655)	15	30	519000	160@0	DFT_QAM64	28.680	30.200	PASS
n41(2535-2655)	15	30	519000	160@0	DFT_QAM256	28.680	30.210	PASS
n41(2535-2655)	15	30	519000	160@0	CP_QPSK	28.690	30.250	PASS
n41(2535-2655)	15	30	528000	160@0	DFT_BPSK	28.700	30.220	PASS
n41(2535-2655)	15	30	528000	160@0	DFT_QPSK	28.710	30.230	PASS
n41(2535-2655)	15	30	528000	160@0	DFT_QAM16	28.710	30.230	PASS
n41(2535-2655)	15	30	528000	160@0	DFT_QAM64	28.710	30.220	PASS
n41(2535-2655)	15	30	528000	160@0	DFT_QAM256	28.710	30.240	PASS
n41(2535-2655)	15	30	528000	160@0	CP_QPSK	28.710	30.240	PASS
n41(2535-2655)	15	40	511002	216@0	DFT_BPSK	38.750	40.730	PASS
n41(2535-2655)	15	40	511002	216@0	DFT_QPSK	38.760	40.730	PASS
n41(2535-2655)	15	40	511002	216@0	DFT_QAM16	38.750	40.710	PASS
n41(2535-2655)	15	40	511002	216@0	DFT_QAM64	38.780	40.730	PASS
n41(2535-2655)	15	40	511002	216@0	DFT_QAM256	38.760	40.710	PASS
n41(2535-2655)	15	40	511002	216@0	CP_QPSK	38.770	40.750	PASS
n41(2535-2655)	15	40	519000	216@0	DFT_BPSK	38.600	40.700	PASS
n41(2535-2655)	15	40	519000	216@0	DFT_QPSK	38.630	40.750	PASS
n41(2535-2655)	15	40	519000	216@0	DFT_QAM16	38.610	40.700	PASS
n41(2535-2655)	15	40	519000	216@0	DFT_QAM64	38.720	40.730	PASS


n41(2535-2655)	15	40	519000	216@0	DFT_QAM256	38.620	40.710	PASS
n41(2535-2655)	15	40	519000	216@0	CP_QPSK	38.630	40.770	PASS
n41(2535-2655)	15	40	526998	216@0	DFT_BPSK	38.750	40.760	PASS
n41(2535-2655)	15	40	526998	216@0	DFT_QPSK	38.770	40.780	PASS
n41(2535-2655)	15	40	526998	216@0	DFT_QAM16	38.750	40.750	PASS
n41(2535-2655)	15	40	526998	216@0	DFT_QAM64	38.760	40.760	PASS
n41(2535-2655)	15	40	526998	216@0	DFT_QAM256	38.760	40.760	PASS
n41(2535-2655)	15	40	526998	216@0	CP_QPSK	38.770	40.800	PASS
n41(2535-2655)	15	50	512004	270@0	DFT_BPSK	48.450	50.850	PASS
n41(2535-2655)	15	50	512004	270@0	DFT_QPSK	48.460	50.860	PASS
n41(2535-2655)	15	50	512004	270@0	DFT_QAM16	48.460	50.850	PASS
n41(2535-2655)	15	50	512004	270@0	DFT_QAM64	48.440	50.800	PASS
n41(2535-2655)	15	50	512004	270@0	DFT_QAM256	48.470	50.840	PASS
n41(2535-2655)	15	50	512004	270@0	CP_QPSK	48.470	50.860	PASS
n41(2535-2655)	15	50	519000	270@0	DFT_BPSK	48.250	50.820	PASS
n41(2535-2655)	15	50	519000	270@0	DFT_QPSK	48.270	50.840	PASS
n41(2535-2655)	15	50	519000	270@0	DFT_QAM16	48.290	50.830	PASS
n41(2535-2655)	15	50	519000	270@0	DFT_QAM64	48.240	50.780	PASS
n41(2535-2655)	15	50	519000	270@0	DFT_QAM256	48.280	50.820	PASS
n41(2535-2655)	15	50	519000	270@0	CP_QPSK	48.280	50.890	PASS
n41(2535-2655)	15	50	525996	270@0	DFT_BPSK	48.470	50.970	PASS
n41(2535-2655)	15	50	525996	270@0	DFT_QPSK	48.460	50.950	PASS
n41(2535-2655)	15	50	525996	270@0	DFT_QAM16	48.460	50.940	PASS
n41(2535-2655)	15	50	525996	270@0	DFT_QAM64	48.450	50.920	PASS
n41(2535-2655)	15	50	525996	270@0	DFT_QAM256	48.470	50.920	PASS
n41(2535-2655)	15	50	525996	270@0	CP_QPSK	48.470	50.990	PASS




n41(2535-2655) SCS=15kHz DFT\_BPSK BW=10MHz Channel=508002 RB=50@0




n41(2535-2655) SCS=15kHz DFT\_QPSK BW=10MHz Channel=508002 RB=50@0




n41(2535-2655) SCS=15kHz DFT\_QAM16 BW=10MHz Channel=508002 RB=50@0




n41(2535-2655) SCS=15kHz DFT\_QAM64 BW=10MHz Channel=508002 RB=50@0




n41(2535-2655) SCS=15kHz DFT\_QAM256 BW=10MHz Channel=508002 RB=50@0




n41(2535-2655) SCS=15kHz CP\_QPSK BW=10MHz Channel=508002 RB=52@0




n41(2535-2655) SCS=15kHz DFT\_BPSK BW=10MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=15kHz DFT\_QPSK BW=10MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=15kHz DFT\_QAM16 BW=10MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=15kHz DFT\_QAM64 BW=10MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=15kHz DFT\_QAM256 BW=10MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=15kHz CP\_QPSK BW=10MHz Channel=519000 RB=52@0




n41(2535-2655) SCS=15kHz DFT\_BPSK BW=10MHz Channel=529998 RB=50@0




n41(2535-2655) SCS=15kHz DFT\_QPSK BW=10MHz Channel=529998 RB=50@0



n41(2535-2655) SCS=15kHz DFT\_QAM16 BW=10MHz Channel=529998 RB=50@0




n41(2535-2655) SCS=15kHz DFT\_QAM64 BW=10MHz Channel=529998 RB=50@0







n41(2535-2655) SCS=15kHz DFT\_QAM256 BW=10MHz Channel=529998 RB=50@0




n41(2535-2655) SCS=15kHz CP\_QPSK BW=10MHz Channel=529998 RB=52@0




n41(2535-2655) SCS=15kHz DFT\_BPSK BW=15MHz Channel=508500 RB=75@0




n41(2535-2655) SCS=15kHz DFT\_QPSK BW=15MHz Channel=508500 RB=75@0




n41(2535-2655) SCS=15kHz DFT\_QAM16 BW=15MHz Channel=508500 RB=75@0




n41(2535-2655) SCS=15kHz DFT\_QAM64 BW=15MHz Channel=508500 RB=75@0




n41(2535-2655) SCS=15kHz DFT\_QAM256 BW=15MHz Channel=508500 RB=75@0




n41(2535-2655) SCS=15kHz CP\_QPSK BW=15MHz Channel=508500 RB=79@0



n41(2535-2655) SCS=15kHz DFT\_BPSK BW=15MHz Channel=519000 RB=75@0



n41(2535-2655) SCS=15kHz DFT\_QPSK BW=15MHz Channel=519000 RB=75@0




n41(2535-2655) SCS=15kHz DFT\_QAM16 BW=15MHz Channel=519000 RB=75@0




n41(2535-2655) SCS=15kHz DFT\_QAM64 BW=15MHz Channel=519000 RB=75@0




n41(2535-2655) SCS=15kHz DFT\_QAM256 BW=15MHz Channel=519000 RB=75@0




n41(2535-2655) SCS=15kHz CP\_QPSK BW=15MHz Channel=519000 RB=79@0



n41(2535-2655) SCS=15kHz DFT\_BPSK BW=15MHz Channel=529500 RB=75@0



n41(2535-2655) SCS=15kHz DFT\_QPSK BW=15MHz Channel=529500 RB=75@0





n41(2535-2655) SCS=15kHz DFT\_QAM16 BW=15MHz Channel=529500 RB=75 @0



n41(2535-2655) SCS=15kHz DFT\_QAM64 BW=15MHz Channel=529500 RB=75 @0

