

### 1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
n41(2535-2655)	30	10	508002	12@6	DFT_BPSK	27.02	27.92	33	PASS
n41(2535-2655)	30	10	508002	1@1	DFT_BPSK	26.89	27.79	33	PASS
n41(2535-2655)	30	10	508002	1@22	DFT_BPSK	27.00	27.9	33	PASS
n41(2535-2655)	30	10	508002	12@6	DFT_QPSK	27.06	27.96	33	PASS
n41(2535-2655)	30	10	508002	1@1	DFT_QPSK	26.83	27.73	33	PASS
n41(2535-2655)	30	10	508002	1@22	DFT_QPSK	26.86	27.76	33	PASS
n41(2535-2655)	30	10	508002	12@6	DFT_QAM16	26.13	27.03	33	PASS
n41(2535-2655)	30	10	508002	1@1	DFT_QAM16	25.83	26.73	33	PASS
n41(2535-2655)	30	10	508002	1@22	DFT_QAM16	26.11	27.01	33	PASS
n41(2535-2655)	30	10	508002	12@6	DFT_QAM64	24.66	25.56	33	PASS
n41(2535-2655)	30	10	508002	1@1	DFT_QAM64	24.74	25.64	33	PASS
n41(2535-2655)	30	10	508002	1@22	DFT_QAM64	24.81	25.71	33	PASS
n41(2535-2655)	30	10	508002	12@6	DFT_QAM256	22.81	23.71	33	PASS
n41(2535-2655)	30	10	508002	1@1	DFT_QAM256	22.98	23.88	33	PASS
n41(2535-2655)	30	10	508002	1@22	DFT_QAM256	23.11	24.01	33	PASS
n41(2535-2655)	30	10	508002	12@6	CP_QPSK	25.49	26.39	33	PASS
n41(2535-2655)	30	10	508002	1@1	CP_QPSK	25.52	26.42	33	PASS
n41(2535-2655)	30	10	508002	1@22	CP_QPSK	25.48	26.38	33	PASS
n41(2535-2655)	30	10	508002	12@6	CP_QAM16	25.17	26.07	33	PASS
n41(2535-2655)	30	10	508002	1@1	CP_QAM16	25.10	26	33	PASS
n41(2535-2655)	30	10	508002	1@22	CP_QAM16	25.01	25.91	33	PASS
n41(2535-2655)	30	10	508002	12@6	CP_QAM64	23.64	24.54	33	PASS
n41(2535-2655)	30	10	508002	1@1	CP_QAM64	23.62	24.52	33	PASS
n41(2535-2655)	30	10	508002	1@22	CP_QAM64	23.62	24.52	33	PASS
n41(2535-2655)	30	10	508002	12@6	CP_QAM256	21.00	21.9	33	PASS
n41(2535-2655)	30	10	508002	1@1	CP_QAM256	21.51	22.41	33	PASS
n41(2535-2655)	30	10	508002	1@22	CP_QAM256	21.54	22.44	33	PASS
n41(2535-2655)	30	10	519000	12@6	DFT_BPSK	27.07	27.97	33	PASS
n41(2535-2655)	30	10	519000	1@1	DFT_BPSK	27.00	27.9	33	PASS
n41(2535-2655)	30	10	519000	1@22	DFT_BPSK	27.06	27.96	33	PASS
n41(2535-2655)	30	10	519000	12@6	DFT_QPSK	27.09	27.99	33	PASS
n41(2535-2655)	30	10	519000	1@1	DFT_QPSK	26.81	27.71	33	PASS
n41(2535-2655)	30	10	519000	1@22	DFT_QPSK	26.86	27.76	33	PASS
n41(2535-2655)	30	10	519000	12@6	DFT_QAM16	26.28	27.18	33	PASS
n41(2535-2655)	30	10	519000	1@1	DFT_QAM16	25.94	26.84	33	PASS
n41(2535-2655)	30	10	519000	1@22	DFT_QAM16	26.17	27.07	33	PASS
n41(2535-2655)	30	10	519000	12@6	DFT_QAM64	24.73	25.63	33	PASS
n41(2535-2655)	30	10	519000	1@1	DFT_QAM64	24.77	25.67	33	PASS
n41(2535-2655)	30	10	519000	1@22	DFT_QAM64	24.75	25.65	33	PASS

n41(2535-2655)	30	10	519000	12@6	DFT_QAM256	22.64	23.54	33	PASS
n41(2535-2655)	30	10	519000	1@1	DFT_QAM256	22.95	23.85	33	PASS
n41(2535-2655)	30	10	519000	1@22	DFT_QAM256	23.01	23.91	33	PASS
n41(2535-2655)	30	10	519000	12@6	CP_QPSK	25.56	26.46	33	PASS
n41(2535-2655)	30	10	519000	1@1	CP_QPSK	25.46	26.36	33	PASS
n41(2535-2655)	30	10	519000	1@22	CP_QPSK	25.45	26.35	33	PASS
n41(2535-2655)	30	10	519000	12@6	CP_QAM16	25.38	26.28	33	PASS
n41(2535-2655)	30	10	519000	1@1	CP_QAM16	25.04	25.94	33	PASS
n41(2535-2655)	30	10	519000	1@22	CP_QAM16	25.08	25.98	33	PASS
n41(2535-2655)	30	10	519000	12@6	CP_QAM64	23.45	24.35	33	PASS
n41(2535-2655)	30	10	519000	1@1	CP_QAM64	23.58	24.48	33	PASS
n41(2535-2655)	30	10	519000	1@22	CP_QAM64	23.57	24.47	33	PASS
n41(2535-2655)	30	10	519000	12@6	CP_QAM256	21.07	21.97	33	PASS
n41(2535-2655)	30	10	519000	1@1	CP_QAM256	20.96	21.86	33	PASS
n41(2535-2655)	30	10	519000	1@22	CP_QAM256	21.53	22.43	33	PASS
n41(2535-2655)	30	10	529998	12@6	DFT_BPSK	26.69	27.59	33	PASS
n41(2535-2655)	30	10	529998	1@1	DFT_BPSK	26.62	27.52	33	PASS
n41(2535-2655)	30	10	529998	1@22	DFT_BPSK	26.53	27.43	33	PASS
n41(2535-2655)	30	10	529998	12@6	DFT_QPSK	26.66	27.56	33	PASS
n41(2535-2655)	30	10	529998	1@1	DFT_QPSK	26.44	27.34	33	PASS
n41(2535-2655)	30	10	529998	1@22	DFT_QPSK	26.40	27.3	33	PASS
n41(2535-2655)	30	10	529998	12@6	DFT_QAM16	25.79	26.69	33	PASS
n41(2535-2655)	30	10	529998	1@1	DFT_QAM16	25.78	26.68	33	PASS
n41(2535-2655)	30	10	529998	1@22	DFT_QAM16	25.42	26.32	33	PASS
n41(2535-2655)	30	10	529998	12@6	DFT_QAM64	24.27	25.17	33	PASS
n41(2535-2655)	30	10	529998	1@1	DFT_QAM64	24.38	25.28	33	PASS
n41(2535-2655)	30	10	529998	1@22	DFT_QAM64	24.32	25.22	33	PASS
n41(2535-2655)	30	10	529998	12@6	DFT_QAM256	22.31	23.21	33	PASS
n41(2535-2655)	30	10	529998	1@1	DFT_QAM256	22.06	22.96	33	PASS
n41(2535-2655)	30	10	529998	1@22	DFT_QAM256	22.39	23.29	33	PASS
n41(2535-2655)	30	10	529998	12@6	CP_QPSK	25.14	26.04	33	PASS
n41(2535-2655)	30	10	529998	1@1	CP_QPSK	25.19	26.09	33	PASS
n41(2535-2655)	30	10	529998	1@22	CP_QPSK	24.98	25.88	33	PASS
n41(2535-2655)	30	10	529998	12@6	CP_QAM16	25.00	25.9	33	PASS
n41(2535-2655)	30	10	529998	1@1	CP_QAM16	24.57	25.47	33	PASS
n41(2535-2655)	30	10	529998	1@22	CP_QAM16	24.60	25.5	33	PASS
n41(2535-2655)	30	10	529998	12@6	CP_QAM64	23.16	24.06	33	PASS
n41(2535-2655)	30	10	529998	1@1	CP_QAM64	23.37	24.27	33	PASS
n41(2535-2655)	30	10	529998	1@22	CP_QAM64	23.09	23.99	33	PASS
n41(2535-2655)	30	10	529998	12@6	CP_QAM256	20.56	21.46	33	PASS
n41(2535-2655)	30	10	529998	1@1	CP_QAM256	21.00	21.9	33	PASS
n41(2535-2655)	30	10	529998	1@22	CP_QAM256	20.93	21.83	33	PASS
n41(2535-2655)	30	15	508500	18@9	DFT_BPSK	27.10	28	33	PASS
n41(2535-2655)	30	15	508500	1@1	DFT_BPSK	26.98	27.88	33	PASS

n41(2535-2655)	30	15	508500	1@36	DFT_BPSK	26.93	27.83	33	PASS
n41(2535-2655)	30	15	508500	18@9	DFT_QPSK	26.99	27.89	33	PASS
n41(2535-2655)	30	15	508500	1@1	DFT_QPSK	26.80	27.7	33	PASS
n41(2535-2655)	30	15	508500	1@36	DFT_QPSK	26.78	27.68	33	PASS
n41(2535-2655)	30	15	508500	18@9	DFT_QAM16	26.08	26.98	33	PASS
n41(2535-2655)	30	15	508500	1@1	DFT_QAM16	25.88	26.78	33	PASS
n41(2535-2655)	30	15	508500	1@36	DFT_QAM16	26.11	27.01	33	PASS
n41(2535-2655)	30	15	508500	18@9	DFT_QAM64	24.58	25.48	33	PASS
n41(2535-2655)	30	15	508500	1@1	DFT_QAM64	24.76	25.66	33	PASS
n41(2535-2655)	30	15	508500	1@36	DFT_QAM64	24.77	25.67	33	PASS
n41(2535-2655)	30	15	508500	18@9	DFT_QAM256	22.71	23.61	33	PASS
n41(2535-2655)	30	15	508500	1@1	DFT_QAM256	22.51	23.41	33	PASS
n41(2535-2655)	30	15	508500	1@36	DFT_QAM256	22.52	23.42	33	PASS
n41(2535-2655)	30	15	508500	19@9	CP_QPSK	25.53	26.43	33	PASS
n41(2535-2655)	30	15	508500	1@1	CP_QPSK	25.47	26.37	33	PASS
n41(2535-2655)	30	15	508500	1@36	CP_QPSK	25.55	26.45	33	PASS
n41(2535-2655)	30	15	508500	19@9	CP_QAM16	25.02	25.92	33	PASS
n41(2535-2655)	30	15	508500	1@1	CP_QAM16	25.05	25.95	33	PASS
n41(2535-2655)	30	15	508500	1@36	CP_QAM16	25.06	25.96	33	PASS
n41(2535-2655)	30	15	508500	19@9	CP_QAM64	23.59	24.49	33	PASS
n41(2535-2655)	30	15	508500	1@1	CP_QAM64	23.57	24.47	33	PASS
n41(2535-2655)	30	15	508500	1@36	CP_QAM64	23.78	24.68	33	PASS
n41(2535-2655)	30	15	508500	19@9	CP_QAM256	20.98	21.88	33	PASS
n41(2535-2655)	30	15	508500	1@1	CP_QAM256	21.51	22.41	33	PASS
n41(2535-2655)	30	15	508500	1@36	CP_QAM256	21.59	22.49	33	PASS
n41(2535-2655)	30	15	519000	18@9	DFT_BPSK	27.07	27.97	33	PASS
n41(2535-2655)	30	15	519000	1@1	DFT_BPSK	26.98	27.88	33	PASS
n41(2535-2655)	30	15	519000	1@36	DFT_BPSK	26.96	27.86	33	PASS
n41(2535-2655)	30	15	519000	18@9	DFT_QPSK	27.05	27.95	33	PASS
n41(2535-2655)	30	15	519000	1@1	DFT_QPSK	26.89	27.79	33	PASS
n41(2535-2655)	30	15	519000	1@36	DFT_QPSK	26.84	27.74	33	PASS
n41(2535-2655)	30	15	519000	18@9	DFT_QAM16	26.07	26.97	33	PASS
n41(2535-2655)	30	15	519000	1@1	DFT_QAM16	26.17	27.07	33	PASS
n41(2535-2655)	30	15	519000	1@36	DFT_QAM16	25.91	26.81	33	PASS
n41(2535-2655)	30	15	519000	18@9	DFT_QAM64	24.57	25.47	33	PASS
n41(2535-2655)	30	15	519000	1@1	DFT_QAM64	24.46	25.36	33	PASS
n41(2535-2655)	30	15	519000	1@36	DFT_QAM64	24.57	25.47	33	PASS
n41(2535-2655)	30	15	519000	18@9	DFT_QAM256	22.69	23.59	33	PASS
n41(2535-2655)	30	15	519000	1@1	DFT_QAM256	23.00	23.9	33	PASS
n41(2535-2655)	30	15	519000	1@36	DFT_QAM256	23.02	23.92	33	PASS
n41(2535-2655)	30	15	519000	19@9	CP_QPSK	25.44	26.34	33	PASS
n41(2535-2655)	30	15	519000	1@1	CP_QPSK	25.35	26.25	33	PASS
n41(2535-2655)	30	15	519000	1@36	CP_QPSK	25.37	26.27	33	PASS
n41(2535-2655)	30	15	519000	19@9	CP_QAM16	25.03	25.93	33	PASS

n41(2535-2655)	30	15	519000	1@1	CP_QAM16	24.98	25.88	33	PASS
n41(2535-2655)	30	15	519000	1@36	CP_QAM16	25.18	26.08	33	PASS
n41(2535-2655)	30	15	519000	19@9	CP_QAM64	23.51	24.41	33	PASS
n41(2535-2655)	30	15	519000	1@1	CP_QAM64	23.78	24.68	33	PASS
n41(2535-2655)	30	15	519000	1@36	CP_QAM64	23.76	24.66	33	PASS
n41(2535-2655)	30	15	519000	19@9	CP_QAM256	20.91	21.81	33	PASS
n41(2535-2655)	30	15	519000	1@1	CP_QAM256	21.51	22.41	33	PASS
n41(2535-2655)	30	15	519000	1@36	CP_QAM256	20.94	21.84	33	PASS
n41(2535-2655)	30	15	529500	18@9	DFT_BPSK	26.71	27.61	33	PASS
n41(2535-2655)	30	15	529500	1@1	DFT_BPSK	26.70	27.6	33	PASS
n41(2535-2655)	30	15	529500	1@36	DFT_BPSK	26.56	27.46	33	PASS
n41(2535-2655)	30	15	529500	18@9	DFT_QPSK	26.69	27.59	33	PASS
n41(2535-2655)	30	15	529500	1@1	DFT_QPSK	26.52	27.42	33	PASS
n41(2535-2655)	30	15	529500	1@36	DFT_QPSK	26.38	27.28	33	PASS
n41(2535-2655)	30	15	529500	18@9	DFT_QAM16	25.71	26.61	33	PASS
n41(2535-2655)	30	15	529500	1@1	DFT_QAM16	25.56	26.46	33	PASS
n41(2535-2655)	30	15	529500	1@36	DFT_QAM16	25.96	26.86	33	PASS
n41(2535-2655)	30	15	529500	18@9	DFT_QAM64	24.25	25.15	33	PASS
n41(2535-2655)	30	15	529500	1@1	DFT_QAM64	24.41	25.31	33	PASS
n41(2535-2655)	30	15	529500	1@36	DFT_QAM64	24.38	25.28	33	PASS
n41(2535-2655)	30	15	529500	18@9	DFT_QAM256	22.32	23.22	33	PASS
n41(2535-2655)	30	15	529500	1@1	DFT_QAM256	22.19	23.09	33	PASS
n41(2535-2655)	30	15	529500	1@36	DFT_QAM256	22.43	23.33	33	PASS
n41(2535-2655)	30	15	529500	19@9	CP_QPSK	25.14	26.04	33	PASS
n41(2535-2655)	30	15	529500	1@1	CP_QPSK	24.96	25.86	33	PASS
n41(2535-2655)	30	15	529500	1@36	CP_QPSK	24.85	25.75	33	PASS
n41(2535-2655)	30	15	529500	19@9	CP_QAM16	24.67	25.57	33	PASS
n41(2535-2655)	30	15	529500	1@1	CP_QAM16	24.79	25.69	33	PASS
n41(2535-2655)	30	15	529500	1@36	CP_QAM16	24.62	25.52	33	PASS
n41(2535-2655)	30	15	529500	19@9	CP_QAM64	23.15	24.05	33	PASS
n41(2535-2655)	30	15	529500	1@1	CP_QAM64	23.30	24.2	33	PASS
n41(2535-2655)	30	15	529500	1@36	CP_QAM64	23.22	24.12	33	PASS
n41(2535-2655)	30	15	529500	19@9	CP_QAM256	20.55	21.45	33	PASS
n41(2535-2655)	30	15	529500	1@1	CP_QAM256	21.10	22	33	PASS
n41(2535-2655)	30	15	529500	1@36	CP_QAM256	20.92	21.82	33	PASS
n41(2535-2655)	30	20	509004	25@12	DFT_BPSK	26.99	27.89	33	PASS
n41(2535-2655)	30	20	509004	1@1	DFT_BPSK	26.97	27.87	33	PASS
n41(2535-2655)	30	20	509004	1@49	DFT_BPSK	26.98	27.88	33	PASS
n41(2535-2655)	30	20	509004	25@12	DFT_QPSK	27.10	28	33	PASS
n41(2535-2655)	30	20	509004	1@1	DFT_QPSK	26.84	27.74	33	PASS
n41(2535-2655)	30	20	509004	1@49	DFT_QPSK	26.96	27.86	33	PASS
n41(2535-2655)	30	20	509004	25@12	DFT_QAM16	26.09	26.99	33	PASS
n41(2535-2655)	30	20	509004	1@1	DFT_QAM16	26.14	27.04	33	PASS
n41(2535-2655)	30	20	509004	1@49	DFT_QAM16	26.19	27.09	33	PASS

n41(2535-2655)	30	20	509004	25@12	DFT_QAM64	24.67	25.57	33	PASS
n41(2535-2655)	30	20	509004	1@1	DFT_QAM64	24.42	25.32	33	PASS
n41(2535-2655)	30	20	509004	1@49	DFT_QAM64	24.48	25.38	33	PASS
n41(2535-2655)	30	20	509004	25@12	DFT_QAM256	22.68	23.58	33	PASS
n41(2535-2655)	30	20	509004	1@1	DFT_QAM256	23.06	23.96	33	PASS
n41(2535-2655)	30	20	509004	1@49	DFT_QAM256	22.57	23.47	33	PASS
n41(2535-2655)	30	20	509004	25@12	CP_QPSK	25.66	26.56	33	PASS
n41(2535-2655)	30	20	509004	1@1	CP_QPSK	25.40	26.3	33	PASS
n41(2535-2655)	30	20	509004	1@49	CP_QPSK	25.32	26.22	33	PASS
n41(2535-2655)	30	20	509004	25@12	CP_QAM16	25.18	26.08	33	PASS
n41(2535-2655)	30	20	509004	1@1	CP_QAM16	25.12	26.02	33	PASS
n41(2535-2655)	30	20	509004	1@49	CP_QAM16	25.12	26.02	33	PASS
n41(2535-2655)	30	20	509004	25@12	CP_QAM64	23.52	24.42	33	PASS
n41(2535-2655)	30	20	509004	1@1	CP_QAM64	23.85	24.75	33	PASS
n41(2535-2655)	30	20	509004	1@49	CP_QAM64	23.76	24.66	33	PASS
n41(2535-2655)	30	20	509004	25@12	CP_QAM256	21.10	22	33	PASS
n41(2535-2655)	30	20	509004	1@1	CP_QAM256	21.03	21.93	33	PASS
n41(2535-2655)	30	20	509004	1@49	CP_QAM256	21.53	22.43	33	PASS
n41(2535-2655)	30	20	519000	25@12	DFT_BPSK	27.12	28.02	33	PASS
n41(2535-2655)	30	20	519000	1@1	DFT_BPSK	27.07	27.97	33	PASS
n41(2535-2655)	30	20	519000	1@49	DFT_BPSK	27.07	27.97	33	PASS
n41(2535-2655)	30	20	519000	25@12	DFT_QPSK	27.21	28.11	33	PASS
n41(2535-2655)	30	20	519000	1@1	DFT_QPSK	27.14	28.04	33	PASS
n41(2535-2655)	30	20	519000	1@49	DFT_QPSK	27.15	28.05	33	PASS
n41(2535-2655)	30	20	519000	25@12	DFT_QAM16	26.22	27.12	33	PASS
n41(2535-2655)	30	20	519000	1@1	DFT_QAM16	26.59	27.49	33	PASS
n41(2535-2655)	30	20	519000	1@49	DFT_QAM16	26.49	27.39	33	PASS
n41(2535-2655)	30	20	519000	25@12	DFT_QAM64	24.73	25.63	33	PASS
n41(2535-2655)	30	20	519000	1@1	DFT_QAM64	24.82	25.72	33	PASS
n41(2535-2655)	30	20	519000	1@49	DFT_QAM64	24.84	25.74	33	PASS
n41(2535-2655)	30	20	519000	25@12	DFT_QAM256	22.69	23.59	33	PASS
n41(2535-2655)	30	20	519000	1@1	DFT_QAM256	23.05	23.95	33	PASS
n41(2535-2655)	30	20	519000	1@49	DFT_QAM256	23.13	24.03	33	PASS
n41(2535-2655)	30	20	519000	25@12	CP_QPSK	25.77	26.67	33	PASS
n41(2535-2655)	30	20	519000	1@1	CP_QPSK	25.55	26.45	33	PASS
n41(2535-2655)	30	20	519000	1@49	CP_QPSK	25.67	26.57	33	PASS
n41(2535-2655)	30	20	519000	25@12	CP_QAM16	25.26	26.16	33	PASS
n41(2535-2655)	30	20	519000	1@1	CP_QAM16	25.19	26.09	33	PASS
n41(2535-2655)	30	20	519000	1@49	CP_QAM16	25.28	26.18	33	PASS
n41(2535-2655)	30	20	519000	25@12	CP_QAM64	23.58	24.48	33	PASS
n41(2535-2655)	30	20	519000	1@1	CP_QAM64	23.80	24.7	33	PASS
n41(2535-2655)	30	20	519000	1@49	CP_QAM64	23.85	24.75	33	PASS
n41(2535-2655)	30	20	519000	25@12	CP_QAM256	20.97	21.87	33	PASS
n41(2535-2655)	30	20	519000	1@1	CP_QAM256	20.97	21.87	33	PASS

n41(2535-2655)	30	20	519000	1@49	CP_QAM256	21.09	21.99	33	PASS
n41(2535-2655)	30	20	528996	25@12	DFT_BPSK	26.74	27.64	33	PASS
n41(2535-2655)	30	20	528996	1@1	DFT_BPSK	26.79	27.69	33	PASS
n41(2535-2655)	30	20	528996	1@49	DFT_BPSK	26.64	27.54	33	PASS
n41(2535-2655)	30	20	528996	25@12	DFT_QPSK	26.79	27.69	33	PASS
n41(2535-2655)	30	20	528996	1@1	DFT_QPSK	26.79	27.69	33	PASS
n41(2535-2655)	30	20	528996	1@49	DFT_QPSK	26.70	27.6	33	PASS
n41(2535-2655)	30	20	528996	25@12	DFT_QAM16	25.76	26.66	33	PASS
n41(2535-2655)	30	20	528996	1@1	DFT_QAM16	25.84	26.74	33	PASS
n41(2535-2655)	30	20	528996	1@49	DFT_QAM16	26.07	26.97	33	PASS
n41(2535-2655)	30	20	528996	25@12	DFT_QAM64	24.41	25.31	33	PASS
n41(2535-2655)	30	20	528996	1@1	DFT_QAM64	24.54	25.44	33	PASS
n41(2535-2655)	30	20	528996	1@49	DFT_QAM64	24.35	25.25	33	PASS
n41(2535-2655)	30	20	528996	25@12	DFT_QAM256	22.26	23.16	33	PASS
n41(2535-2655)	30	20	528996	1@1	DFT_QAM256	22.23	23.13	33	PASS
n41(2535-2655)	30	20	528996	1@49	DFT_QAM256	22.10	23	33	PASS
n41(2535-2655)	30	20	528996	25@12	CP_QPSK	25.31	26.21	33	PASS
n41(2535-2655)	30	20	528996	1@1	CP_QPSK	25.28	26.18	33	PASS
n41(2535-2655)	30	20	528996	1@49	CP_QPSK	25.11	26.01	33	PASS
n41(2535-2655)	30	20	528996	25@12	CP_QAM16	24.88	25.78	33	PASS
n41(2535-2655)	30	20	528996	1@1	CP_QAM16	24.81	25.71	33	PASS
n41(2535-2655)	30	20	528996	1@49	CP_QAM16	24.73	25.63	33	PASS
n41(2535-2655)	30	20	528996	25@12	CP_QAM64	23.27	24.17	33	PASS
n41(2535-2655)	30	20	528996	1@1	CP_QAM64	23.53	24.43	33	PASS
n41(2535-2655)	30	20	528996	1@49	CP_QAM64	23.17	24.07	33	PASS
n41(2535-2655)	30	20	528996	25@12	CP_QAM256	20.64	21.54	33	PASS
n41(2535-2655)	30	20	528996	1@1	CP_QAM256	21.21	22.11	33	PASS
n41(2535-2655)	30	20	528996	1@49	CP_QAM256	20.45	21.35	33	PASS
n41(2535-2655)	30	30	509004	36@18	DFT_BPSK	27.01	27.91	33	PASS
n41(2535-2655)	30	30	509004	1@1	DFT_BPSK	26.96	27.86	33	PASS
n41(2535-2655)	30	30	509004	1@76	DFT_BPSK	26.97	27.87	33	PASS
n41(2535-2655)	30	30	509004	36@18	DFT_QPSK	26.96	27.86	33	PASS
n41(2535-2655)	30	30	509004	1@1	DFT_QPSK	26.75	27.65	33	PASS
n41(2535-2655)	30	30	509004	1@76	DFT_QPSK	26.82	27.72	33	PASS
n41(2535-2655)	30	30	509004	36@18	DFT_QAM16	26.03	26.93	33	PASS
n41(2535-2655)	30	30	509004	1@1	DFT_QAM16	26.13	27.03	33	PASS
n41(2535-2655)	30	30	509004	1@76	DFT_QAM16	26.21	27.11	33	PASS
n41(2535-2655)	30	30	509004	36@18	DFT_QAM64	24.69	25.59	33	PASS
n41(2535-2655)	30	30	509004	1@1	DFT_QAM64	24.73	25.63	33	PASS
n41(2535-2655)	30	30	509004	1@76	DFT_QAM64	24.73	25.63	33	PASS
n41(2535-2655)	30	30	509004	36@18	DFT_QAM256	22.69	23.59	33	PASS
n41(2535-2655)	30	30	509004	1@1	DFT_QAM256	22.56	23.46	33	PASS
n41(2535-2655)	30	30	509004	1@76	DFT_QAM256	22.98	23.88	33	PASS
n41(2535-2655)	30	30	509004	39@19	CP_QPSK	25.53	26.43	33	PASS

n41(2535-2655)	30	30	509004	1@1	CP_QPSK	25.46	26.36	33	PASS
n41(2535-2655)	30	30	509004	1@76	CP_QPSK	25.39	26.29	33	PASS
n41(2535-2655)	30	30	509004	39@19	CP_QAM16	25.08	25.98	33	PASS
n41(2535-2655)	30	30	509004	1@1	CP_QAM16	24.94	25.84	33	PASS
n41(2535-2655)	30	30	509004	1@76	CP_QAM16	25.09	25.99	33	PASS
n41(2535-2655)	30	30	509004	39@19	CP_QAM64	23.58	24.48	33	PASS
n41(2535-2655)	30	30	509004	1@1	CP_QAM64	23.82	24.72	33	PASS
n41(2535-2655)	30	30	509004	1@76	CP_QAM64	23.84	24.74	33	PASS
n41(2535-2655)	30	30	509004	39@19	CP_QAM256	20.63	21.53	33	PASS
n41(2535-2655)	30	30	509004	1@1	CP_QAM256	20.71	21.61	33	PASS
n41(2535-2655)	30	30	509004	1@76	CP_QAM256	21.30	22.2	33	PASS
n41(2535-2655)	30	30	519000	36@18	DFT_BPSK	27.14	28.04	33	PASS
n41(2535-2655)	30	30	519000	1@1	DFT_BPSK	26.88	27.78	33	PASS
n41(2535-2655)	30	30	519000	1@76	DFT_BPSK	27.01	27.91	33	PASS
n41(2535-2655)	30	30	519000	36@18	DFT_QPSK	27.14	28.04	33	PASS
n41(2535-2655)	30	30	519000	1@1	DFT_QPSK	26.92	27.82	33	PASS
n41(2535-2655)	30	30	519000	1@76	DFT_QPSK	26.86	27.76	33	PASS
n41(2535-2655)	30	30	519000	36@18	DFT_QAM16	26.15	27.05	33	PASS
n41(2535-2655)	30	30	519000	1@1	DFT_QAM16	26.23	27.13	33	PASS
n41(2535-2655)	30	30	519000	1@76	DFT_QAM16	26.12	27.02	33	PASS
n41(2535-2655)	30	30	519000	36@18	DFT_QAM64	24.66	25.56	33	PASS
n41(2535-2655)	30	30	519000	1@1	DFT_QAM64	24.31	25.21	33	PASS
n41(2535-2655)	30	30	519000	1@76	DFT_QAM64	24.34	25.24	33	PASS
n41(2535-2655)	30	30	519000	36@18	DFT_QAM256	22.75	23.65	33	PASS
n41(2535-2655)	30	30	519000	1@1	DFT_QAM256	22.99	23.89	33	PASS
n41(2535-2655)	30	30	519000	1@76	DFT_QAM256	23.03	23.93	33	PASS
n41(2535-2655)	30	30	519000	39@19	CP_QPSK	25.52	26.42	33	PASS
n41(2535-2655)	30	30	519000	1@1	CP_QPSK	25.46	26.36	33	PASS
n41(2535-2655)	30	30	519000	1@76	CP_QPSK	25.50	26.4	33	PASS
n41(2535-2655)	30	30	519000	39@19	CP_QAM16	25.02	25.92	33	PASS
n41(2535-2655)	30	30	519000	1@1	CP_QAM16	25.06	25.96	33	PASS
n41(2535-2655)	30	30	519000	1@76	CP_QAM16	25.02	25.92	33	PASS
n41(2535-2655)	30	30	519000	39@19	CP_QAM64	23.65	24.55	33	PASS
n41(2535-2655)	30	30	519000	1@1	CP_QAM64	23.85	24.75	33	PASS
n41(2535-2655)	30	30	519000	1@76	CP_QAM64	23.56	24.46	33	PASS
n41(2535-2655)	30	30	519000	39@19	CP_QAM256	20.82	21.72	33	PASS
n41(2535-2655)	30	30	519000	1@1	CP_QAM256	21.32	22.22	33	PASS
n41(2535-2655)	30	30	519000	1@76	CP_QAM256	20.98	21.88	33	PASS
n41(2535-2655)	30	30	528000	36@18	DFT_BPSK	26.83	27.73	33	PASS
n41(2535-2655)	30	30	528000	1@1	DFT_BPSK	26.77	27.67	33	PASS
n41(2535-2655)	30	30	528000	1@76	DFT_BPSK	26.61	27.51	33	PASS
n41(2535-2655)	30	30	528000	36@18	DFT_QPSK	26.79	27.69	33	PASS
n41(2535-2655)	30	30	528000	1@1	DFT_QPSK	26.66	27.56	33	PASS
n41(2535-2655)	30	30	528000	1@76	DFT_QPSK	26.65	27.55	33	PASS

n41(2535-2655)	30	30	528000	36@18	DFT_QAM16	25.76	26.66	33	PASS
n41(2535-2655)	30	30	528000	1@1	DFT_QAM16	26.10	27	33	PASS
n41(2535-2655)	30	30	528000	1@76	DFT_QAM16	26.05	26.95	33	PASS
n41(2535-2655)	30	30	528000	36@18	DFT_QAM64	24.37	25.27	33	PASS
n41(2535-2655)	30	30	528000	1@1	DFT_QAM64	24.19	25.09	33	PASS
n41(2535-2655)	30	30	528000	1@76	DFT_QAM64	24.49	25.39	33	PASS
n41(2535-2655)	30	30	528000	36@18	DFT_QAM256	22.38	23.28	33	PASS
n41(2535-2655)	30	30	528000	1@1	DFT_QAM256	22.92	23.82	33	PASS
n41(2535-2655)	30	30	528000	1@76	DFT_QAM256	22.02	22.92	33	PASS
n41(2535-2655)	30	30	528000	39@19	CP_QPSK	25.24	26.14	33	PASS
n41(2535-2655)	30	30	528000	1@1	CP_QPSK	25.21	26.11	33	PASS
n41(2535-2655)	30	30	528000	1@76	CP_QPSK	24.89	25.79	33	PASS
n41(2535-2655)	30	30	528000	39@19	CP_QAM16	24.69	25.59	33	PASS
n41(2535-2655)	30	30	528000	1@1	CP_QAM16	24.87	25.77	33	PASS
n41(2535-2655)	30	30	528000	1@76	CP_QAM16	24.64	25.54	33	PASS
n41(2535-2655)	30	30	528000	39@19	CP_QAM64	23.27	24.17	33	PASS
n41(2535-2655)	30	30	528000	1@1	CP_QAM64	23.56	24.46	33	PASS
n41(2535-2655)	30	30	528000	1@76	CP_QAM64	23.28	24.18	33	PASS
n41(2535-2655)	30	30	528000	39@19	CP_QAM256	20.49	21.39	33	PASS
n41(2535-2655)	30	30	528000	1@1	CP_QAM256	21.12	22.02	33	PASS
n41(2535-2655)	30	30	528000	1@76	CP_QAM256	20.33	21.23	33	PASS
n41(2535-2655)	30	40	511002	50@25	DFT_BPSK	26.99	27.89	33	PASS
n41(2535-2655)	30	40	511002	1@1	DFT_BPSK	26.91	27.81	33	PASS
n41(2535-2655)	30	40	511002	1@104	DFT_BPSK	27.08	27.98	33	PASS
n41(2535-2655)	30	40	511002	50@25	DFT_QPSK	27.05	27.95	33	PASS
n41(2535-2655)	30	40	511002	1@1	DFT_QPSK	27.03	27.93	33	PASS
n41(2535-2655)	30	40	511002	1@104	DFT_QPSK	27.20	28.1	33	PASS
n41(2535-2655)	30	40	511002	50@25	DFT_QAM16	26.05	26.95	33	PASS
n41(2535-2655)	30	40	511002	1@1	DFT_QAM16	26.32	27.22	33	PASS
n41(2535-2655)	30	40	511002	1@104	DFT_QAM16	26.62	27.52	33	PASS
n41(2535-2655)	30	40	511002	50@25	DFT_QAM64	24.63	25.53	33	PASS
n41(2535-2655)	30	40	511002	1@1	DFT_QAM64	24.74	25.64	33	PASS
n41(2535-2655)	30	40	511002	1@104	DFT_QAM64	24.84	25.74	33	PASS
n41(2535-2655)	30	40	511002	50@25	DFT_QAM256	22.61	23.51	33	PASS
n41(2535-2655)	30	40	511002	1@1	DFT_QAM256	23.18	24.08	33	PASS
n41(2535-2655)	30	40	511002	1@104	DFT_QAM256	23.06	23.96	33	PASS
n41(2535-2655)	30	40	511002	53@26	CP_QPSK	25.52	26.42	33	PASS
n41(2535-2655)	30	40	511002	1@1	CP_QPSK	25.56	26.46	33	PASS
n41(2535-2655)	30	40	511002	1@104	CP_QPSK	25.58	26.48	33	PASS
n41(2535-2655)	30	40	511002	53@26	CP_QAM16	25.03	25.93	33	PASS
n41(2535-2655)	30	40	511002	1@1	CP_QAM16	25.13	26.03	33	PASS
n41(2535-2655)	30	40	511002	1@104	CP_QAM16	25.29	26.19	33	PASS
n41(2535-2655)	30	40	511002	53@26	CP_QAM64	23.59	24.49	33	PASS
n41(2535-2655)	30	40	511002	1@1	CP_QAM64	23.60	24.5	33	PASS



n41(2535-2655)	30	40	511002	1@104	CP_QAM64	23.88	24.78	33	PASS
n41(2535-2655)	30	40	511002	53@26	CP_QAM256	20.79	21.69	33	PASS
n41(2535-2655)	30	40	511002	1@1	CP_QAM256	20.75	21.65	33	PASS
n41(2535-2655)	30	40	511002	1@104	CP_QAM256	21.34	22.24	33	PASS
n41(2535-2655)	30	40	519000	50@25	DFT_BPSK	27.09	27.99	33	PASS
n41(2535-2655)	30	40	519000	1@1	DFT_BPSK	27.04	27.94	33	PASS
n41(2535-2655)	30	40	519000	1@104	DFT_BPSK	27.03	27.93	33	PASS
n41(2535-2655)	30	40	519000	50@25	DFT_QPSK	27.14	28.04	33	PASS
n41(2535-2655)	30	40	519000	1@1	DFT_QPSK	26.83	27.73	33	PASS
n41(2535-2655)	30	40	519000	1@104	DFT_QPSK	26.82	27.72	33	PASS
n41(2535-2655)	30	40	519000	50@25	DFT_QAM16	26.11	27.01	33	PASS
n41(2535-2655)	30	40	519000	1@1	DFT_QAM16	26.02	26.92	33	PASS
n41(2535-2655)	30	40	519000	1@104	DFT_QAM16	25.96	26.86	33	PASS
n41(2535-2655)	30	40	519000	50@25	DFT_QAM64	24.53	25.43	33	PASS
n41(2535-2655)	30	40	519000	1@1	DFT_QAM64	24.60	25.5	33	PASS
n41(2535-2655)	30	40	519000	1@104	DFT_QAM64	24.84	25.74	33	PASS
n41(2535-2655)	30	40	519000	50@25	DFT_QAM256	22.59	23.49	33	PASS
n41(2535-2655)	30	40	519000	1@1	DFT_QAM256	23.13	24.03	33	PASS
n41(2535-2655)	30	40	519000	1@104	DFT_QAM256	23.12	24.02	33	PASS
n41(2535-2655)	30	40	519000	53@26	CP_QPSK	25.53	26.43	33	PASS
n41(2535-2655)	30	40	519000	1@1	CP_QPSK	25.50	26.4	33	PASS
n41(2535-2655)	30	40	519000	1@104	CP_QPSK	25.50	26.4	33	PASS
n41(2535-2655)	30	40	519000	53@26	CP_QAM16	24.99	25.89	33	PASS
n41(2535-2655)	30	40	519000	1@1	CP_QAM16	25.07	25.97	33	PASS
n41(2535-2655)	30	40	519000	1@104	CP_QAM16	25.20	26.1	33	PASS
n41(2535-2655)	30	40	519000	53@26	CP_QAM64	23.63	24.53	33	PASS
n41(2535-2655)	30	40	519000	1@1	CP_QAM64	23.81	24.71	33	PASS
n41(2535-2655)	30	40	519000	1@104	CP_QAM64	23.52	24.42	33	PASS
n41(2535-2655)	30	40	519000	53@26	CP_QAM256	20.83	21.73	33	PASS
n41(2535-2655)	30	40	519000	1@1	CP_QAM256	21.36	22.26	33	PASS
n41(2535-2655)	30	40	519000	1@104	CP_QAM256	21.40	22.3	33	PASS
n41(2535-2655)	30	40	526998	50@25	DFT_BPSK	26.81	27.71	33	PASS
n41(2535-2655)	30	40	526998	1@1	DFT_BPSK	27.06	27.96	33	PASS
n41(2535-2655)	30	40	526998	1@104	DFT_BPSK	26.57	27.47	33	PASS
n41(2535-2655)	30	40	526998	50@25	DFT_QPSK	26.82	27.72	33	PASS
n41(2535-2655)	30	40	526998	1@1	DFT_QPSK	26.83	27.73	33	PASS
n41(2535-2655)	30	40	526998	1@104	DFT_QPSK	26.45	27.35	33	PASS
n41(2535-2655)	30	40	526998	50@25	DFT_QAM16	25.82	26.72	33	PASS
n41(2535-2655)	30	40	526998	1@1	DFT_QAM16	26.10	27	33	PASS
n41(2535-2655)	30	40	526998	1@104	DFT_QAM16	25.85	26.75	33	PASS
n41(2535-2655)	30	40	526998	50@25	DFT_QAM64	24.31	25.21	33	PASS
n41(2535-2655)	30	40	526998	1@1	DFT_QAM64	24.83	25.73	33	PASS
n41(2535-2655)	30	40	526998	1@104	DFT_QAM64	23.86	24.76	33	PASS
n41(2535-2655)	30	40	526998	50@25	DFT_QAM256	22.24	23.14	33	PASS

n41(2535-2655)	30	40	526998	1@1	DFT_QAM256	22.62	23.52	33	PASS
n41(2535-2655)	30	40	526998	1@104	DFT_QAM256	22.62	23.52	33	PASS
n41(2535-2655)	30	40	526998	53@26	CP_QPSK	25.21	26.11	33	PASS
n41(2535-2655)	30	40	526998	1@1	CP_QPSK	25.63	26.53	33	PASS
n41(2535-2655)	30	40	526998	1@104	CP_QPSK	25.03	25.93	33	PASS
n41(2535-2655)	30	40	526998	53@26	CP_QAM16	24.76	25.66	33	PASS
n41(2535-2655)	30	40	526998	1@1	CP_QAM16	25.14	26.04	33	PASS
n41(2535-2655)	30	40	526998	1@104	CP_QAM16	24.73	25.63	33	PASS
n41(2535-2655)	30	40	526998	53@26	CP_QAM64	23.27	24.17	33	PASS
n41(2535-2655)	30	40	526998	1@1	CP_QAM64	23.56	24.46	33	PASS
n41(2535-2655)	30	40	526998	1@104	CP_QAM64	23.38	24.28	33	PASS
n41(2535-2655)	30	40	526998	53@26	CP_QAM256	20.48	21.38	33	PASS
n41(2535-2655)	30	40	526998	1@1	CP_QAM256	21.32	22.22	33	PASS
n41(2535-2655)	30	40	526998	1@104	CP_QAM256	20.31	21.21	33	PASS
n41(2535-2655)	30	50	512004	64@32	DFT_BPSK	27.13	28.03	33	PASS
n41(2535-2655)	30	50	512004	1@1	DFT_BPSK	26.96	27.86	33	PASS
n41(2535-2655)	30	50	512004	1@131	DFT_BPSK	27.04	27.94	33	PASS
n41(2535-2655)	30	50	512004	64@32	DFT_QPSK	27.12	28.02	33	PASS
n41(2535-2655)	30	50	512004	1@1	DFT_QPSK	26.84	27.74	33	PASS
n41(2535-2655)	30	50	512004	1@131	DFT_QPSK	26.96	27.86	33	PASS
n41(2535-2655)	30	50	512004	64@32	DFT_QAM16	26.12	27.02	33	PASS
n41(2535-2655)	30	50	512004	1@1	DFT_QAM16	26.08	26.98	33	PASS
n41(2535-2655)	30	50	512004	1@131	DFT_QAM16	26.31	27.21	33	PASS
n41(2535-2655)	30	50	512004	64@32	DFT_QAM64	24.68	25.58	33	PASS
n41(2535-2655)	30	50	512004	1@1	DFT_QAM64	24.40	25.3	33	PASS
n41(2535-2655)	30	50	512004	1@131	DFT_QAM64	24.49	25.39	33	PASS
n41(2535-2655)	30	50	512004	64@32	DFT_QAM256	22.65	23.55	33	PASS
n41(2535-2655)	30	50	512004	1@1	DFT_QAM256	23.16	24.06	33	PASS
n41(2535-2655)	30	50	512004	1@131	DFT_QAM256	23.10	24	33	PASS
n41(2535-2655)	30	50	512004	67@33	CP_QPSK	25.60	26.5	33	PASS
n41(2535-2655)	30	50	512004	1@1	CP_QPSK	25.47	26.37	33	PASS
n41(2535-2655)	30	50	512004	1@131	CP_QPSK	25.24	26.14	33	PASS
n41(2535-2655)	30	50	512004	67@33	CP_QAM16	25.15	26.05	33	PASS
n41(2535-2655)	30	50	512004	1@1	CP_QAM16	25.09	25.99	33	PASS
n41(2535-2655)	30	50	512004	1@131	CP_QAM16	25.17	26.07	33	PASS
n41(2535-2655)	30	50	512004	67@33	CP_QAM64	23.65	24.55	33	PASS
n41(2535-2655)	30	50	512004	1@1	CP_QAM64	23.74	24.64	33	PASS
n41(2535-2655)	30	50	512004	1@131	CP_QAM64	23.77	24.67	33	PASS
n41(2535-2655)	30	50	512004	67@33	CP_QAM256	20.82	21.72	33	PASS
n41(2535-2655)	30	50	512004	1@1	CP_QAM256	21.34	22.24	33	PASS
n41(2535-2655)	30	50	512004	1@131	CP_QAM256	21.36	22.26	33	PASS
n41(2535-2655)	30	50	519000	64@32	DFT_BPSK	27.16	28.06	33	PASS
n41(2535-2655)	30	50	519000	1@1	DFT_BPSK	27.03	27.93	33	PASS

n41(2535-2655)	30	50	519000	1@131	DFT_BPSK	27.01	27.91	33	PASS
n41(2535-2655)	30	50	519000	64@32	DFT_QPSK	27.17	28.07	33	PASS
n41(2535-2655)	30	50	519000	1@1	DFT_QPSK	27.17	28.07	33	PASS
n41(2535-2655)	30	50	519000	1@131	DFT_QPSK	26.92	27.82	33	PASS
n41(2535-2655)	30	50	519000	64@32	DFT_QAM16	26.21	27.11	33	PASS
n41(2535-2655)	30	50	519000	1@1	DFT_QAM16	26.37	27.27	33	PASS
n41(2535-2655)	30	50	519000	1@131	DFT_QAM16	26.29	27.19	33	PASS
n41(2535-2655)	30	50	519000	64@32	DFT_QAM64	24.67	25.57	33	PASS
n41(2535-2655)	30	50	519000	1@1	DFT_QAM64	24.82	25.72	33	PASS
n41(2535-2655)	30	50	519000	1@131	DFT_QAM64	24.70	25.6	33	PASS
n41(2535-2655)	30	50	519000	64@32	DFT_QAM256	22.76	23.66	33	PASS
n41(2535-2655)	30	50	519000	1@1	DFT_QAM256	22.55	23.45	33	PASS
n41(2535-2655)	30	50	519000	1@131	DFT_QAM256	22.55	23.45	33	PASS
n41(2535-2655)	30	50	519000	67@33	CP_QPSK	25.58	26.48	33	PASS
n41(2535-2655)	30	50	519000	1@1	CP_QPSK	25.56	26.46	33	PASS
n41(2535-2655)	30	50	519000	1@131	CP_QPSK	25.52	26.42	33	PASS
n41(2535-2655)	30	50	519000	67@33	CP_QAM16	25.15	26.05	33	PASS
n41(2535-2655)	30	50	519000	1@1	CP_QAM16	25.17	26.07	33	PASS
n41(2535-2655)	30	50	519000	1@131	CP_QAM16	25.13	26.03	33	PASS
n41(2535-2655)	30	50	519000	67@33	CP_QAM64	23.66	24.56	33	PASS
n41(2535-2655)	30	50	519000	1@1	CP_QAM64	23.84	24.74	33	PASS
n41(2535-2655)	30	50	519000	1@131	CP_QAM64	23.53	24.43	33	PASS
n41(2535-2655)	30	50	519000	67@33	CP_QAM256	20.80	21.7	33	PASS
n41(2535-2655)	30	50	519000	1@1	CP_QAM256	21.35	22.25	33	PASS
n41(2535-2655)	30	50	519000	1@131	CP_QAM256	21.26	22.16	33	PASS
n41(2535-2655)	30	50	525996	64@32	DFT_BPSK	26.87	27.77	33	PASS
n41(2535-2655)	30	50	525996	1@1	DFT_BPSK	26.97	27.87	33	PASS
n41(2535-2655)	30	50	525996	1@131	DFT_BPSK	26.57	27.47	33	PASS
n41(2535-2655)	30	50	525996	64@32	DFT_QPSK	26.90	27.8	33	PASS
n41(2535-2655)	30	50	525996	1@1	DFT_QPSK	26.93	27.83	33	PASS
n41(2535-2655)	30	50	525996	1@131	DFT_QPSK	26.49	27.39	33	PASS
n41(2535-2655)	30	50	525996	64@32	DFT_QAM16	25.85	26.75	33	PASS
n41(2535-2655)	30	50	525996	1@1	DFT_QAM16	26.30	27.2	33	PASS
n41(2535-2655)	30	50	525996	1@131	DFT_QAM16	25.79	26.69	33	PASS
n41(2535-2655)	30	50	525996	64@32	DFT_QAM64	24.41	25.31	33	PASS
n41(2535-2655)	30	50	525996	1@1	DFT_QAM64	24.36	25.26	33	PASS
n41(2535-2655)	30	50	525996	1@131	DFT_QAM64	24.44	25.34	33	PASS
n41(2535-2655)	30	50	525996	64@32	DFT_QAM256	22.50	23.4	33	PASS
n41(2535-2655)	30	50	525996	1@1	DFT_QAM256	23.12	24.02	33	PASS
n41(2535-2655)	30	50	525996	1@131	DFT_QAM256	22.55	23.45	33	PASS
n41(2535-2655)	30	50	525996	67@33	CP_QPSK	25.35	26.25	33	PASS
n41(2535-2655)	30	50	525996	1@1	CP_QPSK	25.61	26.51	33	PASS
n41(2535-2655)	30	50	525996	1@131	CP_QPSK	24.96	25.86	33	PASS

n41(2535-2655)	30	50	525996	67@33	CP_QAM16	24.93	25.83	33	PASS
n41(2535-2655)	30	50	525996	1@1	CP_QAM16	25.03	25.93	33	PASS
n41(2535-2655)	30	50	525996	1@131	CP_QAM16	24.51	25.41	33	PASS
n41(2535-2655)	30	50	525996	67@33	CP_QAM64	23.37	24.27	33	PASS
n41(2535-2655)	30	50	525996	1@1	CP_QAM64	23.54	24.44	33	PASS
n41(2535-2655)	30	50	525996	1@131	CP_QAM64	23.07	23.97	33	PASS
n41(2535-2655)	30	50	525996	67@33	CP_QAM256	20.69	21.59	33	PASS
n41(2535-2655)	30	50	525996	1@1	CP_QAM256	21.52	22.42	33	PASS
n41(2535-2655)	30	50	525996	1@131	CP_QAM256	20.30	21.2	33	PASS
n41(2535-2655)	30	60	513000	81@40	DFT_BPSK	27.17	28.07	33	PASS
n41(2535-2655)	30	60	513000	1@1	DFT_BPSK	26.83	27.73	33	PASS
n41(2535-2655)	30	60	513000	1@160	DFT_BPSK	26.89	27.79	33	PASS
n41(2535-2655)	30	60	513000	81@40	DFT_QPSK	27.13	28.03	33	PASS
n41(2535-2655)	30	60	513000	1@1	DFT_QPSK	26.74	27.64	33	PASS
n41(2535-2655)	30	60	513000	1@160	DFT_QPSK	26.86	27.76	33	PASS
n41(2535-2655)	30	60	513000	81@40	DFT_QAM16	26.17	27.07	33	PASS
n41(2535-2655)	30	60	513000	1@1	DFT_QAM16	26.14	27.04	33	PASS
n41(2535-2655)	30	60	513000	1@160	DFT_QAM16	26.21	27.11	33	PASS
n41(2535-2655)	30	60	513000	81@40	DFT_QAM64	24.71	25.61	33	PASS
n41(2535-2655)	30	60	513000	1@1	DFT_QAM64	24.79	25.69	33	PASS
n41(2535-2655)	30	60	513000	1@160	DFT_QAM64	24.81	25.71	33	PASS
n41(2535-2655)	30	60	513000	81@40	DFT_QAM256	22.70	23.6	33	PASS
n41(2535-2655)	30	60	513000	1@1	DFT_QAM256	22.67	23.57	33	PASS
n41(2535-2655)	30	60	513000	1@160	DFT_QAM256	22.59	23.49	33	PASS
n41(2535-2655)	30	60	513000	81@40	CP_QPSK	25.59	26.49	33	PASS
n41(2535-2655)	30	60	513000	1@1	CP_QPSK	25.45	26.35	33	PASS
n41(2535-2655)	30	60	513000	1@160	CP_QPSK	25.41	26.31	33	PASS
n41(2535-2655)	30	60	513000	81@40	CP_QAM16	25.13	26.03	33	PASS
n41(2535-2655)	30	60	513000	1@1	CP_QAM16	25.09	25.99	33	PASS
n41(2535-2655)	30	60	513000	1@160	CP_QAM16	25.00	25.9	33	PASS
n41(2535-2655)	30	60	513000	81@40	CP_QAM64	23.78	24.68	33	PASS
n41(2535-2655)	30	60	513000	1@1	CP_QAM64	23.83	24.73	33	PASS
n41(2535-2655)	30	60	513000	1@160	CP_QAM64	23.79	24.69	33	PASS
n41(2535-2655)	30	60	513000	81@40	CP_QAM256	20.86	21.76	33	PASS
n41(2535-2655)	30	60	513000	1@1	CP_QAM256	21.30	22.2	33	PASS
n41(2535-2655)	30	60	513000	1@160	CP_QAM256	21.32	22.22	33	PASS
n41(2535-2655)	30	60	519000	81@40	DFT_BPSK	27.10	28	33	PASS
n41(2535-2655)	30	60	519000	1@1	DFT_BPSK	27.02	27.92	33	PASS
n41(2535-2655)	30	60	519000	1@160	DFT_BPSK	26.74	27.64	33	PASS
n41(2535-2655)	30	60	519000	81@40	DFT_QPSK	27.19	28.09	33	PASS
n41(2535-2655)	30	60	519000	1@1	DFT_QPSK	26.89	27.79	33	PASS
n41(2535-2655)	30	60	519000	1@160	DFT_QPSK	26.60	27.5	33	PASS
n41(2535-2655)	30	60	519000	81@40	DFT_QAM16	26.11	27.01	33	PASS

n41(2535-2655)	30	60	519000	1@1	DFT_QAM16	26.17	27.07	33	PASS
n41(2535-2655)	30	60	519000	1@160	DFT_QAM16	25.87	26.77	33	PASS
n41(2535-2655)	30	60	519000	81@40	DFT_QAM64	24.63	25.53	33	PASS
n41(2535-2655)	30	60	519000	1@1	DFT_QAM64	24.92	25.82	33	PASS
n41(2535-2655)	30	60	519000	1@160	DFT_QAM64	24.13	25.03	33	PASS
n41(2535-2655)	30	60	519000	81@40	DFT_QAM256	22.56	23.46	33	PASS
n41(2535-2655)	30	60	519000	1@1	DFT_QAM256	23.16	24.06	33	PASS
n41(2535-2655)	30	60	519000	1@160	DFT_QAM256	22.99	23.89	33	PASS
n41(2535-2655)	30	60	519000	81@40	CP_QPSK	25.57	26.47	33	PASS
n41(2535-2655)	30	60	519000	1@1	CP_QPSK	25.23	26.13	33	PASS
n41(2535-2655)	30	60	519000	1@160	CP_QPSK	25.17	26.07	33	PASS
n41(2535-2655)	30	60	519000	81@40	CP_QAM16	25.00	25.9	33	PASS
n41(2535-2655)	30	60	519000	1@1	CP_QAM16	25.13	26.03	33	PASS
n41(2535-2655)	30	60	519000	1@160	CP_QAM16	24.82	25.72	33	PASS
n41(2535-2655)	30	60	519000	81@40	CP_QAM64	23.63	24.53	33	PASS
n41(2535-2655)	30	60	519000	1@1	CP_QAM64	23.83	24.73	33	PASS
n41(2535-2655)	30	60	519000	1@160	CP_QAM64	23.78	24.68	33	PASS
n41(2535-2655)	30	60	519000	81@40	CP_QAM256	21.26	22.16	33	PASS
n41(2535-2655)	30	60	519000	1@1	CP_QAM256	21.23	22.13	33	PASS
n41(2535-2655)	30	60	519000	1@160	CP_QAM256	21.78	22.68	33	PASS
n41(2535-2655)	30	60	525000	81@40	DFT_BPSK	27.12	28.02	33	PASS
n41(2535-2655)	30	60	525000	1@1	DFT_BPSK	27.15	28.05	33	PASS
n41(2535-2655)	30	60	525000	1@160	DFT_BPSK	26.72	27.62	33	PASS
n41(2535-2655)	30	60	525000	81@40	DFT_QPSK	27.17	28.07	33	PASS
n41(2535-2655)	30	60	525000	1@1	DFT_QPSK	26.95	27.85	33	PASS
n41(2535-2655)	30	60	525000	1@160	DFT_QPSK	26.51	27.41	33	PASS
n41(2535-2655)	30	60	525000	81@40	DFT_QAM16	26.12	27.02	33	PASS
n41(2535-2655)	30	60	525000	1@1	DFT_QAM16	26.42	27.32	33	PASS
n41(2535-2655)	30	60	525000	1@160	DFT_QAM16	25.56	26.46	33	PASS
n41(2535-2655)	30	60	525000	81@40	DFT_QAM64	24.70	25.6	33	PASS
n41(2535-2655)	30	60	525000	1@1	DFT_QAM64	24.92	25.82	33	PASS
n41(2535-2655)	30	60	525000	1@160	DFT_QAM64	24.23	25.13	33	PASS
n41(2535-2655)	30	60	525000	81@40	DFT_QAM256	22.63	23.53	33	PASS
n41(2535-2655)	30	60	525000	1@1	DFT_QAM256	22.82	23.72	33	PASS
n41(2535-2655)	30	60	525000	1@160	DFT_QAM256	22.29	23.19	33	PASS
n41(2535-2655)	30	60	525000	81@40	CP_QPSK	25.58	26.48	33	PASS
n41(2535-2655)	30	60	525000	1@1	CP_QPSK	25.57	26.47	33	PASS
n41(2535-2655)	30	60	525000	1@160	CP_QPSK	24.93	25.83	33	PASS
n41(2535-2655)	30	60	525000	81@40	CP_QAM16	25.07	25.97	33	PASS
n41(2535-2655)	30	60	525000	1@1	CP_QAM16	25.09	25.99	33	PASS
n41(2535-2655)	30	60	525000	1@160	CP_QAM16	24.65	25.55	33	PASS
n41(2535-2655)	30	60	525000	81@40	CP_QAM64	23.64	24.54	33	PASS
n41(2535-2655)	30	60	525000	1@1	CP_QAM64	23.53	24.43	33	PASS

n41(2535-2655)	30	60	525000	1@160	CP_QAM64	23.08	23.98	33	PASS
n41(2535-2655)	30	60	525000	81@40	CP_QAM256	20.87	21.77	33	PASS
n41(2535-2655)	30	60	525000	1@1	CP_QAM256	21.52	22.42	33	PASS
n41(2535-2655)	30	60	525000	1@160	CP_QAM256	20.94	21.84	33	PASS
n41(2535-2655)	30	80	515004	108@54	DFT_BPSK	27.26	28.16	33	PASS
n41(2535-2655)	30	80	515004	1@1	DFT_BPSK	26.97	27.87	33	PASS
n41(2535-2655)	30	80	515004	1@215	DFT_BPSK	27.14	28.04	33	PASS
n41(2535-2655)	30	80	515004	108@54	DFT_QPSK	27.29	28.19	33	PASS
n41(2535-2655)	30	80	515004	1@1	DFT_QPSK	26.95	27.85	33	PASS
n41(2535-2655)	30	80	515004	1@215	DFT_QPSK	26.95	27.85	33	PASS
n41(2535-2655)	30	80	515004	108@54	DFT_QAM16	26.30	27.2	33	PASS
n41(2535-2655)	30	80	515004	1@1	DFT_QAM16	25.95	26.85	33	PASS
n41(2535-2655)	30	80	515004	1@215	DFT_QAM16	26.22	27.12	33	PASS
n41(2535-2655)	30	80	515004	108@54	DFT_QAM64	24.80	25.7	33	PASS
n41(2535-2655)	30	80	515004	1@1	DFT_QAM64	24.62	25.52	33	PASS
n41(2535-2655)	30	80	515004	1@215	DFT_QAM64	24.60	25.5	33	PASS
n41(2535-2655)	30	80	515004	108@54	DFT_QAM256	22.80	23.7	33	PASS
n41(2535-2655)	30	80	515004	1@1	DFT_QAM256	23.03	23.93	33	PASS
n41(2535-2655)	30	80	515004	1@215	DFT_QAM256	22.48	23.38	33	PASS
n41(2535-2655)	30	80	515004	109@54	CP_QPSK	25.72	26.62	33	PASS
n41(2535-2655)	30	80	515004	1@1	CP_QPSK	25.55	26.45	33	PASS
n41(2535-2655)	30	80	515004	1@215	CP_QPSK	25.53	26.43	33	PASS
n41(2535-2655)	30	80	515004	109@54	CP_QAM16	25.25	26.15	33	PASS
n41(2535-2655)	30	80	515004	1@1	CP_QAM16	25.17	26.07	33	PASS
n41(2535-2655)	30	80	515004	1@215	CP_QAM16	25.14	26.04	33	PASS
n41(2535-2655)	30	80	515004	109@54	CP_QAM64	23.70	24.6	33	PASS
n41(2535-2655)	30	80	515004	1@1	CP_QAM64	23.92	24.82	33	PASS
n41(2535-2655)	30	80	515004	1@215	CP_QAM64	23.79	24.69	33	PASS
n41(2535-2655)	30	80	515004	109@54	CP_QAM256	21.19	22.09	33	PASS
n41(2535-2655)	30	80	515004	1@1	CP_QAM256	21.12	22.02	33	PASS
n41(2535-2655)	30	80	515004	1@215	CP_QAM256	21.61	22.51	33	PASS
n41(2535-2655)	30	80	519000	108@54	DFT_BPSK	27.19	28.09	33	PASS
n41(2535-2655)	30	80	519000	1@1	DFT_BPSK	26.96	27.86	33	PASS
n41(2535-2655)	30	80	519000	1@215	DFT_BPSK	26.64	27.54	33	PASS
n41(2535-2655)	30	80	519000	108@54	DFT_QPSK	27.21	28.11	33	PASS
n41(2535-2655)	30	80	519000	1@1	DFT_QPSK	26.83	27.73	33	PASS
n41(2535-2655)	30	80	519000	1@215	DFT_QPSK	26.57	27.47	33	PASS
n41(2535-2655)	30	80	519000	108@54	DFT_QAM16	26.18	27.08	33	PASS
n41(2535-2655)	30	80	519000	1@1	DFT_QAM16	26.13	27.03	33	PASS
n41(2535-2655)	30	80	519000	1@215	DFT_QAM16	25.82	26.72	33	PASS
n41(2535-2655)	30	80	519000	108@54	DFT_QAM64	24.65	25.55	33	PASS
n41(2535-2655)	30	80	519000	1@1	DFT_QAM64	24.41	25.31	33	PASS
n41(2535-2655)	30	80	519000	1@215	DFT_QAM64	24.44	25.34	33	PASS

n41(2535-2655)	30	80	519000	108@54	DFT_QAM256	22.72	23.62	33	PASS
n41(2535-2655)	30	80	519000	1@1	DFT_QAM256	22.46	23.36	33	PASS
n41(2535-2655)	30	80	519000	1@215	DFT_QAM256	22.69	23.59	33	PASS
n41(2535-2655)	30	80	519000	109@54	CP_QPSK	25.59	26.49	33	PASS
n41(2535-2655)	30	80	519000	1@1	CP_QPSK	25.38	26.28	33	PASS
n41(2535-2655)	30	80	519000	1@215	CP_QPSK	25.11	26.01	33	PASS
n41(2535-2655)	30	80	519000	109@54	CP_QAM16	25.12	26.02	33	PASS
n41(2535-2655)	30	80	519000	1@1	CP_QAM16	25.09	25.99	33	PASS
n41(2535-2655)	30	80	519000	1@215	CP_QAM16	24.77	25.67	33	PASS
n41(2535-2655)	30	80	519000	109@54	CP_QAM64	23.58	24.48	33	PASS
n41(2535-2655)	30	80	519000	1@1	CP_QAM64	23.45	24.35	33	PASS
n41(2535-2655)	30	80	519000	1@215	CP_QAM64	23.51	24.41	33	PASS
n41(2535-2655)	30	80	519000	109@54	CP_QAM256	21.00	21.9	33	PASS
n41(2535-2655)	30	80	519000	1@1	CP_QAM256	21.48	22.38	33	PASS
n41(2535-2655)	30	80	519000	1@215	CP_QAM256	21.14	22.04	33	PASS
n41(2535-2655)	30	80	522996	108@54	DFT_BPSK	27.01	27.91	33	PASS
n41(2535-2655)	30	80	522996	1@1	DFT_BPSK	26.99	27.89	33	PASS
n41(2535-2655)	30	80	522996	1@215	DFT_BPSK	26.47	27.37	33	PASS
n41(2535-2655)	30	80	522996	108@54	DFT_QPSK	26.99	27.89	33	PASS
n41(2535-2655)	30	80	522996	1@1	DFT_QPSK	26.91	27.81	33	PASS
n41(2535-2655)	30	80	522996	1@215	DFT_QPSK	26.43	27.33	33	PASS
n41(2535-2655)	30	80	522996	108@54	DFT_QAM16	26.08	26.98	33	PASS
n41(2535-2655)	30	80	522996	1@1	DFT_QAM16	26.22	27.12	33	PASS
n41(2535-2655)	30	80	522996	1@215	DFT_QAM16	25.69	26.59	33	PASS
n41(2535-2655)	30	80	522996	108@54	DFT_QAM64	24.44	25.34	33	PASS
n41(2535-2655)	30	80	522996	1@1	DFT_QAM64	24.50	25.4	33	PASS
n41(2535-2655)	30	80	522996	1@215	DFT_QAM64	23.95	24.85	33	PASS
n41(2535-2655)	30	80	522996	108@54	DFT_QAM256	22.62	23.52	33	PASS
n41(2535-2655)	30	80	522996	1@1	DFT_QAM256	22.48	23.38	33	PASS
n41(2535-2655)	30	80	522996	1@215	DFT_QAM256	21.89	22.79	33	PASS
n41(2535-2655)	30	80	522996	109@54	CP_QPSK	25.47	26.37	33	PASS
n41(2535-2655)	30	80	522996	1@1	CP_QPSK	25.35	26.25	33	PASS
n41(2535-2655)	30	80	522996	1@215	CP_QPSK	24.79	25.69	33	PASS
n41(2535-2655)	30	80	522996	109@54	CP_QAM16	25.02	25.92	33	PASS
n41(2535-2655)	30	80	522996	1@1	CP_QAM16	25.12	26.02	33	PASS
n41(2535-2655)	30	80	522996	1@215	CP_QAM16	24.53	25.43	33	PASS
n41(2535-2655)	30	80	522996	109@54	CP_QAM64	23.52	24.42	33	PASS
n41(2535-2655)	30	80	522996	1@1	CP_QAM64	23.73	24.63	33	PASS
n41(2535-2655)	30	80	522996	1@215	CP_QAM64	23.22	24.12	33	PASS
n41(2535-2655)	30	80	522996	109@54	CP_QAM256	20.89	21.79	33	PASS
n41(2535-2655)	30	80	522996	1@1	CP_QAM256	21.48	22.38	33	PASS
n41(2535-2655)	30	80	522996	1@215	CP_QAM256	20.33	21.23	33	PASS
n41(2535-2655)	30	90	516000	120@60	DFT_BPSK	27.15	28.05	33	PASS

n41(2535-2655)	30	90	516000	1@1	DFT_BPSK	26.96	27.86	33	PASS
n41(2535-2655)	30	90	516000	1@243	DFT_BPSK	26.83	27.73	33	PASS
n41(2535-2655)	30	90	516000	120@60	DFT_QPSK	27.11	28.01	33	PASS
n41(2535-2655)	30	90	516000	1@1	DFT_QPSK	27.00	27.9	33	PASS
n41(2535-2655)	30	90	516000	1@243	DFT_QPSK	26.93	27.83	33	PASS
n41(2535-2655)	30	90	516000	120@60	DFT_QAM16	26.16	27.06	33	PASS
n41(2535-2655)	30	90	516000	1@1	DFT_QAM16	26.29	27.19	33	PASS
n41(2535-2655)	30	90	516000	1@243	DFT_QAM16	25.92	26.82	33	PASS
n41(2535-2655)	30	90	516000	120@60	DFT_QAM64	24.62	25.52	33	PASS
n41(2535-2655)	30	90	516000	1@1	DFT_QAM64	24.69	25.59	33	PASS
n41(2535-2655)	30	90	516000	1@243	DFT_QAM64	24.57	25.47	33	PASS
n41(2535-2655)	30	90	516000	120@60	DFT_QAM256	22.61	23.51	33	PASS
n41(2535-2655)	30	90	516000	1@1	DFT_QAM256	22.48	23.38	33	PASS
n41(2535-2655)	30	90	516000	1@243	DFT_QAM256	22.84	23.74	33	PASS
n41(2535-2655)	30	90	516000	123@61	CP_QPSK	25.62	26.52	33	PASS
n41(2535-2655)	30	90	516000	1@1	CP_QPSK	25.39	26.29	33	PASS
n41(2535-2655)	30	90	516000	1@243	CP_QPSK	25.14	26.04	33	PASS
n41(2535-2655)	30	90	516000	123@61	CP_QAM16	25.17	26.07	33	PASS
n41(2535-2655)	30	90	516000	1@1	CP_QAM16	25.05	25.95	33	PASS
n41(2535-2655)	30	90	516000	1@243	CP_QAM16	24.92	25.82	33	PASS
n41(2535-2655)	30	90	516000	123@61	CP_QAM64	23.63	24.53	33	PASS
n41(2535-2655)	30	90	516000	1@1	CP_QAM64	23.77	24.67	33	PASS
n41(2535-2655)	30	90	516000	1@243	CP_QAM64	23.33	24.23	33	PASS
n41(2535-2655)	30	90	516000	123@61	CP_QAM256	21.04	21.94	33	PASS
n41(2535-2655)	30	90	516000	1@1	CP_QAM256	21.03	21.93	33	PASS
n41(2535-2655)	30	90	516000	1@243	CP_QAM256	21.36	22.26	33	PASS
n41(2535-2655)	30	90	519000	120@60	DFT_BPSK	27.12	28.02	33	PASS
n41(2535-2655)	30	90	519000	1@1	DFT_BPSK	26.85	27.75	33	PASS
n41(2535-2655)	30	90	519000	1@243	DFT_BPSK	26.58	27.48	33	PASS
n41(2535-2655)	30	90	519000	120@60	DFT_QPSK	27.16	28.06	33	PASS
n41(2535-2655)	30	90	519000	1@1	DFT_QPSK	26.78	27.68	33	PASS
n41(2535-2655)	30	90	519000	1@243	DFT_QPSK	26.47	27.37	33	PASS
n41(2535-2655)	30	90	519000	120@60	DFT_QAM16	26.17	27.07	33	PASS
n41(2535-2655)	30	90	519000	1@1	DFT_QAM16	26.02	26.92	33	PASS
n41(2535-2655)	30	90	519000	1@243	DFT_QAM16	25.69	26.59	33	PASS
n41(2535-2655)	30	90	519000	120@60	DFT_QAM64	24.61	25.51	33	PASS
n41(2535-2655)	30	90	519000	1@1	DFT_QAM64	24.71	25.61	33	PASS
n41(2535-2655)	30	90	519000	1@243	DFT_QAM64	23.85	24.75	33	PASS
n41(2535-2655)	30	90	519000	120@60	DFT_QAM256	22.56	23.46	33	PASS
n41(2535-2655)	30	90	519000	1@1	DFT_QAM256	22.53	23.43	33	PASS
n41(2535-2655)	30	90	519000	1@243	DFT_QAM256	22.09	22.99	33	PASS
n41(2535-2655)	30	90	519000	123@61	CP_QPSK	25.61	26.51	33	PASS
n41(2535-2655)	30	90	519000	1@1	CP_QPSK	25.37	26.27	33	PASS



n41(2535-2655)	30	90	519000	1@243	CP_QPSK	25.07	25.97	33	PASS
n41(2535-2655)	30	90	519000	123@61	CP_QAM16	25.08	25.98	33	PASS
n41(2535-2655)	30	90	519000	1@1	CP_QAM16	24.96	25.86	33	PASS
n41(2535-2655)	30	90	519000	1@243	CP_QAM16	24.69	25.59	33	PASS
n41(2535-2655)	30	90	519000	123@61	CP_QAM64	23.52	24.42	33	PASS
n41(2535-2655)	30	90	519000	1@1	CP_QAM64	23.78	24.68	33	PASS
n41(2535-2655)	30	90	519000	1@243	CP_QAM64	23.30	24.2	33	PASS
n41(2535-2655)	30	90	519000	123@61	CP_QAM256	20.93	21.83	33	PASS
n41(2535-2655)	30	90	519000	1@1	CP_QAM256	21.49	22.39	33	PASS
n41(2535-2655)	30	90	519000	1@243	CP_QAM256	21.04	21.94	33	PASS
n41(2535-2655)	30	90	522000	120@60	DFT_BPSK	27.02	27.92	33	PASS
n41(2535-2655)	30	90	522000	1@1	DFT_BPSK	26.91	27.81	33	PASS
n41(2535-2655)	30	90	522000	1@243	DFT_BPSK	26.51	27.41	33	PASS
n41(2535-2655)	30	90	522000	120@60	DFT_QPSK	27.05	27.95	33	PASS
n41(2535-2655)	30	90	522000	1@1	DFT_QPSK	26.85	27.75	33	PASS
n41(2535-2655)	30	90	522000	1@243	DFT_QPSK	26.34	27.24	33	PASS
n41(2535-2655)	30	90	522000	120@60	DFT_QAM16	26.06	26.96	33	PASS
n41(2535-2655)	30	90	522000	1@1	DFT_QAM16	26.20	27.1	33	PASS
n41(2535-2655)	30	90	522000	1@243	DFT_QAM16	25.68	26.58	33	PASS
n41(2535-2655)	30	90	522000	120@60	DFT_QAM64	24.43	25.33	33	PASS
n41(2535-2655)	30	90	522000	1@1	DFT_QAM64	24.80	25.7	33	PASS
n41(2535-2655)	30	90	522000	1@243	DFT_QAM64	24.25	25.15	33	PASS
n41(2535-2655)	30	90	522000	120@60	DFT_QAM256	22.46	23.36	33	PASS
n41(2535-2655)	30	90	522000	1@1	DFT_QAM256	22.48	23.38	33	PASS
n41(2535-2655)	30	90	522000	1@243	DFT_QAM256	22.26	23.16	33	PASS
n41(2535-2655)	30	90	522000	123@61	CP_QPSK	25.51	26.41	33	PASS
n41(2535-2655)	30	90	522000	1@1	CP_QPSK	25.36	26.26	33	PASS
n41(2535-2655)	30	90	522000	1@243	CP_QPSK	24.90	25.8	33	PASS
n41(2535-2655)	30	90	522000	123@61	CP_QAM16	25.02	25.92	33	PASS
n41(2535-2655)	30	90	522000	1@1	CP_QAM16	25.11	26.01	33	PASS
n41(2535-2655)	30	90	522000	1@243	CP_QAM16	24.61	25.51	33	PASS
n41(2535-2655)	30	90	522000	123@61	CP_QAM64	23.47	24.37	33	PASS
n41(2535-2655)	30	90	522000	1@1	CP_QAM64	23.75	24.65	33	PASS
n41(2535-2655)	30	90	522000	1@243	CP_QAM64	22.89	23.79	33	PASS
n41(2535-2655)	30	90	522000	123@61	CP_QAM256	20.87	21.77	33	PASS
n41(2535-2655)	30	90	522000	1@1	CP_QAM256	21.43	22.33	33	PASS
n41(2535-2655)	30	90	522000	1@243	CP_QAM256	20.90	21.8	33	PASS
n41(2535-2655)	30	100	517002	135@67	DFT_BPSK	27.05	27.95	33	PASS
n41(2535-2655)	30	100	517002	1@1	DFT_BPSK	26.87	27.77	33	PASS
n41(2535-2655)	30	100	517002	1@271	DFT_BPSK	26.63	27.53	33	PASS
n41(2535-2655)	30	100	517002	135@67	DFT_QPSK	27.15	28.05	33	PASS
n41(2535-2655)	30	100	517002	1@1	DFT_QPSK	26.75	27.65	33	PASS
n41(2535-2655)	30	100	517002	1@271	DFT_QPSK	26.48	27.38	33	PASS

n41(2535-2655)	30	100	517002	135@67	DFT_QAM16	26.12	27.02	33	PASS
n41(2535-2655)	30	100	517002	1@1	DFT_QAM16	26.01	26.91	33	PASS
n41(2535-2655)	30	100	517002	1@271	DFT_QAM16	25.76	26.66	33	PASS
n41(2535-2655)	30	100	517002	135@67	DFT_QAM64	24.64	25.54	33	PASS
n41(2535-2655)	30	100	517002	1@1	DFT_QAM64	24.28	25.18	33	PASS
n41(2535-2655)	30	100	517002	1@271	DFT_QAM64	24.02	24.92	33	PASS
n41(2535-2655)	30	100	517002	135@67	DFT_QAM256	22.61	23.51	33	PASS
n41(2535-2655)	30	100	517002	1@1	DFT_QAM256	22.41	23.31	33	PASS
n41(2535-2655)	30	100	517002	1@271	DFT_QAM256	22.12	23.02	33	PASS
n41(2535-2655)	30	100	517002	137@68	CP_QPSK	25.56	26.46	33	PASS
n41(2535-2655)	30	100	517002	1@1	CP_QPSK	25.27	26.17	33	PASS
n41(2535-2655)	30	100	517002	1@271	CP_QPSK	24.96	25.86	33	PASS
n41(2535-2655)	30	100	517002	137@68	CP_QAM16	25.15	26.05	33	PASS
n41(2535-2655)	30	100	517002	1@1	CP_QAM16	25.01	25.91	33	PASS
n41(2535-2655)	30	100	517002	1@271	CP_QAM16	24.71	25.61	33	PASS
n41(2535-2655)	30	100	517002	137@68	CP_QAM64	23.64	24.54	33	PASS
n41(2535-2655)	30	100	517002	1@1	CP_QAM64	23.62	24.52	33	PASS
n41(2535-2655)	30	100	517002	1@271	CP_QAM64	23.37	24.27	33	PASS
n41(2535-2655)	30	100	517002	137@68	CP_QAM256	20.94	21.84	33	PASS
n41(2535-2655)	30	100	517002	1@1	CP_QAM256	20.95	21.85	33	PASS
n41(2535-2655)	30	100	517002	1@271	CP_QAM256	20.66	21.56	33	PASS
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	27.08	27.98	33	PASS
n41(2535-2655)	30	100	519000	1@1	DFT_BPSK	26.82	27.72	33	PASS
n41(2535-2655)	30	100	519000	1@271	DFT_BPSK	26.55	27.45	33	PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	27.08	27.98	33	PASS
n41(2535-2655)	30	100	519000	1@1	DFT_QPSK	26.69	27.59	33	PASS
n41(2535-2655)	30	100	519000	1@271	DFT_QPSK	26.38	27.28	33	PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QAM16	26.17	27.07	33	PASS
n41(2535-2655)	30	100	519000	1@1	DFT_QAM16	25.98	26.88	33	PASS
n41(2535-2655)	30	100	519000	1@271	DFT_QAM16	25.68	26.58	33	PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QAM64	24.64	25.54	33	PASS
n41(2535-2655)	30	100	519000	1@1	DFT_QAM64	24.17	25.07	33	PASS
n41(2535-2655)	30	100	519000	1@271	DFT_QAM64	23.79	24.69	33	PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QAM256	22.55	23.45	33	PASS
n41(2535-2655)	30	100	519000	1@1	DFT_QAM256	22.41	23.31	33	PASS
n41(2535-2655)	30	100	519000	1@271	DFT_QAM256	22.02	22.92	33	PASS
n41(2535-2655)	30	100	519000	137@68	CP_QPSK	25.55	26.45	33	PASS
n41(2535-2655)	30	100	519000	1@1	CP_QPSK	25.42	26.32	33	PASS
n41(2535-2655)	30	100	519000	1@271	CP_QPSK	24.93	25.83	33	PASS
n41(2535-2655)	30	100	519000	137@68	CP_QAM16	25.07	25.97	33	PASS
n41(2535-2655)	30	100	519000	1@1	CP_QAM16	24.96	25.86	33	PASS
n41(2535-2655)	30	100	519000	1@271	CP_QAM16	24.67	25.57	33	PASS
n41(2535-2655)	30	100	519000	137@68	CP_QAM64	23.56	24.46	33	PASS

n41(2535-2655)	30	100	519000	1@1	CP_QAM64	23.37	24.27	33	PASS
n41(2535-2655)	30	100	519000	1@271	CP_QAM64	22.98	23.88	33	PASS
n41(2535-2655)	30	100	519000	137@68	CP_QAM256	20.90	21.8	33	PASS
n41(2535-2655)	30	100	519000	1@1	CP_QAM256	21.44	22.34	33	PASS
n41(2535-2655)	30	100	519000	1@271	CP_QAM256	20.94	21.84	33	PASS
n41(2535-2655)	30	100	520998	135@67	DFT_BPSK	26.99	27.89	33	PASS
n41(2535-2655)	30	100	520998	1@1	DFT_BPSK	26.82	27.72	33	PASS
n41(2535-2655)	30	100	520998	1@271	DFT_BPSK	26.42	27.32	33	PASS
n41(2535-2655)	30	100	520998	135@67	DFT_QPSK	27.03	27.93	33	PASS
n41(2535-2655)	30	100	520998	1@1	DFT_QPSK	26.78	27.68	33	PASS
n41(2535-2655)	30	100	520998	1@271	DFT_QPSK	26.34	27.24	33	PASS
n41(2535-2655)	30	100	520998	135@67	DFT_QAM16	26.10	27	33	PASS
n41(2535-2655)	30	100	520998	1@1	DFT_QAM16	26.09	26.99	33	PASS
n41(2535-2655)	30	100	520998	1@271	DFT_QAM16	25.64	26.54	33	PASS
n41(2535-2655)	30	100	520998	135@67	DFT_QAM64	24.55	25.45	33	PASS
n41(2535-2655)	30	100	520998	1@1	DFT_QAM64	24.20	25.1	33	PASS
n41(2535-2655)	30	100	520998	1@271	DFT_QAM64	24.39	25.29	33	PASS
n41(2535-2655)	30	100	520998	135@67	DFT_QAM256	22.53	23.43	33	PASS
n41(2535-2655)	30	100	520998	1@1	DFT_QAM256	22.84	23.74	33	PASS
n41(2535-2655)	30	100	520998	1@271	DFT_QAM256	22.31	23.21	33	PASS
n41(2535-2655)	30	100	520998	137@68	CP_QPSK	25.47	26.37	33	PASS
n41(2535-2655)	30	100	520998	1@1	CP_QPSK	25.41	26.31	33	PASS
n41(2535-2655)	30	100	520998	1@271	CP_QPSK	24.92	25.82	33	PASS
n41(2535-2655)	30	100	520998	137@68	CP_QAM16	25.03	25.93	33	PASS
n41(2535-2655)	30	100	520998	1@1	CP_QAM16	24.95	25.85	33	PASS
n41(2535-2655)	30	100	520998	1@271	CP_QAM16	24.57	25.47	33	PASS
n41(2535-2655)	30	100	520998	137@68	CP_QAM64	23.50	24.4	33	PASS
n41(2535-2655)	30	100	520998	1@1	CP_QAM64	23.68	24.58	33	PASS
n41(2535-2655)	30	100	520998	1@271	CP_QAM64	22.96	23.86	33	PASS
n41(2535-2655)	30	100	520998	137@68	CP_QAM256	20.98	21.88	33	PASS
n41(2535-2655)	30	100	520998	1@1	CP_QAM256	20.86	21.76	33	PASS
n41(2535-2655)	30	100	520998	1@271	CP_QAM256	20.90	21.8	33	PASS

## 2 Frequency stability for NR FR1

**NT:**

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	3.87	-0.83	0.00	Within authorized band for 5G NR n41	PASS
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	3.50	-5.10	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	4.45	-3.29	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	3.87	-8.64	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	3.50	-12.23	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	4.45	-9.30	0.00		PASS

Note: Only the worst case shown in the report.

**NV:**

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	-30	-3.33	0.00	Within authorized band for 5G NR n41	PASS
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	-20	-5.39	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	-10	2.25	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	0	-7.38	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	10	-5.97	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	20	-6.13	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	30	-4.11	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	40	-0.97	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	50	-4.17	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	-30	-5.77	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	-20	-7.05	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	-10	-8.08	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	0	-6.47	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	10	-5.91	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	20	-3.67	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	30	-5.46	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	40	-8.93	0.00	PASS	
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	50	-5.62	0.00	PASS	


Note: Only the worst case shown in the report.

### 3 Peak-to-Average Ratio for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n41(2535-2655)	30	10	519000	24@0	DFT_BPSK	3.88	13	PASS
n41(2535-2655)	30	10	519000	24@0	DFT_QPSK	4.66	13	PASS
n41(2535-2655)	30	10	519000	24@0	DFT_QAM16	5.51	13	PASS
n41(2535-2655)	30	10	519000	24@0	DFT_QAM64	5.91	13	PASS
n41(2535-2655)	30	10	519000	24@0	DFT_QAM256	6.68	13	PASS
n41(2535-2655)	30	15	519000	36@0	DFT_BPSK	4.01	13	PASS
n41(2535-2655)	30	15	519000	36@0	DFT_QPSK	4.80	13	PASS
n41(2535-2655)	30	15	519000	36@0	DFT_QAM16	5.65	13	PASS
n41(2535-2655)	30	15	519000	36@0	DFT_QAM64	5.95	13	PASS
n41(2535-2655)	30	15	519000	36@0	DFT_QAM256	6.85	13	PASS
n41(2535-2655)	30	20	519000	50@0	DFT_BPSK	4.28	13	PASS
n41(2535-2655)	30	20	519000	50@0	DFT_QPSK	5.03	13	PASS
n41(2535-2655)	30	20	519000	50@0	DFT_QAM16	5.82	13	PASS
n41(2535-2655)	30	20	519000	50@0	DFT_QAM64	6.15	13	PASS
n41(2535-2655)	30	20	519000	50@0	DFT_QAM256	6.84	13	PASS
n41(2535-2655)	30	30	519000	75@0	DFT_BPSK	4.01	13	PASS
n41(2535-2655)	30	30	519000	75@0	DFT_QPSK	4.84	13	PASS
n41(2535-2655)	30	30	519000	75@0	DFT_QAM16	5.72	13	PASS
n41(2535-2655)	30	30	519000	75@0	DFT_QAM64	6.01	13	PASS
n41(2535-2655)	30	30	519000	75@0	DFT_QAM256	6.67	13	PASS
n41(2535-2655)	30	40	519000	100@0	DFT_BPSK	4.20	13	PASS
n41(2535-2655)	30	40	519000	100@0	DFT_QPSK	5.14	13	PASS
n41(2535-2655)	30	40	519000	100@0	DFT_QAM16	5.85	13	PASS
n41(2535-2655)	30	40	519000	100@0	DFT_QAM64	6.20	13	PASS
n41(2535-2655)	30	40	519000	100@0	DFT_QAM256	6.70	13	PASS
n41(2535-2655)	30	50	519000	128@0	DFT_BPSK	4.54	13	PASS
n41(2535-2655)	30	50	519000	128@0	DFT_QPSK	5.35	13	PASS
n41(2535-2655)	30	50	519000	128@0	DFT_QAM16	6.08	13	PASS
n41(2535-2655)	30	50	519000	128@0	DFT_QAM64	6.34	13	PASS
n41(2535-2655)	30	50	519000	128@0	DFT_QAM256	6.76	13	PASS
n41(2535-2655)	30	60	519000	162@0	DFT_BPSK	4.16	13	PASS
n41(2535-2655)	30	60	519000	162@0	DFT_QPSK	5.13	13	PASS
n41(2535-2655)	30	60	519000	162@0	DFT_QAM16	5.96	13	PASS
n41(2535-2655)	30	60	519000	162@0	DFT_QAM64	6.19	13	PASS
n41(2535-2655)	30	60	519000	162@0	DFT_QAM256	6.77	13	PASS
n41(2535-2655)	30	80	519000	216@0	DFT_BPSK	4.71	13	PASS
n41(2535-2655)	30	80	519000	216@0	DFT_QPSK	5.25	13	PASS
n41(2535-2655)	30	80	519000	216@0	DFT_QAM16	6.05	13	PASS
n41(2535-2655)	30	80	519000	216@0	DFT_QAM64	6.32	13	PASS

n41(2535-2655)	30	80	519000	216@0	DFT_QAM256	6.73	13	PASS
n41(2535-2655)	30	90	519000	240@0	DFT_BPSK	4.44	13	PASS
n41(2535-2655)	30	90	519000	240@0	DFT_QPSK	5.28	13	PASS
n41(2535-2655)	30	90	519000	240@0	DFT_QAM16	6.10	13	PASS
n41(2535-2655)	30	90	519000	240@0	DFT_QAM64	6.37	13	PASS
n41(2535-2655)	30	90	519000	240@0	DFT_QAM256	6.72	13	PASS
n41(2535-2655)	30	100	519000	270@0	DFT_BPSK	4.86	13	PASS
n41(2535-2655)	30	100	519000	270@0	DFT_QPSK	5.35	13	PASS
n41(2535-2655)	30	100	519000	270@0	DFT_QAM16	6.15	13	PASS
n41(2535-2655)	30	100	519000	270@0	DFT_QAM64	6.36	13	PASS
n41(2535-2655)	30	100	519000	270@0	DFT_QAM256	6.73	13	PASS


n41(2535-2655) SCS=30kHz DFT\_BPSK BW=10MHz Channel=519000 RB=24@0




n41(2535-2655) SCS=30kHz DFT\_QPSK BW=10MHz Channel=519000 RB=24@0



n41(2535-2655) SCS=30kHz DFT\_QAM16 BW=10MHz Channel=519000 RB=24@0




n41(2535-2655) SCS=30kHz DFT\_QAM64 BW=10MHz Channel=519000 RB=24@0







n41(2535-2655) SCS=30kHz DFT\_QAM256 BW=10MHz Channel=519000 RB=24@0




n41(2535-2655) SCS=30kHz DFT\_BPSK BW=15MHz Channel=519000 RB=36@0




n41(2535-2655) SCS=30kHz DFT\_QPSK BW=15MHz Channel=519000 RB=36@0




n41(2535-2655) SCS=30kHz DFT\_QAM16 BW=15MHz Channel=519000 RB=36@0




n41(2535-2655) SCS=30kHz DFT\_QAM64 BW=15MHz Channel=519000 RB=36@0




n41(2535-2655) SCS=30kHz DFT\_QAM256 BW=15MHz Channel=519000 RB=36@0




n41(2535-2655) SCS=30kHz DFT\_BPSK BW=20MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=30kHz DFT\_QPSK BW=20MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=30kHz DFT\_QAM16 BW=20MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=30kHz DFT\_QAM64 BW=20MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=30kHz DFT\_QAM256 BW=20MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=30kHz DFT\_BPSK BW=30MHz Channel=519000 RB=75@0




n41(2535-2655) SCS=30kHz DFT\_QPSK BW=30MHz Channel=519000 RB=75@0




n41(2535-2655) SCS=30kHz DFT\_QAM16 BW=30MHz Channel=519000 RB=75@0



n41(2535-2655) SCS=30kHz DFT\_QAM64 BW=30MHz Channel=519000 RB=75@0




n41(2535-2655) SCS=30kHz DFT\_QAM256 BW=30MHz Channel=519000 RB=75@0







n41(2535-2655) SCS=30kHz DFT\_BPSK BW=40MHz Channel=519000 RB=100@0




n41(2535-2655) SCS=30kHz DFT\_QPSK BW=40MHz Channel=519000 RB=100@0




n41(2535-2655) SCS=30kHz DFT\_QAM16 BW=40MHz Channel=519000 RB=100@0




n41(2535-2655) SCS=30kHz DFT\_QAM64 BW=40MHz Channel=519000 RB=100@0




n41(2535-2655) SCS=30kHz DFT\_QAM256 BW=40MHz Channel=519000 RB=100@0




n41(2535-2655) SCS=30kHz DFT\_BPSK BW=50MHz Channel=519000 RB=128@0




n41(2535-2655) SCS=30kHz DFT\_QPSK BW=50MHz Channel=519000 RB=128@0




n41(2535-2655) SCS=30kHz DFT\_QAM16 BW=50MHz Channel=519000 RB=128@0




n41(2535-2655) SCS=30kHz DFT\_QAM64 BW=50MHz Channel=519000 RB=128@0




n41(2535-2655) SCS=30kHz DFT\_QAM256 BW=50MHz Channel=519000 RB=128@0




n41(2535-2655) SCS=30kHz DFT\_BPSK BW=60MHz Channel=519000 RB=162@0




n41(2535-2655) SCS=30kHz DFT\_QPSK BW=60MHz Channel=519000 RB=162@0




n41(2535-2655) SCS=30kHz DFT\_QAM16 BW=60MHz Channel=519000 RB=162@0




n41(2535-2655) SCS=30kHz DFT\_QAM64 BW=60MHz Channel=519000 RB=162@0



n41(2535-2655) SCS=30kHz DFT\_QAM256 BW=60MHz Channel=519000 RB=162@0




n41(2535-2655) SCS=30kHz DFT\_BPSK BW=80MHz Channel=519000 RB=216@0







n41(2535-2655) SCS=30kHz DFT\_QPSK BW=80MHz Channel=519000 RB=216@0




n41(2535-2655) SCS=30kHz DFT\_QAM16 BW=80MHz Channel=519000 RB=216@0




n41(2535-2655) SCS=30kHz DFT\_QAM64 BW=80MHz Channel=519000 RB=216@0




n41(2535-2655) SCS=30kHz DFT\_QAM256 BW=80MHz Channel=519000 RB=216@0




n41(2535-2655) SCS=30kHz DFT\_BPSK BW=90MHz Channel=519000 RB=240@0




n41(2535-2655) SCS=30kHz DFT\_QPSK BW=90MHz Channel=519000 RB=240@0




n41(2535-2655) SCS=30kHz DFT\_QAM16 BW=90MHz Channel=519000 RB=240@0




n41(2535-2655) SCS=30kHz DFT\_QAM64 BW=90MHz Channel=519000 RB=240@0




n41 (2535-2655) SCS=30kHz DFT\_QAM256 BW=90MHz Channel=519000 RB=240@0




n41 (2535-2655) SCS=30kHz DFT\_BPSK BW=100MHz Channel=519000 RB=270@0




n41(2535-2655) SCS=30kHz DFT\_QPSK BW=100MHz Channel=519000 RB=270@0




n41(2535-2655) SCS=30kHz DFT\_QAM16 BW=100MHz Channel=519000 RB=270@0



n41(2535-2655) SCS=30kHz DFT\_QAM64 BW=100MHz Channel=519000 RB=270@0



n41(2535-2655) SCS=30kHz DFT\_QAM256 BW=100MHz Channel=519000 RB=270@0



#### 4 Occupied bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n41(2535-2655)	30	10	508002	24@0	DFT_BPSK	8.620	9.170	PASS
n41(2535-2655)	30	10	508002	24@0	DFT_QPSK	8.610	9.150	PASS
n41(2535-2655)	30	10	508002	24@0	DFT_QAM16	8.610	9.130	PASS
n41(2535-2655)	30	10	508002	24@0	DFT_QAM64	8.620	9.150	PASS
n41(2535-2655)	30	10	508002	24@0	DFT_QAM256	8.610	9.140	PASS
n41(2535-2655)	30	10	508002	24@0	CP_QPSK	8.610	9.140	PASS
n41(2535-2655)	30	10	519000	24@0	DFT_BPSK	8.610	9.170	PASS
n41(2535-2655)	30	10	519000	24@0	DFT_QPSK	8.610	9.190	PASS
n41(2535-2655)	30	10	519000	24@0	DFT_QAM16	8.610	9.160	PASS
n41(2535-2655)	30	10	519000	24@0	DFT_QAM64	8.620	9.180	PASS
n41(2535-2655)	30	10	519000	24@0	DFT_QAM256	8.640	9.180	PASS
n41(2535-2655)	30	10	519000	24@0	CP_QPSK	8.640	9.210	PASS
n41(2535-2655)	30	10	529998	24@0	DFT_BPSK	8.640	9.160	PASS
n41(2535-2655)	30	10	529998	24@0	DFT_QPSK	8.620	9.190	PASS
n41(2535-2655)	30	10	529998	24@0	DFT_QAM16	8.610	9.150	PASS
n41(2535-2655)	30	10	529998	24@0	DFT_QAM64	8.620	9.200	PASS
n41(2535-2655)	30	10	529998	24@0	DFT_QAM256	8.610	9.160	PASS
n41(2535-2655)	30	10	529998	24@0	CP_QPSK	8.620	9.180	PASS
n41(2535-2655)	30	15	508500	36@0	DFT_BPSK	13.500	13.690	PASS
n41(2535-2655)	30	15	508500	36@0	DFT_QPSK	13.460	13.690	PASS
n41(2535-2655)	30	15	508500	36@0	DFT_QAM16	13.500	13.690	PASS
n41(2535-2655)	30	15	508500	36@0	DFT_QAM64	13.510	13.680	PASS
n41(2535-2655)	30	15	508500	36@0	DFT_QAM256	13.450	13.690	PASS
n41(2535-2655)	30	15	508500	38@0	CP_QPSK	13.640	14.460	PASS
n41(2535-2655)	30	15	519000	36@0	DFT_BPSK	13.470	13.710	PASS
n41(2535-2655)	30	15	519000	36@0	DFT_QPSK	13.500	13.720	PASS
n41(2535-2655)	30	15	519000	36@0	DFT_QAM16	13.510	13.700	PASS
n41(2535-2655)	30	15	519000	36@0	DFT_QAM64	13.460	13.680	PASS
n41(2535-2655)	30	15	519000	36@0	DFT_QAM256	13.450	13.690	PASS
n41(2535-2655)	30	15	519000	38@0	CP_QPSK	13.640	14.480	PASS
n41(2535-2655)	30	15	529500	36@0	DFT_BPSK	13.460	13.680	PASS
n41(2535-2655)	30	15	529500	36@0	DFT_QPSK	13.500	13.730	PASS
n41(2535-2655)	30	15	529500	36@0	DFT_QAM16	13.460	13.690	PASS
n41(2535-2655)	30	15	529500	36@0	DFT_QAM64	13.470	13.690	PASS
n41(2535-2655)	30	15	529500	36@0	DFT_QAM256	13.460	13.690	PASS
n41(2535-2655)	30	15	529500	38@0	CP_QPSK	13.640	14.440	PASS
n41(2535-2655)	30	20	509004	50@0	DFT_BPSK	18.090	18.940	PASS
n41(2535-2655)	30	20	509004	50@0	DFT_QPSK	18.080	18.910	PASS
n41(2535-2655)	30	20	509004	50@0	DFT_QAM16	18.090	18.910	PASS




n41(2535-2655)	30	20	509004	50@0	DFT_QAM64	18.090	18.900	PASS
n41(2535-2655)	30	20	509004	50@0	DFT_QAM256	18.020	18.880	PASS
n41(2535-2655)	30	20	509004	51@0	CP_QPSK	18.280	19.300	PASS
n41(2535-2655)	30	20	519000	50@0	DFT_BPSK	18.080	18.950	PASS
n41(2535-2655)	30	20	519000	50@0	DFT_QPSK	18.090	18.940	PASS
n41(2535-2655)	30	20	519000	50@0	DFT_QAM16	18.090	18.930	PASS
n41(2535-2655)	30	20	519000	50@0	DFT_QAM64	18.090	18.900	PASS
n41(2535-2655)	30	20	519000	50@0	DFT_QAM256	18.100	18.920	PASS
n41(2535-2655)	30	20	519000	51@0	CP_QPSK	18.320	19.350	PASS
n41(2535-2655)	30	20	528996	50@0	DFT_BPSK	18.020	18.930	PASS
n41(2535-2655)	30	20	528996	50@0	DFT_QPSK	18.020	18.910	PASS
n41(2535-2655)	30	20	528996	50@0	DFT_QAM16	18.010	18.890	PASS
n41(2535-2655)	30	20	528996	50@0	DFT_QAM64	18.030	18.890	PASS
n41(2535-2655)	30	20	528996	50@0	DFT_QAM256	18.000	18.890	PASS
n41(2535-2655)	30	20	528996	51@0	CP_QPSK	18.330	19.330	PASS
n41(2535-2655)	30	30	509004	75@0	DFT_BPSK	27.520	28.430	PASS
n41(2535-2655)	30	30	509004	75@0	DFT_QPSK	27.600	28.440	PASS
n41(2535-2655)	30	30	509004	75@0	DFT_QAM16	27.640	28.440	PASS
n41(2535-2655)	30	30	509004	75@0	DFT_QAM64	27.610	28.420	PASS
n41(2535-2655)	30	30	509004	75@0	DFT_QAM256	27.610	28.450	PASS
n41(2535-2655)	30	30	509004	78@0	CP_QPSK	27.990	29.520	PASS
n41(2535-2655)	30	30	519000	75@0	DFT_BPSK	27.540	28.430	PASS
n41(2535-2655)	30	30	519000	75@0	DFT_QPSK	27.520	28.430	PASS
n41(2535-2655)	30	30	519000	75@0	DFT_QAM16	27.650	28.440	PASS
n41(2535-2655)	30	30	519000	75@0	DFT_QAM64	27.620	28.410	PASS
n41(2535-2655)	30	30	519000	75@0	DFT_QAM256	27.610	28.410	PASS
n41(2535-2655)	30	30	519000	78@0	CP_QPSK	27.980	29.600	PASS
n41(2535-2655)	30	30	528000	75@0	DFT_BPSK	27.600	28.450	PASS
n41(2535-2655)	30	30	528000	75@0	DFT_QPSK	27.510	28.430	PASS
n41(2535-2655)	30	30	528000	75@0	DFT_QAM16	27.640	28.430	PASS
n41(2535-2655)	30	30	528000	75@0	DFT_QAM64	27.520	28.420	PASS
n41(2535-2655)	30	30	528000	75@0	DFT_QAM256	27.630	28.430	PASS
n41(2535-2655)	30	30	528000	78@0	CP_QPSK	28.000	29.560	PASS
n41(2535-2655)	30	40	511002	100@0	DFT_BPSK	37.480	37.900	PASS
n41(2535-2655)	30	40	511002	100@0	DFT_QPSK	37.350	37.880	PASS
n41(2535-2655)	30	40	511002	100@0	DFT_QAM16	37.490	37.880	PASS
n41(2535-2655)	30	40	511002	100@0	DFT_QAM64	37.510	37.860	PASS
n41(2535-2655)	30	40	511002	100@0	DFT_QAM256	37.350	37.830	PASS
n41(2535-2655)	30	40	511002	106@0	CP_QPSK	38.090	40.040	PASS
n41(2535-2655)	30	40	519000	100@0	DFT_BPSK	37.350	37.870	PASS
n41(2535-2655)	30	40	519000	100@0	DFT_QPSK	37.450	37.890	PASS
n41(2535-2655)	30	40	519000	100@0	DFT_QAM16	37.480	37.890	PASS
n41(2535-2655)	30	40	519000	100@0	DFT_QAM64	37.510	37.860	PASS

n41(2535-2655)	30	40	519000	100@0	DFT_QAM256	37.340	37.810	PASS
n41(2535-2655)	30	40	519000	106@0	CP_QPSK	37.960	40.090	PASS
n41(2535-2655)	30	40	526998	100@0	DFT_BPSK	37.610	37.930	PASS
n41(2535-2655)	30	40	526998	100@0	DFT_QPSK	37.480	37.920	PASS
n41(2535-2655)	30	40	526998	100@0	DFT_QAM16	37.620	37.910	PASS
n41(2535-2655)	30	40	526998	100@0	DFT_QAM64	37.650	37.880	PASS
n41(2535-2655)	30	40	526998	100@0	DFT_QAM256	37.490	37.850	PASS
n41(2535-2655)	30	40	526998	106@0	CP_QPSK	38.100	40.110	PASS
n41(2535-2655)	30	50	512004	128@0	DFT_BPSK	47.040	48.410	PASS
n41(2535-2655)	30	50	512004	128@0	DFT_QPSK	47.030	48.390	PASS
n41(2535-2655)	30	50	512004	128@0	DFT_QAM16	46.890	48.350	PASS
n41(2535-2655)	30	50	512004	128@0	DFT_QAM64	46.820	48.310	PASS
n41(2535-2655)	30	50	512004	128@0	DFT_QAM256	46.830	48.270	PASS
n41(2535-2655)	30	50	512004	133@0	CP_QPSK	47.820	50.260	PASS
n41(2535-2655)	30	50	519000	128@0	DFT_BPSK	47.000	48.390	PASS
n41(2535-2655)	30	50	519000	128@0	DFT_QPSK	46.860	48.410	PASS
n41(2535-2655)	30	50	519000	128@0	DFT_QAM16	46.890	48.360	PASS
n41(2535-2655)	30	50	519000	128@0	DFT_QAM64	46.820	48.320	PASS
n41(2535-2655)	30	50	519000	128@0	DFT_QAM256	46.840	48.290	PASS
n41(2535-2655)	30	50	519000	133@0	CP_QPSK	47.640	50.290	PASS
n41(2535-2655)	30	50	525996	128@0	DFT_BPSK	47.240	48.450	PASS
n41(2535-2655)	30	50	525996	128@0	DFT_QPSK	47.250	48.420	PASS
n41(2535-2655)	30	50	525996	128@0	DFT_QAM16	47.210	48.400	PASS
n41(2535-2655)	30	50	525996	128@0	DFT_QAM64	47.100	48.390	PASS
n41(2535-2655)	30	50	525996	128@0	DFT_QAM256	47.080	48.340	PASS
n41(2535-2655)	30	50	525996	133@0	CP_QPSK	47.820	50.340	PASS
n41(2535-2655)	30	60	513000	162@0	DFT_BPSK	58.090	61.040	PASS
n41(2535-2655)	30	60	513000	162@0	DFT_QPSK	58.120	61.030	PASS
n41(2535-2655)	30	60	513000	162@0	DFT_QAM16	58.130	61.010	PASS
n41(2535-2655)	30	60	513000	162@0	DFT_QAM64	58.120	60.970	PASS
n41(2535-2655)	30	60	513000	162@0	DFT_QAM256	58.110	60.940	PASS
n41(2535-2655)	30	60	513000	162@0	CP_QPSK	58.130	61.060	PASS
n41(2535-2655)	30	60	519000	162@0	DFT_BPSK	57.880	60.950	PASS
n41(2535-2655)	30	60	519000	162@0	DFT_QPSK	57.890	60.980	PASS
n41(2535-2655)	30	60	519000	162@0	DFT_QAM16	57.920	60.970	PASS
n41(2535-2655)	30	60	519000	162@0	DFT_QAM64	57.910	60.960	PASS
n41(2535-2655)	30	60	519000	162@0	DFT_QAM256	57.900	60.950	PASS
n41(2535-2655)	30	60	519000	162@0	CP_QPSK	57.920	61.080	PASS
n41(2535-2655)	30	60	525000	162@0	DFT_BPSK	58.120	61.090	PASS
n41(2535-2655)	30	60	525000	162@0	DFT_QPSK	58.150	61.120	PASS
n41(2535-2655)	30	60	525000	162@0	DFT_QAM16	58.160	61.090	PASS
n41(2535-2655)	30	60	525000	162@0	DFT_QAM64	58.140	61.050	PASS
n41(2535-2655)	30	60	525000	162@0	DFT_QAM256	58.150	61.040	PASS


n41(2535-2655)	30	60	525000	162@0	CP_QPSK	58.170	61.180	PASS
n41(2535-2655)	30	80	515004	216@0	DFT_BPSK	77.200	81.260	PASS
n41(2535-2655)	30	80	515004	216@0	DFT_QPSK	77.210	81.250	PASS
n41(2535-2655)	30	80	515004	216@0	DFT_QAM16	77.220	81.270	PASS
n41(2535-2655)	30	80	515004	216@0	DFT_QAM64	77.200	81.230	PASS
n41(2535-2655)	30	80	515004	216@0	DFT_QAM256	77.180	81.200	PASS
n41(2535-2655)	30	80	515004	217@0	CP_QPSK	77.770	81.740	PASS
n41(2535-2655)	30	80	519000	216@0	DFT_BPSK	77.120	81.240	PASS
n41(2535-2655)	30	80	519000	216@0	DFT_QPSK	77.140	81.230	PASS
n41(2535-2655)	30	80	519000	216@0	DFT_QAM16	77.140	81.240	PASS
n41(2535-2655)	30	80	519000	216@0	DFT_QAM64	77.150	81.250	PASS
n41(2535-2655)	30	80	519000	216@0	DFT_QAM256	77.200	81.270	PASS
n41(2535-2655)	30	80	519000	217@0	CP_QPSK	77.540	81.690	PASS
n41(2535-2655)	30	80	522996	216@0	DFT_BPSK	77.470	81.480	PASS
n41(2535-2655)	30	80	522996	216@0	DFT_QPSK	77.500	81.480	PASS
n41(2535-2655)	30	80	522996	216@0	DFT_QAM16	77.500	81.420	PASS
n41(2535-2655)	30	80	522996	216@0	DFT_QAM64	77.480	81.380	PASS
n41(2535-2655)	30	80	522996	216@0	DFT_QAM256	77.540	81.410	PASS
n41(2535-2655)	30	80	522996	217@0	CP_QPSK	77.860	81.900	PASS
n41(2535-2655)	30	90	516000	240@0	DFT_BPSK	86.070	90.370	PASS
n41(2535-2655)	30	90	516000	240@0	DFT_QPSK	86.060	90.430	PASS
n41(2535-2655)	30	90	516000	240@0	DFT_QAM16	86.070	90.390	PASS
n41(2535-2655)	30	90	516000	240@0	DFT_QAM64	86.140	90.370	PASS
n41(2535-2655)	30	90	516000	240@0	DFT_QAM256	86.070	90.360	PASS
n41(2535-2655)	30	90	516000	245@0	CP_QPSK	87.610	92.240	PASS
n41(2535-2655)	30	90	519000	240@0	DFT_BPSK	85.830	90.370	PASS
n41(2535-2655)	30	90	519000	240@0	DFT_QPSK	86.050	90.400	PASS
n41(2535-2655)	30	90	519000	240@0	DFT_QAM16	85.810	90.340	PASS
n41(2535-2655)	30	90	519000	240@0	DFT_QAM64	86.100	90.400	PASS
n41(2535-2655)	30	90	519000	240@0	DFT_QAM256	86.060	90.370	PASS
n41(2535-2655)	30	90	519000	245@0	CP_QPSK	87.590	92.270	PASS
n41(2535-2655)	30	90	522000	240@0	DFT_BPSK	86.190	90.640	PASS
n41(2535-2655)	30	90	522000	240@0	DFT_QPSK	86.180	90.600	PASS
n41(2535-2655)	30	90	522000	240@0	DFT_QAM16	86.190	90.540	PASS
n41(2535-2655)	30	90	522000	240@0	DFT_QAM64	86.450	90.530	PASS
n41(2535-2655)	30	90	522000	240@0	DFT_QAM256	86.220	90.470	PASS
n41(2535-2655)	30	90	522000	245@0	CP_QPSK	87.880	92.520	PASS
n41(2535-2655)	30	100	517002	270@0	DFT_BPSK	96.410	101.540	PASS
n41(2535-2655)	30	100	517002	270@0	DFT_QPSK	96.500	101.610	PASS
n41(2535-2655)	30	100	517002	270@0	DFT_QAM16	96.480	101.570	PASS
n41(2535-2655)	30	100	517002	270@0	DFT_QAM64	96.500	101.590	PASS
n41(2535-2655)	30	100	517002	270@0	DFT_QAM256	96.430	101.490	PASS
n41(2535-2655)	30	100	517002	273@0	CP_QPSK	97.650	102.710	PASS

n41(2535-2655)	30	100	519000	270@0	DFT_BPSK	96.420	101.610	PASS
n41(2535-2655)	30	100	519000	270@0	DFT_QPSK	96.510	101.640	PASS
n41(2535-2655)	30	100	519000	270@0	DFT_QAM16	96.470	101.600	PASS
n41(2535-2655)	30	100	519000	270@0	DFT_QAM64	96.510	101.620	PASS
n41(2535-2655)	30	100	519000	270@0	DFT_QAM256	96.440	101.530	PASS
n41(2535-2655)	30	100	519000	273@0	CP_QPSK	97.710	102.830	PASS
n41(2535-2655)	30	100	520998	270@0	DFT_BPSK	96.460	101.710	PASS
n41(2535-2655)	30	100	520998	270@0	DFT_QPSK	96.490	101.700	PASS
n41(2535-2655)	30	100	520998	270@0	DFT_QAM16	96.500	101.660	PASS
n41(2535-2655)	30	100	520998	270@0	DFT_QAM64	96.540	101.660	PASS
n41(2535-2655)	30	100	520998	270@0	DFT_QAM256	96.520	101.610	PASS
n41(2535-2655)	30	100	520998	273@0	CP_QPSK	97.750	102.900	PASS

n41(2535-2655) SCS=30kHz DFT\_BPSK BW=10MHz Channel=508002 RB=24@0




n41(2535-2655) SCS=30kHz DFT\_QPSK BW=10MHz Channel=508002 RB=24@0




n41(2535-2655) SCS=30kHz DFT\_QAM16 BW=10MHz Channel=508002 RB=24@0




n41(2535-2655) SCS=30kHz DFT\_QAM64 BW=10MHz Channel=508002 RB=24@0




n41(2535-2655) SCS=30kHz DFT\_QAM256 BW=10MHz Channel=508002 RB=24@0



n41(2535-2655) SCS=30kHz CP\_QPSK BW=10MHz Channel=508002 RB=24@0



n41(2535-2655) SCS=30kHz DFT\_BPSK BW=10MHz Channel=519000 RB=24@0



n41(2535-2655) SCS=30kHz DFT\_QPSK BW=10MHz Channel=519000 RB=24@0







n41(2535-2655) SCS=30kHz DFT\_QAM16 BW=10MHz Channel=519000 RB=24@0




n41(2535-2655) SCS=30kHz DFT\_QAM64 BW=10MHz Channel=519000 RB=24@0




n41(2535-2655) SCS=30kHz DFT\_QAM256 BW=10MHz Channel=519000 RB=24@0




n41(2535-2655) SCS=30kHz CP\_QPSK BW=10MHz Channel=519000 RB=24@0




n41(2535-2655) SCS=30kHz DFT\_BPSK BW=10MHz Channel=529998 RB=24@0




n41(2535-2655) SCS=30kHz DFT\_QPSK BW=10MHz Channel=529998 RB=24@0



n41(2535-2655) SCS=30kHz DFT\_QAM16 BW=10MHz Channel=529998 RB=24@0



n41(2535-2655) SCS=30kHz DFT\_QAM64 BW=10MHz Channel=529998 RB=24@0



n41(2535-2655) SCS=30kHz DFT\_QAM256 BW=10MHz Channel=529998 RB=24@0




n41(2535-2655) SCS=30kHz CP\_QPSK BW=10MHz Channel=529998 RB=24@0




n41(2535-2655) SCS=30kHz DFT\_BPSK BW=15MHz Channel=508500 RB=36@0




n41(2535-2655) SCS=30kHz DFT\_QPSK BW=15MHz Channel=508500 RB=36@0



n41(2535-2655) SCS=30kHz DFT\_QAM16 BW=15MHz Channel=508500 RB=36@0




n41(2535-2655) SCS=30kHz DFT\_QAM64 BW=15MHz Channel=508500 RB=36@0



n41(2535-2655) SCS=30kHz DFT\_QAM256 BW=15MHz Channel=508500 RB=36@0




n41(2535-2655) SCS=30kHz CP\_QPSK BW=15MHz Channel=508500 RB=38@0







n41(2535-2655) SCS=30kHz DFT\_BPSK BW=15MHz Channel=519000 RB=36@0




n41(2535-2655) SCS=30kHz DFT\_QPSK BW=15MHz Channel=519000 RB=36@0




n41(2535-2655) SCS=30kHz DFT\_QAM16 BW=15MHz Channel=519000 RB=36@0



n41(2535-2655) SCS=30kHz DFT\_QAM64 BW=15MHz Channel=519000 RB=36@0




n41(2535-2655) SCS=30kHz DFT\_QAM256 BW=15MHz Channel=519000 RB=36@0




n41(2535-2655) SCS=30kHz CP\_QPSK BW=15MHz Channel=519000 RB=38@0




n41(2535-2655) SCS=30kHz DFT\_BPSK BW=15MHz Channel=529500 RB=36@0



n41(2535-2655) SCS=30kHz DFT\_QPSK BW=15MHz Channel=529500 RB=36@0



n41(2535-2655) SCS=30kHz DFT\_QAM16 BW=15MHz Channel=529500 RB=36@0




n41(2535-2655) SCS=30kHz DFT\_QAM64 BW=15MHz Channel=529500 RB=36@0



n41(2535-2655) SCS=30kHz DFT\_QAM256 BW=15MHz Channel=529500 RB=36@0




n41(2535-2655) SCS=30kHz CP\_QPSK BW=15MHz Channel=529500 RB=38@0




n41(2535-2655) SCS=30kHz DFT\_BPSK BW=20MHz Channel=509004 RB=50@0




n41(2535-2655) SCS=30kHz DFT\_QPSK BW=20MHz Channel=509004 RB=50@0



n41(2535-2655) SCS=30kHz DFT\_QAM16 BW=20MHz Channel=509004 RB=50@0




n41(2535-2655) SCS=30kHz DFT\_QAM64 BW=20MHz Channel=509004 RB=50@0






n41(2535-2655) SCS=30kHz DFT\_QAM256 BW=20MHz Channel=509004 RB=50@0




n41(2535-2655) SCS=30kHz CP\_QPSK BW=20MHz Channel=509004 RB=51@0




n41(2535-2655) SCS=30kHz DFT\_BPSK BW=20MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=30kHz DFT\_QPSK BW=20MHz Channel=519000 RB=50@0



n41(2535-2655) SCS=30kHz DFT\_QAM16 BW=20MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=30kHz DFT\_QAM64 BW=20MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=30kHz DFT\_QAM256 BW=20MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=30kHz CP\_QPSK BW=20MHz Channel=519000 RB=51@0




n41 (2535-2655) SCS=30kHz DFT\_BPSK BW=20MHz Channel=528996 RB=50@0



n41 (2535-2655) SCS=30kHz DFT\_QPSK BW=20MHz Channel=528996 RB=50@0



n41(2535-2655) SCS=30kHz DFT\_QAM16 BW=20MHz Channel=528996 RB=50@0




n41(2535-2655) SCS=30kHz DFT\_QAM64 BW=20MHz Channel=528996 RB=50@0




n41(2535-2655) SCS=30kHz DFT\_QAM256 BW=20MHz Channel=528996 RB=50@0




n41(2535-2655) SCS=30kHz CP\_QPSK BW=20MHz Channel=528996 RB=51@0



n41(2535-2655) SCS=30kHz DFT\_BPSK BW=30MHz Channel=509004 RB=75@0




n41(2535-2655) SCS=30kHz DFT\_QPSK BW=30MHz Channel=509004 RB=75@0






n41(2535-2655) SCS=30kHz DFT\_QAM16 BW=30MHz Channel=509004 RB=75 @0




n41(2535-2655) SCS=30kHz DFT\_QAM64 BW=30MHz Channel=509004 RB=75 @0




n41(2535-2655) SCS=30kHz DFT\_QAM256 BW=30MHz Channel=509004 RB=75@0




n41(2535-2655) SCS=30kHz CP\_QPSK BW=30MHz Channel=509004 RB=78@0




n41(2535-2655) SCS=30kHz DFT\_BPSK BW=30MHz Channel=519000 RB=75@0



n41(2535-2655) SCS=30kHz DFT\_QPSK BW=30MHz Channel=519000 RB=75@0



n41(2535-2655) SCS=30kHz DFT\_QAM16 BW=30MHz Channel=519000 RB=75@0



n41(2535-2655) SCS=30kHz DFT\_QAM64 BW=30MHz Channel=519000 RB=75@0

